

Gowanus CSO Tank - CP2 Daily CAMP Report

Date: 8/1/2024

This Daily Air Monitoring Report summarizes perimeter air monitoring data collected during the referenced period in accordance with the Community Air Monitoring Plan (CAMP) which was included as part of the requirements of Spec Section 01 57 00 Temporary Controls for the Gowanus CSO-GC-SFS-RH3 CP2 Contract. Note: the information included in this daily summary is based on preliminary results and is subject to change based on data validation.

Report Period:	Thursday, August 1, 2024	
Weather	Temperature: 25.5-36.6 °C Precipitation: N/A inch Relative Humidity: 57.78 %	Wind Speed: 0.3-2.0 m/s Prevailing Wind Direction: E
Summary of Site Activities	1. CAMP monitoring approximately 20 hours a day. 2. Permeation grouting operations, soil load out. 3. There were no 15 min average exceedances for PM10. 4. We received a VOC alert on AMS-1 upon powering up the unit at 6am. The site CAMP technician found water in the tubes and filter. The unit was cleaned and filters changed. This alert was not due to on-site activities	

Figure 1 - CAMP Station Locations



Daily Readings - VOCs

Data export

08/01/2024 00:00:00 to 08/01/2024 23:59:00

Averaging period: 15 minutes

Time	AMS-1	AMS-2	AMS-3	AMS-4	AMS-5	AMS-6	AMS-7	AMS-8
	VOC - AQS1 13032023-2241 (ppm)	VOC - AQS1 13032023-2244 (ppm)	VOC - AQS1 13032023-2240 (ppm)	VOC - AQS1 13032023-2238 (ppm)	VOC - AQS1 13032023-2239 (ppm)	VOC - AQS1 13032023-2237 (ppm)	VOC - AQS1 13032023-2243 (ppm)	VOC - AQS1 13032023-2242 (ppm)
8/1/2024 0:00	0	0.01	0	0	0	0	0	0
8/1/2024 0:15	0	0.01	0	0	0	0	0	0
8/1/2024 0:30	0	0.01	0	0.01	0	0	0	0
8/1/2024 0:45	0	0.03	0	0	0	0	0.03	0
8/1/2024 1:00	0	0.02	0	0.01	0.01	0.01	0.01	0
8/1/2024 1:15	0	0.01	0	0	0	0.01	0	0
8/1/2024 1:30	0	0.02	0	0	0	0	0	0
8/1/2024 1:45	0	0.02	0	0.01	0	0.01	0.01	0
8/1/2024 2:00	0	0.04	0	0.01	0.01	0.01		
8/1/2024 2:15								
8/1/2024 2:30								
8/1/2024 2:45								
8/1/2024 3:00								
8/1/2024 3:15								
8/1/2024 3:30								
8/1/2024 3:45								
8/1/2024 4:00								
8/1/2024 4:15								
8/1/2024 4:30								
8/1/2024 4:45								
8/1/2024 5:00								
8/1/2024 5:15								
8/1/2024 5:30								
8/1/2024 5:45								
8/1/2024 6:00	0.59	0.05	0	0.04	0.04	0.03	0.04	0.01
8/1/2024 6:15	0.23	0.08	0	0.07	0.06	0.05	0.05	0.02
8/1/2024 6:30	0.14	0.1	0	0.08	0.06	0.06	0.06	0.03
8/1/2024 6:45	0	0.1	0	0.09	0.07	0.06	0.07	0.03
8/1/2024 7:00	0	0.08	0	0.08	0.06	0.06	0.06	0.02
8/1/2024 7:15	0	0.07	0	0.05	0.04	0.04	0.04	0.01
8/1/2024 7:30	0	0.08	0	0.05	0.04	0.03	0.03	0
8/1/2024 7:45	0	0.06	0	0.05	0.03	0.03	0.03	0
8/1/2024 8:00	0	0.06	0	0.05	0.04	0.03	0.04	0
8/1/2024 8:15	0	0.05	0	0.05	0.02	0.02	0.03	0
8/1/2024 8:30	0	0.03	0	0.02	0.01	0	0.01	0
8/1/2024 8:45	0	0.02	0	0.01	0	0	0	0
8/1/2024 9:00	0	0.02	0	0.02	0.01	0	0	0
8/1/2024 9:15	0	0.03	0	0	0	0	0.01	0
8/1/2024 9:30	0	0.02	0	0	0.01	0	0.03	0
8/1/2024 9:45	0	0.03	0	0.01	0	0	0	0
8/1/2024 10:00	0	0.04	0	0.01	0.01	0	0	0
8/1/2024 10:15	0	0.01	0	0	0	0	0.01	0
8/1/2024 10:30	0	0.01	0	0	0.01	0	0.01	0
8/1/2024 10:45	0	0.01	0	0	0.01	0	0	0
8/1/2024 11:00	0	0.03	0	0.01	0	0	0	0
8/1/2024 11:15	0	0.04	0	0.02	0.01	0	0.02	0
8/1/2024 11:30	0	0.03	0	0.01	0.01	0	0	0
8/1/2024 11:45	0	0.04	0	0.01	0	0	0.01	0
8/1/2024 12:00	0	0.02	0	0	0	0	0	0
8/1/2024 12:15	0	0.01	0	0	0	0	0	0
8/1/2024 12:30	0	0.01	0	0	0	0	0	0
8/1/2024 12:45	0	0	0	0	0	0	0	0
8/1/2024 13:00	0	0.02	0	0.01	0	0	0	0
8/1/2024 13:15	0	0.02	0	0	0	0.01	0	0
8/1/2024 13:30	0	0.01	0	0	0	0	0	0
8/1/2024 13:45	0	0.02	0	0	0	0	0	0
8/1/2024 14:00	0	0.02	0	0	0	0	0.01	0
8/1/2024 14:15	0	0.01	0	0	0.01	0	0	0
8/1/2024 14:30	0	0.01	0	0	0	0	0	0
8/1/2024 14:45	0	0	0	0	0.01	0	0	0
8/1/2024 15:00	0	0	0	0	0	0	0	0
8/1/2024 15:15	0	0.01	0	0	0	0	0	0
8/1/2024 15:30	0	0.01	0	0	0.01	0	0	0
8/1/2024 15:45	0	0.01	0	0	0.02	0	0.01	0
8/1/2024 16:00	0	0	0	0	0.03	0	0	0


Daily Readings - VOCs

Data export

08/01/2024 00:00:00 to 08/01/2024 23:59:00

Averaging period: 15 minutes

Time	AMS-1	AMS-2	AMS-3	AMS-4	AMS-5	AMS-6	AMS-7	AMS-8
	VOC - AQS1 13032023-2241 (ppm)	VOC - AQS1 13032023-2244 (ppm)	VOC - AQS1 13032023-2240 (ppm)	VOC - AQS1 13032023-2238 (ppm)	VOC - AQS1 13032023-2239 (ppm)	VOC - AQS1 13032023-2237 (ppm)	VOC - AQS1 13032023-2243 (ppm)	VOC - AQS1 13032023-2242 (ppm)
8/1/2024 16:15	0	0	0	0	0.01	0	0	0
8/1/2024 16:30	0	0	0	0	0	0	0	0
8/1/2024 16:45	0	0	0	0	0	0	0.01	0
8/1/2024 17:00	0	0	0	0	0	0	0	0
8/1/2024 17:15	0	0	0	0	0	0	0	0
8/1/2024 17:30	0	0.01	0	0	0	0	0.02	0
8/1/2024 17:45	0	0	0	0	0	0	0	0
8/1/2024 18:00	0	0.01	0	0	0	0	0.07	0
8/1/2024 18:15	0	0.02	0	0	0	0	0.01	0
8/1/2024 18:30	0	0	0	0	0	0	0.03	0
8/1/2024 18:45	0	0	0	0	0.01	0	0	0
8/1/2024 19:00	0	0.01	0	0	0	0	0	0
8/1/2024 19:15	0	0	0	0	0.02	0	0	0
8/1/2024 19:30	0	0	0	0	0	0	0.01	0
8/1/2024 19:45	0	0	0	0	0	0	0.01	0
8/1/2024 20:00	0	0	0	0	0	0	0.05	0
8/1/2024 20:15	0	0	0	0	0	0	0.02	0
8/1/2024 20:30	0	0.01	0	0	0	0	0	0
8/1/2024 20:45	0	0.01	0	0	0	0	0.01	0
8/1/2024 21:00	0	0.01	0	0	0	0	0	0
8/1/2024 21:15	0	0.01	0	0	0	0	0	0
8/1/2024 21:30	0	0.02	0	0	0	0	0.03	0
8/1/2024 21:45	0	0.02	0	0	0	0	0.04	0
8/1/2024 22:00	0	0.02	0	0	0	0.01	0.04	0
8/1/2024 22:15	0	0.02	0	0	0	0.04	0.06	0
8/1/2024 22:30	0	0.02	0	0	0	0.02	0.05	0
8/1/2024 22:45	0	0.01	0	0	0	0	0.01	0
8/1/2024 23:00	0	0.01	0	0	0	0	0.02	0
8/1/2024 23:15	0	0	0	0	0	0	0	0
8/1/2024 23:30	0	0	0	0	0	0	0	0
8/1/2024 23:45	0	0.01	0	0	0.02	0	0.02	0




Target Analyte	Admin Level	Normal (green)	Alert Limit (yellow)	Response Limit (orange)	Action Limit (red)
Volatile Organic Compounds *	Between 0.3 and < 0.5 ppm as a 15 minute TWA	Below or equal to 0.5 ppm as a 15 minute TWA	>0.5 ppm and < =0.75 ppm as a 15 minute TWA or odors are	>0.75 to < 1.0 ppm as a 15 minute TWA or odors are observed	>=1 ppm as a 15 minute TWA or if odors are observed**

Daily Readings - PM10
 Data export
 08/01/2024 00:00:00 to 08/01/2024 23:59:00
 Averaging period: 15 minutes

Time	AMS-1	AMS-2	AMS-3	AMS-4	AMS-5	AMS-6	AMS-7	AMS-8
	PM10 - AQS1 13032023-2241 (µg/m³)	PM10 - AQS1 13032023-2244 (µg/m³)	PM10 - AQS1 13032023-2240 (µg/m³)	PM10 - AQS1 13032023-2238 (µg/m³)	PM10 - AQS1 13032023-2239 (µg/m³)	PM10 - AQS1 13032023-2237 (µg/m³)	PM10 - AQS1 13032023-2243 (µg/m³)	PM10 - AQS1 13032023-2242 (µg/m³)
8/1/2024 0:00	6.13	5.28	8.91	5.82	7.34	4.93	5.55	5.96
8/1/2024 0:15	6.53	6.88	9.28	6.08	10.99	5.12	6.21	6.18
8/1/2024 0:30	6.82	6.58	5.76	5.97	20.86	5.86	5.97	6.63
8/1/2024 0:45	7.79	6.78	6.28	6.68	32	6.05	7.22	7.29
8/1/2024 1:00	7.86	6.92	6.42	7.47	17.01	7.36	7.64	7.5
8/1/2024 1:15	7.97	6.98	6.42	9.98	13.11	6.77	7.24	7.49
8/1/2024 1:30	7.85	7	6.42	8.37	14.81	6.48	7.5	7.58
8/1/2024 1:45	8.05	7.3	6.75	8.01	12.21	6.65	7.31	7.86
8/1/2024 2:00	8.72	8.1	6.62	7.8	6.79	6.72		
8/1/2024 2:15								
8/1/2024 2:30								
8/1/2024 2:45								
8/1/2024 3:00								
8/1/2024 3:15								
8/1/2024 3:30								
8/1/2024 3:45								
8/1/2024 4:00								
8/1/2024 4:15								
8/1/2024 4:30								
8/1/2024 4:45								
8/1/2024 5:00								
8/1/2024 5:15								
8/1/2024 5:30								
8/1/2024 5:45								
8/1/2024 6:00	15.64	14.12	13.83	13.01	13.51	12.95	11.14	15.09
8/1/2024 6:15	15.33	14.36	13.48	12.05	15.18	11.6	9.57	14.36
8/1/2024 6:30	14.21	13.1	11.86	11.68	10.37	12.02	9.04	14.64
8/1/2024 6:45	13.79	12.7	10.88	10.93	10.77	10.79	9.33	14.72
8/1/2024 7:00	13.45	12.34	10.51	11.23	10.67	10.8	9.42	12.87
8/1/2024 7:15	13.18	11.56	10.13	10.68	11.46	10.37	9.58	12
8/1/2024 7:30	12.37	10.9	9.43	10.19	8.77	9.71	9.32	11.24
8/1/2024 7:45	12.86	10.53	9.52	10.57	9.1	9.56	9.39	12.28
8/1/2024 8:00	14.26	12.57	10.59	11.14	10.61	10.82	10.39	12.99
8/1/2024 8:15	11.83	11.38	11.29	10.08	8.55	9.17	8.57	10.63
8/1/2024 8:30	10.89	9.52	10.75	9.08	8.85	8.79	9.24	9.64
8/1/2024 8:45	10.77	8.98	10.28	9.25	8.51	8.4	8.36	9.51
8/1/2024 9:00	10.41	9.09	9.58	9.46	8.03	9.42	8.57	9.45
8/1/2024 9:15	12.52	9.13	10.04	8.88	8.44	9.37	8.12	8.49
8/1/2024 9:30	8.33	8.04	8.33	7.44	8.07	8.37	8.45	7.39
8/1/2024 9:45	7.36	6.79	7.54	7.13	6.95	7.45	6.24	6.79
8/1/2024 10:00	7.55	6.55	7.68	7.16	7.51	7.41	6.66	6.96
8/1/2024 10:15	7.78	6.21	6.96	7.1	8.81	7.05	7.13	6.5
8/1/2024 10:30	8.54	7.18	8.3	7.99	8.93	8.04	7.39	7.11
8/1/2024 10:45	9.71	9.25	9.9	9.37	11.68	10.44	8.56	9.24
8/1/2024 11:00	9.69	9.31	10.66	10	10.02	10.58	8.43	8.85
8/1/2024 11:15	12.11	10.93	11.6	11.25	11.85	11.9	10.48	10.39
8/1/2024 11:30	12.94	10.79	11.47	11.99	12.33	11.96	10.12	10.81
8/1/2024 11:45	11.51	11.29	11.94	11.47	11.9	12.3	10.3	10.74
8/1/2024 12:00	11.5	10.28	10.97	11.22	11.3	11.47	9.98	10.66
8/1/2024 12:15	11.87	11.09	11.71	11.03	12.1	12.34	10.61	11.25
8/1/2024 12:30	13.18	13.14	13.59	13.23	13.76	14.49	11.73	12.38
8/1/2024 12:45	12.56	12.38	13.1	12.67	13.05	13.62	11.23	12.59
8/1/2024 13:00	13.13	12.29	12.77	12.5	13.45	14.21	12.04	12.09
8/1/2024 13:15	13.05	12.76	13.68	13.22	13.34	14.24	13.15	12.07
8/1/2024 13:30	13.44	12.47	13.53	12.59	14.23	14.17	12.5	12.41
8/1/2024 13:45	12.27	11.81	13.09	12.59	12.49	13.31	12.54	11.86
8/1/2024 14:00	12.63	12.43	14.13	12.52	13.65	14.02	12.57	12.09
8/1/2024 14:15	12.44	11.96	12.51	12.07	14.24	13.96	11.52	12.42
8/1/2024 14:30	11.44	10.33	10.71	10.75	11.43	11.39	9.96	10.64
8/1/2024 14:45	10.57	9.44	9.44	8.76	10.28	10.58	9.13	9.57
8/1/2024 15:00	9.75	8.5	8.34	7.84	9.35	9.8	8.39	8.89
8/1/2024 15:15	8.84	8.67	8.34	7.7	9.04	9.04	7.88	8.31
8/1/2024 15:30	10.01	9.74	9	8.72	10.26	10.15	8.98	9.48
8/1/2024 15:45	10.81	10.46	9.87	9.66	11.48	10.88	9.82	11.46
8/1/2024 16:00	11.52	10.62	10.13	9.97	11.93	11.48	10.36	11.27
8/1/2024 16:15	12.77	10.91	10.57	10.04	11.67	11.7	10.52	12.41

Daily Readings - PM10
Data export
08/01/2024 00:00:00 to 08/01/2024 23:59:00
Averaging period: 15 minutes

Time	AMS-1	AMS-2	AMS-3	AMS-4	AMS-5	AMS-6	AMS-7	AMS-8
	PM10 - AQS1 13032023-2241 ($\mu\text{g}/\text{m}^3$)	PM10 - AQS1 13032023-2244 ($\mu\text{g}/\text{m}^3$)	PM10 - AQS1 13032023-2240 ($\mu\text{g}/\text{m}^3$)	PM10 - AQS1 13032023-2238 ($\mu\text{g}/\text{m}^3$)	PM10 - AQS1 13032023-2239 ($\mu\text{g}/\text{m}^3$)	PM10 - AQS1 13032023-2237 ($\mu\text{g}/\text{m}^3$)	PM10 - AQS1 13032023-2243 ($\mu\text{g}/\text{m}^3$)	PM10 - AQS1 13032023-2242 ($\mu\text{g}/\text{m}^3$)
8/1/2024 16:30	11.49	10.69	10.55	10.1	11.73	11.67	10.66	11.15
8/1/2024 16:45	11.48	10.85	10.36	10.09	12.03	11.75	10.48	10.96
8/1/2024 17:00	12.13	11.58	10.95	10.53	12.45	12.84	12.35	11.7
8/1/2024 17:15	12.06	11.38	11	10.44	12.28	12.82	10.81	11.64
8/1/2024 17:30	11.97	11.57	10.97	10.31	12.42	12.98	11.61	11.8
8/1/2024 17:45	12.8	12.53	11.7	11.27	13.49	13.93	11.65	12.41
8/1/2024 18:00	12.9	13.21	12.17	11.32	13.97	14.02	15.17	12.57
8/1/2024 18:15	13.33	12.56	11.93	11.51	13.32	14.3	13.83	12.66
8/1/2024 18:30	13.44	13.23	12.54	11.7	13.87	14.73	12.99	24.29
8/1/2024 18:45	13.83	13.02	12.66	12.07	14.96	14.96	12.71	13.46
8/1/2024 19:00	13.09	12.88	12.55	11.54	13.72	13.47	11.81	12.9
8/1/2024 19:15	12.74	13.41	12.22	11.09	13.55	11.28	11.59	12.25
8/1/2024 19:30	12.18	13.98	12.19	10.33	12.99	10.62	11.86	11.79
8/1/2024 19:45	12.52	12.98	11.8	10.53	13.85	10.55	12.16	12.08
8/1/2024 20:00	12.43	13.24	11.61	10.69	13.29	11.21	14.89	13.45
8/1/2024 20:15	12.49	15.03	12.57	10.58	14.19	11.74	12.18	12.9
8/1/2024 20:30	12.79	19.53	14.72	11.08	15.28	12.78	11.26	13.3
8/1/2024 20:45	13.61	14.92	12.42	11.48	17.52	13.54	12.14	12.9
8/1/2024 21:00	13.59	14.21	12.97	11.17	13.59	11.8	11.55	13.03
8/1/2024 21:15	14.27	15.2	13.6	11.44	14.9	11.69	12.11	13.28
8/1/2024 21:30	14.54	20.18	15.23	12.37	20.84	12.04	15.92	13.56
8/1/2024 21:45	15.34	19.32	15.89	12.63	18.45	12.84	18.98	13.86
8/1/2024 22:00	14.58	18	17.11	13.65	18.29	13.02	16.28	13.78
8/1/2024 22:15	19.5	24.66	22.09	19.86	24.82	17.32	22.72	18.16
8/1/2024 22:30	25.53	28.39	26.44	24.54	29.12	22.43	23.03	23.36
8/1/2024 22:45	16.46	15.92	14.55	13.54	16.46	16.52	14.81	16.62
8/1/2024 23:00	14.93	14.91	13.23	13.07	15.26	15.22	14.97	14.49
8/1/2024 23:15	12.05	12.35	10.72	9.94	14.5	11.82	10.52	11.8
8/1/2024 23:30	14.34	18.86	14.36	11.86	14.04	12.4	12.2	14.76
8/1/2024 23:45	15.62	15.88	13.81	12.83	14.03	12.74	13.28	15.47



Target Analyte	Admin Level	Normal (green)	Alert Limit (yellow)	Response Limit (orange)	Action Limit (red)
Respirable particulate matter (PM10) *	>75 $\mu\text{g}/\text{m}^3$ to 100 $\mu\text{g}/\text{m}^3$ as a 15 minute TWA	≤ 100 $\mu\text{g}/\text{m}^3$ as a 15 minute TWA	>100 $\mu\text{g}/\text{m}^3$ and ≤ 150 $\mu\text{g}/\text{m}^3$ as a 15 minute TWA	See Alert Limit criteria	>150 $\mu\text{g}/\text{m}^3$ as a 15 minute TWA