

**COST TO CURE REPORT
PARK LAND**

**BAYSIDE FUEL OIL COMPANY
1 – 65 NORTH 12TH STREET
BLOCK 2277, LOT 1
BROOKLYN, NEW YORK**

**DDC PROJECT NO. – BEGS2005027
CONTRACT REGISTRATION NO. 20040028082
TASK 3099**

Prepared for:



**NEW YORK CITY DEPARTMENT OF
DESIGN + CONSTRUCTION**

**City of New York Department of Design and Construction
Bureau of Environmental and Geotechnical Services
30-30 Thomson Avenue
Fifth Floor
Long Island City, New York 11101**

PREPARED BY:



**METCALF & EDDY OF NEW YORK, INC.
1140 ROUTE 22 EAST – SUITE 101
BRIDGEWATER, NEW JERSEY 08807**

JUNE 2007

WOL NOS. 3099-M&E2R-3253, 3099-M&E2R-3515, 3099-M&E2R-3923

Table of Contents

1.0	INTRODUCTION	1
1.1	BACKGROUND	1
2.0	SITE DESCRIPTION.....	5
2.1	GENERAL PHYSICAL SETTING	5
2.2	GEOLOGY	5
2.2.1	Fill Material.....	5
2.2.2	Native Soils.....	5
2.3	HYDROGEOLOGY.....	6
3.0	INVESTIGATION ACTIVITIES AND RESULTS	7
3.1	SUMMARY OF SITE INVESTIGATION ACTIVITIES	7
3.2	RESULTS OF THE INVESTIGATION ACTIVITIES.....	8
3.2.1	Soils.....	8
3.2.2	Groundwater	10
3.2.3	Coal-Tar and Petroleum Plumes	11
3.3	CONCLUSIONS	12
4.0	CONCEPTUAL SITE DEVELOPMENT	14
5.0	CONCEPTUAL REMEDIAL MEASURES.....	16
5.1	PARK LAND AREA	16
5.2	PAVED WALKWAYS.....	17
5.3	SLURRY WALL/GROUNDWATER TREATMENT SYSTEM.....	17
5.4	REMEDIAL CONCERNS	18
5.4.1	Agency Interaction	18
5.4.2	Additional Investigation.....	19
5.4.3	Use of Health and Safety Trained Construction Workers	19
5.4.4	Health and Safety – Dust Monitoring.....	19
5.4.5	Vapor Intrusion.....	19
6.0	REMEDIAL COST ESTIMATE	20

LIST OF FIGURES

- Figure 1 – Site Location Map
Figure 2 – Soil Boring and Monitoring Well Locations
Figures 3A and 3B – Site Map with Soil Sample Results
Figure 4 – Site Map with Groundwater Sample Results
Figure 5 – Coal-tar Plume Location
Figure 6 – Petroleum Plume Location
Figure 7 – Coal-tar and Petroleum Plume Locations
Figure 8 – Conceptual Site Plan
Figure 9 – Generalized Site Elevation

LIST OF TABLES

- Table 1 – Soil Analytical Results, TCL Volatile Organic Compounds
Table 2 – Soil Analytical Results, TCL Semi-Volatile Organic Compounds
Table 3 – Soil Analytical Results, TAL Metals
Table 4 – Groundwater Analytical Results, TCL Volatile Organic Compounds
Table 5 – Groundwater Analytical Results, TCL Semi-Volatile Organic Compounds
Table 6 – Groundwater Analytical Results, PCBs
Table 7 – Groundwater Analytical Results, TAL Metals

1.0 INTRODUCTION

On behalf of the City of New York Department of Design & Construction (“DDC”), Metcalf & Eddy of New York, Inc. (“M&E”) has prepared this Cost to Cure (“CTC”) report for the Bayside Fuel Oil Company (“BFOC”) property (“the Site”). The Site is located on North 12th Street (Block 2277, Lot 1) between Kent Avenue and the East River in the Greenpoint-Williamsburg section of the Borough of Brooklyn, New York (Figure 1). The Site is currently used as a fuel depot, with a truck loading area. The purpose of this CTC report is to provide the DDC with an order-of-magnitude cost estimate for remediation of contaminated soil and groundwater that may be encountered as part of the development of Park Land on the Site.

This CTC report is based on the findings of the Site Investigation (“SI”) Report prepared by M&E dated October 2006. The investigation conducted at the Site is representative of the type of environmental investigation that a purchaser would undertake, prior to acquiring real property.

This report is divided into the following sections:

- Section 1 - Introduction
- Section 2 – Site Description
- Section 3 – Investigation Activities and Results
- Section 4 – Conceptual Site Development
- Section 5 – Conceptual Remedial Measures
- Section 6 – Remedial Cost Estimate

1.1 Background

Recognized environmental conditions (“RECs”) related to historic fill, petroleum releases, and coal-tar contamination from an off-site source have been identified by several previous investigations at the Site and surrounding area. Previous investigations identified by M&E are as follows:

- Phase I Environmental Site Assessment (“ESA”) and Limited Phase II Subsurface Investigation Report, prepared by Valid Consulting Services, Inc. in October 1997.
- Technical Analyses and Proposed Remedial Actions for Texaco Facility No. 58079 Report prepared by Environmental Systems and Technologies, Inc. in May 1998.
- Investigation Report prepared by HANDEX in October 1998.
- Atlantic Petroleum Services, Inc. with the Annual Groundwater Monitoring Well Report in July 1999.
- Letter from HANDEX to New York State Department of Environmental Conservation (“NYSDEC”) transmitting a Site Status Report in November 1999.
- Letter from Atlantic Petroleum Services, Inc. to Bayside Oil Corporation with Annual Groundwater Monitoring Well Report in June 2000.
- Letter from HANDEX to NYSDEC with the Quarterly Progress Report summarizing work completed from April through June 2000 submitted in July 2000.
- Semi-annual monitoring report for work conducted from June through November 2000 prepared by HANDEX.
- Letter from HANDEX to the NYSDEC with enclosed semi-annual monitoring report for work conducted from December 2000 through May 2001 submitted in June 2001.
- Letter from Atlantic Product Services, Inc. to NYSDEC with Annual Groundwater Monitoring Well Report for 2001 submitted in June 2001.
- Soil Gas Investigation Report of Bayside Fuel Oil Corporation prepared by Exploration Technologies, Inc.
- Phase I ESA, Volume I, Phase I ESA Report prepared by TRC in May 2002.

The TRC Phase I ESA identified RECs from site inspection, records review, environmental database queries, and interviews. Following the Phase I ESA, TRC was retained by the TransGas Energy Systems LLC (“TGES”) to perform a Phase II Baseline ESA of the BFOC property in December 2002. Based on discussions with DDC and New York City Office of Environmental Coordination (“OEC”), only the TRC site investigation work conducted at the BFOC property

was considered as acceptable data for evaluation and comparison with the results of M&E's SI. The TRC report made the following conclusions:

- There is a significant amount of off-site source material and/or coal-tar related dense non-aqueous phased liquid (“DNAPL”) from a former manufactured gas plant (“MGP”) at the southeast and southwest corners of the Site. This material represents a continuing source of contamination to the Site.
- On-site groundwater and soils have been impacted by the MGP source material. Groundwater impacts from off-site sources extend across the Site, from the southeast corner to within approximately 60 feet of the Bushwick Creek Inlet.
- On-site soils are significantly impacted by petroleum product storage and handling, and visibly impacted soil extends from near ground surface to 20 or more feet deep in many locations.
- Benzene was detected in groundwater at concentrations ranging from 6.5 micrograms per liter (“µg/L”) to 29,500 µg/L. The highest concentration occurred where coal-tar appeared in the boring.
- Off-site areas are contaminated with MGP material, petroleum, and materials inherent to fill. The off-site contaminated conditions are comparable to or greater than the contamination encountered at the Site.
- At present, groundwater does not appear to be adversely impacting Bushwick Creek and the East River beyond what would be considered background conditions.

A review of Sanborn maps between the years of 1887 and 1996 portrayed a long history of multiple industrial uses for the Site and surrounding area. In 1887 the Site was occupied by Pratt Manufacturing and functioned in what appears to have been a petroleum distillation facility. The maps depicted the Site with filling shops, a box factory, filling houses, gasoline tanks, a tin-can factory, a machine shop, coal bins, coal trestles, steam stills, condensers, agitators, oil tanks, a packaging shed, pump houses, and numerous storage tanks. By 1905, the Site was occupied by the Standard Oil Company “Pratt Works”. The Site contained a wood-box factory, storage tanks,

numerous iron tanks, stills, steam stills, condensers, agitators, filling houses, coal piles, boilers, a tin-can factory, a tin-can repairing area, a wagon shed, a blacksmith shop, office, and storage areas.

The 1965 Sanborn map identified the Site as Paragon Oil Company, Division of Texaco, Inc. The tin-can factory was shown as a warehouse and office building. The remaining structures were no longer depicted. Twelve aboveground storage tanks (“ASTs”) were identified on-site that contained fuel oil, kerosene, and gasoline. An automotive repair garage was constructed in 1967. Currently, the Site is occupied by the BFOC and is operated as a fuel depot.

M&E conducted an SI of the Site from May 15, 2006 through July 21, 2006. The purpose of the SI, as requested by the OEC and DDC, was to evaluate the lateral and vertical extent of potential on-site contamination in subsurface soil and groundwater, as a result of historic and current on-site and off-site operations.

2.0 SITE DESCRIPTION

2.1 General Physical Setting

The property owner is identified as the “North 12th Street Property” by the City of New York Department of Finance (“DOF”) and the property is identified by the DOF as Block 2277, Lot 1. The Site is currently used as a fuel depot with a truck loading area. Twelve ASTs containing fuel oil, kerosene and gasoline are located at the Site. The topography of the Site is generally flat with a gentle northwesterly slope towards Bushwick Creek and the East River. The Site is paved with asphalt, with the exception of a small portion covered by crushed stone and gravel. The Site is bordered by the Bushwick Creek to the north, North 12th Street and warehouses owned by CitiStorage to the south, commercial and light manufacturing operations to the east, and the East River to the west.

2.2 Geology

Two major stratigraphic units were identified during the SI: in order of increasing depth, they are fill and native soil. Bedrock was not encountered during this investigation.

2.2.1 Fill Material

Based on the findings of the SI, the uppermost geologic unit consists of a layer of fill material ranging from 11 to 19 feet below grade. The fill generally comprises sand and silty sand with crushed stone, wood, concrete, ash, cinders, and brick. The thickness of the fill decreased from south to north at the Site. Fill was encountered in each of the soil borings advanced during the SI.

2.2.2 Native Soils

The fill is underlain by black organic silt ranging in thickness from 2 to 10 feet. Silt with alternating strata of fine sandy silts and silty clays is present beneath the layer of black organic silt to depths of approximately 50 to 70 feet below ground surface (“bgs”), below which a gray to reddish brown stiff silty clay is present.

2.3 Hydrogeology

The Site hydrogeology is discussed in terms of closest surface water bodies (Bushwick Creek and the East River) and the groundwater aquifers located beneath the Site. Groundwater was encountered at the Site between depths ranging from two (2) to eight (8) feet bgs. Based upon the groundwater elevations obtained from previously existing and recently installed monitoring wells at the Site, groundwater flows in a primarily northward direction towards Bushwick Creek and westward towards the East River.

3.0 INVESTIGATION ACTIVITIES AND RESULTS

The purpose of the SI, as requested by the DDC, was for the initial evaluation of the lateral and vertical extent of contamination in subsurface soil and groundwater that may exist from the historic and current on-site and off-site operations, prior to the redevelopment of the Site.

The investigation was performed in general accordance with NYSDEC Draft DER-10 Technical Guidance for Site Investigation and Remediation dated December 2002. The investigation findings were evaluated based on the Technical and Administrative Guidance Memorandum (“TAGM”) No. 4046 (Recommended Soil Cleanup Objectives [“RSCO”] and Soil Cleanup Objectives to Protect Groundwater Quality [“SCOPGQ”]), Spill Technology and Remediation Services (“STARS”) Memorandum No.1, Toxicity Characteristic Leachate Procedure (“TCLP”) Alternative Guidance Values, and the NYSDEC Technical and Operational Guidance Series (“TOGS”) 1.1.1 Memorandum (Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations).

3.1 Summary of Site Investigation Activities

The SI field activities were conducted from May 15, 2006 through July 21, 2006 and consisted of the advancement of soil borings and installation of monitoring wells for the collection of soil and groundwater samples, respectively (Figure 2). Soil and groundwater samples were collected and submitted for laboratory analysis from the borings and monitoring wells installed by M&E, existing monitoring wells from TRC’s 2002 investigation, to characterize soil and groundwater conditions at the Site.

The SI field work included:

- Advancement of 13 on-site soil borings (B-7A, B12A, B-13A, B-15A, B-16A, B-24A, and B-28 to B-34) and 6 off-site soil borings (BPB-4, BPB-5, BPB-6, BPB-9, BPB-13, and B-20A) using both track-mounted and truck-mounted hollow-stem auger drill rigs.

- Installation of three on-site monitoring wells (MW-28, MW-31 and MW-33) and two off-site monitoring wells (MW-2 and MW-4) using track-mounted and truck-mounted hollow stem auger drill rigs.
- Collection of groundwater samples from 23 on-site and off-site monitoring wells installed by M&E or installed as part of previous investigations.
- Containment of drill cuttings, decontamination water, and well development/purged groundwater in 55-gallon drums.
- Survey of soil borings and monitoring well locations.

The following samples were collected from each of these investigation points:

- 43 soil samples (including two duplicate samples) were collected from the 19 soil boring locations advanced as part of this investigation.
- 23 groundwater samples (including four duplicates) were collected from five (5) shallow monitoring wells installed by M&E and 14 existing shallow monitoring wells.
- One (1) composite soil sample and one (1) composite water sample were collected from the drill cuttings, decontamination water, and groundwater generated during the field program for the purposes of waste classification.

3.2 Results of the Investigation Activities

3.2.1 Soils

In order to evaluate the subsurface soil quality, laboratory analytical results were compared with NYSDEC regulatory standards identified in:

- TAGM No. 4046 RSCO, SCOPGQ; and Eastern U.S. Background Concentrations; and,
- STARS Memorandum No.1, TCLP Alternative Guidance Values.

The laboratory results of the samples are summarized in Tables 1 through 3 and on Figures 3A and 3B. The analytical data revealed the following:

- Target Compound List (“TCL”) volatile organic compounds (“VOCs”) consisting of benzene, toluene, ethylbenzene, m&p xylene, o-xylene, isopropylbenzene, n-propylbenzene, 1, 3, 5-trimethylbenzene, 1, 2, 4-trimethylbenzene, sec-butylbenzene, 4-isopropyltoluene, and naphthalene were detected in 17 of 43 soil samples at concentrations above the NYSDEC TAGM RSCOs, TAGM SCOPGQs, and/or STARS TCLP Alternative Guidance Values. Acetone and methylene chloride were also detected at concentrations above the TAGM RSCO and SCOPGQ criteria, but these compounds are likely the result of laboratory contaminants since the history of the Site does not suggest the use of acetone or methylene chloride. The detections of elevated VOCs are likely the result of historical petroleum releases from the Site and from the former MGP.
- TCL semi-volatile organic compounds (“SVOCs”) consisting of the polycyclic aromatic hydrocarbons (“PAH”) compounds naphthalene, 2-methyl naphthalene, dibenzofuran, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, dibenzo(a,h)anthracene, acenaphthylene, acenaphthene, anthracene, fluoranthene, fluorene, phenanthrene, pyrene, and chrysene were detected in 18 of the 43 soil samples at concentrations that exceeded either the NYSDEC TAGM RSCO and SCOPGQ criteria or the STARS TCLP Alternative Guidance Values. The detections of elevated SVOCs are likely the result of historical releases of petroleum from the Site and the former MGP.
- PCB concentrations were non-detect (“ND”) and were not above the Practical Quantitation Limits (“PQL”) in any of the soil samples collected at the Site.
- Target Analyte List (“TAL”) Metals consisting of arsenic, beryllium, cadmium, chromium, iron, cobalt, copper, lead, mercury, nickel, selenium and zinc were detected at concentrations above either the TAGM RSCO or the NYSDEC Eastern U.S. Background Criteria. The metals are likely attributed to contaminants from historic fill placed at the Site, as well as historical releases.
- Total cyanide was detected in 3 of the 43 soil samples collected, but no NYSDEC standard exists for cyanide. Cyanide may be related to the purifier waste from the former MGP operations;

- The detection of VOCs, SVOCs, particularly PAHs above the NYSDEC TAGM and STARS TCLP Alternative Guidance Value criteria indicate that the soil has been impacted by on-site historical petroleum releases, historical releases from the former off-site MGP operations, and by historic fill material (consisting of ash and cinders), which typically contains elevated levels of PAHs. Thus, there is a potential exposure risk during construction activities, especially in the areas where SVOCs were elevated; and,
- A limited exposure risk is also posed by metals such as arsenic, beryllium, cadmium, chromium, iron, cobalt, copper, lead, mercury, nickel, selenium and zinc which were detected at concentrations above the RSCO and Eastern U.S. Background criteria. The presence of these compounds at elevated concentrations, along with other metals detected at concentrations below NYSDEC criteria is consistent with historic fill placed at the Site, as well as releases from historic on-site operations.

3.2.2 Groundwater

The groundwater results were compared with the following regulatory criteria:

- NYSDEC TOGS 1.1.1 Memorandum.

The laboratory results are summarized in Tables 4 through 7 and on Figure 4. The analytical data revealed the following:

- VOCs were detected at concentrations above the NYSDEC TOGS consisting of methyl-tertiary-butyl-ether (“MTBE”), benzene, toluene, ethylbenzene, xylene (“BTEX”), styrene, isopropylbenzene, 1, 3, 5-trimethylbenzene, 1, 2, 4-trimethylbenzene, sec-butylbenzene, 4-isopropyltoluene, n-butylbenzene, and naphthalene, along with several PAH compounds, and metals. The highest concentrations of these compounds were detected in BPB-13/MW-4, located along North 12th Street. BTEX combined with several signature PAH compounds is generally associated with petroleum hydrocarbons and MGP/coal-tar contamination.

- TCL SVOCs consisting of phenol, naphthalene, acenaphthene, fluorene, phenanthrene, anthracene, benzo(a)anthracene, and benzo(b)fluoranthene were detected in five (5) of the 23 groundwater samples at concentrations exceeding the NYSDEC TOGS Criteria. PAH compounds are generally associated with petroleum hydrocarbons and MGP/coal-tar contamination.
- PCB compounds were not detected in the groundwater samples collected during the field investigation.
- TAL metals were detected in the 23 groundwater samples at concentrations that exceeded the NYSDEC TOGS Criteria; specifically, arsenic, barium, beryllium, cadmium, chromium, copper, iron, magnesium, lead, manganese, and sodium.

3.2.3 Coal-Tar and Petroleum Plumes

The SI activities also identified the suspected coal-tar and petroleum plumes that were documented in the Report prepared by TRC in May 2002. The TRC report made the following conclusions:

- There is a significant amount of offsite source material and/or coal-tar DNAPL from an MGP at the southeast and southwest corners of the site. This material represents a continuing source of contamination onto the Site.
- Onsite soils are significantly impacted by petroleum product storage and handling, and visibly impacted soil extends from near ground surface to 20 or more feet deep in many locations.

The results of the SI report indicate that areas of MGP/coal-tar contamination co-mingled with petroleum hydrocarbon contamination (19 to 52 feet bgs) are also present along North 12th Street, and in the southeast and southwest portions of the Site.

Plume maps were prepared based on the information collected during M&E's SI activities. The maps showing coal-tar plume (Figure 5) and the petroleum plume (Figure 6) were based solely on the information obtained from the boring logs and observations made during M&E's SI. Figure 7 also provides both plumes to show each plume in relation to the entire Site. The plume maps are

intended to provide a general aerial extent of each plume. The actual aerial extent can only be verified through a focused plume investigation/delineation field program.

3.3 Conclusions

The data collected during the SI indicate that the Site contains widespread contaminated historic fill (6 to 16 feet bgs) and petroleum hydrocarbons (0 to 25 feet bgs). Areas of MGP/coal-tar contamination co-mingled with petroleum hydrocarbon contamination (19 to 52 feet bgs) are also present along North 12th Street, and in the southeast and southwest portions of the Site. The Site has predominately been impacted by bulk petroleum storage operations.

The contaminants detected at the Site were introduced to the environment by a variety of means, including fill mixed with ash and cinders that was brought to the Site, releases of petroleum from the on-site petroleum storage operations, and off-site MGP impacts encroaching onto the Site in the form of coal-tar DNAPL and dissolved contaminants in groundwater. The MGP impacts occur mostly at depth of 25 feet and greater bgs. These contaminants can vaporize, runoff in surface water, and/or percolate into the overburden soils. Surface water runoff at the Site will tend to mirror the topography and flow overland northward and westward towards the Bushwick Creek and the East River, respectively. SVOCs and metals from fill are more likely to be transported via runoff than VOCs. VOCs tend to partition into the vapor phase, whereas the SVOCs and metals are sorbed to the soil particles and groundwater colloids which discharge into the Bushwick Creek and the East River.

Based upon the contamination detected in soil borings and monitoring wells installed during this investigation, there are three (3) receptors that may be impacted:

- surface waters of the Bushwick Creek and the East River, through surface runoff, dust, and groundwater flow;
- humans, through on-site, direct contact with soil and surface water runoff and inhalation; and,

- groundwater as a result of petroleum and MGP/coal-tar contamination.

The Bushwick Creek and the East River may be impacted through several means of transport including surface water runoff from the Site which could potentially carry contaminated sediments; contaminated dust particles from historic fill carried by the wind; and contaminated groundwater flowing towards both water bodies.

Human receptors may be exposed to contaminants via dermal contact through swimming or wading in the Bushwick Creek and the East River or through contact with historic fill, petroleum hydrocarbons, and MGP/coal-tar contamination by digging or other invasive activities at the Site. Exposure by inhalation of dust blown from contaminated areas also provides an additional path to human receptors

Based upon the results of the groundwater samples, groundwater has been impacted by documented and undocumented petroleum releases from on-site fuel storage operations and from off-site MGP impacts encroaching onto the Site in the form of coal-tar DNAPL and dissolved contaminants in groundwater. Although unlikely, exposure to contaminated groundwater through ingestion or dermal contact during groundwater sampling or dewatering activities can occur.

4.0 CONCEPTUAL SITE DEVELOPMENT

The DDC has requested that M&E prepare a conceptual site plan associated with the redevelopment of the Site as a Park Land, a use that is currently inconsistent with the M3-1 heavy manufacturing zone in which the Site is located. The development of a conceptual site plan will assist M&E in preparing an order-of-magnitude cost estimate for the remediation of contaminated soil and groundwater that may be encountered should redevelopment of the Site occur.

In order to prepare the conceptual site plan, M&E used the following assumptions, which are based upon information provided by the DDC and collected during the field investigation:

- The area of the Site is 294,704 square feet (“SF”), roughly divided between 270,000 SF of upland and approximately 24,000 SF of land underwater (as reported by the City of New York Department of Citywide Administrative Services [“DCAS”]). For the purposes of this report, only the upland portion of the Site will be addressed by the conceptual development plan.
- The property is zoned M3-1 heavy manufacturing (per the New York City Department of City Planning [“DCP”]). The City restricts manufacturing operations that may have potentially noxious uses in the M3-1 Zone; however, this zoning designation will need to be changed to accommodate the proposed use of the Site as Park Land. This analysis assumes that the zoning change will be granted.
- The topographic map prepared for the Site indicates that approximately 50% of the upland portion (135,000 SF) is classified as a flood zone. The development of the Site for Park Land will not require building within the flood zone.
- All utility service for the Site will be obtained from the underground utilities located along Kent Avenue, via subsurface connections.

Based upon these assumptions, M&E’s conceptual site plan is as follows:

- Paved walkway areas would comprise 27,000 SF of the Site, to allow for the pedestrian access and other recreational uses. These areas would be paved with concrete or asphalt and would act as a cap to limit direct pedestrians contact with the contaminated fill.
- The 243,000 SF upland portion of the Site will be developed as Park Land. For the purposes of the CTC, this area would remain as vegetated open space and be capped with a minimum of two (2) feet of certified clean fill.

Figure 8 provides a conceptual site plan for the subject property. Please note that this is a simple conceptual design for the development of Park Land, based upon the assumptions previously identified. This conceptual design was developed only as a means of evaluating the potential costs to manage contaminated soil and groundwater at the Site, should the property be developed. There are numerous other development plans that could be pursued on this Site. However, it is likely that costs associated with managing contaminated soil and groundwater at the Site would be similar to the costs associated with in this conceptual plan.

5.0 CONCEPTUAL REMEDIAL MEASURES

The majority of the remedial activities would be associated with excavation and off-site disposal of contaminated historic fill. Based on the findings of the SI report, petroleum contaminated, non-hazardous soil is present throughout the Site. Dewatering may be required but is expected to be minimal, since depth to groundwater ranges from five (5) to ten (10) ft bgs at the Site. Excavations for utilities would likely extend less than five (5) feet bgs.

For the purposes of this CTC Report, we have assumed that the entire Site will be capped with a minimum of two (2) feet of clean fill or one (1) foot of clean fill/one (1) foot of pavement, to act as a barrier to pedestrian or visitor contact with contaminated historic fill and petroleum contaminated non-hazardous soil. In order to maintain existing grades for drainage and access purposes, this would result in the excavation of soil across most of the Site, and reuse of some of the cut material to bring low-lying areas up to developed grade. This will reduce the costs off-site disposal for the soil. Figure 9 provides a generalized site elevation illustrating the present topographic profile of the Site and a profile illustrating the conceptual design.

The conceptual remedial measures have been divided into three (3) construction categories:

- Park Land Area;
- Paved Walkways; and,
- Slurry Wall and Groundwater Treatment System.

5.1 Park Land Area

The elevation of the conceptual Park Land area decreases to the west from approximately 10 feet above mean sea level (“msl”) at Kent Avenue to three (3) feet above msl, approximately 1,100 feet west of Kent Avenue (Figure 9). It is assumed that a two (2) foot layer of historic fill and petroleum contaminated soil would be excavated for off-site disposal over the entire upland area. Assuming 10 percent of the area is used to construct paved walkways throughout the Site, it is estimated that 18,000 cubic yards of historic fill and petroleum contaminated soil would be

removed from this area for off-site disposal or re-use elsewhere on-site. A two (2) foot layer of clean fill would replace the historic fill, in order to maintain the original grade. Subsequently, appropriate landscaping measures would be taken to stabilize the soil.

5.2 Paved Walkways

It is assumed that approximately 10 percent of the upland area would be utilized for asphalt paved walkways, which would be constructed at the existing grade of the Site. A two (2) foot layer of historic fill and petroleum contaminated soil would be removed from these areas for off-site disposal or re-use elsewhere on-site (approximately 2,000 cubic yards). A one (1) foot layer of clean fill would replace the historic fill, topped by a six (6) inches of crushed stone and (6) inches of asphalt.

5.3 Slurry Wall/Groundwater Treatment System

Contaminated groundwater at the Site currently discharges to both the East River and Bushwick Creek. The contaminated groundwater would be contained at the boundary of the Site by the installation of a slurry wall along the Site boundary with the East River and Bushwick Creek. The slurry wall would be installed through the fill and native soil along the northern and western boundaries of the Site (~ 1,200 feet) to the underlying clay layer at an approximate depth of 60 feet bgs.

In addition to the slurry wall, a series of groundwater suppression and product recovery wells would be installed to prevent mounding of groundwater beneath the Site. The presence of dissolved contaminants in the groundwater would require the construction of an on-site treatment system to treat groundwater before discharge to the sanitary sewer system. A small building would be constructed on-site to house the treatment system.

It is assumed that 10 groundwater suppression wells and four (4) product recovery wells would be installed to a depth of 60 feet bgs, with submersible pumps installed within each well. The groundwater would be pumped to a treatment system consisting of oil-water separation, granular

activated carbon, and bag filtration. Final discharge is assumed to be to the sanitary sewer system.

5.4 Remedial Concerns

The NYSDEC has been involved with the investigation of the Site since the 1990s and provided oversight during the 2002 investigation conducted by TRC. In addition, the NYSDEC has reached an agreement with KeySpan Energy to investigate and remediate the former MGP south of the Site. Thus, the NYSDEC would be involved in future development of the Site. According to the latest New York City Zoning Map (February 13, 2007), the Site is “E” designated, which will require a City Environmental Quality Review (“CEQR”) Declaration. In accordance with the CEQR process, the New York City Department of Environmental Protection (“NYCDEP”) will be involved with construction/redevelopment activities at the Site. The NYSDEC MGP Unit will also be involved in the review of proposed remedial work plan or other remedial measures proposals for the Site.

Therefore, for costing purposes, the following additional tasks may be required for the Site.

5.4.1 Agency Interaction

There will be the need to interact with the NYSDEC and/or the NYCDEP for the proposed re-use of historic fill at the Site, its off-site disposal, and the treatment of contaminated groundwater. It is also anticipated that an application will be required for a Beneficial Use Determination (“BUDS”) from NYSDEC to facilitate the on- or off-site re-use of excavated contaminated historic fill/soil. The NYSDEC MGP Unit will also be involved in the review of proposed remedial work plan or other remedial measures proposals for the Site. In addition, NYSDEC Major Onshore Storage Facility (“MSOF”) interaction will be required to address the decommissioning and demolition of the 12 ASTs ranging in size between 8,000 to 1,260,000 gallons on the Site. An allowance has been included in the cost estimate for coordinating construction activities with these agencies.

5.4.2 Additional Investigation

It is our opinion that the SI activities conducted by M&E at the Site, along with previous investigation activities by others fulfill the sampling requirements of the NYSDEC and the NYCDEP. However, once specific site plans have been developed for the Site, additional SI activities will likely be required by NYSDEC, NYCDEP, or the prospective site developer.

5.4.3 Use of Health and Safety Trained Construction Workers

It is likely that excavation and grading activities will require health and safety trained construction workers. Although it is not difficult to locate construction companies that employ such people, the additional cost for properly trained and equipped personnel may be up to 30% above a typical construction laborer.

5.4.4 Health and Safety – Dust Monitoring

Due to the presence of contaminated historic fill, there will likely be a need to monitor the amount of dust generated during construction activities at the Site. A Community Air-Monitoring Program (“CAMP”) will need to be developed and implemented during construction activities. Personnel will need to operate and calibrate air monitoring equipment to assess levels of dust with respect to the requirements of the CAMP. For the purposes of this report, we have established an allowance for monitoring dust generated during construction activities.

5.4.5 Vapor Intrusion

Based upon the depth to shallow groundwater, the presence of VOCs and SVOCs exceeding the NYSDEC TOGS 1.1.1 criteria in several groundwater samples, and free product detected during the field activities, the NYSDEC and the NYCDEP will likely require measures to be taken to prevent vapor intrusion into the conceptual design, if a building would ever be constructed on the Site. Any additional costs required to prevent vapor intrusion are dependent upon the actual design of a building to be constructed at the Site. Any future soil vapor investigation activities must be conducted in accordance with the October 2006 Guidance for Evaluating Soil Vapor Intrusion in the State of New York prepared by the New York State Department of Health.

6.0 REMEDIAL COST ESTIMATE

Based upon the conceptual site plan and remedial measures discussed in Sections 4 and 5, this section presents the order-of-magnitude remedial cost estimate for the development of the Site for Park Land use. Additionally, a request was made by the NYC Department of Parks and Recreation to prepare an alternate remedial cost estimate that would consider the re-use of the proposed excavated contaminated soil to level the existing grade of the Site, in lieu of off-site disposal of excavated contaminated soil.

Therefore, two (2) separate remedial cost estimates have been prepared for the Site with both estimates including a 2 ft. layer of clean fill placed above the existing ground surface. Cost Estimate A assumes the excavated contaminated soil (construction-related) would be transported for off-site disposal. Cost Estimate B assumes the excavated contaminated soil (construction-related) would be spread throughout the Site to level the existing grade. Under Cost Estimate B, the costs for the excavation of contaminated soils and re-grading are assumed to be related to typical site development activities (grading) with no additional environmental costs for this construction activity. The following tables summarize the order-of-magnitude environmental costs that could be encountered during redevelopment of the site.

COST ESTIMATE A

PARK LAND AREA					
Environmental Task	Quantity	Unit	Unit Cost (\$)	Extended Cost (\$)	Comments
Excavation, and Loading of Historic Fill/ Non-Hazardous Petroleum Contaminated Soil	27,000	Ton	\$20	\$540,000	This assumes that the 18,000 cubic yards of historic fill/petroleum contaminated soil can't be reused at the site. It assumes 1.5 tons per cubic yard.
Transportation and Disposal of Historic Fill/Non-Hazardous Petroleum Contaminated Soil	27,000	Ton	\$50	\$1,400,000	This assumes that the 18,000 cubic yards of historic fill/petroleum contaminated soil can't be reused at the site. It assumes 1.5 tons per cubic yard.
Clean Fill – 2 foot cap	27,000	Ton	\$30	\$810,000	Clean fill to limit exposure to historic fill.
Landscaping – Hydroseeding	27,000	Square Yard	\$0.50	\$14,000	Hydroseeding for grass cover only.
SUBTOTAL ESTIMATE				\$2,800,000	

PAVED WALKWAY AREA					
Environmental Task	Quantity	Unit	Unit Cost (\$)	Extended Cost (\$)	Comments
Excavation, and Loading of Historic Fill/Non-Hazardous Petroleum Contaminated Soil	3,000	Ton	\$20	\$60,000	This assumes that the 2,000 cubic yards of historic fill/petroleum contaminated soil can't be reused at the site. It assumes 1.5 tons per cubic yard.
Transportation and Disposal of Historic Fill/Non-Hazardous Petroleum Contaminated Soil	3,000	Ton	\$50	\$150,000	This assumes that the 2,000 cubic yards of historic fill/petroleum contaminated soil can't be reused at the site. It assumes 1.5 tons per cubic yard.
Clean Fill	1,500	Ton	\$30	\$45,000	A 1 foot lift of clean fill will subsequently be covered by crushed stone and asphalt pavement. It is based upon 1,000 cubic yards at 1.5 tons per cubic yard.
Crushed stone for parking lot base	750	Cubic Yard	No Cost	No Cost	Normal site development would require the construction of a parking lot whether or not contaminated historic fill exists.
Asphalt Pavement – 6 inches thick	3,000	Square Yard	No Cost	No Cost	Normal site development would require the construction of a parking lot whether or not contaminated historic fill exists.
SUBTOTAL ESTIMATE				\$260,000	

SLURRY WALL AND GROUNDWATER TREATMENT SYSTEM					
Environmental Task	Quantity	Unit	Unit Cost (\$)	Extended Cost (\$)	Comments
Groundwater Slurry Wall	70,200	Square Foot	\$10	\$700,000	Cost estimated based upon 1,170 foot length and 60' depth.
Groundwater Suppression Wells	10	Ea.	\$3,000	\$30,000	Cost estimated based on 60' depth and \$45/LF.
Product Recovery Wells	4	Ea.	\$3,000	\$12,000	Cost estimated based on 60' depth and \$45/LF.
Submersible Pumps	14	Ea.	\$600	\$8,400	Pumps for groundwater suppression and product recovery
Piping	7,000	Linear Foot	\$0.50	\$3,500	Cost estimated based on average distance from well to treatment system of 500 feet.
Groundwater Treatment System	1	Lump Sum	\$21,000	\$21,000	System to treat dissolved contaminants and store free product.
Operation and Maintenance	1	Lump Sum	\$60,000	\$60,000	Cost estimated on an assumed O&M schedule of 20 years at \$3,000 per year.
SUBTOTAL ESTIMATE				\$830,000	

REMEDIAL CONCERNS					
Environmental Task	Quantity	Unit	Unit Cost (\$)	Extended Cost (\$)	Comments
Agency Interaction	1	Lump Sum	\$80,000	\$80,000	Estimated cost should involve involvement by the NYSDEC and/or NYCDEP be required.
Additional Investigation	1	Lump Sum	\$120,000	\$120,000	Estimated cost should the NYSDEC, NYCDEP, or the developer require further investigation based upon site design.
Use of Health & Safety Trained Construction Workers	1	Lump Sum	\$650,000	\$650,000	This cost is based upon 30% of the costs associated with the excavation and disposal of historic fill.
Health & Safety Dust Monitoring	1	Lump Sum	\$100,000	\$100,000	Cost estimated for budgeting purposes only.
SUBTOTAL ESTIMATE				\$950,000	
TOTAL ESTIMATE				\$4,800,000	
CONTINGENCY (25% OF TOTAL ESTIMATE)				\$1,200,000	
TOTAL ESTIMATED COST TO CURE				\$6,000,000	

COST ESTIMATE B


PARK LAND AREA					
Environmental Task	Quantity	Unit	Unit Cost (\$)	Extended Cost (\$)	Comments
Excavation, and Loading of Historic Fill/ Non-Hazardous Petroleum Contaminated Soil	27,000	Ton	No Cost	No Cost	This is for 18,000 cubic yards of historic fill/petroleum contaminated soil that can be reused at the site. It assumes 1.5 tons per cubic yard.
Transportation and Disposal of Historic Fill/Non-Hazardous Petroleum Contaminated Soil	27,000	Ton	No Cost	No Cost	This is for 18,000 cubic yards of historic fill/petroleum contaminated soil that can be reused at the site. It assumes 1.5 tons per cubic yard.
Clean Fill – 2 foot cap	27,000	Ton	\$30	\$810,000	Clean fill to limit exposure to historic fill.
Landscaping – Hydroseeding	27,000	Square Yard	\$0.50	\$14,000	Hydroseeding for grass cover only.
SUBTOTAL ESTIMATE				\$820,000	

PAVED WALKWAY AREA					
Environmental Task	Quantity	Unit	Unit Cost (\$)	Extended Cost (\$)	Comments
Excavation, and Loading of Historic Fill/Non-Hazardous Petroleum Contaminated Soil	3,000	Ton	No Cost	No Cost	This is for 2,000 cubic yards of historic fill/petroleum contaminated soil that can be reused at the site. It assumes 1.5 tons per cubic yard.
Transportation and Disposal of Historic Fill/Non-Hazardous Petroleum Contaminated Soil	3,000	Ton	No Cost	No Cost	This is for 2,000 cubic yards of historic fill/petroleum contaminated soil that can be reused at the site. It assumes 1.5 tons per cubic yard.
Clean Fill	1,500	Ton	\$30	\$45,000	A 1 foot lift of clean fill will subsequently be covered by crushed stone and asphalt pavement. It is based upon 1,000 cubic yards at 1.5 tons per cubic yard.
Crushed stone for parking lot base	750	Cubic Yard	No Cost	No Cost	Normal site development would require the construction of a parking lot whether or not contaminated historic fill exists.
Asphalt Pavement – 6 inches thick	3,000	Square Yard	No Cost	No Cost	Normal site development would require the construction of a parking lot whether or not contaminated historic fill exists.
SUBTOTAL ESTIMATE				\$45,000	

SLURRY WALL AND GROUNDWATER TREATMENT SYSTEM					
Environmental Task	Quantity	Unit	Unit Cost (\$)	Extended Cost (\$)	Comments
Groundwater Slurry Wall	70,200	Square Foot	\$10	\$700,000	Cost estimated based upon 1,170 foot length and 60' depth.
Groundwater Suppression Wells	10	Ea.	\$3,000	\$30,000	Cost estimated based on 60' depth and \$45/LF.
Product Recovery Wells	4	Ea.	\$3,000	\$12,000	Cost estimated based on 60' depth and \$45/LF.
Submersible Pumps	14	Ea.	\$600	\$8,400	Pumps for groundwater suppression and product recovery
Piping	7,000	Linear Foot	\$0.50	\$3,500	Cost estimated based on average distance from well to treatment system of 500 feet.
Groundwater Treatment System	1	Lump Sum	\$21,000	\$21,000	System to treat dissolved contaminants and store free product.
Operation and Maintenance	1	Lump Sum	\$60,000	\$60,000	Cost estimated on an assumed O&M schedule of 20 years at \$3,000 per year.
SUBTOTAL ESTIMATE				\$830,000	

REMEDIAL CONCERNS					
Environmental Task	Quantity	Unit	Unit Cost (\$)	Extended Cost (\$)	Comments
Agency Interaction	1	Lump Sum	\$80,000	\$80,000	Estimated cost should involve involvement by the NYSDEC and/or NYCDEP be required.
Additional Investigation	1	Lump Sum	\$120,000	\$120,000	Estimated cost should the NYSDEC, NYCDEP, or the developer require further investigation based upon site design.
Use of Health & Safety Trained Construction Workers	1	Lump Sum	\$260,000	\$260,000	This cost is related to handling and re-use of historic fill. For budgetary purposes, we have assumed that the cost for re-use is the same as the cost of clean fill placement. Workers health and safety training related costs are estimated at 30% of the clean fill costs.
Health & Safety Dust Monitoring	1	Lump Sum	\$100,000	\$100,000	Cost estimated for budgeting purposes only.
SUBTOTAL ESTIMATE				\$560,000	
TOTAL ESTIMATE				\$2,300,000	
CONTINGENCY (25% OF TOTAL ESTIMATE)				\$575,000	
TOTAL ESTIMATED COST TO CURE				\$2,900,000	

These conceptual cost to cure estimates are based upon only those activities that would be outside typical construction/redevelopment activities as a result of contaminated historic fill at the site. They provide an order-of-magnitude cost assessment and should only to be used for budgeting purposes, as discussed with the DDC. Significant differences may arise between the conceptual and actual costs of managing the historic fill depending upon the actual redevelopment scenario. This conceptual cost to cure estimate also assumes the NYSDEC and/or NYCDEP would allow placement of fill within the flood zone as the case of CitiStorage site.





Brooklyn, NY
7.5 Minute U.S.G.S. Quadrangle – 1967, photorevised 1979


METCALF & EDDY | AECOM


WOL NOS. 3099-M&E2R-3252
3099-M&E2R-3515
3099-M&E2R-3923

Figure 1
Site Location Map
Bayside Fuel Oil Company
1 – 65 North 12th Street
Brooklyn, New York
DDC Project No. BEGS2005027


JUNE 2007







DESIGNED BY: E. ACS DRAWN BY: B.PAPA DEPT. CHECK: S.MUTHYALA PROJ. CHECK: N. ABRAMS		SCALE: 04080120 SCALE IN FEET SCALE:1"=40'-0" UNLESS OTHERWISE NOTED OR CHANGED BY REPRODUCTION		NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION COST TO CURE REPORT- PARK LAND BAYSIDE FUEL OIL COMPANY 1-65 NORTH 12th STREET, BROOKLYN, N.Y. PLUME LOCATIONS WOL NOS. 3099-M&E2R-3253 3099-M&E2R-3515 3099-M&E2R-3923 CIVIL		JOB 60004495 FILE NO. CAD FILE CZBACT5_6-7 SHEET FIG.7	
METCALF & EDDY AECOM						JUNE 2007	




THIS PLAN IS ONLY A CONCEPTUAL LAYOUT OF PARK LAND IN ORDER TO DEVELOP COST ESTIMATES TO REMEDIATE CONTAMINATED HISTORIC FILL THAT WOULD BE ENCOUNTERED IF THIS CONCEPTUAL PLAN WAS IMPLEMENTED. ASSUMPTIONS ASSOCIATED WITH THIS PLAN ARE IDENTIFIED IN THE COST TO CURE REPORT FOR THE SITE.

PARK LAND




JOB 60004495
FILE NO.
CAD FILE CZBACT
SHEET **FIG.8**

JUNE 2007



CONCEPTUAL SITE PROFILE
CROSS SECTION A-A'
HORIZONTAL 1"=80'
VERTICAL 1"=10'



PRESENT SITE PROFILE
CROSS SECTION A-A'
HORIZONTAL 1"=80'
VERTICAL 1"=10'

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-7A	B-7A	B-7A	B-12A	B-12A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-7A 5-7	B-7A 43-45	B-7A 59-61	B-12A 19-12	B-12A 70-72	Recommended	Soil Cleanup	Alternative
Sample Date	6/22/2006	6/23/2006	6/23/2006	6/19/2006	6/19/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600355	60600355	60600355	60600355	60600355	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
Dichlorodifluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Vinyl Chloride	ND	ND	ND	<550 *	ND	200	120	NS
Chloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Bromomethane	ND	ND	ND	ND	ND	10000	10000	NS
Chloroethane	ND	ND	ND	ND	ND	1900	1900	NS
Trichlorofluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Acrolein	ND	ND	ND	ND	ND	10000	10000	NS
Acetone	180 B	51	94	<2800 *	110	200	110	NS
1,1-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Iodomethane	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Disulfide	ND	ND	ND	<2800 *	ND	2700	2700	NS
Methylene Chloride	14 J,B	17 J,B	8 J,B	960 J,B	9 J,B	100	100	NS
Acrylonitrile	ND	ND	ND	ND	ND	10000	10000	NS
Methyl-Tert-Butyl-Ether	ND	ND	ND	<550 *	ND	120	120	1000
trans-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,1-Dichloroethane	ND	ND	ND	<550 *	ND	200	200	NS
2-Butanone-(MEK)	ND	ND	18 J	<2800 *	ND	300	300	NS
Vinyl Acetate	ND	ND	ND	ND	ND	10000	10000	NS
2,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Chloroform	ND	ND	ND	<550 *	ND	300	300	NS
Bromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	800	760	NS
1,1-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Tetrachloride	ND	ND	ND	ND	ND	600	600	NS
Benzene	ND	ND	ND	210 J	ND	60	60	14
1,2-Dichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Trichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
4-Methyl-2-Pentanone (MIBK)	ND	ND	ND	ND	ND	10000	10000	NS
2-Chloroethyl vinyl ether	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Toluene	ND	ND	ND	120 J	ND	1500	1500	100
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Bromodichloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Dibromomethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dibromoethane	ND	ND	ND	ND	ND	10000	10000	NS
2-Hexanone	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-7A	B-7A	B-7A	B-12A	B-12A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-7A 5-7	B-7A 43-45	B-7A 59-61	B-12A 19-12	B-12A 70-72	Recommended	Soil Cleanup	Alternative
Sample Date	6/22/2006	6/23/2006	6/23/2006	6/19/2006	6/19/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600355	60600355	60600355	60600355	60600355	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
1,3-Dichloropropane	ND	ND	ND	<550 *	ND	300	300	NS
Tetrachloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Dibromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Chlorobenzene	ND	ND	ND	ND	ND	1700	1700	NS
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Ethylbenzene	ND	ND	ND	110 J	ND	5500	5500	100
M & P XYLENE	ND	ND	ND	340 J	ND	1200	1200	100
O-XYLENE	ND	ND	ND	ND	ND	1200	1200	100
Styrene	ND	ND	ND	ND	ND	10000	10000	NS
Bromoform	ND	ND	ND	ND	ND	10000	10000	NS
Isopropylbenzene	150 I	ND	ND	490 J	ND	2300	2300	100
1,1,2,2-Tetrachloroethane	ND I	ND	ND	ND	ND	600	600	NS
1,2,3-Trichloropropane	ND I	ND	ND	<550 *	ND	400	340	NS
n-Propylbenzene	180 I	ND	ND	240 J	ND	3700	3700	NS
trans-1,4-Dichloro-2-butene	ND	ND	ND	ND	ND	10000	10000	NS
Bromobenzene	ND	ND	ND	ND	ND	10000	10000	NS
2-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
1,3,5-Trimethylbenzene	ND I	ND	ND	140 J	ND	3300	3300	100
4-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
tert-Butylbenzene	ND I	ND	ND	140 J	ND	10000	11000	NS
1,2,4-Trimethylbenzene	ND I	ND	ND	170 J	ND	10000	13000	100
sec-Butylbenzene	130 I	ND	ND	190 J	ND	10000	11000	NS
4-Isopropyltoluene	ND I	ND	ND	180 J	ND	10000	10000	NS
1,3-Dichlorobenzene	ND I	ND	ND	130 J	ND	1600	1550	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	8500	8500	NS
n-Butylbenzene	89 I	ND	ND	120 J	ND	10000	12000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	7900	7900	NS
1,2-Dibromo-3-Chloropropane	ND	ND	ND	ND	ND	10000	10000	NS
1,2,4-Trichlorobenzene	ND I	ND	ND	ND	ND	3400	3400	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	10000	10000	NS
Naphthalene	ND I	ND	ND	270 J	ND	13000	13000	200
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-13A	B-13A	B-13A	B-15A	B-15A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-13A 5-7	B-13A 35-37	B-13A 65-67	B-15A 9-11	B-15A 61-63	Recommended	Soil Cleanup	Alternative
Sample Date	6/2/2006	6/2/2006	6/5/2006	6/5/2006	6/6/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600070	60600070	60600070	60600070	60600132	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
Dichlorodifluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Vinyl Chloride	ND	ND	ND	<2500 *	ND	200	120	NS
Chloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Bromomethane	ND	ND	ND	ND	ND	10000	10000	NS
Chloroethane	ND	ND	ND	<2500 *	ND	1900	1900	NS
Trichlorofluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Acrolein	ND	ND	ND	<25000 *	ND	10000	10000	NS
Acetone	ND	29 J	59	13000	ND	200	110	NS
1,1-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Iodomethane	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Disulfide	ND	ND	ND	<13000 *	ND	2700	2700	NS
Methylene Chloride	ND	ND	ND	<10000 *	ND	100	100	NS
Acrylonitrile	ND	ND	ND	<13000 *	ND	10000	10000	NS
Methyl-Tert-Butyl-Ether	ND	ND	ND	<2500 *	ND	120	120	1000
trans-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,1-Dichloroethane	ND	ND	ND	<2500 *	ND	200	200	NS
2-Butanone-(MEK)	ND	ND	18 J	<13000 *	ND	300	300	NS
Vinyl Acetate	ND	ND	ND	<13000 *	ND	10000	10000	NS
2,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Chloroform	ND	ND	ND	<2500 *	ND	300	300	NS
Bromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,1-Trichloroethane	ND	ND	ND	<2500 *	ND	800	760	NS
1,1-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Tetrachloride	ND	ND	ND	<2500 *	ND	600	600	NS
Benzene	9	29	ND	8300	ND	60	60	14
1,2-Dichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Trichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
4-Methyl-2-Pentanone (MIBK)	ND	ND	ND	<13000 *	ND	10000	10000	NS
2-Chloroethyl vinyl ether	ND	ND	ND	<13000 *	ND	10000	10000	NS
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Toluene	4 J	ND	ND	59000	2 J	1500	1500	100
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Bromodichloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Dibromomethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dibromoethane	ND	ND	ND	ND	ND	10000	10000	NS
2-Hexanone	ND	ND	ND	<13000 *	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-13A	B-13A	B-13A	B-15A	B-15A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-13A 5-7	B-13A 35-37	B-13A 65-67	B-15A 9-11	B-15A 61-63	Recommended	Soil Cleanup	Alternative
Sample Date	6/2/2006	6/2/2006	6/5/2006	6/5/2006	6/6/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600070	60600070	60600070	60600070	60600132	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
1,3-Dichloropropane	ND	ND	ND	<2500 *	ND	300	300	NS
Tetrachloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Dibromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Chlorobenzene	ND	ND	ND	<2500 *	ND	1700	1700	NS
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Ethylbenzene	63	2 J	ND	69000	ND	5500	5500	100
M & P XYLENE	190	2 J	ND	340000	ND	1200	1200	100
O-XYLENE	67	ND	ND	120000	ND	1200	1200	100
Styrene	ND	ND	ND	ND	ND	10000	10000	NS
Bromoform	ND	ND	ND	ND	ND	10000	10000	NS
Isopropylbenzene	24	ND	ND	41000	ND	2300	2300	100
1,1,2,2-Tetrachloroethane	ND	ND	ND	<2500 *	ND	600	600	NS
1,2,3-Trichloropropane	ND	ND	ND	<2500 *	ND	400	340	NS
n-Propylbenzene	53	ND	ND	73000	ND	3700	3700	NS
trans-1,4-Dichloro-2-butene	ND	ND	ND	ND	ND	10000	10000	NS
Bromobenzene	ND	ND	ND	ND	ND	10000	10000	NS
2-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
1,3,5-Trimethylbenzene	100	ND	ND	180000	ND	3300	3300	100
4-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
tert-Butylbenzene	ND	ND	ND	4800	ND	10000	11000	NS
1,2,4-Trimethylbenzene	200	ND	ND	790000	ND	10000	13000	100
sec-Butylbenzene	7 J	ND	ND	40000	ND	10000	11000	NS
4-Isopropyltoluene	4 J	ND	ND	67000	ND	10000	10000	NS
1,3-Dichlorobenzene	ND	ND	ND	<2500 *	ND	1600	1550	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	8500	8500	NS
n-Butylbenzene	ND	ND	ND	46000	ND	10000	12000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	7900	7900	NS
1,2-Dibromo-3-Chloropropane	ND	ND	ND	ND	ND	10000	10000	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	3400	3400	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	10000	10000	NS
Naphthalene	18 B	42 B	6 J,B	440000	ND	13000	13000	200
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-16A	B-16A	B-16A	B-20A	B-20A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-16A 5-7	B-15A 25-27	B-16A 67-69	B-20A 19-21	B-20A 51-53	Recommended	Soil Cleanup	Alternative
Sample Date	6/27/2006	6/27/2006	6/27/2006	6/26/2006	6/28/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600399	60600399	60600399	60600399	60600399	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
Dichlorodifluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Vinyl Chloride	ND	ND	ND	<5400 *	ND	200	120	NS
Chloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Bromomethane	ND	ND	ND	ND	ND	10000	10000	NS
Chloroethane	ND	ND	ND	ND	ND	1900	1900	NS
Trichlorofluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Acrolein	ND	ND	ND	<54000 *	ND	10000	10000	NS
Acetone	ND	48	34 J	15000 J	71	200	110	NS
1,1-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Iodomethane	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Disulfide	ND	ND	ND	<27000 *	ND	2700	2700	NS
Methylene Chloride	ND	ND	12 J	<21000 *	14 J	100	100	NS
Acrylonitrile	ND	ND	ND	<27000 *	ND	10000	10000	NS
Methyl-Tert-Butyl-Ether	ND	ND	ND	<5400 *	ND	120	120	1000
trans-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,1-Dichloroethane	ND	ND	ND	<5400 *	ND	200	200	NS
2-Butanone-(MEK)	ND	ND	14 J	<27000 *	ND	300	300	NS
Vinyl Acetate	ND	ND	ND	<27000 *	ND	10000	10000	NS
2,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Chloroform	ND	ND	ND	<5400 *	ND	300	300	NS
Bromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,1-Trichloroethane	ND	ND	ND	<5400 *	ND	800	760	NS
1,1-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Tetrachloride	ND	ND	ND	<5400 *	ND	600	600	NS
Benzene	ND	23	ND	<5400 *	ND	60	60	14
1,2-Dichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Trichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
4-Methyl-2-Pentanone (MIBK)	ND	ND	ND	<27000 *	ND	10000	10000	NS
2-Chloroethyl vinyl ether	ND	ND	ND	<27000 *	ND	10000	10000	NS
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Toluene	ND	ND	ND	<5400 *	3 J,B	1500	1500	100
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Bromodichloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Dibromomethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dibromoethane	ND	ND	ND	ND	ND	10000	10000	NS
2-Hexanone	ND	ND	ND	<27000 *	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-16A	B-16A	B-16A	B-20A	B-20A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-16A 5-7	B-15A 25-27	B-16A 67-69	B-20A 19-21	B-20A 51-53	Recommended	Soil Cleanup	Alternative
Sample Date	6/27/2006	6/27/2006	6/27/2006	6/26/2006	6/28/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600399	60600399	60600399	60600399	60600399	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
1,3-Dichloropropane	ND	ND	ND	<5400 *	ND	300	300	NS
Tetrachloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Dibromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Chlorobenzene	ND	ND	ND	<5400 *	ND	1700	1700	NS
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Ethylbenzene	ND	6 J	ND	110000	8 J	5500	5500	100
M & P XYLENE	ND	4 J	<21	97000	7 J	1200	1200	100
O-XYLENE	ND	5 J	ND	42000	5 J	1200	1200	100
Styrene	ND	ND	ND	1500 J	ND	10000	10000	NS
Bromoform	ND	ND	ND	ND	ND	10000	10000	NS
Isopropylbenzene	6 J	ND	ND	1200 J	ND	2300	2300	100
1,1,2,2-Tetrachloroethane	ND	ND	ND	<5400 *	ND	600	600	NS
1,2,3-Trichloropropane	ND	ND	ND	<5400 *	ND	400	340	NS
n-Propylbenzene	7 J	ND	ND	3300 J	ND	3700	3700	NS
trans-1,4-Dichloro-2-butene	ND	ND	ND	ND	ND	10000	10000	NS
Bromobenzene	ND	ND	ND	ND	ND	10000	10000	NS
2-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
1,3,5-Trimethylbenzene	3 J	ND	ND	18000	2 J	3300	3300	100
4-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
tert-Butylbenzene	ND	ND	ND	ND	ND	10000	11000	NS
1,2,4-Trimethylbenzene	ND	3 J	ND	65000	9 J	10000	13000	100
sec-Butylbenzene	5 J	ND	ND	ND	ND	10000	11000	NS
4-Isopropyltoluene	ND	ND	ND	ND	ND	10000	10000	NS
1,3-Dichlorobenzene	ND	ND	ND	<5400 *	ND	1600	1550	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	8500	8500	NS
n-Butylbenzene	5 J	ND	ND	ND	ND	10000	12000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	7900	7900	NS
1,2-Dibromo-3-Chloropropane	ND	ND	ND	ND	ND	10000	10000	NS
1,2,4-Trichlorobenzene	ND	ND	ND	<5400 *	ND	3400	3400	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	10000	10000	NS
Naphthalene	ND	38	ND	350000 E	450 E,B	13000	13000	200
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-24A	B-24A	B-28	B-28	B-29	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-24A 13-15	B-24A 70-72	B-28 19-21	B-28 70-72	B-29 17-19	Recommended	Soil Cleanup	Alternative
Sample Date	6/16/2006	6/16/2006	6/12/2006	6/15/2006	5/30/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600266	60600266	60600266	60600266	60500338	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
Dichlorodifluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Vinyl Chloride	<1500 *	ND	ND	ND	<6900 *	200	120	NS
Chloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Bromomethane	ND	ND	ND	ND	ND	10000	10000	NS
Chloroethane	ND	ND	ND	ND	<6900 *	1900	1900	NS
Trichlorofluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Acrolein	<15000 *	ND	ND	ND	<34000 *	10000	10000	NS
Acetone	1800 J	51 J	43 J	23 J	<34000 *	200	110	NS
1,1-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Iodomethane	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Disulfide	<7700 *	ND	ND	ND	<34000 *	2700	2700	NS
Methylene Chloride	1400 J,B	ND	ND	ND	12000 J,B	100	100	NS
Acrylonitrile	ND	ND	ND	ND	<34000 *	10000	10000	NS
Methyl-Tert-Butyl-Ether	<1500 *	ND	ND	ND	<6900 *	120	120	1000
trans-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,1-Dichloroethane	<1500 *	ND	ND	ND	<6900 *	200	200	NS
2-Butanone-(MEK)	<7700 *	ND	ND	ND	<34000 *	300	300	NS
Vinyl Acetate	ND	ND	ND	ND	<34000 *	10000	10000	NS
2,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Chloroform	<1500 *	ND	ND	ND	<6900 *	300	300	NS
Bromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,1-Trichloroethane	<1500 *	ND	ND	ND	<6900 *	800	760	NS
1,1-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Tetrachloride	<1500 *	ND	ND	ND	<6900 *	600	600	NS
Benzene	<1500 *	ND	ND	ND	<6900 *	60	60	14
1,2-Dichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Trichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
4-Methyl-2-Pentanone (MIBK)	ND	ND	ND	ND	<34000 *	10000	10000	NS
2-Chloroethyl vinyl ether	ND	ND	ND	ND	<34000 *	10000	10000	NS
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Toluene	<1500 *	ND	ND	ND	<6900 *	1500	1500	100
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Bromodichloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Dibromomethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dibromoethane	ND	ND	ND	ND	ND	10000	10000	NS
2-Hexanone	ND	ND	ND	ND	<34000 *	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-24A	B-24A	B-28	B-28	B-29	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-24A 13-15	B-24A 70-72	B-28 19-21	B-28 70-72	B-29 17-19	Recommended	Soil Cleanup	Alternative
Sample Date	6/16/2006	6/16/2006	6/12/2006	6/15/2006	5/30/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600266	60600266	60600266	60600266	60500338	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
1,3-Dichloropropane	<1500 *	ND	ND	ND	<6900 *	300	300	NS
Tetrachloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Dibromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Chlorobenzene	ND	ND	ND	ND	<6900 *	1700	1700	NS
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Ethylbenzene	ND	ND	ND	ND	<6900 *	5500	5500	100
M & P XYLENE	<3100 *	<21	ND	ND	1800 J	1200	1200	100
O-XYLENE	<1500 *	ND	ND	ND	<6900 *	1200	1200	100
Styrene	ND	ND	ND	ND	ND	10000	10000	NS
Bromoform	ND	ND	ND	ND	ND	10000	10000	NS
Isopropylbenzene	ND	ND	ND	ND	16000	2300	2300	100
1,1,2,2-Tetrachloroethane	<1500 *	ND	ND	ND	<6900 *	600	600	NS
1,2,3-Trichloropropane	<1500 *	ND	ND	ND	<6900 *	400	340	NS
n-Propylbenzene	ND	ND	ND	ND	2400 J	3700	3700	NS
trans-1,4-Dichloro-2-butene	ND	ND	ND	ND	ND	10000	10000	NS
Bromobenzene	ND	ND	ND	ND	ND	10000	10000	NS
2-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
1,3,5-Trimethylbenzene	460 J	ND	ND	ND	<6900 *	3300	3300	100
4-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
tert-Butylbenzene	450 J	ND	ND	ND	1400 J	10000	11000	NS
1,2,4-Trimethylbenzene	ND	ND	ND	ND	19000	10000	13000	100
sec-Butylbenzene	1600	ND	ND	ND	5100 J	10000	11000	NS
4-Isopropyltoluene	920 J	ND	ND	ND	2300 J	10000	10000	NS
1,3-Dichlorobenzene	ND	ND	ND	ND	<6900 *	1600	1550	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	8500	8500	NS
n-Butylbenzene	640 J	ND	ND	ND	ND	10000	12000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	7900	7900	NS
1,2-Dibromo-3-Chloropropane	ND	ND	ND	ND	ND	10000	10000	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	<6900 *	3400	3400	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	10000	10000	NS
Naphthalene	ND	ND	ND	ND	32000 B	13000	13000	200
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-29	B-30	B-30	B-31	B-31	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-29 66-68	B-30 5-7	B-30 65-67	B-31 5-7	B-31 64-66	Recommended	Soil Cleanup	Alternative
Sample Date	5/31/2006	6/20/2006	6/20/2006	6/1/2006	6/1/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600070	60600355	60600355	60600070	60600070	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
Dichlorodifluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Vinyl Chloride	ND	<1100 *	ND	<560 *	ND	200	120	NS
Chloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Bromomethane	ND	ND	ND	ND	ND	10000	10000	NS
Chloroethane	ND	ND	ND	ND	ND	1900	1900	NS
Trichlorofluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Acrolein	ND	<11000 *	ND	ND	ND	10000	10000	NS
Acetone	34 J	<5700 *	ND	2800 J	23 J	200	110	NS
1,1-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Iodomethane	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Disulfide	ND	<5700 *	ND	<2800 *	ND	2700	2700	NS
Methylene Chloride	3 J,B	1700 J,B	10 J,B	1300 J,B	ND	100	100	NS
Acrylonitrile	ND	ND	ND	ND	ND	10000	10000	NS
Methyl-Tert-Butyl-Ether	ND	<1100 *	ND	<560 *	ND	120	120	1000
trans-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,1-Dichloroethane	ND	<1100 *	ND	<560 *	ND	200	200	NS
2-Butanone-(MEK)	ND	<5700 *	ND	<2800 *	ND	300	300	NS
Vinyl Acetate	ND	ND	ND	ND	ND	10000	10000	NS
2,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Chloroform	ND	<1100 *	ND	<560 *	ND	300	300	NS
Bromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,1-Trichloroethane	ND	<1100 *	ND	ND	ND	800	760	NS
1,1-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Tetrachloride	ND	<1100 *	ND	<560 *	ND	600	600	NS
Benzene	ND	<1100 *	ND	<560 *	ND	60	60	14
1,2-Dichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Trichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
4-Methyl-2-Pentanone (MIBK)	ND	ND	ND	ND	ND	10000	10000	NS
2-Chloroethyl vinyl ether	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Toluene	ND	ND	ND	ND	ND	1500	1500	100
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Bromodichloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Dibromomethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dibromoethane	ND	ND	ND	ND	ND	10000	10000	NS
2-Hexanone	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-29	B-30	B-30	B-31	B-31	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-29 66-68	B-30 5-7	B-30 65-67	B-31 5-7	B-31 64-66	Recommended	Soil Cleanup	Alternative
Sample Date	5/31/2006	6/20/2006	6/20/2006	6/1/2006	6/1/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600070	60600355	60600355	60600070	60600070	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
1,3-Dichloropropane	ND	<1100 *	ND	<560 *	ND	300	300	NS
Tetrachloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Dibromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Chlorobenzene	ND	ND	ND	ND	ND	1700	1700	NS
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Ethylbenzene	ND	N D	ND	ND	ND	5500	5500	100
M & P XYLENE	<20	<2300 *	ND	280 J	<20	1200	1200	100
O-XYLENE	ND	ND	ND	170 J	ND	1200	1200	100
Styrene	ND	ND	ND	ND	ND	10000	10000	NS
Bromoform	ND	ND	ND	ND	ND	10000	10000	NS
Isopropylbenzene	ND	360 J	ND	1300	ND	2300	2300	100
1,1,2,2-Tetrachloroethane	ND	<1100 *	ND	<560 *	ND	600	600	NS
1,2,3-Trichloropropane	ND	<1100 *	ND	<560 *	ND	400	340	NS
n-Propylbenzene	ND	ND	ND	1200	ND	3700	3700	NS
trans-1,4-Dichloro-2-butene	ND	ND	ND	ND	ND	10000	10000	NS
Bromobenzene	ND	ND	ND	ND	ND	10000	10000	NS
2-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
1,3,5-Trimethylbenzene	ND	ND	ND	690	ND	3300	3300	100
4-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
tert-Butylbenzene	ND	260 J	ND	140 J	ND	10000	11000	NS
1,2,4-Trimethylbenzene	ND	ND	ND	740	ND	10000	13000	100
sec-Butylbenzene	ND	950 J	ND	920	ND	10000	11000	NS
4-Isopropyltoluene	ND	ND	ND	200 J	ND	10000	10000	NS
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1600	1550	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	8500	8500	NS
n-Butylbenzene	ND	ND	ND	440 J	ND	10000	12000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	7900	7900	NS
1,2-Dibromo-3-Chloropropane	ND	ND	ND	ND	ND	10000	10000	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	3400	3400	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	10000	10000	NS
Naphthalene	ND	ND	ND	640	ND	13000	13000	200
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-32	B-32D	B-32	B-33	B-33	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-32 7-9	B-32D 7-9	B-32 49-51	B-33 9-11	B-33 59-61	Recommended	Soil Cleanup	Alternative
Sample Date	6/21/2006	6/21/2006	6/22/2006	6/5/2006	6/7/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600355	60600355	60600355	60600132	60600132	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
Dichlorodifluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Vinyl Chloride	ND	ND	ND	ND	ND	200	120	NS
Chloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Bromomethane	ND	ND	ND	ND	ND	10000	10000	NS
Chloroethane	ND	ND	ND	ND	ND	1900	1900	NS
Trichlorofluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Acrolein	ND	ND	ND	ND	ND	10000	10000	NS
Acetone	240 B	84 B	51 J	ND	33 J,B	200	110	NS
1,1-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Iodomethane	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Disulfide	39 J	15 J	ND	ND	ND	2700	2700	NS
Methylene Chloride	16 J,B	12 J,B	7 J,B	ND	ND	100	100	NS
Acrylonitrile	ND	ND	ND	ND	ND	10000	10000	NS
Methyl-Tert-Butyl-Ether	ND	ND	ND	ND	ND	120	120	1000
trans-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,1-Dichloroethane	ND	ND	ND	ND	ND	200	200	NS
2-Butanone-(MEK)	ND	ND	ND	ND	ND	300	300	NS
Vinyl Acetate	ND	ND	ND	ND	ND	10000	10000	NS
2,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Chloroform	ND	ND	ND	ND	ND	300	300	NS
Bromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	800	760	NS
1,1-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Tetrachloride	ND	ND	ND	ND	ND	600	600	NS
Benzene	ND	ND	23	ND	ND	60	60	14
1,2-Dichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Trichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
4-Methyl-2-Pentanone (MIBK)	ND	ND	ND	ND	ND	10000	10000	NS
2-Chloroethyl vinyl ether	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Toluene	ND	ND	ND	ND	3 J	1500	1500	100
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Bromodichloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Dibromomethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dibromoethane	ND	ND	ND	ND	ND	10000	10000	NS
2-Hexanone	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-32	B-32D	B-32	B-33	B-33	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-32 7-9	B-32D 7-9	B-32 49-51	B-33 9-11	B-33 59-61	Recommended	Soil Cleanup	Alternative
Sample Date	6/21/2006	6/21/2006	6/22/2006	6/5/2006	6/7/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600355	60600355	60600355	60600132	60600132	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
1,3-Dichloropropane	ND	ND	ND	ND	ND	300	300	NS
Tetrachloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Dibromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Chlorobenzene	ND	ND	ND	ND	ND	1700	1700	NS
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Ethylbenzene	ND	ND	3 J	3 J	ND	5500	5500	100
M & P XYLENE	3 J	ND	ND	8 J	<22	1200	1200	100
O-XYLENE	ND	ND	ND	7 J	ND	1200	1200	100
Styrene	ND	ND	ND	ND	ND	10000	10000	NS
Bromoform	ND	ND	ND	ND	ND	10000	10000	NS
Isopropylbenzene	28 I	12	ND	9 J	ND	2300	2300	100
1,1,2,2-Tetrachloroethane	ND I	ND	ND	ND	ND	600	600	NS
1,2,3-Trichloropropane	ND I	ND	ND	ND	ND	400	340	NS
n-Propylbenzene	21 I	10	ND	13	ND	3700	3700	NS
trans-1,4-Dichloro-2-butene	ND	ND	ND	ND	ND	10000	10000	NS
Bromobenzene	ND	ND	ND	ND	ND	10000	10000	NS
2-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
1,3,5-Trimethylbenzene	3 J,I	2 J	ND	22	ND	3300	3300	100
4-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
tert-Butylbenzene	11 I	ND	ND	ND	ND	10000	11000	NS
1,2,4-Trimethylbenzene	ND I	ND	ND	34	ND	10000	13000	100
sec-Butylbenzene	47 I	20	ND	4 J	ND	10000	11000	NS
4-Isopropyltoluene	13 I	8 J	ND	6 J	ND	10000	10000	NS
1,3-Dichlorobenzene	ND I	ND	ND	ND	ND	1600	1550	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	8500	8500	NS
n-Butylbenzene	ND I	12	ND	7 J	ND	10000	12000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	7900	7900	NS
1,2-Dibromo-3-Chloropropane	ND	ND	ND	ND	ND	10000	10000	NS
1,2,4-Trichlorobenzene	ND I	ND	ND	ND	ND	3400	3400	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	10000	10000	NS
Naphthalene	ND I	ND	4 J,B	23 B	ND	13000	13000	200
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-34	B-34D	B-34	BPB-4	BPB-4	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-34 15-17	B-34D 15-17	B-34 67-69	BPB-4 19-21	BPB-4 45-47	Recommended	Soil Cleanup	Alternative
Sample Date	6/29/2006	6/29/2006	6/30/2006	7/13/2006	7/13/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60700004	60700004	60700004	60700128	60700128	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
Dichlorodifluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Vinyl Chloride	<890 *	<1800 *	ND	<3300 *	ND	200	120	NS
Chloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Bromomethane	ND	ND	ND	ND	ND	10000	10000	NS
Chloroethane	ND	ND	ND	<3300 *	ND	1900	1900	NS
Trichlorofluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Acrolein	ND	<18000 *	ND	<33000 *	ND	10000	10000	NS
Acetone	2300 J	3400 J	52 J	<17000 *	47 B	200	110	NS
1,1-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Iodomethane	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Disulfide	<4500 *	<9000 *	ND	<17000 *	ND	2700	2700	NS
Methylene Chloride	<3600 *	800 J,B	ND	<13000 *	11 J	100	100	NS
Acrylonitrile	ND	ND	ND	<17000 *	ND	10000	10000	NS
Methyl-Tert-Butyl-Ether	<890 *	<1800 *	ND	<3300 *	ND	120	120	1000
trans-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,1-Dichloroethane	<890 *	<1800 *	ND	<3300 *	ND	200	200	NS
2-Butanone-(MEK)	<4500 *	<9000 *	ND	<17000 *	ND	300	300	NS
Vinyl Acetate	ND	ND	ND	<17000 *	ND	10000	10000	NS
2,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Chloroform	<890 *	<1800 *	ND	<3300 *	ND	300	300	NS
Bromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,1-Trichloroethane	<890 *	<1800 *	ND	<3300 *	ND	800	760	NS
1,1-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Tetrachloride	<890 *	<1800 *	ND	<3300 *	ND	600	600	NS
Benzene	250 J	580 J	ND	1600 J	ND	60	60	14
1,2-Dichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Trichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
4-Methyl-2-Pentanone (MIBK)	ND	ND	ND	<17000 *	ND	10000	10000	NS
2-Chloroethyl vinyl ether	ND	ND	ND	<17000 *	ND	10000	10000	NS
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Toluene	ND	<1800 *	ND	<3300 *	ND	1500	1500	100
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Bromodichloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Dibromomethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dibromoethane	ND	ND	ND	ND	ND	10000	10000	NS
2-Hexanone	ND	ND	ND	<17000 *	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-34	B-34D	B-34	BPB-4	BPB-4	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-34 15-17	B-34D 15-17	B-34 67-69	BPB-4 19-21	BPB-4 45-47	Recommended	Soil Cleanup	Alternative
Sample Date	6/29/2006	6/29/2006	6/30/2006	7/13/2006	7/13/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60700004	60700004	60700004	60700128	60700128	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
1,3-Dichloropropane	<890 *	<1800 *	ND	<3300 *	ND	300	300	NS
Tetrachloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Dibromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Chlorobenzene	ND	<1800 *	ND	<3300 *	ND	1700	1700	NS
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Ethylbenzene	1100	6200	ND	16000	ND	5500	5500	100
M & P XYLENE	640 J	6200	3 J	4600 J	ND	1200	1200	100
O-XYLENE	500 J	3800	ND	6100	ND	1200	1200	100
Styrene	ND	ND	ND	ND	ND	10000	10000	NS
Bromoform	ND	ND	ND	ND	ND	10000	10000	NS
Isopropylbenzene	260 J	1200 J	ND	4700	ND	2300	2300	100
1,1,2,2-Tetrachloroethane	<890 *	<1800 *	ND	<3300 *	ND	600	600	NS
1,2,3-Trichloropropane	<890 *	<1800 *	ND	<3300 *	ND	400	340	NS
n-Propylbenzene	ND	440 J	ND	2100 J	ND	3700	3700	NS
trans-1,4-Dichloro-2-butene	ND	ND	ND	ND	ND	10000	10000	NS
Bromobenzene	ND	ND	ND	ND	ND	10000	10000	NS
2-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
1,3,5-Trimethylbenzene	510 J	4700	ND	1500 J	ND	3300	3300	100
4-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
tert-Butylbenzene	ND	ND	ND	ND	ND	10000	11000	NS
1,2,4-Trimethylbenzene	1600	12000	ND	14000	ND	10000	13000	100
sec-Butylbenzene	ND	ND	ND	ND	ND	10000	11000	NS
4-Isopropyltoluene	240 J	1500 J	ND	2600 J	ND	10000	10000	NS
1,3-Dichlorobenzene	ND	<1800 *	ND	<3300 *	ND	1600	1550	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	8500	8500	NS
n-Butylbenzene	ND	ND	ND	ND	ND	10000	12000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	7900	7900	NS
1,2-Dibromo-3-Chloropropane	ND	ND	ND	ND	ND	10000	10000	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	3400	3400	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	10000	10000	NS
Naphthalene	26000	352000 E	9 J,B	210000 E	ND	13000	13000	200
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	BPB-5	BPB-5	BPB-6	BPB-6	BPB-9	NYSDEC	NYSDEC	STARS TCLP
Sample ID	BPB-5 17-19	BPB-5 49-50	BPB-6 7-9	BPB-6 63-65	BPB-9 29-31	Recommended	Soil Cleanup	Alternative
Sample Date	7/14/2006	7/19/2006	6/23/2006	6/26/2006	6/22/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60700128	60700179	60600356	60700005	60600356	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
Dichlorodifluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Vinyl Chloride	<3400 *	ND	<1200 *	ND	ND	200	120	NS
Chloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Bromomethane	ND	ND	ND	ND	ND	10000	10000	NS
Chloroethane	<3400 *	ND	ND	ND	ND	1900	1900	NS
Trichlorofluoromethane	ND	ND	ND	ND	ND	10000	10000	NS
Acrolein	ND	ND	<12000 *	ND	ND	10000	10000	NS
Acetone	<17000	35 J,B	<6100 *	17 J	39 J,B	200	110	NS
1,1-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Iodomethane	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Disulfide	<17000 *	ND	<6100 *	ND	ND	2700	2700	NS
Methylene Chloride	<13000 *	ND	1900 J,B	ND	10 J,B	100	100	NS
Acrylonitrile	<17000 *	ND	ND	ND	ND	10000	10000	NS
Methyl-Tert-Butyl-Ether	<3400 *	ND	<1200 *	ND	ND	120	120	1000
trans-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,1-Dichloroethane	<3400 *	ND	<1200 *	ND	ND	200	200	NS
2-Butanone-(MEK)	<17000 *	ND	<6100 *	ND	ND	300	300	NS
Vinyl Acetate	<17000 *	ND	ND	ND	ND	10000	10000	NS
2,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Chloroform	<3400 *	ND	<1200 *	ND	ND	300	300	NS
Bromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,1-Trichloroethane	<3400 *	ND	<1200 *	ND	ND	800	760	NS
1,1-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Carbon Tetrachloride	<3400 *	ND	<1200 *	ND	ND	600	600	NS
Benzene	1500 J	ND	<1200 *	ND	5 J	60	60	14
1,2-Dichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Trichloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dichloropropane	ND	ND	ND	ND	ND	10000	10000	NS
4-Methyl-2-Pentanone (MIBK)	<17000 *	ND	ND	ND	ND	10000	10000	NS
2-Chloroethyl vinyl ether	<17000 *	ND	ND	ND	ND	10000	10000	NS
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Toluene	<3400 *	ND	ND	ND	ND	1500	1500	100
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	10000	10000	NS
Bromodichloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Dibromomethane	ND	ND	ND	ND	ND	10000	10000	NS
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	10000	10000	NS
1,2-Dibromoethane	ND	ND	ND	ND	ND	10000	10000	NS
2-Hexanone	<17000 *	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	BPB-5	BPB-5	BPB-6	BPB-6	BPB-9	NYSDEC	NYSDEC	STARS TCLP
Sample ID	BPB-5 17-19	BPB-5 49-50	BPB-6 7-9	BPB-6 63-65	BPB-9 29-31	Recommended	Soil Cleanup	Alternative
Sample Date	7/14/2006	7/19/2006	6/23/2006	6/26/2006	6/22/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60700128	60700179	60600356	60700005	60600356	Objective	Protect GW	Value
Volatile Organic Compounds (ug/Kg)								
1,3-Dichloropropane	<3400 *	ND	<1200 *	ND	ND	300	300	NS
Tetrachloroethylene	ND	ND	ND	ND	ND	10000	10000	NS
Dibromochloromethane	ND	ND	ND	ND	ND	10000	10000	NS
Chlorobenzene	<3400 *	ND	ND	ND	ND	1700	1700	NS
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	10000	10000	NS
Ethylbenzene	ND	ND	530 J	ND	ND	5500	5500	100
M & P XYLENE	<6700 *	ND	420 J	ND	ND	1200	1200	100
O-XYLENE	<3400 *	ND	<1200	ND	ND	1200	1200	100
Styrene	ND	ND	ND	ND	ND	10000	10000	NS
Bromoform	ND	ND	ND	ND	ND	10000	10000	NS
Isopropylbenzene	15000	ND	7200	ND	ND	2300	2300	100
1,1,2,2-Tetrachloroethane	<3400 *	ND	<1200 *	ND	ND	600	600	NS
1,2,3-Trichloropropane	<3400 *	ND	<1200 *	ND	ND	400	340	NS
n-Propylbenzene	8500 *	ND	2200	ND	ND	3700	3700	NS
trans-1,4-Dichloro-2-butene	ND	ND	ND	ND	ND	10000	10000	NS
Bromobenzene	ND	ND	ND	ND	ND	10000	10000	NS
2-Chlorotoluene	<3400	ND	ND	ND	ND	10000	10000	NS
1,3,5-Trimethylbenzene	<3400 *	ND	370 J	ND	ND	3300	3300	100
4-Chlorotoluene	ND	ND	ND	ND	ND	10000	10000	NS
tert-Butylbenzene	1200 J	ND	810 J	ND	ND	10000	11000	NS
1,2,4-Trimethylbenzene	1000 J	ND	2000	ND	ND	10000	13000	100
sec-Butylbenzene	12000	ND	5300	ND	ND	10000	11000	NS
4-Isopropyltoluene	1400 J	ND	410 J	ND	ND	10000	10000	NS
1,3-Dichlorobenzene	<3400 *	ND	ND	ND	ND	1600	1550	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	8500	8500	NS
n-Butylbenzene	3000 J	ND	1100 J	ND	ND	10000	12000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	7900	7900	NS
1,2-Dibromo-3-Chloropropane	ND	ND	ND	ND	ND	10000	10000	NS
1,2,4-Trichlorobenzene	<3400 *	ND	ND	ND	ND	3400	3400	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	10000	10000	NS
Naphthalene	28000	67 B	4600	ND	ND	13000	13000	200
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number Sample ID Sample Date Lab Identification Number	BPB-9 BPB-9 59-61 6/22/2006 60600356	BPB-13 BPB-13 11-13 6/1/2006 60600072	BPB-13 BPB-13 50-52 6/6/2006 60600130	NYSDEC Recommended Soil Cleanup Objective	NYSDEC Soil Cleanup Objectives to Protect GW	STARS TCLP Alternative Guidance Value
Volatile Organic Compounds (ug/Kg)						
Dichlorodifluoromethane	ND	ND	<30000 *	10000	10000	NS
Vinyl Chloride	ND	<3100 *	<30000 *	200	120	NS
Chloromethane	ND	ND	<30000 *	10000	10000	NS
Bromomethane	ND	ND	<30000 *	10000	10000	NS
Chloroethane	ND	<3100 *	<30000 *	1900	1900	NS
Trichlorofluoromethane	ND	ND	<30000 *	10000	10000	NS
Acrolein	ND	<31000 *	<300000 *	10000	10000	NS
Acetone	30 J,B	20000 B	150000 *	200	110	NS
1,1-Dichloroethylene	ND	ND	<30000 *	10000	10000	NS
Iodomethane	ND	ND	<30000 *	10000	10000	NS
Carbon Disulfide	ND	<15000 *	<150000 *	2700	2700	NS
Methylene Chloride	11 J,B	9500 J,B	27000 J,B	100	100	NS
Acrylonitrile	ND	<15000 *	<150000 *	10000	10000	NS
Methyl-Tert-Butyl-Ether	ND	<3100 *	<30000 *	120	120	1000
trans-1,2-Dichloroethylene	ND	ND	<30000 *	10000	10000	NS
1,1-Dichloroethane	ND	<3100 *	<30000 *	200	200	NS
2-Butanone-(MEK)	ND	<15000 *	35000 J	300	300	NS
Vinyl Acetate	ND	<15000 *	<150000 *	10000	10000	NS
2,2-Dichloropropane	ND	ND	<30000 *	10000	10000	NS
cis-1,2-Dichloroethylene	ND	ND	<30000 *	10000	10000	NS
Chloroform	ND	<3100 *	<30000 *	300	300	NS
Bromochloromethane	ND	ND	<30000 *	10000	10000	NS
1,1,1-Trichloroethane	ND	<3100 *	<30000 *	800	760	NS
1,1-Dichloropropene	ND	ND	<30000 *	10000	10000	NS
Carbon Tetrachloride	ND	<3100 *	<30000 *	600	600	NS
Benzene	ND	<3100 *	760000	60	60	14
1,2-Dichloroethane	ND	ND	<30000 *	10000	10000	NS
Trichloroethylene	ND	ND	<30000 *	10000	10000	NS
1,2-Dichloropropane	ND	ND	<30000 *	10000	10000	NS
4-Methyl-2-Pentanone (MIBK)	ND	<15000 *	<150000 *	10000	10000	NS
2-Chloroethyl vinyl ether	ND	<15000 *	<150000 *	10000	10000	NS
cis-1,3-Dichloropropene	ND	ND	<30000 *	10000	10000	NS
Toluene	ND	940 J	1500000	1500	1500	100
trans-1,3-Dichloropropene	ND	ND	<30000 *	10000	10000	NS
Bromodichloromethane	ND	ND	<30000 *	10000	10000	NS
Dibromomethane	ND	ND	<30000 *	10000	10000	NS
1,1,2-Trichloroethane	ND	ND	<30000 *	10000	10000	NS
1,2-Dibromoethane	ND	ND	<30000 *	10000	10000	NS
2-Hexanone	ND	<15000 *	<150000 *	10000	10000	NS

Table 1
Summary of Analytical Results - Soil
Volatile Organic Compounds (VOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number Sample ID Sample Date Lab Identification Number	BPB-9 BPB-9 59-61 6/22/2006 60600356	BPB-13 BPB-13 11-13 6/1/2006 60600072	BPB-13 BPB-13 50-52 6/6/2006 60600130	NYSDEC Recommended Soil Cleanup Objective	NYSDEC Soil Cleanup Objectives to Protect GW	STARS TCLP Alternative Guidance Value
Volatile Organic Compounds (ug/Kg)						
1,3-Dichloropropane	ND	<3100 *	<30000 *	300	300	NS
Tetrachloroethylene	ND	ND	<30000 *	10000	10000	NS
Dibromochloromethane	ND	ND	<30000 *	10000	10000	NS
Chlorobenzene	ND	<3100 *	<30000 *	1700	1700	NS
1,1,1,2-Tetrachloroethane	ND	ND	<30000 *	10000	10000	NS
Ethylbenzene	ND	17000	1600000	5500	5500	100
M & P XYLENE	ND	29000	1100000	1200	1200	100
O-XYLENE	ND	13000	490000	1200	1200	100
Styrene	ND	ND	73000	10000	10000	NS
Bromoform	ND	ND	<30000 *	10000	10000	NS
Isopropylbenzene	ND	3200	13000 J	2300	2300	100
1,1,2,2-Tetrachloroethane	ND	<3100 *	<30000 *	600	600	NS
1,2,3-Trichloropropane	ND	<3100 *	<30000 *	400	340	NS
n-Propylbenzene	ND	1600 J	38000	3700	3700	NS
trans-1,4-Dichloro-2-butene	ND	ND	<30000 *	10000	10000	NS
Bromobenzene	ND	ND	<30000 *	10000	10000	NS
2-Chlorotoluene	ND	ND	<30000 *	10000	10000	NS
1,3,5-Trimethylbenzene	ND	7700	160000	3300	3300	100
4-Chlorotoluene	ND	ND	<30000 *	10000	10000	NS
tert-Butylbenzene	ND	ND	<30000 *	10000	11000	NS
1,2,4-Trimethylbenzene	ND	30000	540000	10000	13000	100
sec-Butylbenzene	ND	ND	<30000 *	10000	11000	NS
4-Isopropyltoluene	ND	1200 J	6700 J	10000	10000	NS
1,3-Dichlorobenzene	ND	<3100 *	<30000 *	1600	1550	NS
1,4-Dichlorobenzene	ND	ND	<30000 *	8500	8500	NS
n-Butylbenzene	ND	ND	9600 J	10000	12000	NS
1,2-Dichlorobenzene	ND	ND	<30000 *	7900	7900	NS
1,2-Dibromo-3-Chloropropane	ND	ND	<30000	10000	10000	NS
1,2,4-Trichlorobenzene	ND	ND	<30000 *	3400	3400	NS
Hexachlorobutadiene	ND	ND	<30000 *	10000	10000	NS
Naphthalene	ND	260000 E	5700000 E	13000	13000	200
1,2,3-Trichlorobenzene	ND	ND	<30000 *	10000	10000	NS

Notes:

- | | |
|---|--|
| <p>(1) Bold - Indicates value that exceeded the NYSDEC TAGM 4046 Recommended Soil Cleanup Objectives.</p> <p>(2) Italic - Indicates value that exceeded the NYSDEC TAGM 4046 Soil Cleanup Objectives to Protect Groundwater.</p> <p>(3) Shaded - Indicates value that exceeded the STARS TCLP Alternative Guidance Value.</p> <p>(4) ND - Non-detected above laboratory method detection limit.</p> <p>(5) NS - Not Standard.</p> <p>(6) I - Internal standard recovery was outside of method limits. Matrix interference was confirmed by re-analysis.</p> | <p>(7) B - Indicates the analyte was found in the blank.</p> <p>(8) J - Indicates an estimated value.</p> <p>(9) * - MDL exceeds the NYSDEC TAGM 4046 Recommended Soil Cleanup</p> <p>(10) E - exceeds instrument calibration range.</p> |
|---|--|

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-7A	B-7A	B-7A	B-12A	B-12A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-7A 5-7	B-7A 43-45	B-7A 59-61	B-12A 19-12	B-12A 70-72	Recommended	Soil Cleanup	Alternative
Sample Date	6/22/2006	6/23/2006	6/23/2006	6/19/2006	6/19/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600355	60600355	60600355	60600355	60600355	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
bis(2-Chloroethyl)ether	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50000	50000	NS
Phenol	<190 *	<190 *	<220 *	<190 *	<190 *	30	30	NS
2-Chlorophenol	ND	ND	ND	ND	ND	800	800	NS
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
2,2'-oxybis(1-Chloropropane	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Hexachloroethane	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitroso-di-n-propylamine	ND	ND	ND	ND	ND	50000	50000	NS
3&4-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Nitrobenzene	ND	ND	<220 *	ND	ND	200	200	NS
Isophorone	ND	ND	ND	ND	ND	4400	4400	NS
2-Nitrophenol	ND	ND	ND	ND	ND	330	330	NS
2,4-Dimethylphenol	ND	ND	ND	ND	ND	50000	50000	NS
bis (2-Chloroethoxy)	ND	ND	ND	ND	ND	50000	50000	NS
2,4-Dichlorophenol	ND	ND	ND	ND	ND	400	400	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
Naphthalene	ND	320	<220 *	100 J	ND	13000	13000	200
4-Chloroaniline	ND	ND	ND	ND	ND	220	220	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	50000	50000	NS
4-Chloro-3-methylphenol	ND	ND	ND	ND	ND	240	240	NS
2-Methyl Naphthalene	110 J	63 J	ND	90 J	ND	36400	36400	NS
Hexachlorocyclopentadiene	ND	ND	ND	ND	ND	50000	50000	NS
2,4,6-Trichlorophenol	ND	ND	ND	ND	ND	50000	50000	NS
2,4,5-Trichlorophenol	<190 *	<190 *	<220 *	<190 *	<190 *	100	100	NS
2-Chloronaphthalene	ND	ND	ND	ND	ND	50000	50000	NS
2-Nitroaniline	ND	ND	ND	ND	ND	430	430	NS
Acenaphthylene	ND	ND	ND	86 J	ND	50000	103000	NS
Dimethyl Phthalate	ND	ND	ND	ND	ND	2000	2000	NS
2,6-Dinitrotoluene	ND	ND	ND	ND	ND	1000	1000	NS
Acenaphthene	ND	ND	ND	230	ND	50000	92000	400
3-Nitroaniline	ND	ND	ND	ND	ND	500	500	NS
2,4-Dinitrophenol	ND	ND	ND	ND	ND	200	200	NS
2,4-Dinitrotoluene	ND	ND	ND	ND	ND	100	100	NS
Dibenzofuran	ND	ND	ND	110 J	ND	6200	6200	NS
4-Nitrophenol	ND	ND	ND	ND	ND	100	100	NS
Fluorene	ND	ND	ND	180 J	ND	50000	365000	1000

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-7A	B-7A	B-7A	B-12A	B-12A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-7A 5-7	B-7A 43-45	B-7A 59-61	B-12A 19-12	B-12A 70-72	Recommended	Soil Cleanup	Alternative
Sample Date	6/22/2006	6/23/2006	6/23/2006	6/19/2006	6/19/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600355	60600355	60600355	60600355	60600355	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
4-Chlorophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Diethyl Phthalate	ND	ND	ND	ND	ND	7100	7100	NS
4-Nitroaniline	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl-4,6-dinitrophenol	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	50000	50000	NS
4-Bromophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Hexachlorobenzene	ND	ND	ND	ND	ND	410	1400	NS
Pentachlorophenol	ND	ND	ND	ND	ND	1000	1000	NS
Phenanthrene	270	ND	ND	1500	ND	50000	218000	1000
Anthracene	ND	ND	ND	430	ND	50000	700000	1000
Carbazole	ND	ND	ND	220	ND	50000	50000	NS
Di-n-butylphthalate	54 J,B	50 J,B	ND	110 J,B	89 J,B	8100	8100	NS
Fluoranthene	ND	ND	ND	1500	ND	50000	1900000	1000
Benzidine	ND	ND	ND	ND	ND	50000	50000	NS
Pyrene	180 J	ND	ND	3000	ND	50000	665000	1000
Butyl Benzyl Phthalate	ND	ND	ND	ND	ND	50000	122000	NS
3,3'-Dichlorbenzidine	ND	ND	ND	ND	ND	50000	50000	NS
Benzo(a)anthracene	ND	ND	ND	1100	ND	224	2800	0.04
Chrysene	ND	ND	ND	810	ND	400	400	0.04
bis(2-Ethylhexyl)phthalate	170 J	86 J	ND	460	140 J	50000	435000	NS
Di-n-octyl phthalate	ND	ND	ND	ND	ND	50000	12000	NS
Indeno (1,2,3-cd)Pyrene	ND	ND	ND	75 J	ND	3200	3200	0.04
Benzo(b)fluoranthene	ND	ND	ND	1700 I	ND	220	1100	0.04
Benzo(k)fluoranthene	ND	ND	ND	590 I	ND	220	1100	0.04
Benzo(a)pyrene	<190 *	<190 *	<220 *	1400 I	<190 *	61	11000	0.04
Dibenzo(a,h)Anthracene	<190 *	<190 *	<220 *	<190 I*	<190 *	14.3	1650000	1000
Benzo (g,h,i) perylene	ND	ND	ND	310 I	ND	50000	800000	0.04

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-13A	B-13A	B-13A	B-15A	B-15A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-13A 5-7	B-13A 35-37	B-13A 65-67	B-15A 9-11	B-15A 61-63	Recommended	Soil Cleanup	Alternative
Sample Date	6/2/2006	6/2/2006	6/5/2006	6/5/2006	6/6/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600070	60600070	60600070	60600070	60600132	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
bis(2-Chloroethyl)ether	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50000	50000	NS
Phenol	<190 *	<200 *	<210 *	<10000 *	<200 *	30	30	NS
2-Chlorophenol	ND	ND	ND	<10000 *	ND	800	800	NS
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
2,2'-oxybis(1-Chloropropane	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Hexachloroethane	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitroso-di-n-propylamine	ND	ND	ND	ND	ND	50000	50000	NS
3&4-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Nitrobenzene	ND	ND	<210 *	<10000 *	ND	200	200	NS
Isophorone	ND	ND	ND	<10000 *	ND	4400	4400	NS
2-Nitrophenol	ND	ND	ND	<10000 *	ND	330	330	NS
2,4-Dimethylphenol	ND	ND	ND	ND	ND	50000	50000	NS
bis (2-Chloroethoxy)	ND	ND	ND	ND	ND	50000	50000	NS
2,4-Dichlorophenol	ND	ND	ND	<10000 *	ND	400	400	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
Naphthalene	680	ND	ND	27000	2200	13000	13000	200
4-Chloroaniline	ND	ND	ND	ND *	ND	220	220	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	50000	50000	NS
4-Chloro-3-methylphenol	ND	ND	ND	<10000 *	ND	240	240	NS
2-Methyl Naphthalene	760	47 J	ND	14000	1100	36400	36400	NS
Hexachlorocyclopentadiene	ND	ND	ND	ND	ND	50000	50000	NS
2,4,6-Trichlorophenol	ND	ND	ND	ND	ND	50000	50000	NS
2,4,5-Trichlorophenol	ND	<200 *	<210 *	<10000 *	<200 *	100	100	NS
2-Chloronaphthalene	ND	ND	ND	ND	ND	50000	50000	NS
2-Nitroaniline	ND	ND	ND	<10000 *	ND	430	430	NS
Acenaphthylene	ND	ND	ND	ND	78 J	50000	103000	NS
Dimethyl Phthalate	ND	ND	ND	<10000 *	ND	2000	2000	NS
2,6-Dinitrotoluene	ND	ND	ND	<10000 *	ND	1000	1000	NS
Acenaphthene	77 J	ND	ND	ND	380	50000	92000	400
3-Nitroaniline	ND	ND	ND	<10000 *	ND	500	500	NS
2,4-Dinitrophenol	ND	<200 *	<210 *	<10000 *	<200 *	200	200	NS
2,4-Dinitrotoluene	ND	<200 *	<210 *	<10000 *	<200 *	100	100	NS
Dibenzofuran	ND	ND	ND	<10000 *	ND	6200	6200	NS
4-Nitrophenol	ND	<200 *	<210 *	<10000 *	<200 *	100	100	NS
Fluorene	56 J	ND	ND	ND	110 J	50000	365000	1000

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-13A	B-13A	B-13A	B-15A	B-15A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-13A 5-7	B-13A 35-37	B-13A 65-67	B-15A 9-11	B-15A 61-63	Recommended	Soil Cleanup	Alternative
Sample Date	6/2/2006	6/2/2006	6/5/2006	6/5/2006	6/6/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600070	60600070	60600070	60600070	60600132	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
4-Chlorophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Diethyl Phthalate	ND	ND	ND	<10000 *	ND	7100	7100	NS
4-Nitroaniline	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl-4,6-dinitrophenol	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	50000	50000	NS
4-Bromophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Hexachlorobenzene	ND	ND	ND	<10000 *	ND	410	1400	NS
Pentachlorophenol	ND	ND	ND	<10000 *	ND	1000	1000	NS
Phenanthrene	ND	ND	ND	ND	ND	50000	218000	1000
Anthracene	ND	ND	ND	ND	ND	50000	700000	1000
Carbazole	ND	ND	ND	ND	ND	50000	50000	NS
Di-n-butylphthalate	ND	ND	ND	<10000 *	ND	8100	8100	NS
Fluoranthene	ND	ND	ND	ND	ND	50000	1900000	1000
Benzidine	ND	ND	ND	ND	ND	50000	50000	NS
Pyrene	280	ND	ND	ND	ND	50000	665000	1000
Butyl Benzyl Phthalate	ND	ND	ND	ND	ND	50000	122000	NS
3,3'-Dichlorobenzidine	ND	ND	ND	ND	ND	50000	50000	NS
Benzo(a)anthracene	ND	ND	ND	<10000 *	ND	224	2800	0.04
Chrysene	ND	ND	ND	<10000 *	ND	400	400	0.04
bis(2-Ethylhexyl)phthalate	ND	ND	ND	ND	ND	50000	435000	NS
Di-n-octyl phthalate	ND	ND	ND	ND	ND	50000	12000	NS
Indeno (1,2,3-cd)Pyrene	ND	ND	ND	<10000 *	ND	3200	3200	0.04
Benzo(b)fluoranthene	ND I	ND	ND	<10000 I	ND	220	1100	0.04
Benzo(k)fluoranthene	ND I	ND	ND	<10000 I	ND	220	1100	0.04
Benzo(a)pyrene	41 J, I	<200 *	<210 *	<10000 I	<200 *	61	11000	0.04
Dibenzo(a,h)Anthracene	<190 I*	<200 *	<210 *	<10000 I	<200 *	14.3	1650000	1000
Benzo (g,h,i) perylene	ND I	ND	ND	<10000 I	ND	50000	800000	0.04

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-16A	B-16A	B-16A	B-20A	B-20A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-16A 5-7	B-15A 25-27	B-16A 67-69	B-20A 19-21	B-20A 51-53	Recommended	Soil Cleanup	Alternative
Sample Date	6/27/2006	6/27/2006	6/27/2006	6/26/2006	6/28/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600399	60600399	60600399	60600399	60600399	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
bis(2-Chloroethyl)ether	ND	ND	ND	<52000 *	ND	50000	50000	NS
N-Nitrosodimethylamine	ND	ND	ND	<52000 *	ND	50000	50000	NS
Phenol	<2000 *	<190 *	<210 *	<52000 *	<200 *	30	30	NS
2-Chlorophenol	<2000 *	ND	ND	<52000 *	ND	800	800	NS
1,3-Dichlorobenzene	ND	ND	ND	<52000 *	ND	50000	50000	NS
1,4-Dichlorobenzene	ND	ND	ND	<52000 *	ND	50000	50000	NS
1,2-Dichlorobenzene	ND	ND	ND	<52000 *	ND	50000	50000	NS
2,2'-oxybis(1-Chloropropane	ND	ND	ND	<52000 *	ND	50000	50000	NS
2-Methyl Phenol	ND	ND	ND	<52000 *	ND	50000	50000	NS
Hexachloroethane	ND	ND	ND	<52000 *	ND	50000	50000	NS
N-Nitroso-di-n-propylamine	ND	ND	ND	<52000 *	ND	50000	50000	NS
3&4-Methyl Phenol	ND	ND	ND	<100000 *	ND	50000	50000	NS
Nitrobenzene	<2000 *	ND	<210 *	<52000 *	<200 *	200	200	NS
Isophorone	ND	ND	ND	<52000 *	ND	4400	4400	NS
2-Nitrophenol	<2000 *	ND	ND	<52000 *	ND	330	330	NS
2,4-Dimethylphenol	ND	ND	ND	<52000 *	ND	50000	50000	NS
bis (2-Chloroethoxy)	ND	ND	ND	<52000 *	ND	50000	50000	NS
2,4-Dichlorophenol	<2000 *	ND	ND	<52000 *	ND	400	400	NS
1,2,4-Trichlorobenzene	ND	ND	ND	<52000 *	ND	50000	50000	NS
Naphthalene	ND	290	210	550000	500	13000	13000	200
4-Chloroaniline	<2000 *	ND	ND	<52000 *	ND	220	220	NS
Hexachlorobutadiene	ND	ND	ND	<52000 *	ND	50000	50000	NS
4-Chloro-3-methylphenol	<2000 *	ND	ND	<52000 *	ND	240	240	NS
2-Methyl Naphthalene	ND	89 J	69 J	210000	64 J	36400	36400	NS
Hexachlorocyclopentadiene	ND	ND	ND	<52000 *	ND	50000	50000	NS
2,4,6-Trichlorophenol	ND	ND	ND	<52000 *	ND	50000	50000	NS
2,4,5-Trichlorophenol	<2000 *	<190 *	<210 *	<52000 *	<200 *	100	100	NS
2-Chloronaphthalene	ND	ND	ND	<52000 *	ND	50000	50000	NS
2-Nitroaniline	<2000 *	ND	ND	<52000 *	ND	430	430	NS
Acenaphthylene	ND	ND	43 J	130000	ND	50000	103000	NS
Dimethyl Phthalate	<2000 *	ND	ND	<52000 *	ND	2000	2000	NS
2,6-Dinitrotoluene	<2000 *	ND	ND	<52000 *	ND	1000	1000	NS
Acenaphthene	ND	ND	ND	<52000 *	ND	50000	92000	400
3-Nitroaniline	<2000 *	ND	ND	<52000 *	ND	500	500	NS
2,4-Dinitrophenol	<2000 *	ND	ND	<52000 *	<200 *	200	200	NS
2,4-Dinitrotoluene	<2000 *	<190 *	<210 *	<52000 *	<200 *	100	100	NS
Dibenzofuran	ND	ND	ND	<52000 *	ND	6200	6200	NS
4-Nitrophenol	<2000 *	<190 *	<210 *	<52000 *	<200 *	100	100	NS
Fluorene	ND	ND	ND	34000 J	ND	50000	365000	1000

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-16A	B-16A	B-16A	B-20A	B-20A	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-16A 5-7	B-15A 25-27	B-16A 67-69	B-20A 19-21	B-20A 51-53	Recommended	Soil Cleanup	Alternative
Sample Date	6/27/2006	6/27/2006	6/27/2006	6/26/2006	6/28/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600399	60600399	60600399	60600399	60600399	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
4-Chlorophenyl Phenyl Ether	ND	ND	ND	<52000 *	ND	50000	50000	NS
Diethyl Phthalate	ND	ND	ND	<52000 *	ND	7100	7100	NS
4-Nitroaniline	ND	ND	ND	<52000 *	ND	50000	50000	NS
2-Methyl-4,6-dinitrophenol	ND	ND	ND	<52000 *	ND	50000	50000	NS
N-Nitrosodiphenylamine	ND	ND	ND	<52000 *	ND	50000	50000	NS
4-Bromophenyl Phenyl Ether	ND	ND	ND	<52000 *	ND	50000	50000	NS
Hexachlorobenzene	<2000 *	ND	ND	<52000 *	ND	410	1400	NS
Pentachlorophenol	<2000 *	ND	ND	<52000 *	ND	1000	1000	NS
Phenanthrene	1000 J	ND	ND	87000	ND	50000	218000	1000
Anthracene	ND	ND	ND	27000 J	ND	50000	700000	1000
Carbazole	ND	ND	ND	<52000 *	ND	50000	50000	NS
Di-n-butylphthalate	ND	ND	ND	<52000 *	ND	8100	8100	NS
Fluoranthene	2900	ND	170 J	59000	160 J	50000	1900000	1000
Benzidine	ND	ND	ND	<52000 *	ND	50000	50000	NS
Pyrene	960 J	ND	ND	<52000 *	ND	50000	665000	1000
Butyl Benzyl Phthalate	ND	ND	ND	<52000 *	ND	50000	122000	NS
3,3'-Dichlorobenzidine	ND	ND	ND	<52000 *	ND	50000	50000	NS
Benzo(a)anthracene	980 J	ND	ND	15000 J	ND	224	2800	0.04
Chrysene	880 J	ND	ND	12000 J	ND	400	400	0.04
bis(2-Ethylhexyl)phthalate	ND	ND	ND	<52000 *	ND	50000	435000	NS
Di-n-octyl phthalate	ND	ND	ND	<52000 *	ND	50000	12000	NS
Indeno (1,2,3-cd)Pyrene	ND	ND	ND	<52000 *	ND	3200	3200	0.04
Benzo(b)fluoranthene	1600 J	ND	ND	<52000 *	ND	220	1100	0.04
Benzo(k)fluoranthene	520 J	ND	ND	<52000 *	ND	220	1100	0.04
Benzo(a)pyrene	1300 J	<190 *	<210 *	11000 J	<200 *	61	11000	0.04
Dibenzo(a,h)Anthracene	<2000 *	<190 *	<210 *	<52000 *	<200 *	14.3	1650000	1000
Benzo (g,h,i) perylene	ND	ND	ND	<52000 *	ND	50000	800000	0.04

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-24A	B-24A	B-28	B-28	B-29	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-24A 13-15	B-24A 70-72	B-28 19-21	B-28 70-72	B-29 17-19	Recommended	Soil Cleanup	Alternative
Sample Date	6/16/2006	6/16/2006	6/12/2006	6/15/2006	5/30/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600266	60600266	60600266	60600266	60500338	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
bis(2-Chloroethyl)ether	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50000	50000	NS
Phenol	<290 *	<200 *	<210 *	<200 *	<2600 *	30	30	NS
2-Chlorophenol	ND	ND	ND	ND	<2600 *	800	800	NS
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
2,2'-oxybis(1-Chloropropane	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Hexachloroethane	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitroso-di-n-propylamine	ND	ND	ND	ND	ND	50000	50000	NS
3&4-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Nitrobenzene	<290 *	<200 *	<210 *	<200 *	<2600 *	200	200	NS
Isophorone	ND	ND	ND	ND	<2600 *	4400	4400	NS
2-Nitrophenol	ND	ND	ND	ND	<2600 *	330	330	NS
2,4-Dimethylphenol	ND	ND	ND	ND	ND	50000	50000	NS
bis (2-Chloroethoxy)	ND	ND	ND	ND	ND	50000	50000	NS
2,4-Dichlorophenol	ND	ND	ND	ND	<2600 *	400	400	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
Naphthalene	ND	ND	ND	ND	2000 J	13000	13000	200
4-Chloroaniline	<290 *	ND	ND	ND	<2600 *	220	220	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	50000	50000	NS
4-Chloro-3-methylphenol	<290 *	ND	ND	ND	<2600 *	240	240	NS
2-Methyl Naphthalene	ND	ND	ND	ND	1200 J	36400	36400	NS
Hexachlorocyclopentadiene	ND	ND	ND	ND	ND	50000	50000	NS
2,4,6-Trichlorophenol	ND	ND	ND	ND	ND	50000	50000	NS
2,4,5-Trichlorophenol	<290 *	<200 *	<210 *	<200 *	<2600 *	100	100	NS
2-Chloronaphthalene	ND	ND	ND	ND	<2600 *	50000	50000	NS
2-Nitroaniline	ND	ND	ND	ND	<2600 *	430	430	NS
Acenaphthylene	75 J	ND	ND	ND	ND	50000	103000	NS
Dimethyl Phthalate	<290	ND	ND	ND	<2600 *	2000	2000	NS
2,6-Dinitrotoluene	ND	ND	ND	ND	<2600 *	1000	1000	NS
Acenaphthene	97 J	ND	ND	ND	870 J	50000	92000	400
3-Nitroaniline	ND	ND	ND	ND	<2600 *	500	500	NS
2,4-Dinitrophenol	<290 *	<200 *	<210 *	<200 *	<2600 *	200	200	NS
2,4-Dinitrotoluene	<290 *	<200 *	<210 *	<200 *	<2600 *	100	100	NS
Dibenzofuran	ND	ND	ND	ND	ND	6200	6200	NS
4-Nitrophenol	<290 *	<200 *	<210 *	<200 *	<2600 *	100	100	NS
Fluorene	96 J	ND	ND	ND	ND	50000	365000	1000

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-24A	B-24A	B-28	B-28	B-29	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-24A 13-15	B-24A 70-72	B-28 19-21	B-28 70-72	B-29 17-19	Recommended	Soil Cleanup	Alternative
Sample Date	6/16/2006	6/16/2006	6/12/2006	6/15/2006	5/30/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600266	60600266	60600266	60600266	60500338	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
4-Chlorophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Diethyl Phthalate	ND	ND	ND	ND	ND	7100	7100	NS
4-Nitroaniline	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl-4,6-dinitrophenol	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	50000	50000	NS
4-Bromophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Hexachlorobenzene	ND	ND	ND	ND	<2600 *	410	1400	NS
Pentachlorophenol	ND	ND	ND	ND	<2600 *	1000	1000	NS
Phenanthrene	320	ND	ND	52 J	ND	50000	218000	1000
Anthracene	170 J	ND	ND	ND	ND	50000	700000	1000
Carbazole	ND	ND	ND	ND	ND	50000	50000	NS
Di-n-butylphthalate	ND	ND	ND	ND	ND	8100	8100	NS
Fluoranthene	560	ND	ND	ND	ND	50000	1900000	1000
Benzidine	ND	ND	ND	ND	ND	50000	50000	NS
Pyrene	950	ND	ND	ND	1100 J	50000	665000	1000
Butyl Benzyl Phthalate	ND	ND	ND	110 J	<2600	50000	122000	NS
3,3'-Dichlorobenzidine	ND	ND	ND	ND	ND	50000	50000	NS
Benzo(a)anthracene	540	ND	ND	ND	<2600 *	224	2800	0.04
Chrysene	520	ND	ND	ND	<2600 *	400	400	0.04
bis(2-Ethylhexyl)phthalate	ND	53 J	ND	320	ND	50000	435000	NS
Di-n-octyl phthalate	ND	<200	ND	ND	ND	50000	12000	NS
Indeno (1,2,3-cd)Pyrene	91 J	ND	ND	ND	ND	3200	3200	0.04
Benzo(b)fluoranthene	820	ND	ND	ND	<2600 *	220	1100	0.04
Benzo(k)fluoranthene	330	ND	ND	ND	<2600 *	220	1100	0.04
Benzo(a)pyrene	800	<200 *	<210 *	<200 *	<2600 *	61	11000	0.04
Dibenzo(a,h)Anthracene	<290 *	<200 *	<210 *	<200 *	<2600 *	14.3	1650000	1000
Benzo (g,h,i) perylene	210 J	ND	ND	ND	ND	50000	800000	0.04

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-29	B-30	B-30	B-31	B-31	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-29 66-68	B-30 5-7	B-30 65-67	B-31 5-7	B-31 64-66	Recommended	Soil Cleanup	Alternative
Sample Date	5/31/2006	6/20/2006	6/20/2006	6/1/2006	6/1/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600070	60600355	60600355	60600070	60600070	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
bis(2-Chloroethyl)ether	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50000	50000	NS
Phenol	<200 *	<1000 *	<200 *	<950 *	<200 *	30	30	NS
2-Chlorophenol	ND	<1000 *	ND	ND	ND	800	800	NS
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
2,2'-oxybis(1-Chloropropane	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Hexachloroethane	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitroso-di-n-propylamine	ND	ND	ND	ND	ND	50000	50000	NS
3&4-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Nitrobenzene	<200 *	<1000 *	<200 *	<950 *	<200 *	200	200	NS
Isophorone	ND	ND	ND	ND	ND	4400	4400	NS
2-Nitrophenol	ND	<1000 *	ND	<950 *	ND	330	330	NS
2,4-Dimethylphenol	ND	<1000 *	ND	ND	ND	50000	50000	NS
bis (2-Chloroethoxy)	ND	ND	ND	ND	ND	50000	50000	NS
2,4-Dichlorophenol	ND	<1000 *	ND	<950 *	ND	400	400	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
Naphthalene	ND	ND	ND	ND	ND	13000	13000	200
4-Chloroaniline	ND	<1000 *	ND	<950 *	ND	220	220	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	50000	50000	NS
4-Chloro-3-methylphenol	ND	<1000 *	ND	<950 *	ND	240	240	NS
2-Methyl Naphthalene	ND	ND	ND	6000	ND	36400	36400	NS
Hexachlorocyclopentadiene	ND	ND	ND	ND	ND	50000	50000	NS
2,4,6-Trichlorophenol	ND	ND	ND	ND	ND	50000	50000	NS
2,4,5-Trichlorophenol	<200 *	<1000 *	<200 *	<950 *	<200 *	100	100	NS
2-Chloronaphthalene	ND	ND	ND	ND	ND	50000	50000	NS
2-Nitroaniline	ND	<1000 *	ND	<950 *	ND	430	430	NS
Acenaphthylene	ND	ND	ND	ND	ND	50000	103000	NS
Dimethyl Phthalate	ND	ND	ND	ND	ND	2000	2000	NS
2,6-Dinitrotoluene	ND	<1000 *	ND	ND	ND	1000	1000	NS
Acenaphthene	ND	ND	ND	2000	ND	50000	92000	400
3-Nitroaniline	ND	<1000 *	ND	<950 *	ND	500	500	NS
2,4-Dinitrophenol	<200 *	<1000 *	<200 *	<950 *	<200 *	200	200	NS
2,4-Dinitrotoluene	<200 *	<1000 *	<200 *	<950 *	<200 *	100	100	NS
Dibenzofuran	ND	ND	ND	ND	ND	6200	6200	NS
4-Nitrophenol	<200 *	<1000 *	<200 *	<950 *	<200 *	100	100	NS
Fluorene	ND	ND	ND	ND	ND	50000	365000	1000

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-29	B-30	B-30	B-31	B-31	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-29 66-68	B-30 5-7	B-30 65-67	B-31 5-7	B-31 64-66	Recommended	Soil Cleanup	Alternative
Sample Date	5/31/2006	6/20/2006	6/20/2006	6/1/2006	6/1/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600070	60600355	60600355	60600070	60600070	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
4-Chlorophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Diethyl Phthalate	ND	ND	ND	ND	ND	7100	7100	NS
4-Nitroaniline	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl-4,6-dinitrophenol	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	50000	50000	NS
4-Bromophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Hexachlorobenzene	ND	<1000 *	ND	ND	ND	410	1400	NS
Pentachlorophenol	ND	ND	ND	ND	ND	1000	1000	NS
Phenanthrene	ND	ND	ND	ND	ND	50000	218000	1000
Anthracene	ND	ND	ND	ND	ND	50000	700000	1000
Carbazole	ND	ND	ND	ND	ND	50000	50000	NS
Di-n-butylphthalate	ND	ND	84 J,B	ND	ND	8100	8100	NS
Fluoranthene	ND	600 J	ND	ND	ND	50000	1900000	1000
Benzidine	ND	ND	ND	ND I	ND	50000	50000	NS
Pyrene	ND	3500	ND	4100 I	ND	50000	665000	1000
Butyl Benzyl Phthalate	77 J, B	ND	ND	690 J, B, I	ND	50000	122000	NS
3,3'-Dichlorobenzidine	ND	ND	ND	ND I	ND	50000	50000	NS
Benzo(a)anthracene	ND	1700 *	ND	<950 I*	ND	224	2800	0.04
Chrysene	ND	1200 *	ND	<950 I*	ND	400	400	0.04
bis(2-Ethylhexyl)phthalate	ND	ND	47 J	280 J, I	ND	50000	435000	NS
Di-n-octyl phthalate	ND	ND	ND	<950 I	ND	50000	12000	NS
Indeno (1,2,3-cd)Pyrene	ND	ND	ND	<950 I	ND	3200	3200	0.04
Benzo(b)fluoranthene	ND	800 J	ND	<950 I*	ND	220	1100	0.04
Benzo(k)fluoranthene	ND	<1000 *	ND	<950 I*	ND	220	1100	0.04
Benzo(a)pyrene	<200 *	2200 *	<200 *	<950 I*	<200 *	61	11000	0.04
Dibenzo(a,h)Anthracene	<200 *	<1000 *	<200 *	<950 I*	<200 *	14.3	1650000	1000
Benzo (g,h,i) perylene	ND	580 J	ND	ND I	ND	50000	800000	0.04

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-32	B-32D	B-32	B-33	B-33	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-32 7-9	B-32D 7-9	B-32 49-51	B-33 9-11	B-33 59-61	Recommended	Soil Cleanup	Alternative
Sample Date	6/21/2006	6/21/2006	6/22/2006	6/5/2006	6/7/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600355	60600355	60600355	60600132	60600132	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
bis(2-Chloroethyl)ether	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50000	50000	NS
Phenol	<200 *	<190 *	<200 *	<200 *	<200 *	30	30	NS
2-Chlorophenol	ND	ND	ND	ND	<200	800	800	NS
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
2,2'-oxybis(1-Chloropropane	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Hexachloroethane	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitroso-di-n-propylamine	ND	ND	ND	ND	ND	50000	50000	NS
3&4-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Nitrobenzene	<200 *	ND	<200 *	<200 *	<200 *	200	200	NS
Isophorone	ND	ND	ND	ND	ND	4400	4400	NS
2-Nitrophenol	ND	ND	ND	ND	ND	330	330	NS
2,4-Dimethylphenol	ND	ND	ND	ND	ND	50000	50000	NS
bis (2-Chloroethoxy)	ND	ND	ND	ND	ND	50000	50000	NS
2,4-Dichlorophenol	ND	ND	ND	ND	ND	400	400	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
Naphthalene	ND	ND	ND	150 J	1600	13000	13000	200
4-Chloroaniline	ND	ND	ND	ND	ND	220	220	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	50000	50000	NS
4-Chloro-3-methylphenol	ND	ND	ND	ND	ND	240	240	NS
2-Methyl Naphthalene	ND	ND	ND	80 J	340	36400	36400	NS
Hexachlorocyclopentadiene	ND	ND	ND	ND	ND	50000	50000	NS
2,4,6-Trichlorophenol	ND	ND	ND	ND	ND	50000	50000	NS
2,4,5-Trichlorophenol	<200 *	<190 *	<200 *	<200 *	<200 *	100	100	NS
2-Chloronaphthalene	ND	ND	ND	ND	ND	50000	50000	NS
2-Nitroaniline	ND	ND	ND	ND	ND	430	430	NS
Acenaphthylene	ND	ND	ND	ND	86 J	50000	103000	NS
Dimethyl Phthalate	ND	ND	ND	ND	ND	2000	2000	NS
2,6-Dinitrotoluene	ND	ND	ND	ND	ND	1000	1000	NS
Acenaphthene	ND	ND	ND	42 J	ND	50000	92000	400
3-Nitroaniline	ND	ND	ND	ND	ND	500	500	NS
2,4-Dinitrophenol	<200 *	<190	<200 *	<200 *	<200 *	200	200	NS
2,4-Dinitrotoluene	<200 *	<190 *	<200 *	<200 *	<200 *	100	100	NS
Dibenzofuran	ND	ND	ND	ND	ND	6200	6200	NS
4-Nitrophenol	<200 *	<190 *	<200 *	<200 *	<200 *	100	100	NS
Fluorene	ND	ND	ND	ND	ND	50000	365000	1000

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-32	B-32D	B-32	B-33	B-33	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-32 7-9	B-32D 7-9	B-32 49-51	B-33 9-11	B-33 59-61	Recommended	Soil Cleanup	Alternative
Sample Date	6/21/2006	6/21/2006	6/22/2006	6/5/2006	6/7/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60600355	60600355	60600355	60600132	60600132	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
4-Chlorophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Diethyl Phthalate	ND	ND	ND	ND	ND	7100	7100	NS
4-Nitroaniline	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl-4,6-dinitrophenol	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	50000	50000	NS
4-Bromophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Hexachlorobenzene	ND	ND	ND	ND	ND	410	1400	NS
Pentachlorophenol	ND	ND	ND	ND	ND	1000	1000	NS
Phenanthrene	75 J	170 J	ND	ND	ND	50000	218000	1000
Anthracene	ND	ND	ND	ND	ND	50000	700000	1000
Carbazole	ND	ND	ND	ND	ND	50000	50000	NS
Di-n-butylphthalate	65 J,B	78 J,B	66 J,B	ND	ND	8100	8100	NS
Fluoranthene	94 J	250	ND	ND	ND	50000	1900000	1000
Benzidine	ND	ND	ND	ND	ND	50000	50000	NS
Pyrene	190 J	550	ND	ND	ND	50000	665000	1000
Butyl Benzyl Phthalate	ND	ND	ND	ND	ND	50000	122000	NS
3,3'-Dichlorbenzidine	ND	ND	ND	ND	ND	50000	50000	NS
Benzo(a)anthracene	98 J	290	ND	ND	ND	224	2800	0.04
Chrysene	110 J	380	ND	ND	ND	400	400	0.04
bis(2-Ethylhexyl)phthalate	69 J	140 J	41 J	ND	ND	50000	435000	NS
Di-n-octyl phthalate	ND	ND	ND	ND	ND	50000	12000	NS
Indeno (1,2,3-cd)Pyrene	ND	ND	ND	ND	ND	3200	3200	0.04
Benzo(b)fluoranthene	100 J	290	ND	ND	ND	220	1100	0.04
Benzo(k)fluoranthene	ND	77 J	ND	ND	ND	220	1100	0.04
Benzo(a)pyrene	96 J	270	<200 *	<200 *	<200 *	61	11000	0.04
Dibenzo(a,h)Anthracene	<200 *	<190 *	<200 *	<200 *	<200 *	14.3	1650000	1000
Benzo (g,h,i) perylene	ND	54 J	ND	ND	ND	50000	800000	0.04

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-34	B-34D	B-34	BPB-4	BPB-4	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-34 15-17	B-34D 15-17	B-34 67-69	BPB-4 19-21	BPB-4 45-47	Recommended	Soil Cleanup	Alternative
Sample Date	6/29/2006	6/29/2006	6/30/2006	7/13/2006	7/13/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60700004	60700004	60700004	60700128	60700128	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
bis(2-Chloroethyl)ether	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50000	50000	NS
Phenol	<1500 *	<1500 *	<210 *	<2400 *	<190 *	30	30	NS
2-Chlorophenol	<1500 *	ND *	<210	<2400 *	ND	800	800	NS
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
2,2'-oxybis(1-Chloropropane	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Hexachloroethane	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitroso-di-n-propylamine	ND	ND	ND	ND	ND	50000	50000	NS
3&4-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Nitrobenzene	<1500 *	<1500 *	ND	<2400 *	ND	200	200	NS
Isophorone	ND	ND	ND	ND	ND	4400	4400	NS
2-Nitrophenol	<1500 *	<1500 *	ND	<2400 *	ND	330	330	NS
2,4-Dimethylphenol	ND	ND	ND	ND	ND	50000	50000	NS
bis (2-Chloroethoxy)	ND	ND	ND	ND	ND	50000	50000	NS
2,4-Dichlorophenol	<1500 *	<1500 *	ND	<2400 *	ND	400	400	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
Naphthalene	12000	12000	ND	18000	ND	13000	13000	200
4-Chloroaniline	<1500 *	ND *	ND	<2400 *	ND	220	220	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	50000	50000	NS
4-Chloro-3-methylphenol	<1500 *	<1500 *	ND	<2400 *	ND	240	240	NS
2-Methyl Naphthalene	ND	2300	ND	6900	ND	36400	36400	NS
Hexachlorocyclopentadiene	ND	ND	ND	ND	ND	50000	50000	NS
2,4,6-Trichlorophenol	ND	ND	ND	ND	ND	50000	50000	NS
2,4,5-Trichlorophenol	<1500 *	<1500 *	<210 *	<2400 *	<190 *	100	100	NS
2-Chloronaphthalene	ND	ND	ND	ND	ND	50000	50000	NS
2-Nitroaniline	<1500 *	<1500 *	ND	<2400 *	ND	430	430	NS
Acenaphthylene	2300	2600	ND	14000	ND	50000	103000	NS
Dimethyl Phthalate	ND	ND	ND	<2400 *	ND	2000	2000	NS
2,6-Dinitrotoluene	<1500 *	<1500 *	ND	<2400 *	ND	1000	1000	NS
Acenaphthene	2700	3600	ND	18000	ND	50000	92000	400
3-Nitroaniline	<1500 *	<1500 *	ND	<2400 *	ND	500	500	NS
2,4-Dinitrophenol	<1500 *	<1500 *	<210 *	<2400 *	ND	200	200	NS
2,4-Dinitrotoluene	<1500 *	<1500 *	<210 *	<2400 *	<190 *	100	100	NS
Dibenzofuran	1400 J	1900	ND	14000	ND	6200	6200	NS
4-Nitrophenol	<1500 *	<1500 *	<210 *	<2400 *	<190 *	100	100	NS
Fluorene	1900	2500	ND	20000	ND	50000	365000	1000

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	B-34	B-34D	B-34	BPB-4	BPB-4	NYSDEC	NYSDEC	STARS TCLP
Sample ID	B-34 15-17	B-34D 15-17	B-34 67-69	BPB-4 19-21	BPB-4 45-47	Recommended	Soil Cleanup	Alternative
Sample Date	6/29/2006	6/29/2006	6/30/2006	7/13/2006	7/13/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60700004	60700004	60700004	60700128	60700128	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
4-Chlorophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Diethyl Phthalate	ND	ND	ND	ND	ND	7100	7100	NS
4-Nitroaniline	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl-4,6-dinitrophenol	ND	ND	ND	ND I	ND	50000	50000	NS
N-Nitrosodiphenylamine	ND	ND	ND	ND I	ND	50000	50000	NS
4-Bromophenyl Phenyl Ether	ND	ND	ND	ND I	ND	50000	50000	NS
Hexachlorobenzene	<1500 *	<1500 *	ND	<2400 I*	ND	410	1400	NS
Pentachlorophenol	ND	ND	ND	<2400 I*	ND	1000	1000	NS
Phenanthrene	8800	13000	ND	48000 I	57 J	50000	218000	1000
Anthracene	2600	3900	ND	21000 I	42 J	50000	700000	1000
Carbazole	760 J	930 J	ND	5700 I	ND	50000	50000	NS
Di-n-butylphthalate	ND	ND	51 J,B	ND I	84 J	8100	8100	NS
Fluoranthene	7900	11000	170 J	29000 I	180 J	50000	1900000	1000
Benzidine	ND	ND	ND	ND	ND	50000	50000	NS
Pyrene	5100	8100	ND	51000	ND	50000	665000	1000
Butyl Benzyl Phthalate	ND	ND	ND	ND	ND	50000	122000	NS
3,3'-Dichlorobenzidine	ND	ND	ND	ND	ND	50000	50000	NS
Benzo(a)anthracene	3300	4500	ND	19000	ND	224	2800	0.04
Chrysene	2900	4000	ND	14000	ND	400	400	0.04
bis(2-Ethylhexyl)phthalate	ND	ND	ND	ND	ND	50000	435000	NS
Di-n-octyl phthalate	ND	ND	ND	ND	ND	50000	12000	NS
Indeno (1,2,3-cd)Pyrene	ND	ND	ND	ND	ND	3200	3200	0.04
Benzo(b)fluoranthene	3800	5200	ND	27000 I	ND	220	1100	0.04
Benzo(k)fluoranthene	1600	2300	ND	11000 I	ND	220	1100	0.04
Benzo(a)pyrene	3700	4900	<210 *	20000 I	<190 *	61	11000	0.04
Dibenzo(a,h)Anthracene	<1500 *	<1500 *	<210 *	<2400 I*	<190 *	14.3	1650000	1000
Benzo (g,h,i) perylene	ND	ND	ND	ND I	ND	50000	800000	0.04

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	BPB-5	BPB-5	BPB-6	BPB-6	BPB-9	NYSDEC	NYSDEC	STARS TCLP
Sample ID	BPB-5 17-19	BPB-5 49-50	BPB-6 7-9	BPB-6 63-65	BPB-9 29-31	Recommended	Soil Cleanup	Alternative
Sample Date	7/14/2006	7/19/2006	6/23/2006	6/26/2006	6/22/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60700128	60700179	60600356	60700005	60600356	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
bis(2-Chloroethyl)ether	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50000	50000	NS
Phenol	<2100 *	<180 *	<4200 *	<190 *	<190 *	30	30	NS
2-Chlorophenol	<2100 *	ND	ND	ND	ND	800	800	NS
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
2,2'-oxybis(1-Chloropropane	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Hexachloroethane	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitroso-di-n-propylamine	ND	ND	ND	ND	ND	50000	50000	NS
3&4-Methyl Phenol	ND	ND	ND	ND	ND	50000	50000	NS
Nitrobenzene	<2100 *	ND	<4200 *	ND	ND	200	200	NS
Isophorone	ND	ND	ND	ND	ND	4400	4400	NS
2-Nitrophenol	<2100 *	ND	<4200 *	ND	ND	330	330	NS
2,4-Dimethylphenol	ND	ND	ND	ND	ND	50000	50000	NS
bis (2-Chloroethoxy)	ND	ND	ND	ND	ND	50000	50000	NS
2,4-Dichlorophenol	<2100 *	ND	<4200 *	ND	ND	400	400	NS
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	50000	50000	NS
Naphthalene	10000	89 J	ND	ND	39 J	13000	13000	200
4-Chloroaniline	<2100 *	ND	<4200 *	ND	ND	220	220	NS
Hexachlorobutadiene	ND	ND	ND	ND	ND	50000	50000	NS
4-Chloro-3-methylphenol	<2100 *	ND	<4200 *	ND	ND	240	240	NS
2-Methyl Naphthalene	4100	38 J	9300	ND	ND	36400	36400	NS
Hexachlorocyclopentadiene	ND	ND	ND	ND	ND	50000	50000	NS
2,4,6-Trichlorophenol	ND	ND	ND	ND	ND	50000	50000	NS
2,4,5-Trichlorophenol	<2100 *	<180 *	<4200 *	<190 *	<190 *	100	100	NS
2-Chloronaphthalene	ND	ND	ND	ND	ND	50000	50000	NS
2-Nitroaniline	<2100 *	ND	<4200 *	ND	ND	430	430	NS
Acenaphthylene	11000	270	5100	ND	ND	50000	103000	NS
Dimethyl Phthalate	<2100 *	ND	<4200 *	ND	ND	2000	2000	NS
2,6-Dinitrotoluene	<2100 *	ND	<4200 *	ND	ND	1000	1000	NS
Acenaphthene	12000	ND	62000	ND	ND	50000	92000	400
3-Nitroaniline	<2100 *	ND	<4200 *	ND	ND	500	500	NS
2,4-Dinitrophenol	<2100 *	ND	<4200 *	ND	ND	200	200	NS
2,4-Dinitrotoluene	<2100 *	<180 *	<4200 *	<190 *	<190 *	100	100	NS
Dibenzofuran	4100	86 J	3000 J	ND	ND	6200	6200	NS
4-Nitrophenol	<2100 *	<180 *	<4200 *	<190 *	<190 *	100	100	NS
Fluorene	5900	130 J	14000	ND	ND	50000	365000	1000

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number	BPB-5	BPB-5	BPB-6	BPB-6	BPB-9	NYSDEC	NYSDEC	STARS TCLP
Sample ID	BPB-5 17-19	BPB-5 49-50	BPB-6 7-9	BPB-6 63-65	BPB-9 29-31	Recommended	Soil Cleanup	Alternative
Sample Date	7/14/2006	7/19/2006	6/23/2006	6/26/2006	6/22/2006	Soil Cleanup	Objectives to	Guidance
Lab Identification Number	60700128	60700179	60600356	60700005	60600356	Objective	Protect GW	Value
Semivolatile Organic Compounds (ug/Kg)								
4-Chlorophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Diethyl Phthalate	ND	ND	ND	ND	ND	7100	7100	NS
4-Nitroaniline	ND	ND	ND	ND	ND	50000	50000	NS
2-Methyl-4,6-dinitrophenol	ND	ND	ND	ND	ND	50000	50000	NS
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	50000	50000	NS
4-Bromophenyl Phenyl Ether	ND	ND	ND	ND	ND	50000	50000	NS
Hexachlorobenzene	<2100 *	ND	<4200 *	ND	ND	410	1400	NS
Pentachlorophenol	<2100 *	ND	<4200 *	ND	ND	1000	1000	NS
Phenanthrene	23000	640	66000	ND	ND	50000	218000	1000
Anthracene	9700	180 J	21000	ND	ND	50000	700000	1000
Carbazole	770 J	110 J	ND	ND	ND	50000	50000	NS
Di-n-butylphthalate	ND	ND	ND	ND	ND	8100	8100	NS
Fluoranthene	19000	540	21000	ND	ND	50000	1900000	1000
Benzidine	ND	ND	ND	ND	ND	50000	50000	NS
Pyrene	42000	330	32000	ND	ND	50000	665000	1000
Butyl Benzyl Phthalate	ND	ND	ND	ND	ND	50000	122000	NS
3,3'-Dichlorobenzidine	ND	ND	ND	ND	ND	50000	50000	NS
Benzo(a)anthracene	12000	170 J	13000	ND	ND	224	2800	0.04
Chrysene	10000	140 J	12000	ND	ND	400	400	0.04
bis(2-Ethylhexyl)phthalate	ND	ND	ND	ND	ND	50000	435000	NS
Di-n-octyl phthalate	ND	ND	ND	ND	ND	50000	12000	NS
Indeno (1,2,3-cd)Pyrene	ND	ND	1800 J	ND	ND	3200	3200	0.04
Benzo(b)fluoranthene	22000 I	140 J	14000	ND	ND	220	1100	0.04
Benzo(k)fluoranthene	9100 I	64 J	4300	ND	ND	220	1100	0.04
Benzo(a)pyrene	17000 I	150 J	14000	<190 *	ND	61	11000	0.04
Dibenzo(a,h)Anthracene	<2100 I*	<180 *	1000 J	<190 *	<190 *	14.3	1650000	1000
Benzo (g,h,i) perylene	1900 I,J	ND	2900 J	ND	ND	50000	800000	0.04

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number Sample ID Sample Date Lab Identification Number	BPB-9 BPB-9 59-61 6/22/2006 60600356	BPB-13 BPB-13 11-13 6/1/2006 60600072	BPB-13 BPB-13 50-52 6/6/2006 60600130	NYSDEC Recommended Soil Cleanup Objective	NYSDEC Soil Cleanup Objectives to Protect GW	STARS TCLP Alternative Guidance Value
Semivolatile Organic Compounds (ug/Kg)						
bis(2-Chloroethyl)ether	ND	ND	<380000 *	50000	50000	NS
N-Nitrosodimethylamine	ND	ND	<380000 *	50000	50000	NS
Phenol	<200 *	<11000 *	<380000 *	30	30	NS
2-Chlorophenol	ND	<11000 *	<380000 *	800	800	NS
1,3-Dichlorobenzene	ND	ND	<380000 *	50000	50000	NS
1,4-Dichlorobenzene	ND	ND	<380000 *	50000	50000	NS
1,2-Dichlorobenzene	ND	ND	<380000 *	50000	50000	NS
2,2'-oxybis(1-Chloropropane	ND	ND	<380000 *	50000	50000	NS
2-Methyl Phenol	ND	ND	<380000 *	50000	50000	NS
Hexachloroethane	ND	ND	<380000 *	50000	50000	NS
N-Nitroso-di-n-propylamine	ND	ND	<380000 *	50000	50000	NS
3&4-Methyl Phenol	ND	ND	<760000 *	50000	50000	NS
Nitrobenzene	<200 *	<11000 *	<380000 *	200	200	NS
Isophorone	ND	<11000 *	<380000 *	4400	4400	NS
2-Nitrophenol	ND	<11000 *	<380000 *	330	330	NS
2,4-Dimethylphenol	ND	ND	<380000 *	50000	50000	NS
bis (2-Chloroethoxy)	ND	ND	<380000 *	50000	50000	NS
2,4-Dichlorophenol	ND	<11000 *	<380000 *	400	400	NS
1,2,4-Trichlorobenzene	ND	ND	<380000 *	50000	50000	NS
Naphthalene	ND	180000	5600000	13000	13000	200
4-Chloroaniline	ND	<11000 *	<380000 *	220	220	NS
Hexachlorobutadiene	ND	ND	<380000 *	50000	50000	NS
4-Chloro-3-methylphenol	ND	<11000 *	<380000 *	240	240	NS
2-Methyl Naphthalene	ND	76000	2100000	36400	36400	NS
Hexachlorocyclopentadiene	ND	ND	<380000 *	50000	50000	NS
2,4,6-Trichlorophenol	ND	ND	<380000 *	50000	50000	NS
2,4,5-Trichlorophenol	<200 *	<11000 *	<380000 *	100	100	NS
2-Chloronaphthalene	ND	ND	<380000 *	50000	50000	NS
2-Nitroaniline	ND	<11000 *	<380000 *	430	430	NS
Acenaphthylene	ND	13000	2000000	50000	103000	NS
Dimethyl Phthalate	ND	<11000 *	<380000 *	2000	2000	NS
2,6-Dinitrotoluene	ND	<11000 *	<380000 *	1000	1000	NS
Acenaphthene	ND	25000	130000 J	50000	92000	400
3-Nitroaniline	ND	<11000 *	<380000 *	500	500	NS
2,4-Dinitrophenol	ND	<11000 *	<380000 *	200	200	NS
2,4-Dinitrotoluene	<200 *	<11000 *	<380000 *	100	100	NS
Dibenzofuran	ND	<11000 *	<380000 *	6200	6200	NS
4-Nitrophenol	<200 *	<11000 *	<380000 *	100	100	NS
Fluorene	ND	13000	560000	50000	365000	1000

Table 2
Summary of Analytical Results - Soil
Semivolatile Organic Compounds (SVOCs)
Bayside Fuel Oil Company Site Investigation

Boring Number Sample ID Sample Date Lab Identification Number	BPB-9 BPB-9 59-61 6/22/2006 60600356	BPB-13 BPB-13 11-13 6/1/2006 60600072	BPB-13 BPB-13 50-52 6/6/2006 60600130	NYSDEC Recommended Soil Cleanup Objective	NYSDEC Soil Cleanup Objectives to Protect GW	STARS TCLP Alternative Guidance Value
Semivolatile Organic Compounds (ug/Kg)						
4-Chlorophenyl Phenyl Ether	ND	ND	<380000 *	50000	50000	NS
Diethyl Phthalate	ND	<11000 *	<380000 *	7100	7100	NS
4-Nitroaniline	ND	ND	<380000 *	50000	50000	NS
2-Methyl-4,6-dinitrophenol	ND	ND	<380000 *	50000	50000	NS
N-Nitrosodiphenylamine	ND	ND	<380000 *	50000	50000	NS
4-Bromophenyl Phenyl Ether	ND	ND	<380000 *	50000	50000	NS
Hexachlorobenzene	ND	<11000 *	<380000 *	410	1400	NS
Pentachlorophenol	ND	<11000 *	<380000 *	1000	1000	NS
Phenanthrene	ND	34000	1600000	50000	218000	1000
Anthracene	ND	ND	87000 J	50000	700000	1000
Carbazole	ND	ND	<380000 *	50000	50000	NS
Di-n-butylphthalate	48 J,B	<11000 *	<380000 *	8100	8100	NS
Fluoranthene	ND	ND	<380000 *	50000	1900000	1000
Benidine	ND	ND	<380000 *	50000	50000	NS
Pyrene	ND	ND	460000	50000	665000	1000
Butyl Benzyl Phthalate	ND	ND	<380000 *	50000	122000	NS
3,3'-Dichlorbenzidine	ND	ND	<380000 *	50000	50000	NS
Benzo(a)anthracene	ND	<11000 *	<380000 *	224	2800	0.04
Chrysene	ND	<11000 *	<380000 *	400	400	0.04
bis(2-Ethylhexyl)phthalate	ND	ND	<380000 *	50000	435000	NS
Di-n-octyl phthalate	ND	ND	<380000 *	50000	12000	NS
Indeno (1,2,3-cd)Pyrene	ND	<11000 *	<380000 *	3200	3200	0.04
Benzo(b)fluoranthene	ND	3100 J	98000 J	220	1100	0.04
Benzo(k)fluoranthene	ND	<11000 *	<380000 *	220	1100	0.04
Benzo(a)pyrene	<200 *	5000 J	150000 J	61	11000	0.04
Dibenzo(a,h)Anthracene	<200 *	<11000 *	<380000 *	14.3	1650000	1000
Benzo (g,h,i) perylene	ND	ND	<380000 *	50000	800000	0.04

Notes:

- (1) Bold - Indicates value that exceeded the NYSDEC TAGM 4046 Recommended Soil Cleanup Objectives.
- (2) Italic - Indicates value that exceeded the NYSDEC TAGM 4046 Soil Cleanup Objectives to Protect Groundwater.
- (3) Shaded - Indicates value that exceeded the STARS TCLP Alternative Guidance Value.
- (4) ND - Non-detected above laboratory method detection limit.
- (5) NS - No Standard.
- (6) B - Indicates the analyte was found in the blank.
- (7) J - Indicates an estimated value.
- (8) I - Internal standard recovery was outside of method limits. Matrix interference was confirmed by re-analysis.
- (9) * - MDL exceeds the NYSDEC Recommended Soil Cleanup Objectives.

Table 3
Summary of Analytical Results - Soil
Target Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Boring Number	B-7A	B-7A	B-7A	B-12A	B-12A	NYSDEC	NYSDEC
Sample ID	B-7A 5-7	B-7A 43-45	B-7A 59-61	B-12A 19-21	B-12A 70-72	Recommended	Eastern USA
Sample Date	6/22/2006	6/23/2006	6/23/2006	6/19/2006	6/19/2006	Soil Cleanup	Background
Lab Identification Number	60600355	60600355	60600355	60600355	60600355	Objective	Criteria
TAL Metals (mg/Kg)							
Antimony	<1.91	<2.75	<2.75	<1.90	<2.16 M2	SB	NS
Aluminum	8880	3140	13000	2650	3290 MHA	SB	33000
Arsenic	4.77	1.59	4.18	19.7	3.31	7.5	3 - 12
Barium	49.9	35.5	64.8	39.8	15.0	300	15 - 600
Beryllium	0.439	<0.413	0.789	<0.285 *	<0.324 *	0.16	0 - 1.75
Cadmium	ND	ND	ND	ND	ND	1	0.1 - 1
Chromium	18.5	10.4	29.5	11.7	13.0	10	1.5 - 40
Calcium	1940	1010	1870	11300	1220	SB	130 - 35000
Iron	18600 B1	13400 B1	27100 B1	16600 B1	20100 B1, MHA	2000	2000 - 550000
Cobalt	7.67	ND	10.4	5.17	5.59	30	2.5 - 60
Copper	20.4	11.6	24.8	36.0	15.8	25	1 - 50
Lead	11.1	4.70	15.9	181	6.66	500	500
Magnesium	2260	1230	3550	5920	1390	SB	100 - 5000
Manganese	469	236	550	95.4	334 MHA	SB	50 - 50000
Mercury	ND	ND	ND	0.243	ND	0.1	0.001 - 0.2
Nickel	13.5	7.22	18.3	12.8	7.76	13	0.5 - 25
Vanadium	29.4	19.2	38.7	12.1	27.5	150	1 - 300
Selenium	ND	<2.75 *	<2.75 *	ND	<2.16 *	2	0.1 - 3.9
Potassium	1320	854	2190	710	583	SB	8500 - 43000
Silver	<0.48	<0.69	<0.69	<0.48	<0.54	SB	NS
Sodium	334	268	727	437	565	SB	6000 - 8000
Thallium	<1.91	<2.75	<2.75	<1.90	<2.16	SB	NS
Zinc	39.7	20.7	51.0	138	22.4	20	9 - 50
Total Cyanide	<0.58	<0.58	<0.63	<0.58	<0.60	SB	NS

Table 3
Summary of Analytical Results - Soil
Target Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Boring Number Sample ID Sample Date Lab Identification Number	B-13A B-13A 5-7 6/2/2006 60600070	B-13A B-13A 35-37 6/2/2006 60600070	B-13A B-13A 65-67 6/5/2006 60600070	B-15A B-15A 9-11 6/5/2006 60600070	B-15A B-15A 61-63 6/6/2006 60600132	NYSDEC Recommended Soil Cleanup Objective	NYSDEC Eastern USA Background Criteria
TAL Metals (mg/Kg)							
Antimony	<2.21	<2.26 M2	<2.51	10.8	<1.35	SB	NS
Aluminum	9710	3740 MHA	3920	1320	6170	SB	33000
Arsenic	2.27	2.69	2.29	179	5.40	7.5	3 - 12
Barium	62.8	26.1	43.3	106	58.9	300	15 - 600
Beryllium	0.471	<0.339 *	0.649	<0.381 *	1.21	0.16	0 - 1.75
Cadmium	ND	ND	ND	ND	ND	1	0.1 - 1
Chromium	15.9	11.2	19.2	7.42	13.1	10	1.5 - 40
Calcium	1230	1730	1090	2620	1260	SB	130 - 35000
Iron	16900 B1	14300 B1, MHA	43700 B1	9570 B1	4990 B1	2000	2000 - 550000
Cobalt	7.63	13.0	ND	ND	15.8	30	2.5 - 60
Copper	17.4	11.8	24.7	105	22.9	25	1 - 50
Lead	17.7	5.41	10.9	494	12.9	500	500
Magnesium	2100	2440	620	428	1050	SB	100 - 5000
Manganese	233	159	324	85.0	31.4	SB	50 - 50000
Mercury	ND	ND	ND	4.94	ND	0.1	0.001 - 0.2
Nickel	12.5	20.5 M2	8.24	6.78	25.5	13	0.5 - 25
Vanadium	22.2	18.0	26.8	12.5	29.3	150	1 - 300
Selenium	<2.21 *	<2.26 *	<2.51 *	4.33	<1.35	2	0.1 - 3.9
Potassium	887	962	1320	591	669	SB	8500 - 43000
Silver	<0.55	<0.56	<0.63	<0.63	<0.34	SB	NS
Sodium	284	242	741	<190	2190	SB	6000 - 8000
Thallium	<2.21	<2.26	<2.51	<2.54	<1.35	SB	NS
Zinc	34.0	32.5	18.1	63.5	17.4	20	9 - 50
Total Cyanide	<0.58	<0.61	<0.62	<0.63	<0.61	SB	NS

Table 3
Summary of Analytical Results - Soil
Target Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Boring Number Sample ID Sample Date Lab Identification Number	B-16A B-16A 5-7 6/27/2006 60600399	B-16A B-15A 25-27 6/27/2006 60600399	B-16A B-16A 67-69 6/27/2006 60600399	B-20A B-20A 19-21 6/26/2006 60600399	B-20A B-20A 51-53 6/28/2006 60600399	NYSDEC Recommended Soil Cleanup Objective	NYSDEC Eastern USA Background Criteria
TAL Metals (mg/Kg)							
Antimony	<2.30	<1.70	<2.31	<2.19	<3.68	SB	NS
Aluminum	7660	4450	8640	6130	7070 MHA	SB	33000
Arsenic	13.1	<0.852	3.77	2.00	3.67	7.5	3 - 12
Barium	59.8	26.4	56.1	41.7	52.4	300	15 - 600
Beryllium	<0.345 *	0.296	1.14	<0.329 *	0.560	0.16	0 - 1.75
Cadmium	0.345	<0.255 *	<0.347 *	<0.329 *	<0.551 *	1	0.1 - 1
Chromium	15.3	11.6	22.2	23.0	22.6	10	1.5 - 40
Calcium	4870	3470	1150	1090	1270	SB	130 - 35000
Iron	14800 B1	13800 B1	47400 B1	15800 B1	62900 MHA	2000	2000 - 550000
Cobalt	ND	5.29	12.2	6.05	ND	30	2.5 - 60
Copper	27.9	12.9	31.8	12.4	21.6	25	1 - 50
Lead	112	3.71	15.0	5.82	11.0	500	500
Magnesium	2000	3360	829	2560	890	SB	100 - 5000
Manganese	177	123	291	253	345 MHA	SB	50 - 50000
Mercury	0.110	ND	0.0987	ND	ND	0.1	0.001 - 0.2
Nickel	11.4	9.06	20.1	15.8	10.4	13	0.5 - 25
Vanadium	24.6	17.5	39.7	23.4	42.6	150	1 - 300
Selenium	<2.30 *	ND	<2.31 *	<2.19 *	<3.68 *	2	0.1 - 3.9
Potassium	963	1210	1250	1370	870	SB	8500 - 43000
Silver	<0.57	<0.43	<0.58	<0.55	<0.92	SB	NS
Sodium	627	294	1470	175	412	SB	6000 - 8000
Thallium	<2.30	<1.70	<2.31	<2.19	<1.84	SB	NS
Zinc	174	27.1	53.4	25.8	26.7	20	9 - 50
Total Cyanide	<0.24	<0.24	<0.24	<0.22	<0.20	SB	NS

Table 3
Summary of Analytical Results - Soil
Target Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Boring Number	B-24A	B-24A	B-28	B-28	B-29	NYSDEC	NYSDEC
Sample ID	B-24A 13-15	B-24A 70-72	B-28 19-21	B-28 70-72	B-29 17-19	Recommended	Eastern USA
Sample Date	6/16/2006	6/16/2006	6/12/2006	6/15/2006	5/30/2006	Soil Cleanup	Background
Lab Identification Number	60600266	60600266	60600266	60600266	60500338	Objective	Criteria
TAL Metals (mg/Kg)							
Antimony	<3.7	<1.73	<1.85	<1.86	7.25	SB	NS
Aluminum	2900	4270	8460	2450	779	SB	33000
Arsenic	19	ND	2.29	ND	233	7.5	3 - 12
Barium	42	13.0	32.8	18.2	18.0	300	15 - 600
Beryllium	<0.56 *	0.452	0.345	0.375	<0.338 *	0.16	0 - 1.75
Cadmium	ND	ND	ND	ND	6.31	1	0.1 - 1
Chromium	11	28.4	20.8	13.9	4.21	10	1.5 - 40
Calcium	1500	759	504	2750	460	SB	130 - 35000
Iron	11000 B1	18100 B1	13100 B1	37500 B1	6350 B1	2000	2000 - 550000
Cobalt	ND	ND	6.22	ND	ND	30	2.5 - 60
Copper	33	11.8	11.3	12.9	111	25	1 - 50
Lead	120	9.22	6.01	6.31	1180	500	500
Magnesium	1100	689	2920	1610	193	SB	100 - 5000
Manganese	120	191	139	584	25.7	SB	50 - 50000
Mercury	1.84	0.0487	ND	ND	0.346	0.1	0.001 - 0.2
Nickel	8.5	6.14	15.3	14.4	7.86	13	0.5 - 25
Vanadium	ND	36.9	16.2	16.4	ND	150	1 - 300
Selenium	<3.7 *	ND	ND	ND	<2.25 *	2	0.1 - 3.9
Potassium	610	390	986	646	186	SB	8500 - 43000
Silver	<0.93	<0.43	<0.46	<0.46	<0.56	SB	NS
Sodium	330	964	783	437	536	SB	6000 - 8000
Thallium	<3.7	<1.73	<1.85	<1.86	6.64	SB	NS
Zinc	180	23.4	34.9	21.7	639	20	9 - 50
Total Cyanide	<0.94	<0.61	<0.63	<0.58	<0.64	SB	NS

Table 3
Summary of Analytical Results - Soil
Target Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Boring Number	B-29	B-30	B-30	B-31	B-31	NYSDEC	NYSDEC
Sample ID	B-29 66-68	B-30 5-7	B-30 65-67	B-31 5-7	B-31 64-66	Recommended	Eastern USA
Sample Date	5/31/2006	6/20/2006	6/20/2006	6/1/2006	6/1/2006	Soil Cleanup	Background
Lab Identification Number	60600070	60600355	60600355	60600070	60600070	Objective	Criteria
TAL Metals (mg/Kg)							
Antimony	<7.03 RL5	<2.57	<1.83	<2.21	<2.36	SB	NS
Aluminum	3660	6890	7850	4710	3730	SB	33000
Arsenic	<3.51 RL5	22.5	5.85	13.2	1.98	7.5	3 - 12
Barium	46.5	48.4	52.8	68.1	26.0	300	15 - 600
Beryllium	<1.05 RL5	0.832	0.815	<0.332 *	0.386	0.16	0 - 1.75
Cadmium	<1.05 RL5	ND	ND	ND	ND	1	0.1 - 1
Chromium	18.6	14.1	16.2	12.8	20.9	10	1.5 - 40
Calcium	3590	4420	1290	11200	1340	SB	130 - 35000
Iron	119000 B1	25200 B1	14900 B1	14400 B1	24300 B1	2000	2000 - 550000
Cobalt	<17.6 RL5	15.1	11.3	ND	ND	30	2.5 - 60
Copper	20.3	64.2	62.1	36.1	37.7	25	1 - 50
Lead	<10.5 RL5	128	12.2	158	8.65	500	500
Magnesium	3090	2390	926	2010	906	SB	100 - 5000
Manganese	2080	271	60.8	230	37.5	SB	50 - 50000
Mercury	ND	0.234	0.0443	0.280	ND	0.1	0.001 - 0.2
Nickel	<14.1 RL5	23.3	23.2	11.5	6.08	13	0.5 - 25
Vanadium	24.0	25.8	28.6	30.9	32.9	150	1 - 300
Selenium	<7.03 RL5	<2.57 *	ND	<2.21 *	<2.36 *	2	0.1 - 3.9
Potassium	1030	1060	799	1000	1090	SB	8500 - 43000
Silver	2.24	<0.64	<0.46	<0.55	<0.59	SB	NS
Sodium	<527 RL5	257	1240	197	1390	SB	6000 - 8000
Thallium	<7.03 RL5	<2.57	<1.83	<2.21	<2.36	SB	NS
Zinc	26.6	173	35.8	151	19.3	20	9 - 50
Total Cyanide	<0.58	<0.61	<0.61	1.7	<0.74	SB	NS

Table 3
Summary of Analytical Results - Soil
Target Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Boring Number	B-32	B-32D	B-32	B-33	B-33	NYSDEC	NYSDEC
Sample ID	B-32 7-9	B-32D 7-9	B-32 49-51	B-33 9-11	B-33 59-61	Recommended	Eastern USA
Sample Date	6/21/2006	6/21/2006	6/22/2006	6/5/2006	6/7/2006	Soil Cleanup	Background
Lab Identification Number	60600355	60600355	60600355	60600132	60600132	Objective	Criteria
TAL Metals (mg/Kg)							
Antimony	<1.81	<1.70	<2.19	<1.37	<1.61	SB	NS
Aluminum	8250	7180	7210	6730	4550	SB	33000
Arsenic	3.55	2.74	6.09	1.29	3.31	7.5	3 - 12
Barium	54.4	43.4	50.0	44.2	47.2	300	15 - 600
Beryllium	0.407	0.380	0.709	0.328	0.968	0.16	0 - 1.75
Cadmium	ND	ND	ND	ND	ND	1	0.1 - 1
Chromium	18.2	14.9	19.6	13.1	13.0	10	1.5 - 40
Calcium	3280	52100	1350	885	1510	SB	130 - 35000
Iron	18100 B1	15100 B1	44600 B1	14600 B1	6140 B1	2000	2000 - 550000
Cobalt	7.18	5.75	8.47	5.72	5.32	30	2.5 - 60
Copper	21.1	19.2	25.0	14.2	33.2	25	1 - 50
Lead	32.3	45.8	12.1	7.18	18.9	500	500
Magnesium	2640	2580	683	2420	629	SB	100 - 5000
Manganese	327	371	232	307	19.9	SB	50 - 50000
Mercury	0.104	ND	ND	ND	ND	0.1	0.001 - 0.2
Nickel	14.5	11.6	14.3	11.3	10.8	13	0.5 - 25
Vanadium	26.2	21.5	35.5	20.1	23.5	150	1 - 300
Selenium	ND	<3.41 *	<2.19 *	ND	ND	2	0.1 - 3.9
Potassium	1430	1290	888	979	988	SB	8500 - 43000
Silver	<0.45	<0.43	<0.55	<0.34	<0.40	SB	NS
Sodium	166	153	538	193	923	SB	6000 - 8000
Thallium	<1.81	<1.70	<2.19	<1.37	<1.61	SB	NS
Zinc	45.9	43.7	31.4	30.1	24.9	20	9 - 50
Total Cyanide	<0.59	<0.57	<0.60	<0.59	<0.62	SB	NS

Table 3
Summary of Analytical Results - Soil
Target Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Boring Number	B-34	B-34D	B-34	BPB-4	BPB-4	NYSDEC	NYSDEC
Sample ID	B-34 15-17	B-34D 15-17	B-34 67-69	BPB-4 19-21	BPB-4 45-47	Recommended	Eastern USA
Sample Date	6/29/2006	6/29/2006	6/30/2006	7/13/2006	7/13/2006	Soil Cleanup	Background
Lab Identification Number	60700004	60700004	60700004	60700128	60700128	Objective	Criteria
TAL Metals (mg/Kg)							
Antimony	<3.42	<2.34	<1.80	ND	ND	SB	NS
Aluminum	15200	16700	9640	12500	3350	SB	33000
Arsenic	135	354	1.24	5.94	ND	7.5	3 - 12
Barium	177	293	45.6	43.0	33.8	300	15 - 600
Beryllium	0.672	0.740	1.05	0.497	<0.302 *	0.16	0 - 1.75
Cadmium	ND	1.24	ND	ND	ND	1	0.1 - 1
Chromium	52.0	79.9	19.5	21.8	9.98	10	1.5 - 40
Calcium	3480	4800	1090	2240	6820	SB	130 - 35000
Iron	28800 B1	31500 B1	15000 B1	22000 B1	14300 B1	2000	2000 - 550000
Cobalt	9.91	10.9	34.2	8.29	ND	30	2.5 - 60
Copper	148	436	29.2	20.7	10.6	25	1 - 50
Lead	553	1050	11.7	48.8	3.92	500	500
Magnesium	6240	6860	982	4800	3350	SB	100 - 5000
Manganese	362	332	145	502	351	SB	50 - 50000
Mercury	9.47 MHA	8.08	ND	0.566	ND	0.1	0.001 - 0.2
Nickel	24.7	29.8	45.8	20.1	8.23	13	0.5 - 25
Vanadium	33.5	39.2	24.7	27.9	17.6	150	1 - 300
Selenium	<3.42 *	2.77	ND	<2.65 *	<2.02 *	2	0.1 - 3.9
Potassium	3730	3870	1610	2870	885	SB	8500 - 43000
Silver	<0.85	1.49	<0.45	ND	ND	SB	NS
Sodium	5730	6990	1700	1970	875	SB	6000 - 8000
Thallium	<3.42	<2.34	<1.80	ND	ND	SB	NS
Zinc	1310	445	27.7	58.2	19.7	20	9 - 50
Total Cyanide	<0.83	3.0	<0.62	ND	ND	SB	NS

Table 3
Summary of Analytical Results - Soil
Target Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Boring Number Sample ID Sample Date Lab Identification Number	BPB-5 BPB-5 17-19 7/14/2006 60700128	BPB-5 BPB-5 49-50 7/19/2006 60700179	BPB-6 BPB-6 7-9 6/23/2006 60600356	BPB-6 BPB-6 63-65 6/26/2006 60700005	BPB-9 BPB-9 29-31 6/22/2006 60600356	NYSDEC Recommended Soil Cleanup Objective	NYSDEC Eastern USA Background Criteria
TAL Metals (mg/Kg)							
Antimony	<2.70 M2	ND	ND	ND	<2.34 M2	SB	NS
Aluminum	5000 MHA	6020 MHA	4810	11200	2490 MHA	SB	33000
Arsenic	73.2	2.98	51.5	ND	ND	7.5	3 - 12
Barium	62.2	36.0	26.0	112	21.1	300	15 - 600
Beryllium	<0.406 *	0.445	<0.375 *	0.667	<0.351 *	0.16	0 - 1.75
Cadmium	0.446	ND	ND	ND	ND	1	0.1 - 1
Chromium	44.3 M1 M2	23.0	16.6	26.4	10.2	10	1.5 - 40
Calcium	7720	2260	3850	9510	469	SB	130 - 35000
Iron	18100 B1,MHA	27300 B1,MHA	18800 B1	20100 B1	10300 B1,MHA	2000	2000 - 550000
Cobalt	6.86	7.96	8.27	9.54	ND	30	2.5 - 60
Copper	199 MHA	24.0	116	23.1	11.0	25	1 - 50
Lead	694 MHA	10.1	235	8.96	4.80	500	500
Magnesium	2180	2830	1410	7400	889	SB	100 - 5000
Manganese	198	337 MHA	121	371	74.9 M1	SB	50 - 50000
Mercury	2.92	ND	0.691	ND	ND	0.1	0.001 - 0.2
Nickel	20.3	16.6	24.1	20.8	6.48	13	0.5 - 25
Vanadium	14.4	35.7	24.8	33.7	15.9	150	1 - 300
Selenium	<2.70 *	<2.41 *	<2.50 *	ND	<2.34 *	2	0.1 - 3.9
Potassium	1040	1380	396	3840	472	SB	8500 - 43000
Silver	0.731	ND	ND	ND	ND	SB	NS
Sodium	1550	1270	712	1290	182	SB	6000 - 8000
Thallium	ND	ND	ND	ND	ND	SB	NS
Zinc	299 MHA	46.4	263	49.8	15.0	20	9 - 50
Total Cyanide	7.9	ND	ND	ND	ND	SB	NS

Table 3
Summary of Analytical Results - Soil
Target Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Boring Number Sample ID Sample Date Lab Identification Number	BPB-9 BPB-9 59-61 6/22/2006 60600356	BPB-13 BPB-13 11-13 6/1/2006 60600072	BPB-13 BPB-13 50-52 6/6/2006 60600130	NYSDEC Recommended Soil Cleanup Objective	NYSDEC Eastern USA Background Criteria
TAL Metals (mg/Kg)					
Antimony	ND	ND	ND	SB	NS
Aluminum	4160	9320	2190	SB	33000
Arsenic	8.64	2.39	ND	7.5	3 - 12
Barium	20.8	43.3	12.0	300	15 - 600
Beryllium	0.514	0.436	ND	0.16	0 - 1.75
Cadmium	ND	ND	ND	1	0.1 - 1
Chromium	25.1	17.3	6.80	10	1.5 - 40
Calcium	1310	993	747	SB	130 - 35000
Iron	25900 B1	17800 B1	13500 B1	2000	2000 - 550000
Cobalt	ND	7.01	ND	30	2.5 - 60
Copper	15.1	18.2	9.93	25	1 - 50
Lead	11.2	11.7	ND	500	500
Magnesium	439	2250	1040	SB	100 - 5000
Manganese	22.9	243	547	SB	50 - 50000
Mercury	ND	ND	ND	0.1	0.001 - 0.2
Nickel	15.3	13.0	6.99	13	0.5 - 25
Vanadium	57.0	24.9	10.7	150	1 - 300
Selenium	<2.33 *	<2.46 *	2.00	2	0.1 - 3.9
Potassium	430	1050	425	SB	8500 - 43000
Silver	ND	ND	ND	SB	NS
Sodium	407	374	187	SB	6000 - 8000
Thallium	ND	ND	ND	SB	NS
Zinc	18.7	31.7	14.0	20	9 - 50
Total Cyanide	ND	ND	ND	SB	NS

Notes:

- (1) Bold - Indicates value that exceeded the NYSDEC TAGM 4046 Recommended Soil Cleanup Objectives.
- (2) Italic - Indicates value that exceeded the NYSDEC TAGM 4046 Eastern USA Background Criteria.
- (3) ND - Non-detected above laboratory method detection limit
- (4) NS - No Standard.
- (5) SB - Site Background
- (6) B1 - Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.
- (7) M2 - The MS and/or MSD were below the acceptance limits due to sample matrix interference.
- (8) MHA - Due to high levels of analyte in the sample, the MS/MSD calculation does not provide useful spike recovery information.
- (9) RL5 - Reporting raised due to single peak analyte.
- (10) * - MDL exceeds the NYSDEC Recommended Soil Cleanup Objectives.

Table 4
Summary of Analytical Results - Groundwater
Volatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-B1S 2.0-12.5 7/20/2006 60700193	TRC MW-1 Unavailable 7/20/2006 60700193	TRC MW-2 Unavailable 7/20/2006 60700193	TRC MW-3 Unavailable 7/20/2006 60700193	TRC MW-3D Unavailable 7/20/2006 60700193	NYSDEC TOGS Groundwater Criteria
Volatile Organic Compounds (ug/Kg)						
Dichlorodifluoromethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Vinyl Chloride	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	2
Bromomethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Chloroethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Trichlorofluoromethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Acrolein	<25 *	<25 *	<25 *	<25 *	<25 *	5
Acetone	ND	ND	ND	ND	ND	50
Carbon Disulfide	ND	ND	ND	ND	ND	60
Methylene Chloride	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Acrylonitrile	<25 *	<25 *	<25 *	<25 *	<25 *	5
Methyl-Tert-Butyl-Ether	ND	3 J	6	5	5	10
1,1-Dichloroethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
2-Butanone-(MEK)	ND	ND	ND	ND	ND	50
2,2-Dichloropropane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	NS
Chloroform	ND	ND	ND	ND	ND	7
Bromochloromethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,1-Trichloroethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1-Dichloropropene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Carbon Tetrachloride	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Benzene	6	15	1	<5.0	<5.0	1
1,2-Dichloroethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Trichloroethylene	ND	ND	ND	ND	ND	NS
1,2-Dichloropropane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	1
Toluene	6	ND	ND	ND	ND	74
Bromodichloromethane	ND	ND	ND	ND	ND	50
Dibromomethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,2-Trichloroethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	1
2-Hexanone	ND	ND	ND	ND	ND	50
1,3-Dichloropropane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Dibromochloromethane	ND	ND	ND	ND	ND	50

Table 4
Summary of Analytical Results - Groundwater
Volatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well	TRC MW-B1S	TRC MW-1	TRC MW-2	TRC MW-3	TRC MW-3D	NYSDEC
Screen Depth (ft)	2.0-12.5	Unavailable	Unavailable	Unavailable	Unavailable	TOGS
Sample Date	7/20/2006	7/20/2006	7/20/2006	7/20/2006	7/20/2006	Groundwater
Lab Identification Number	60700193	60700193	60700193	60700193	60700193	Criteria
Volatile Organic Compounds (ug/Kg)						
Chlorobenzene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,1,2-Tetrachloroethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Ethylbenzene	1 J	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
M&P-Xylene	9 J	<10 *	<10 *	<10 *	<10 *	10
O-Xylene	8	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Styrene	2 J	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Bromoform	ND	ND	ND	ND	ND	50
Isopropylbenzene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,2,2-Tetrachloroethane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,2,3-Trichloropropane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	0.04
n-Propylbenzene	ND	ND	ND	ND	ND	NS
trans-1,4-Dichloro-2-butene	<25 *	<25 *	<25 *	<25 *	<25 *	5
Bromobenzene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
2-Chlorotoluene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,3,5-Trimethylbenzene	3 J	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
4-Chlorotoluene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
tert-Butylbenzene	ND	ND	ND	ND	ND	NS
1,2,4-Trimethylbenzene	8	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
sec-Butylbenzene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
4-Isopropyltoluene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,3-Dichlorobenzene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	3
1,4-Dichlorobenzene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	3
n-Butylbenzene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,2-Dichlorobenzene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	3
1,2-Dibromo-3-Chloropropane	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	0.04
Hexachlorobutadiene	<5.0 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	0.5
Naphthalene	140	2 J	ND	ND	1 J	10

Table 4
Summary of Analytical Results - Groundwater
Volatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-5 Unavailable 7/18/2006 60700172	TRC MW-5D Unavailable 7/18/2006 60700172	TRC MW-6 Unavailable 7/18/2006 60700172	TRC MW-7 Unavailable 7/19/2006 60700178	TRC MW-7D Unavailable 7/19/2006 60700178	NYSDEC TOGS Groundwater Criteria
Volatile Organic Compounds (ug/Kg)						
Dichlorodifluoromethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Vinyl Chloride	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	2
Bromomethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Chloroethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Trichlorofluoromethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Acrolein	<620 *	<620 *	<25 *	<25 *	<25 *	5
Acetone	<620 *	<620 *	3 J	2 J	7 J	50
Carbon Disulfide	<620 *	<620 *	ND	ND	ND	60
Methylene Chloride	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Acrylonitrile	<620 *	<620 *	<25 *	<25 *	<25 *	5
Methyl-Tert-Butyl-Ether	<120 *	<120 *	51	8	8	10
1,1-Dichloroethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
2-Butanone-(MEK)	<620 *	<620 *	ND	ND	ND	50
2,2-Dichloropropane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	NS
Chloroform	<120 *	<120 *	ND	ND	ND	7
Bromochloromethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,1-Trichloroethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
1,1-Dichloropropene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Carbon Tetrachloride	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Benzene	55 J	55 J	19	2 J	2 J	1
1,2-Dichloroethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Trichloroethylene	ND	ND	ND	ND	ND	NS
1,2-Dichloropropane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	1
Toluene	1400	1400	2 J	<5.0	1 J	74
Bromodichloromethane	<120 *	<120 *	ND	ND	ND	50
Dibromomethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,2-Trichloroethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	1
2-Hexanone	<620 *	<620 *	ND	ND	ND	50
1,3-Dichloropropane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Dibromochloromethane	<120 *	<120 *	ND	ND	ND	50

Table 4
Summary of Analytical Results - Groundwater
Volatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-5 Unavailable 7/18/2006 60700172	TRC MW-5D Unavailable 7/18/2006 60700172	TRC MW-6 Unavailable 7/18/2006 60700172	TRC MW-7 Unavailable 7/19/2006 60700178	TRC MW-7D Unavailable 7/19/2006 60700178	NYSDEC TOGS Groundwater Criteria
Volatile Organic Compounds (ug/Kg)						
Chlorobenzene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,1,2-Tetrachloroethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Ethylbenzene	150	160	1 J	<5.0 *	<5.0 *	5
M&P-Xylene	740	740	1 J	1.4 J	1 J	10
O-Xylene	400	400	1 J	<5.0 *	<5.0 *	5
Styrene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
Bromoform	<120 *	<120 *	ND	ND	ND	50
Isopropylbenzene	<120 *	<120 *	35	6.6	7	5
1,1,2,2-Tetrachloroethane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
1,2,3-Trichloropropane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	0.04
n-Propylbenzene	<120	<120	57	8.0	8	NS
trans-1,4-Dichloro-2-butene	<620 *	<620 *	<25 *	<25 *	<25 *	5
Bromobenzene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
2-Chlorotoluene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
1,3,5-Trimethylbenzene	80 J	78 J	<5.0 *	<5.0 *	<5.0 *	5
4-Chlorotoluene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
tert-Butylbenzene	<120	<120	1 J	<5.0	<5.0	NS
1,2,4-Trimethylbenzene	260	260	<5.0 *	<5.0 *	<5.0 *	5
sec-Butylbenzene	<120 *	<120 *	4 J	1 J	1 J	5
4-Isopropyltoluene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
1,3-Dichlorobenzene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	3
1,4-Dichlorobenzene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	3
n-Butylbenzene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	5
1,2-Dichlorobenzene	<120 *	<120 *	<5.0 *	1 J	1 J	3
1,2-Dibromo-3-Chloropropane	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	0.04
Hexachlorobutadiene	<120 *	<120 *	<5.0 *	<5.0 *	<5.0 *	0.5
Naphthalene	42 J	44 J	ND	ND	1 J	10

Table 4
Summary of Analytical Results - Groundwater
Volatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-8 Unavailable 7/21/2006 60700211	TRC MW-9 Unavailable 7/19/2006 60700178	TRC MW-11 Unavailable 7/18/2006 60700172	TRC MW-12 Unavailable 7/19/2006 60700178	TRC MW-14 Unavailable 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
Volatile Organic Compounds (ug/Kg)						
Dichlorodifluoromethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Vinyl Chloride	75	<5.0	<5.0	<5.0	<5.0	2
Bromomethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Chloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Trichlorofluoromethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Acrolein	<120 *	<25 *	<25 *	<25 *	<25 *	5
Acetone	430	15 J	ND	8 J	6 J	50
Carbon Disulfide	<120 *	ND	ND	ND	ND	60
Methylene Chloride	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Acrylonitrile	<120 *	<25 *	<25 *	<25 *	<25 *	5
Methyl-Tert-Butyl-Ether	<25 *	ND	ND	64	7	10
1,1-Dichloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
2-Butanone-(MEK)	<120 *	ND	ND	ND	ND	50
2,2-Dichloropropane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
cis-1,2-Dichloroethylene	710	<5.0	<5.0	<5.0	<5.0	NS
Chloroform	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	7
Bromochloromethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,1-Trichloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1-Dichloropropene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Carbon Tetrachloride	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Benzene	21 J,B	5	<5.0	49	170 B	1
1,2-Dichloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Trichloroethylene	11 J	<5.0	<5.0	<5.0	<5.0	NS
1,2-Dichloropropane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	1
Toluene	<25	10	<5.0	<5.0	13	74
Bromodichloromethane	ND	ND	ND	ND	ND	50
Dibromomethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,2-Trichloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	1
2-Hexanone	<120 *	ND	ND	ND	ND	50
1,3-Dichloropropane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Dibromochloromethane	ND	ND	ND	ND	ND	50

Table 4
Summary of Analytical Results - Groundwater
Volatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-8 Unavailable 7/21/2006 60700211	TRC MW-9 Unavailable 7/19/2006 60700178	TRC MW-11 Unavailable 7/18/2006 60700172	TRC MW-12 Unavailable 7/19/2006 60700178	TRC MW-14 Unavailable 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
Volatile Organic Compounds (ug/Kg)						
Chlorobenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,1,2-Tetrachloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Ethylbenzene	<25 *	7	<5.0 *	2 J	19	5
M&P-Xylene	<50 *	16	<10 *	<10 *	150	10
O-Xylene	<25 *	8	<5.0 *	<5.0 *	28	5
Styrene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Bromoform	ND	ND	ND	ND	ND	50
Isopropylbenzene	7 J	2 J	<5.0 *	<5.0 *	95	5
1,1,2,2-Tetrachloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,2,3-Trichloropropane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	0.04
n-Propylbenzene	5 J	<5.0 *	<5.0 *	<5.0 *	110	NS
trans-1,4-Dichloro-2-butene	<120 *	<25 *	<25 *	<25 *	<25 *	5
Bromobenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
2-Chlorotoluene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,3,5-Trimethylbenzene	<25 *	4 J	<5.0 *	<5.0 *	180	5
4-Chlorotoluene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
tert-Butylbenzene	ND	ND	ND	ND	6	NS
1,2,4-Trimethylbenzene	5 J	10	<5.0 *	<5.0 *	1300	5
sec-Butylbenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	26	5
4-Isopropyltoluene	<25 *	<5.0 *	<5.0 *	<5.0 *	4 J	5
1,3-Dichlorobenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	3
1,4-Dichlorobenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	3
n-Butylbenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	11	5
1,2-Dichlorobenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	3
1,2-Dibromo-3-Chloropropane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	0.04
Hexachlorobutadiene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	0.5
Naphthalene	12 J	2100	ND	ND	4 J	10

Table 4
Summary of Analytical Results - Groundwater
Volatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-14D Unavailable 7/21/2006 60700211	TRC MW-15 Unavailable 7/21/2006 60700211	TRC MW-18 Unavailable 7/20/2006 60700193	MW-28 5-20 7/19/2006 60700178	MW-31 3-18 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
Volatile Organic Compounds (ug/Kg)						
Dichlorodifluoromethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Vinyl Chloride	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	2
Bromomethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Chloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Trichlorofluoromethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Acrolein	<120 *	<25 *	<25 *	<25 *	<25 *	5
Acetone	370	39	ND	ND	23 J	50
Carbon Disulfide	<120 *	ND	ND	ND	ND	60
Methylene Chloride	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Acrylonitrile	<120 *	<25 *	<25 *	<25 *	<25 *	5
Methyl-Tert-Butyl-Ether	7 J	17	ND	6	ND	10
1,1-Dichloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
2-Butanone-(MEK)	<120 *	ND	ND	ND	ND	50
2,2-Dichloropropane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
cis-1,2-Dichloroethylene	ND	ND	ND	ND	ND	NS
Chloroform	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	7
Bromochloromethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,1-Trichloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1-Dichloropropene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Carbon Tetrachloride	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Benzene	160 B	210 E,B	21	<5.0 *	3 J,B	1
1,2-Dichloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Trichloroethylene	ND	ND	ND	ND	ND	NS
1,2-Dichloropropane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	1
Toluene	13 J	10	3 J	ND	1 J	74
Bromodichloromethane	ND	ND	ND	ND	ND	50
Dibromomethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,2-Trichloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	1
2-Hexanone	<120 *	ND	ND	ND	ND	50
1,3-Dichloropropane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Dibromochloromethane	ND	ND	ND	ND	ND	50

Table 4
Summary of Analytical Results - Groundwater
Volatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-14D Unavailable 7/21/2006 60700211	TRC MW-15 Unavailable 7/21/2006 60700211	TRC MW-18 Unavailable 7/20/2006 60700193	MW-28 5-20 7/19/2006 60700178	MW-31 3-18 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
Volatile Organic Compounds (ug/Kg)						
Chlorobenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,1,1,2-Tetrachloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Ethylbenzene	18 J	4 J	71	ND	ND	5
M&P-Xylene	140	13	4 J	<10 *	2 J	10
O-Xylene	28	5	7	<5.0 *	<5.0 *	5
Styrene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
Bromoform	ND	ND	ND	ND	ND	50
Isopropylbenzene	93	74	81	<5.0 *	46	5
1,1,2,2-Tetrachloroethane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,2,3-Trichloropropane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	0.04
n-Propylbenzene	110	110	43	ND	30	NS
trans-1,4-Dichloro-2-butene	<120 *	<25 *	<25 *	<25 *	<25 *	5
Bromobenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
2-Chlorotoluene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
1,3,5-Trimethylbenzene	170	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
4-Chlorotoluene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	5
tert-Butylbenzene	<25	4 J	3 J	<5.0	2 J	NS
1,2,4-Trimethylbenzene	1300	4 J	42	<5.0 *	<5.0 *	5
sec-Butylbenzene	23 J	14	12	<5.0 *	8	5
4-Isopropyltoluene	13 J	1 J	5 J	1 J	<5.0 *	5
1,3-Dichlorobenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	3
1,4-Dichlorobenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	3
n-Butylbenzene	10 J	<5.0	<5.0	<5.0	2 J	5
1,2-Dichlorobenzene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	3
1,2-Dibromo-3-Chloropropane	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	0.04
Hexachlorobutadiene	<25 *	<5.0 *	<5.0 *	<5.0 *	<5.0 *	0.5
Naphthalene	22 J	4 J	200	ND	5 J	10

Table 4
Summary of Analytical Results - Groundwater
Volatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	MW-33 5-15 7/18/2006 60700172	MW-2 5-15 7/25/2006 60700243	MW-4 5-15 7/21/2006 60700210	NYSDEC TOGS Groundwater Criteria
Volatile Organic Compounds (ug/Kg)				
Dichlorodifluoromethane	<5.0 *	<50 *	<500 *	5
Vinyl Chloride	<5.0 *	<50 *	120 J	2
Bromomethane	<5.0 *	<50 *	<500 *	5
Chloroethane	<5.0 *	<50 *	<500 *	5
Trichlorofluoromethane	<5.0 *	<50 *	<500 *	5
Acrolein	<25 *	<250 *	<2500 *	5
Acetone	10 J	<250 *	<2500 *	50
Carbon Disulfide	ND	<250 *	<2500 *	60
Methylene Chloride	<5.0 *	160	<500 *	5
Acrylonitrile	<25 *	<250 *	<2500 *	5
Methyl-Tert-Butyl-Ether	ND	<50 *	<500 *	10
1,1-Dichloroethane	<5.0 *	<50 *	<500 *	5
2-Butanone-(MEK)	20 J	<250 *	<2500 *	50
2,2-Dichloropropane	<5.0 *	<50 *	<500 *	5
cis-1,2-Dichloroethylene	ND	<50 *	110 J	NS
Chloroform	ND	<50 *	<500 *	7
Bromochloromethane	<5.0 *	<50 *	<500 *	5
1,1,1-Trichloroethane	<5.0 *	<50 *	<500 *	5
1,1-Dichloropropene	<5.0 *	<50 *	<500 *	5
Carbon Tetrachloride	<5.0 *	<50 *	<500 *	5
Benzene	<5.0 *	66	57000	1
1,2-Dichloroethane	<5.0 *	<50 *	<500 *	5
Trichloroethylene	ND	<50 *	<500 *	NS
1,2-Dichloropropane	<5.0 *	ND	<500 *	1
Toluene	ND	24 J	26000	74
Bromodichloromethane	ND	<50 *	<500 *	50
Dibromomethane	<5.0 *	<50 *	<500 *	5
1,1,2-Trichloroethane	<5.0 *	<50 *	<500 *	1
2-Hexanone	<25 *	<250 *	<2500 *	50
1,3-Dichloropropane	<5.0 *	<50 *	<500 *	5
Dibromochloromethane	ND	<50 *	<500 *	50

Table 4
Summary of Analytical Results - Groundwater
Volatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	MW-33 5-15 7/18/2006 60700172	MW-2 5-15 7/25/2006 60700243	MW-4 5-15 7/21/2006 60700210	NYSDEC TOGS Groundwater Criteria
Volatile Organic Compounds (ug/Kg)				
Chlorobenzene	<5.0 *	<50 *	<500 *	5
1,1,1,2-Tetrachloroethane	<5.0 *	<50 *	<500 *	5
Ethylbenzene	<5.0 *	100	5200	5
M&P-Xylene	<10 *	87 J	4300	10
O-Xylene	<5.0 *	51	2000	5
Styrene	<5.0 *	<50 *	670	5
Bromoform	ND	<50 *	<500 *	50
Isopropylbenzene	3 J	45 J	<500 *	5
1,1,2,2-Tetrachloroethane	<5.0 *	<50 *	<500 *	5
1,2,3-Trichloropropane	<5.0 *	<50 *	<500 *	0.04
n-Propylbenzene	3 J	10 J	<500 *	NS
trans-1,4-Dichloro-2-butene	<25 *	<250 *	<2500 *	5
Bromobenzene	<5.0 *	<50 *	<500 *	5
2-Chlorotoluene	<5.0 *	<50 *	<500 *	5
1,3,5-Trimethylbenzene	1 J	33 J	180 J	5
4-Chlorotoluene	<5.0 *	<50 *	<500 *	5
tert-Butylbenzene	ND	<50 *	<500 *	NS
1,2,4-Trimethylbenzene	3 J	81	760	5
sec-Butylbenzene	<5.0 *	<50 *	<500 *	5
4-Isopropyltoluene	<5.0 *	<50 *	<500 *	5
1,3-Dichlorobenzene	<5.0 *	<50 *	<500 *	3
1,4-Dichlorobenzene	<5.0 *	<50 *	<500 *	3
n-Butylbenzene	<5.0 *	<50 *	<500 *	5
1,2-Dichlorobenzene	<5.0 *	<50 *	<500 *	3
1,2-Dibromo-3-Chloropropane	<5.0 *	<50 *	<500 *	0.04
Hexachlorobutadiene	<5.0 *	<50 *	<500 *	0.5
Naphthalene	2 J	1900	15000	10

Notes:

- (1) Bold - Indicates value that exceeded the NYSDEC TOGS 1.1.1 Groundwater Criteria.
- (2) ND - Non-detected above laboratory method detection limit
- (3) NS - No Standard
- (4) B - Analyte was detected in the associated method blank.
- (5) J - Indicates an estimated value
- (6) E - Indicates the analyte's concentration exceeds the calibration range of the instrument for that specific analysis.
- (7) * - MDL exceeds the NYSDEC TOGS 1.1.1 Groundwater Criteria.

Table 5
Summary of Analytical Results - Groundwater
Semivolatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well	TRC MW-B1S	TRC MW-1	TRC MW-2	TRC MW-3	TRC MW-3D	NYSDEC
Screen Depth (ft)	2.0-12.5	Unavailable	Unavailable	Unavailable	Unavailable	TOGS
Sample Date	7/20/2006	7/20/2006	7/20/2006	7/20/2006	7/20/2006	Groundwater
Lab Identification Number	60700193	60700193	60700193	60700193	60700193	Criteria
Semivolatile Organic Compounds (ug/Kg)						
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50
Aniline	ND	ND	ND	ND	ND	5
bis(2-Chloroethyl)ether	<5 *	<5 *	<5 *	<5 *	<5 *	1
Phenol	<5 *	<5 *	<5 *	<5 *	<5 *	0.001
2-Chlorophenol	ND	ND	ND	ND	ND	NS
1,3-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	3
1,4-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	3
1,2-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	2
Benzyl Alcohol	ND	ND	ND	ND	ND	NS
2-Methyl Phenol	ND	ND	ND	ND	ND	NS
Hexachloroethane	<5 *	<5 *	<5 *	<5 *	<5 *	5
3&4-Methyl Phenol	ND	ND	ND	ND	ND	NS
Nitrobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	0.4
Isophorone	ND	ND	ND	ND	ND	50
2,4-Dimethylphenol	ND	ND	ND	ND	ND	50
bis(2-Chloroethoxy)methane	<5 *	<5 *	<5 *	<5 *	<5 *	5
2,4-Dichlorophenol	<5 *	<5 *	<5 *	<5 *	<5 *	5
Naphthalene	<5	1 J	<5	<5	<5	10
4-Chloroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
Hexachlorobutadiene	<5 *	<5 *	<5 *	<5 *	<5 *	0.5
2-Methylnaphthalene	ND	ND	ND	ND	ND	NS
Hexachlorocyclopentadiene	<5 *	<5 *	<5 *	<5 *	<5 *	5
2-Chloronaphthalene	<5	<5	<5	<5	<5	10
2-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
Acenaphthylene	ND	ND	ND	ND	ND	NS
Dimethyl Phthalate	<5	<5	<5	<5	<5	50
2,6-Dinitrotoluene	<5 *	<5 *	<5 *	<5 *	<5 *	5
Acenaphthene	ND	ND	ND	ND	ND	20
3-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
2,4-Dinitrophenol	ND	ND	ND	ND	ND	10
Dibenzofuran	ND	ND	ND	ND	ND	NS
2,4-Dinitrotoluene	<5 *	<5 *	<5 *	<5 *	<5 *	5
Fluorene	ND	ND	ND	ND	ND	50
Diethyl Phthalate	ND	ND	ND	ND	ND	50

Table 5
Summary of Analytical Results - Groundwater
Semivolatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well	TRC MW-B1S	TRC MW-1	TRC MW-2	TRC MW-3	TRC MW-3D	NYSDEC
Screen Depth (ft)	2.0-12.5	Unavailable	Unavailable	Unavailable	Unavailable	TOGS
Sample Date	7/20/2006	7/20/2006	7/20/2006	7/20/2006	7/20/2006	Groundwater
Lab Identification Number	60700193	60700193	60700193	60700193	60700193	Criteria
Semivolatile Organic Compounds (ug/Kg)						
4-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	50
Hexachlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	0.04
Pentachlorophenol	ND	ND	ND	ND	ND	NS
Phenanthrene	ND	ND	ND	ND	ND	50
Anthracene	ND	ND	ND	ND	ND	50
Carbazole	ND	ND	ND	ND	ND	NS
Di-n-butylphthalate	ND	ND	ND	ND	ND	50
Fluoranthene	ND	ND	ND	ND	ND	50
Benzidine	<5 *	<5 *	<5 *	<5 *	<5 *	5
Pyrene	ND	ND	ND	ND	ND	50
Butyl Benzyl Phthalate	ND	ND	ND	ND	ND	50
3,3'-Dichlorobenzidine	<5 *	<5 *	<5 *	<5 *	<5 *	5
Benzo(a)anthracene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Chrysene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
bis(2-Ethylhexyl)phthalate	1 J	ND	ND	ND	ND	5
Di-n-octyl phthalate	ND	ND	ND	ND	ND	50
Indeno (1,2,3-cd)Pyrene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Benzo(b)fluoranthene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Benzo(k)fluoranthene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Benzo(a)pyrene	ND	ND	ND	ND	ND	NS
Benzo (g,h,i) perylene	ND	ND	ND	ND	ND	NS

Table 5
Summary of Analytical Results - Groundwater
Semivolatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-5 Unavailable 7/18/2006 60700172	TRC MW-5D Unavailable 7/18/2006 60700172	TRC MW-6 Unavailable 7/18/2006 60700172	TRC MW-7 Unavailable 7/19/2006 60700178	TRC MW-7D Unavailable 7/19/2006 60700178	NYSDEC TOGS Groundwater Criteria
Semivolatile Organic Compounds (ug/Kg)						
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50
Aniline	ND	ND	ND	ND	ND	5
bis(2-Chloroethyl)ether	<5 *	<5 *	<5 *	<5 *	<5 *	1
Phenol	<5 *	<5 *	<5 *	<5 *	<5 *	0.001
2-Chlorophenol	ND	ND	ND	ND	ND	NS
1,3-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	3
1,4-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	3
1,2-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	2
Benzyl Alcohol	<5	2 J	<5	<5	<5	NS
2-Methyl Phenol	16	20	<5	<5	<5	NS
Hexachloroethane	<5 *	<5 *	<5 *	<5 *	<5 *	5
3&4-Methyl Phenol	3 J	5 J	<11	<11	<11	NS
Nitrobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	0.4
Isophorone	ND	ND	ND	ND	ND	50
2,4-Dimethylphenol	17	12	<5	<5	<5	50
bis(2-Chloroethoxy)methane	<5 *	<5 *	<5 *	<5 *	<5 *	5
2,4-Dichlorophenol	<5 *	<5 *	<5 *	<5 *	<5 *	5
Naphthalene	6	8	<5	<5	<5	10
4-Chloroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
Hexachlorobutadiene	<5 *	<5 *	<5 *	<5 *	<5 *	0.5
2-Methylnaphthalene	3 J	3 J	1 J	<5	<5	NS
Hexachlorocyclopentadiene	<5 *	<5 *	<5 *	<5 *	<5 *	5
2-Chloronaphthalene	<5	<5	<5	<5	<5	10
2-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
Acenaphthylene	ND	ND	ND	ND	ND	NS
Dimethyl Phthalate	<5	<5	<5	<5	<5	50
2,6-Dinitrotoluene	<5 *	<5 *	<5 *	<5 *	<5 *	5
Acenaphthene	<5	<5	3 J	2 J	2 J	20
3-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
2,4-Dinitrophenol	<5	<5	<5	<5	<5	10
Dibenzofuran	ND	ND	ND	ND	ND	NS
2,4-Dinitrotoluene	<5 *	<5 *	<5 *	<5 *	<5 *	5
Fluorene	<5	<5	<5	1 J	2 J	50
Diethyl Phthalate	<5	<5	<5	<5	<5	50

Table 5
Summary of Analytical Results - Groundwater
Semivolatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-5 Unavailable 7/18/2006 60700172	TRC MW-5D Unavailable 7/18/2006 60700172	TRC MW-6 Unavailable 7/18/2006 60700172	TRC MW-7 Unavailable 7/19/2006 60700178	TRC MW-7D Unavailable 7/19/2006 60700178	NYSDEC TOGS Groundwater Criteria
Semivolatile Organic Compounds (ug/Kg)						
4-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	50
Hexachlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	0.04
Pentachlorophenol	ND	ND	ND	ND	ND	NS
Phenanthrene	ND	ND	ND	ND	ND	50
Anthracene	ND	ND	ND	ND	ND	50
Carbazole	ND	ND	ND	ND	ND	NS
Di-n-butylphthalate	2 J,B	2 J,B	2 J,B	<5	<5	50
Fluoranthene	ND	ND	ND	ND	ND	50
Benzidine	<5 *	<5 *	<5 *	<5 *	<5 *	5
Pyrene	ND	ND	ND	ND	ND	50
Butyl Benzyl Phthalate	ND	ND	ND	ND	ND	50
3,3'-Dichlorobenzidine	<5 *	<5 *	<5 *	<5 *	<5 *	5
Benzo(a)anthracene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Chrysene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
bis(2-Ethylhexyl)phthalate	<5 *	<5 *	<5 *	<5 *	<5 *	5
Di-n-octyl phthalate	ND	ND	ND	ND	ND	50
Indeno (1,2,3-cd)Pyrene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Benzo(b)fluoranthene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Benzo(k)fluoranthene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Benzo(a)pyrene	ND	ND	ND	ND	ND	NS
Benzo (g,h,i) perylene	ND	ND	ND	ND	ND	NS

Table 5
Summary of Analytical Results - Groundwater
Semivolatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-8 Unavailable 7/21/2006 60700211	TRC MW-9 Unavailable 7/19/2006 60700178	TRC MW-11 Unavailable 7/18/2006 60700172	TRC MW-12 Unavailable 7/19/2006 60700178	TRC MW-14 Unavailable 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
Semivolatile Organic Compounds (ug/Kg)						
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50
Aniline	ND	ND	ND	ND	ND	5
bis(2-Chloroethyl)ether	<5 *	<5 *	<5 *	<5 *	<5 *	1
Phenol	<5 *	<5 *	<5 *	<5 *	<5 *	0.001
2-Chlorophenol	ND	ND	ND	ND	ND	NS
1,3-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	3
1,4-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	3
1,2-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	2
Benzyl Alcohol	ND	ND	ND	ND	ND	NS
2-Methyl Phenol	ND	ND	ND	ND	ND	NS
Hexachloroethane	<5 *	<5 *	<5 *	<5 *	<5 *	5
3&4-Methyl Phenol	ND	ND	ND	ND	ND	NS
Nitrobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	0.4
Isophorone	ND	ND	ND	ND	ND	50
2,4-Dimethylphenol	ND	5 J	<5	<5	11	50
bis(2-Chloroethoxy)methane	<5 *	<5 *	<5 *	<5 *	<5 *	5
2,4-Dichlorophenol	<5 *	<5 *	<5 *	<5 *	<5 *	5
Naphthalene	ND	ND	ND	ND	ND	10
4-Chloroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
Hexachlorobutadiene	<5 *	<5 *	<5 *	<5 *	<5 *	0.5
2-Methylnaphthalene	ND	ND	ND	ND	ND	NS
Hexachlorocyclopentadiene	<5 *	<5 *	<5 *	<5 *	<5 *	5
2-Chloronaphthalene	ND	ND	ND	ND	ND	10
2-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
Acenaphthylene	ND	ND	ND	ND	ND	NS
Dimethyl Phthalate	ND	ND	ND	ND	ND	50
2,6-Dinitrotoluene	<5 *	<5 *	<5 *	<5 *	<5 *	5
Acenaphthene	ND	8	ND	ND	ND	20
3-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
2,4-Dinitrophenol	ND	ND	ND	ND	ND	10
Dibenzofuran	ND	ND	ND	ND	ND	NS
2,4-Dinitrotoluene	<5 *	<5 *	<5 *	<5 *	<5 *	5
Fluorene	ND	ND	ND	ND	ND	50
Diethyl Phthalate	ND	ND	ND	ND	ND	50

Table 5
Summary of Analytical Results - Groundwater
Semivolatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-8 Unavailable 7/21/2006 60700211	TRC MW-9 Unavailable 7/19/2006 60700178	TRC MW-11 Unavailable 7/18/2006 60700172	TRC MW-12 Unavailable 7/19/2006 60700178	TRC MW-14 Unavailable 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
Semivolatile Organic Compounds (ug/Kg)						
4-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	50
Hexachlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	0.04
Pentachlorophenol	ND	ND	ND	ND	ND	NS
Phenanthrene	ND	ND	ND	ND	ND	50
Anthracene	ND	ND	ND	ND	ND	50
Carbazole	ND	ND	ND	ND	1 J	NS
Di-n-butylphthalate	ND	ND	2 J,B	ND	ND	50
Fluoranthene	ND	13	ND	ND	ND	50
Benzidine	<5 *	<5 *	<5 *	<5 *	<5 *	5
Pyrene	ND	12	ND	ND	ND	50
Butyl Benzyl Phthalate	ND	ND	ND	ND	ND	50
3,3'-Dichlorobenzidine	<5 *	<5 *	<5 *	<5 *	<5 *	5
Benzo(a)anthracene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Chrysene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
bis(2-Ethylhexyl)phthalate	<5 *	3 J	4 J	5 *	<5 *	5
Di-n-octyl phthalate	ND	ND	ND	ND	ND	50
Indeno (1,2,3-cd)Pyrene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Benzo(b)fluoranthene	<5 *	3 I,J	<5 *	<5 I*	<5 I*	0.002
Benzo(k)fluoranthene	<5 *	<5 I	<5 *	<5 I*	<5 I*	0.002
Benzo(a)pyrene	ND	ND	ND	ND	ND	NS
Benzo (g,h,i) perylene	ND	ND	ND	ND	ND	NS

Table 5
Summary of Analytical Results - Groundwater
Semivolatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-14D Unavailable 7/21/2006 60700211	TRC MW-15 Unavailable 7/21/2006 60700211	TRC MW-18 Unavailable 7/20/2006 60700193	MW-28 5-20 7/19/2006 60700178	MW-31 3-18 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
Semivolatile Organic Compounds (ug/Kg)						
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	50
Aniline	ND	ND	ND	ND	ND	5
bis(2-Chloroethyl)ether	<5 *	<5 *	<5 *	<5 *	<5 *	1
Phenol	10	6	<5 *	<5 *	<5 *	0.001
2-Chlorophenol	<5 *	<5 *	<5 *	<5 *	<5 *	NS
1,3-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	3
1,4-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	3
1,2-Dichlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	2
Benzyl Alcohol	ND	ND	ND	ND	ND	NS
2-Methyl Phenol	ND	ND	ND	ND	ND	NS
Hexachloroethane	<5 *	<5 *	<5 *	<5 *	<5 *	5
3&4-Methyl Phenol	ND	ND	ND	ND	ND	NS
Nitrobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	0.4
Isophorone	ND	ND	ND	ND	ND	50
2,4-Dimethylphenol	10	ND	ND	ND	ND	50
bis(2-Chloroethoxy)methane	<5 *	<5 *	<5 *	<5 *	<5 *	5
2,4-Dichlorophenol	<5 *	<5 *	<5 *	<5 *	<5 *	5
Naphthalene	<5 *	3 J	140	<5 *	<5 *	10
4-Chloroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
Hexachlorobutadiene	<5 *	<5 *	<5 *	<5 *	<5 *	0.5
2-Methylnaphthalene	2 J	ND	2 J	ND	ND	NS
Hexachlorocyclopentadiene	<5 *	<5 *	<5 *	<5 *	<5 *	5
2-Chloronaphthalene	ND	ND	ND	ND	ND	10
2-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
Acenaphthylene	ND	ND	3 J	ND	ND	NS
Dimethyl Phthalate	ND	ND	ND	ND	ND	50
2,6-Dinitrotoluene	<5 *	<5 *	<5 *	<5 *	<5 *	5
Acenaphthene	ND	ND	110	ND	1 J	20
3-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
2,4-Dinitrophenol	ND	ND	ND	ND	ND	10
Dibenzofuran	ND	ND	6	ND	ND	NS
2,4-Dinitrotoluene	<5 *	<5 *	<5 *	<5 *	<5 *	5
Fluorene	ND	1 J	26	ND	2 J	50
Diethyl Phthalate	ND	ND	ND	ND	ND	50

Table 5
Summary of Analytical Results - Groundwater
Semivolatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-14D Unavailable 7/21/2006 60700211	TRC MW-15 Unavailable 7/21/2006 60700211	TRC MW-18 Unavailable 7/20/2006 60700193	MW-28 5-20 7/19/2006 60700178	MW-31 3-18 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
Semivolatile Organic Compounds (ug/Kg)						
4-Nitroaniline	<5 *	<5 *	<5 *	<5 *	<5 *	5
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	50
Hexachlorobenzene	<5 *	<5 *	<5 *	<5 *	<5 *	0.04
Pentachlorophenol	ND	ND	ND	ND	ND	NS
Phenanthrene	ND	1 J	40	ND	1 J	50
Anthracene	ND	ND	10	ND	ND	50
Carbazole	1 J	ND	5 J	ND	ND	NS
Di-n-butylphthalate	ND	ND	ND	ND	ND	50
Fluoranthene	ND	ND	5	ND	1 J	50
Benzidine	<5 *	<5 *	<5 *	<5 *	<5 *	5
Pyrene	ND	ND	4 J	ND	2 J	50
Butyl Benzyl Phthalate	ND	ND	ND	ND	ND	50
3,3'-Dichlorobenzidine	<5 *	<5 *	<5 *	<5 *	<5 *	5
Benzo(a)anthracene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Chrysene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
bis(2-Ethylhexyl)phthalate	<5 *	<5 *	<5 *	1 J	ND	5
Di-n-octyl phthalate	ND	ND	ND	ND	ND	50
Indeno (1,2,3-cd)Pyrene	<5 *	<5 *	<5 *	<5 *	<5 *	0.002
Benzo(b)fluoranthene	<5 I*	<5 I*	ND	ND	<5 I*	0.002
Benzo(k)fluoranthene	<5 I*	<5 I*	ND	ND	<5 I*	0.002
Benzo(a)pyrene	ND	ND	ND	ND	ND	NS
Benzo (g,h,i) perylene	ND	ND	ND	ND	ND	NS

Table 5
Summary of Analytical Results - Groundwater
Semivolatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	MW-33 5-15 7/18/2006 60700172	MW-2 5-15 7/25/2006 60700243	MW-4 5-15 7/21/2006 60700210	NYSDEC TOGS Groundwater Criteria
Semivolatile Organic Compounds (ug/Kg)				
N-Nitrosodimethylamine	ND	ND	<2500 *	50
Aniline	ND	<5.0 *	<2500 *	5
bis(2-Chloroethyl)ether	<6 *	<5.0 *	<2500 *	1
Phenol	<6 *	<5.0 *	<2500 *	0.001
2-Chlorophenol	ND	ND	ND	NS
1,3-Dichlorobenzene	<6 *	<5.0 *	<2500 *	3
1,4-Dichlorobenzene	<6 *	<5.0 *	<2500 *	3
1,2-Dichlorobenzene	<6 *	<5.0 *	<2500 *	2
Benzyl Alcohol	ND	ND	ND	NS
2-Methyl Phenol	ND	ND	ND	NS
Hexachloroethane	<6 *	<5.0 *	<2500 *	5
3&4-Methyl Phenol	ND	ND	ND	NS
Nitrobenzene	<6 *	<5.0 *	<2500 *	0.4
Isophorone	ND	ND	<2500 *	50
2,4-Dimethylphenol	ND	ND	ND	50
bis(2-Chloroethoxy)methane	<6 *	<5.0 *	<2500 *	5
2,4-Dichlorophenol	<6 *	<5.0 *	<2500 *	5
Naphthalene	ND	3 J	120000	10
4-Chloroaniline	ND	<5.0 *	<2500 *	5
Hexachlorobutadiene	<6 *	<5.0 *	<2500 *	0.5
2-Methylnaphthalene	ND	33	47000	NS
Hexachlorocyclopentadiene	<6 *	<5.0 *	<2500 *	5
2-Chloronaphthalene	ND	ND	<2500 *	10
2-Nitroaniline	<6 *	<5.0 *	<2500 *	5
Acenaphthylene	ND	5 J	36000	NS
Dimethyl Phthalate	ND	ND	<2500 *	50
2,6-Dinitrotoluene	<6 *	<5.0 *	<2500 *	5
Acenaphthene	ND	71	2400 J	20
3-Nitroaniline	<6 *	<5.0 *	<2500 *	5
2,4-Dinitrophenol	ND	ND	<2500 *	10
Dibenzofuran	ND	3 J	1400 J	NS
2,4-Dinitrotoluene	<6 *	<5.0 *	<2500 *	5
Fluorene	ND	12	12000	50
Diethyl Phthalate	<6 *	ND	<2500 *	50

Table 5
Summary of Analytical Results - Groundwater
Semivolatile Organic Compounds
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	MW-33 5-15 7/18/2006 60700172	MW-2 5-15 7/25/2006 60700243	MW-4 5-15 7/21/2006 60700210	NYSDEC TOGS Groundwater Criteria
Semivolatile Organic Compounds (ug/Kg)				
4-Nitroaniline	<6 *	<5.0 *	<2500 *	5
N-Nitrosodiphenylamine	ND	ND	ND	50
Hexachlorobenzene	<6 *	<5.0 *	<2500 *	0.04
Pentachlorophenol	ND	ND	ND	NS
Phenanthrene	ND	18	30000	50
Anthracene	ND	7	9400	50
Carbazole	ND	17	ND	NS
Di-n-butylphthalate	2 J,B	ND	<2500 *	50
Fluoranthene	ND	5	8700	50
Benzidine	<6 *	<5.0 *	<2500 *	5
Pyrene	ND	5	12000	50
Butyl Benzyl Phthalate	ND	ND	<2500 *	50
3,3'-Dichlorobenzidine	<6 *	<5.0 *	<2500 *	5
Benzo(a)anthracene	<6 *	1 J	4400	0.002
Chrysene	<6 *	<5.0 *	3800	0.002
bis(2-Ethylhexyl)phthalate	<6 *	<5.0 *	<2500 *	5
Di-n-octyl phthalate	ND	ND	<2500 *	50
Indeno (1,2,3-cd)Pyrene	<6 *	<5.0 *	<2500 *	0.002
Benzo(b)fluoranthene	<6 *	3 J	3700	0.002
Benzo(k)fluoranthene	<6 *	<5.0 *	1400 J	0.002
Benzo(a)pyrene	ND	ND	3600	NS
Benzo (g,h,i) perylene	ND	ND	620 J	NS

Notes:

- (1) Bold - Indicates value that exceeded the NYSDEC TOGS 1.1.1 Groundwater Criteria.
- (2) ND - Non-detected above laboratory method detection limit
- (3) NS - No Standard
- (4) B - Analyte was detected in the associated method blank.
- (5) J - Indicates an estimated value
- (6) I - Internal standard recovery outside of method limits. Matrix interference was confirmed by reanalysis.
- (7) * - MDL exceeds the NYSDEC TOGS 1.1.1 Groundwater Criteria.

Table 6
Summary of Analytical Results - Groundwater
Polychlorinated Biphenyls
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-B1S 2.0-12.5 7/20/2006 60700193	TRC MW-1 Unavailable 7/20/2006 60700193	TRC MW-2 Unavailable 7/20/2006 60700193	TRC MW-3 Unavailable 7/20/2006 60700193	TRC MW-3D Unavailable 7/20/2006 60700193	NYSDEC TOGS Groundwater Criteria
Polychlorinated Biphenyls (PCBs) (ug/Kg)						
PCB-1016	<1.00 *	<1.00 *	<1.00 *	<1.00 *	<1.00 *	0.09
PCB-1221	<1.00 *	<1.00 *	<1.00 *	<1.00 *	<1.00 *	0.09
PCB-1232	<1.00 *	<1.00 *	<1.00 *	<1.00 *	<1.00 *	0.09
PCB-1242	<1.00 *	<1.00 *	<1.00 *	<1.00 *	<1.00 *	0.09
PCB-1248	<1.00 *	<1.00 *	<1.00 *	<1.00 *	<1.00 *	0.09
PCB-1254	<1.00 *	<1.00 *	<1.00 *	<1.00 *	<1.00 *	0.09
PCB-1260	<1.00 *	<1.00 *	<1.00 *	<1.00 *	<1.00 *	0.09
PCB-1262	<1.00 *	<1.00 *	<1.00 *	<1.00 *	<1.00 *	0.09

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-5 Unavailable 7/18/2006 60700172	TRC MW-5D Unavailable 7/18/2006 60700172	TRC MW-6 Unavailable 7/18/2006 60700172	TRC MW-7 Unavailable 7/19/2006 60700178	TRC MW-7D Unavailable 7/19/2006 60700178	NYSDEC TOGS Groundwater Criteria
Polychlorinated Biphenyls (PCBs) (ug/Kg)						
PCB-1016	<1.0 *	<1.0 *	<1.0 *	<1.1 *	<1.0 *	0.09
PCB-1221	<1.0 *	<1.0 *	<1.0 *	<1.1 *	<1.0 *	0.09
PCB-1232	<1.0 *	<1.0 *	<1.0 *	<1.1 *	<1.0 *	0.09
PCB-1242	<1.0 *	<1.0 *	<1.0 *	<1.1 *	<1.0 *	0.09
PCB-1248	<1.0 *	<1.0 *	<1.0 *	<1.1 *	<1.0 *	0.09
PCB-1254	<1.0 *	<1.0 *	<1.0 *	<1.1 *	<1.0 *	0.09
PCB-1260	<1.0 *	<1.0 *	<1.0 *	<1.1 *	<1.0 *	0.09
PCB-1262	<1.0 *	<1.0 *	<1.0 *	<1.1 *	<1.0 *	0.09

Table 6
Summary of Analytical Results - Groundwater
Polychlorinated Biphenyls
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-8 Unavailable 7/21/2006 60700211	TRC MW-9 Unavailable 7/19/2006 60700178	TRC MW-11 Unavailable 7/18/2006 60700172	TRC MW-12 Unavailable 7/19/2006 60700178	TRC MW-14 Unavailable 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
Polychlorinated Biphenyls (PCBs) (ug/Kg)						
PCB-1016	<1.00 *	<1.1 *	<1.0 *	<1.0 *	<1.00 *	0.09
PCB-1221	<1.00 *	<1.1 *	<1.0 *	<1.0 *	<1.00 *	0.09
PCB-1232	<1.00 *	<1.1 *	<1.0 *	<1.0 *	<1.00 *	0.09
PCB-1242	<1.00 *	<1.1 *	<1.0 *	<1.0 *	<1.00 *	0.09
PCB-1248	<1.00 *	<1.1 *	<1.0 *	<1.0 *	<1.00 *	0.09
PCB-1254	<1.00 *	<1.1 *	<1.0 *	<1.0 *	<1.00 *	0.09
PCB-1260	<1.00 *	<1.1 *	<1.0 *	<1.0 *	<1.00 *	0.09
PCB-1262	<1.00 *	<1.1 *	<1.0 *	<1.0 *	<1.00 *	0.09

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-14D Unavailable 7/21/2006 60700211	TRC MW-15 Unavailable 7/21/2006 60700211	TRC MW-18 Unavailable 7/20/2006 60700193	MW-28 5-20 7/19/2006 60700178	MW-31 3-18 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
Polychlorinated Biphenyls (PCBs) (ug/Kg)						
PCB-1016	<1.00 *	<1.00 *	<1.00 *	<1.0 *	<1.00 *	0.09
PCB-1221	<1.00 *	<1.00 *	<1.00 *	<1.0 *	<1.00 *	0.09
PCB-1232	<1.00 *	<1.00 *	<1.00 *	<1.0 *	<1.00 *	0.09
PCB-1242	<1.00 *	<1.00 *	<1.00 *	<1.0 *	<1.00 *	0.09
PCB-1248	<1.00 *	<1.00 *	<1.00 *	<1.0 *	<1.00 *	0.09
PCB-1254	<1.00 *	<1.00 *	<1.00 *	<1.0 *	<1.00 *	0.09
PCB-1260	<1.00 *	<1.00 *	<1.00 *	<1.0 *	<1.00 *	0.09
PCB-1262	<1.00 *	<1.00 *	<1.00 *	<1.0 *	<1.00 *	0.09

Table 6
Summary of Analytical Results - Groundwater
Polychlorinated Biphenyls
Bayside Fuel Oil Company Site Investigation

Monitoring Well	MW-33	NYSDEC
Screen Depth (ft)	5-15	TOGS
Sample Date	7/18/2006	Groundwater
Lab Identification Number	60700172	Criteria
Polychlorinated Biphenyls (PCBs) (ug/Kg)		
PCB-1016	<1.1 *	0.09
PCB-1221	<1.1 *	0.09
PCB-1232	<1.1 *	0.09
PCB-1242	<1.1 *	0.09
PCB-1248	<1.1 *	0.09
PCB-1254	<1.1 *	0.09
PCB-1260	<1.1 *	0.09
PCB-1262	<1.1 *	0.09

Notes:

(1) * - MDL exceeds the NYSDEC TOGS 1.1.1 Groundwater Criteria.

Table 7
Summary of Analytical Results - Groundwater
Total Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-B1S 2.0-12.5 7/20/2006 60700193	TRC MW-1 Unavailable 7/20/2006 60700193	TRC MW-2 Unavailable 7/20/2006 60700193	TRC MW-3 Unavailable 7/20/2006 60700193	TRC MW-3D Unavailable 7/20/2006 60700193	NYSDEC TOGS Groundwater Criteria
TAL Metals (mg/Kg)						
Aluminum	ND	ND	ND	ND	ND	NS
Antimony	<0.0100 *	<0.0100 *	<0.0100 *	<0.0100 *	<0.0100 *	0.003
Barium	0.0364	0.0714	0.0872	0.0394	0.0387	1
Arsenic	ND	ND	ND	0.0226	0.0149	0.025
Beryllium	ND	ND	ND	ND	ND	0.003
Cadmium	ND	ND	ND	ND	ND	0.005
Chromium	ND	ND	ND	ND	ND	0.05
Calcium	143	217	224	225	230	NS
Copper	0.00652	0.0128	0.00741	ND	0.00952	0.2
Cobalt	ND	ND	ND	ND	ND	NS
Iron	0.836	0.390	0.562	0.258	0.269	0.3
Magnesium	9.88	650	624	736	739	35
Lead	ND	ND	ND	ND	ND	0.025
Manganese	0.0578	0.0319	0.0590	0.103	0.105	0.3
Mercury	ND	ND	ND	ND	ND	0.0007
Nickel	ND	ND	ND	ND	ND	0.1
Potassium	29.9	314	290	356	370	NS
Sodium	71.2	5230	4820	5860	5940	20
Silver	ND	ND	ND	ND	ND	0.05
Selenium	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	0.01
Zinc	ND	0.0881	ND	ND	ND	2
Thallium	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	0.0005
Vanadium	ND	ND	ND	ND	ND	NS
Total Cyanide (mg/Kg)	ND	ND	ND	ND	ND	0.2

Table 7
Summary of Analytical Results - Groundwater
Total Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-5 Unavailable 7/18/2006 60700172	TRC MW-5D Unavailable 7/18/2006 60700172	TRC MW-6 Unavailable 7/18/2006 60700172	TRC MW-7 Unavailable 7/19/2006 60700178	TRC MW-7D Unavailable 7/19/2006 60700178	NYSDEC TOGS Groundwater Criteria
TAL Metals (mg/Kg)						
Aluminum	0.152	ND	2.10	ND	ND	NS
Antimony	<0.0100 *	<0.0100 *	<0.0100 *	<0.0100 *	<0.0100 *	0.003
Barium	0.0415	0.0390	0.130	0.216	0.218	1
Arsenic	ND	ND	ND	ND	ND	0.025
Beryllium	ND	ND	ND	ND	ND	0.003
Cadmium	ND	ND	ND	ND	ND	0.005
Chromium	ND	0.00711	0.0108	ND	ND	0.05
Calcium	23.6	22.5	116	99.1	100	NS
Copper	0.0109	0.00991	0.0150	0.00664	<0.00500	0.2
Cobalt	ND	ND	ND	ND	ND	NS
Iron	5.19	4.89	10.4	6.52	6.70	0.3
Magnesium	4.60	4.26	15.9	12.7	12.8	35
Lead	0.0137	0.0129	0.0101	ND	ND	0.025
Manganese	0.301	0.290	0.833	0.372	0.374	0.3
Mercury	ND	ND	ND	ND	ND	0.0007
Nickel	ND	ND	ND	ND	ND	0.1
Potassium	3.19	3.12	16.1	8.80	8.78	NS
Sodium	20.4	19.9	69.3	51.4	51.3	20
Silver	ND	ND	ND	ND	ND	0.05
Selenium	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	0.01
Zinc	0.0604	0.0589	ND	ND	ND	2
Thallium	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	0.0005
Vanadium	ND	ND	ND	ND	ND	NS
Total Cyanide (mg/Kg)	ND	ND	ND	ND	ND	0.2

Table 7
Summary of Analytical Results - Groundwater
Total Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-8 Unavailable 7/21/2006 60700211	TRC MW-9 Unavailable 7/19/2006 60700178	TRC MW-11 Unavailable 7/18/2006 60700172	TRC MW-12 Unavailable 7/19/2006 60700178	TRC MW-14 Unavailable 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
TAL Metals (mg/Kg)						
Aluminum	2.84	0.220	0.356	3.01	ND	NS
Antimony	<0.0100 *	<0.0100 *	<0.0100 *	<0.0100 *	<0.0100 *	0.003
Barium	0.123	0.417	0.0469	0.0711	0.209	1
Arsenic	ND	ND	ND	ND	ND	0.025
Beryllium	ND	ND	ND	ND	ND	0.003
Cadmium	ND	ND	ND	ND	ND	0.005
Chromium	0.00708	ND	0.00660	0.00774	ND	0.05
Calcium	62.8	90.7	46.5	302	62.7	NS
Copper	0.0140	0.00505	0.00788	ND	ND	0.2
Cobalt	ND	ND	ND	ND	ND	NS
Iron	7.52	2.68	1.75	351	15.0	0.3
Magnesium	6.88	9.63	7.90	158	5.03	35
Lead	0.0233	ND	ND	ND	ND	0.025
Manganese	0.329	0.267	0.191	16.0	0.380	0.3
Mercury	ND	ND	ND	ND	ND	0.0007
Nickel	ND	ND	ND	ND	ND	0.1
Potassium	5.96	4.88	2.90	48.0	5.88	NS
Sodium	12.3	26.8	9.63	548	23.1	20
Silver	ND	ND	ND	ND	ND	0.05
Selenium	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	0.01
Zinc	0.188	ND	ND	ND	ND	2
Thallium	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	0.0005
Vanadium	ND	ND	ND	ND	ND	NS
Total Cyanide (mg/Kg)	ND	ND	ND	ND	ND	0.2

Table 7
Summary of Analytical Results - Groundwater
Total Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Monitoring Well Screen Depth (ft) Sample Date Lab Identification Number	TRC MW-14D Unavailable 7/21/2006 60700211	TRC MW-15 Unavailable 7/21/2006 60700211	TRC MW-18 Unavailable 7/20/2006 60700193	MW-28 5-20 7/19/2006 60700178	MW-31 3-18 7/21/2006 60700211	NYSDEC TOGS Groundwater Criteria
TAL Metals (mg/Kg)						
Aluminum	ND	ND	ND	0.837 M1	53.4	NS
Antimony	<0.0100 *	<0.0100 *	<0.0100 *	<0.0100 *	<0.0100 *	0.003
Barium	0.212	0.207	0.0801	0.195	0.703	1
Arsenic	0.0252	0.0106	ND	0.0197	0.102	0.025
Beryllium	ND	ND	ND	ND	ND	0.003
Cadmium	ND	ND	ND	ND	ND	0.005
Chromium	ND	ND	ND	ND	0.114	0.05
Calcium	63.5	101	160	181	150	NS
Copper	ND	ND	ND	0.0164	0.198	0.2
Cobalt	ND	ND	ND	ND	ND	NS
Iron	15.2	11.4	0.119	4.76	110	0.3
Magnesium	5.10	6.22	83.5	354	23.7	35
Lead	ND	ND	ND	0.0337	0.571	0.025
Manganese	0.385	0.567	0.188	2.40	1.49	0.3
Mercury	ND	ND	ND	ND	ND	0.0007
Nickel	ND	ND	ND	ND	0.0842	0.1
Potassium	5.94	5.26	39.7	149	20.0	NS
Sodium	22.8	10.7	932	2820	57.1	20
Silver	ND	ND	ND	ND	ND	0.05
Selenium	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	0.01
Zinc	ND	ND	ND	ND	0.587	2
Thallium	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	<0.0200 *	0.0005
Vanadium	ND	ND	ND	ND	ND	NS
Total Cyanide (mg/Kg)	0.01	0.01	0.04	<0.01	0.02	0.2

Table 7
Summary of Analytical Results - Groundwater
Total Analyte List Metals
Bayside Fuel Oil Company Site Investigation

Monitoring Well	MW-33	MW-2	MW-4	NYSDEC
Screen Depth (ft)	5-15	5-15	5-15	TOGS
Sample Date	7/18/2006	7/25/2006	7/21/2006	Groundwater
Lab Identification Number	60700172	60700243	60700210	Criteria
TAL Metals (mg/Kg)				
Aluminum	3.68	1.57	128	NS
Antimony	ND	<0.0100 *	<0.0100 *	0.003
Barium	0.0716	0.197	1.58	1
Arsenic	ND	0.166	0.180	0.025
Beryllium	ND	ND	0.00832	0.003
Cadmium	ND	ND	0.00867	0.005
Chromium	0.0149	0.00722	0.690	0.05
Calcium	49.2	96.6	183	NS
Copper	0.0152	0.0229	0.632	0.2
Cobalt	ND	ND	0.118	NS
Iron	9.43	8.24	316	0.3
Magnesium	11.5	107	134	35
Lead	0.0126	0.0498	1.05	0.025
Manganese	0.359	0.769	7.27	0.3
Mercury	ND	ND	0.00318	0.0007
Nickel	ND	<0.0400 *	0.331	0.1
Potassium	8.21	51.0	43.6	NS
Sodium	53.0	743	627	20
Silver	ND	ND	ND	0.05
Selenium	<0.0200 *	<0.0200 *	<0.0200 *	0.01
Zinc	0.0514	ND	1.46	2
Thallium	<0.0200 *	<0.0200 *	<0.0200 *	0.0005
Vanadium	ND	ND	ND	NS
Total Cyanide (mg/Kg)	ND	0.11	0.10	0.2

Notes:

- (1) Bold - Indicates value that exceeded the NYSDEC TOGS 1.1.1 Groundwater Criteria.
- (2) ND - Non-detected above laboratory method detection limit
- (3) NS - No Standard
- (4) * - MDL exceeds the NYSDEC TOGS 1.1.1 Groundwater Criteria