

June 30, 2026

Ms. Wendi Zheng
Division of Environmental Remediation
New York State Department of Environmental Conservation One Hunters Point Plaza
47-40 21st Street
Long Island City, New York 11101

**Re: Monthly Progress Report – June 2026
Standard Motor Products, Inc.
Long Island City, New York
NYSDEC Class 2 Site No. 241016
Langan Project No.: 170861201**

Dear Ms. Zheng:

Pursuant to the requirements of the Order on Consent and Administrative Settlement (Index #R20637-04-10) for Standard Motor Products, Inc. (NYSDEC Site Number 241016), please find attached a copy of the Progress Report prepared for the period of June 2026.

In accordance with the requirements of the Order on Consent, copies of this correspondence have also been submitted to the New York State Department of Health - Bureau of Environmental Exposure Investigation, and the NYSDEC Regional Attorney in Long Island City, New York.

If you have any other questions, please feel free to contact me at (973)-560-4815.

Sincerely,

**Langan Engineering, Environmental, Surveying,
Landscape Architecture and Geology, D.P.C.**



Matt Heye
Project Scientist



BJ. Parekh, P.E., LSRP
Associate



Michael Burke, PG, CHMM
Senior Principal

Enclosures:

Table 1 – SSDS O&M Checklist
Table 2 – SSDS Vacuum Readings
Attachment A – May 2026 Analytical Results
Exhibit A – Project Schedule

cc: Erin Pawlish — SMP
Steven L. Humphreys, Esq. — KD&W
Jane O'Connell — NYSDEC
Regina Seetahal — NYSDEC
Cris Maycock — NYSDEC
Scarlett McLaughlin — NYSDOH
Angela Martin — NYSDOH

\\langan.com\data\NYC\data2\170861201\Project Data\Discipline\Environmental\Reports\Monthly Progress Report\2026\June 2026

Monthly Progress Report — June 2026
Standard Motor Products, Inc. (SMP)
37-18 Northern Boulevard
Long Island City, Queens County, New York
NYSDEC Site Number: 241016

Actions Taken This Reporting Period:

- Regular monthly operation and maintenance service was conducted on the sub slab depressurization system (SSDS) by Langan on June 17, 2026. The monthly checklist form for operation during June is attached in **Table 1** and the system pressure readings are attached in **Table 2**.
- The anticipated project schedule is attached as **Exhibit A**.
- Negotiations related to the easement and site access are ongoing. The updated Site Management Plan will be submitted upon finalization of the easement and access agreements.

Actions Anticipated Next Reporting Period(s):

- Langan will conduct monthly operation and maintenance in July 2026. The next quarterly vapor and groundwater sampling round is scheduled in August 2026.

Approved Modifications to Work Plans or Schedules:

- None this period.

Percentage Completion/Unresolved Project Delays:

The following reports have been submitted to your office:

- Site Characterization - 100% Complete.
- Remedial Investigation/Feasibility Study - 100% Complete.
- Interim Remedial Measure (IRM) Workplan and IRM Installation - 100% Complete
- IRM Operation - Ongoing; no delays encountered or anticipated.
- Remedial Design/Remedial Action Workplan - 100% Complete
- Site Management Plan (SMP) - SMP 95% Complete.

- Air Sparge/Soil Vapor Extraction System Installation - 100% Complete.
- Air Sparge/Soil Vapor Extraction System Startup and Optimization - 100% Complete
- Final Engineering Report (FER) – 95 % Complete.
- Revised Quality Assurance Project Plan (QAPP) – 100% Complete.
- AS/SVE shutdown evaluation workplan – Approved.
- 2022 PRR/RSR - Approved
- 2023 PRR/RSR – Approved (March 19, 2025)

Activities in Support of Citizen Participation Plan:

- None this period

Tables

Table 1
Air Sparge/Vapor Extraction System O and M Checklist
Former Standard Motor Products
37-18 Northern Boulevard, Long Island City, NY

Date: 6/17		Time: onsite 8:30		offsite 12:30		Technician(s): justin feldis	
System Status (circle type)							
Maintenance Type:	Scheduled	Alert	Shutdown	Response			
System Status:onsite	Manual	Auto	Shutdown	Off			
System Status:offsite	Manual	Auto	Shutdown	Off			
Blower 1 Status:	Manual	Auto	Shutdown	Off			
Blower 2 Status:	Manual	Auto / Hand	Shutdown	Off			
Transfer Pump Status:	Manual	Auto		Off			
General Alarm Status:	On / off/Auto	Pressure	Temp.	Level			
Bypass Valve:	Closed	Open	Angle (record)				
VE High Water Status	On/Off	Off					
System Readings (record values)							
Pressure		Temperature		Flow			
Inlet Vacuum (in H2O) ①	9.4			Vacuum Exhaust (cfm)			
Differ.Filter (in H2O) ②	1.78	Inlet (gas) ⑦	74.3	Vacuum Total (cf)			
	15.6	17.38	Blower 1(oil)	-	Flow (cfm)	Pressure (psi)	
Blower 1 Inlet (in H2O)	-	Motor 1 (windings)	-	sparge #1	-	-	-
Blower 2 Inlet (in H2O) ③	22.5	Blower 2 (oil) ⑧	136	sparge #2	-	-	-
Outlet Manifold (in H2O) ④	3.1	Motor 2 (windings) ⑨	95	sparge #3	-	-	-
Outlet Stack (in H2O) ⑤	0.26	Exhaust (gas) ⑩	87	sparge #4	-	-	-
Sparge Compress (psi) ⑥	-	Sparge Manifold Temp. ⑪	-	sparge #5	-	-	-
SSDS Inlet (in H2O) ⑫	9.0	Trailer (ambient)	77.0	sparge #6	-	-	-
Bypass Inlet (in H2O) ⑬	10			sparge #7	-	-	-
				sparge #8	-	-	-
Vacuum Laterals	Velocity (fpm)	Vaccum (in. H2O)		sparge #9	-	-	-
Lateral #1	-	-		sparge #10	-	-	-
Lateral #2	-	-					
Lateral #3	-	-					
Meters		PID Readings(optional)		Electrical			
Blower 1 (hrs.) ⑭	36655	Inlet (ppm)		Supply L1/L2/L3 (volts)	-		
Blower 2 (hrs.) ⑮	25215.0	Outlet Manifold(ppm)		System L1/L2/L3(amps)	-		
Condensate (gals.)	-	Outlet Stack (ppm)		Blower 1 L1/L2/L3(amps)	-		
Sparge Compress(hrs)	-			Blower 2 L1/L2/L3(amps)	-		
VFD Setting	-			VFD Frequency			
Observations (record condition):							
Vibration		Noise		Leaks			
Blower Skid 1 (ok/ type)	OFF	Blower Skid 1 (ok/type)	OFF	Blower Skid 1 (ok/fluid/gas)	OFF		
Blower Skid 2 (ok/type)	OK	Blower Skid 2 (ok/type)	OK	Blower Skid 2 (ok/fluid/gas)	OK		
Compressor (ok/ type)	OFF	Compressor (ok/ type)	OFF	Compressor (ok/ type)	OFF		
System (ok/type)	OK	System (ok/type)	OK	System (ok/fluid/gas)	OK		
Rotary Claw (ok/type)	OK						
Maintenance (record service):							
Oil Change		V-Belts Tension		Motor Grease			
Blower 1 (hrs./type)	OFF	Blower 1 (ok/deflec.)	OFF	Motor 1(hrs./type)	OFF		
Blower 2 (hrs./type)		Blower 2 (ok/deflec.)	OK	Motor 2(hrs./type)			
Filters		Piping/Instrumentation			TEMP	F.P.M.	
Inlet (hrs./clean/replaced)	OK	Hangers (ok/repair)	OK				
Bypass(hrs/clean/replaced)		Piping (ok/repair)	OK				
Liquid Carbon (gals/replaced)	OK	Wiring (ok/repair)	OK				
Vapor Carbon (cft/replaced)	OK	Sensors (ok/repair)	OK				
Monitoring Well MW-20 water depth =							
Daily Notes:							
Blower off at 8:30 am							

Table 2
SSDS System Annual Testing
Former Standard Motor Products
37-18 Northern Boulevard, Long Island City, NY

Date:		Field Personnel:		
		Reading (in. WC)	Time	PID Reading (ppm)
Influent Header Vac (in. WC)		9.4	9:10	0
Blower Influent Vac (in. WC)		22.5	9:11	0
Blower Effluent Pressure (in. WC)		3.1	9:12	0
Blower Effluent Temperature (°F)		87	9:15	-
Total Flowrate (cfm)		835	9:16	-
Sub-Slab Monitoring Point Vacuum (in. WC)	SB01	-	-	-
	SB02	0.127	9:59	0
	SB03	-	-	-
	SB04	-	-	-
	SB05	-	-	-
	SB06	1.47	10:15	0
	SB07	0.029	10:10	0
	SB09	0.107	10:06	0
	SB10	-	-	-
	SB12	1.733	10:19	0
	SB13	0.598	10:25	0
	SB15	0.66	10:03	0
	SB22	0.537	10:17	0
	SB24	0.443	10:11	0
SB25	0.07	10:07	0	
Extraction Sump Vacuum Monitoring Gauge (in. WC)	ES01	-	-	-
	ES02	7.97	10:18	0
	ES03	7.32	10:20	0
	ES04	7.24	10:13	0
	ES05	-	-	-
	ES06	-	-	-
	ES07	7.5	10:05	0
	ES08	7.29	10:01	0
	ES09	7.51	10:02	0
SVE Vadose Zone Vacuum Monitoring Point (in. WC)	SV-1	-	-	-
	SV-2	0.01	11:20	0
	SV-3	0.01	11:25	0
	SV-4	0.03	11:23	0
	SV-5	0.05	11:27	0
	SV-6	0.01	11:31	0

Notes:

PID Readings measured with RKI PID

Background PID readings varied between 0 and 0.3

Extraction sump vacuum readings recorded from fixed gauge on extraction piping.

* - No measurement taken; sampling point either damaged or unaccessible.

Attachment A - Analytical Results
Soil Vapor

SAMPLE ID:		NY-SSC-A-F	SG-2_052826 L2632898-01				SG-3_052826 L2632898-02				SG-4_052826 L2632898-03				SG-5_052826 L2632898-04				SG-6_052826 L2632898-05			
LAB ID:			5/28/2026				5/28/2026				5/28/2026				5/28/2026							
COLLECTION DATE:			NA				NA				NA				NA							
SAMPLE DEPTH:			SOIL_VAPOR				SOIL_VAPOR				SOIL_VAPOR				SOIL_VAPOR							
SAMPLE MATRIX:																						
ANALYTE	CAS	(ug/m3)	Conc	Q	RL	MDL	Conc	Q	RL	MDL	Conc	Q	RL	MDL	Conc	Q	RL	MDL	Conc	Q	RL	MDL
VOLATILE ORGANICS IN AIR																						
1,1,1-Trichloroethane	71-55-6	100	1.95		1.09	0.335	38.7		1.09	0.335	348		1.09	0.335	8290		24.2	7.42	73.7		1.09	0.335
1,1,2,2-Tetrachloroethane	79-34-5	NS	ND		1.37	0.357	ND		1.37	0.357	ND		1.37	0.357	ND		30.4	7.9	ND		1.37	0.357
1,1,2-Trichloroethane	79-00-5	NS	ND		1.09	0.318	ND		1.09	0.318	ND		1.09	0.318	ND		24.2	7.04	ND		1.09	0.318
1,1-Dichloroethane	75-34-3	NS	0.668	J	0.809	0.23	16.6		0.809	0.23	150		0.809	0.23	8010		17.9	5.1	73.3		0.809	0.23
1,2-Dichloroethane	75-35-4	6	ND		0.793	0.225	0.341	J	0.793	0.225	0.412	J	0.793	0.225	10.8	J	17.6	5	0.385	J	0.793	0.225
1,2,4-Trichlorobenzene	120-82-1	NS	ND		1.48	0.742	ND		1.48	0.742	ND		1.48	0.742	ND		32.9	16.4	ND		1.48	0.742
1,2,4-Trimethylbenzene	95-63-6	60	0.816	J	0.983	0.284	ND		0.983	0.284	0.393	J	0.983	0.284	ND		21.8	6.29	0.383	J	0.983	0.284
1,2-Dibromoethane	106-93-4	NS	ND		1.54	0.418	ND		1.54	0.418	ND		1.54	0.418	ND		34	9.22	ND		1.54	0.418
1,2-Dichlorobenzene	95-50-1	NS	ND		1.2	0.372	ND		1.2	0.372	ND		1.2	0.372	ND		26.6	8.24	ND		1.2	0.372
1,2-Dichloroethane	107-06-2	NS	ND		0.809	0.319	ND		0.809	0.319	ND		0.809	0.319	ND		17.9	7.04	ND		0.809	0.319
1,2-Dichloropropane	78-87-5	NS	ND		0.924	0.292	ND		0.924	0.292	ND		0.924	0.292	ND		20.5	6.47	ND		0.924	0.292
1,3,5-Trimethylbenzene	108-67-8	60	0.324	J	0.983	0.295	ND		0.983	0.295	ND		0.983	0.295	ND		21.8	6.54	ND		0.983	0.295
1,3-Butadiene	106-99-0	NS	ND		0.442	0.137	ND		0.442	0.137	ND		0.442	0.137	ND		9.8	3.03	ND		0.442	0.137
1,3-Dichlorobenzene	541-73-1	NS	ND		1.2	0.467	ND		1.2	0.467	ND		1.2	0.467	ND		26.6	10.3	1.62		1.2	0.467
1,4-Dichlorobenzene	106-46-7	NS	ND		1.2	0.497	ND		1.2	0.497	ND		1.2	0.497	ND		26.6	11	ND		1.2	0.497
1,4-Dioxane	123-91-1	NS	ND		0.721	0.194	ND		0.721	0.194	ND		0.721	0.194	ND		16	4.29	ND		0.721	0.194
2,2,4-Trimethylpentane	540-84-1	60	0.392	J	0.934	0.323	ND		0.934	0.323	ND		0.934	0.323	ND		20.7	7.15	ND		0.934	0.323
2-Butanone	78-93-3	NS	1.29	J	1.47	0.292	5.54		1.47	0.292	1.25	J	1.47	0.292	ND		32.7	6.46	5.37		1.47	0.292
2-Hexanone	591-78-6	NS	ND		0.82	0.374	ND		0.82	0.374	ND		0.82	0.374	ND		18.2	8.28	0.615	J	0.82	0.374
3-Chloropropene	107-05-1	NS	ND		0.626	0.269	ND		0.626	0.269	ND		0.626	0.269	ND		13.9	5.95	ND		0.626	0.269
4-Ethyltoluene	622-96-8	NS	ND		0.983	0.272	ND		0.983	0.272	ND		0.983	0.272	ND		21.8	6.05	ND		0.983	0.272
4-Methyl-2-pentanone	108-10-1	NS	ND		2.05	0.779	ND		2.05	0.779	5.33		2.05	0.779	ND		45.5	17.3	ND		2.05	0.779
Acetone	67-64-1	NS	10.5		2.38	1.22	12.9		2.38	1.22	11.7		2.38	1.22	ND		52.5	27.1	26.6		2.38	1.22
Benzene	71-43-2	60	0.46	J	0.639	0.205	0.371	J	0.639	0.205	0.419	J	0.639	0.205	ND		14.2	4.54	0.415	J	0.639	0.205
Benzyl chloride	100-44-7	NS	ND		1.04	0.486	ND		1.04	0.486	ND		1.04	0.486	ND		22.9	10.8	ND		1.04	0.486
Bromodichloromethane	75-27-4	NS	ND		1.34	0.462	ND		1.34	0.462	ND		1.34	0.462	ND		29.7	10.2	ND		1.34	0.462
Bromoform	75-25-2	NS	ND		2.07	0.616	ND		2.07	0.616	ND		2.07	0.616	ND		45.8	13.6	ND		2.07	0.616
Bromomethane	74-83-9	NS	ND		0.777	0.212	ND		0.777	0.212	ND		0.777	0.212	ND		17.2	4.7	ND		0.777	0.212
Carbon disulfide	75-15-0	NS	1.63		0.623	0.145	1.68		0.623	0.145	1.9		0.623	0.145	4.83	J	13.8	3.21	1.71		0.623	0.145
Carbon tetrachloride	56-23-5	6	0.629	J	1.26	0.432	0.642	J	1.26	0.432	0.742	J	1.26	0.432	ND		27.9	9.56	ND		1.26	0.432
Chlorobenzene	108-90-7	NS	ND		0.921	0.238	ND		0.921	0.238	ND		0.921	0.238	ND		20.4	5.25	ND		0.921	0.238
Chloroethane	75-00-3	NS	0.955		0.528	0.171	1.13		0.528	0.171	3.11		0.528	0.171	100		11.7	3.8	1.49		0.528	0.171
Chloroform	67-66-3	NS	0.337	J	0.977	0.27	0.366	J	0.977	0.27	0.635	J	0.977	0.27	ND		21.6	5.96	6.1		0.977	0.27
Chloromethane	74-87-3	NS	0.531		0.413	0.119	0.461		0.413	0.119	0.516		0.413	0.119	ND		9.15	2.64	0.859		0.413	0.119
cis-1,2-Dichloroethane	156-59-2	6	0.761	J	0.793	0.236	9.67		0.793	0.236	65.4		0.793	0.236	2380		17.6	5.23	31.8		0.793	0.236
cis-1,3-Dichloropropene	10061-01-5	NS	ND		0.908	0.306	ND		0.908	0.306	ND		0.908	0.306	ND		20.1	6.76	ND		0.908	0.306
Cyclohexane	110-82-7	60	0.348	J	0.688	0.251	0.372	J	0.688	0.251	0.888		0.688	0.251	ND		15.2	5.54	ND		0.688	0.251
Dibromochloromethane	124-48-1	NS	ND		1.7	0.482	ND		1.7	0.482	ND		1.7	0.482	ND		37.7	10.6	ND		1.7	0.482
Dichlorodifluoromethane	75-71-8	NS	2.33		0.989	0.374	2.32		0.989	0.374	2.24		0.989	0.374	ND		21.9	8.31	2.24		0.989	0.374
Ethanol	64-17-5	NS	21.1		9.42	3.28	23		9.42	3.28	25.1		9.42	3.28	ND		209	72.5	22.8		9.42	3.28
Ethyl Acetate	141-78-6	NS	1.76	J	1.8	1.07	2.48		1.8	1.07	ND		1.8	1.07	ND		40	23.7	ND		1.8	1.07
Ethylbenzene	100-41-4	60	0.287	J	0.869	0.25	ND		0.869	0.25	2.09		0.869	0.25	ND		19.2	5.52	0.252	J	0.869	0.25
Freon-113	76-13-1	NS	0.521	J	1.53	0.388	0.843	J	1.53	0.388	8.2		1.53	0.388	50.4		34	8.58	2.85		1.53	0.388
Freon-114	76-14-2	NS	ND		1.4	0.352	ND		1.4	0.352	ND		1.4	0.352	ND		31	7.83	ND		1.4	0.352
Heptane	142-82-5	200	ND		0.82	0.339	ND		0.82	0.339	ND		0.82	0.339	ND		18.2	7.5	0.381	J	0.82	0.339
Hexachlorobutadiene	87-68-3	NS	ND		2.13	0.647	ND		2.13	0.647	ND		2.13	0.647	ND		47.3	14.3	ND		2.13	0.647
Isopropanol	67-63-0	NS	9.86		2.46	0.669	11.5		2.46	0.669	21.6		2.46	0.669	23.4	J	54.3	14.8	3.88		2.46	0.669
Methyl tert butyl ether	1634-04-4	NS	ND		0.721	0.162	ND		0.721	0.162	ND		0.721	0.162	ND		16	3.59	ND		0.721	0.162
Methylene chloride	75-09-2	100	0.91	J	1.74	0.434	1.81		1.74	0.434	1	J	1.74	0.434	11.8	J	38.6	9.62	1.68	J	1.74	0.434
n-Hexane	110-54-3	200	0.821		0.705	0.262	0.98		0.705	0.262	47.6		0.705	0.262	ND		15.6	5.78	0.663	J	0.705	0.262
Naphthalene	91-20-3	60	0.645	J	0.996	0.309	0.404	J	0.996	0.309	ND		0.996	0.309	ND		22.1	6.87	ND		0.996	0.309
o-Xylene	95-47-6	60	1.02		0.869	0.27	0.295	J	0.869	0.27	3.54		0.869	0.27	ND		19.2	5.95	0.413	J	0.869	0.27
p/m-Xylene	179601-23-1	200	2.26		1.74	0.543	1.06	J	1.74	0.543	8.56		1.74	0.543	ND		38.5	12	0.995	J	1.74	0.543
Styrene	100-42-5	NS	ND		0.852	0.254	ND		0.852	0.254	ND		0.852	0.254	ND		18.9	5.62	ND		0.852	0.254
Tertiary butyl Alcohol	75-65-0	NS	0.543	J	1.52	0.4	0.746	J	1.52	0.4	0.773	J	1.52	0.4	ND							

Attachment A - Analytical Results
Soil Vapor

SAMPLE ID:		NY-SSC-A-F	SG-6_DUP_052826				SG-7_052826				SG-8_052826			
LAB ID:			L2632898-08				L2632898-06				L2632898-07			
COLLECTION DATE:			5/28/2026				5/28/2026				5/28/2026			
SAMPLE DEPTH:			NA				NA				NA			
SAMPLE MATRIX:		SOIL_VAPOR				SOIL_VAPOR				SOIL_VAPOR				
ANALYTE	CAS	(ug/m3)	Conc	Q	RL	MDL	Conc	Q	RL	MDL	Conc	Q	RL	MDL
VOLATILE ORGANICS IN AIR														
1,1,1-Trichloroethane	71-55-6	100	86.2		1.09	0.335	3.87		1.09	0.335	2350		61.7	18.9
1,1,2,2-Tetrachloroethane	79-34-5	NS	ND		1.37	0.357	ND		1.37	0.357	ND		77.6	20.1
1,1,2-Trichloroethane	79-00-5	NS	ND		1.09	0.318	ND		1.09	0.318	ND		61.7	17.9
1,1-Dichloroethane	75-34-3	NS	83		0.809	0.23	1.37		0.809	0.23	314		45.7	13
1,1-Dichloroethene	75-35-4	6	0.496	J	0.793	0.225	ND		0.793	0.225	23.4	J	44.8	12.7
1,2,4-Trichlorobenzene	120-82-1	NS	ND		1.48	0.742	ND		1.48	0.742	ND		83.9	41.8
1,2,4-Trimethylbenzene	95-63-6	60	0.32	J	0.983	0.284	0.511	J	0.983	0.284	ND		55.6	16
1,2-Dibromoethane	106-93-4	NS	ND		1.54	0.418	ND		1.54	0.418	ND		86.8	23.5
1,2-Dichlorobenzene	95-50-1	NS	ND		1.2	0.372	ND		1.2	0.372	ND		67.9	20.9
1,2-Dichloroethane	107-06-2	NS	ND		0.809	0.319	ND		0.809	0.319	ND		45.7	17.9
1,2-Dichloropropane	78-87-5	NS	ND		0.924	0.292	ND		0.924	0.292	ND		52.2	16.4
1,3,5-Trimethylbenzene	108-67-8	60	ND		0.983	0.295	ND		0.983	0.295	ND		55.6	16.6
1,3-Butadiene	106-99-0	NS	ND		0.442	0.137	ND		0.442	0.137	ND		25	7.7
1,3-Dichlorobenzene	541-73-1	NS	1.03	J	1.2	0.467	ND		1.2	0.467	ND		67.9	26.3
1,4-Dichlorobenzene	106-46-7	NS	ND		1.2	0.497	ND		1.2	0.497	ND		67.9	28
1,4-Dioxane	123-91-1	NS	ND		0.721	0.194	ND		0.721	0.194	ND		40.7	10.9
2,2,4-Trimethylpentane	540-84-1	60	ND		0.934	0.323	ND		0.934	0.323	ND		52.8	18.2
2-Butanone	78-93-3	NS	1.9		1.47	0.292	3.1		1.47	0.292	19.6	J	83.2	16.4
2-Hexanone	591-78-6	NS	ND		0.82	0.374	0.594	J	0.82	0.374	ND		46.3	21.1
3-Chloropropene	107-05-1	NS	ND		0.626	0.269	ND		0.626	0.269	ND		35.4	15.1
4-Ethyltoluene	622-96-8	NS	ND		0.983	0.272	ND		0.983	0.272	ND		55.6	15.3
4-Methyl-2-pentanone	108-10-1	NS	1.46	J	2.05	0.779	ND		2.05	0.779	122		116	43.9
Acetone	67-64-1	NS	17.6		2.38	1.22	17.7		2.38	1.22	801		134	68.9
Benzene	71-43-2	60	0.431	J	0.639	0.205	0.425	J	0.639	0.205	ND		36.1	11.6
Benzyl chloride	100-44-7	NS	ND		1.04	0.486	ND		1.04	0.486	ND		58.5	27.4
Bromodichloromethane	75-27-4	NS	ND		1.34	0.462	ND		1.34	0.462	ND		75.7	26
Bromoform	75-25-2	NS	ND		2.07	0.616	ND		2.07	0.616	ND		117	34.7
Bromomethane	74-83-9	NS	ND		0.777	0.212	ND		0.777	0.212	ND		43.9	12
Carbon disulfide	75-15-0	NS	1.96		0.623	0.145	0.688		0.623	0.145	ND		35.2	8.16
Carbon tetrachloride	56-23-5	6	0.465	J	1.26	0.432	0.604	J	1.26	0.432	ND		71.1	24.3
Chlorobenzene	108-90-7	NS	ND		0.921	0.238	ND		0.921	0.238	ND		52	13.4
Chloroethane	75-00-3	NS	1.8		0.528	0.171	0.185	J	0.528	0.171	ND		29.8	9.63
Chloroform	67-66-3	NS	7.42		0.977	0.27	ND		0.977	0.27	ND		55.2	15.2
Chloromethane	74-87-3	NS	0.591		0.413	0.119	0.743		0.413	0.119	9.54	J	23.3	6.69
cis-1,2-Dichloroethene	156-59-2	6	38		0.793	0.236	1.24		0.793	0.236	232		44.8	13.3
cis-1,3-Dichloropropene	10061-01-5	NS	ND		0.908	0.306	ND		0.908	0.306	ND		51.3	17.3
Cyclohexane	110-82-7	60	ND		0.688	0.251	0.454	J	0.688	0.251	ND		38.9	14.1
Dibromochloromethane	124-48-1	NS	ND		1.7	0.482	ND		1.7	0.482	ND		96.3	27.2
Dichlorodifluoromethane	75-71-8	NS	2.24		0.989	0.374	2.42		0.989	0.374	ND		55.9	21.1
Ethanol	64-17-5	NS	16.6		9.42	3.28	45.8		9.42	3.28	ND		531	185
Ethyl Acetate	141-78-6	NS	ND		1.8	1.07	4.22		1.8	1.07	ND		102	60.2
Ethylbenzene	100-41-4	60	3.19		0.869	0.25	ND		0.869	0.25	ND		49.1	14.1
Freon-113	76-13-1	NS	3.53		1.53	0.388	0.491	J	1.53	0.388	ND		86.6	21.8
Freon-114	76-14-2	NS	ND		1.4	0.352	ND		1.4	0.352	ND		79	19.9
Heptane	142-82-5	200	ND		0.82	0.339	ND		0.82	0.339	ND		46.3	19.1
Hexachlorobutadiene	87-68-3	NS	ND		2.13	0.647	ND		2.13	0.647	ND		121	36.5
Isopropanol	67-63-0	NS	10.7		2.46	0.669	18.8		2.46	0.669	1440		138	37.6
Methyl tert butyl ether	1634-04-4	NS	ND		0.721	0.162	ND		0.721	0.162	ND		40.7	9.12
Methylene chloride	75-09-2	100	2.09		1.74	0.434	0.959	J	1.74	0.434	ND		98	24.5
n-Hexane	110-54-3	200	1.22		0.705	0.262	1.53		0.705	0.262	129		39.8	14.7
Naphthalene	91-20-3	60	ND		0.996	0.309	0.43	J	0.996	0.309	ND		56.1	17.4
o-Xylene	95-47-6	60	3.37		0.869	0.27	0.334	J	0.869	0.27	ND		49.1	15.2
p/m-Xylene	179601-23-1	200	14.1		1.74	0.543	0.682	J	1.74	0.543	ND		97.7	30.6
Styrene	100-42-5	NS	ND		0.852	0.254	ND		0.852	0.254	ND		48.1	14.3
Tertiary butyl Alcohol	75-65-0	NS	1.22	J	1.52	0.4	0.718	J	1.52	0.4	1500		85.5	22.5
Tetrachloroethene	127-18-4	100	63.2		1.36	0.425	3.58		1.36	0.425	52.3	J	76.6	23.9
Tetrahydrofuran	109-99-9	NS	3.27		1.47	0.345	0.675	J	1.47	0.345	ND		83.2	19.4
Toluene	108-88-3	300	1.2		0.754	0.327	0.648	J	0.754	0.327	ND		42.6	18.4
trans-1,2-Dichloroethene	156-60-5	NS	3.51		0.793	0.299	ND		0.793	0.299	ND		44.8	16.9
trans-1,3-Dichloropropene	10061-02-6	NS	ND		0.908	0.355	ND		0.908	0.355	ND		51.3	20
Trichloroethene	79-01-6	6	586		2.15	0.591	23.2		1.07	0.295	14800		60.7	16.6
Trichlorofluoromethane	75-69-4	NS	2.05		1.12	0.442	1.1	J	1.12	0.442	ND		63.5	24.9
Vinyl bromide	593-60-2	NS	ND		0.874	0.316	ND		0.874	0.316	ND		49.4	17.8
Vinyl chloride	75-01-4	6	ND		0.511	0.149	ND		0.511	0.149	ND		28.9	8.38
Xylenes, Total	1330-20-7	NS	17.5		0.869	0.27	1.02	J	0.869	0.27	ND		49.1	15.2

Notes:
 NS = No Standard
 ND = Not Detected
 ND Reporting Limit (RL) above standard
 16.3 Exceeds NYSSC (A-F)

Exhibit A

