

February 27, 2004

Mr. Carl Hoffman
NYSDEC Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, New York 12233-7013

Re: NOW Corporation - Site #3-14-008
Monthly Summary Report – January 2004

Dear Mr. Hoffman:

Enclosed is a monthly summary report for the operation, monitoring and maintenance (OM&M) of the remedial system at the NOW Corporation site in the Town of Clinton, New York. This report describes the OM&M of the soil vapor extraction (SVE) system and the groundwater pump-and-treat (P&T) system for a 32-day period (**December 29, 2003 – January 30, 2004**).

Telephone

518.951.2200

Facsimile

518.951.2300

The P&T and SVE systems were online and fully operational throughout the reporting period. Approximately 905,700 gallons of water were treated during the period. Discharge from the treatment system averaged approximately 28,300 gallons per day (gpd). During the prior reporting period, the average discharge was 30,900 gpd.

As of the last day of the reporting period, a total of 36,758,000 gallons of groundwater had been recovered and treated by the system since it became operational.

Table 1 summarizes influent and effluent analytical data for water samples collected on January 15, 2004. All effluent discharge requirements were met. Table 2 summarizes the operation and maintenance data recorded on the last day of the reporting period, while Table 3 summarizes monitoring well water-level data collected on the sampling date. Table 4 summarizes the SVE system air analytical data, as well as the analytical results from a sample of the air-stripper stack emissions (sample PAS). A copy of each laboratory data report (water and air) is included in this report.

Earth Tech made two site visits during the reporting period to conduct the required system inspections, maintenance, monitoring well water-level measurements, and monthly sampling. Details follow:

January 15th – Monthly sampling and bi-weekly system inspection. Our technicians also changed out the silencer on the vapor blower; the device had become fouled with oil escaping from the blower motor before it was repaired a few months earlier. They oiled the fan motors on the heat-exchanger vapor blower.




Page 2
Mr. Carl Hoffman
NYSDEC

January 30th – Routine bi-weekly system inspection.

Please feel free to contact me at (518) 951-2262 if you have any questions regarding either this report, or the operation of the treatment system.

Sincerely,



Earth Tech Northeast

Stephen R. Choiniere
Project Manager

Attachments

Tables

Table 1
Summary of Influent and Effluent Data
Sampling Date: January 15, 2004
NOW Corporation Site
Town of Clinton, New York

Analytes/ Parameters	Total Influent	Effluent	Recovery Wells			Treatment Requirements	
			TW-1	TW-2A	TW-3	Monitor 6.5 to 8.5	(units) gpd standard units
Quantity treated in period		28,303					
pH	7.1	6.8	NA	NA	NA		
TSS	<5	<5	NA	NA	NA	50	mg/L
TDS	230	230	NA	NA	NA	1000	mg/L
Oil and Grease	<1.4	<1.4	NA	NA	NA	15	mg/L
Cyanide	<0.01	<0.01	NA	NA	NA	0.01	mg/L
Zinc	0.006	<0.002	NA	NA	NA	0.15	mg/L
Aluminum, Total	<0.01	<0.01	NA	NA	NA	2	mg/L
Arsenic, Total	<0.004	<0.004	NA	NA	NA	0.05	mg/L
Barium, Total	0.065	0.064	NA	NA	NA	2	mg/L
Copper	0.029	0.002	NA	NA	NA	0.024	mg/L
Chromium	<0.001	<0.001	NA	NA	NA	0.1	mg/L
Iron	0.086	0.003	NA	NA	NA	0.6	mg/L
Manganese	0.118	0.078	NA	NA	NA	0.6	mg/L
Mercury	<0.0002	<0.0002	NA	NA	NA	0.0008	mg/L
Nickel	<0.001	<0.001	NA	NA	NA	0.2	mg/L
Benzene	<0.5	<0.5	<2	<0.5	<0.5	0.8	ug/L
Chlorobenzene	<0.5	<0.5	<2	<0.5	<0.5	5	ug/L
Chloroethane	2.0	<0.5	<2	3.1	<0.5	5	ug/L
1,1-Dichloroethane	64	<0.5	62	180	11	5	ug/L
1,2-Dichloroethane	<0.5	<0.5	<2	<0.5	<0.5	1.6	ug/L
cis-1,2-Dichloroethene	14	<0.5	6.0	24	<0.5	5	ug/L
trans-1,2-Dichloroethene	<0.5	<0.5	<2	<0.5	<0.5	5	ug/L
1,1-Dichloroethene	27	<0.5	6.5	44	1.8	0.5	ug/L
Ethylbenzene	<0.5	<0.5	<2	<0.5	<0.5	5	ug/L
Methyl tert-butyl ether	<2	<2	<10	<2	<2	None	ug/L
Tetrachloroethene	<0.5	<0.5	<2	<0.5	<0.5	1.4	ug/L
Toluene	<0.5	<0.5	<2	<0.5	<0.5	5	ug/L
1,1,1-Trichloroethane	300	<0.5	6.0	970	4.7	5	ug/L
1,1,2-Trichloroethane	<0.5	<0.5	<2	<0.5	<0.5	1.2	ug/L
Trichloroethene	120	<0.5	65	490	11	5	ug/L
Vinyl Chloride	0.8	<0.5	<2	1.7	<0.5	0.6	ug/L
1,2- and 1,4-Xylenes	<0.5	<0.5	<2	<0.5	<0.5	10	ug/L
1,3-Xylene	<0.5	<0.5	<2	<0.5	<0.5	5	ug/L

Notes:

- 1) Positive results are presented in **bold** typeface. Numeric values are in units shown in far right column.
- 2) Effluent concentration boxed in **bold** denotes exceedance of treatment requirements.
- 3) NA indicates not analyzed.
- 4) "J" indicates an estimated concentration below the method detection limit.

Table 2
Summary of January 2004 O&M Data

NOW Corporation Site
Town of Clinton, New York

Instrumentation/Readings:		1/30/2004	Units
<i>TW-1</i>			
	Pumping Rate	2	GPM
	Water Level Above Transducer	25.28	feet
	Flow Meter Reading	1,122,000	gallons
	Pump Pressure	72	psi
<i>TW-2A</i>			
	Pumping Rate	12	GPM
	Water Level Above Transducer	24.27	feet
	Flow Meter Reading	2,468,900	gallons
	Pump Pressure	12	psi
<i>TW-3</i>			
	Pumping Rate	5	GPM
	Water Level Above Transducer	24.9	feet
	Flow Meter Reading	8,555,100	gallons
	Pump Pressure	65	psi
<i>Air Stripper</i>			
	Stripper Blower Pressure	19	inches H ₂ O
	Air Temperature in Stripper	45	°F
	Pressure Gauge - Left Leg	1	inches H ₂ O
	Pressure Gauge - Right Leg	1	inches H ₂ O
	Pressure/Vacuum on the Stripper	-	inches H ₂ O
<i>Effluent Flow</i>			
	Total System Meter Reading	36,757,700	gallons
	IW-1 Flow Meter Reading	18,656	gallons
	IW-2 Flow Meter Reading	17,135	gallons
<i>Vapor Extraction System</i>			
	Vapor Blower Vacuum	7	inches Hg
	Vacuum before Filter with Dilution Air	7	inches Hg
	Vacuum on Knock-out Pot	10	inches Hg
	Blower Inlet Temperature	56	°F
	Blower Outlet Temperature	170	°F
	Pressure After Blower	56	psi
	Heat Exchanger Outlet Temperature	60	°F

Note: N/A indicates data/measurement is not available.

NW - Not working

Table 3
January 2004 Groundwater Levels

NOW Corporation Site
Town of Clinton, New York

Well ID	MP Elevation	1/15/2004	
		Depth to Water (Ft below MP)	GW Elevation
MW-1	289.50	11.22	278.28
MW-2	332.51	27.21	305.30
MW-3	312.83	24.03	288.80
MW-3S	312.51	21.80	290.71
MW-4	298.29	22.08	276.21
MW-4D	298.16	21.95	276.21
MW-5	285.48	18.19	267.29
MW-6S	287.90	4.91	282.99
MW-6D	287.25	8.02	279.23
MW-7S	292.12	22.02	270.10
MW-7D	292.54	62.15	230.39
OW-1	307.75	50.61	257.14
OW-2	305.96	71.71	234.25
OW-6	294.81	5.16	289.65
IW-1	312.46	9.78	302.68
IW-2	306.56	3.72	302.84
MW-8	283.65	N/A	N/A
MW-9	275.37	N/A	N/A
MW-10	280.92	N/A	N/A
MW-11	283.72	N/A	N/A
OW-3	307.35	N/A	N/A
OW-4	308.30	N/A	N/A
OW-5	307.41	N/A	N/A
TW-2	290.52	N/A	N/A

*Note: N/A indicates groundwater level was not measured.
MP denotes measuring point.*

Table 4
SVE and Groundwater Treatment System Air Sampling Data
Sampling Date: January 15, 2004

NOW Corporation Site
Town of Clinton, New York

Analyte	TW-1VE		VE-1VE		VE-2VE		TW-2AVE		ST-1		PAS		SVE-EXH		ST-4	
	Results	RL	Results	RL	Results	RL	Results	RL	Results	RL	Results	RL	Results	RL	Results	RL
Vinyl Chloride	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	5.0	ND	1.0	ND	1.0
Chloroethane	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	5.0	ND	1.0	ND	1.0
1,1-Dichloroethene	2.5	1.0	2.7	1.0	2.5	1.0	2.3	1.0	2.5	1.0	13.0	5.0	ND	1.0	ND	1.0
1,1-Dichloroethane	6.7	1.0	6.6	1.0	6.7	1.0	6.0	1.0	7.2	1.0	121.0	5.0	ND	1.0	ND	1.0
cis-1,2-Dichloroethene	ND	1.0	1.0	1.0	ND	1.0	ND	1.0	ND	1.0	6.7	5.0	ND	1.0	ND	1.0
1,1,1-Trichloroethane	4.4	1.0	4.6	1.0	5.2	1.0	6.3	1.0	12.0	1.0	463.0	5.0	ND	1.0	ND	1.0
Benzene	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	5.0	ND	1.0	ND	1.0
1,2-Dichloroethane	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	5.0	ND	1.0	ND	1.0
Trichloroethene	28.0	1.0	28.0	1.0	28.0	1.0	26.0	1.0	35.0	1.0	184.0	5.0	ND	1.0	ND	1.0
Toluene	1.9	1.0	1.6	1.0	1.6	1.0	3.5	1.0	1.8	1.0	5.8	5.0	1.7	1.0	1.4	1.0
1,1,2-Trichloroethane	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	5.0	ND	1.0	ND	1.0
Tetrachloroethene	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	5.0	ND	1.0	ND	1.0
Chlorobenzene	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	5.0	ND	1.0	ND	1.0
Ethylbenzene	1.0	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	5.0	ND	1.0	ND	1.0
p&m -Xylene	5.2	1.0	1.5	1.0	4.0	1.0	3.5	1.0	1.3	1.0	11.0	5.0	2.0	1.0	1.6	1.0
o-Xylene	2.7	1.0	ND	1.0	2.0	1.0	1.3	1.0	ND	1.0	ND	5.0	ND	1.0	ND	1.0

Notes:

- 1) All results are reported in ppbv
- 2) Positive results are prevented in **bold typeface**.
- 3) ND indicates Not Detected (Below RL).
- 4) RL = Reporting Limit

Sample IDs:

TW-1VE = Well TW-1 Dual-Phase Vapor Extraction
TW-2AVE = Well TW-2A Dual-Phase Vapor Extraction
VE-1VE = Well VE-1 Vapor Extraction
VE-2VE = Well VE-2 Vapor Extraction
ST-1 = Sampling Tap #1 (Raw; Four Vapor Extraction Wells Combined)
SVE-EXH = Intermediate Sampling Tap, Between (2) 55-gal drum carbon adsorbers
ST-4 = Sampling Tap #4 (Final, After 2nd Carbon Adsorber)
PAS = Air-stripper stack emissions

Analytical Data

PHOENIX
Environmental Laboratories, Inc.

Friday, January 23, 2004

Earthtech
40 British American Blvd
Latham NY 12110


Attention: Mr Steve Choiniere

Sample ID#: AF33037-33042

This laboratory is in compliance with the QA/QC procedure outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, and SW846 QA/QC requirements of procedures used.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,



Phyllis Shiller
Laboratory Director

CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
NY Lab Registration #11301
RI Lab Registration #63
NH Lab Registration #213693-A,B
ME Lab Registration #CT-007
NJ Lab Registration #CT-003

100

Abstract

100

■

2000

—

■

•

3

•



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

January 23, 2004

FOR: Attn: Mr Steve Choiniere
EarthTech Inc.
40 British American Boulevard
Latham NY 12110

Sample Information

Matrix: WATER
Location Code: EARTH-NY
Rush Request:
P.O.#: 55849.01

Custody Information

Collected by: SG
Received by: SW
Analyzed by: see "By" below

Date

01/15/04
01/16/04

Time

11:35
11:30

SDG I.D.: GAF33037

Phoenix I.D.: AF33037

Laboratory Data

Client ID: NOW CORP EFFLUENT

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	BDL	0.01	mg/L	01/20/04		EK	200.7/6010
Arsenic (Furnace)	BDL	0.004	mg/L	01/19/04		RS	206.2
Barium	0.064	0.002	mg/L	01/19/04		EK	6010/E200.7
Chromium	BDL	0.001	mg/L	01/19/04		EK	200.7/6010
Copper	0.002	0.001	mg/L	01/19/04		EK	6010/E200.7
Iron	0.003	0.002	mg/L	01/20/04		EK	6010/E200.7
Mercury	BDL	0.0002	mg/L	01/19/04		RS	7470/E245.1
Manganese	0.078	0.001	mg/L	01/19/04		EK	200.7/6010
Nickel	BDL	0.001	mg/L	01/19/04		EK	200.7/6010
Zinc	BDL	0.002	mg/L	01/19/04		EK	200.7/6010
Oil and Grease by EPA 1664	BDL	1.4	mg/L	01/19/04		SD	EPA 1664
Total Cyanide	BDL	0.01	mg/L	01/21/04		PJ	9010/335.3
Tot. Diss. Solids	230	5	mg/L	01/20/04		CF	SM2540C
Total Suspended Solids	BDL	5	mg/L	01/19/04		CF	SM2540D
Mercury Digestion	Completed			01/19/04		DM	E245.1
Total Metals Digestion	Completed			01/16/04		AG	

Volatiles


1,1,1-Trichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
1,1,2-Trichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
1,1-Dichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
1,1-Dichloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
1,2-Dichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
Benzene	ND	0.5	ug/L	01/17/04		RM	SW8260
Chlorobenzene	ND	0.5	ug/L	01/17/04		RM	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Chloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
cis-1,2-Dichloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Ethylbenzene	ND	0.5	ug/L	01/17/04		RM	SW8260
Methyl tert-butyl ether (MTBE)	ND	2.0	ug/L	01/17/04		RM	SW8260
o-Xylene	ND	0.5	ug/L	01/17/04		RM	SW8260
p&m-Xylene	ND	0.5	ug/L	01/17/04		RM	SW8260
Tetrachloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Toluene	ND	0.5	ug/L	01/17/04		RM	SW8260
trans-1,2-Dichloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Trichloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Vinyl chloride	ND	0.5	ug/L	01/17/04		RM	SW8260
QA/QC Surrogates							
%4-Bromofluorobenzene (Surrogate)	84		%	01/17/04		RM	SW8260

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.



Phyllis Shiller, Laboratory Director

January 23, 2004



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

January 23, 2004

FOR: Attn: Mr Steve Choiniere
EarthTech Inc.
40 British American Boulevard
Latham NY 12110

Sample Information

Matrix: WATER
Location Code: EARTH-NY
Rush Request:
P.O.#: 55849.01

Custody Information

Collected by: SG
Received by: SW
Analyzed by: see "By" below

Date Time

01/15/04 12:00
01/16/04 11:30

Laboratory Data

SDG I.D.: GAF33037
Phoenix I.D.: AF33038

Client ID: NOW CORP INFLUENT

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	BDL	0.01	mg/L	01/20/04		EK	200.7/6010
Arsenic (Furnace)	BDL	0.004	mg/L	01/19/04		RS	206.2
Barium	0.065	0.002	mg/L	01/19/04		EK	6010/E200.7
Chromium	BDL	0.001	mg/L	01/19/04		EK	200.7/6010
Copper	0.029	0.001	mg/L	01/19/04		EK	6010/E200.7
Iron	0.086	0.002	mg/L	01/20/04		EK	6010/E200.7
Mercury	BDL	0.0002	mg/L	01/19/04		RS	7470/E245.1
Manganese	0.118	0.001	mg/L	01/19/04		EK	200.7/6010
Nickel	BDL	0.001	mg/L	01/19/04		EK	200.7/6010
Zinc	0.006	0.002	mg/L	01/19/04		EK	200.7/6010
Oil and Grease by EPA 1664	BDL	1.4	mg/L	01/19/04		SD	EPA 1664
Total Cyanide	BDL	0.01	mg/L	01/21/04		PJ	9010/335.3
Tot. Diss. Solids	230	5	mg/L	01/20/04		CF	SM2540C
Total Suspended Solids	BDL	5	mg/L	01/19/04		CF	SM2540D
Mercury Digestion	Completed			01/19/04		DM	E245.1
Total Metals Digestion	Completed			01/16/04		AG	

Volatiles


1,1,1-Trichloroethane	300	10	ug/L	01/17/04		RM	SW8260
1,1,2-Trichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
1,1-Dichloroethane	64	10	ug/L	01/17/04		RM	SW8260
1,1-Dichloroethene	27	0.5	ug/L	01/17/04		RM	SW8260
1,2-Dichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
Benzene	ND	0.5	ug/L	01/17/04		RM	SW8260
Chlorobenzene	ND	0.5	ug/L	01/17/04		RM	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Chloroethane	2.0	0.5	ug/L	01/17/04		RM	SW8260
cis-1,2-Dichloroethene	14	0.5	ug/L	01/17/04		RM	SW8260
Ethylbenzene	ND	0.5	ug/L	01/17/04		RM	SW8260
Methyl tert-butyl ether (MTBE)	ND	2.0	ug/L	01/17/04		RM	SW8260
o-Xylene	ND	0.5	ug/L	01/17/04		RM	SW8260
p&m-Xylene	ND	0.5	ug/L	01/17/04		RM	SW8260
Tetrachloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Toluene	ND	0.5	ug/L	01/17/04		RM	SW8260
trans-1,2-Dichloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Trichloroethene	120	10	ug/L	01/17/04		RM	SW8260
Vinyl chloride	0.8	0.5	ug/L	01/17/04		RM	SW8260
QA/QC Surrogates							
%4-Bromofluorobenzene (Surrogate)	86		%	01/17/04		RM	SW8260

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.



Phyllis Shiller, Laboratory Director
January 23, 2004



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

January 23, 2004

FOR: Attn: Mr Steve Choiniere
EarthTech Inc.
40 British American Boulevard
Latham NY 12110

Sample Information

Matrix: WATER
Location Code: EARTH-NY
Rush Request:
P.O.#: 55849.01

Custody Information

Collected by: SG
Received by: SW
Analyzed by: see "By" below

Date Time

01/15/04 12:10
01/16/04 11:30

Laboratory Data

SDG I.D.: GAF33037
Phoenix I.D.: AF33039

Client ID: NOW CORP TW-1

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1-Trichloroethane	6.0	2	ug/L	01/20/04		RM	SW8260
1,1,2-Trichloroethane	ND	2	ug/L	01/20/04		RM	SW8260
1,1-Dichloroethane	62	2	ug/L	01/20/04		RM	SW8260
1,1-Dichloroethene	6.5	2	ug/L	01/20/04		RM	SW8260
1,2-Dichloroethane	ND	2	ug/L	01/20/04		RM	SW8260
Benzene	ND	2	ug/L	01/20/04		RM	SW8260
Chlorobenzene	ND	2	ug/L	01/20/04		RM	SW8260
Chloroethane	ND	2	ug/L	01/20/04		RM	SW8260
cis-1,2-Dichloroethene	6.0	2	ug/L	01/20/04		RM	SW8260
Ethylbenzene	ND	2	ug/L	01/20/04		RM	SW8260
Methyl tert-butyl ether (MTBE)	ND	10	ug/L	01/20/04		RM	SW8260
o-Xylene	ND	2	ug/L	01/20/04		RM	SW8260
p&m-Xylene	ND	2	ug/L	01/20/04		RM	SW8260
Tetrachloroethene	ND	2	ug/L	01/20/04		RM	SW8260
Toluene	ND	2	ug/L	01/20/04		RM	SW8260
trans-1,2-Dichloroethene	ND	2	ug/L	01/20/04		RM	SW8260
Trichloroethene	65	2	ug/L	01/20/04		RM	SW8260
Vinyl chloride	ND	2	ug/L	01/20/04		RM	SW8260


QA/QC Surrogates

%4-Bromofluorobenzene (Surrogate)	86		%	01/20/04		RM	SW8260
-----------------------------------	----	--	---	----------	--	----	--------

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

A handwritten signature in cursive script, reading "Phyllis Shiller".

Phyllis Shiller, Laboratory Director

January 23, 2004



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

January 23, 2004

FOR: Attn: Mr Steve Choiniere
EarthTech Inc.
40 British American Boulevard
Latham NY 12110

Sample Information

Matrix: WATER
Location Code: EARTH-NY
Rush Request:
P.O.#: 55849.01

Custody Information

Collected by: SG
Received by: SW
Analyzed by: see "By" below

Date Time

01/15/04 12:15
01/16/04 11:30

Laboratory Data

SDG I.D.: GAF33037
Phoenix I.D.: AF33040

Client ID: NOW CORP TW-2A

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1-Trichloroethane	970	5.0	ug/L	01/17/04		RM	SW8260
1,1,2-Trichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
1,1-Dichloroethane	180	5.0	ug/L	01/17/04		RM	SW8260
1,1-Dichloroethene	44	0.5	ug/L	01/17/04		RM	SW8260
1,2-Dichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
Benzene	ND	0.5	ug/L	01/17/04		RM	SW8260
Chlorobenzene	ND	0.5	ug/L	01/17/04		RM	SW8260
Chloroethane	3.1	0.5	ug/L	01/17/04		RM	SW8260
cis-1,2-Dichloroethene	24	0.5	ug/L	01/17/04		RM	SW8260
Ethylbenzene	ND	0.5	ug/L	01/17/04		RM	SW8260
Methyl tert-butyl ether (MTBE)	ND	2.0	ug/L	01/17/04		RM	SW8260
o-Xylene	ND	0.5	ug/L	01/17/04		RM	SW8260
p&m-Xylene	ND	0.5	ug/L	01/17/04		RM	SW8260
Tetrachloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Toluene	ND	0.5	ug/L	01/17/04		RM	SW8260
trans-1,2-Dichloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Trichloroethene	490	5.0	ug/L	01/17/04		RM	SW8260
Vinyl chloride	1.7	0.5	ug/L	01/17/04		RM	SW8260


QA/QC Surrogates

%4-Bromofluorobenzene (Surrogate)	88		%	01/17/04		RM	SW8260
-----------------------------------	----	--	---	----------	--	----	--------

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.



Phyllis Shiller, Laboratory Director

January 23, 2004



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

FOR: Attn: Mr Steve Choiniere
EarthTech Inc.
40 British American Boulevard
Latham NY 12110

Analysis Report

January 23, 2004

Sample Information

Matrix: WATER
Location Code: EARTH-NY
Rush Request:
P.O.#: 55849.01

Custody Information

Collected by: SG
Received by: SW
Date: 01/15/04
Time: 12:20
Analyzed by: see "By" below
Date: 01/16/04
Time: 11:30

Laboratory Data

SDG I.D.: GAF33037
Phoenix I.D.: AF33041

Client ID: NOW CORP TW-3

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Volatiles

1,1,1-Trichloroethane	4.7	0.5	ug/L	01/20/04		RM	SW8260
1,1,2-Trichloroethane	ND	0.5	ug/L	01/20/04		RM	SW8260
1,1-Dichloroethane	11	0.5	ug/L	01/20/04		RM	SW8260
1,1-Dichloroethene	1.8	0.5	ug/L	01/20/04		RM	SW8260
1,2-Dichloroethane	ND	0.5	ug/L	01/20/04		RM	SW8260
Benzene	ND	0.5	ug/L	01/20/04		RM	SW8260
Chlorobenzene	ND	0.5	ug/L	01/20/04		RM	SW8260
Chloroethane	ND	0.5	ug/L	01/20/04		RM	SW8260
cis-1,2-Dichloroethene	ND	0.5	ug/L	01/20/04		RM	SW8260
Ethylbenzene	ND	0.5	ug/L	01/20/04		RM	SW8260
Methyl tert-butyl ether (MTBE)	ND	2.0	ug/L	01/20/04		RM	SW8260
o-Xylene	ND	0.5	ug/L	01/20/04		RM	SW8260
p&m-Xylene	ND	0.5	ug/L	01/20/04		RM	SW8260
Tetrachloroethene	ND	0.5	ug/L	01/20/04		RM	SW8260
Toluene	ND	0.5	ug/L	01/20/04		RM	SW8260
trans-1,2-Dichloroethene	ND	0.5	ug/L	01/20/04		RM	SW8260
Trichloroethene	11	0.5	ug/L	01/20/04		RM	SW8260
Vinyl chloride	ND	0.5	ug/L	01/20/04		RM	SW8260
QA/QC Surrogates	86	%		01/20/04		RM	SW8260
%4-Bromofluorobenzene (Surrogate)							

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.



Phyllis Shiller, Laboratory Director

January 23, 2004



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

January 23, 2004

FOR: Attn: Mr Steve Choiniere
EarthTech Inc.
40 British American Boulevard
Latham NY 12110

Sample Information

Matrix: WATER
Location Code: EARTH-NY
Rush Request:
P.O.#: 55849.01

Custody Information

Collected by: SG
Received by: SW
Analyzed by: see "By" below

Date

01/15/04
01/16/04

Time

0:00
11:30

SDG I.D.: GAF33037

Phoenix I.D.: AF33042

Laboratory Data

Client ID: NOW CORP TRIP BLANK

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1-Trichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
1,1,2-Trichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
1,1-Dichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
1,1-Dichloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
1,2-Dichloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
Benzene	ND	0.5	ug/L	01/17/04		RM	SW8260
Chlorobenzene	ND	0.5	ug/L	01/17/04		RM	SW8260
Chloroethane	ND	0.5	ug/L	01/17/04		RM	SW8260
cis-1,2-Dichloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Ethylbenzene	ND	0.5	ug/L	01/17/04		RM	SW8260
Methyl tert-butyl ether (MTBE)	ND	2.0	ug/L	01/17/04		RM	SW8260
o-Xylene	ND	0.5	ug/L	01/17/04		RM	SW8260
p&m-Xylene	ND	0.5	ug/L	01/17/04		RM	SW8260
Tetrachloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Toluene	ND	0.5	ug/L	01/17/04		RM	SW8260
trans-1,2-Dichloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Trichloroethene	ND	0.5	ug/L	01/17/04		RM	SW8260
Vinyl chloride	ND	0.5	ug/L	01/17/04		RM	SW8260


QA/QC Surrogates

%4-Bromofluorobenzene (Surrogate)	82	%		01/17/04		RM	SW8260
-----------------------------------	----	---	--	----------	--	----	--------

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

A handwritten signature in cursive script, appearing to read "Phyllis Shiller".

Phyllis Shiller, Laboratory Director

January 23, 2004



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

January 23, 2004

QA/QC Data

SDG I.D.: GAF33037

Parameter	Blank	LCS %	Dup RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch Sample No: AF32976 (AF33037, AF33038)						
ICP Metals - Aqueous						
Aluminum	BDL	87.2	NC	107	101	5.8
Antimony	BDL	89.9	NC	97.6	92.5	5.4
Arsenic	BDL	90.1	NC	99.0	94.8	4.3
Barium	BDL	95.3	7.10	98.8	95.2	3.7
Beryllium	BDL	95.0	NC	98.2	93.6	4.8
Boron	BDL		BDL			
Cadmium	BDL	90.0	NC	93.4	89.2	4.6
Calcium	BDL		BDL			
Chromium	BDL	95.1	NC	99.1	94.8	4.4
Cobalt	BDL	95.4	NC	97.1	92.5	4.9
Copper	0.001	93.3	7.70	109	103	5.7
Iron	0.002	95.6	3.20	95.4	91.3	4.4
Lead	BDL	94.5	NC	96.2	91.8	4.7
Magnesium	0.02		BDL			
Manganese	BDL	94.7	NC	98.3	94.1	4.4
Molybdenum	BDL		BDL			
Nickel	BDL	95.1	7.10	98.6	93.8	5.0
Phosphorus	BDL		BDL			
Selenium	BDL	89.3	NC	98.2	94.3	4.1
Silver	BDL	86.2	NC	97.4	91.4	6.4
Thallium	BDL	92.5	NC	94.0	90.0	4.3
Tin	BDL		BDL			
Vanadium	BDL	94.2	NC	99.0	94.4	4.8
Zinc	BDL	91.0	7.60	98.9	94.1	5.0

QA/QC Batch Sample No: AF32996 (AF33037, AF33038)

Antimony	BDL	103	NC	99		NC
----------	-----	-----	----	----	--	----

QA/QC Batch Sample No: AF32996 (AF33037, AF33038)

Arsenic (Furnace)	BDL	104	NC	93		NC
-------------------	-----	-----	----	----	--	----

QA/QC Batch Sample No: AF32996 (AF33037, AF33038)

Cadmium	BDL	99	NC	107		NC
---------	-----	----	----	-----	--	----

QA/QC Batch Sample No: AF32996 (AF33037, AF33038)

QA/QC Data

SDG I.D.: GAF33037

Parameter	Blank	LCS %	Dup RPD	MS Rec %	MS Dup Rec %	RPD
Lead Analysis by Furnace	BDL	108	NC	103		NC
QA/QC Batch Sample No: AF32996 (AF33037, AF33038)						
Selenium - LDL	BDL	103	NR	93		NC
QA/QC Batch Sample No: AF32996 (AF33037, AF33038)						
Thallium	BDL	102	NC	93.2		NC
QA/QC Batch Sample No: AF33151 (AF33037, AF33038)						
Mercury	BDL		NC	100	104	3.9

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

RPD - Relative Percent Difference

LCS - Laboratory Control Sample


Phyllis Shiller, Laboratory Director
January 23, 2004



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

January 23, 2004

QA/QC Data

SDG I.D.: GAF33037


Parameter	Blank	LCS Rec %	MS Rec %	RPD
QA/QC Batch Sample No: AF33003 (AF33037, AF33038)				
Oil and Grease by EPA 1664	BDL	105		NR
QA/QC Batch Sample No: AF33037 (AF33037, AF33038)				
Total Cyanide	BDL	109	89.9	NC
QA/QC Batch Sample No: AF33037 (AF33037, AF33038)				
Total Suspended Solids	BDL	104	NR	NC
QA/QC Batch Sample No: AF33038 (AF33037, AF33038)				
Tot. Diss. Solids	BDL	106	NR	0.0

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

LCS - Laboratory Control Sample

MS - Matrix Spike

RPD - Relative Percent Difference
Between Sample and Sample Duplicate


Phyllis Shiller, Laboratory Director
January 23, 2004



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

January 23, 2004

QA/QC Data

SDG I.D.: GAF33037

Parameter	Blank	LCS %	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch Sample No: AF33027 (AF33037, AF33038, AF33040, AF33042)					
Volatiles Organics					
1,1,1,2-Tetrachloroethane	ND	87			
1,1,1-Trichloroethane	ND	91			
1,1,2,2-Tetrachloroethane	ND	85			
1,1,2-Trichloroethane	ND	92			
1,1-Dichloroethane	ND	80			
1,1-Dichloroethene	ND	84	99	105	5.9
1,1-Dichloropropene	ND	87			
1,2,3-Trichlorobenzene	ND	85			
1,2,3-Trichloropropane	ND	81			
1,2,3-Trimethylbenzene	ND				
1,2,4-Trichlorobenzene	ND	94			
1,2,4-Trimethylbenzene	ND	94			
1,2-Dibromo-3-chloropropane	ND	94			
1,2-Dichlorobenzene	ND	87			
1,2-Dichloroethane	ND	89			
1,2-Dichloropropane	ND	79			
1,3,5-Trimethylbenzene	ND	89			
1,3-Dichlorobenzene	ND	90			
1,3-Dichloropropane	ND	93			
1,4-Dichlorobenzene	ND	96			
2,2-Dichloropropane	ND	69			
2-Chlorotoluene	ND	84			
4-Chlorotoluene	ND	86			
Benzene	ND	84	120	123	2.5
Bromobenzene	ND	82			
Bromochloromethane	ND	88			
Bromodichloromethane	ND	79			
Bromoform	ND	94			
Bromomethane	ND	97			
Carbon Tetrachloride	ND	92			
Chlorobenzene	ND	87	120	125	4.1
Chloroethane	ND	84			

QA/QC Data

SDG I.D.: GAF33037

Parameter	Blank	LCS %	MS Rec %	MS Dup Rec %	RPD
Chloroform	ND	87			
Chloromethane	ND	92			
cis-1,2-Dichloroethene	ND	89			
cis-1,3-Dichloropropene	ND	86			
Dibromochloromethane	ND	93			
Dibromoethane	ND	97			
Dibromomethane	ND	65			
Dichlorodifluoromethane	ND	82			
Ethylbenzene	ND	92			
Hexachlorobutadiene	ND	91			
Isopropylbenzene	ND	91			
m&p-Xylene	ND	97			
Methyl t Butyl Ether (MTBE)	ND				
Methylene Chloride	ND	86			
n-Butylbenzene	ND	108			
n-Propylbenzene	ND	87			
Naphthalene	ND	104			
o-Xylene	ND	90			
p-Isopropyltoluene	ND	100			
sec-Butylbenzene	ND	85			
Styrene	ND	91			
tert-Butylbenzene	ND	94			
Tetrachloroethene	ND	94			
Toluene	ND	91	120	123	2.5
Total Trihalomethanes (TTHM)	ND				
trans-1,2-Dichloroethene	ND	85			
trans-1,3-Dichloropropene	ND	80			
Trichloroethene	ND	82	99	100	1.0
Trichlorofluoromethane	ND	88			
Vinyl Chloride	ND	94			
p-Bromofluorobenzene	83	97	83	82	1.2

Comment: LFB was analyzed with this batch instead of MS/MSD


If there are any questions regarding this data, please call Phoenix Client Services at extension 200.


MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

RPD - Relative Percent Difference

LCS - Laboratory Control Sample


Phyllis Shiller, Laboratory Director
January 23, 2004



EARTH TECH
A tyco INTERNATIONAL LTD. COMPANY

Project Number		Project Name/Client		Earth Tech Cooler #	
Sample Custodian: (Signature)		Analysis Required		Custody Seal #	
Item No.	Sample Description (Field ID Number)	Date	Time	PID Reading (ppm)	Label Number
1	1/04	11-15-04	11:15		33037
2			11:20		
3			11:25		
4			11:35		
5			11:35		
6	1/04		11:40		33038
7			11:45		
8			11:50		
9			11:55		
10			12:00		
11			12:10		33039
12			12:15		33040
13			12:20		33041
14					33042
15					
16					
17					
18					
Relinquished by: (Signature)		Date / Time		Received by: (Signature)	
Relinquished by: (Signature)		Date / Time		Received by: (Signature)	
Send Lab Results To: [Signature]		Remarks: [Signature]		Check Delivery Method:	
		Federal Express Airbill No.:		☐ Samples delivered in person ☐ Common carrier	
		Lab:		Laboratory Receiving Notes:	
				Custody Seal Intact?	
				Temp. of Shipping Container:	
				Sample Condition:	

White Copy - Lab Yellow Copy - File Pink Copy - Client

01/26/2004

Earth Tech
ATTN: Steve Choiniere
40 British American Blvd.
Latham, NY 12110

Project Reference: NOW CORP., 55849.01
Lab Number: A4011608-01/08

Enclosed are results for sample(s) received 1/16/04 by Air Technology Laboratories.
Analyses were performed according to specifications on the chain of custody provided
with the sample(s).

Report Narrative:

Sample analyses were performed within method performance criteria.
All results are reported without qualifications.

Results were faxed to Steve Choiniere on 1/26/04.

ATL appreciates the opportunity to provide testing services to your company. If you
have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,



Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Enclosures

Note: The cover letter is an integral part of this analytical report.



1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

Client: EarthTech
Attn: Steve Choiniere

Page1 of 1

Client's Project: NOW CORP., 55849.01
Date Received: 01/16/04
Matrix: Air
Units: ppbv

EPA Method TO14											
Lab No:		A4011608-01		A4011608-02		A4011608-03		A4011608-04		A4011608-05	
Client Sample I.D.:		TW - 1VE 1/04		VE - 1VE 1/04		VE - 2VE 1/04		TW - 2AVE 1/04		ST 1/04	
Date Sampled:		01/15/04		01/15/04		01/15/04		01/15/04		01/15/04	
Date Analyzed:		01/16/04		01/16/04		01/16/04		01/17/04		01/17/04	
QC Batch No:		040116MS2A2		040116MS2A2		040116MS2A2		040116MS2A2		040116MS2A2	
Analyst Initials:		SC		SC		SC		SC		SC	
Dilution Factor:		1.0		1.0		1.0		1.0		1.0	
ANALYTE	PQL	Result	RL	Result	RL	Result	RL	Result	RL	Result	RL
Vinyl Chloride	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0
Chloroethane	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0
1,1-Dichloroethene	1.0	2.5	1.0	2.7	1.0	2.5	1.0	2.3	1.0	2.5	1.0
1,1-Dichloroethane	1.0	6.7	1.0	6.6	1.0	6.7	1.0	6.0	1.0	7.2	1.0
c-1,2-Dichloroethene	1.0	ND	1.0	1.0	1.0	ND	1.0	ND	1.0	ND	1.0
1,1,1-Trichloroethane	1.0	4.4	1.0	4.6	1.0	5.2	1.0	6.3	1.0	12	1.0
Benzene	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0
1,2-Dichloroethane	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0
Trichloroethene	1.0	28	1.0	28	1.0	28	1.0	26	1.0	35	1.0
Toluene	1.0	1.9	1.0	1.6	1.0	1.6	1.0	3.5	1.0	1.8	1.0
1,1,2-Trichloroethane	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0
Tetrachloroethene	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0
Chlorobenzene	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0
Ethylbenzene	1.0	1.0	1.0	ND	1.0	ND	1.0	ND	1.0	ND	1.0
p,&m-Xylene	1.0	5.2	1.0	1.5	1.0	4.0	1.0	3.5	1.0	1.3	1.0
o-Xylene	1.0	2.7	1.0	ND	1.0	2.0	1.0	1.3	1.0	ND	1.0

PQL = Practical Quantitation Limit

ND= Not Detected (below RL)

RL = PQL X Dilution Factor

Reviewed/Approved By:


Mark Johnson

Air Toxics Operations Manager

Date 1-26-04

The cover letter is an integral part of this analytical report



Client: EarthTech
Attn: Steve Choiniere

Page1 of 1

Client's Project: NOW CORP., 55849.01
Date Received: 01/16/04
Matrix: Air
Units: ppbv

EPA Method TO14

Lab No:		A4011508-06		A4011608-07		A4011608-08					
Client Sample I.D.:		PAS:1/04		SVE - EXH 1/04		ST - 4 1/04					
Date Sampled:		01/15/04		01/15/04		01/15/04					
Date Analyzed:		01/17/04		01/17/04		01/17/04					
QC Batch No:		040116MS2A2		040116MS2A2		040116MS2A2					
Analyst Initials:		SC		SC		SC					
Dilution Factor:		50		1.0		1.0					
ANALYTE	PQL	Result	RL	Result	RL	Result	RL				
Vinyl Chloride	1.0	ND	5.0	ND	1.0	ND	1.0				
Chloroethane	1.0	ND	5.0	ND	1.0	ND	1.0				
1,1-Dichloroethene	1.0	13	5.0	ND	1.0	ND	1.0				
1,1-Dichloroethane	1.0	121	5.0	ND	1.0	ND	1.0				
c-1,2-Dichloroethene	1.0	6.7	5.0	ND	1.0	ND	1.0				
1,1,1-Trichloroethane	1.0	463	5.0	ND	1.0	ND	1.0				
Benzene	1.0	ND	5.0	ND	1.0	ND	1.0				
1,2-Dichloroethane	1.0	ND	5.0	ND	1.0	ND	1.0				
Trichloroethene	1.0	184	5.0	ND	1.0	ND	1.0				
Toluene	1.0	5.8	5.0	1.7	1.0	1.4	1.0				
1,1,2-Trichloroethane	1.0	ND	5.0	ND	1.0	ND	1.0				
Tetrachloroethene	1.0	ND	5.0	ND	1.0	ND	1.0				
Chlorobenzene	1.0	ND	5.0	ND	1.0	ND	1.0				
Ethylbenzene	1.0	ND	5.0	ND	1.0	ND	1.0				
p,&m-Xylene	1.0	11	5.0	2.0	1.0	1.6	1.0				
o-Xylene	1.0	ND	5.0	ND	1.0	ND	1.0				

PQL = Practical Quantitation Limit

ND= Not Detected (below RL)

RL = PQL X Dilution Factor

Reviewed/Approved By:


Mark Johnson
Air Toxics Operations Manager

Date

1-26-04

The cover letter is an integral part of this analytical report



Air Technology
Laboratories

18501 E. Gale Avenue Suite 150 City of Industry, CA 91748 Tel: 626 964-4032 Fax: 626 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 040116MS2A2

Matrix: Air

EPA Method TO-14/TO-15											
Lab No:	Method Blank		LCS		LCSD						
Date Analyzed:	01/16/04		01/17/04		01/17/04						
Data File ID:	16JAN024.D		16JAN041.D		16JAN042.D						
Analyst Initials:	SC		SC		SC						
Dilution Factor:	1.0		1.0		1.0						
								Limits			
ANALYTE	Result ppbv	Spike Amount	Result ppbv	% Rec	Result ppbv	% Rec	RPD	Low %Rec	High %Rec	Max. RPD	Pass/ Fail
1,1-Dichloroethene	0.0	10.0	8.2	82	8.2	82	0.1	70	130	30	Pass
Methylene Chloride	0.0	10.0	8.6	86	8.3	83	3.8	70	130	30	Pass
Trichloroethene	0.0	10.0	9.6	96	9.3	93	3.0	70	130	30	Pass
Toluene	0.0	10.0	7.4	74	7.4	74	0.5	70	130	30	Pass
1,1,2,2-Tetrachloroethane	0.0	10.0	8.7	87	9.0	90	3.7	70	130	30	Pass

RPD = Relative Percent Difference

Reviewed/Approved By:



Mark Johnson

Air Toxics Operations Manager

Date:

1-26-04

The cover letter is an integral part of this analytical report



Project Number, 01		Project Name/Client EARTH TECH		Custody Seal #		Earth Tech Cooler #	
Sample Custodian: (Signature)		Date		Time		Analysis Required	
Sample Description (Field ID Number)		Date	Time	Grab	Comp.	PID Reading (ppm)	Label Number
1	TW-IVE	1/04	1:15:04	1:05	N/A	N/A	
2	VE-IVE	1/04		1:00			
3	VE-2VE	1/04		12:55			
4	TW-2AVE	1/04		12:50			
5	ST	1/04		12:45			
6	PAS	1/04		12:40			
7	SVE-EXH	1/04		12:35			
8	ST-4	1/04		12:30			
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							

Relinquished by: (Signature)	Date / Time	Received by: (Signature)	Disposed of by: (Signature)	Items:	Date / Time
Steve Gray	1/15/04 1:30				
Fed Ex STEVE CHOINIERE	1/16/04 14:15	Paul J. SARKIS			

Send Lab Results To:	Remarks:	Check Delivery Method:	Laboratory Receiving Notes:
KEITH DECKER EARTH TECH 40 BRITISH AMERICAN BLVD. LATHAM, N.Y. 12110	TAT 10 BUS. DAYS SEND ENOUGH BAGS BACK WITH COOLER FOR NEXT SAMP Federal Express Airbill No.: 8426 5476 3720	☐ Samples delivered in person ☒ Common carrier	Custody Seal Intact? Temp. of Shipping Container: Sample Condition: -air nearly flat -bag flat