

**Operation, Maintenance and Monitoring Report  
May 2020**

**NOW Corporation  
NYSDEC Site No. 3-14-008**

**Work Assignment No.  
D007626-25**

Prepared for:

SUPERFUND STANDBY PROGRAM  
New York State  
Department of Environmental Conservation  
625 Broadway  
Albany, New York 12233

Prepared by:

AECOM Technical Services Northeast, Inc.  
40 British American Boulevard  
Latham, New York 12110

June 2020

June 20, 2020

Mr. Payson Long  
NYSDEC Division of Environmental Remediation  
625 Broadway, 12<sup>th</sup> Floor  
Albany, New York 12233-7013

**Re: NOW Corporation - Site No. 3-14-008  
O&M Summary Report: May 2020**

Dear Mr. Long:

This monthly summary report describes the operation, maintenance and monitoring (OM&M) of the remedial system at the NOW Corporation site in the Town of Clinton, New York, for a 28-day period (**April 15, 2020 – May 13, 2020**).

With the exceptions noted below, if any, the pump and treat system was online and operational throughout the reporting period. Approximately 237,000 gallons of water were treated. Discharge from the treatment system averaged approximately 8,450 gallons per day (gpd).

As of the last day of the reporting period, a total of 119,166,373 gallons of groundwater had been recovered and treated by the system since it became operational in February 1998.

Table 1 summarizes influent and effluent analytical data for water samples collected on May 13, 2020. **There were no exceedances of effluent limitations.** A copy of the analytical laboratory report is attached. Total VOCs in the most contaminated extraction well (TW-2A) were 547 µg/L; last month's value was 1,636 µg/L.

Table 2 presents operational data recorded on the sampling date.

Table 3 presents quarterly water levels measured in selected monitoring wells.

The NYSDEC's call-out subcontractor, Precision Environmental Services (PES), made one site visit to conduct the required system inspection, perform scheduled maintenance, and collect water samples. NYSDEC-required field documentation related to the COVID-19 (novel coronavirus) pandemic is attached. Details for the current period are as follows:

May 13 – Weed whacked around the building. Cleaned inside of the building and put up COVID-19 posters. Performed monthly system inspection and influent and effluent sampling. Collected quarterly well water level measurements.

The pump in extraction well TW-3 was off during this reporting period but was manually activated to obtain the sample. The pumps in extraction wells TW-1 and TW-2 were operational throughout the period.

The VFD regulating the stripper blower remained at 55 Hz upon departure.

Please feel free to contact me at (518) 951-2373, or at [lindsay.mitchell@aecom.com](mailto:lindsay.mitchell@aecom.com) if you have any questions or comments regarding this report or the operation of the treatment system.

Sincerely,

AECOM Technical Services Northeast, Inc.

A handwritten signature in cursive script that reads "Lindsay Mitchell".

Lindsay Mitchell, P.E.  
Project Manager

**Table 1**  
**Summary of Influent and Effluent Data**  
**Sampling Date: May 13, 2020**  
**NOW Corporation Site**  
**NYSDEC Site No. 3-14-008**  
**Town of Clinton, New York**

Analytes/ Parameters	Total Influent	Effluent	Recovery Wells			Effluent Limitations	
			TW-1	TW-2A	TW-3	(units)	
Quantity treated, avg per day		8,448				Monitor	gallons
pH	7.4	7.8				6.5 to 8.5	standard units
Oil and Grease	<b>4.4 J</b>	<b>5.1</b>	NA	NA	NA	15	mg/L
Total Cyanide	<0.01	<0.01	NA	NA	NA	0.01	mg/L
TDS	<b>193</b>	<b>193</b>	NA	NA	NA	1000	mg/L
TSS	<4	<4	NA	NA	NA	50	mg/L
Aluminum, Total	<200	<200	NA	NA	NA	Monitor	µg/L
Arsenic, Total	<15	<15	NA	NA	NA	100	µg/L
Barium, Total	<b>70</b>	<b>77</b>	NA	NA	NA	Monitor	µg/L
Chromium	<4	<4	NA	NA	NA	400	µg/L
Copper	<b>2.2 J</b>	<10	NA	NA	NA	24	µg/L
Iron	<b>67</b>	<50	NA	NA	NA	600	µg/L
Mercury	<0.2	<0.2	NA	NA	NA	0.8	µg/L
Manganese	<b>350 B</b>	<b>36 B</b>	NA	NA	NA	Monitor	µg/L
Nickel	<b>5.7 J</b>	<10	NA	NA	NA	200	µg/L
Zinc	<b>2.2 J</b>	<b>4 J</b>	NA	NA	NA	150	µg/L
1,1,1-Trichloroethane	<b>120</b>	<1	<b>0.91 J</b>	<b>180 D</b>	<1	10	µg/L
1,1,2-Trichloroethane	<4	<1	<1	<1	<1	1.2	µg/L
1,1-Dichloroethane	<b>66</b>	<1	<b>18</b>	<b>86</b>	<b>4.8</b>	10	µg/L
1,1-Dichloroethene	<b>9.3</b>	<1	<b>5.1</b>	<b>9.9</b>	<b>0.57 J</b>	0.5	µg/L
1,2-Dichloroethane	<4	<1	<1	<b>0.25 J</b>	<1	1.6	µg/L
2-Butanone	<40	<10	<10	<10	<10	NL	µg/L
Benzene	<4	<1	<1	<1	<1	1.4	µg/L
Chlorobenzene	<4	<1	<1	<1	<1	10	µg/L
Chloroethane	<4	<1	<1	<1	<1	10	µg/L
cis-1,2-Dichloroethene	<b>8.1</b>	<1	<b>3.2</b>	<b>11</b>	<1	5	µg/L
Ethylbenzene	<4	<1	<1	<1	<1	10	µg/L
o-Xylene	<4	<1	<1	<1	<1	5	µg/L
m,p-Xylene	<8	<2	<2	<2	<2	10	µg/L
Tetrachloroethene	<4	<1	<1	<1	<1	1.4	µg/L
Tetrahydrofuran	NA	NA	NA	NA	NA	NL	µg/L
Toluene	<4	<1	<1	<1	<1	10	µg/L
Trichloroethene	<b>180</b>	<1	<b>31</b>	<b>260 D</b>	<b>12</b>	6	µg/L
Vinyl Chloride	<4	<1	<1	<1	<1	0.6	µg/L

*Notes:*

- 1) Detected concentrations are presented in **bold** typeface, and are expressed in the units shown in far right column.
- 2) Effluent concentration boxed in **bold** denotes exceedance of effluent limitations.
- 3) NA indicates parameter was not analyzed.
- 4) "**J**" indicates the result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.
- 5) "**B**" denotes the compound was found in the blank and sample.
- 6) "**D**" indicates the result is from a diluted sample.
- 7) NL indicates no effluent limitations are specified.

**Table 2**  
**Summary of May 2020 O&M Data**

**NOW Corporation Site**  
**Town of Clinton, New York**

<b>Instrumentation/Readings:</b>		<b>5/13/20</b>	<b>Units</b>
<b><i>TW-1</i></b>			
	Pumping Rate	7	GPM
	Water Level Above Transducer	15.26	feet
	Flow Meter Reading	9,369,973	gallons
	Pump Pressure	4	psi
<b><i>TW-2A</i></b>			
	Pumping Rate	14	GPM
	Water Level Above Transducer	21.25	feet
	Flow Meter Reading	22,154,803	gallons
	Pump Pressure	9	psi
<b><i>TW-3</i></b>			
	Pumping Rate	2	GPM
	Water Level Above Transducer	80.20	feet
	Flow Meter Reading	16,982,818	gallons
	Pump Pressure	0	psi
<b><i>VFD Setting</i></b>			
	Arrival	55	Hz
	Departure	55	Hz
<b><i>Air Stripper</i></b>			
	Stripper Blower Pressure	11.5	inches H <sub>2</sub> O
	Air Temperature in Stripper	52	°F
<b><i>Effluent Flow</i></b>			
	Effluent Flow this period	236,550	gallons
	Total Effluent Flow	119,166,373	gallons

**Table 3**  
**Groundwater Levels**  
**NOW Corporation Site**  
**NYSDEC Site No. 3-14-008**  
**Town of Clinton, New York**

Well ID	MP	5/13/20	GW Elevation
	Elevation	Depth to Water (Ft below MP)	
MW-1	289.50	10.70	278.80
MW-2	332.51	26.95	305.56
MW-3	312.83	24.80	288.03
MW-3S	312.51	22.77	289.74
MW-4S	298.29	21.36	276.93
MW-4D	298.16	21.20	276.96
MW-5	285.48	18.45	267.03
MW-6S	287.90	4.95	282.95
MW-6D	287.25	7.66	279.59
MW-7S	292.12	14.55	277.57
MW-7D	292.54	35.35	257.19
OW-1	307.75	43.99	263.76
OW-2	305.96	66.15	239.81
OW-3	NA	75.75	NA
OW-4	NA	38.02	NA
OW-5	NA	44.28	NA
OW-6	294.81	5.55	289.26
IW-1	312.46	27.21	285.25
IW-2	304.56	35.45	269.11
MW-8	283.65	--	NA
MW-9	275.37	--	NA
MW-10	280.92	--	NA
MW-11	283.72	--	NA
MW-12S	NA	--	NA
MW-12D	NA	--	NA

*Note: NA indicates data are not available.*

*MP denotes measuring point.*

*-- denotes that measurements were not collected.*

## ANALYTICAL REPORT

Eurofins TestAmerica, Buffalo  
10 Hazelwood Drive  
Amherst, NY 14228-2298  
Tel: (716)691-2600

Laboratory Job ID: 480-169924-1  
Client Project/Site: NOW Corp. #314008

For:  
New York State D.E.C.  
625 Broadway  
4th Floor  
Albany, New York 12233

Attn: Mr. Payson Long



Authorized for release by:  
5/21/2020 3:32:40 PM  
Alexander Gilbert, Project Management Assistant I  
[alexander.gilbert@testamericainc.com](mailto:alexander.gilbert@testamericainc.com)

Designee for  
Judy Stone, Senior Project Manager  
(484)685-0868  
[judy.stone@testamericainc.com](mailto:judy.stone@testamericainc.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.



---

Alexander Gilbert  
Project Management Assistant I  
5/21/2020 3:32:40 PM





# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
Lab Chronicle . . . . .	20
Certification Summary . . . . .	22
Method Summary . . . . .	23
Sample Summary . . . . .	24
Chain of Custody . . . . .	25
Receipt Checklists . . . . .	26

# Definitions/Glossary

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
E	Result exceeded calibration range.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### Metals

Qualifier	Qualifier Description
A	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC is outside acceptance limits.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### General Chemistry

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Case Narrative

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Job ID: 480-169924-1**

**Laboratory: Eurofins TestAmerica, Buffalo**

## Narrative

### Job Narrative 480-169924-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 5/14/2020 8:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.2° C.

#### GC/MS VOA

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: TW-2A 051320 (480-169924-2) and INFLUENT 051320 (480-169924-4). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### Metals

Method 6010C: The interference check standard solution (ICSA) associated with the following samples showed results for Barium at a level greater than 2 times the limit of detection (LOD). It is believed that the solution contains trace impurities of this element / these elements and the results are not due to matrix interference. These results are consistent with those found by the manufacturer of the ICSA solution. INFLUENT 051320 (480-169924-4), EFFLUENT 051320 (480-169924-5), (LCS 480-531855/2-A) and (MB 480-531855/1-A)

Method 6010C: The low level continuing calibration verification (CCVL 480-532103/19) recovered above the upper control limit for Total Aluminum. The samples associated with this CCVL were either less than the reporting limit (RL) for this analyte or contained this analyte at a concentration greater than 10X the value found in the CCVL; therefore, re-analysis of samples INFLUENT 051320 (480-169924-4), EFFLUENT 051320 (480-169924-5), (LCS 480-531855/2-A) and (MB 480-531855/1-A) was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

Client Sample ID: TW-1 051320

Lab Sample ID: 480-169924-1

Date Collected: 05/13/20 12:15

Matrix: Water

Date Received: 05/14/20 08:00

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.91	J	1.0	0.82	ug/L			05/15/20 00:17	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			05/15/20 00:17	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			05/15/20 00:17	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			05/15/20 00:17	1
1,1-Dichloroethane	18		1.0	0.38	ug/L			05/15/20 00:17	1
1,1-Dichloroethene	5.1		1.0	0.29	ug/L			05/15/20 00:17	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			05/15/20 00:17	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			05/15/20 00:17	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			05/15/20 00:17	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			05/15/20 00:17	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			05/15/20 00:17	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			05/15/20 00:17	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			05/15/20 00:17	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			05/15/20 00:17	1
2-Butanone (MEK)	ND		10	1.3	ug/L			05/15/20 00:17	1
2-Hexanone	ND		5.0	1.2	ug/L			05/15/20 00:17	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			05/15/20 00:17	1
Acetone	ND		10	3.0	ug/L			05/15/20 00:17	1
Benzene	ND		1.0	0.41	ug/L			05/15/20 00:17	1
Bromodichloromethane	ND		1.0	0.39	ug/L			05/15/20 00:17	1
Bromoform	ND		1.0	0.26	ug/L			05/15/20 00:17	1
Bromomethane	ND		1.0	0.69	ug/L			05/15/20 00:17	1
Carbon disulfide	ND		1.0	0.19	ug/L			05/15/20 00:17	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			05/15/20 00:17	1
Chlorobenzene	ND		1.0	0.75	ug/L			05/15/20 00:17	1
Chloroethane	ND		1.0	0.32	ug/L			05/15/20 00:17	1
Chloroform	ND		1.0	0.34	ug/L			05/15/20 00:17	1
Chloromethane	ND		1.0	0.35	ug/L			05/15/20 00:17	1
cis-1,2-Dichloroethene	3.2		1.0	0.81	ug/L			05/15/20 00:17	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			05/15/20 00:17	1
Cyclohexane	ND		1.0	0.18	ug/L			05/15/20 00:17	1
Dibromochloromethane	ND		1.0	0.32	ug/L			05/15/20 00:17	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			05/15/20 00:17	1
Ethylbenzene	ND		1.0	0.74	ug/L			05/15/20 00:17	1
Isopropylbenzene	ND		1.0	0.79	ug/L			05/15/20 00:17	1
m,p-Xylene	ND		2.0	0.66	ug/L			05/15/20 00:17	1
Methyl acetate	ND		2.5	1.3	ug/L			05/15/20 00:17	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			05/15/20 00:17	1
Methylcyclohexane	ND		1.0	0.16	ug/L			05/15/20 00:17	1
Methylene Chloride	ND		1.0	0.44	ug/L			05/15/20 00:17	1
o-Xylene	ND		1.0	0.76	ug/L			05/15/20 00:17	1
Styrene	ND		1.0	0.73	ug/L			05/15/20 00:17	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/15/20 00:17	1
Toluene	ND		1.0	0.51	ug/L			05/15/20 00:17	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/15/20 00:17	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			05/15/20 00:17	1
Trichloroethene	31		1.0	0.46	ug/L			05/15/20 00:17	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			05/15/20 00:17	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/15/20 00:17	1

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Client Sample ID: TW-1 051320**

**Lab Sample ID: 480-169924-1**

**Date Collected: 05/13/20 12:15**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		2.0	0.66	ug/L			05/15/20 00:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	96		80 - 120		05/15/20 00:17	1
1,2-Dichloroethane-d4 (Surr)	99		77 - 120		05/15/20 00:17	1
4-Bromofluorobenzene (Surr)	99		73 - 120		05/15/20 00:17	1
Dibromofluoromethane (Surr)	100		75 - 123		05/15/20 00:17	1

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

Client Sample ID: TW-2A 051320

Lab Sample ID: 480-169924-2

Date Collected: 05/13/20 12:25

Matrix: Water

Date Received: 05/14/20 08:00

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>1,1,1-Trichloroethane</b>	<b>170</b>	<b>E</b>	1.0	0.82	ug/L			05/15/20 00:40	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			05/15/20 00:40	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			05/15/20 00:40	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			05/15/20 00:40	1
<b>1,1-Dichloroethane</b>	<b>86</b>		1.0	0.38	ug/L			05/15/20 00:40	1
<b>1,1-Dichloroethene</b>	<b>9.9</b>		1.0	0.29	ug/L			05/15/20 00:40	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			05/15/20 00:40	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			05/15/20 00:40	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			05/15/20 00:40	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			05/15/20 00:40	1
<b>1,2-Dichloroethane</b>	<b>0.25</b>	<b>J</b>	1.0	0.21	ug/L			05/15/20 00:40	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			05/15/20 00:40	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			05/15/20 00:40	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			05/15/20 00:40	1
2-Butanone (MEK)	ND		10	1.3	ug/L			05/15/20 00:40	1
2-Hexanone	ND		5.0	1.2	ug/L			05/15/20 00:40	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			05/15/20 00:40	1
Acetone	ND		10	3.0	ug/L			05/15/20 00:40	1
Benzene	ND		1.0	0.41	ug/L			05/15/20 00:40	1
Bromodichloromethane	ND		1.0	0.39	ug/L			05/15/20 00:40	1
Bromoform	ND		1.0	0.26	ug/L			05/15/20 00:40	1
Bromomethane	ND		1.0	0.69	ug/L			05/15/20 00:40	1
Carbon disulfide	ND		1.0	0.19	ug/L			05/15/20 00:40	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			05/15/20 00:40	1
Chlorobenzene	ND		1.0	0.75	ug/L			05/15/20 00:40	1
Chloroethane	ND		1.0	0.32	ug/L			05/15/20 00:40	1
Chloroform	ND		1.0	0.34	ug/L			05/15/20 00:40	1
Chloromethane	ND		1.0	0.35	ug/L			05/15/20 00:40	1
<b>cis-1,2-Dichloroethene</b>	<b>11</b>		1.0	0.81	ug/L			05/15/20 00:40	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			05/15/20 00:40	1
Cyclohexane	ND		1.0	0.18	ug/L			05/15/20 00:40	1
Dibromochloromethane	ND		1.0	0.32	ug/L			05/15/20 00:40	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			05/15/20 00:40	1
Ethylbenzene	ND		1.0	0.74	ug/L			05/15/20 00:40	1
Isopropylbenzene	ND		1.0	0.79	ug/L			05/15/20 00:40	1
m,p-Xylene	ND		2.0	0.66	ug/L			05/15/20 00:40	1
Methyl acetate	ND		2.5	1.3	ug/L			05/15/20 00:40	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			05/15/20 00:40	1
Methylcyclohexane	ND		1.0	0.16	ug/L			05/15/20 00:40	1
Methylene Chloride	ND		1.0	0.44	ug/L			05/15/20 00:40	1
o-Xylene	ND		1.0	0.76	ug/L			05/15/20 00:40	1
Styrene	ND		1.0	0.73	ug/L			05/15/20 00:40	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/15/20 00:40	1
Toluene	ND		1.0	0.51	ug/L			05/15/20 00:40	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/15/20 00:40	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			05/15/20 00:40	1
<b>Trichloroethene</b>	<b>240</b>	<b>E</b>	1.0	0.46	ug/L			05/15/20 00:40	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			05/15/20 00:40	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/15/20 00:40	1

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

Client Sample ID: TW-2A 051320

Lab Sample ID: 480-169924-2

Date Collected: 05/13/20 12:25

Matrix: Water

Date Received: 05/14/20 08:00

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		2.0	0.66	ug/L			05/15/20 00:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	99		80 - 120					05/15/20 00:40	1
1,2-Dichloroethane-d4 (Surr)	102		77 - 120					05/15/20 00:40	1
4-Bromofluorobenzene (Surr)	100		73 - 120					05/15/20 00:40	1
Dibromofluoromethane (Surr)	105		75 - 123					05/15/20 00:40	1

## Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	180		4.0	3.3	ug/L			05/16/20 11:21	4
1,1,2,2-Tetrachloroethane	ND		4.0	0.84	ug/L			05/16/20 11:21	4
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		4.0	1.2	ug/L			05/16/20 11:21	4
1,1,2-Trichloroethane	ND		4.0	0.92	ug/L			05/16/20 11:21	4
1,1-Dichloroethane	89		4.0	1.5	ug/L			05/16/20 11:21	4
1,1-Dichloroethene	12		4.0	1.2	ug/L			05/16/20 11:21	4
1,2,4-Trichlorobenzene	ND		4.0	1.6	ug/L			05/16/20 11:21	4
1,2-Dibromo-3-Chloropropane	ND		4.0	1.6	ug/L			05/16/20 11:21	4
1,2-Dibromoethane	ND		4.0	2.9	ug/L			05/16/20 11:21	4
1,2-Dichlorobenzene	ND		4.0	3.2	ug/L			05/16/20 11:21	4
1,2-Dichloroethane	ND		4.0	0.84	ug/L			05/16/20 11:21	4
1,2-Dichloropropane	ND		4.0	2.9	ug/L			05/16/20 11:21	4
1,3-Dichlorobenzene	ND		4.0	3.1	ug/L			05/16/20 11:21	4
1,4-Dichlorobenzene	ND		4.0	3.4	ug/L			05/16/20 11:21	4
2-Butanone (MEK)	ND		40	5.3	ug/L			05/16/20 11:21	4
2-Hexanone	ND		20	5.0	ug/L			05/16/20 11:21	4
4-Methyl-2-pentanone (MIBK)	ND		20	8.4	ug/L			05/16/20 11:21	4
Acetone	ND		40	12	ug/L			05/16/20 11:21	4
Benzene	ND		4.0	1.6	ug/L			05/16/20 11:21	4
Bromodichloromethane	ND		4.0	1.6	ug/L			05/16/20 11:21	4
Bromoform	ND		4.0	1.0	ug/L			05/16/20 11:21	4
Bromomethane	ND		4.0	2.8	ug/L			05/16/20 11:21	4
Carbon disulfide	ND		4.0	0.76	ug/L			05/16/20 11:21	4
Carbon tetrachloride	ND		4.0	1.1	ug/L			05/16/20 11:21	4
Chlorobenzene	ND		4.0	3.0	ug/L			05/16/20 11:21	4
Chloroethane	ND		4.0	1.3	ug/L			05/16/20 11:21	4
Chloroform	ND		4.0	1.4	ug/L			05/16/20 11:21	4
Chloromethane	ND		4.0	1.4	ug/L			05/16/20 11:21	4
cis-1,2-Dichloroethene	11		4.0	3.2	ug/L			05/16/20 11:21	4
cis-1,3-Dichloropropene	ND		4.0	1.4	ug/L			05/16/20 11:21	4
Cyclohexane	ND		4.0	0.72	ug/L			05/16/20 11:21	4
Dibromochloromethane	ND		4.0	1.3	ug/L			05/16/20 11:21	4
Dichlorodifluoromethane	ND		4.0	2.7	ug/L			05/16/20 11:21	4
Ethylbenzene	ND		4.0	3.0	ug/L			05/16/20 11:21	4
Isopropylbenzene	ND		4.0	3.2	ug/L			05/16/20 11:21	4
m,p-Xylene	ND		8.0	2.6	ug/L			05/16/20 11:21	4
Methyl acetate	ND		10	5.2	ug/L			05/16/20 11:21	4
Methyl tert-butyl ether	ND		4.0	0.64	ug/L			05/16/20 11:21	4
Methylcyclohexane	ND		4.0	0.64	ug/L			05/16/20 11:21	4
Methylene Chloride	ND		4.0	1.8	ug/L			05/16/20 11:21	4

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Client Sample ID: TW-2A 051320**

**Lab Sample ID: 480-169924-2**

**Date Collected: 05/13/20 12:25**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

## Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
o-Xylene	ND		4.0	3.0	ug/L			05/16/20 11:21	4
Styrene	ND		4.0	2.9	ug/L			05/16/20 11:21	4
Tetrachloroethene	ND		4.0	1.4	ug/L			05/16/20 11:21	4
Toluene	ND		4.0	2.0	ug/L			05/16/20 11:21	4
trans-1,2-Dichloroethene	ND		4.0	3.6	ug/L			05/16/20 11:21	4
trans-1,3-Dichloropropene	ND		4.0	1.5	ug/L			05/16/20 11:21	4
Trichloroethene	260		4.0	1.8	ug/L			05/16/20 11:21	4
Trichlorofluoromethane	ND		4.0	3.5	ug/L			05/16/20 11:21	4
Vinyl chloride	ND		4.0	3.6	ug/L			05/16/20 11:21	4
Xylenes, Total	ND		8.0	2.6	ug/L			05/16/20 11:21	4

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	101		80 - 120		05/16/20 11:21	4
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		05/16/20 11:21	4
4-Bromofluorobenzene (Surr)	103		73 - 120		05/16/20 11:21	4
Dibromofluoromethane (Surr)	111		75 - 123		05/16/20 11:21	4



# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

Client Sample ID: TW-3 051320

Lab Sample ID: 480-169924-3

Date Collected: 05/13/20 12:30

Matrix: Water

Date Received: 05/14/20 08:00

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			05/16/20 11:44	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			05/16/20 11:44	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			05/16/20 11:44	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			05/16/20 11:44	1
1,1-Dichloroethane	4.8		1.0	0.38	ug/L			05/16/20 11:44	1
1,1-Dichloroethene	0.57 J		1.0	0.29	ug/L			05/16/20 11:44	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			05/16/20 11:44	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			05/16/20 11:44	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			05/16/20 11:44	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			05/16/20 11:44	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			05/16/20 11:44	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			05/16/20 11:44	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			05/16/20 11:44	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			05/16/20 11:44	1
2-Butanone (MEK)	ND		10	1.3	ug/L			05/16/20 11:44	1
2-Hexanone	ND		5.0	1.2	ug/L			05/16/20 11:44	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			05/16/20 11:44	1
Acetone	ND		10	3.0	ug/L			05/16/20 11:44	1
Benzene	ND		1.0	0.41	ug/L			05/16/20 11:44	1
Bromodichloromethane	ND		1.0	0.39	ug/L			05/16/20 11:44	1
Bromoform	ND		1.0	0.26	ug/L			05/16/20 11:44	1
Bromomethane	ND		1.0	0.69	ug/L			05/16/20 11:44	1
Carbon disulfide	ND		1.0	0.19	ug/L			05/16/20 11:44	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			05/16/20 11:44	1
Chlorobenzene	ND		1.0	0.75	ug/L			05/16/20 11:44	1
Chloroethane	ND		1.0	0.32	ug/L			05/16/20 11:44	1
Chloroform	ND		1.0	0.34	ug/L			05/16/20 11:44	1
Chloromethane	ND		1.0	0.35	ug/L			05/16/20 11:44	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/16/20 11:44	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			05/16/20 11:44	1
Cyclohexane	ND		1.0	0.18	ug/L			05/16/20 11:44	1
Dibromochloromethane	ND		1.0	0.32	ug/L			05/16/20 11:44	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			05/16/20 11:44	1
Ethylbenzene	ND		1.0	0.74	ug/L			05/16/20 11:44	1
Isopropylbenzene	ND		1.0	0.79	ug/L			05/16/20 11:44	1
m,p-Xylene	ND		2.0	0.66	ug/L			05/16/20 11:44	1
Methyl acetate	ND		2.5	1.3	ug/L			05/16/20 11:44	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			05/16/20 11:44	1
Methylcyclohexane	ND		1.0	0.16	ug/L			05/16/20 11:44	1
Methylene Chloride	ND		1.0	0.44	ug/L			05/16/20 11:44	1
o-Xylene	ND		1.0	0.76	ug/L			05/16/20 11:44	1
Styrene	ND		1.0	0.73	ug/L			05/16/20 11:44	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/16/20 11:44	1
Toluene	ND		1.0	0.51	ug/L			05/16/20 11:44	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/16/20 11:44	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			05/16/20 11:44	1
Trichloroethene	12		1.0	0.46	ug/L			05/16/20 11:44	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			05/16/20 11:44	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/16/20 11:44	1

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Client Sample ID: TW-3 051320**

**Lab Sample ID: 480-169924-3**

**Date Collected: 05/13/20 12:30**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		2.0	0.66	ug/L			05/16/20 11:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		80 - 120		05/16/20 11:44	1
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		05/16/20 11:44	1
4-Bromofluorobenzene (Surr)	104		73 - 120		05/16/20 11:44	1
Dibromofluoromethane (Surr)	108		75 - 123		05/16/20 11:44	1

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

Client Sample ID: INFLUENT 051320

Lab Sample ID: 480-169924-4

Date Collected: 05/13/20 12:20

Matrix: Water

Date Received: 05/14/20 08:00

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	120	E	1.0	0.82	ug/L			05/15/20 01:26	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			05/15/20 01:26	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			05/15/20 01:26	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			05/15/20 01:26	1
1,1-Dichloroethane	64		1.0	0.38	ug/L			05/15/20 01:26	1
1,1-Dichloroethene	9.3		1.0	0.29	ug/L			05/15/20 01:26	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			05/15/20 01:26	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			05/15/20 01:26	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			05/15/20 01:26	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			05/15/20 01:26	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			05/15/20 01:26	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			05/15/20 01:26	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			05/15/20 01:26	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			05/15/20 01:26	1
2-Butanone (MEK)	ND		10	1.3	ug/L			05/15/20 01:26	1
2-Hexanone	ND		5.0	1.2	ug/L			05/15/20 01:26	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			05/15/20 01:26	1
Acetone	ND		10	3.0	ug/L			05/15/20 01:26	1
Benzene	ND		1.0	0.41	ug/L			05/15/20 01:26	1
Bromodichloromethane	ND		1.0	0.39	ug/L			05/15/20 01:26	1
Bromoform	ND		1.0	0.26	ug/L			05/15/20 01:26	1
Bromomethane	ND		1.0	0.69	ug/L			05/15/20 01:26	1
Carbon disulfide	ND		1.0	0.19	ug/L			05/15/20 01:26	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			05/15/20 01:26	1
Chlorobenzene	ND		1.0	0.75	ug/L			05/15/20 01:26	1
Chloroethane	ND		1.0	0.32	ug/L			05/15/20 01:26	1
Chloroform	ND		1.0	0.34	ug/L			05/15/20 01:26	1
Chloromethane	ND		1.0	0.35	ug/L			05/15/20 01:26	1
cis-1,2-Dichloroethene	8.0		1.0	0.81	ug/L			05/15/20 01:26	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			05/15/20 01:26	1
Cyclohexane	ND		1.0	0.18	ug/L			05/15/20 01:26	1
Dibromochloromethane	ND		1.0	0.32	ug/L			05/15/20 01:26	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			05/15/20 01:26	1
Ethylbenzene	ND		1.0	0.74	ug/L			05/15/20 01:26	1
Isopropylbenzene	ND		1.0	0.79	ug/L			05/15/20 01:26	1
m,p-Xylene	ND		2.0	0.66	ug/L			05/15/20 01:26	1
Methyl acetate	ND		2.5	1.3	ug/L			05/15/20 01:26	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			05/15/20 01:26	1
Methylcyclohexane	ND		1.0	0.16	ug/L			05/15/20 01:26	1
Methylene Chloride	ND		1.0	0.44	ug/L			05/15/20 01:26	1
o-Xylene	ND		1.0	0.76	ug/L			05/15/20 01:26	1
Styrene	ND		1.0	0.73	ug/L			05/15/20 01:26	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/15/20 01:26	1
Toluene	ND		1.0	0.51	ug/L			05/15/20 01:26	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/15/20 01:26	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			05/15/20 01:26	1
Trichloroethene	170	E	1.0	0.46	ug/L			05/15/20 01:26	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			05/15/20 01:26	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/15/20 01:26	1

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Client Sample ID: INFLUENT 051320**

**Lab Sample ID: 480-169924-4**

**Date Collected: 05/13/20 12:20**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		2.0	0.66	ug/L			05/15/20 01:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	97		80 - 120					05/15/20 01:26	1
1,2-Dichloroethane-d4 (Surr)	103		77 - 120					05/15/20 01:26	1
4-Bromofluorobenzene (Surr)	97		73 - 120					05/15/20 01:26	1
Dibromofluoromethane (Surr)	103		75 - 123					05/15/20 01:26	1

## Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	120		4.0	3.3	ug/L			05/16/20 12:07	4
1,1,2,2-Tetrachloroethane	ND		4.0	0.84	ug/L			05/16/20 12:07	4
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		4.0	1.2	ug/L			05/16/20 12:07	4
1,1,2-Trichloroethane	ND		4.0	0.92	ug/L			05/16/20 12:07	4
1,1-Dichloroethane	66		4.0	1.5	ug/L			05/16/20 12:07	4
1,1-Dichloroethene	9.3		4.0	1.2	ug/L			05/16/20 12:07	4
1,2,4-Trichlorobenzene	ND		4.0	1.6	ug/L			05/16/20 12:07	4
1,2-Dibromo-3-Chloropropane	ND		4.0	1.6	ug/L			05/16/20 12:07	4
1,2-Dibromoethane	ND		4.0	2.9	ug/L			05/16/20 12:07	4
1,2-Dichlorobenzene	ND		4.0	3.2	ug/L			05/16/20 12:07	4
1,2-Dichloroethane	ND		4.0	0.84	ug/L			05/16/20 12:07	4
1,2-Dichloropropane	ND		4.0	2.9	ug/L			05/16/20 12:07	4
1,3-Dichlorobenzene	ND		4.0	3.1	ug/L			05/16/20 12:07	4
1,4-Dichlorobenzene	ND		4.0	3.4	ug/L			05/16/20 12:07	4
2-Butanone (MEK)	ND		40	5.3	ug/L			05/16/20 12:07	4
2-Hexanone	ND		20	5.0	ug/L			05/16/20 12:07	4
4-Methyl-2-pentanone (MIBK)	ND		20	8.4	ug/L			05/16/20 12:07	4
Acetone	ND		40	12	ug/L			05/16/20 12:07	4
Benzene	ND		4.0	1.6	ug/L			05/16/20 12:07	4
Bromodichloromethane	ND		4.0	1.6	ug/L			05/16/20 12:07	4
Bromoform	ND		4.0	1.0	ug/L			05/16/20 12:07	4
Bromomethane	ND		4.0	2.8	ug/L			05/16/20 12:07	4
Carbon disulfide	ND		4.0	0.76	ug/L			05/16/20 12:07	4
Carbon tetrachloride	ND		4.0	1.1	ug/L			05/16/20 12:07	4
Chlorobenzene	ND		4.0	3.0	ug/L			05/16/20 12:07	4
Chloroethane	ND		4.0	1.3	ug/L			05/16/20 12:07	4
Chloroform	ND		4.0	1.4	ug/L			05/16/20 12:07	4
Chloromethane	ND		4.0	1.4	ug/L			05/16/20 12:07	4
cis-1,2-Dichloroethene	8.1		4.0	3.2	ug/L			05/16/20 12:07	4
cis-1,3-Dichloropropene	ND		4.0	1.4	ug/L			05/16/20 12:07	4
Cyclohexane	ND		4.0	0.72	ug/L			05/16/20 12:07	4
Dibromochloromethane	ND		4.0	1.3	ug/L			05/16/20 12:07	4
Dichlorodifluoromethane	ND		4.0	2.7	ug/L			05/16/20 12:07	4
Ethylbenzene	ND		4.0	3.0	ug/L			05/16/20 12:07	4
Isopropylbenzene	ND		4.0	3.2	ug/L			05/16/20 12:07	4
m,p-Xylene	ND		8.0	2.6	ug/L			05/16/20 12:07	4
Methyl acetate	ND		10	5.2	ug/L			05/16/20 12:07	4
Methyl tert-butyl ether	ND		4.0	0.64	ug/L			05/16/20 12:07	4
Methylcyclohexane	ND		4.0	0.64	ug/L			05/16/20 12:07	4
Methylene Chloride	ND		4.0	1.8	ug/L			05/16/20 12:07	4

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Client Sample ID: INFLUENT 051320**

**Lab Sample ID: 480-169924-4**

**Date Collected: 05/13/20 12:20**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

## Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
o-Xylene	ND		4.0	3.0	ug/L			05/16/20 12:07	4
Styrene	ND		4.0	2.9	ug/L			05/16/20 12:07	4
Tetrachloroethene	ND		4.0	1.4	ug/L			05/16/20 12:07	4
Toluene	ND		4.0	2.0	ug/L			05/16/20 12:07	4
trans-1,2-Dichloroethene	ND		4.0	3.6	ug/L			05/16/20 12:07	4
trans-1,3-Dichloropropene	ND		4.0	1.5	ug/L			05/16/20 12:07	4
Trichloroethene	180		4.0	1.8	ug/L			05/16/20 12:07	4
Trichlorofluoromethane	ND		4.0	3.5	ug/L			05/16/20 12:07	4
Vinyl chloride	ND		4.0	3.6	ug/L			05/16/20 12:07	4
Xylenes, Total	ND		8.0	2.6	ug/L			05/16/20 12:07	4

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	101		80 - 120		05/16/20 12:07	4
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		05/16/20 12:07	4
4-Bromofluorobenzene (Surr)	104		73 - 120		05/16/20 12:07	4
Dibromofluoromethane (Surr)	109		75 - 123		05/16/20 12:07	4

## Method: 6010C - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	ND	^	0.20	0.060	mg/L		05/15/20 10:15	05/16/20 00:27	1
Arsenic	ND		0.015	0.0056	mg/L		05/15/20 10:15	05/16/20 00:27	1
Barium	0.070	^	0.0020	0.00070	mg/L		05/15/20 10:15	05/16/20 00:27	1
Chromium	ND		0.0040	0.0010	mg/L		05/15/20 10:15	05/16/20 00:27	1
Copper	0.0022	J	0.010	0.0016	mg/L		05/15/20 10:15	05/16/20 00:27	1
Iron	0.067		0.050	0.019	mg/L		05/15/20 10:15	05/16/20 00:27	1
Manganese	0.35	B	0.0030	0.00040	mg/L		05/15/20 10:15	05/16/20 00:27	1
Nickel	0.0057	J	0.010	0.0013	mg/L		05/15/20 10:15	05/16/20 00:27	1
Zinc	0.0022	J	0.010	0.0015	mg/L		05/15/20 10:15	05/16/20 00:27	1

## Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00012	mg/L		05/19/20 12:30	05/19/20 15:35	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease	4.4	J	5.2	1.5	mg/L		05/16/20 08:59	05/16/20 12:35	1
Cyanide, Total	ND		0.010	0.0050	mg/L		05/14/20 18:35	05/15/20 13:15	1
Total Dissolved Solids	193		10.0	4.0	mg/L			05/14/20 13:30	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	ND		4.0	4.0	mg/L			05/14/20 16:06	1

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

Client Sample ID: EFFLUENT 051320

Lab Sample ID: 480-169924-5

Date Collected: 05/13/20 12:35

Matrix: Water

Date Received: 05/14/20 08:00

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			05/15/20 01:49	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			05/15/20 01:49	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			05/15/20 01:49	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			05/15/20 01:49	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			05/15/20 01:49	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			05/15/20 01:49	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			05/15/20 01:49	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			05/15/20 01:49	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			05/15/20 01:49	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			05/15/20 01:49	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			05/15/20 01:49	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			05/15/20 01:49	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			05/15/20 01:49	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			05/15/20 01:49	1
2-Butanone (MEK)	ND		10	1.3	ug/L			05/15/20 01:49	1
2-Hexanone	ND		5.0	1.2	ug/L			05/15/20 01:49	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			05/15/20 01:49	1
Acetone	ND		10	3.0	ug/L			05/15/20 01:49	1
Benzene	ND		1.0	0.41	ug/L			05/15/20 01:49	1
Bromodichloromethane	ND		1.0	0.39	ug/L			05/15/20 01:49	1
Bromoform	ND		1.0	0.26	ug/L			05/15/20 01:49	1
Bromomethane	ND		1.0	0.69	ug/L			05/15/20 01:49	1
Carbon disulfide	ND		1.0	0.19	ug/L			05/15/20 01:49	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			05/15/20 01:49	1
Chlorobenzene	ND		1.0	0.75	ug/L			05/15/20 01:49	1
Chloroethane	ND		1.0	0.32	ug/L			05/15/20 01:49	1
Chloroform	ND		1.0	0.34	ug/L			05/15/20 01:49	1
Chloromethane	ND		1.0	0.35	ug/L			05/15/20 01:49	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/15/20 01:49	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			05/15/20 01:49	1
Cyclohexane	ND		1.0	0.18	ug/L			05/15/20 01:49	1
Dibromochloromethane	ND		1.0	0.32	ug/L			05/15/20 01:49	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			05/15/20 01:49	1
Ethylbenzene	ND		1.0	0.74	ug/L			05/15/20 01:49	1
Isopropylbenzene	ND		1.0	0.79	ug/L			05/15/20 01:49	1
m,p-Xylene	ND		2.0	0.66	ug/L			05/15/20 01:49	1
Methyl acetate	ND		2.5	1.3	ug/L			05/15/20 01:49	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			05/15/20 01:49	1
Methylcyclohexane	ND		1.0	0.16	ug/L			05/15/20 01:49	1
Methylene Chloride	ND		1.0	0.44	ug/L			05/15/20 01:49	1
o-Xylene	ND		1.0	0.76	ug/L			05/15/20 01:49	1
Styrene	ND		1.0	0.73	ug/L			05/15/20 01:49	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/15/20 01:49	1
Toluene	ND		1.0	0.51	ug/L			05/15/20 01:49	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/15/20 01:49	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			05/15/20 01:49	1
Trichloroethene	ND		1.0	0.46	ug/L			05/15/20 01:49	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			05/15/20 01:49	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/15/20 01:49	1

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Client Sample ID: EFFLUENT 051320**

**Lab Sample ID: 480-169924-5**

**Date Collected: 05/13/20 12:35**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		2.0	0.66	ug/L	-		05/15/20 01:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		80 - 120					05/15/20 01:49	1
1,2-Dichloroethane-d4 (Surr)	103		77 - 120					05/15/20 01:49	1
4-Bromofluorobenzene (Surr)	98		73 - 120					05/15/20 01:49	1
Dibromofluoromethane (Surr)	102		75 - 123					05/15/20 01:49	1

## Method: 6010C - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	ND	^	0.20	0.060	mg/L	-	05/15/20 10:15	05/16/20 00:30	1
Arsenic	ND		0.015	0.0056	mg/L	-	05/15/20 10:15	05/16/20 00:30	1
Barium	0.077	^	0.0020	0.00070	mg/L	-	05/15/20 10:15	05/16/20 00:30	1
Chromium	ND		0.0040	0.0010	mg/L	-	05/15/20 10:15	05/16/20 00:30	1
Copper	ND		0.010	0.0016	mg/L	-	05/15/20 10:15	05/16/20 00:30	1
Iron	ND		0.050	0.019	mg/L	-	05/15/20 10:15	05/16/20 00:30	1
Manganese	0.036	B	0.0030	0.00040	mg/L	-	05/15/20 10:15	05/16/20 00:30	1
Nickel	ND		0.010	0.0013	mg/L	-	05/15/20 10:15	05/16/20 00:30	1
Zinc	0.0040	J	0.010	0.0015	mg/L	-	05/15/20 10:15	05/16/20 00:30	1

## Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00012	mg/L	-	05/19/20 12:30	05/19/20 15:39	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease	5.1		5.1	1.4	mg/L	-	05/16/20 08:59	05/16/20 12:35	1
Cyanide, Total	ND		0.010	0.0050	mg/L	-	05/14/20 18:35	05/15/20 13:18	1
Total Dissolved Solids	193		10.0	4.0	mg/L	-		05/14/20 13:30	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	ND		4.0	4.0	mg/L	-		05/14/20 16:06	1

# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 480-169924-6**

**Date Collected: 05/13/20 00:00**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			05/15/20 02:12	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			05/15/20 02:12	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			05/15/20 02:12	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			05/15/20 02:12	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			05/15/20 02:12	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			05/15/20 02:12	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			05/15/20 02:12	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			05/15/20 02:12	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			05/15/20 02:12	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			05/15/20 02:12	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			05/15/20 02:12	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			05/15/20 02:12	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			05/15/20 02:12	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			05/15/20 02:12	1
2-Butanone (MEK)	ND		10	1.3	ug/L			05/15/20 02:12	1
2-Hexanone	ND		5.0	1.2	ug/L			05/15/20 02:12	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			05/15/20 02:12	1
Acetone	ND		10	3.0	ug/L			05/15/20 02:12	1
Benzene	ND		1.0	0.41	ug/L			05/15/20 02:12	1
Bromodichloromethane	ND		1.0	0.39	ug/L			05/15/20 02:12	1
Bromoform	ND		1.0	0.26	ug/L			05/15/20 02:12	1
Bromomethane	ND		1.0	0.69	ug/L			05/15/20 02:12	1
Carbon disulfide	ND		1.0	0.19	ug/L			05/15/20 02:12	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			05/15/20 02:12	1
Chlorobenzene	ND		1.0	0.75	ug/L			05/15/20 02:12	1
Chloroethane	ND		1.0	0.32	ug/L			05/15/20 02:12	1
Chloroform	ND		1.0	0.34	ug/L			05/15/20 02:12	1
Chloromethane	ND		1.0	0.35	ug/L			05/15/20 02:12	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/15/20 02:12	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			05/15/20 02:12	1
Cyclohexane	ND		1.0	0.18	ug/L			05/15/20 02:12	1
Dibromochloromethane	ND		1.0	0.32	ug/L			05/15/20 02:12	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			05/15/20 02:12	1
Ethylbenzene	ND		1.0	0.74	ug/L			05/15/20 02:12	1
Isopropylbenzene	ND		1.0	0.79	ug/L			05/15/20 02:12	1
m,p-Xylene	ND		2.0	0.66	ug/L			05/15/20 02:12	1
Methyl acetate	ND		2.5	1.3	ug/L			05/15/20 02:12	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			05/15/20 02:12	1
Methylcyclohexane	ND		1.0	0.16	ug/L			05/15/20 02:12	1
Methylene Chloride	ND		1.0	0.44	ug/L			05/15/20 02:12	1
o-Xylene	ND		1.0	0.76	ug/L			05/15/20 02:12	1
Styrene	ND		1.0	0.73	ug/L			05/15/20 02:12	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/15/20 02:12	1
Toluene	ND		1.0	0.51	ug/L			05/15/20 02:12	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/15/20 02:12	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			05/15/20 02:12	1
Trichloroethene	ND		1.0	0.46	ug/L			05/15/20 02:12	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			05/15/20 02:12	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/15/20 02:12	1

Eurofins TestAmerica, Buffalo



# Client Sample Results

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 480-169924-6**

**Date Collected: 05/13/20 00:00**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		2.0	0.66	ug/L			05/15/20 02:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	98		80 - 120					05/15/20 02:12	1
1,2-Dichloroethane-d4 (Surr)	106		77 - 120					05/15/20 02:12	1
4-Bromofluorobenzene (Surr)	97		73 - 120					05/15/20 02:12	1
Dibromofluoromethane (Surr)	104		75 - 123					05/15/20 02:12	1

# Lab Chronicle

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Client Sample ID: TW-1 051320**

**Lab Sample ID: 480-169924-1**

**Date Collected: 05/13/20 12:15**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	531708	05/15/20 00:17	WJD	TAL BUF

**Client Sample ID: TW-2A 051320**

**Lab Sample ID: 480-169924-2**

**Date Collected: 05/13/20 12:25**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	531708	05/15/20 00:40	WJD	TAL BUF
Total/NA	Analysis	8260C	DL	4	532079	05/16/20 11:21	AMM	TAL BUF

**Client Sample ID: TW-3 051320**

**Lab Sample ID: 480-169924-3**

**Date Collected: 05/13/20 12:30**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	532079	05/16/20 11:44	AMM	TAL BUF

**Client Sample ID: INFLUENT 051320**

**Lab Sample ID: 480-169924-4**

**Date Collected: 05/13/20 12:20**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	531708	05/15/20 01:26	WJD	TAL BUF
Total/NA	Analysis	8260C	DL	4	532079	05/16/20 12:07	AMM	TAL BUF
Total/NA	Prep	3005A			531855	05/15/20 10:15	NSW	TAL BUF
Total/NA	Analysis	6010C		1	532103	05/16/20 00:27	LMH	TAL BUF
Total/NA	Prep	7470A			532447	05/19/20 12:30	BMB	TAL BUF
Total/NA	Analysis	7470A		1	532547	05/19/20 15:35	BMB	TAL BUF
Total/NA	Prep	1664B			532104	05/16/20 08:59	CRK	TAL BUF
Total/NA	Analysis	1664B		1	532126	05/16/20 12:35	CRK	TAL BUF
Total/NA	Prep	9012B			531808	05/14/20 18:35	ALT	TAL BUF
Total/NA	Analysis	9012B		1	531988	05/15/20 13:15	CRK	TAL BUF
Total/NA	Analysis	SM 2540C		1	531737	05/14/20 13:30	BSF	TAL BUF
Total/NA	Analysis	SM 2540D		1	531785	05/14/20 16:06	CSS	TAL BUF

**Client Sample ID: EFFLUENT 051320**

**Lab Sample ID: 480-169924-5**

**Date Collected: 05/13/20 12:35**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	531708	05/15/20 01:49	WJD	TAL BUF
Total/NA	Prep	3005A			531855	05/15/20 10:15	NSW	TAL BUF
Total/NA	Analysis	6010C		1	532103	05/16/20 00:30	LMH	TAL BUF
Total/NA	Prep	7470A			532447	05/19/20 12:30	BMB	TAL BUF
Total/NA	Analysis	7470A		1	532547	05/19/20 15:39	BMB	TAL BUF

Eurofins TestAmerica, Buffalo

# Lab Chronicle

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

**Client Sample ID: EFFLUENT 051320**

**Lab Sample ID: 480-169924-5**

**Date Collected: 05/13/20 12:35**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	1664B			532104	05/16/20 08:59	CRK	TAL BUF
Total/NA	Analysis	1664B		1	532126	05/16/20 12:35	CRK	TAL BUF
Total/NA	Prep	9012B			531808	05/14/20 18:35	ALT	TAL BUF
Total/NA	Analysis	9012B		1	531988	05/15/20 13:18	CRK	TAL BUF
Total/NA	Analysis	SM 2540C		1	531737	05/14/20 13:30	BSF	TAL BUF
Total/NA	Analysis	SM 2540D		1	531785	05/14/20 16:06	CSS	TAL BUF

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 480-169924-6**

**Date Collected: 05/13/20 00:00**

**Matrix: Water**

**Date Received: 05/14/20 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	531708	05/15/20 02:12	WJD	TAL BUF

## Laboratory References:

TAL BUF = Eurofins TestAmerica, Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Accreditation/Certification Summary

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

Laboratory: Eurofins TestAmerica, Buffalo

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10026	04-02-21

1
2
3
4
5
6
7
8
9
10
11

## Method Summary

Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL BUF
6010C	Metals (ICP)	SW846	TAL BUF
7470A	Mercury (CVAA)	SW846	TAL BUF
1664B	HEM and SGT-HEM	1664B	TAL BUF
9012B	Cyanide, Total and/or Amenable	SW846	TAL BUF
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL BUF
SM 2540D	Solids, Total Suspended (TSS)	SM	TAL BUF
1664B	HEM and SGT-HEM (Aqueous)	1664B	TAL BUF
3005A	Preparation, Total Metals	SW846	TAL BUF
5030C	Purge and Trap	SW846	TAL BUF
7470A	Preparation, Mercury	SW846	TAL BUF
9012B	Cyanide, Total and/or Amenable, Distillation	SW846	TAL BUF

### Protocol References:

1664B = EPA-821-98-002

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

TAL BUF = Eurofins TestAmerica, Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

## Sample Summary


Client: New York State D.E.C.  
Project/Site: NOW Corp. #314008

Job ID: 480-169924-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
480-169924-1	TW-1 051320	Water	05/13/20 12:15	05/14/20 08:00	
480-169924-2	TW-2A 051320	Water	05/13/20 12:25	05/14/20 08:00	
480-169924-3	TW-3 051320	Water	05/13/20 12:30	05/14/20 08:00	
480-169924-4	INFLUENT 051320	Water	05/13/20 12:20	05/14/20 08:00	
480-169924-5	EFFLUENT 051320	Water	05/13/20 12:35	05/14/20 08:00	
480-169924-6	TRIP BLANK	Water	05/13/20 00:00	05/14/20 08:00	

# Chain of Custody Record

**#224**



Environment Testing  
TestAmerica

<b>Client Information</b>		Sampler: <u>Patrick Sokolowski</u>		Lab PM: <u>Stone, Judy L</u>		Carrier Tracking No(s):		COC No: 480-144701-32222.1	
Client Contact: <u>Mr. Patrick Sokolowski</u>		Phone: <u>518-885-4399</u>		E-Mail: <u>judy.stone@testamericainc.com</u>				Page: Page 1 of 1	
Company: <u>John Johnson</u>								Job #:	
Precision Environmental Services Inc.									
Address: 831 State Route 67 Ste 38									
City: Ballston Spa									
State, Zip: NY, 12020									
Phone: 518-402-9625(Tel)									
Email: <u>patrick.sokolowski@peinc.com</u>									
Project Name: <u>Johnson@peinc.com</u>									
NOW Corp. 314008									
Site:									
Due Date Requested:									
TAT Requested (days):									
<u>Standard (10-day)</u>									
PO #:									
Callout 138003									
WO #:									
Project #:									
48021886									
SSOW#:									
Analysis Requested									
Barcode: 480-169924 Chain of Custody									
Preservation Codes:									
A - HCL									
B - NaOH									
C - Zn Acetate									
D - Nitric Acid									
E - NaHSO4									
F - MeOH									
G - Amchlor									
H - Ascorbic Acid									
I - Ice									
J - DI Water									
K - EDTA									
L - EDA									
V - MCAA									
W - pH 4-5									
Z - other (specify)									
Other:									
Special Instructions/Note:									
Total Number of containers									
3									
3									
3									
2									
Matrix (W=water, S=solid, O=waste/oil, BT=tissue, AA=air)									
Water									
Water									
Water									
Water									
Water									
Water									
Water									
Sample Date									
5-13-20									
12-25									
12-25									
12-20									
12-35									
Sample Time									
12-15									
Sample Type (C=Comp, G=grab)									
G=grab									
Preservation Code:									
Water									
Water									
Water									
Water									
Water									
Water									
Water									
Field Filtered Sample (Yes or No)									
X									
Perform MS/MSD (Yes or No)									
X									
6010C, 7470A									
2540C - TSS									
2540C - Calcd - TDS									
9012B - Cyanide									
1664B - Oil & Grease									
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)									
Return To Client									
Disposal By Lab									
Archive For									
Months									
Special Instructions/OC Requirements:									
OC Report to Lindsey Mitchellle Alcony Lindsey.Mitchellle@alcon.com									
Empty Kit Relinquished by:									
Relinquished by:									
Relinquished by:									
Relinquished by:									
Date/Time:									
5/13/20 1515									
Date/Time:									
5/13/20 1700									
Date/Time:									
Company:									
Company:									
Company:									
Custody Seal No.:									
Custody Seals Intact:									
Δ Yes Δ No									
Cooler Temperature(s) °C and Other Remarks:									
2.2									



## Login Sample Receipt Checklist

Client: New York State D.E.C.

Job Number: 480-169924-1

**Login Number: 169924**

**List Source: Eurofins TestAmerica, Buffalo**

**List Number: 1**

**Creator: Yeager, Brian A**

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	PRECISION
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	





## Report No.

(Site Name) - NYSDEC Site No. 314008

Date: 5-13-20

**NYSDEC**  
**Division of Environmental Remediation**



**Department of  
Environmental  
Conservation**



**NYSDEC Contract No.  
D011107**

**Superintendent:**

NYSDEC PM: *Payson Long*

**Consultant PM:**

**Consultant Site Inspectors:**

Pat Sokolowski

Site Location: ~~West Islip, New York~~ *Clinton, NY*

### Weather Conditions

Weather Conditions				
General Description	Sunny	AM	Sunny	PM
Temperature	40s	AM	60	PM
Wind	NONE	AM	NONE	PM

## Health & Safety

**If any box below is checked "Yes", provide explanation under "Health & Safety Comments".**

Were there any changes to the Health & Safety Plan?	*Yes	No	NA
Were there any exceedances of the perimeter air monitoring reported on this date?	*Yes	No	NA
Were there any nuisance issues reported/observed on this date?	*Yes	No	NA

### Health & Safety Comments

Summary of Work Performed	Arrived at site:	0900	Departed Site:	1330
---------------------------	------------------	------	----------------	------

- System check and sample
- Put up COVID-19 Posters
- Weed Weeded grass around system building
- Cleaned system building

## Equipment/Material Tracking

**If any box below is checked "Yes", provide explanation under "Material Tracking Comments".**

Were there any vehicles which did not display proper D.O.T numbers and placards?	*Yes	No	NA
Were there any vehicles which were not tarped?	* Yes	No	NA
Were there any vehicles which were not decontaminated prior to exiting the work site?	* Yes	No	NA

## Personnel and Equipment

[illegible]Department of  
Environmental  
Conservation

Report No. (Site Name) - NYSDC Site No. 314008 Date: 5-13-20

Report No. (Site Name) - NYSEDEC Site No. 314008 Date: 5-13-20

[illegible][illegible]

**Equipment/Material Tracking Comments:**

# DAILY INSPECTION REPORT

Report No. \_\_\_\_\_ (Site Name) - NYSDEC Site No. 314008 Date: 5-13-26

Visitors to Site			
<i>NONE</i>			
Name	Representing	Entered Exclusion/CRZ Zone	
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No

Site Representatives	
Name	Representing

Project Schedule Comments

Issues Pending

Interaction with Public, Property Owners, Media, etc.
<i>NONE</i>

# DAILY INSPECTION REPORT

Page 4 of 9

Report No. \_\_\_\_\_ (Site Name) - NYSDEC Site No. 314008 Date: 5-13-20

**Include (insert) figures with markups showing location of work and job progress**

# DAILY INSPECTION REPORT

Report No. \_\_\_\_\_ (Site Name) - NYSDEC Site No. 314008 Date: 5-13-20

Page 5 of 9

# DAILY INSPECTION REPORT

Report No. \_\_\_\_\_ (Site Name) - NYSDEC Site No. 3140083

Date: 5-13-20

Page 6 of 9

## Site Photographs (Descriptions Below)




Department of  
Environmental  
Conservation



# DAILY INSPECTION REPORT

Page 8 of 9

Report No. (Site Name) - NYSDEC Site No. 314008 Date: 5-13-20

## DAILY HEALTH CHECKLIST

Is social distancing being practiced?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	NA <input checked="" type="checkbox"/>
Is the tail gate safety meeting held outdoors?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	NA <input checked="" type="checkbox"/>
Are remote/call in job meetings being held in lieu of meeting in person where possible?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Were personal protective gloves, masks, and eye protection being used?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Are sanitizing wipes, wash stations or spray available?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Have any workers/visitors been excluded based on close contact with individuals diagnosed with COVID-19, have recently traveled to restricted areas or countries, or are symptomatic (fever, chills, cough/shortness of breath)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Comments:			

## REMEDIAL ACTIVITIES AT PROPERTIES

1. Have anyone at this location been tested and confirmed to have COVID-19?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
2. Is anyone at this location isolated or quarantined for COVID-19?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
3. Has anyone at this locaton had contact with anyone known to have COVID-19 in the past 14 days?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
4. Does anyone at this locaton have any symptoms of a respiratory infection (e.g., cough, sore throat, fever, or shortness of breath)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
5. Does the Department and its contractors have your permission to enter the property at this time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<p>If Yes to <u>any</u> of 1-4 above:</p> <ul style="list-style-type: none"> <li>If it is <u>not</u> critical that service/entry be carried out immediately and can be postponed until the risk of COVID-19 is lower, or can be accomplished remotely/without entry, postpone or conduct service without entry.</li> <li>If it <u>is</u> critical that service/entry be carried out immediately, advise occupants that as a precaution and for our own protection, project personnel will be donning appropriate PPE* (including respiratory protection) - and do so prior to entry.</li> </ul>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Comments:		



Report No. \_\_\_\_\_ (Site Name) - NYSDEC Site No. 314008 Date: 5-13-20

Report No. \_\_\_\_\_ (Site Name) - NYSDEC Site No. 314008 Date: 5-13-20

## NUISANCE CHECKLIST

Were there any community complaints related to work on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Were there any odors detected on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Was noise outside specification and/or above background on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Were vibration readings outside specification and/or above background on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Any visible dust observed beyond the work perimeter on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Any visible contrast (turbidity) beyond engineering controls observed on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Was turbidity checked at the Montauk Highway outfall?	AM <input type="checkbox"/>	PM <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Were any property owners NOT provided advance notice for work performed on this property on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
Was the temporary fabric structure closed at the end of the day?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Has Contractor failed to protect all foundations and structures adjacent to and adjoining the site which are affected by the excavations or other operations connected with performance of the Work?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
If yes, has Contractor been notified?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
<u>Comments:</u>			