



*Hudson Valley Research Park
2070 Route 52
Hopewell Junction, NY 12533-3507
S. C. Hawkins, Z/325*

November 24, 2008

Mr. Edwin Dassatti, P.E.
Director, Bureau of Solid Waste and Corrective Action
Division of Solid and Hazardous Materials
New York State Department of Environmental Conservation
625 Broadway, 9th Floor
Albany, New York 12233-7250

Subject: 2008 Semiannual Data Summary Report

Reference: IBM East Fishkill Corrective Action Program
IBM East Fishkill Facility
Hopewell Junction, New York
NYSDEC Part 373 Permit 3-1323-0025-00249-0
EPA ID No. NYD000707901

Dear Mr. Dassatti:


In accordance with the provisions of the Module IX – General Ground Water Monitoring Conditions, Section H, Item 2 of the referenced permit, enclosed please find the following document for your review:

*2008 Semiannual Data Summary Report
IBM Corporation
Hopewell Junction, New York*

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Please contact Jackie Braungart at (845)892-1672 if you have any questions or require further information.

Sincerely,
International Business Machines Corporation

A handwritten signature in black ink, appearing to read "Steven C. Hawkins". The signature is fluid and cursive, with the first name "Steven" and last name "Hawkins" clearly distinguishable.

Steven C. Hawkins, Manager
Environmental Regulatory Engineering

cc: B. Callaghan, NYSDOH (with enclosure)
A. Czuhanich, NYSDEC (with enclosure and softcopy)
K. Grzyb, NYSDEC Region 3, Regional Hazardous Substance Engineer (with enclosure)
J. Reidy, USEPA Region 2, New York Facilities (with enclosure and softcopy)
R. Schatz, ESDC (without enclosure)
W. Wertz, NYSDEC (with enclosure)



2008 Semiannual Data Summary Report

Prepared for:

**IBM Corporation
Hopewell Junction, New York**

November 24, 2008

Prepared by:

**IBM Environmental Engineering
Hudson Valley Research Park
Hopewell Junction, New York 12533**

Groundwater Sciences Corporation

**2601 Market Place Street, Suite 310
Harrisburg, PA 17110**

**560 Route 52, Suite 202
Beacon, NY 12508**

**1108 Vestal Parkway East, Suite 2
Vestal, NY 13850**

Table of Figures

Figure 1-1 Site Location Map

Table of Appendices

Appendix A	Well Specifications and Lists
	Table A-1: Hydraulic Effectiveness Monitoring Wells
	Table A-2: Well Specifications, Corrective Action Performance Monitoring Network
	Table A-3: Sampling Schedule, Corrective Action Performance Monitoring Network
Appendix B	Quarterly Groundwater Elevation Data, January 1, 2008 to June 30, 2008
Appendix C	Sampling Field Log Database (January - June 2008)
	Field Parameters Database (January - June 2008)
	Table of Meteorological Data (January - June 2008)
Appendix D	Groundwater Analytical Data (Organics): January 1, 2008 to June 30, 2008
	Groundwater Analytical Data (Inorganics): January 1, 2008 to June 30, 2008
	Production Well Shutdown Sampling Schedule
	Groundwater Analytical Data (Organics): Shutdown Sampling Non-CAM Wells
Appendix E	Production Well Analytical Data (Organics): January 1, 2008 to June 30, 2008
	Production Well Analytical Data (Inorganics): January 1, 2008 to June 30, 2008
Appendix F	Quality Assurance/Quality Control Analytical Data: January 1, 2008 to June 30, 2008
Appendix G	Groundwater Treatment Analytical Data (Organics): January 1, 2008 to June 30, 2008
	Groundwater Treatment Analytical Data (Inorganics): January 1, 2008 to June 30, 2008

Table of Plates

Plate 1 Groundwater Monitoring Plan - Well Location Map

Cross-Reference for Semiannual Reporting Requirements IBM East Fishkill Facility			
Semiannual Reporting Requirement	Part 373 Permit Module Reference	Groundwater Monitoring Plan Reference	Semiannual Report Reference
Monitoring well survey data	IX.H(1)(c)	Section 3.2	Table A-1
Well Specifications: Physical well data Reference elevations Baseline well bottom elevation	IX.C.5(a),(b),(c)	Table 7-1	Table A-2
Quarterly groundwater elevation data	IX.H(1)(b) IX.C.5(d),(e) III.E.17(c)(1)(vi)	Section 3.2 Table 7-1	Appendix B
Sampling log book/database: Purging and sampling data	IX.C.5	Section 2.2.5.1 Table 7-1	Appendix C
Field parameters (pH, spec. cond., temperature)	IX.H(1)(a) IX.C.5(j)	Section 2.2.4.4 Table 7-1	Appendix C
Daily meteorological data	IX.C.5(n)	Section 7.1	Appendix C
Groundwater analytical data	IX.H(1)(a) III.E.17(c)(1)	Section 3.2 Table 7-1	Appendices D and E
QA/QC analytical data: Duplicates	IX.H(1)(a)	Section 3.2	Appendices D and E
QA/QC analytical data: trip and equipment rinse blanks	IX.H(1)(a)	Table 7-1	Appendix F
Groundwater treatment data	III.E.17(c)(1)(ii)	Table 7-1	Appendix G

NARRATIVE

The data presented in this report represent the revisions to the Groundwater Monitoring Plan (GMP) that were requested in May 2003 and subsequently approved by the New York State Department of Environmental Conservation (NYSDEC) in August 2003. The following issues are relevant to the data contained in this semiannual report and will also be discussed in the 2008 Annual Report.

All monitoring and production wells included in the GMP were sampled for all required parameters during the first and second quarters of 2008 with the following exception:

1. Well 834, sampled quarterly, was decommissioned in the fourth quarter of 2007 because it fell within the construction footprint of a new water storage tank. The decommissioning plan was submitted to NYSDEC on July 2, 2007 and received NYSDEC approval on July 5, 2007. Well 834, an Area B upgradient monitoring well, was replaced by well 832 on the Corrective Action Monitoring Network. Well 832 was not sampled during the first quarter of 2008 but was sampled on April 3 and May 28 in the second quarter.




Figure 1-1
Site Location Map
IBM East Fishkill Facility




Plate 1



East Fishkill, New York

Groundwater Monitoring Plan
Well Location Map

DRAWN BY: <i>MM</i>	DATE: <i>11/05/08</i>	DRAWING NO.
CHECKED & APPROVED BY: <i>ESJ</i>		95007-005-T1



Scale
0 200' 400'

Appendix A

Table A-1: Hydraulic Effectiveness Monitoring Wells

**Table A-2: Well Specifications for the
Corrective Action Performance Monitoring Network**

**Table A-3: Sampling Schedule for the
Corrective Action Performance Monitoring Network**

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
002	275.39	8518.014	4537.868
003	275.32	8515.747	4538.284
005	255.16	7772.055	6134.484
006	254.38	7764.886	6126.095
007	257.35	7592.128	5547.170
008	265.29	8072.229	5042.508
009	265.35	8067.344	5043.589
010	270.76	8076.990	4661.237
011	266.47	7831.768	4697.559
013	263.26	7630.268	4904.651
014	262.60	7626.342	4906.258
015	262.86	7622.508	4907.920
016	254.91	7140.621	5083.247
017	254.31	7133.611	5089.249
018	257.78	7150.694	4924.310
019	257.70	7155.420	4922.857
020	250.88	6920.006	5024.650
022	250.88	6916.125	5015.190
027	260.24	7204.062	3450.750
028	259.22	7244.167	3358.706
030	232.87	7531.247	2282.942
032A	230.00	6707.600	2690.000
035	249.53	6773.709	3152.987
038	250.61	6320.836	4765.408
039	249.87	6322.183	4769.064
044	267.36	6897.844	5984.595
046	267.59	6649.354	6428.358
048	264.31	5756.458	6897.932
049	266.41	5256.598	6835.595
050	264.51	5251.734	6838.602
053	266.58	4965.757	6073.504
054	264.57	4696.491	5978.780
059	235.94	4833.049	3997.592
060	235.68	4828.527	4000.564
061	244.66	4136.068	4504.733
062	250.13	4322.084	5469.567
063	250.25	4320.995	5467.872
064	259.23	7040.533	6596.366
065	258.76	7055.103	6595.751
066	229.84	6987.994	2265.582
067	234.42	6463.455	2607.405

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
068	233.85	6253.894	2982.574
069	253.69	4482.364	6084.653
075	259.51	7366.983	3317.645
085	276.34	9058.705	5844.268
086	276.34	9058.705	5844.268
087	256.00	7832.757	6082.700
088	256.00	7832.757	6082.700
091	264.37	4806.212	7610.031
092	264.37	4806.212	7610.031
096	275.08	8066.528	5550.614
097	275.26	8071.261	5548.683
098	275.26	8071.261	5548.683
100	267.09	8383.665	4803.894
101	267.09	8384.262	4808.809
102	267.09	8384.262	4808.809
103	257.59	7422.942	5337.874
104	257.59	7422.942	5337.874
105	257.74	7426.962	5342.224
106	257.74	7426.962	5342.224
108	255.45	6742.206	5806.444
109	255.45	6742.206	5806.444
112	269.38	4285.998	7014.122
113	269.01	4227.305	7004.293
114	269.01	4227.305	7004.293
118	263.06	7579.473	4816.285
121	263.18	8015.845	3544.898
122	263.18	8015.845	3544.898
129	252.37	6282.508	4651.089
130	252.37	6282.508	4651.089
143	251.36	4709.970	4756.984
145	253.90	4301.093	5498.184
146	253.90	4301.093	5498.184
147	234.55	7663.575	2397.319
150	234.78	7659.624	2386.796
151	241.06	6279.506	3076.270
156	242.58	5003.112	3793.197
157	243.09	5009.063	3786.807
158	245.05	4084.387	4549.216
161	259.63	7206.137	3378.741
164	273.99	6299.089	7593.114
165	273.99	6299.089	7593.114

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
166	254.58	7422.875	6512.986
167	254.58	7422.875	6512.986
168	265.12	6794.614	6318.692
169	265.12	6794.614	6318.692
170	229.55	6965.743	2292.464
178	267.22	5685.196	5758.662
180	248.31	5035.183	5203.440
181	248.88	4988.890	5242.059
182	236.11	5859.220	2687.226
183	236.11	5859.220	2687.226
185	237.04	6481.471	2316.242
186	237.04	6481.471	2316.242
191	229.18	7123.366	1981.277
192	229.18	7123.366	1981.277
200	266.77	7694.652	4014.447
204	252.79	6694.859	4521.394
224	256.86	6741.816	3477.018
226	233.54	6151.658	3101.790
227	233.08	6144.019	3108.542
400	241.81	6939.843	1437.518
401	242.22	6935.937	1437.490
402	248.66	6315.556	1611.175
403	249.39	5909.759	1848.452
404	248.45	5905.340	1856.890
406	345.32	3941.228	1823.333
407	345.22	3941.427	1835.376
408	244.69	3862.518	206.405
409	243.46	3864.774	184.014
410	250.32	4762.902	-312.676
411	250.37	4767.536	-313.979
412	250.44	4766.388	-316.093
413	249.72	4786.574	-324.033
414	265.28	5214.821	465.867
415	265.83	5224.284	461.505
416	252.61	5985.020	129.180
417	253.31	5947.150	144.346
418	253.40	5938.351	149.519
421	281.02	4083.600	1055.200
422	276.75	4039.800	783.400
423	274.54	4124.489	723.976
424	274.95	4200.401	623.235

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
500	259.89	7545.320	6326.260
501	257.76	7580.570	6317.010
502	259.73	6219.250	7079.700
503	259.88	6183.280	7102.810
504	260.40	6087.160	7153.800
505	260.40	6087.160	7153.800
506	263.85	6010.120	7146.450
507	262.80	6014.130	7163.870
508	262.80	6014.130	7163.870
509	265.32	5912.440	7234.330
510	263.31	5808.400	7224.900
511	263.70	5812.890	7254.280
512	260.94	5734.740	7337.260
513	261.91	5717.960	7357.420
514	261.45	5488.000	7183.300
515	260.81	5486.400	7170.800
516	262.73	5428.830	7424.550
517	262.58	5445.700	7419.710
518	262.58	5445.700	7419.710
519	264.51	5182.090	7626.300
520	262.28	6648.150	6936.870
521	262.24	6688.820	6912.930
522	262.45	6713.370	6899.050
523	273.28	6108.470	8049.880
524	272.91	6095.860	7992.490
525	273.08	6106.720	8040.160
526	271.25	4797.560	7658.790
527	270.38	4770.130	7620.990
528	270.54	4773.360	7625.630
529	270.54	4773.360	7625.630
530	265.25	4538.130	7213.110
531	266.10	4549.280	7245.530
532	266.10	4549.280	7245.530
533	266.56	4566.230	7019.720
534	266.25	4548.820	7051.260
535	266.34	4555.640	7037.660
536	269.12	5346.300	6788.300
537	268.97	5324.500	6780.240
538	268.97	5324.500	6780.240
539	270.44	5478.760	6773.550
541	279.98	5711.500	6793.650

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
542	279.98	5711.500	6793.650
543	263.07	5956.040	6877.880
544	265.72	5988.650	6843.350
545	264.96	6143.040	6928.740
546	266.92	6098.760	6897.090
547	266.11	6140.200	6908.280
548	261.84	5796.160	6945.380
549	262.09	5833.700	6918.700
550	262.09	5833.700	6918.700
551	267.54	5648.190	6900.200
553	267.42	5510.740	6953.610
554	267.31	5525.200	6942.580
556	266.76	5382.290	6916.300
557	268.22	5304.090	6831.390
558	284.02	5270.310	6223.150
559	282.75	5251.530	6221.420
560	282.73	5251.530	6221.420
561	296.33	5445.380	6239.200
562	285.63	5584.350	6294.510
563	285.63	5584.350	6294.510
564	289.59	5835.500	6318.800
565	285.69	6081.080	6428.040
566	285.69	6081.080	6428.040
567	266.64	6656.400	6502.600
568	279.50	6487.650	6526.560
569	279.99	6491.880	6539.820
570	279.99	6491.880	6539.820
571	286.39	6274.080	6265.500
572	251.13	4806.400	5115.400
574	269.09	5547.400	5776.000
576	265.95	5657.000	5807.900
577	230.32	7043.090	2386.910
578	272.21	8434.410	4111.780
579	247.72	6219.450	3829.380
580	258.99	6538.850	4344.560
581	267.23	8381.000	4797.100
600	265.91	5838.318	5989.885
601	266.04	5833.206	5987.980
602	253.38	4841.290	5230.675
603	252.54	4493.647	5141.553
604	252.66	4497.252	5144.622

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
605	253.01	4931.463	4777.329
606	253.27	6115.035	5326.621
607	253.77	5020.203	5360.277
608	255.51	5688.197	5270.023
609	249.18	6188.755	5261.662
610	250.87	5562.575	4953.575
611	244.23	5432.960	4432.190
612	249.89	6407.200	3337.800
613	249.02	6445.900	3265.700
614	230.29	6719.000	2684.000
615	230.82	6710.600	2688.600
616	231.14	6692.800	2698.500
617	248.91	6410.800	3250.200
618	239.17	6276.600	3011.900
619	267.00	6635.600	6432.000
620	259.27	7232.300	3381.700
621	255.80	6776.700	4356.100
622	268.08	5752.000	5510.200
623	246.01	5719.600	4865.200
624	246.31	5592.540	4175.380
626	304.58	5357.900	7953.800
627	262.88	6925.360	4251.830
700	248.79	7121.200	5605.400
701	248.83	7124.900	5603.600
702	255.09	7252.100	5584.800
703	254.89	7255.900	5582.500
704	255.00	7239.500	5591.700
705	259.94	7651.700	5262.600
706	259.92	7649.400	5260.000
707	260.94	7722.600	5252.000
708	260.83	7727.700	5249.900
709	263.98	8017.500	5015.800
710	263.93	7996.700	5047.200
711	263.69	8023.400	5014.200
712	265.48	8180.400	4989.600
714	266.26	8063.100	4772.200
716	271.93	7964.600	4458.500
717	273.94	8042.800	5504.000
718	278.65	8048.700	5497.200
719	279.04	8077.200	5468.500
720	278.38	8012.600	5464.100

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
721	259.92	8290.600	5327.000
722	260.15	8294.500	5330.900
723	269.98	8653.200	5304.700
724	269.70	8649.400	5298.500
725	263.25	8775.600	5647.800
726	262.93	8769.300	5650.200
727	263.49	8779.800	5645.200
728	259.64	8454.300	5785.900
729	260.29	8480.800	5776.200
730	259.41	8448.000	5788.100
732	265.17	7294.800	4520.600
734	261.79	7004.400	4656.100
735	261.06	6828.700	4210.900
737	261.20	6824.500	4211.700
739	261.35	7240.400	3863.800
740	260.62	6685.900	3852.800
742	260.46	6687.600	3858.300
743	261.06	7234.500	3862.800
744	254.46	7887.200	5717.200
745	254.47	7890.300	5716.300
746	254.05	7731.800	5780.900
747	263.77	8480.700	5057.300
748	267.95	8152.000	4774.100
749	263.16	8484.600	5544.700
750	257.15	8325.200	5779.300
751	254.24	6760.000	4728.100
752	260.87	6913.000	4791.600
753	248.38	6755.800	5125.000
754	249.19	6587.200	3187.000
755	238.91	6586.700	3186.800
756	252.61	5000.100	5501.900
757	234.36	6678.800	2706.900
758	260.63	7896.926	5188.567
759	261.20	7893.170	5179.772
760	261.07	7897.478	4995.327
761	264.13	8271.640	5101.240
763	268.68	8252.690	4640.574
766	258.99	6501.571	3979.481
767	252.63	6362.949	3914.225
768	253.39	6506.670	3763.110
769	256.86	6569.128	3624.668

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
770	253.01	6469.678	3671.524
771	252.80	6466.618	3665.356
772	242.12	6208.189	3561.632
773	248.26	6417.860	3323.160
774	244.92	6089.045	3305.752
775	244.65	5886.936	3333.238
776	272.19	8431.465	4148.300
777	276.03	8555.239	4540.041
779	263.34	8113.332	3177.082
782	241.89	6868.581	2812.497
783	242.98	4995.956	3803.820
789	242.66	5542.741	3561.687
791	243.35	5736.641	3395.917
792	243.01	5913.540	3607.460
793	248.89	6174.694	3830.274
799	242.83	4995.150	3809.957
816	263.53	7821.917	4858.527
818	263.58	7728.867	4846.227
819	266.09	7683.873	4739.418
820	263.17	7587.709	4815.166
821	259.25	7595.669	4883.064
822	259.69	7611.786	4925.902
823	262.89	7546.746	5030.185
824	263.17	7533.202	4998.828
826	266.09	7787.289	4717.390
827	266.28	7838.292	4706.758
830	268.16	6631.393	6507.576
831	268.16	6631.393	6507.576
832	281.62	6446.260	6390.277
833	281.62	6446.260	6390.277
835	287.32	5732.456	6298.291
836	287.32	5732.456	6298.291
837	286.45	5650.743	6266.199
838	268.43	5053.607	6148.528
839	235.12	6671.416	2869.429
855	274.71	5839.970	8554.478
856	274.25	5824.081	8548.398
857	262.31	6655.082	6927.887
858	262.04	6640.089	6938.330
859	262.80	7312.421	7300.249
860	262.83	7298.574	7298.820

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
861	267.06	7826.369	7016.729
862	266.78	7815.889	7025.220
863	266.77	6658.536	6436.742
864	263.22	7793.411	4822.753
895	262.21	5420.504	7427.220
896	262.04	5414.132	7431.928
897	270.06	4934.338	6682.141
898	270.12	4928.359	6679.239
899	303.02	5649.460	6555.720
900	302.69	5658.950	6554.370
902	259.14	6196.074	7092.091
903	258.99	6231.299	7073.207
910	271.16	8404.686	5263.731
921	262.48	5383.703	5909.176
922	262.71	5370.449	5919.909
923	262.76	5366.539	5900.128
924	262.83	5382.716	5890.598
928	252.16	4924.716	5240.517
929	252.16	4924.716	5240.517
930	251.84	4664.774	5357.051
931	252.26	4697.941	5340.883
932	267.11	4950.680	6078.512
934	250.21	6719.264	4854.781
935	254.14	4921.320	5488.640
936	254.14	4921.320	5488.640
941	254.52	5331.321	5137.291
943	254.23	4481.165	6103.694
944	254.11	4488.497	6097.271
946	249.87	6172.939	3845.249
947	249.44	6176.877	3837.508
948	249.98	6170.128	3845.793
949	248.46	6194.257	3939.047
952	245.34	5869.760	3631.250
953	251.79	5090.490	4671.511
954	268.20	5627.761	5859.991
955	268.20	5631.698	5865.731
956	268.23	5636.339	5872.566
957	268.28	5640.382	5878.574
958	266.66	4786.231	7605.657
959	251.45	5923.400	4432.322
960	251.40	5938.559	4428.870

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
962	271.82	8425.917	4187.017
963	264.55	6001.330	7144.318
964	264.55	6001.330	7144.318
965	255.40	6056.588	5582.108
966	255.28	6064.807	5592.027
968	271.29	5257.910	5484.861
976	234.73	7274.448	2489.640
980	260.46	7292.800	5019.300
983	305.52	5459.845	6315.578
984	305.45	5459.845	6315.578
985	304.86	5466.675	6322.653
986	304.70	5466.675	6322.653
987	260.20	6384.320	6988.373
988	260.56	6379.532	6995.451
989	260.57	6379.532	6995.451
990	260.08	6361.989	6999.717
991	260.10	6355.954	7002.989
992	260.12	6355.954	7002.989
993	264.50	7465.500	4029.200
994	264.32	7274.400	4052.900
997	257.11	7710.200	5463.800
998	258.02	7789.600	5428.600
999	257.25	7794.100	5426.400

Key:

M.P. = Measuring Point

ft amsl = feet above mean sea level

All coordinates in feet relative to site grid

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
007	257.35	48.1	209.3	2.00	10.0	11/07/1979	Area A	NA
010	270.76	53.8	217.0	2.00	15.0	04/16/1979	Area A	Source
015	262.86	28.3	234.6	2.00	20.0	04/05/1979	Area A	Source
016	254.91	51.1	203.8	4.00	10.0	10/03/1979	Area A	D
032A	230.00	22.0	208.0	4.00	10.0	01/14/1998	Area D	Source
035	249.53	28.5	221.0	4.00	20.0	03/24/1979	B/322	S
046	267.59	18.7	248.4	4.00	10.0	11/07/1979	Area B	Source
048	264.31	15.7	248.6	4.00	5.0	11/01/1979	SEQ	Source
053	266.58	38.7	227.9	2.00	15.0	03/02/1979	Landfill	D
054	264.57	28.5	236.1	4.00	10.0	11/06/1979	Landfill	D
059	235.94	17.4	218.5	4.00	10.0	11/01/1979	B/330	U/S
060	235.68	46.4	189.3	4.00	10.0	11/01/1979	B/330	U/S
061	244.66	29.4	215.3	4.00	20.0	03/29/1979	B/330	U/S
063	250.25	54.7	195.6	2.00	10.0	11/13/1979	B/330	U/S
064	259.23	18.2	241.0	4.00	10.0	03/10/1980	Area B	D
065	258.76	43.5	215.3	4.00	10.0	03/18/1980	Area B	D
066	229.84	11.0	218.8	4.00	5.0	03/11/1980	Area D	U
067	234.42	14.7	219.7	2.00	10.0	03/11/1980	Area D	U
068	233.85	23.1	210.8	4.00	15.0	03/19/1980	B/322	D
069	253.69	15.5	238.2	4.00	5.0	03/24/1980	Landfill	S
085	276.34	123.0	153.3	2.00	3.0	12/10/1980	BR	NA
087	256.00	109.7	146.3	2.00	5.0	12/02/1980	BR	NA
103	257.59	14.6	243.0	2.00	1.0	11/21/1980	Area A	D
104	257.59	32.2	225.4	2.00	1.0	11/21/1980	Area A	D
105	257.74	105.4	152.3	2.00	3.0	12/01/1980	BR	NA
106	257.74	150.2	107.5	2.00	5.0	12/01/1980	BR	NA
108	255.45	104.7	150.8	2.00	3.0	12/04/1980	BR	NA
109	255.45	162.6	92.9	2.00	3.0	12/04/1980	BR	NA
113	269.01	110.6	158.4	2.00	5.0	01/14/1981	BR	NA
118	263.06	153.5	109.6	2.00	5.0	12/20/1980	Area A	Source
143	251.36	146.2	105.2	2.00	3.0	12/09/1980	B/330+BR	U
145	253.90	92.2	161.7	2.00	5.0	01/20/1981	B/330+BR	U
146	253.90	147.7	106.2	2.00	5.0	01/20/1981	B/330+BR	U
150	234.78	128.8	106.0	2.00	1.0	11/18/1980	BR	NA
151	241.06	18.4	222.7	2.00	1.0	11/17/1980	B/322	D
156	242.58	86.8	155.8	2.00	3.0	12/05/1980	BR	NA
161	259.63	17.6	242.0	2.00	1.0	04/20/1981	B/322	U
166	254.58	97.4	157.2	2.00	3.0	04/21/1981	BR	NA
167	254.58	148.1	106.5	2.00	3.0	04/21/1981	BR	NA
178	267.22	26.2	241.0	2.00	5.0	04/22/1981	B/330	D
181	248.88	18.1	230.8	4.00	5.0	04/26/1981	B/330	Source
204	252.79	12.9	239.9	2.00	10.0	06/14/1991	Area A	U(B/322), D(AA)
400	241.81	13.6	228.2	4.00	3.0	06/23/1984	WC	NA
401	242.22	97.7	144.5	4.00	10.0	07/01/1984	WC	NA
402	248.66	105.9	142.8	4.00	20.0	05/25/1984	WC	NA
403	249.39	24.9	224.5	4.00	5.0	06/25/1984	WC	NA
404	248.45	126.1	122.1	4.00	10.0	07/18/1984	WC	NA
407	345.22	240.7	104.5	4.00	10.0	07/11/1984	WC	NA
408	244.69	18.6	226.1	4.00	6.0	06/25/1984	WC	NA
410	250.32	18.0	232.3	4.00	3.0	06/24/1984	WC	NA
412	250.44	95.9	154.5	4.00	10.0	06/24/1984	WC	NA

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
415	265.83	168.2	97.6	4.00	10.0	06/21/1984	WC	NA
416	252.61	25.3	227.3	4.00	10.0	06/21/1984	WC	NA
417	253.31	96.7	156.6	4.00	10.0	06/24/1984	WC	NA
423	274.54	23.3	251.2	4.00	15.0	10/26/1990	WC	NA
424	274.95	24.6	250.4	4.00	15.0	10/25/1990	WC	NA
502	259.73	36.4	223.3	2.00	10.0	12/23/1986	SEQ	D
503	259.88	51.5	208.4	6.00	OPEN HOLE	01/09/1987	SEQ	D
515	260.81	157.5	103.3	2.00	20.0	04/23/1987	BR	NA
520	262.28	24.8	237.5	2.00	10.0	12/11/1986	SEQ	D
521	262.24	34.9	227.3	2.00	5.0	03/17/1987	BR	D
535	266.34	118.0	148.3	2.00	5.0	04/29/1987	BR	NA
543	263.07	13.1	250.0	2.00	5.0	01/20/1987	SEQ	D
545	264.96	29.8	235.2	2.00	20.5	01/17/1987	SEQ	D
559	282.75	83.5	199.3	2.00	10.0	05/05/1987	Landfill	Source
561	296.33	38.3	258.0	2.00	4.0	04/22/1987	Landfill	Source
563	285.63	130.0	155.6	2.00	15.0	04/28/1987	Landfill+BR	U
564	289.59	94.5	194.9	2.00	5.0	04/21/1987	BR	NA
571	286.39	15.0	271.4	2.00	4.0	03/17/1987	Area B	U
572	251.13	16.6	234.5	2.00	5.0	04/13/1989	B/330	Source
574	269.09	32.6	236.5	2.00	5.0	10/19/1989	B/330	Source
576	265.95	19.9	246.1	2.00	5.0	12/17/1991	B/330	Source
577	230.32	223.2	7.1	2.00	20.0	12/22/1994	BR	NA
578	272.21	200.0	72.2	2.00	20.0	02/24/1995	BR	NA
579	247.72	254.4	-6.7	2.00	20.0	04/06/1995	B/322+BR	NA
580	258.99	19.2	239.8	2.00	10.0	03/31/1995	B/322	U
581	267.23	28.9	238.3	2.00	5.0	06/20/1996	Area A	U
600	265.91	19.9	246.0	2.00	10.0	11/01/1996	B/330	U/S
601	266.04	137.7	128.3	2.00	5.0	10/16/1996	B/330	S
602	253.38	22.5	230.9	2.00	10.0	10/30/1996	B/330	S
603	252.54	26.0	226.5	2.00	10.0	10/31/1996	B/330	U
604	252.66	139.4	113.3	2.00	10.0	10/18/1996	B/330	U
607	253.77	118.9	134.9	2.00	20.0	12/06/1996	B/330+BR	Source
608	255.51	62.5	193.0	2.00	10.0	12/09/1996	B/330+BR	D
609	249.18	235.3	13.9	2.00	10.0	12/13/1996	B/330+BR	D
610	250.87	180.6	70.3	2.00	20.0	12/20/1996	B/330+BR	D/S
611	244.23	216.6	27.6	2.00	20.0	01/30/1997	B/330+BR	D/S
612	249.89	33.4	216.5	4.00	15.2	12/02/1997	B/322	D
613	249.02	33.6	215.4	4.00	15.2	12/03/1997	B/322	D
617	248.91	40.4	208.5	4.00	15.0	08/12/1998	B/322	D
618	239.17	32.5	206.7	4.00	15.0	08/11/1998	B/322	D
622	268.08	218.3	49.8	2.00	20.1	02/10/1999	B/330+BR	D
623	246.01	338.0	-92.0	2.00	15.0	02/26/1999	B/330+BR	D
624	246.31	364.0	-117.7	2.00	10.0	03/12/1999	B/330+BR	D
627	262.88	18.7	244.2	2.00	10.0	04/17/2000	B/322	U(B/322), D(AA)
628	267.42	64.2	203.2	4.00	40.0	04/12/2001	Area B	Source
701	248.83	20.0	228.8	2.00	5.0	12/04/1986	Area A	D
702	255.09	17.7	237.4	2.00	5.0	12/05/1986	Area A	D
704	255.00	347.0	-92.0	6.00	OPEN HOLE	12/04/1986	BR	NA
706	259.92	45.4	214.5	2.00	10.0	11/22/1986	Area A	D
711	263.69	349.3	-85.6	6.00	OPEN HOLE	10/15/1986	BR	NA
714	266.26	37.4	228.9	2.00	10.0	11/28/1986	Area A	Source

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
716	271.93	171.0	100.9	4.00	20.0	10/20/1986	BR	NA
720	278.38	56.0	222.4	2.00	22.5	01/07/1987	Area A	U
722	260.15	350.6	-90.5	6.00	OPEN HOLE	10/03/1986	BR	NA
735	261.06	25.5	235.6	2.00	10.0	12/11/1986	B/322	Source
739	261.35	214.4	47.0	4.00	40.0	10/26/1986	BR	NA
740	260.62	25.3	235.3	2.00	10.0	12/06/1986	B/322	D
742	260.46	221.6	38.9	4.00	80.0	10/30/1986	B/322+BR	NA
743	261.06	19.5	241.6	2.00	10.0	05/09/1987	B/322	U/S
744	254.46	28.7	225.8	2.00	5.0	08/18/1987	Area A	U
745	254.47	14.4	240.1	2.00	5.0	08/19/1987	Area A	U
751	254.24	13.4	240.8	4.00	6.0	07/23/1987	Area A	D
753	248.38	13.1	235.3	4.00	3.6	07/27/1987	Area A	D
754	249.19	22.8	226.4	4.00	15.0	07/17/1987	B/322	D/S
755	238.91	23.2	215.7	4.00	16.0	07/17/1987	B/322	D/S
756	252.61	20.0	232.6	4.00	12.0	07/09/1987	B/330	D
757	234.36	20.3	214.1	2.00	10.0	09/25/1987	Area D	Source
761	264.13	32.6	231.5	2.00	10.0	11/09/1990	Area A	U
763	268.68	49.7	219.0	2.00	5.0	10/12/1990	Area A	U
766	258.99	25.6	233.4	2.00	5.0	10/24/1990	B/322	Source
767	252.63	18.8	233.8	2.00	10.0	11/20/1990	B/322	Source
768	253.39	22.9	230.5	2.00	10.0	10/19/1990	B/322	D
769	256.86	26.9	230.0	2.00	10.0	10/22/1990	B/322	D
771	252.80	19.2	233.6	2.00	5.0	10/18/1990	B/322	D
772	242.12	19.1	223.0	2.00	10.0	11/20/1990	B/322	D
773	248.26	28.9	219.4	2.00	10.0	11/19/1990	B/322	D
774	244.92	30.1	214.8	2.00	10.0	10/23/1990	B/322	D
775	244.65	30.4	214.3	2.00	10.0	11/16/1990	B/322	D
777	276.03	130.5	145.5	2.00	10.0	12/21/1990	BR	NA
779	263.34	233.0	30.3	2.00	10.0	12/21/1990	BR	NA
789	242.66	21.3	221.4	2.00	10.0	05/09/1991	B/322	D
791	243.35	22.5	220.9	2.00	10.0	05/02/1991	B/322	D
792	243.01	20.9	222.1	2.00	10.0	06/04/1991	B/322	D
793	248.89	29.5	219.4	2.00	10.0	06/11/1991	B/322	D
832	281.62	30.4	251.2	2.00	5.0	03/23/1982	Area B	U
857	262.31	111.8	150.5	4.00	3.0	06/28/1982	BR	NA
858	262.04	160.2	101.8	4.00	5.0	06/25/1982	BR	NA
859	262.80	102.8	160.0	4.00	5.0	07/02/1982	SEQ	NA
860	262.83	153.3	109.5	4.00	5.0	07/01/1982	SEQ	NA
861	267.06	103.0	164.1	2.00	5.0	07/06/1982	SEQ	NA
862	266.78	152.0	114.8	2.00	6.0	07/05/1982	SEQ	NA
921	262.48	86.2	176.3	3.75	10.0	03/27/1984	B/330	D
922	262.71	116.6	146.1	3.75	10.0	04/24/1984	B/330	D
923	262.76	160.9	101.9	2.00	10.0	04/04/1984	B/330	D
929	252.16	152.9	99.3	2.00	10.0	06/14/1984	B/330	U
931	252.26	151.7	100.6	3.75	10.0	05/23/1984	B/330	S
932	267.11	172.8	94.3	4.00	20.0	05/24/1984	Landfill+BR	D
941	254.52	134.1	120.4	4.00	20.0	12/08/1984	B/330	D
943	254.23	144.1	110.1	4.00	20.0	01/09/1985	Landfill+BR	D
944	254.11	71.9	182.2	4.00	20.0	01/14/1985	Landfill	D
952	245.34	198.0	47.3	4.00	40.0	02/01/1985	B/322+BR	NA
953	251.79	153.1	98.7	4.00	10.0	02/07/1985	B/330+BR	D/S

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
954	268.20	172.5	95.7	4.00	20.0	02/12/1985	B/330	U
956	268.23	107.7	160.5	4.00	10.0	02/18/1985	B/330	U
958	266.66	106.4	160.3	4.00	20.0	02/20/1986	BR	NA
959	251.45	157.4	94.1	4.00	10.0	02/21/1985	B/322+BR	Source
960	251.40	90.6	160.8	4.00	20.0	02/22/1985	B/322+BR	Source
963	264.55	165.4	99.2	2.00	20.0	03/01/1985	BR	NA
964	264.55	95.3	169.3	2.00	10.0	03/01/1985	BR	NA
965	255.40	144.8	110.6	4.00	10.0	03/05/1985	B/330+BR	U
966	255.28	126.3	129.0	4.00	35.0	03/06/1985	B/330+BR	U
987	260.20	44.8	215.4	6.00	10.0	08/04/1986	SEQ	D
990	260.08	20.8	239.3	4.00	5.0	08/06/1986	SEQ	D
998	258.02	21.8	236.2	2.00	5.0	07/27/1987	Area A	D
999	257.25	52.9	204.4	2.00	10.0	07/23/1987	Area A	D
PW-1	262.24	541	-278.8	12.0	OPEN HOLE	1962	BR	NA
PW-2	255.34	277.5	-22.2	12.0	OPEN HOLE	1963	BR	NA
PW-4	248.73	265	-16.3	8.0	40.0	1968	BR	NA
PW-5	241.88	542	-300.1	10.0	OPEN HOLE	1970	BR	NA
PW-5A	242.01	522	-280.0	12.0	425.7	1984	BR	NA
PW-6	244.19	439	-194.8	12.0	OPEN HOLE	1979	BR	NA
PW-7	268.16	747	-478.8	12.0	OPEN HOLE	1979	B/330+BR	D
PW-9*	263.50	702	-438.5	14.0	OPEN HOLE	1981	BR	NA
PW-23	266.97	48.0	219.0	6.00	OPEN HOLE	03/03/1987	SEQ	Source
PW-25	250.53	432.3	-181.8	10.0	91.1	06/15/2000	B/330+BR	NA

Key:

Landfill = Landfill (Area C)

B/330 = Building 330 (Area C)

B/322 = Building 322

SEQ = Southeast Quadrant

BR = Bedrock

WC = West Complex

NA = Not applicable or not available

ft amsl = feet above mean sea level

M.P. = measuring point (generally a survey mark at top of inner monitoring pipe or casing)

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
007	Area A	S	X1	X					
010	Area A	S	X1	X		X			
015	Area A	S	X1	X					
016	Area A	S	X1	X		X			
032A	Area D	M		X	X	X			
035	B/322	A	X2						X
046	Area B	S		X					
048	SEQ	Q		X					
053	Landfill	S		X					
054	Landfill	S		X					
059	B/330	A							X
060	B/330	A							X
061	B/330	A							X
063	B/330	A							X
064	Area B	Q		X			X		
065	Area B	Q		X			X		
066	Area D	Q		X			X		
067	Area D	Q		X			X		
068	B/322	Q	X2	X					
069	Landfill	S		X					
085	BR	S		X					
087	BR	S		X					
103	Area A	S	X1	X		X			
104	Area A	S	X1	X		X			
105	BR	S		X		X			
106	BR	S		X					
108	BR	S		X					
109	BR	S		X					
113	BR	Q		X					
118	Area A	S	X1	X					
143	B/330+BR	S		X					
145	B/330+BR	A							X
146	B/330+BR	A							X
150	BR	S		X					
151	B/322	S	X2	X					
156	BR	S		X					
161	B/322	A	X2						X
166	BR	S		X					
167	BR	S		X					
178	B/330	A		X					
181	B/330	S		X					
204	Area A	A	X1	X					
360/COMB	B/322	M			X				
400	WC	S						X	
401	WC	S						X	
402	WC	S						X	
403	WC	S						X	
404	WC	S						X	
407	WC	S						X	
408	WC	S						X	
410	WC	S						X	
412	WC	S						X	

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
415	WC	S						X	
416	WC	S						X	
417	WC	S						X	
423	WC	S						X	
424	WC	S						X	
502	SEQ	Q		X					
503	SEQ	Q		X					
515	BR	Q		X					
520	SEQ	Q		X					
521	BR	Q		X					
535	BR	Q		X					
543	SEQ	Q		X					
545	SEQ	Q		X					
559	Landfill	S		X					
561	Landfill	S		X					
563	Landfill&BR	S		X					
564	BR	S		X					
571	Area B	Q		X					
572	B/330	A							X
574	B/330	A							X
576	B/330	S		X					
577	BR	S		X					
578	BR	S		X					
579	BR+B/322	S	X2	X					
580	B/322	A	X2						X
581	Area A	S	X1	X					
600	B/330	A							X
601	B/330	A							X
602	B/330	A							X
603	B/330	A							X
604	B/330	A							X
607	B/330+BR	A							X
608	B/330+BR	A		X					
609	B/330+BR	S		X					
610	B/330+BR	S		X					
611	B/330+BR	S		X					
612	B/322	M		X	X	X			
*613	B/322	M		X	X	X			
617	B/322	M		X	X	X			
618	B/322	M		X	X	X			
622	B/330+BR	S		X					
623	B/330+BR	S		X					
624	B/330+BR	S		X					
627	B/322	A	X2,X3						X
701	Area A	S	X1	X					
702	Area A	S	X1	X					
704	BR	S		X					
706	Area A	S	X1	X					
711	BR	S		X					
714	Area A	S	X1	X		X			
716	BR	S		X		X			
720	Area A	S	X1	X					

**Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network**

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
722	BR	S		X					
735	B/322	S	X2,X3	X					
739	BR	S		X					
740	B/322	A	X2	X					
742	BR+B/322	S	X2	X					
743	B/322	A	X2						X
744	Area A	Q	X1	X					
745	Area A	Q	X1	X					
751	Area A	S	X1	X					
753	Area A	S	X1	X					
754	B/322	A	X2						X
755	B/322	Q	X2	X					
756	B/330	A		X					
757	Area D	Q		X					
761	Area A	S	X1	X					
763	Area A	S	X1	X					
766	B/322	S	X2,X3	X					
767	B/322	S	X2	X					
768	B/322	S	X2,X3	X					
769	B/322	S	X2,X3	X					
771	B/322	A	X2	X					
772	B/322	Q	X2,X3	X					
773	B/322	Q	X2	X					
774	B/322	Q	X2	X					
775	B/322	A	X2						X
777	BR	S		X					
779	BR	S		X					
789	B/322	A	X2						X
791	B/322	A	X2						X
792	B/322	A	X2						X
793	B/322	S	X2,X3	X					
832	Area B	Q		X					
857	BR	Q		X					
858	BR	Q		X					
859	SEQ	Q		X					
860	SEQ	Q		X					
861	SEQ	Q		X					
862	SEQ	Q		X					
628	Area B	M		X	X	X			
628 GAC	Area B	M			X				
921	B/330	S		X					
922	B/330	S		X					
923	B/330	S		X					
929	B/330	S		X					
931	B/330	S		X					
932	Landfill&BR	S		X					
941	B/330	S		X					
943	Landfill&BR	S		X		X			
944	Landfill	S		X					
952	BR+B/322	S	X2	X					
953	B/330+BR	S		X					
954	B/330	S		X					

**Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network**

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
956	B/330	S		X					
958	BR	Q		X					
959	BR+B/322	S	X2	X					
960	BR+B/322	S	X2	X					
963	BR	Q		X					
964	BR	Q		X					
965	B/330+BR	S		X					
966	B/330+BR	S		X					
987	SEQ	Q		X			X		
990	SEQ	Q		X			X		
998	Area A	S	X1	X					
999	Area A	S	X1	X					
GACIN/316	BR	M			X				
PW-1	BR	M	X4	X	X	X			
PW-2	BR	M	X4	X	X	X			
PW-4	BR	M	X4	X	X	X			
PW-5/5A	BR	M	X4	X	X	X			
PW-6	BR	M	X4	X	X				
PW-7	BR & B/330	M	X5	X	X	X			
*PW-9	BR	M	X6	X	X	X			
PW-23	SEQ	M		X					
PW-25	BR & B/330	M	X4	X	X	X			
SUMP/B384	Area A	M	X1	X	X	X			

Key:

Landfill = Landfill (Area C)
 B/330 = Building 330 (Area C)
 B/322 = Building 322
 SEQ = Southeast Quadrant
 BR = Bedrock
 WC = West Complex

A = Annual
 S = Semiannual

CAM = Corrective Action Monitoring
 PCT = Process Control for Treatment
 CRM = Contaminant Reduction Monitoring
 POC = Point of Compliance Monitoring
 DM = Detection Monitoring
 AM = Annual Monitoring

Q = Quarterly
 M = Monthly
 M* = Monthly when used as a backup well
 * = PW-9 and GW613 are sampled only when in use.
 Current status for both wells is emergency use only.

All listed monitoring wells are hydraulic effectiveness monitoring wells. Refer to Table A-1 for complete list.

X = Sample all listed wells for Volatile Organics.

X1 = Sample for Total Fluoride and Chromium (dissolved & total) .

X2 = Sample for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X3 = Sample annually for Nickel (dissolved & total).

X4 = Sample quarterly for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X5 = Sample monthly for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X6 = Sample quarterly for Inorganics only when in use. (PW-9 is used only for emergencies.)

Appendix B

Quarterly Groundwater Elevation Data: January 1, 2008 to June 30, 2008

IBM East Fishkill
Groundwater Elevation Data: January through June 2008

Page 1 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
002	01/17/2008	249.79	04/16/2008	258.14				
003	01/17/2008	249.55	04/16/2008	258.05				
005	01/16/2008	249.81	04/15/2008	250.61				
006	01/16/2008	249.53	04/15/2008	250.28				
007	01/17/2008	239.70	04/16/2008	240.20				
008	01/21/2008	246.29	04/17/2008	248.29				
009	01/21/2008	245.74	04/17/2008	248.13				
010	01/17/2008	225.93	04/17/2008	234.96				
011	01/21/2008	254.72	04/17/2008	254.30				
013	01/21/2008	219.18	04/17/2008	220.26				
014	01/21/2008	199.82	04/17/2008	204.72				
015	01/21/2008	245.91	04/17/2008	246.04				
016	01/18/2008	219.57	04/17/2008	220.94				
017	01/18/2008	245.31	04/17/2008	245.21				
018	01/18/2008	184.58	04/17/2008	189.68				
019	01/18/2008	246.02	04/17/2008	246.34				
020	01/22/2008	222.20	04/24/2008	222.72				
022	01/22/2008	242.13	04/24/2008	240.51				
027	01/17/2008	110.53	04/16/2008	127.24				
028	01/17/2008	83.85	04/16/2008	90.26				
030	01/17/2008	227.41	04/16/2008	227.37				
032A	01/17/2008	227.22	04/16/2008	228.00				
035	01/17/2008	239.74	04/16/2008	242.11				
038	01/22/2008	228.81	04/17/2008	228.84				
039	01/22/2008	215.13	04/17/2008	213.80				
044	01/17/2008	245.55	04/16/2008	245.55				
046	01/16/2008	256.82	04/16/2008	259.69				
048	01/16/2008	258.09	04/16/2008	258.06				
049	01/16/2008	257.77	04/16/2008	258.14				
050	01/16/2008	258.16	04/16/2008	258.51				
053	01/22/2008	249.49	04/18/2008	252.43				
054	01/17/2008	250.07	04/16/2008	251.27				
059	01/17/2008	231.29	04/16/2008	231.18				
060	01/17/2008	211.81	04/16/2008	211.87				
061	01/17/2008	236.24	04/16/2008	236.10				
062	01/17/2008	231.09	04/16/2008	235.92				
063	01/17/2008	229.44	04/16/2008	237.03				
064	01/16/2008	255.23	04/15/2008	255.41				
065	01/16/2008	255.20	04/15/2008	255.29				
066	01/17/2008	225.68	04/16/2008	225.34				
067	01/17/2008	226.82	04/16/2008	226.75				
068	01/17/2008	225.85	04/16/2008	222.55				
069	01/17/2008	250.07	04/16/2008	250.69				
075	01/17/2008	243.56	04/16/2008	244.39				
085	01/16/2008	249.18	04/15/2008	250.94				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/30/2008

IBM East Fishkill
Groundwater Elevation Data: January through June 2008

Page 2 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
086	01/16/2008	252.16	04/15/2008	253.93				
087	01/16/2008	245.42	04/15/2008	246.50				
088	01/16/2008	245.58	04/15/2008	246.30				
091	01/16/2008	259.48	04/15/2008	259.76				
092	01/16/2008	259.52	04/15/2008	259.77				
096	01/17/2008	247.63	04/16/2008	248.55				
097	01/17/2008	245.66	04/16/2008	246.61				
098	01/17/2008	251.26	04/16/2008	248.82				
100	01/21/2008	248.50	04/17/2008	251.87				
101	01/21/2008	247.78	04/17/2008	251.09				
102	01/21/2008	243.90	04/17/2008	251.09				
103	01/21/2008	246.15	04/17/2008	246.82				
104	01/21/2008	226.14	04/17/2008	226.44				
105	01/21/2008	218.27	04/17/2008	219.24				
106	01/21/2008	206.66	04/17/2008	207.54				
108	01/16/2008	214.40	04/17/2008	226.45				
109	01/18/2008	203.26	04/17/2008	211.45				
112	01/16/2008	266.25	04/15/2008	266.38				
113	01/16/2008	267.11	04/15/2008	269.01				
114	01/16/2008	263.88	04/15/2008	268.70				
118	01/21/2008	128.54	04/17/2008	136.38				
121	01/21/2008	200.36	04/17/2008	208.60				
122	01/21/2008	169.37	04/17/2008	179.35				
129	01/22/2008	208.31	04/17/2008	211.33				
130	01/22/2008	213.16	04/17/2008	215.00				
143	01/21/2008	106.06	04/18/2008	117.80				
145	01/17/2008	180.90	04/16/2008	186.86				
146	01/17/2008	157.75	04/16/2008	165.23				
147	01/17/2008	229.25	04/16/2008	229.73				
150	01/17/2008	141.23	04/16/2008	150.26				
151	01/17/2008	227.83	04/16/2008	226.52				
156	01/17/2008	201.35	04/16/2008	206.00				
157	01/17/2008	141.13	04/16/2008	154.89				
158	01/17/2008	235.30	04/16/2008	236.17				
161	01/17/2008	243.99	04/16/2008	244.92				
164	01/16/2008	258.99	04/15/2008	258.87				
165	01/16/2008	258.99	04/15/2008	258.87				
166	01/16/2008	249.87	04/15/2008	249.26				
167	01/16/2008	249.73	04/15/2008	251.48				
168	01/16/2008	FLOW	04/16/2008	262.47				
169	01/16/2008	221.96	04/16/2008	233.32				
170	01/17/2008	223.59	04/16/2008	223.45				
178	01/22/2008	DRY	04/18/2008	249.22				
180	01/22/2008	247.60	04/18/2008	247.81				
181	01/22/2008	246.81	04/18/2008	246.66				
182	01/16/2008	228.11	04/15/2008	227.51				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/30/2008

IBM East Fishkill
Groundwater Elevation Data: January through June 2008

Page 3 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
183	01/16/2008	228.01	04/15/2008	227.41				
185	01/16/2008	229.74	04/15/2008	228.52				
186	01/16/2008	225.81	04/15/2008	226.29				
191	01/16/2008	191.22	04/15/2008	192.68				
192	01/16/2008	198.06	04/15/2008	203.28				
200	01/21/2008	248.30	04/17/2008	247.22				
204	01/18/2008	243.67	04/17/2008	244.38				
224	01/21/2008	237.14	04/17/2008	239.94				
226	01/17/2008	227.86	04/16/2008	227.21				
227	01/17/2008	191.30	04/16/2008	191.48				
400	01/15/2008	233.02	04/14/2008	232.81				
401	01/15/2008	230.44	04/14/2008	227.12				
402	01/15/2008	204.22	04/14/2008	219.24				
403	01/15/2008	241.74	04/14/2008	241.29				
404	01/15/2008	138.45	04/14/2008	143.85				
406	01/15/2008	257.45	04/14/2008	261.17				
407	01/15/2008	258.31	04/14/2008	261.44				
408	01/15/2008	FLOW	04/14/2008	242.39				
409	01/15/2008	FLOW	04/14/2008	FLOW				
410	01/15/2008	236.17	04/14/2008	237.19				
411	01/15/2008	236.17	04/14/2008	237.07				
412	01/15/2008	237.84	04/14/2008	238.14				
413	01/15/2008	235.91	04/14/2008	236.47				
414	01/15/2008	251.48	04/14/2008	251.98				
415	01/15/2008	249.43	04/14/2008	250.23				
416	01/15/2008	245.00	04/14/2008	245.91				
417	01/15/2008	236.06	04/14/2008	237.31				
418	01/15/2008	235.60	04/14/2008	236.20				
421	01/15/2008	277.92	04/14/2008	277.62				
422	01/15/2008	267.04	04/14/2008	267.05				
423	01/15/2008	264.54	04/14/2008	264.43				
424	01/15/2008	261.30	04/14/2008	261.15				
500	01/16/2008	248.81	04/15/2008	249.23				
501	01/16/2008	249.63	04/15/2008	249.75				
502	01/16/2008	257.81	04/15/2008	258.08				
503	01/16/2008	258.01	04/15/2008	258.16				
504	01/16/2008	258.13	04/15/2008	258.80				
505	01/16/2008	259.09	04/15/2008	258.80				
506	01/16/2008	258.17	04/15/2008	258.25				
507	01/16/2008	258.30	04/15/2008	258.15				
508	01/16/2008	258.30	04/15/2008	258.15				
509	01/16/2008	258.42	04/15/2008	258.32				
510	01/16/2008	258.69	04/15/2008	258.66				
511	01/16/2008	258.68	04/15/2008	258.48				
512	01/16/2008	258.69	04/15/2008	259.36				
513	01/16/2008	259.46	04/15/2008	259.39				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/30/2008

IBM East Fishkill
Groundwater Elevation Data: January through June 2008

Page 4 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
514	01/16/2008	258.53	04/15/2008	258.55				
515	01/16/2008	258.31	04/15/2008	258.31				
516	01/16/2008	259.38	04/15/2008	259.43				
517	01/16/2008	259.18	04/15/2008	259.17				
518	01/16/2008	259.10	04/15/2008	259.17				
519	01/16/2008	260.41	04/15/2008	260.56				
520	01/16/2008	256.28	04/15/2008	256.40				
521	01/16/2008	256.94	04/15/2008	257.90				
522	01/16/2008	FLOW	04/15/2008	FLOW				
523	01/16/2008	266.83	04/15/2008	265.28				
524	01/16/2008	266.56	04/15/2008	265.56				
525	01/16/2008	265.62	04/15/2008	264.63				
526	01/16/2008	263.53	04/15/2008	262.74				
527	01/16/2008	262.13	04/15/2008	262.88				
528	01/16/2008	FLOW	04/15/2008	270.54				
529	01/16/2008	269.56	04/15/2008	270.54				
530	01/16/2008	261.46	04/15/2008	261.55				
531	01/16/2008	FLOW	04/15/2008	265.80				
532	01/16/2008	265.70	04/15/2008	265.80				
533	01/16/2008	261.23	04/15/2008	261.31				
534	01/16/2008	261.91	04/15/2008	262.35				
535	01/15/2008	264.44	04/15/2008	FLOW				
536	01/16/2008	257.65	04/16/2008	258.02				
537	01/16/2008	266.32	04/16/2008	268.97				
538	01/16/2008	256.77	04/16/2008	268.97				
539	01/16/2008	267.24	04/16/2008	270.44				
541	01/16/2008	269.28	04/16/2008	272.38				
542	01/16/2008	269.54	04/16/2008	272.63				
543	01/16/2008	256.63	04/16/2008	257.45				
544	01/16/2008	256.72	04/16/2008	257.92				
545	01/16/2008	256.67	04/16/2008	257.29				
546	01/16/2008	263.91	04/16/2008	266.92				
547	01/16/2008	262.45	04/16/2008	263.42				
548	01/16/2008	255.54	04/16/2008	255.09				
549	01/16/2008	256.68	04/16/2008	257.18				
550	01/16/2008	256.91	04/16/2008	257.58				
551	01/16/2008	253.54	04/16/2008	248.72				
553	01/16/2008	258.09	04/16/2008	258.11				
554	01/16/2008	257.49	04/16/2008	257.52				
556	01/16/2008	257.44	04/16/2008	257.61				
557	01/16/2008	257.68	04/16/2008	258.02				
558	01/16/2008	259.28	04/16/2008	265.41				
559	01/16/2008	252.75	04/16/2008	257.20				
560	01/16/2008	249.85	04/16/2008	254.11				
561	01/16/2008	262.08	04/16/2008	267.29				
562	01/16/2008	261.23	04/16/2008	266.63				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/30/2008

IBM East Fishkill
Groundwater Elevation Data: January through June 2008

Page 5 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
563	01/16/2008	246.83	04/16/2008	251.43				
564	01/16/2008	253.64	04/16/2008	266.09				
565	01/16/2008	262.52	04/16/2008	266.72				
566	01/16/2008	253.18	04/16/2008	258.39				
567	01/16/2008	257.34	04/16/2008	259.94				
568	01/16/2008	260.00	04/16/2008	263.08				
569	01/16/2008	229.99	04/16/2008	236.17				
570	01/16/2008	264.68	04/16/2008	267.54				
571	01/16/2008	278.79	04/16/2008	277.79				
572	01/21/2008	242.46	04/28/2008	242.41				
574	01/23/2008	242.22	04/25/2008	249.77				
576	01/22/2008	249.70	04/18/2008	251.50				
577	01/17/2008	82.89	04/16/2008	93.07				
578	01/17/2008	143.55	04/16/2008	157.96				
579	01/22/2008	92.16	04/24/2008	108.72				
580	01/18/2008	242.74	04/17/2008	243.09				
581	01/21/2008	249.68	04/17/2008	253.23				
600	01/18/2008	246.23	04/18/2008	249.30				
601	01/18/2008	208.30	04/18/2008	216.64				
602	01/22/2008	248.13	04/18/2008	247.64				
603	01/21/2008	245.16	04/18/2008	245.19				
604	01/21/2008	140.15	04/18/2008	147.55				
605	01/21/2008	DRY	04/18/2008	DRY				
606	01/22/2008	81.10	04/17/2008	81.27				
607	01/22/2008	DRY	04/18/2008	139.23				
608	01/22/2008	DRY	04/17/2008	194.14				
609	01/22/2008	77.76	04/17/2008	77.86				
610	01/21/2008	95.45	04/17/2008	105.03				
611	01/24/2008	115.87	04/19/2008	129.59				
612	01/17/2008	225.40	04/16/2008	225.34				
613	01/17/2008	226.47	04/16/2008	231.37				
614	01/17/2008	227.29	04/16/2008	228.09				
615	01/17/2008	227.52	04/16/2008	228.40				
616	01/17/2008	227.64	04/16/2008	228.14				
617	01/17/2008	218.21	04/16/2008	224.04				
618	01/17/2008	222.55	04/16/2008	217.76				
619	01/16/2008	256.79	04/16/2008	259.70				
620	01/17/2008	230.75	04/16/2008	231.27				
621	01/18/2008	243.10	04/17/2008	242.06				
622	01/22/2008	193.68	04/18/2008	201.37				
623	01/21/2008	90.30	04/17/2008	101.66				
624	01/21/2008	97.09	04/17/2008	109.31				
626	01/16/2008	260.88	04/15/2008	260.48				
627	01/18/2008	246.08	04/17/2008	246.18				
700	01/22/2008	238.59	04/18/2008	238.64				
701	01/22/2008	238.33	04/18/2008	238.36				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/30/2008

IBM East Fishkill
Groundwater Elevation Data: January through June 2008

Page 6 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
702	01/18/2008	245.51	04/17/2008	245.19				
703	01/18/2008	231.89	04/17/2008	231.89				
704	01/18/2008	182.48	04/17/2008	186.35				
705	01/21/2008	242.53	04/17/2008	243.94				
706	01/21/2008	236.67	04/17/2008	237.65				
707	01/21/2008	238.47	04/17/2008	239.71				
708	01/21/2008	235.13	04/17/2008	236.43				
709	01/21/2008	244.30	04/17/2008	246.72				
710	01/21/2008	244.40	04/17/2008	246.73				
711	01/21/2008	238.14	04/17/2008	241.08				
712	01/21/2008	DRY	04/17/2008	253.72				
714	01/17/2008	233.26	04/17/2008	238.26				
716	01/21/2008	137.35	04/17/2008	143.37				
717	01/17/2008	247.65	04/16/2008	248.66				
718	01/17/2008	247.51	04/16/2008	248.47				
719	01/17/2008	248.13	04/16/2008	249.04				
720	01/17/2008	249.16	04/16/2008	248.28				
721	01/17/2008	249.92	04/16/2008	250.80				
722	01/17/2008	240.93	04/16/2008	243.95				
723	01/17/2008	250.83	04/16/2008	252.47				
724	01/17/2008	250.25	04/16/2008	252.15				
725	01/17/2008	251.87	04/16/2008	252.95				
726	01/17/2008	251.93	04/16/2008	252.93				
727	01/17/2008	251.69	04/16/2008	252.82				
728	01/17/2008	249.91	04/16/2008	250.64				
729	01/17/2008	249.68	04/16/2008	250.46				
730	01/17/2008	230.59	04/16/2008	232.66				
732	01/21/2008	102.55	04/17/2008	108.59				
734	01/18/2008	98.75	04/17/2008	103.09				
735	01/18/2008	243.35	04/17/2008	244.04				
737	01/18/2008	91.20	04/17/2008	102.35				
739	01/21/2008	90.33	04/17/2008	98.65				
740	01/21/2008	236.27	04/17/2008	239.54				
742	01/21/2008	82.17	04/17/2008	87.71				
743	01/21/2008	247.12	04/17/2008	247.64				
744	01/17/2008	247.01	04/16/2008	247.51				
745	01/17/2008	247.32	04/16/2008	247.11				
746	01/17/2008	245.79	04/16/2008	246.05				
747	01/17/2008	250.66	04/16/2008	252.77				
748	01/17/2008	242.46	04/17/2008	246.30				
749	01/17/2008	251.06	04/16/2008	251.26				
750	01/17/2008	248.65	04/16/2008	250.30				
751	01/21/2008	241.82	04/17/2008	241.73				
752	01/18/2008	243.72	04/17/2008	244.96				
753	01/21/2008	238.03	04/17/2008	237.38				
754	01/17/2008	235.63	04/16/2008	236.19				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/30/2008

IBM East Fishkill
Groundwater Elevation Data: January through June 2008

Page 7 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
755	01/17/2008	229.76	04/16/2008	228.71				
756	01/22/2008	238.86	04/18/2008	241.48				
757	01/17/2008	227.78	04/16/2008	228.51				
758	01/21/2008	252.73	04/17/2008	252.63				
759	01/21/2008	239.89	04/17/2008	241.70				
760	01/21/2008	237.52	04/17/2008	240.35				
761	01/21/2008	249.62	04/17/2008	251.68				
763	01/17/2008	239.18	04/17/2008	240.18				
766	01/21/2008	237.60	04/17/2008	238.58				
767	01/21/2008	236.91	04/18/2008	238.80				
768	01/21/2008	236.85	04/17/2008	238.20				
769	01/21/2008	236.31	04/17/2008	237.86				
770	01/21/2008	235.43	04/17/2008	237.01				
771	01/21/2008	235.80	04/17/2008	237.50				
772	01/21/2008	231.62	04/18/2008	232.09				
773	01/17/2008	231.86	04/16/2008	232.93				
774	01/21/2008	230.92	04/17/2008	230.94				
775	01/21/2008	229.35	04/17/2008	229.45				
776	01/17/2008	231.72	04/16/2008	241.54				
777	01/17/2008	249.02	04/16/2008	254.96				
779	01/17/2008	100.72	04/16/2008	114.73				
782	01/17/2008	227.89	04/16/2008	228.79				
783	01/17/2008	196.37	04/16/2008	202.55				
789	01/21/2008	231.76	04/17/2008	231.66				
791	01/21/2008	229.10	04/17/2008	229.20				
792	01/21/2008	231.53	04/17/2008	231.39				
793	01/22/2008	227.54	04/24/2008	227.95				
799	01/17/2008	208.83	04/16/2008	212.21				
816	01/21/2008	245.78	04/17/2008	245.43				
818	01/21/2008	247.82	04/17/2008	246.98				
819	01/21/2008	252.09	04/17/2008	251.88				
820	01/21/2008	250.45	04/24/2008	250.50				
821	01/21/2008	249.05	04/24/2008	249.15				
822	01/21/2008	246.50	04/17/2008	245.88				
823	01/21/2008	246.49	04/17/2008	246.84				
824	01/21/2008	247.04	04/17/2008	247.55				
826	01/21/2008	257.99	04/17/2008	254.74				
827	01/21/2008	254.66	04/17/2008	254.47				
830	01/16/2008	257.85	04/16/2008	251.63				
831	01/16/2008	247.05	04/16/2008	260.96				
832	01/16/2008	261.27	04/16/2008	262.84				
833	01/16/2008	274.42	04/16/2008	273.62				
835	01/16/2008	270.79	04/16/2008	275.82				
836	01/16/2008	265.32	04/16/2008	270.32				
837	01/16/2008	270.88	04/16/2008	275.85				
838	01/17/2008	252.85	04/16/2008	256.83				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/30/2008

IBM East Fishkill
Groundwater Elevation Data: January through June 2008

Page 8 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
839	01/17/2008	228.01	04/16/2008	228.85				
855	01/16/2008	261.71	04/15/2008	261.56				
856	01/16/2008	262.98	04/15/2008	262.82				
857	01/16/2008	FLOW	04/15/2008	FLOW				
858	01/16/2008	FLOW	04/15/2008	FLOW				
859	01/16/2008	256.01	04/15/2008	256.20				
860	01/16/2008	256.11	04/15/2008	255.93				
861	01/16/2008	252.61	04/15/2008	255.26				
862	01/16/2008	251.51	04/15/2008	253.78				
863	01/16/2008	256.70	04/16/2008	259.67				
864	01/21/2008	249.27	04/17/2008	248.87				
895	01/16/2008	259.23	04/15/2008	259.06				
896	01/16/2008	259.29	04/15/2008	259.22				
897	01/16/2008	263.09	04/16/2008	268.63				
898	01/16/2008	265.87	04/16/2008	269.65				
899	01/16/2008	262.20	04/16/2008	275.00				
900	01/16/2008	267.34	04/16/2008	269.69				
902	01/16/2008	257.14	04/15/2008	257.21				
903	01/16/2008	257.99	04/15/2008	257.38				
910	01/17/2008	250.71	04/16/2008	252.36				
921	01/22/2008	242.63	04/18/2008	249.28				
922	01/22/2008	214.81	04/18/2008	221.71				
923	01/22/2008	209.56	04/18/2008	211.65				
924	01/22/2008	249.37	04/18/2008	251.72				
928	01/22/2008	DRY	04/18/2008	DRY				
929	01/22/2008	128.14	04/18/2008	134.65				
930	01/21/2008	DRY	04/18/2008	DRY				
931	01/21/2008	137.01	04/18/2008	144.86				
932	01/22/2008	249.31	04/18/2008	252.30				
934	01/21/2008	240.04	04/17/2008	239.06				
935	01/21/2008	186.42	04/18/2008	208.65				
936	01/21/2008	182.73	04/18/2008	207.14				
941	01/21/2008	DRY	04/17/2008	125.27				
943	01/17/2008	240.42	04/16/2008	243.62				
944	01/17/2008	246.41	04/16/2008	248.76				
946	01/22/2008	226.07	04/24/2008	225.76				
947	01/22/2008	228.20	04/24/2008	228.64				
948	01/17/2008	224.49	04/24/2008	227.12				
949	01/21/2008	231.65	04/17/2008	231.99				
952	01/21/2008	96.92	04/17/2008	113.37				
953	01/21/2008	105.09	04/18/2008	118.46				
954	01/22/2008	216.50	04/18/2008	227.00				
955	01/22/2008	241.07	04/18/2008	248.64				
956	01/22/2008	235.32	04/18/2008	244.11				
957	01/22/2008	243.97	04/18/2008	249.98				
958	01/16/2008	263.96	04/15/2008	264.76				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/30/2008

IBM East Fishkill
Groundwater Elevation Data: January through June 2008

Page 9 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
959	01/21/2008	127.75	04/17/2008	136.13				
960	01/21/2008	214.00	04/17/2008	211.81				
962	01/17/2008	162.82	04/16/2008	173.11				
963	01/16/2008	258.55	04/15/2008	258.43				
964	01/16/2008	258.63	04/15/2008	258.51				
965	01/18/2008	194.79	04/17/2008	202.98				
966	01/18/2008	195.10	04/17/2008	203.28				
968	01/22/2008	147.27	04/18/2008	155.57				
976	01/17/2008	227.08	04/16/2008	227.71				
980	01/21/2008	247.46	04/17/2008	247.96				
983	01/16/2008	250.62	04/16/2008	255.62				
984	01/16/2008	248.59	04/16/2008	252.55				
985	01/16/2008	258.56	04/16/2008	271.11				
986	01/16/2008	258.70	04/16/2008	264.50				
987	01/16/2008	256.30	04/15/2008	256.90				
988	01/16/2008	256.56	04/15/2008	257.56				
989	01/16/2008	259.66	04/15/2008	259.78				
990	01/16/2008	255.98	04/15/2008	256.47				
991	01/16/2008	258.90	04/15/2008	258.83				
992	01/16/2008	256.96	04/15/2008	260.12				
993	01/21/2008	233.53	04/17/2008	234.30				
994	01/21/2008	250.06	04/17/2008	249.94				
997	01/17/2008	250.15	04/16/2008	249.78				
998	01/17/2008	247.02	04/16/2008	247.96				
999	01/17/2008	240.95	04/16/2008	241.87				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/30/2008

Appendix C

Sampling Field Log Database (January - June 2008)

Field Parameters Database (January - June 2008)

Table of Meteorological Data (January - June 2008)

WELL	BOOK_NO	PAGE_NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP_ID	DTW_BP	DTW_AP	RATE	VOL_PURGE	SAMPLER_ID	GW_VOA	PW_VOA	F_METALS	U_METALS	FLUORIDE	SPECIAL	PUMPED_DRY	PID	COMMENTS
303	356		5/22/2008	EB080522303							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/WLID
300	350		5/23/2008	TB080523300							KWB	2	0	0	0	0	0	0			TRIP BLANK
302	356		5/23/2008	TB080523302							DFB	2	0	0	0	0	0	0			TRIP BLANK
303	356		5/23/2008	EB080523303							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/WLID
772	356	156304	5/23/2008	GW080523772			BP/LINE	10.33	11.09	1.5M/G	4.2 DFB	2	0	1	1	1	0	0	N	NA	FIELD BLANK TAKEN
859	350	155680	5/23/2008	GW080523859			2"SP/LINE	6.85	90.20	2GPM	60.0 KWB	2	0	0	0	0	0	0	Y	NA	
860	350	155679	5/23/2008	GW080523860			2"SP/LINE	7.21	143.50	2GPM	290.0 KWB	2	0	0	0	0	0	0	N	NA	
861	350	155678	5/23/2008	GW080523861	NR080523313		2"SP/LINE	14.30	99.00	2GPM	40.0 KWB	4	0	0	0	0	0	0	Y	NA	QC DUPLICATE #313
862	350	155677	5/23/2008	GW080523862			2"SP/LINE	15.45	145.67	2GPM	50.0 KWB	2	0	0	0	0	0	0	Y	NA	
302	357		5/27/2008	TB080527302							DFB	2	0	0	0	0	0	0			TRIP BLANK
303	357		5/27/2008	EB080527303							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/WLID
302	357		5/28/2008	TB080528302							DFB	2	0	0	0	0	0	0			TRIP BLANK
303	357		5/28/2008	EB080528303							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/WLID
572	357	156308	5/28/2008	GW080528572			PP/B	7.53	7.63	8M/G	4.4 DFB	2	0	0	0	0	0	0	N	ND/9.0	
832	357	156309	5/28/2008	GW080528832			PP/B	21.23	21.48	7M/G	4.4 DFB	2	0	0	0	0	0	0	N	NA	
210	357	156314	6/2/2008	PW080602210	NR080602310		SP/TAP	NA	NA	NA	0.3 DFB	4	0	0	0	0	0	0	N	NA	QC DUPLICATE #310
220	357	156312	6/2/2008	PW080602220			SP/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	ND/ND	
240	357	156313	6/2/2008	PW080602240			SP/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
290	359	156602	6/2/2008								DFB										NO SAMPLE, OFF LINE
302	357		6/2/2008	TB080602302							DFB	2	0	0	0	0	0	0			TRIP BLANK
303	357		6/2/2008	EB080602303							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/WLID
325	357	156315	6/2/2008	PW080602325			SP/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	ND/ND	
395	357	156316	6/2/2008	SW080602395	NR080602311		SP/TAP	NA	NA	NA	0.3 DFB	4	0	2	2	2	0	0	N	ND/ND	QC DUPLICATE #311
395A	357	156317	6/2/2008	SW080602395A			TANK/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	ND/ND	
395B	357	156318	6/2/2008	SW080602395B			TANK/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	ND/ND	
302	357		6/3/2008	TB080603302							DFB	2	0	0	0	0	0	0			TRIP BLANK
323	357	156324	6/3/2008	PW080603323			SP/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	2	N	NA	BACTERIA, TURBIDITY, FIELD BLANK TAKEN
302	357		6/4/2008	TB080604302							DFB	2	0	0	0	0	0	0			TRIP BLANK
250	357	156339	6/5/2008	PW080605250			SP/TAP	139.95	157.45	88GPM	11000.0 DFB	2	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
270	357	156338	6/5/2008	PW080605270			SP/TAP	58.05	469	57GPM	16000.0 DFB	2	0	1	1	1	0	0	N	ND/ND	
302	357		6/5/2008	TB080605302							DFB	2	0	0	0	0	0	0			TRIP BLANK
303	357		6/5/2008	EB080605303							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/WLID
260	357	156340	6/6/2008	PW080606260			SP/TAP	73.35	245.30	124GPM	9000.0 DFB	2	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
302	357		6/6/2008	TB080606302							DFB	2	0	0	0	0	0	0			TRIP BLANK
303	357		6/6/2008	EB080606303							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/WLID
628	357	156341	6/6/2008	GW080606628	NR080606313		SP/TAP	NA	NA	NA	0.3 DFB	4	0	0	0	0	0	0	N	NA	QC DUPLICATE #313
628A	357	156342	6/6/2008	GW080606628A			TANK/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	NA	
628B	357	156343	6/6/2008	GW080606628B			TANK/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	NA	
302	357		6/9/2008	TB080609302							DFB	2	0	0	0	0	0	0			TRIP BLANK
303	357		6/9/2008	EB080609303							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/WLID
612	357	156345	6/9/2008	GW080609612			SP/TAP	3.00	NA	0.9GPM	0.3 DFB	2	0	0	0	0	0	0	N	NA	
613	357	156346	6/9/2008								DFB										NO SAMPLE, OFF LINE
617	357	156347	6/9/2008	GW080609617			SP/TAP	4.90	NA	10.1GPM	0.3 DFB	2	0	0	0	0	0	0	N	NA	
618	357	156348	6/9/2008	GW080609618	NR080609312		SP/TAP	3.01	NA	1.3GPM	0.3 DFB	4	0	0	0	0	0	0	N	NA	QC DUPLICATE #312
032A	357	156344	6/9/2008	GW080609032A			SP/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0			FIELD BLANK TAKEN
NR360	357	156349	6/9/2008	NR080609360			SP/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
302	357		6/16/2008	TB080616302							DFB	2	0	0	0	0	0	0			TRIP BLANK
303	357		6/16/2008	EB080616303							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/WLID
302	357		6/17/2008	TB080617302							DFB	2	0	0	0	0	0	0			TRIP BLANK
303	357		6/17/2008	EB080617303							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/WLID
302	357		6/18/2008	TB080618302							DFB	2	0	0	0	0	0	0			TRIP BLANK
304	357		6/18/2008	EB080618304							DFB	2	0	0	0	0	0	0			EQUIPMENT BLANK/SP#4
302	357		6/25/2008	TB080625302							DFB	2	0	0	0	0	0	0			TRIP BLANK
395	357	156361	6/25/2008	SW080625395			SP/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	ND/ND	VOA RESAMPLE ONLY
395A	357	156362	6/25/2008	SW080625395A			TANK/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	ND/ND	RESAMPLE
395B	357	156363	6/25/2008	SW080625395B			TANK/TAP	NA	NA	NA	0.3 DFB	2	0	0	0	0	0	0	N	ND/ND	RESAMPLE

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
210	310	1/3/2008	10.2	7.6	890	6.15	QC DUPLICATE #310
220		1/3/2008	13.0	7.0	1500	5.73	
240		1/3/2008	11.6	7.7	1005	5.40	
250		1/3/2008	9.0	7.8	780	230	
260		1/3/2008	14.7	7.7	659	105	
270		1/3/2008	11.1	7.3	659	133	
290		1/3/2008					NO SAMPLE, OFF LINE
302		1/3/2008					TRIP BLANK
303		1/3/2008					EQUIP. BLANK/WLID
325		1/3/2008	10.6	7.5	1138	32.3	
612	311	1/3/2008	12.9	7.1	3120	35.2	
613		1/3/2008					NO SAMPLE, OFF LINE
617		1/3/2008	14.1	7.5	2470	1.28	QC DUPLICATE #311
618		1/3/2008	11.3	7.4	1950	5.88	
628		1/3/2008	10.5	7.4	1359	3.47	
032A		1/3/2008	12.5	7.4	1810	1.28	
628A		1/3/2008	10.4	7.4	1388	1.61	
628B		1/3/2008	10.7	7.4	1386	0.92	
NR360		1/3/2008	12.9	7.1	2470	2.10	
048		1/4/2008	6.8	6.8	1104	17.9	
066	312	1/4/2008	7.0	7.0	2350	90.8	
302		1/4/2008					TRIP BLANK
303		1/4/2008					EQUIP. BLANK/WLID
571		1/4/2008	8.6	6.9	1412	>1000	
302		1/7/2008					TRIP BLANK
323		1/7/2008	11.8	6.7	1520	1.85	
395		1/7/2008	17.0	7.4	663	0.73	
395A		1/7/2008	18.8	7.3	608	0.50	
395B		1/7/2008	17.3	7.8	567	1.06	
302		1/8/2008					TRIP BLANK
064	316	1/9/2008	11.6	7.2	1960	4.81	QC DUPLICATE #312
067		1/9/2008	8.4	7.5	615	6.41	
302		1/9/2008					TRIP BLANK
303		1/9/2008					EQUIP. BLANK/WLID
502		1/9/2008	11.8	7.1	1870	4.46	
520		1/9/2008	12.2	7.3	1640	4.20	
521		1/9/2008	12.4	7.2	2000	46.3	
545		1/9/2008	11.2	7.2	988	8.54	
757		1/9/2008	14.1	7.5	1020	>1000	
857		1/9/2008	11.3	7.3	1101	49.5	
858	314	1/9/2008	10.9	7.4	774	8.19	
990		1/9/2008	13.4	7.2	1610	1.70	QC DUPLICATE #316
220		1/10/2008	13.3	7.1	1550	3.94	
270		1/10/2008	12.0	7.3	638	58.4	
302		1/10/2008					TRIP BLANK
303		1/10/2008					EQUIP. BLANK/WLID
543		1/10/2008	8.9	7.1	952	11.9	
744		1/10/2008	12.1	7.0	1530	2.29	QC DUPLICATE #314
745		1/10/2008	9.6	7.1	2360	14.0	
755		1/10/2008	9.6	7.1	806	8.68	
774	315	1/10/2008	14.1	6.8	4190	2.75	QC DUPLICATE #315
302		1/11/2008					TRIP BLANK
303		1/11/2008					EQUIP. BLANK/WLID
859		1/11/2008	10.4	7.4	666	4.15	
860		1/11/2008	10.5	7.2	590	4.10	
065		1/14/2008	12.6	7.3	1730	3.04	
302		1/14/2008					TRIP BLANK
303		1/14/2008					EQUIP. BLANK/WLID
503		1/14/2008	11.9	6.9	2370	3.71	QC DUPLICATE #313
515		1/14/2008	10.0	7.5	577	0.76	
578	313	1/14/2008	12.0	7.3	1121	1.07	
601		1/14/2008	11.9	7.3	1780	2.89	
963		1/14/2008	11.5	7.4	850	1.71	
964		1/14/2008	11.3	7.4	1349	2.68	
987		1/14/2008	11.8	7.2	1940	8.89	
302		1/15/2008					TRIP BLANK
303		1/15/2008					EQUIP. BLANK/WLID
535		1/15/2008	10.3	7.5	570	3.81	
608		1/15/2008					NO SAMP, NO RECOVERY
711		1/15/2008	13.4	7.3	1510	13.7	
779	321	1/15/2008	10.6	7.3	1950	2.34	
958		1/15/2008	11.0	7.4	834	0.93	
965		1/15/2008	12.9	7.3	1980	1.45	QC DUPLICATE #321
966		1/15/2008	12.7	7.1	1480	1.75	

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
108		1/16/2008	11.2	7.5	1680	17.0	
109		1/16/2008					NO SAMP, PUMP FAILED
113		1/16/2008	9.4	7.4	1450	494	
145	318	1/16/2008	8.8	7.2	2780	>1000	QC DUPLICATE #318
146		1/16/2008	9.4	7.4	688	8.41	
156		1/16/2008	8.9	7.4	1209	5.62	
302		1/16/2008					TRIP BLANK
303		1/16/2008					EQUIP. BLANK/WLID
577		1/16/2008	12.5	7.5	1014	6.73	
007		1/21/2008	11.8	6.6	2560	16.0	
053		1/21/2008	12.6	6.8	5130	11.9	
109		1/21/2008	10.3	7.0	1225	4.61	
302		1/21/2008					TRIP BLANK
303		1/21/2008					EQUIP. BLANK/WLID
704	320	1/21/2008	10.3	7.1	1460	8.28	QC DUPLICATE #320
143		1/22/2008	11.0	8.4	1417	>1000	
300		1/22/2008					TRIP BLANK
302		1/22/2008					TRIP BLANK
303		1/22/2008					EQUIP. BLANK/WLID
579		1/22/2008	11.5	6.5	1247	393	
959		1/22/2008	13.0	7.0	1212	39.9	
960		1/22/2008	12.7	7.1	1295	4.80	
300		1/23/2008					TRIP BLANK
302		1/23/2008					TRIP BLANK
303		1/23/2008					EQUIP. BLANK/WLID
559		1/23/2008	9.9	7.0	1255	3.10	
574		1/23/2008	16.9	7.1	3060	2.80	
607		1/23/2008					NO SAMPLE, DRY WELL
610		1/23/2008	11.7	7.3	1770	4.44	
716		1/23/2008	12.7	7.1	2480	5.45	
929		1/23/2008	10.8	7.3	1279	1.63	
932		1/23/2008	13.0	6.6	2200	30.5	
941		1/23/2008					NO SAMPLE, DRY WELL
943		1/23/2008	10.5	7.3	1286	15.5	
944		1/23/2008	10.9	7.0	1197	>1000	
027		1/24/2008	12.7	6.3	2760	16.1	
105		1/24/2008	11.5	7.2	1336	10.6	
106		1/24/2008	11.1	7.3	1437	2.83	
118		1/24/2008	13.1	7.1	1800	3.29	
300		1/24/2008					TRIP BLANK
302		1/24/2008					TRIP BLANK
303		1/24/2008					EQUIP. BLANK/WLID
563		1/24/2008	9.4	7.2	2070	5.75	
564		1/24/2008	7.2	7.4	685	7.03	
604		1/24/2008	12.8	7.3	575	16.9	
606		1/24/2008	12.9	6.7	3320	>1000	
609		1/24/2008	12.3	6.5	1621	86	
622		1/24/2008	12.8	6.9	938	18.1	
623		1/24/2008	11.3	6.9	1460	33.3	
734		1/24/2008	14.1	6.9	1750	478	
737		1/24/2008	14.3	6.9	399	>1000	
931		1/24/2008	12.2	7.0	1397	23.9	
952	319	1/24/2008	9.6	7.1	1221	85.8	QC DUPLICATE #319
954		1/24/2008	14.0	6.3	2010	13.7	
300		1/25/2008					TRIP BLANK
302		1/25/2008					TRIP BLANK
303		1/25/2008					EQUIP. BLANK/WLID
611		1/25/2008	12.7	7.0	1770	4.16	
624		1/25/2008	11.6	6.3	771	12.8	
628		1/25/2008	9.8	7.2	1470	2.21	
732		1/25/2008	14.1	6.9	861	76.1	
739		1/25/2008	12.8	6.6	1344	38.7	
742		1/25/2008	10.9	6.6	616	337	
773		1/25/2008	12.6	6.8	3190	105	
922		1/25/2008	13.3	6.9	3090	>1000	
923		1/25/2008	13.3	6.6	2860	13.5	
953		1/25/2008	10.9	7.2	1760	15.3	
068		1/28/2008	11.8	6.6	2250	25.1	
118		1/28/2008	13.3	6.8	1820	5.44	
302		1/28/2008					TRIP BLANK
303		1/28/2008					EQUIP. BLANK/WLID
325		1/28/2008	11.4	6.9	1198	22.0	
772		1/28/2008	10.9	6.5	3320	8.94	
861		1/28/2008	10.3	7.1	3370	240	

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
862		1/28/2008	10.1	7.0	992	5.46	
046		1/29/2008	8.9	7.1	1285	7.98	
104		1/29/2008	13.6	7.0	4880	100	
302		1/29/2008					TRIP BLANK
303		1/29/2008					EQUIP. BLANK/WLID
210		2/4/2008	11.3	7.1	960	1.08	
220		2/4/2008	13.3	6.8	1590	3.06	
240		2/4/2008	12.5	7.1	1067	2.93	
250		2/4/2008	12.4	7.1	914	89.8	
260		2/4/2008	11.8	7.2	901	2.90	
270		2/4/2008	13.3	7.2	674	5.71	SAMPLE REJECTED
302		2/4/2008					TRIP BLANK
303		2/4/2008					EQUIP. BLANK/WLID
323		2/4/2008	11.3	6.8	1540	4.62	
325	310	2/4/2008	11.4	7.1	1190	1.26	QC DUPLICATE #310
302		2/5/2008					TRIP BLANK
290		2/6/2008					NO SAMPLE, OFF LINE
302		2/6/2008					TRIP BLANK
612		2/6/2008	12.4	6.5	3620	4.30	
613		2/6/2008					NO SAMPLE, OFF LINE
617		2/6/2008	13.8	6.6	2710	0.40	
618		2/6/2008					NO SAMPLE, OFF LINE
628		2/6/2008	10.2	6.9	1470	0.90	
032A	311	2/6/2008	13.5	6.8	2130	2.90	QC DUPLICATE #311
628A		2/6/2008	10.3	7.0	1458	0.42	
628B		2/6/2008	10.3	6.9	1461	0.45	
NR360		2/6/2008	13.7	6.7	2750	0.51	COMP. 612 AND 617
302		2/7/2008					TRIP BLANK
303		2/7/2008					EQUIP. BLANK/WLID
395		2/7/2008	15.8	7.4	899	0.50	
618		2/7/2008	5.5	6.8	1136	22.2	
395A		2/7/2008	17.8	7.3	821	0.60	
395B		2/7/2008	15.3	7.4	781	1.37	
302		2/11/2008					TRIP BLANK
303		2/11/2008					EQUIP. BLANK/WLID
302		2/12/2008					TRIP BLANK
303		2/12/2008					EQUIP. BLANK/WLID
754	316	2/12/2008	12.5	6.8	2590	204	QC DUPLICATE #316
775		2/12/2008	13.1	6.3	3680	14.1	
777		2/12/2008	10.9	6.8	1105	2.05	
998		2/12/2008	10.4	6.7	2000	30.0	
999		2/12/2008	11.7	6.8	1600	9.06	
143		2/14/2008	11.6	7.0	1328	>1000	
302		2/14/2008					TRIP BLANK
303		2/14/2008					EQUIP. BLANK/WLID
608		2/14/2008	14.2	7.0	1204	1000	
740		2/14/2008					NETS METALS
766		2/14/2008	15.1	6.7	3100	724	
769	314	2/14/2008	14.4	6.7	3870	808	QC DUPLICATE #314
789	317	2/14/2008	10.8	6.2	1001	825	QC DUPLICATE #317
791		2/14/2008	11.5	6.5	2610	1000	
740		2/15/2008	11.8	7.0	4910	167	
103		2/18/2008	8.5	6.1	337	10.5	
302		2/18/2008					TRIP BLANK
303		2/18/2008					EQUIP. BLANK/WLID
580		2/18/2008	12.1	5.5	1810	79.2	
581		2/18/2008	12.6	6.3	1043	>1000	
627		2/18/2008	14.6	5.5	1082	32.9	
701		2/18/2008	9.4	6.8	2350	1000	
702		2/18/2008	9.6	6.3	846	>1000	
735		2/18/2008	13.8	6.0	1560	6.72	
761		2/18/2008	13.6	6.2	1570	654	
270		2/19/2008	11.7	6.4	769	1.85	
302		2/19/2008					TRIP BLANK
303		2/19/2008					EQUIP. BLANK/WLID
015		2/20/2008	9.4	7.1	705	53.2	
016		2/20/2008	12.6	7.0	1630	5.13	
302		2/20/2008					TRIP BLANK
303		2/20/2008					EQUIP. BLANK/WLID
706		2/20/2008	13.7	6.5	3710	3.15	
035		2/27/2008	8.1	6.6	2220	1.27	
150		2/27/2008	9.4	6.6	1690	1000	
302		2/27/2008					TRIP BLANK
303		2/27/2008					EQUIP. BLANK/WLID

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
722	313	2/27/2008	11.9	6.8	1770	8.47	QC DUPLICATE #313
151		2/28/2008	11.0	6.3	1990	3.52	
161		2/28/2008	7.4	7.3	894	1.31	
302		2/28/2008					TRIP BLANK
303		2/28/2008					EQUIP. BLANK/WLID
714		2/28/2008	13.0	6.9	1710	369	
793		2/28/2008	12.2	6.8	2630	58.9	
302		3/3/2008					TRIP BLANK
323		3/3/2008	10.4	6.6	1082	14.9	
210		3/5/2008	12.2	6.8	890	1.16	
220		3/5/2008	13.3	6.6	1440	2.15	
240		3/5/2008	14.0	6.7	988	4.74	
250		3/5/2008	12.2	6.7	901	25.6	
260		3/5/2008	12.0	6.8	776	17.3	
270		3/5/2008	12.4	6.8	893	3.33	
290		3/5/2008					NO SAMPLE, OFF LINE
302		3/5/2008					TRIP BLANK
303		3/5/2008					EQUIP. BLANK/WLID
325	310	3/5/2008	11.8	6.7	1132	3.25	QC DUPLICATE #310
395	311	3/5/2008	13.7	7.4	622	1.17	QC DUPLICATE #311
395A		3/5/2008	18.2	7.3	683	1.36	
395B		3/5/2008	14.6	7.0	740	1.74	
302		3/7/2008					TRIP BLANK
303		3/7/2008					EQUIP. BLANK/WLID
612		3/7/2008	11.4	6.3	3220	5.38	
613		3/7/2008					NO SAMPLE, OFF LINE
617		3/7/2008	11.6	6.6	2310	0.89	
618		3/7/2008	9.3	6.6	1920	0.69	
628		3/7/2008	8.8	6.5	1164	1.39	
032A		3/7/2008	12.6	6.7	1780	2.04	
628A		3/7/2008	8.5	6.7	1179	0.78	
628B		3/7/2008	8.7	6.7	1173	0.78	
NR360		3/7/2008	11.2	6.5	2320	0.87	COMP. 612, 617, 618
010		3/10/2008	13.1	6.8	2100	922	
204		3/10/2008	4.4	6.6	1740	628	
302		3/10/2008					TRIP BLANK
303		3/10/2008					EQUIP. BLANK/WLID
753		3/10/2008	4.9	6.6	526	1.57	
763		3/10/2008	13.5	6.8	2080	65.1	
792		3/10/2008	10.6	6.5	2850	>1000	
302		3/11/2008					TRIP BLANK
303		3/11/2008					EQUIP. BLANK/WLID
743		3/11/2008	10.8	6.2	5160	428	
751		3/11/2008	7.1	6.4	463	9.85	
767		3/11/2008	12.9	6.4	1334	366	
768	317	3/11/2008	13.6	6.2	2440	>1000	QC DUPLICATE #317
771		3/11/2008	12.8	6.3	2560	1000	
063		3/12/2008	11.8	6.0	5700	131	
167		3/12/2008	10.3	6.4	855	58.0	
302		3/12/2008					TRIP BLANK
303		3/12/2008					EQUIP. BLANK/WLID
423	314	3/12/2008	10.5	6.7	829	7.16	QC DUPLICATE #314
424		3/12/2008	10.7	6.8	1520	46.8	
059		3/13/2008	6.5	6.4	751	3.46	
060	315	3/13/2008	9.8	6.5	1000	49.6	QC DUPLICATE #315
061		3/13/2008	6.3	6.1	4350	4.23	
302		3/12/2008					TRIP BLANK
303		3/13/2008					EQUIP. BLANK/WLID
300		3/19/2008					TRIP BLANK
303		3/19/2008					EQUIP. BLANK/WLID
407		3/19/2008	10.9	6.7	1246	3	
415		3/19/2008	11.8	6.2	1186	2.00	
417		3/19/2008	11.1	6.9	755	3	
069	312	3/20/2008	5.6	7.0	1053	5	QC DUPLICATE #312
085		3/20/2008	11.9	7.3	2051	128	
087		3/20/2008	11.8	7.6	1037	1	
166		3/20/2008	11.9	7.3	1208	10	
300		3/20/2008					TRIP BLANK
303		3/20/2008					EQUIP. BLANK/WLID
402	313	3/20/2008	11.8	7.2	1404	2	QC DUPLICATE #313
600	316	3/20/2008	9.6	6.9	3718	516	QC DUPLICATE #316
602		3/20/2008	9.8	8.1	277	452	
603		3/20/2008	11.6	7.7	556	333	
300		3/21/2008					TRIP BLANK

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
303		3/21/2008					EQUIP. BLANK/WLID
400		3/21/2008	5.3	7.4	684	2	
401		3/21/2008	10.4	7.3	859	9	
403		3/21/2008	7.2	7.4	1404	19	
404		3/21/2008	8.3	7.2	4403	11	
410		3/21/2008	7.8	6.9	382	5	
412		3/21/2008	10.1	7.5	1169	1	
416		3/21/2008	8.2	7.9	797	41	
054		3/24/2008	11.7	7.0	3268	17	
178		3/24/2008	13.6	7.8	1461	177	
181		3/24/2008	12.4	9.7	1149	537	
300		3/24/2008					TRIP BLANK
303		3/24/2008					EQUIP. BLANK/WLID
561		3/24/2008	10.8	7.2	1050	274	
576		3/24/2008	11.0	6.9	1883	97	
756		3/24/2008	12.4	7.5	702	186	
956		3/24/2008	13.5	6.8	1879	523	
300		3/26/2008					TRIP BLANK
303		3/26/2008					EQUIP. BLANK/WLID
408		3/26/2008	10.1	7.3	339	8	
720		3/26/2008	12.6	7.0	1551	36	
921		3/26/2008	13.1	7.2	2127	27	
210		4/1/2008	13.6	7.0	897	2.71	
250	310	4/1/2008	12.6	6.8	940	21.3	QC DUPLICATE #310
260		4/1/2008	13.1	6.9	841	14.5	
270		4/1/2008	12.5	7.0	964	2.54	
302		4/1/2008					TRIP BLANK
303		4/1/2008					EQUIP. BLANK/WLID
220		4/2/2008	19.7	6.8	1500	4.74	
240		4/2/2008	12.4	6.9	1011	3.55	
290		4/2/2008					NO SAMPLE, OFF LINE
302		4/2/2008					TRIP BLANK
303		4/2/2008					EQUIP. BLANK/WLID
325		4/2/2008	11.9	7.0	1151	5.98	
395		4/2/2008	13.4	7.0	925	1.82	
612	311	4/2/2008	12.1	6.4	3250	6.64	QC DUPLICATE #311
613		4/2/2008					NO SAMPLE, OFF LINE
617		4/2/2008	11.1	6.8	2390	0.63	
618		4/2/2008	10.0	6.8	1900	2.71	
628		4/2/2008	9.8	7.0	1065	1.82	
032A		4/2/2008	12.9	6.9	1810	1.06	
395A		4/2/2008	17.4	7.3	893	1.43	
395B		4/2/2008	13.5	7.7	938	3.52	
628A		4/2/2008	8.9	7.1	1075	0.97	
628B		4/2/2008	8.8	6.9	1081	0.74	
NR360		4/2/2008	10.7	6.6	2410	0.92	
066		4/3/2008	7.2	6.5	2390	20.3	
067	312	4/3/2008	6.8	7.1	589	4.83	QC DUPLICATE #312
302		4/3/2008					TRIP BLANK
303		4/3/2008					EQUIP. BLANK/WLID
571		4/3/2008	7.7	6.8	1102	1000	
832		4/3/2008	9.0	6.9	814	1.01	
302		4/7/2008					TRIP BLANK
323		4/7/2008	10.7	6.7	1044	3.07	
302		4/8/2008					TRIP BLANK
303		4/8/2008					EQUIP. BLANK/WLID
395		4/8/2008	14.0	7.3	1023	1.36	
543		4/8/2008	7.7	7.2	572	1.29	
545		4/8/2008	10.5	7.7	579	6.78	
744		4/8/2008	11.8	6.9	1600	1.47	
745		4/8/2008	14.1	6.7	3416	11.5	
757		4/8/2008	12.3	7.0	1630	>1000	
395A		4/8/2008	18.9	7.4	824	1.47	
395B		4/8/2008	15.5	7.7	1139	1.70	
048		4/9/2008	6.8	7.0	900	5.46	
064		4/9/2008	11.4	7.1	1394	17.0	
302		4/9/2008					TRIP BLANK
303		4/9/2008					EQUIP. BLANK/WLID
773	314	4/9/2008	12.5	6.5	3250	39.2	QC DUPLICATE #314
774		4/9/2008	12.4	6.6	4100	6.81	
857		4/9/2008	11.9	7.1	1207	45.4	
858	315	4/9/2008	12.1	7.3	741	7.94	QC DUPLICATE #315
302		4/10/2008					TRIP BLANK
303		4/10/2008					EQUIP. BLANK/WLID

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
502		4/10/2008	11.8	6.8	1880	6.67	
520		4/10/2008	10.6	7.1	937	2.22	
521		4/10/2008	10.3	7.0	769	82.3	
990	316	4/10/2008	10.7	7.0	879	4.83	QC DUPLICATE #316
065	317	4/14/2008	11.7	7.0	1369	5.12	QC DUPLICATE #317
113		4/14/2008	10.5	7.0	1449	4.11	
302		4/14/2008					TRIP BLANK
303		4/14/2008					EQUIP. BLANK/WLID
515	313	4/14/2008	10.4	7.1	572	0.60	QC DUPLICATE #313
535		4/14/2008	11.2	7.2	568	3.40	
958		4/14/2008	11.9	7.1	833	0.88	
987		4/14/2008	11.8	6.9	678	14.0	
302		4/15/2008					TRIP BLANK
303		4/15/2008					EQUIP. BLANK/WLID
577		4/15/2008	13.0	7.1	1024	77.1	
578		4/15/2008	12.2	7.1	1150	0.36	
601		4/15/2008	12.3	7.1	1680	4.22	
604		4/15/2008	13.4	7.4	557	20.3	
704		4/15/2008	12.3	7.0	1397	5.72	
963		4/15/2008	11.4	7.0	705	3.00	
964	322	4/15/2008	11.5	7.0	1436	2.63	QC DUPLICATE #322
145		4/16/2008	11.6	6.9	2660	1000	
146		4/16/2008	11.1	7.6	676	4.86	
156		4/16/2008	10.2	7.1	1229	15.4	
302		4/16/2008					TRIP BLANK
303		4/16/2008					EQUIP. BLANK/WLID
711	320	4/16/2008	14.7	7.7	1510	11.8	QC DUPLICATE #320
779		4/16/2008	12.7	7.0	1870	0.48	
965		4/16/2008	13.0	6.9	1910	1.34	
966		4/16/2008	13.5	6.8	1481	0.48	
302		4/17/2008					TRIP BLANK
303		4/17/2008					EQUIP. BLANK/WLID
503	318	4/17/2008	13.2	6.7	2640	9.47	QC DUPLICATE #318
608		4/17/2008	17.3	7.6	1800	>1000	
610		4/17/2008	14.2	8.4	1660	5.40	
952		4/17/2008	13.4	7.4	1163	8.16	
953		4/17/2008	12.7	6.8	1620	6.37	
053		4/21/2008	12.4	7.1	3660	14.0	
143		4/21/2008	13.2	7.3	1550	>1000	
300		4/21/2008					TRIP BLANK
302		4/21/2008					TRIP BLANK
303		4/21/2008					EQUIP. BLANK/WLID
559		4/21/2008	12.0	6.8	1272	3.06	
563		4/21/2008	11.5	6.9	1480	6.83	
564		4/21/2008	14.7	7.2	723	38.2	
606		4/21/2008	15.7	6.7	3980	>1000	
609		4/21/2008	14.4	6.8	1820	258	
623		4/21/2008	12.4	6.4	1436	6.56	
624		4/21/2008	13.1	6.8	772	1.57	
716		4/21/2008	15.5	7.4	2320	25.8	
732		4/21/2008	16.7	6.8	889	5.05	
007		4/22/2008	13.9	6.9	2440	5.40	
118		4/22/2008	16.7	6.7	1710	1.57	
302		4/22/2008					TRIP BLANK
303		4/22/2008					EQUIP. BLANK/WLID
959		4/22/2008	14.6	6.7	1191	9.13	
960		4/22/2008	14.2	6.7	1207	3.22	
105		4/23/2008	16.4	8.2	1364	6.11	
106		4/23/2008	14.2	8.0	1375	2.32	
300		4/23/2008					TRIP BLANK
302		4/23/2008					TRIP BLANK
303		4/23/2008					EQUIP. BLANK/WLID
622		4/23/2008	15.0	6.9	1081	5.60	
922		4/23/2008	15.0	6.8	3320	28.4	
923		4/23/2008	16.7	6.9	3250	19.6	
929		4/23/2008	14.7	7.2	1291	1.60	
931		4/23/2008	13.2	7.1	1490	1.32	
943		4/23/2008	12.0	6.4	1450	16.7	
944		4/23/2008	12.4	7.3	1334	255	
027		4/24/2008	13.8	6.6	3430	16.3	
300		4/24/2008					TRIP BLANK
303		4/24/2008					EQUIP. BLANK/WLID
579		4/24/2008	13.7	6.5	1600	650	
737		4/24/2008	15.9	6.7	487	>1000	

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
739		4/24/2008	15.0	6.7	1500	33.6	
300		4/25/2008					TRIP BLANK
302		4/25/2008					TRIP BLANK
303		4/25/2008					EQUIP. BLANK/WLID
574		4/25/2008	18.9	6.8	2990	0.99	
734		4/25/2008	16.4	5.5	1750	13.1	
742	321	4/25/2008	14.2	5.9	615	56.7	QC DUPLICATE #321
954		4/25/2008	13.6	5.8	2280	32.7	
108		4/29/2008	12.3	7.5	1610	7.72	
109		4/29/2008	12.2	7.1	1250	3.95	
302		4/29/2008					TRIP BLANK
303		4/29/2008					EQUIP. BLANK/WLID
607		4/29/2008	13.2	7.5	910	1000	
611		4/29/2008	13.5	6.8	1770	2.77	
932		4/29/2008	13.5	6.8	1920	21.8	
941		4/29/2008	13.2	7.6	928	>1000	
302		4/30/2008					TRIP BLANK
303		4/30/2008					EQUIP. BLANK/WLID
423		4/30/2008	12.0	6.8	819	3.21	
424		4/30/2008	11.4	6.5	1352	39.5	
754		4/30/2008	12.5	7.0	2600	189	
210		5/1/2008	12.4	7.9	917	1.48	
220		5/1/2008	13.9	7.1	1510	3.63	
250		5/1/2008	12.2	7.1	945	65.9	
260		5/1/2008	12.5	7.2	854	24.0	
270		5/1/2008	13.5	7.2	808	8.89	
302		5/1/2008					TRIP BLANK
303		5/1/2008					EQUIP. BLANK/WLID
325	310	5/1/2008	12.4	7.2	1186	8.42	QC DUPLICATE #310
240		5/2/2008	12.6	7.1	1020	4.15	
302		5/2/2008					TRIP BLANK
303		5/2/2008					EQUIP. BLANK/WLID
628	312	5/2/2008	9.6	7.1	978	4.15	QC DUPLICATE #312
628A		5/2/2008	9.5	7.2	962	1.56	
628B		5/2/2008	9.5	7.0	967	1.22	
302		5/5/2008					TRIP BLANK
323		5/5/2008	11.1	6.7	1167	4.03	
302		5/6/2008					TRIP BLANK
068		5/7/2008	11.4	6.5	2140	56.3	
302		5/7/2008					TRIP BLANK
303		5/7/2008					EQUIP. BLANK/WLID
751		5/7/2008	15.2	6.5	692	318	
753		5/7/2008	12.9	6.5	751	10.4	
755		5/7/2008	12.7	6.7	979	15.7	
756		5/7/2008					NETS HYDRO
302		5/8/2008					TRIP BLANK
303		5/8/2008					EQUIP. BLANK/WLID
606		5/8/2008	16.2	6.6	3870	53.0	
737		5/8/2008	15.7	7.4	445	>1000	
756		5/8/2008	14.1	6.9	2150	5.50	
290		5/9/2008					NO SAMPLE, OFF LINE
302		5/9/2008					TRIP BLANK
303		5/9/2008					EQUIP. BLANK/WLID
395		5/9/2008	14.1	7.2	1097	9.55	
612		5/9/2008	12.6	6.5	3220	5.62	
613		5/9/2008					NO SAMPLE, OFF LINE
617		5/9/2008	11.0	6.4	2630	2.55	
618	311	5/9/2008	12.0	6.8	1900	3.44	QC DUPLICATE #311
032A		5/9/2008	15.9	7.0	2220	8.93	
395A		5/9/2008	19.3	7.6	1201	4.33	
395B		5/9/2008	17.3	7.8	1350	3.22	
NR360		5/9/2008	11.7	6.7	2600	1.64	
302		5/21/2008					TRIP BLANK
303		5/21/2008					EQUIP. BLANK/WLID
300		5/22/2008					TRIP BLANK
302		5/22/2008					TRIP BLANK
303		5/22/2008					EQUIP. BLANK/WLID
300		5/23/2008					TRIP BLANK
302		5/23/2008					TRIP BLANK
303		5/23/2008					EQUIP. BLANK/WLID
772		5/23/2008	13.4	6.4	2920	7.84	
859		5/23/2008	11.4	6.8	703	10.2	
860		5/23/2008	12.0	6.8	665	4.22	
861	313	5/23/2008	11.4	6.4	463	90.7	QC DUPLICATE #313

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
862		5/23/2008	12.0	6.3	982	1.13	
302		5/27/2008					TRIP BLANK
303		5/27/2008					EQUIP. BLANK/WLID
302		5/28/2008					TRIP BLANK
303		5/28/2008					EQUIP. BLANK/WLID
572		5/28/2008	21.2	7.0	2250	3.42	
832		5/28/2008	10.0	6.8	841	1.56	
210	310	6/2/2008	12.6	7.1	945	1.30	QC DUPLICATE #310
220		6/2/2008	14.4	7.0	1600	5.09	
240		6/2/2008	13.0	7.1	1047	1.33	
290		6/2/2008					NO SAMPLE, OFF LINE
302		6/2/2008					TRIP BLANK
303		6/2/2008					EQUIP. BLANK/WLID
325		6/2/2008	13.0	7.2	1208	2.04	
395	311	6/2/2008	14.9	7.2	1147	1.41	QC DUPLICATE #311
395A		6/2/2008	21.2	7.6	1256	1.10	
395B		6/2/2008	21.1	7.6	1264	0.94	
302		6/3/2008					TRIP BLANK
323		6/3/2008	11.9	6.6	1331	14.7	
302		6/4/2008					TRIP BLANK
250		6/5/2008	12.8	7.2	956	23.8	
270		6/5/2008	13.7	7.2	701	4.26	
302		6/5/2008					TRIP BLANK
303		6/5/2008					EQUIP. BLANK/WLID
260		6/6/2008	12.7	7.2	807	14.7	
302		6/6/2008					TRIP BLANK
303		6/6/2008					EQUIP. BLANK/WLID
628	313	6/6/2008	10.6	7.0	1072	2.64	QC DUPLICATE #313
628A		6/6/2008	10.5	7.0	1079	1.00	
628B		6/6/2008	10.3	6.8	1077	0.20	
302		6/9/2008					TRIP BLANK
303		6/9/2008					EQUIP. BLANK/WLID
612		6/9/2008	15.7	6.4	3160	11.0	
613		6/9/2008					NO SAMPLE, OFF LINE
617		6/9/2008	12.4	6.5	2800	0.77	
618	312	6/9/2008	14.4	6.5	1940	1.68	QC DUPLICATE #312
032A		6/9/2008	20.7	6.8	2540	1.64	
NR360		6/9/2008	14.2	6.4	2760	0.34	
302		6/16/2008					TRIP BLANK
303		6/16/2008					EQUIP. BLANK/WLID
302		6/17/2008					TRIP BLANK
303		6/17/2008					EQUIP. BLANK/WLID
302		6/18/2008					TRIP BLANK
304		6/18/2008					EQUIP. BLANK/SP#4
302		6/25/2008					TRIP BLANK
395		6/25/2008	15.6	7.2	782	0.93	
395A		6/25/2008	20.2	7.4	665	2.05	
395B		6/25/2008	19.9	7.5	636	0.59	

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 01/2008											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)	Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								D a t e		
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second	max 2-minute					
	Depth	Water Equiv	Snow Fall	Water Equiv																							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26		
01	36	20	28	2	28	29	37	0	0722	1636	SN FG+ FG FZFG BR UP	M	M	M	0.24	29.69	29.82	1.9	24	2.7	21	270	15	250	01		
02	34	11	23	-3	12	21	42	0	0722	1637		M	M	M	0.00	29.68	29.93	7.4	34	9.8	25	010	20	350	02		
03	18	5	12*	-14	-2	8	53	0	0722	1638		M	M	M	0.00	30.35	30.56	4.5	36	5.0	21	310	16	300	03		
04	32	5*	19	-6	10	18	46	0	0722	1639		M	M	M	0.00	30.33	30.48	3.0	22	3.3	15s	230	12	210	04		
05	42	17	30	5	19	27	35	0	0722	1640	RA BR	M	M	M	0.01	30.14	30.30	0.8	18	1.1	20	150	8	150	05		
06	44	32	38	13	34	36	27	0	0722	1641	RA BR	M	M	M	0.01	30.01	30.19	0.6	21	0.8	13	240	7	240	06		
07	60	33	47	22	38	40	18	0	0722	1642	BR HZ	M	M	M	T	29.99	30.17	0.6	24	0.7	18	150	8	240	07		
08	63*	32	48	23	41	43	17	0	0722	1643	FG BR	M	M	M	0.00	29.90	30.05	0.9	16	1.4	20	330	9	150	08		
09	62	36	49*	24	37	46	16	0	0722	1644	RA	M	M	M	0.02	29.65	29.83	8.9	24	12.4	45	260	31	250	09		
10	46	27	37	12	26	34	28	0	0722	1645	RA	M	M	M	T	29.93	30.11	2.8	25	3.0	17	250	14	250	10		
11	46	30	38	13	36	36	27	0	0721	1646	RA FG BR	M	M	M	0.35	29.60	29.76	1.1	35	1.7	81s	090	35s	080	11		
12	48	25	37	12	30	33	28	0	0721	1647	BR	M	M	M	0.00	29.81	30.01	0.7	33	0.9	13	360	10	350	12		
13	46	20	33	9	26	30	32	0	0721	1648	RA SN BR UP	M	M	M	0.03	29.97	30.13	1.4	09	2.2	16	050	12	130	13		
14	35	32	34	10	32	32	31	0	0720	1649	SN FG BR	M	M	M	0.31	29.68	29.84	3.4	35	3.5	1s	030	1s	040	14		
15	37	25	31	7	27	29	34	0	0720	1650	SN FG+ FZFG BR	M	M	M	T	29.60	29.80	1.6	29	3.2	21	320	15	010	15		
16	37	15	26	2	16	23	39	0	0720	1651		M	M	M	0.00	29.98	30.21	3.2	33	3.5	25	150	17	330	16		
17	32	14	23	-1	19	23	42	0	0719	1652	SN BR	M	M	M	0.09	30.12	30.27	0.3	06	1.4	17	240	7	010	17		
18	44	24	34	10	27	32	31	0	0718	1654	FZRA BR UP	M	M	M	0.22	29.71	29.88	3.7	26	5.0	28	250	20	250	18		
19	35	19	27	3	17	25	38	0	0718	1655		M	M	M	0.00	29.82	29.99	3.7	23	3.9	16	220	14	230	19		
20	31	15	23	-1	2	16	42	0	0717	1656	SN	M	M	M	T	29.93	30.12	10.5	29	12.7	28	240	21	260	20		
21	24	12	18	-6	1	14	47	0	0717	1657		M	M	M	0.00	30.44	30.61	7.7	25	8.1	204s	250	20	250	21		
22	36	14	25	1	15	25	40	0	0716	1658	SN	M	M	M	T	29.98	30.16	4.2	20	5.6	24	210	16	210	22		
23	36	19	28	4	13	25	37	0	0715	1660		M	M	M	0.00	29.80	29.97	7.1	27	7.8	28	250	20	270	23		
24	31	17	24	0	13	21	41	0	0715	1701		M	M	M	T	29.86	30.03	2.2	30	4.3	22	030	16	030	24		
25	32	10	21	-3	8	19	44	0	0714	1702		M	M	M	0.00	30.06	30.23	6.6	25	6.7	36	150	21	260	25		
26	32	18	25	1	13	22	40	0	0713	1703	SN	M	M	M	T	30.04	30.22	0.5	17	1.3	12	210	8	230	26		
27	37	25	31	7	21	27	34	0	0712	1705		M	M	M	T	29.92	30.08	5.5	36	6.1	18	330	13	330	27		
28	39	18	29	5	18	25	36	0	0711	1706		M	M	M	0.00	29.87	30.04	5.2	35	5.8	32	020	23	010	28		
29	38	17	28	4	23	27	37	0	0710	1707	RA BR HZ	M	M	M	0.03	29.67	29.82	0.8	18	1.2	13	080	7	140	29		
30	44	28	36	12	24	33	29	0	0710	1708	RA BR	M	M	M	0.22	29.47	29.69	8.3	24	10.0	54	240	40	250	30		
31	35	17	26	2	12	23	39	0	0709	1710		M	M	M	0.00	30.27	30.50	1.5	31	2.2	20	320	15	260	31		
	39.1	20.4	29.8		20.5	27.2	35.1	0.0	<-----Monthly Averages Totals----->			M	M	1.53		29.91	30.07	2.2	28	4.4	<Monthly Average						
	4.9	5.7	5.3				<-----Departure From Normal----->					-1.66															
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 1087 -170 M M Cooling: 0 0									Greatest 24-hr Precipitation: 0.35 Date: 11 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M							Sea Level Pressure Date Time (LST) Maximum 30.70 21 1055 Minimum 29.39 30 0935											
									Number of Days with ----->							Max Temp >=90: 0 Min Temp <=32: 8 Thunderstorms : 0				Min Temp <=32: 29 Min Temp <=0 : 0 Heavy Fog : 2				Precipitation >=.01 inch: 11 Precipitation >=.10 inch: Snowfall >=1.0 inch : M			
									* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																		

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 02/2008											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																		
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Date			
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max						
																					5-second Speed	Dir	2-minute Speed	Dir					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26				
01	36	26	31	7	26	30	34	0	0708	1711	RA PL BR	M	M	M	1.14	30.07	30.16	2.5	05	5.5	14s	280	12	360	01				
02	42	34	38	14	31	35	27	0	0707	1712		M	M	M	0.00	29.82	30.04	6.8	24	7.6	26	250	20	250	02				
03	45	24	35	10	27	31	30	0	0706	1713	BR	M	M	M	0.00	30.01	30.20	1.6	22	1.9	14	240	9	240	03				
04	34	24	29	4	29	30	36	0	0704	1715	RA BR	M	M	M	T	30.14	30.31	0.6	01	0.7	25	030	6	010	04				
05	48	33	41	16	39	40	24	0	0703	1716	RA FG+ BR	M	M	M	0.40	29.77	29.90	1.1	22	1.7	6s	140	5s	140	05				
06	42	33	38	13	38	38	27	0	0702	1717	RA FG+ FG BR	M	M	M	0.68	29.47	29.60	M	M	4.3	18	350	14	330	06				
07	44	26	35	10	31	34	30	0	0701	1718	RA FG+ FG BR	M	M	M	0.09	29.50	29.73	3.0	30	4.8	35	290	26	280	07				
08	38	25	32	7	24	28	33	0	0660	1720		M	M	M	0.00	29.80	29.98	1.8	34	1.8	20	150	7	320	08				
09	37	24	31	6	30	30	34	0	0659	1721	RA SN FG+ FG BR	M	M	M	0.17	29.80	29.94	0.2	15	0.2	26	240	15	240	09				
10	41	11	26	0	17	25	39	0	0658	1722	SN FG+ FZFG BR UP SQ	M	M	M	0.01	29.52	29.71	11.1	28	12.1	43	250	33	260	10				
11	25	8	17	-9	-2	12	48	0	0656	1724		M	M	M	0.00	29.98	30.19	11.9	27	12.3	33	270	24	260	11				
12	23	7	15*	-11	11	16	50	0	0655	1725	SN FZFG BR UP	M	M	M	0.41	30.19	30.34	0.3	30	1.0	20	170	9	270	12				
13	36	23	30	4	31	32	35	0	0654	1726	RA FZRA FG BR UP	M	M	M	2.64	29.57	29.69	3.1	34	3.6	21	210	12	340	13				
14	37	25	31	5	18	26	34	0	0652	1727		M	M	M	0.00	29.78	29.99	5.4	35	5.7	26	360	21	330	14				
15	43	23	33	6	22	29	32	0	0651	1729		M	M	M	0.00	29.87	30.06	5.7	27	7.3	29	270	21	270	15				
16	31	17	24	-3	11	20	41	0	0650	1730		M	M	M	0.00	30.11	30.30	1.4	31	1.8	18	280	15	290	16				
17	39	15	27	0	24	28	38	0	0648	1731	RA BR	M	M	M	0.35	30.02	30.14	1.8	18	2.4	62s	100	15	180	17				
18	61*	32	47*	20	46	48	18	0	0647	1732	RA BR	M	M	M	0.43	29.38	29.54	2.2	22	6.4	23	180	17	250	18				
19	38	23	31	3	16	28	34	0	0646	1734		M	M	M	0.00	29.57	29.78	11.2	25	11.9	38	220	28	250	19				
20	30	20	25	-3	6	19	40	0	0644	1735		M	M	M	0.00	29.87	30.07	7.9	26	9.2	25	240	18	240	20				
21	31	15	23	-5	7	19	42	0	0643	1736		M	M	M	0.00	30.14	30.33	3.3	27	3.7	24	280	12	260	21				
22	29	23	26	-2	23	25	39	0	0641	1737	SN FG+ FZFG BR UP	M	M	M	0.61	29.93	30.05	1.7	02	2.8	12	340	9	340	22				
23	32	14	23	-6	22	25	42	0	0640	1738	SN BR	M	M	M	0.01	29.75	29.95	2.3	35	2.4	23	020	9	010	23				
24	37	3	20	-9	14	19	45	0	0638	1740	BR	M	M	M	0.00	29.91	30.08	1.1	23	1.3	98s	090	23	040	24				
25	45	10	28	-1	17	24	37	0	0637	1741	BR	M	M	M	0.00	29.74	29.90	0.2	15	0.6	20	270	9	170	25				
26	38	20	29	-1	28	30	36	0	0635	1742	RA SN BR HZ	M	M	M	0.48	29.49	29.60	1.5	36	2.0	24	110	9	110	26				
27	34	19	27	-3	26	28	38	0	0634	1743	SN FG+ FG BR HZ	M	M	M	T	29.25	29.47	5.4	32	6.0	20	310	15	300	27				
28	24	9	17	-13	5	15	48	0	0632	1744		M	M	M	T	29.83	30.07	7.3	28	7.9	25	280	21	270	28				
29	29	3*	16	-14	8	15	49	0	0627	1743	SN BR	M	M	M	0.08	30.22	30.43	1.9	14	2.3	20	150	14	150	29				
	36.9	19.6	28.3		21.6	26.9	36.6	0.0	<-----Monthly Averages Totals----->			M	M	7.51s	29.81	29.98	2.7	28	4.5	<Monthly Average									
	-0.6	3.5	1.5				<-----Departure From Normal----->					4.98																	
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 1060 -10 M M Cooling: 0 0									Greatest 24-hr Precipitation: 3.01s Date: 12-13 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M									Sea Level Pressure Date Time (LST) Maximum 30.60 01 0016 Minimum 29.25 26 2240											
									Number of Days with ----->									Max Temp >=90: 0 Min Temp <=32: 9 Thunderstorms : 0			Min Temp <=32: 26 Min Temp <=0 : 0 Heavy Fog : 7			Precipitation >=.01 inch: 14 Precipitation >=.10 inch: Snowfall >=1.0 inch : M					
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																					Data Version: VER2								

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 03/2008											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								D a t e
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second	max 2-minute				
	Depth	Water Equiv	Snow Fall	Water Equiv																						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	41	27	34	3	26	32	31	0	0631	1746	RA SN FG BR UP	M	M	M	0.07	29.77	29.92	8.4	27	9.6	40	310	30	300	01	
02	41	23	32	1	14	26	33	0	0629	1747		M	M	M	0.00	30.03	30.20	4.9	32	6.2	23	310	17	310	02	
03	56	20	38	6	26	33	27	0	0628	1748		M	M	M	0.00	29.96	30.13	3.0	17	3.4	21	210	13	170	03	
04	66s	35	M	M	37	41	M	M	0626	1749	RA BR HZ	M	M	M	0.45	29.76	29.91	3.5	02	4.7	25	090	13	360	04	
05	74*	31	53*	21	36	42	12	0	0624	1750	RA BR	M	M	M	1.05	29.43	29.65	5.7	24	8.8	33	240	26	250	05	
06	49	24	37	4	25	32	28	0	0623	1751		M	M	M	0.00	29.99	30.16	0.4	25	0.9	16	220	12	220	06	
07	52	25	39	6	32	35	26	0	0621	1753	RA BR	M	M	M	0.79	29.84	30.09	1.6	05	3.3	20	100	15	100	07	
08	53	36	45	11	37	38	20	0	0619	1754	RA BR	M	M	M	1.24	29.31	29.51	4.3	27	7.8	47	250	35	230	08	
09	39	27	33	-1	12	26	32	0	0618	1755		M	M	M	0.00	29.75	30.01	15.9	27	16.6	41	280	31	290	09	
10	42	21	32*	-2	15	25	33	0	0616	1756		M	M	M	0.00	30.12	30.29	7.0	27	7.2	3s	140	2s	040	10	
11	46	26	36	1	21	31	29	0	0615	1757		M	M	M	T	29.91	30.04	1.9	21	3.5	17	260	12	250	11	
12	47	31	39	4	26	34	26	0	0613	1758	BR HZ	M	M	M	0.00	29.53	29.71	7.4	29	9.7	35	280	22	330	12	
13	46	24	35	0	18	29	30	0	0611	1759		M	M	M	0.00	29.77	29.93	1.4	15	3.7	20	150	14	130	13	
14	57	27	42	6	32	38	23	0	0610	1801	RA BR	M	M	M	0.02	29.63	29.78	2.8	34	3.7	23	150	13	010	14	
15	52	37	45	9	37	41	20	0	0608	1802	RA BR	M	M	M	0.30	29.54	29.72	5.1	01	6.9	18	350	14	360	15	
16	46	33	40	4	30	36	25	0	0606	1803	RA BR	M	M	M	0.04	29.77	29.99	6.3	34	7.1	28	310	20	320	16	
17	44	26	35	-2	14	27	30	0	0604	1804		M	M	M	0.00	30.25	30.45	7.8	35	8.1	30	360	23	010	17	
18	46	24	35	-2	18	29	30	0	0603	1805		M	M	M	0.00	30.23	30.37	2.0	17	3.4	17	030	13	100	18	
19	51	36	44	7	41	42	21	0	0601	1806	RA BR	M	M	M	0.84	29.67	29.75	1.8	13	2.5	24	150	13	110	19	
20	54	34	44	6	30	38	21	0	0559	1807	RA BR	M	M	M	0.05	29.34	29.57	11.3	30	13.3	43	300	30	300	20	
21	42	30	36	-2	11	28	29	0	0558	1808		M	M	M	0.00	29.77	29.95	14.2	29	14.7	38	290	28	290	21	
22	48	25	37	-1	4	27	28	0	0556	1810		M	M	M	0.00	29.75	29.93	5.8	30	6.8	24	320	16	330	22	
23	46	19	33	-6	9	26	32	0	0554	1811		M	M	M	0.00	29.93	30.12	1.4	29	3.2	25	180	14	230	23	
24	47	19	33	-6	16	27	32	0	0553	1812		M	M	M	0.00	30.05	30.23	2.6	36	3.6	26	280	13	010	24	
25	47	20	34	-6	13	29	31	0	0551	1813		M	M	M	0.00	30.05	30.20	2.7	19	5.9	24	150	16	220	25	
26	58	34	46	6	27	39	19	0	0549	1814		M	M	M	0.00	29.81	29.98	6.7	26	8.6	29	230	22	240	26	
27	49	27	38	-2	26	34	27	0	0548	1815	RA BR	M	M	M	0.01	29.86	30.03	0.5	21	1.0	8	210	7	210	27	
28	40	34	37	-4	35	36	28	0	0546	1816	RA BR	M	M	M	0.13	29.73	29.91	5.9	35	6.1	16	350	13	360	28	
29	42	23	33	-8	14	27	32	0	0544	1817	HZ	M	M	M	T	30.19	30.37	6.2	34	7.2	28	310	20	350	29	
30	49	17*	33	-8	10	27	32	0	0542	1818		M	M	M	0.00	30.47	30.65	0.5	06	3.9	26	090	13	360	30	
31	45	29	37	-5	35	38	28	0	0541	1819	RA BR	M	M	M	0.25	30.21	30.41	1.0	15	1.3	14	150	9	150	31	
	48.9	27.2	38.1		23.5	32.7	27.2	0.0	<-----Monthly Averages Totals----->				M	M	5.24s	29.86	30.03	3.2	30	6.2	<Monthly Average					
	1.7	1.7	1.7		<-----Departure From Normal----->								1.65													
Degree Days Monthly Season to Date									Greatest 24-hr Precipitation: 1.96s Date: 07-08							Sea Level Pressure Date Time (LST)										
Total Departure Total Departure									Greatest 24-hr Snowfall: M Date: M							Maximum 30.72 30 0841										
Heating: 815 -74 M M									Greatest Snow Depth: M Date: M							Minimum 29.11 08 1908										
Cooling: 0 0									Number of Days with ----->				Max Temp >=90: 0				Min Temp <=32: 23				Precipitation >=.01 inch: 13					
													Max Temp <=32: 0				Min Temp <=0 : 0				Precipitation >=.10 inch:					
													Thunderstorms : 0				Heavy Fog : 0				Snowfall >=1.0 inch : M					
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																										
																				Data Version: VER2						

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 04/2008											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Date
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
																					5-second	2-minute	Speed	Dir	Speed	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	68	45	57	15	53	56	8	0	0539	1821	RA BR	M	M	M	0.28	29.69	29.86	6.2	21	9.3	31	300	22	300	01	
02	48	25	37	-5	15	32	28	0	0537	1822		M	M	M	0.00	30.09	30.26	10.7	30	11.6	35	300	24	320	02	
03	52	19*	36*	-7	15	30	29	0	0536	1823	RA	M	M	M	0.01	30.25	30.43	3.8	20	4.5	23	170	16	170	03	
04	47	37	42	-1	41	41	23	0	0534	1824	RA BR	M	M	M	0.70	29.76	29.89	1.5	35	2.6	14	350	10	360	04	
05	57	41	49	5	40	45	16	0	0532	1825	RA BR	M	M	M	0.05	29.74	29.95	3.4	36	4.6	20	350	14	010	05	
06	48	39	44	0	35	40	21	0	0531	1826		M	M	M	0.00	30.06	30.26	6.3	05	6.7	20	050	15	050	06	
07	57	40	49	5	34	41	16	0	0529	1827		M	M	M	0.00	30.14	30.32	5.0	09	6.6	18	130	14	080	07	
08	62	38	50	5	33	42	15	0	0527	1828		M	M	M	0.00	30.16	30.32	2.5	12	5.0	17	100	10	240	08	
09	62	32	47	2	39	45	18	0	0526	1829	BR	M	M	M	0.01	30.06	30.21	3.7	17	4.5	20	220	15	220	09	
10	71	42	57	12	39	48	8	0	0524	1830	FG+ FG BR	M	M	M	0.01s	29.93	30.09	2.0	02	2.9	26	020	14	040	10	
11	59	47	53	7	39	46	12	0	0523	1831	RA BR	M	M	M	0.05	29.80	29.92	2.2	14	4.2	18	150	14	140	11	
12	76	47	62	16	47	53	3	0	0521	1833	RA BR VCTS	M	M	M	0.37	29.37	29.52	2.9	27	6.8	32	280	23	360	12	
13	53	31	42	-4	32	39	23	0	0519	1834	RA	M	M	M	0.01	29.51	29.70	4.3	33	7.0	25	330	18	340	13	
14	55	25	40	-7	24	34	25	0	0518	1835		M	M	M	0.00	29.77	29.96	3.2	35	3.7	25	120	16	020	14	
15	59	26	43	-4	22	35	22	0	0516	1836		M	M	M	0.00	29.96	30.15	2.4	35	3.4	23	350	16	020	15	
16	66	28	47	-1	24	39	18	0	0515	1837		M	M	M	0.00	30.05	30.23	0.3	15	1.3	23	060	9	170	16	
17	77	32	55	7	31	44	10	0	0513	1838		M	M	M	0.00	29.93	30.08	0.2	23	2.3	21	020	9	120	17	
18	82*	39	61	13	38	50	4	0	0512	1839		M	M	M	0.00	29.80	29.97	1.0	36	1.9	16	340	10	010	18	
19	80	42	61	12	42	52	4	0	0510	1840	BR	M	M	M	0.00	29.82	30.00	4.6	14	4.8	22	140	16	140	19	
20	68	45	57	8	46	51	8	0	0509	1841		M	M	M	0.00	29.97	30.16	5.1	13	5.4	21	100	15	100	20	
21	72	42	57	8	37	48	8	0	0507	1842		M	M	M	0.00	30.09	30.26	2.4	13	3.2	20	150	13	140	21	
22	75	37	56	6	40	49	9	0	0506	1843		M	M	M	0.00	M	30.23	1.8	19	2.8	22	360	14	250	22	
23	79	44	62*	12	48	55	3	0	0504	1845	BR	M	M	M	0.00	29.95	30.09	5.4	23	5.5	22	230	15	240	23	
24	74	45	60	9	38	51	5	0	0503	1846		M	M	M	0.00	29.94	30.12	4.9	01	5.8	26	020	18	030	24	
25	75	37	56	5	34	47	9	0	0501	1847		M	M	M	0.00	29.93	30.09	0.7	22	1.8	37s	270	12	360	25	
26	65	52	59	8	39	49	6	0	0460	1848	RA	M	M	M	T	29.93	30.11	6.8	13	7.7	22	100	16	100	26	
27	62	46	54	2	41	46	11	0	0458	1849	RA	M	M	M	0.04	30.01	30.18	2.3	18	3.6	17	150	12	250	27	
28	53	47	50	-2	48	49	15	0	0457	1850	RA BR	M	M	M	1.17	29.73	29.84	1.0	06	3.2	16	330	13	330	28	
29	57	33	45	-7	38	43	20	0	0456	1851	RA BR	M	M	M	0.09	29.54	29.74	6.1	33	6.9	30	310	23	300	29	
30	54	29	42	-11	25	35	23	0	0454	1852		M	M	M	0.00	29.84	30.04	3.3	31	4.6	25	270	14	350	30	
	63.8	37.7	50.8		35.9	44.5	14.0	0.0	<-----Monthly Averages Totals----->			M	M	2.79	29.90	30.05	0.1	36	4.8	<Monthly Average						
	4.8	1.9	3.4	<-----Departure From Normal----->								-1.00														
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 420 -108 M M Cooling: 0 0									Greatest 24-hr Precipitation: 1.20s Date: 28-29 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M							Sea Level Pressure Date Time (LST) Maximum 30.55 03 0836 Minimum 29.38 12 1615										
									Number of Days with ----->			Max Temp >=90: 0		Min Temp <=32: 9					Precipitation >=.01 inch: 12							
												Max Temp <=32: 0		Min Temp <=0 : 0					Precipitation >=.10 inch:							
											Thunderstorms : 0		Heavy Fog : 1					Snowfall >=1.0 inch : M								
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																				Data Version: VER2						

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 05/2008											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Date
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second	max 2-minute				
	Depth	Water Equiv	Snow Fall	Water Equiv																						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	60	26*	43*	-10	32	40	22	0	0453	1853	RA	M	M	M	T	29.98	30.14	2.2	20	3.2	16	150	12	170	01	
02	53	47	50	-4	48	49	15	0	0452	1854	RA BR	M	M	M	0.07	29.88	30.06	2.9	08	3.5	15	350	10	100	02	
03	56	47	52	-2	47	48	13	0	0450	1855	RA BR HZ	M	M	M	0.01	29.88	30.03	3.7	10	4.3	22	100	13	100	03	
04	66	46	56	2	48	51	9	0	0449	1856	RA BR	M	M	M	0.12	29.80	29.96	2.5	01	3.2	20	040	14	360	04	
05	70	34	52	-3	37	45	13	0	0448	1858		M	M	M	0.00	29.87	30.04	0.2	03	1.0	13	270	9	260	05	
06	75	38	57	2	42	50	8	0	0447	1859		M	M	M	T	29.78	29.95	1.0	34	1.5	31s	020	18	010	06	
07	75	41	58	3	43	52	7	0	0445	1860		M	M	M	0.00	29.69	29.85	2.7	17	3.7	22	170	14	180	07	
08	75	51	63	7	49	56	2	0	0444	1901	RA BR HZ	M	M	M	0.03	29.47	29.65	3.6	25	6.6	25	290	17	280	08	
09	52	45	49	-7	47	48	16	0	0443	1901	RA BR	M	M	M	0.58	29.57	29.73	3.7	02	4.0	14	020	12	010	09	
10	68	41	55	-2	42	49	10	0	0442	1902	BR	M	M	M	0.00	29.54	29.72	3.7	01	4.2	13s	360	8s	330	10	
11	67	37	52	-5	40	47	13	0	0441	1903		M	M	M	0.00	29.65	29.79	4.6	14	5.7	25	130	15	120	11	
12	58	41	50	-7	34	43	15	0	0440	1904		M	M	M	0.00	29.54	29.74	9.1	04	9.5	35	040	26	030	12	
13	70	37	54	-4	36	46	11	0	0439	1905		M	M	M	0.00	29.82	30.00	5.9	01	6.2	30	360	18	010	13	
14	77	37	57	-1	40	49	8	0	0438	1906		M	M	M	0.00	29.85	30.00	2.4	16	3.0	20	180	13	160	14	
15	69	50	60	2	53	55	5	0	0437	1907	RA FG BR	M	M	M	0.06	29.75	29.91	0.8	10	1.9	18	210	13	320	15	
16	52	48	50	-8	49	49	15	0	0436	1908	RA BR	M	M	M	0.74	29.59	29.72	4.9	36	5.0	22	360	15	010	16	
17	72	41	57	-2	46	52	8	0	0435	1909	RA FG+ BR	M	M	M	0.03	29.33	29.48	3.8	24	5.1	26	240	20	260	17	
18	61	47	54	-5	47	50	11	0	0434	1910	RA BR	M	M	M	0.14	29.24	29.40	2.7	24	3.7	20	180	14	260	18	
19	58	41	50	-10	36	43	15	0	0433	1911	RA	M	M	M	0.01	29.30	29.49	9.6	26	10.4	35	260	25	260	19	
20	59	39	49	-11	41	45	16	0	0432	1912	RA BR	M	M	M	0.06	29.36	29.51	3.2	21	4.4	21	170	14	170	20	
21	66	40	53	-7	44	48	12	0	0431	1913	TSRA RA FG BR	M	M	M	0.01	29.28	29.46	4.0	23	4.8	36	280	26	290	21	
22	59	44	52	-9	41	46	13	0	0430	1914	RA	M	M	M	0.03	29.41	29.59	4.7	27	6.1	23	340	16	270	22	
23	69	45	57	-4	42	50	8	0	0430	1915		M	M	M	0.00	29.63	29.82	7.1	31	8.1	26	320	20	310	23	
24	69	42	56	-5	42	49	9	0	0429	1916		M	M	M	0.00	29.74	29.92	3.3	35	4.3	22	020	15	330	24	
25	76	39	58	-3	41	50	7	0	0428	1917		M	M	M	0.00	29.86	30.02	0.6	31	1.9	3s	010	3s	010	25	
26	82*	44	63	1	51	58	2	0	0427	1917	RA	M	M	M	0.00	29.72	29.87	5.4	19	5.9	28	210	17	220	26	
27	79s	55	M	M			M	M	0427	1918	TS	M	M	M	0.00s	M	M	1.8	32	M	26	020	20	010	27	
28	67	41	54	-8	35	46	11	0	0426	1919		M	M	M	0.00	29.98	M	M	M	6.4	18s	350	16	330	28	
29	78	35	57	-5	37	47	8	0	0426	1920		M	M	M	0.00	29.91	30.08	M	M	M	nulls	M	E7	M	29	
30	81	41	61	-2	43	53	4	0	0425	1921		M	M	M	0.00	29.88	30.03	M	M	M	18	250	14	250	30	
31	79	57	68*	5	59	62	0	3	0425	1922	TSRA RA BR	M	M	M	0.09	29.58	29.72	4.2	20	5.9	6s	130	5s	120	31	
	76.8	45.8	61.3		43.1	49.2	10.2	0.1	<-----Monthly Averages Totals----->				M	M	0.09s	29.83	30.00	0.7	29	4.8	<Monthly Average					
	6.4	-0.5	2.9		<-----Departure From Normal----->								-4.64													
Degree Days Monthly Season to Date									Greatest 24-hr Precipitation: 0.09s Date: 31							Sea Level Pressure Date Time (LST)										
Total Departure Total Departure									Greatest 24-hr Snowfall: M Date: M							Maximum 30.23 28 0939										
Heating: 306 86 M M									Greatest Snow Depth: M Date: M							Minimum 29.56 31 1645										
Cooling: 3 -12									Number of Days with ----->				Max Temp >=90: 0			Min Temp <=32: 0s				Precipitation >=.01 inch: 1s						
													Max Temp <=32: 0			Min Temp <=0 : 0				Precipitation >=.10 inch:						
													Thunderstorms : 3			Heavy Fog : 1				Snowfall >=1.0 inch : M						
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																										
																					Data Version: VER2					

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 06/2008											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Date
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed	Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	79s	56	M	M	53	60	M	M	0424	1922	BR	M	M	M	0.01s	29.53	29.71	7.3	28	9.0	29	280	20	270	01	
02	80	49	65	1	49	56	0	0	0424	1923		M	M	M	0.00	29.67	29.85	3.0	31	4.2	22	330	16	340	02	
03	85	48*	67	3	50	58	0	2	0423	1924	RA	M	M	M	0.00	29.73	29.89	2.4	18	3.7	22	230	17	240	03	
04	67	58	63	-2	59	60	2	0	0423	1925	RA BR	M	M	M	0.25	29.65	29.81	0.7	01	2.7	15	160	9	130	04	
05	74	60	67	2	57	61	0	2	0422	1925	RA	M	M	M	T	29.86	30.02	1.7	08	4.1	17	100	14	060	05	
06	76	58	67	2			0	2	0422	1926	RA BR	M	M	M	0.35	29.96	M	M	M	4.2	14	210	9	230	06	
07	94	61	78	13	68	71	0	13	0422	1927	BR HZ	M	M	M	0.00	29.81	29.96	4.2	23	4.7	18	240	13	230	07	
08	92	66	79	14	70	73	0	14	0422	1927	RA BR	M	M	M	0.02	29.70	29.86	3.3	22	4.3	26	270	21	270	08	
09	97*	69	83	18	68	73	0	18	0421	1928		M	M	M	0.00	29.65	29.81	4.7	24	5.1	22	240	17	260	09	
10	96	69	83*	17	69	73	0	18	0421	1928	RA BR HZ VCTS	M	M	M	0.18	29.67	29.83	3.2	21	3.9	53	260	41	260	10	
11	86	62	74	8	59	65	0	9	0421	1929	BR	M	M	M	0.01s	29.85	30.01	2.5	30	3.2	20	060	12	260	11	
12	81	56	69	3	55	61	0	4	0421	1930		M	M	M	0.00	30.03	30.20	3.4	02	3.9	18	030	13	010	12	
13	84	51	68	2	53	60	0	3	0421	1930		M	M	M	0.00	30.02	30.18	1.3	15	2.8	17	340	12	230	13	
14	88	63	76	9	65	68	0	11	0421	1930	RA BR HZ	M	M	M	0.86	29.78	29.92	0.8	24	1.2	41	310	26	310	14	
15	84	63	74	7	64	68	0	9	0421	1931	BR	M	M	M	0.01s	29.64	29.80	1.1	07	3.3	17	360	14	030	15	
16	81	60	71	4	62	65	0	6	0421	1931	RA BR HZ	M	M	M	0.65	29.60	29.75	3.7	16	4.4	48	290	33	300	16	
17	75	53	64	-3	53	58	1	0	0421	1932		M	M	M	0.00	29.55	29.71	4.8	27	5.8	20	290	14	280	17	
18	70	50	60*	-7	53	55	5	0	0421	1932	TSRA RA BR	M	M	M	0.38	29.56	29.74	1.4	23	2.9	24	150	14	300	18	
19	74	54	64	-4	53	57	1	0	0421	1932	FG BR	M	M	M	0.00	29.67	29.86	1.0	25	1.9	22	170	12	240	19	
20	77	52	65	-3	55	59	0	0	0421	1933		M	M	M	T	29.78	29.96	2.1	24	3.2	20	230	15	240	20	
21	82	53	68	0	56	62	0	3	0421	1933	BR	M	M	M	0.00	29.83	30.00	1.6	22	2.5	49s	100	10	180	21	
22	76	60	68	0	64	66	0	3	0422	1933	RA BR HZ	M	M	M	0.05	29.77	29.93	2.8	17	3.7	29	100	13	170	22	
23	75	61	68	0	66	67	0	3	0422	1933	TS TSRA RA BR HZ	M	M	M	0.57	29.73	29.89	0.8	10	1.9	22	300	16	300	23	
24	77	57	67	-1	59	62	0	2	0422	1933	BR	M	M	M	0.01	29.80	29.99	3.0	29	4.1	26	280	20	290	24	
25	83	53	68	-1	55	61	0	3	0423	1934		M	M	M	0.00	29.94	30.09	3.0	25	3.8	21	250	17	270	25	
26	78	60	69	0	64	66	0	4	0423	1934	RA BR	M	M	M	0.01	29.72	29.86	0.9	20	1.8	14	230	9	230	26	
27	79	62	71	1	66	68	0	6	0423	1934	RA BR	M	M	M	0.01	29.66	29.81	2.0	21	2.1	2s	150	2s	150	27	
28	88	62	75	5	68	70	0	10	0424	1934	BR HZ	M	M	M	0.08	29.63	29.79	2.1	19	2.7	23	190	16	180	28	
29	83	68	76	6	68	71	0	11	0424	1934	RA BR	M	M	M	0.41	29.59	29.75	2.2	19	3.2	25	270	21	270	29	
30	82	61	72	2	63	66	0	7	0425	1934	BR	M	M	M	0.00	29.55	29.72	2.7	23	3.7	20	220	13	230	30	
	81.4	58.5	70.0		60.1	64.1	0.3	5.6	<-----Monthly Averages Totals----->				M	M	3.86s	29.72	29.89	1.5	24	3.6	<Monthly Average					
	3.0	3.2	3.1		<-----Departure From Normal----->								0.13													
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 9 -33 M M Cooling: 163 66									Greatest 24-hr Precipitation: 0.87 Date: 14-15 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M									Sea Level Pressure Date Time (LST) Maximum 30.29 13 0715 Minimum 29.61 16 1643								
									Number of Days with ----->			Max Temp >=90: 4 Max Temp <=32: 0 Thunderstorms : 3			Min Temp <=32: 0 Min Temp <=0 : 0 Heavy Fog : 0			Precipitation >=.01 inch: 16s Precipitation >=.10 inch: Snowfall >=1.0 inch : M								
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																					Data Version: VER2					

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA

Effective January, 2005, flags will be available for most data elements:

If data are suspect:

s will appended to the value on the web form

s will be placed in a column following the suspect value in the ASCII form

If data are flagged as erroneous, it will not be printed.

**NOTICE OF CHANGE:

Effective July 28, 2000, observations contained in the Quality Controlled Local Climatological Data Hourly Observations table are reported in whole degrees Fahrenheit. The dry bulb, dew point and wet bulb temperatures were originally reported to the nearest tenth of a degree Fahrenheit. The Automated Surface Observing System (ASOS) records temperatures and dew points in whole degrees Fahrenheit and converts these values to the nearest tenth of a degree Celsius for observation transmission. Until this date, these values online have incorrectly been converted back to the nearest tenth of a degree Fahrenheit, implying a level of precision that is not present at the instrument level. We apologize for any inconvenience this may cause.

The Automated Weather Observing System (AWOS) generally records temperatures and dew points in whole degrees Fahrenheit and converts these values to the nearest whole degree Celsius for observation transmission. Also, AWOS stations will often have less data (i.e., fewer weather elements) than ASOS stations.

NCDC forms contain:

whole degree Celsius temperature values for AWOS stations

tenths degrees Celsius temperature values for ASOS stations

FORMAT FOR DAILY TABLE

COLUMN	TERMINOLOGY
1	DATE
Temp	Degrees Fahrenheit
2	MAXIMUM
3	MINIMUM
4	AVERAGE
5	DEPARTURE FROM NORMAL
6	AVERAGE DEW POINT
7	AVERAGE WET BULB
Degree Days: Base 65 F	
8	HEATING (SEASON BEGINS WITH JULY)
9	COOLING (SEASON BEGINS WITH JANUARY)
10	SUNRISE (Calculated, not observed)
11	SUNSET (Calculated, not observed)
Significant Weather Types	Weather Phenomena
12	+FC TORNADO/WATERSPOUT FC FUNNEL CLOUD TS THUNDERSTORM GR HAIL RA RAIN

	DZ DRIZZLE SN SNOW SG SNOW GRAINS GS SMALL HAIL &/OR SNOW PELLETS PL ICE PELLETS IC CRYSTALS FG+ HEAVY FOG (FG & LE.25 MILES VISIBILITY) FG FOG BR MIST UP UNKNOWN PRECIPITATION HZ HAZE FU SMOKE VA VOLCANIC ASH DU WIDESPREAD DUST DS DUSTSTORM PO SAND/DUST WHIRLS SA SAND SS SANDSTORM PY SPRAY SQ SQUALL DR LOW DRIFTING SH SHOWER FZ FREEZING MI SHALLOW PR PARTIAL BC PATCHES BL BLOWING VC VICINITY - LIGHT + HEAVY "NO SIGN" MODERATE
Snow/Ice	INCHES
13	SNOW/ICE (ON GROUND)(0600 LST) T = TRACE
14	WATER EQUIVALENT (1200 LST) M = MISSING DATA
Precipitation:	INCHES (24-HR PERIOD ENDING AT INDICATED LOCAL STANDARD TIME)
15	SNOWFALL (INCHES AND TENTHS)(2400 LST)* T = TRACE
16	WATER EQUIVALENT(INCHES & HUNDREDTHS(2400 LST) RAINFALL & MELTED SNOW M = MISSING DATA T = TRACE
Pressure	INCHES OF HG
17	AVERAGE STATION PRESSURE
18	AVERAGE SEA LEVEL PRESSURE
Wind	SPEED IN MILES PER HOUR DIRECTION TO TENS OF DEGREES
19	RESULTANT WIND SPEED
20	RESULTANT DIRECTION - (WHOLE DEGREES)
21	AVERAGE SPEED
22	MAXIMUM 5 SECOND SPEED
23	MAXIMUM 5 SECOND DIRECTION
24	MAXIMUM 2 MINUTE SPEED
25	MAXIMUM 2 MINUTE DIRECTION
26	DATE
	NOTE: RESULTANT WIND IS THE VECTOR SUM OF WIND SPEEDS AND DIRECTIONS

Appendix D

Groundwater Analytical Data (Organics): January 1, 2008 to June 30, 2008

Groundwater Analytical Data (Inorganics): January 1, 2008 to June 30, 2008

Production Well Shutdown Sampling Schedule

Groundwater Analytical Data (Organics): Shutdown Sampling Non-CAM Wells

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		007	007	010	015	016	035
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/21/2008	04/22/2008	03/10/2008	02/20/2008	02/20/2008	02/27/2008
Laboratory Sample I.D.		0800646	0803968	0802395	0801766	0801767	0801927
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	2.95	ND@50.0	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	1.45	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	18.77	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	18.12	916.44	20.68	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	4.79	ND@50.0	2.49	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@1.0	ND@50.0	ND@0.5	ND@0.5

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		046	048	048	053	053	054
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/29/2008	01/04/2008	04/09/2008	01/21/2008	04/21/2008	03/24/2008
Laboratory Sample I.D.		0800919	0800149	0803513	0800647	0803942	0802854
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.52	2.42
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	0.41	0.81	1.95
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.46	4.29
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location Sample Description Sample Date Laboratory Sample I.D. Sample Comment Codes			059	060	060	061	063	064
			GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
			03/13/2008	03/13/2008	03/13/2008	03/13/2008	03/12/2008	01/09/2008
			0802571	0802572	0802574	0802573	0802525	0800321
Parameter	Units							
Base/Neutral Extractables								
1,2,3-TRICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics								
1,1,1-TRICHLOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	1.14
TOLUENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location Sample Description Sample Date Laboratory Sample I.D. Sample Comment Codes			064	064	065	065	065	066
			REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
			01/09/2008	04/09/2008	01/14/2008	04/14/2008	04/14/2008	01/04/2008
			0800322	0803512	0800422	0803656	0803658	0800151
Parameter	Units							
Base/Neutral Extractables								
1,2,3-TRICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics								
1,1,1-TRICHLOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	1.14	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		066		067		067		068		068
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER	REPLICATE	GROUNDWATER		GROUNDWATER
Sample Date		04/03/2008		01/09/2008		04/03/2008		01/28/2008		05/07/2008
Laboratory Sample I.D.		0803208		0800319		0803207		0800885		0804358
Sample Comment Codes										
Parameter	Units									
Base/Neutral Extractables										
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
Volatile Organics										
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
ACETONE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
BENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5	0.30	0.60
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		068		069		069		085		087		103
Sample Description		GROUNDWATER		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER
Sample Date		05/07/2008		03/20/2008		03/20/2008		03/20/2008		03/20/2008		02/18/2008
Laboratory Sample I.D.		0804373		0802719		0802720		0802722		0802724		0801705
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
ACETONE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
BENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	0.46		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		104	105	105	106	106	108
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/29/2008	01/24/2008	04/23/2008	01/24/2008	04/23/2008	01/16/2008
Laboratory Sample I.D.		0800918	0800821	0804012	0800820	0804013	0800509
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	2.11	1.57	1.35	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	0.35	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		108	109	109	113	113	118
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/29/2008	01/21/2008	04/29/2008	01/16/2008	04/14/2008	01/24/2008
Laboratory Sample I.D.		0804105	0800645	0804104	0800510	0803655	0800822
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	1.78	1.97	255418.63
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
TRICHLOROETHYLENE	ug/l	ND@0.5	1.19	1.36	ND@0.5	ND@0.5	ND@25000.0
TRICHLOROFUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@25000.0

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location	118		143		143		143		145		145	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE	
Sample Date	04/22/2008		01/22/2008		02/14/2008		04/21/2008		01/16/2008		01/16/2008	
Laboratory Sample I.D.	0803969		0800713		0801621		0803943		0800514		0800515	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2,4-TRICHLOROBENZENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2-DICHLOROBENZENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,3-DICHLOROBENZENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,4-DICHLOROBENZENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,1-DICHLOROETHYLENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
ACETONE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
BENZENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
CHLOROBENZENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
DICHLORODIFLUOROMETHANE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
ETHYLBENZENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
M,P-XYLENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
METHYLENE CHLORIDE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
O-XYLENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TETRACHLOROETHYLENE	ug/l	173412.26	2.80		2.84		2.43		ND@0.5		ND@0.5	
TOLUENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TRICHLOROETHYLENE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TRICHLOROFUOROMETHANE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
VINYL CHLORIDE	ug/l	ND@5000.0	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		145	146	146	150	151	156
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/16/2008	01/16/2008	04/16/2008	02/27/2008	02/28/2008	01/16/2008
Laboratory Sample I.D.		0803762	0800511	0803763	0801926	0802004	0800512
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		156	161	166	167	178	181
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/16/2008	02/28/2008	03/20/2008	03/12/2008	03/24/2008	03/24/2008
Laboratory Sample I.D.		0803764	0802005	0802721	0802524	0802853	0802858
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	1.81	ND@2.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	1.87	ND@2.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	45.47
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.51	ND@2.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	1.39	42.48
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.48	20.02
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	10.33

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		204	400	401	402	402	403
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		03/10/2008	03/21/2008	03/21/2008	03/20/2008	03/20/2008	03/21/2008
Laboratory Sample I.D.		0802396	0802800	0802801	0802725	0802726	0802798
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		404	407	408	410	412	415
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/21/2008	03/19/2008	03/26/2008	03/21/2008	03/21/2008	03/19/2008
Laboratory Sample I.D.		0802799	0802663	0802931	0802806	0802805	0802661
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		416	417	423	423	423	424
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		03/21/2008	03/19/2008	03/12/2008	03/12/2008	04/30/2008	03/12/2008
Laboratory Sample I.D.		0802802	0802665	0802527	0802528	0804153	0802526
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.90
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location	424	502	502	503	503	503
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date	04/30/2008	01/09/2008	04/10/2008	01/14/2008	01/14/2008	04/17/2008
Laboratory Sample I.D.	0804154	0800317	0803564	0800425	0800426	0803799
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	0.70	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location	503	515	515	515	520	520
Sample Description	REPLICATE	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date	04/17/2008	01/14/2008	04/14/2008	04/14/2008	01/09/2008	04/10/2008
Laboratory Sample I.D.	0803801	0800418	0803652	0803659	0800313	0803566
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		521	521	535	535	543	543
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/09/2008	04/10/2008	01/15/2008	04/14/2008	01/10/2008	04/08/2008
Laboratory Sample I.D.		0800314	0803565	0800464	0803654	0800366	0803460
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	0.21	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		545	545	559	559	561	563
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/09/2008	04/08/2008	01/23/2008	04/21/2008	03/24/2008	01/24/2008
Laboratory Sample I.D.		0800318	0803459	0800737	0803941	0802857	0800819
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@5.0	50.85	ND@1.0	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@5.0	12.73	ND@1.0	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@5.0	9.43	ND@1.0	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	237.94	263.74	11.57	2.40
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@5.0	5.82	ND@1.0	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	32.33	75.05	9.97	1.58
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	173.83	197.18	2.80	3.01
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@5.0	ND@5.0	ND@1.0	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@5.0	18.98	ND@1.0	ND@0.5

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		563	564	564	571	571	572
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/21/2008	01/24/2008	04/21/2008	01/04/2008	04/03/2008	05/28/2008
Laboratory Sample I.D.		0803940	0800818	0803939	0800150	0803209	0805214
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.41	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
TETRACHLOROETHYLENE	ug/l	1.28	ND@0.5	ND@0.5	ND@0.5	ND@0.5	180558.64
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
TRICHLOROETHYLENE	ug/l	2.22	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@5000.0

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		574	574	576	577	577	578
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/23/2008	04/25/2008	03/24/2008	01/16/2008	04/15/2008	01/14/2008
Laboratory Sample I.D.		0800736	0804075	0802852	0800513	0803711	0800424
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@50.0	ND@500.0	1.16	ND@2.5	ND@5.0	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@50.0	ND@500.0	2.16	ND@2.5	ND@5.0	ND@0.5
ACETONE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
BENZENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
CHLOROBENZENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@50.0	ND@500.0	0.35	ND@2.5	ND@5.0	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
ETHYLBENZENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
M,P-XYLENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
O-XYLENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
TETRACHLOROETHYLENE	ug/l	3220.20	23759.59	32.55	ND@2.5	ND@5.0	ND@0.5
TOLUENE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@50.0	ND@500.0	1.28	ND@2.5	ND@5.0	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5
VINYL CHLORIDE	ug/l	ND@50.0	ND@500.0	ND@0.5	ND@2.5	ND@5.0	ND@0.5

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location	578	579	579	580	581	600
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/15/2008	01/22/2008	04/24/2008	02/18/2008	02/18/2008	03/20/2008
Laboratory Sample I.D.	0803710	0800705	0804062	0801709	0801710	0802728
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

21-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location	600	601	601	602	603	604
Sample Description	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	03/20/2008	01/14/2008	04/15/2008	03/20/2008	03/20/2008	01/24/2008
Laboratory Sample I.D.	0802729	0800423	0803713	0802730	0802731	0800811
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	1.59	2.46	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	0.52	0.90	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

22-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		604	604	607	608	608	609
Sample Description		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/24/2008	04/15/2008	04/29/2008	02/14/2008	04/17/2008	01/24/2008
Laboratory Sample I.D.		0800812	0803712	0804102	0801622	0803798	0800808
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	423.38	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	1792.08	1.93	7.89	15.28
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	91.58	ND@0.5	ND@0.5	10.61
TRICHLOROFUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@50.0	0.79	0.54	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@50.0	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

23-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		609	610	610	611	611	622
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/21/2008	01/23/2008	04/17/2008	01/25/2008	04/29/2008	01/24/2008
Laboratory Sample I.D.		0803857	0800739	0803800	0800828	0804103	0800810
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.26	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	0.40	ND@100.0	175.87	ND@0.5	ND@0.5	4.26
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	12.44	1352.61	1518.39	ND@0.5	0.43	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	8.50	983.46	1074.72	ND@0.5	ND@0.5	1.87
TRICHLOROFUOROMETHANE	ug/l	0.65	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@100.0	ND@100.0	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

24-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		622		623		623		624		624		627
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER
Sample Date		04/23/2008		01/24/2008		04/21/2008		01/25/2008		04/21/2008		02/18/2008
Laboratory Sample I.D.		0803988		0800809		0803854		0800832		0803855		0801707
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		62.07
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.76		ND@25.0		ND@25.0		ND@1.0		ND@1.0		35.52
ACETONE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
BENZENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
CHLOROBENZENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	4.72		ND@25.0		ND@25.0		1.15		0.96		158.55
DICHLORODIFLUOROMETHANE	ug/l	0.43		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
ETHYLBENZENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
M,P-XYLENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
O-XYLENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
TETRACHLOROETHYLENE	ug/l	ND@0.5		499.12		456.20		21.28		18.77		7.16
TOLUENE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
TRICHLOROETHYLENE	ug/l	2.02		ND@25.0		ND@25.0		5.76		5.06		ND@5.0
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0
VINYL CHLORIDE	ug/l	ND@0.5		ND@25.0		ND@25.0		ND@1.0		ND@1.0		ND@5.0

IBM Corporation

25-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		701		702		704		704		704		706
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER
Sample Date		02/18/2008		02/18/2008		01/21/2008		01/21/2008		04/15/2008		02/20/2008
Laboratory Sample I.D.		0801712		0801706		0800648		0800649		0803707		0801768
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
ACETONE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
BENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		91.74
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		0.30		0.32		ND@0.5		ND@5.0
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
TETRACHLOROETHYLENE	ug/l	ND@0.5		0.53		ND@0.5		ND@0.5		ND@0.5		347.41
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
TRICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		125.49
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@5.0
VINYL CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		6.00

IBM Corporation

26-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		711	711	711	714	716	716
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/15/2008	04/16/2008	04/16/2008	02/28/2008	01/23/2008	04/21/2008
Laboratory Sample I.D.		0800463	0803758	0803765	0802007	0800735	0803938
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	26.50
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	82.33	ND@25.0	ND@25.0
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	487.73	346.97	366.56
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	65.81	ND@25.0	ND@25.0
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@10.0	ND@25.0	ND@25.0

IBM Corporation

27-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		720	722	722	735	739	739
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/26/2008	02/27/2008	02/27/2008	02/18/2008	01/25/2008	04/24/2008
Laboratory Sample I.D.		0802932	0801928	0801929	0801708	0800834	0804063
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	0.98	1.58
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	2.21	ND@0.5	ND@0.5	142.97	2.18	2.60
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@25.0	ND@0.5	ND@0.5

IBM Corporation

28-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		740	742	742	742	743	744
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		02/14/2008	01/25/2008	04/25/2008	04/25/2008	03/11/2008	01/10/2008
Laboratory Sample I.D.		0801625	0800833	0804069	0804070	0802466	0800364
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	2.00	1.58	1.55	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	4.30	1.13	0.61	0.61	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	3.23	12.12	6.86	6.89	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	7.25	2.49	1.67	1.74	ND@0.5	ND@0.5
TRICHLOROFUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

29-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		744	744	745	745	751	751
Sample Description		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/10/2008	04/08/2008	01/10/2008	04/08/2008	03/11/2008	05/07/2008
Laboratory Sample I.D.		0800369	0803458	0800365	0803457	0802465	0804355
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.48	0.79
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.37
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

30-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		753		753		754		754		754		755	
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER	
Sample Date		03/10/2008		05/07/2008		02/12/2008		04/30/2008		02/12/2008		01/10/2008	
Laboratory Sample I.D.		0802393		0804354		0801459		0801463		0804158		0800367	
Sample Comment Codes													
Parameter	Units												
Base/Neutral Extractables													
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
Volatile Organics													
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
ACETONE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
BENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TETRACHLOROETHYLENE	ug/l	0.56		0.69		ND@0.5		ND@0.5		ND@0.5		ND@0.5	0.35
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TRICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
VINYL CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	

IBM Corporation

31-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		755	755	756	756	757	757
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		05/07/2008	05/07/2008	03/24/2008	05/07/2008	01/09/2008	04/08/2008
Laboratory Sample I.D.		0804357	0804372	0802859	0804353	0800320	0803461
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	0.52	0.42	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	0.59	0.60	5.76	6.29	1.14	0.38
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	2.82	1.53
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

32-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		761	763	766	767	768	768
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		02/18/2008	03/10/2008	02/14/2008	03/11/2008	03/11/2008	03/11/2008
Laboratory Sample I.D.		0801711	0802394	0801626	0802463	0802467	0802468
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	3.09	ND@2.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	37.51	2.36	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	16.33	25.67	9.97	10.20
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	1.51	ND@2.5	6.36	8.13
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	2.41	ND@2.5	11.54	12.78
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@2.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	1.86	ND@2.5	ND@0.5	ND@0.5

IBM Corporation

33-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		769	769	771	772	772	773
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/14/2008	02/14/2008	03/11/2008	01/28/2008	05/23/2008	01/25/2008
Laboratory Sample I.D.		0801627	0801628	0802464	0800886	0805162	0800830
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	1.78	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	0.57	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	3.02	3.36	16.25	1.78	2.44	0.49
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	3.46	3.49	0.92	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	8.20	8.41	1.20	ND@0.5	0.42	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

34-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		773	773	774	774	774	775
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		04/09/2008	04/09/2008	01/10/2008	01/10/2008	04/09/2008	02/12/2008
Laboratory Sample I.D.		0803516	0803517	0800368	0800370	0803511	0801460
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	0.30	0.30	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

35-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		777	779	779	789	789	791
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		02/12/2008	01/15/2008	04/16/2008	02/14/2008	02/14/2008	02/14/2008
Laboratory Sample I.D.		0801458	0800462	0803759	0801623	0801629	0801624
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

36-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location Sample Description Sample Date Laboratory Sample I.D. Sample Comment Codes			792	793	832	832	857	857
			GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
			03/10/2008	02/28/2008	04/03/2008	05/28/2008	01/09/2008	04/09/2008
			0802397	0802006	0803206	0805215	0800312	0803515
Parameter	Units							
Base/Neutral Extractables								
1,2,3-TRICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l		ND@0.5	0.44	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics								
1,1,1-TRICHLOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l		ND@0.5	1.56	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l		ND@0.5	0.37	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l		ND@0.5	17.46	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l		ND@0.5	1.98	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l		ND@0.5	2.81	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l		ND@0.5	4.24	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l		ND@0.5	0.43	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

37-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location Sample Description Sample Date Laboratory Sample I.D. Sample Comment Codes			858	858	858	859	859	860
			GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
			01/09/2008	04/09/2008	04/09/2008	01/11/2008	05/23/2008	01/11/2008
			0800311	0803514	0803518	0800376	0805168	0800377
Parameter	Units							
Base/Neutral Extractables								
1,2,3-TRICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics								
1,1,1-TRICHLOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l		ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

38-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		860		861		861		861		862		862
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER
Sample Date		05/23/2008		01/28/2008		05/23/2008		05/23/2008		01/28/2008		05/23/2008
Laboratory Sample I.D.		0805167		0800883		0805165		0805166		0800884		0805164
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
ACETONE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
BENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@0.5		0.78		ND@0.5		ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5

IBM Corporation

39-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		921		922		922		923		923		929
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER
Sample Date		03/26/2008		01/25/2008		04/23/2008		01/25/2008		04/23/2008		01/23/2008
Laboratory Sample I.D.		0802935		0800837		0803986		0800836		0803987		0800738
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.42		ND@0.5		0.31		ND@5.0		ND@5.0		6.03
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		0.34		ND@5.0		ND@5.0		ND@1.0
ACETONE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
BENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	7.27		10.34		7.01		32.71		44.69		2.25
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	1.03		ND@0.5		ND@0.5		67.02		69.46		52.30
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
TRICHLOROETHYLENE	ug/l	3.41		3.87		2.07		31.20		31.66		2.82
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@0.5		0.77		0.68		ND@5.0		ND@5.0		ND@1.0

IBM Corporation

40-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location	929	931	931	932	932	941
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/23/2008	01/24/2008	04/23/2008	01/23/2008	04/29/2008	04/29/2008
Laboratory Sample I.D.	0804014	0800813	0804015	0800741	0804101	0804106
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
1,2-DICHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
1,3-DICHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
1,4-DICHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.02	ND@5.0	ND@5.0	1.18	33.29
1,1-DICHLOROETHYLENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	1.85
ACETONE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
BENZENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
CHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
CIS-1,2-DICHLOROETHYLENE	ug/l	5.69	11.02	14.94	19.30	20.53
DICHLORODIFLUOROMETHANE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	0.93
ETHYLBENZENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
M,P-XYLENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
METHYLENE CHLORIDE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
O-XYLENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
TETRACHLOROETHYLENE	ug/l	125.98	326.80	380.09	9.30	8.26
TOLUENE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
TRICHLOROETHYLENE	ug/l	4.59	ND@5.0	5.44	15.57	13.82
TRICHLOROFLUOROMETHANE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	ND@50.0
VINYL CHLORIDE	ug/l	ND@2.5	ND@5.0	ND@5.0	ND@0.5	0.87

IBM Corporation

41-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location	943	943	944	944	952	952
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date	01/23/2008	04/23/2008	01/23/2008	04/23/2008	01/24/2008	01/24/2008
Laboratory Sample I.D.	0800743	0803984	0800742	0803985	0800817	0800823
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.00	2.08	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	3.88	3.50	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	0.77	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	5.97	5.60	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	6.87	6.22	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

42-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		952		953		953		954		954		956
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER
Sample Date		04/17/2008		01/25/2008		04/17/2008		01/24/2008		04/25/2008		03/24/2008
Laboratory Sample I.D.		0803796		0800827		0803797		0800803		0804071		0802851
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
ACETONE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
BENZENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
CHLOROBENZENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@2.5		ND@2.5		133.94		93.34		62.63
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
ETHYLBENZENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
M,P-XYLENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
O-XYLENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
TETRACHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		132.67		10.36		14.68		143.07
TOLUENE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
TRICHLOROETHYLENE	ug/l	ND@0.5		ND@2.5		ND@2.5		3.89		8.85		22.44
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@5.0
VINYL CHLORIDE	ug/l	ND@0.5		ND@2.5		ND@2.5		ND@2.5		1.88		ND@5.0

IBM Corporation

43-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		958		958		959		959		960		960
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER
Sample Date		01/15/2008		04/14/2008		01/22/2008		04/22/2008		01/22/2008		04/22/2008
Laboratory Sample I.D.		0800465		0803653		0800711		0803966		0800712		0803967
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		26.38		24.80		22.11		18.24
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		0.39		ND@5.0		ND@5.0		ND@5.0		ND@5.0
ACETONE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		179.33		157.56		179.86		120.02
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
TETRACHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		47.56		55.33		73.91		72.31
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
TRICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		24.51		33.57		40.84		38.20
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@5.0		ND@5.0		ND@5.0		ND@5.0
VINYL CHLORIDE	ug/l	ND@0.5		ND@0.5		9.82		11.92		9.09		10.38

IBM Corporation

44-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		963		963		964		964		964		965	
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE		GROUNDWATER	
Sample Date		01/14/2008		04/15/2008		01/14/2008		04/15/2008		04/15/2008		01/15/2008	
Laboratory Sample I.D.		0800420		0803708		0800421		0803709		0803714		0800466	
Sample Comment Codes													
Parameter		Units											
Base/Neutral Extractables													
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
Volatile Organics													
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
ACETONE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
BENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TETRACHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TRICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
VINYL CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	

IBM Corporation

45-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		965	965	966	966	987	987
Sample Description		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/15/2008	04/16/2008	01/15/2008	04/16/2008	01/14/2008	04/14/2008
Laboratory Sample I.D.		0800468	0803760	0800467	0803761	0800419	0803657
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	0.60	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	1.30	2.50	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	0.43	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	1.36	1.72	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

46-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		990		990		990		990		998		999	
Sample Description		GROUNDWATER		REPLICATE		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER	
Sample Date		01/09/2008		01/09/2008		04/10/2008		04/10/2008		02/12/2008		02/12/2008	
Laboratory Sample I.D.		0800315		0800316		0803563		0803567		0801461		0801462	
Sample Comment Codes													
Parameter	Units												
Base/Neutral Extractables													
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
Volatile Organics													
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
ACETONE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
BENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		0.75		ND@0.5	
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TETRACHLOROETHYLENE	ug/l	1.32		1.23		1.19		1.05		ND@0.5		0.59	
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TRICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	
VINYL CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5	

IBM East Fishkill Facility
Groundwater Analytical Data - Organics
January 1, 2008 - June 30, 2008

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

IBM Corporation

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2008 - June 30, 2008

Sample Location		007	007	010	015	016	035
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/21/2008	04/22/2008	03/10/2008	02/20/2008	02/20/2008	02/27/2008
Laboratory Sample I.D.		0800582	0803909	0802342	0801749	0801750	0801915
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.07 J	ND@0.04	0.05 J	1.90	0.58	ND@0.04
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	NA	ND@0.005
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	NA	ND@0.005
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001	0.0008 J	ND@0.001	ND@0.001	ND@0.001
CHROMIUM, TOTAL	mg/l	0.0208	0.0042	0.0299	0.0993	0.0212	0.0036
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2008 - June 30, 2008

Sample Location	068		068	103	104	118	118
Sample Description	GROUNDWATER		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	01/28/2008		05/07/2008	02/18/2008	01/29/2008	01/28/2008	04/22/2008
Laboratory Sample I.D.	0800851		0804331	0801669	0800902	0800848	0803912
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.05 J	ND@0.04	0.09 J	ND@0.04	NA	NA
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.005	ND@0.01	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	0.012 J	0.0052	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.001	0.001	0.001 J	ND@0.001	ND@0.001	ND@0.001
CHROMIUM, TOTAL	mg/l	ND@0.001	ND@0.003	0.004 J	0.0103	ND@0.001	ND@0.001
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2008 - June 30, 2008

Sample Location	151	161	204	579	579	580	
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	02/28/2008	02/28/2008	03/10/2008	01/22/2008	04/24/2008	02/18/2008	
Laboratory Sample I.D.	0801957	0801960	0802345	0800658	0804036	0801678	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.17	0.05 J	0.22	0.06 J	0.05 J	18.8
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.005	ND@0.005	NA	ND@0.005	ND@0.005	ND@0.005
ARSENIC, TOTAL	mg/l	0.0039 J	ND@0.005	NA	ND@0.005	0.0056	ND@0.005
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001	0.0052	ND@0.001	ND@0.001	ND@0.001
CHROMIUM, TOTAL	mg/l	0.002	0.0012	3.36	0.0049	0.0197	0.006
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2008 - June 30, 2008

Sample Location		581	627	701	702	706	714
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/18/2008	02/18/2008	02/18/2008	02/18/2008	02/20/2008	02/28/2008
Laboratory Sample I.D.		0801679	0801674	0801684	0801672	0801753	0801964
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.08 J	35.0	0.06 J	0.05 J	0.29	ND@0.04
Metals							
ARSENIC, DISSOLVED	mg/l	NA	ND@0.005	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	NA	ND@0.005	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001	ND@0.001	ND@0.001	ND@0.001	ND@0.001
CHROMIUM, TOTAL	mg/l	0.053	0.003 J	0.022	0.003 J	0.0012	0.0053
NICKEL, DISSOLVED	mg/l	NA	0.312	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	0.282	NA	NA	NA	NA

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2008 - June 30, 2008

Sample Location		720	735	740	742	742	742
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/26/2008	02/18/2008	02/15/2008	01/25/2008	04/25/2008	04/25/2008
Laboratory Sample I.D.		0802929	0801676	0801617	0800793	0804054	0804053
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.04	13.4	NA	0.05 J	0.05 J	0.05 J
Metals							
ARSENIC, DISSOLVED	mg/l	NA	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005
ARSENIC, TOTAL	mg/l	NA	ND@0.005	ND@0.005	0.005 J	ND@0.005	ND@0.005
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001	ND@0.001	ND@0.001	0.0017	0.0015
CHROMIUM, TOTAL	mg/l	0.0036	0.002 J	0.005 J	0.013	0.0114	0.0106
NICKEL, DISSOLVED	mg/l	NA	0.018 J	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	0.018 J	NA	NA	NA	NA

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2008 - June 30, 2008

Sample Location		743	744	744	744	745	745
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/11/2008	01/10/2008	01/10/2008	04/08/2008	01/10/2008	04/08/2008
Laboratory Sample I.D.		0802414	0800334	0800340	0803439	0800336	0803440
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.04	ND@0.04	ND@0.04	ND@0.04	0.09 J	0.07 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.005	NA	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	ND@0.005	NA	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001	ND@0.001	ND@0.001	0.0015	ND@0.001
CHROMIUM, TOTAL	mg/l	0.0162	0.001	0.0011	0.001	0.0019	ND@0.001
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2008 - June 30, 2008

Sample Location		751	753	754	754	755	755
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		03/11/2008	03/10/2008	02/12/2008	02/12/2008	01/10/2008	05/07/2008
Laboratory Sample I.D.		0802412	0802341	0801436	0801439	0800338	0804333
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.19	0.16	ND@0.04	ND@0.04	0.12	0.10
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	ND@0.005	ND@0.005	ND@0.005	ND@0.01
ARSENIC, TOTAL	mg/l	NA	NA	ND@0.005	ND@0.005	ND@0.005	ND@0.005
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001	0.002 J	0.001 J	ND@0.001	ND@0.001
CHROMIUM, TOTAL	mg/l	0.002	0.0009 J	0.102	0.118	0.0012	ND@0.003
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2008 - June 30, 2008

Sample Location		761	763	766	767	768	768
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		02/18/2008	03/10/2008	02/14/2008	03/11/2008	03/11/2008	03/11/2008
Laboratory Sample I.D.		0801681	0802346	0801610	0802408	0802415	0802417
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.06 J	0.06 J	4.71	9.37	ND@0.04	ND@0.04
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	ND@0.005	0.0132	ND@0.005	ND@0.005
ARSENIC, TOTAL	mg/l	NA	NA	0.009 J	0.0931	0.0384	0.0387
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001	ND@0.001	0.0009 J	0.0025	0.0027
CHROMIUM, TOTAL	mg/l	0.445	0.0066	0.054	6.31	7.12	6.96
NICKEL, DISSOLVED	mg/l	NA	NA	0.182	NA	0.104	0.107
NICKEL, TOTAL	mg/l	NA	NA	0.236	NA	0.973	0.968

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2008 - June 30, 2008

Sample Location		769	769	771	772	772	773
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/14/2008	02/14/2008	03/11/2008	01/28/2008	05/23/2008	01/25/2008
Laboratory Sample I.D.		0801611	0801613	0802410	0800850	0805136	0800792
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.04	ND@0.04	ND@0.04	0.07 J	ND@0.04	0.05 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005
ARSENIC, TOTAL	mg/l	0.018	0.005 J	0.0333	ND@0.005	ND@0.005	0.005 J
CHROMIUM, DISSOLVED	mg/l	0.002 J	0.002 J	0.0082	ND@0.001	0.0016	0.005 J
CHROMIUM, TOTAL	mg/l	2.961	0.969	7.62	0.122	0.0379	6.5
NICKEL, DISSOLVED	mg/l	0.066	0.054	NA	0.008 J	NA	NA
NICKEL, TOTAL	mg/l	0.430	0.135	NA	0.015 J	NA	NA

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2008 - June 30, 2008

Sample Location		773	773	774	774	774	775
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		04/09/2008	04/09/2008	01/10/2008	01/10/2008	04/09/2008	02/12/2008
Laboratory Sample I.D.		0803476	0803478	0800342	0800344	0803475	0801431
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.04 J	0.05 J	ND@0.04	ND@0.04	ND@0.04	0.07 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005
ARSENIC, TOTAL	mg/l	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005
CHROMIUM, DISSOLVED	mg/l	0.0032	0.0035	ND@0.001	ND@0.001	0.0009 J	ND@0.001
CHROMIUM, TOTAL	mg/l	0.457	0.415	0.0241	0.0263	0.0064	0.074
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Sample Location		789	789	791	792	793	952
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/14/2008	02/14/2008	02/14/2008	03/10/2008	02/28/2008	01/24/2008
Laboratory Sample I.D.		0801603	0801606	0801608	0802349	0801961	0800763
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.16	0.16	0.08 J	0.07 J	0.44	ND@0.04
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005
ARSENIC, TOTAL	mg/l	0.012 J	0.011 J	0.005 J	0.0364	ND@0.005	ND@0.005
CHROMIUM, DISSOLVED	mg/l	0.001 J	ND@0.001	0.002 J	ND@0.001	0.0046	ND@0.001
CHROMIUM, TOTAL	mg/l	0.938	0.751	1.443	7.08	1.27	0.003 J
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	0.0709	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	0.212	NA

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Sample Location		952	952	959	959	960	960
Sample Description		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/24/2008	04/17/2008	01/22/2008	04/22/2008	01/22/2008	04/22/2008
Laboratory Sample I.D.		0800765	0803780	0800654	0803905	0800657	0803907
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.04	ND@0.04	0.13	0.12	0.25	0.23
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005
ARSENIC, TOTAL	mg/l	ND@0.005	ND@0.005	0.0156	ND@0.005	ND@0.005	ND@0.005
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001	ND@0.001	ND@0.001	ND@0.001	ND@0.001
CHROMIUM, TOTAL	mg/l	0.002 J	0.0012	ND@0.001	0.0009 J	0.0009 J	0.001
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Sample Location		998	999
Sample Description		GROUNDWATER	GROUNDWATER
Sample Date		02/12/2008	02/12/2008
Laboratory Sample I.D.		0801435	0801433
Sample Comment Codes			
Parameter	Units		
Inorganics			
FLUORIDE	mg/l	0.10 J	0.05 J
Metals			
ARSENIC, DISSOLVED	mg/l	NA	NA
ARSENIC, TOTAL	mg/l	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001
CHROMIUM, TOTAL	mg/l	0.003 J	ND@0.001
NICKEL, DISSOLVED	mg/l	NA	NA
NICKEL, TOTAL	mg/l	NA	NA

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

Production Well Shutdown Water Quality Sampling Schedule

WELL ID	SITE GRID COORDINATES		TOP OF CASING ELEVATION (ft MSL)	GROUND SURFACE ELEVATION (ft. MSL)	ELEVATION OF OPEN INTERVAL (ft. MSL)		WATER LEVEL ELEVATION (ft)	SAMPLING FREQUENCY (GMP)	WATER QUALITY MONITORING SCHEDULE
	NORTHING	EASTING			TOP	BOTTOM			
MW007	7592.128	5547.17	257.35	254.95	219.25	209.25	234.25	S	A
MW027	7204.062	3450.75	260.24	258.64	127.24	62.24	119.39	None	B
MW053	4965.757	6073.504	266.58	266.88	242.88	227.88	249.41	S	A
MW065	7055.103	6595.751	258.76	255.76	225.26	215.26	251.33	Q	A
MW105	7426.962	5342.224	257.74	255.38	155.34	152.34	215.43	S	B
MW106	7426.962	5342.224	257.74	255.37	112.54	107.54	202.06	S	B
MW108	6742.206	5806.444	255.45	252.82	153.75	150.75	204.82	S	A
MW109	6742.206	5806.444	255.45	252.82	95.85	92.85	190.39	S	A
MW113	4227.305	7004.293	269.01	266.57	163.41	158.41	266.09	Q	A
MW118	7579.473	4816.285	263.06	260.28	114.56	109.56	85.21	S	B
MW143	4709.97	4756.984	251.36	248.48	108.16	105.16	dry	S	A
MW145	4301.093	5498.184	253.9	251.35	166.9	161.9	195.43	AN	A
MW146	4301.093	5498.184	253.9	251.35	111.2	106.2	150.54	AN	A
MW156	5003.112	3793.197	242.58	240.06	158.78	155.78	190.50	S	A
MW503	6183.28	7102.81	259.88	260.49	OPEN HOLE		256.16	Q	A
MW515	5486.4	7170.8	260.81	258.78	123.31	103.31	255.85	Q	A
MW535	4555.64	7037.66	266.34	264.59	153.34	148.34	261.57	Q	A
MW559	5251.53	6221.42	282.75	281.35	209.25	199.25	247.85	S	B
MW563	5584.35	6294.51	285.63	283.96	170.63	155.63	242.38	S	B
MW564	5835.5	6318.8	289.59	287.04	199.93	194.93	254.84	S	B
MW574	5547.4	5776	269.09	269.52	241.49	236.49	240.27	AN	A
MW577	7043.09	2386.91	230.32	227.74	27.12	7.12	87.80	S	A
MW578	8434.41	4111.78	272.21	270.00	92.21	72.21	150.18	S	A
MW579	6219.45	3829.38	247.72	248.20	13.06	-6.94	77.04	S	B
MW601	5833.206	5987.98	266.04	263.54	133.34	128.34	198.58	AN	A
MW604	4497.252	5144.622	252.66	250.19	123.26	113.26	134.25	AN	B
MW606	6115.035	5326.621	253.27	250.71	81.9	61.9	73.44	None	B
MW607	5020.203	5360.277	253.77	251.35	154.77	134.77	dry	AN	B
MW608	5688.197	5270.023	255.51	253.61	203.01	193.01	dry	AN	A
MW609	6188.755	5261.662	249.18	249.53	23.88	13.88	70.23	S	B
MW610	5562.575	4953.575	250.87	248.62	90.27	70.27	-7?	S	B
MW611	5433	4432.1	250.78	248.16	47.68	27.68	-7?	S	B
MW622	5752	5510.2	268.08	265.44	75.15	55.05	186.33	S	B
MW623	5719.6	4865.2	246.01	246.29	-71.69	-86.69	74.30	S	B
MW624	5592.54	4175.38	246.31	246.81	-112.92	-122.92	80.90	S	B
MW628	6642.2	6446.75	267.42	264.72	248.21	208.21	N/A	M	M
MW704	7239.5	5591.7	255	253.28	OPEN HOLE		175.14	S	A
MW711	8023.4	5014.2	263.69	261.09	OPEN HOLE		234.86	S	A
MW716	7964.6	4458.5	271.93	269.23	120.93	100.93	141.24	S	B
MW732	7294.8	4520.6	265.17	262.52	97.17	17.17	96.47	None	B
MW734	7004.4	4656.1	261.79	262.12	72.09	42.09	89.24	None	B
MW737	6824.5	4211.7	261.2	258.85	99	69	81.70	None	B
MW739	7240.4	3863.8	261.35	262.05	89.25	49.25	86.12	S	B
MW742	6687.6	3858.3	260.46	257.94	118.9	38.9	72.67	S	B
MW779	8113.332	3177.082	263.34	261.51	40.34	30.34	100.82	S	A
MW922	5370.449	5919.909	262.71	263.13	156.1	146.1	205.03	S	B
MW923	5366.539	5900.128	262.76	263.10	111.9	101.9	198.93	S	B
MW929	4924.716	5240.517	252.16	249.41	109.26	99.26	121.54	S	B
MW931	4697.941	5340.883	252.26	251.18	110.56	100.56	130.45	S	B
MW932	4950.68	6078.512	267.11	267.54	114.3	94.3	245.63	S	A
MW941	5331.321	5137.291	254.52	251.83	137.39	117.39	dry	S	B
MW943	4481.165	6103.694	254.23	251.69	126.43	106.43	235.85	S	B
MW944	4488.497	6097.271	254.11	251.72	199.31	179.31	242.12	S	B
MW952	5869.76	3631.25	245.34	245.76	87.36	47.36	66.12	S	B
MW953	5090.49	4671.511	251.79	249.88	108.69	98.69	dry	S	B
MW954	5627.761	5859.991	268.2	265.26	110.38	90.38	207.74	S	B
MW958	4786.231	7605.657	266.66	263.89	180.26	160.26	261.11	Q	A
MW959	5923.4	4432.322	251.45	248.92	103.45	93.45	112.28	S	A
MW960	5938.559	4428.87	251.4	248.75	180.85	160.85	193.85	S	A
MW963	6001.33	7144.318	264.55	261.95	117.75	97.75	256.11	Q	A
MW964	6001.33	7144.318	264.55	261.96	181.14	171.14	256.32	Q	A
MW965	6056.588	5582.108	255.4	253.13	117.6	107.6	188.28	S	A
MW966	6064.807	5592.027	255.28	252.99	163.57	128.57	187.63	S	A

Production Well Shutdown Water Quality Sampling Schedule

WELL ID	SITE GRID COORDINATES		TOP OF CASING ELEVATION (ft MSL)	GROUND SURFACE ELEVATION (ft. MSL)	ELEVATION OF OPEN INTERVAL (ft. MSL)		WATER LEVEL ELEVATION (ft) July 2004	SAMPLING FREQUENCY (GMP)	WATER QUALITY MONITORING SCHEDULE
	NORTHING	EASTING			TOP	BOTTOM			
MW987	6384.32	6988.373	260.2	260.55	225.4	215.4	254.73	Q	A
PW-1	7180	3505	262.24		176	-254		M	M
PW-2	7060	4940	255.34		174	-21		M	M
PW-23	5695.41	5011.9	266.97		230.7	218.7		M	M
PW-25	5686.4	4997.3	250.53	249.26	-80.3	-171.4		M	M
PW-4	6390	5190	248.73		20	-20		M	M
PW-5/5A	5565	3535	241.88		154	-272		M	M
PW-6	4140	4435	244.19		152	-191		M	M
PW-7	4825	5790	268.16		208	-489		M	M

Key:

GMP Sampling Frequency:

AN = Annual

S = Semiannual

Q = Quarterly

M = Monthly

Production Well Shutdown Sampling Frequency:

A = prior to pumping termination, and at 3, 6, and 12 months after termination of pumping

B = prior to pumping termination, and at one week, 1, 3, 6, and 12 months after the termination of pumping

Table based information found in:

Sanborn, Head & Associates, Inc., January 20, 2006, *Work Plan: Field Observation of Alternate Groundwater Extraction Operations, IBM East Fishkill Facility, East Fishkill, New York.*

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAM Well Organics Data
January 1, 2008 - June 30, 2008

Sample Location		027		027		606		606		606		732
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER
Sample Date		01/24/2008		04/24/2008		01/24/2008		04/21/2008		05/08/2008		01/25/2008
Laboratory Sample I.D.		0800804		0804064		0800807		0803858		0804536		0800835
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		485.31
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
ACETONE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
BENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		16.30		ND@0.5		1892.29
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
METHYLENE CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
TETRACHLOROETHYLENE	ug/l	0.75		ND@0.5		ND@0.5		5.88		ND@0.5		2405.38
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
TRICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		5.52		ND@0.5		766.96
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0
VINYL CHLORIDE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@100.0

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAM Well Organics Data
January 1, 2008 - June 30, 2008

Sample Location	732		734		734		737		737		737
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER
Sample Date	04/21/2008		01/24/2008		04/25/2008		01/24/2008		04/24/2008		05/08/2008
Laboratory Sample I.D.	0803856		0800806		0804068		0800805		0804061		0804537
Sample Comment Codes											
Parameter	Units										
Base/Neutral Extractables											
1,2,3-TRICHLOROBENZENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
Volatile Organics											
1,1,1-TRICHLOROETHANE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	564.00	ND@1.0		1.25		ND@0.5		5.00		2.99
1,1-DICHLOROETHYLENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
ACETONE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
BENZENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
CHLOROBENZENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	1793.10	1.98		2.08		ND@0.5		ND@0.5		ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
ETHYLBENZENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
M,P-XYLENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
METHYLENE CHLORIDE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
O-XYLENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
TETRACHLOROETHYLENE	ug/l	2858.10	52.80		51.05		ND@0.5		3.45		4.82
TOLUENE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5
TRICHLOROETHYLENE	ug/l	988.52	9.71		9.19		ND@0.5		0.87		1.19
TRICHLOROFLUOROMETHANE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		0.49		0.62
VINYL CHLORIDE	ug/l	ND@100.0	ND@1.0		ND@1.0		ND@0.5		ND@0.5		ND@0.5

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAM Well Organics Data
January 1, 2008 - June 30, 2008

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

IBM Corporation

Appendix E

Production Well Analytical Data (Organics): January 1, 2008 to June 30, 2008
Production Well Analytical Data (Inorganics): January 1, 2008 to June 30, 2008

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1
Sample Description	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	01/03/2008	01/03/2008	02/04/2008	03/05/2008	04/01/2008	05/01/2008
Laboratory Sample I.D.	0800093	0800097	0801082	0802198	0803163	0804181
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.76	1.75	2.95	2.19	2.39	1.83
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	1.99	1.98	2.65	2.26	2.46	2.90
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	22.17	22.44	24.83	22.61	20.61	22.65
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	8.50	8.47	9.42	8.72	8.18	8.24
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location	PW- 1	PW- 1	PW- 2	PW- 2	PW- 2	PW- 2
Sample Description	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	06/02/2008	06/02/2008	01/03/2008	01/10/2008	02/04/2008	03/05/2008
Laboratory Sample I.D.	0805277	0805279	0800091	0800371	0801079	0802196
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.88	1.91	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
ACETONE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
BENZENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.88	2.90	ND@1000.0	842.56	882.96	756.61
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
TETRACHLOROETHYLENE	ug/l	23.20	23.05	9800.80	9952.79	10478.04	8420.84
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
TRICHLOROETHYLENE	ug/l	8.13	8.23	ND@1000.0	1115.75	1090.30	959.86
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@1000.0	ND@250.0	ND@250.0	ND@250.0

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	PW- 2	PW- 2	PW- 2	PW- 4	PW- 4	PW- 4
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	04/02/2008	05/01/2008	06/02/2008	01/03/2008	02/04/2008	03/05/2008
Laboratory Sample I.D.	0803183	0804182	0805275	0800095	0801080	0802197
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
1,1-DICHLOROETHYLENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
ACETONE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	628.81	1300.55	1391.38	ND@5.0	ND@5.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
M,P-XYLENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
METHYLENE CHLORIDE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
O-XYLENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	9879.38	12898.33	13003.06	109.60	127.97
TOLUENE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
TRICHLOROETHYLENE	ug/l	984.76	1799.69	1975.48	32.26	39.50
TRICHLOROFLUOROMETHANE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1000.0	ND@1000.0	ND@1000.0	ND@5.0	ND@5.0

IBM Corporation

3-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	PW- 4	PW- 4	PW- 4	PW- 5	PW- 5	PW- 5
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	04/02/2008	05/02/2008	06/02/2008	01/03/2008	02/04/2008	03/05/2008
Laboratory Sample I.D.	0803184	0804192	0805276	0800094	0801078	0802195
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
BENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@5.0	3.90	4.03	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	125.75	150.46	149.75	1.01	1.17
TOLUENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	39.56	50.76	50.15	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@0.5	ND@0.5

IBM Corporation

4-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		PW- 5	PW- 5	PW- 5	PW- 5	PW- 6	PW- 6
Sample Description		PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		04/01/2008	04/01/2008	05/01/2008	06/05/2008	01/03/2008	01/31/2008
Laboratory Sample I.D.		0803161	0803164	0804180	0805487	0800092	0800972
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	2.81	2.85	2.94	2.66	0.84	0.83
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

5-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2008 - June 30, 2008

Sample Location		PW- 6	PW- 6	PW- 6	PW- 6	PW- 6	PW- 7
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		02/04/2008	03/05/2008	04/01/2008	05/01/2008	06/06/2008	01/03/2008
Laboratory Sample I.D.		0801077	0802194	0803162	0804179	0805478	0800090
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
TETRACHLOROETHYLENE	ug/l	0.99	1.00	1.05	1.07	0.74	8.13
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@2.5

IBM Corporation

6-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	PW- 7	PW- 7	PW- 7	PW- 7	PW- 7	PW- 7
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	01/10/2008	01/31/2008	02/19/2008	03/05/2008	04/01/2008	05/01/2008
Laboratory Sample I.D.	0800372	0800973	0801734	0802193	0803160	0804178
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	2.29	2.20	2.56	2.75	2.58	2.95
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	9.26	15.27	15.19	18.53	19.18	14.43
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	1.29	2.15	2.27	2.61	3.00	2.80
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

7-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	PW- 7	PW-23	PW-23	PW-23	PW-23	PW-23
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	06/05/2008	01/07/2008	02/04/2008	03/03/2008	04/07/2008	05/05/2008
Laboratory Sample I.D.	0805486	0800222	0801081	0802136	0803417	0804262
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	2.36	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.42
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	8.48	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.39
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	1.98	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

8-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	PW-23	PW-25	PW-25	PW-25	PW-25	PW-25
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	REPLICATE
Sample Date	06/03/2008	01/28/2008	02/04/2008	02/04/2008	03/05/2008	03/05/2008
Laboratory Sample I.D.	0805344	0800887	0801083	0801084	0802199	0802200
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	6.35	20.14	20.70	17.92
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
ACETONE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
BENZENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
CHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	47.22	57.96	61.31	48.90
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
ETHYLBENZENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
M,P-XYLENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
O-XYLENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
TETRACHLOROETHYLENE	ug/l	0.38	608.02	644.63	663.25	581.08
TOLUENE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
TRICHLOROETHYLENE	ug/l	ND@0.5	202.84	210.36	213.91	191.11
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0
VINYL CHLORIDE	ug/l	ND@0.5	ND@10.0	ND@10.0	ND@10.0	ND@10.0

IBM Corporation

9-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	PW-25	PW-25	PW-25	PW-25
Sample Description	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL
Sample Date	04/02/2008	05/01/2008	05/01/2008	06/02/2008
Laboratory Sample I.D.	0803185	0804183	0804184	0805278
Sample Comment Codes				
Parameter	Units			
Base/Neutral Extractables				
1,2,3-TRICHLOROBENZENE	ug/l	ND@10.0	ND@10.0	ND@10.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@10.0	ND@10.0	ND@10.0
1,2-DICHLOROBENZENE	ug/l	ND@10.0	ND@10.0	ND@10.0
1,3-DICHLOROBENZENE	ug/l	ND@10.0	ND@10.0	ND@10.0
1,4-DICHLOROBENZENE	ug/l	ND@10.0	ND@10.0	ND@10.0
Volatile Organics				
1,1,1-TRICHLOROETHANE	ug/l	ND@10.0	ND@10.0	ND@10.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	14.29	14.01	13.75
1,1-DICHLOROETHYLENE	ug/l	ND@10.0	ND@10.0	ND@10.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@10.0	ND@10.0	ND@10.0
ACETONE	ug/l	ND@10.0	ND@10.0	ND@10.0
BENZENE	ug/l	ND@10.0	ND@10.0	ND@10.0
CHLOROBENZENE	ug/l	ND@10.0	ND@10.0	ND@10.0
CIS-1,2-DICHLOROETHYLENE	ug/l	46.44	62.07	57.99
DICHLORODIFLUOROMETHANE	ug/l	ND@10.0	ND@10.0	ND@10.0
ETHYLBENZENE	ug/l	ND@10.0	ND@10.0	ND@10.0
M,P-XYLENE	ug/l	ND@10.0	ND@10.0	ND@10.0
METHYLENE CHLORIDE	ug/l	ND@10.0	ND@10.0	ND@10.0
O-XYLENE	ug/l	ND@10.0	ND@10.0	ND@10.0
TETRACHLOROETHYLENE	ug/l	516.78	603.63	552.59
TOLUENE	ug/l	ND@10.0	ND@10.0	ND@10.0
TRICHLOROETHYLENE	ug/l	157.73	173.16	161.00
TRICHLOROFLUOROMETHANE	ug/l	ND@10.0	ND@10.0	ND@10.0
VINYL CHLORIDE	ug/l	ND@10.0	ND@10.0	ND@10.0

IBM Corporation

10-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2008 - June 30, 2008

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

IBM Corporation

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Sample Location	PW- 1		PW- 1	PW- 1	PW- 2		PW- 2	PW- 4
Sample Description	PUMPING WELL		REPLICATE	PUMPING WELL	PUMPING WELL		PUMPING WELL	PUMPING WELL
Sample Date	01/03/2008		01/03/2008	04/01/2008	01/03/2008		04/02/2008	01/03/2008
Laboratory Sample I.D.	0800064		0800079	0803095	0800067		0803126	0800069
Sample Comment Codes								
Parameter	Units							
Inorganics								
FLUORIDE	mg/l	0.05	ND@0.04	0.05 J	0.12	0.11	0.04	
Metals								
ARSENIC, DISSOLVED	mg/l	0.006	0.007	ND@0.005	0.005	ND@0.005	0.008	
ARSENIC, TOTAL	mg/l	ND@0.005	0.011	ND@0.005	0.009	ND@0.005	ND@0.005	
CHROMIUM, DISSOLVED	mg/l	ND@0.001	0.001	ND@0.001	0.001	ND@0.001	ND@0.001	
CHROMIUM, TOTAL	mg/l	0.001	ND@0.001	0.001 J	0.001	ND@0.001	ND@0.001	

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Sample Location	PW- 4		PW- 5		PW- 5		PW- 5		PW- 6		PW- 6	
Sample Description	PUMPING WELL		PUMPING WELL		PUMPING WELL		REPLICATE		PUMPING WELL		PUMPING WELL	
Sample Date	04/02/2008		01/03/2008		04/01/2008		04/01/2008		01/03/2008		04/01/2008	
Laboratory Sample I.D.	0803127		0800071		0803097		0803099		0800073		0803094	
Sample Comment Codes												
Parameter	Units											
Inorganics												
FLUORIDE	mg/l	ND@0.04	ND@0.04		ND@0.04		ND@0.04		0.05		0.10 J	
Metals												
ARSENIC, DISSOLVED	mg/l	ND@0.005	0.008		ND@0.005		ND@0.005		0.011		ND@0.005	
ARSENIC, TOTAL	mg/l	ND@0.005	0.011		ND@0.005		ND@0.005		0.006		ND@0.005	
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001		ND@0.001		ND@0.001		ND@0.001		ND@0.001	
CHROMIUM, TOTAL	mg/l	ND@0.001	0.014		0.0038		0.0033		ND@0.001		0.0009 J	

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Sample Location		PW- 7	PW- 7	PW- 7	PW- 7	PW- 7	PW- 7
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		01/03/2008	02/19/2008	03/05/2008	04/01/2008	05/01/2008	06/05/2008
Laboratory Sample I.D.		0800075	0801701	0802185	0803092	0804173	0805417
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.05	0.08 J	0.06 J	ND@0.04	ND@0.04	0.07 J
Metals							
ARSENIC, DISSOLVED	mg/l	0.006	ND@0.005	ND@0.005	ND@0.005	ND@0.01	ND@0.005
ARSENIC, TOTAL	mg/l	0.011	ND@0.005	ND@0.005	ND@0.005	ND@0.005	ND@0.005
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001	ND@0.001	ND@0.001	ND@0.001	ND@0.001
CHROMIUM, TOTAL	mg/l	0.006	ND@0.001	ND@0.001	0.0008 J	0.0012	0.0007 J

IBM Corporation

3-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Sample Location		PW-25	PW-25
Sample Description		PUMPING WELL	PUMPING WELL
Sample Date		01/03/2008	04/02/2008
Laboratory Sample I.D.		0800077	0803130
Sample Comment Codes			
Parameter	Units		
Inorganics			
FLUORIDE	mg/l	0.05	ND@0.04
Metals			
ARSENIC, DISSOLVED	mg/l	0.008	ND@0.005
ARSENIC, TOTAL	mg/l	0.005	ND@0.005
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001
CHROMIUM, TOTAL	mg/l	0.001	0.001

IBM Corporation

4-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

Appendix F

Quality Assurance/Quality Control Analytical Data: January 1, 2008 to June 30, 2008

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/03/2008	01/04/2008	01/09/2008	01/10/2008	01/11/2008	01/14/2008
Laboratory Sample I.D.	0800088	0800147	0800309	0800362	0800374	0800416
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

1-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/15/2008	01/16/2008	01/21/2008	01/22/2008	01/23/2008	01/24/2008
Laboratory Sample I.D.	0800460	0800507	0800643	0800709	0800733	0800815
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

2-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/25/2008	01/28/2008	01/29/2008	02/04/2008	02/07/2008	02/11/2008
Laboratory Sample I.D.	0800825	0800882	0800916	0801074	0801301	0801441
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

3-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	02/12/2008	02/14/2008	02/18/2008	02/19/2008	02/20/2008	02/27/2008
Laboratory Sample I.D.	0801456	0801619	0801703	0801726	0801764	0801924
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

4-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	02/28/2008	03/05/2008	03/07/2008	03/10/2008	03/11/2008	03/12/2008
Laboratory Sample I.D.	0802002	0802191	0802303	0802391	0802461	0802522
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

5-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/13/2008	03/19/2008	03/20/2008	03/21/2008	03/24/2008	03/26/2008
Laboratory Sample I.D.	0802567	0802662	0802723	0802803	0802855	0802933
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

6-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/01/2008	04/03/2008	04/08/2008	04/09/2008	04/10/2008	04/14/2008
Laboratory Sample I.D.	0803158	0803205	0803456	0803509	0803561	0803650
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

7-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/15/2008	04/16/2008	04/17/2008	04/21/2008	04/22/2008	04/23/2008
Laboratory Sample I.D.	0803705	0803756	0803794	0803936	0803964	0804010
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	0.72	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

8-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/24/2008	04/25/2008	04/29/2008	04/30/2008	05/01/2008	05/02/2008
Laboratory Sample I.D.	0804065	0804073	0804099	0804149	0804176	0804187
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

9-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	05/07/2008	05/08/2008	05/09/2008	05/21/2008	05/22/2008	05/23/2008
Laboratory Sample I.D.	0804349	0804534	0804443	0804947	0804990	0805156
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

10-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	05/27/2008	05/28/2008	06/02/2008	06/05/2008	06/06/2008	06/09/2008
Laboratory Sample I.D.	0805180	0805210	0805273	0805484	0805476	0805528
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

11-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description	WTR LVL IND	WTR LVL IND	SUBM PUMP			
Sample Date	06/16/2008	06/17/2008	06/18/2008	01/03/2008	01/04/2008	01/07/2008
Laboratory Sample I.D.	0805832	0805875	0805880	0800089	0800148	0800223
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

12-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description							
Sample Date		01/08/2008	01/09/2008	01/10/2008	01/11/2008	01/14/2008	01/15/2008
Laboratory Sample I.D.		0800287	0800310	0800363	0800375	0800417	0800461
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

13-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description							
Sample Date		01/16/2008	01/21/2008	01/22/2008	01/23/2008	01/24/2008	01/25/2008
Laboratory Sample I.D.		0800508	0800644	0800710	0800734	0800816	0800826
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

14-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	01/28/2008	01/29/2008	02/04/2008	02/05/2008	02/06/2008	02/07/2008
Laboratory Sample I.D.	0800881	0800917	0801075	0801203	0801235	0801302
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

15-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	02/11/2008	02/12/2008	02/14/2008	02/18/2008	02/19/2008	02/20/2008
Laboratory Sample I.D.	0801442	0801457	0801620	0801704	0801727	0801765
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

16-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	02/27/2008	02/28/2008	03/03/2008	03/05/2008	03/07/2008	03/10/2008
Laboratory Sample I.D.	0801925	0802003	0802117	0802192	0802304	0802392
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

17-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/11/2008	03/12/2008	03/13/2008	03/19/2008	03/20/2008	03/21/2008
Laboratory Sample I.D.	0802462	0802523	0802568	0802664	0802727	0802804
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

18-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/24/2008	03/26/2008	04/01/2008	04/02/2008	04/03/2008	04/07/2008
Laboratory Sample I.D.	0802856	0802934	0803159	0803182	0803204	0803419
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

19-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/08/2008	04/09/2008	04/10/2008	04/14/2008	04/15/2008	04/16/2008
Laboratory Sample I.D.	0803455	0803510	0803562	0803651	0803706	0803757
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

20-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description							
Sample Date		04/17/2008	04/21/2008	04/22/2008	04/23/2008	04/24/2008	04/25/2008
Laboratory Sample I.D.		0803795	0803937	0803965	0804011	0804066	0804074
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

21-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description							
Sample Date		04/29/2008	04/30/2008	05/01/2008	05/02/2008	05/05/2008	05/06/2008
Laboratory Sample I.D.		0804100	0804150	0804177	0804188	0804254	0804371
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

22-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	05/07/2008	05/08/2008	05/09/2008	05/21/2008	05/22/2008	05/23/2008
Laboratory Sample I.D.	0804350	0804535	0804444	0804948	0804991	0805157
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

23-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	05/27/2008	05/28/2008	06/02/2008	06/03/2008	06/04/2008	06/05/2008
Laboratory Sample I.D.	0805181	0805211	0805274	0805337	0805369	0805485
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

24-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	TRIP BLANK
Sample Description							NO. 1
Sample Date		06/06/2008	06/09/2008	06/16/2008	06/17/2008	06/18/2008	01/03/2008
Laboratory Sample I.D.		0805477	0805529	0805833	0805876	0805881	0800087
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

25-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description		NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date		01/04/2008	01/07/2008	01/08/2008	01/09/2008	01/10/2008	01/11/2008
Laboratory Sample I.D.		0800146	0800228	0800285	0800308	0800361	0800373
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

26-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 2
Sample Date	01/14/2008	01/15/2008	01/16/2008	01/21/2008	01/22/2008	01/22/2008
Laboratory Sample I.D.	0800415	0800459	0800506	0800642	0800704	0800708
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

27-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 2	NO. 1	NO. 2	NO. 1	NO. 2
Sample Date	01/23/2008	01/23/2008	01/24/2008	01/24/2008	01/25/2008	01/25/2008
Laboratory Sample I.D.	0800740	0800732	0800802	0800814	0800831	0800824
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

28-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	01/28/2008	01/29/2008	02/04/2008	02/05/2008	02/06/2008	02/07/2008
Laboratory Sample I.D.	0800880	0800915	0801073	0801201	0801233	0801300
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

29-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	02/11/2008	02/12/2008	02/14/2008	02/18/2008	02/19/2008	02/20/2008
Laboratory Sample I.D.	0801440	0801455	0801618	0801702	0801725	0801763
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

30-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	02/27/2008	02/28/2008	03/03/2008	03/05/2008	03/07/2008	03/10/2008
Laboratory Sample I.D.	0801923	0802001	0802115	0802190	0802302	0802390
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

31-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/11/2008	03/12/2008	03/13/2008	03/19/2008	03/20/2008	03/21/2008
Laboratory Sample I.D.	0802460	0802521	0802566	0802660	0802718	0802797
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

32-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/24/2008	03/26/2008	04/01/2008	04/02/2008	04/03/2008	04/07/2008
Laboratory Sample I.D.	0802850	0802930	0803157	0803180	0803203	0803409
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

33-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	04/08/2008	04/09/2008	04/10/2008	04/14/2008	04/15/2008	04/16/2008
Laboratory Sample I.D.	0803454	0803508	0803560	0803649	0803704	0803755
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

34-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 2	NO. 1	NO. 1	NO. 2
Sample Date	04/17/2008	04/21/2008	04/21/2008	04/22/2008	04/23/2008	04/23/2008
Laboratory Sample I.D.	0803793	0803853	0803935	0803963	0803983	0804009
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

35-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 2	NO. 1	NO. 1	NO. 1
Sample Date	04/24/2008	04/25/2008	04/25/2008	04/29/2008	04/30/2008	05/01/2008
Laboratory Sample I.D.	0804060	0804067	0804072	0804098	0804148	0804175
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

36-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	05/02/2008	05/05/2008	05/06/2008	05/07/2008	05/08/2008	05/09/2008
Laboratory Sample I.D.	0804186	0804252	0804359	0804348	0804533	0804442
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	0.33	ND@0.5	ND@0.5	ND@0.5	0.44
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

37-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 2	NO. 1	NO. 2	NO. 1
Sample Date	05/21/2008	05/22/2008	05/22/2008	05/23/2008	05/23/2008	05/27/2008
Laboratory Sample I.D.	0804946	0804995	0804989	0805163	0805155	0805179
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

38-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	05/28/2008	06/02/2008	06/03/2008	06/04/2008	06/05/2008	06/06/2008
Laboratory Sample I.D.	0805209	0805272	0805336	0805367	0805483	0805475
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

39-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	06/09/2008	06/16/2008	06/17/2008	06/18/2008	06/25/2008
Laboratory Sample I.D.	0805527	0805831	0805874	0805879	0806070
Sample Comment Codes					

Parameter	Units				
Base/Neutral Extractables					
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics					
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	0.35
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

40-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data - Organics
January 1, 2008 - June 30, 2008

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Appendix G

Groundwater Treatment Analytical Data (Organics): January 1, 2008 to June 30, 2008
Groundwater Treatment Analytical Data (Inorganics): January 1, 2008 to June 30, 2008

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	032A	032A	032A	032A	032A	032A
Sample Description	GW/AREA D IN	GW/AREA D IN	REPLICATE	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN
Sample Date	01/03/2008	02/06/2008	02/06/2008	03/07/2008	04/02/2008	05/09/2008
Laboratory Sample I.D.	0800104	0801241	0801242	0802311	0803188	0804445
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	0.34	0.35	ND@0.5	ND@0.5	0.50
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	0.91	1.10	1.06	0.56	0.79	1.07
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	2.69	3.08	3.00	2.04	1.97	2.79
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	032A	080	080	080	080	080
Sample Description	GW/AREA D IN	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	06/09/2008	01/02/2008	01/04/2008	01/07/2008	01/10/2008	01/15/2008
Laboratory Sample I.D.	0805530	0800012	0800111	0800157	0800327	0800432
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	0.32	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	0.92	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.51	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	0.73	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	3.12	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	1.64	1.25	1.56	2.06	1.88

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	01/17/2008	01/21/2008	01/24/2008	01/24/2008	01/29/2008	01/31/2008
Laboratory Sample I.D.	0800563	0800638	0800757	0800759	0800893	0800949
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	0.53	0.45	0.46	0.67	0.67
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	2.15	2.50	2.62	2.82	4.02	4.30

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	02/04/2008	02/08/2008	02/12/2008	02/14/2008	02/18/2008	02/21/2008
Laboratory Sample I.D.	0801030	0801318	0801451	0801510	0801649	0801785
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	0.43	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.42
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	0.85	0.91	0.55	0.69	1.09	0.90
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	0.51	ND@0.5	ND@0.5	ND@0.5	0.39	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	5.63	6.67	5.55	7.11	8.07	8.71

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	02/21/2008	02/25/2008	03/03/2008	03/06/2008	03/10/2008	03/13/2008
Laboratory Sample I.D.	0801787	0801800	0802028	0802210	0802386	0802533
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	2.40	0.37	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	0.44	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.37
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	0.97	1.04	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	2.82	9.74	2.80	1.93
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	4.95	2.36	1.58
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	9.64	13.51	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	03/17/2008	03/20/2008	03/20/2008	03/25/2008	03/27/2008	03/31/2008
Laboratory Sample I.D.	0802595	0802692	0802694	0802888	0803001	0803035
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	0.36	ND@0.5	0.42	0.39	0.30
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	1.67	1.25	0.44	2.65	0.78	1.64
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	1.48	1.07	0.34	4.10	0.35	1.76
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	04/04/2008	04/07/2008	04/10/2008	04/14/2008	04/17/2008	04/21/2008
Laboratory Sample I.D.	0803215	0803349	0803523	0803621	0803770	0803849
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	0.28	ND@0.5	0.61	ND@0.5	0.50	0.49
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	0.97	ND@0.5	1.04	ND@0.5	0.38	1.20
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	0.44	ND@0.5	1.02	ND@0.5	ND@0.5	1.21
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	04/24/2008	04/24/2008	04/28/2008	05/01/2008	05/05/2008	05/08/2008
Laboratory Sample I.D.	0804031	0804033	0804083	0804163	0804248	0804374
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	31.93
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	0.42	0.44	0.37	0.60	0.46	0.49
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	0.68	1.02	1.26	3.14
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	0.53	0.97	3.26
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	05/12/2008	05/15/2008	05/15/2008	05/19/2008	05/22/2008	05/27/2008
Laboratory Sample I.D.	0804644	0804818	0804820	0804864	0804961	0805174
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	22.34	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	0.74	0.74	0.46	0.35	0.75
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	0.38	0.36	0.47	0.74	1.93	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	1.88	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	0.34	0.33	0.39	0.42	0.92

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	05/29/2008	06/02/2008	06/05/2008	06/09/2008	06/16/2008	06/19/2008
Laboratory Sample I.D.	0805220	0805263	0805365	0805523	0805752	0805884
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	0.70	ND@0.5	0.74	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	0.35	0.40	0.47	ND@0.5	0.95	0.34
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	0.50	ND@0.5	1.44	0.73	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	1.39	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	1.22	1.26	1.66	1.61	3.41	3.47

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	080			080			080			221			221			221		
Sample Description	PW-2 EFFL			PW-2 EFFL			PW-2 EFFL			PW-2/GAC			PW-2/GAC			PW-2/GAC		
Sample Date	06/23/2008			06/26/2008			06/30/2008			01/02/2008			01/04/2008			01/07/2008		
Laboratory Sample I.D.	0805975			0806078			0806270			0800013			0800112			0800158		
Sample Comment Codes																		
Parameter	Units																	
Base/Neutral Extractables																		
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
1,2-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
1,3-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
1,4-DICHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
Volatile Organics																		
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
1,1-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
ACETONE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
BENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
CHLOROBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		101.07		104.45		115.52				
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5		0.51		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
ETHYLBENZENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
M,P-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
METHYLENE CHLORIDE	ug/l	0.97		0.93		1.11		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
O-XYLENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
TETRACHLOROETHYLENE	ug/l	1.01		0.61		0.67		78.97		78.97		88.50		86.36				
TOLUENE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
TRICHLOROETHYLENE	ug/l	0.67		ND@0.5		ND@0.5		33.31		22.85		26.50						
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5		ND@0.5		ND@0.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		ND@2.5		
VINYL CHLORIDE	ug/l	4.49		5.42		6.95		41.40		37.44		42.39						

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		221	221	221	221	221	221
Sample Description		PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date		01/10/2008	01/15/2008	01/17/2008	01/21/2008	01/24/2008	01/29/2008
Laboratory Sample I.D.		0800328	0800433	0800564	0800639	0800760	0800894
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
1,1-DICHLOROETHYLENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
ACETONE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
BENZENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
CHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	111.39	127.58	121.82	142.81	156.28	215.31
DICHLORODIFLUOROMETHANE	ug/l	ND@2.5	ND@2.5	ND@2.5	2.51	ND@2.5	ND@5.0
ETHYLBENZENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
M,P-XYLENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
METHYLENE CHLORIDE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
O-XYLENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
TETRACHLOROETHYLENE	ug/l	62.57	85.93	85.76	91.79	66.68	60.19
TOLUENE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
TRICHLOROETHYLENE	ug/l	19.31	23.34	22.89	21.62	19.78	15.76
TRICHLOROFLUOROMETHANE	ug/l	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@2.5	ND@5.0
VINYL CHLORIDE	ug/l	30.89	41.27	42.54	47.59	38.86	41.24

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	01/31/2008	02/04/2008	02/08/2008	02/12/2008	02/14/2008	02/18/2008
Laboratory Sample I.D.	0800950	0801031	0801319	0801452	0801511	0801650
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	5.48	3.37
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	3.76	ND@5.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
CHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	215.47	242.49	234.91	238.44	269.42	278.37
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
ETHYLBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
M,P-XYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
O-XYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	61.74	67.06	57.17	50.94	65.35	61.39
TOLUENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
TRICHLOROETHYLENE	ug/l	16.81	20.77	20.48	21.77	28.70	33.06
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
VINYL CHLORIDE	ug/l	40.01	45.20	44.54	40.71	54.40	50.62

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	02/21/2008	02/25/2008	03/03/2008	03/06/2008	03/10/2008	03/13/2008
Laboratory Sample I.D.	0801788	0801801	0802029	0802211	0802387	0802534
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.88	5.96	ND@25.0	1.60	1.24	1.20
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	314.63	340.63	295.66	24.52	11.74	9.57
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	0.85	0.81
ETHYLBENZENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@25.0	0.65	0.87	0.88
O-XYLENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	62.42	67.62	2284.34	42.44	10.40	7.53
TOLUENE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	32.18	39.67	336.30	15.45	6.34	4.20
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@25.0	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	54.18	59.24	ND@25.0	14.10	18.21	20.85

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	03/17/2008	03/20/2008	03/25/2008	03/27/2008	03/31/2008	04/04/2008
Laboratory Sample I.D.	0802596	0802695	0802889	0803002	0803036	0803216
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.65	ND@10.0	1.69	ND@2.5	0.75	0.77
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	7.99	39.01	13.86	9.77	6.27	6.83
DICHLORODIFLUOROMETHANE	ug/l	0.43	ND@10.0	ND@2.5	ND@2.5	0.93	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	0.55	ND@10.0	ND@2.5	ND@2.5	1.04	1.00
O-XYLENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	7.44	266.84	59.59	33.45	7.27	5.17
TOLUENE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	4.02	39.54	11.52	6.25	2.79	2.79
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@10.0	ND@2.5	ND@2.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	20.66	11.93	20.84	19.71	18.45	26.95

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	04/07/2008	04/10/2008	04/14/2008	04/17/2008	04/21/2008	04/24/2008
Laboratory Sample I.D.	0803350	0803524	0803622	0803771	0803850	0804034
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.55	ND@0.5	0.53	ND@1.0	ND@1.0	ND@2.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
CIS-1,2-DICHLOROETHYLENE	ug/l	7.60	5.93	5.17	4.99	5.01	4.29
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
METHYLENE CHLORIDE	ug/l	0.82	0.86	0.67	0.77	0.68	ND@2.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
TETRACHLOROETHYLENE	ug/l	4.16	3.88	3.40	2.97	3.33	3.65
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
TRICHLOROETHYLENE	ug/l	2.39	2.15	1.82	1.78	2.13	ND@2.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0	ND@2.5
VINYL CHLORIDE	ug/l	34.21	34.75	39.03	31.50	34.20	31.62

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	04/28/2008	05/01/2008	05/05/2008	05/08/2008	05/12/2008	05/15/2008
Laboratory Sample I.D.	0804084	0804164	0804249	0804375	0804645	0804821
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	4.28	5.56	6.72	7.97	8.94	8.19
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
METHYLENE CHLORIDE	ug/l	0.67	1.30	1.40	1.25	1.30	1.38
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	3.19	3.30	4.25	5.12	5.30	6.03
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1.91	2.09	2.52	2.89	2.56	6.59
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	43.14	41.54	46.15	49.96	56.33	45.80

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	05/19/2008	05/22/2008	05/27/2008	05/29/2008	06/02/2008	06/05/2008
Laboratory Sample I.D.	0804865	0804962	0805175	0805221	0805264	0805366
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	0.85	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	6.62	9.61	11.55	12.62	13.50	15.61
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
METHYLENE CHLORIDE	ug/l	ND@1.0	0.77	1.14	1.17	1.11	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	4.34	4.83	5.98	8.81	8.14	5.92
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.47	2.42	2.41	3.61	2.72	3.05
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	53.56	67.40	42.68	55.76	56.44	55.57

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	06/09/2008	06/12/2008	06/16/2008	06/19/2008	06/23/2008	06/26/2008
Laboratory Sample I.D.	0805524	0805785	0805753	0805885	0805976	0806079
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.19
ACETONE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	16.81	15.31	20.06	18.75	23.37	27.54
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	2.01	ND@1.0	0.98
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
METHYLENE CHLORIDE	ug/l	0.65	1.21	1.65	ND@1.0	1.64	1.40
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	5.69	6.01	5.93	4.60	4.57	4.61
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	3.30	6.60	3.61	2.16	3.01	2.78
TRICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	54.97	48.70	74.29	53.00	60.32	58.13

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	221	360	360	360	360	360
Sample Description	PW-2/GAC	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT
Sample Date	06/30/2008	01/03/2008	02/06/2008	03/07/2008	04/02/2008	05/09/2008
Laboratory Sample I.D.	0806271	0800105	0801243	0802312	0803186	0804449
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	28.56	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	1.66	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	4.22	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	2.83	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	54.72	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	360	395	395	395	395	395
Sample Description	B/322 OUTPUT	B/384 SUMP	B/384 SUMP	B/384 SUMP	REPLICATE	B/384 SUMP
Sample Date	06/09/2008	01/07/2008	02/07/2008	03/05/2008	03/05/2008	04/02/2008
Laboratory Sample I.D.	0805535	0800224	0801304	0802201	0802205	0803170
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
ACETONE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
BENZENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
CHLOROBENZENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
ETHYLBENZENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
M,P-XYLENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
O-XYLENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
TETRACHLOROETHYLENE	ug/l	ND@0.5	24491.22	26360.82	14075.34	18534.24
TOLUENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0
VINYL CHLORIDE	ug/l	ND@0.5	ND@500.0	ND@500.0	ND@500.0	ND@500.0

IBM Corporation

21-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	395	395	395	395	395	395A
Sample Description	B/384 SUMP	B/384 SUMP	B/384 SUMP	REPLICATE	B/384 SUMP	AREA A INFL
Sample Date	04/08/2008	05/09/2008	06/02/2008	06/02/2008	06/25/2008	01/07/2008
Laboratory Sample I.D.	0803462	0804451	0805281	0805280	0806071	0800225
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
1,2-DICHLOROBENZENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
1,3-DICHLOROBENZENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
1,4-DICHLOROBENZENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
1,1-DICHLOROETHYLENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
ACETONE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
BENZENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
CHLOROBENZENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
DICHLORODIFLUOROMETHANE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
ETHYLBENZENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
M,P-XYLENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
METHYLENE CHLORIDE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
O-XYLENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
TETRACHLOROETHYLENE	ug/l	37313.53	47340.52	38820.64	39236.35	14776.13
TOLUENE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
TRICHLOROETHYLENE	ug/l	ND@500.0	926.02	892.00	947.89	543.56
TRICHLOROFLUOROMETHANE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0
VINYL CHLORIDE	ug/l	ND@500.0	ND@1000.0	ND@500.0	ND@500.0	ND@500.0

IBM Corporation

22-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	395A	395A	395A	395A	395A	395A
Sample Description	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL
Sample Date	02/07/2008	03/05/2008	04/08/2008	05/09/2008	06/02/2008	06/25/2008
Laboratory Sample I.D.	0801305	0802202	0803463	0804452	0805282	0806072
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,2-DICHLOROBENZENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,3-DICHLOROBENZENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,4-DICHLOROBENZENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,1-DICHLOROETHYLENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
ACETONE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
BENZENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
CHLOROBENZENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
DICHLORODIFLUOROMETHANE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
ETHYLBENZENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
M,P-XYLENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
METHYLENE CHLORIDE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
O-XYLENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
TETRACHLOROETHYLENE	ug/l	25868.54	14539.92	11563.12	15846.35	16718.70	12233.29
TOLUENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
TRICHLOROETHYLENE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	514.82
TRICHLOROFLUOROMETHANE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0
VINYL CHLORIDE	ug/l	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0	ND@500.0

IBM Corporation

23-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	395B	395B	395B	395B	395B	395B
Sample Description	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL
Sample Date	01/07/2008	02/07/2008	03/05/2008	04/08/2008	05/09/2008	06/25/2008
Laboratory Sample I.D.	0800226	0801306	0802203	0803464	0804453	0806073
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	0.36
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	61.47	9.22	5.01	35.67	24.31	20.47
TOLUENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

24-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		500	500	500	500	500	500
Sample Description		C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL
Sample Date		01/24/2008	02/21/2008	03/20/2008	04/24/2008	05/15/2008	06/12/2008
Laboratory Sample I.D.		0800752	0801780	0802687	0804026	0804813	0805782
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	1.89	2.41	2.32	2.24	2.28
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.89	2.42	2.78	2.52	3.50	3.44
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	55.08	56.12	56.94	65.75	62.32	62.27
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	19.39	20.09	18.83	20.58	19.00	18.87
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

IBM Corporation

25-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		511	511	511	511	511	511
Sample Description		C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date		01/24/2008	02/21/2008	03/20/2008	04/24/2008	05/15/2008	06/12/2008
Laboratory Sample I.D.		0800753	0801781	0802688	0804027	0804814	0805779
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.38	2.29	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	1.65	1.98	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	15.03	18.20	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	8.07	8.57	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

26-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		512	512	512	512	512	512
Sample Description		C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date		01/24/2008	02/21/2008	03/20/2008	04/24/2008	05/15/2008	06/12/2008
Laboratory Sample I.D.		0800754	0801782	0802689	0804028	0804815	0805780
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.71	1.57	1.71	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	1.38	1.81	1.99	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	0.27	0.32	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	6.64	10.45	8.47	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	4.81	5.97	5.68	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

27-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		513	513	513	513	513	513
Sample Description		C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date		01/24/2008	02/21/2008	03/20/2008	04/24/2008	05/15/2008	06/12/2008
Laboratory Sample I.D.		0800755	0801783	0802690	0804029	0804816	0805781
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

28-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		514	514	514	514	514	514
Sample Description		C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date		01/02/2008	01/07/2008	01/15/2008	01/21/2008	01/29/2008	02/04/2008
Laboratory Sample I.D.		0800014	0800159	0800434	0800640	0800895	0801032
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	21.26	20.46	23.25	18.96	23.35
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
ACETONE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	79.44	80.03	78.80	88.11	80.12	80.34
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
METHYLENE CHLORIDE	ug/l	21.55	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	5.09	7.27	13.35	21.49	29.17	39.62
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0

IBM Corporation

29-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		514	514	514	514	514	514
Sample Description		C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date		02/12/2008	02/18/2008	02/25/2008	03/07/2008	03/10/2008	03/17/2008
Laboratory Sample I.D.		0801453	0801651	0801802	0802298	0802388	0802597
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	27.31	29.32	12.49	16.80	5.86	14.19
1,1-DICHLOROETHYLENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.5	ND@2.5	0.61	0.40	ND@1.0	ND@1.0
ACETONE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
BENZENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	82.75	84.05	35.50	37.19	39.39	43.68
DICHLORODIFLUOROMETHANE	ug/l	ND@2.5	ND@2.5	0.33	0.31	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
METHYLENE CHLORIDE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	58.08	71.02	1.04	0.93	ND@1.0	0.66
TRICHLOROFLUOROMETHANE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@2.5	ND@2.5	ND@0.5	ND@0.5	ND@1.0	ND@1.0

IBM Corporation

30-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	03/25/2008	03/31/2008	04/07/2008	04/14/2008	04/21/2008	04/28/2008
Laboratory Sample I.D.	0802890	0803037	0803351	0803623	0803851	0804085
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	10.66	13.25	15.95	14.80	13.23	13.36
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.61	0.74	0.73	ND@1.0	ND@1.0
ACETONE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	45.43	55.51	53.16	54.27	63.40	68.53
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	0.72	ND@1.0	ND@1.0	ND@1.0	0.62
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.40
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.42	3.40	3.34	5.11	9.29	13.89
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

IBM Corporation

31-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	05/05/2008	05/12/2008	05/19/2008	05/27/2008	06/02/2008	06/09/2008
Laboratory Sample I.D.	0804250	0804646	0804866	0805176	0805265	0805525
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	8.10	10.56	15.60	8.97	9.20	10.97
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.51	0.73	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	69.16	75.80	69.50	71.20	68.67	59.87
DICHLORODIFLUOROMETHANE	ug/l	0.52	0.72	ND@1.0	0.68	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	2.89	5.42	5.88	11.35	14.15	14.35
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	17.05	25.24	33.15	36.16	40.43	41.97
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

IBM Corporation

32-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		514	514	514	524	524	524
Sample Description		C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date		06/16/2008	06/23/2008	06/30/2008	01/02/2008	01/07/2008	01/15/2008
Laboratory Sample I.D.		0805754	0805977	0806272	0800015	0800160	0800435
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	0.71	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	5.45	5.28	4.26	5.41	3.99	4.85
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	1.11	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	12.28	12.41	13.38	13.92	15.85	18.35
DICHLORODIFLUOROMETHANE	ug/l	1.90	ND@1.0	1.08	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.26	1.13	1.07
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

33-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		524	524	524	524	524	524
Sample Description		PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date		01/21/2008	01/29/2008	02/04/2008	02/12/2008	02/18/2008	02/25/2008
Laboratory Sample I.D.		0800641	0800896	0801033	0801454	0801652	0801794
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	5.14	8.56	ND@0.5	5.67	6.72	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.53	ND@1.0
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	21.04	20.04	21.19	22.15	28.34	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	1.29	ND@0.5	ND@0.5	0.53	0.55	ND@1.0
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	1.02	ND@1.0
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
TRICHLOROETHYLENE	ug/l	1.05	ND@0.5	0.81	0.75	1.05	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@1.0

IBM Corporation

34-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	02/25/2008	03/07/2008	03/10/2008	03/17/2008	03/25/2008	03/31/2008
Laboratory Sample I.D.	0801803	0802299	0802389	0802598	0802891	0803038
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

35-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	04/07/2008	04/14/2008	04/21/2008	04/28/2008	05/05/2008	05/12/2008
Laboratory Sample I.D.	0803352	0803624	0803852	0804086	0804251	0804647
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.34	1.00	1.59	2.51	2.00	3.48
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	0.40	ND@0.5	0.34	0.40	0.65
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	0.48	1.50	3.83	7.04
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	0.28	0.42	0.55
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

36-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	05/19/2008	05/27/2008	06/02/2008	06/09/2008	06/16/2008	06/23/2008
Laboratory Sample I.D.	0804867	0805177	0805266	0805526	0805755	0805978
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	6.20	3.55	4.12	5.33	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.56	0.52	0.55	0.41	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	7.77	12.97	13.88	13.73	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	0.43	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

37-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	524	555	555	555	555	555
Sample Description	PW-25 EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	06/30/2008	01/24/2008	02/21/2008	03/20/2008	04/24/2008	05/15/2008
Laboratory Sample I.D.	0806273	0800756	0801784	0802691	0804030	0804817
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	0.33
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

38-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		555	612	612	612	612	612
Sample Description		C CARB EFFL	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		06/12/2008	01/03/2008	02/06/2008	03/07/2008	04/02/2008	04/02/2008
Laboratory Sample I.D.		0805783	0800101	0801239	0802308	0803176	0803187
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	0.47	ND@0.5	0.29	0.31
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

39-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		612	612	617	617	617	617
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		05/09/2008	06/09/2008	01/03/2008	01/03/2008	02/06/2008	03/07/2008
Laboratory Sample I.D.		0804446	0805531	0800102	0800106	0801240	0802309
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	0.36	0.44	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

40-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		617	617	617	618	618	618
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/02/2008	05/09/2008	06/09/2008	01/03/2008	02/07/2008	03/07/2008
Laboratory Sample I.D.		0803177	0804447	0805532	0800103	0801303	0802310
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	1.52	ND@0.5	1.79
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	0.34	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

41-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		618	618	618	618	618	628
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		04/02/2008	05/09/2008	05/09/2008	06/09/2008	06/09/2008	01/03/2008
Laboratory Sample I.D.		0803178	0804448	0804450	0805533	0805534	0800098
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	1.77	0.94	0.55	2.25	1.18	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	2.91
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

42-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	628	628	628	628	628	628
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date	01/25/2008	02/06/2008	03/07/2008	04/02/2008	05/02/2008	05/02/2008
Laboratory Sample I.D.	0800829	0801236	0802305	0803173	0804189	0804193
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	0.80	1.38	1.22	0.76	0.86	0.89
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

43-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location	628	628	628A	628A	628A	628A
Sample Description	GROUNDWATER	REPLICATE	AREA B EFFL	AREA B EFFL	AREA B EFFL	AREA B EFFL
Sample Date	06/06/2008	06/06/2008	01/03/2008	02/06/2008	03/07/2008	04/02/2008
Laboratory Sample I.D.	0805479	0805482	0800099	0801237	0802306	0803174
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	0.46	0.46	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

44-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		628A	628A	628B	628B	628B	628B
Sample Description		AREA B EFFL	AREA B EFFL	AREA B/GAC	AREA B/GAC	AREA B/GAC	AREA B/GAC
Sample Date		05/02/2008	06/06/2008	01/03/2008	02/06/2008	03/07/2008	04/02/2008
Laboratory Sample I.D.		0804190	0805480	0800100	0801238	0802307	0803175
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5	ND@0.5

IBM Corporation

45-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Sample Location		628B	628B
Sample Description		AREA B/GAC	AREA B/GAC
Sample Date		05/02/2008	06/06/2008
Laboratory Sample I.D.		0804191	0805481
Sample Comment Codes			
Parameter	Units		
Base/Neutral Extractables			
1,2,3-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@0.5	ND@0.5
1,2-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5
1,3-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5
1,4-DICHLOROBENZENE	ug/l	ND@0.5	ND@0.5
Volatile Organics			
1,1,1-TRICHLOROETHANE	ug/l	ND@0.5	ND@0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5
1,1-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@0.5	ND@0.5
ACETONE	ug/l	ND@0.5	ND@0.5
BENZENE	ug/l	ND@0.5	ND@0.5
CHLOROBENZENE	ug/l	ND@0.5	ND@0.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5
DICHLORODIFLUOROMETHANE	ug/l	ND@0.5	ND@0.5
ETHYLBENZENE	ug/l	ND@0.5	ND@0.5
M,P-XYLENE	ug/l	ND@0.5	ND@0.5
METHYLENE CHLORIDE	ug/l	ND@0.5	ND@0.5
O-XYLENE	ug/l	ND@0.5	ND@0.5
TETRACHLOROETHYLENE	ug/l	ND@0.5	ND@0.5
TOLUENE	ug/l	ND@0.5	ND@0.5
TRICHLOROETHYLENE	ug/l	ND@0.5	ND@0.5
TRICHLOROFLUOROMETHANE	ug/l	ND@0.5	ND@0.5
VINYL CHLORIDE	ug/l	ND@0.5	ND@0.5

IBM Corporation

46-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2008 - June 30, 2008

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

IBM Corporation

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Sample Location	395	395	395	395	395	395
Sample Description	B/384 SUMP	B/384 SUMP	B/384 SUMP	REPLICATE	B/384 SUMP	B/384 SUMP
Sample Date	01/07/2008	02/07/2008	03/05/2008	03/05/2008	04/02/2008	05/09/2008
Laboratory Sample I.D.	0800172	0801290	0802187	0802188	0803132	0804424
Sample Comment Codes						

Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.40	0.71	0.39	0.39	0.40	0.87
Metals							
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001	ND@0.001	ND@0.001	ND@0.001	0.0011
CHROMIUM, TOTAL	mg/l	0.0012	ND@0.001	0.0011	0.0012	0.0013	ND@0.01

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Sample Location	395	395
Sample Description	B/384 SUMP	REPLICATE
Sample Date	06/02/2008	06/02/2008
Laboratory Sample I.D.	0805253	0805256
Sample Comment Codes		

Parameter	Units		
Inorganics			
FLUORIDE	mg/l	0.94	0.94
Metals			
CHROMIUM, DISSOLVED	mg/l	ND@0.001	ND@0.001
CHROMIUM, TOTAL	mg/l	0.0018	0.0018

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2008 - June 30, 2008

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

IBM Corporation