



*Hudson Valley Research Park
2070 Route 52
Hopewell Junction, NY 12533-3507
S. C. Hawkins, Z/325*

November 23, 2009

Mr. Edwin Dassatti, P.E.
Director, Bureau of Solid Waste and Corrective Action
Division of Solid and Hazardous Materials
New York State Department of Environmental Conservation
625 Broadway, 9th Floor
Albany, New York 12233-7250

Subject: 2009 Semiannual Data Summary Report

Reference: IBM East Fishkill Corrective Action Program
IBM East Fishkill Facility
Hopewell Junction, New York
NYSDEC Part 373 Permit 3-1323-0025-00249-0
EPA ID No. NYD000707901

Dear Mr. Dassatti:


In accordance with the provisions of the Module IX – General Ground Water Monitoring Conditions, Section H, Item 2 of the referenced permit, enclosed please find the following document for your review:

*2009 Semiannual Data Summary Report
IBM Corporation
Hopewell Junction, New York*

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Please contact Jackie Braungart at (845)892-1672 if you have any questions or require further information.

Sincerely,
International Business Machines Corporation

A handwritten signature in black ink, appearing to read "Steven C. Hawkins". The signature is fluid and cursive, with the first name "Steven" and last name "Hawkins" clearly distinguishable.

Steven C. Hawkins, Manager
Environmental Regulatory Engineering

- c: B. Callaghan, NYSDOH (with enclosure)
- A. Czuharnich, NYSDEC (with enclosure and softcopy)
- M. O'Connor, NYSDEC Region 3, Regional Hazardous Substance Engineer (with enclosure and softcopy)
- J. Reidy, USEPA Region 2, New York Facilities (with enclosure and softcopy)
- R. Schatz, ESDC (without enclosure)
- W. Wertz, NYSDEC (with enclosure)



2009 Semiannual Data Summary Report

Prepared for:

**IBM Corporation
Hopewell Junction, New York**

November 23, 2009

Prepared by:

**IBM Environmental Engineering
Hudson Valley Research Park
Hopewell Junction, New York 12533**

Groundwater Sciences Corporation

**2601 Market Place Street, Suite 310
Harrisburg, PA 17110**

**560 Route 52, Suite 202
Beacon, NY 12508**

**1108 Vestal Parkway East, Suite 2
Vestal, NY 13850**

Table of Figures

Figure 1-1 Site Location Map

Table of Appendices

Appendix A	Well Specifications and Lists
	Table A-1: Hydraulic Effectiveness Monitoring Wells
	Table A-2: Well Specifications, Corrective Action Performance Monitoring Network
	Table A-3: Sampling Schedule, Corrective Action Performance Monitoring Network
Appendix B	Quarterly Groundwater Elevation Data, January 1, 2009 to June 30, 2009
Appendix C	Sampling Field Log Database (January - June 2009)
	Field Parameters Database (January - June 2009)
	Table of Meteorological Data (January - June 2009)
Appendix D	Groundwater Analytical Data (Organics): January 1, 2009 to June 30, 2009
	Groundwater Analytical Data (Inorganics): January 1, 2009 to June 30, 2009
	Groundwater Analytical Data (Organics): Shutdown Sampling Non-CAM Wells
	Groundwater Analytical Data (Organics): B/322 Investigation Sampling Non-CAM Wells
	Groundwater Analytical Data (Inorganics): B/322 Investigation Sampling Non-CAM Wells
Appendix E	Production Well Analytical Data (Organics): January 1, 2009 to June 30, 2009
	Production Well Analytical Data (Inorganics): January 1, 2009 to June 30, 2009
Appendix F	Quality Assurance/Quality Control Analytical Data: January 1, 2009 to June 30, 2009
Appendix G	Groundwater Treatment Analytical Data (Organics): January 1, 2009 to June 30, 2009
	Groundwater Treatment Analytical Data (Inorganics): January 1, 2009 to June 30, 2009
	Groundwater Treatment Analytical Data (Inorganics): B/322 Investigation Sampling

Table of Plates

Plate 1 Groundwater Monitoring Plan - Well Location Map

Cross-Reference for Semiannual Reporting Requirements IBM East Fishkill Facility			
Semiannual Reporting Requirement	Part 373 Permit Module Reference	Groundwater Monitoring Plan Reference	Semiannual Report Reference
Monitoring well survey data	IX.H(1)(c)	Section 3.2	Table A-1
Well Specifications: Physical well data Reference elevations Baseline well bottom elevation	IX.C.5(a),(b),(c)	Table 7-1	Table A-2
Quarterly groundwater elevation data	IX.H(1)(b) IX.C.5(d),(e) III.E.17(c)(1)(vi)	Section 3.2 Table 7-1	Appendix B
Sampling log book/database: Purging and sampling data	IX.C.5	Section 2.2.5.1 Table 7-1	Appendix C
Field parameters (pH, spec. cond., temperature)	IX.H(1)(a) IX.C.5(j)	Section 2.2.4.4 Table 7-1	Appendix C
Daily meteorological data	IX.C.5(n)	Section 7.1	Appendix C
Groundwater analytical data	IX.H(1)(a) III.E.17(c)(1)	Section 3.2 Table 7-1	Appendices D and E
QA/QC analytical data: Duplicates	IX.H(1)(a)	Section 3.2	Appendices D and E
QA/QC analytical data: trip and equipment rinse blanks	IX.H(1)(a)	Table 7-1	Appendix F
Groundwater treatment data	III.E.17(c)(1)(ii)	Table 7-1	Appendix G

NARRATIVE

The data presented in this report represent the revisions to the Groundwater Monitoring Plan (GMP) that were requested in May 2003 and subsequently approved by the New York State Department of Environmental Conservation (NYSDEC) in August 2003. The following issues are relevant to the data contained in this semiannual report and will also be discussed in the 2009 Annual Report.

All monitoring and production wells included in the GMP were sampled for all required parameters during the first and second quarters of 2009 with the following exception:

1. Wells 151, 745 (January sampling event), 753, 756, and well 771 (June sampling event) did not have enough water remaining after samples were collected to measure field pH, temperature, and specific conductivity.
2. On March 3, 2009 the field sampler suspected the pH meter was not functioning properly, and tested the meter upon returning from sampling. The pH reading was less than the 7.00 buffer solution. The pH readings for the B/322 treatment system locations may be biased low. A note was added to the field parameter database.
3. Depth to water was not recorded after sampling of well 400 in April.
4. An invalid pH reading was recorded during sampling of well 858 in April. A note was made in the field parameter database.

Non-routine groundwater samples were collected as part of an investigation in the B/322 area. Results for GMP required parameters are presented in Appendix D and in Appendix G.





Figure 1-1
Site Location Map
IBM East Fishkill Facility



Appendix A

Table A-1: Hydraulic Effectiveness Monitoring Wells

**Table A-2: Well Specifications for the
Corrective Action Performance Monitoring Network**

**Table A-3: Sampling Schedule for the
Corrective Action Performance Monitoring Network**

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
002	275.39	8518.014	4537.868
003	275.32	8515.747	4538.284
005	255.16	7772.055	6134.484
006	254.38	7764.886	6126.095
007	257.35	7592.128	5547.170
008	265.29	8072.229	5042.508
009	265.35	8067.344	5043.589
010	270.76	8076.990	4661.237
011	266.47	7831.768	4697.559
013	263.26	7630.268	4904.651
014	262.60	7626.342	4906.258
015	262.86	7622.508	4907.920
016	254.91	7140.621	5083.247
017	254.31	7133.611	5089.249
018	257.78	7150.694	4924.310
019	257.70	7155.420	4922.857
020	250.88	6920.006	5024.650
022	250.88	6916.125	5015.190
027	260.24	7204.062	3450.750
028	259.22	7244.167	3358.706
030	232.87	7531.247	2282.942
032A	230.00	6707.600	2690.000
035	249.53	6773.709	3152.987
038	250.61	6320.836	4765.408
039	249.87	6322.183	4769.064
044	267.36	6897.844	5984.595
046	267.59	6649.354	6428.358
048	264.31	5756.458	6897.932
049	266.41	5256.598	6835.595
050	264.51	5251.734	6838.602
053	266.58	4965.757	6073.504
054	264.57	4696.491	5978.780
059	235.94	4833.049	3997.592
060	235.68	4828.527	4000.564
061	244.66	4136.068	4504.733
062	250.13	4322.084	5469.567
063	250.25	4320.995	5467.872
064	259.23	7040.533	6596.366
065	258.76	7055.103	6595.751
066	229.84	6987.994	2265.582
067	234.42	6463.455	2607.405

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
068	233.85	6253.894	2982.574
069	253.69	4482.364	6084.653
075	259.51	7366.983	3317.645
085	276.34	9058.705	5844.268
086	276.34	9058.705	5844.268
087	256.00	7832.757	6082.700
088	256.00	7832.757	6082.700
091	264.37	4806.212	7610.031
092	264.37	4806.212	7610.031
096	275.08	8066.528	5550.614
097	275.26	8071.261	5548.683
098	275.26	8071.261	5548.683
100	267.09	8383.665	4803.894
101	267.09	8384.262	4808.809
102	267.09	8384.262	4808.809
103	257.59	7422.942	5337.874
104	257.59	7422.942	5337.874
105	257.74	7426.962	5342.224
106	257.74	7426.962	5342.224
108	255.45	6742.206	5806.444
109	255.45	6742.206	5806.444
112	269.38	4285.998	7014.122
113	269.01	4227.305	7004.293
114	269.01	4227.305	7004.293
118	263.06	7579.473	4816.285
121	263.18	8015.845	3544.898
122	263.18	8015.845	3544.898
129	252.37	6282.508	4651.089
130	252.37	6282.508	4651.089
143	251.36	4709.970	4756.984
145	253.90	4301.093	5498.184
146	253.90	4301.093	5498.184
147	234.55	7663.575	2397.319
150	234.78	7659.624	2386.796
151	241.06	6279.506	3076.270
156	242.58	5003.112	3793.197
157	243.09	5009.063	3786.807
158	245.05	4084.387	4549.216
161	259.63	7206.137	3378.741
164	273.99	6299.089	7593.114
165	273.99	6299.089	7593.114

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
166	254.58	7422.875	6512.986
167	254.58	7422.875	6512.986
168	265.12	6794.614	6318.692
169	265.12	6794.614	6318.692
170	229.55	6965.743	2292.464
178	267.22	5685.196	5758.662
180	248.31	5035.183	5203.440
181	248.88	4988.890	5242.059
182	236.11	5859.220	2687.226
183	236.11	5859.220	2687.226
185	237.04	6481.471	2316.242
186	237.04	6481.471	2316.242
191	229.18	7123.366	1981.277
192	229.18	7123.366	1981.277
200	266.77	7694.652	4014.447
204	252.79	6694.859	4521.394
224	256.86	6741.816	3477.018
226	233.54	6151.658	3101.790
227	233.08	6144.019	3108.542
400	241.81	6939.843	1437.518
401	242.22	6935.937	1437.490
402	248.66	6315.556	1611.175
403	249.39	5909.759	1848.452
404	248.45	5905.340	1856.890
406	345.32	3941.228	1823.333
407	345.22	3941.427	1835.376
408	244.69	3862.518	206.405
409	243.46	3864.774	184.014
410	250.32	4762.902	-312.676
411	250.37	4767.536	-313.979
412	250.44	4766.388	-316.093
413	249.72	4786.574	-324.033
414	265.28	5214.821	465.867
415	265.83	5224.284	461.505
416	252.61	5985.020	129.180
417	253.31	5947.150	144.346
418	253.40	5938.351	149.519
421	281.02	4083.600	1055.200
422	276.75	4039.800	783.400
423	274.54	4124.489	723.976
424	274.95	4200.401	623.235

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
500	259.89	7545.320	6326.260
501	257.76	7580.570	6317.010
502	259.73	6219.250	7079.700
503	259.88	6183.280	7102.810
504	260.40	6087.160	7153.800
505	260.40	6087.160	7153.800
506	263.85	6010.120	7146.450
507	262.80	6014.130	7163.870
508	262.80	6014.130	7163.870
509	265.32	5912.440	7234.330
510	263.31	5808.400	7224.900
511	263.70	5812.890	7254.280
512	260.94	5734.740	7337.260
513	261.91	5717.960	7357.420
514	261.45	5488.000	7183.300
515	260.81	5486.400	7170.800
516	262.73	5428.830	7424.550
517	262.58	5445.700	7419.710
518	262.58	5445.700	7419.710
519	264.51	5182.090	7626.300
520	262.28	6648.150	6936.870
521	262.24	6688.820	6912.930
522	262.45	6713.370	6899.050
523	273.28	6108.470	8049.880
524	272.91	6095.860	7992.490
525	273.08	6106.720	8040.160
526	271.25	4797.560	7658.790
527	270.38	4770.130	7620.990
528	270.54	4773.360	7625.630
529	270.54	4773.360	7625.630
530	265.25	4538.130	7213.110
531	266.10	4549.280	7245.530
532	266.10	4549.280	7245.530
533	266.56	4566.230	7019.720
534	266.25	4548.820	7051.260
535	266.34	4555.640	7037.660
536	269.12	5346.300	6788.300
537	268.97	5324.500	6780.240
538	268.97	5324.500	6780.240
539	270.44	5478.760	6773.550
541	279.98	5711.500	6793.650

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
542	279.98	5711.500	6793.650
543	263.07	5956.040	6877.880
544	265.72	5988.650	6843.350
545	264.96	6143.040	6928.740
546	266.92	6098.760	6897.090
547	266.11	6140.200	6908.280
548	261.84	5796.160	6945.380
549	262.09	5833.700	6918.700
550	262.09	5833.700	6918.700
551	267.54	5648.190	6900.200
553	267.42	5510.740	6953.610
554	267.31	5525.200	6942.580
556	266.76	5382.290	6916.300
557	268.22	5304.090	6831.390
558	284.02	5270.310	6223.150
559	282.75	5251.530	6221.420
560	282.73	5251.530	6221.420
561	296.33	5445.380	6239.200
562	285.63	5584.350	6294.510
563	285.63	5584.350	6294.510
564	289.59	5835.500	6318.800
565	285.69	6081.080	6428.040
566	285.69	6081.080	6428.040
567	266.64	6656.400	6502.600
568	279.50	6487.650	6526.560
569	279.99	6491.880	6539.820
570	279.99	6491.880	6539.820
571	286.39	6274.080	6265.500
572	251.13	4806.400	5115.400
574	269.09	5547.400	5776.000
576	265.95	5657.000	5807.900
577	230.32	7043.090	2386.910
578	272.21	8434.410	4111.780
579	247.72	6219.450	3829.380
580	258.99	6538.850	4344.560
581	267.23	8381.000	4797.100
600	265.91	5838.318	5989.885
601	266.04	5833.206	5987.980
602	253.38	4841.290	5230.675
603	252.54	4493.647	5141.553
604	252.66	4497.252	5144.622

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
605	253.01	4931.463	4777.329
606	253.27	6115.035	5326.621
607	253.77	5020.203	5360.277
608	255.51	5688.197	5270.023
609	249.18	6188.755	5261.662
610	250.87	5562.575	4953.575
611	244.23	5432.960	4432.190
612	249.89	6407.200	3337.800
613	249.02	6445.900	3265.700
614	230.29	6719.000	2684.000
615	230.82	6710.600	2688.600
616	231.14	6692.800	2698.500
617	248.91	6410.800	3250.200
618	239.17	6276.600	3011.900
619	267.00	6635.600	6432.000
620	259.27	7232.300	3381.700
621	255.80	6776.700	4356.100
622	268.08	5752.000	5510.200
623	246.01	5719.600	4865.200
624	246.31	5592.540	4175.380
626	304.58	5357.900	7953.800
627	262.88	6925.360	4251.830
700	248.79	7121.200	5605.400
701	248.83	7124.900	5603.600
702	255.09	7252.100	5584.800
703	254.89	7255.900	5582.500
704	255.00	7239.500	5591.700
705	259.94	7651.700	5262.600
706	259.92	7649.400	5260.000
707	260.94	7722.600	5252.000
708	260.83	7727.700	5249.900
709	263.98	8017.500	5015.800
710	263.93	7996.700	5047.200
711	263.69	8023.400	5014.200
712	265.48	8180.400	4989.600
714	266.26	8063.100	4772.200
716	271.93	7964.600	4458.500
717	273.94	8042.800	5504.000
718	278.65	8048.700	5497.200
719	279.04	8077.200	5468.500
720	275.38	8012.600	5464.100

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
721	259.92	8290.600	5327.000
722	260.15	8294.500	5330.900
723	269.98	8653.200	5304.700
724	269.70	8649.400	5298.500
725	263.25	8775.600	5647.800
726	262.93	8769.300	5650.200
727	263.49	8779.800	5645.200
728	259.64	8454.300	5785.900
729	260.29	8480.800	5776.200
730	259.41	8448.000	5788.100
732	265.17	7294.800	4520.600
734	261.79	7004.400	4656.100
735	261.06	6828.700	4210.900
737	261.20	6824.500	4211.700
739	261.35	7240.400	3863.800
740	260.62	6685.900	3852.800
742	260.46	6687.600	3858.300
743	261.06	7234.500	3862.800
744	254.46	7887.200	5717.200
745	254.47	7890.300	5716.300
746	254.05	7731.800	5780.900
747	263.77	8480.700	5057.300
748	267.95	8152.000	4774.100
749	263.16	8484.600	5544.700
750	257.15	8325.200	5779.300
751	254.24	6760.000	4728.100
752	260.87	6913.000	4791.600
753	248.38	6755.800	5125.000
754	249.19	6587.200	3187.000
755	238.91	6586.700	3186.800
756	252.61	5000.100	5501.900
757	234.36	6678.800	2706.900
758	260.63	7896.926	5188.567
759	261.20	7893.170	5179.772
760	261.07	7897.478	4995.327
761	264.13	8271.640	5101.240
763	268.68	8252.690	4640.574
766	258.99	6501.571	3979.481
767	252.63	6362.949	3914.225
768	253.39	6506.670	3763.110
769	256.86	6569.128	3624.668

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
770	253.01	6469.678	3671.524
771	252.80	6466.618	3665.356
772	242.12	6208.189	3561.632
773	248.26	6417.860	3323.160
774	244.92	6089.045	3305.752
775	244.65	5886.936	3333.238
776	272.19	8431.465	4148.300
777	276.03	8555.239	4540.041
779	263.34	8113.332	3177.082
782	241.89	6868.581	2812.497
783	242.98	4995.956	3803.820
789	242.66	5542.741	3561.687
791	243.35	5736.641	3395.917
792	243.01	5913.540	3607.460
793	248.89	6174.694	3830.274
799	242.83	4995.150	3809.957
816	263.53	7821.917	4858.527
818	263.58	7728.867	4846.227
819	266.09	7683.873	4739.418
820	263.17	7587.709	4815.166
821	259.25	7595.669	4883.064
822	259.69	7611.786	4925.902
823	262.89	7546.746	5030.185
824	263.17	7533.202	4998.828
826	266.23	7787.289	4717.390
827	266.28	7838.292	4706.758
830	268.16	6631.393	6507.576
831	268.16	6631.393	6507.576
832	281.62	6446.260	6390.277
833	281.62	6446.260	6390.277
835	287.32	5732.456	6298.291
836	287.32	5732.456	6298.291
837	286.45	5650.743	6266.199
838	268.43	5053.607	6148.528
839	235.12	6671.416	2869.429
855	274.71	5839.970	8554.478
856	274.25	5824.081	8548.398
857	262.31	6655.082	6927.887
858	262.04	6640.089	6938.330
859	262.80	7312.421	7300.249
860	262.83	7298.574	7298.820

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
861	267.06	7826.369	7016.729
862	266.78	7815.889	7025.220
863	266.77	6658.536	6436.742
864	263.22	7793.411	4822.753
895	262.21	5420.504	7427.220
896	262.04	5414.132	7431.928
897	270.06	4934.338	6682.141
898	270.12	4928.359	6679.239
899	303.02	5649.460	6555.720
900	302.69	5658.950	6554.370
902	259.14	6196.074	7092.091
903	258.99	6231.299	7073.207
910	271.16	8404.686	5263.731
921	262.48	5383.703	5909.176
922	262.71	5370.449	5919.909
923	262.76	5366.539	5900.128
924	262.83	5382.716	5890.598
928	252.16	4924.716	5240.517
929	252.16	4924.716	5240.517
930	251.84	4664.774	5357.051
931	252.26	4697.941	5340.883
932	267.11	4950.680	6078.512
934	250.21	6719.264	4854.781
935	254.14	4921.320	5488.640
936	254.14	4921.320	5488.640
941	254.52	5331.321	5137.291
943	254.23	4481.165	6103.694
944	254.11	4488.497	6097.271
946	249.87	6172.939	3845.249
947	249.44	6176.877	3837.508
948	249.98	6170.128	3845.793
949	248.46	6194.257	3939.047
952	245.34	5869.760	3631.250
953	251.79	5090.490	4671.511
954	268.20	5627.761	5859.991
955	268.20	5631.698	5865.731
956	268.23	5636.339	5872.566
957	268.28	5640.382	5878.574
958	266.66	4786.231	7605.657
959	251.45	5923.400	4432.322
960	251.40	5938.559	4428.870

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
962	271.82	8425.917	4187.017
963	264.55	6001.330	7144.318
964	264.55	6001.330	7144.318
965	255.40	6056.588	5582.108
966	255.28	6064.807	5592.027
968	271.29	5257.910	5484.861
976	234.73	7274.448	2489.640
980	260.46	7292.800	5019.300
983	305.52	5459.845	6315.578
984	305.45	5459.845	6315.578
985	304.86	5466.675	6322.653
986	304.70	5466.675	6322.653
987	260.20	6384.320	6988.373
988	260.56	6379.532	6995.451
989	260.57	6379.532	6995.451
990	260.08	6361.989	6999.717
991	260.10	6355.954	7002.989
992	260.12	6355.954	7002.989
993	264.50	7465.500	4029.200
994	264.32	7274.400	4052.900
997	257.11	7710.200	5463.800
998	258.02	7789.600	5428.600
999	257.25	7794.100	5426.400

Key:

M.P. = Measuring Point

ft amsl = feet above mean sea level

All coordinates in feet relative to site grid

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
007	257.35	48.1	209.3	2.00	10.0	11/07/1979	Area A	NA
010	270.76	53.8	217.0	2.00	15.0	04/16/1979	Area A	Source
015	262.86	28.3	234.6	2.00	20.0	04/05/1979	Area A	Source
016	254.91	51.1	203.8	4.00	10.0	10/03/1979	Area A	D
032A	230.00	22.0	208.0	4.00	10.0	01/14/1998	Area D	Source
035	249.53	28.5	221.0	4.00	20.0	03/24/1979	B/322	S
046	267.59	18.7	248.4	4.00	10.0	11/07/1979	Area B	Source
048	264.31	15.7	248.6	4.00	5.0	11/01/1979	SEQ	Source
053	266.58	38.7	227.9	2.00	15.0	03/02/1979	Landfill	D
054	264.57	28.5	236.1	4.00	10.0	11/06/1979	Landfill	D
059	235.94	17.4	218.5	4.00	10.0	11/01/1979	B/330	U/S
060	235.68	46.4	189.3	4.00	10.0	11/01/1979	B/330	U/S
061	244.66	29.4	215.3	4.00	20.0	03/29/1979	B/330	U/S
063	250.25	54.7	195.6	2.00	10.0	11/13/1979	B/330	U/S
064	259.23	18.2	241.0	4.00	10.0	03/10/1980	Area B	D
065	258.76	43.5	215.3	4.00	10.0	03/18/1980	Area B	D
066	229.84	11.0	218.8	4.00	5.0	03/11/1980	Area D	U
067	234.42	14.7	219.7	2.00	10.0	03/11/1980	Area D	U
068	233.85	23.1	210.8	4.00	15.0	03/19/1980	B/322	D
069	253.69	15.5	238.2	4.00	5.0	03/24/1980	Landfill	S
085	276.34	123.0	153.3	2.00	3.0	12/10/1980	BR	NA
087	256.00	109.7	146.3	2.00	5.0	12/02/1980	BR	NA
103	257.59	14.6	243.0	2.00	1.0	11/21/1980	Area A	D
104	257.59	32.2	225.4	2.00	1.0	11/21/1980	Area A	D
105	257.74	105.4	152.3	2.00	3.0	12/01/1980	BR	NA
106	257.74	150.2	107.5	2.00	5.0	12/01/1980	BR	NA
108	255.45	104.7	150.8	2.00	3.0	12/04/1980	BR	NA
109	255.45	162.6	92.9	2.00	3.0	12/04/1980	BR	NA
113	269.01	110.6	158.4	2.00	5.0	01/14/1981	BR	NA
118	263.06	153.5	109.6	2.00	5.0	12/20/1980	Area A	Source
143	251.36	146.2	105.2	2.00	3.0	12/09/1980	B/330+BR	U
145	253.90	92.2	161.7	2.00	5.0	01/20/1981	B/330+BR	U
146	253.90	147.7	106.2	2.00	5.0	01/20/1981	B/330+BR	U
150	234.78	128.8	106.0	2.00	1.0	11/18/1980	BR	NA
151	241.06	18.4	222.7	2.00	1.0	11/17/1980	B/322	D
156	242.58	86.8	155.8	2.00	3.0	12/05/1980	BR	NA
161	259.63	17.6	242.0	2.00	1.0	04/20/1981	B/322	U
166	254.58	97.4	157.2	2.00	3.0	04/21/1981	BR	NA
167	254.58	148.1	106.5	2.00	3.0	04/21/1981	BR	NA
178	267.22	26.2	241.0	2.00	5.0	04/22/1981	B/330	D
181	248.88	18.1	230.8	4.00	5.0	04/26/1981	B/330	Source
204	252.79	12.9	239.9	2.00	10.0	06/14/1991	Area A	U(B/322), D(AA)
400	241.81	13.6	228.2	4.00	3.0	06/23/1984	WC	NA
401	242.22	97.7	144.5	4.00	10.0	07/01/1984	WC	NA
402	248.66	105.9	142.8	4.00	20.0	05/25/1984	WC	NA
403	249.39	24.9	224.5	4.00	5.0	06/25/1984	WC	NA
404	248.45	126.1	122.1	4.00	10.0	07/18/1984	WC	NA
407	345.22	240.7	104.5	4.00	10.0	07/11/1984	WC	NA
408	244.69	18.6	226.1	4.00	6.0	06/25/1984	WC	NA
410	250.32	18.0	232.3	4.00	3.0	06/24/1984	WC	NA
412	250.44	95.9	154.5	4.00	10.0	06/24/1984	WC	NA

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
415	265.83	168.2	97.6	4.00	10.0	06/21/1984	WC	NA
416	252.61	25.3	227.3	4.00	10.0	06/21/1984	WC	NA
417	253.31	96.7	156.6	4.00	10.0	06/24/1984	WC	NA
423	274.54	23.3	251.2	4.00	15.0	10/26/1990	WC	NA
424	274.95	24.6	250.4	4.00	15.0	10/25/1990	WC	NA
502	259.73	36.4	223.3	2.00	10.0	12/23/1986	SEQ	D
503	259.88	51.5	208.4	6.00	OPEN HOLE	01/09/1987	SEQ	D
515	260.81	157.5	103.3	2.00	20.0	04/23/1987	BR	NA
520	262.28	24.8	237.5	2.00	10.0	12/11/1986	SEQ	D
521	262.24	34.9	227.3	2.00	5.0	03/17/1987	BR	D
535	266.34	118.0	148.3	2.00	5.0	04/29/1987	BR	NA
543	263.07	13.1	250.0	2.00	5.0	01/20/1987	SEQ	D
545	264.96	29.8	235.2	2.00	20.5	01/17/1987	SEQ	D
559	282.75	83.5	199.3	2.00	10.0	05/05/1987	Landfill	Source
561	296.33	38.3	258.0	2.00	4.0	04/22/1987	Landfill	Source
563	285.63	130.0	155.6	2.00	15.0	04/28/1987	Landfill+BR	U
564	289.59	94.5	194.9	2.00	5.0	04/21/1987	BR	NA
571	286.39	15.0	271.4	2.00	4.0	03/17/1987	Area B	U
572	251.13	16.6	234.5	2.00	5.0	04/13/1989	B/330	Source
574	269.09	32.6	236.5	2.00	5.0	10/19/1989	B/330	Source
576	265.95	19.9	246.1	2.00	5.0	12/17/1991	B/330	Source
577	230.32	223.2	7.1	2.00	20.0	12/22/1994	BR	NA
578	272.21	200.0	72.2	2.00	20.0	02/24/1995	BR	NA
579	247.72	254.4	-6.7	2.00	20.0	04/06/1995	B/322+BR	NA
580	258.99	19.2	239.8	2.00	10.0	03/31/1995	B/322	U
581	267.23	28.9	238.3	2.00	5.0	06/20/1996	Area A	U
600	265.91	19.9	246.0	2.00	10.0	11/01/1996	B/330	U/S
601	266.04	137.7	128.3	2.00	5.0	10/16/1996	B/330	S
602	253.38	22.5	230.9	2.00	10.0	10/30/1996	B/330	S
603	252.54	26.0	226.5	2.00	10.0	10/31/1996	B/330	U
604	252.66	139.4	113.3	2.00	10.0	10/18/1996	B/330	U
607	253.77	118.9	134.9	2.00	20.0	12/06/1996	B/330+BR	Source
608	255.51	62.5	193.0	2.00	10.0	12/09/1996	B/330+BR	D
609	249.18	235.3	13.9	2.00	10.0	12/13/1996	B/330+BR	D
610	250.87	180.6	70.3	2.00	20.0	12/20/1996	B/330+BR	D/S
611	244.23	216.6	27.6	2.00	20.0	01/30/1997	B/330+BR	D/S
612	249.89	33.4	216.5	4.00	15.2	12/02/1997	B/322	D
613	249.02	33.6	215.4	4.00	15.2	12/03/1997	B/322	D
617	248.91	40.4	208.5	4.00	15.0	08/12/1998	B/322	D
618	239.17	32.5	206.7	4.00	15.0	08/11/1998	B/322	D
622	268.08	218.3	49.8	2.00	20.1	02/10/1999	B/330+BR	D
623	246.01	338.0	-92.0	2.00	15.0	02/26/1999	B/330+BR	D
624	246.31	364.0	-117.7	2.00	10.0	03/12/1999	B/330+BR	D
627	262.88	18.7	244.2	2.00	10.0	04/17/2000	B/322	U(B/322), D(AA)
628	267.42	64.2	203.2	4.00	40.0	04/12/2001	Area B	Source
701	248.83	20.0	228.8	2.00	5.0	12/04/1986	Area A	D
702	255.09	17.7	237.4	2.00	5.0	12/05/1986	Area A	D
704	255.00	347.0	-92.0	6.00	OPEN HOLE	12/04/1986	BR	NA
706	259.92	45.4	214.5	2.00	10.0	11/22/1986	Area A	D
711	263.69	349.3	-85.6	6.00	OPEN HOLE	10/15/1986	BR	NA
714	266.26	37.4	228.9	2.00	10.0	11/28/1986	Area A	Source

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
716	271.93	171.0	100.9	4.00	20.0	10/20/1986	BR	NA
720	275.38	56.0	222.4	2.00	22.5	01/07/1987	Area A	U
722	260.15	350.6	-90.5	6.00	OPEN HOLE	10/03/1986	BR	NA
735	261.06	25.5	235.6	2.00	10.0	12/11/1986	B/322	Source
739	261.35	214.4	47.0	4.00	40.0	10/26/1986	BR	NA
740	260.62	25.3	235.3	2.00	10.0	12/06/1986	B/322	D
742	260.46	221.6	38.9	4.00	80.0	10/30/1986	B/322+BR	NA
743	261.06	19.5	241.6	2.00	10.0	05/09/1987	B/322	U/S
744	254.46	28.7	225.8	2.00	5.0	08/18/1987	Area A	U
745	254.47	14.4	240.1	2.00	5.0	08/19/1987	Area A	U
751	254.24	13.4	240.8	4.00	6.0	07/23/1987	Area A	D
753	248.38	13.1	235.3	4.00	3.6	07/27/1987	Area A	D
754	249.19	22.8	226.4	4.00	15.0	07/17/1987	B/322	D/S
755	238.91	23.2	215.7	4.00	16.0	07/17/1987	B/322	D/S
756	252.61	20.0	232.6	4.00	12.0	07/09/1987	B/330	D
757	234.36	20.3	214.1	2.00	10.0	09/25/1987	Area D	Source
761	264.13	32.6	231.5	2.00	10.0	11/09/1990	Area A	U
763	268.68	49.7	219.0	2.00	5.0	10/12/1990	Area A	U
766	258.99	25.6	233.4	2.00	5.0	10/24/1990	B/322	Source
767	252.63	18.8	233.8	2.00	10.0	11/20/1990	B/322	Source
768	253.39	22.9	230.5	2.00	10.0	10/19/1990	B/322	D
769	256.86	26.9	230.0	2.00	10.0	10/22/1990	B/322	D
771	252.80	19.2	233.6	2.00	5.0	10/18/1990	B/322	D
772	242.12	19.1	223.0	2.00	10.0	11/20/1990	B/322	D
773	248.26	28.9	219.4	2.00	10.0	11/19/1990	B/322	D
774	244.92	30.1	214.8	2.00	10.0	10/23/1990	B/322	D
775	244.65	30.4	214.3	2.00	10.0	11/16/1990	B/322	D
777	276.03	130.5	145.5	2.00	10.0	12/21/1990	BR	NA
779	263.34	233.0	30.3	2.00	10.0	12/21/1990	BR	NA
789	242.66	21.3	221.4	2.00	10.0	05/09/1991	B/322	D
791	243.35	22.5	220.9	2.00	10.0	05/02/1991	B/322	D
792	243.01	20.9	222.1	2.00	10.0	06/04/1991	B/322	D
793	248.89	29.5	219.4	2.00	10.0	06/11/1991	B/322	D
832	281.62	30.4	251.2	2.00	5.0	03/23/1982	Area B	U
857	262.31	111.8	150.5	4.00	3.0	06/28/1982	BR	NA
858	262.04	160.2	101.8	4.00	5.0	06/25/1982	BR	NA
859	262.80	102.8	160.0	4.00	5.0	07/02/1982	SEQ	NA
860	262.83	153.3	109.5	4.00	5.0	07/01/1982	SEQ	NA
861	267.06	103.0	164.1	2.00	5.0	07/06/1982	SEQ	NA
862	266.78	152.0	114.8	2.00	6.0	07/05/1982	SEQ	NA
921	262.48	86.2	176.3	3.75	10.0	03/27/1984	B/330	D
922	262.71	116.6	146.1	3.75	10.0	04/24/1984	B/330	D
923	262.76	160.9	101.9	2.00	10.0	04/04/1984	B/330	D
929	252.16	152.9	99.3	2.00	10.0	06/14/1984	B/330	U
931	252.26	151.7	100.6	3.75	10.0	05/23/1984	B/330	S
932	267.11	172.8	94.3	4.00	20.0	05/24/1984	Landfill+BR	D
941	254.52	134.1	120.4	4.00	20.0	12/08/1984	B/330	D
943	254.23	144.1	110.1	4.00	20.0	01/09/1985	Landfill+BR	D
944	254.11	71.9	182.2	4.00	20.0	01/14/1985	Landfill	D
952	245.34	198.0	47.3	4.00	40.0	02/01/1985	B/322+BR	NA
953	251.79	153.1	98.7	4.00	10.0	02/07/1985	B/330+BR	D/S

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
954	268.20	172.5	95.7	4.00	20.0	02/12/1985	B/330	U
956	268.23	107.7	160.5	4.00	10.0	02/18/1985	B/330	U
958	266.66	106.4	160.3	4.00	20.0	02/20/1986	BR	NA
959	251.45	157.4	94.1	4.00	10.0	02/21/1985	B/322+BR	Source
960	251.40	90.6	160.8	4.00	20.0	02/22/1985	B/322+BR	Source
963	264.55	165.4	99.2	2.00	20.0	03/01/1985	BR	NA
964	264.55	95.3	169.3	2.00	10.0	03/01/1985	BR	NA
965	255.40	144.8	110.6	4.00	10.0	03/05/1985	B/330+BR	U
966	255.28	126.3	129.0	4.00	35.0	03/06/1985	B/330+BR	U
987	260.20	44.8	215.4	6.00	10.0	08/04/1986	SEQ	D
990	260.08	20.8	239.3	4.00	5.0	08/06/1986	SEQ	D
998	258.02	21.8	236.2	2.00	5.0	07/27/1987	Area A	D
999	257.25	52.9	204.4	2.00	10.0	07/23/1987	Area A	D
PW-1	262.24	541	-278.8	12.0	OPEN HOLE	1962	BR	NA
PW-2	255.34	277.5	-22.2	12.0	OPEN HOLE	1963	BR	NA
PW-4	248.73	265	-16.3	8.0	40.0	1968	BR	NA
PW-5	241.88	542	-300.1	10.0	OPEN HOLE	1970	BR	NA
PW-5A	242.01	522	-280.0	12.0	425.7	1984	BR	NA
PW-6	244.19	439	-194.8	12.0	OPEN HOLE	1979	BR	NA
PW-7	268.16	747	-478.8	12.0	OPEN HOLE	1979	B/330+BR	D
PW-9*	263.50	702	-438.5	14.0	OPEN HOLE	1981	BR	NA
PW-23	266.97	48.0	219.0	6.00	OPEN HOLE	03/03/1987	SEQ	Source
PW-25	250.53	432.3	-181.8	10.0	91.1	06/15/2000	B/330+BR	NA

Key:

Landfill = Landfill (Area C)

B/330 = Building 330 (Area C)

B/322 = Building 322

SEQ = Southeast Quadrant

BR = Bedrock

WC = West Complex

NA = Not applicable or not available

ft amsl = feet above mean sea level

M.P. = measuring point (generally a survey mark at top of inner monitoring pipe or casing)

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
007	Area A	S	X1	X					
010	Area A	S	X1	X		X			
015	Area A	S	X1	X					
016	Area A	S	X1	X		X			
032A	Area D	M		X	X	X			
035	B/322	A	X2						X
046	Area B	S		X					
048	SEQ	Q		X					
053	Landfill	S		X					
054	Landfill	S		X					
059	B/330	A							X
060	B/330	A							X
061	B/330	A							X
063	B/330	A							X
064	Area B	Q		X			X		
065	Area B	Q		X			X		
066	Area D	Q		X			X		
067	Area D	Q		X			X		
068	B/322	Q	X2	X					
069	Landfill	S		X					
085	BR	S		X					
087	BR	S		X					
103	Area A	S	X1	X		X			
104	Area A	S	X1	X		X			
105	BR	S		X		X			
106	BR	S		X					
108	BR	S		X					
109	BR	S		X					
113	BR	Q		X					
118	Area A	S	X1	X					
143	B/330+BR	S		X					
145	B/330+BR	A							X
146	B/330+BR	A							X
150	BR	S		X					
151	B/322	S	X2	X					
156	BR	S		X					
161	B/322	A	X2						X
166	BR	S		X					
167	BR	S		X					
178	B/330	A		X					
181	B/330	S		X					
204	Area A	A	X1	X					
360/COMB	B/322	M			X				
400	WC	S						X	
401	WC	S						X	
402	WC	S						X	
403	WC	S						X	
404	WC	S						X	
407	WC	S						X	
408	WC	S						X	
410	WC	S						X	
412	WC	S						X	

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
415	WC	S						X	
416	WC	S						X	
417	WC	S						X	
423	WC	S						X	
424	WC	S						X	
502	SEQ	Q		X					
503	SEQ	Q		X					
515	BR	Q		X					
520	SEQ	Q		X					
521	BR	Q		X					
535	BR	Q		X					
543	SEQ	Q		X					
545	SEQ	Q		X					
559	Landfill	S		X					
561	Landfill	S		X					
563	Landfill&BR	S		X					
564	BR	S		X					
571	Area B	Q		X					
572	B/330	A							X
574	B/330	A							X
576	B/330	S		X					
577	BR	S		X					
578	BR	S		X					
579	BR+B/322	S	X2	X					
580	B/322	A	X2						X
581	Area A	S	X1	X					
600	B/330	A							X
601	B/330	A							X
602	B/330	A							X
603	B/330	A							X
604	B/330	A							X
607	B/330+BR	A							X
608	B/330+BR	A		X					
609	B/330+BR	S		X					
610	B/330+BR	S		X					
611	B/330+BR	S		X					
612	B/322	M		X	X	X			
*613	B/322	M		X	X	X			
617	B/322	M		X	X	X			
618	B/322	M		X	X	X			
622	B/330+BR	S		X					
623	B/330+BR	S		X					
624	B/330+BR	S		X					
627	B/322	A	X2,X3						X
701	Area A	S	X1	X					
702	Area A	S	X1	X					
704	BR	S		X					
706	Area A	S	X1	X					
711	BR	S		X					
714	Area A	S	X1	X		X			
716	BR	S		X		X			
720	Area A	S	X1	X					

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
722	BR	S		X					
735	B/322	S	X2,X3	X					
739	BR	S		X					
740	B/322	A	X2	X					
742	BR+B/322	S	X2	X					
743	B/322	A	X2						X
744	Area A	Q	X1	X					
745	Area A	Q	X1	X					
751	Area A	S	X1	X					
753	Area A	S	X1	X					
754	B/322	A	X2						X
755	B/322	Q	X2	X					
756	B/330	A		X					
757	Area D	Q		X					
761	Area A	S	X1	X					
763	Area A	S	X1	X					
766	B/322	S	X2,X3	X					
767	B/322	S	X2	X					
768	B/322	S	X2,X3	X					
769	B/322	S	X2,X3	X					
771	B/322	A	X2	X					
772	B/322	Q	X2,X3	X					
773	B/322	Q	X2	X					
774	B/322	Q	X2	X					
775	B/322	A	X2						X
777	BR	S		X					
779	BR	S		X					
789	B/322	A	X2						X
791	B/322	A	X2						X
792	B/322	A	X2						X
793	B/322	S	X2,X3	X					
832	Area B	Q		X					
857	BR	Q		X					
858	BR	Q		X					
859	SEQ	Q		X					
860	SEQ	Q		X					
861	SEQ	Q		X					
862	SEQ	Q		X					
628	Area B	M		X	X	X			
628 GAC	Area B	M			X				
921	B/330	S		X					
922	B/330	S		X					
923	B/330	S		X					
929	B/330	S		X					
931	B/330	S		X					
932	Landfill&BR	S		X					
941	B/330	S		X					
943	Landfill&BR	S		X		X			
944	Landfill	S		X					
952	BR+B/322	S	X2	X					
953	B/330+BR	S		X					
954	B/330	S		X					

**Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network**

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
956	B/330	S		X					
958	BR	Q		X					
959	BR+B/322	S	X2	X					
960	BR+B/322	S	X2	X					
963	BR	Q		X					
964	BR	Q		X					
965	B/330+BR	S		X					
966	B/330+BR	S		X					
987	SEQ	Q		X			X		
990	SEQ	Q		X			X		
998	Area A	S	X1	X					
999	Area A	S	X1	X					
GACIN/316	BR	M			X				
PW-1	BR	M	X4	X	X	X			
PW-2	BR	M	X4	X	X	X			
PW-4	BR	M	X4	X	X	X			
PW-5/5A	BR	M	X4	X	X	X			
PW-6	BR	M	X4	X	X				
PW-7	BR & B/330	M	X5	X	X	X			
*PW-9	BR	M	X6	X	X	X			
PW-23	SEQ	M		X					
PW-25	BR & B/330	M	X4	X	X	X			
SUMP/B384	Area A	M	X1	X	X	X			

Key:

Landfill = Landfill (Area C)
 B/330 = Building 330 (Area C)
 B/322 = Building 322
 SEQ = Southeast Quadrant
 BR = Bedrock
 WC = West Complex

A = Annual
 S = Semiannual

CAM = Corrective Action Monitoring
 PCT = Process Control for Treatment
 CRM = Contaminant Reduction Monitoring
 POC = Point of Compliance Monitoring
 DM = Detection Monitoring
 AM = Annual Monitoring

Q = Quarterly
 M = Monthly
 M* = Monthly when used as a backup well
 * = PW-9 and GW613 are sampled only when in use.
 Current status for both wells is emergency use only.

All listed monitoring wells are hydraulic effectiveness monitoring wells. Refer to Table A-1 for complete list.

X = Sample all listed wells for Volatile Organics.

X1 = Sample for Total Fluoride and Chromium (dissolved & total) .

X2 = Sample for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X3 = Sample annually for Nickel (dissolved & total).

X4 = Sample quarterly for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X5 = Sample monthly for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X6 = Sample quarterly for Inorganics only when in use. (PW-9 is used only for emergencies.)

Appendix B

Quarterly Groundwater Elevation Data: January 1, 2009 to June 30, 2009

IBM East Fishkill
Groundwater Elevation Data: January through June 2009

Page 1 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
002	01/19/2009	258.92	06/01/2009	252.94				
003	01/19/2009	256.80	06/01/2009	252.87				
005	01/20/2009	250.00	05/28/2009	248.87				
006	01/20/2009	249.68	05/28/2009	248.58				
007	01/19/2009	239.75	06/01/2009	238.29				
008	01/21/2009	247.74	06/03/2009	246.10				
009	01/21/2009	247.25	06/03/2009	245.50				
010	01/21/2009	231.36	06/03/2009	229.53				
011	01/22/2009	254.42	06/03/2009	254.32				
013	01/22/2009	219.66	06/05/2009	218.75				
014	01/22/2009	202.25	06/05/2009	201.15				
015	01/22/2009	245.16	06/05/2009	244.77				
016	01/20/2009	220.33	06/04/2009	218.66				
017	01/20/2009	245.00	06/04/2009	244.81				
018	01/20/2009	187.31	06/04/2009	184.03				
019	01/20/2009	247.88	06/04/2009	244.70				
020	01/23/2009	222.26	06/05/2009	220.18				
022	01/23/2009	241.08	06/05/2009	239.33				
027	01/19/2009	109.46	06/01/2009	110.36				
028	01/19/2009	87.69	06/01/2009	94.92				
030	01/19/2009	227.33	06/02/2009	225.97				
032A	01/19/2009	227.45	06/02/2009	225.20				
035	01/19/2009	241.23	06/02/2009	240.02				
038	01/22/2009	228.81	06/04/2009	228.83				
039	01/22/2009	211.51	06/04/2009	210.67				
044	01/16/2009	245.66	06/01/2009	245.61				
046	01/16/2009	259.49	06/01/2009	255.40				
048	01/16/2009	258.43	05/29/2009	257.31				
049	01/16/2009	259.98	05/29/2009	257.91				
050	01/16/2009	260.34	05/29/2009	258.30				
053	01/20/2009	251.25	06/02/2009	249.31				
054	01/15/2009	251.16	06/02/2009	249.67				
059	01/16/2009	231.22	06/02/2009	227.14				
060	01/16/2009	212.37	06/02/2009	207.74				
061	01/16/2009	236.05	06/02/2009	235.69				
062	01/15/2009	236.69	06/02/2009	234.18				
063	01/15/2009	236.64	06/02/2009	230.35				
064	01/20/2009	255.03	05/28/2009	254.61				
065	01/20/2009	255.11	05/28/2009	254.60				
066	01/19/2009	225.04	06/02/2009	224.18				
067	01/19/2009	226.82	06/02/2009	226.42				
068	01/19/2009	222.24	06/02/2009	221.85				
069	01/15/2009	250.61	06/02/2009	249.08				
075	01/19/2009	243.98	06/01/2009	243.31				
085	01/20/2009	252.96	05/29/2009	251.26				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2009

IBM East Fishkill
Groundwater Elevation Data: January through June 2009

Page 2 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
086	01/20/2009	250.24	05/29/2009	248.78				
087	01/20/2009	246.00	05/28/2009	245.55				
088	01/20/2009	246.00	05/28/2009	245.63				
091	01/16/2009	259.76	05/29/2009	259.22				
092	01/16/2009	259.76	05/29/2009	259.19				
096	01/19/2009	248.23	06/03/2009	247.78				
097	01/19/2009	246.31	06/03/2009	245.26				
098	01/19/2009	244.23	06/03/2009	245.72				
100	01/21/2009	251.31	06/03/2009	248.79				
101	01/21/2009	250.39	06/03/2009	247.99				
102	01/21/2009	249.58	06/03/2009	249.12				
103	01/22/2009	246.35	06/03/2009	246.32				
104	01/22/2009	227.24	06/03/2009	226.21				
105	01/22/2009	218.74	06/03/2009	218.69				
106	01/22/2009	206.74	06/03/2009	206.89				
108	01/20/2009	222.50	06/02/2009	220.84				
109	01/20/2009	208.14	06/02/2009	209.80				
112	01/15/2009	266.38	05/29/2009	265.50				
113	01/15/2009	FLOW	05/29/2009	FLOW				
114	01/15/2009	FLOW	05/29/2009	267.71				
118	01/22/2009	136.66	06/05/2009	142.56				
121	01/21/2009	207.38	06/03/2009	207.03				
122	01/21/2009	177.92	06/03/2009	179.40				
129	01/21/2009	215.19	06/04/2009	213.47				
130	01/21/2009	211.05	06/04/2009	208.16				
143	01/21/2009	120.66	06/04/2009	132.01				
145	01/15/2009	183.70	06/02/2009	184.90				
146	01/15/2009	165.79	06/02/2009	171.99				
147	01/19/2009	229.95	06/02/2009	229.04				
150	01/19/2009	150.17	06/02/2009	151.39				
151	01/19/2009	225.86	06/02/2009	224.96				
156	01/16/2009	205.58	06/02/2009	198.87				
157	01/16/2009	157.05	06/02/2009	168.09				
158	01/16/2009	236.10	06/02/2009	231.50				
161	01/19/2009	244.43	06/01/2009	243.63				
164	01/15/2009	258.99	05/29/2009	257.69				
165	01/15/2009	258.99	05/29/2009	257.69				
166	01/20/2009	250.47	05/28/2009	248.57				
167	01/20/2009	249.28	05/28/2009	249.38				
168	01/16/2009	239.67	06/01/2009	262.60				
169	01/16/2009	226.91	06/01/2009	234.12				
170	01/19/2009	223.05	06/02/2009	222.47				
178	01/20/2009	247.32	06/02/2009	245.37				
180	03/05/2009	247.21	06/04/2009	247.19				
181	01/21/2009	245.98	06/04/2009	245.98				
182	01/14/2009	227.76	05/26/2009	227.01				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2009

IBM East Fishkill
Groundwater Elevation Data: January through June 2009

Page 3 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
183	01/14/2009	227.71	05/26/2009	226.98				
185	01/14/2009	228.93	05/26/2009	221.71				
186	01/14/2009	226.25	05/26/2009	220.62				
191	01/14/2009	192.88	05/26/2009	192.06				
192	01/14/2009	201.48	05/26/2009	199.76				
200	01/21/2009	247.84	06/03/2009	245.81				
204	01/22/2009	243.79	06/04/2009	242.09				
224	01/21/2009	238.86	06/03/2009	237.65				
226	01/19/2009	227.27	06/02/2009	226.89				
227	01/19/2009	191.61	06/02/2009	191.68				
400	01/15/2009	232.90	05/27/2009	232.00				
401	01/15/2009	231.52	05/27/2009	229.12				
402	01/15/2009	210.60	05/27/2009	207.66				
403	01/15/2009	240.89	05/27/2009	239.47				
404	01/15/2009	142.75	06/05/2009	143.07				
406	01/15/2009	260.92	05/27/2009	260.95				
407	01/15/2009	261.02	05/27/2009	260.71				
408	01/15/2009	242.29	05/27/2009	241.39				
409	01/15/2009	FLOW	05/27/2009	FLOW				
410	01/15/2009	236.99	05/27/2009	235.32				
411	01/15/2009	236.85	05/27/2009	235.97				
412	01/15/2009	238.04	05/27/2009	237.04				
413	01/15/2009	236.30	05/27/2009	226.82				
414	01/15/2009	251.58	05/27/2009	249.77				
415	01/15/2009	249.68	05/27/2009	248.53				
416	01/15/2009	245.91	05/27/2009	244.65				
417	01/15/2009	236.71	05/27/2009	236.10				
418	01/15/2009	235.02	05/27/2009	236.74				
421	01/15/2009	277.52	05/27/2009	271.31				
422	01/15/2009	266.83	05/27/2009	265.67				
423	01/15/2009	264.34	05/27/2009	263.81				
424	01/15/2009	261.13	05/27/2009	260.90				
500	01/20/2009	248.89	05/28/2009	248.59				
501	01/20/2009	249.76	05/28/2009	248.86				
502	01/20/2009	257.43	05/28/2009	257.18				
503	01/20/2009	257.37	05/28/2009	257.13				
504	03/05/2009	257.25	05/28/2009	257.80				
505	03/05/2009	257.67	05/28/2009	257.80				
506	01/20/2009	258.18	05/28/2009	258.04				
507	01/20/2009	258.10	05/28/2009	257.83				
508	01/20/2009	258.08	05/28/2009	257.80				
509	01/20/2009	258.22	05/28/2009	257.99				
510	01/23/2009	258.46	05/28/2009	258.27				
511	01/23/2009	258.38	05/28/2009	258.10				
512	01/20/2009	258.74	05/28/2009	258.13				
513	01/20/2009	258.91	05/28/2009	258.41				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2009

IBM East Fishkill
Groundwater Elevation Data: January through June 2009

Page 4 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
514	03/05/2009	258.58	05/28/2009	258.50				
515	01/20/2009	258.31	05/28/2009	257.84				
516	01/20/2009	259.33	05/28/2009	258.98				
517	01/20/2009	259.08	05/28/2009	258.77				
518	01/20/2009	259.48	05/28/2009	258.87				
519	01/20/2009	260.11	05/28/2009	259.69				
520	01/13/2009	256.53	05/28/2009	255.50				
521	01/20/2009	257.54	05/28/2009	256.14				
522	01/20/2009	FLOW	05/28/2009	261.63				
523	01/15/2009	265.48	05/29/2009	263.96				
524	01/15/2009	265.69	05/29/2009	264.09				
525	01/15/2009	265.08	05/29/2009	263.27				
526	01/16/2009	263.55	05/29/2009	260.85				
527	01/16/2009	262.63	05/29/2009	261.46				
528	01/16/2009	FLOW	05/29/2009	FLOW				
529	01/16/2009	FLOW	05/29/2009	FLOW				
530	01/16/2009	261.65	05/29/2009	261.15				
531	01/16/2009	FLOW	05/29/2009	265.33				
532	01/16/2009	FLOW	05/29/2009	265.40				
533	01/16/2009	261.50	05/29/2009	260.95				
534	01/16/2009	262.36	05/29/2009	261.70				
535	01/16/2009	265.49	05/29/2009	263.82				
536	01/16/2009	259.92	05/29/2009	257.81				
537	01/16/2009	FLOW	05/29/2009	FLOW				
538	01/16/2009	263.87	05/29/2009	FLOW				
539	01/16/2009	FLOW	05/29/2009	FLOW				
541	01/16/2009	273.58	06/01/2009	269.44				
542	01/16/2009	273.77	06/01/2009	269.63				
543	01/16/2009	258.05	05/29/2009	256.39				
544	01/16/2009	258.47	05/29/2009	256.53				
545	01/16/2009	257.79	05/29/2009	256.46				
546	01/16/2009	FLOW	05/29/2009	265.42				
547	01/16/2009	FLOW	05/29/2009	262.16				
548	01/16/2009	258.79	05/29/2009	255.34				
549	01/16/2009	258.34	05/29/2009	256.44				
550	01/16/2009	258.62	05/29/2009	256.76				
551	01/16/2009	258.77	05/29/2009	251.93				
553	01/16/2009	258.42	05/29/2009	258.11				
554	01/16/2009	259.11	05/29/2009	257.66				
556	01/16/2009	259.66	05/29/2009	257.56				
557	01/16/2009	259.80	05/29/2009	257.82				
558	01/16/2009	265.02	06/01/2009	260.98				
559	01/16/2009	256.75	06/01/2009	253.64				
560	01/16/2009	253.73	06/01/2009	251.11				
561	01/16/2009	267.11	06/01/2009	264.19				
562	01/16/2009	266.49	06/01/2009	261.81				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2009

IBM East Fishkill
Groundwater Elevation Data: January through June 2009

Page 5 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
563	01/16/2009	250.81	06/01/2009	247.83				
564	01/16/2009	262.99	06/01/2009	260.69				
565	01/16/2009	266.74	06/01/2009	262.31				
566	01/16/2009	258.04	06/01/2009	253.94				
567	01/16/2009	259.83	06/01/2009	255.75				
568	01/16/2009	263.93	06/01/2009	258.52				
569	01/16/2009	267.94	06/01/2009	263.70				
570	01/16/2009	235.04	06/01/2009	232.06				
571	01/16/2009	277.51	06/01/2009	276.71				
572	01/23/2009	243.62	06/05/2009	243.43				
574	03/05/2009	247.99	06/02/2009	246.59				
576	03/05/2009	249.99	06/02/2009	250.36				
577	01/19/2009	102.82	06/02/2009	108.67				
578	01/19/2009	154.91	06/01/2009	160.60				
579	01/21/2009	112.21	06/04/2009	124.12				
580	01/22/2009	242.69	06/04/2009	242.49				
581	01/21/2009	252.23	06/03/2009	249.68				
600	01/20/2009	250.11	06/02/2009	247.49				
601	01/20/2009	214.04	06/02/2009	213.42				
602	03/18/2009	247.78	06/04/2009	246.63				
603	01/21/2009	245.03	06/04/2009	242.96				
604	01/21/2009	149.66	06/04/2009	155.96				
605	01/21/2009	120.22	06/04/2009	131.09				
606	01/20/2009	85.83	06/02/2009	97.57				
607	01/21/2009	140.88	06/04/2009	147.57				
608	01/20/2009	DRY	06/02/2009	DRY				
609	01/20/2009	78.98	06/02/2009	95.43				
610	01/21/2009	108.96	06/04/2009	119.89				
611	01/21/2009	131.98	06/04/2009	141.78				
612	01/19/2009	224.89	06/02/2009	224.94				
613	01/19/2009	226.52	06/02/2009	225.57				
614	01/19/2009	227.29	06/02/2009	226.11				
615	03/05/2009	226.82	06/02/2009	226.47				
616	03/05/2009	227.23	06/02/2009	226.54				
617	01/19/2009	216.41	06/02/2009	216.44				
618	01/19/2009	217.76	06/02/2009	217.84				
619	01/16/2009	259.60	06/01/2009	255.46				
620	01/19/2009	231.22	06/01/2009	230.53				
621	03/05/2009	242.50	06/04/2009	242.69				
622	01/20/2009	199.28	06/02/2009	198.45				
623	01/21/2009	104.71	06/04/2009	117.41				
624	01/21/2009	112.21	06/04/2009	124.11				
626	01/15/2009	261.48	05/29/2009	260.38				
627	01/21/2009	246.48	06/04/2009	245.97				
700	01/20/2009	238.44	06/02/2009	238.06				
701	01/20/2009	238.13	06/02/2009	237.77				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2009

IBM East Fishkill
Groundwater Elevation Data: January through June 2009

Page 6 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
702	01/20/2009	245.19	06/03/2009	244.94				
703	01/20/2009	231.74	06/03/2009	230.94				
704	01/20/2009	185.41	06/03/2009	187.70				
705	01/22/2009	247.06	06/03/2009	247.32				
706	01/22/2009	236.50	06/03/2009	236.00				
707	01/22/2009	238.94	06/03/2009	238.66				
708	01/22/2009	235.83	06/03/2009	235.28				
709	01/22/2009	245.98	06/03/2009	244.67				
710	01/22/2009	245.73	06/03/2009	244.43				
711	01/22/2009	240.29	06/03/2009	238.81				
712	01/21/2009	252.82	06/03/2009	DRY				
714	01/21/2009	236.81	06/03/2009	235.21				
716	01/21/2009	143.73	06/03/2009	149.18				
717	03/05/2009	247.46	06/03/2009	248.09				
718	01/19/2009	248.15	06/03/2009	247.94				
719	01/19/2009	248.74	06/03/2009	248.45				
720	01/19/2009	247.74	06/03/2009	247.55				
721	01/19/2009	250.58	06/01/2009	249.32				
722	01/19/2009	243.67	06/01/2009	242.03				
723	01/19/2009	251.98	06/01/2009	250.35				
724	01/19/2009	251.70	06/01/2009	250.00				
725	01/19/2009	252.49	06/01/2009	250.82				
726	01/19/2009	252.55	06/01/2009	250.86				
727	01/19/2009	251.22	06/01/2009	250.64				
728	01/19/2009	250.28	06/01/2009	249.11				
729	01/19/2009	250.09	06/01/2009	248.99				
730	01/19/2009	232.86	06/01/2009	232.61				
732	01/21/2009	110.76	06/04/2009	117.72				
734	01/22/2009	104.50	06/04/2009	109.49				
735	01/21/2009	243.24	06/04/2009	242.71				
737	01/21/2009	106.88	06/04/2009	117.20				
739	01/21/2009	102.35	06/03/2009	111.25				
740	01/21/2009	238.52	06/03/2009	236.70				
742	01/21/2009	99.16	06/03/2009	111.87				
743	01/21/2009	245.45	06/03/2009	246.36				
744	01/19/2009	247.15	06/01/2009	246.61				
745	01/19/2009	247.21	06/01/2009	246.52				
746	01/19/2009	245.53	06/01/2009	244.97				
747	01/19/2009	252.27	06/01/2009	250.32				
748	01/21/2009	245.44	06/03/2009	243.24				
749	01/19/2009	251.16	06/01/2009	250.76				
750	01/19/2009	249.94	06/01/2009	248.90				
751	01/22/2009	241.54	06/04/2009	241.39				
752	01/22/2009	244.99	06/04/2009	244.35				
753	01/22/2009	237.28	06/04/2009	236.67				
754	01/19/2009	236.03	06/02/2009	235.79				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2009

IBM East Fishkill
Groundwater Elevation Data: January through June 2009

Page 7 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
755	01/19/2009	227.09	06/02/2009	225.72				
756	01/21/2009	235.86	06/04/2009	235.30				
757	01/19/2009	227.98	06/02/2009	226.90				
758	01/22/2009	252.98	06/03/2009	253.02				
759	01/22/2009	241.01	06/03/2009	240.30				
760	01/22/2009	239.01	06/03/2009	238.15				
761	01/21/2009	251.01	06/03/2009	249.18				
763	01/21/2009	237.27	06/03/2009	235.23				
766	01/21/2009	237.78	06/03/2009	238.01				
767	03/05/2009	237.31	06/03/2009	237.34				
768	01/21/2009	236.92	06/03/2009	236.89				
769	01/21/2009	236.64	06/03/2009	236.31				
770	01/21/2009	235.21	06/03/2009	235.41				
771	01/21/2009	DRY	06/03/2009	236.36				
772	01/29/2009	230.12	06/03/2009	230.12				
773	01/19/2009	231.35	06/02/2009	231.18				
774	01/21/2009	230.76	06/03/2009	230.51				
775	01/21/2009	228.93	06/04/2009	228.90				
776	01/19/2009	236.00	06/01/2009	237.09				
777	01/19/2009	253.70	06/01/2009	250.23				
779	01/19/2009	116.46	06/01/2009	122.13				
782	01/19/2009	228.30	06/02/2009	227.09				
783	01/16/2009	201.89	06/02/2009	194.98				
789	01/21/2009	231.24	06/04/2009	230.80				
791	01/21/2009	228.95	06/04/2009	228.84				
792	01/21/2009	230.39	06/03/2009	231.16				
793	01/21/2009	227.49	06/04/2009	227.48				
799	01/16/2009	211.83	06/02/2009	205.68				
816	01/22/2009	244.86	06/03/2009	243.79				
818	01/22/2009	246.67	06/03/2009	246.33				
819	01/22/2009	251.85	06/03/2009	251.58				
820	01/22/2009	249.98	06/05/2009	248.77				
821	01/22/2009	248.65	06/05/2009	247.45				
822	01/22/2009	244.59	06/05/2009	244.38				
823	01/22/2009	246.30	06/03/2009	245.61				
824	01/22/2009	246.67	06/03/2009	246.05				
826	01/22/2009	249.98	06/03/2009	249.01				
827	01/22/2009	254.28	06/03/2009	254.18				
830	01/16/2009	260.99	06/01/2009	256.51				
831	01/16/2009	251.38	06/01/2009	247.57				
832	01/16/2009	262.75	06/01/2009	261.00				
833	01/16/2009	273.15	06/01/2009	270.50				
835	01/16/2009	276.07	06/01/2009	272.68				
836	01/16/2009	270.22	06/01/2009	266.77				
837	01/16/2009	276.08	06/01/2009	272.73				
838	01/16/2009	DRY	06/04/2009	253.92				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2009

IBM East Fishkill
Groundwater Elevation Data: January through June 2009

Page 8 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
839	01/19/2009	228.34	06/02/2009	227.20				
855	01/15/2009	261.78	05/29/2009	260.27				
856	01/15/2009	262.96	05/29/2009	261.54				
857	01/20/2009	FLOW	05/28/2009	FLOW				
858	01/20/2009	FLOW	05/28/2009	FLOW				
859	01/20/2009	256.10	05/29/2009	255.69				
860	01/20/2009	256.12	05/29/2009	255.53				
861	01/20/2009	254.36	05/29/2009	252.44				
862	01/20/2009	252.48	05/29/2009	251.18				
863	01/16/2009	259.51	06/01/2009	255.37				
864	01/22/2009	248.77	06/03/2009	248.50				
895	01/20/2009	259.11	05/28/2009	258.75				
896	01/20/2009	259.23	05/28/2009	258.79				
897	01/16/2009	266.16	05/29/2009	268.76				
898	01/16/2009	267.88	05/29/2009	269.71				
899	01/16/2009	271.12	06/01/2009	270.49				
900	01/16/2009	268.34	06/01/2009	270.49				
902	01/20/2009	FLOW	05/28/2009	256.39				
903	03/05/2009	256.99	05/28/2009	256.99				
910	01/19/2009	251.94	06/01/2009	250.31				
921	01/20/2009	248.26	06/02/2009	245.98				
922	01/20/2009	243.59	06/02/2009	218.91				
923	01/20/2009	215.45	06/02/2009	214.36				
924	01/20/2009	251.50	06/02/2009	249.02				
928	01/21/2009	DRY	06/04/2009	DRY				
929	01/21/2009	137.16	06/04/2009	143.91				
930	01/21/2009	DRY	06/04/2009	154.84				
931	01/21/2009	147.03	06/04/2009	153.69				
932	01/20/2009	251.11	06/02/2009	249.09				
934	01/22/2009	239.16	06/04/2009	238.74				
935	01/21/2009	201.31	06/04/2009	200.07				
936	01/21/2009	198.62	06/04/2009	197.29				
941	01/20/2009	128.81	06/04/2009	137.41				
943	01/15/2009	243.35	06/02/2009	241.76				
944	01/15/2009	248.69	06/02/2009	246.81				
946	01/21/2009	225.77	06/04/2009	225.79				
947	01/21/2009	228.14	06/04/2009	228.04				
948	01/21/2009	226.73	06/04/2009	226.68				
949	01/21/2009	231.38	06/03/2009	231.26				
952	01/21/2009	119.34	06/03/2009	128.59				
953	01/21/2009	121.54	06/04/2009	132.48				
954	01/20/2009	229.40	06/02/2009	223.32				
955	01/20/2009	247.20	06/02/2009	244.85				
956	01/20/2009	241.82	06/02/2009	240.41				
957	01/20/2009	250.57	06/02/2009	247.28				
958	01/16/2009	266.19	05/29/2009	263.11				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2009

IBM East Fishkill
Groundwater Elevation Data: January through June 2009

Page 9 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
959	01/21/2009	137.75	06/04/2009	144.32				
960	01/21/2009	215.40	06/04/2009	205.30				
962	01/19/2009	170.82	06/01/2009	220.40				
963	01/20/2009	258.60	05/28/2009	258.05				
964	01/20/2009	258.50	05/28/2009	258.12				
965	01/20/2009	200.75	06/02/2009	199.40				
966	01/20/2009	202.28	06/02/2009	200.06				
968	01/21/2009	156.87	06/04/2009	159.38				
976	01/19/2009	227.33	06/02/2009	226.36				
980	01/22/2009	247.46	06/04/2009	246.76				
983	01/16/2009	255.17	06/01/2009	251.94				
984	01/16/2009	252.15	06/01/2009	249.50				
985	01/16/2009	266.16	06/01/2009	266.13				
986	01/16/2009	264.18	06/01/2009	260.25				
987	01/20/2009	256.32	05/28/2009	255.75				
988	01/20/2009	256.36	05/28/2009	256.51				
989	01/20/2009	FLOW	05/28/2009	259.60				
990	01/20/2009	255.98	05/28/2009	255.53				
991	01/20/2009	258.20	05/28/2009	257.95				
992	01/20/2009	258.72	05/28/2009	258.32				
993	01/23/2009	234.36	06/05/2009	233.48				
994	01/23/2009	249.97	06/05/2009	249.62				
997	01/19/2009	249.23	06/01/2009	248.71				
998	01/19/2009	247.69	06/01/2009	247.32				
999	01/19/2009	241.45	06/01/2009	240.86				

Key:
 FLOW: Flowing Water
 NA: Not Accessible
 All Elevations are in feet above mean sea level

11/3/2009

Appendix C

Sampling Field Log Database (January - June 2009)

Field Parameters Database (January - June 2009)

Table of Meteorological Data (January - June 2009)

Sampling Field Log Database

WELL	BOOK_NO	PAGE_NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP_ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPE D DRY	PID	COMMENTS
007	354	156078	2/23/2009	GW090223007		NR090223312	BP/LINE	17.76	NR	2M/G	7.5	DFB	6	0	2	2	2	0	Y	NA	QC DUPLICATE #312
010	364	157046	3/11/2009	GW090311010			B/B	41.28	53.14	NA	4.5	DFB	3	0	1	1	1	0	Y	NA	
015	354	156090	2/25/2009	GW090225015			BP/LINE	17.92	21.65	2.4M/G	5.0	DFB	3	0	1	1	1	0	N	ND/ND	
016	354	156091	2/25/2009	GW090225016			BP/LINE	35.80	36.88	1.8M/G	30.0	DFB	3	0	1	1	1	0	N	NA	
035	364	157057	3/16/2009	GW090316035		NR090316320	2"SP/LINE	8.82	9.26	2GPM	38.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #320
046	364	157025	3/5/2009	GW090305046			PP/B	9.71	9.76	6M/G	17.5	DFB	3	0	0	0	0	0	N	NA	
048	363	156960	1/15/2009	GW090115048			2"SP/LINE	5.91	6.75	1GPM	19.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
048	365	157163	4/15/2009	GW090415048			2"SP/LINE	6.59	8.89	1GPM	18.0	DFB	3	0	0	0	0	0	N	NA	
053	364	157061	3/17/2009	GW090317053			BP/LINE	14.71	15.62	1.5M/G	12.0	DFB	3	0	0	0	0	0	N	NA	
054	364	157026	3/5/2009	GW090305054			2"SP/LINE	14.02	16.11	2GPM	28.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
059	364	157081	3/23/2009	GW090323059			2"SP/LINE	5.04	5.58	1.5GPM	24.0	DFB	3	0	0	0	0	0	N	NA	
060	364	157082	3/23/2009	GW090323060		NR090323316	2"SP/LINE	23.87	25.93	2GPM	44.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #316
061	364	157083	3/23/2009	GW090323061			2"SP/LINE	8.55	9.24	2GPM	41.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
063	364	157100	3/27/2009	GW090327063			BP/LINE	14.97	28.04	1.7M/G	19.0	DFB	3	0	0	0	0	0	N	NA	
064	363	156966	1/19/2009	GW090119064			2"SP/LINE	4.12	4.56	2GPM	27.0	DFB	3	0	0	0	0	0	N	NA	
064	365	157167	4/16/2009	GW090416064			2"SP/LINE	4.26	4.62	2GPM	27.0	DFB	3	0	0	0	0	0	N	NA	
065	363	156967	1/19/2009	GW090119065			2"SP/LINE	3.68	7.60	3GPM	78.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
065	365	157168	4/16/2009	GW090416065		NR090416312	2"SP/LINE	3.83	9.68	4GPM	77.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
066	363	156959	4/14/2009	GW090114066			2"SP/LINE	4.47	6.24	1GPM	13.0	DFB	3	0	0	0	0	0	N	NA	
066	365	147170	4/16/2009	GW090416066			2"SP/LINE	4.84	6.74	1.5GPM	12.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
067	363	156962	1/15/2009	GW090115067		NR090115312	BP/LINE	7.60	8.19	1.2M/G	3.4	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
067	365	157169	4/16/2009	GW090416067			2"SP/LINE	7.80	8.21	1.4M/G	3.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
068	363	156982	1/22/2009	GW090122068			2"SP/LINE	11.76	13.64	2GPM	22.0	DFB	3	0	1	1	1	0	N	NA	
068	365	157191	4/22/2009	GW090422068			2"SP/LINE	11.88	13.40	2GPM	22.0	DFB	3	0	1	1	1	1	N	NA	MOF SAMPLING
069	364	157024	3/5/2009	GW090305069			2"SP/LINE	3.53	4.28	1GPM	23.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
085	364	157060	3/17/2009	GW090317085		NR090317312	2"SP/LINE	24.08	78.05	3GPM	47.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
087	364	157059	3/17/2009	GW090317087			2"SP/LINE	10.10	29.59	3GPM	48.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
103	364	157028	3/9/2009	GW090309103			PP/B	10.82	14.08	12M/G	1.8	DFB	3	0	1	1	1	0	N	NA	
104	364	157029	3/9/2009	GW090309104			PP/B	30.72	31.77	NA	0.7	DFB	3	0	1	1	1	0	N	ND/ND	
105	354	156087	2/25/2009	GW090225105			BP/LINE	39.83	96.66	2.1M/G	13.0	DFB	3	0	0	0	0	0	Y	NA	
106	354	156088	2/25/2009	GW090225106			BP/LINE	51.61	NR	2.6M/G	16.0	DFB	3	0	0	0	0	0	Y	NA	
108	361	156793	2/16/2009	GW090216108			2"SP/LINE	39.34	NR	2GPM	12.0	DFB	3	0	0	0	0	0	Y	NA	
109	361	156794	2/16/2009	GW090216109			2"SP/LINE	49.24	NR	2GPM	20.0	DFB	3	0	0	0	0	0	Y	NA	
113	363	156958	1/14/2009	GW090114113			2"SP/LINE	-2.00	@PUMP	2GPM	32.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
113	366	157286	5/27/2009	GW090527113			2"SP/LINE	-2.00	@PUMP	2GPM	42.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
118	354	156089	2/25/2009	GW090225118			BP/LINE	125.92	144.25	2.5M/G	13.2	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
143	364	157073	3/19/2009	GW090319143			BP/LINE	125.49	125.73	3.2M/G	10.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
145	364	157071	3/19/2009	GW090319145			BP/LINE	67.90	NR	2M/G	6.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
146	364	157070	3/19/2009	GW090319146			BP/LINE	85.04	86.13	3.2M/G	30.0	DFB	3	0	0	0	0	0	N	NA	
150	364	157027	3/9/2009	GW090309150			2"SP/LINE	84.48	NR	1GPM	8.0	DFB	3	0	0	0	0	0	Y	NA	
151	354	156081	2/24/2009	GW090224151			PP/B	15.71	DRY	NA	0.9	DFB	3	0	1	1	1	0	Y	NA	NETS HYDRO
156	354	156082	2/24/2009	GW090224156			2"SP/LINE	37.17	NR	2GPM	14.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
161	364	157047	3/11/2009	GW090311161			PP/B	15.67	15.72	NA	0.9	DFB	3	0	1	1	1	0	N	NA	
166	365	157105	3/31/2009	GW090331166			2"SP/LINE	5.61	@PUMP	2GPM	30.0	DFB	3	0	0	0	0	0	Y	NA	
167	365	157106	3/31/2009	GW090331167			BP/LINE	5.25	140.48	1.6M/G	43.0	DFB	3	0	0	0	0	0	Y	NA	
178	364	157080	3/23/2009	GW090323178			B/B	20.67	24.05	NA	2.7	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
181	364	157096	3/26/2009	GW090326181			2"SP/LINE	2.41	15.45	1GPM	31.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
204	354	156071	2/19/2009	GW090219204			B/B	8.18	12.08	NA	2.3	DFB	3	0	1	1	1	0	N	NA	
204	367	157358	6/23/2009	GW090623204			B/B	8.61	11.94	NA	2.1	DFB	3	0	0	0	0	1	N	NA	FLUORIDE INVESTIGATION KIT
210	363	156910	1/5/2009	PW090105210		NR090105310	SP/TAP	NA	NA	0.3	DFB	6	0	0	2	2	2	0	N	NA	QC DUPLICATE #310
210	363	157003	2/2/2009	PW090202210		NR090202310	SP/TAP	NA	NA	0.3	DFB	6	0	0	0	0	0	2	N	NA	QC DUPLICATE #310
210	354	156098	3/2/2009	PW090302210			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
210	365	157111	4/1/2009	PW090401210		NR090401310	SP/TAP	NA	NA	0.3	DFB	6	0	0	2	2	2	0	N	NA	QC DUPLICATE #310
210	366	157216	5/4/2009	PW090504210			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
210	367	157325	6/8/2009	PW090608210			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
220	363	156908	1/5/2009	PW090105220			SP/TAP	NA	NA	0.3	DFB	3	0	1	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
220	363	157000	2/2/2009	PW090202220			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	1	N	ND/ND	PW KIT
220	354	156096	3/2/2009	PW090302220			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	
220	365	157112	4/1/2009	PW090401220			SP/TAP	NA	NA	0.3	DFB	3	0	1	1	1	1	0	N	ND/ND	
220	366	157220	5/4/2009	PW090504220			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	
220	367	157324	6/8/2009	PW090608220			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	
224	367	157365	6/25/2009	GW090625224			PP/B	18.62	20.38	7M/G	3.3	DFB	3	0	0	0	0	1	N	NA	FLUORIDE INVESTIGATION KIT
240	363	156909	1/5/2009	PW090105240			SP/TAP	NA	NA	0.3	DFB	3	0	1	1	1	1	0	N	ND/ND	

Sampling Field Log Database

WELL	BOOK_NO	PAGE_NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP_ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPE D DRY	PID	COMMENTS
240	363	157001	2/2/2009	PW090202240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	ND/ND	PW KIT
240	354	156097	3/2/2009	PW090302240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
240	365	157113	4/1/2009	PW090401240			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
240	366	157218	5/4/2009	PW090504240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
240	367	157326	6/8/2009	PW090608240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
250	363	156979	1/21/2009	PW0901121250			SP/TAP	133.10	144.85	56GPM	11000.0	DFB	3	0	1	1	1	0	N	NA	
250	361	156754	2/4/2009	PW090204250			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	NA	PW KIT, FIELD BLANK TAKEN
250	364	157018	3/4/2009	PW090304250	NR090304310		SP/TAP	130.15	140.45	55GPM	8000.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #310
250	365	157148	4/8/2009	PW090408250			SP/TAP	126.80	137.45	20GPM	8000.0	DFB	3	0	1	1	1	0	N	NA	
250	366	157245	5/7/2009	PW090507250			SP/TAP	124.80	125.65			DFB	3	0	0	0	0	0	N	NA	TOTALIZER/GPM READOUT NOT WORKING
250	367	157334	6/9/2009	PW090609250			SP/TAP	123.50	123.68		0.3	DFB	3	0	0	0	0	0	N	NA	TOTALIZER AND GPM NOT WORKING
260	363	156980	1/21/2009	PW0901121260			SP/TAP	71.25	94.3	90GPM	24000.0	DFB	3	0	1	1	1	0	N	NA	
260	361	156753	2/4/2009	PW090204260			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	NA	PW KIT
260	364	157017	3/4/2009	PW090304260			SP/TAP	70.30	112.18	100GPM	24000.0	DFB	3	0	0	0	0	0	N	NA	
260	365	157146	4/8/2009	PW090408260			SP/TAP	68.15	156.45	75GPM	25000.0	DFB	3	0	1	1	1	0	N	NA	
260	366	157244	5/7/2009	PW090507260			SP/TAP	67.30	134.5	85GPM	18000.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
260	367	157333	6/9/2009	PW090609260			SP/TAP	68.20	119.2	90GPM	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
270	363	156981	1/21/2009	PW0901121270			SP/TAP	56.65	374.33	46GPM	16800.0	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
270	361	156752	2/4/2009	PW090204270			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	1	N	ND/ND	PW KIT
270	364	157016	3/4/2009	PW090304270			SP/TAP	56.50	325.98	47GPM	16300.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	365	157145	4/8/2009	PW090408270			SP/TAP	54.95	336.96	45GPM	16600.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	366	157243	5/7/2009	PW090507270		NR090507310	SP/TAP	55.10	346.8	35GPM	14400.0	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #310
270	367	157332	6/9/2009	PW090609270			SP/TAP	56.50	348.2	30GPM	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
290	371	157705	1/30/2009									DFB									NO SAMPLE, OFF LINE
290	371	157706	2/27/2009									DFB									NO SAMPLE, OFF LINE
290	354	156104	3/2/2009									DFB									NO SAMPLE, OFF LINE
290	364	157104	4/1/2009									DFB									NO SAMPLE, OFF LINE
290	371	157707	5/29/2009									DFB									NO SAMPLE, OFF LINE
290	366	157303	6/4/2009									DFB									NO SAMPLE, OFF LINE
300	363		1/6/2009	TB090106300								DFB	0	3	0	0	0	0			TRIP BLANK
300	363		1/12/2009	TB090112300								DFB	3	0	0	0	0	0			TRIP BLANK
300	364		3/3/2009	TB090303300								DFB	3	0	0	0	0	0			TRIP BLANK
300	364		3/10/2009	TB090310300								DFB	3	0	0	0	0	0			TRIP BLANK
300	365		4/6/2009	TB090406300								DFB	3	0	0	0	0	0			TRIP BLANK
300	365		4/20/2009	TB090420300								DFB	3	0	0	0	0	0			TRIP BLANK
300	365		4/21/2009	TB090421300								DFB	3	0	0	0	0	0			TRIP BLANK
300	365		4/22/2009	TB090422300								DFB	3	0	0	0	0	0			TRIP BLANK
300	367		6/3/2009	TB090603300								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/5/2009	TB090105302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/6/2009	TB090106302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/7/2009	TB090107302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/8/2009	TB090108302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/9/2009	TB090109302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/12/2009	TB090112302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/13/2009	TB090113302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/14/2009	TB090114302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/15/2009	TB090115302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/19/2009	TB090119302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/20/2009	TB090120302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/21/2009	TB090121302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/22/2009	TB090122302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		1/29/2009	TB090129302								DFB	3	0	0	0	0	0			TRIP BLANK
302	363		2/2/2009	TB090202302								DFB	3	0	0	0	0	0			TRIP BLANK
302	361		2/3/2009	TB090203302								DFB	0	3	0	0	0	0			TRIP BLANK
302	361		2/4/2009	TB090204302								DFB	3	0	0	0	0	0			TRIP BLANK
302	361		2/5/2009	TB090205302								DFB	3	0	0	0	0	0			TRIP BLANK
302	361		2/9/2009	TB090209302								DFB	3	0	0	0	0	0			TRIP BLANK
302	361		2/10/2009	TB090210302								DFB	3	0	0	0	0	0			TRIP BLANK
302	361		2/12/2009	TB090212302								DFB	3	0	0	0	0	0			TRIP BLANK
302	361		2/16/2009	TB090216302								DFB	3	0	0	0	0	0			TRIP BLANK
302	361		2/17/2009	TB090217302								DFB	3	0	0	0	0	0			TRIP BLANK
302	361		2/18/2009	TB090218302								DFB	3	0	0	0	0	0			TRIP BLANK
302	354		2/19/2009	TB090219302								DFB	3	0	0	0	0	0			TRIP BLANK

Sampling Field Log Database

WELL	BOOK_NO	PAGE_NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP_ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPE D DRY	PID	COMMENTS
302	354		2/20/2009	TB090220302								DFB	3	0	0	0	0	0			TRIP BLANK
302	354		2/23/2009	TB090223302								DFB	3	0	0	0	0	0			TRIP BLANK
302	354		2/24/2009	TB090224302								DFB	3	0	0	0	0	0			TRIP BLANK
302	354		2/25/2009	TB090225302								DFB	3	0	0	0	0	0			TRIP BLANK
302	354		2/26/2009	TB090226302								DFB	3	0	0	0	0	0			TRIP BLANK
302	354		2/27/2009	TB090227302								DFB	3	0	0	0	0	0			TRIP BLANK
302	354		3/2/2009	TB090302302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/3/2009	TB090303302								DFB	0	3	0	0	0	0			TRIP BLANK
302	364		3/4/2009	TB090304302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/5/2009	TB090305302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/9/2009	TB090309302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/10/2009	TB090310302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/11/2009	TB090311302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/12/2009	TB090312302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/16/2009	TB090316302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/17/2009	TB090317302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/18/2009	TB090318302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/19/2009	TB090319302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/20/2009	TB090320302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/23/2009	TB090323302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/24/2009	TB090324302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/26/2009	TB090326302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/27/2009	TB090327302								DFB	3	0	0	0	0	0			TRIP BLANK
302	364		3/30/2009	TB090330302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		3/31/2009	TB090331302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/1/2009	TB090401302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/2/2009	TB090402302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/6/2009	TB090406302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/8/2009	TB090408302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/9/2009	TB090409302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/13/2009	TB090413302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/14/2009	TB090414302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/15/2009	TB090415302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/16/2009	TB090416302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/17/2009	TB090417302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/20/2009	TB090420302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/21/2009	TB090421302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/22/2009	TB090422302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/23/2009	TB090423302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/27/2009	TB090427302								DFB	3	0	0	0	0	0			TRIP BLANK
302	365		4/28/2009	TB090428302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		4/29/2009	TB090429302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		4/30/2009	TB090430302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		5/4/2009	TB090504302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		5/5/2009	TB090505302								DFB	0	3	0	0	0	0			TRIP BLANK
302	366		5/6/2009	TB090506302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		5/7/2009	TB090507302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		5/11/2009	TB090511302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		5/20/2009	TB090520302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		5/21/2009	TB090521302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		5/27/2009	TB090527302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		5/28/2009	TB090528302								DFB	3	0	0	0	0	0			TRIP BLANK
302	366		6/2/2009	TB090602302								DFB	0	3	0	0	0	0			TRIP BLANK
302	367		6/3/2009	TB090603302								DFB	3	0	0	0	0	0			TRIP BLANK
302	367		6/4/2009	TB090604302								DFB	3	0	0	0	0	0			TRIP BLANK
302	367		6/8/2009	TB090608302								DFB	3	0	0	0	0	0			TRIP BLANK
302	367		6/9/2009	TB090609302								DFB	3	0	0	0	0	0			TRIP BLANK
302	367		6/10/2009	TB090610302								DFB	3	0	0	0	0	0			TRIP BLANK
302	367		6/11/2009	TB090611302								DFB	3	0	0	0	0	0			TRIP BLANK
302	367		6/15/2009	TB090615302								DFB	3	0	0	0	0	0			TRIP BLANK
302	367		6/23/2009	TB090623302								DFB	3	0	0	0	0	0			TRIP BLANK
302	367		6/24/2009	TB090624302								DFB	3	0	0	0	0	0			TRIP BLANK
302	367		6/25/2009	TB090625302								DFB	3	0	0	0	0	0			TRIP BLANK

Sampling Field Log Database

WELL	BOOK_NO	PAGE_NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP_ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPE D DRY	PID	COMMENTS
302	367		6/26/2009	TB090626302								DFB	3	0	0	0	0	0			TRIP BLANK
302	367		6/29/2009	TB090629302								DFB	3	0	0	0	0	0			TRIP BLANK
303	363		1/5/2009	EB090105303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/6/2009	EB090106303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/7/2009	EB090107303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/8/2009	EB090108303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/9/2009	EB090109303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/13/2009	EB090113303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/14/2009	EB090114303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/15/2009	EB090115303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/19/2009	EB090119303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/21/2009	EB090121303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/22/2009	EB090122303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		1/29/2009	EB090129303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	363		2/2/2009	EB090202303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	361		2/3/2009	EB090203303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	361		2/4/2009	EB090204303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	361		2/5/2009	EB090205303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	361		2/9/2009	EB090209303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	361		2/12/2009	EB090212303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	361		2/16/2009	EB090216303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	361		2/17/2009	EB090217303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	361		2/18/2009	EB090218303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	354		2/19/2009	EB090219303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	354		2/20/2009	EB090220303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	354		2/23/2009	EB090223303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	354		2/24/2009	EB090224303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	354		2/25/2009	EB090225303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	354		2/26/2009	EB090226303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	354		2/27/2009	EB090227303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	354		3/2/2009	EB090302303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/3/2009	EB090303303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/4/2009	EB090304303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/5/2009	EB090305303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/9/2009	EB090309303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/11/2009	EB090311303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/12/2009	EB090312303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/16/2009	EB090316303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/17/2009	EB090317303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/18/2009	EB090318303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/19/2009	EB090319303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/20/2009	EB090320303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/23/2009	EB090323303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/24/2009	EB090324303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/26/2009	EB090326303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/27/2009	EB090327303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	364		3/30/2009	EB090330303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		3/31/2009	EB090331303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/1/2009	EB090401303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/2/2009	EB090402303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/8/2009	EB090408303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/9/2009	EB090409303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/13/2009	EB090413303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/14/2009	EB090414303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/15/2009	EB090415303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/16/2009	EB090416303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/17/2009	EB090417303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/20/2009	EB090420303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/21/2009	EB090421303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/22/2009	EB090422303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/23/2009	EB090423303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/27/2009	EB090427303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	365		4/28/2009	EB090428303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID

Sampling Field Log Database

WELL	BOOK_NO	PAGE_NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP_ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPE D DRY	PID	COMMENTS
303	366		4/29/2009	EB090429303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	366		4/30/2009	EB090430303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	366		5/4/2009	EB090504303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	366		5/5/2009	EB090505303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	366		5/7/2009	EB090507303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	366		5/11/2009	EB090511303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	366		5/20/2009	EB090520303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	366		5/21/2009	EB090521303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	366		5/28/2009	EB090528303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	366		6/2/2009	EB090602303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	367		6/4/2009	EB090604303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	367		6/8/2009	EB090608303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	367		6/9/2009	EB090609303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	367		6/10/2009	EB090610303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	367		6/11/2009	EB090611303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	367		6/15/2009	EB090615303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	367		6/23/2009	EB090623303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	367		6/24/2009	EB090624303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	367		6/25/2009	EB090625303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	367		6/29/2009	EB090629303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
304	366		5/27/2009	EB090527303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/SP#4
323	363	156970	1/20/2009	PW090120323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	2	N	NA	BACTERIA, TURBIDITY, FIELD BLANK TAKEN
323	363	157002	2/2/2009	PW090202323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	NA	PW KIT, FIELD BLANK TAKEN
323	364	157032	3/10/2009	PW090310323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	2	N	NA	BACTERIA, TURBIDITY
323	365	157147	4/8/2009	PW090408323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
323	366	157217	5/4/2009	PW090504323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
323	367	157327	6/8/2009	PW090608323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
325	363	156911	1/5/2009	PW090105325			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
325	363	157004	2/2/2009	PW090202325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	ND/ND	
325	354	156099	3/2/2009	PW090302325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
325	365	157193	4/23/2009	PW090423325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
325	366	157219	5/4/2009	PW090504325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
325	367	157328	6/8/2009	PW090608325	NR090608310		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	ND/ND	QC DUPLICATE #310
395	363	156912	1/5/2009	SW090105395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
395	361	156767	2/9/2009	SW090209395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
395	364	157019	3/4/2009	SW090303395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
395	365	157114	4/2/2009	SW090402395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
395	366	157221	5/4/2009	SW090504395		NR090504311	SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #311
395	367	157329	6/8/2009	SW090608395		NR090608311	SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #311
400	365	157153	4/9/2009	GW090409400			BP/LINE	9.14	NR	2.2M/G	8.7	DFB	3	0	0	0	0	0	N	NA	
401	365	157152	4/9/2009	GW090409401	NR090409320		BPP/LINE	12.52	NA	1.4M/G	22.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #320
402	365	157151	4/9/2009	GW090409402			SP/LINE	47.30	79.71	5GPM	114.0	DFB	3	0	0	0	0	0	N	NA	
403	365	157109	3/31/2009	GW090331403			BP/LINE	8.31	17.11	1GPM	32.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
404	365	157108	3/31/2009	GW090331404			BP/LINE	106.12	106.91	2.5M/G	39.0	DFB	3	0	0	0	0	0	N	NA	
407	364	157101	3/30/2009	GW090330407	NR090330314		2"SP/LINE	83.41	162.58	4GPM	307.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #314, FIELD BLANK TAKEN
408	366	157211	4/29/2009	GW090429408			BP/LINE	3.18	5.02	1.5M/G	30.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
410	365	157149	4/9/2009	GW090409410			PP/B	14.60	17.05	6.5M/G	6.6	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
412	365	157150	4/9/2009	GW090409412			BPP/LINE	12.61	NA	1.5M/G	22.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
415	364	157103	3/30/2009	GW090330415			2"SP/LINE	18.11	34.14	4GPM	293.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
416	365	157107	3/31/2009	GW090331416			BP/LINE	7.68	20.91	1.1M/G	20.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
417	364	157102	3/30/2009	GW090330417			2"SP/LINE	17.13	43.78	4GPM	155.0	DFB	3	0	0	0	0	0	N	NA	
421	365	157189	4/22/2009	GW090422421			BP/LINE	3.31	32.93	1.4M/G	66.0	DFB	3	0	0	0	0	1	N	NA	MOF SAMPLING
422	365	157185	4/21/2009	GW090421422	NR090421318		BP/LINE	10.23	14.01	1GPM	37.0	DFB	6	0	0	0	0	2	N	NA	QC DUPLICATE #318, MOF SAMPLING
423	365	157186	4/21/2009	GW090421423			BP/LINE	10.56	11.03	1GPM	25.0	DFB	3	0	0	0	0	3	N	NA	MOF SAMPLING, MS/MSD FOR METHOD 625, FIELD BLANK
424	365	157187	4/21/2009	GW090421424			BP/LINE	13.99	19.78	1GPM	21.0	DFB	6	0	0	0	0	1	N	NA	MOF SAMPLING, MS/MSD VOAS
502	363	156938	1/9/2009	GW090109502			BP/LINE	0.83	19.27	1.2M/G	17.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
502	365	157176	4/17/2009	GW090417502	NR090417313		BP/LINE	1.83	18.48	1.3M/G	17.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
503	363	156937	1/9/2009	GW090109503			2"SP/LINE	1.06	7.26	10GPM	227.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
503	365	157196	4/23/2009	GW090423503			2"SP/LINE	1.18	8.04	10GPM	226.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
515	363	156956	1/14/2009	GW090114515			BP/LINE	1.62	35.14	3.5GPM	75.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
515	365	157192	4/23/2009	GW090423515			BP/LINE	2.42	36.18	3.9M/G	74.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
520	363	156952	1/13/2009	GW090113520			BP/LINE	5.75	7.84	1.2M/G	9.1	DFB	3	0	0	0	0	0	N	NA	
520	365	157201	4/27/2009	GW090427520			BP/LINE	6.10	9.24	1.5M/G	9.0	DFB	3	0	0	0	0	0	N	NA	

Sampling Field Log Database

WELL	BOOK_NO	PAGE_NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP_ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPE D DRY	PID	COMMENTS
521	363	156953	1/13/2009	GW090113521			BP/LINE	3.94	4.31	1.5M/G	15.0	DFB	3	0	0	0	0	0	N	NA	
521	365	157202	4/28/2009	GW090428521			BP/LINE	5.01	6.87	1.8M/G	14.0	DFB	3	0	0	0	0	0	N	NA	
535	361	156792	2/16/2009	GW0902216535			2"SP/LINE	1.53	NR	2GPM	22.0	DFB	3	0	0	0	0	0	Y	NA	
535	365	157197	4/27/2009	GW090427535			2"SP/LINE	1.86	@PUMP	2GPM	20.0	DFB	3	0	0	0	0	0	Y	NA	
543	363	156963	1/15/2009	GW090115543			PP/B	5.02	5.09	6M/G	3.9	DFB	3	0	0	0	0	0	N	NA	
543	365	157162	4/15/2009	GW090415543			PP/B	6.03	6.06	6.3M/G	3.4	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
545	363	156961	1/15/2009	GW090115545	NR090115313		BP/LINE	7.12	7.26	1.1M/G	11.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
545	365	157164	4/15/2009	GW090415545			BP/LINE	8.00	8.21	1.4M/G	10.5	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
559	364	157031	3/9/2009	GW090309559			2"SP/LINE	27.22	NR	1.5M/G	14.0	DFB	3	0	0	0	0	0	Y	ND/ND	
561	364	157072	3/19/2009	GW090319561			B/B	24.84	35.44	NA	6.5	DFB	3	0	0	0	0	0	N	ND/ND	
563	364	157030	3/9/2009	GW090309563			2"SP/LINE	35.81	NR	2GPM	20.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
564	364	157069	3/19/2009	GW090319564			2"SP/LINE	26.96	NR	2GPM	14.0	DFB	3	0	0	0	0	0	Y	NA	
571	363	156965	1/15/2009	GW090115571			B/B	8.74	9.64	NA	3.0	DFB	3	0	0	0	0	0	N	NA	
571	365	157166	4/15/2009	GW090415571			B/B	8.43	9.13	NA	3.2	DFB	3	0	0	0	0	0	N	NA	
572	365	157161	4/15/2009	GW090415572			PP/B	7.28	7.41	9M/G	4.5	DFB	3	0	0	0	0	0	N	ND/2.4	
574	366	157210	4/29/2009	GW090429574			PP/B	21.14	21.3	6M/G	5.5	DFB	3	0	0	0	0	0	N	ND/ND	
576	364	157098	3/27/2009	GW090327576			B/B	15.35	16.96	NA	2.2	DFB	3	0	0	0	0	0	N	ND	FIELD BLANK TAKEN
577	361	156795	2/16/2009	GW090216577			2"SP/LINE	127.33	207.58	2GPM	46.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
578	361	156766	2/9/2009	GW090209578	NR090209313		2"SP/LINE	117.26	124.77	3GPM	40.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
579	366	157208	4/29/2009	GW090429579		NR090429321	2"SP/LINE	125.39	127.31	2GPM	63.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #321, FIELD BLANK TAKEN
580	354	156070	2/19/2009	GW090219580			B/B	16.45	18.75	NA	0.7	DFB	3	0	1	1	1	0	Y	NA	
580	366	157295	6/1/2009	GW090601580			B/B	16.56	18.87	NA	0.7	DFB	0	0	0	0	1	0	Y	NA	FLUORIDE RESAMPLE ONLY
580	367	157356	6/23/2009	GW090623580			B/B_PP	15.87	18.77	NA	1.0	DFB	3	0	0	0	0	1	Y	NA	FLUORIDE INVESTIGATION KIT
581	354	156072	2/19/2009	GW090219581			B/B	15.47	17.16	NA	6.4	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
600	364	157067	3/18/2009	GW090318600	NR090318317		B/B	16.75	18.12	NA	1.5	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #317
601	364	157068	3/18/2009	GW090318601			2"SP/LINE	51.83	56.80	2GPM	41.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
602	364	157066	3/18/2009	GW090318602			B/B	5.60	21.62	NA	8.1	DFB	3	0	0	0	0	0	N	NA	
603	364	157099	3/27/2009	GW090327603			B/B	8.34	24.39	NA	8.5	DFB	3	0	0	0	0	0	N	NA	
604	364	157076	3/20/2009	GW090320604			2"SP/LINE	100.69	115.62	1.5GPM	19.0	DFB	3	0	0	0	0	0	N	NA	
606	367	157340	6/15/2009	GW090615606			2"SP/LINE	157.38	161.68	1GPM	16.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
607	363	156997	1/29/2009	GW090129607			B/B	112.48	116.01	NA	3.1	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
607	364	157063	3/17/2009	GW090317607			BP/LINE	110.16	113.03	NA	4.2	DFB	3	0	0	0	0	0	N	ND/ND	
608	367	157335	6/10/2009	GW090610608			B/B	58.62	62.18	NA	0.7	DFB	3	0	0	0	0	0	Y	NA	
609	365	157155	4/13/2009	GW090413609			2"SP/LINE	161.91	187.77	2GPM	35.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
610	364	157079	3/23/2009	GW090323610			BP/LINE	138.02	138.45	2M/G	20.0	DFB	3	0	0	0	0	0	N	ND/ND	
611	365	157160	4/14/2009	GW090414611			2"SP/LINE	111.08	143.49	2GPM	51.0	DFB	3	0	0	0	0	0	N	NA	
612	363	156927	1/7/2009	GW090107612			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
612	361	156758	2/5/2009	GW090205612			SP/TAP	2.28	NA	0.9GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
612	364	157012	3/3/2009	GW090303612	NR090303311		SP/TAP	2.30	NA	0.8GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311, PH READING MAY HAVE LOW BIAS
612	365	157120	4/2/2009	GW090402612			SP/TAP	2.31	NA	0.8GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
612	366	157249	5/11/2009	GW090511612			SP/TAP	2.30	NA	0.8GPM	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
612	367	157319	6/4/2009	GW090604612	NR090604312		SP/TAP	2.31	NA	0.8GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312, FIELD BLANK TAKEN
612	367	157363	6/24/2009	GW090624612			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	NA	FLUORIDE INVESTIGATION KIT
613	366	157304	1/30/2009									DFB									NO SAMPLE, OFF LINE
613	361	156759	2/5/2009									DFB									NO SAMPLE, OFF LINE
613	369	157604	3/31/2009									DFB									NO SAMPLE, OFF LINE
613	365	157125	4/2/2009									DFB									NO SAMPLE, OFF LINE
613	366	157253	5/11/2009									DFB									NO SAMPLE, OFF LINE
613	366	157302	6/4/2009									DFB									NO SAMPLE, OFF LINE
617	363	156928	1/7/2009	GW090107617			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
617	361	156760	2/5/2009	GW090205617			SP/TAP	5.80	NA	9.8GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	364	157013	3/3/2009	GW090303617			SP/TAP	5.32	NA	9.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	PH READING MAY HAVE LOW BIAS
617	365	157121	4/2/2009	GW090402617			SP/TAP	5.86	NA	10.5GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	366	157250	5/11/2009	GW090511617			SP/TAP	5.40	NA	7.5GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	367	157320	6/4/2009	GW090604617			SP/TAP	5.02	NA	9.3GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	363	156929	1/7/2009	GW090107618	NR090107311		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
618	361	156761	2/5/2009	GW090205618			SP/TAP	3.00	NA	1.0GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	364	157014	3/3/2009	GW090303618			SP/TAP	3.00	NA	1.2GPM	0.3	DFB	3	0	0	0	0	0	N	NA	PH READING MAY HAVE LOW BIAS
618	365	157122	4/2/2009	GW090402618			SP/TAP	2.98	NA	1.2GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	366	157251	5/11/2009	GW090511618	NR090511312		SP/TAP	2.98	NA	1.2	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
618	367	157321	6/4/2009	GW090604618			SP/TAP	3.00	NA	1.2GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
622	365	157157	4/13/2009	GW090413622	NR090413317		2"SP/LINE	71.13	@PUMP	1.5GPM	54.0	DFB	6	0	0	0	0	0	Y	NA	QC DUPLICATE #317
623	365	157158	4/14/2009	GW090414623			2"SP/LINE	132.23	134.02	2GPM	97.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN

Sampling Field Log Database

WELL	BOOK_NO	PAGE_NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP_ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPE D DRY	PID	COMMENTS
624	365	157156	4/13/2009	GW090413624			2"SP/LINE	125.60	159.63	3GPM	114.0	DFB	3	0	0	0	0	0	N	NA	
627	354	156069	2/19/2009	GW090219627			B/B	16.52	17.77	NA	1.1	DFB	3	0	1	1	1	0	N	NA	
627	366	157294	6/1/2009	GW090601627			B/B	16.88	17.94	NA	0.9	DFB	0	0	0	0	1	0	N	NA	FLUORIDE RESAMPLE ONLY
627	367	157357	6/23/2009	GW090623627			B/B_PP	16.53	17.81	NA	1.0	DFB	3	0	0	0	0	1	N	NA	FLUORIDE INVEST.KIT EXCEPT 8270 AND SULFUR, FB TAK
627	367	157357	6/24/2009	GW090624627			B					DFB	0	0	0	0	0	1			FLUORIDE INVESTIGATION KIT 8270 AND SULFUR ONLY
628	363	156915	1/5/2009	GW090105628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628	361	156755	2/5/2009	GW090205628	NR090205311		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311, FIELD BLANK TAKEN
628	354	156100	3/2/2009	GW090302628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628	365	157117	4/2/2009	GW090402628	NR090402311		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311, FIELD BLANK TAKEN
628	366	157246	5/11/2009	GW090511628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628	367	157316	6/4/2009	GW090604628	NR090604313		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
701	354	156075	2/20/2009	GW090220701		NR090220314	B/B	10.65	10.82	NA	4.5	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314
702	354	156074	2/19/2009	GW090219702			B/B	9.77	16.51	NA	3.8	DFB	3	0	1	1	1	0	N	NA	
704	361	156764	2/9/2009	GW090209704			2"SP/LINE	72.44	103.19	6GPM	1236.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
706	354	156079	2/23/2009	GW090223706			BP/LINE	23.69	26.32	1.8M/G	10.4	DFB	3	0	1	1	1	0	N	ND/ND	
711	361	156791	2/16/2009	GW090216711			2"SP/LINE	24.21	75.42	6GPM	1463.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
714	364	157045	3/11/2009	GW090311714			B/B	30.41	35.43	NA	3.4	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
716	354	156093	2/26/2009	GW090226716			BP/LINE	127.08	128.06	2.7M/G	86.0	DFB	3	0	0	0	0	0	N	ND/ND	
720	367	157336	6/10/2009	GW090610720			2"SP/LINE	27.89	28.73	2GPM	12.0	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
722	354	156092	2/26/2009	GW090226722			2"SP/LINE	17.54	26.31	6GPM	1499.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
728	365	157181	4/20/2009	GW090420728			B/B	10.11	10.17	NA	5.2	DFB	3	0	0	0	0	1	N	NA	MOF SAMPLING
732	367	157337	6/10/2009	GW090610732			2"SP/LINE	147.90	152/19	3GPM	195.0	DFB	3	0	0	0	0	0	N	NA	
734	367	157342	6/15/2009	GW090615734			2"SP/LINE	153.65	155.91	1GPM	32.0	DFB	3	0	0	0	0	0	N	NA	
735	354	156068	2/19/2009	GW090219735			B/B	17.78	24.93	NA	2.0	DFB	3	0	1	1	1	0	Y	ND/ND	
735	367	157355	6/23/2009	GW090623735			B/B	17.85	25.08	NA	1.8	DFB	3	0	0	0	0	1	Y	NA	FLUORIDE INVESTIGATION KIT
737	367	157341	6/15/2009	GW090615737			BP/LINE	144.51	145.45	4.8M/G	23.0	DFB	3	0	0	0	0	0	N	NA	
739	365	157159	4/14/2009	GW090414739			2"SP/LINE	153.81	166.09	1.5GPM	118.0	DFB	3	0	0	0	0	0	N	NA	
740	364	157051	3/12/2009	GW090312740			PP/B	23.00	DRY	N/A	0.4	DFB	3	0	1	1	1	0	Y	NA	
740	367	157368	6/29/2009	GW090629740			PP/B_PP	22.71	DRY	NA	0.5	DFB	3	0	0	0	0	1	Y	NA	FLUORIDE INVEST. KIT FILT/UNFILT METALS ONLY, FB
740	367	157368	6/30/2009	GW090630740			PP					DFB	0	0	0	0	0	1			INVESTIGATION KIT SULFIDE, NH3, PO4, CR6 ONLY
742	354	156083	2/24/2009	GW090224742		NR090224315	2"SP/LINE	158.73	161.23	3GPM	123.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #315
743	364	157058	3/17/2009	GW090317743			B/B	13.32	14.61	NA	3.0	DFB	3	0	1	1	1	0	N	NA	
744	363	156969	1/19/2009	GW090119744			BP/LINE	7.31		1.4M/G	10.3	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
744	365	157204	4/28/2009	GW090428744		NR090428314	BP/LINE	7.48	6.61	1.6M/G	10.2	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314, FIELD BLANK TAKEN
745	363	156968	1/19/2009	GW090119745			PP/B	7.26	DRY	8M/G	3.2	DFB	3	0	1	1	1	0	Y	NA	NETS HYDRO
745	365	157203	4/28/2009	GW090428745			PP/B	7.41	DRY	6.5M/G	3.2	DFB	3	0	1	1	1	0	Y	NA	
749	365	157183	4/21/2009	GW090421749			PP/B	12.22	18.68	4M/G	14.6	DFB	3	0	0	0	0	1	N	NA	MOF SAMPLING
750	365	157180	4/20/2009	GW090420750			PP/B	7.87	9.02	3.5M/G	28.0	DFB	3	0	0	0	0	1	N	NA	MOF SAMPLING
751	365	157178	4/20/2009	GW090420751			PP/B	12.72	DRY	NA	0.5	DFB	3	0	1	1	1	1	Y	NA	MOF SAMPLING, FIELD BLANK TAKEN
752	365	157184	4/21/2009	GW090421752			PP/B	16.02	16.06	6M/G	4.8	DFB	3	0	0	0	0	1	N	NA	MOF SAMPLING
753	365	157179	4/20/2009	GW090420753			PP/B	11.73	DRY	7M/G	1.0	DFB	3	0	1	1	1	1	Y	NA	MOF SAMPLING, NETS HYDRO
754	365	157188	4/22/2009	GW090422754			PP/B	13.32	13.78	6.5M/G	18.5	DFB	3	0	1	1	1	1	N	NA	MOF SAMPLING
755	363	156983	1/22/2009	GW090122755			BP/LINE	12.24	18.61	2.4M/G	21.0	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
755	365	157190	4/22/2009	GW090422755			BP/LINE	10.30	18.31	1.7M/G	25.0	DFB	3	0	1	1	1	1	N	NA	MOF SAMPLING, FIELD BLANK TAKEN
756	365	157182	4/21/2009	GW090421756			PP/B	13.15	DRY	4M/G	8.8	DFB	3	0	1	1	1	1	Y	NA	MOF SAMPLING, NETS HYDRO
757	363	156999	1/29/2009	GW090129757			B/B	20.30	6.91	NA	6.5	DFB	3	0	0	0	0	0	N	ND/ND	
757	365	157171	4/16/2009	GW090416757			B/B	7.21	7.51	NA	6.3	DFB	3	0	0	0	0	0	N	ND/ND	
761	354	156073	2/19/2009	GW090219761			B/B	13.17	26.67	NA	9.3	DFB	3	0	1	1	1	0	N	NA	
763	354	156086	2/24/2009	GW090224763			B/B	32.74	48.91	NA	4.0	DFB	3	0	1	1	1	0	Y	NA	
766	354	156084	2/24/2009	GW090224766			B/B	21.51	21.74	NA	2.0	DFB	3	0	1	1	1	0	N	NA	
766	367	157362	6/24/2009	GW090624766			B/B	21.45	21.61	NA	2.0	DFB	3	0	0	0	0	1	N	NA	FLUORIDE INVESTIGATION KIT, FIELD BLANK TAKEN
767	364	157050	3/12/2009	GW090312767			PP/B	14.97	15.84	6M/G	1.8	DFB	3	0	1	1	1	0	N	ND/ND	
767	367	157364	6/25/2009	GW090625767			PP/B	14.72	14.82	6M/G	2.0	DFB	3	0	0	0	0	1	N	ND/ND	FLUORIDE INVESTIGATION KIT, FIELD BLANK TAKEN
768	364	157052	3/12/2009	GW090312768			PP/B	16.33	16.50	6M/G	3.2	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
768	367	157359	6/24/2009	GW090624768			PP/B	16.51	16.54	5M/G	3.1	DFB	3	0	0	0	0	1	N	ND/ND	FLUORIDE INVESTIGATION KIT
769	354	156085	2/24/2009	GW090224769		NR090224316	B/B	20.35	21.86	NA	3.1	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #316
769	367	157361	6/24/2009	GW090624769			B/B	20.48	22.31	NA	3.1	DFB	3	0	0	0	0	1	N	NA	FLUORIDE INVESTIGATION KIT
771	364	157056	3/16/2009	GW090316771			PP/B	16.11	18.77	6M/G	1.5	DFB	3	0	1	1	1	0	N	NA	
771	367	157360	6/24/2009	GW090624771			PP/B_PP	16.28	18.47	6M/G	1.4	DFB	3	0	0	0	0	0	N	NA	VOAS ONLY, NETS HYDRO
771	367	157360	6/25/2009	GW090625771																	

Sampling Field Log Database

WELL	BOOK_NO	PAGE_NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP_ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPE D DRY	PID	COMMENTS
773	363	156984	1/22/2009	GW090122773			BP/LINE	17.03	18.53	1.8M/G	5.7	DFB	3	0	1	1	1	0	N	NA	
773	366	157205	4/28/2009	GW090428773			BP/LINE	16.91	18.57	1.8M/G	5.8	DFB	3	0	1	1	1	0	N	NA	
774	363	156985	1/22/2009	GW090122774		NR090122315	BP/LINE	14.14	21.15	2.4M/G	7.7	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #315
774	366	157206	4/28/2009	GW090428774		NR090428315	BP/LINE	14.18	23.51	1.6M/G	7.6	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #315
775	364	157048	3/11/2009	GW090311775		NR090311321	BP/LINE	15.32	15.93	1.5M/G	7.2	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #321
777	361	156765	2/9/2009	GW090209777			2"SP/LINE	24.95	31.11	4GPM	51.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
779	354	156077	2/23/2009	GW090223779			BP/LINE	146.35	151.78	3.8M/G	42.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
789	364	157049	3/11/2009	GW090311789			B/B	10.49	14.58	NA	5.2	DFB	3	0	0	0	0	0	N	NA	
791	364	157053	3/12/2009	GW090312791			B/B	14.33	14.85	NA	3.9	DFB	3	0	1	1	1	0	N	NA	
792	364	157055	3/16/2009	GW090316792			B/B	11.67	16.20	NA	4.4	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
793	366	157209	4/29/2009	GW090429793			B/B	21.49	28.88	NA	3.0	DFB	3	0	1	1	1	0	Y	NA	
793	367	157369	6/29/2009	GW090629793			B/B	20.99	DRY	NA	3.2	DFB	3	0	0	0	0	1	Y	NA	FLUORIDE INVESTIGATION KIT
832	363	156964	1/15/2009	GW090115832			PP/B	18.78	19.04	7M/G	5.6	DFB	3	0	0	0	0	0	N	NA	
832	365	157165	4/15/2009	GW090415832			PP/B	20.01	20.33	7M/G	5.0	DFB	3	0	0	0	0	0	N	NA	
857	363	156951	1/13/2009	GW090113857			2"SP/LINE	-2.00	101.31	2GPM	92.0	DFB	3	0	0	0	0	0	Y	NA	
857	365	157199	4/27/2009	GW090427857			2"SP/LINE	-2.00	100.93	2GPM	78.0	DFB	3	0	0	0	0	0	Y	NA	
858	363	156950	1/13/2009	GW090113858			2"SP/LINE	-2.00	149.23	2GPM	174.0	DFB	3	0	0	0	0	0	Y	NA	
858	365	157200	4/27/2009	GW090427858			2"SP/LINE	-2.00	152.76	2GPM	174.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
859	363	156932	1/8/2009	GW090108859			2"SP/LINE	6.51	95.63	2GPM	86.0	DFB	3	0	0	0	0	0	Y	NA	
859	366	157255	5/11/2009	GW090511859			2"SP/LINE	6.70	95.11	2GPM	72.0	DFB	3	0	0	0	0	0	Y	NA	
860	363	156931	1/8/2009	GW090108860			2"SP/LINE	6.71	144.71	2M/G	186.0	DFB	3	0	0	0	0	0	Y	NA	
860	366	157212	4/30/2009	GW090430860			2"SP/LINE	7.05	145.52	2GPM	212.0	DFB	3	0	0	0	0	0	Y	NA	
861	363	156935	1/9/2009	GW090109861			2"SP/LINE	11.31	@PUMP	1GPM	17.0	DFB	3	0	0	0	0	0	Y	NA	
861	366	157215	4/30/2009	GW090430861			2"SP/LINE	14.02	@PUMP	2GPM	16.0	DFB	3	0	0	0	0	0	Y	NA	
862	363	156936	1/9/2009	GW090109862			2"SP/LINE	12.68	@PUMP	2GPM	26.0	DFB	3	0	0	0	0	0	Y	NA	
862	366	157214	4/30/2009	GW090430862			2"SP/LINE	15.08	@PUMP	2GPM	26.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
921	364	157085	3/24/2009	GW090324921			BP/LINE	14.41	22.85	1.6M/G	140.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
922	365	157154	4/13/2009	GW090413922			2"SP/LINE	43.19	113.93	2GPM	58.0	DFB	3	0	0	0	0	0	Y	NA	
923	364	157094	3/26/2009	GW090326923			2"SP/LINE	48.47	148.39	2GPM	54.0	DFB	3	0	0	0	0	0	N	ND/ND	
929	364	157062	3/17/2009	GW090317929			BP/LINE	112.64	112.83	3.2M/G	19.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
931	364	157084	3/23/2009	GW090323931			2"SP/LINE	102.54	104.30	3GPM	96.0	DFB	3	0	0	0	0	0	N	NA	
932	364	157097	3/26/2009	GW090326932			2"SP/LINE	16.11	133.88	2GPM	306.0	DFB	3	0	0	0	0	0	N	NA	
934	365	157177	4/20/2009	GW090420934			BP/LINE	11.48	12.52	1.5M/G	9.2	DFB	3	0	0	0	0	1	N	NA	MOF SAMPLING
941	364	157064	3/18/2009	GW090318941			BP/LINE	123.13	123.68	3M/G	21.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
943	364	157022	3/5/2009	GW090305943			2"SP/LINE	13.67	33.21	3GPM	254.0	DFB	3	0	0	0	0	0	N	NA	
944	364	157023	3/5/2009	GW090305944			2"SP/LINE	6.09	44.35	3GPM	128.0	DFB	3	0	0	0	0	0	N	NA	
952	364	157054	3/16/2009	GW090316952			BP/LINE	121.15	124.30	2.6M/G	149.0	DFB	3	0	1	1	1	0	N	NA	
953	364	157065	3/18/2009	GW090318953			BP/LINE	125.08	126.30	2.6M/G	55.0	DFB	3	0	0	0	0	0	N	ND/ND	
954	364	157074	3/20/2009	GW090320954			2"SP/LINE	41.25	145.28	2GPM	98.0	DFB	3	0	0	0	0	0	Y	NA	
956	364	157075	3/20/2009	GW090320956			2"SP/LINE	26.50	98.69	2GPM	70.0	DFB	3	0	0	0	0	0	Y	ND/ND	FIELD BLANK TAKEN
958	363	156957	1/14/2009	GW090114958			2"SP/LINE	1.74	90.84	2GPM	84.0	DFB	3	0	0	0	0	0	Y	NA	
958	365	157198	4/27/2009	GW090427958			2"SP/LINE	2.01	90.93	2GPM	72.0	DFB	3	0	0	0	0	0	Y	NA	
959	354	156094	2/27/2009	GW090227959			BP/LINE	115.31	139.41	2.3M/G	82.0	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
960	354	156095	2/27/2009	GW090227960			BP/LINE	45.38	70.63	1.7M/G	88.0	DFB	3	0	1	1	1	0	N	ND/ND	
963	363	156954	1/13/2009	GW090113963			2"SP/LINE	4.94	73.91	2GPM	77.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
963	365	157172	4/16/2009	GW090416963			2"SP/LINE	6.12	62.64	2GPM	76.0	DFB	3	0	0	0	0	0	N	NA	
964	363	156955	1/13/2009	GW090113964			2"SP/LINE	5.11	17.87	2GPM	43.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
964	365	157173	4/16/2009	GW090416964	NR090416316		2"SP/LINE	6.08	18.43	2GPM	43.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #316
965	364	157086	3/24/2009	GW090324965			2"SP/LINE	57.47	58.79	5GPM	170.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
966	364	157087	3/24/2009	GW090324966			2"SP/LINE	57.25	60.84	3GPM	135.0	DFB	3	0	0	0	0	0	N	NA	
987	363	156933	1/8/2009	GW090108987	NR090108316		2"SP/LINE	2.50	2.77	3GPM	190.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #316, FIELD BLANK TAKEN
987	365	157174	4/17/2009	GW090417987			2"SP/LINE	3.72	3.84	3GPM	185.0	DFB	3	0	0	0	0	0	N	NA	
990	363	156934	1/8/2009	GW090108990			2"SP/LINE	3.05		3GPM	35.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
990	365	157175	4/17/2009	GW090417990			2"SP/LINE	4.03	6.20	3GPM	33.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
998	354	156076	2/20/2009	GW090220998			B/B	10.71	19.92	NA	5.3	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
999	354	156080	2/23/2009	GW090223999		NR090223317	BP/LINE	16.33	17.41	1.7M/G	18.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #317
032A	363	156926	1/6/2009	GW090106032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
032A	361	156763	2/5/2009	GW090205032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	354	156103	3/2/2009	GW090302032A			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	365	157124	4/2/2009	GW090402032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	366	157254	5/11/2009	GW090511032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	367	157323	6/4/2009	GW090604032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
320A	363	156920	1/6/2009	PW090106320A			SP/TAP	NA	NA	0.3	DFB	0	3	0	0	0	0	2	N	NA	BACTERIA, TURBIDITY

Sampling Field Log Database

WELL	BOOK_NO	PAGE_NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP_ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPE D DRY	PID	COMMENTS
320A	361	156748	2/10/2009	PW090210320A			SP/TAP		NA	NA	0.3	DFB	0	0	0	0	0	1	N	NA	INORGANIC RESAMPLE
320A	364	157009	3/3/2009	PW090303320A			SP/TAP		NA	NA	0.3	DFB	0	3	0	0	0	2	N	NA	BACT/TURB, FIELD BLK, PH READING MAY HAVE LOW BIAS
320A	366	157228	5/5/2009	PW090505320A			SP/TAP		NA	NA	0.3	DFB	0	3	0	0	0	2	N	NA	BACTERIA, TURBIDITY
320A	366	157300	6/2/2009	PW090602320A			SP/TAP		NA	NA	0.3	DFB	0	3	0	0	0	2	N	NA	BACTERIA, TURBIDITY, FIELD BLANK TAKEN
395A	363	156913	1/5/2009	SW090105395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	361	156768	2/9/2009	SW090209395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	364	157020	3/4/2009	SW090304395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	365	157115	4/2/2009	SW090402395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	366	157222	5/4/2009	SW090504395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	367	157330	6/8/2009	SW090608395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	363	156914	1/5/2009	SW090105395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	361	156769	2/9/2009	SW090209395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	364	157021	3/4/2009	SW090304395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	365	157116	4/2/2009	SW090402395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	366	157223	5/4/2009	SW090504395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	367	157331	6/8/2009	SW090608395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
628A	363	156916	1/5/2009	GW090105628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	361	156756	2/5/2009	GW090205628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	354	156101	3/2/2009	GW090302628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	365	157118	4/2/2009	GW090402628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	366	157247	5/11/2009	GW090511628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	367	157317	6/4/2009	GW090604628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	363	156917	1/5/2009	GW090105628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	361	156757	2/5/2009	GW090205628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	354	156102	3/2/2009	GW090302628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	365	157119	4/2/2009	GW090402628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	366	157248	5/11/2009	GW090511628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	367	157318	6/4/2009	GW090604628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
NR360	363	156930	1/7/2009	NR090107360			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, 618
NR360	361	156762	2/5/2009	NR090205360			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, 618
NR360	364	157015	3/3/2009	NR090303360			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	PH READING MAY HAVE LOW BIAS
NR360	365	157123	4/2/2009	NR090402360			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, 618
NR360	366	157252	5/11/2009	NR090511360			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, 618
NR360	367	157322	6/4/2009	NR090604360			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, 618

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
007	312	2/23/2009	10.5	7.1	2350	12.4	QC DUPLICATE #312
010		3/11/2009	14.9	7.2	3230	186	
015		2/25/2009	12.3	7.5	1710	40.0	
016		2/25/2009	15.0	7.1	1500	2.20	
035	320	3/16/2009	11.4	7.3	2330	6.42	QC DUPLICATE #320
046		3/5/2009	7.9	6.9	1191	2.48	
048		1/15/2009	8.9	6.7	1080	11.3	
048		4/15/2009	9.1	6.6	1680	14.6	
053		3/17/2009	14.0	6.7	7940	22.8	
054		3/5/2009	11.1	6.5	2440	1.63	
059		3/23/2009	6.9	8.4	873	22.3	
060	316	3/23/2009	9.7	8.1	1100	19.9	QC DUPLICATE #316
061		3/23/2009	6.2	8.1	5000	7.13	
063		3/27/2009	12.5	7.4	6410	66.4	
064		1/19/2009	11.5	7.2	1385	17.8	
064		4/16/2009	10.8	7.3	1500	53.3	
065		1/19/2009	12.1	7.3	1530	1.20	
065	312	4/16/2009	11.9	7.3	1520	5.79	QC DUPLICATE #312
066		1/14/2009	4.5	7.4	1182	70.1	
066		4/16/2009	9.7	6.8	2410	11.9	
067	312	1/15/2009	8.2	7.6	499	3.43	QC DUPLICATE #312
067		4/16/2009	8.7	7.6	637	2.50	
068		1/22/2009	17.6	7.2	2170	27.1	
068		4/22/2009	10.8	7.1	2450	12.5	
069		3/5/2009	3.4	6.4	4870	6.05	
085	312	3/17/2009	13.1	7.0	2390	133	QC DUPLICATE #312
087		3/17/2009	11.9	7.2	1150	24.4	
103		3/9/2009	10.7	6.2	3690	2.07	
104		3/9/2009	11.9	6.8	5360	1.40	
105		2/25/2009	12.2	7.1	1375	4.77	
106		2/25/2009	12.2	8.4	1235	10.8	
108		2/16/2009	11.4	7.5	1381	9.65	
109		2/16/2009	11.4	7.2	1240	5.06	
113		1/14/2009	8.9	7.3	1590	174	
113		5/27/2009	10.4	7.3	1770	41.7	
118		2/25/2009	14.9	6.8	1730	5.45	
143		3/19/2009	12.1	7.9	1399	34.0	
145		3/19/2009	9.7	7.8	2640	1000	
146		3/19/2009	10.3	7.3	733	14.2	
150		3/9/2009	10.2	7.1	1720	>1000	
151		2/24/2009					NETS HYDROLAB
156		2/24/2009	8.3	7.2	1342	4.7	
161		3/11/2009	9.5	7.1	926	2.67	
166		3/31/2009	11.4	7.5	1211	18.6	
167		3/31/2009	10.7	8.2	685	14.0	
178		3/23/2009	14.0	7.5		731	CONDUCTIVITY=13740
181		3/26/2009	11.7	9.8		589	CONDUCTIVITY=55400
204		2/19/2009	11.3	6.9	3620	1000	
204		6/24/2009	15.2	6.4	1500	152	FLD PARAMS ONLY 6/24
210	310	1/5/2009	11.3	7.6	966	1.77	QC DUPLICATE #310
210	310	2/2/2009	11.7	6.7	1008	1.39	QC DUPLICATE #310

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
210		3/2/2009	10.2	7.0	979	0.87	
210	310	4/1/2009	11.8	7.8	1038	2.58	QC DUPLICATE #310
210		5/4/2009	12.3	6.9	942	1.80	
210		6/8/2009	12.8	7.2	997	1.06	
220		1/5/2009	13.7	7.2	1620	6.90	
220		2/2/2009	13.4	7.0	1590	6.26	
220		3/2/2009	13.0	6.9	1570	3.85	
220		4/1/2009	13.5	7.4	1600	4.37	
220		5/4/2009	13.6	6.9	1485	2.69	
220		6/8/2009	13.7	7.0	1530	7.32	
224		6/25/2009	15.1	7.0	2200	>1000	
240		1/5/2009	12.1	7.5	1075	2.54	
240		2/2/2009	12.5	7.1	1119	2.37	
240		3/2/2009	11.4	6.9	1079	4.70	
240		4/1/2009	12.7	7.8	1129	3.93	
240		5/4/2009	13.0	7.0	1031	2.39	
240		6/8/2009	13.8	7.2	1086	0.68	
250		1/21/2009	11.7	7.3	968	29.7	
250		2/4/2009	11.6	6.4	1027	32.1	
250	310	3/4/2009	12.2	7.0	937	25.6	QC DUPLICATE #310
250		4/8/2009	12.6	7.4	1015	11.2	
250		5/7/2009	16.3	7.1	841	44.7	
250		6/9/2009	18.1	7.2	788	49.7	
260		1/21/2009	11.7	7.4	937	9.22	
260		2/4/2009	10.8	6.9	944	5.68	
260		3/4/2009	12.3	7.0	896	4.77	
260		4/8/2009	13.3	7.4	1010	8.44	
260		5/7/2009	14.7	7.1	876	26.8	
260		6/9/2009	12.6	7.0	907	9.41	
270		1/21/2009	11.7	7.4	931	6.62	
270		2/4/2009	11.4	6.8	835	4.81	
270		3/4/2009	11.8	7.2	796	5.07	
270		4/8/2009	12.4	7.5	938	5.26	
270	310	5/7/2009	13.9	7.1	790	7.09	QC DUPLICATE #310
270		6/9/2009	13.6	7.0	776	3.44	
290		1/30/2009					NO SAMPLE, OFF LINE
290		2/27/2009					NO SAMPLE, OFF LINE
290		3/2/2009					NO SAMPLE, OFF LINE
290		4/1/2009					NO SAMPLE, OFF LINE
290		5/29/2009					NO SAMPLE, OFF LINE
290		6/4/2009					NO SAMPLE, OFF LINE
300		1/6/2009					TRIP BLANK
300		1/12/2009					TRIP BLANK
300		3/3/2009					TRIP BLANK
300		3/10/2009					TRIP BLANK
300		4/6/2009					TRIP BLANK
300		4/20/2009					TRIP BLANK
300		4/21/2009					TRIP BLANK
300		4/22/2009					TRIP BLANK
300		6/3/2009					TRIP BLANK
302		1/5/2009					TRIP BLANK

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
302		1/6/2009					TRIP BLANK
302		1/7/2009					TRIP BLANK
302		1/8/2009					TRIP BLANK
302		1/9/2009					TRIP BLANK
302		1/12/2009					TRIP BLANK
302		1/13/2009					TRIP BLANK
302		1/14/2009					TRIP BLANK
302		1/15/2009					TRIP BLANK
302		1/19/2009					TRIP BLANK
302		1/20/2009					TRIP BLANK
302		1/21/2009					TRIP BLANK
302		1/22/2009					TRIP BLANK
302		1/29/2009					TRIP BLANK
302		2/2/2009					TRIP BLANK
302		2/3/2009					TRIP BLANK
302		2/4/2009					TRIP BLANK
302		2/5/2009					TRIP BLANK
302		2/9/2009					TRIP BLANK
302		2/10/2009					TRIP BLANK
302		2/12/2009					TRIP BLANK
302		2/16/2009					TRIP BLANK
302		2/17/2009					TRIP BLANK
302		2/18/2009					TRIP BLANK
302		2/19/2009					TRIP BLANK
302		2/20/2009					TRIP BLANK
302		2/23/2009					TRIP BLANK
302		2/24/2009					TRIP BLANK
302		2/25/2009					TRIP BLANK
302		2/26/2009					TRIP BLANK
302		2/27/2009					TRIP BLANK
302		3/2/2009					TRIP BLANK
302		3/3/2009					TRIP BLANK
302		3/4/2009					TRIP BLANK
302		3/5/2009					TRIP BLANK
302		3/9/2009					TRIP BLANK
302		3/10/2009					TRIP BLANK
302		3/11/2009					TRIP BLANK
302		3/12/2009					TRIP BLANK
302		3/16/2009					TRIP BLANK
302		3/17/2009					TRIP BLANK
302		3/18/2009					TRIP BLANK
302		3/19/2009					TRIP BLANK
302		3/20/2009					TRIP BLANK
302		3/23/2009					TRIP BLANK
302		3/24/2009					TRIP BLANK
302		3/26/2009					TRIP BLANK
302		3/27/2009					TRIP BLANK
302		3/30/2009					TRIP BLANK
302		3/31/2009					TRIP BLANK
302		4/1/2009					TRIP BLANK
302		4/2/2009					TRIP BLANK

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
302		4/6/2009					TRIP BLANK
302		4/8/2009					TRIP BLANK
302		4/9/2009					TRIP BLANK
302		4/13/2009					TRIP BLANK
302		4/14/2009					TRIP BLANK
302		4/15/2009					TRIP BLANK
302		4/16/2009					TRIP BLANK
302		4/17/2009					TRIP BLANK
302		4/20/2009					TRIP BLANK
302		4/21/2009					TRIP BLANK
302		4/22/2009					TRIP BLANK
302		4/23/2009					TRIP BLANK
302		4/27/2009					TRIP BLANK
302		4/28/2009					TRIP BLANK
302		4/29/2009					TRIP BLANK
302		4/30/2009					TRIP BLANK
302		5/4/2009					TRIP BLANK
302		5/5/2009					TRIP BLANK
302		5/6/2009					TRIP BLANK
302		5/7/2009					TRIP BLANK
302		5/11/2009					TRIP BLANK
302		5/20/2009					TRIP BLANK
302		5/21/2009					TRIP BLANK
302		5/27/2009					TRIP BLANK
302		5/28/2009					TRIP BLANK
302		6/2/2009					TRIP BLANK
302		6/3/2009					TRIP BLANK
302		6/4/2009					TRIP BLANK
302		6/8/2009					TRIP BLANK
302		6/9/2009					TRIP BLANK
302		6/10/2009					TRIP BLANK
302		6/11/2009					TRIP BLANK
302		6/15/2009					TRIP BLANK
302		6/23/2009					TRIP BLANK
302		6/24/2009					TRIP BLANK
302		6/25/2009					TRIP BLANK
302		6/26/2009					TRIP BLANK
302		6/29/2009					TRIP BLANK
303		1/5/2009					EQUIP. BLANK/WLID
303		1/6/2009					EQUIP. BLANK/WLID
303		1/7/2009					EQUIP. BLANK/WLID
303		1/8/2009					EQUIP. BLANK/WLID
303		1/9/2009					EQUIP. BLANK/WLID
303		1/13/2009					EQUIP. BLANK/WLID
303		1/14/2009					EQUIP. BLANK/WLID
303		1/15/2009					EQUIP. BLANK/WLID
303		1/19/2009					EQUIP. BLANK/WLID
303		1/21/2009					EQUIP. BLANK/WLID
303		1/22/2009					EQUIP. BLANK/WLID
303		1/29/2009					EQUIP. BLANK/WLID
303		2/2/2009					EQUIP. BLANK/WLID

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
303		2/3/2009					EQUIP. BLANK/WLID
303		2/4/2009					EQUIP. BLANK/WLID
303		2/5/2009					EQUIP. BLANK/WLID
303		2/9/2009					EQUIP. BLANK/WLID
303		2/12/2009					EQUIP. BLANK/WLID
303		2/16/2009					EQUIP. BLANK/WLID
303		2/17/2009					EQUIP. BLANK/WLID
303		2/18/2009					EQUIP. BLANK/WLID
303		2/19/2009					EQUIP. BLANK/WLID
303		2/20/2009					EQUIP. BLANK/WLID
303		2/23/2009					EQUIP. BLANK/WLID
303		2/24/2009					EQUIP. BLANK/WLID
303		2/25/2009					EQUIP. BLANK/WLID
303		2/26/2009					EQUIP. BLANK/WLID
303		2/27/2009					EQUIP. BLANK/WLID
303		3/2/2009					EQUIP. BLANK/WLID
303		3/3/2009					EQUIP. BLANK/WLID
303		3/4/2009					EQUIP. BLANK/WLID
303		3/5/2009					EQUIP. BLANK/WLID
303		3/9/2009					EQUIP. BLANK/WLID
303		3/11/2009					EQUIP. BLANK/WLID
303		3/12/2009					EQUIP. BLANK/WLID
303		3/16/2009					EQUIP. BLANK/WLID
303		3/17/2009					EQUIP. BLANK/WLID
303		3/18/2009					EQUIP. BLANK/WLID
303		3/19/2009					EQUIP. BLANK/WLID
303		3/20/2009					EQUIP. BLANK/WLID
303		3/23/2009					EQUIP. BLANK/WLID
303		3/24/2009					EQUIP. BLANK/WLID
303		3/26/2009					EQUIP. BLANK/WLID
303		3/27/2009					EQUIP. BLANK/WLID
303		3/30/2009					EQUIP. BLANK/WLID
303		3/31/2009					EQUIP. BLANK/WLID
303		4/1/2009					EQUIP. BLANK/WLID
303		4/2/2009					EQUIP. BLANK/WLID
303		4/8/2009					EQUIP. BLANK/WLID
303		4/9/2009					EQUIP. BLANK/WLID
303		4/13/2009					EQUIP. BLANK/WLID
303		4/14/2009					EQUIP. BLANK/WLID
303		4/15/2009					EQUIP. BLANK/WLID
303		4/16/2009					EQUIP. BLANK/WLID
303		4/17/2009					EQUIP. BLANK/WLID
303		4/20/2009					EQUIP. BLANK/WLID
303		4/21/2009					EQUIP. BLANK/WLID
303		4/22/2009					EQUIP. BLANK/WLID
303		4/23/2009					EQUIP. BLANK/WLID
303		4/27/2009					EQUIP. BLANK/WLID
303		4/28/2009					EQUIP. BLANK/WLID
303		4/29/2009					EQUIP. BLANK/WLID
303		4/30/2009					EQUIP. BLANK/WLID
303		5/4/2009					EQUIP. BLANK/WLID

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
303		5/5/2009					EQUIP. BLANK/WLID
303		5/7/2009					EQUIP. BLANK/WLID
303		5/11/2009					EQUIP. BLANK/WLID
303		5/20/2009					EQUIP. BLANK/WLID
303		5/21/2009					EQUIP. BLANK/WLID
303		5/28/2009					EQUIP. BLANK/WLID
303		6/2/2009					EQUIP. BLANK/WLID
303		6/4/2009					EQUIP. BLANK/WLID
303		6/8/2009					EQUIP. BLANK/WLID
303		6/9/2009					EQUIP. BLANK/WLID
303		6/10/2009					EQUIP. BLANK/WLID
303		6/11/2009					EQUIP. BLANK/WLID
303		6/15/2009					EQUIP. BLANK/WLID
303		6/23/2009					EQUIP. BLANK/WLID
303		6/24/2009					EQUIP. BLANK/WLID
303		6/25/2009					EQUIP. BLANK/WLID
303		6/29/2009					EQUIP. BLANK/WLID
304		5/27/2009					EQUIP. BLANK/SP#4
323		1/20/2009	17.4	6.8	1236	2.10	
323		2/2/2009	11.7	6.7	1361	3.38	
323		3/10/2009	10.6	6.5	1299	9.87	
323		4/8/2009	10.7	7.4	1380	1.90	
323		5/4/2009	11.4	6.6	1242	10.6	
323		6/8/2009	11.7	6.8	1442	12.5	
325		1/5/2009	11.6	7.5	1258	11.1	
325		2/2/2009	11.1	6.9	1339	4.12	
325		3/2/2009	11.0	6.9	1291	5.20	
325		4/23/2009	11.9	7.3	1430	8.41	VOA RESAMPLE
325		5/4/2009	12.3	7.0	1255	3.54	
325	310	6/8/2009	13.2	7.1	1306	2.77	QC DUPLICATE #310
395		1/5/2009	15.3	7.2	951	162	
395		2/9/2009	15.9	7.6	953	1.88	
395		3/4/2009	14.5	7.3	2080	8.75	
395		4/2/2009	13.8	7.1	2680	1.69	
395	311	5/4/2009	14.6	6.9	2340	1.46	QC DUPLICATE #311
395	311	6/8/2009	17.1	7.1	1770	2.08	QC DUPLICATE #311
400		4/9/2009	8.2	6.7	875	2.46	
401	320	4/9/2009	11.7	6.7	1085	6.24	QC DUPLICATE #320
402		4/9/2009	12.4	6.8	1670	9.09	
403		3/31/2009	9.2	7.9	1650	228	
404		3/31/2009	11.6	7.5	4610	1000	
407	314	3/30/2009	11.9	7.2	1510	4.15	QC DUPLICATE #314
408		4/29/2009	9.8	7.4	709	2.60	
410		4/9/2009	8.5	6.8	368	10.2	
412		4/9/2009	10.5	7.4	1413	82.9	
415		3/30/2009	12.3	7.4	1375	2.05	
416		3/31/2009	9.8	8.1	885	123	
417		3/30/2009	12.3	7.6	810	4.15	
421		4/22/2009	13.6	7.2	1309	14.8	
422	318	4/21/2009	11.6	6.7	2050	6.76	QC DUPLICATE #318
423		4/21/2009	11.1	6.7	1018	5.88	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
424		4/21/2009	11.3	6.9	1382	20.0	
502		1/9/2009	10.1	7.0	2010	14.9	
502	313	4/17/2009	12.2	6.7	2180	18.2	QC DUPLICATE #313
503		1/9/2009	11.2	7.1	1358	4.63	
503		4/23/2009	11.9	7.0	1870	3.31	
515		1/14/2009	9.4	7.5	626	3.21	
515		4/23/2009	10.6	7.3	680	2.13	
520		1/13/2009	11.3	7.1	1324	2.38	
520		4/27/2009	12.7	7.1	1311	4.93	
521		1/13/2009	11.3	7.1	1266	64.3	
521		4/28/2009	10.4	6.9	1218	71.4	
535		2/16/2009	11.3	7.4	592	7.16	
535		4/27/2009	14.6	7.3	693	3.78	
543		1/15/2009	7.4	7.2	712	2.3	
543		4/15/2009	8.1	7.0	806	0.90	
545	313	1/15/2009	9.8	7.2	719	5.14	QC DUPLICATE #313
545		4/15/2009	10.4	7.0	781	2.71	
559		3/9/2009	10.4	6.7	1453	4.98	
561		3/19/2009	10.7	7.6	1057	153	
563		3/9/2009	11.4	7.0	1570	3.97	
564		3/19/2009	8.6	7.7	674	45.4	
571		1/15/2009	7.6	7.1	1381	>1000	
571		4/15/2009	9.5	6.9	1400	1000	
572		4/15/2009	19.0	7.3	2460	3.66	
574		4/29/2009	17.7	6.7	3510	4.90	
576		3/27/2009	11.7	7.2	1690	39.7	
577		2/16/2009	11.9	7.3	1061	57.3	
578	313	2/9/2009	12.0	7.1	1171	1.25	QC DUPLICATE #313
579	321	4/29/2009	12.4	6.8	1439	117	QC DUPLICATE #321
580		2/19/2009	11.4	5.2	2170	58.3	
580		6/1/2009	13.9	5.2	2330	30.4	
580		6/24/2009	14.9	5.5	2620	88.0	FLD PARAMS ONLY 6/24
581		2/19/2009	12.1	7.0	1189	>1000	
600	317	3/18/2009	10.9	6.8	7220	551	QC DUPLICATE #317
601		3/18/2009	12.6	7.4	2160	10.0	
602		3/18/2009	11.3	7.6	354	>1000	
603		3/27/2009	12.7	7.8	607	>1000	
604		3/20/2009	13.5	8.1	594	21.8	
606		6/15/2009	15.2	6.8	4760	7.41	
607		1/29/2009	11.2	7.6	925	>1000	
607		3/17/2009	13.9	7.2	981	1000	
608		6/10/2009	17.3	7.4	1173	97.5	
609		4/13/2009	13.5	7.3	2030	114	
610		3/23/2009	11.5	7.7	1750	6.00	
611		4/14/2009	14.0	7.0	1850	3.10	
612		1/7/2009	12.4	6.7	3030	4.45	
612		2/5/2009	11.3	6.5	3050	5.41	
612	311	3/3/2009	10.7	5.9	3190	1.37	PH MAY BE BIASED LOW
612		4/2/2009	11.9	6.8	3310	1.44	
612		5/11/2009	12.9	6.4	3110	1.21	
612	312	6/4/2009	14.6	6.2	3220	1.51	QC DUPLICATE #312

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
612		6/24/2009	14.9	6.4	3170	10.3	
613		1/30/2009					NO SAMPLE, OFF LINE
613		2/5/2009					NO SAMPLE, OFF LINE
613		3/31/2009					NO SAMPLE, OFF LINE
613		4/2/2009					NO SAMPLE, OFF LINE
613		5/11/2009					NO SAMPLE, OFF LINE
613		6/4/2009					NO SAMPLE, OFF LINE
617		1/7/2009	13.9	6.9	2190	1.13	
617		2/5/2009	13.2	6.7	2110	0.99	
617		3/3/2009	12.4	6.1	2300	0.74	PH MAY BE BIASED LOW
617		4/2/2009	12.1	7.1	2650	1.04	
617		5/11/2009	11.6	6.7	2400	1.13	
617		6/4/2009	12.2	6.5	2520	1.26	
618	311	1/7/2009	11.0	7.0	1940	2.14	QC DUPLICATE #311
618		2/5/2009	9.6	6.7	2000	0.80	
618		3/3/2009	9.1	6.1	2060	1.10	PH MAY BE BIASED LOW
618		4/2/2009	10.6	7.1	2090	0.91	
618	312	5/11/2009	12.5	6.7	1990	1.04	QC DUPLICATE #312
618		6/4/2009	14.4	6.5	2100	1.08	
622	317	4/13/2009	12.9	7.2	1067	8.47	QC DUPLICATE #317
623		4/14/2009	12.3	7.2	1670	4.47	
624		4/13/2009	12.5	7.4	921	6.00	
627		2/19/2009	12.9	5.0	1435	23.8	
627		6/1/2009	16.9	5.1	1177	11.0	
627		6/23/2009					PROBE MALFUNCTION
627		6/24/2009	15.4	5.5	1396	29.8	
628		1/5/2009	10.2	7.4	1358	5.22	
628	311	2/5/2009	8.6	7.0	1340	5.25	QC DUPLICATE #311
628		3/2/2009	8.7	6.7	1316	1.22	
628	311	4/2/2009	9.3	7.2	1369	1.31	QC DUPLICATE #311
628		5/11/2009	10.3	6.8	1287	3.53	
628	313	6/4/2009	11.6	6.9	1600	1.98	QC DUPLICATE #313
701	314	2/20/2009	8.7	6.8	1760	1000	QC DUPLICATE #314
702		2/19/2009	9.2	6.7	1066	>1000	
704		2/9/2009	12.0	7.2	1373	2.34	
706		2/23/2009	14.4	6.5	4260	13.6	
711		2/16/2009	14.1	7.2	1520	12.4	
714		3/11/2009	13.8	7.0	1980	71.0	
716		2/26/2009	13.3	7.1	2520	1.55	
720		6/10/2009	13.8	7.1	451	14.5	
722		2/26/2009	13.1	6.9	2030	0.78	
728		4/20/2009	9.9	7.0	1850	435	
732		6/10/2009	16.2	7.4	1009	7.19	
734		6/15/2009	16.2	6.9	1890	6.43	
735		2/19/2009	13.3	6.1	1580	76.5	
735		6/24/2009	13.9	5.8	1850	6.14	FLD PARAMS ONLY 6/24
737		6/15/2009	15.5	7.1	491	75.4	
739		4/14/2009	13.6	7.2	1520	3.34	
740		3/12/2009	13.8	7.2	4090	20.8	
740		6/29/2009					NETS HYDROLAB
740		6/30/2009					NETS HYDROLAB

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
742	315	2/24/2009	12.8	7.4	642	58.5	QC DUPLICATE #315
743		3/17/2009	11.3	6.8	2360	572	
744		1/19/2009	11.3	7.0	1496	0.84	
744	314	4/28/2009	12.9	6.5	2990	1.77	QC DUPLICATE #314
745		1/19/2009					NETS HYDROLAB
745		4/28/2009	16.1	6.3	5040	0.68	
749		4/21/2009	11.0	7.7	396	16.5	
750		4/20/2009	9.5	7.0	1970	11.0	
751		4/20/2009	10.1	6.9	1800	240	
752		4/21/2009	20.9	6.6	2980	4.20	
753		4/20/2009					NETS HYDROLAB
754		4/22/2009	11.4	7.2	2330	3.96	
755		1/22/2009	11.2	7.4	1303	5.17	
755		4/22/2009	9.8	7.2	1368	3.63	
756		4/21/2009					NETS HYDROLAB
757		1/29/2009	11.2	7.1	1080	>1000	
757		4/16/2009	13.9	7.0	3260	>1000	
761		2/19/2009	12.8	7.0	1690	1000	
763		2/24/2009	12.7	7.6	1910	1000	
766		2/24/2009	14.8	7.2	2870	574	
766		6/24/2009	16.5	6.6	3170	781	
767		3/12/2009	11.7	6.7	3080	54.3	
767		6/25/2009	16.8	7.0	2410	1.66	
768		3/12/2009	12.8	6.8	2470	148	
768		6/24/2009	14.0	6.2	2200	>1000	
769	316	2/24/2009	14.7	7.0	3290	923	QC DUPLICATE #316
769		6/24/2009	15.7	6.4	6420	1000	
771		3/16/2009	13.6	7.1	1940	755	
771		6/24/2009					NETS HYDROLAB
771		6/25/2009					NETS HYDROLAB
772	314	1/29/2009	9.7	6.5	2630	58.1	QC DUPLICATE #314
772		4/28/2009	11.9	6.3	3300	14.8	
772		6/25/2009	16.5	6.8	3090	4.35	
773		1/22/2009	12.4	7.0	2900	10.0	
773		4/28/2009	14.3	6.3	3520	2.14	
774	315	1/22/2009	13.9	6.8	4390	2.90	QC DUPLICATE #315
774	315	4/28/2009	13.9	6.4	4730	7.05	QC DUPLICATE #315
775	321	3/11/2009	14.0	6.5	3380	12.4	QC DUPLICATE #321
777		2/9/2009	11.6	7.1	1125	0.43	
779		2/23/2009	10.7	7.0	1820	7.87	
789		3/11/2009	11.4	6.3	993	>1000	
791		3/12/2009	10.9	6.5	3200	1000	
792		3/16/2009	10.9	6.6	3490	1000	
793		4/29/2009	13.7	6.8	2600	137	
793		6/29/2009	14.4	7.0	2180	53.3	
832		1/15/2009	9.4	6.9	1189	4.81	
832		4/15/2009	10.9	6.9	1229	9.00	
857		1/13/2009	10.2	7.3	1198	6.32	
857		4/27/2009	13.4	7.0	1320	26.0	
858		1/13/2009	9.7	7.3	838	3.29	
858		4/27/2009	12.7		977	19.3	INVALID PH READING

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
859		1/8/2009	10.0	7.3	696	8.70	
859		5/11/2009	11.3	7.2	676	3.30	
860		1/8/2009	12.5	7.6	603	5.38	
860		4/30/2009	12.8	7.0	701	2.81	
861		1/9/2009	10.2	7.2	2300	87.9	
861		4/30/2009	11.9	7.0	467	811	
862		1/9/2009	10.6	7.1	1006	2.97	
862		4/30/2009	12.3	7.0	1113	8.24	
921		3/24/2009	12.1	7.5	2790	6.37	
922		4/13/2009	12.2	7.0	3050	19.9	
923		3/26/2009	13.1	7.0	3060	21.8	
929		3/17/2009	13.1	5.6	1404	15.9	
931		3/23/2009	11.8	8.7	1780	6.45	
932		3/26/2009	13.1	7.2	2040	30.1	
934		4/20/2009	10.7	7.4	807	10.4	
941		3/18/2009	13.0	7.2	1115	68.9	
943		3/5/2009	10.2	6.9	1376	28.3	
944		3/5/2009	10.4	7.0	1204	278	
952		3/16/2009	10.6	7.2	1221	39.0	
953		3/18/2009	12.9	7.5	1720	31.1	
954		3/20/2009	12.4	7.4	2390	28.1	
956		3/20/2009	12.3	7.4	2290	132	
958		1/14/2009	10.1	7.6	894	1.72	
958		4/27/2009	14.0	7.2	1014	8.94	
959		2/27/2009	12.9	6.7	1361	28.2	
960		2/27/2009	13.0	7.0	1394	18.6	
963		1/13/2009	12.0	7.2	799	2.27	
963		4/16/2009	13.6	7.4	804	2.43	
964		1/13/2009	11.3	7.2	1480	2.20	
964	316	4/16/2009	11.9	7.3	1690	2.26	QC DUPLICATE #316
965		3/24/2009	12.9	7.7	2800	3.06	
966		3/24/2009	12.9	7.9	1630	3.31	
987	316	1/8/2009	11.4	7.3	980	21.5	QC DUPLICATE #316
987		4/17/2009	13.2	6.8	1081	15.4	
990		1/8/2009	11.2	7.3	1296	1.16	
990		4/17/2009	11.3	6.9	1166	5.02	
998		2/20/2009	10.4	6.5	8240	109	
999	317	2/23/2009	11.6	6.7	1630	57.2	QC DUPLICATE #317
032A		1/6/2009	14.9	7.2	1680	0.84	
032A		2/5/2009	13.3	7.0	2570	0.64	
032A		3/2/2009	11.9	6.7	3090	0.54	
032A		4/2/2009	15.1	7.1	3510	0.96	
032A		5/11/2009	16.8	6.8	3840	1.03	
032A		6/4/2009	19.0	6.7	3330	5.73	
320A		1/6/2009	11.3	7.2	437	2.48	
320A		2/10/2009	9.8	6.8	434	0.81	INORG RESAMPLE
320A		3/3/2009	6.3	6.3	504	0.52	PH MAY BE BIASED LOW
320A		5/5/2009	9.7	7.3	521	0.32	
320A		6/2/2009	12.1	7.0	494	0.93	
395A		1/5/2009	19.0	7.5	705	2.26	
395A		2/9/2009	18.9	7.6	1008	0.88	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
395A		3/4/2009	16.9	7.3	1510	1.19	
395A		4/2/2009	15.3	7.1	1990	1.40	
395A		5/4/2009	18.6	7.2	2320	1.02	
395A		6/8/2009	21.4	7.3	2450	0.65	
395B		1/5/2009	16.5	7.8	779	4.25	
395B		2/9/2009	17.8	7.2	1021	14.9	
395B		3/4/2009	15.6	7.2	1360	4.97	
395B		4/2/2009	14.5	7.0	2470	2.09	
395B		5/4/2009	18.0	7.6	2460	5.33	
395B		6/8/2009	22.8	7.3	2420	11.8	
628A		1/5/2009	10.6	7.4	1361	3.25	
628A		2/5/2009	9.2	6.9	1342	2.12	
628A		3/2/2009	8.9	6.7	1300	0.60	
628A		4/2/2009	9.2	7.2	1400	0.65	
628A		5/11/2009	10.0	6.9	1287	3.69	
628A		6/4/2009	10.9	6.7	1600	1.24	
628B		1/5/2009	10.7	7.1	1360	0.64	
628B		2/5/2009	9.5	6.6	1334	4.11	
628B		3/2/2009	9.1	6.4	1314	0.96	
628B		4/2/2009	9.2	7.0	1383	0.82	
628B		5/11/2009	10.0	6.7	1286	2.41	
628B		6/4/2009	11.1	6.7	1580	0.54	
NR360		1/7/2009	12.9	6.9	2200	1.24	COMP. 612, 617, 618
NR360		2/5/2009	12.2	6.5	2160	0.55	COMP. 612, 617, 618
NR360		3/3/2009	10.8	5.9	2350	0.29	PH MAY BE BIASED LOW
NR360		4/2/2009	12.5	6.9	2570	0.45	COMP. 612, 617, 618
NR360		5/11/2009	12.2	6.6	2400	0.70	COMP. 612, 617, 618
NR360		6/4/2009	14.7	6.5	2470	2.25	COMP. 612, 617, 618

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 01/2009											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																								
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Data									
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max												
												Depth	Water Equiv	Snow Fall	Water Equiv						5-second Speed	Dir	2-minute Speed	Dir											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26										
01	28s	6	M	M	-1	11	M	M	0722	1636		M	M	M	0.00	29.98	30.18	7.4	32	7.6	17s	320	13s	330	01										
02	31	8	20	-6	15	19	45	0	0722	1637	SN BR HZ	M	M	M	T	29.75	29.88	0.6	23	0.6	15	240	10	230	02										
03	36	20	28	2	15	25	37	0	0722	1638		M	M	M	0.00	29.76	29.93	9.5	28	9.8	31	310	23	300	03										
04	33	9	21	-4	12	20	44	0	0722	1639	FZRA	M	M	M	Ts	29.88	30.05	0.5	33	0.6	15	280	12	280	04										
05	38	28	33*	8	22	29	32	0	0722	1640		M	M	M	0.03	29.76	29.94	3.6	29	4.7	21	300	16	290	05										
06	32	19	26	1	16	23	39	0	0722	1641	FZRA SN BR UP	M	M	M	0.14	29.79	30.00	0.9	36	1.2	9	320	7	310	06										
07	34	28	31	6	30	31	34	0	0722	1642	RA FZRA BR UP	M	M	M	0.55	29.24	29.35	0.7	34	3.7	17	280	15	270	07										
08	35	23	29	4	23	29	36	0	0722	1643	SN	M	M	M	T	29.23	29.41	10.7	24	11.6	36	240	26	250	08										
09	32	15	24	-1	12	20	41	0	0722	1644		M	M	M	0.00	29.80	29.97	7.1	27	7.7	29	300	22	300	09										
10	22	8	15	-10	12	15	50	0	0722	1645	SN FZFG BR	M	M	M	0.15	29.98	30.20	2.3	01	2.9	12	360	9	350	10										
11	30	11	21	-4	15	19	44	0	0721	1646	SN BR UP	M	M	M	0.19	29.71	29.91	5.0	35	5.1	16	010	13	360	11										
12	32	11	22	-3	13	18	43	0	0721	1647	BR HZ	M	M	M	0.00	29.98	30.16	0.3	31	0.7	10	260	8	240	12										
13	37	13	25	1	21	25	40	0	0721	1648	BR HZ	M	M	M	0.00	29.83	30.00	1.7	19	2.4	17	180	9	200	13										
14	33	12	23	-1	0	14	42	0	0720	1649	SN	M	M	M	0.00	29.87	30.04	7.5	29	8.5	32	300	25	280	14										
15	19	-2	9	-15	3	9	56	0	0720	1650	SN BR HZ	M	M	M	T	30.04	30.24	4.9	01	5.2	20	010	15	020	15										
16	15	-5*	5*	-19	-5	5	60	0	0720	1651	BR	M	M	M	0.00	30.28	30.45	6.5	24	6.8	22	240	17	260	16										
17	16	1	9	-15	-4	7	56	0	0719	1652		M	M	M	0.00	30.27	30.45	3.5	22	4.3	16	240	14	240	17										
18	29	16	23	-1	18	22	42	0	0718	1654	SN FZFG BR HZ	M	M	M	0.11	29.79	29.94	0.8	10	1.2	12	120	9	110	18										
19	32	14	23	-1	19	23	42	0	0718	1655	BR	M	M	M	0.00	29.50	29.65	2.1	24	2.7	14	180	12	250	19										
20	26	1	14	-10	9	14	51	0	0717	1656	BR	M	M	M	0.00	29.53	29.70	3.4	35	3.7	21	010	16	010	20										
21	25	-2	12	-12	3	12	53	0	0717	1657	BR HZ	M	M	M	0.00	29.68	29.88	3.2	25	3.6	15	240	13	240	21										
22	33	15	24	0	14	21	41	0	0716	1658	BR HZ	M	M	M	0.00	29.76	29.95	7.7	24	8.0	29	270	23	270	22										
23	44*	11	28	4	19	25	37	0	0715	1660	BR HZ	M	M	M	0.00	29.75	29.89	2.3	17	2.6	21	180	14	170	23										
24	41	7	24	0	9	21	41	0	0715	1701	BR	M	M	M	0.00	29.77	30.02	9.8	28	10.2	31	290	22	300	24										
25	24	-3	11	-13	0	9	54	0	0714	1702	HZ	M	M	M	0.00	30.11	30.30	4.1	24	4.5	18	240	15	240	25										
26	26	1	14	-10	4	12	51	0	0713	1703	BR	M	M	M	0.00	30.19	30.38	0.6	20	0.9	13	240	9	240	26										
27	28	16	22	-2	9	19	43	0	0712	1705		M	M	M	0.00	30.25	30.43	0.7	01	1.2	10	270	8	360	27										
28	38	21	30	6	24	26	35	0	0711	1706	FZRA SN FG+ FZFG BR UP	M	M	M	0.92	29.77	29.87	3.5	30	5.2	33	300	22	280	28										
29	32	11	22	-2	16	22	43	0	0710	1707	BR	M	M	M	0.00	29.68	29.89	6.6	26	7.3	29	270	22	270	29										
30	34	7	21	-3	15	19	44	0	0710	1708	BR HZ	M	M	M	T	29.70	29.87	2.1	23	2.8	22	220	14	280	30										
31	25	15	20	-4	6	17	45	0	0709	1710		M	M	M	0.00	29.75	29.93	6.8	26	7.4	23	270	18	260	31										
	30.3	10.8	20.6		11.7	18.7	44.0	0.0	<-----Monthly Averages Totals----->				M	M	2.09	29.82	29.99	3.0	27	4.7	<Monthly Average														
	-3.9	-3.9	-3.9		<-----Departure From Normal----->								-1.10																						
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 1321 64 M M Cooling: 0 0									Greatest 24-hr Precipitation: 0.92 Date: 28 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M									Sea Level Pressure Date Time (LST) Maximum 30.64 23 1044 Minimum 29.07 07 2146																	
									Number of Days with ----->						Max Temp >=90: 0		Min Temp <=32: 31		Precipitation >=.01 inch: 7																
															Max Temp <=32: 19		Min Temp <=0 : 4		Precipitation >=.10 inch:																
																						Thunderstorms : 0		Heavy Fog : 1							Data Version: VER2				

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 02/2009											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees						Date		
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max	max				
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed		Dir	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	46	13	30	6	17	25	35	0	0708	1711		M	M	M	0.00	29.71	29.89	1.8	22	2.7	21	240	15	230	01	
02	44	20	32	8	25	29	33	0	0707	1712	SN BR	M	M	M	T	29.76	29.94	3.4	36	3.5	21	360	16	020	02	
03	32	20	26	1	22	26	39	0	0706	1713	SN FZFG BR	M	M	M	0.02	29.65	29.82	7.9	36	8.1	26	010	18	010	03	
04	26	11	19	-6	1	14	46	0	0704	1715		M	M	M	0.00	29.80	30.02	5.3	35	6.2	24	320	17	330	04	
05	21	-1*	10*	-15	-2	7	55	0	0703	1716	HZ	M	M	M	Ts	30.08	30.28	4.7	32	5.0	24	320	18	290	05	
06	26	0	13	-12	4	11	52	0	0702	1717	BR HZ	M	M	M	0.00	30.20	30.38	1.3	23	1.3	15	240	12	240	06	
07	45	4	25	0	16	22	40	0	0701	1718	BR	M	M	M	0.00	30.06	30.19	1.3	17	1.7	17	150	13	180	07	
08	50	27	39	14	28	36	26	0	0660	1720	BR	M	M	M	T	29.79	29.99	5.9	28	6.9	36	290	24	290	08	
09	42	23	33	8	21	29	32	0	0659	1721		M	M	M	0.00	30.12	30.32	2.7	27	3.7	24	330	17	320	09	
10	46	23	35	9	27	32	30	0	0658	1722	HZ	M	M	M	0.00	30.04	30.19	1.0	17	1.6	20	160	13	170	10	
11	61*	34	48*	22	39	42	17	0	0656	1724	RA BR HZ	M	M	M	0.00	29.70	29.81	0.7	19	0.9	16	180	7	160	11	
12	50	38	44	18	36	40	21	0	0655	1725	RA FG+ BR	M	M	M	0.14	29.18	29.37	12.1	25	12.9	41	260	29	250	12	
13	41	22	32	6	14	28	33	0	0654	1726		M	M	M	0.00	29.62	29.83	9.8	31	11.2	33	330	24	320	13	
14	39	16	28	2	16	24	37	0	0652	1727		M	M	M	0.00	29.75	29.91	1.2	26	1.9	28	090	10	240	14	
15	41	17	29	2	14	24	36	0	0651	1729		M	M	M	0.00	29.84	30.04	2.3	34	2.7	16	340	12	320	15	
16	39	14	27	0	16	23	38	0	0650	1730	BR	M	M	M	0.00	29.96	30.15	4.0	36	4.1	22	360	14	360	16	
17	39	15	27	0	14	23	38	0	0648	1731		M	M	M	0.00	30.03	30.20	0.9	36	1.5	2s	080	2s	010	17	
18	39	15	27	0	25	27	38	0	0647	1732	RA SN BR UP	M	M	M	0.16	29.72	29.83	3.7	15	4.5	24	140	17	160	18	
19	46	23	35	7	29	33	30	0	0646	1734	RA SN BR	M	M	M	0.08	29.21	29.40	9.0	27	9.7	35	270	25	250	19	
20	30	20	25	-3	8	20	40	0	0644	1735		M	M	M	0.00	29.52	29.72	15.4	27	15.5	35	260	24	260	20	
21	39	24	32	4	13	25	33	0	0643	1736		M	M	M	0.00	29.93	30.14	7.8	26	8.7	25	250	20	260	21	
22	36	28	32	4	26	31	33	0	0641	1737	RA BR	M	M	M	0.14	29.80	29.94	2.8	28	5.8	32	270	23	280	22	
23	31	22	27	-2	10	21	38	0	0640	1738		M	M	M	0.00	29.83	30.03	13.3	28	13.6	35	270	26	270	23	
24	36	17	27	-2	9	21	38	0	0638	1740		M	M	M	0.00	30.06	30.27	6.1	34	6.7	23	320	16	310	24	
25	40	19	30	1	11	24	35	0	0637	1741		M	M	M	0.00	30.24	30.41	0.8	16	2.6	13	150	9	160	25	
26	45	28	37	7	27	31	28	0	0635	1742	SN BR	M	M	M	0.05	30.13	30.29	1.7	18	2.5	13	130	9	130	26	
27	60	25	43	13	39	42	22	0	0634	1743	RA BR HZ	M	M	M	0.22	29.83	29.96	5.2	18	6.3	24	200	15	180	27	
28	49	23	36	6	18	27	29	0	0632	1744		M	M	M	0.00	29.96	30.18	10.2	01	10.9	28	360	22	360	28	
	40.7	19.3	30.0		18.7	26.3	34.7	0.0	<-----Monthly Averages Totals----->				M	M	0.81	29.84	30.01	3.1	29	5.8	<Monthly Average					
	3.2	3.2	3.2		<-----Departure From Normal----->								-1.72													
Degree Days Monthly Season to Date									Greatest 24-hr Precipitation: 0.24s Date: 18-19						Sea Level Pressure Date Time (LST)											
Total Departure Total Departure									Greatest 24-hr Snowfall: M Date: M						Maximum 30.49 25 0858											
Heating: 972 -98 M M									Greatest Snow Depth: M Date: M						Minimum 29.23 12 0646											
Cooling: 0 0									Number of Days with ----->				Max Temp >=90: 0		Min Temp <=32: 26				Precipitation >=.01 inch: 7							
													Max Temp <=32: 6		Min Temp <=0 : 2				Precipitation >=.10 inch:							
													Thunderstorms : 0		Heavy Fog : 1				Snowfall >=1.0 inch : M							
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																										
																				Data Version: VER2						

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 03/2009											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Date
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second	max 2-minute				
	Depth	Water Equiv	Snow Fall	Water Equiv																						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	33	21	27	-4	13	23	38	0	0631	1746	SN FZFG	M	M	M	T	29.94	30.10	7.9	01	8.0	26	340	21	350	01	
02	25	14	20	-11	11	17	45	0	0629	1747	SN FG+ FZFG BR	M	M	M	0.06	29.80	29.97	14.0	36	14.7	38	360	28	010	02	
03	25	8	17*	-15	-1	13	48	0	0628	1748		M	M	M	0.00	30.00	30.21	7.2	32	8.5	26	290	17	360	03	
04	34	3*	19	-13	6	16	46	0	0626	1749	BR HZ	M	M	M	0.00	30.16	30.34	2.1	28	3.0	21	290	14	320	04	
05	43	8	26	-6	13	23	39	0	0624	1750	BR	M	M	M	0.00	30.21	30.38	1.6	18	2.8	15	220	10	210	05	
06	53	32	43	10	30	37	22	0	0623	1751	BR	M	M	M	T	29.90	30.04	2.8	15	3.0	14	150	9	150	06	
07	64	32	48	15	40		17	0	0621	1753	BR HZ	M	M	M	0.00	M	M	2.8	19	3.9	21	180	13	150	07	
08	61	43	52	18	43	48	13	0	0619	1754	RA BR HZ	M	M	M	0.28	29.67	29.87	3.1	33	5.5	23	240	17	240	08	
09	45	37	41	7	38	40	24	0	0618	1755	RA BR	M	M	M	0.47	29.75	29.96	3.3	03	4.5	16	030	13	040	09	
10	44	29	37	3	32	35	28	0	0616	1756	RA BR	M	M	M	0.09	30.14	30.31	1.9	19	3.8	25	300	12	140	10	
11	54	36	45	10	38	42	20	0	0615	1757	RA BR HZ	M	M	M	0.11	29.83	30.00	3.4	24	6.9	26	340	20	300	11	
12	39	24	32	-3	11	26	33	0	0613	1758		M	M	M	0.00	30.19	30.40	7.7	33	8.3	24	330	20	330	12	
13	39	20	30	-5	11	24	35	0	0611	1759		M	M	M	0.00	30.30	30.46	0.6	18	2.5	29s	270	12	240	13	
14	52	21	37	1	21	32	28	0	0610	1801		M	M	M	0.00	30.08	30.24	1.7	22	2.4	21	090	12	250	14	
15	59	29	44	8	27	36	21	0	0608	1802	BR HZ	M	M	M	0.00	29.99	30.16	0.1	02	0.1	18	270	7	250	15	
16	52	25	39	3	27	35	26	0	0606	1803		M	M	M	0.00	30.11	30.29	2.6	14	2.8	26	120	12	130	16	
17	57	26	42	5	27	36	23	0	0604	1804	BR	M	M	M	0.00	30.09	30.25	1.3	16	2.4	12	170	8	180	17	
18	67*	28	48	11	36	43	17	0	0603	1805		M	M	M	0.00	29.93	30.08	4.4	19	5.0	26	180	16	220	18	
19	54	36	45	8	36	40	20	0	0601	1806	RA BR	M	M	M	0.17	29.86	30.05	2.9	01	4.3	23	050	17	040	19	
20	43	24	34	-4	15	28	31	0	0559	1807		M	M	M	0.00	30.09	30.30	7.7	01	7.9	22	320	15	360	20	
21	48	17	33	-5	11	27	32	0	0558	1808		M	M	M	0.00	30.29	30.46	0.5	23	2.3	29s	130	12	020	21	
22	51	23	37	-1	18	31	28	0	0556	1810		M	M	M	0.00	30.12	30.29	6.0	30	7.3	28	270	21	280	22	
23	40	20	30	-9	2	23	35	0	0554	1811		M	M	M	0.00	30.14	30.32	7.4	35	8.3	36	010	23	350	23	
24	46	24	35	-4	10	27	30	0	0553	1812		M	M	M	0.00	30.24	30.43	9.5	36	9.7	32	360	25	360	24	
25	55	19	37	-3	18	31	28	0	0551	1813		M	M	M	0.00	30.17	30.32	2.1	19	3.2	23	150	14	220	25	
26	46	36	41	1	32	38	24	0	0549	1814	RA BR	M	M	M	0.01	29.87	30.01	3.3	16	4.0	16	220	12	180	26	
27	63	38	51	11	40	45	14	0	0548	1815	FG+ FG BR	M	M	M	0.05s	29.77	29.94	0.6	29	1.2	18	070	10	310	27	
28	64	44	54*	13	42	47	11	0	0546	1816	RA BR	M	M	M	0.02	29.78	29.93	3.3	14	4.5	22	140	13	120	28	
29	55	46	51	10	48	49	14	0	0544	1817	RA BR	M	M	M	0.64	29.37	29.49	2.5	09	4.1	22	060	18	270	29	
30	49	39	44	3	34	40	21	0	0542	1818	RA	M	M	M	0.02	29.43	29.66	10.2	28	10.6	36	270	26	280	30	
31	58	28	43	1	31	39	22	0	0541	1819		M	M	M	0.00	29.93	30.13	2.1	35	4.0	33	160	14	020	31	
	49.0	26.8	37.9		24.5	33.0	26.9	0.0	<-----Monthly Averages Totals----->				M	M	1.92	29.98	30.14	1.7	33	5.1	<Monthly Average					
	1.8	1.3	1.5		<-----Departure From Normal----->								-1.67													
Degree Days Monthly Season to Date									Greatest 24-hr Precipitation: 0.75s Date: 08-09							Sea Level Pressure Date Time (LST)										
Total Departure Total Departure									Greatest 24-hr Snowfall: M Date: M							Maximum 30.59 13 0848										
Heating: 833 -56 M M									Greatest Snow Depth: M Date: M							Minimum 29.25 29 2016										
Cooling: 0 0									Number of Days with ----->				Max Temp >=90: 0			Min Temp <=32: 22			Precipitation >=.01 inch: 9s							
													Max Temp <=32: 2			Min Temp <=0 : 0			Precipitation >=.10 inch:							
													Thunderstorms : 0			Heavy Fog : 2			Snowfall >=1.0 inch : M							
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																				Data Version: VER2						

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 04/2009											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								D a t e	
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max				
																					5-second	2-minute	Speed	Dir	Speed		Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26		
01	48	41	45	3	36	40	20	0	0539	1821	RA BR	M	M	M	0.28	29.98	30.13	3.8	15	4.2	21	150	16	130	01		
02	66	41	54	12	46	49	11	0	0537	1822	FG+ FG BR	M	M	M	T	29.83	29.98	0.9	14	2.6	17	010	12	130	02		
03	60	52	56	13	52	54	9	0	0536	1823	RA BR	M	M	M	0.33	29.28	29.37	5.9	14	9.1	40	260	30	250	03		
04	52	43	48	5	32	40	17	0	0534	1824		M	M	M	T	29.24	29.45	15.0	27	15.4	39	260	28	290	04		
05	61	40	51	7	33	42	14	0	0532	1825		M	M	M	0.00	29.54	29.72	8.9	29	10.1	25	250	20	290	05		
06	47	36	42	-2	40	42	23	0	0531	1826	RA BR	M	M	M	0.35	29.31	29.41	1.8	01	3.7	16	070	12	080	06		
07	46	35	41	-3	27	35	24	0	0529	1827		M	M	M	0.00	29.13	29.34	11.2	26	11.7	32	250	21	270	07		
08	44	30	37	-8	25	33	28	0	0527	1828	RA	M	M	M	T	29.43	29.62	7.0	24	7.8	24	240	18	260	08		
09	61	25	43	-2	24	36	22	0	0526	1829		M	M	M	0.00	29.62	29.81	4.1	26	4.4	26	260	20	230	09		
10	60	28	44	-1	34	40	21	0	0524	1830	RA BR	M	M	M	0.12	29.80	29.98	2.3	36	3.6	21	230	16	250	10		
11	51	39	45	-1	34	40	20	0	0523	1831	RA	M	M	M	0.03	29.72	29.90	8.3	36	8.7	25	320	20	330	11		
12	46	26	36*	-10	16	30	29	0	0521	1833		M	M	M	0.00	29.91	30.09	10.0	32	10.3	32	300	23	310	12		
13	57	24*	41	-5	18	34	24	0	0519	1834		M	M	M	0.00	29.92	30.08	2.4	33	3.3	21	320	15	310	13		
14	53	39	46	-1	24	38	19	0	0518	1835	RA	M	M	M	T	29.85	30.00	1.9	12	2.9	33s	170	10	150	14		
15	63	35	49	2	24	40	16	0	0516	1836	RA	M	M	M	0.01	29.83	30.02	6.5	05	7.5	26	050	20	040	15		
16	63	28	46	-2	23	38	19	0	0515	1837		M	M	M	0.00	30.06	30.25	2.0	01	3.4	24	030	15	360	16		
17	72	30	51	3	27	41	14	0	0513	1838		M	M	M	0.00	30.01	30.16	2.4	30	3.8	26	280	18	290	17		
18	76	40	58	10	34	48	7	0	0512	1839		M	M	M	0.00	29.77	29.93	4.1	28	7.0	26	290	20	260	18		
19	64	45	55	6	35	45	10	0	0510	1840		M	M	M	0.00	29.86	30.05	3.2	02	7.0	20	150	14	140	19		
20	50	42	46	-3	34	41	19	0	0509	1841	RA BR	M	M	M	0.56	29.93	30.07	6.0	10	7.5	36	120	25	120	20		
21	59	46	53	4	49	50	12	0	0507	1842	RA BR VCTS	M	M	M	0.19	29.57	29.72	0.1	17	3.5	25	240	18	250	21		
22	56	42	49	-1	42	46	16	0	0506	1843	BR	M	M	M	0.02	29.49	29.65	3.3	22	4.4	23	280	16	290	22		
23	54	34	44	-6	33	41	21	0	0504	1845		M	M	M	0.00	29.68	29.90	8.7	27	9.9	31	270	23	270	23		
24	73	30	52	1	33	44	13	0	0503	1846		M	M	M	0.00	30.02	30.20	1.9	18	3.4	21	280	13	240	24		
25	90	44	67	16	46	57	0	2	0501	1847		M	M	M	0.00	29.96	30.11	5.4	22	6.1	25	230	18	240	25		
26	90	55	73	22	54	62	0	8	0460	1848		M	M	M	0.00	29.98	30.17	2.0	28	2.9	24	250	18	260	26		
27	88	53	71	19	52	60	0	6	0458	1849		M	M	M	0.00	30.07	30.23	1.7	19	3.1	18	170	14	160	27		
28	91*	56	74*	22	51	60	0	9	0457	1850		M	M	M	0.00	29.94	30.12	4.1	29	9.4	32	020	23	020	28		
29	66	46	56	4	32	45	9	0	0456	1851		M	M	M	T	30.25	30.43	4.7	01	6.6	32	020	23	010	29		
30	66	42	54	1	34	46	11	0	0454	1852		M	M	M	T	30.17	30.31	3.9	17	4.9	72s	240	15	140	30		
	62.4	38.9	50.7		34.8	43.9	14.9	0.8	<-----Monthly Averages Totals----->				M	M	1.89	29.77	29.94	1.9	28	6.3	<Monthly Average						
	3.4	3.1	3.3	<-----Departure From Normal----->									-1.90														
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 448 -80 M M Cooling: 25 25									Greatest 24-hr Precipitation: 0.59s Date: 20-21 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M							Sea Level Pressure Date Time (LST) Maximum 30.50 29 1107 Minimum 29.10 03 1717											
									Number of Days with ----->				Max Temp >=90: 3 Min Temp <=32: 0 Thunderstorms : 0				Min Temp <=32: 8 Min Temp <=0 : 0 Heavy Fog : 1				Precipitation >=.01 inch: 9 Precipitation >=.10 inch: Snowfall >=1.0 inch : M						
													* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.														

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 05/2009											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Data
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second	max 2-minute				
	Depth	Water Equiv	Snow Fall	Water Equiv																						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	67	53	60	7	57	59	5	0	0453	1853	RA BR HZ	M	M	M	0.02	29.73	29.86	4.5	21	5.4	28	170	16	230	01	
02	67	43	55	1	44	50	10	0	0452	1854	RA BR	M	M	M	0.22	29.67	29.87	1.8	32	4.5	29	240	18	020	02	
03	58	40	49	-5	46	48	16	0	0450	1855	RA FG BR	M	M	M	0.09	29.81	29.98	0.3	24	0.6	18	170	8	300	03	
04	62	47	55	1	51	53	10	0	0449	1856	RA BR	M	M	M	0.04	29.88	30.05	M	M	1.4	9	010	7	360	04	
05	56	50	53	-2	50	51	12	0	0448	1858	RA BR	M	M	M	0.16	29.93	30.09	4.0	03	4.6	23	090	16	070	05	
06	65	48	57	2	50	53	8	0	0447	1859	RA BR	M	M	M	0.90	29.85	30.01	0.6	19	2.0	12	240	9	240	06	
07	74	50	62	7	55	57	3	0	0445	1860	RA BR	M	M	M	0.53	29.59	29.74	2.2	24	3.1	31	020	15	240	07	
08	75	45	60	4	53	57	5	0	0444	1901	RA BR	M	M	M	0.03	29.63	29.79	2.1	21	2.8	24	330	17	330	08	
09	77	59	68	12	59	62	0	3	0443	1901	RA BR	M	M	M	0.16	29.45	29.61	2.6	23	5.4	30	290	21	280	09	
10	65	47	56	-1	39	48	9	0	0442	1902		M	M	M	0.00	29.64	29.84	10.3	30	10.7	35	300	23	290	10	
11	65	38	52	-5	38	46	13	0	0441	1903		M	M	M	0.00	29.85	30.02	1.1	30	2.9	16	260	12	260	11	
12	67	37	52	-5	40	46	13	0	0440	1904		M	M	M	0.00	29.95	30.14	1.2	03	2.7	21	310	15	320	12	
13	70	37	54	-4	40	48	11	0	0439	1905		M	M	M	0.00	30.17	30.35	3.1	17	4.4	23	150	16	140	13	
14	65	51	58	0	53	56	7	0	0438	1906	RA BR	M	M	M	0.63	30.06	30.21	4.2	16	5.6	23	140	17	140	14	
15	78	55	67	9	56	60	0	2	0437	1907	BR	M	M	M	0.00	30.03	30.19	0.6	36	1.8	20	270	9	360	15	
16	70	50	60	2	59	61	5	0	0436	1908	TSRA RA BR	M	M	M	0.36	29.88	30.00	3.0	16	4.5	22	150	15	140	16	
17	65	44	55	-4	41	48	10	0	0435	1909	RA BR	M	M	M	0.74	29.82	30.01	4.6	36	5.3	33	340	28	010	17	
18	56	37	47*	-12	35	42	18	0	0434	1910		M	M	M	0.00	30.06	30.25	4.0	36	4.3	20	010	14	010	18	
19	71	31*	51	-9	35	45	14	0	0433	1911		M	M	M	0.00	30.20	30.37	M	M	2.8	15	300	12	240	19	
20	83	43	63	3	43	53	2	0	0432	1912		M	M	M	0.00	30.14	30.31	M	M	3.9	18	230	13	230	20	
21	88*	49	69*	9	41	55	0	4	0431	1913		M	M	M	0.00	30.03	30.19	4.6	22	4.7	21	210	15	230	21	
22	87	48	68	7	53	60	0	3	0430	1914		M	M	M	0.00	29.91	30.07	1.8	23	3.8	25	300	16	240	22	
23	71	52	62	1	49	55	3	0	0430	1915	RA	M	M	M	0.01	29.96	30.14	2.1	08	4.9	45s	040	14	130	23	
24	83	52	68	7	60	62	0	3	0429	1916	TS FG+ BR	M	M	M	2.07	29.82	29.96	2.3	22	4.9	52	090	26	250	24	
25	78	55	67	6	47	56	0	2	0428	1917	FG BR	M	M	M	0.01s	29.82	30.01	3.6	01	3.8	24	360	17	020	25	
26	64	43	54	-8	38	47	11	0	0427	1917	RA	M	M	M	0.13	30.06	30.23	2.8	09	5.3	17	150	13	100	26	
27	64	48	56	-6	53	54	9	0	0427	1918	RA BR	M	M	M	0.05	29.86	30.00	1.3	15	1.6	14	210	7	150	27	
28	66	55	61	-1	57	58	4	0	0426	1919	BR	M	M	M	T	29.70	29.86	4.5	13	4.7	20	120	14	100	28	
29	74	54	64	2	58	60	1	0	0426	1920	RA BR HZ	M	M	M	0.17	29.55	29.70	1.2	15	3.2	23	280	12	030	29	
30	75	50	63	0	50	56	2	0	0425	1921		M	M	M	0.00	29.52	29.70	4.0	26	5.2	24	240	17	240	30	
31	78	44	61	-2	43	52	4	0	0425	1922		M	M	M	0.00	29.58	29.77	5.2	29	7.2	39	320	23	280	31	
	70.5	46.9	58.7		48.2	53.5	6.6	0.5	<-----Monthly Averages Totals----->				M	M	6.32s	29.85	30.01	0.6	25	4.1	<Monthly Average					
	0.1	0.6	0.3		<-----Departure From Normal----->								1.59													
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 205 -15 M M Cooling: 17 2									Greatest 24-hr Precipitation: 2.08 Date: 24-25 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M									Sea Level Pressure Date Time (LST) Maximum 30.46 19 0833 Minimum 29.45 09 1752								
									Number of Days with ----->			Max Temp >=90: 0 Min Temp <=32: 0 Thunderstorms : 2				Min Temp <=32: 1 Min Temp <=0 : 0 Heavy Fog : 1				Precipitation >=.01 inch: 18 Precipitation >=.10 inch: Snowfall >=1.0 inch : M						
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																					Data Version: VER2					

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 06/2009											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								D a t e
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
																					5-second	2-minute	Speed	Dir	Speed	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	70	37*	54*	-9	40	49	11	0	0424	1922		M	M	M	0.00	29.86	30.03	3.1	20	4.3	21	250	16	230	01	
02	76	53	65	1	55	59	0	0	0424	1923	RA	M	M	M	T	29.78	29.94	1.0	22	2.6	14	280	10	240	02	
03	68	51	60	-4	51	54	5	0	0423	1924	RA	M	M	M	0.02	29.83	30.01	1.8	02	2.6	7s	190	5s	180	03	
04	72	54	63	-2	52	56	2	0	0423	1925	RA	M	M	M	0.04	29.80	29.97	0.2	32	1.3	17	150	9	020	04	
05	62	54	58	-7	55	56	7	0	0422	1925	RA	M	M	M	0.10	29.77	29.93	1.0	06	1.5	24	040	9	070	05	
06	80	54	67	2	56	60	0	2	0422	1926	FG+ BR	M	M	M	0.00	29.72	29.90	0.5	24	0.9	15	260	10	240	06	
07	82	51	67	2	56	60	0	2	0422	1927	RA	M	M	M	0.05	29.79	29.96	0.8	24	1.9	18	010	13	240	07	
08	79	57	68	3	56	60	0	3	0422	1927	RA BR	M	M	M	0.11	29.78	29.95	1.5	35	3.9	14	280	10	270	08	
09	68	58	63	-2	60	61	2	0	0421	1928	TSRA RA FG BR	M	M	M	1.18	29.73	29.90	4.1	13	4.4	23	160	13	320	09	
10	71	58	65	-1	60	62	0	0	0421	1928		M	M	M	T	29.76	29.92	2.1	13	3.3	15	140	10	140	10	
11	67	60	64	-2	61	61	1	0	0421	1929	RA BR	M	M	M	0.43	29.73	29.88	3.0	14	3.5	13	130	9	130	11	
12	80	60	70	4	63	65	0	5	0421	1930	RA BR	M	M	M	0.77	29.55	29.73	2.4	36	3.0	15	020	12	030	12	
13	76	61	69	3	61	64	0	4	0421	1930	RA BR	M	M	M	0.55	29.72	29.90	1.7	17	3.2	20	060	9	170	13	
14	77	59	68	1	58	61	0	3	0421	1930	TS RA BR	M	M	M	0.42	29.77	29.94	2.7	02	4.7	18	130	13	120	14	
15	73	57	65	-2	58	60	0	0	0421	1931	RA BR VCTS	M	M	M	0.59	29.85	30.03	1.1	18	2.9	20	310	14	320	15	
16	72	54	63	-4	55	58	2	0	0421	1931		M	M	M	0.00	30.01	30.19	1.8	17	2.6	13	160	9	170	16	
17	71	53	62	-5	51	56	3	0	0421	1932	RA	M	M	M	T	30.03	30.19	3.1	15	3.6	16	130	12	140	17	
18	65	57	61	-6	60	60	4	0	0421	1932	RA BR	M	M	M	2.00	29.78	29.91	2.5	14	2.8	16	130	12	130	18	
19	80	62	71	3	63	65	0	6	0421	1932	BR	M	M	M	T	29.59	29.75	1.3	31	1.7	14	300	10	320	19	
20	68	58	63	-5	62	63	2	0	0421	1933	RA BR	M	M	M	0.59	29.47	29.60	0.8	04	1.6	13	360	10	010	20	
21	78	62	70	2	64	65	0	5	0421	1933	RA BR	M	M	M	0.70	29.39	29.57	7.0	36	7.4	24	010	17	020	21	
22	74	63	69	1	61	64	0	4	0422	1933	RA BR	M	M	M	0.01	29.47	29.65	M	M	9.1	31	010	23	010	22	
23	82	65	74	6	60	65	0	9	0422	1933		M	M	M	0.00	29.55	29.72	8.8	01	9.2	23	030	17	040	23	
24	80	64	72	4	65	67	0	7	0422	1933	RA BR	M	M	M	0.41	29.58	29.75	3.2	03	3.7	20	360	15	350	24	
25	84	65	75*	6	65	68	0	10	0423	1934	RA	M	M	M	T	29.61	29.75	0.9	19	2.2	18	320	12	320	25	
26	82	62	72	3	65	66	0	7	0423	1934	TSRA BR	M	M	M	0.94	29.52	29.68	0.6	21	2.0	25	120	20	010	26	
27	76	60	68	-2	62	64	0	3	0423	1934	RA FG BR	M	M	M	0.03	29.54	29.71	2.5	30	3.4	20	300	15	290	27	
28	82	58	70	0	62	65	0	5	0424	1934	RA	M	M	M	0.00	29.47	29.61	1.9	02	2.8	14	340	12	320	28	
29	82	64	73	3	60	65	0	8	0424	1934		M	M	M	T	29.29	29.46	1.9	24	3.1	17	230	14	240	29	
30	84*	58	71	1	61	63	0	6	0425	1934	TS TSRA RA FG+ BR	M	M	M	0.31	29.38	29.56	1.4	16	3.0	33	290	21	280	30	
	75.4	57.6	66.5		58.6	61.4	1.3	3.0	<-----Monthly Averages Totals----->			M	M	9.26s	29.67	29.84	0.4	05	3.4	<Monthly Average						
	-3.0	2.3	-0.4	<-----Departure From Normal----->								5.53														
Degree Days Monthly Season to Date									Greatest 24-hr Precipitation: 2.00 Date: 18							Sea Level Pressure Date Time (LST)										
Total Departure Total Departure									Greatest 24-hr Snowfall: M Date: M							Maximum 30.26 17 0718										
Heating: 39 -3 M M									Greatest Snow Depth: M Date: M							Minimum 29.41 29 1641										
Cooling: 89 -8									Number of Days with ----->			Max Temp >=90: 0			Min Temp <=32: 0			Precipitation >=.01 inch: 19								
												Max Temp <=32: 0			Min Temp <=0 : 0			Precipitation >=.10 inch:								
												Thunderstorms : 5			Heavy Fog : 2			Snowfall >=1.0 inch : M								
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																										
																				Data Version: VER2						

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA

Effective January, 2005, flags will be available for most data elements:

If data are suspect:

s will appended to the value on the web form

s will be placed in a column following the suspect value in the ASCII form

If data are flagged as erroneous, it will not be printed.

**NOTICE OF CHANGE:

Effective July 28, 2000, observations contained in the Quality Controlled Local Climatological Data Hourly Observations table are reported in whole degrees Fahrenheit. The dry bulb, dew point and wet bulb temperatures were originally reported to the nearest tenth of a degree Fahrenheit. The Automated Surface Observing System (ASOS) records temperatures and dew points in whole degrees Fahrenheit and converts these values to the nearest tenth of a degree Celsius for observation transmission. Until this date, these values online have incorrectly been converted back to the nearest tenth of a degree Fahrenheit, implying a level of precision that is not present at the instrument level. We apologize for any inconvenience this may cause.

The Automated Weather Observing System (AWOS) generally records temperatures and dew points in whole degrees Fahrenheit and converts these values to the nearest whole degree Celsius for observation transmission. Also, AWOS stations will often have less data (i.e., fewer weather elements) than ASOS stations.

NCDC forms contain:

whole degree Celsius temperature values for AWOS stations

tenths degrees Celsius temperature values for ASOS stations

FORMAT FOR DAILY TABLE

COLUMN	TERMINOLOGY
1	DATE
Temp	Degrees Fahrenheit
2	MAXIMUM
3	MINIMUM
4	AVERAGE
5	DEPARTURE FROM NORMAL
6	AVERAGE DEW POINT
7	AVERAGE WET BULB
Degree Days: Base 65 F	
8	HEATING (SEASON BEGINS WITH JULY)
9	COOLING (SEASON BEGINS WITH JANUARY)
10	SUNRISE (Calculated, not observed)
11	SUNSET (Calculated, not observed)
Significant Weather Types	Weather Phenomena
12	+FC TORNADO/WATERSPOUT FC FUNNEL CLOUD TS THUNDERSTORM GR HAIL RA RAIN

	DZ DRIZZLE SN SNOW SG SNOW GRAINS GS SMALL HAIL &/OR SNOW PELLETS PL ICE PELLETS IC CRYSTALS FG+ HEAVY FOG (FG & LE.25 MILES VISIBILITY) FG FOG BR MIST UP UNKNOWN PRECIPITATION HZ HAZE FU SMOKE VA VOLCANIC ASH DU WIDESPREAD DUST DS DUSTSTORM PO SAND/DUST WHIRLS SA SAND SS SANDSTORM PY SPRAY SQ SQUALL DR LOW DRIFTING SH SHOWER FZ FREEZING MI SHALLOW PR PARTIAL BC PATCHES BL BLOWING VC VICINITY - LIGHT + HEAVY "NO SIGN" MODERATE
Snow/Ice	INCHES
13	SNOW/ICE (ON GROUND)(0600 LST) T = TRACE
14	WATER EQUIVALENT (1200 LST) M = MISSING DATA
Precipitation:	INCHES (24-HR PERIOD ENDING AT INDICATED LOCAL STANDARD TIME)
15	SNOWFALL (INCHES AND TENTHS)(2400 LST)* T = TRACE
16	WATER EQUIVALENT(INCHES & HUNDREDTHS(2400 LST) RAINFALL & MELTED SNOW M = MISSING DATA T = TRACE
Pressure	INCHES OF HG
17	AVERAGE STATION PRESSURE
18	AVERAGE SEA LEVEL PRESSURE
Wind	SPEED IN MILES PER HOUR DIRECTION TO TENS OF DEGREES
19	RESULTANT WIND SPEED
20	RESULTANT DIRECTION - (WHOLE DEGREES)
21	AVERAGE SPEED
22	MAXIMUM 5 SECOND SPEED
23	MAXIMUM 5 SECOND DIRECTION
24	MAXIMUM 2 MINUTE SPEED
25	MAXIMUM 2 MINUTE DIRECTION
26	DATE
	NOTE: RESULTANT WIND IS THE VECTOR SUM OF WIND SPEEDS AND DIRECTIONS

Appendix D

Groundwater Analytical Data (Organics): January 1, 2009 to June 30, 2009

Groundwater Analytical Data (Inorganics): January 1, 2009 to June 30, 2009

Groundwater Analytical Data (Organics): Shutdown Sampling Non-CAM Wells

Groundwater Analytical Data (Organics): B/322 Investigation Sampling Non-CAM Wells

Groundwater Analytical Data (Inorganics): B/322 Investigation Sampling Non-CAM Wells

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	007		007	010		015	016	035
Sample Description	GROUNDWATER		REPLICATE	GROUNDWATER		GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	02/23/2009		02/23/2009	03/11/2009		02/25/2009	02/25/2009	03/16/2009
Laboratory Sample I.D.	R0900989-004		R0900989-007	R0901404-005		R0901057-007	R0901057-008	R0901476-007
Sample Comment Codes								
Parameter	Units							
Base/Neutral Extractables								
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
Volatile Organics								
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	1.4		ND@20	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	9.9		ND@20	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	1.0 J		ND@20	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0		ND@100	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	1.9		120	1.5	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	21	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0		ND@40	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	33		3800	22	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	9.5		100	3.1	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@20	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	035		046		048		048		053		054	
Sample Description	REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	03/16/2009		03/05/2009		01/15/2009		04/15/2009		03/17/2009		03/05/2009	
Laboratory Sample I.D.	R0901476-008		R0901235-008		R0900274-004		R0902115-006		R0901504-008		R0901235-007	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		0.53 J		1.2
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		1.5		4.3		ND@1.0		1.0		0.94 J
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		0.73 J		2.7
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

November 12, 2009

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		059	060	060	061	063	064
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/23/2009	03/23/2009	03/23/2009	03/23/2009	03/27/2009	01/19/2009
Laboratory Sample I.D.		R0901619-008	R0901619-009	R0901619-010	R0901619-011	R0901726-006	R0900317-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.3 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.44 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		064	065	065	065	066	066
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		04/16/2009	01/19/2009	04/16/2009	04/16/2009	01/14/2009	04/16/2009
Laboratory Sample I.D.		R0902134-004	R0900317-005	R0902134-009	R0902134-010	R0900258-007	R0902134-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.3	0.32 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		067		067		067		068		068		069	
Sample Description		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date		01/15/2009		01/15/2009		04/16/2009		01/22/2009		01/22/2009		03/05/2009	
Laboratory Sample I.D.		R0900274-006		R0900274-010		R0902134-005		R0900395-004		R0902242-006		R0901235-006	
Sample Comment Codes													
Parameter	Units												
Base/Neutral Extractables													
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
Volatile Organics													
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0	
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		0.69 J		ND@1.0		ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	

November 12, 2009

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		085		085		087		103		104		105	
Sample Description		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date		03/17/2009		03/17/2009		03/17/2009		03/09/2009		03/09/2009		02/25/2009	
Laboratory Sample I.D.		R0901504-006		R0901504-007		R0901504-005		R0901344-007		R0901344-008		R0901057-004	
Sample Comment Codes													
Parameter	Units												
Base/Neutral Extractables													
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics													
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.57 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.83 J	ND@1.0	0.80 J	ND@1.0	ND@1.0	ND@1.0	1.5
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.78 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.39 J

November 12, 2009

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		106	108	109	113	113	118
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/25/2009	02/16/2009	02/16/2009	01/14/2009	05/27/2009	02/25/2009
Laboratory Sample I.D.		R0901057-005	R0900881-006	R0900881-007	R0900258-006	R0903003-004	R0901057-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1800
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5000
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2000
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
TETRACHLOROETHYLENE	ug/l	0.47 J	ND@1.0	ND@1.0	2.7	2.6	180000
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	2.0	ND@1.0	ND@1.0	1900
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1000

November 12, 2009

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		143	145	146	150	151	156
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/19/2009	03/19/2009	03/19/2009	03/09/2009	02/24/2009	02/24/2009
Laboratory Sample I.D.		R0901569-008	R0901569-006	R0901569-005	R0901344-004	R0901021-004	R0901021-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.8 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	4.7	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		161	166	167	178	181	204
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/11/2009	03/31/2009	03/31/2009	03/23/2009	03/26/2009	02/19/2009
Laboratory Sample I.D.		R0901404-006	R0901783-004	R0901783-005	R0901619-007	R0901687-005	R0900939-010
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	3.1	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	4.6 J	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	52	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	45	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.6	56	0.25 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.91 J	19	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	25	ND@1.0

November 12, 2009

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		204	400	401	401	402	403
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		06/23/2009	04/09/2009	04/09/2009	04/09/2009	04/09/2009	03/31/2009
Laboratory Sample I.D.		R0903503-001	R0901974-008	R0901974-007	R0901974-009	R0901974-006	R0901783-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.54 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		404	407	407	408	410	412
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/31/2009	03/30/2009	03/30/2009	04/29/2009	04/09/2009	04/09/2009
Laboratory Sample I.D.		R0901783-007	R0901756-004	R0901756-005	R0902432-008	R0901974-005	R0901974-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		415	416	417	423	424	502
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/30/2009	03/31/2009	03/30/2009	04/21/2009	04/21/2009	01/09/2009
Laboratory Sample I.D.		R0901756-007	R0901783-006	R0901756-006	R0902213-004	R0902213-005	R0900185-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.83 J	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	502		503		503		515		515		
Sample Description	GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER		
Sample Date	04/17/2009		04/17/2009		01/09/2009		04/23/2009		04/23/2009		
Laboratory Sample I.D.	R0902176-006		R0902176-007		R0900185-006		R0902278-008		R0900258-004		
Sample Comment Codes											
Parameter	Units										
Base/Neutral Extractables											
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
Volatile Organics											
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ACETONE	ug/l	ND@5.0	1.3 J		ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0		ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TOLUENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	

November 12, 2009

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		520	520	521	521	535	535
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/13/2009	04/27/2009	01/13/2009	04/28/2009	02/16/2009	04/27/2009
Laboratory Sample I.D.		R0900228-006	R0902363-008	R0900228-007	R0902400-004	R0900881-005	R0902363-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		543	543	545	545	545	559
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		01/15/2009	04/15/2009	01/15/2009	01/15/2009	04/15/2009	03/09/2009
Laboratory Sample I.D.		R0900274-007	R0902115-005	R0900274-005	R0900274-011	R0902115-007	R0901344-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	5.3
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	9.3
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.7 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@10
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	230
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@4.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.51 J	41
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	190
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	3.1

November 12, 2009

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		561	563	564	571	571	572
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/19/2009	03/09/2009	03/19/2009	01/15/2009	04/15/2009	04/15/2009
Laboratory Sample I.D.		R0901569-007	R0901344-005	R0901569-004	R0900274-009	R0902115-009	R0902115-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@13000
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
CIS-1,2-DICHLOROETHYLENE	ug/l	10	1.9	ND@1.0	ND@1.0	ND@1.0	1500 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@5000
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
TETRACHLOROETHYLENE	ug/l	11	1.7	ND@1.0	ND@1.0	ND@1.0	99000
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
TRICHLOROETHYLENE	ug/l	3.4	3.1	ND@1.0	ND@1.0	ND@1.0	ND@2500
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2500

November 12, 2009

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		574	576	577	578	578	579
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		04/29/2009	03/27/2009	02/16/2009	02/09/2009	02/09/2009	04/29/2009
Laboratory Sample I.D.		R0902432-007	R0901726-004	R0900881-008	R0900706-005	R0900706-006	R0902432-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@250	3.7	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@250	2.0 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@1300	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@500	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	24000	18	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@250	1.9	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@250	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		579	580	580	581	600	600
Sample Description		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		04/29/2009	02/19/2009	06/23/2009	02/19/2009	03/18/2009	03/18/2009
Laboratory Sample I.D.		R0902432-005	R0900939-008	R0903503-005	R0900939-012	R0901555-007	R0901555-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.34 J	0.49 J	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		601	602	603	604	607	607
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/18/2009	03/18/2009	03/27/2009	03/20/2009	01/29/2009	03/17/2009
Laboratory Sample I.D.		R0901555-009	R0901555-006	R0901726-005	R0901570-006	R0900514-004	R0901504-010
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	37	24
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@100	ND@100
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
CIS-1,2-DICHLOROETHYLENE	ug/l	0.64 J	ND@1.0	ND@1.0	ND@1.0	1200	390
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@40	ND@40
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.45 J	ND@1.0	ND@1.0	2800	2600
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	200	110
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20

November 12, 2009

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		608	609	610	611	622	622
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		06/10/2009	04/13/2009	03/23/2009	04/14/2009	04/13/2009	04/13/2009
Laboratory Sample I.D.		R0903312-004	R0902006-005	R0901619-006	R0902060-006	R0902006-007	R0902006-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	1.1	120	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	0.95 J	0.96 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@100	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	260	ND@1.0	4.7	4.9
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@40	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	6.6	15	2100	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	9.5	1300	ND@1.0	2.0	2.2
TRICHLOROFLUOROMETHANE	ug/l	0.52 J	0.84 J	ND@20	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		623	624	627	627	701	701
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		04/14/2009	04/13/2009	02/19/2009	06/23/2009	02/20/2009	02/20/2009
Laboratory Sample I.D.		R0902060-004	R0902006-006	R0900939-006	R0903503-007	R0900959-004	R0900959-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.0	ND@1.0	5.6	24	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.0	ND@1.0	2.1 J	22	ND@1.0	ND@1.0
ACETONE	ug/l	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@2.0	1.2	37	170	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@4.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	300	18	2.3	9.4	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@2.0	5.0	1.5	8.8	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

21-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		702	704	706	711	714	716
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/19/2009	02/09/2009	02/23/2009	02/16/2009	03/11/2009	02/26/2009
Laboratory Sample I.D.		R0900939-016	R0900706-004	R0900989-005	R0900881-004	R0901404-004	R0901063-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.3	ND@2.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	29	49
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.55 J	ND@1.0	ND@5.0	ND@2.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@25	ND@13
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	150	ND@1.0	33	ND@2.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@10	ND@5.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
TETRACHLOROETHYLENE	ug/l	1.2	ND@1.0	140	ND@1.0	520	420
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	61	ND@1.0	78	7.9
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@2.5
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	9.2	ND@1.0	ND@5.0	ND@2.5

November 12, 2009

IBM Corporation

22-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		720	722	735	735	739	740
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		06/10/2009	02/26/2009	02/19/2009	06/23/2009	04/14/2009	03/12/2009
Laboratory Sample I.D.		R0903312-006	R0901063-004	R0900939-004	R0903503-003	R0902060-005	R0901408-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	40	120	2.5	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	0.79 J
ACETONE	ug/l	2.0 J	ND@5.0	ND@50	19 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	210	370	ND@1.0	8.1
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@20	ND@20	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.8	0.24 J	970	850	3.3	4.2
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	41	39	ND@1.0	8.6
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@10	ND@10	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

23-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	740		742		742		743		744		744	
Sample Description	GROUNDWATER		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	06/29/2009		02/24/2009		02/24/2009		03/17/2009		03/17/2009		04/28/2009	
Laboratory Sample I.D.	R0903503-043		R0901021-007		R0901021-008		R0901504-004		R0900317-008		R0902400-006	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.70 J		2.9		2.8		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	6.2		1.1		1.1		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	6.6		12		12		ND@1.0		ND@1.0		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	9.9		3.1		3.2		ND@1.0		0.46 J		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

November 12, 2009

IBM Corporation

24-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	744	745	745	751	753	754
Sample Description	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/28/2009	01/19/2009	04/28/2009	04/20/2009	04/20/2009	04/22/2009
Laboratory Sample I.D.	R0902400-007	R0900317-009	R0902400-005	R0902175-004	R0902175-006	R0902242-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	1.6	0.86 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

25-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	755	755	756	757	757	761
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	01/22/2009	04/22/2009	04/21/2009	01/29/2009	04/16/2009	02/19/2009
Laboratory Sample I.D.	R0900395-006	R0902242-005	R0902213-006	R0900514-005	R0902134-007	R0900939-014
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.54 J	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.71 J	0.66 J	5.4	1.6	0.99 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	3.8	2.5
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

26-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		763	766	766	767	767	768
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/24/2009	02/24/2009	06/24/2009	03/12/2009	06/25/2009	03/12/2009
Laboratory Sample I.D.		R0901021-012	R0901021-009	R0903503-016	R0901408-004	R0903503-029	R0901404-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	4.9	5.0	1.5	1.4	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.48 J	37	38	15	10	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.3	1.3	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	19	13	54	46	9.4
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	1.4	1.1	0.99 J	0.84 J	8.8
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	3.1	2.5	5.3	5.2	12
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	2.7	1.6	4.7	4.7	ND@1.0

November 12, 2009

IBM Corporation

27-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		768	769	769	769	771	771
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		06/24/2009	02/24/2009	02/24/2009	06/24/2009	03/16/2009	06/25/2009
Laboratory Sample I.D.		R0903503-018	R0901021-010	R0901021-011	R0903503-020	R0901476-006	R0903503-031
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.60 J	1.1	1.0	4.4	2.6	3.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.4	0.55 J	0.49 J	2.1	0.96 J	0.80 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	17	3.0	3.3	7.9	24	23
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	14	4.6	4.8	4.5	0.86 J	1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	18	9.3	9.5	12	1.4	1.4
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

28-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		772	772	772	772	773	773
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/29/2009	01/29/2009	04/28/2009	06/25/2009	01/22/2009	04/28/2009
Laboratory Sample I.D.		R0900514-006	R0900514-007	R0902400-011	R0903503-025	R0900395-008	R0902400-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.2	2.3	1.6	1.9	0.50 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.72 J	0.61 J	0.67 J	0.68 J	0.48 J	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

29-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		774	774	774	774	775	775
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE
Sample Date		01/22/2009	01/22/2009	04/28/2009	04/28/2009	03/11/2009	03/11/2009
Laboratory Sample I.D.		R0900395-010	R0900395-012	R0902400-009	R0902400-010	R0901408-006	R0901408-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBEZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

30-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		777	779	789	791	792	793
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/09/2009	02/23/2009	03/11/2009	03/12/2009	03/16/2009	04/29/2009
Laboratory Sample I.D.		R0900706-007	R0900989-009	R0901408-008	R0901404-008	R0901476-005	R0902432-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.69 J
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.2
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.51 J
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	13
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	3.7
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.7
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	4.7
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

31-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		793	832	832	857	857	858
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		06/29/2009	01/15/2009	04/15/2009	01/13/2009	04/27/2009	01/13/2009
Laboratory Sample I.D.		R0903503-038	R0900274-008	R0902115-008	R0900228-005	R0902363-006	R0900228-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	0.62 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.91 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	0.44 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	11	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	3.3	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	2.9	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	4.4	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

32-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	858	859	859	860	860	861
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/27/2009	01/08/2009	05/11/2009	01/08/2009	04/30/2009	01/09/2009
Laboratory Sample I.D.	R0902363-007	R0900144-004	R0902630-013	R0900144-005	R0902430-004	R0900185-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

33-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	861	862	862	921	922	923
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/30/2009	01/09/2009	04/30/2009	03/24/2009	04/13/2009	03/26/2009
Laboratory Sample I.D.	R0902430-005	R0900185-005	R0902430-006	R0901642-004	R0902006-004	R0901687-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	0.97 J	0.71 J	1.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.3 J
ACETONE	ug/l	2.1 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	11	6.7	59
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	1.6	ND@1.0	80
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	6.3	3.0	37
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.3	0.55 J

November 12, 2009

IBM Corporation

34-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		929	931	932	941	943	944
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/17/2009	03/23/2009	03/26/2009	03/18/2009	03/05/2009	03/05/2009
Laboratory Sample I.D.		R0901504-009	R0901619-012	R0901687-006	R0901555-004	R0901235-004	R0901235-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	1.1	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.5	1.6 J	3.5	110	2.6	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	0.61 J	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.83 J	ND@2.5	1.9 J	ND@25	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@13	ND@5.0	ND@130	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	7.9	20	22	590	4.6	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@5.0	ND@2.0	ND@50	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	190	470	9.5	4100	7.4	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	7.0	9.1	17	2200	8.6	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@2.5	ND@1.0	ND@25	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

35-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		952	953	954	956	958	958
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/16/2009	03/18/2009	03/20/2009	03/20/2009	01/14/2009	04/27/2009
Laboratory Sample I.D.		R0901476-004	R0901555-005	R0901570-004	R0901570-005	R0900258-005	R0902363-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.84 J	ND@2.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	0.73 J	ND@2.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@10	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	150	37	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@4.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	160	31	220	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	19	32	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	5.1	2.1	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

36-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		959	960	963	963	964	964
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/27/2009	02/27/2009	01/13/2009	04/16/2009	01/13/2009	04/16/2009
Laboratory Sample I.D.		R0901106-004	R0901106-005	R0900228-008	R0902134-008	R0900228-009	R0902134-011
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	23	22	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	0.38 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	1.1	1.1	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.9	2.9	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	0.77 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.5 J	1.7 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	0.40 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	150	100	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	70	81	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	34	38	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	11	11	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

37-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		964	965	966	987	987	987
Sample Description		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		04/16/2009	03/24/2009	03/24/2009	01/08/2009	01/08/2009	04/17/2009
Laboratory Sample I.D.		R0902134-012	R0901642-005	R0901642-006	R0900144-006	R0900144-008	R0902176-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.3 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	0.98 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.49 J	3.1	0.27 J	0.21 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	0.97 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	1.6	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

38-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location		990	990	998	999	999
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		01/08/2009	04/17/2009	02/20/2009	02/23/2009	02/23/2009
Laboratory Sample I.D.		R0900144-007	R0902176-005	R0900959-008	R0900989-006	R0900989-008
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	1.2	0.54 J	0.51 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	2.0	1.8	ND@1.0	1.1	1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	0.39 J	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

39-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location	007	007	010	015	016	035	
Sample Description	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	02/23/2009	02/23/2009	03/11/2009	02/25/2009	02/25/2009	03/16/2009	
Laboratory Sample I.D.	R0900989-004	R0900991-004	R0901404-005	R0901057-007	R0901057-008	R0901476-007	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.12	0.10	ND@0.10	3.06	0.62	0.08 J
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	NA	ND@0.0050
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	NA	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	0.0315	0.156	ND@0.0010	0.0051
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

November 12, 2009

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location	035	068	068	103	104	118	
Sample Description	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	03/16/2009	01/22/2009	04/22/2009	03/09/2009	03/09/2009	02/25/2009	
Laboratory Sample I.D.	R0901478-005	R0900395-004	R0902244-003	R0901344-007	R0901344-008	R0901061-001	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.08 J	0.07 J	0.09 J	ND@0.10	0.19 B	NA
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	NA	NA	NA
ARSENIC, TOTAL	mg/l	ND@0.0050	0.0090	ND@0.0050	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

November 12, 2009

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location		151	161	204	204	579	579
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		02/24/2009	03/11/2009	02/19/2009	06/23/2009	04/29/2009	04/29/2009
Laboratory Sample I.D.		R0901024-001	R0901404-006	R0900982-004	R0903503-001	R0902432-004	R0902434-002
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.39	0.10	0.21	0.24 B	0.11	0.1 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	NA	ND@0.010	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	NA	0.005 J	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	0.006 J	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0048	ND@0.0010	0.579	0.702	ND@0.0010	ND@0.0010
NICKEL, DISSOLVED	mg/l	NA	NA	NA	0.077	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	0.182	NA	NA

November 12, 2009

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location		580	580	580	581	627	627
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/19/2009	06/01/2009	06/23/2009	02/19/2009	02/19/2009	06/01/2009
Laboratory Sample I.D.		R0900982-003	R0903049-001	R0903503-006	R0900939-012	R0900982-002	R0903049-002
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	157	209	235	0.09 J	211	130
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	NA	ND@0.010	NA	ND@0.0050	NA
ARSENIC, TOTAL	mg/l	ND@0.0050	NA	0.008 J	NA	ND@0.0050	NA
CHROMIUM, DISSOLVED	mg/l	0.0058	NA	0.003 J	ND@0.0010	0.0044	NA
CHROMIUM, TOTAL	mg/l	0.0111	NA	0.337	0.0453	0.0080	NA
NICKEL, DISSOLVED	mg/l	NA	NA	0.086	NA	0.846	NA
NICKEL, TOTAL	mg/l	NA	NA	0.169	NA	0.820	NA

November 12, 2009

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location	627	701	701	702	706	714	
Sample Description	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	06/23/2009	02/20/2009	02/20/2009	02/19/2009	02/23/2009	03/11/2009	
Laboratory Sample I.D.	R0903503-007	R0900979-001	R0900979-002	R0900939-016	R0900989-005	R0901406-001	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	106	0.08 J	0.08 J	0.09 J	0.23	0.07 BJ
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.010	NA	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	ND@0.010	NA	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	0.002 J	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.002 J	0.0624	0.0562	0.0203	ND@0.0010	0.0056
NICKEL, DISSOLVED	mg/l	0.485	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	0.485	NA	NA	NA	NA	NA

November 12, 2009

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location	720	735	735	740	740	740	
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	06/10/2009	02/19/2009	06/23/2009	03/12/2009	06/29/2009	06/30/2009	
Laboratory Sample I.D.	R0903315-001	R0900982-001	R0903503-003	R0901408-005	R0903503-044	R0903503-046	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.08 J	15.2	34.0	6.88	NA	7.71
Metals							
ARSENIC, DISSOLVED	mg/l	NA	ND@0.0050	ND@0.010	ND@0.0050	ND@0.010	NA
ARSENIC, TOTAL	mg/l	NA	ND@0.0050	ND@0.010	ND@0.0050	ND@0.010	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.010	ND@0.0010	ND@0.010	NA
CHROMIUM, TOTAL	mg/l	0.0026	ND@0.0010	ND@0.010	0.0095	0.008 J	NA
NICKEL, DISSOLVED	mg/l	NA	0.0142	0.016 J	NA	ND@0.040	NA
NICKEL, TOTAL	mg/l	NA	0.0143	0.016 J	NA	0.009 J	NA

November 12, 2009

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location		742	742	743	744	744	744
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		02/24/2009	02/24/2009	03/17/2009	01/19/2009	04/28/2009	04/28/2009
Laboratory Sample I.D.		R0901021-007	R0901021-008	R0901508-001	R0900317-008	R0902400-006	R0902400-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.10	0.10	0.06 J	0.08 J	0.05 J	0.06 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	NA	NA	NA
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	0.0051	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0088	0.0099	0.0099	ND@0.0010	ND@0.0010	ND@0.0010
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

November 12, 2009

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location		745	745	751	753	754	755
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/19/2009	04/28/2009	04/20/2009	04/20/2009	04/22/2009	01/22/2009
Laboratory Sample I.D.		R0900317-009	R0902400-005	R0902175-005	R0902175-007	R0902242-004	R0900395-006
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.10	0.08 J	0.19	0.11	0.07 J	0.17
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0068	ND@0.0010	0.0417	ND@0.0010	0.0065	ND@0.0010
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

November 12, 2009

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location	755	756	761	763	766	766	
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	04/22/2009	04/21/2009	02/19/2009	02/24/2009	02/24/2009	06/24/2009	
Laboratory Sample I.D.	R0902242-005	R0902213-007	R0900939-014	R0901021-012	R0901021-009	R0903503-016	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.18	0.1 J	0.09 J	0.09 J	5.04	4.69
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.010	ND@0.0050	NA	NA	ND@0.0050	0.007 J
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	NA	NA	0.0323	0.049
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	2.11	0.0409	1.31	4.88
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	0.169	0.700
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	0.353	0.918

November 12, 2009

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location	767		767		768		768		769		769	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE	
Sample Date	03/12/2009		06/25/2009		03/12/2009		06/24/2009		02/24/2009		02/24/2009	
Laboratory Sample I.D.	R0901408-004		R0903503-029		R0901404-007		R0903503-018		R0901024-005		R0901024-006	
Sample Comment Codes												
Parameter	Units											
Inorganics												
FLUORIDE	mg/l	6.90	6.04		0.33 B	0.11		ND@0.10		ND@0.10		
Metals												
ARSENIC, DISSOLVED	mg/l	0.0281	0.028		ND@0.0050	ND@0.010		ND@0.0050		ND@0.0050		
ARSENIC, TOTAL	mg/l	0.0344	0.076		ND@0.0050	0.022		0.0226		0.0218		
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	0.012		ND@0.0010	0.003 J		ND@0.0010		ND@0.0010		
CHROMIUM, TOTAL	mg/l	0.689	14.2		0.0255	8.27		2.62		2.73		
NICKEL, DISSOLVED	mg/l	NA	0.059		0.109	0.099		0.0961		0.0957		
NICKEL, TOTAL	mg/l	NA	0.254		0.114	0.737		0.386		0.411		

November 12, 2009

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location	769	771	771	772	772	772	
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	
Sample Date	06/24/2009	03/16/2009	06/25/2009	01/29/2009	01/29/2009	04/28/2009	
Laboratory Sample I.D.	R0903503-020	R0901478-003	R0903503-031	R0900514-006	R0900514-007	R0902400-011	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.08 J	0.05 J	0.08 J	0.12	0.11	0.08 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.010	ND@0.0050	ND@0.010	ND@0.010	ND@0.010	ND@0.0050
ARSENIC, TOTAL	mg/l	0.016	0.0503	ND@0.010	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.010	0.0061	ND@0.010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	1.93	14.1	0.711	0.0315	0.0365	0.187
NICKEL, DISSOLVED	mg/l	0.028 J	NA	1.03	0.0162	0.0162	NA
NICKEL, TOTAL	mg/l	0.305	NA	0.981	0.0197	0.0193	NA

November 12, 2009

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location	772	773	773	774	774	774
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date	06/25/2009	01/22/2009	04/28/2009	01/22/2009	01/22/2009	04/28/2009
Laboratory Sample I.D.	R0903503-025	R0900395-008	R0902400-008	R0900395-010	R0900399-005	R0902402-005
Sample Comment Codes						
Parameter	Units					
Inorganics						
FLUORIDE	mg/l	0.14	0.10	0.07 J	0.17 J	0.17 J
Metals						
ARSENIC, DISSOLVED	mg/l	ND@0.010	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.010	ND@0.0050	0.0041 J	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.010	0.0047	0.0092	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.034	0.172	0.272	0.0144	0.0117
NICKEL, DISSOLVED	mg/l	0.02 J	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	0.021 J	NA	NA	NA	NA

November 12, 2009

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location	774	775	775	789	791	792	
Sample Description	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	04/28/2009	03/11/2009	03/11/2009	03/11/2009	03/12/2009	03/16/2009	
Laboratory Sample I.D.	R0902402-006	R0901408-006	R0901408-007	R0901410-003	R0901404-008	R0901478-002	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.06 J	ND@0.10	0.11	0.17	0.12 B	0.11
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	0.0205	0.0187	0.0252
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	0.0042	0.0038	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0100	0.0665	0.0574	1.51	2.73	5.05
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

November 12, 2009

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2009 - June 30, 2009

Sample Location		793	793	952	959	960	998
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/29/2009	06/29/2009	03/16/2009	02/27/2009	02/27/2009	02/20/2009
Laboratory Sample I.D.		R0902432-006	R0903503-038	R0901478-001	R0901110-001	R0901110-002	R0900959-008
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.31	0.31	0.06 J	0.19	0.26	ND@0.20
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.010	ND@0.0050	ND@0.0050	ND@0.0050	NA
ARSENIC, TOTAL	mg/l	0.0043 J	ND@0.010	ND@0.0050	0.0090	ND@0.0050	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	0.004 J	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.491	0.597	ND@0.0010	ND@0.0010	ND@0.0010	0.0076
NICKEL, DISSOLVED	mg/l	0.0829	0.081	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	0.159	0.120	NA	NA	NA	NA

November 12, 2009

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics
January 1, 2009 - June 30, 2009

Sample Location	999	999
Sample Description	GROUNDWATER	REPLICATE
Sample Date	02/23/2009	02/23/2009
Laboratory Sample I.D.	R0900989-006	R0900991-005
Sample Comment Codes		

Parameter	Units		
Inorganics			
FLUORIDE	mg/l	0.08 J	ND@0.10
Metals			
ARSENIC, DISSOLVED	mg/l	NA	NA
ARSENIC, TOTAL	mg/l	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010
NICKEL, DISSOLVED	mg/l	NA	NA
NICKEL, TOTAL	mg/l	NA	NA

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

B	Compound detected in the associated method blank at a concentration that may have contributed to the sample result
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAM Well Organics Data
January 1, 2009 - June 30, 2009

Sample Location	606	732	734	737
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	06/15/2009	06/10/2009	06/15/2009	06/15/2009
Laboratory Sample I.D.	R0903377-004	R0903312-005	R0903377-006	R0903377-005
Sample Comment Codes				
Parameter	Units			
Base/Neutral Extractables				
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
Volatile Organics				
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.75 J	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	630	5.1
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	41	ND@1.0
ACETONE	ug/l	ND@5.0	ND@130	ND@5.0
BENZENE	ug/l	ND@1.0	ND@25	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@25	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	670	2.2
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@25	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@25	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@50	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@25	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@25	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	4800	75
TOLUENE	ug/l	ND@1.0	ND@25	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	1400	12
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	13 J	0.70 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@25	ND@1.0

November 12, 2009

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAM Well Organics Data
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

IBM East Fishkill Facility
B/322 Investigation Sampling - Non-CAM Well Organics Data
January 1, 2009 - June 30, 2009

Sample Location	224
Sample Description	GROUNDWATER
Sample Date	06/25/2009
Laboratory Sample I.D.	R0903503-027
Sample Comment Codes	

Parameter	Units	
Base/Neutral Extractables		
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0
Volatile Organics		
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0
ACETONE	ug/l	ND@5.0
BENZENE	ug/l	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0
M,P-XYLENE	ug/l	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0
O-XYLENE	ug/l	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0
TOLUENE	ug/l	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0

IBM East Fishkill Facility
B/322 Investigation Sampling - Non-CAM Well Organics Data
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

IBM East Fishkill Facility
B/322 Investigation Sampling - Non CAM Well Inorganics Data
January 1, 2009 - June 30, 2009

Sample Location	224
Sample Description	GROUNDWATER
Sample Date	06/25/2009
Laboratory Sample I.D.	R0903503-027
Sample Comment Codes	

Parameter	Units	
Inorganics		
FLUORIDE	mg/l	0.09 J
Metals		
ARSENIC, DISSOLVED	mg/l	ND@0.010
ARSENIC, TOTAL	mg/l	0.088
CHROMIUM, DISSOLVED	mg/l	ND@0.010
CHROMIUM, TOTAL	mg/l	0.191
NICKEL, DISSOLVED	mg/l	ND@0.040
NICKEL, TOTAL	mg/l	0.242

IBM East Fishkill Facility
B/322 Investigation Sampling - Non CAM Well Inorganics Data
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

Appendix E

Production Well Analytical Data (Organics): January 1, 2009 to June 30, 2009
Production Well Analytical Data (Inorganics): January 1, 2009 to June 30, 2009

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1
Sample Description	PUMPING WELL	REPLICATE	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL
Sample Date	01/05/2009	01/05/2009	02/02/2009	02/02/2009	03/02/2009	04/01/2009
Laboratory Sample I.D.	R0900075-004	R0900075-005	R0900555-008	R0900555-009	R0901213-006	R0901787-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.5	2.8	2.4	2.6	3.2	3.7
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.2	2.3	2.3	2.3	2.4	2.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	22	23	24	25	24	23
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	8.8	9.1	9.2	9.5	11	10
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	PW- 1	PW- 1	PW- 1	PW- 2	PW- 2	PW- 2
Sample Description	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	04/01/2009	05/04/2009	06/08/2009	01/05/2009	02/02/2009	03/02/2009
Laboratory Sample I.D.	R0901787-008	R0902539-004	R0903210-004	R0900075-006	R0900555-005	R0901213-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.2	2.9	2.9	230	200	290
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	200 J	290 J	210 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
CIS-1,2-DICHLOROETHYLENE	ug/l	2.4	2.4	2.4	1000	1100	1100
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@200	ND@200	ND@200
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
TETRACHLOROETHYLENE	ug/l	23	24	26	12000	12000	11000
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
TRICHLOROETHYLENE	ug/l	10	9.6	10	1900	1700	1800
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	100	73 J	81 J

November 12, 2009

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	PW- 2	PW- 2	PW- 2	PW- 4	PW- 4	PW- 4
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	04/01/2009	05/04/2009	06/08/2009	01/05/2009	02/02/2009	03/02/2009
Laboratory Sample I.D.	R0901787-007	R0902539-005	R0903210-005	R0900075-007	R0900555-004	R0901213-005
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	360	240	220	5.4	5.0
1,1-DICHLOROETHYLENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@50	ND@100	ND@50	0.33 J	0.36 J
ACETONE	ug/l	250	250 J	380	ND@5.0	ND@5.0
BENZENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	990	950	870	4.1	3.8
DICHLORODIFLUOROMETHANE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@100	ND@200	ND@100	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	9700	10000	8900	170	180
TOLUENE	ug/l	ND@50	ND@100	ND@50	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1600	1500	1400	59	54
TRICHLOROFLUOROMETHANE	ug/l	ND@50	ND@100	ND@50	1.2	1.0
VINYL CHLORIDE	ug/l	61	69 J	55	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

3-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	PW- 4	PW- 4	PW- 4	PW- 5	PW- 5	PW- 5
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	04/01/2009	05/04/2009	06/08/2009	01/21/2009	02/04/2009	03/04/2009
Laboratory Sample I.D.	R0901787-005	R0902539-006	R0903210-006	R0900377-004	R0900651-004	R0901233-004
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	6.4	6.6	6.6	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	4.6	4.8	5.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	180	190	180	1.2	0.93 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	70	68	70	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	1.1	0.94 J	0.87 J	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

4-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	PW- 5	PW- 5	PW- 5	PW- 5	PW- 6	PW- 6
Sample Description	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	03/04/2009	04/08/2009	05/07/2009	06/09/2009	01/21/2009	02/04/2009
Laboratory Sample I.D.	R0901233-008	R0901968-006	R0902605-004	R0903286-004	R0900377-005	R0900651-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.2	1.0	ND@1.0	ND@1.0	0.44 J	0.42 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

5-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	PW- 6	PW- 6	PW- 6	PW- 6	PW- 7	PW- 7
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	03/04/2009	04/08/2009	05/07/2009	06/09/2009	01/21/2009	02/04/2009
Laboratory Sample I.D.	R0901233-005	R0901968-005	R0902605-005	R0903286-005	R0900377-006	R0900651-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.6	1.9
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.63 J	ND@1.0	ND@1.0	ND@1.0	8.6	6.5
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.2	1.9
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

6-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	PW- 7	PW- 7	PW- 7	PW- 7	PW- 7	PW-23
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL
Sample Date	03/04/2009	04/08/2009	05/07/2009	05/07/2009	06/09/2009	01/20/2009
Laboratory Sample I.D.	R0901233-009	R0901968-004	R0902605-006	R0902605-007	R0903286-006	R0900322-012
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.0	2.1	1.9	2.0	1.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	8.0	9.3	7.8	7.7	6.9
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1.9	2.0	1.8	1.8	1.7
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

7-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	PW-23	PW-23	PW-23	PW-23	PW-23	PW-25
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	02/02/2009	03/10/2009	04/08/2009	05/04/2009	06/08/2009	01/05/2009
Laboratory Sample I.D.	R0900555-006	R0901345-001	R0901968-007	R0902539-007	R0903210-007	R0900075-008
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	23
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@25
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	52
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@10
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	0.57 J	0.55 J	0.48 J	1.5	0.67 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	180
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0

November 12, 2009

IBM Corporation

8-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	PW-25	PW-25	PW-25	PW-25	PW-25	PW-25
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE
Sample Date	02/02/2009	03/02/2009	04/23/2009	05/04/2009	06/08/2009	06/08/2009
Laboratory Sample I.D.	R0900555-007	R0901213-007	R0902278-004	R0902539-008	R0903210-008	R0903210-009
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	20	28	19	21	22	23
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
ACETONE	ug/l	ND@25	ND@25	ND@25	ND@25	12 B	10 B
BENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
CHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
CIS-1,2-DICHLOROETHYLENE	ug/l	49	59	45	51	48	50
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
ETHYLBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
M,P-XYLENE	ug/l	ND@10	ND@10	ND@10	ND@10	ND@10	ND@8.0
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
O-XYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
TETRACHLOROETHYLENE	ug/l	630	610	500	540	560	590
TOLUENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
TRICHLOROETHYLENE	ug/l	180	200	160	180	180	180
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0
VINYL CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@4.0

November 12, 2009

IBM Corporation

9-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

B	Compound detected in the associated method blank at a concentration that may have contributed to the sample result
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2009 - June 30, 2009

Sample Location		PW- 1	PW- 1	PW- 1	PW- 1	PW- 2	PW- 2
Sample Description		PUMPING WELL	REPLICATE	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL
Sample Date		01/05/2009	01/05/2009	04/01/2009	04/01/2009	01/05/2009	04/01/2009
Laboratory Sample I.D.		R0900075-004	R0900075-005	R0901789-001	R0901789-005	R0900076-003	R0901787-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.11	0.11	0.07 J	0.07 J	0.19	0.08 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	0.0040 J	ND@0.0050	0.0065
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010

November 12, 2009

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2009 - June 30, 2009

Sample Location		PW- 4	PW- 4	PW- 5	PW- 5	PW- 6	PW- 6
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		01/05/2009	04/01/2009	01/21/2009	04/08/2009	01/21/2009	04/08/2009
Laboratory Sample I.D.		R0900075-007	R0901787-005	R0900377-004	R0901972-003	R0900377-005	R0901968-005
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.11	0.07 J	0.10	0.11	0.14	0.14
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	NA	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	NA	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	0.0072	0.0044	ND@0.0010	ND@0.0010

November 12, 2009

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2009 - June 30, 2009

Sample Location		PW- 7	PW- 7	PW- 7	PW- 7	PW- 7	PW- 7
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE
Sample Date		01/21/2009	02/04/2009	03/04/2009	04/08/2009	05/07/2009	05/07/2009
Laboratory Sample I.D.		R0900377-006	R0900651-006	R0901233-009	R0901972-001	R0902605-006	R0902605-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.11	0.11	0.09 J	0.11	0.1 J	0.09 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010

November 12, 2009

IBM Corporation

3-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2009 - June 30, 2009

Sample Location		PW- 7	PW-25	PW-25
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		06/09/2009	01/05/2009	04/01/2009
Laboratory Sample I.D.		R0903286-006	R0900075-008	R0901789-004
Sample Comment Codes				
Parameter	Units			
Inorganics				
FLUORIDE	mg/l	0.13	0.12	0.08 J
Metals				
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	0.0039 J
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	ND@0.0010

November 12, 2009

IBM Corporation

4-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

Appendix F

Quality Assurance/Quality Control Analytical Data: January 1, 2009 to June 30, 2009

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/05/2009	01/06/2009	01/07/2009	01/08/2009	01/09/2009	01/13/2009
Laboratory Sample I.D.	R0900075-002	R0900066-002	R0900120-002	R0900144-002	R0900185-002	R0900228-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

1-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/14/2009	01/15/2009	01/19/2009	01/21/2009	01/22/2009	01/29/2009
Laboratory Sample I.D.	R0900258-002	R0900274-002	R0900317-002	R0900377-002	R0900395-002	R0900514-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

2-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	02/02/2009	02/04/2009	02/05/2009	02/09/2009	02/12/2009	02/16/2009
Laboratory Sample I.D.	R0900555-002	R0900651-002	R0900669-002	R0900706-002	R0900835-002	R0900881-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.9 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

3-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	02/18/2009	02/19/2009	02/20/2009	02/23/2009	02/24/2009	02/25/2009
Laboratory Sample I.D.	R0900926-002	R0900939-002	R0900959-002	R0900989-002	R0901021-002	R0901057-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

4-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	02/26/2009	02/27/2009	03/02/2009	03/04/2009	03/05/2009	03/09/2009
Laboratory Sample I.D.	R0901063-002	R0901106-002	R0901213-002	R0901233-002	R0901235-002	R0901344-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

5-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/11/2009	03/12/2009	03/16/2009	03/17/2009	03/18/2009	03/19/2009
Laboratory Sample I.D.	R0901404-002	R0901408-002	R0901476-002	R0901504-002	R0901555-002	R0901569-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

6-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/20/2009	03/23/2009	03/24/2009	03/26/2009	03/27/2009	03/30/2009
Laboratory Sample I.D.	R0901570-002	R0901619-002	R0901642-002	R0901687-002	R0901726-002	R0901756-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	3.7 J	1.4 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

7-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/31/2009	04/01/2009	04/02/2009	04/06/2009	04/08/2009	04/09/2009
Laboratory Sample I.D.	R0901783-002	R0901787-002	R0901811-002	R0901862-002	R0901968-002	R0901974-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	7.3	ND@5.0	1.3 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

8-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/13/2009	04/14/2009	04/15/2009	04/16/2009	04/17/2009	04/20/2009
Laboratory Sample I.D.	R0902006-002	R0902060-002	R0902115-002	R0902134-002	R0902176-002	R0902175-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.6 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

9-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/21/2009	04/22/2009	04/23/2009	04/27/2009	04/28/2009	04/29/2009
Laboratory Sample I.D.	R0902213-002	R0902242-002	R0902278-002	R0902363-002	R0902400-002	R0902432-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

10-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/30/2009	05/04/2009	05/06/2009	05/07/2009	05/11/2009	05/20/2009
Laboratory Sample I.D.	R0902430-002	R0902539-002	R0902533-002	R0902605-002	R0902630-002	R0902882-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.4 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

11-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	SUBM PUMP	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	05/21/2009	05/27/2009	05/28/2009	06/04/2009	06/08/2009	06/09/2009
Laboratory Sample I.D.	R0902881-002	R0903003-003	R0903000-002	R0903161-002	R0903210-002	R0903286-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.8 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

12-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	06/10/2009	06/11/2009	06/15/2009	06/23/2009	06/24/2009	06/25/2009
Laboratory Sample I.D.	R0903312-002	R0903352-002	R0903377-002	R0903503-010	R0903503-023	R0903503-034
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	3.1 J	2.3 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

13-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	EQ RINSE BLK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description	WTR LVL IND					
Sample Date	06/29/2009	01/05/2009	01/06/2009	01/07/2009	01/08/2009	01/09/2009
Laboratory Sample I.D.	R0903503-041	R0900075-003	R0900066-003	R0900120-003	R0900144-003	R0900185-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.8 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.49 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

14-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	01/13/2009	01/14/2009	01/15/2009	01/19/2009	01/20/2009	01/21/2009
Laboratory Sample I.D.	R0900228-003	R0900258-003	R0900274-003	R0900317-003	R0900322-003	R0900377-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

15-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	01/22/2009	01/29/2009	02/02/2009	02/04/2009	02/05/2009	02/09/2009
Laboratory Sample I.D.	R0900395-003	R0900514-003	R0900555-003	R0900651-003	R0900669-003	R0900706-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

16-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	02/10/2009	02/12/2009	02/16/2009	02/17/2009	02/18/2009	02/19/2009
Laboratory Sample I.D.	R0900737-003	R0900835-003	R0900881-003	R0900901-003	R0900926-003	R0900939-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.4 J	16	7.9	8.1	2.8 J	5.6
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

17-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	02/20/2009	02/23/2009	02/24/2009	02/25/2009	02/26/2009	02/27/2009
Laboratory Sample I.D.	R0900959-003	R0900989-003	R0901021-003	R0901057-003	R0901063-003	R0901106-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	11	3.7 J	5.6	8.4	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

18-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/02/2009	03/04/2009	03/05/2009	03/09/2009	03/10/2009	03/11/2009
Laboratory Sample I.D.	R0901213-003	R0901233-003	R0901235-003	R0901344-003	R0901345-004	R0901404-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	7.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.43 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	0.61 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

19-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/12/2009	03/16/2009	03/17/2009	03/18/2009	03/19/2009	03/20/2009
Laboratory Sample I.D.	R0901408-003	R0901476-003	R0901504-003	R0901555-003	R0901569-003	R0901570-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	4.9 J	ND@5.0	4.1 J	13	17	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

20-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/23/2009	03/24/2009	03/26/2009	03/27/2009	03/30/2009	03/31/2009
Laboratory Sample I.D.	R0901619-003	R0901642-003	R0901687-003	R0901726-003	R0901756-003	R0901783-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	8.8	8.9	6.4	8.6	6.0	6.6
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

21-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/01/2009	04/06/2009	04/08/2009	04/09/2009	04/13/2009	04/14/2009
Laboratory Sample I.D.	R0901787-003	R0901862-003	R0901968-003	R0901974-003	R0902006-003	R0902060-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	9.8	6.9	2.2 J	2.6 J	3.5 J	3.8 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

22-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/15/2009	04/16/2009	04/17/2009	04/20/2009	04/21/2009	04/22/2009
Laboratory Sample I.D.	R0902115-003	R0902134-003	R0902176-003	R0902175-003	R0902213-003	R0902242-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	4.6 J	ND@5.0	1.3 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

23-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/23/2009	04/27/2009	04/28/2009	04/29/2009	04/30/2009	05/04/2009
Laboratory Sample I.D.	R0902278-003	R0902363-003	R0902400-003	R0902432-003	R0902430-003	R0902539-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.4 J	ND@5.0	2.1 J	3.1 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

24-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	05/06/2009	05/07/2009	05/11/2009	05/20/2009	05/21/2009	05/27/2009
Laboratory Sample I.D.	R0902533-003	R0902605-003	R0902630-003	R0902882-003	R0902881-003	R0903003-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.3 J	2.7 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

25-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	05/28/2009	06/03/2009	06/04/2009	06/08/2009	06/09/2009	06/10/2009
Laboratory Sample I.D.	R0903000-003	R0903129-003	R0903161-003	R0903210-003	R0903286-003	R0903312-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.2 J	4.1 J	3.4 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

26-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	06/11/2009	06/15/2009	06/23/2009	06/24/2009	06/25/2009	06/29/2009
Laboratory Sample I.D.	R0903352-003	R0903377-003	R0903503-011	R0903503-024	R0903503-035	R0903503-042
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	4.1 J	2.8 J	3.2 J	2.4 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

27-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	01/05/2009	01/06/2009	01/07/2009	01/08/2009	01/09/2009	01/12/2009
Laboratory Sample I.D.	R0900075-001	R0900066-001	R0900120-001	R0900144-001	R0900185-001	R0900162-010
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

28-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 2	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	01/12/2009	01/13/2009	01/14/2009	01/15/2009	01/19/2009	01/20/2009
Laboratory Sample I.D.	R0900188-001	R0900228-001	R0900258-001	R0900274-001	R0900317-001	R0900322-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

29-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 2	NO. 1
Sample Date	01/21/2009	01/22/2009	01/29/2009	02/02/2009	02/02/2009	02/04/2009
Laboratory Sample I.D.	R0900377-001	R0900395-001	R0900514-001	R0900555-001	R0900551-010	R0900651-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.8 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

30-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	02/05/2009	02/09/2009	02/10/2009	02/12/2009	02/16/2009	02/17/2009
Laboratory Sample I.D.	R0900669-001	R0900706-001	R0900737-001	R0900835-001	R0900881-001	R0900901-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

31-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	02/18/2009	02/19/2009	02/20/2009	02/23/2009	02/24/2009	02/25/2009
Laboratory Sample I.D.	R0900926-001	R0900939-001	R0900959-001	R0900989-001	R0901021-001	R0901057-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	0.24 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

32-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 2	NO. 1	NO. 1
Sample Date	02/26/2009	02/27/2009	03/02/2009	03/02/2009	03/03/2009	03/04/2009
Laboratory Sample I.D.	R0901063-001	R0901106-001	R0901213-001	R0901125-010	R0901215-001	R0901233-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.7 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

33-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/05/2009	03/09/2009	03/10/2009	03/11/2009	03/12/2009	03/16/2009
Laboratory Sample I.D.	R0901235-001	R0901344-001	R0901345-002	R0901404-001	R0901408-001	R0901476-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

34-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/17/2009	03/18/2009	03/19/2009	03/20/2009	03/23/2009	03/24/2009
Laboratory Sample I.D.	R0901504-001	R0901555-001	R0901569-001	R0901570-001	R0901619-001	R0901642-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

35-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/26/2009	03/27/2009	03/30/2009	03/31/2009	04/01/2009	04/02/2009
Laboratory Sample I.D.	R0901687-001	R0901726-001	R0901756-001	R0901783-001	R0901787-001	R0901811-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

36-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 2	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	04/06/2009	04/06/2009	04/08/2009	04/09/2009	04/13/2009	04/14/2009
Laboratory Sample I.D.	R0901862-001	R0901858-010	R0901968-001	R0901974-001	R0902006-001	R0902060-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	20	ND@5.0	1.2 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

37-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	04/15/2009	04/16/2009	04/17/2009	04/20/2009	04/21/2009	04/22/2009
Laboratory Sample I.D.	R0902115-001	R0902134-001	R0902176-001	R0902175-001	R0902213-001	R0902242-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	1.5 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

38-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	04/23/2009	04/27/2009	04/28/2009	04/29/2009	04/30/2009	05/04/2009
Laboratory Sample I.D.	R0902278-001	R0902363-001	R0902400-001	R0902432-001	R0902430-001	R0902539-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

39-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 2	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	05/04/2009	05/06/2009	05/07/2009	05/11/2009	05/20/2009	05/21/2009
Laboratory Sample I.D.	R0902467-010	R0902533-001	R0902605-001	R0902630-001	R0902882-001	R0902881-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	1.5 J	ND@5.0	2.5 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

40-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	05/27/2009	05/28/2009	06/01/2009	06/03/2009	06/04/2009	06/08/2009
Laboratory Sample I.D.	R0903003-001	R0903000-001	R0903047-010	R0903129-001	R0903161-001	R0903210-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

41-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	06/09/2009	06/10/2009	06/11/2009	06/15/2009	06/23/2009	06/24/2009
Laboratory Sample I.D.	R0903286-001	R0903312-001	R0903352-001	R0903377-001	R0903503-009	R0903503-022
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.0 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

42-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1
Sample Date	06/25/2009	06/26/2009	06/29/2009
Laboratory Sample I.D.	R0903503-033	R0903503-036	R0903503-040
Sample Comment Codes			

Parameter	Units			
Base/Neutral Extractables				
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
Volatile Organics				
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

43-1

IBM East Fishkill Facility
Quality Assurance/Control Analytical Data - Organics
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

Appendix G

Groundwater Treatment Analytical Data (Organics): January 1, 2009 to June 30, 2009

Groundwater Treatment Analytical Data (Inorganics): January 1, 2009 to June 30, 2009

Groundwater Treatment Analytical Data (Inorganics): B/322 Investigation Sampling

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	032A	032A	032A	032A	032A	032A
Sample Description	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN
Sample Date	01/06/2009	02/05/2009	03/02/2009	04/02/2009	05/11/2009	06/04/2009
Laboratory Sample I.D.	R0900066-004	R09000669-008	R0901213-008	R0901811-008	R0902630-009	R0903161-011
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.66 J	0.59 J	0.60 J	0.51 J	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.2	1.1	1.4	0.98 J	0.92 J	1.2
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	3.2	3.2	3.5	3.0	2.8	3.2
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	01/12/2009	01/19/2009	01/26/2009	02/02/2009	02/09/2009	02/16/2009
Laboratory Sample I.D.	R0900162-008	R0900299-008	R0900421-006	R0900551-006	R0900704-006	RX900829-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.58 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	7.8	3.6 J	20	5.4
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.89 J	4.8	26	3.7
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.94 J	0.87 J	0.95 J	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.24 J	0.80 J	1.8	15	2.5
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.49 J	1.4	8.9	1.5
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	65	60	62	ND@1.0	1.1	ND@1.0

November 12, 2009

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	02/23/2009	03/02/2009	03/09/2009	03/16/2009	03/23/2009	03/26/2009
Laboratory Sample I.D.	R0900956-006	R0901125-006	R0901295-006	R0901451-006	R0901601-006	R0901665-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.30 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	3.2 J	73	7.5	62	2.4 J	14
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.99 J	12	0.97 J	5.5	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.92 J	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.1	12	2.7	12	ND@1.0	2.5
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.75 J	8.5	1.2	7.5	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	0.38 J	3.3	3.3	56	ND@1.0

November 12, 2009

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	03/30/2009	04/06/2009	04/13/2009	04/20/2009	04/27/2009	05/04/2009
Laboratory Sample I.D.	R0901718-006	R0901858-006	R0902010-006	R0902167-006	R0902311-006	R0902467-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	7.1	2.7 J	ND@5.0	2.4 J	4.6 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.92 J	0.88 J	0.60 J	ND@1.0	0.68 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	6.2	7.6	5.0	3.5	14	2.6
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.3	3.5	3.0	2.0	8.8	2.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	05/11/2009	05/11/2009	05/18/2009	05/26/2009	05/29/2009	06/01/2009
Laboratory Sample I.D.	R0902627-002	R0902633-006	R0902771-006	R0902921-006	R0903022-001	R0903047-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.8 J	6.6	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	4.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.0	6.3	5.5	1.6	4.0	28
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	5.0	6.0	0.78 J	1.2	17
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	080	080	080	080	080	221
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2/GAC
Sample Date	06/08/2009	06/15/2009	06/22/2009	06/25/2009	06/29/2009	01/05/2009
Laboratory Sample I.D.	R0903208-006	R0903348-006	R0903472-006	R0903580-001	R0903614-006	R0900027-007
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	33
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	5.3
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.6 J
ACETONE	ug/l	2.2 J	1.7 B	ND@5.0	ND@5.0	ND@5.0	ND@25
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	8.3	2.3	0.98 J	ND@1.0	ND@1.0	640
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@10
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	62	18	8.1	ND@1.0	ND@1.0	2.6 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	50	20	11	ND@1.0	ND@1.0	52
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
VINYL CHLORIDE	ug/l	0.52 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	35

November 12, 2009

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	01/12/2009	01/19/2009	01/26/2009	02/02/2009	02/09/2009	02/16/2009
Laboratory Sample I.D.	R0900162-007	R0900299-007	R0900421-007	R0900551-007	R0900704-007	RX900829-007
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	1.6 J	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	58	54	ND@2.0	3.0	2.5	2.2
1,1-DICHLOROETHYLENE	ug/l	5.6	5.1	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	11 J	9.7 J	ND@5.0	0.35 J	0.59 J	0.94 J
ACETONE	ug/l	7.7 J	ND@25	4.7 J	1.6 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	860	770	30	18	26	51
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@10	ND@10	ND@4.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@2.0	0.89 J	0.78 J	1.0
O-XYLENE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	5.4	4.8 J	7.0	7.9	9.6	13
TOLUENE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	98	120	6.2	4.2	6.0	10
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	43	39	1.6 J	59	71	81

November 12, 2009

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	02/23/2009	03/02/2009	03/09/2009	03/16/2009	03/23/2009	03/26/2009
Laboratory Sample I.D.	R0900956-007	R0901125-007	R0901295-007	R0901451-007	R0901601-007	R0901665-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	7.2	7.8	8.5	50	61	1.5
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	0.57 J	0.67 J	ND@20	ND@20	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.5 J	1.6 J	2.3 J	ND@20	ND@20	1.3 J
ACETONE	ug/l	ND@5.0	2.1 J	ND@5.0	ND@100	24 J	43
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	59	77	96	300	360	5.5
DICHLORODIFLUOROMETHANE	ug/l	0.80 J	0.55 J	0.64 J	ND@20	ND@20	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@40	ND@40	ND@2.0
METHYLENE CHLORIDE	ug/l	0.95 J	0.91 J	1.0	ND@20	ND@20	0.91 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
TETRACHLOROETHYLENE	ug/l	20	35	93	2000	2600	2.2
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
TRICHLOROETHYLENE	ug/l	13	19	33	340	460	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@20	ND@1.0
VINYL CHLORIDE	ug/l	90	80	90	74	49	65

November 12, 2009

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	03/30/2009	04/06/2009	04/13/2009	04/20/2009	04/27/2009	05/04/2009
Laboratory Sample I.D.	R0901718-007	R0901858-007	R0902010-007	R0902167-007	R0902311-007	R0902467-007
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.1	39	51	38	36	37
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.4 J	ND@10	ND@10	ND@10	ND@10	ND@10
ACETONE	ug/l	37	37 J	24 J	21 J	20 J	16 J
BENZENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
CHLOROBENZENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
CIS-1,2-DICHLOROETHYLENE	ug/l	20	160	280	200	180	170
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
ETHYLBENZENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
M,P-XYLENE	ug/l	ND@2.0	ND@20	ND@20	ND@20	ND@20	ND@20
METHYLENE CHLORIDE	ug/l	0.75 J	ND@10	ND@10	ND@10	ND@10	ND@10
O-XYLENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
TETRACHLOROETHYLENE	ug/l	12	880	1800	1300	1200	1000
TOLUENE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
TRICHLOROETHYLENE	ug/l	5.6	170	320	220	200	200
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@10	ND@10	ND@10	ND@10	ND@10
VINYL CHLORIDE	ug/l	46	34	29	28	28	32

November 12, 2009

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	05/11/2009	05/11/2009	05/18/2009	05/27/2009	06/01/2009	06/08/2009
Laboratory Sample I.D.	R0902627-001	R0902633-007	R0902771-007	R0902957-001	R0903047-007	R0903208-007
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
1,2,4-TRICHLOROBENZENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
1,2-DICHLOROBENZENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
1,3-DICHLOROBENZENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
1,4-DICHLOROBENZENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	32	34	56	ND@1.0	2.0	70
1,1-DICHLOROETHYLENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
ACETONE	ug/l	15 J	14 J	27 J	1.9 J	ND@5.0	62
BENZENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
CHLOROBENZENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
CIS-1,2-DICHLOROETHYLENE	ug/l	190	190	240	ND@1.0	10	290
DICHLORODIFLUOROMETHANE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
ETHYLBENZENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
M,P-XYLENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@2.0	ND@40
METHYLENE CHLORIDE	ug/l	ND@10	ND@10	ND@10	ND@1.0	0.63 J	ND@20
O-XYLENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
TETRACHLOROETHYLENE	ug/l	1100	1200	1900	ND@1.0	43	2300
TOLUENE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
TRICHLOROETHYLENE	ug/l	220	240	340	ND@1.0	9.3	360
TRICHLOROFLUOROMETHANE	ug/l	ND@10	ND@10	ND@10	ND@1.0	ND@1.0	ND@20
VINYL CHLORIDE	ug/l	26	29	42	ND@1.0	4.2	28

November 12, 2009

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	221	221	221	221	360	360
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	B/322 OUTPUT	B/322 OUTPUT
Sample Date	06/15/2009	06/22/2009	06/25/2009	06/29/2009	01/07/2009	02/05/2009
Laboratory Sample I.D.	R0903348-007	R0903472-007	R0903580-002	R0903614-007	R0900120-008	R0900669-012
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	79	110	67	54	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
ACETONE	ug/l	ND@250	84	75 J	57 J	ND@5.0
BENZENE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
CHLOROBENZENE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	320	480	350	320	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
ETHYLBENZENE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
M,P-XYLENE	ug/l	ND@100	ND@100	ND@40	ND@50	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
O-XYLENE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
TETRACHLOROETHYLENE	ug/l	3600	4600	2900	2700	0.30 J
TOLUENE	ug/l	ND@50	ND@50	ND@20	ND@25	0.52 J
TRICHLOROETHYLENE	ug/l	510	700	460	450	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@50	ND@50	ND@20	ND@25	ND@1.0
VINYL CHLORIDE	ug/l	ND@50	36	26	22 J	ND@1.0

November 12, 2009

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	360		360		360		360		395		395	
Sample Description	B/322 OUTPUT		B/322 OUTPUT		B/322 OUTPUT		B/322 OUTPUT		B/384 SUMP		B/384 SUMP	
Sample Date	03/03/2009		04/02/2009		05/11/2009		06/04/2009		01/05/2009		02/09/2009	
Laboratory Sample I.D.	R0901215-006		R0901811-012		R0902630-008		R0903161-012		R0900075-009		R0900706-008	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@1000	ND@1000	ND@500			
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
CHLOROBEZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	150 J	150 J	92 J			
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@400	ND@400	ND@200			
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	24000	24000	16000			
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	590	590	420			
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@200	ND@100			

November 12, 2009

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	395	395	395	395	395	395
Sample Description	B/384 SUMP	B/384 SUMP	B/384 SUMP	REPLICATE	B/384 SUMP	REPLICATE
Sample Date	03/04/2009	04/02/2009	05/04/2009	05/04/2009	06/08/2009	06/08/2009
Laboratory Sample I.D.	R0901233-010	R0901811-013	R0902539-009	R0902539-012	R0903210-010	R0903210-013
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
1,2,4-TRICHLOROBENZENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
1,2-DICHLOROBENZENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
1,3-DICHLOROBENZENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
1,4-DICHLOROBENZENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
1,1-DICHLOROETHYLENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
ACETONE	ug/l	ND@500	ND@500	ND@1300	ND@1300	760 J	720 J
BENZENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
CHLOROBENZENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
CIS-1,2-DICHLOROETHYLENE	ug/l	87 J	90 J	140 J	150 J	140 J	150 J
DICHLORODIFLUOROMETHANE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
ETHYLBENZENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
M,P-XYLENE	ug/l	ND@200	ND@200	ND@500	ND@500	ND@500	ND@500
METHYLENE CHLORIDE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
O-XYLENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
TETRACHLOROETHYLENE	ug/l	16000	16000	38000	41000	35000	36000
TOLUENE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
TRICHLOROETHYLENE	ug/l	370	380	880	950	700	710
TRICHLOROFLUOROMETHANE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250
VINYL CHLORIDE	ug/l	ND@100	ND@100	ND@250	ND@250	ND@250	ND@250

November 12, 2009

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	395A	395A	395A	395A	395A	395A
Sample Description	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL
Sample Date	01/05/2009	02/09/2009	03/04/2009	04/02/2009	05/04/2009	06/08/2009
Laboratory Sample I.D.	R0900075-013	R0900706-009	R0901233-006	R0901811-014	R0902539-010	R0903210-011
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
1,2,4-TRICHLOROBENZENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
1,2-DICHLOROBENZENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
1,3-DICHLOROBENZENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
1,4-DICHLOROBENZENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
1,1-DICHLOROETHYLENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
ACETONE	ug/l	ND@500	ND@1000	ND@1000	ND@500	ND@500	ND@1000
BENZENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
CHLOROBENZENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
CIS-1,2-DICHLOROETHYLENE	ug/l	75 J	100 J	110	84 J	83 J	100
DICHLORODIFLUOROMETHANE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
ETHYLBENZENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
M,P-XYLENE	ug/l	ND@200	ND@400	ND@400	ND@200	ND@200	ND@400
METHYLENE CHLORIDE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
O-XYLENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
TETRACHLOROETHYLENE	ug/l	15000	20000	23000	15000	18000	20000
TOLUENE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
TRICHLOROETHYLENE	ug/l	260	430	450	350	420	430
TRICHLOROFLUOROMETHANE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200
VINYL CHLORIDE	ug/l	ND@100	ND@200	ND@200	ND@100	ND@100	ND@200

November 12, 2009

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location		395B	395B	395B	395B	395B	395B
Sample Description		AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL
Sample Date		01/05/2009	02/09/2009	03/04/2009	04/02/2009	05/04/2009	06/08/2009
Laboratory Sample I.D.		R0900075-014	R0900706-010	R0901233-007	R0901811-015	R0902539-011	R0903210-012
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.3 B
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	5.7	7.5	21	11	14	30
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location		500	500	500	500	500	500
Sample Description		C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL
Sample Date		01/12/2009	02/02/2009	03/02/2009	04/06/2009	05/04/2009	06/01/2009
Laboratory Sample I.D.		R0900162-009	R0900551-009	R0901125-009	R0901858-009	R0902467-009	R0903047-009
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.3	4.9	3.7	5.2	4.1	5.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.0 J	3.6 J	ND@5.0	9.1	2.3 J	1.9 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.3	3.6	3.3	2.8	3.3	3.1
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	92	74	71	81	72	69
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	28	27	23	28	24	26
TRICHLOROFLUOROMETHANE	ug/l	0.52 J	0.49 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location		511	511	511	511	511	511
Sample Description		C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date		01/05/2009	01/12/2009	01/19/2009	01/26/2009	02/02/2009	02/09/2009
Laboratory Sample I.D.		R0900027-001	R0900162-001	R0900299-001	R0900421-001	R0900551-001	R0900704-001
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.7	2.5	1.9	2.2	3.3	1.8
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.34 J	0.38 J	ND@1.0	0.36 J	0.29 J	0.32 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.65 J	0.82 J	0.82 J	1.1	1.0	1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.45 J	0.41 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location		511	511	511	511	511	511
Sample Description		C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date		02/16/2009	02/23/2009	03/02/2009	03/09/2009	03/16/2009	03/23/2009
Laboratory Sample I.D.		R0900829-001	R0900956-001	R0901125-001	R0901295-001	R0901451-001	R0901601-001
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.0	3.3	2.5	2.6	2.9	3.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.40 J	0.38 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	5.6	1.3 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.3	1.3	1.2	1.3	1.4	1.3
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	0.50 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.40 J	ND@1.0	ND@1.0	0.64 J
TRICHLOROFLUOROMETHANE	ug/l	0.39 J	0.51 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	511	511	511	511	511	511
Sample Description	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date	03/30/2009	04/06/2009	04/13/2009	04/20/2009	04/27/2009	05/04/2009
Laboratory Sample I.D.	R0901718-001	R0901858-001	R0902010-001	R0902167-001	R0902311-001	R0902467-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.5	3.7	3.3	2.8	2.7	3.4
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	11	15	ND@5.0	1.3 J	2.5 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.3	1.5	1.7	1.8	1.4	1.7
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.69 J	0.72 J	0.94 J	0.91 J	0.99 J	1.3
TRICHLOROFLUOROMETHANE	ug/l	0.48 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.52 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	511	511	511	511	511	511
Sample Description	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date	05/11/2009	05/18/2009	05/26/2009	06/01/2009	06/08/2009	06/15/2009
Laboratory Sample I.D.	R0902633-001	R0902771-001	R0902921-001	R0903047-001	R0903208-001	R0903348-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	1.0	14	18	25	29	19
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.7	3.0	2.9	3.0	2.9	2.4
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.64 J	ND@1.0
ACETONE	ug/l	ND@5.0	7.2	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.1	1.9	2.0	2.1	2.1	1.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	1.6	2.2	1.7	1.8	2.3
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.88 J	1.1	1.1	1.1	1.1	0.98 J
TRICHLOROFLUOROMETHANE	ug/l	0.55 J	0.51 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	511	511	512	512	512	512
Sample Description	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	06/22/2009	06/29/2009	01/05/2009	01/12/2009	01/19/2009	01/26/2009
Laboratory Sample I.D.	R0903472-001	R0903614-001	R0900027-002	R0900162-002	R0900299-002	R0900421-002
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	26	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.1	1.8	1.3	1.6	2.9
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.34 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.2	2.6	0.73 J	0.83 J	0.90 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.9	2.3	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1.1	1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.46 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

21-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	512		512		512		512		512		
Sample Description	C CARB/GAC 2		C CARB/GAC 2		C CARB/GAC 2		C CARB/GAC 2		C CARB/GAC 2		
Sample Date	02/02/2009		02/09/2009		02/16/2009		02/23/2009		03/02/2009		
Laboratory Sample I.D.	R0900551-002		R0900704-002		R0900829-002		R0900956-002		R0901125-002		
Sample Comment Codes											
Parameter	Units										
Base/Neutral Extractables											
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
Volatile Organics											
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.1		0.93 J		1.9		2.5		1.7	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ACETONE	ug/l	2.0 J		1.7 J		ND@5.0		ND@5.0		ND@5.0	
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	1.0		1.1		1.4		1.4		1.4	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		0.40 J		0.46 J		0.61 J	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	

November 12, 2009

IBM Corporation

22-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	03/16/2009	03/23/2009	03/30/2009	04/06/2009	04/13/2009	04/20/2009
Laboratory Sample I.D.	R0901451-002	R0901601-002	R0901718-002	R0901858-002	R0902010-002	R0902167-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.0	2.3	2.5	2.4	2.5	1.9
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	4.5 J	3.9 J	14	ND@5.0	1.4 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.6	1.4	1.5	1.6	1.9	1.7
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1.0	1.2	1.4	1.6	2.0	2.1
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

23-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	04/27/2009	05/04/2009	05/11/2009	05/18/2009	05/26/2009	06/01/2009
Laboratory Sample I.D.	R0902311-002	R0902467-002	R0902633-002	R0902771-002	R0902921-002	R0903047-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.0	2.4	2.8	3.0	3.0	3.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	3.0 J	ND@5.0	5.4	4.7 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.6	1.7	2.0	2.0	2.0	2.3
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.53 J	0.96 J	1.4	1.8	2.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.2	2.5	3.8	4.5	4.7	5.1
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

24-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	512		512		512		512		513		513	
Sample Description	C CARB/GAC 2		C CARB/GAC 2		C CARB/GAC 2		C CARB/GAC 2		C CARB/GAC 3		C CARB/GAC 3	
Sample Date	06/08/2009		06/15/2009		06/22/2009		06/29/2009		01/05/2009		01/12/2009	
Laboratory Sample I.D.	R0903208-002		R0903348-002		R0903472-002		R0903614-002		R0900027-003		R0900162-003	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.3	2.2	2.7	2.6	2.6	0.75 J	0.69 J	0.69 J	0.69 J	0.69 J	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.28 J	
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	2.3	1.7	2.2	2.5	2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TETRACHLOROETHYLENE	ug/l	2.4	2.8	3.0	3.6	3.6	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROETHYLENE	ug/l	5.7	4.9	5.6	6.0	6.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	

November 12, 2009

IBM Corporation

25-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location		513	513	513	513	513	513
Sample Description		C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date		01/19/2009	01/26/2009	02/02/2009	02/09/2009	02/16/2009	02/23/2009
Laboratory Sample I.D.		R0900299-003	R0900421-003	R0900551-003	R0900704-003	R0900829-003	R0900956-003
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.0	0.78 J	1.4	ND@1.0	0.94 J	1.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	1.9 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	0.65 J	ND@1.0	ND@1.0	ND@1.0	0.62 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

26-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	513	513	513	513	513	513
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date	03/02/2009	03/09/2009	03/16/2009	03/23/2009	03/30/2009	04/06/2009
Laboratory Sample I.D.	R0901125-003	R0901295-003	R0901451-003	R0901601-003	R0901718-003	R0901858-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.2	1.2	1.2	1.4	1.7	2.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	1.4 J	ND@5.0	1.9 J	10
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.61 J	0.68 J	0.77 J	0.70 J	0.72 J	0.85 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

27-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	513	513	513	513	513	513
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date	04/13/2009	04/20/2009	04/27/2009	05/04/2009	05/11/2009	05/18/2009
Laboratory Sample I.D.	R0902010-003	R0902167-003	R0902311-003	R0902467-003	R0902633-003	R0902771-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.7	1.5	1.3	1.6	1.9	2.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.7 J	4.2 J	ND@5.0	ND@5.0	4.6 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.1	0.89 J	0.77 J	1.0	1.2	1.3
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.65 J	0.96 J	1.2
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

28-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	513	513	513	513	513	513
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date	05/26/2009	06/01/2009	06/08/2009	06/15/2009	06/22/2009	06/29/2009
Laboratory Sample I.D.	R0902921-003	R0903047-003	R0903208-003	R0903348-003	R0903472-003	R0903614-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.1	2.7	2.6	1.9	3.0	2.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.2	1.5	1.6	1.3	1.7	1.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.48 J	0.80 J	1.1	0.86 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1.5	1.9	2.0	2.3	3.2	2.5
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

29-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	01/05/2009	01/12/2009	01/19/2009	01/26/2009	02/02/2009	02/09/2009
Laboratory Sample I.D.	R0900027-005	R0900162-005	R0900299-005	R0900421-004	R0900551-004	R0900704-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	23	25	27	26	31	25
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.2 J	1.1 J	0.97 J	1.1 J	0.81 J	0.88 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	64	68	69	66	77	65
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.33 J	0.83 J	1.9	1.8	2.8
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	4.2	7.6	14	21	22	23
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

30-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	02/16/2009	02/18/2009	02/23/2009	03/02/2009	03/09/2009	03/16/2009
Laboratory Sample I.D.	R0900829-004	R0900898-001	R0900956-004	R0901125-004	R0901295-004	R0901451-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	27	6.1	6.4	5.8	8.6	11
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.0 J	0.78 J	0.76 J	0.68 J	0.85 J	0.80 J
ACETONE	ug/l	ND@5.0	ND@5.0	1.8 J	ND@5.0	ND@5.0	7.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	77	5.6	7.7	5.6	11	17
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	6.1	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	38	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	0.36 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

31-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	03/23/2009	03/30/2009	04/06/2009	04/13/2009	04/20/2009	04/27/2009
Laboratory Sample I.D.	R0901601-004	R0901718-004	R0901858-004	R0902010-004	R0902167-004	R0902311-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	12	16	15	15	15	16
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.82 J	1.0 J	1.0 J	0.90 J	0.90 J	0.90 J
ACETONE	ug/l	4.8 J	8.1	9.8	ND@5.0	3.5 J	3.5 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	20	25	22	25	23	29
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.65 J	0.70 J	1.2
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

32-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	05/04/2009	05/11/2009	05/18/2009	05/26/2009	06/01/2009	06/08/2009
Laboratory Sample I.D.	R0902467-004	R0902633-004	R0902771-004	R0902921-004	R0903047-004	R0903208-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	18	21	25	24	29	29
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.95 J	0.98 J	0.97 J	0.88 J	0.94 J	0.95 J
ACETONE	ug/l	ND@5.0	ND@5.0	2.8 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	31	37	41	44	56	60
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.44 J	0.54 J	0.80 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1.4	2.2	3.1	4.3	6.1	8.9
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

33-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	514	514	514	524	524	524
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	06/15/2009	06/22/2009	06/29/2009	01/05/2009	01/12/2009	01/19/2009
Laboratory Sample I.D.	R0903348-004	R0903472-004	R0903614-004	R0900027-006	R0900162-006	R0900299-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	25	28	27	2.7	3.5	4.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.69 J	1.0	0.84 J	0.32 J	0.40 J	0.43 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	46	59	60	ND@1.0	0.60 J	0.80 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.4	1.9	2.8	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	10	14	16	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

34-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	01/26/2009	02/02/2009	02/09/2009	02/16/2009	02/18/2009	02/23/2009
Laboratory Sample I.D.	R0900421-005	R0900551-005	R0900704-005	R0900829-005	R0900898-002	R0900956-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.0	5.5	3.3	6.2	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.41 J	0.53 J	0.45 J	0.84 J	ND@1.0	ND@1.0
ACETONE	ug/l	2.1 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.6	2.1	2.0	4.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

35-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	03/02/2009	03/09/2009	03/16/2009	03/23/2009	03/30/2009	04/06/2009
Laboratory Sample I.D.	R0901125-005	R0901295-005	R0901451-005	R0901601-005	R0901718-005	R0901858-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	5.5	2.4 J	4.6 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

36-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	04/13/2009	04/20/2009	04/27/2009	05/04/2009	05/11/2009	05/18/2009
Laboratory Sample I.D.	R0902010-005	R0902167-005	R0902311-005	R0902467-005	R0902633-005	R0902771-005
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	4.3 J	ND@5.0	3.0 J	ND@5.0	3.5 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

37-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	05/26/2009	06/01/2009	06/08/2009	06/15/2009	06/22/2009	06/29/2009
Laboratory Sample I.D.	R0902921-005	R0903047-005	R0903208-005	R0903348-005	R0903472-005	R0903614-005
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.62 J	1.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	1.9 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

38-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	01/05/2009	01/12/2009	01/19/2009	01/26/2009	02/02/2009	02/09/2009
Laboratory Sample I.D.	R0900027-004	R0900162-004	R0900299-004	R0900421-008	R0900551-008	R0900704-008
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

39-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	02/16/2009	02/23/2009	03/02/2009	03/09/2009	03/16/2009	03/23/2009
Laboratory Sample I.D.	R0900829-008	R0900956-008	R0901125-008	R0901295-008	R0901451-008	R0901601-008
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

40-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	03/30/2009	04/06/2009	04/13/2009	04/20/2009	04/27/2009	05/04/2009
Laboratory Sample I.D.	R0901718-008	R0901858-008	R0902010-008	R0902167-008	R0902311-008	R0902467-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	4.4 J	11	ND@5.0	4.6 J	1.7 J	1.8 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

41-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	05/11/2009	05/18/2009	05/26/2009	06/01/2009	06/08/2009	06/15/2009
Laboratory Sample I.D.	R0902633-008	R0902771-008	R0902921-007	R0903047-008	R0903208-008	R0903348-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	4.8 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

42-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	555		555		612		612		612		612
Sample Description	C CARB EFFL		C CARB EFFL		GW/B322 IN		GW/B322 IN		GW/B322 IN		REPLICATE
Sample Date	06/22/2009		06/29/2009		01/07/2009		02/05/2009		03/03/2009		03/03/2009
Laboratory Sample I.D.	R0903472-008		R0903614-008		R0900120-004		R0900669-009		R0901215-002		R0901215-005
Sample Comment Codes											
Parameter	Units										
Base/Neutral Extractables											
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
Volatile Organics											
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		0.74 J		0.56 J		ND@1.0	0.52 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		0.62 J		0.55 J		0.50 J	0.49 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

43-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location		612	612	612	612	612	617
Sample Description		GW/B322 IN	GW/B322 IN	GW/B322 IN	REPLICATE	GROUNDWATER	GW/B322 IN
Sample Date		04/02/2009	05/11/2009	06/04/2009	06/04/2009	06/24/2009	01/07/2009
Laboratory Sample I.D.		R0901811-009	R0902630-004	R0903161-008	R0903161-013	R0903503-012	R0900120-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.36 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

44-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	617		617		617		617		618	
Sample Description	GW/B322 IN		GW/B322 IN		GW/B322 IN		GW/B322 IN		GW/B322 IN	
Sample Date	02/05/2009		03/03/2009		04/02/2009		05/11/2009		01/07/2009	
Laboratory Sample I.D.	R0900669-010		R0901215-003		R0901811-010		R0902630-005		R0903161-009	
Sample Comment Codes										
Parameter	Units									
Base/Neutral Extractables										
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics										
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.32 J		0.34 J		ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.5
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

45-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	618	618	618	618	618	618
Sample Description	REPLICATE	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	REPLICATE
Sample Date	01/07/2009	02/05/2009	03/03/2009	04/02/2009	05/11/2009	05/11/2009
Laboratory Sample I.D.	R0900120-007	R0900669-011	R0901215-004	R0901811-011	R0902630-006	R0902630-007
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLORO BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	1.2	1.6	1.3	1.1	0.74 J
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

46-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	618	628	628	628	628	628
Sample Description	GW/B322 IN	GW/AREA B IN	GW/AREA B IN	REPLICATE	GW/AREA B IN	GW/AREA B IN
Sample Date	06/04/2009	01/05/2009	02/05/2009	02/05/2009	03/02/2009	04/02/2009
Laboratory Sample I.D.	R0903161-010	R0900075-010	R0900669-004	R0900669-005	R0901213-009	R0901811-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	1.3	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	1.2	0.58 J	0.62 J	0.76 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

47-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2009 - June 30, 2009

Sample Location	628	628	628	628	628A	628A
Sample Description	REPLICATE	GW/AREA B IN	GW/AREA B IN	REPLICATE	AREA B EFFL	AREA B EFFL
Sample Date	04/02/2009	05/11/2009	06/04/2009	06/04/2009	01/05/2009	02/05/2009
Laboratory Sample I.D.	R0901811-007	R0902630-010	R0903161-004	R0903161-007	R0900075-011	R0900669-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.48 J	0.49 J	0.59 J	0.45 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 12, 2009

IBM Corporation

48-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	628A		628A		628A		628A		628B		628B	
Sample Description	AREA B EFFL		AREA B EFFL		AREA B EFFL		AREA B EFFL		AREA B/GAC		AREA B/GAC	
Sample Date	03/02/2009		04/02/2009		05/11/2009		06/04/2009		01/05/2009		02/05/2009	
Laboratory Sample I.D.	R0901213-010		R0901811-005		R0902630-011		R0903161-005		R0900075-012		R0900669-007	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		1.9 J		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		0.68 J		0.37 J
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

November 12, 2009

IBM Corporation

49-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Sample Location	628B		628B		628B	
Sample Description	AREA B/GAC		AREA B/GAC		AREA B/GAC	
Sample Date	03/02/2009		04/02/2009		05/11/2009	
Laboratory Sample I.D.	R0901213-011		R0901811-006		R0902630-012	
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	

November 12, 2009

IBM Corporation

50-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

B	Compound detected in the associated method blank at a concentration that may have contributed to the sample result
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2009 - June 30, 2009

Sample Location	395	395	395	395	395	395
Sample Description	B/384 SUMP	B/384 SUMP	B/384 SUMP	B/384 SUMP	B/384 SUMP	REPLICATE
Sample Date	01/05/2009	02/09/2009	03/04/2009	04/02/2009	05/04/2009	05/04/2009
Laboratory Sample I.D.	R0900076-006	R0900706-008	R0901233-010	R0901811-013	R0902540-001	R0902539-012
Sample Comment Codes						

Parameter	Units					
Inorganics						
FLUORIDE	mg/l	1.18	1.02	0.70	0.90	0.81
Metals						
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010

November 12, 2009

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2009 - June 30, 2009

Sample Location	395	395
Sample Description	B/384 SUMP	REPLICATE
Sample Date	06/08/2009	06/08/2009
Laboratory Sample I.D.	R0903210-010	R0903210-013
Sample Comment Codes		

Parameter	Units		
Inorganics			
FLUORIDE	mg/l	0.73	0.73
Metals			
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0018	0.0016

November 12, 2009

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

IBM Corporation

IBM East Fishkill Facility
B/322 Investigation Sampling - Groundwater Treatment Inorganics
January 1, 2009 - June 30, 2009

Sample Location	612
Sample Description	GW/B322 IN
Sample Date	06/24/2009
Laboratory Sample I.D.	R0903503-012
Sample Comment Codes	

Parameter	Units	
Inorganics		
FLUORIDE	mg/l	0.08 J
Metals		
ARSENIC, DISSOLVED	mg/l	ND@0.010
ARSENIC, TOTAL	mg/l	ND@0.010
CHROMIUM, DISSOLVED	mg/l	ND@0.010
CHROMIUM, TOTAL	mg/l	ND@0.010
NICKEL, DISSOLVED	mg/l	0.004 J
NICKEL, TOTAL	mg/l	0.003 J

IBM East Fishkill Facility
B/322 Investigation Sampling - Groundwater Treatment Inorganics
January 1, 2009 - June 30, 2009

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---