



*Hudson Valley Research Park
2070 Route 52
Hopewell Junction, NY 12533-3507
S. C. Hawkins, Z/325*

November 22, 2010

Chief, Remedial Bureau A
Division of Environmental Remediation
New York State Department of Environmental Conservation
625 Broadway
Albany, New York 12233-7015

Subject: 2010 Semiannual Data Summary Report

Reference: IBM East Fishkill Corrective Action Program
IBM East Fishkill Facility
Hopewell Junction, New York
NYSDEC Part 373 Permit 3-1323-0025-00249-0
EPA ID No. NYD000707901

Dear Chief, Remedial Bureau A:

In accordance with the provisions of the Module IX – General Ground Water Monitoring Conditions, Section H, Item 2 of the referenced permit, enclosed please find the following document for your review:

*2010 Semiannual Data Summary Report
IBM Corporation
Hopewell Junction, New York*

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Please contact Jackie Braungart at (845)892-1672 if you have any questions or require further information.

Sincerely,
International Business Machines Corporation

A handwritten signature in black ink, appearing to read "Steven C. Hawkins". The signature is fluid and cursive, with the first name "Steven" and last name "Hawkins" clearly distinguishable.

Steven C. Hawkins, Manager
Environmental Engineering

- c: K. Brezner, NYSDEC Region 3, Regional Solid and Hazardous Materials Engineer (with enclosure and softcopy)
- B. Callaghan, NYSDOH (with enclosure)
- A. Czuhanych, NYSDEC (with enclosure and softcopy)
- J. Reidy, USEPA Region 2, New York Facilities (with enclosure and softcopy)
- R. Schatz, ESDC (without enclosure)
- H. Wilkie, NYSDEC (with softcopy)



2010 Semiannual Data Summary Report

Prepared for:

**IBM Corporation
Hopewell Junction, New York**

November 22, 2010

Prepared by:

**IBM Environmental Engineering
Hudson Valley Research Park
Hopewell Junction, New York 12533**

Groundwater Sciences Corporation

**2601 Market Place Street, Suite 310
Harrisburg, PA 17110**

**560 Route 52, Suite 202
Beacon, NY 12508**

**1108 Vestal Parkway East, Suite 2
Vestal, NY 13850**

Table of Figures

Figure 1-1 Site Location Map

Table of Appendices

Appendix A	Well Specifications and Lists
	Table A-1: Hydraulic Effectiveness Monitoring Wells
	Table A-2: Well Specifications, Corrective Action Performance Monitoring Network
	Table A-3: Sampling Schedule, Corrective Action Performance Monitoring Network
Appendix B	Quarterly Groundwater Elevation Data, January 1, 2010 to June 30, 2010
Appendix C	Sampling Field Log Database (January - June 2010)
	Field Parameters Database (January - June 2010)
	Table of Meteorological Data (January - June 2010)
Appendix D	Groundwater Analytical Data (Organics): January 1, 2010 to June 30, 2010
	Groundwater Analytical Data (Inorganics): January 1, 2010 to June 30, 2010
	Groundwater Analytical Data (Organics): Shutdown Sampling Non-CAM Wells
	Groundwater Analytical Data (Organics): B/330D Investigation
Appendix E	Production Well Analytical Data (Organics): January 1, 2010 to June 30, 2010
	Production Well Analytical Data (Inorganics): January 1, 2010 to June 30, 2010
Appendix F	Quality Assurance/Quality Control Analytical Data: January 1, 2010 to June 30, 2010
Appendix G	Groundwater Treatment Analytical Data (Organics): January 1, 2010 to June 30, 2010
	Groundwater Treatment Analytical Data (Inorganics): January 1, 2010 to June 30, 2010

Table of Plates

Plate 1 Groundwater Monitoring Plan - Well Location Map


Cross-Reference for Semiannual Reporting Requirements IBM East Fishkill Facility			
Semiannual Reporting Requirement	Part 373 Permit Module Reference	Groundwater Monitoring Plan Reference	Semiannual Report Reference
Monitoring well survey data	IX.H(1)(c)	Section 3.2	Table A-1
Well Specifications: Physical well data Reference elevations Baseline well bottom elevation	IX.C.5(a),(b),(c)	Table 7-1	Table A-2
Quarterly groundwater elevation data	IX.H(1)(b) IX.C.5(d),(e) III.E.17(c)(1)(vi)	Section 3.2 Table 7-1	Appendix B
Sampling log book/database: Purging and sampling data	IX.C.5	Section 2.2.5.1 Table 7-1	Appendix C
Field parameters (pH, spec. cond., temperature)	IX.H(1)(a) IX.C.5(j)	Section 2.2.4.4 Table 7-1	Appendix C
Daily meteorological data	IX.C.5(n)	Section 7.1	Appendix C
Groundwater analytical data	IX.H(1)(a) III.E.17(c)(1)	Section 3.2 Table 7-1	Appendices D and E
QA/QC analytical data: Duplicates	IX.H(1)(a)	Section 3.2	Appendices D and E
QA/QC analytical data: trip and equipment rinse blanks	IX.H(1)(a)	Table 7-1	Appendix F
Groundwater treatment data	III.E.17(c)(1)(ii)	Table 7-1	Appendix G

NARRATIVE

The data presented in this report represent the revisions to the Groundwater Monitoring Plan (GMP) that were requested in May 2003 and subsequently approved by the New York State Department of Environmental Conservation (NYSDEC) in August 2003. The following issues are relevant to the data contained in this semiannual report and will also be discussed in the 2010 Annual Report.

All monitoring and production wells included in the GMP were sampled for all required parameters during the first and second quarters of 2010 with the following exception:

1. An invalid specific conductance reading was recorded during sampling of well 772 in April. A note was made in the field parameter database.




Portion of the Hopewell Junction, NY
7.5-minute USGS Quadrangle
(1957, Photorevised 1981)

Figure 1-1




Site Location Map



GROUNDWATER SCIENCES CORPORATION

95007-044-A5 / 11-08-10



Appendix A

Table A-1:	Hydraulic Effectiveness Monitoring Wells
Table A-2:	Well Specifications for the Corrective Action Performance Monitoring Network
Table A-3:	Sampling Schedule for the Corrective Action Performance Monitoring Network

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
002	275.39	8518.014	4537.868
003	275.32	8515.747	4538.284
005	255.16	7772.055	6134.484
006	254.38	7764.886	6126.095
007	257.35	7592.128	5547.170
008	265.29	8072.229	5042.508
009	265.35	8067.344	5043.589
010	270.76	8076.990	4661.237
011	266.47	7831.768	4697.559
013	263.26	7630.268	4904.651
014	262.60	7626.342	4906.258
015	262.86	7622.508	4907.920
016	254.91	7140.621	5083.247
017	254.31	7133.611	5089.249
018	257.78	7150.694	4924.310
019	257.70	7155.420	4922.857
020	250.88	6920.006	5024.650
022	250.88	6916.125	5015.190
027	260.24	7204.062	3450.750
028	259.22	7244.167	3358.706
030	232.87	7531.247	2282.942
032A	230.00	6707.600	2690.000
035	249.53	6773.709	3152.987
038	250.61	6320.836	4765.408
039	249.87	6322.183	4769.064
044	267.36	6897.844	5984.595
046	267.59	6649.354	6428.358
048	264.31	5756.458	6897.932
049	266.41	5256.598	6835.595
050	264.51	5251.734	6838.602
053	266.58	4965.757	6073.504
054	264.57	4696.491	5978.780
059	235.94	4833.049	3997.592
060	235.68	4828.527	4000.564
061	244.66	4136.068	4504.733
062	250.13	4322.084	5469.567
063	250.25	4320.995	5467.872
064	259.23	7040.533	6596.366
065	258.76	7055.103	6595.751
066	229.84	6987.994	2265.582
067	234.42	6463.455	2607.405

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
068	233.85	6253.894	2982.574
069	253.69	4482.364	6084.653
075	259.51	7366.983	3317.645
085	276.34	9058.705	5844.268
086	276.34	9058.705	5844.268
087	256.00	7832.757	6082.700
088	256.00	7832.757	6082.700
091	264.37	4806.212	7610.031
092	264.37	4806.212	7610.031
096	275.48	8066.420	5550.380
097	277.69	8070.910	5548.480
098	277.69	8070.910	5548.480
100	267.09	8383.665	4803.894
101	267.09	8384.262	4808.809
102	267.09	8384.262	4808.809
103	257.59	7422.942	5337.874
104	257.59	7422.942	5337.874
105	257.74	7426.962	5342.224
106	257.74	7426.962	5342.224
108	255.45	6742.206	5806.444
109	255.45	6742.206	5806.444
112	269.38	4285.998	7014.122
113	269.01	4227.305	7004.293
114	269.01	4227.305	7004.293
118	263.06	7579.473	4816.285
121	263.18	8015.845	3544.898
122	263.18	8015.845	3544.898
129	252.37	6282.508	4651.089
130	252.37	6282.508	4651.089
143	251.36	4709.970	4756.984
145	253.90	4301.093	5498.184
146	253.90	4301.093	5498.184
147	234.55	7663.575	2397.319
150	234.78	7659.624	2386.796
151	241.06	6279.506	3076.270
156	242.58	5003.112	3793.197
157	243.09	5009.063	3786.807
158	245.05	4084.387	4549.216
161	259.63	7206.137	3378.741
164	273.99	6299.089	7593.114
165	273.99	6299.089	7593.114

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
166	254.58	7422.875	6512.986
167	254.58	7422.875	6512.986
168	265.12	6794.614	6318.692
169	265.12	6794.614	6318.692
170	229.55	6965.743	2292.464
178	267.22	5685.196	5758.662
180	248.31	5035.183	5203.440
181	248.88	4988.890	5242.059
182	236.11	5859.220	2687.226
183	236.11	5859.220	2687.226
185	237.04	6481.471	2316.242
186	237.04	6481.471	2316.242
191	229.18	7123.366	1981.277
192	229.18	7123.366	1981.277
200	266.77	7694.652	4014.447
204	252.79	6694.859	4521.394
224	256.86	6741.816	3477.018
226	233.54	6151.658	3101.790
227	233.08	6144.019	3108.542
400	241.81	6939.843	1437.518
401	242.22	6935.937	1437.490
402	248.66	6315.556	1611.175
403	249.39	5909.759	1848.452
404	248.45	5905.340	1856.890
406	345.32	3941.228	1823.333
407	345.22	3941.427	1835.376
408	244.69	3862.518	206.405
409	243.46	3864.774	184.014
410	250.32	4762.902	-312.676
411	250.37	4767.536	-313.979
412	250.44	4766.388	-316.093
413	249.72	4786.574	-324.033
414	265.28	5214.821	465.867
415	265.83	5224.284	461.505
416	252.61	5985.020	129.180
417	253.31	5947.150	144.346
418	253.40	5938.351	149.519
421	281.02	4083.600	1055.200
422	276.75	4039.800	783.400
423	274.54	4124.489	723.976
424	274.95	4200.401	623.235

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
500	259.89	7545.320	6326.260
501	257.76	7580.570	6317.010
502	259.73	6219.250	7079.700
503	259.88	6183.280	7102.810
504	260.40	6087.160	7153.800
505	260.40	6087.160	7153.800
506	263.85	6010.120	7146.450
507	262.80	6014.130	7163.870
508	262.80	6014.130	7163.870
509	265.32	5912.440	7234.330
510	263.31	5808.400	7224.900
511	263.70	5812.890	7254.280
512	260.94	5734.740	7337.260
513	261.91	5717.960	7357.420
514	261.45	5488.000	7183.300
515	260.81	5486.400	7170.800
516	262.73	5428.830	7424.550
517	262.58	5445.700	7419.710
518	262.58	5445.700	7419.710
519	264.51	5182.090	7626.300
520	262.28	6648.150	6936.870
521	262.24	6688.820	6912.930
522	262.45	6713.370	6899.050
523	273.28	6108.470	8049.880
524	272.91	6095.860	7992.490
525	273.08	6106.720	8040.160
526	271.25	4797.560	7658.790
527	270.38	4770.130	7620.990
528	270.54	4773.360	7625.630
529	270.54	4773.360	7625.630
530	265.25	4538.130	7213.110
531	266.10	4549.280	7245.530
532	266.10	4549.280	7245.530
533	266.56	4566.230	7019.720
534	266.25	4548.820	7051.260
535	266.34	4555.640	7037.660
536	269.12	5346.300	6788.300
537	268.97	5324.500	6780.240
538	268.97	5324.500	6780.240
539	270.44	5478.760	6773.550
541	279.98	5711.500	6793.650

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
542	279.98	5711.500	6793.650
543	263.07	5956.040	6877.880
544	265.72	5988.650	6843.350
545	264.96	6143.040	6928.740
546	266.92	6098.760	6897.090
547	266.11	6140.200	6908.280
548	261.84	5796.160	6945.380
549	262.09	5833.700	6918.700
550	262.09	5833.700	6918.700
551	267.54	5648.190	6900.200
553	267.42	5510.740	6953.610
554	267.31	5525.200	6942.580
556	266.76	5382.290	6916.300
557	268.22	5304.090	6831.390
558	284.02	5270.310	6223.150
559	282.75	5251.530	6221.420
560	282.73	5251.530	6221.420
561	296.33	5445.380	6239.200
562	285.63	5584.350	6294.510
563	285.63	5584.350	6294.510
564	289.59	5835.500	6318.800
565	285.69	6081.080	6428.040
566	285.69	6081.080	6428.040
567	266.64	6656.400	6502.600
568	279.50	6487.650	6526.560
569	279.99	6491.880	6539.820
570	279.99	6491.880	6539.820
571	286.39	6274.080	6265.500
572	251.13	4806.400	5115.400
574	269.09	5547.400	5776.000
576	265.95	5657.000	5807.900
577	230.32	7043.090	2386.910
578	272.21	8434.410	4111.780
579	247.72	6219.450	3829.380
580	258.99	6538.850	4344.560
581	267.23	8381.000	4797.100
600	265.91	5838.318	5989.885
601	266.04	5833.206	5987.980
602	253.38	4841.290	5230.675
603	252.54	4493.647	5141.553
604	252.66	4497.252	5144.622

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
605	253.01	4931.463	4777.329
606	253.27	6115.035	5326.621
607	253.77	5020.203	5360.277
608	255.51	5688.197	5270.023
609	249.18	6188.755	5261.662
610	250.87	5562.575	4953.575
611	244.23	5432.960	4432.190
612	249.89	6407.200	3337.800
613	249.02	6445.900	3265.700
614	230.29	6719.000	2684.000
615	230.82	6710.600	2688.600
616	231.14	6692.800	2698.500
617	248.91	6410.800	3250.200
618	239.17	6276.600	3011.900
619	267.00	6635.600	6432.000
620	259.27	7232.300	3381.700
621	255.80	6776.700	4356.100
622	268.08	5752.000	5510.200
623	246.74	5719.497	4864.655
624	246.31	5592.540	4175.380
626	304.58	5357.900	7953.800
627	262.88	6925.360	4251.830
700	248.79	7121.200	5605.400
701	248.83	7124.900	5603.600
702	255.09	7252.100	5584.800
703	254.89	7255.900	5582.500
704	255.00	7239.500	5591.700
705	259.94	7651.700	5262.600
706	259.92	7649.400	5260.000
707	260.94	7722.600	5252.000
708	260.83	7727.700	5249.900
709	263.98	8017.500	5015.800
710	263.93	7996.700	5047.200
711	263.69	8023.400	5014.200
712	265.48	8180.400	4989.600
714	266.26	8063.100	4772.200
716	271.93	7964.600	4458.500
717	277.47	8063.080	5531.360
718	278.69	8048.650	5496.710
719	279.03	8076.750	5467.890
720	275.43	8012.780	5463.900

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
721	259.92	8290.600	5327.000
722	260.15	8294.500	5330.900
723	269.98	8653.200	5304.700
724	269.70	8649.400	5298.500
725	263.25	8775.600	5647.800
726	262.93	8769.300	5650.200
727	263.49	8779.800	5645.200
728	259.64	8454.300	5785.900
729	260.29	8480.800	5776.200
730	259.41	8448.000	5788.100
732	265.17	7294.800	4520.600
734	261.79	7004.400	4656.100
735	261.06	6828.700	4210.900
737	261.20	6824.500	4211.700
739	261.35	7240.400	3863.800
740	260.62	6685.900	3852.800
742	260.46	6687.600	3858.300
743	261.06	7234.500	3862.800
744	254.46	7887.200	5717.200
745	254.47	7890.300	5716.300
746	254.05	7731.800	5780.900
747	263.77	8480.700	5057.300
748	267.95	8152.000	4774.100
749	263.16	8484.600	5544.700
750	257.15	8325.200	5779.300
751	254.24	6760.000	4728.100
752	260.87	6913.000	4791.600
753	248.38	6755.800	5125.000
754	249.19	6587.200	3187.000
755	238.91	6392.400	3029.900
756	252.61	5000.100	5501.900
757	234.36	6678.800	2706.900
758	260.63	7896.926	5188.567
759	261.20	7893.170	5179.772
760	261.07	7897.478	4995.327
761	264.13	8271.640	5101.240
763	268.68	8252.690	4640.574
766	258.99	6501.571	3979.481
767	252.63	6362.949	3914.225
768	253.39	6506.670	3763.110
769	256.86	6569.128	3624.668

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
770	253.01	6469.678	3671.524
771	252.80	6466.618	3665.356
772	242.12	6208.189	3561.632
773	248.26	6417.860	3323.160
774	244.92	6089.045	3305.752
775	244.65	5886.936	3333.238
776	272.19	8431.465	4148.300
777	276.03	8555.239	4540.041
779	263.34	8113.332	3177.082
782	241.89	6868.581	2812.497
783	242.98	4995.956	3803.820
789	242.66	5542.741	3561.687
791	243.35	5736.641	3395.917
792	243.01	5913.540	3607.460
793	248.89	6174.694	3830.274
799	242.83	4995.150	3809.957
816	263.53	7821.917	4858.527
818	263.58	7728.867	4846.227
819	266.09	7683.873	4739.418
820	263.17	7587.709	4815.166
821	259.25	7595.669	4883.064
822	259.69	7611.786	4925.902
823	262.89	7546.746	5030.185
824	263.17	7533.202	4998.828
826	266.23	7787.289	4717.390
827	266.28	7838.292	4706.758
830	268.16	6631.393	6507.576
831	268.16	6631.393	6507.576
832	281.62	6446.260	6390.277
833	281.62	6446.260	6390.277
835	287.32	5732.456	6298.291
836	287.32	5732.456	6298.291
837	286.45	5650.743	6266.199
838	268.43	5053.607	6148.528
839	235.12	6671.416	2869.429
855	274.71	5839.970	8554.478
856	274.25	5824.081	8548.398
857	262.31	6655.082	6927.887
858	262.04	6640.089	6938.330
859	262.80	7312.421	7300.249
860	262.83	7298.574	7298.820

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
861	267.06	7826.369	7016.729
862	266.78	7815.889	7025.220
863	266.77	6658.536	6436.742
864	263.22	7793.411	4822.753
895	262.21	5420.504	7427.220
896	262.04	5414.132	7431.928
897	270.06	4934.338	6682.141
898	270.12	4928.359	6679.239
899	303.02	5649.460	6555.720
900	302.69	5658.950	6554.370
902	259.14	6196.074	7092.091
903	258.99	6231.299	7073.207
910	271.16	8404.686	5263.731
921	262.48	5383.703	5909.176
922	262.71	5370.449	5919.909
923	262.76	5366.539	5900.128
924	262.83	5382.716	5890.598
928	252.16	4924.716	5240.517
929	252.16	4924.716	5240.517
930	251.84	4664.774	5357.051
931	252.26	4697.941	5340.883
932	267.11	4950.680	6078.512
934	250.21	6719.264	4854.781
935	254.14	4921.320	5488.640
936	254.14	4921.320	5488.640
941	254.52	5331.321	5137.291
943	254.23	4481.165	6103.694
944	254.11	4488.497	6097.271
946	249.87	6172.939	3845.249
947	249.44	6176.877	3837.508
948	249.98	6170.128	3845.793
949	248.46	6194.257	3939.047
952	245.34	5869.760	3631.250
953	251.79	5090.490	4671.511
954	268.20	5627.761	5859.991
955	268.20	5631.698	5865.731
956	268.23	5636.339	5872.566
957	268.28	5640.382	5878.574
958	266.66	4786.231	7605.657
959	251.45	5923.400	4432.322
960	251.40	5938.559	4428.870

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
962	271.82	8425.917	4187.017
963	264.55	6001.330	7144.318
964	264.55	6001.330	7144.318
965	255.40	6056.588	5582.108
966	255.28	6064.807	5592.027
968	271.29	5257.910	5484.861
976	234.73	7274.448	2489.640
980	260.46	7292.800	5019.300
983	305.52	5459.845	6315.578
984	305.45	5459.845	6315.578
985	304.86	5466.675	6322.653
986	304.70	5466.675	6322.653
987	260.20	6384.320	6988.373
988	260.56	6379.532	6995.451
989	260.57	6379.532	6995.451
990	260.08	6361.989	6999.717
991	260.10	6355.954	7002.989
992	260.12	6355.954	7002.989
993	264.50	7465.500	4029.200
994	264.32	7274.400	4052.900
997	257.11	7710.200	5463.800
998	258.02	7789.600	5428.600
999	257.25	7794.100	5426.400

Key:

M.P. = Measuring Point

ft amsl = feet above mean sea level

All coordinates in feet relative to site grid

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
007	257.35	48.1	209.3	2.00	10.0	11/07/1979	Area A	NA
010	270.76	53.8	217.0	2.00	15.0	04/16/1979	Area A	Source
015	262.86	28.3	234.6	2.00	20.0	04/05/1979	Area A	Source
016	254.91	51.1	203.8	4.00	10.0	10/03/1979	Area A	D
032A	230.00	22.0	208.0	4.00	10.0	01/14/1998	Area D	Source
035	249.53	28.5	221.0	4.00	20.0	03/24/1979	B/322	S
046	267.59	19.2	248.4	4.00	10.0	11/07/1979	Area B	Source
048	264.31	15.7	248.6	4.00	5.0	11/01/1979	SEQ	Source
053	266.58	38.7	227.9	2.00	15.0	03/02/1979	Landfill	D
054	264.57	28.5	236.1	4.00	10.0	11/06/1979	Landfill	D
059	235.94	17.4	218.5	4.00	10.0	11/01/1979	B/330	U/S
060	235.68	46.4	189.3	4.00	10.0	11/01/1979	B/330	U/S
061	244.66	29.4	215.3	4.00	20.0	03/29/1979	B/330	U/S
063	250.25	54.7	195.6	2.00	10.0	11/13/1979	B/330	U/S
064	259.23	18.2	241.0	4.00	10.0	03/10/1980	Area B	D
065	258.76	43.5	215.3	4.00	10.0	03/18/1980	Area B	D
066	229.84	11.0	218.8	4.00	5.0	03/11/1980	Area D	U
067	234.42	14.7	219.7	2.00	10.0	03/11/1980	Area D	U
068	233.85	23.1	210.8	4.00	15.0	03/19/1980	B/322	D
069	253.69	15.5	238.2	4.00	5.0	03/24/1980	Landfill	S
085	276.34	123.0	153.3	2.00	3.0	12/10/1980	BR	NA
087	256.00	109.7	146.3	2.00	5.0	12/02/1980	BR	NA
103	257.59	14.6	243.0	2.00	1.0	11/21/1980	Area A	D
104	257.59	32.2	225.4	2.00	1.0	11/21/1980	Area A	D
105	257.74	105.4	152.3	2.00	3.0	12/01/1980	BR	NA
106	257.74	150.2	107.5	2.00	5.0	12/01/1980	BR	NA
108	255.45	104.7	150.8	2.00	3.0	12/04/1980	BR	NA
109	255.45	162.6	92.9	2.00	3.0	12/04/1980	BR	NA
113	269.01	110.6	158.4	2.00	5.0	01/14/1981	BR	NA
118	263.06	153.5	109.6	2.00	5.0	12/20/1980	Area A	Source
143	251.36	146.2	105.2	2.00	3.0	12/09/1980	B/330+BR	U
145	253.90	92.2	161.7	2.00	5.0	01/20/1981	B/330+BR	U
146	253.90	147.7	106.2	2.00	5.0	01/20/1981	B/330+BR	U
150	234.78	128.8	106.0	2.00	1.0	11/18/1980	BR	NA
151	241.06	18.4	222.7	2.00	1.0	11/17/1980	B/322	D
156	242.58	86.8	155.8	2.00	3.0	12/05/1980	BR	NA
161	259.63	17.6	242.0	2.00	1.0	04/20/1981	B/322	U
166	254.58	97.4	157.2	2.00	3.0	04/21/1981	BR	NA
167	254.58	148.1	106.5	2.00	3.0	04/21/1981	BR	NA
178	267.22	26.2	241.0	2.00	5.0	04/22/1981	B/330	D
181	248.88	18.1	230.8	4.00	5.0	04/26/1981	B/330	Source
204	252.79	12.9	239.9	2.00	10.0	06/14/1991	Area A	U(B/322), D(AA)
400	241.81	13.6	228.2	4.00	3.0	06/23/1984	WC	NA
401	242.22	97.7	144.5	4.00	10.0	07/01/1984	WC	NA
402	248.66	105.9	142.8	4.00	20.0	05/25/1984	WC	NA
403	249.39	24.9	224.5	4.00	5.0	06/25/1984	WC	NA
404	248.45	126.1	122.1	4.00	10.0	07/18/1984	WC	NA
407	345.22	240.7	104.5	4.00	10.0	07/11/1984	WC	NA
408	244.69	18.6	226.1	4.00	6.0	06/25/1984	WC	NA
410	250.32	18.0	232.3	4.00	3.0	06/24/1984	WC	NA
412	250.44	95.9	154.5	4.00	10.0	06/24/1984	WC	NA

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
415	265.83	168.2	97.6	4.00	10.0	06/21/1984	WC	NA
416	252.61	25.3	227.3	4.00	10.0	06/21/1984	WC	NA
417	253.31	96.7	156.6	4.00	10.0	06/24/1984	WC	NA
423	274.54	23.3	251.2	4.00	15.0	10/26/1990	WC	NA
424	274.95	24.6	250.4	4.00	15.0	10/25/1990	WC	NA
502	259.73	36.4	223.3	2.00	10.0	12/23/1986	SEQ	D
503	259.88	51.5	208.4	6.00	OPEN HOLE	01/09/1987	SEQ	D
515	260.81	157.5	103.3	2.00	20.0	04/23/1987	BR	NA
520	262.28	24.8	237.5	2.00	10.0	12/11/1986	SEQ	D
521	262.24	34.9	227.3	2.00	5.0	03/17/1987	BR	D
535	266.34	118.0	148.3	2.00	5.0	04/29/1987	BR	NA
543	263.07	13.1	250.0	2.00	5.0	01/20/1987	SEQ	D
545	264.96	29.8	235.2	2.00	20.5	01/17/1987	SEQ	D
559	282.75	83.5	199.3	2.00	10.0	05/05/1987	Landfill	Source
561	296.33	38.3	258.0	2.00	4.0	04/22/1987	Landfill	Source
563	285.63	130.0	155.6	2.00	15.0	04/28/1987	Landfill+BR	U
564	289.59	94.5	194.9	2.00	5.0	04/21/1987	BR	NA
571	286.39	15.0	271.4	2.00	4.0	03/17/1987	Area B	U
572	251.13	16.6	234.5	2.00	5.0	04/13/1989	B/330	Source
574	269.09	32.6	236.5	2.00	5.0	10/19/1989	B/330	Source
576	265.95	19.9	246.1	2.00	5.0	12/17/1991	B/330	Source
577	230.32	223.2	7.1	2.00	20.0	12/22/1994	BR	NA
578	272.21	200.0	72.2	2.00	20.0	02/24/1995	BR	NA
579	247.72	254.4	-6.7	2.00	20.0	04/06/1995	B/322+BR	NA
580	258.99	19.2	239.8	2.00	10.0	03/31/1995	B/322	U
581	267.23	28.9	238.3	2.00	5.0	06/20/1996	Area A	U
600	265.91	19.9	246.0	2.00	10.0	11/01/1996	B/330	U/S
601	266.04	137.7	128.3	2.00	5.0	10/16/1996	B/330	S
602	253.38	22.5	230.9	2.00	10.0	10/30/1996	B/330	S
603	252.54	26.0	226.5	2.00	10.0	10/31/1996	B/330	U
604	252.66	139.4	113.3	2.00	10.0	10/18/1996	B/330	U
607	253.77	118.9	134.9	2.00	20.0	12/06/1996	B/330+BR	Source
608	255.51	62.5	193.0	2.00	10.0	12/09/1996	B/330+BR	D
609	249.18	235.3	13.9	2.00	10.0	12/13/1996	B/330+BR	D
610	250.87	180.6	70.3	2.00	20.0	12/20/1996	B/330+BR	D/S
611	244.23	216.6	27.6	2.00	20.0	01/30/1997	B/330+BR	D/S
612	249.89	33.4	216.5	4.00	15.2	12/02/1997	B/322	D
613	249.02	33.6	215.4	4.00	15.2	12/03/1997	B/322	D
617	248.91	40.4	208.5	4.00	15.0	08/12/1998	B/322	D
618	239.17	32.5	206.7	4.00	15.0	08/11/1998	B/322	D
622	268.08	218.3	49.8	2.00	20.1	02/10/1999	B/330+BR	D
623	246.01	338.7	-92.7	2.00	15.0	02/26/1999	B/330+BR	D
624	246.31	364.0	-117.7	2.00	10.0	03/12/1999	B/330+BR	D
627	262.88	18.7	244.2	2.00	10.0	04/17/2000	B/322	U(B/322), D(AA)
628	267.42	64.2	203.2	4.00	40.0	04/12/2001	Area B	Source
701	248.83	20.0	228.8	2.00	5.0	12/04/1986	Area A	D
702	255.09	17.7	237.4	2.00	5.0	12/05/1986	Area A	D
704	255.00	347.0	-92.0	6.00	OPEN HOLE	12/04/1986	BR	NA
706	259.92	45.4	214.5	2.00	10.0	11/22/1986	Area A	D
711	263.69	349.3	-85.6	6.00	OPEN HOLE	10/15/1986	BR	NA
714	266.26	37.4	228.9	2.00	10.0	11/28/1986	Area A	Source

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
716	271.93	171.0	100.9	4.00	20.0	10/20/1986	BR	NA
720	275.43	53.1	222.4	2.00	22.5	01/07/1987	Area A	U
722	260.15	350.6	-90.5	6.00	OPEN HOLE	10/03/1986	BR	NA
735	261.06	25.5	235.6	2.00	10.0	12/11/1986	B/322	Source
739	261.35	214.4	47.0	4.00	40.0	10/26/1986	BR	NA
740	260.62	25.3	235.3	2.00	10.0	12/06/1986	B/322	D
742	260.46	221.6	38.9	4.00	80.0	10/30/1986	B/322+BR	NA
743	261.06	19.5	241.6	2.00	10.0	05/09/1987	B/322	U/S
744	254.46	28.7	225.8	2.00	5.0	08/18/1987	Area A	U
745	254.47	14.4	240.1	2.00	5.0	08/19/1987	Area A	U
751	254.24	13.4	240.8	4.00	6.0	07/23/1987	Area A	D
753	248.38	13.1	235.3	4.00	3.6	07/27/1987	Area A	D
754	249.19	22.8	226.4	4.00	15.0	07/17/1987	B/322	D/S
755	238.91	23.2	215.7	4.00	16.0	07/17/1987	B/322	D/S
756	252.61	20.0	232.6	4.00	12.0	07/09/1987	B/330	D
757	234.36	20.3	214.1	2.00	10.0	09/25/1987	Area D	Source
761	264.13	32.6	231.5	2.00	10.0	11/09/1990	Area A	U
763	268.68	49.7	219.0	2.00	5.0	10/12/1990	Area A	U
766	258.99	25.6	233.4	2.00	5.0	10/24/1990	B/322	Source
767	252.63	18.8	233.8	2.00	10.0	11/20/1990	B/322	Source
768	253.39	22.9	230.5	2.00	10.0	10/19/1990	B/322	D
769	256.86	26.9	230.0	2.00	10.0	10/22/1990	B/322	D
771	252.80	19.2	233.6	2.00	5.0	10/18/1990	B/322	D
772	242.12	19.1	223.0	2.00	10.0	11/20/1990	B/322	D
773	248.26	28.9	219.4	2.00	10.0	11/19/1990	B/322	D
774	244.92	30.1	214.8	2.00	10.0	10/23/1990	B/322	D
775	244.65	30.4	214.3	2.00	10.0	11/16/1990	B/322	D
777	276.03	130.5	145.5	2.00	10.0	12/21/1990	BR	NA
779	263.34	233.0	30.3	2.00	10.0	12/21/1990	BR	NA
789	242.66	21.3	221.4	2.00	10.0	05/09/1991	B/322	D
791	243.35	22.5	220.9	2.00	10.0	05/02/1991	B/322	D
792	243.01	20.9	222.1	2.00	10.0	06/04/1991	B/322	D
793	248.89	29.5	219.4	2.00	10.0	06/11/1991	B/322	D
832	281.62	30.4	251.2	2.00	5.0	03/23/1982	Area B	U
857	262.31	111.8	150.5	4.00	3.0	06/28/1982	BR	NA
858	262.04	160.2	101.8	4.00	5.0	06/25/1982	BR	NA
859	262.80	102.8	160.0	4.00	5.0	07/02/1982	SEQ	NA
860	262.83	153.3	109.5	4.00	5.0	07/01/1982	SEQ	NA
861	267.06	103.0	164.1	2.00	5.0	07/06/1982	SEQ	NA
862	266.78	152.0	114.8	2.00	6.0	07/05/1982	SEQ	NA
921	262.48	86.2	176.3	3.75	10.0	03/27/1984	B/330	D
922	262.71	116.6	146.1	3.75	10.0	04/24/1984	B/330	D
923	262.76	160.9	101.9	2.00	10.0	04/04/1984	B/330	D
929	252.16	152.9	99.3	2.00	10.0	06/14/1984	B/330	U
931	252.26	151.7	100.6	3.75	10.0	05/23/1984	B/330	S
932	267.11	172.8	94.3	4.00	20.0	05/24/1984	Landfill+BR	D
941	254.52	134.1	120.4	4.00	20.0	12/08/1984	B/330	D
943	254.23	144.1	110.1	4.00	20.0	01/09/1985	Landfill+BR	D
944	254.11	71.9	182.2	4.00	20.0	01/14/1985	Landfill	D
952	245.34	198.0	47.3	4.00	40.0	02/01/1985	B/322+BR	NA
953	251.79	153.1	98.7	4.00	10.0	02/07/1985	B/330+BR	D/S

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
954	268.20	172.5	95.7	4.00	20.0	02/12/1985	B/330	U
956	268.23	107.7	160.5	4.00	10.0	02/18/1985	B/330	U
958	266.66	106.4	160.3	4.00	20.0	02/20/1986	BR	NA
959	251.45	157.4	94.1	4.00	10.0	02/21/1985	B/322+BR	Source
960	251.40	90.6	160.8	4.00	20.0	02/22/1985	B/322+BR	Source
963	264.55	165.4	99.2	2.00	20.0	03/01/1985	BR	NA
964	264.55	95.3	169.3	2.00	10.0	03/01/1985	BR	NA
965	255.40	144.8	110.6	4.00	10.0	03/05/1985	B/330+BR	U
966	255.28	126.3	129.0	4.00	35.0	03/06/1985	B/330+BR	U
987	260.20	44.8	215.4	6.00	10.0	08/04/1986	SEQ	D
990	260.08	20.8	239.3	4.00	5.0	08/06/1986	SEQ	D
998	258.02	21.8	236.2	2.00	5.0	07/27/1987	Area A	D
999	257.25	52.9	204.4	2.00	10.0	07/23/1987	Area A	D
PW-1	262.24	541	-278.8	12.0	OPEN HOLE	1962	BR	NA
PW-2	255.34	277.5	-22.2	12.0	OPEN HOLE	1963	BR	NA
PW-4	248.73	265	-16.3	8.0	40.0	1968	BR	NA
PW-5	241.88	542	-300.1	10.0	OPEN HOLE	1970	BR	NA
PW-5A	242.01	522	-280.0	12.0	425.7	1984	BR	NA
PW-6	244.19	439	-194.8	12.0	OPEN HOLE	1979	BR	NA
PW-7	268.16	747	-478.8	12.0	OPEN HOLE	1979	B/330+BR	D
PW-9*	263.50	702	-438.5	14.0	OPEN HOLE	1981	BR	NA
PW-23	266.97	48.0	219.0	6.00	OPEN HOLE	03/03/1987	SEQ	Source
PW-25	250.53	432.3	-181.8	10.0	91.1	06/15/2000	B/330+BR	NA

Key:

Landfill = Landfill (Area C)

B/330 = Building 330 (Area C)

B/322 = Building 322

SEQ = Southeast Quadrant

BR = Bedrock

WC = West Complex

NA = Not applicable or not available

ft amsl = feet above mean sea level

M.P. = measuring point (generally a survey mark at top of inner monitoring pipe or casing)

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
007	Area A	S	X1	X					
010	Area A	S	X1	X		X			
015	Area A	S	X1	X					
016	Area A	S	X1	X		X			
032A	Area D	M		X	X	X			
035	B/322	A	X2						X
046	Area B	S		X					
048	SEQ	Q		X					
053	Landfill	S		X					
054	Landfill	S		X					
059	B/330	A							X
060	B/330	A							X
061	B/330	A							X
063	B/330	A							X
064	Area B	Q		X			X		
065	Area B	Q		X			X		
066	Area D	Q		X			X		
067	Area D	Q		X			X		
068	B/322	Q	X2	X					
069	Landfill	S		X					
085	BR	S		X					
087	BR	S		X					
103	Area A	S	X1	X		X			
104	Area A	S	X1	X		X			
105	BR	S		X		X			
106	BR	S		X					
108	BR	S		X					
109	BR	S		X					
113	BR	Q		X					
118	Area A	S	X1	X					
143	B/330+BR	S		X					
145	B/330+BR	A							X
146	B/330+BR	A							X
150	BR	S		X					
151	B/322	S	X2	X					
156	BR	S		X					
161	B/322	A	X2						X
166	BR	S		X					
167	BR	S		X					
178	B/330	A		X					
181	B/330	S		X					
204	Area A	A	X1	X					
360/COMB	B/322	M			X				
400	WC	S						X	
401	WC	S						X	
402	WC	S						X	
403	WC	S						X	
404	WC	S						X	
407	WC	S						X	
408	WC	S						X	
410	WC	S						X	
412	WC	S						X	

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
415	WC	S						X	
416	WC	S						X	
417	WC	S						X	
423	WC	S						X	
424	WC	S						X	
502	SEQ	Q		X					
503	SEQ	Q		X					
515	BR	Q		X					
520	SEQ	Q		X					
521	BR	Q		X					
535	BR	Q		X					
543	SEQ	Q		X					
545	SEQ	Q		X					
559	Landfill	S		X					
561	Landfill	S		X					
563	Landfill&BR	S		X					
564	BR	S		X					
571	Area B	Q		X					
572	B/330	A							X
574	B/330	A							X
576	B/330	S		X					
577	BR	S		X					
578	BR	S		X					
579	BR+B/322	S	X2	X					
580	B/322	A	X2						X
581	Area A	S	X1	X					
600	B/330	A							X
601	B/330	A							X
602	B/330	A							X
603	B/330	A							X
604	B/330	A							X
607	B/330+BR	A							X
608	B/330+BR	A		X					
609	B/330+BR	S		X					
610	B/330+BR	S		X					
611	B/330+BR	S		X					
612	B/322	M		X	X	X			
*613	B/322	M		X	X	X			
617	B/322	M		X	X	X			
618	B/322	M		X	X	X			
622	B/330+BR	S		X					
623	B/330+BR	S		X					
624	B/330+BR	S		X					
627	B/322	A	X2,X3						X
701	Area A	S	X1	X					
702	Area A	S	X1	X					
704	BR	S		X					
706	Area A	S	X1	X					
711	BR	S		X					
714	Area A	S	X1	X		X			
716	BR	S		X		X			
720	Area A	S	X1	X					

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
722	BR	S		X					
735	B/322	S	X2,X3	X					
739	BR	S		X					
740	B/322	A	X2	X					
742	BR+B/322	S	X2	X					
743	B/322	A	X2						X
744	Area A	Q	X1	X					
745	Area A	Q	X1	X					
751	Area A	S	X1	X					
753	Area A	S	X1	X					
754	B/322	A	X2						X
755	B/322	Q	X2	X					
756	B/330	A		X					
757	Area D	Q		X					
761	Area A	S	X1	X					
763	Area A	S	X1	X					
766	B/322	S	X2,X3	X					
767	B/322	S	X2	X					
768	B/322	S	X2,X3	X					
769	B/322	S	X2,X3	X					
771	B/322	A	X2	X					
772	B/322	Q	X2,X3	X					
773	B/322	Q	X2	X					
774	B/322	Q	X2	X					
775	B/322	A	X2						X
777	BR	S		X					
779	BR	S		X					
789	B/322	A	X2						X
791	B/322	A	X2						X
792	B/322	A	X2						X
793	B/322	S	X2,X3	X					
832	Area B	Q		X					
857	BR	Q		X					
858	BR	Q		X					
859	SEQ	Q		X					
860	SEQ	Q		X					
861	SEQ	Q		X					
862	SEQ	Q		X					
628	Area B	M		X	X	X			
628 GAC	Area B	M			X				
921	B/330	S		X					
922	B/330	S		X					
923	B/330	S		X					
929	B/330	S		X					
931	B/330	S		X					
932	Landfill&BR	S		X					
941	B/330	S		X					
943	Landfill&BR	S		X		X			
944	Landfill	S		X					
952	BR+B/322	S	X2	X					
953	B/330+BR	S		X					
954	B/330	S		X					

**Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network**

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
956	B/330	S		X					
958	BR	Q		X					
959	BR+B/322	S	X2	X					
960	BR+B/322	S	X2	X					
963	BR	Q		X					
964	BR	Q		X					
965	B/330+BR	S		X					
966	B/330+BR	S		X					
987	SEQ	Q		X			X		
990	SEQ	Q		X			X		
998	Area A	S	X1	X					
999	Area A	S	X1	X					
GACIN/316	BR	M			X				
PW-1	BR	M	X4	X	X	X			
PW-2	BR	M	X4	X	X	X			
PW-4	BR	M	X4	X	X	X			
PW-5/5A	BR	M	X4	X	X	X			
PW-6	BR	M	X4	X	X				
PW-7	BR & B/330	M	X5	X	X	X			
*PW-9	BR	M	X6	X	X	X			
PW-23	SEQ	M		X					
PW-25	BR & B/330	M	X4	X	X	X			
SUMP/B384	Area A	M	X1	X	X	X			

Key:

Landfill = Landfill (Area C)
 B/330 = Building 330 (Area C)
 B/322 = Building 322
 SEQ = Southeast Quadrant
 BR = Bedrock
 WC = West Complex

A = Annual
 S = Semiannual

CAM = Corrective Action Monitoring
 PCT = Process Control for Treatment
 CRM = Contaminant Reduction Monitoring
 POC = Point of Compliance Monitoring
 DM = Detection Monitoring
 AM = Annual Monitoring

Q = Quarterly
 M = Monthly
 M* = Monthly when used as a backup well
 * = PW-9 and GW613 are sampled only when in use.
 Current status for both wells is emergency use only.

All listed monitoring wells are hydraulic effectiveness monitoring wells. Refer to Table A-1 for complete list.

X = Sample all listed wells for Volatile Organics.

X1 = Sample for Total Fluoride and Chromium (dissolved & total) .

X2 = Sample for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X3 = Sample annually for Nickel (dissolved & total).

X4 = Sample quarterly for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X5 = Sample monthly for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X6 = Sample quarterly for Inorganics only when in use. (PW-9 is used only for emergencies.)

Appendix B

Quarterly Groundwater Elevation Data: January 1, 2010 to June 30, 2010

IBM East Fishkill
Groundwater Elevation Data: January through June 2010

Page 1 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
002	02/09/2010	256.13	05/17/2010	256.82				
003	02/09/2010	256.01	05/17/2010	256.74				
005	02/05/2010	249.76	05/17/2010	249.40				
006	02/05/2010	249.48	05/17/2010	249.12				
007	02/08/2010	239.49	05/18/2010	239.30				
008	02/09/2010	247.29	05/19/2010	247.72				
009	02/09/2010	246.75	05/19/2010	247.24				
010	02/09/2010	229.25	05/18/2010	234.64				
011	02/09/2010	255.72	05/19/2010	255.76				
013	02/11/2010	219.39	05/19/2010	220.89				
014	02/11/2010	201.60	05/19/2010	206.92				
015	02/11/2010	245.26	05/19/2010	246.46				
016	02/11/2010	219.09	05/19/2010	220.19				
017	02/11/2010	244.48	05/19/2010	245.33				
018	02/11/2010	185.23	05/19/2010	191.16				
019	02/11/2010	245.32	05/19/2010	246.28				
020	02/11/2010	220.78	05/27/2010	222.19				
022	02/11/2010	239.73	05/27/2010	239.83				
027	02/08/2010	110.54	05/17/2010	138.17				
028	02/08/2010	97.08	05/17/2010	103.65				
030	02/08/2010	226.72	05/20/2010	226.84				
032A	02/08/2010	225.90	05/17/2010	226.54				
035	02/08/2010	240.53	05/21/2010	240.62				
038	02/11/2010	228.87	05/20/2010	229.12				
039	02/11/2010	211.72	05/20/2010	212.58				
044	02/08/2010	245.51	05/18/2010	245.59				
046	02/05/2010	259.94	05/18/2010	256.81				
048	02/05/2010	257.64	05/18/2010	257.19				
049	02/05/2010	259.71	05/18/2010	258.19				
050	02/05/2010	259.81	05/18/2010	258.56				
053	02/09/2010	250.58	05/19/2010	252.24				
054	02/08/2010	250.72	05/17/2010	250.88				
059	02/08/2010	231.04	05/17/2010	228.60				
060	02/08/2010	211.96	05/17/2010	209.37				
061	02/08/2010	235.96	05/17/2010	236.17				
062	02/08/2010	234.01	05/17/2010	236.67				
063	02/08/2010	232.85	05/17/2010	236.31				
064	02/05/2010	255.13	05/17/2010	254.56				
065	02/05/2010	255.16	05/17/2010	254.49				
066	02/08/2010	224.34	05/17/2010	224.33				
067	02/08/2010	226.77	05/17/2010	226.51				
068	02/08/2010	222.35	05/17/2010	222.29				
069	02/08/2010	250.19	05/17/2010	250.01				
075	02/08/2010	243.61	05/17/2010	244.14				
085	02/05/2010	253.04	05/17/2010	249.63				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2010

IBM East Fishkill
Groundwater Elevation Data: January through June 2010

Page 2 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
086	02/05/2010	250.44	05/17/2010	252.07				
087	02/05/2010	246.10	05/17/2010	245.98				
088	02/05/2010	246.10	05/17/2010	246.09				
091	02/05/2010	259.87	05/17/2010	259.25				
092	02/05/2010	259.92	05/17/2010	259.27				
096	02/08/2010	248.78	05/18/2010	248.72				
097	02/08/2010	245.26	05/18/2010	246.69				
098	02/08/2010	246.70	05/18/2010	246.81				
100	02/08/2010	250.93	05/17/2010	251.27				
101	02/08/2010	250.03	05/17/2010	250.42				
102	02/08/2010	248.02	05/17/2010	252.48				
103	02/09/2010	246.06	05/19/2010	246.86				
104	02/09/2010	226.73	05/19/2010	227.27				
105	02/09/2010	219.52	05/19/2010	220.33				
106	02/09/2010	207.42	05/19/2010	207.99				
108	02/09/2010	218.27	05/18/2010	229.36				
109	02/09/2010	204.70	05/18/2010	215.14				
112	02/05/2010	266.76	05/17/2010	265.45				
113	02/05/2010	FLOW	05/17/2010	FLOW				
114	02/05/2010	FLOW	05/17/2010	267.96				
118	02/11/2010	143.06	05/19/2010	155.41				
121	02/09/2010	208.28	05/18/2010	208.94				
122	02/09/2010	180.27	05/18/2010	183.92				
129	02/11/2010	213.89	05/20/2010	215.63				
130	02/11/2010	208.87	05/20/2010	211.65				
143	02/09/2010	126.26	05/18/2010	140.31				
145	02/08/2010	186.48	05/17/2010	190.06				
146	02/08/2010	170.90	05/17/2010	179.06				
147	02/08/2010	230.24	05/19/2010	230.86				
150	02/08/2010	153.48	05/20/2010	158.62				
151	02/08/2010	225.36	05/17/2010	225.83				
156	02/08/2010	205.18	05/17/2010	202.87				
157	02/08/2010	164.09	05/17/2010	173.91				
158	02/08/2010	235.05	05/17/2010	232.93				
161	02/08/2010	243.98	05/17/2010	244.61				
164	02/05/2010	259.17	05/20/2010	257.71				
165	02/05/2010	259.13	05/20/2010	257.64				
166	02/05/2010	250.38	05/17/2010	250.41				
167	02/05/2010	249.76	05/17/2010	250.27				
168	02/05/2010	241.12	05/18/2010	263.26				
169	02/05/2010	231.01	05/18/2010	234.28				
170	02/08/2010	222.43	05/17/2010	222.67				
178	02/09/2010	245.94	05/18/2010	248.88				
180	02/09/2010	FLOW	05/19/2010	248.19				
181	02/09/2010	246.03	05/19/2010	247.44				
182	02/04/2010	227.66	05/20/2010	227.02				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2010

IBM East Fishkill
Groundwater Elevation Data: January through June 2010

Page 3 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
183	02/04/2010	227.54	05/20/2010	226.93				
185	02/04/2010	228.83	05/20/2010	220.93				
186	02/04/2010	225.81	05/20/2010	219.92				
191	02/04/2010	193.08	05/20/2010	193.10				
192	02/04/2010	201.15	05/20/2010	201.88				
200	02/09/2010	248.22	05/18/2010	246.32				
204	02/09/2010	243.99	05/19/2010	244.02				
224	02/09/2010	237.88	05/19/2010	239.65				
226	02/08/2010	226.78	05/17/2010	227.03				
227	02/08/2010	191.46	05/19/2010	191.96				
400	02/04/2010	233.11	05/20/2010	231.95				
401	02/04/2010	230.97	05/20/2010	229.77				
402	02/04/2010	210.56	05/20/2010	211.34				
403	02/04/2010	240.29	05/20/2010	239.16				
404	02/23/2010	145.27	05/20/2010	149.64				
406	02/04/2010	261.84	05/20/2010	262.12				
407	02/04/2010	262.05	05/20/2010	262.01				
408	02/04/2010	241.74	05/21/2010	241.14				
409	02/04/2010	FLOW	05/21/2010	FLOW				
410	02/04/2010	236.32	05/20/2010	235.87				
411	02/04/2010	236.57	05/20/2010	236.17				
412	02/04/2010	238.09	05/20/2010	237.57				
413	02/04/2010	236.82	05/20/2010	236.32				
414	02/04/2010	251.08	05/21/2010	249.52				
415	02/04/2010	248.63	05/21/2010	248.59				
416	02/04/2010	245.89	05/21/2010	244.53				
417	02/04/2010	237.10	05/21/2010	236.57				
418	02/04/2010	237.88	05/21/2010	236.98				
421	02/04/2010	277.17	05/20/2010	269.61				
422	02/04/2010	266.70	05/20/2010	265.53				
423	02/04/2010	264.34	05/20/2010	263.60				
424	02/04/2010	261.35	05/20/2010	260.83				
500	02/05/2010	248.94	05/17/2010	248.88				
501	02/05/2010	248.76	05/17/2010	249.83				
502	02/05/2010	257.68	05/17/2010	257.77				
503	02/05/2010	257.58	05/17/2010	257.81				
504	02/05/2010	257.40	05/17/2010	259.33				
505	02/05/2010	257.70	05/17/2010	258.62				
506	02/05/2010	258.17	05/17/2010	257.99				
507	02/05/2010	258.58	05/17/2010	258.05				
508	02/05/2010	258.61	05/17/2010	258.06				
509	02/05/2010	258.72	05/17/2010	260.19				
510	02/05/2010	258.70	05/17/2010	258.27				
511	02/05/2010	258.65	05/17/2010	258.14				
512	02/05/2010	258.94	05/17/2010	258.56				
513	02/05/2010	258.91	05/17/2010	258.94				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2010

IBM East Fishkill
Groundwater Elevation Data: January through June 2010

Page 4 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
514	02/05/2010	258.94	05/17/2010	258.48				
515	02/05/2010	258.76	05/17/2010	258.20				
516	02/05/2010	259.56	05/17/2010	258.99				
517	02/05/2010	259.35	05/17/2010	258.80				
518	02/05/2010	260.48	05/17/2010	258.93				
519	02/05/2010	260.34	05/17/2010	259.97				
520	02/23/2010	256.09	05/17/2010	255.87				
521	02/05/2010	257.44	05/17/2010	256.67				
522	02/05/2010	FLOW	05/17/2010	FLOW				
523	02/05/2010	265.42	05/20/2010	263.97				
524	02/05/2010	265.56	05/20/2010	264.05				
525	02/05/2010	265.08	05/20/2010	263.20				
526	02/05/2010	263.30	05/17/2010	260.73				
527	02/05/2010	263.08	05/17/2010	261.56				
528	02/05/2010	FLOW	05/17/2010	FLOW				
529	02/05/2010	FLOW	05/17/2010	FLOW				
530	02/05/2010	261.98	05/17/2010	261.11				
531	02/05/2010	FLOW	05/17/2010	FLOW				
532	02/05/2010	FLOW	05/17/2010	FLOW				
533	02/05/2010	261.56	05/17/2010	260.96				
534	02/05/2010	262.59	05/17/2010	261.74				
535	02/05/2010	FLOW	05/17/2010	264.36				
536	02/05/2010	259.41	05/18/2010	258.08				
537	02/05/2010	FLOW	05/18/2010	FLOW				
538	02/05/2010	264.67	05/18/2010	FLOW				
539	02/05/2010	FLOW	05/18/2010	FLOW				
541	02/05/2010	274.07	05/18/2010	270.18				
542	02/05/2010	274.36	05/18/2010	270.30				
543	02/05/2010	257.66	05/18/2010	256.49				
544	02/05/2010	258.12	05/18/2010	256.65				
545	02/05/2010	257.46	05/18/2010	256.53				
546	02/05/2010	FLOW	05/18/2010	265.46				
547	02/05/2010	263.99	05/18/2010	262.30				
548	02/05/2010	255.87	05/18/2010	256.27				
549	02/05/2010	257.53	05/18/2010	256.64				
550	02/05/2010	258.09	05/18/2010	256.94				
551	02/05/2010	253.32	05/18/2010	252.16				
553	02/05/2010	258.27	05/18/2010	258.09				
554	02/05/2010	258.41	05/18/2010	258.02				
556	02/05/2010	258.96	05/18/2010	257.88				
557	02/05/2010	259.27	05/18/2010	258.07				
558	02/05/2010	264.74	05/18/2010	261.97				
559	02/05/2010	256.15	05/18/2010	255.15				
560	02/05/2010	253.02	05/18/2010	253.10				
561	02/05/2010	266.89	05/18/2010	264.76				
562	02/05/2010	266.38	05/18/2010	262.99				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2010

IBM East Fishkill
Groundwater Elevation Data: January through June 2010

Page 5 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
563	02/05/2010	250.08	05/18/2010	249.95				
564	02/05/2010	261.59	05/06/2010	247.82				
565	02/05/2010	267.04	05/18/2010	263.36				
566	02/05/2010	258.05	05/18/2010	255.85				
567	02/05/2010	260.14	05/18/2010	260.09				
568	02/05/2010	264.16	05/18/2010	259.78				
569	02/05/2010	268.68	05/18/2010	264.82				
570	02/05/2010	234.74	05/18/2010	236.05				
571	02/05/2010	276.19	05/18/2010	274.65				
572	02/11/2010	243.46	05/19/2010	244.69				
574	02/09/2010	248.64	06/03/2010	248.56				
576	02/09/2010	250.17	05/18/2010	251.12				
577	02/08/2010	113.79	05/17/2010	116.99				
578	02/09/2010	159.90	05/17/2010	171.84				
579	02/11/2010	122.47	05/19/2010	130.72				
580	02/11/2010	242.47	05/19/2010	242.78				
581	02/08/2010	251.98	05/17/2010	252.14				
600	02/09/2010	247.74	05/18/2010	248.77				
601	02/09/2010	213.14	05/18/2010	219.18				
602	02/09/2010	246.43	05/18/2010	246.95				
603	02/09/2010	244.84	05/18/2010	243.60				
604	02/09/2010	154.95	05/18/2010	163.11				
605	02/09/2010	125.01	05/18/2010	138.36				
606	02/09/2010	85.61	05/18/2010	91.23				
607	02/09/2010	145.92	05/18/2010	155.08				
608	02/09/2010	DRY	05/18/2010	195.42				
609	02/09/2010	81.58	05/18/2010	87.18				
610	02/09/2010	111.77	05/19/2010	125.76				
611	02/11/2010	137.47	05/20/2010	149.84				
612	02/08/2010	224.98	05/17/2010	224.92				
613	02/08/2010	226.86	05/17/2010	230.38				
614	02/08/2010	226.02	05/17/2010	226.94				
615	02/08/2010	223.70	05/17/2010	227.30				
616	02/08/2010	226.67	05/17/2010	227.51				
617	02/08/2010	218.14	05/17/2010	218.34				
618	02/08/2010	218.05	05/17/2010	218.01				
619	02/05/2010	259.96	05/18/2010	256.83				
620	02/08/2010	230.97	05/17/2010	231.02				
621	02/09/2010	DRY	05/19/2010	243.75				
622	02/09/2010	197.78	05/18/2010	204.43				
623	02/09/2010	107.80	05/20/2010	124.40				
624	02/09/2010	119.31	05/20/2010	127.68				
626	02/05/2010	261.28	05/20/2010	260.88				
627	02/11/2010	245.91	05/19/2010	246.40				
700	02/09/2010	238.19	05/18/2010	238.22				
701	02/09/2010	237.83	05/18/2010	237.97				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2010

IBM East Fishkill
Groundwater Elevation Data: January through June 2010

Page 6 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
702	02/09/2010	245.04	05/18/2010	245.04				
703	02/09/2010	231.32	05/18/2010	231.26				
704	02/09/2010	183.00	05/18/2010	187.98				
705	02/09/2010	247.09	05/19/2010	248.01				
706	02/09/2010	236.81	05/19/2010	237.44				
707	02/09/2010	239.12	05/18/2010	240.10				
708	02/09/2010	236.08	05/18/2010	236.50				
709	02/09/2010	245.76	05/19/2010	246.33				
710	02/09/2010	245.50	05/19/2010	245.94				
711	02/09/2010	239.84	05/19/2010	240.81				
712	02/09/2010	251.54	05/18/2010	252.58				
714	02/09/2010	236.36	05/18/2010	237.88				
716	02/09/2010	149.52	05/18/2010	158.37				
717	02/08/2010	249.14	05/18/2010	248.99				
718	02/08/2010	248.87	05/18/2010	248.85				
719	02/08/2010	249.34	05/18/2010	249.17				
720	02/08/2010	248.48	05/18/2010	248.55				
721	02/08/2010	250.38	05/17/2010	249.97				
722	02/08/2010	243.74	05/17/2010	244.47				
723	02/08/2010	251.74	05/17/2010	251.65				
724	02/08/2010	251.38	05/17/2010	251.35				
725	02/08/2010	252.37	05/17/2010	251.71				
726	02/08/2010	252.26	05/17/2010	251.78				
727	02/08/2010	252.07	05/17/2010	251.70				
728	02/08/2010	250.13	05/17/2010	249.84				
729	02/08/2010	250.08	05/17/2010	249.78				
730	02/08/2010	233.39	05/17/2010	233.15				
732	02/11/2010	118.61	05/19/2010	124.75				
734	02/09/2010	111.55	05/20/2010	115.91				
735	02/11/2010	243.01	05/19/2010	244.21				
737	02/11/2010	116.69	05/19/2010	122.87				
739	02/09/2010	111.55	05/18/2010	117.53				
740	02/09/2010	DRY	05/19/2010	240.01				
742	02/09/2010	110.36	05/19/2010	117.49				
743	02/09/2010	247.36	05/18/2010	243.09				
744	02/08/2010	247.02	05/18/2010	247.05				
745	02/08/2010	246.96	05/18/2010	247.12				
746	02/08/2010	244.99	05/18/2010	245.05				
747	02/08/2010	251.83	05/17/2010	251.90				
748	02/09/2010	244.97	05/18/2010	245.68				
749	02/08/2010	251.14	05/17/2010	250.94				
750	02/08/2010	249.84	05/17/2010	249.61				
751	02/11/2010	241.63	05/20/2010	241.56				
752	02/11/2010	244.62	05/20/2010	244.91				
753	02/11/2010	236.88	05/20/2010	236.78				
754	02/08/2010	235.79	06/10/2010	235.92				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2010

IBM East Fishkill
Groundwater Elevation Data: January through June 2010

Page 7 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
755	02/08/2010	226.66	05/17/2010	226.99				
756	02/09/2010	235.81	05/21/2010	238.65				
757	02/08/2010	226.96	05/17/2010	227.55				
758	02/09/2010	253.08	05/18/2010	253.28				
759	02/09/2010	241.30	05/18/2010	241.74				
760	02/09/2010	238.85	05/19/2010	240.25				
761	02/09/2010	250.58	05/18/2010	250.83				
763	02/09/2010	236.17	05/18/2010	240.06				
766	02/09/2010	237.28	05/19/2010	238.37				
767	03/25/2010	238.02	05/19/2010	238.53				
768	02/09/2010	236.89	05/19/2010	238.43				
769	02/09/2010	236.26	05/19/2010	237.92				
770	02/09/2010	235.60	06/10/2010	238.53				
771	02/09/2010	236.40	05/19/2010	238.36				
772	02/23/2010	230.13	05/19/2010	232.44				
773	02/08/2010	231.06	05/17/2010	232.84				
774	02/09/2010	230.32	05/19/2010	230.96				
775	02/09/2010	227.85	05/19/2010	229.34				
776	02/09/2010	236.39	05/17/2010	244.27				
777	02/09/2010	252.71	05/17/2010	253.09				
779	02/09/2010	125.34	05/17/2010	133.69				
782	02/08/2010	227.38	05/17/2010	228.06				
783	02/08/2010	201.47	05/17/2010	199.66				
789	02/09/2010	230.96	05/19/2010	231.32				
791	02/09/2010	228.95	05/19/2010	229.22				
792	02/09/2010	229.81	05/19/2010	231.24				
793	02/11/2010	227.23	05/19/2010	227.98				
799	02/08/2010	211.45	05/17/2010	207.71				
816	02/09/2010	245.53	05/19/2010	246.31				
818	02/09/2010	247.58	05/19/2010	248.45				
819	02/09/2010	252.72	05/19/2010	252.92				
820	02/11/2010	250.99	05/19/2010	251.67				
821	02/11/2010	248.74	05/19/2010	251.30				
822	02/11/2010	244.69	05/19/2010	246.57				
823	02/09/2010	245.99	05/19/2010	247.10				
824	02/09/2010	246.37	05/19/2010	247.76				
826	02/09/2010	250.93	05/19/2010	251.03				
827	02/09/2010	255.44	05/19/2010	255.47				
830	02/05/2010	251.91	05/18/2010	258.22				
831	02/23/2010	249.34	05/18/2010	250.62				
832	02/05/2010	263.02	05/18/2010	261.18				
833	02/05/2010	272.96	05/18/2010	270.21				
835	02/05/2010	276.32	05/18/2010	273.23				
836	02/05/2010	270.41	05/18/2010	267.71				
837	02/05/2010	276.27	05/18/2010	273.28				
838	02/08/2010	DRY	05/18/2010	255.70				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2010

IBM East Fishkill
Groundwater Elevation Data: January through June 2010

Page 8 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
839	02/08/2010	227.42	05/27/2010	227.86				
855	02/05/2010	261.96	05/20/2010	260.39				
856	02/05/2010	263.15	05/20/2010	261.74				
857	02/05/2010	FLOW	05/17/2010	FLOW				
858	02/05/2010	FLOW	05/17/2010	FLOW				
859	02/05/2010	255.80	05/17/2010	255.95				
860	02/05/2010	255.73	05/17/2010	255.77				
861	02/05/2010	254.16	05/17/2010	253.99				
862	02/05/2010	252.78	05/17/2010	258.16				
863	02/05/2010	259.83	05/18/2010	256.69				
864	02/09/2010	249.33	05/19/2010	249.42				
895	02/05/2010	259.46	05/17/2010	258.80				
896	02/05/2010	259.54	05/17/2010	258.90				
897	02/05/2010	266.66	05/18/2010	269.29				
898	02/05/2010	268.91	05/18/2010	FLOW				
899	02/05/2010	270.10	05/18/2010	273.05				
900	02/05/2010	269.65	05/18/2010	271.51				
902	02/05/2010	FLOW	05/17/2010	257.36				
903	02/05/2010	FLOW	05/17/2010	257.87				
910	02/08/2010	251.55	05/17/2010	251.32				
921	02/09/2010	246.86	05/19/2010	249.35				
922	02/09/2010	218.94	05/19/2010	224.91				
923	02/09/2010	214.76	05/19/2010	220.95				
924	02/09/2010	249.58	05/19/2010	250.98				
928	02/09/2010	DRY	05/18/2010	DRY				
929	02/09/2010	142.75	05/18/2010	150.43				
930	02/09/2010	153.99	05/18/2010	162.93				
931	02/09/2010	152.65	05/18/2010	161.58				
932	02/09/2010	250.46	05/19/2010	252.00				
934	02/11/2010	238.73	05/20/2010	239.06				
935	02/09/2010	200.14	05/18/2010	212.95				
936	02/09/2010	196.74	05/18/2010	208.68				
941	02/09/2010	132.52	05/19/2010	145.04				
943	02/08/2010	243.48	05/17/2010	243.81				
944	02/08/2010	248.61	05/17/2010	248.32				
946	02/11/2010	225.67	05/19/2010	225.70				
947	02/11/2010	227.80	05/19/2010	228.58				
948	02/11/2010	226.43	05/19/2010	227.05				
949	02/09/2010	231.16	05/19/2010	231.61				
952	02/09/2010	129.84	05/19/2010	136.76				
953	02/09/2010	126.48	05/18/2010	141.45				
954	02/09/2010	224.85	05/18/2010	228.39				
955	02/09/2010	245.95	05/18/2010	248.35				
956	02/09/2010	241.45	05/18/2010	244.52				
957	02/09/2010	247.65	05/18/2010	249.75				
958	02/05/2010	264.56	05/17/2010	262.92				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2010

IBM East Fishkill
Groundwater Elevation Data: January through June 2010

Page 9 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
959	02/09/2010	141.80	05/20/2010	148.71				
960	02/09/2010	213.00	05/20/2010	209.42				
962	02/09/2010	174.22	05/17/2010	184.80				
963	02/05/2010	259.15	05/17/2010	258.52				
964	02/05/2010	259.03	05/17/2010	258.45				
965	02/09/2010	198.85	05/27/2010	205.40				
966	02/09/2010	199.18	05/27/2010	205.57				
968	02/09/2010	156.94	05/18/2010	166.16				
976	02/08/2010	226.53	05/17/2010	227.02				
980	02/11/2010	247.28	05/19/2010	247.88				
983	02/05/2010	254.71	05/18/2010	253.67				
984	02/05/2010	251.69	05/18/2010	251.51				
985	02/05/2010	264.76	05/18/2010	268.49				
986	02/05/2010	263.95	05/18/2010	261.23				
987	02/05/2010	256.55	05/17/2010	256.16				
988	02/05/2010	257.56	05/17/2010	260.21				
989	02/05/2010	FLOW	05/17/2010	260.25				
990	02/05/2010	256.06	05/17/2010	255.93				
991	02/05/2010	FLOW	05/17/2010	259.94				
992	02/05/2010	FLOW	05/17/2010	259.14				
993	02/11/2010	234.30	05/19/2010	234.01				
994	02/11/2010	249.97	05/19/2010	249.72				
997	02/08/2010	249.01	05/18/2010	248.89				
998	02/08/2010	248.17	05/18/2010	248.23				
999	02/08/2010	241.70	05/18/2010	241.82				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

11/3/2010

Appendix C

Sampling Field Log Database (January - June 2010)

Field Parameters Database (January - June 2010)

Table of Meteorological Data (January - June 2010)

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
007	373	158001	2/16/2010	GW100216007			BP/LINE	18.66	@PUMP	1.6M/G	10.0	DFB	3	0	1	1	1	0	Y	NA	
010	373	157992	2/11/2010	GW100211010			B/B	46.35	22.41	NA	3.5	DFB	3	0	1	1	1	0	N	NA	
015	374	158021	2/25/2010	GW100225015			BP/LINE	17.24	@PUMP	2.1M/G	5.3	DFB	3	0	1	1	1	0	Y	ND/ND	FIELD BLANK TAKEN
016	374	158009	2/18/2010	GW100218016		NR100218312	BPP/LINE	35.72	NA	1.8M/G	22.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #312
032A	372	157868	1/5/2010	GW100105032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	373	157957	2/1/2010	GW100201032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	374	158040	3/5/2010	GW100305032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
032A	375	158128	4/5/2010	GW100405032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	376	158217	5/3/2010	GW100503032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	376	158270	6/2/2010	GW100602032A		NR100602312	SP/TAP	NA	NA	0.3	DFB	6	0	0	0	0	0	0	N	NA	QC DUPLICATE #312
035	376	158237	5/6/2010	GW100506035			BP/LINE	7.44	7.57	1.2M/G	41.0	DFB	3	0	1	1	1	0	N	NA	
046	374	158041	3/5/2010	GW100305046			PP/B	4.85	4.85	5M/G	27.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
048	372	157891	1/11/2010	GW100111048			2"SP/LINE	7.05	9.79	1GPM	17.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
048	375	158162	4/15/2010	GW100415048			2"SP/LINE	6.51	8.44	1GPM	18.0	DFB	3	0	0	0	0	0	N	NA	
053	374	158044	3/8/2010	GW100308053			BP/LINE	11.87	12.62	1.9M/G	13.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
054	374	158070	3/15/2010	GW100315054			2"SP/LINE	8.66	13.68	2GPM	39.0	DFB	3	0	0	0	0	0	N	NA	
059	375	158175	4/20/2010	GW100420059			2"SP/LINE	4.91	5.51	2GPM	24.0	DFB	3	0	0	0	0	0	N	NA	
060	375	158176	4/20/2010	GW100420060		NR100420319	2"SP/LINE	23.05	33.35	3GPM	46.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #319, FIELD BLANK TAKEN
061	374	158063	3/10/2010	GW100310061			2"SP/LINE	5.76	5.96	2GPM	46.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
061	375	158147	4/12/2010	GW100412061			2"SP/LINE	7.96	8.14	2GPM	42.0	DFB	3	0	0	0	0	0	N	NA	RESAMPLE
063	374	158101	3/24/2010	GW100324063			BP/LINE	11.22	25.16	1.5M/G	21.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
064	372	157889	1/11/2010	GW100111064			2"SP/LINE	4.51	4.92	2GPM	27.0	DFB	3	0	0	0	0	0	N	NA	
064	375	158170	4/19/2010	GW100419064			2"SP/LINE	3.87	4.23	2GPM	28.0	DFB	3	0	0	0	0	0	N	NA	
065	372	157890	1/11/2010	GW100111065		NR100111312	2"SP/LINE	4.08	9.10	3GPM	77.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
065	375	158171	4/19/2010	GW100419065			2"SP/LINE	3.44	8.10	3GPM	78.0	DFB	3	0	0	0	0	0	N	NA	
066	372	157897	1/12/2010	GW100112066			2"SP/LINE	5.25	6.77	1GPM	11.0	DFB	3	0	0	0	0	0	N	NA	
066	375	158148	4/12/2010	GW100412066			2"SP/LINE	4.87	6.68	2GPM	12.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
067	372	157896	1/12/2010	GW100112067			BP/LINE	7.70	8.09	1.6M/G	3.4	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
067	375	158165	4/15/2010	GW100415067		NR100415312	BP/LINE	7.45	8.02	1.7M/G	3.5	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
068	373	157905	1/14/2010	GW100114068			2"SP/LINE	12.05	13.81	2GPM	22.0	DFB	3	0	1	1	1	0	N	NA	
068	376	158207	4/29/2010	GW100429068			2"SP/LINE	11.22	14.34	2GPM	23.0	DFB	3	0	1	1	1	1	N	NA	EPA 625, MOF AND PART 373 SAMPLING
069	374	158084	3/18/2010	GW100318069			2"SP/LINE	2.64	4.84	2GPM	25.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
085	374	158085	3/18/2010	GW100318085		NR100318312	2"SP/LINE	19.32	68.61	2GPM	50.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
087	374	158086	3/18/2010	GW100318087			2"SP/LINE	8.06	29.81	2GPM	49.0	DFB	3	0	0	0	0	0	N	NA	
103	374	158073	3/16/2010	GW100316103			PP/B	8.29	DRY	7.5M/G	2.2	DFB	3	0	1	2	1	0	Y	NA	
104	374	158072	3/16/2010	GW100316104			PP/B	28.19	31.22	11.5M/G	1.9	DFB	3	0	1	1	1	0	N	ND/ND	
105	374	158019	2/25/2010	GW100225105			BP/LINE	37.98	96.71	2.3M/G	16.0	DFB	3	0	0	0	0	0	Y	NA	
106	374	158020	2/25/2010	GW100225106			BP/LINE	50.30	@PUMP	2M/G	19.0	DFB	3	0	0	0	0	0	Y	NA	
108	375	158111	3/29/2010	GW100329108			2"SP/LINE	21.23	@PUMP	2GPM	15.0	DFB	3	0	0	0	0	0	Y	NA	
109	374	158016	2/24/2010	GW100224109			2"SP/LINE	51.26	@PUMP	2GPM	20.0	DFB	3	0	0	0	0	0	Y	NA	
113	372	157899	1/13/2010	GW100113113			2"SP/LINE	-2.00	@PUMP	2GPM	32.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
113	375	158178	4/20/2010	GW100420113			2"SP/LINE	-2.00	@PUMP	2GPM	32.0	DFB	3	0	0	0	0	0	Y	NA	
118	374	158045	3/8/2010	GW100308118			BP/LINE	118.55	140.83	2.3M/G	17.0	DFB	3	0	1	1	0	0	N	ND/ND	
143	374	158042	3/8/2010	GW100308143			BP/LINE	124.52	124.68	2.6M/G	10.4	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
145	374	158075	3/16/2010	GW100316145			BP/LINE	64.18	@PUMP	2.2M/G	6.8	DFB	3	0	0	0	0	0	Y	NA	
146	374	158074	3/16/2010	GW100316146			BP/LINE	80.06	81.87	2.5M/G	32.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
150	373	157983	2/9/2010	GW100209150			2"SP/LINE	81.67	@PUMP	1GPM	10.0	DFB	3	0	0	0	0	0	Y	NA	
151	373	158000	2/16/2010	GW100216151			PP/B	15.88	DRY	NA	0.4	DFB	3	0	0	0	0	0	Y	NA	VOAS ONLY, NETS HYDRO
151	373	158000	2/17/2010	GW100217151								DFB	0	0	1	1	1	0	NA		METALS AND TOTAL FLUORIDE ONLY
156	373	157984	2/9/2010	GW100208156			2"SP/LINE	37.86	@PUMP	2GPM	16.0	DFB	3	0	0	0	0	0	Y	NA	
161	374	158076	3/17/2010	GW100317161			PP/B	14.03	14.10	6M/G	1.7	DFB	3	0	1	1	1	0	N	NA	
166	375	158115	3/31/2010	GW100331166			2"SP/LINE	-2.00	90.84	2GPM	36.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
167	375	158114	3/31/2010	GW100331167			BP/LINE	0.26	140.04	2.0M/G	36.0	DFB	6	0	0	0	0	0	Y	NA	MS/MSD VOAS
178	374	158094	3/23/2010	GW100323178			B/B	16.01	22.37	NA	4.9	DFB	3	0	0	0	0	0	N	NA	
181	374	158098	3/24/2010	GW100324181			2"SP/LINE	1.31	15.11	1GPM	20.0	DFB	3	0	0	0	0	0	Y	ND/ND	
204	373	157994	2/11/2010	GW100211204			B/B	9.82	12.13	NA	1.9	DFB	3	0	1	1	1	0	N	NA	
210	372	157853	1/4/2010	PW100104210		NR100104310	SP/TAP	NA	NA	0.3	DFB	6	0	0	2	2	2	0	N	NA	QC DUPLICATE #310
210	373	157962	2/2/2010	PW100202210		NR100202310	SP/TAP	NA	NA	0.3	DFB	6	0	0	0	0	0	2	N	NA	QC DUPLICATE #310, PW KIT
210	374	158025	3/3/2010	PW100303210			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
210	375	158131	4/6/2010	PW100406210			SP/TAP	NA	NA	0.3	DFB	3	0	1	1	1	1	0	N	NA	FIELD BLANK TAKEN
210	376	158211	5/3/2010	PW100503210			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
210	376	158267	6/2/2010	PW100602210		NR100602310	SP/TAP	NA	NA	0.3	DFB	6	0	0	0	0	0	0	N	NA	QC DUPLICATE #310
220	372	157851	1/4/2010	PW100104220			SP/TAP	NA	NA	0.3	DFB	3	0	1	1	1	1	0	N	ND/ND	
220	373	157959	2/2/2010	PW100202220			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	1	N	ND/ND	PW KIT
220	374	158022	3/3/2010	PW100303220			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	
220	375	158135	4/6/2010	PW100406220			SP/TAP	NA	NA	0.3	DFB	3	0	1	1	1	1	0	N	ND/ND	
220	376	158209	5/3/2010	PW100503220			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
220	376	158265	6/2/2010	PW100602220			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	0.6/0.6	FIELD BLANK TAKEN
240	372	157852	1/4/2010	PW100104240			SP/TAP	NA	NA	0.3	DFB	3	0	1	1	1	1	0	N	ND/ND	
240	373	157960	2/2/2010	PW100202240			SP/TAP	NA	NA												

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
240	375	158132	4/6/2010	PW100406240			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
240	376	158210	5/3/2010	PW100503240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
240	376	158266	6/2/2010	PW100602240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
250	372	157874	1/6/2010	PW100106250			SP/TAP	122.55	123.65	NA		DFB	3	0	1	1	1	0	N	NA	TOTALIZER AND GPM READOUT NOT WORKING
250	373	157964	2/3/2010	PW100203250			SP/TAP	120.90	121.5	NA		DFB	3	0	0	0	0	1	N	NA	PW KIT, TOTALIZER AND GPM READOUT OFF LINE
250	374	158030	3/4/2010	PW100304250		NR100304310	SP/TAP	119.45	120.10	NA		DFB	6	0	0	0	0	0	N	NA	TOTALIZER AND GPM READOUT NOT WORKING, QC DUP.#310
250	375	158142	4/7/2010	PW100407250			SP/TAP		NA	NA		DFB	3	0	1	1	1	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
250	376	158218	5/4/2010	PW100504250			SP/TAP	115.25	116.10	NA		DFB	3	0	0	0	0	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
250	376	158279	6/7/2010	PW100607250			SP/TAP	114.35	114.86	NA	0.3	DFB	3	0	0	0	0	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
260	372	157875	1/6/2010	PW100106260			SP/TAP	70.10	>300	NA		DFB	3	0	1	1	1	0	N	NA	TOTALIZER AND GPM READOUT NOT WORKING
260	373	157966	2/3/2010	PW100203260			SP/TAP	68.15	>300	50GPM	15000.0	DFB	3	0	0	0	0	1	N	NA	PW KIT, FIELD BLANK TAKEN
260	374	158031	3/4/2010	PW100304260			SP/TAP	67.65	>300	55GPM	11000.0	DFB	3	0	0	0	0	0	N	NA	
260	375	158143	4/7/2010	PW100407260			SP/TAP		NA	NA	10000.0	DFB	3	0	1	1	1	0	N	NA	
260	376	158219	5/4/2010	PW100504260			SP/TAP	61.95	220.15	60GPM	11000.0	DFB	3	0	0	0	0	0	N	NA	
260	376	158280	6/7/2010	PW100607260			SP/TAP	60.60	195.05	69GPM	10000.0	DFB	3	0	0	0	0	0	N	NA	
270	373	157932	1/21/2010	PW100121270			SP/TAP	57.75	>300	32GPM	13000.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	373	157965	2/3/2010	PW100203270			SP/TAP	53.45	>300	33GPM	14100.0	DFB	3	0	1	1	1	1	N	ND/ND	PW KIT
270	374	158032	3/4/2010	PW100304270			SP/TAP	51.35	>300	39GPM	13100.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	375	158144	4/7/2010	PW100407270			SP/TAP		NA	NA	13900.0	DFB	3	0	1	1	1	0	N	NA	
270	376	158220	5/4/2010	PW100504270		NR100504310	SP/TAP	44.25	>300	36GPM	13600.0	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #310
270	376	158281	6/7/2010	PW100607270			SP/TAP	48.95	>300	35GPM	13600.0	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
290	372	157883	1/6/2010				DFB														NO SAMPLE, OFF LINE
290	378	158499	2/2/2010				DFB														NO SAMPLE, OFF LINE
290	378	158500	3/3/2010				DFB														NO SAMPLE, OFF LINE
290	375	158130	4/6/2010				DFB														NO SAMPLE, OFF LINE
290	376	158246	5/10/2010				DFB														NO SAMPLE, OFF LINE
290	376	158271	6/2/2010				DFB														NO SAMPLE, OFF LINE
300	372		1/5/2010	TB100105300			DFB						3	0	0	0	0	0			TRIP BLANK
300	372		1/6/2010	TB100106300			DFB						3	0	0	0	0	0			TRIP BLANK
300	373		1/20/2010	TB100120300			DFB						3	0	0	0	0	0			TRIP BLANK
300	373		1/21/2010	TB100121300			DFB						3	0	0	0	0	0			TRIP BLANK
300	373		2/8/2010	TB100208300			DFB						3	0	0	0	0	0			TRIP BLANK
300	374		2/23/2010	TB100223300			DFB						3	0	0	0	0	0			TRIP BLANK
300	374		3/9/2010	TB100309300			DFB						0	3	0	0	0	0			TRIP BLANK
300	374		3/16/2010	TB100316300			DFB						0	3	0	0	0	0			TRIP BLANK
300	375		4/6/2010	TB100406300			DFB						3	0	0	0	0	0			TRIP BLANK
300	376		4/29/2010	TB100428300			DFB						3	0	0	0	0	0			TRIP BLANK
300	376		5/5/2010	TB100505300			DFB						0	3	0	0	0	0			TRIP BLANK
300	376		5/6/2010	TB100506300			DFB						3	0	0	0	0	0			SPDES TRIP BLANK
300	376		6/8/2010	TB100608300			DFB						3	0	0	0	0	0			SPDES TRIP BLANK
302	372		1/4/2010	TB100104302			DFB						3	0	0	0	0	0			TRIP BLANK
302	372		1/5/2010	EB100105302			DFB						3	0	0	0	0	0			TRIP BLANK
302	372		1/6/2010	TB100106302			DFB						3	0	0	0	0	0			TRIP BLANK
302	372		1/7/2010	TB100107302			DFB						3	0	0	0	0	0			TRIP BLANK
302	372		1/11/2010	TB100111302			DFB						3	0	0	0	0	0			TRIP BLANK
302	372		1/12/2010	TB100112302			DFB						3	0	0	0	0	0			TRIP BLANK
302	372		1/13/2010	TB100113302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		1/14/2010	TB100114302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		1/18/2010	TB100118302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		1/19/2010	TB100119302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		1/25/2010	TB100125302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		1/28/2010	TB100128302			DFB						3	0	0	0	0	0			SAMPLE NOT RUN PER JACKIE BRAUNGART
302	373		2/1/2010	TB100201302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		2/2/2010	TB100202302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		2/3/2010	TB100203302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		2/4/2010	TB100204302			DFB						0	3	0	0	0	0			TRIP BLANK
302	373		2/8/2010	TB100208302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		2/9/2010	TB100209302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		2/10/2010	TB100210302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		2/11/2010	TB100211302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		2/15/2010	TB100215302			DFB						3	0	0	0	0	0			TRIP BLANK
302	373		2/16/2010	TB100216302			DFB						3	0	0	0	0	0			TRIP BLANK
302	374		2/18/2010	TB100218302			DFB						3	0	0	0	0	0			TRIP BLANK
302	374		2/22/2010	TB100222302			DFB						3	0	0	0	0	0			TRIP BLANK
302	374		2/23/2010	TB100223302			DFB						3	0	0	0	0	0			TRIP BLANK
302	374		2/24/2010	TB100224302			DFB						3	0	0	0	0	0			TRIP BLANK
302	374		2/25/2010	TB100225302			DFB						3	0	0	0	0	0			TRIP BLANK
302	374		3/3/2010	TB100303302			DFB						3	0	0	0	0	0			TRIP BLANK
302	374		3/4/2010	TB100304302			DFB						3	0	0	0	0	0			TRIP BLANK
302	374		3/5/2010	TB100305302			DFB						3	0	0	0	0	0			TRIP BLANK
302	374		3/8/2010	TB100308302			DFB						3	0	0	0	0	0			TRIP BLANK

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
302	374		3/9/2010	TB100309302								DFB	3	0	0	0	0	0			TRIP BLANK, SPDES
302	374		3/10/2010	TB100310302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/11/2010	TB100311302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/15/2010	TB100315302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/16/2010	TB100316302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/17/2010	TB100317302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/18/2010	TB100318302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/22/2010	TB100322302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/23/2010	TB100322302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/24/2010	TB100324302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		3/25/2010	TB100325302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		3/29/2010	TB100329302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		3/31/2010	TB100331302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/1/2010	TB100401302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/5/2010	TB100405302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/6/2010	TB100406302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/7/2010	TB100407302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/12/2010	TB100412302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/13/2010	TB100413302								DFB	0	3	0	0	0	0			TRIP BLANK
302	375		4/14/2010	TB100414302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/15/2010	TB100415302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/19/2010	TB100419302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/20/2010	TB100420302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/21/2010	TB100421302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/22/2010	TB100422302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/26/2010	TB100422302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/27/2010	TB100427302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/28/2010	TB100428302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		4/29/2010	TB100428302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/3/2010	TB100503302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/4/2010	TB100504302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/6/2010	TB100506302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/10/2010	TB100510302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/11/2010	TB100511302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/12/2010	TB100512302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/13/2010	TB100513302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/27/2010	TB100527302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/1/2010	TB100601302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/2/2010	TB100602302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/3/2010	TB100603302								DFB	0	3	0	0	0	0			TRIP BLANK
302	376		6/7/2010	TB100607302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/8/2010	TB100608302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/14/2010	TB100614302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/15/2010	TB100615302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/16/2010	TB100616302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		6/21/2010	TB100621302								DFB	3	0	0	0	0	0			TRIP BLANK
303	372		1/4/2010	EB100104303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	372		1/5/2010	EB100105303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	372		1/7/2010	EB100107303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	372		1/11/2010	EB100111303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	372		1/12/2010	EB100112303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	372		1/13/2010	EB100113303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		1/14/2010	EB100114303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		1/18/2010	EB100118303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		1/19/2010	EB100119303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		1/25/2010	EB100125303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		1/28/2010	EB100128303								DFB	3	0	0	0	0	0			SAMPLE NOT RUN PER JACKIE BRAUNGART
303	373		2/1/2010	EB100201303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/2/2010	EB100202303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/3/2010	EB100203303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/4/2010	EB100204303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/8/2010	EB100208303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/9/2010	EB100209303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/10/2010	EB100210303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/11/2010	EB100211303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/15/2010	EB100215303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/16/2010	EB100216303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		2/18/2010	EB100218303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		2/22/2010	EB100222303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		2/23/2010	EB100223303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		2/24/2010	EB100224303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS	
303	374		2/25/2010	EB100225303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/3/2010	EB100303303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/4/2010	EB100304303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/5/2010	EB100305303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/8/2010	EB100308303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/10/2010	EB100310303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/11/2010	EB100311303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/15/2010	EB100315303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/16/2010	EB100316303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/17/2010	EB100317303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/18/2010	EB100318303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/22/2010	EB100322303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/23/2010	EB100322303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	374		3/24/2010	EB100324303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		3/25/2010	EB100325303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		3/29/2010	EB100329303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		3/31/2010	EB100331303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/1/2010	EB100401303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/5/2010	EB100405303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/7/2010	EB100407303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/12/2010	EB100412303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/13/2010	EB100413303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/14/2010	EB100414303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/15/2010	EB100415303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/19/2010	EB100419303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/20/2010	EB100420303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/21/2010	EB100421303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/22/2010	EB100422303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/26/2010	EB100426303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/27/2010	EB100427303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	375		4/28/2010	EB100428303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		4/29/2010	TB100429303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		5/3/2010	EB100503303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		5/4/2010	EB100504303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		5/5/2010	EB100505303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		5/6/2010	EB100506303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		5/10/2010	EB100510303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		5/11/2010	EB100511303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		5/12/2010	EB100512303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		5/13/2010	EB100513303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		5/27/2010	EB100527303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		6/1/2010	EB100601303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		6/2/2010	EB100602303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		6/3/2010	EB100603303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		6/7/2010	EB100607303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		6/14/2010	EB100614303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		6/15/2010	EB100615303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	376		6/16/2010	EB100616303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
303	377		6/21/2010	EB100621303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID	
307	374		3/9/2010	TB100309307								DFB	3	0	0	0	0	0			TRIP BLANK, SPDES	
323	372	157864	1/5/2010	PW100105323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	2	N	NA	BACTERIA, TURBIDITY, FIELD BLANK TAKEN
323	373	157961	2/2/2010	PW100202323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	1	N	NA	PW KIT, FIELD BLANK TAKEN
323	374	158024	3/3/2010	PW100303323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	2	N	NA	BACTERIA, TURBIDITY
323	375	158133	4/6/2010	PW100406323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
323	376	158213	5/3/2010	PW100503323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
323	376	158269	6/2/2010	PW100602323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
325	372	157854	1/4/2010	PW100104325			SP/TAP		NA	NA	0.3	DFB	3	0	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
325	373	157963	2/2/2010	PW100202325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	1	N	ND/ND	PW KIT
325	374	158026	3/3/2010	PW100303325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	
325	375	158134	4/6/2010	PW100406325		NR100406310	SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	0	N	ND/ND	QC DUPLICATE #310
325	376	158212	5/3/2010	PW100503325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	
325	376	158268	6/2/2010	PW100602325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	
395	372	157855	1/4/2010	SW100104395			SP/TAP		NA	NA	0.3	DFB	3	0	0	1	1	1	0	N	0.2/0.3	
395	373	157947	2/1/2010	SW100201395			SP/TAP		NA	NA	0.3	DFB	3	0	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
395	374	158033	3/4/2010	SW100304395			SP/TAP		NA	NA	0.3	DFB	3	0	0	1	1	1	0	N	ND/ND	FEILD BLANK TAKEN
395	375	158118	4/1/2010	SW100401395			SP/TAP		NA	NA	0.3	DFB	3	0	0	1	1	1	0	N	ND/ND	
395	376	158226	5/4/2010	SW100504395			TANK/TAP		NA	NA	0.3	DFB	3	0	0	1	1	1	0	N	ND/ND	
395	376	158285	6/8/2010	SW100608395		NR100608311	SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	0	N	ND/ND	QC DUPLICATE #311, FIELD BLANK TAKEN
395A	372	157856	1/4/2010	SW100104395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	0.1/0.1	
395A	373	157948	2/1/2010	SW100201395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	
395A	374	158034	3/4/2010	SW100304395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
395A	375	158119	4/1/2010	SW100401395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	376	158227	5/4/2010	SW100504395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	376	158286	6/8/2010	SW100608395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	372	157857	1/4/2010	SW100104395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	0.2/0.2	
395B	373	157949	2/1/2010	SW100201395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	374	158035	3/4/2010	SW100304395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	375	158120	4/1/2010	SW100401395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	376	158228	5/4/2010	SW100504395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	376	158287	6/8/2010	SW100608395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
400	377	158301	6/16/2010	GW100616400			PP/B	10.81	12.94	4M/G	5.4	DFB	3	0	0	0	0	0	N	NA	
401	377	158302	6/16/2010	GW100616401			BPP/LINE	15.22	NA	1.6M/G	22.0	DFB	3	0	0	0	0	0	N	NA	
402	376	158295	6/15/2010	GW100615402	NR100615313		2"SP/LINE	44.74	68.72	4GPM	119.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
403	376	158250	5/11/2010	GW100511403			BP/LINE	10.23	20.88	1.6M/G	29.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
404	376	158251	5/12/2010	GW100512404			BP/LINE	98.84	99.44	4M/G	53.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
407	376	158252	5/12/2010	GW100512407			2"SP/LINE	83.11	137.97	3GPM	307.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
408	376	158297	6/15/2010	GW100615408			BP/LINE	4.24	5.78	1/5M/G	28.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
410	376	158298	6/16/2010	GW100616410			PP/B	15.68	DRY	6M/G	2.8	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
412	376	158299	6/16/2010	GW100616412			BPP/LINE	13.53	NA	1.5M/G	22.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
415	376	158255	5/13/2010	GW100513415			2"SP/LINE	17.56	52.11	3GPM	194.0	DFB	3	0	0	0	0	0	N	NA	
416	376	158296	6/15/2010	GW100615416			BP/LINE	9.55	21.24	1.7M/G	18.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
417	376	158253	5/12/2010	GW100512417	NR100512313		2"SP/LINE	16.90	47.71	5GPM	156.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
423	376	158249	5/11/2010	GW100511423			BP/LINE	10.95	11.41	1.4M/G	24.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
424	376	158248	5/11/2010	GW100511424		NR100511314		BP/LINE	14.03	21.56	2.5M/G	21.0	DFB	6	0	0	0	0	0	N	NA
502	373	157915	1/18/2010	GW100118502			BP/LINE	1.62	12.49	1.8M/G	17.0	DFB	3	0	0	0	0	0	N	NA	
502	375	158191	4/26/2010	GW100426502			BP/LINE	1.39	13.21	1.6M/G	17.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
503	373	157934	1/25/2010	GW100125503	NR100125313		2"SP/LINE	1.79	8.00	10GPM	224.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313, FIELD BLANK TAKEN
503	375	158169	4/19/2010	GW100419503			2"SP/LINE	1.58	7.96	10GPM	225.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
515	372	157898	1/13/2010	GW100113515			2"SP/LINE	2.57	33.31	3.5M/G	74.0	DFB	3	0	0	0	0	0	N	NA	
515	375	158174	4/20/2010	GW100420515				BP/LINE	2.19	45.90	3.1M/G	75.0	DFB	6	0	0	0	0	0	N	NA
520	373	157913	1/18/2010	GW100118520			BP/LINE	6.04	7.61	1.7M/G	9.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
520	375	158179	4/20/2010	GW100420520			BP/LINE	5.84	7.98	1.4M/G	9.1	DFB	3	0	0	0	0	0	N	NA	
521	373	157914	1/18/2010	GW100118521			BP/LINE	5.04	5.75	1.6M/G	14.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
521	375	158180	4/20/2010	GW100420521			BP/LINE	4.36	4.64	1.7M/G	15.0	DFB	3	0	0	0	0	0	N	NA	
535	373	157911	1/18/2010	GW100118535			2"SP/LINE	0.32	@PUMP	2GPM	22.0	DFB	3	0	0	0	0	0	Y	NA	
535	375	158177	4/20/2010	GW100420535			2"SP/LINE	0.82	@PUMP	2GPM	24.0	DFB	3	0	0	0	0	0	Y	NA	
543	372	157892	1/11/2010	GW100111543			2"SP/LINE	6.46	6.51	5.5M/G	3.2	DFB	3	0	0	0	0	0	N	NA	
543	375	158163	4/15/2010	GW100415543			PP/B	4.94	5.02	6M/G	3.9	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
545	372	157901	1/13/2010	GW100113545			BP/LINE	8.39	8.41	1.7M/G	10.3	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
545	375	158160	4/14/2010	GW100414545			BP/LINE	7.05	7.41	1.5M/G	11.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
559	375	158158	4/14/2010	GW100414559			BP/LINE	23.81	70.23	1.5M/G	10.0	DFB	3	0	0	0	0	0	Y	ND/ND	
561	375	158159	4/14/2010	GW100414561			B/B	21.71	30.41	NA	8.0	DFB	3	0	0	0	0	0	N	ND/ND	
563	375	158157	4/14/2010	GW100414563			2"SP/LINE	31.90	@PUMP	2GPM	18.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
564	376	158236	5/6/2010	GW100506564			BP/LINE	41.77	@PUMP	2.1M/G	11.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
571	372	157893	1/11/2010	GW100111571			B/B	9.03	9.14	NA	2.9	DFB	3	0	0	0	0	0	N	NA	
571	375	158161	4/14/2010	GW100414571			B/B	10.74	11.96	NA	2.0	DFB	3	0	0	0	0	0	N	NA	
572	377	158303	6/21/2010	GW100621572			PP/B	6.26	6.41	5M/G	5.0	DFB	3	0	0	0	0	0	N	ND/0.9	FIELD BLANK TAKEN
574	377	158304	6/21/2010	GW100621574			PP/B	23.17	23.32	7M/G	4.5	DFB	3	0	0	0	0	0	N	ND/1.2	
576	374	158099	3/24/2010	GW100324576			B/B	13.01	13.82	NA	3.3	DFB	3	0	0	0	0	0	N	NA	
577	373	157985	2/9/2010	GW100209577	NR100209313		2"SP/LINE	116.91	207.02	2GPM	51.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
578	373	157976	2/8/2010	GW100208578			2"SP/LINE	112.24	119.36	3GPM	42.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
579	375	158116	4/1/2010	GW100401579		NR100401318	2"SP/LINE	121.04	121.86	1GPM	64.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #318
580	373	157997	2/15/2010	GW100215580			B/B	16.96	18.61	NA	0.8	DFB	3	0	1	1	1	0	Y	NA	
581	373	157990	2/10/2010	GW100210581			B/B	15.31	16.15	NA	6.5	DFB	3	0	1	1	1	0	N	NA	
600	374	158046	3/8/2010	GW100308600	NR100308317		B/B	14.51	14.91	NA	2.6	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #317
601	374	158062	3/10/2010	GW100310601			2"SP/LINE	41.16	45.35	2GPM	46.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
602	374	158067	3/11/2010	GW100311602			B/B	4.77	21.40	NA	8.5	DFB	3	0	0	0	0	0	N	NA	
603	374	158047	3/8/2010	GW100308603			B/B	4.64	23.61	NA	10.3	DFB	3	0	0	0	0	0	N	NA	
604	374	158081	3/17/2010	GW100317604																	

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
613	373	157958	2/1/2010									DFB									NO SAMPLE, OFF LINE
613	376	158300	3/5/2010									DFB									NO SAMPLE, OFF LINE
613	375	158129	4/5/2010									DFB									NO SAMPLE, OFF LINE
613	376	158225	5/4/2010									DFB									NO SAMPLE, OFF LINE
613	376	158264	6/1/2010									DFB									NO SAMPLE, OFF LINE
617	372	157871	1/6/2010	GW100106617			SP/TAP	7.54	NA	8.4GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	373	157954	2/1/2010	GW100201617			SP/TAP	7.59	NA	11.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	374	158037	3/5/2010	GW100305617			SP/TAP	6.72	NA	9.6GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	375	158125	4/5/2010	GW100405617	NR100405311		SP/TAP	8.14	NA	13.9GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
617	376	158222	5/4/2010	GW100504617	NR100504311		SP/TAP	6.83	NA	11.5GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
617	376	158261	6/1/2010	GW100601617			SP/TAP	7.12	NA	9.9GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	372	157872	1/6/2010	GW100106618			SP/TAP	3.00	NA	1.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
618	373	157955	2/1/2010	GW100201618			SP/TAP	3.00	NA	1.3GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	374	158038	3/5/2010	GW100305618			SP/TAP	2.98	NA	1.4GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	375	158126	4/5/2010	GW100405618			SP/TAP	3.01	NA	1.2GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	376	158223	5/4/2010	GW100504618			SP/TAP	2.98	NA	1.3GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	376	158262	6/1/2010	GW100601618			SP/TAP	2.98	NA	1.2GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
622	375	158184	4/21/2010	GW100421622			2"SP/LINE	58.63	180.21	1GPM	77.0	DFB	3	0	0	0	0	0	N	NA	
623	375	158183	4/21/2010	GW100421623			2"SP/LINE	123.14	126.51	2GPM	124.0	DFB	3	0	0	0	0	0	N	ND/ND	
624	376	158254	5/13/2010	GW100513624			2"SP/LINE	118.04	179.81	4GPM	118.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
627	373	157996	2/15/2010	GW100215627			PP/B	16.51	17.88	6M/G	1.1	DFB	3	0	1	1	1	0	N	NA	
628	372	157865	1/5/2010	GW100105628			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628	373	157950	2/1/2010	GW100201628	NR100201311		SP/TAP	NA	NA	0.3	DFB	6	0	0	0	0	0	0	N	NA	QC DUPLICATE #311
628	374	158027	3/3/2010	GW100303628			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628	375	158121	4/5/2010	GW100405628			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
628	376	158214	5/3/2010	GW100503628	NR100503312		SP/TAP	NA	NA	0.3	DFB	6	0	0	0	0	0	0	N	NA	QC DUPLICATE #312
628	376	158257	6/1/2010	GW100601628			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
628A	372	157866	1/5/2010	GW100105628A			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628A	373	157951	2/1/2010	GW100201628A			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628A	374	158028	3/3/2010	GW100303628A			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628A	375	158122	4/5/2010	GW100405628A			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628A	376	158215	5/3/2010	GW100503628A			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628A	376	158258	6/1/2010	GW100601628A			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628B	372	157867	1/5/2010	GW100105628B			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628B	373	157952	2/1/2010	GW100201628B			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628B	374	158029	3/3/2010	GW100303628B			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628B	375	158123	4/5/2010	GW100405628B			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628B	376	158216	5/3/2010	GW100503628B			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
628B	376	158259	6/1/2010	GW100601628B			TANK/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
638	375	158146	4/12/2010	GW100412638			B/B	16.32	23.28	NA	2.9	DFB	3	0	0	0	0	0	Y	NA	
640	375	158145	4/7/2010	GW100407640			B/B	11.72	20.12	NA	2.5	DFB	3	0	0	0	0	0	Y	NA	
701	373	157986	2/10/2010	GW100210701			B/B	10.92	11.67	NA	4.4	DFB	3	0	1	1	1	0	N	NA	
702	373	157987	2/10/2010	GW100210702			B/B	10.06	16.18	NA	3.7	DFB	3	0	1	1	1	0	N	NA	
704	373	157974	2/8/2010	GW100208704			2"SP/LINE	70.12	102.61	6GPM	1246.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
706	374	158007	2/18/2010	GW100218706			BP/LINE	23.32	26.72	1.5M/G	10.6	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
711	374	158012	2/23/2010	GW100223711	NR100223315		2"SP/LINE	24.23	73.31	7.5GPM	1463.0	DFB	6	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
714	373	157991	2/11/2010	GW100211714			B/B	29.98	35.21	NA	3.6	DFB	3	0	1	1	1	0	N	ND/ND	
716	374	158013	2/23/2010	GW100223716			BP/LINE	121.64	122.51	2.6M/G	96.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
720	375	158107	3/25/2010	GW100325720			2"SP/LINE	25.33	25.81	1GPM	11.0	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
722	373	157999	2/16/2010	GW100216722			2"SP/LINE	17.05	29.06	7.5GPM	1501.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS, FIELD BLANK TAKEN
732	376	158294	6/14/2010	GW100614732			2"SP/LINE	136.77	146.61	3GPM	217.0	DFB	3	0	0	0	0	0	N	NA	
734	376	158291	6/14/2010	GW100614734			2"SP/LINE	140.48	146.38	1.5GPM	38.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
735	373	157995	2/15/2010	GW100215735			B/B	18.08	25.08	NA	1.4	DFB	3	0	1	1	1	0	Y	ND/ND	FIELD BLANK TAKEN
737	376	158293	6/14/2010	GW100614737			BP/LINE	136.41	137.92	2.6M/G	27.0	DFB	3	0	0	0	0	0	N	NA	
739	375	158109	3/29/2010	GW100329739			2"SP/LINE	147.33	149.97	2GPM	131.0	DFB	3	0	0	0	0	0	N	NA	
740	374	158079	3/17/2010	GW100317740			PP/B	21.87	24.25	7.5M/G	1.6	DFB	3	0	1	1	1	0	N	NA	
742	374	158017	2/24/2010	GW100224742			2"SP/LINE	148.68	152.30	3GPM	142.0	DFB	3	0	1	1	1	0	N	NA	
743	375	158110	3/29/2010	GW100329743			B/B	16.93	18.71	NA	1.2	DFB	3	0	1	1	1	0	N	NA	
744	373	157910	1/14/2010	GW100114744			BP/LINE	7.91	8.03	1.2M/G	10.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314
744	375	158185	4/22/2010	GW100422744		NR100422313	BP/LINE	6.68	7.03	1.5M/G	11.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #313
745	373	157907	1/14/2010	GW100114745			PP/B	7.68	13.60	6M/G	3.2	DFB	3	0	1	1	1	0	N	NA	
745	375	158190	4/26/2010	GW100426745			PP/B	6.73	DRY	6.5M/G	3.4	DFB	3	0	1	1	1	0	Y	NA	
751	376	158205	4/29/2010	GW100429751			PP/B	12.57	DRY	6.5M/G	1.2	DFB	3	0	1	1	1	1	Y	NA	EPA 625, MOF AND PART 373 SAMPLING
753	376	158203	4/29/2010	GW100429753			PP/B	11.12	DRY	4.5M/G	2.0	DFB	3	0	1	1	1	1	Y	NA	EPA 625, MOF AND PART 373 SAMPLING
754	375	158106	3/25/2010	GW100325754			PP/B	12.58	12.89	5.5M/G	20.0	DFB	3	0	1	1	1	0	N	NA	
754	376	158201	4/28/2010	GW100428754			PP/B	12.83	15.31	6M/G	19.4	DFB	3	0	0	0	0	1	N	NA	EPA 625, MOF SAMPLING
755	373	157906	1/14/2010	GW100114755			BP/LINE	12.93	18.68	2.2M/G	20.0	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
755	376	158206	4/29/2010	GW100429755			BP/LINE	10.95	18.22	2M/G	24.0	DFB	3	0	1	1	1	1	N	NA	EPA 625, MOF AND PART 373 SAMPLING, FIELD BLANK
755	376	158256	5/27/2010	GW100527755			BP/LINE	12.15	18.46	2.5M/G	22.0	DFB	3	0	0	0	0	0	N	NA	RESAMPLE, FIELD BLANK TAKEN
756	374	158090	3/23/2010	GW100323756			PP/B	3.27	DRY	4.2M/G	20.0	DFB	3	0	0	0	0	0	Y	NA	
756	375	158200	4/28/2010	GW100428756			PP/B	9.88	DRY	3.7M/G	13.0	DFB	3	0	0	0	0	0	Y	NA	EPA 625, MOF SAMPLING

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
757	372	157902	1/13/2010	GW100113757			B/B	7.82	8.48	NA	6.0	DFB	3	0	0	0	0	0	N	NA	
757	375	158166	4/15/2010	GW100415757			B/B	5.92	6.18	NA	6.9	DFB	3	0	0	0	0	0	N	ND/ND	
761	373	157988	2/10/2010	GW100210761			B/B	13.34	27.25	NA	9.2	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
763	373	157989	2/10/2010	GW100210763			B/B	32.06	48.65	NA	4.0	DFB	3	0	1	1	1	0	Y	NA	
766	374	158018	2/24/2010	GW100224766			B/B	21.84	22.07	NA	1.8	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
767	375	158105	3/25/2010	GW100325767			PP/B	18.80	14.70	7M/G	2.0	DFB	3	0	1	1	1	0	N	ND/ND	
768	374	158077	3/17/2010	GW100317768			PP/B	15.91	16.03	7M/G	3.4	DFB	3	0	1	1	1	0	N	ND/ND	
769	373	157998	2/15/2010	GW100215769		NR100215317	B/B	20.57	22.04	NA	3.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #317
771	374	158078	3/17/2010	GW100317771			PP/B	15.69	18.55	6.5M/G	1.7	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
772	373	157919	1/19/2010	GW100119772		NR100119315	BP/LINE	11.72	12.32	2M/G	3.5	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #315, FIELD BLANK TAKEN
772	375	158187	4/22/2010	GW100422772			BP/LINE	9.75	10.65	1.7M/G	4.5	DFB	3	0	1	1	1	0	N	NA	INVALID SPECIFIC CONDUCTANCE READING
773	373	157909	1/14/2010	GW100114773			BP/LINE	17.44	18.71	1.7M/G	5.5	DFB	3	0	1	1	1	0	N	NA	
773	375	158186	4/22/2010	GW100422773			BP/LINE	14.92	16.84	1.7M/G	6.7	DFB	3	0	1	1	1	0	N	NA	
774	373	157908	1/14/2010	GW100114774			BP/LINE	14.85	22.80	1.4M/G	7.3	DFB	3	0	1	1	1	0	N	NA	
774	375	158188	4/22/2010	GW100422774		NR100422314	BP/LINE	13.57	24.11	2M/G	7.9	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314
775	374	158008	2/18/2010	GW100218775		NR100218320	BP/LINE	15.74	16.72	2M/G	7.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #320
777	373	157975	2/8/2010	GW100208777		NR100208318	2*SP/LINE	23.32	29.20	3GPM	51.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #318
779	373	157982	2/9/2010	GW100209779			BP/LINE	138.00	138.31	3.5M/G	46.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
789	373	158003	2/16/2010	GW100216789			B/B	11.81	16.24	NA	4.6	DFB	3	0	1	1	1	0	N	NA	
791	373	158004	2/16/2010	GW100216791			B/B	14.30	15.01	NA	3.9	DFB	3	0	1	1	1	0	N	NA	
792	374	158080	3/17/2010	GW100317792		NR100317320	B/B	10.59	11.09	NA	4.9	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #320
793	375	158117	4/1/2010	GW100401793		NR100401319	B/B	20.71	27.42	NA	4.2	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #319, FIELD BLANK TAKEN
832	372	157900	1/13/2010	GW100113832		NR100113316	PP/B	20.62	20.82	4.7M/G	4.7	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #316
832	375	158164	4/15/2010	GW100415832			PP/B	18.05	18.48	6.5M/G	5.9	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
857	373	157912	1/18/2010	GW100118857			2*SP/LINE	-2.00	97.71	2GPM	78.0	DFB	3	0	0	0	0	0	Y	NA	
857	375	158182	4/21/2010	GW100421857			2*SP/LINE	-2.00	101.25	2GPM	82.0	DFB	3	0	0	0	0	0	Y	NA	
858	373	157918	1/19/2010	GW100119858			2*SP/LINE	-2.00	154.18	2GPM	212.0	DFB	6	0	0	0	0	0	Y	NA	MS/MSD VOAS
858	375	158189	4/26/2010	GW100426858			2*SP/LINE	-2.00	148.75	2GPM	244.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
859	372	157895	1/12/2010	GW100112859			2*SP/LINE	7.11	95.31	2GPM	102.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
859	376	158244	5/10/2010	GW100510859			2*SP/LINE	6.77	92.31	1.5GPM	151.0	DFB	6	0	0	0	0	0	Y	NA	MS/MSD VOAS, FIELD BLANK TAKEN
860	372	157894	1/12/2010	GW100112860			2*SP/LINE	7.14	144.32	2GPM	285.0	DFB	3	0	0	0	0	0	N	NA	
860	375	158194	4/27/2010	GW100427860			2*SP/LINE	6.83	138.90	2GPM	180.0	DFB	3	0	0	0	0	0	Y	NA	
861	373	157916	1/19/2010	GW100119861			2*SP/LINE	14.11	@PUMP	1GPM	23.0	DFB	3	0	0	0	0	0	Y	NA	
861	375	158192	4/27/2010	GW100427861			2*SP/LINE	11.00	@PUMP	2GPM	26.0	DFB	3	0	0	0	0	0	Y	NA	
862	373	157917	1/19/2010	GW100119862			2*SP/LINE	15.07	@PUMP	1GPM	25.0	DFB	3	0	0	0	0	0	Y	NA	
862	375	158193	4/27/2010	GW100427862			2*SP/LINE	11.94	@PUMP	2GPM	30.0	DFB	3	0	0	0	0	0	Y	NA	
921	374	158087	3/22/2010	GW100322921			BP/LINE	10.17	17.98	1.2M/G	148.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
922	376	158245	5/10/2010	GW100510922			2*SP/LINE	35.92	110.74	2GPM	64.0	DFB	3	0	0	0	0	0	Y	NA	
923	374	158089	3/22/2010	GW100322923			2*SP/LINE	36.18	126.59	2GPM	60.0	DFB	3	0	0	0	0	0	N	ND/ND	
929	374	158091	3/23/2010	GW100323929			BP/LINE	106.60	106.97	3M/G	22.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
931	374	158097	3/24/2010	GW100324931			2*SP/LINE	95.42	99.34	4GPM	110.0	DFB	3	0	0	0	0	0	N	NA	
932	374	158069	3/15/2010	GW100315932			2*SP/LINE	10.98	158.11	2GPM	216.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
941	374	158043	3/8/2010	GW100308941			BP/LINE	121.05	121.49	2.3M/G	25.0	DFB	3	0	0	0	0	0	N	ND/ND	
943	374	158083	3/18/2010	GW100318943			2*SP/LINE	7.15	35.44	7.5GPM	267.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
944	374	158082	3/18/2010	GW100318944			2*SP/LINE	2.72	56.13	2GPM	135.0	DFB	3	0	0	0	0	0	N	NA	
952	374	158068	3/15/2010	GW100315952			BP/LINE	113.44	115.61	2.2M/G	165.0	DFB	3	0	1	1	1	0	N	NA	
953	374	158066	3/11/2010	GW100311953			2*SP/LINE	123.77	125.39	2.1M/G	57.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
954	374	158060	3/10/2010	GW100310954			2*SP/LINE	33.84	144.66	2GPM	122.0	DFB	3	0	0	0	0	0	Y	NA	
956	374	158061	3/10/2010	GW100310956			2*SP/LINE	24.59	99.56	2GPM	64.0	DFB	3	0	0	0	0	0	Y	ND/ND	
958	372	157888	1/11/2010	GW100111958			2*SP/LINE	3.43	91.24	2GPM	76.0	DFB	3	0	0	0	0	0	Y	NA	
958	375	158181	4/21/2010	GW100221958			2*SP/LINE	2.78	91.38	2GPM	74.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
959	374	158011	2/22/2010	GW100222959			BP/LINE	110.61	135.72	2.1M/G	91.0	DFB	3	0	1	1	1	0	N	ND/ND	
960	374	158010	2/22/2010	GW100222960			BP/LINE	43.11	70.41	1.2M/G	93.0	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
963	372	157886	1/7/2010	GW100107963			2*SP/LINE	6.26	46.63	2GPM	76.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
963	375	158172	4/19/2010	GW100419963			2*SP/LINE	5.52	41.26	2GPM	77.0	DFB	3	0	0	0	0	0	N	NA	
964	372	157887	1/7/2010	GW100107964			2*SP/LINE	6.06	18.47	2GPM	43.0	DFB	3	0	0	0	0	0	N	NA	
964	375	158173	4/19/2010	GW100419964			2*SP/LINE	5.58	16.21	2GPM	43.0	DFB	3	0	0	0	0	0	N	NA	
965	374	158064	3/11/2010	GW100311965			2*SP/LINE	41.93	42.75	7.5GPM	201.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
966	374	158065	3/11/2010	GW100311966			2*SP/LINE	41.55	43.19	4GPM	165.0	DFB	3	0	0	0	0	0	N	NA	
987	372	157884	1/7/2010	GW100107987			2*SP/LINE	3.89	4.12	4GPM	184.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
987	375	158167	4/19/2010	GW100419987		NR100419315	2*SP/LINE	3.16	3.39	3GPM	187.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #315
990	372	157885	1/7/2010	GW100107990		NR100107317	2*SP/LINE	4.11	5.56	2GPM	33.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #317
990	375	158168	4/19/2010	GW100519990			2*SP/LINE	3.57	5.74	3GPM	34.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
998	373	157993	2/11/2010	GW100211998			B/B	9.95	19.44	NA	5.7	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
999	373	158002	2/16/2010	GW100216999			BP/LINE	15.81	16.71	1.5M/G	18.0	DFB	3	0	1	1	1	0	N	NA	
NR360	372	157873	1/6/2010	NR100106360			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	373	157956	2/1/2010	NR100201360			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	374	158039	3/5/2010	NR100305360			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360																					

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
007		2/16/2010	10.5	6.9	5010	3.92	
010		2/11/2010	13.7	7.3	2360	1000	
015		2/25/2010	7.8	7.8	2620	26.8	
016	312	2/18/2010	13.0	7.2	1880	4.91	QC DUPLICATE #312
032A		1/5/2010	13.6	7.6	2070	0.46	
032A		2/1/2010	12.4	7.3	2600	2.76	
032A		3/5/2010	11.4	6.8	3900	0.28	
032A		4/5/2010	14.2	6.7	2730	1.12	
032A		5/3/2010	16.1	6.5	3240	2.89	
032A	312	6/2/2010	18.6	6.4	3610	2.19	QC DUPLICATE #312
035		5/6/2010	12.8	5.9	5240	1.74	
046		3/5/2010	9.3	7.0	1296	1.04	
048		1/11/2010	7.4	6.7	1458	15.6	
048		4/15/2010	9.6	6.3	850	22.1	
053		3/8/2010	13.5	6.7	8700	48.2	
054		3/15/2010	8.5	6.4	2860	16.3	
059		4/20/2010	8.1	6.1	851	7.67	
060	319	4/20/2010	10.3	6.4	1110	45.2	QC DUPLICATE #319
061		3/10/2010	5.7	6.6	7540	6.56	
061		4/12/2010	9.0	6.2	4590	6.20	
063		3/24/2010	12.4	6.7	7130	45.7	
064		1/11/2010	10.7	6.5	1710	4.56	
064		4/19/2010	11.3	6.6	1418	25.5	
065	312	1/11/2010	12.0	6.9	2120	0.66	QC DUPLICATE #312
065		4/19/2010	11.8	6.7	1441	12.2	
066		1/12/2010	6.7	6.5	2670	13.2	
066		4/12/2010	9.9	6.3	2730	9.68	
067		1/12/2010	8.6	6.6	650	3.47	
067	312	4/15/2010	8.7	6.5	752	13.3	QC DUPLICATE #312
068		1/14/2010	10.5	6.8	2260	48.3	
068		4/29/2010	10.7	6.8	2570	72.1	
069		3/18/2010	3.3	6.8	2700	5.66	
085	312	3/18/2010	12.9	6.9	2400	78.0	QC DUPLICATE #312
087		3/18/2010	12.0	7.0	1107	4.14	
103		3/16/2010	9.1	7.5	453	1.98	
104		3/16/2010	11.9	6.5	600	2.44	
105		2/25/2010	11.9	7.1	1398	2.06	
106		2/25/2010	11.0	6.9	1143	5.62	
108		3/29/2010	13.3	6.9	1690	7.44	
109		2/24/2010	11.6	7.3	1260	4.96	
113		1/13/2010	8.9	7.2	1800	27.8	
113		4/20/2010	10.9	6.5	1750	14.7	
118		3/8/2010	15.0	6.7	1760	3.27	
143		3/8/2010	11.6	6.8	1396	2.20	
145		3/16/2010	10.4	7.5	2560	200	
146		3/16/2010	10.3	7.5	725	36.2	
150		2/9/2010	10.3	7.0	1660	923	
151		2/16/2010					NETS HYDRO
151		2/17/2010	10.8	6.9	2240	5.29	
156		2/9/2010	8.4	7.0	1401	4.59	
161		3/17/2010	8.8	6.6	1124	22.5	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
166		3/31/2010	12.0	6.5	1172	15.4	
167		3/31/2010	11.2	6.3	638	10.9	
178		3/23/2010	14.0	6.8	1398	779	
181		3/24/2010	11.5	10.5	2120	>1000	
204		2/11/2010	11.3	6.9	5020	507	
210	310	1/4/2010	11.0	7.5	959	1.90	QC DUPLICATE #310
210	310	2/2/2010	11.0	7.3	990	2.81	QC DUPLICATE #310
210		3/3/2010	11.3	6.8	977	1.89	
210		4/6/2010	12.0	6.4	980	1.27	
210		5/3/2010	13.1	6.2	965	1.47	
210	310	6/2/2010	13.7	6.3	979	1.01	QC DUPLICATE #310
220		1/4/2010	13.4	7.4	1500	1.28	
220		2/2/2010	12.8	6.9	1740	10.4	
220		3/3/2010	13.7	6.7	1560	3.64	
220		4/6/2010	14.1	6.8	1630	4.61	
220		5/3/2010	15.3	6.3	1530	3.47	
220		6/2/2010	14.8	6.4	1590	2.65	
240		1/4/2010	12.2	7.5	1025	0.70	
240		2/2/2010	12.0	7.1	1087	2.82	
240		3/3/2010	12.5	6.7	1067	5.57	
240		4/6/2010	12.8	6.5	1073	3.61	
240		5/3/2010	13.7	6.0	1077	2.26	
240		6/2/2010	14.0	6.3	1052	2.04	
250		1/6/2010	11.1	7.6	753	13.4	
250		2/3/2010	10.9	6.8	795	24.0	
250		3/4/2010	11.2	6.8	751	11.0	
250		4/7/2010	17.7	6.6	746	78.0	
250		5/4/2010	18.1	6.7	722	41.6	
250		6/7/2010	21.1	6.2	669	54.3	
260		1/6/2010	11.5	7.7	901	7.90	
260		2/3/2010	11.5	7.1	905	13.1	
260		3/4/2010	11.4	6.7	900	6.19	
260		4/7/2010	12.9	6.4	829	9.56	
260		5/4/2010	13.3	5.9	795	9.58	
260		6/7/2010	12.6	6.1	760	5.45	
270		1/21/2010	11.6	6.9	667	5.52	
270		2/3/2010	11.5	6.8	743	6.27	
270		3/4/2010	11.9	6.9	915	2.13	
270		4/7/2010	14.0	6.4	1185	6.90	
270	310	5/4/2010	14.2	6.5	950	3.12	QC DUPLICATE #310
270		6/7/2010	14.9	6.1	776	2.12	
290		1/6/2010					NO SAMPLE, OFF LINE
290		2/2/2010					NO SAMPLE, OFF LINE
290		3/3/2010					NO SAMPLE, OFF LINE
290		4/6/2010					NO SAMPLE, OFF LINE
290		5/10/2010					NO SAMPLE, OFF LINE
290		6/2/2010					NO SAMPLE, OFF LINE
300		1/5/2010					TRIP BLANK
300		1/6/2010					TRIP BLANK
300		1/20/2010					TRIP BLANK
300		1/21/2010					TRIP BLANK

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
300		2/8/2010					TRIP BLANK
300		2/23/2010					TRIP BLANK
300		3/9/2010					TRIP BLANK
300		3/16/2010					TRIP BLANK
300		4/6/2010					TRIP BLANK SPDES
300		4/29/2010					TRIP BLANK
300		5/5/2010					TRIP BLANK
300		5/6/2010					TRIP BLANK
300		6/8/2010					TRIP BLANK
302		1/4/2010					TRIP BLANK
302		1/5/2010					TRIP BLANK
302		1/6/2010					TRIP BLANK
302		1/7/2010					TRIP BLANK
302		1/11/2010					TRIP BLANK
302		1/12/2010					TRIP BLANK
302		1/13/2010					TRIP BLANK
302		1/14/2010					TRIP BLANK
302		1/18/2010					TRIP BLANK
302		1/19/2010					TRIP BLANK
302		1/25/2010					TRIP BLANK
302		1/28/2010					SAMPLE NOT ANALYZED
302		2/1/2010					TRIP BLANK
302		2/2/2010					TRIP BLANK
302		2/3/2010					TRIP BLANK
302		2/4/2010					TRIP BLANK
302		2/8/2010					TRIP BLANK
302		2/9/2010					TRIP BLANK
302		2/10/2010					TRIP BLANK
302		2/11/2010					TRIP BLANK
302		2/15/2010					TRIP BLANK
302		2/16/2010					TRIP BLANK
302		2/18/2010					TRIP BLANK
302		2/22/2010					TRIP BLANK
302		2/23/2010					TRIP BLANK
302		2/24/2010					TRIP BLANK
302		2/25/2010					TRIP BLANK
302		3/3/2010					TRIP BLANK
302		3/4/2010					TRIP BLANK
302		3/5/2010					TRIP BLANK
302		3/8/2010					TRIP BLANK
302		3/9/2010					TRIP BLANK
302		3/10/2010					TRIP BLANK
302		3/11/2010					TRIP BLANK
302		3/15/2010					TRIP BLANK
302		3/16/2010					TRIP BLANK
302		3/17/2010					TRIP BLANK
302		3/18/2010					TRIP BLANK
302		3/22/2010					TRIP BLANK
302		3/23/2010					TRIP BLANK
302		3/24/2010					TRIP BLANK
302		3/25/2010					TRIP BLANK

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
302		3/29/2010					TRIP BLANK
302		3/31/2010					TRIP BLANK
302		4/1/2010					TRIP BLANK
302		4/5/2010					TRIP BLANK
302		4/6/2010					TRIP BLANK
302		4/7/2010					TRIP BLANK
302		4/12/2010					TRIP BLANK
302		4/13/2010					TRIP BLANK
302		4/14/2010					TRIP BLANK
302		4/15/2010					TRIP BLANK
302		4/19/2010					TRIP BLANK
302		4/20/2010					TRIP BLANK
302		4/21/2010					TRIP BLANK
302		4/22/2010					TRIP BLANK
302		4/26/2010					TRIP BLANK
302		4/27/2010					TRIP BLANK
302		4/28/2010					TRIP BLANK
302		4/29/2010					TRIP BLANK
302		5/3/2010					TRIP BLANK
302		5/4/2010					TRIP BLANK
302		5/6/2010					TRIP BLANK
302		5/10/2010					TRIP BLANK
302		5/11/2010					TRIP BLANK
302		5/12/2010					TRIP BLANK
302		5/13/2010					TRIP BLANK
302		5/27/2010					TRIP BLANK
302		6/1/2010					TRIP BLANK
302		6/2/2010					TRIP BLANK
302		6/3/2010					TRIP BLANK
302		6/7/2010					TRIP BLANK
302		6/8/2010					TRIP BLANK
302		6/14/2010					TRIP BLANK
302		6/15/2010					TRIP BLANK
302		6/16/2010					TRIP BLANK
302		6/21/2010					TRIP BLANK
303		1/4/2010					EQUIP. BLANK/WLID
303		1/5/2010					EQUIP. BLANK/WLID
303		1/7/2010					EQUIP. BLANK/WLID
303		1/11/2010					EQUIP. BLANK/WLID
303		1/12/2010					EQUIP. BLANK/WLID
303		1/13/2010					EQUIP. BLANK/WLID
303		1/14/2010					EQUIP. BLANK/WLID
303		1/18/2010					EQUIP. BLANK/WLID
303		1/19/2010					EQUIP. BLANK/WLID
303		1/25/2010					EQUIP. BLANK/WLID
303		1/28/2010					SAMPLE NOT ANALYZED
303		2/1/2010					EQUIP. BLANK/WLID
303		2/2/2010					EQUIP. BLANK/WLID
303		2/3/2010					EQUIP. BLANK/WLID
303		2/4/2010					EQUIP. BLANK/WLID
303		2/8/2010					EQUIP. BLANK/WLID

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
303		2/9/2010					EQUIP. BLANK/WLID
303		2/10/2010					EQUIP. BLANK/WLID
303		2/11/2010					EQUIP. BLANK/WLID
303		2/15/2010					EQUIP. BLANK/WLID
303		2/16/2010					EQUIP. BLANK/WLID
303		2/18/2010					EQUIP. BLANK/WLID
303		2/22/2010					EQUIP. BLANK/WLID
303		2/23/2010					EQUIP. BLANK/WLID
303		2/24/2010					EQUIP. BLANK/WLID
303		2/25/2010					EQUIP. BLANK/WLID
303		3/3/2010					EQUIP. BLANK/WLID
303		3/4/2010					EQUIP. BLANK/WLID
303		3/5/2010					EQUIP. BLANK/WLID
303		3/8/2010					EQUIP. BLANK/WLID
303		3/10/2010					EQUIP. BLANK/WLID
303		3/11/2010					EQUIP. BLANK/WLID
303		3/15/2010					EQUIP. BLANK/WLID
303		3/16/2010					EQUIP. BLANK/WLID
303		3/17/2010					EQUIP. BLANK/WLID
303		3/18/2010					EQUIP. BLANK/WLID
303		3/22/2010					EQUIP. BLANK/WLID
303		3/23/2010					EQUIP. BLANK/WLID
303		3/24/2010					EQUIP. BLANK/WLID
303		3/25/2010					EQUIP. BLANK/WLID
303		3/29/2010					EQUIP. BLANK/WLID
303		3/31/2010					EQUIP. BLANK/WLID
303		4/1/2010					EQUIP. BLANK/WLID
303		4/5/2010					EQUIP. BLANK/WLID
303		4/7/2010					EQUIP. BLANK/WLID
303		4/12/2010					EQUIP. BLANK/WLID
303		4/13/2010					EQUIP. BLANK/WLID
303		4/14/2010					EQUIP. BLANK/WLID
303		4/15/2010					EQUIP. BLANK/WLID
303		4/19/2010					EQUIP. BLANK/WLID
303		4/20/2010					EQUIP. BLANK/WLID
303		4/21/2010					EQUIP. BLANK/WLID
303		4/22/2010					EQUIP. BLANK/WLID
303		4/26/2010					EQUIP. BLANK/WLID
303		4/27/2010					EQUIP. BLANK/WLID
303		4/28/2010					EQUIP. BLANK/WLID
303		4/29/2010					EQUIP. BLANK/WLID
303		5/3/2010					EQUIP. BLANK/WLID
303		5/4/2010					EQUIP. BLANK/WLID
303		5/5/2010					EQUIP. BLANK/WLID
303		5/6/2010					EQUIP. BLANK/WLID
303		5/10/2010					EQUIP. BLANK/WLID
303		5/11/2010					EQUIP. BLANK/WLID
303		5/12/2010					EQUIP. BLANK/WLID
303		5/13/2010					EQUIP. BLANK/WLID
303		5/27/2010					EQUIP. BLANK/WLID
303		6/1/2010					EQUIP. BLANK/WLID

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
303		6/2/2010					EQUIP. BLANK/WLID
303		6/3/2010					EQUIP. BLANK/WLID
303		6/7/2010					EQUIP. BLANK/WLID
303		6/14/2010					EQUIP. BLANK/WLID
303		6/15/2010					EQUIP. BLANK/WLID
303		6/16/2010					EQUIP. BLANK/WLID
303		6/21/2010					EQUIP. BLANK/WLID
307		3/9/2010					TRIP BLANK
323		1/5/2010	11.6	7.0	1460	3.72	
323		2/2/2010	11.8	6.7	1328	31.9	
323		3/3/2010	10.8	6.6	1197	8.43	
323		4/6/2010	11.0	6.6	786	6.61	
323		5/3/2010	11.4	6.2	1071	34.0	
323		6/2/2010	13.2	6.3	1224	71.7	
325		1/4/2010	11.1	7.3	1290	2.55	
325		2/2/2010	11.2	6.8	1369	4.20	
325		3/3/2010	11.9	6.8	1312	11.3	
325	310	4/6/2010	13.2	6.7	1354	7.05	QC DUPLICATE #310
325		5/3/2010	14.2	6.3	1352	30.3	
325		6/2/2010	16.3	6.3	1366	11.8	
395		1/4/2010	17.8	7.5	2090	2.96	
395		2/1/2010	14.9	7.0	2020	8.70	
395		3/4/2010	13.3	6.7	1720	2.61	
395		4/1/2010	12.9	6.7	1700	8.86	
395		5/4/2010	14.0	6.8	2250	6.07	
395	311	6/8/2010	14.9	6.4	1730	2.64	QC DUPLICATE #311
395A		1/4/2010	15.8	7.5	1354	0.61	
395A		2/1/2010	15.4	7.3	1410	4.17	
395A		3/4/2010	13.6	7.0	1447	0.82	
395A		4/1/2010	13.9	7.0	1640	7.80	
395A		5/4/2010	15.8	6.9	1870	11.0	
395A		6/8/2010	16.6	6.6	1650	12.9	
395B		1/4/2010	13.2	7.9	1285	6.63	
395B		2/1/2010	13.6	8.0	1383	7.33	
395B		3/4/2010	13.3	7.6	1440	11.0	
395B		4/1/2010	14.5	7.7	1670	10.3	
395B		5/4/2010	19.7	6.7	1850	5.71	
395B		6/8/2010	19.0	7.0	1640	16.6	
400		6/16/2010	11.9	6.0	724	6.68	
401		6/16/2010	11.9	6.2	811	6.85	
402	313	6/15/2010	13.1	6.1	1157	6.12	QC DUPLICATE #313
403		5/11/2010	10.3	6.4	1441	354	
404		5/12/2010	11.8	6.4	4130	128	
407		5/12/2010	12.2	6.2	1440	5.51	
408		6/15/2010	11.3	6.2	642	5.75	
410		6/16/2010	11.5	5.6	290	5.24	
412		6/16/2010	11.3	6.0	1227	4.00	
415		5/13/2010	12.6	6.4	1550	2.48	
416		6/15/2010	12.2	6.1	797	198	
417	313	5/12/2010	12.1	6.6	802	11.8	QC DUPLICATE #313
423		5/11/2010	10.9	6.3	821	16.0	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
424	314	5/11/2010	12.0	6.3	1124	19.8	QC DUPLICATE #314
502		1/18/2010	10.9	6.7	2130	1.68	
502		4/26/2010	11.3	6.3	2070	7.04	
503	313	1/25/2010	13.5	6.8	1620	8.98	QC DUPLICATE #313
503		4/19/2010	11.7	6.5	3110	15.4	
515		1/13/2010	9.8	7.3	582	2.12	
515		4/20/2010	11.8	6.3	594	4.35	
520		1/18/2010	11.0	6.7	1299	1.28	
520		4/20/2010	11.6	6.5	1033	4.65	
521		1/18/2010	10.5	6.8	2860	137	
521		4/20/2010	10.1	6.5	747	195	
535		1/18/2010	9.4	6.9	596	3.90	
535		4/20/2010	12.1	6.4	615	2.32	
543		1/11/2010	7.9	6.9	850	2.36	
543		4/15/2010	9.2	6.4	574	17.7	
545		1/13/2010	10.8	7.1	832	7.75	
545		4/14/2010	10.6	6.5	568	4.67	
559		4/14/2010	12.0	6.4	1580	6.29	
561		4/14/2010	11.5	6.1	1046	69.1	
563		4/14/2010	11.1	6.4	1459	9.77	
564		5/6/2010	13.8	6.4	665	43.3	
571		1/11/2010	8.8	6.8	1870	1000	
571		4/14/2010	9.7	6.5	1371	>1000	
572		6/21/2010	21.6	6.4	1950	14.2	
574		6/21/2010	22.8	6.0	1690	2.75	
576		3/24/2010	10.7	6.7	4500	216	
577	313	2/9/2010	13.2	6.9	1142	168	QC DUPLICATE #313
578		2/8/2010	11.7	6.9	1213	0.97	
579	318	4/1/2010	13.3	6.7	1373	214	QC DUPLICATE #318
580		2/15/2010	11.3	6.5	2270	41.7	
581		2/10/2010	12.4	6.9	1235	>1000	
600	317	3/8/2010	10.3	6.5	8380	846	QC DUPLICATE #317
601		3/10/2010	13.1	6.6	1950	1.46	
602		3/11/2010	11.5	6.9	317	1000	
603		3/8/2010	12.2	7.1	537	1000	
604		3/17/2010	13.9	7.1	574	2.90	
606	314	6/14/2010	15.1	6.3	4680	8.32	QC DUPLICATE #314
607		3/23/2010	13.2	6.8	816	>1000	
608		3/23/2010	14.4	7.0	1447	1000	
609		3/24/2010	14.2	7.1	2090	70.3	
610		3/25/2010	12.9	6.7	1860	1.45	
611		3/29/2010	13.4	6.7	1590	5.04	
612	311	1/6/2010	12.5	6.8	3010	0.52	QC DUPLICATE #311
612		2/1/2010	10.9	6.7	3220	4.04	
612	311	3/5/2010	10.9	6.2	3180	0.93	QC DUPLICATE #311
612		4/5/2010	13.0	6.4	4150	3.05	
612		5/4/2010	14.9	6.0	3820	1.29	
612		6/1/2010	15.3	6.3	3550	1.51	
613		1/6/2010					NO SAMPLE, OFF LINE
613		2/1/2010					NO SAMPLE, OFF LINE
613		3/5/2010					NO SAMPLE, OFF LINE

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
613		4/5/2010					NO SAMPLE, OFF LINE
613		5/4/2010					NO SAMPLE, OFF LINE
613		6/1/2010					NO SAMPLE, OFF LINE
617		1/6/2010	13.9	7.0	2820	0.58	
617		2/1/2010	13.3	6.9	2900	4.33	
617		3/5/2010	12.4	6.5	2860	0.39	
617	311	4/5/2010	11.0	6.6	2900	1.19	QC DUPLICATE #311
617	311	5/4/2010	12.2	6.4	3360	1.09	QC DUPLICATE #311
617		6/1/2010	12.0	6.5	3590	0.95	
618		1/6/2010	10.7	7.0	2080	2.59	
618		2/1/2010	10.2	7.0	2170	3.48	
618		3/5/2010	9.0	6.7	2030	1.54	
618		4/5/2010	10.8	6.7	2150	0.83	
618		5/4/2010	12.6	6.2	2110	3.85	
618		6/1/2010	14.2	6.7	2080	5.44	
622		4/21/2010	14.8	6.5	1023	3.09	
623		4/21/2010	13.4	6.5	1600	8.80	
624		5/13/2010	12.8	6.5	865	9.78	
627		2/15/2010	12.8	5.0	1296	5.76	
628		1/5/2010	10.3	7.3	1880	0.68	
628	311	2/1/2010	9.3	6.8	1650	2.98	QC DUPLICATE #311
628		3/3/2010	10.0	6.7	1590	1.75	
628		4/5/2010	10.4	6.4	1470	2.48	
628	312	5/3/2010	12.0	6.4	1171	9.74	QC DUPLICATE #312
628		6/1/2010	12.2	6.1	1252	1.32	
628A		1/5/2010	10.5	7.4	1890	0.31	
628A		2/1/2010	9.5	6.9	1650	2.75	
628A		3/3/2010	9.7	7.0	1620	0.60	
628A		4/5/2010	9.8	6.8	1468	1.30	
628A		5/3/2010	11.5	6.4	1175	3.27	
628A		6/1/2010	12.0	6.8	1242	1.08	
628B		1/5/2010	10.7	7.2	1890	0.73	
628B		2/1/2010	9.7	6.9	1650	2.27	
628B		3/3/2010	9.5	7.0	1640	0.30	
628B		4/5/2010	9.9	6.9	1471	1.14	
628B		5/3/2010	11.2	6.6	1180	1.45	
628B		6/1/2010	11.7	6.8	1251	1.10	
638		4/12/2010	11.8	6.5	5810	>1000	
640		4/7/2010	14.3	6.5	1461	>1000	
701		2/10/2010	9.7	6.7	1810	>1000	
702		2/10/2010	8.5	6.6	1970	1000	
704		2/8/2010	11.0	7.0	1477	2.53	
706		2/18/2010	14.4	6.8	5080	7.01	
711	315	2/23/2010	15.0	6.7	1700	4.98	QC DUPLICATE #315
714		2/11/2010	13.5	6.8	2630	339	
716		2/23/2010	13.2	7.2	2380	29.4	
720		3/25/2010	11.0	6.6	564	5.86	
722		2/16/2010	12.1	6.9	2050	1.02	
732		6/14/2010	16.2	6.6	1040	16.5	
734		6/14/2010	16.1	6.3	1740	16.5	
735		2/15/2010	13.2	5.8	1366	4.87	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
737		6/14/2010	14.4	6.5	489	548	
739		3/29/2010	14.0	6.7	1429	15.7	
740		3/17/2010	14.6	6.9	6850	15.9	
742		2/24/2010	12.7	7.6	654	66.3	
743		3/29/2010	10.9	6.5	1520	625	SP COND 15200
744	314	1/14/2010	12.1	7.3	2340	0.52	QC DUPLICATE #314
744	313	4/22/2010	12.3	6.2	2220	1.23	QC DUPLICATE #313
745		1/14/2010	11.1	6.7	3171	2.08	
745		4/26/2010	12.6	6.2	4620	7.40	
751		4/29/2010	12.4	6.8	1406	663	
753		4/29/2010	11.2	6.2	749	30.0	
754		3/25/2010	11.7	6.7	2770	1.19	
754		4/28/2010	12.2	6.6	2810	4.74	
755		1/14/2010	11.4	7.2	898	11.4	
755		4/29/2010	10.6	6.9	948	5.32	
755		5/27/2010	12.6	6.2	990	6.43	
756		3/23/2010	11.0	6.7	8220	15.3	
756		4/28/2010	12.8	6.4	6890	21.5	
757		1/13/2010	12.1	7.3	1600	>1000	
757		4/15/2010	13.1	6.6	2230	>1000	
761		2/10/2010	13.0	6.9	1810	>1000	
763		2/10/2010	13.3	7.4	1520	738	
766		2/24/2010	15.4	7.1	2780	523	
767		3/25/2010	12.7	6.4	3210	3.68	
768		3/17/2010	13.1	6.5	3370	33.4	
769	317	2/15/2010	14.0	6.9	2940	457	QC DUPLICATE #317
771		3/17/2010	14.1	6.9	2110	190	
772	315	1/19/2010	11.3	6.4	2790	6.68	QC DUPLICATE #315
772		4/22/2010	13.7	6.5		2.06	INVALID SP COND
773		1/14/2010	14.0	6.7	2920	36.2	
773		4/22/2010	13.3	6.4	3570	11.5	
774		1/14/2010	13.9	6.8	4190	5.78	
774	314	4/22/2010	13.2	6.6	4250	6.83	QC DUPLICATE #314
775	320	2/18/2010	13.0	6.6	3410	8.21	QC DUPLICATE #320
777	318	2/8/2010	11.2	6.7	1236	0.59	QC DUPLICATE #318
779		2/9/2010	11.6	7.0	1680	6.90	
789		2/16/2010	10.9	6.1	895	>1000	
791		2/16/2010	10.8	6.6	2770	>1000	
792	320	3/17/2010	11.2	6.6	2450	>1000	QC DUPLICATE #320
793	319	4/1/2010	12.8	6.5	2080	102	QC DUPLICATE #319
832	316	1/13/2010	8.8	6.8	1780	9.29	QC DUPLICATE #316
832		4/15/2010	10.0	6.3	927	13.1	
857		1/18/2010	10.6	7.1	1065	19.5	
857		4/21/2010	13.3	6.3	1060	147	
858		1/19/2010	10.6	6.6	831	1.91	
858		4/26/2010	12.0	6.3	805	9.61	
859		1/12/2010	11.1	6.7	663	6.94	
859		5/10/2010	13.6	6.5	678	5.46	
860		1/12/2010	12.3	6.7	577	9.81	
860		4/27/2010	11.3	6.0	585	7.36	
861		1/19/2010	10.7	6.6	3420	29.7	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
861		4/27/2010	12.0	5.7	390	441	
862		1/19/2010	10.7	6.8	1010	1.35	
862		4/27/2010	11.4	5.9	1011	7.62	
921		3/22/2010	12.8	6.6	4610	18.1	
922		5/10/2010	14.1	6.5	3830	2.49	
923		3/22/2010	14.1	6.7	2860	6.66	
929		3/23/2010	12.4	6.4	1402	4.92	
931		3/24/2010	12.9	6.6	1940	4.73	
932		3/15/2010	12.2	6.5	1910	13.0	
941		3/8/2010	13.0	6.6	1057	4.45	
943		3/18/2010	11.3	6.9	1404	372	
944		3/18/2010	11.5	6.7	1200	268	
952		3/15/2010	10.2	6.5	1157	24.4	
953		3/11/2010	12.6	6.8	1900	2.65	
954		3/10/2010	13.1	6.6	2330	8.41	
956		3/10/2010	13.2	6.9	2410	342	
958		1/11/2010	10.9	6.9	858	1.38	
958		4/21/2010	12.8	6.5	893	6.68	
959		2/22/2010	12.2	6.8	1257	6.58	
960		2/22/2010	13.0	6.5	1283	8.69	
963		1/7/2010	11.2	6.8	1094	2.01	
963		4/19/2010	12.4	6.6	696	10.8	
964		1/7/2010	11.3	6.9	1590	1.73	
964		4/19/2010	11.8	6.7	1680	11.4	
965		3/11/2010	13.2	6.7	2760	3.88	
966		3/11/2010	12.9	6.6	1450	1.40	
987		1/7/2010	11.4	7.0	1770	3.62	
987	315	4/19/2010	11.5	6.3	641	28.8	QC DUPLICATE #315
990	317	1/7/2010	11.3	6.7	1316	5.28	QC DUPLICATE #317
990		4/19/2010	10.0	6.3	831	13.6	
998		2/11/2010	11.3	6.8	2420	99.0	
999		2/16/2010	11.7	6.7	1620	2.34	
NR360		1/6/2010	12.8	6.8	2760	0.29	COMP. 612, 617, 618
NR360		2/1/2010	10.6	6.8	2920	2.30	COMP. 612, 617, 618
NR360		3/5/2010	11.6	6.8	2780	0.31	COMP. 612, 617, 618
NR360		4/5/2010	11.2	6.7	2930	0.38	COMP. 612, 617, 618
NR360		5/4/2010	11.8	6.6	3300	2.09	COMP. 612, 617, 618
NR360		6/1/2010	13.6	6.8	3430	1.14	COMP. 612, 617, 618

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 01/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																	
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees						D a t e				
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max					
																					5-second	2-minute	Speed		Dir	Speed	Dir	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26			
01	37	29	33	7	30	31	32	0	0722	1636	SN BR HZ	M	M	M	0.01	29.70	29.85	0.2	33	0.2	10	330	7	290	01			
02	32	15	24	-2	15	21	41	0	0722	1637	SN BR	M	M	M	T	29.49	29.66	8.7	31	10.1	28	330	22	330	02			
03	20	15	18	-8	8	15	47	0	0722	1638	SN FZFG	M	M	M	T	29.34	29.53	9.9	29	10.8	30	260	23	270	03			
04	31	17	24	-1	12	20	41	0	0722	1639		M	M	M	0.00	29.49	29.68	4.1	32	4.8	15	330	12	320	04			
05	30	11	21	-4	12	20	44	0	0722	1640		M	M	M	0.00	29.54	29.70	3.7	32	4.2	14	340	10	350	05			
06	33	13	23	-2	14	22	42	0	0722	1641		M	M	M	0.00	29.52	29.70	4.4	30	5.1	20	280	15	280	06			
07	37	12	25	0	18	22	40	0	0722	1642		M	M	M	0.00	29.65	29.84	2.6	27	2.9	18	260	13	280	07			
08	29	18	24	-1	19	23	41	0	0722	1643	SN BR HZ	M	M	M	0.06	29.57	29.76	2.8	33	3.0	18	300	14	350	08			
09	24	5	15	-10	4	14	50	0	0722	1644	SQ	M	M	M	0.00	29.85	30.07	5.7	35	6.2	131s	010	131s	010	09			
10	25	-1*	12	-13	0	9	53	0	0722	1645		M	M	M	0.00	30.04	30.22	1.6	34	1.7	18	300	8	340	10			
11	30	0	15	-10	8	15	50	0	0721	1646	SN BR	M	M	M	T	29.93	30.11	1.2	24	1.2	12	230	8	230	11			
12	35	11	23	-2	14	21	42	0	0721	1647	SN BR	M	M	M	T	29.86	30.04	3.4	33	4.2	28	340	21	340	12			
13	32	8	20	-4	12	17	45	0	0721	1648		M	M	M	0.00	29.97	30.15			0.0	7	140	6	010	13			
14	39	14	27	3	18	22	38	0	0720	1649	BR	M	M	M	0.00	30.02	30.20	0.6	22	0.6	12	240	9	230	14			
15	47	17	32	8	25	30	33	0	0720	1650	BR HZ	M	M	M	0.00	29.93	30.10	3.9	26	4.7	24	270	18	270	15			
16	46	24	35	11	26	32	30	0	0720	1651		M	M	M	0.00	29.96	30.13	1.9	27	2.2	15	260	12	260	16			
17	37	21	29	5	28	29	36	0	0719	1652	SN BR	M	M	M	0.31	29.85	29.98	2.6	01	2.9	16	360	12	350	17			
18	45	33	39	15	34	36	26	0	0718	1654	SN BR	M	M	M	0.07	29.55	29.76	6.5	01	6.7	29	350	20	020	18			
19	39	32	36	12	34	35	29	0	0718	1655	RA BR	M	M	M	0.06	29.70	29.88	0.6	33	0.6	8	330	6	320	19			
20	41	24	33	9	28	31	32	0	0717	1656	FG+ FZFG BR	M	M	M	0.00	29.75	29.94	2.0	34	2.2	17	320	13	330	20			
21	41	19	30	6	21	26	35	0	0717	1657		M	M	M	0.00	29.98	30.16	0.4	36	0.7	10	310	7	020	21			
22	40	19	30	6	20	25	35	0	0716	1658		M	M	M	0.00	29.83	30.01	4.2	01	4.3	21	360	16	010	22			
23	37	18	28	4	16	22	37	0	0715	1660		M	M	M	0.00	30.06	30.25	2.6	03	2.7	13	020	10	010	23			
24	44	17	31	7	27	29	34	0	0715	1701	RA BR	M	M	M	0.02	29.96	30.09	0.3	31	0.7	13	180	9	180	24			
25	60*	41	51*	27	50	52	14	0	0714	1702	RA BR	M	M	M	1.42	29.30	29.42	8.5	17	10.6	40	150	25	170	25			
26	44	30	37	13	24	33	28	0	0713	1703		M	M	M	0.00	29.39	29.61	9.1	25	9.3	30	220	23	240	26			
27	38	24	31	7	19	27	34	0	0712	1705		M	M	M	0.00	29.80	30.01	4.8	25	5.1	20	240	15	250	27			
28	38	17	28	4	18	24	37	0	0711	1706	SN BR	M	M	M	0.09	29.83	30.00	6.6	27	8.3	35	290	25	310	28			
29	21	12	17	-7	-2	12	48	0	0710	1707		M	M	M	0.00	30.02	30.22	12.2	29	12.5	33	290	24	300	29			
30	15	3	9*	-15	-2	8	56	0	0710	1708		M	M	M	0.00	30.03	30.20	5.1	01	5.6	20	020	16	010	30			
31	28	4	16	-8	2	13	49	0	0709	1710		M	M	M	0.00	29.88	30.07	2.6	27	4.7	17	230	14	230	31			
	35.3	16.8	26.1		17.8	23.7	38.7	0.0	<-----Monthly Averages Totals----->				M	M	2.04	29.77	29.93	2.7	30	4.5	<Monthly Average							
	1.1	2.1	1.6		<-----Departure From Normal----->								-1.15															
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 1199 -58 M M Cooling: 0 0									Greatest 24-hr Precipitation: 1.43 Date: 24-25 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M							Sea Level Pressure Date Time (LST) Maximum 30.32 23 1035 Minimum 29.10 25 1419				Precipitation >=.01 inch: 8 Precipitation >=.10 inch: Snowfall >=1.0 inch : M								
									Number of Days with ----->				Max Temp >=90: 0 Max Temp <=32: 12 Thunderstorms : 0		Min Temp <=32: 29 Min Temp <=0 : 2 Heavy Fog : 1													
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																									Data Version: VER2			

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 02/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees						Date			
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max				
												Depth	Water Equiv	Snow Fall	Water Equiv						5-second Speed	Dir	2-minute Speed		Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26		
01	33	17	25	1	10	22	40	0	0708	1711	SN BR	M	M	M	0.00	29.98	30.17	6.6	25	7.2	23	260	18	260	01		
02	31	13	22	-2	15	21	43	0	0707	1712		M	M	M	T	30.04	30.20	0.4	02	0.5	8	350	6	050	02		
03	35	19	27	2	25	27	38	0	0706	1713	SN BR	M	M	M	0.05	29.86	30.04	0.8	33	1.2	24	240	8	270	03		
04	36	20	28	3	9	24	37	0	0704	1715	SN BR	M	M	M	T	30.07	30.27	6.3	31	7.2	28	330	18	330	04		
05	35	13	24	-1	16	23	41	0	0703	1716		M	M	M	0.00	30.03	30.18	1.9	03	2.5	15	040	12	030	05		
06	29	15	22	-3	7	18	43	0	0702	1717	SN BR	M	M	M	0.00	29.67	29.82	12.4	01	12.5	30	020	23	010	06		
07	33	6	20*	-5	7	16	45	0	0701	1718		M	M	M	0.00	29.69	29.87	5.4	33	6.4	33	010	22	020	07		
08	37	9	23	-2	12	20	42	0	0660	1720	SN BR	M	M	M	0.00	29.73	29.92	4.7	29	5.3	24	310	20	270	08		
09	37	13	25	0	16	23	40	0	0659	1721		M	M	M	T	29.82	29.97	2.0	36	2.3	13	290	9	360	09		
10	32	25	29	3	26	28	36	0	0658	1722	SN FG+ FZFG BR	M	M	M	0.12	29.24	29.37	10.6	36	10.6	37	010	24	010	10		
11	38	17	28	2	16	26	37	0	0656	1724	SN FG+ FZFG BR	M	M	M	0.00	29.36	29.57	6.5	32	7.0	26	320	17	320	11		
12	37	6*	22	-4	10	19	43	0	0655	1725		M	M	M	0.00	29.60	29.79	1.8	31	2.2	16	310	12	310	12		
13	31	10	21	-5	11	19	44	0	0654	1726	SN BR	M	M	M	0.00	29.44	29.57	4.6	31	5.1	22	300	16	300	13		
14	36	26	31	5	19	28	34	0	0652	1727		M	M	M	0.00	29.35	29.54	10.9	27	11.1	28	290	21	280	14		
15	39	28	34	7	22	29	31	0	0651	1729	SN BR	M	M	M	T	29.52	29.70	6.9	24	7.2	23	250	17	230	15		
16	31	21	26	-1	27	29	39	0	0650	1730	SN FG+ FZFG BR	M	M	M	0.18	29.32	29.48	4.4	34	4.8	22	330	17	360	16		
17	34	23	29	2	23	28	36	0	0648	1731	SN BR	M	M	M	T	29.33	29.49	5.7	25	6.2	18	250	15	250	17		
18	40	29	35	8	23	31	30	0	0647	1732		M	M	M	T	29.34	29.53	8.9	27	9.1	28	280	22	280	18		
19	41	33	37*	9	25	32	28	0	0646	1734	SN BR	M	M	M	0.00	29.50	29.70	11.9	28	12.1	29	280	22	280	19		
20	46*	24	35	7	27	32	30	0	0644	1735		M	M	M	0.00	29.72	29.90	4.2	28	4.6	23	290	17	280	20		
21	44	24	34	6	20	30	31	0	0643	1736	RA SN BR UP	M	M	M	0.00	29.74	29.91	6.8	32	8.1	25	330	18	340	21		
22	41	19	30	2	23	29	35	0	0641	1737		SN FG BR UP	M	M	M	0.06	29.78	29.94	0.4	02	1.8	14	140	10	130	22	
23	34	32	33	4	32	33	32	0	0640	1738	RA SN BR UP	M	M	M	0.28	29.59	M	M	M	4.9	16	350	12	360	24		
24	37	32	35	6			30	0	0638	1740	RA SN BR UP	M	M	M	2.14	29.27	29.36	2.6	31	3.4	13	300	9	300	25		
25	34	32	33	4	33	33	32	0	0637	1741	SN BR	M	M	M	M	M	M	M	M	M	M	M	M	M	26		
26	M	M	M	M			M	M	0635	1742	BR UP	M	M	M	0.00	M	M	M	M	M	M	M	M	M	27		
27	M	M	M	M			M	M	0634	1743		M	M	M	M	M	M	M	M	M	M	nulls	M	E7	M	28	
28	M	M	M	M			M	M	0632	1744	M	M	M	T	M	M	M	M	M	2.2	13	360	9	360	28		
	36.0	20.2	28.1		M	M	M	M	<-----Monthly Averages Totals----->				M	M	T	29.62	29.82	M	M	M	<Monthly Average						
	-1.5	4.1	1.3		<-----Departure From Normal----->									-2.53													
Degree Days Monthly Season to Date Total Departure Total Departure Heating: M M M Cooling: M M M M									Greatest 24-hr Precipitation: T Date: M Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M						Sea Level Pressure Date Time (LST) Maximum 30.34 04 0958 Minimum 28.81 26 0248												
												Number of Days with ----->				Max Temp >=90: M Min Temp <=32: M Thunderstorms : 0				Min Temp <=0 : M Heavy Fog : 2				Precipitation >=.01 inch: 0s Precipitation >=.10 inch: Snowfall >=1.0 inch : M			
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																				Data Version: VER2							

Month: 03/2010

Elevation(Ground): 156 ft. above sea level

Degree Days Monthly Season to Date Total Departure Total Departure Heating: 672 -217 M M Cooling: 0 0	Greatest 24-hr Precipitation: 1.56s Date: 22-23 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M		Sea Level Pressure Date Time (LST) Maximum 30.43 27 0945 Minimum 29.39 30 1412		
	Number of Days with ----->		Max Temp >=90: 0 Min Temp <=32: 16 Max Temp <=32: 0 Min Temp <=0 : 0 Thunderstorms : 0 Heavy Fog : 0 Precipitation >=.01 inch: 13 Precipitation >=.10 inch: Snowfall >=1.0 inch : M		

*** EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.**

Data Version: VER2

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 04/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Data
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
																					5-second Speed	Dir	2-minute Speed	Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	70	45	58	16	44	49	7	0	0539	1821		M	M	M	0.00	29.88	30.05	1.0	01	1.5	21	270	9	030	01	
02	74	40	57	15	45	51	8	0	0537	1822		M	M	M	0.00	29.95	30.12	3.4	18	4.4	20	150	13	160	02	
03	74	43	59	16	44	51	6	0	0536	1823		M	M	M	0.00	29.91	30.06	4.5	17	4.7	21	140	14	150	03	
04	73	44	59	16	41	50	6	0	0534	1824	BR	M	M	M	0.00	29.91	30.09	0.7	35	1.5	17	010	13	270	04	
05	77	38	58	14	40	49	7	0	0532	1825		M	M	M	0.00	29.86	30.01	3.1	18	3.2	23	190	17	180	05	
06	78	42	60	16	50	54	5	0	0531	1826	RA BR	M	M	M	0.07	29.68	29.81	0.9	14	2.3	20	280	10	130	06	
07	90*	47	69	25	49	58	0	4	0529	1827	BR	M	M	M	0.00	29.47	29.64	3.9	26	6.0	30	250	23	240	07	
08	84	55	70*	25	55	61	0	5	0527	1828	RA BR	M	M	M	0.01	29.47	29.61	4.1	15	5.0	24	140	18	140	08	
09	65	42	54	9	41	47	11	0	0526	1829	RA BR	M	M	M	0.29	29.51	29.71	6.1	32	8.1	33	310	23	280	09	
10	60	39	50	5	26	39	15	0	0524	1830		M	M	M	0.00	29.90	30.10	9.3	28	9.6	29	270	21	280	10	
11	70	40	55	9	30	45	10	0	0523	1831		M	M	M	0.00	29.98	30.15	4.4	26	6.0	26	300	21	250	11	
12	63	32	48	2	29	40	17	0	0521	1833		M	M	M	0.00	30.12	30.30	3.9	34	4.2	25	030	17	340	12	
13	59	37	48	2	31	41	17	0	0519	1834		M	M	M	0.00	30.27	30.45	0.3	26	2.1	21	030	9	260	13	
14	65	31	48	1	30	41	17	0	0518	1835	BR	M	M	M	0.00	30.27	30.43	0.9	01	2.3	22	020	15	010	14	
15	71	31	51	4	32	43	14	0	0516	1836	RA	M	M	M	T	30.06	30.22	1.1	05	3.3	23	110	17	110	15	
16	58	42	50	2	39	44	15	0	0515	1837	RA BR	M	M	M	0.16	29.80	29.92	4.9	14	6.1	22	120	16	120	16	
17	52	43	48	0	37	43	17	0	0513	1838	RA BR	M	M	M	0.15	29.57	29.74	4.1	31	4.2	23	310	17	300	17	
18	54	41	48	0	34	41	17	0	0512	1839		M	M	M	T	29.67	29.84	5.2	28	6.3	23	300	18	300	18	
19	61	32	47	-2	35	42	18	0	0510	1840		M	M	M	0.00	29.75	29.93	5.3	35	5.5	30	350	23	360	19	
20	69	32	51	2	36	44	14	0	0509	1841		M	M	M	0.00	29.75	29.91	0.4	36	1.4	30	060	12	270	20	
21	69	36	53	4	40	47	12	0	0507	1842	BR	M	M	M	0.00	29.62	29.76	3.0	19	4.2	20	180	14	190	21	
22	71	39	55	5	39	48	10	0	0506	1843	BR	M	M	M	T	29.51	29.69	2.1	32	4.8	28	240	23	230	22	
23	66	31	49	-1	29	41	16	0	0504	1845		M	M	M	0.00	29.67	29.86	5.2	33	5.5	24	300	17	300	23	
24	68	30*	49	-2	29	42	16	0	0503	1846	RA	M	M	M	0.00	29.85	30.00	1.6	20	2.9	17	230	12	240	24	
25	55	48	52	1	48	49	13	0	0501	1847	RA BR	M	M	M	0.48	29.50	29.62	1.1	13	1.3	12	230	8	220	25	
26	54	49	52	1	50	50	13	0	0460	1848	RA BR	M	M	M	0.54	29.18	29.33	2.5	01	3.0	21	040	8	350	26	
27	56	33	45	-7	37	43	20	0	0458	1849	RA BR	M	M	M	0.04	29.18	29.36	5.2	31	6.1	30	310	21	300	27	
28	55	31	43*	-9	28	38	22	0	0457	1850		M	M	M	T	29.35	29.54	10.1	29	11.6	38	340	25	280	28	
29	67	38	53	1	26	41	12	0	0456	1851		M	M	M	0.00	29.55	29.73	9.4	28	11.1	40	290	28	290	29	
30	79	40	60	7	40	50	5	0	0454	1852		M	M	M	0.00	29.61	29.78	1.8	27	3.4	23	280	17	260	30	
	66.9	39.0	53.0		37.8	46.1	12.0	0.3	<-----Monthly Averages Totals----->				M	M	1.74	29.72	29.89	1.8	28	4.7	<Monthly Average					
	7.9	3.2	5.6	<-----Departure From Normal----->									-2.05													
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 360 -168 M M Cooling: 9 9									Greatest 24-hr Precipitation: 0.55 Date: 26-27 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M								Sea Level Pressure Date Time (LST) Maximum 30.57 14 0931 Minimum 29.25 27 0442									
									Number of Days with ----->				Max Temp >=90: 1 Min Temp <=32: 0 Thunderstorms : 0				Min Temp <=32: 8 Min Temp <=0 : 0 Heavy Fog : 0				Precipitation >=.01 inch: 8 Precipitation >=.10 inch: Snowfall >=1.0 inch : M					
									* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																	

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 05/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								D a t e
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed	Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	88	47	68	15	51	58	0	3	0453	1853		M	M	M	0.00	29.61	29.78	2.5	19	3.4	20	170	12	170	01	
02	90	61	76	22	62	67	0	11	0452	1854	RA BR HZ	M	M	M	T	29.59	29.75	M	M	4.6	23	220	17	230	02	
03	77	52	65	11	63	65	0	0	0450	1855	RA BR	M	M	M	0.28	29.50	29.68	M	M	4.8	31	250	21	280	03	
04	78	47	63	9	51	55	2	0	0449	1856	RA BR	M	M	M	0.01	29.59	29.77	2.4	27	4.2	33	330	23	320	04	
05	80	42	61	6	45	54	4	0	0448	1858		M	M	M	0.00	29.72	29.88	3.8	20	5.2	26	160	16	170	05	
06	77	52	65	10	46	55	0	0	0447	1859		M	M	M	T	29.56	29.74	6.6	27	9.3	33	250	23	250	06	
07	73	39	56	1	40	49	9	0	0445	1860		M	M	M	0.00	29.74	29.90	0.8	20	2.7	17	260	14	250	07	
08	76	46	61	5	43	51	4	0	0444	1901	RA BR	M	M	M	0.13	29.35	29.53	10.2	25	12.4	46	260	33	250	08	
09	51	41	46	-10	27	37	19	0	0443	1901		M	M	M	0.00	29.71	29.93	13.8	28	14.4	36	290	25	290	09	
10	59	31	45	-12	26	39	20	0	0442	1902		M	M	M	0.00	30.00	30.20	7.5	31	8.3	30	330	22	330	10	
11	56	28*	42*	-15	29	39	23	0	0441	1903	RA BR	M	M	M	0.04	30.20	30.36	0.7	32	3.3	20	030	14	030	11	
12	47	38	43	-14	43	44	22	0	0440	1904	RA FG+ BR	M	M	M	0.44	30.03	30.19	1.9	06	2.6	18	030	8	050	12	
13	65	38	52	-6	38	46	13	0	0439	1905	RA FG+ BR	M	M	M	Ts	30.09	30.25	0.2	28	2.6	14	330	10	280	13	
14	80	51	66	8	58	61	0	1	0438	1906	RA BR HZ	M	M	M	0.23	29.85	29.99	3.3	22	5.4	18	010	14	010	14	
15	73	47	60	2	44	52	5	0	0437	1907	BR	M	M	M	0.00	29.82	30.01	5.0	31	6.4	24	320	15	330	15	
16	72	43	58	0	44	50	7	0	0436	1908		M	M	M	0.00	29.94	30.11	2.7	34	3.3	22	330	17	320	16	
17	75	39	57	-2	43	51	8	0	0435	1909		M	M	M	0.00	29.98	30.14	0.5	32	1.1	15	340	10	020	17	
18	58	50	54	-5	49	51	11	0	0434	1910	RA BR	M	M	M	0.63	29.87	30.02	3.4	03	4.5	15	360	12	030	18	
19	63	51	57	-3	52	54	8	0	0433	1911	BR	M	M	M	0.01	29.67	29.83	6.0	35	6.2	21	010	16	020	19	
20	82	49	66	6	54	58	0	1	0432	1912	FG BR	M	M	M	0.00	29.75	29.93	0.9	22	1.6	17	360	12	230	20	
21	86	50	68	8	54	60	0	3	0431	1913		M	M	M	0.00	29.91	30.10	1.9	14	2.3	17	160	13	150	21	
22	75	54	65	4	52	57	0	0	0430	1914		M	M	M	0.00	30.03	30.20	3.9	14	4.4	18	140	13	140	22	
23	75	56	66	5	59	62	0	1	0430	1915	BR	M	M	M	0.00	30.05	30.22	2.3	12	3.0	15	140	10	140	23	
24	78	53	66	5	61	63	0	1	0429	1916	BR	M	M	M	0.00	30.08	30.24	0.7	22	1.9	14	180	9	280	24	
25	87	56	72	11	61	65	0	7	0428	1917	BR	M	M	M	0.00	29.98	30.12	0.9	24	1.7	12	250	9	260	25	
26	95*	58	77*	15	65	69	0	12	0427	1917	BR	M	M	M	0.00	29.68	29.82	1.3	32	1.8	18	070	10	310	26	
27	78	58	68	6	60	64	0	3	0427	1918		M	M	M	T	29.63	29.81	2.0	13	4.2	18	220	13	020	27	
28	75	57	66	4	55	59	0	1	0426	1919		M	M	M	0.00	29.76	29.93	1.6	21	2.6	17	250	13	250	28	
29	80	55	68	6	61	64	0	3	0426	1920	BR	M	M	M	0.00	29.71	29.86	2.6	20	3.6	17	250	13	240	29	
30	86	56	71	8	56	62	0	6	0425	1921	FG+ BR	M	M	M	0.00	29.67	29.85	2.5	33	3.6	21	090	13	020	30	
31	86	56	71	8	57	62	0	6	0425	1922		M	M	M	0.00	29.78	29.95	3.9	14	4.2	22	150	16	120	31	
	74.9	48.4	61.7		50.0	55.6	5.0	1.9	<-----Monthly Averages Totals----->				M	M	1.77	29.80	29.97	1.4	27	4.5	<Monthly Average					
	4.5	2.1	3.3	<-----Departure From Normal----->								-2.96														
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 155 -65 M M Cooling: 59 44									Greatest 24-hr Precipitation: 0.64 Date: 18-19 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M							Sea Level Pressure Date Time (LST) Maximum 30.47 11 0645 Minimum 29.36 08 1257										
									Number of Days with ----->				Max Temp >=90: 2 Max Temp <=32: 0 Thunderstorms : 0		Min Temp <=32: 2 Min Temp <=0 : 0 Heavy Fog : 3				Precipitation >=.01 inch: 8 Precipitation >=.10 inch : Snowfall >=1.0 inch : M							
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																					Data Version: VER2					

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 06/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Data
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed	Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	83	59	71	8	65	67	0	6	0424	1922	TSRA RA BR HZ	M	M	M	0.13	29.62	29.76	3.0	22	4.0	22	220	14	240	01	
02	86	54	70	6	56	62	0	5	0424	1923	FG+ BR	M	M	M	0.01s	29.64	29.79	1.5	20	2.5	30s	150	12	240	02	
03	87	67	77	13			0	12	0423	1924	BR HZ	M	M	M	0.00	29.51	M	2.8	25	5.5	24	260	18	290	03	
04	M	M	M	M			M	M	0423	1925		M	M	M	0.00	29.60	M	2.1	24	3.1	21	340	13	220	04	
05	89	69	79	14	66	70	0	14	0422	1925	TSRA	M	M	M	0.04	29.50	29.64	6.2	23	6.4	35	310	25	300	05	
06	83	55	69	4	62	65	0	4	0422	1926	TSRA RA BR	M	M	M	0.48	29.34	29.50	4.3	29	7.5	45	240	31	260	06	
07	75	47	61	-4	44	52	4	0	0422	1927		M	M	M	0.00	29.60	29.81	3.0	32	3.9	22	280	17	280	07	
08	71	43	57	-8	44	51	8	0	0422	1927		M	M	M	0.01	29.85	30.04	3.9	35	4.4	29	310	21	020	08	
09	61	42*	52*	-13	51	52	13	0	0421	1928	RA BR	M	M	M	0.36	29.90	30.03	1.6	13	1.8	17	130	13	130	09	
10	77	53	65	-1	57	60	0	0	0421	1928		M	M	M	T	29.66	29.84	1.8	26	2.9	22	010	17	010	10	
11	75	49	62	-4	55	58	3	0	0421	1929		M	M	M	0.00	29.91	30.09	2.5	19	3.3	17	180	12	220	11	
12	78	56	67	1	62	64	0	2	0421	1930	RA BR	M	M	M	0.35	29.85	29.99	3.5	14	4.2	16	180	9	040	12	
13	70	65	68	2	65	66	0	3	0421	1930	RA BR	M	M	M	0.06	29.70	29.85	1.8	03	3.2	12	010	9	010	13	
14	77	62	70	3	64	66	0	5	0421	1930	BR	M	M	M	0.00	29.67	29.83	1.3	33	1.6	17	340	12	360	14	
15	80	56	68	1	54	60	0	3	0421	1931		M	M	M	0.00	29.86	30.05	0.6	36	2.1	17	010	10	010	15	
16	72	52	62	-5	57	61	3	0	0421	1931		M	M	M	0.02	29.88	30.01	2.7	17	3.4	21	170	14	180	16	
17	75	54	65	-2	58	62	0	0	0421	1932		M	M	M	0.01s	29.67	29.85	6.1	30	7.6	28	270	21	270	17	
18	85	50	68	1	55	61	0	3	0421	1932	FG+ BR	M	M	M	0.00	29.88	30.05	0.2	23	1.0	14	290	9	240	18	
19	86	53	70	2	60	64	0	5	0421	1932		M	M	M	0.00	29.85	29.99	3.2	17	4.2	17	170	13	230	19	
20	93*	65	79	11	65	70	0	14	0421	1933		M	M	M	0.00	29.69	29.85	2.7	26	4.7	21	270	16	250	20	
21	88	59	74	6	60	65	0	9	0421	1933		M	M	M	0.00	29.80	29.99	1.5	35	2.9	17	020	14	020	21	
22	80	58	69	1	62	65	0	4	0422	1933	TSRA RA BR	M	M	M	0.37	29.91	30.05	0.4	17	0.8	16	270	14	270	22	
23	90	66	78	10	66	70	0	13	0422	1933	BR	M	M	M	T	29.74	29.89	4.4	27	5.0	23	250	17	250	23	
24	89	67	78	10	67	71	0	13	0422	1933	TSRA	M	M	M	0.03	29.57	29.74	4.7	24	5.6	32	250	22	250	24	
25	85	61	73	4	60	65	0	8	0423	1934	BR	M	M	M	0.00	29.77	29.94	1.4	26	2.9	17	240	13	230	25	
26	86	58	72	3	60	65	0	7	0423	1934	RA BR	M	M	M	T	29.72	29.88	1.3	26	2.6	18	010	15	010	26	
27	90	64	77	7	67	71	0	12	0423	1934	BR HZ	M	M	M	0.00	29.55	29.70	1.5	20	2.3	18	220	14	240	27	
28	91	70	81*	11	70	73	0	16	0424	1934	RA BR	M	M	M	0.03	29.41	29.57	4.6	23	5.6	25	280	20	280	28	
29	87	59	73	3	59	66	0	8	0424	1934	BR	M	M	M	0.00	29.59	29.79	6.6	28	7.9	26	260	20	260	29	
30	78	49	64	-6	45	54	1	0	0425	1934		M	M	M	0.00	29.86	30.04	3.3	26	4.3	25	260	20	260	30	
	81.6	57.3	69.5		59.1	63.4	1.1	5.7	<-----Monthly Averages Totals----->			M	M	M	1.90	29.70	29.87	1.7	25	3.9	<Monthly Average					
	3.2	2.0	2.6		<-----Departure From Normal----->								-1.83													
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 32 -10 M M Cooling: 166 69									Greatest 24-hr Precipitation: 0.52s Date: 05-06 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M									Sea Level Pressure Date Time (LST) Maximum 30.16 09 0753 Minimum 29.31 06 1446								
									Number of Days with ----->			Max Temp >=90: M			Min Temp <=32: M			Min Temp <=0 : M			Precipitation >=.01 inch: 13 Precipitation >=.10 inch: Snowfall >=1.0 inch : M					
												Thunderstorms : 5			Heavy Fog : 2									Data Version: VER2		
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																										

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA

Effective January, 2005, flags will be available for most data elements:

If data are suspect:

s will appended to the value on the web form

s will be placed in a column following the suspect value in the ASCII form

If data are flagged as erroneous, it will not be printed.

**NOTICE OF CHANGE:

Effective July 28, 2000, observations contained in the Quality Controlled Local Climatological Data Hourly Observations table are reported in whole degrees Fahrenheit. The dry bulb, dew point and wet bulb temperatures were originally reported to the nearest tenth of a degree Fahrenheit. The Automated Surface Observing System (ASOS) records temperatures and dew points in whole degrees Fahrenheit and converts these values to the nearest tenth of a degree Celsius for observation transmission. Until this date, these values online have incorrectly been converted back to the nearest tenth of a degree Fahrenheit, implying a level of precision that is not present at the instrument level. We apologize for any inconvenience this may cause.

The Automated Weather Observing System (AWOS) generally records temperatures and dew points in whole degrees Fahrenheit and converts these values to the nearest whole degree Celsius for observation transmission. Also, AWOS stations will often have less data (i.e., fewer weather elements) than ASOS stations.

NCDC forms contain:

whole degree Celsius temperature values for AWOS stations

tenths degrees Celsius temperature values for ASOS stations

FORMAT FOR DAILY TABLE

COLUMN	TERMINOLOGY
1	DATE
Temp	Degrees Fahrenheit
2	MAXIMUM
3	MINIMUM
4	AVERAGE
5	DEPARTURE FROM NORMAL
6	AVERAGE DEW POINT
7	AVERAGE WET BULB
Degree Days: Base 65 F	
8	HEATING (SEASON BEGINS WITH JULY)
9	COOLING (SEASON BEGINS WITH JANUARY)
10	SUNRISE (Calculated, not observed)
11	SUNSET (Calculated, not observed)
Significant Weather Types	Weather Phenomena
12	+FC TORNADO/WATERSPOUT FC FUNNEL CLOUD TS THUNDERSTORM GR HAIL RA RAIN

	DZ DRIZZLE SN SNOW SG SNOW GRAINS GS SMALL HAIL &/OR SNOW PELLETS PL ICE PELLETS IC CRYSTALS FG+ HEAVY FOG (FG & LE.25 MILES VISIBILITY) FG FOG BR MIST UP UNKNOWN PRECIPITATION HZ HAZE FU SMOKE VA VOLCANIC ASH DU WIDESPREAD DUST DS DUSTSTORM PO SAND/DUST WHIRLS SA SAND SS SANDSTORM PY SPRAY SQ SQUALL DR LOW DRIFTING SH SHOWER FZ FREEZING MI SHALLOW PR PARTIAL BC PATCHES BL BLOWING VC VICINITY - LIGHT + HEAVY "NO SIGN" MODERATE
Snow/Ice	INCHES
13	SNOW/ICE (ON GROUND)(0600 LST) T = TRACE
14	WATER EQUIVALENT (1200 LST) M = MISSING DATA
Precipitation:	INCHES (24-HR PERIOD ENDING AT INDICATED LOCAL STANDARD TIME)
15	SNOWFALL (INCHES AND TENTHS)(2400 LST)* T = TRACE
16	WATER EQUIVALENT(INCHES & HUNDREDTHS(2400 LST) RAINFALL & MELTED SNOW M = MISSING DATA T = TRACE
Pressure	INCHES OF HG
17	AVERAGE STATION PRESSURE
18	AVERAGE SEA LEVEL PRESSURE
Wind	SPEED IN MILES PER HOUR DIRECTION TO TENS OF DEGREES
19	RESULTANT WIND SPEED
20	RESULTANT DIRECTION - (WHOLE DEGREES)
21	AVERAGE SPEED
22	MAXIMUM 5 SECOND SPEED
23	MAXIMUM 5 SECOND DIRECTION
24	MAXIMUM 2 MINUTE SPEED
25	MAXIMUM 2 MINUTE DIRECTION
26	DATE
	NOTE: RESULTANT WIND IS THE VECTOR SUM OF WIND SPEEDS AND DIRECTIONS

Appendix D

Groundwater Analytical Data (Organics): January 1, 2010 to June 30, 2010

Groundwater Analytical Data (Inorganics): January 1, 2010 to June 30, 2010

Groundwater Analytical Data (Organics): Shutdown Sampling Non-CAP Wells

Groundwater Analytical Data (Organics): B/330D Investigation

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	007		010		015		016		016		035	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE		GROUNDWATER	
Sample Date	02/16/2010		02/11/2010		02/25/2010		02/18/2010		02/18/2010		05/06/2010	
Laboratory Sample I.D.	R1000901-005		R1000817-005		R1001065-006		R1000923-009		R1000923-010		R1002469-004	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		1.1		ND@20		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		19		ND@20		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		0.63 J		ND@20		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		1.7 J		ND@100		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		1.3		170		1.4		1.4		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@20		16		17		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@40		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		23		1900		21		22		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		7.4		65		2.7		2.8		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		0.65 J		ND@20		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@20		ND@1.0		ND@1.0		ND@1.0

November 3, 2010

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		046	048	048	053	054	059
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/05/2010	01/11/2010	04/15/2010	03/08/2010	03/15/2010	04/20/2010
Laboratory Sample I.D.		R1001209-010	R1000156-008	R1002034-004	R1001260-006	R1001399-006	R1002145-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.0 BJ	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.92 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.60 J	0.73 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		060	060	061	061	063	064
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/20/2010	04/20/2010	03/10/2010	04/12/2010	03/24/2010	01/11/2010
Laboratory Sample I.D.		R1002145-006	R1002145-007	R1001301-007	R1001927-001	R1001593-008	R1000156-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	3.0 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	2.0	0.69 J	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	6.0	1.5	ND@1.0	1.3
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		064	065	065	065	066	066
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/19/2010	01/11/2010	01/11/2010	04/19/2010	01/12/2010	04/12/2010
Laboratory Sample I.D.		R1002119-008	R1000156-006	R1000156-007	R1002119-009	R1000227-007	R1001926-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.71 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		067	067	067	068	068	068
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/12/2010	04/15/2010	04/15/2010	01/14/2010	04/29/2010	04/29/2010
Laboratory Sample I.D.		R1000227-006	R1002034-007	R1002034-008	R1000255-004	R1002306-006	R1002309-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.1	1.1
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		069	085	085	087	103	104
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/18/2010	03/18/2010	03/18/2010	03/18/2010	03/16/2010	03/16/2010
Laboratory Sample I.D.		R1001474-006	R1001474-007	R1001474-008	R1001474-009	R1001431-004	R1001431-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.82 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		105	106	108	109	113	113
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/25/2010	02/25/2010	03/29/2010	02/24/2010	01/13/2010	04/20/2010
Laboratory Sample I.D.		R1001065-004	R1001065-005	R1001656-006	R1001009-004	R1000234-005	R1002145-009
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.95 J	ND@1.0	ND@1.0	ND@1.0	2.5	2.2
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.8	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		118	143	145	146	150	151
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/08/2010	03/08/2010	03/16/2010	03/16/2010	02/09/2010	02/16/2010
Laboratory Sample I.D.		R1001260-007	R1001260-004	R1001431-006	R1001431-007	R1000777-005	R1000901-009
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@10000	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@4000	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	200000	2.1	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1700 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@2000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		156	161	166	167	178	181
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/09/2010	03/17/2010	03/31/2010	03/31/2010	03/23/2010	03/24/2010
Laboratory Sample I.D.		R1000777-006	R1001456-004	R1001702-004	R1001702-005	R1001557-008	R1001593-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	10	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	11	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	3.4 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	47
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.6	51
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.88 J	12
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		204	400	401	402	402	403
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		02/11/2010	06/16/2010	06/16/2010	06/15/2010	06/15/2010	05/11/2010
Laboratory Sample I.D.		R1000817-007	R1003250-004	R1003250-005	R1003229-004	R1003229-005	R1002532-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.44 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		404	407	408	410	412	415
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		05/12/2010	05/12/2010	06/15/2010	06/16/2010	06/16/2010	05/13/2010
Laboratory Sample I.D.		R1002620-004	R1002620-005	R1003229-007	R1003250-006	R1003250-007	R1002611-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.79 J	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		416	417	417	423	424	424
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		06/15/2010	05/12/2010	05/12/2010	05/11/2010	05/11/2010	05/11/2010
Laboratory Sample I.D.		R1003229-006	R1002620-006	R1002620-007	R1002532-006	R1002532-004	R1002532-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.3	2.3
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		502	502	503	503	503	515
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		01/18/2010	04/26/2010	01/25/2010	01/25/2010	04/19/2010	01/13/2010
Laboratory Sample I.D.		R1000285-008	R1002260-005	R1000475-004	R1000475-005	R1002119-006	R1000234-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		515	520	520	521	521	535
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/20/2010	01/18/2010	04/20/2010	01/18/2010	04/20/2010	01/18/2010
Laboratory Sample I.D.		R1002145-004	R1000285-006	R1002145-010	R1000285-007	R1002145-011	R1000285-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	535	543	543	545	545	559
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/20/2010	01/11/2010	04/15/2010	01/13/2010	04/14/2010	04/14/2010
Laboratory Sample I.D.	R1002145-008	R1000156-009	R1002034-005	R1000234-008	R1002033-007	R1002033-005
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	43
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	13
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.6
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@10
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	3.2
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	220
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@4.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	65
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	200
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	20

November 3, 2010

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	561	563	564	571	571	572
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/14/2010	04/14/2010	05/06/2010	01/11/2010	04/14/2010	06/21/2010
Laboratory Sample I.D.	R1002033-006	R1002033-004	R1002469-005	R1000156-010	R1002033-008	R1003335-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,2-DICHLOROBENZENE	ug/l	0.95 J	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@10000
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
CIS-1,2-DICHLOROETHYLENE	ug/l	11	1.3	ND@1.0	ND@1.0	1700 DJ
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@4000
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
TETRACHLOROETHYLENE	ug/l	11	1.2	0.81 J	ND@1.0	210000 D
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
TRICHLOROETHYLENE	ug/l	3.3	2.3	ND@1.0	ND@1.0	820 DJ
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000

November 3, 2010

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		574	576	577	577	578	579
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		06/21/2010	03/24/2010	02/09/2010	02/09/2010	02/08/2010	04/01/2010
Laboratory Sample I.D.		R1003335-005	R1001593-006	R1000777-007	R1000777-008	R1000726-006	R1001750-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1000	1.8	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1000	1.7	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5000	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1000	0.51 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2000	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	100000 D	32	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	579		580		581		600		600		601	
Sample Description	REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE		GROUNDWATER	
Sample Date	04/01/2010		02/15/2010		02/10/2010		03/08/2010		03/08/2010		03/10/2010	
Laboratory Sample I.D.	R1001750-005		R1000829-006		R1000819-008		R1001260-008		R1001260-009		R1001301-004	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		2.5 J		2.8 J		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		2.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		0.57 J		ND@1.0		ND@1.0		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		1.2
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

November 3, 2010

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		602	603	604	607	608	609
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/11/2010	03/08/2010	03/17/2010	03/23/2010	03/23/2010	03/24/2010
Laboratory Sample I.D.		R1001340-007	R1001260-010	R1001456-010	R1001557-006	R1001557-007	R1001593-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	1.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@250	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	60 D	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@100	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1700 D	1.6	13
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	8.4
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	1.4	1.2
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		610	611	622	623	624	627
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/25/2010	03/29/2010	04/21/2010	04/21/2010	05/13/2010	02/15/2010
Laboratory Sample I.D.		R1001624-007	R1001656-007	R1002176-007	R1002176-006	R1002611-004	R1000829-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	78 D	ND@1.0	0.59 J	ND@2.5	ND@1.0	12
1,1-DICHLOROETHYLENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@10	ND@1.0	1.1	ND@2.5	ND@1.0	5.1
ACETONE	ug/l	ND@50	ND@5.0	ND@5.0	ND@13	ND@5.0	ND@5.0
BENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	220 D	ND@1.0	7.4	ND@2.5	1.2	84
DICHLORODIFLUOROMETHANE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@20	ND@2.0	ND@2.0	ND@5.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1600 D	ND@1.0	ND@1.0	390	12	4.3
TOLUENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	880 D	ND@1.0	3.1	ND@2.5	5.3	4.5
TRICHLOROFUOROMETHANE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@10	ND@1.0	ND@1.0	ND@2.5	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		701	702	704	706	711	711
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		02/10/2010	02/10/2010	02/08/2010	02/18/2010	02/23/2010	02/23/2010
Laboratory Sample I.D.		R1000819-004	R1000819-005	R1000726-004	R1000923-006	R1001012-005	R1001012-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	150	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	1.2	ND@1.0	51	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	24	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	6.8	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

21-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		714	716	720	722	735	739
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/11/2010	02/23/2010	03/25/2010	02/16/2010	02/15/2010	03/29/2010
Laboratory Sample I.D.		R1000817-004	R1001012-004	R1001624-006	R1000901-004	R1000829-004	R1001656-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	7.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	39	58	ND@1.0	ND@1.0	120 D	2.4
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
ACETONE	ug/l	ND@25	5.2 J	ND@5.0	ND@5.0	ND@50	ND@5.0
BENZENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
CHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	55	ND@2.5	ND@1.0	ND@1.0	410 D	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
ETHYLBENZENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
M,P-XYLENE	ug/l	ND@10	ND@5.0	ND@2.0	ND@2.0	ND@20	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
O-XYLENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
TETRACHLOROETHYLENE	ug/l	540	400	0.87 J	ND@1.0	1100 D	3.4
TOLUENE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
TRICHLOROETHYLENE	ug/l	89	6.2	ND@1.0	ND@1.0	48 D	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0
VINYL CHLORIDE	ug/l	ND@5.0	ND@2.5	ND@1.0	ND@1.0	ND@10	ND@1.0

November 3, 2010

IBM Corporation

22-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		740	742	743	744	744	744
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		03/17/2010	02/24/2010	03/29/2010	01/14/2010	01/14/2010	04/22/2010
Laboratory Sample I.D.		R1001456-007	R1001009-005	R1001656-005	R1000255-007	R1000255-009	R1002201-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	2.8	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.0	0.90 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	4.0	7.6	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	5.2	2.3	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

23-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		744	745	745	751	751	753
Sample Description		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/22/2010	01/14/2010	04/26/2010	04/29/2010	04/29/2010	04/29/2010
Laboratory Sample I.D.		R1002201-005	R1000255-008	R1002260-006	R1002306-004	R1002309-002	R1002306-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.2 J	3.4 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.3	0.99 J	0.88 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.57 J	0.55 J	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

24-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	753		754		754		755		755		755	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	04/29/2010		03/25/2010		04/28/2010		01/14/2010		04/29/2010		04/29/2010	
Laboratory Sample I.D.	R1002309-003		R1001624-005		R1002283-009		R1000255-005		R1002306-007		R1002309-006	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
ACETONE	ug/l	2.6 J		ND@5.0		ND@5.0		ND@5.0		260 D		270 D
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@4.0		ND@4.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
TETRACHLOROETHYLENE	ug/l	0.91 J		ND@1.0		ND@1.0		0.44 J		ND@2.0		ND@2.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@2.0		ND@2.0

November 3, 2010

IBM Corporation

25-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	755		756		756		757		757		761	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	05/27/2010		03/23/2010		04/28/2010		01/13/2010		04/15/2010		02/10/2010	
Laboratory Sample I.D.	R1002902-004		R1001557-004		R1002283-008		R1000234-009		R1002034-009		R1000819-006	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	0.70 J		1.6		3.0		0.94 J		0.58 J		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		2.2		1.8		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

November 3, 2010

IBM Corporation

26-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		763	766	767	768	769	769
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		02/10/2010	02/24/2010	03/25/2010	03/17/2010	02/15/2010	02/15/2010
Laboratory Sample I.D.		R1000819-007	R1001009-007	R1001624-004	R1001456-005	R1000829-007	R1000829-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	4.6	1.4	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.7	1.4
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	18	4.3	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	8.1	24	4.8	3.2	2.7
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.94 J	0.75 J	5.4	4.9	4.8
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	1.9	4.6	9.3	10	10
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	1.1	2.2	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

27-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		771	772	772	772	773	773
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/17/2010	01/19/2010	01/19/2010	04/22/2010	01/14/2010	04/22/2010
Laboratory Sample I.D.		R1001456-006	R1000342-007	R1000342-008	R1002201-007	R1000255-010	R1002201-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.1	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.82 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	17	1.9	1.6	1.5	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.93 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1.2	0.63 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

28-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		774	774	774	775	775	777
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		01/14/2010	04/22/2010	04/22/2010	02/18/2010	02/18/2010	02/08/2010
Laboratory Sample I.D.		R1000255-006	R1002201-008	R1002201-009	R1000923-007	R1000923-008	R1000726-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

29-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	777		779		789		791		792		792	
Sample Description	REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE	
Sample Date	02/08/2010		02/09/2010		02/16/2010		02/16/2010		03/17/2010		03/17/2010	
Laboratory Sample I.D.	R1000726-007		R1000777-004		R1000901-007		R1000901-008		R1001456-008		R1001456-009	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

November 3, 2010

IBM Corporation

30-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		793		793		832		832		832		857
Sample Description		GROUNDWATER		REPLICATE		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER
Sample Date		04/01/2010		04/01/2010		01/13/2010		04/15/2010		01/18/2010		
Laboratory Sample I.D.		R1001750-006		R1001750-007		R1000234-006		R1000234-007		R1002034-006		R1000285-005
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	0.42 J		0.43 J		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.65 J		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	5.0		4.5		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	2.6		2.4		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	2.4		2.3		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

November 3, 2010

IBM Corporation

31-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	857		858		858		859		859		860	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	04/21/2010		01/19/2010		04/26/2010		01/12/2010		05/10/2010		01/12/2010	
Laboratory Sample I.D.	R1002176-005		R1000342-006		R1002260-004		R1000227-005		R1002533-004		R1000227-004	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ACETONE	ug/l	ND@5.0	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TOLUENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	

November 3, 2010

IBM Corporation

32-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	860	861	861	862	862	921
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/27/2010	01/19/2010	04/27/2010	01/19/2010	04/27/2010	03/22/2010
Laboratory Sample I.D.	R1002259-004	R1000342-004	R1002259-005	R1000342-005	R1002259-006	R1001534-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.80 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.4
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	5.2
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

33-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	922	923	929	931	932	941
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	05/10/2010	03/22/2010	03/23/2010	03/24/2010	03/15/2010	03/08/2010
Laboratory Sample I.D.	R1002533-005	R1001534-005	R1001557-005	R1001593-004	R1001399-005	R1001260-005
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@2.5	ND@25	ND@1.0	ND@50
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@2.5	ND@25	ND@1.0	ND@50
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.74 J	1.0	2.8 D	3.6	210 D
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	1.0	ND@2.5	1.2	ND@50
ACETONE	ug/l	ND@5.0	ND@5.0	ND@130	ND@5.0	85 BJ
BENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
CIS-1,2-DICHLOROETHYLENE	ug/l	9.7	48	8.5 D	21	700 D
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@50	ND@2.0	ND@100
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
TETRACHLOROETHYLENE	ug/l	ND@1.0	71	220 D	12	5300 D
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
TRICHLOROETHYLENE	ug/l	0.77 J	35	5.5 D	19	2700 D
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@50
VINYL CHLORIDE	ug/l	1.8	ND@1.0	ND@25	ND@1.0	ND@50

November 3, 2010

IBM Corporation

34-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	943	944	952	953	954	956
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	03/18/2010	03/18/2010	03/15/2010	03/11/2010	03/10/2010	03/10/2010
Laboratory Sample I.D.	R1001474-005	R1001474-004	R1001399-004	R1001340-006	R1001301-005	R1001301-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.5	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	0.72 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@10	2.9 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.9	ND@1.0	ND@1.0	170 D	38
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@40	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	7.8	ND@1.0	ND@1.0	130	20 D
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
TRICHLOROETHYLENE	ug/l	8.3	ND@1.0	ND@1.0	5.7 D	33
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	9.2 D	2.9

November 3, 2010

IBM Corporation

35-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	958	958	959	960	963	963
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	01/11/2010	04/21/2010	02/22/2010	02/22/2010	01/07/2010	04/19/2010
Laboratory Sample I.D.	R1000156-004	R1002176-004	R1001024-004	R1001024-006	R1000116-007	R1002119-010
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	37	24	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	1.5	1.4	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.57 J	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	2.0	3.3	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.77 J	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	2.8	2.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	0.51 J	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	170	140	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	83	130	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	46	65	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	14	13	ND@1.0

November 3, 2010

IBM Corporation

36-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		964	964	965	966	987	987
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/07/2010	04/19/2010	03/11/2010	03/11/2010	01/07/2010	04/19/2010
Laboratory Sample I.D.		R1000116-008	R1002119-011	R1001340-004	R1001340-005	R1000116-004	R1002119-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.49 J	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	2.7	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	4.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

37-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		987		990		990		990		998		999
Sample Description		REPLICATE		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER
Sample Date		04/19/2010		01/07/2010		01/07/2010		04/19/2010		02/11/2010		02/16/2010
Laboratory Sample I.D.		R1002119-007		R1000116-005		R1000116-006		R1002119-005		R1000817-006		R1000901-006
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		1.6		1.6
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		1.7		2.0		1.5		ND@1.0		1.1
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

November 3, 2010

IBM Corporation

38-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics
January 1, 2010 - June 30, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

B	Compound detected in the associated method blank at a concentration that may have contributed to the sample result
D	Compound identified at a secondary dilution factor (Organics)
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM Corporation

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location	007	010	015	016	016	035
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date	02/16/2010	02/11/2010	02/25/2010	02/18/2010	02/18/2010	05/06/2010
Laboratory Sample I.D.	R1000902-001	R1000818-002	R1001065-006	R1000923-009	R1000925-005	R1002469-004
Sample Comment Codes						
Parameter	Units					
Inorganics						
FLUORIDE	mg/l	ND@0.10	0.12	3.38	0.61	0.61
						ND@0.10
Metals						
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	0.001 J	0.0006 J	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0017	0.0517	0.0861	0.0033	0.0019
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA

November 3, 2010

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location	068	068	103	104	118	151
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	01/14/2010	04/29/2010	03/16/2010	03/16/2010	03/08/2010	02/17/2010
Laboratory Sample I.D.	R1000255-004	R1002306-006	R1001432-001	R1001432-002	R1001261-001	R1000902-005
Sample Comment Codes						
Parameter	Units					
Inorganics						
FLUORIDE	mg/l	0.03 BJ	0.11	0.11	0.04 BJ	NA
						0.29
Metals						
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.0037 J	NA	NA	0.0057
ARSENIC, TOTAL	mg/l	0.0140	0.0186	NA	NA	0.0085
CHROMIUM, DISSOLVED	mg/l	0.0008 J	0.0013	0.0006 J	0.0012	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0017	0.0014	0.0010	0.0209	0.0009 J
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA

November 3, 2010

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location		161	204	579	579	580	581
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		03/17/2010	02/11/2010	04/01/2010	04/01/2010	02/15/2010	02/10/2010
Laboratory Sample I.D.		R1001457-001	R1000818-004	R1001750-004	R1001751-002	R1000829-006	R1000820-005
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.1 J	0.30	0.12	0.12	9.09	0.11
Metals							
ARSENIC, DISSOLVED	mg/l	0.0039 J	NA	ND@0.0050	ND@0.0050	0.0034 J	NA
ARSENIC, TOTAL	mg/l	ND@0.0050	NA	ND@0.0050	ND@0.0050	ND@0.0050	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	0.0029	0.0012	0.0012	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.001 J	0.694	0.0140	0.0145	0.0046	0.0877
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

November 3, 2010

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location		627	701	702	706	714	720
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/15/2010	02/10/2010	02/10/2010	02/18/2010	02/11/2010	03/25/2010
Laboratory Sample I.D.		R1000829-005	R1000819-004	R1000820-002	R1000923-006	R1000817-004	R1001625-003
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	133	0.13	0.12	0.09 J	0.10	0.09 J
Metals							
ARSENIC, DISSOLVED	mg/l	0.0044 J	NA	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	0.0053	NA	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	0.0034	ND@0.0010	ND@0.0010	0.0006 J	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0039	0.0240	0.0201	0.0015	0.0130	0.001 J
NICKEL, DISSOLVED	mg/l	0.750	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	0.848	NA	NA	NA	NA	NA

November 3, 2010

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location		735	740	742	743	744	744
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		02/15/2010	03/17/2010	02/24/2010	03/29/2010	01/14/2010	01/14/2010
Laboratory Sample I.D.		R1000829-004	R1001457-004	R1001035-001	R1001657-001	R1000255-007	R1000257-006
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	15.2	4.7	0.11	ND@0.40	0.03 BJ	0.03 BJ
Metals							
ARSENIC, DISSOLVED	mg/l	0.0072	0.0056	0.0044 J	0.0035 J	NA	NA
ARSENIC, TOTAL	mg/l	0.0055	0.0035 J	0.0034 J	0.0051	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0032	0.0027	0.0092	0.0064	0.0027	0.0024
NICKEL, DISSOLVED	mg/l	0.0244	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	0.0270	NA	NA	NA	NA	NA

November 3, 2010

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location	744	744	745	745	751	753
Sample Description	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/22/2010	04/22/2010	01/14/2010	04/26/2010	04/29/2010	04/29/2010
Laboratory Sample I.D.	R1002202-001	R1002202-002	R1000255-008	R1002260-006	R1002306-004	R1002306-005
Sample Comment Codes						
Parameter	Units					
Inorganics						
FLUORIDE	mg/l	0.09 J	0.09 J	0.07 BJ	ND@0.10	0.23
Metals						
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	0.0018	0.0043	0.0014
CHROMIUM, TOTAL	mg/l	0.0009 J	0.0010 J	0.0029	0.0046	0.0129
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA

November 3, 2010

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location		754	755	755	761	763	766
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/25/2010	01/14/2010	04/29/2010	02/10/2010	02/10/2010	02/24/2010
Laboratory Sample I.D.		R1001625-002	R1000255-005	R1002306-007	R1000819-006	R1000819-007	R1001035-002
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.03 J	0.12 B	0.18	0.12	0.14	5.2
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	NA	NA	0.0177
ARSENIC, TOTAL	mg/l	ND@0.0050	0.0039 J	ND@0.0050	NA	NA	0.0434
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	0.0009 J
CHROMIUM, TOTAL	mg/l	0.0008 J	0.0011	0.0006 J	0.517	0.0127	1.78
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	0.499
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	0.686

November 3, 2010

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location	767	768	769	769	771	772	
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	
Sample Date	03/25/2010	03/17/2010	02/15/2010	02/15/2010	03/17/2010	01/19/2010	
Laboratory Sample I.D.	R1001624-004	R1001457-002	R1000829-007	R1000829-008	R1001457-003	R1000342-007	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	6.32	ND@0.10	0.10	ND@0.10	ND@0.10	0.12
Metals							
ARSENIC, DISSOLVED	mg/l	0.0340	0.0083	ND@0.0050	0.0035 J	0.0056	ND@0.0050
ARSENIC, TOTAL	mg/l	0.0317	0.0036 J	0.0183	0.0153	0.0056	0.0052
CHROMIUM, DISSOLVED	mg/l	0.0060	0.0039	ND@0.0010	ND@0.0010	0.0029	0.0028
CHROMIUM, TOTAL	mg/l	0.127	0.138	1.99	2.03	1.97	0.203
NICKEL, DISSOLVED	mg/l	NA	0.0914	0.0894	0.0899	NA	0.0524
NICKEL, TOTAL	mg/l	NA	0.112	0.307	0.315	NA	0.0642

November 3, 2010

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location	772	772	773	773	774	774	
Sample Description	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	01/19/2010	04/22/2010	01/14/2010	04/22/2010	01/14/2010	04/22/2010	
Laboratory Sample I.D.	R1000343-002	R1002201-007	R1000255-010	R1002202-003	R1000257-003	R1002201-008	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.12	0.11	0.04 BJ	0.09 J	0.03 BJ	ND@0.20
Metals							
ARSENIC, DISSOLVED	mg/l	0.0054	ND@0.0050	ND@0.0050	0.0035 J	ND@0.0050	0.0035 J
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	0.0075	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	0.0029	0.0009 J	0.0072	0.0014	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.18	0.0272	1.33	0.209	0.0201	0.0440
NICKEL, DISSOLVED	mg/l	0.0535	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	0.0619	NA	NA	NA	NA	NA

November 3, 2010

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location	774	775	775	789	791	792	
Sample Description	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	04/22/2010	02/18/2010	02/18/2010	02/16/2010	02/16/2010	03/17/2010	
Laboratory Sample I.D.	R1002202-006	R1000925-002	R1000923-008	R1000901-007	R1000902-004	R1001456-008	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.20	0.11	0.11	0.18	0.12	0.14
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.0054	ND@0.0050	0.0057	0.0085	0.0037 J
ARSENIC, TOTAL	mg/l	0.0057	ND@0.0050	ND@0.0050	0.0291	0.0125	0.0304
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	0.0015	0.0016	0.0034	0.0030	0.0007 J
CHROMIUM, TOTAL	mg/l	0.0577	0.0753	0.0776	2.55	1.72	8.97
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

November 3, 2010

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location		792	793	793	952	959	960
Sample Description		REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/17/2010	04/01/2010	04/01/2010	03/15/2010	02/22/2010	02/22/2010
Laboratory Sample I.D.		R1001456-009	R1001750-006	R1001750-007	R1001400-001	R1001024-004	R1001024-006
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.14	0.26	0.25	0.10	0.18	0.29
Metals							
ARSENIC, DISSOLVED	mg/l	0.0037 J	ND@0.0050	ND@0.0050	0.0048 J	0.0033 J	0.0059
ARSENIC, TOTAL	mg/l	0.0254	ND@0.0050	ND@0.0050	0.0071	ND@0.025	0.0125
CHROMIUM, DISSOLVED	mg/l	0.0008 J	0.0754	0.0706	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	8.35	0.596	0.402	0.0013	0.0007 J	0.001 J
NICKEL, DISSOLVED	mg/l	NA	0.0915	0.0869	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	0.167	0.136	NA	NA	NA

November 3, 2010

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location		998	999
Sample Description		GROUNDWATER	GROUNDWATER
Sample Date		02/11/2010	02/16/2010
Laboratory Sample I.D.		R1000817-006	R1000901-006
Sample Comment Codes			
Parameter	Units		
Inorganics			
FLUORIDE	mg/l	0.18	0.09 J
Metals			
ARSENIC, DISSOLVED	mg/l	NA	NA
ARSENIC, TOTAL	mg/l	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0050	0.0035
NICKEL, DISSOLVED	mg/l	NA	NA
NICKEL, TOTAL	mg/l	NA	NA

November 3, 2010

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics
January 1, 2010 - June 30, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

B	Compound detected in the associated method blank at a concentration that may have contributed to the sample result
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAP Organics Data

January 1, 2010 - June 30, 2010

Sample Location	606		606	732	734	737
Sample Description	GROUNDWATER		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	06/14/2010		06/14/2010	06/14/2010	06/14/2010	06/14/2010
Laboratory Sample I.D.	R1003198-005		R1003198-006	R1003198-008	R1003198-004	R1003198-007
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	7.0 J	0.56 J	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	690	1.9	6.4
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	48	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	14 J	0.97 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@130	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	550	2.7	0.26 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@50	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	4600	53	16
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.22 J	ND@1.0	1600	11	3.8
TRICHLOROFLUOROMETHANE	ug/l	0.46 J	0.44 J	13 J	0.64 J	0.77 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@25	ND@1.0	ND@1.0

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAP Organics Data
January 1, 2010 - June 30, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

IBM East Fishkill Facility
B/330D Investigation New Well Sampling - Organics Data
January 1, 2010 - June 30, 2010

Sample Location	638	640
Sample Description	GROUNDWATER	GROUNDWATER
Sample Date	04/12/2010	04/07/2010
Laboratory Sample I.D.	R1001926-004	R1001839-007
Sample Comment Codes		

Parameter	Units		
Base/Neutral Extractables			
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
Volatile Organics			
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	0.83 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	16
TOLUENE	ug/l	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0

IBM East Fishkill Facility
B/330D Investigation New Well Sampling - Organics Data
January 1, 2010 - June 30, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

Appendix E

Production Well Analytical Data (Organics): January 1, 2010 to June 30, 2010
Production Well Analytical Data (Inorganics): January 1, 2010 to June 30, 2010

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1
Sample Description	PUMPING WELL	REPLICATE	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL
Sample Date	01/04/2010	01/04/2010	02/02/2010	02/02/2010	03/03/2010	04/06/2010
Laboratory Sample I.D.	R1000019-004	R1000019-008	R1000614-007	R1000614-008	R1001155-004	R1001802-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.2	2.8	3.1	3.1	2.9	2.3
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.9	1.9	2.1	2.0	1.9	1.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	21	22	21	22	23	21
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	8.2	8.5	9.0	9.0	9.5	3.6
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	PW- 1	PW- 1	PW- 1	PW- 2	PW- 2	PW- 2
Sample Description	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	05/03/2010	06/02/2010	06/02/2010	01/04/2010	02/02/2010	03/03/2010
Laboratory Sample I.D.	R1002359-004	R1002970-004	R1002970-005	R1000019-006	R1000614-004	R1001155-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.3	3.5	3.0	350 D	250 D	360 D
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	210 D	260 D	190 DJ
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
CIS-1,2-DICHLOROETHYLENE	ug/l	2.4	2.2	2.4	1200 D	870 D	1100 D
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@200	ND@200	ND@200
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
TETRACHLOROETHYLENE	ug/l	21	21	20	13000 D	12000 D	14000 D
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
TRICHLOROETHYLENE	ug/l	9.5	9.2	9.5	2200 D	1700 D	2100 D
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	99 D	67 D	89 DJ

November 3, 2010

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	PW- 2		PW- 2		PW- 2		PW- 4		PW- 4		PW- 4	
Sample Description	PUMPING WELL		PUMPING WELL		PUMPING WELL		PUMPING WELL		PUMPING WELL		PUMPING WELL	
Sample Date	04/06/2010		05/03/2010		06/02/2010		01/04/2010		02/02/2010		03/03/2010	
Laboratory Sample I.D.	R1001802-009		R1002359-005		R1002970-006		R1000019-010		R1000614-005		R1001155-006	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	220 D		300 D		320 D		6.0		5.6		5.3
1,1-DICHLOROETHYLENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	230 DJ		240 DJ		180 DJ		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	600 D		1100 D		1100 D		4.1		4.0		3.7
DICHLORODIFLUOROMETHANE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@200		ND@200		ND@200		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	8600 D		13000 D		13000 D		190		160		170
TOLUENE	ug/l	ND@100		ND@100		ND@100		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	140 D		1800 D		1800 D		58		54		57
TRICHLOROFLUOROMETHANE	ug/l	ND@100		ND@100		ND@100		0.85 J		0.99 J		1.2
VINYL CHLORIDE	ug/l	ND@100		91 DJ		92 DJ		ND@1.0		ND@1.0		ND@1.0

November 3, 2010

IBM Corporation

3-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location		PW- 4	PW- 4	PW- 4	PW- 5	PW- 5	PW- 5
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		04/06/2010	05/03/2010	06/02/2010	01/06/2010	02/03/2010	03/04/2010
Laboratory Sample I.D.		R1001802-005	R1002359-006	R1002970-007	R1000077-011	R1000651-004	R1001187-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.2	5.6	6.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.8	4.4	4.5	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	160	160	170	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	8.9	55	59	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	0.74 J	1.2	1.1	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

4-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	PW- 5	PW- 5	PW- 5	PW- 5	PW- 6	PW- 6
Sample Description	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	03/04/2010	04/07/2010	05/04/2010	06/07/2010	01/06/2010	02/03/2010
Laboratory Sample I.D.	R1001187-008	R1001839-004	R1002426-009	R1003095-006	R1000077-012	R1000651-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

5-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	PW- 6	PW- 6	PW- 6	PW- 6	PW- 7	PW- 7
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	03/04/2010	04/07/2010	05/04/2010	06/07/2010	01/21/2010	02/03/2010
Laboratory Sample I.D.	R1001187-009	R1001839-005	R1002426-010	R1003095-004	R1000400-004	R1000651-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.0	1.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	4.2	5.2
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.7	1.8
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

6-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location		PW- 7	PW- 7	PW- 7	PW- 7	PW- 7	PW-23
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL
Sample Date		03/04/2010	04/07/2010	05/04/2010	05/04/2010	06/07/2010	01/05/2010
Laboratory Sample I.D.		R1001187-010	R1001839-006	R1002426-011	R1002426-012	R1003095-005	R1000085-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.1	1.3	2.3	2.2	2.1	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	8.4	11	8.1	8.0	5.7	0.47 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.7	ND@1.0	3.1	3.0	2.3	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

7-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location		PW-23	PW-23	PW-23	PW-23	PW-23	PW-25
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		02/02/2010	03/03/2010	04/06/2010	05/03/2010	06/02/2010	01/04/2010
Laboratory Sample I.D.		R1000614-006	R1001155-007	R1001802-007	R1002359-007	R1002970-009	R1000019-012
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	22
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@25
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	46
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@10
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	0.83 J	1.4	3.0	ND@1.0	ND@1.0	570
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	160
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0

November 3, 2010

IBM Corporation

8-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	PW-25	PW-25	PW-25	PW-25	PW-25	PW-25
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL
Sample Date	02/02/2010	03/03/2010	04/06/2010	04/06/2010	04/06/2010	05/03/2010
Laboratory Sample I.D.	R1000614-009	R1001155-008	R1001802-006	R1001802-R06	R1001802-008	R1002359-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	NA	ND@5.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	23	23	16	19	16 D	21
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
ACETONE	ug/l	ND@25	8.5 J	ND@25	ND@25	ND@25	ND@25
BENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
CHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	51	47	49	45	28 D	52
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
ETHYLBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
M,P-XYLENE	ug/l	ND@10	ND@10	ND@10	ND@10	ND@10	ND@10
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
O-XYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	600	600	580	510	480 D	530
TOLUENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
TRICHLOROETHYLENE	ug/l	190	190	150	140	8.3 D	170
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0

November 3, 2010

IBM Corporation

9-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	PW-25
Sample Description	PUMPING WELL
Sample Date	06/02/2010
Laboratory Sample I.D.	R1002970-008
Sample Comment Codes	

Parameter	Units	
Base/Neutral Extractables		
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.5
1,2-DICHLOROBENZENE	ug/l	ND@2.5
1,3-DICHLOROBENZENE	ug/l	ND@2.5
1,4-DICHLOROBENZENE	ug/l	ND@2.5
Volatile Organics		
1,1,1-TRICHLOROETHANE	ug/l	ND@2.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	14
1,1-DICHLOROETHYLENE	ug/l	ND@2.5
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.5
ACETONE	ug/l	ND@13
BENZENE	ug/l	ND@2.5
CHLOROBENZENE	ug/l	ND@2.5
CIS-1,2-DICHLOROETHYLENE	ug/l	33
DICHLORODIFLUOROMETHANE	ug/l	ND@2.5
ETHYLBENZENE	ug/l	ND@2.5
M,P-XYLENE	ug/l	ND@5.0
METHYLENE CHLORIDE	ug/l	ND@2.5
O-XYLENE	ug/l	ND@2.5
TETRACHLOROETHYLENE	ug/l	410
TOLUENE	ug/l	ND@2.5
TRICHLOROETHYLENE	ug/l	110
TRICHLOROFLUOROMETHANE	ug/l	ND@2.5
VINYL CHLORIDE	ug/l	ND@2.5

November 3, 2010

IBM Corporation

10-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - June 30, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

D	Compound identified at a secondary dilution factor (Organics)
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location		PW- 1	PW- 1	PW- 1	PW- 2	PW- 2	PW- 4
Sample Description		PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		01/04/2010	01/04/2010	04/06/2010	01/04/2010	04/06/2010	01/04/2010
Laboratory Sample I.D.		R1000019-004	R1000023-003	R1001802-004	R1000019-006	R1001802-009	R1000019-010
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.12	0.13	0.16	0.22	0.22	0.12
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	0.0059	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	0.0044 J	0.0043 J	0.005 J
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	0.0007 J	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0011 B	0.0009 BJ	0.0006 J	0.001 BJ	0.0008 J	0.0008 BJ

November 3, 2010

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics

January 1, 2010 - June 30, 2010

Sample Location		PW- 4	PW- 5	PW- 5	PW- 6	PW- 6	PW- 7
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		04/06/2010	01/06/2010	04/07/2010	01/06/2010	04/07/2010	01/21/2010
Laboratory Sample I.D.		R1001803-002	R1000077-011	R1001839-004	R1000077-012	R1001839-005	R1000400-004
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.13	0.05 J	0.04 J	0.08 J	0.07 J	0.13
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.004 J	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	0.0045 J	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	0.0005 J	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0005 J	0.0277	0.0020	0.0008 J	0.0008 J	0.001 BJ

November 3, 2010

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2010 - June 30, 2010

Sample Location	PW- 7	PW- 7	PW- 7	PW- 7	PW- 7	PW- 7
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL
Sample Date	02/03/2010	03/04/2010	04/07/2010	05/04/2010	05/04/2010	06/07/2010
Laboratory Sample I.D.	R1000651-006	R1001189-002	R1001839-006	R1002426-011	R1002426-012	R1003095-005
Sample Comment Codes						

Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.13	0.12	0.06 J	0.05 BJ	0.06 BJ	0.11
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	0.0035 J	0.0036 J	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	0.0007 BJ	0.0007 J	ND@0.0010	ND@0.0010	0.0005 J

November 3, 2010

IBM Corporation

3-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2010 - June 30, 2010

Sample Location	PW-25	PW-25	PW-25
Sample Description	PUMPING WELL	PUMPING WELL	REPLICATE
Sample Date	01/04/2010	04/06/2010	04/06/2010
Laboratory Sample I.D.	R1000019-012	R1001802-006	R1001802-008
Sample Comment Codes			

Parameter	Units			
Inorganics				
FLUORIDE	mg/l	0.13	0.12	0.10
Metals				
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	0.005 J	0.0043 J	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	0.0005 J
CHROMIUM, TOTAL	mg/l	0.001 BJ	0.0006 J	0.0005 J

November 3, 2010

IBM Corporation

4-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2010 - June 30, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

B	Compound detected in the associated method blank at a concentration that may have contributed to the sample result
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

Appendix F

Quality Assurance/Quality Control Analytical Data: January 1, 2010 to June 30, 2010

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/04/2010	01/05/2010	01/07/2010	01/11/2010	01/12/2010	01/13/2010
Laboratory Sample I.D.	R1000019-002	R1000085-002	R1000116-002	R1000156-002	R1000227-002	R1000234-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	1.6 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.59 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

1-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/14/2010	01/18/2010	01/19/2010	01/25/2010	02/01/2010	02/02/2010
Laboratory Sample I.D.	R1000255-002	R1000285-002	R1000342-002	R1000475-002	R1000573-002	R1000614-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

2-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	02/03/2010	02/08/2010	02/09/2010	02/10/2010	02/11/2010	02/15/2010
Laboratory Sample I.D.	R1000651-002	R1000726-002	R1000777-002	R1000819-002	R1000817-002	R1000829-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.2 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

3-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	02/16/2010	02/18/2010	02/22/2010	02/23/2010	02/24/2010	02/25/2010
Laboratory Sample I.D.	R1000901-002	R1000923-002	R1001024-002	R1001012-002	R1001009-002	R1001065-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	1.8 J	2.5 J	2.9 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

4-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/03/2010	03/04/2010	03/05/2010	03/08/2010	03/09/2010	03/10/2010
Laboratory Sample I.D.	R1001155-002	R1001187-002	R1001209-002	R1001260-002	R1001262-002	R1001301-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.3 J	2.6 J	ND@5.0	3.8 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

5-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/11/2010	03/15/2010	03/16/2010	03/17/2010	03/18/2010	03/22/2010
Laboratory Sample I.D.	R1001340-002	R1001399-002	R1001431-002	R1001456-002	R1001474-002	R1001534-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.4 J	2.7 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

6-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/23/2010	03/24/2010	03/25/2010	03/29/2010	03/31/2010	04/01/2010
Laboratory Sample I.D.	R1001557-002	R1001593-002	R1001624-002	R1001656-002	R1001702-002	R1001750-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

7-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/05/2010	04/07/2010	04/12/2010	04/14/2010	04/15/2010	04/19/2010
Laboratory Sample I.D.	R1001774-002	R1001839-002	R1001926-002	R1002033-002	R1002034-002	R1002119-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.1 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

8-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/20/2010	04/21/2010	04/22/2010	04/26/2010	04/27/2010	04/28/2010
Laboratory Sample I.D.	R1002145-002	R1002176-002	R1002201-002	R1002260-002	R1002259-002	R1002283-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.1 J	3.7 J	ND@5.0	2.7 J	3.0 J	2.0 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

9-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/29/2010	05/03/2010	05/04/2010	05/06/2010	05/10/2010	05/11/2010
Laboratory Sample I.D.	R1002306-002	R1002359-002	R1002426-002	R1002469-002	R1002533-002	R1002532-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	1.9 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	2.6	ND@1.0	ND@1.0	0.49 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

10-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	05/12/2010	05/13/2010	05/27/2010	06/01/2010	06/02/2010	06/07/2010
Laboratory Sample I.D.	R1002620-002	R1002611-002	R1002902-002	R1002934-002	R1002970-002	R1003095-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.6 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.5 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.48 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.79 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

11-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	FIELD BLANK	FIELD BLANK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND		
Sample Date	06/14/2010	06/15/2010	06/16/2010	06/21/2010	01/04/2010	01/05/2010
Laboratory Sample I.D.	R1003198-002	R1003229-002	R1003250-002	R1003335-002	R1000019-003	R1000085-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.7 J	3.1 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.66 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.43 J	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

12-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	01/06/2010	01/07/2010	01/11/2010	01/12/2010	01/13/2010	01/14/2010
Laboratory Sample I.D.	R1000077-003	R1000116-003	R1000156-003	R1000227-003	R1000234-003	R1000255-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.57 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

13-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	01/18/2010	01/19/2010	01/25/2010	02/01/2010	02/02/2010	02/03/2010
Laboratory Sample I.D.	R1000285-003	R1000342-003	R1000475-003	R1000573-003	R1000614-003	R1000651-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

14-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	02/08/2010	02/09/2010	02/10/2010	02/11/2010	02/15/2010	02/16/2010
Laboratory Sample I.D.	R1000726-003	R1000777-003	R1000819-003	R1000817-003	R1000829-003	R1000901-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.5 J	3.5 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

15-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	02/18/2010	02/22/2010	02/23/2010	02/24/2010	02/25/2010	03/03/2010
Laboratory Sample I.D.	R1000923-003	R1001024-003	R1001012-003	R1001009-003	R1001065-003	R1001155-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.5 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

16-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/04/2010	03/05/2010	03/08/2010	03/09/2010	03/10/2010	03/11/2010
Laboratory Sample I.D.	R1001187-003	R1001209-003	R1001260-003	R1001262-003	R1001301-003	R1001340-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.0 J	ND@5.0	2.9 J	ND@5.0	4.2 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

17-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/15/2010	03/16/2010	03/17/2010	03/18/2010	03/22/2010	03/23/2010
Laboratory Sample I.D.	R1001399-003	R1001431-003	R1001456-003	R1001474-003	R1001534-003	R1001557-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.2 J	3.1 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

18-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/24/2010	03/25/2010	03/29/2010	03/31/2010	04/01/2010	04/05/2010
Laboratory Sample I.D.	R1001593-003	R1001624-003	R1001656-003	R1001702-003	R1001750-003	R1001774-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	3.2 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

19-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/06/2010	04/07/2010	04/12/2010	04/14/2010	04/15/2010	04/19/2010
Laboratory Sample I.D.	R1001802-003	R1001839-003	R1001926-003	R1002033-003	R1002034-003	R1002119-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.6 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

20-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/20/2010	04/21/2010	04/22/2010	04/26/2010	04/27/2010	04/28/2010
Laboratory Sample I.D.	R1002145-003	R1002176-003	R1002201-003	R1002260-003	R1002259-003	R1002283-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.5 J	2.8 J	ND@5.0	2.7 J	3.7 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

21-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/29/2010	05/03/2010	05/04/2010	05/06/2010	05/10/2010	05/11/2010
Laboratory Sample I.D.	R1002306-003	R1002359-003	R1002426-003	R1002469-003	R1002533-003	R1002532-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	1.7 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	1.3	2.3	0.49 J	ND@1.0	0.48 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

22-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	05/12/2010	05/13/2010	05/27/2010	06/01/2010	06/02/2010	06/07/2010
Laboratory Sample I.D.	R1002620-003	R1002611-003	R1002902-003	R1002934-003	R1002970-003	R1003095-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	3.1 J	3.4 J	ND@5.0	ND@5.0	ND@5.0	3.0 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.47 J	0.47 J	ND@1.0	ND@1.0	1.1	0.64 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

23-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	TRIP BLANK
Sample Description						NO. 1
Sample Date	06/08/2010	06/14/2010	06/15/2010	06/16/2010	06/21/2010	01/04/2010
Laboratory Sample I.D.	R1003100-003	R1003198-003	R1003229-003	R1003250-003	R1003335-003	R1000019-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	4.2 J	ND@5.0	2.2 J	3.6 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

24-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 2	NO. 1	NO. 1	NO. 2	NO. 1	NO. 1
Sample Date	01/04/2010	01/05/2010	01/06/2010	01/06/2010	01/07/2010	01/11/2010
Laboratory Sample I.D.	R1000015-010	R1000085-001	R1000083-001	R1000077-001	R1000116-001	R1000156-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.7 J	ND@5.0	1.7 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

25-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	01/12/2010	01/13/2010	01/14/2010	01/18/2010	01/19/2010	01/20/2010
Laboratory Sample I.D.	R1000227-001	R1000234-001	R1000255-001	R1000285-001	R1000342-001	R1000345-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	3.4 J	2.4 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

26-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 2	NO. 1	NO. 1
Sample Date	01/21/2010	01/25/2010	02/01/2010	02/01/2010	02/02/2010	02/03/2010
Laboratory Sample I.D.	R1000400-001	R1000475-001	R1000573-001	R1000569-010	R1000614-001	R1000651-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.46 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

27-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 2	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	02/08/2010	02/08/2010	02/09/2010	02/10/2010	02/11/2010	02/15/2010
Laboratory Sample I.D.	R1000723-001	R1000726-001	R1000777-001	R1000819-001	R1000817-001	R1000829-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.5 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

28-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 2	NO. 1
Sample Date	02/16/2010	02/18/2010	02/22/2010	02/23/2010	02/23/2010	02/24/2010
Laboratory Sample I.D.	R1000901-001	R1000923-001	R1001024-001	R1001023-001	R1001012-001	R1001009-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.5 J	ND@5.0	ND@5.0	1.7 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

29-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	02/25/2010	03/01/2010	03/03/2010	03/04/2010	03/05/2010	03/08/2010
Laboratory Sample I.D.	R1001065-001	R1001089-010	R1001155-001	R1001187-001	R1001209-001	R1001260-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	3.3 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

30-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 2	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/09/2010	03/09/2010	03/10/2010	03/11/2010	03/15/2010	03/16/2010
Laboratory Sample I.D.	R1001262-001	R1001257-001	R1001301-001	R1001340-001	R1001399-001	R1001431-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	3.2 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

31-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/17/2010	03/18/2010	03/22/2010	03/23/2010	03/24/2010	03/25/2010
Laboratory Sample I.D.	R1001456-001	R1001474-001	R1001534-001	R1001557-001	R1001593-001	R1001624-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.0 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

32-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 2
Sample Date	03/29/2010	03/31/2010	04/01/2010	04/05/2010	04/06/2010	04/06/2010
Laboratory Sample I.D.	R1001656-001	R1001702-001	R1001750-001	R1001774-001	R1001806-001	R1001802-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

33-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	04/07/2010	04/12/2010	04/14/2010	04/15/2010	04/19/2010	04/20/2010
Laboratory Sample I.D.	R1001839-001	R1001926-001	R1002033-001	R1002034-001	R1002119-001	R1002145-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.8 J	ND@5.0	2.3 J	3.1 J	2.0 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

34-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	04/21/2010	04/22/2010	04/26/2010	04/27/2010	04/28/2010	04/29/2010
Laboratory Sample I.D.	R1002176-001	R1002201-001	R1002260-001	R1002259-001	R1002283-001	R1002309-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.4 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

35-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 2	NO. 1	NO. 1	NO. 1	NO. 2	NO. 1
Sample Date	04/29/2010	05/03/2010	05/04/2010	05/06/2010	05/06/2010	05/10/2010
Laboratory Sample I.D.	R1002306-001	R1002359-001	R1002426-001	R1002468-001	R1002469-001	R1002533-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.6 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.63 J	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

36-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	05/11/2010	05/12/2010	05/13/2010	05/27/2010	06/01/2010	06/02/2010
Laboratory Sample I.D.	R1002532-001	R1002620-001	R1002611-001	R1002902-001	R1002934-001	R1002970-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.0 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

37-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 2	NO. 1	NO. 1	NO. 1
Sample Date	06/07/2010	06/08/2010	06/08/2010	06/14/2010	06/15/2010	06/16/2010
Laboratory Sample I.D.	R1003095-001	R1003092-001	R1003100-001	R1003198-001	R1003229-001	R1003250-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.0 J	2.3 J	3.2 J	1.8 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

38-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Sample Location	TRIP BLANK
Sample Description	NO. 1
Sample Date	06/21/2010
Laboratory Sample I.D.	R1003335-001
Sample Comment Codes	

Parameter	Units	
Base/Neutral Extractables		
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0
Volatile Organics		
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0
ACETONE	ug/l	ND@5.0
BENZENE	ug/l	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0
M,P-XYLENE	ug/l	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0
O-XYLENE	ug/l	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0
TOLUENE	ug/l	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - June 30, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

Appendix G

Groundwater Treatment Analytical Data (Organics): January 1, 2010 to June 30, 2010
Groundwater Treatment Analytical Data (Inorganics): January 1, 2010 to June 30, 2010

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	032A	032A	032A	032A	032A	032A
Sample Description	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN
Sample Date	01/05/2010	02/01/2010	03/05/2010	04/05/2010	05/03/2010	06/02/2010
Laboratory Sample I.D.	R1000085-008	R1000573-015	R1001209-009	R1001774-007	R1002359-013	R1002970-010
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.50 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.61 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.1	1.0	0.80 J	0.65 J	0.64 J	0.88 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.8	2.4	2.4	1.3	2.0	2.6
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	032A	080	080	080	080	080
Sample Description	REPLICATE	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	06/02/2010	01/04/2010	01/11/2010	01/18/2010	01/25/2010	02/04/2010
Laboratory Sample I.D.	R1002970-011	R1000015-006	R1000152-008	R1000281-008	R1000437-008	R1000675-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.9 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.64 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.83 J	1.5	0.52 J	0.58 J	0.43 J	3.7
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.6	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	1.2	2.1	2.9	ND@1.0

November 3, 2010

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	02/08/2010	02/15/2010	02/22/2010	03/01/2010	03/08/2010	03/22/2010
Laboratory Sample I.D.	R1000720-008	R1000833-008	R1000950-008	R1001089-006	R1001229-008	R1001499-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	22 D
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ACETONE	ug/l	ND@5.0	ND@20	ND@5.0	ND@5.0	ND@5.0	26 D
BENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	120 D
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@5.0	ND@2.0	ND@2.0	ND@2.0	ND@10
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	2.0	1.1 J	0.94 J	0.75 J	ND@1.0	730 D
TOLUENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	120 D
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	0.82 J	30 D

November 3, 2010

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	03/29/2010	04/13/2010	04/19/2010	04/26/2010	05/03/2010	05/10/2010
Laboratory Sample I.D.	R1001654-008	R1001973-001	R1002080-005	R1002230-005	R1002362-006	R1002505-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	42	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	13	3.5	0.43 J	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	11	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	21	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	05/17/2010	05/24/2010	06/01/2010	06/07/2010	06/14/2010	06/21/2010
Laboratory Sample I.D.	R1002665-005	R1002783-005	R1002931-006	R1003054-006	R1003196-006	R1003331-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	5.4	1.6	3.9
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.28 J	0.46 J
ACETONE	ug/l	ND@5.0	1.7 BJ	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.53 J	35	17	36
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	0.53 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	120	27	99
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.21 J
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	26	8.8	24
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	2.9	8.0	5.9	5.9

November 3, 2010

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	080	221	221	221	221	221
Sample Description	PW-2 EFFL	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	06/28/2010	01/04/2010	01/11/2010	01/18/2010	01/25/2010	02/04/2010
Laboratory Sample I.D.	R1003450-006	R1000015-007	R1000152-007	R1000281-007	R1000437-007	R1000675-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	5.8	ND@1.0	ND@1.0	ND@1.0	ND@1.0	3.3
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.70 J	0.78 J	1.2	1.6	1.5	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	22
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	47	19	32	50	73	17
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	0.76 J	0.94 J	0.81 J	0.69 J	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	130	ND@1.0	ND@1.0	ND@1.0	ND@1.0	50
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	33	ND@1.0	ND@1.0	ND@1.0	ND@1.0	10
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	9.2	54	68	58	50	6.4

November 3, 2010

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	02/08/2010	02/15/2010	02/22/2010	03/01/2010	03/08/2010	03/15/2010
Laboratory Sample I.D.	R1000720-007	R1000833-007	R1000950-007	R1001089-007	R1001229-007	R1001365-007
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,2-DICHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,3-DICHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,4-DICHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	11 D	34 J	88	100	93	110
1,1-DICHLOROETHYLENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
ACETONE	ug/l	ND@13	ND@400	ND@250	ND@130	ND@130	160 J
BENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
CHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
CIS-1,2-DICHLOROETHYLENE	ug/l	72 D	250	540	500	480	510
DICHLORODIFLUOROMETHANE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
ETHYLBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
M,P-XYLENE	ug/l	ND@5.0	ND@100	ND@100	ND@50	ND@50	ND@100
METHYLENE CHLORIDE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
O-XYLENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
TETRACHLOROETHYLENE	ug/l	270 D	2100	5200	4300	3800	4600
TOLUENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
TRICHLOROETHYLENE	ug/l	46 D	280	710	690	630	670
TRICHLOROFLUOROMETHANE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
VINYL CHLORIDE	ug/l	14 D	22 J	35 J	33	36	44 J

November 3, 2010

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	03/22/2010	03/29/2010	04/06/2010	04/12/2010	04/19/2010	04/26/2010
Laboratory Sample I.D.	R1001499-007	R1001654-007	R1001799-001	R1001925-005	R1002080-004	R1002230-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,2,4-TRICHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,2-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,3-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,4-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	96 D	110	ND@1.0	ND@1.0	11	27
1,1-DICHLOROETHYLENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
ACETONE	ug/l	92 DJ	210 J	1.9 J	11	ND@13	ND@50
BENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
CHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
CIS-1,2-DICHLOROETHYLENE	ug/l	510 D	630	2.2	0.56 J	56	150
DICHLORODIFLUOROMETHANE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
ETHYLBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
M,P-XYLENE	ug/l	ND@100	ND@100	ND@2.0	ND@2.0	ND@5.0	ND@20
METHYLENE CHLORIDE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
O-XYLENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
TETRACHLOROETHYLENE	ug/l	5600 D	6100	6.9	5.6	460	1200
TOLUENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
TRICHLOROETHYLENE	ug/l	740 D	870	11	1.9	66	180
TRICHLOROFLUOROMETHANE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
VINYL CHLORIDE	ug/l	32 DJ	39 J	ND@1.0	ND@1.0	5.3	14

November 3, 2010

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	05/03/2010	05/10/2010	05/17/2010	05/24/2010	06/01/2010	06/07/2010
Laboratory Sample I.D.	R1002362-007	R1002505-004	R1002665-004	R1002783-004	R1002931-007	R1003054-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,2,4-TRICHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,2-DICHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,3-DICHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,4-DICHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	27	80	60	92	180	160
1,1-DICHLOROETHYLENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
ACETONE	ug/l	ND@50	ND@100	ND@100	220 J	130 J	ND@250
BENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
CHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
CIS-1,2-DICHLOROETHYLENE	ug/l	160	310	320	420	740	770
DICHLORODIFLUOROMETHANE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
ETHYLBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
M,P-XYLENE	ug/l	ND@20	ND@40	ND@40	ND@100	ND@100	ND@100
METHYLENE CHLORIDE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
O-XYLENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
TETRACHLOROETHYLENE	ug/l	1500	3100	2900	5100	9400	7800
TOLUENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
TRICHLOROETHYLENE	ug/l	220	430	450	600	1100	1100
TRICHLOROFLUOROMETHANE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
VINYL CHLORIDE	ug/l	12	30	24	32 J	54	50

November 3, 2010

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	221	221	221	360	360	360
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT
Sample Date	06/14/2010	06/21/2010	06/28/2010	01/06/2010	02/01/2010	03/05/2010
Laboratory Sample I.D.	R1003196-005	R1003331-005	R1003450-005	R1000077-008	R1000573-014	R1001209-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	67	67	82 D	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.8 J	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@100	ND@130	ND@250	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	350	480	450 D	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@40	ND@50	ND@100	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	2900	4300	4300 D	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@20	5.5 J	ND@50	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	420	550	590 D	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	28	24 J	22 DJ	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	360			395		
Sample Description	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT	B/384 SUMP	B/384 SUMP	B/384 SUMP
Sample Date	04/05/2010	05/04/2010	06/01/2010	01/04/2010	02/01/2010	03/04/2010
Laboratory Sample I.D.	R1001774-012	R1002426-008	R1002934-010	R1000019-014	R1000573-004	R1001187-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	170 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@100
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@200	ND@100
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@500	ND@1000
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	76 J	220
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@200	ND@400
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	12000	29000
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	280	550
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@200

November 3, 2010

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	395		395		395		395		395A		395A	
Sample Description	B/384 SUMP		B/384 SUMP		B/384 SUMP		REPLICATE		AREA A INFL		AREA A INFL	
Sample Date	04/01/2010		05/04/2010		06/08/2010		06/08/2010		01/04/2010		02/01/2010	
Laboratory Sample I.D.	R1001750-008		R1002426-013		R1003100-004		R1003100-005		R1000019-016		R1000573-005	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
1,2,4-TRICHLOROBENZENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
1,2-DICHLOROBENZENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
1,3-DICHLOROBENZENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
1,4-DICHLOROBENZENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	25 J	120 DJ	62 J	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
1,1-DICHLOROETHYLENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
ACETONE	ug/l	ND@250	ND@1000	ND@500	ND@1000	ND@1000	ND@1000	ND@1000	ND@1000	ND@1000	ND@1000	ND@1000
BENZENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
CHLOROBENZENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
CIS-1,2-DICHLOROETHYLENE	ug/l	33 J	ND@200	52 J	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
DICHLORODIFLUOROMETHANE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
ETHYLBENZENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
M,P-XYLENE	ug/l	ND@100	ND@400	ND@200	ND@400	ND@400	ND@400	ND@400	ND@400	ND@400	ND@400	ND@400
METHYLENE CHLORIDE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
O-XYLENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
TETRACHLOROETHYLENE	ug/l	9000	21000 D	17000	20000	26000	23000 D					
TOLUENE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
TRICHLOROETHYLENE	ug/l	130	390 D	330	450	640	410 D					
TRICHLOROFLUOROMETHANE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200
VINYL CHLORIDE	ug/l	ND@50	ND@200	ND@100	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200	ND@200

November 3, 2010

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location		395A	395A	395A	395A	395B	395B
Sample Description		AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL	AREA A EFFL	AREA A EFFL
Sample Date		03/04/2010	04/01/2010	05/04/2010	06/08/2010	01/04/2010	02/01/2010
Laboratory Sample I.D.		R1001187-005	R1001750-009	R1002426-014	R1003100-006	R1000019-017	R1000573-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@200	ND@100	71 J	ND@200	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
ACETONE	ug/l	ND@1000	ND@500	ND@500	ND@1000	ND@5.0	ND@5.0
BENZENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@200	ND@100	50 J	ND@200	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@400	ND@200	ND@200	ND@400	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	21000	11000	18000	27000	11	2.6
TOLUENE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	350	160	350	500	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@200	ND@100	ND@100	ND@200	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	395B		395B		395B		395B		500		500	
Sample Description	AREA A EFFL		AREA A EFFL		AREA A EFFL		AREA A EFFL		C CARB INFL		C CARB INFL	
Sample Date	03/04/2010		04/01/2010		05/04/2010		06/08/2010		01/04/2010		02/01/2010	
Laboratory Sample I.D.	R1001187-006		R1001750-010		R1002426-015		R1003100-007		R1000015-009		R1000569-009	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	4.8		5.1	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	3.1		3.1	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TETRACHLOROETHYLENE	ug/l	6.5	4.4		6.4		9.0		81		84	
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	29		28	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	

November 3, 2010

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	500	500	500	500	511	511
Sample Description	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB/GAC 1	C CARB/GAC 1
Sample Date	03/01/2010	04/12/2010	05/03/2010	06/01/2010	01/04/2010	01/11/2010
Laboratory Sample I.D.	R1001089-009	R1001925-006	R1002362-009	R1002931-009	R1000015-001	R1000152-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.6	4.0	4.3	4.9	5.8	7.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.7 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.8	3.0	2.6	3.0	3.6	3.3
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	76	92	82	89	21	21
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	25	26	27	29	17	16
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	0.52 J	0.54 J	0.51 J	0.66 J	0.75 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	511	511	511	511	511	511
Sample Description	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date	01/18/2010	01/25/2010	02/01/2010	02/08/2010	02/15/2010	02/22/2010
Laboratory Sample I.D.	R1000281-002	R1000437-002	R1000569-001	R1000720-002	R1000833-002	R1000950-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	6.6	5.0	6.0	4.5	4.8 J	5.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@20	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.5	3.1	3.9	3.3	3.5 J	3.6
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@5.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	23	23	26	28	30	31
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
TRICHLOROETHYLENE	ug/l	18	15	18	16	17	18
TRICHLOROFLUOROMETHANE	ug/l	0.76 J	0.54 J	0.65 J	ND@1.0	0.50 J	0.51 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0

November 3, 2010

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	511	511	511	511	511	511
Sample Description	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date	03/01/2010	03/08/2010	03/15/2010	03/22/2010	03/29/2010	04/05/2010
Laboratory Sample I.D.	R1001089-001	R1001229-002	R1001365-002	R1001499-002	R1001654-002	R1001772-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	5.5	6.1	6.8	5.4	5.3	5.6
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	1.8 BJ	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.1	3.2	4.0	3.6	3.5	3.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	28	29	27	31	29	36
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	18	18	18	18	17	20
TRICHLOROFLUOROMETHANE	ug/l	0.51 J	0.54 J	0.96 J	0.70 J	0.65 J	0.89 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	511	511	511	512	512	512
Sample Description	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	05/03/2010	05/24/2010	06/01/2010	01/04/2010	01/11/2010	01/18/2010
Laboratory Sample I.D.	R1002362-001	R1002783-006	R1002931-001	R1000015-002	R1000152-003	R1000281-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	5.7	5.4	4.9	3.6	5.5	4.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.1	3.7	3.0	2.7	2.6	2.6
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	38	40	35	21	22	22
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	20	21	18	15	16	15
TRICHLOROFLUOROMETHANE	ug/l	0.81 J	0.71 J	0.55 J	ND@1.0	ND@1.0	0.48 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	01/25/2010	02/01/2010	02/08/2010	02/15/2010	02/22/2010	03/01/2010
Laboratory Sample I.D.	R1000437-003	R1000569-002	R1000720-003	R1000833-003	R1000950-003	R1001089-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.9	5.3	2.8	3.2 J	3.3	3.8
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@20	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.6	3.1	2.6	2.8 J	3.0	2.6
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@5.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	21	27	25	26	26	15
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	14	17	14	14	15	12
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	0.50 J	ND@1.0	ND@5.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	03/08/2010	03/15/2010	03/22/2010	03/29/2010	04/05/2010	05/03/2010
Laboratory Sample I.D.	R1001229-003	R1001365-003	R1001499-003	R1001654-003	R1001772-003	R1002362-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.3	3.9	3.0	3.7	3.7	4.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.9 BJ	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.6	3.2	2.7	2.9	3.1	2.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	15	15	15	15	18	19
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	12	13	13	13	15	15
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.56 J	0.51 J	0.60 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	512		512		512		512		512		513	
Sample Description	C CARB/GAC 2		C CARB/GAC 2		C CARB/GAC 2		C CARB/GAC 2		C CARB/GAC 2		C CARB/GAC 3	
Sample Date	06/01/2010		06/07/2010		06/14/2010		06/21/2010		06/28/2010		01/04/2010	
Laboratory Sample I.D.	R1002931-002		R1003054-002		R1003196-002		R1003331-002		R1003450-002		R1000015-003	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.7	4.2	3.4	3.4	3.4	3.4	3.5	3.5	5.2	5.2	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	0.23 J	ND@1.0	ND@1.0	ND@1.0	0.29 J	0.29 J	ND@1.0	ND@1.0	
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	2.9	3.4	2.8	3.4	3.4	3.4	3.1	3.1	2.9	2.9	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TETRACHLOROETHYLENE	ug/l	23	23	22	20	20	20	24	24	19	19	
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROETHYLENE	ug/l	16	17	15	15	15	15	15	15	13	13	
TRICHLOROFLUOROMETHANE	ug/l	0.47 J	0.53 J	0.41 J	0.45 J	0.45 J	0.45 J	0.48 J	0.48 J	0.62 J	0.62 J	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	

November 3, 2010

IBM Corporation

21-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	513	513	513	513	513	513
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date	01/11/2010	01/18/2010	01/25/2010	02/01/2010	02/08/2010	02/15/2010
Laboratory Sample I.D.	R1000152-004	R1000281-004	R1000437-004	R1000569-003	R1000720-004	R1000833-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	6.2	5.9	4.5	5.5	4.4 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	3.2 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.9	3.2	2.8	3.1	2.9 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@5.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	18	22	21	23	24
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	13	14	12	13	14
TRICHLOROFLUOROMETHANE	ug/l	0.68 J	0.77 J	0.50 J	0.60 J	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0

November 3, 2010

IBM Corporation

22-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	513	513	513	513	513	513
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date	02/22/2010	03/05/2010	03/08/2010	03/15/2010	03/22/2010	03/29/2010
Laboratory Sample I.D.	R1000950-004	R1001207-001	R1001229-004	R1001365-004	R1001499-004	R1001654-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.9	5.0	5.3	5.5	4.3	3.9
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.3	2.9	3.0	3.2	3.1	8.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	25	11	14	16	19	16
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	14	9.6	12	12	13	12
TRICHLOROFLUOROMETHANE	ug/l	0.50 J	0.54 J	0.58 J	0.73 J	0.58 J	0.54 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.2

November 3, 2010

IBM Corporation

23-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	513	513	513	513	514	514
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 4	C CARB/GAC 4
Sample Date	04/05/2010	04/12/2010	05/03/2010	06/01/2010	01/04/2010	01/11/2010
Laboratory Sample I.D.	R1001772-004	R1001925-002	R1002362-003	R1002931-003	R1000015-004	R1000152-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	12	3.2	1.9	4.6	40	44
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.3	ND@1.0	ND@1.0	ND@1.0	0.90 J	1.2
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.9 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	37	8.5	3.0	3.9	90	91
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	100	25	11	22	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	33	11	6.6	13	3.0	5.3
TRICHLOROFLUOROMETHANE	ug/l	0.63 J	ND@1.0	ND@1.0	0.56 J	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	17	2.8	0.66 J	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

24-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	01/18/2010	01/25/2010	01/27/2010	02/01/2010	02/08/2010	02/15/2010
Laboratory Sample I.D.	R1000281-005	R1000437-005	R1000503-001	R1000569-004	R1000720-005	R1000833-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	44	33	ND@1.0	0.68 J	1.3	1.9 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.1	0.79 J	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@20
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	100	86	ND@1.0	0.56 J	1.4	2.5 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@5.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	10	15	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0

November 3, 2010

IBM Corporation

25-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	02/22/2010	03/01/2010	03/08/2010	03/15/2010	03/22/2010	03/29/2010
Laboratory Sample I.D.	R1000950-005	R1001089-004	R1001229-005	R1001365-005	R1001499-005	R1001654-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.9	4.0	5.0	6.0	5.8	7.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.71 J	0.71 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	3.4 BJ	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.9	5.2	7.1	9.7	11	14
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.63 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.52 J	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

26-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	04/05/2010	04/12/2010	04/19/2010	04/26/2010	05/03/2010	05/10/2010
Laboratory Sample I.D.	R1001772-005	R1001925-003	R1002080-002	R1002230-002	R1002362-004	R1002505-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	9.1	11	12	13	16	20
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.99 J	1.3	1.0	1.2	1.2	1.5
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	16	20	22	27	28	38
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.43 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.50 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.87 J	1.0	1.3	1.6	2.3	2.8
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

27-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	05/17/2010	05/24/2010	06/01/2010	06/07/2010	06/14/2010	06/21/2010
Laboratory Sample I.D.	R1002665-002	R1002783-002	R1002931-004	R1003054-003	R1003196-003	R1003330-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.70 J	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	17	15	15	14	23	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.1	1.1	1.2	1.2	1.4	ND@1.0
ACETONE	ug/l	ND@5.0	2.3 BJ	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	36	34	34	33	49	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.53 J	0.46 J	ND@1.0	46	2.8	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	3.3	3.1	2.3	8.3	4.9	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.33 J	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.30 J	ND@1.0

November 3, 2010

IBM Corporation

28-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	514	514	524	524	524	524
Sample Description	C CARB/GAC 4	C CARB/GAC 4	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	06/21/2010	06/28/2010	01/04/2010	01/11/2010	01/18/2010	01/25/2010
Laboratory Sample I.D.	R1003331-003	R1003450-003	R1000015-005	R1000152-006	R1000281-006	R1000437-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	25 D	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@25	ND@5.0	ND@5.0	1.8 J	ND@5.0
BENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	58 D	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@10	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	630 D	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	190 D	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

29-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	01/27/2010	02/01/2010	02/08/2010	02/15/2010	02/22/2010	03/01/2010
Laboratory Sample I.D.	R1000503-002	R1000569-005	R1000720-006	R1000833-006	R1000950-006	R1001089-005
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@20	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@5.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0

November 3, 2010

IBM Corporation

30-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	03/08/2010	03/15/2010	03/22/2010	03/29/2010	04/05/2010	04/12/2010
Laboratory Sample I.D.	R1001229-006	R1001365-006	R1001499-006	R1001654-006	R1001772-006	R1001925-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

31-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	04/19/2010	04/26/2010	05/03/2010	05/10/2010	05/17/2010	05/24/2010
Laboratory Sample I.D.	R1002080-003	R1002230-003	R1002362-005	R1002505-003	R1002665-003	R1002783-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

32-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	06/01/2010	06/07/2010	06/14/2010	06/21/2010	06/21/2010	06/28/2010
Laboratory Sample I.D.	R1002931-005	R1003054-004	R1003196-004	R1003330-002	R1003331-004	R1003450-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.56 J	3.1	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	1.2	6.1	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.60 J	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

33-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	01/04/2010	01/11/2010	01/18/2010	01/25/2010	02/01/2010	02/08/2010
Laboratory Sample I.D.	R1000015-008	R1000152-001	R1000281-001	R1000437-001	R1000569-008	R1000720-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

34-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	02/15/2010	02/22/2010	03/01/2010	03/08/2010	03/15/2010	03/22/2010
Laboratory Sample I.D.	R1000833-001	R1000950-001	R1001089-008	R1001229-001	R1001365-001	R1001499-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@20	ND@5.0	ND@5.0	ND@5.0	2.0 BJ	ND@5.0
BENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@5.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

35-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	03/29/2010	04/05/2010	04/12/2010	04/19/2010	04/26/2010	05/03/2010
Laboratory Sample I.D.	R1001654-001	R1001772-001	R1001925-001	R1002080-001	R1002230-001	R1002362-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

36-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	05/10/2010	05/17/2010	05/24/2010	06/01/2010	06/07/2010	06/14/2010
Laboratory Sample I.D.	R1002505-001	R1002665-001	R1002783-001	R1002931-008	R1003054-001	R1003196-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

37-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	555	555	612	612	612	612
Sample Description	C CARB EFFL	C CARB EFFL	GW/B322 IN	REPLICATE	GW/B322 IN	GW/B322 IN
Sample Date	06/21/2010	06/28/2010	01/06/2010	01/06/2010	02/01/2010	03/05/2010
Laboratory Sample I.D.	R1003331-001	R1003450-001	R1000077-004	R1000077-005	R1000573-011	R1001209-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.40 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.30 J	0.38 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

38-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	612		612		612		612		617		617	
Sample Description	REPLICATE		GW/B322 IN		GW/B322 IN		GW/B322 IN		GW/B322 IN		GW/B322 IN	
Sample Date	03/05/2010		04/05/2010		05/04/2010		06/01/2010		01/06/2010		02/01/2010	
Laboratory Sample I.D.	R1001209-005		R1001774-008		R1002426-004		R1002934-007		R1000077-006		R1000573-012	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	

November 3, 2010

IBM Corporation

39-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location		617	617	617	617	617	617
Sample Description		GW/B322 IN	GW/B322 IN	REPLICATE	GW/B322 IN	REPLICATE	GW/B322 IN
Sample Date		03/05/2010	04/05/2010	04/05/2010	05/04/2010	06/01/2010	
Laboratory Sample I.D.		R1001209-006	R1001774-009	R1001774-010	R1002426-005	R1002426-006	R1002934-009
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

40-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location		618	618	618	618	618	618
Sample Description		GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN
Sample Date		01/06/2010	02/01/2010	03/05/2010	04/05/2010	05/04/2010	06/01/2010
Laboratory Sample I.D.		R1000077-007	R1000573-013	R1001209-007	R1001774-011	R1002426-007	R1002934-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	1.4	1.1	1.2	1.2	1.4	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

41-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location		628	628	628	628	628	628
Sample Description		GW/AREA B IN	GW/AREA B IN	REPLICATE	GW/AREA B IN	GW/AREA B IN	GW/AREA B IN
Sample Date		01/05/2010	02/01/2010	02/01/2010	03/03/2010	04/05/2010	05/03/2010
Laboratory Sample I.D.		R1000085-005	R1000573-007	R1000573-008	R1001155-009	R1001774-004	R1002359-009
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.95 J	1.4	1.3	1.3	1.2	0.75 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

42-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	628		628		628A		628A		628A		628A	
Sample Description	REPLICATE		GW/AREA B IN		AREA B EFFL		AREA B EFFL		AREA B EFFL		AREA B EFFL	
Sample Date	05/03/2010		06/01/2010		01/05/2010		02/01/2010		03/03/2010		04/05/2010	
Laboratory Sample I.D.	R1002359-010		R1002934-004		R1000085-006		R1000573-009		R1001155-010		R1001774-005	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	0.57 J		0.51 J		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

November 3, 2010

IBM Corporation

43-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - June 30, 2010

Sample Location	628A		628A		628B		628B		628B	
Sample Description	AREA B EFFL		AREA B EFFL		AREA B/GAC		AREA B/GAC		AREA B/GAC	
Sample Date	05/03/2010		06/01/2010		01/05/2010		02/01/2010		03/03/2010	
Laboratory Sample I.D.	R1002359-011		R1002934-005		R1000085-007		R1000573-010		R1001155-011	
Sample Comment Codes										
Parameter	Units									
Base/Neutral Extractables										
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics										
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

44-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Sample Location	628B	628B
Sample Description	AREA B/GAC	AREA B/GAC
Sample Date	05/03/2010	06/01/2010
Laboratory Sample I.D.	R1002359-012	R1002934-006
Sample Comment Codes		

Parameter	Units		
Base/Neutral Extractables			
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
Volatile Organics			
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0

November 3, 2010

IBM Corporation

45-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - June 30, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

B	Compound detected in the associated method blank at a concentration that may have contributed to the sample result
D	Compound identified at a secondary dilution factor (Organics)
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2010 - June 30, 2010

Sample Location	395	395	395	395	395	395
Sample Description	B/384 SUMP	B/384 SUMP	B/384 SUMP	B/384 SUMP	B/384 SUMP	B/384 SUMP
Sample Date	01/04/2010	02/01/2010	03/04/2010	04/01/2010	05/04/2010	06/08/2010
Laboratory Sample I.D.	R1000023-006	R1000573-004	R1001187-004	R1001750-008	R1002426-013	R1003100-004
Sample Comment Codes						

Parameter	Units					
Inorganics						
FLUORIDE	mg/l	1.06	0.90	0.67	0.59	0.62
Metals						
CHROMIUM, DISSOLVED	mg/l	0.0007 J	0.0007 J	0.0006 J	0.0016	0.0008 J
CHROMIUM, TOTAL	mg/l	0.0065 BJ	0.0021	0.0021 B	0.0018	0.0011

November 3, 2010

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2010 - June 30, 2010

Sample Location	395
Sample Description	REPLICATE
Sample Date	06/08/2010
Laboratory Sample I.D.	R1003100-005
Sample Comment Codes	

Parameter	Units	
Inorganics		
FLUORIDE	mg/l	0.87
Metals		
CHROMIUM, DISSOLVED	mg/l	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010

November 3, 2010

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2010 - June 30, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

B	Compound detected in the associated method blank at a concentration that may have contributed to the sample result
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit