



*Hudson Valley Research Park
2070 Route 52
Hopewell Junction, NY 12533 6531
S. C. Hawkins, Z/325*

May 31, 2011

Chief, Remedial Bureau A
Division of Environmental Remediation
New York State Department of Environmental Conservation
625 Broadway
Albany, New York 12233-7015

Subject: 2010 Annual Corrective Action Status Report

Reference: IBM East Fishkill Corrective Action Program
IBM East Fishkill Facility
Hopewell Junction, New York
NYSDEC Part 373 Permit 3-1323-0025-00249-0
EPA ID No. NYD000707901

Dear Chief, Remedial Bureau A:


In accordance with the provisions of the Module IX – General Ground Water Monitoring Conditions, Section H, Item 2 of the referenced permit, enclosed please find the following document for your review:

*2010 Annual Corrective Action Status Report
IBM Corporation
East Fishkill Facility
Hopewell Junction, New York*

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Please contact Jackie Braungart at (845)892-1672 if you have any questions or require further information.

Sincerely,
International Business Machines Corporation



Steven C. Hawkins, Manager
Environmental Regulatory Engineering

- c: K. Brezner, NYSDEC Region 3, Regional Solid and Hazardous Materials Engineer (with enclosure and softcopy)
- D. Carpenter, USEPA Region 2, New York Facilities (with enclosure and softcopy)
- A. Czuhanich, NYSDEC (with enclosure and softcopy)
- R. Schatz, ESDC (without enclosure)
- H. Wilkie, NYSDEC (softcopy)



2010 Annual Corrective Action Status Report

Prepared for:

**IBM Corporation
Hopewell Junction, New York**

May 31, 2011

Prepared by:

**IBM Environmental Engineering
Hudson Valley Research Park
Hopewell Junction, New York 12533**

Groundwater Sciences Corporation

**2601 Market Place Street, Suite 310
Harrisburg, PA 17110**

**560 Route 52, Suite 202
Beacon, NY 12508**

**1108 Vestal Parkway East, Suite 2
Vestal, NY 13850**

Table of Contents

1	INTRODUCTION	1
1.1	Purpose.....	3
1.2	Scope.....	3
2	HYDROGEOLOGY	5
2.1	Quarterly Water Levels.....	5
2.2	Soil Groundwater Elevations	5
2.2.1	Stratigraphic Controls on Groundwater Flow	5
2.2.1.1	Area A.....	6
2.2.1.2	B/322 AOC	7
2.2.1.3	B/330, Landfill, and SEQ.....	7
2.2.1.4	Area D.....	8
2.2.1.5	Former West Complex.....	8
2.2.2	Gradients and Groundwater Flow Velocities.....	9
2.3	Bedrock Groundwater Elevations.....	9
2.3.1	Potentiometric Head Distribution	9
2.3.2	Gradients and Structural Controls on Groundwater Flow	10
2.3.3	Hydraulic Containment.....	12
3	GROUNDWATER CHEMISTRY	15
3.1	Sampling.....	15
3.1.1	First Quarter 2010 Sampling.....	16
3.1.2	Second Quarter 2010 Sampling	16
3.1.3	Third Quarter 2010 Sampling	16
3.1.4	Fourth Quarter 2010 Sampling	16
3.2	Chemistry Results	16
3.2.1	Groundwater Chemistry Results	17
3.2.1.1	Groundwater Chemistry Maps.....	19
3.2.1.1.1	VOC Plumes in Soil and Shallow Bedrock Groundwater	19
3.2.1.1.2	VOC Plumes in Deep Bedrock Groundwater	22
3.2.1.2	Chemistry Graphs	23
3.2.1.2.1	Contaminant Reduction Monitoring Wells.....	24
3.2.1.2.2	Point-of-Compliance Wells	26
3.2.1.3	Changes in Water Quality at Corrective Action Monitoring Wells.....	26
3.2.2	Quality Assurance/Quality Control Results.....	29
4	CORRECTIVE MEASURES	31
4.1	Program Activities	31
4.1.1	Groundwater Pumping and Collection Operations	31
4.1.2	Contaminant Removal	32
4.1.3	Groundwater Treatment System Operations.....	33
4.1.3.1	Area A.....	34

4.1.3.2	Area B	34
4.1.3.3	Area D	34
4.1.3.4	B/322 AOC	34
4.1.3.5	Central Carbon System, PW-2, and PW-25	35
4.1.4	Groundwater Treatment System and Production Well Maintenance	35
4.2	Other Activities and Issues	36
4.2.1	Groundwater Well Installation and Maintenance Activities Performed in 2010	36
4.2.2	Production Well Rebalancing	36
4.2.3	B/330D IW and Sanitary Line Investigation	37
4.2.4	VOC Source Assessment RCRA Facility Investigation (RFI)	38
4.2.5	GW-032A Replacement Project	38
4.2.6	Chloroform Detections in Groundwater	38
4.2.7	Well Installation and Maintenance Activities Planned for 2011	39
4.3	Evaluation of Progress	39

Table of Tables

Table 3-1	Maximum Groundwater Concentrations
Table 3-2	Statistical Trends in Contaminant Reduction Wells
Table 3-3	Statistical Trends in Point-of-Compliance Wells
Table 3-4	Statistical Evaluation of Changes in Water Quality
Table 4-1	Pumping Volumes by Well/Remediation Area
Table 4-2	Contaminant Recovery Levels – Shallow
Table 4-3	Contaminant Recovery Levels – Deep
Table 4-4	2010 Chloroform Detections in Groundwater

Table of Figures

Figure 1-1	Site Location Map
Figure 2-1	Shallow Bedrock Potentiometric Contours, May 17-18, 2010
Figure 3-1	Graph of VOC Concentration versus Time, Well 010
Figure 3-2	Graph of VOC Concentration versus Time, Well 016
Figure 3-3	Graph of VOC Concentration versus Time, Well 032/032A
Figure 3-4	Graph of VOC Concentration versus Time, Well 103
Figure 3-5	Graph of VOC Concentration versus Time, Well 104
Figure 3-6	Graph of VOC Concentration versus Time, Well 105
Figure 3-7	Graph of VOC Concentration versus Time, Well 612
Figure 3-8	Graph of VOC Concentration versus Time, Well 613
Figure 3-9	Graph of VOC Concentration versus Time, Well 617
Figure 3-10	Graph of VOC Concentration versus Time, Well 618

Figure 3-11	Graph of VOC Concentration versus Time, Well 714
Figure 3-12	Graph of VOC Concentration versus Time, Well 716
Figure 3-13	Graph of VOC Concentration versus Time, Well 863/628
Figure 3-14	Graph of VOC Concentration versus Time, Well 943
Figure 3-15	Graph of VOC Concentration versus Time, Well PW-1
Figure 3-16	Graph of VOC Concentration versus Time, Well PW-2
Figure 3-17	Graph of VOC Concentration versus Time, Well PW-4
Figure 3-18	Graph of VOC Concentration versus Time, Well PW-5/5A
Figure 3-19	Graph of VOC Concentration versus Time, Well PW-7
Figure 3-20	Graph of VOC Concentration versus Time, Well PW-25
Figure 3-21	Graph of VOC Concentration versus Time, Sump/B384
Figure 3-22	Graph of VOC Concentration versus Time, Well 064
Figure 3-23	Graph of VOC Concentration versus Time, Well 065
Figure 3-24	Graph of VOC Concentration versus Time, Well 066
Figure 3-25	Graph of VOC Concentration versus Time, Well 067
Figure 3-26	Graph of VOC Concentration versus Time, Well 987
Figure 3-27	Graph of VOC Concentration versus Time, Well 990
Figure 4-1	B/330D New Well Location Map

Table of Plates

Plate 1	Groundwater Monitoring Plan - Well Location Map
Plate 2	Elevation Contour Map, Soil Groundwater Table (February 4-11, 2010)
Plate 3	Elevation Contour Map, Deep Bedrock Potentiometric Surface (February 3-11, 2010)
Plate 3a	PW Shutdown Elevation Contour Map, Deep Bedrock Potentiometric Surface (31-Mo. Post-Shutdown, May 17 - 27, 2010)
Plate 3b	PW Shutdown Elevation Contour Map, Deep Bedrock Potentiometric Surface (34-Mo. Post-Shutdown, August 23 – September 2, 2010)
Plate 3c	PW Shutdown Elevation Contour Map, Deep Bedrock Potentiometric Surface (37-Mo. Post-Shutdown, November 15 - 24, 2010)
Plate 4	Isoconcentration Contour Map, PCE-Series - Soil, February through April 2010
Plate 5	Isoconcentration Contour Map, Freon TF - Soil, February through April 2010
Plate 6	Isoconcentration Contour Map, PCE-Series - Bedrock, February through April 2010
Plate 7	Isoconcentration Contour Map, Freon TF - Bedrock, February through April 2010

Table of Appendices

Appendix A	Well Specifications and Lists
	<u>Table A-1:</u> Hydraulic Effectiveness Monitoring Wells
	<u>Table A-2:</u> Well Specifications, Corrective Action Performance Monitoring Network
	<u>Table A-3:</u> Sampling Schedule, Corrective Action Performance Monitoring Network
Appendix B	Quarterly Groundwater Elevation Data, 2010
Appendix C	2010 Sampling Field Log Database (on CD): SAMP10.DBF
	2010 Field Parameters Database (on CD): FIELD10.DBF
	Table of Meteorological Data (January - December 2010)
Appendix D	Groundwater Analytical Data (Organics): 1/1/2010 to 12/31/2010
	Groundwater Analytical Data (Inorganics): 1/1/2010 to 12/31/2010
	Groundwater Analytical Data (Organics): Shutdown Sampling Non-CAP Wells
	Groundwater Analytical Data (Organics): B/330D Investigation
	Groundwater Analytical Data (Organics): Well 032A Replacement Sampling
	Non-CAP Wells
Appendix E	Production Well Analytical Data (Organics): 1/1/2010 to 12/31/2010
	Production Well Analytical Data (Inorganics): 1/1/2010 to 12/31/2010
Appendix F	Quality Assurance/Quality Control Analytical Data: 1/1/2010 to 12/31/2010
Appendix G	Groundwater Treatment Analytical Data (Organics): 1/1/2010 to 12/31/2010
	Groundwater Treatment Analytical Data (Inorganics): 1/1/2010 to 12/31/2010
	Groundwater Treatment Analytical Data (Inorganics): Well 032A Replacement
	Sampling

1 INTRODUCTION

This report has been prepared by the Environmental Engineering Department at IBM Corporation's East Fishkill Facility (IBMEF) and by Groundwater Sciences Corporation (GSC). IBMEF is located at the Hudson Valley Research Park in the Town of East Fishkill, Dutchess County, New York (Figure 1-1).

The East Fishkill Facility covers an area of approximately 600 acres, and includes the Main Site and Recreation Center east of Gildersleeve Brook and the former West Complex west of Gildersleeve Brook (Plate 1). In January 2006, the former West Complex was sold to PREI Hopewell Junction Associates. In December 2010, the former Recreation Center was sold to the Town of East Fishkill. IBM has maintained the right to use the groundwater monitoring wells on the former West Complex and Recreation Center sites and has continued monitoring and maintenance of the wells. On the Main Site, seven shallow areas and the deep bedrock are contaminated with organic chemicals. These areas of concern (AOCs) are shown on Plate 1 as Area A, Area B, Landfill (Area C), Building 330 (B/330), Area D, Southeast Quadrant (SEQ), Building 322 (B/322), and the Deep Bedrock. There are no AOCs at the former West Complex where only detection monitoring is performed.

IBMEF's groundwater monitoring program was implemented in 1979 to provide the data necessary to manage water quality problems and the site water supply. Groundwater has historically been the primary water supply source for IBMEF and its neighbors. Of the 17 production wells operated by IBM, nine wells (PW-1, -2, -4, -5/5A, -6, -7, -9, -23, and -25) are located on the Main Site (PW-9 is used only for water supply emergencies). The other production wells are located on properties to the north and northwest. Beginning in August 2007, the production wells have been supplemented with municipal water from the Poughkeepsies' Water Treatment Facility via the Central Dutchess Water Transmission Line. Prior to the sale of the property, IBM's former Recreation Center was supplied by a separate production well located on the Rec Center property. The parcel is now supplied via municipal water supplied by the Town of East Fishkill.

Groundwater monitoring and remediation activities have undergone a succession of incremental modifications since the late 1970's. In February 1996, a modified Groundwater Monitoring Plan¹ (GMP) was prepared and submitted in response to the requirements specified in Module III and Module IX of the site's NYSDEC Part 373 Permit². The area monitored under the GMP includes the Main Site, former Recreation Center, and the former West Complex. The sampling program described in the GMP was implemented on an interim basis during the first quarter of 1996, pending formal approval of the GMP by the NYSDEC. The monitoring network and sampling frequencies used from 1995 through the third quarter of 1999 were the same as those in the original GMP. In October 1999, the sampling list and sampling frequencies were modified. These modifications were discussed in the 1999 Annual Report³ and subsequently were approved by the NYSDEC. In 2003, further minor changes to the GMP were proposed. These changes were presented in the 2002 Annual Report⁴ and were approved by the NYSDEC in 2003. A minor change was made with NYSDEC approval in 2007 when well 834 was decommissioned and was replaced by well 832 for sampling purposes.

The current GMP designates 392 wells as Hydraulic Effectiveness Monitoring (HEM) wells. These HEM wells are shown on Plate 1 and are listed in Table A-1 of Appendix A. 179 of these wells plus several other miscellaneous sampling points are monitored routinely as part of the Corrective Action Performance (CAP) Monitoring Network. The CAP monitoring wells and miscellaneous sampling points are listed in Table A-2 of Appendix A. Table A-2 also lists the physical specifications for the CAP monitoring wells. The current GMP sampling schedule is shown on Table A-3 of Appendix A.

¹ Groundwater Sciences Corporation and IBM Environmental Engineering, February 1996 (revised October 1999), *Groundwater Monitoring Plan, IBM East Fishkill Facility*.

² New York State Department of Environmental Conservation, September 29, 1995, *Final 6NYCRR Part 373 Hazardous Waste Management Permit, IBM East Fishkill Facility, Module III, Corrective Action Requirements for Solid Waste Management Units and Areas of Concern, and Module IX, General Groundwater Monitoring Conditions*.

³ IBM Environmental Engineering and Groundwater Sciences Corporation, May 30, 2000, *1999 Annual Corrective Action Status Report, IBM East Fishkill, New York*.

⁴ IBM Environmental Engineering and Groundwater Sciences Corporation, May 30, 2003, *2002 Annual Corrective Action Status Report, IBM East Fishkill, New York*.

Termination of pumping at PW-5/5A, PW-6, and PW-7 was proposed to provide more efficient and targeted contaminant containment and recovery of contaminants at the site. Following approval from NYSDEC to conduct a controlled and monitored experiment, production wells PW-5/5A, PW-6, and PW-7 were removed from service on October 22, 2007. IBM has continued post-shutdown monitoring and data evaluation, and will provide NYSDEC with a completion report and a request for permanent modification to the well field operations. A brief summary of the supplemental shutdown monitoring is described in Section 4.2.2.

1.1 Purpose

This annual groundwater monitoring status report summarizes data collected during 2010 and describes activities performed with regard to the groundwater monitoring program. This report is being submitted to the NYSDEC to comply with the requirements of the Part 373 Permit for all solid waste management units (SWMUs) where groundwater is monitored. The annual report for 2009 is dated May 27, 2010⁵ and the semiannual report summarizing data collected during the first half of 2010 is dated November 22, 2010⁶.

1.2 Scope

This report addresses items specified in Module IX, Section H of the Part 373 Permit and in Section 3.3 of the GMP. Each Permit and GMP requirement is quoted below and is cross-referenced to the report sections, appendices, plates, and/or figures, indicated in parentheses, where it is addressed:

1. Summary of all analytical results. (3.2; Appendices D, E, F, G)
2. Quality Assurance/Quality Control (QA/QC) per the GMP. (3.2.2; Appendix F)
3. Pertinent monitoring data recorded in the well record, including the sampling field data sheets. (3.1; Appendix C)
4. Quarterly groundwater elevation and survey data in tabular form, and potentiometric contour maps delineating the zone of capture and the rate and direction of groundwater flow. (2; Appendix B; Plates 2 and 3)
5. Evaluation of contaminant migration, including maps for “Key Compounds” listed in Table 3-1 of the GMP. Isoconcentration maps shall be prepared annually showing the

⁵ IBM Environmental Engineering and Groundwater Sciences Corporation, May 27, 2010, *2009 Annual Corrective Action Status Report*, IBM East Fishkill, New York.

⁶ IBM Environmental Engineering and Groundwater Sciences Corporation, November 2, 2010, *2010 Semiannual Data Summary Report*, IBM East Fishkill, New York.

approximate limit of each plume. This limit is defined as the median concentration equal to 5 micrograms per liter ($\mu\text{g/l}$) of one key compound (Freon TF) or the sum of the normalized transformation products of key compounds (tetrachloroethene (PCE) series compounds). Include a statement regarding future contaminant movement. (3.2.1.1; Plates 4, 5, 6, 7)

6. Trend line plots for the Contaminant Reduction Monitoring (CRM) wells. (3.2.1.2.1; Figures 3-1 through 3-21; Table 3-2)
7. Determination of statistically significant increase in contamination at Point-of-Compliance (POC) wells. (3.2.1.2.2; Figures 3-22 through 3-27; Table 3-3)
8. Determination of statistically significant changes in water quality at Corrective Action Monitoring (CAM) wells. (3.2.1.3; Table 3-4)
9. Production or monitoring well maintenance activities planned or performed. (4.1.4, 4.2)
10. Plans for installation of additional wells. (4.2.5)
11. Summary of well installation activities. (4.2.1)
12. Pumping well rates and volumes. (4.1.1; Table 4-1)
13. Contaminant recovery levels. (4.1.2; Table 4-2 and Table 4-3)
14. Treatment efficiency data. (4.1.3; Appendix G)
15. Any problems or other activities planned. (4.2)
16. An evaluation of the progress of the corrective action monitoring program. (4.3)

The above items are addressed in this report for the period January 1, 2010 through December 31, 2010. From 1996 to 2000, data collected during the third quarter of the year was used as the basis for an analysis of groundwater elevations and chemistry because this was the quarter in which the most extensive groundwater sampling was conducted. However, beginning in 2001, most of the monthly, quarterly, semiannual, and annual wells in the CAP monitoring network (Table A-3 of Appendix A) have been sampled during the first quarter. In 2010, the monthly, quarterly, semiannual, and annual CAP wells were sampled in February, March, and April. Therefore, potentiometric data from the first quarter of 2010 and chemistry data from February through April was used to construct the maps in this report.

2 HYDROGEOLOGY

Groundwater occurs in saturated zones within both the soil and bedrock beneath the site. In general, recharge to the bedrock passes through or around the overlying soil units, which include fill, alluvial sands and gravels, an extensive but discontinuous layer of glaciolacustrine silt and clay, and an extensive, dense glacial till. The maximum thickness of these soil units is greater than 120 feet. Strong vertical flow of groundwater is induced by four active on-site corrective action pumping wells completed in the deep bedrock.

This section presents the results of quarterly water level monitoring for 2010 in both the soil and bedrock saturated zones and discusses the effects of corrective action pumping on groundwater flow in these units.

2.1 Quarterly Water Levels

In 2010, the hydrogeologic characteristics of the site were evaluated by means of quarterly water level measurements taken principally on February 3 - 11, May 17 - 27, August 23 to September 3, and November 15 – 24, 2010 in the designated Hydraulic Effectiveness Monitoring (HEM) wells listed in Table A-1 of Appendix A. This water level data has been converted to groundwater elevations and is tabulated in Appendix B.

2.2 Soil Groundwater Elevations

Plate 2 shows the groundwater elevations for portions of the soil water table during the first quarter of 2010 (February 4 - 11) under dynamic conditions of long-term corrective action pumping in the bedrock. The gray cross-hatched areas on Plate 2 indicate areas where soils are typically unsaturated, largely as a result of dewatering by corrective action pumping. In some areas, soils that lie on top of buried bedrock ridges or other areas of relatively high bedrock surface elevation are also unsaturated.

2.2.1 Stratigraphic Controls on Groundwater Flow

Groundwater exists in the soils beneath the site under generally unconfined (water table) conditions. Groundwater flow within these soils is controlled by various factors including (1) the upper surface topography of the soil units, (2) the hydraulic characteristics of the soils, (3) the location of recharge

and discharge zones, (4) horizontal and vertical gradients, and (5) the vertical hydraulic conductivity across stratigraphic units within the soils, and across the interface between the soils and bedrock.

In the northern parts of the site, the soil water table generally mirrors the surface topography of the extensive but discontinuous glaciolacustrine silt/clay that, together with several areas of extremely dense till, is the primary control on soil groundwater flow. Areas where the silt/clay is present are shown as tan shaded areas on Plate 2. The silt/clay and dense till generally inhibit vertical migration of soil groundwater into the lower soil units and act as barriers to vertical contaminant transport. In areas where the silt/clay is absent and where the till is less dense or absent, soil groundwater passes through deeper soil units and into the bedrock. Areas without saturated soil are shown with cross-hatching on Plate 2.

Significant areas with regard to contamination of soil groundwater are the zones of perched water in the fine- to coarse-grained alluvial sand that lies above the silt/clay in Area A, Area D, and the B/322 AOC.

2.2.1.1 Area A

North of B/309 and B/310, the stratigraphic sequence consists of fill and silty sand overlying dense lodgment till with bouldery till. The glaciolacustrine silt/clay is absent north of B/309 and B/310 and east of B/309, as shown on Plate 2. The stratigraphic sequence from north to south gradually changes from till (north of B/309 and B/310) to include fill, sand, and sand-and-gravel lenses deposited on top of the silty sand that overlies the silt/clay confining unit.

Groundwater is typically perched within the alluvial sand above the silt/clay in Area A, and flows from the northeastern edge of B/310 to the north and northeast. The flow in the northern part of Area A is typically from the northeast corner of B/310 and the western portion of B/303 and B/309 toward an area where the silt/clay is generally absent north of the linkway between B/309 and B/310 (refer to closed “230 feet” contour on Plate 2). The soil groundwater table north of B/309 and the northeast corner of B/310 is located primarily in the till, where soil groundwater typically flows downward into the bedrock in the vicinity of wells 010, 748, and 763. During periods of normal precipitation (as was the case in 2010), the area in the vicinity of these wells is saturated and appears as a sink for soil groundwater. It is referred to as the “B/309 sink” (Plate 2).

The remainder of the flow from beneath B/310 in the northern part of Area A is typically toward the northeast corner of B/308 in the vicinity of East Drive where the silt/clay and dense till are absent (Plate 2). In this area, referred to as the “B/308 sink” (refer to closed “240 feet” contour, Plate 2), soil groundwater flow is primarily lateral toward the edge of the silt/clay and generally vertically downward beyond the edge of the silt/clay and into the bedrock, where it is captured by production well PW-2, as described in Section 2.3.

The groundwater flow divide between the B/308 and B/309 groundwater sinks is shown on Plate 2. At the B/384 Sump west of B/308, groundwater is captured and treated by the Area A treatment system at an average rate in 2010 of 1.7 gallons per minute (gpm). Despite this low flow rate, it appears that a significant portion of the easterly flow from the VOC source area beneath B/310 is captured by the Area A treatment system.

Flow from the southeast corner of B/310 is to the south and southeast (Plate 2). A groundwater flow divide in the alluvial unit above the silt/clay north of wells 103 and 980 and beneath B/386 separates the area where shallow groundwater flows to the north toward the B/308 sink from the area where shallow groundwater flows to the south across the edge of the silt/clay and then downward into deeper soils (primarily till) and bedrock in the vicinity of the Central Drainage.

2.2.1.2 B/322 AOC

Groundwater flow in the B/322 AOC controls migration of a plume emanating from the northeastern corner of B/322 near well 735, as discussed in Section 3.2.1.1.1. Groundwater in the alluvial unit above the silt/clay (Plate 2) flows from an area of high top-of-silt/clay elevation in the vicinity of wells 735 and 627 to the south-southwest across the northern half of B/322 and toward B/323. In addition to this southerly component of flow toward B/323, the groundwater flow divide shown for the B/322 AOC shown on Plate 2 also produces a westerly component of flow toward the B/322 remediation system consisting of wells 612, 613, 617, and 618. Groundwater flow into the B/322 remediation system averaged 11.3 gpm in 2010 and is discussed further in Section 4.1.3.4.

2.2.1.3 B/330, Landfill, and SEQ

In the SEQ, B/330, and Landfill AOCs, the silt/clay is mostly absent except for several small areas shaded tan on Plate 2. Although some groundwater in these areas is perched on the silt/clay, the soil groundwater elevations shown on Plate 2 in the B/330 AOC are primarily for the till overlying

the bedrock. This till contains the B/330 and Landfill AOC soil groundwater plumes, which are discussed further in Section 3.2.1.1.1.

Soil groundwater in the B/330 AOC is mounded in the area between B/330D and B/335 at wells 180, 181, 602, and 603 (Plate 2); part of this area is not capped by a building slab or parking lot and allows for direct infiltration of precipitation. Elsewhere beneath B/330D and areas to the north and west, the overburden is believed to be unsaturated due to the presence of (1) buildings and parking lots that limit infiltration of precipitation, (2) natural soils that are too thin and too permeable to allow perching of groundwater, and (3) production well PW-25, which has dewatered much of the soil beneath the B/330 AOC.

In the SEQ, pumping of PW-23 in the shallow bedrock at an average rate of approximately 17 gpm has increased the hydraulic gradients in the overlying soil overburden. The silt/clay is absent in the SEQ and the soil and bedrock units are hydraulically well-connected.

2.2.1.4 Area D

In Area D, a small, localized depression in the water table within the alluvial unit results from the pumping of well 032A, and is discussed further in Section 4.1.3.3.

2.2.1.5 Former West Complex

Much of the former West Complex is topographically higher than the Main Site. As a result, soil groundwater in the western portion of the former West Complex flows from a high in the vicinity of B/692, B/693, and B/694, where groundwater elevations are greater than 260 feet above mean sea level, to the west, northwest, north, and northeast. In the northeastern portion of the former West Complex, groundwater in the vicinity of wells 400 and 403 flows to the northeast beneath John Jay High School and toward Gildersleeve Brook.

Although Plate 2 does not show the silt/clay on the former West Complex, data from borings indicates that the glaciolacustrine silt/clay unit extends beyond the western boundary of the Main Site at Gildersleeve Brook.

2.2.2 Gradients and Groundwater Flow Velocities

The calculated linear velocity of horizontal groundwater flow within alluvial sand above the glaciolacustrine silt/clay ranges between 0.077 and 7.7 feet per day (ft/day), with a median of 0.77 ft/day. Measured hydraulic conductivities as determined from slug tests in monitoring wells screened in the alluvial sand west of B/322 range between 1 and 100 ft/day, with a median value of 10 ft/day. Measured hydraulic gradients range from 0.004 to 0.11, yielding a representative median gradient of 0.027. A porosity of 35% was determined from laboratory tests on soil samples.

2.3 Bedrock Groundwater Elevations

Groundwater in the bedrock water-bearing zone before the start of corrective action pumping generally existed under confined or semi-confined conditions. Groundwater flow in the bedrock unit under these conditions was controlled by vertical recharge from the overlying saturated soil, by direct infiltration in areas where the bedrock flow system was semi-confined, and by the hydraulic conductivity, connectivity, and geometry of fractures in the dolostone bedrock.

2.3.1 Potentiometric Head Distribution

Under natural (non-pumping) conditions, bedrock groundwater flow followed topography in a generalized way, flowing from topographically high areas of natural recharge to discharge zones associated with streams such as Gildersleeve Brook and its tributaries. This generalized natural flow configuration has been altered by long-term corrective action pumping at the five active on-site production wells and by barriers to direct infiltration, such as buildings and parking lots, erected as the site was developed.

Plate 3 shows the potentiometric head distribution in the deep bedrock groundwater system during the period February 4 - 11, 2010 under dynamic conditions of long-term corrective action pumping at deep bedrock production wells PW-1, -2, -4, and -25, approximately 27 months after pumping was discontinued at PW-5/5A, PW-6, and PW-7. Additional plates were created as part of the continued review of the PW-5/5A, PW-6, and PW-7 shutdown. Plate 3a shows the potentiometric head distribution in the deep bedrock during May 2010, about 31 months after pumping was discontinued at PW-5/5A, PW-6, and PW-7. Plate 3b shows the potentiometric head distribution in the deep bedrock during late August and early September 2010, about 34 months after pumping was discontinued at PW-5/5A, PW-6, and PW-7. Plate 3c shows the potentiometric head distribution in

November 2010, about 37 months after pumping was discontinued at PW-5/5A, PW-6, and PW-7. Figure 2-1 shows potentiometric head conditions at shallow bedrock production well PW-23 in the Southeast Quadrant. The PW-23 hydraulic capture zone is limited to the immediate vicinity of the well during periods of high groundwater elevations. Elevations recorded during the period May 17 - 18 were used to construct Figure 2-1, and show a larger hydraulic capture zone present during periods of lower groundwater elevations.

The data used in contouring Plates 3, 3a, 3b, and 3c is generally from the deepest of the bedrock wells in a well cluster and corresponds to a screened or open hole interval elevation between approximately 50 and 120 feet amsl (with the exception of shallow bedrock production well PW-23). This elevation interval generally correlates with the principal water-bearing zones in the on-site deep bedrock production wells. (The principal water-bearing zone in PW-23 is at approximately 221 feet amsl, which is significantly higher than the elevation of the principal water-bearing zones in the other production wells.) Only groundwater elevation data from wells used in contouring is shown on Plate 3, 3a, 3b, and 3c.

Groundwater flow directions are generally toward the production wells and steep horizontal gradients occur in the vicinity of the production wells. Bedrock groundwater elevations range from over 270 feet amsl at wells 529 and 542 in the Southeast Quadrant, to less than 100 feet amsl in the vicinity of on-site deep bedrock production wells PW-1, -2, -4, and -25 (Plate 3). Excluding the production wells, the lowest measured bedrock groundwater elevation shown on Plate 3 was 85.61 feet amsl at well 606 on the east side of B/334, in the area dewatered by production well PW-4.

2.3.2 Gradients and Structural Controls on Groundwater Flow

The essentially continuous withdrawal of bedrock groundwater since the early 1960s for site water supply and corrective action has altered the flow dynamics on site and the hydrogeologic conditions within the soil and bedrock water-bearing zones relative to the natural conditions that existed before the start of pumping. In response to corrective action pumping, the lowering of the potentiometric levels within the bedrock water-bearing zone on-site has resulted in a situation where formerly saturated soils are now unsaturated and where the bedrock potentiometric surface is now below the top-of-bedrock surface in some areas. Where this situation has occurred, the bedrock water-bearing zone may have been converted locally from a confined or semi-confined condition to a water table

or unconfined condition, resulting in some unsaturated zones in the upper bedrock, particularly in the area of the production wells PW-1 and PW-25.

The geometry of the bedrock groundwater potentiometric surface under the influence of long-term corrective action pumping suggests that the hydraulic characteristics of the fractured bedrock groundwater system are influenced by the bedrock's structural fabric, which generally trends north-south. This structural fabric has been created by complex folding, fracturing, and faulting. In this regard, the bedrock groundwater potentiometric surface maps (Plates 3, 3a, 3b, and 3c) show various anomalies in contour spacing and patterns of directional hydraulic conductivity that are related to the degree of fracture connectivity between wells and to the variations in directional hydraulic conductivity across the site. The patterns of drawdown and connectivity are controlled by discrete fractures. In general, the north-south features are likely the result of bedding plane fractures and faults, and the east-west features are the result of transverse fractures and faults such as cross joints and tear faults. These structural features are augmented by solution activity that has created significant voids and more permeable weathered zones in the dolostone bedrock. Such voids and weathered zones have been encountered frequently during 30 years of drilling monitoring wells at the site.

The primary controls on the directional variability of hydraulic conductivity in the bedrock are zones of high fracture connectivity such as fracture zones. Groundwater flow paths are not necessarily perpendicular to the potentiometric surface contours shown on Plates 3, 3a, 3b, and 3c because the orientation of the greatest principal hydraulic conductivity (K) of the hydraulic conductivity tensor is not necessarily parallel to the apparent hydraulic gradient. This situation is typical of a fractured bedrock aquifer, where zones of high fracture connectivity facilitate groundwater flow in directions other than those that would be determined by the apparent potentiometric head distribution as shown on the potentiometric surface contour maps (Plate 3, 3a, 3b, and 3c). Therefore, the groundwater flow arrows shown on Plates 3, 3a, 3b, and 3c represent only generalized flow directions and not the actual flow paths of groundwater "particles."

The flow rates in the bedrock aquifer are controlled by fracture geometry, orientation, density, aperture, and smoothness. These parameters are difficult to specifically characterize at this site because of the complex structural geology. As a result, meaningful bedrock groundwater flow velocities are difficult to estimate. However, a range of horizontal gradients in the deep bedrock can be estimated from Plate 3. As in previous years, these horizontal gradients generally range

from 0.1 to 0.4 (near PW-4), except in the northeast corner of the site and the eastern portion of the SEQ. The SEQ exhibits gradients on the order of 0.01 or less (except near PW-23). These estimates are similar to those from previous years.

2.3.3 Hydraulic Containment

Hydraulic containment of groundwater occurs in the bedrock within an area encompassing IBMEF's Main Site, former Recreation Center, and at least the eastern half of the former West Complex. Based on the February (Plate 3), May (Plate 3a), August-September (Plate 3b), and November 2010 (Plate 3c) potentiometric contours, the site can be divided into five areas of hydraulic capture/containment. The potentiometric contours on Plates 3, 3a, 3b, and 3c show little change in the overall pattern of groundwater flow in 2010. Until the shutdown of PW-5/5A, PW-6, and PW-7 in October 2007, these areas of capture generally had not changed significantly since the startup of PW-25 in late January 2003.

The most extensive area of capture is generated by production well PW-1 in the western third of the Main Site and the eastern half of the former West Complex. This area of capture also encompasses the bedrock beneath shallow Area D and most of the B/322 AOC. It extends to the west beyond Gildersleeve Brook and onto the former West Complex, to the northeast beyond the intersection of West Drive and Route 52, to the east in the area between B/322 and B/315, between B/321 and B/320B, and to the south toward inactive production well PW-6. The northeastern and eastern limits of the groundwater capture area are defined by localized areas of higher potentiometric head greater than 180 feet amsl in the vicinity of well 122 and greater than 205 feet amsl in the vicinity of well 130. The mound in the potentiometric surface at well 130 corresponds to a topographic high in the bedrock surface near the southeast corner of B/322 and, based on previous investigations, is inferred to be an area of low bedrock transmissivity with recharge at the limit of the perched hydrogeologic unit. The bedrock in this area is relatively unweathered with sub-horizontal (flat-lying) bedding.

A second extensive area of hydraulic capture in the bedrock is located in the northeastern quadrant of the Main Site and is the result of pumping production well PW-2. This area of capture is bounded on the west by a groundwater flow divide separating it from the area of capture for well PW-1. As discussed above, this flow divide is defined by localized areas of high potentiometric head in the vicinity of a buried bedrock ridge. On the southern boundary, a groundwater flow

divide separates flow toward PW-2 from flow toward PW-4. The area of capture includes the bedrock beneath most of shallow Areas A and B, and extends to the north at least to Route 52 and to the east at least to Lime Kiln Road and possibly to Shenandoah Road. Inactive production well PW-9 is located in the extreme northeastern corner of the site near the intersection of Route 52 and Lime Kiln Road and lies within the area captured by PW-2. PW-9 has not been pumped for a sustained period since 2003 and so does not affect the potentiometric surface in that area.

The third area of hydraulic capture is created by production well PW-4. As with PW-2, the western boundary of this area is defined by localized areas of high potentiometric head in the vicinity of a buried bedrock ridge. The eastern boundary is an area of high potentiometric head associated with the bedrock ridge in the SEQ AOC. The southeastern and southwestern boundaries are defined by the pumping centers associated with production well PW-25. The groundwater flow divide separating the PW-4 and PW-25 capture areas runs west from the northern corner of B/330C, through B/334, then northwest to the potentiometric high at well 130.

The operation of production well PW-25 creates a fourth area of hydraulic capture. The western boundary of the capture zone extends from the southwestern corner of the former West Complex to the potentiometric high at well 130. Some groundwater to the east of inactive production well PW-5/5A, formerly part of the PW-5/5A capture zone, is also captured by PW-25. As discussed above, the northern boundary this hydraulic capture zone is defined by pumping of PW-4. To the west, the groundwater divide runs from the potentiometric high at well 130 to the west of inactive production well PW-6. The capture area to the east extends to the bedrock ridge in the Southeast Quadrant, and includes the landfill AOC. The area of capture may extend south as far as Interstate 84 and encompasses the bedrock aquifer beneath B/330D, B/335, B/338, most of B/330C, and the southern part of B/334.

The fifth area of hydraulic capture is produced by shallow bedrock production well PW-23 (formerly well 552) in the SEQ. Groundwater flow directions and hydraulic capture appear to vary with seasonal, recharge-related fluctuations in groundwater elevation such that the extent of hydraulic capture contracts when groundwater elevations are higher. During these periods of higher groundwater elevations, the extent of downgradient hydraulic capture from PW-23 is believed to be limited to the immediate vicinity of the well. Consequently, the VOC mass intercepted by the well

is derived from the immediate vicinity of the well⁷. Figure 2-1 shows the shallow bedrock potentiometric contours in the SEQ based on May 2010 groundwater elevations.

Elsewhere in the SEQ AOC, deep bedrock groundwater is captured by the on-site pumping centers. In the eastern portion of the SEQ, the direction of groundwater flow is generally to the north in the area between Lime Kiln and Shenandoah Roads. Groundwater in the deep bedrock then flows westward back onto the Main Site where it is captured by production well PW-2.

⁷ Sanborn, Head, and Associates, September 2002, *Report of Findings, Startup Performance Monitoring, Water Supply Production/Extraction Well-23, IBM East Fishkill Facility, East Fishkill, New York.*

3 GROUNDWATER CHEMISTRY

As mentioned in the previous sections, groundwater plumes composed of volatile organic compounds (VOCs) are present in both the soil and bedrock saturated zones at this site. This section presents the results of groundwater monitoring of these plumes for 2010. The results of related QA/QC sampling conducted in 2010 are also discussed.

3.1 Sampling

Sampling was conducted at locations and frequencies specified in Table A-3. A sampling record for each well and surface water location is provided on a CD in Appendix C. This CD contains purging and sampling data for all of 2010, as specified in Table 7-1 of the GMP, "IBM East Fishkill Well Record and Data Format." Purging and sampling data for the first half of 2010 was also provided in the 2010 Semiannual Data Summary Report. The data is stored in a standard database file format (SAMP10.DBF) readable by most database and spreadsheet applications. SAMP10.DBF contains the following information sorted by well/location number and sampling date:

1. Well or sample location number
2. Date of sample
3. Sample identification number
4. Equipment used
5. Depth to water prior to purge
6. Purge rate
7. Purge volume
8. Sampler's initials
9. Number of containers for each type of analysis
10. PID reading (if applicable)
11. Whether the well was evacuated
12. Relevant comments

Also included on the CD in Appendix C is the database file FIELD10.DBF. This file contains field parameter data for pH, temperature, specific conductance, and turbidity for all of 2010. These parameters are measured in the field at the time of sample collection. Field parameters for the first half of 2010 were also provided in the 2010 Semiannual Data Summary Report.

Appendix C also contains a daily summary of meteorological data obtained from the National Climatic Data Center for the Dutchess County Airport, the nearest available station. Meteorological data for a given sample can be obtained by cross-referencing the date of the sample with the corresponding date in this table. Meteorological data for the first half of 2010 was also presented in Appendix C of the 2010 Semiannual Data Summary Report.

3.1.1 First Quarter 2010 Sampling

All monitoring and production wells included in the Groundwater Monitoring Plan (GMP) were sampled for all required parameters during the first quarter of 2010.

3.1.2 Second Quarter 2010 Sampling

All monitoring and production wells included in the Groundwater Monitoring Plan (GMP) were sampled for all required parameters during the second quarter of 2010 with the following exception:

1. An invalid specific conductance reading was recorded during sampling of well 772 in April. A note was made in the field parameter database.

3.1.3 Third Quarter 2010 Sampling

All monitoring and production wells included in the Groundwater Monitoring Plan (GMP) were sampled for all required parameters during the third quarter of 2010.

3.1.4 Fourth Quarter 2010 Sampling

All monitoring and production wells included in the Groundwater Monitoring Plan (GMP) were sampled for all required parameters during the fourth quarter of 2010 with the following exception:

1. Depth to water was not recorded after purging well 407 in December.

3.2 Chemistry Results

Environmental sampling, quality assurance/quality control, and additional sampling results are discussed in this section.

3.2.1 Groundwater Chemistry Results

Groundwater chemistry data for samples collected during the first through fourth quarters of 2010 (excluding the production wells and treatment systems) is presented in Appendix D. Groundwater chemistry data for the first and second quarters of 2010 was previously published in the 2010 Semiannual Data Summary Report. The presentation of the data in Appendix D conforms to the requirements of the Part 373 permit.

The concentrations of the required monitoring parameters are presented in a table in numerical ascending order by sample location and then chronologically for each sample location for the period January 1 through December 31, 2010. The inorganic data (F, As, Ni, and Cr) for 2010 is presented in Appendix D separately from the VOC data. The results for duplicate samples (split samples) collected for intralaboratory precision information during 2010 are also presented in Appendix D and are discussed in Section 3.2.2. Supplemental groundwater chemistry data from GMP and non-GMP wells sampled as part of continued monitoring of production wells PW-5/5A, PW-6, and PW-7 can be found in Appendix D.

Table 3-1 lists the maximum concentration and location of the maximum concentration during 2010 for GMP wells (not including production wells and groundwater treatment locations) for each of the chemical constituents/monitoring parameters listed in Tables 1-1 and 1-2 of the GMP. These parameters are included in the sampling program based on their detection histories and historical concentrations relative to the Part 703 New York State Groundwater Quality Standards (NYSGQS).

**Table 3-1. Maximum Groundwater Concentrations in GMP Wells during 2010 (µg/l)
(does not include production wells or groundwater treatment points)***

Parameter	NYSQS (µg/l)	Soil		Bedrock	
		Location	Conc. (µg/l)	Location	Conc. (µg/l)
Benzene	1	none	not detected	559	0.82
Chlorobenzene	5	767	1.2	559	4.9
1,2-Dichlorobenzene	3	766	4.7	559	74
1,2,3-Trichlorobenzene	5	none	not detected	none	not detected
1,2,4-Trichlorobenzene	5	none	not detected	none	not detected
1,3-Dichlorobenzene	3	none	not detected	none	not detected
1,4-Dichlorobenzene	3	none	not detected	559	1.6
Dichlorodifluoromethane (Freon 12)	5	016	17	none	not detected
1,1-Dichloroethene	5	706	0.73	559	1.1
Methylene Chloride ²	5	none	not detected	none	not detected
Ethylbenzene	5	none	not detected	none	not detected
Vinyl Chloride	2	181	32	559	27
1,2-Dichloro-1,2,2-trifluoroethane (Freon 123a)	5	766	18	559	8.2
Tetrachloroethene	5	572	210,000	118	200,000
1,1,2-trichloro-1,2,2-trifluoroethane (Freon TF) ¹	5	735	210	118	2,500
Trichloroethene	5	572	820	941	2,700
cis-1,2-Dichloroethene ¹	5	572	1,700	941	700
Fluoride	1,500	627	133,000	960	290
Chromium (total)	50	792	8,970	579	44.3
Chromium (dissolved)		793	75.4	742	1.3
Arsenic (total)	25	766	43.4	960	29.0
Arsenic (dissolved)		767	39.8	960	5.9
Nickel (total)	100	627	848	Not applicable	Not applicable ³
Nickel (dissolved)		627	750		
Acetone ²	none ⁴	755	270	742	100
Trichlorofluoromethane (Freon 11)	5	424	3.4	966	1.6
m,p-xylene	5	none	not detected	none	not detected
o-xylene	5	none	not detected	none	not detected
1,1,1-Trichloroethane	5	714	7.7	929	0.63
Toluene	5	410	0.79	none	not detected

NYSQS - New York State Groundwater Quality Standard (6NYCRR Part 703). All concentrations have been rounded to not more than two significant figures.

*In previous years, the groundwater chemistry database included instrument readings below the Method Detection Limit. This practice was discontinued in 2007, resulting in more parameters listed as not detected.

1 - Due to the very high concentrations of PCE in wells 572 and 574, higher concentrations of these parameters have probably been diluted out in the laboratory analysis for these two wells.

2 - Common laboratory contaminant.

3 - Bedrock monitoring wells are not sampled for nickel..

4 - A "general organic guidance value" of 50 µg/l has been established for this parameter (Part 702.15 of the NY State Water Quality Regulations).

3.2.1.1 Groundwater Chemistry Maps

There are at least nine separate plumes in the overburden and at least four in the bedrock. The principal constituents of the plumes are tetrachloroethene (PCE), trichloroethene (TCE), *cis*-1,2-dichloroethene (CIS), vinyl chloride (VC), and 1,1,2-trichloro-1,2,2-trifluoroethane (Freon TF). PCE, TCE, CIS, and VC are discussed as a group and are collectively referred to as the PCE-series compounds. The concentration for this group is determined by normalizing the groundwater concentrations of the transformation products of PCE so as to account for the degradation of PCE by dehalogenation, which occurs at different rates and by different processes across the site. The PCE-series concentration is calculated by multiplying the concentrations of TCE, CIS, and VC by the ratio of the molecular weight of PCE to the molecular weight of each degradation product, and then summing the products. In this way, a more meaningful picture of groundwater contaminant transport can be developed than might otherwise be the case if each of these four compounds were to be examined separately.

Isoconcentration contour maps (Plates 4, 5, 6, and 7) were prepared using groundwater chemistry data collected in February, March, and April 2010. As required by the GMP and Part 373 Permit, these maps show the approximate limit of each plume as defined by the annual median concentration equal to 5 $\mu\text{g/l}$ of one key compound (Freon TF) or the sum of key compounds (normalized PCE-series compounds as described above). The approximate plume limits are shown as dotted 5 $\mu\text{g/l}$ contours on Plates 4 through 7 where sufficient data exists to determine the extent of each plume.

In general, these isoconcentration maps show that contaminant movement is controlled primarily by the direction of groundwater flow in the soil and bedrock. As discussed in Sections 2.3.3 and 2.3.4, site groundwater at concentrations exceeding the NYSGQS is hydraulically contained to the site by corrective action pumping of the on-site bedrock production wells. Control of contaminant movement is dependent on continued corrective action pumping.

3.2.1.1.1 VOC Plumes in Soil and Shallow Bedrock Groundwater

The soil and shallow bedrock groundwater plumes are identified by AOC, beginning with Area A. Area A contains two soil plumes of primarily PCE-series compounds (Plate 4). One of these plumes is in the till and appears to have a source near the northwest corner of B/309 with highest

concentrations at well 714. There is also a small plume of Freon TF (Plate 5) in this same area. The lateral extent of the PCE-series plume is not well defined south of well 714 (Plate 4), where the glaciolacustrine silt/clay inhibits vertical contaminant transport between the shallow soils and the till underlying the silt/clay. A second plume lies in the alluvial sand and gravel above the glaciolacustrine silt/clay and has a source on the eastern side of B/310 where concentrations are greater than 10,000 $\mu\text{g/l}$. Two GMP monitoring wells (015 and 706) and the B/384 Sump (shown on Plate 4) monitor the central portion of this plume. Based on historical data from monitoring wells that are not routinely sampled, this plume extends to the east and northeast, in the direction of groundwater flow toward the area where the silt/clay and dense till are absent northeast of B/308 near well 720 (the "B/308 sink" described in Section 2.2.1.1). The plume also extends to the southeast beneath B/386. PCE-series concentrations less than 100 $\mu\text{g/l}$ are found south of Building 386 and Shenandoah Drive (Plate 4).

Area B contains a small plume with low concentrations (less than 5 $\mu\text{g/l}$) of PCE-series compounds in soil and shallow bedrock near wells 046 (soil, Plate 4) and 628 (shallow bedrock, Plate 6). Active remediation of this plume continued in 2010 using a pump-and-treat system at well 628. Historically, PCE-series concentrations of 2 to 3 $\mu\text{g/l}$ have been detected at soil monitoring well 064 (Plate 4) along Lime Kiln Road northeast of well 628. In 2010, PCE-series concentrations were approximately 1.3 $\mu\text{g/l}$ in the first quarter at well 064, 0.7 $\mu\text{g/l}$ in the second quarter (as shown on Plate 4), 3.9 $\mu\text{g/l}$ in the third quarter, and 3.0 $\mu\text{g/l}$ in the fourth quarter. Low levels of PCE-series (generally PCE less than 1.5 $\mu\text{g/l}$) have also been detected at quarterly bedrock monitoring well 065 (Plate 6) during periods of reduced precipitation and resulting low groundwater elevations. It is believed that such conditions reduce the zone of capture at shallow bedrock well 628 and allow low concentrations of PCE-series compounds to migrate to wells 064 and 065. PCE-series concentrations at well 065 were 2.1 $\mu\text{g/l}$ in the third quarter and 0.6 $\mu\text{g/l}$ in the fourth quarter. PCE-series compounds were below the NYSGQS at soil and shallow bedrock wells 064 and 065.

The B/330 AOC soil VOC plumes (Plate 4) have multiple source areas and consist primarily of PCE-series compounds. The soil groundwater plumes (Plate 4) are the source of several plumes in the underlying deep bedrock (Plate 6). One of the source areas for the B/330 AOC plumes is located beneath the south-central portion of B/330D near well 572 (Plate 4) where separate-phase PCE has been recovered during sampling of well 572. A second soil VOC plume is located on the northeast side of B/330C near well 956 (Plate 4); this plume is associated with a source in the

vicinity of soil monitoring wells 576 and 178, and soil/bedrock monitoring well 574. A third soil VOC plume is associated with a source near well 181 between B/330D and B/335; this plume appears to merge with the plume originating near well 572.

The soil VOC plume associated with the Landfill AOC is also composed primarily of PCE-series compounds and has a source near soil/bedrock monitoring well 561 (Plate 4) and shallow bedrock well 559 (Plate 6). The Landfill AOC soil plume (Plate 4) is bounded on the east by unsaturated soils associated with a topographic high in the bedrock, and extends downward into the bedrock (Plate 6). This soil groundwater plume extends to the west toward B/338 and into the bedrock south of deep soil monitoring well 921, where it ultimately is captured by bedrock production well PW-25. The Landfill AOC shallow bedrock VOC plume associated with well 559 is also ultimately captured by PW-25, as shown on Plate 6.

Area D contains a small isolated soil groundwater plume (Plate 4) consisting of low levels ($< 10 \mu\text{g/l}$) of PCE-series compounds near shallow pumping well 032A. The predominant component is TCE with lesser concentrations of PCE. There are no bedrock VOC plumes associated with Area D.

The B/322 AOC contains a soil groundwater plume in the alluvial sand and gravel unit consisting primarily of PCE-series compounds (Plate 4) together with a smaller Freon TF plume (Plate 5). The PCE-series plume has a southerly component extending in the direction of groundwater flow toward wells 767 and 793 from a source near well 735 at the northeast corner of B/322, and a westerly component extending from the same source area toward extraction wells 612 and 617 of the B/322 remediation system. The Freon TF plume shown on Plate 5 has only a westerly component extending from wells 735 and 627 toward B/322 extraction wells 612 and 617, but is not detectable at the extraction wells.

The SEQ contains an elongated soil plume of PCE-series compounds approximately 800 feet long extending from a source area near soil monitoring well 048 and production well PW-23 (formerly shallow bedrock well 552) northward toward wells 987 (bedrock) and 990 (soil) along Lime Kiln Road, as shown on Plates 4 and 6. The highest PCE-series concentration in this plume ($1.5 \mu\text{g/l}$) during February through April of 2010 was found at well 990. PCE-series parameters were not detected in remaining SEQ wells. The plume is being actively remediated by production well

PW-23. Concentrations in the shallow bedrock and soil at wells 987 and 990 along Lime Kiln Road were below the NYSGQS for all PCE series compounds. No Freon TF plumes are present in the SEQ.

3.2.1.1.2 VOC Plumes in Deep Bedrock Groundwater

In addition to the shallow bedrock plumes at the Area B, SEQ, B/330 and Landfill AOCs, the deep bedrock contains several plumes of PCE-series compounds and Freon TF. One of the bedrock groundwater plumes is located beneath Area A and is captured by production well PW-2 (Plate 6). This Area A bedrock plume consists primarily of PCE-series compounds and has at least three significant source areas:

1. *In the shallow soil near the northwest corner of B/309 (the “B/309 sink”).* This source is suggested by a PCE-series concentration of 410 $\mu\text{g/l}$ at bedrock well 716 (Plate 6) on the north side of B/310.
2. *In the soils at the northeast corner of B/308 (the “B/308 sink”).* As discussed in Section 2.2.1.1, contaminated groundwater in the overlying sand and gravel unit flows beyond the edge of the silt/clay at the northeast corner of B/308 and passes through relatively permeable soils and into the bedrock (Plate 2). This contaminated groundwater is ultimately captured by production well PW-2.
3. *In the deep bedrock as indicated by historical high PCE-series concentrations at well 118 (200,000 $\mu\text{g/l}$ in the first quarter of 2010).* These concentrations are indicative of dense non-aqueous phase liquid (DNAPL) in the bedrock beneath the Area A source which lies in the shallow soil above the silt/clay.

A Freon TF plume with maximum concentration of 58 $\mu\text{g/l}$ (well 716) exists in the bedrock beneath Area A (Plate 7), and is captured by PW-2. The source appears to be the “B/309 sink”. Freon TF was also detected in well 118 (2500 $\mu\text{g/l}$). This plume is also captured by PW-2. Freon TF is present at low levels (less than 5 $\mu\text{g/l}$ in wells 739 and 742), and PW-1.

The large bedrock plume associated with the B/330 AOC (Plate 6) has its principal sources in the soil and shallow bedrock, as discussed in Section 3.2.1.1.1. The B/330 AOC plumes are captured primarily by production well PW-25 and a lesser extent by PW-4.

A small source area situated at bedrock well pair 959/960 on the northern side of B/300 (Plate 6) is captured by production well PW-25.

With regard to Freon TF in the deep bedrock, the Freon TF plume (Plate 7) in the B/330 Area is similar in shape to the western half of the PCE-series bedrock plume (Plate 6) and is captured by production well PW-25 and also by PW-4. The highest Freon TF concentration measured in this plume is found at well 941 (210 $\mu\text{g/l}$).

The source of the low concentrations of PCE-series compounds and Freon TF at wells 739 and 742 (Plate 6 and Plate 7) is not known; however, this groundwater chemistry is captured by PW-1.

3.2.1.2 Chemistry Graphs

In addition to reviewing the 2010 VOC chemistry data with regard to the three-dimensional distribution of VOCs, the data was reviewed by graphing concentration versus time for Freon TF and PCE-series compounds in the Contaminant Reduction Monitoring (CRM) and Point-of-Compliance (POC) wells (refer to Table A-3 in Appendix A for well designations). These X-Y graphs are shown on Figures 3-1 through 3-27 and were prepared using all of the data available from 1990 through the fourth quarter of 2010. Where multiple or duplicate samples were collected during a single day, the concentration was calculated by averaging all of the data from samples collected on that day.

Some of these graphs exhibit downward concentration trends that are apparent by inspection. Other graphs suggest seasonal variations in the chemical concentrations. As required by the Part 373 Permit, the data have been statistically evaluated for trend using *WQStat Plus*⁸, a widely-used water quality statistics program. Several non-parametric tests are available in *WQStat Plus* and two of the non-parametric tests for trend were used to analyze the time versus concentration data for the CRM wells. These tests are the Mann-Kendall Test (using deseasonalized data, where possible) and the Seasonal Kendall Test (a generalization of the Mann-Kendall Test that handles seasonal data internally). These non-parametric tests do not require that the data be normally distributed, and are valid even when data are missing, tied, or censored (e.g., ND@0.5 $\mu\text{g/l}$). Statistically significant trends, where they occur, are defined at a confidence level of 90 percent or higher.

⁸Intelligent Decision Technologies, Ltd., 1998, *WQStat Plus*, version 1.56.

3.2.1.2.1 Contaminant Reduction Monitoring Wells

The results of the Seasonal Kendall Test for trend are shown on Table 3-2 for each CRM well. The statistical outcomes shown on this table are summarized below. Several statistically significant trends in concentration are noted for the period 1990 to 2010:

1. Freon TF concentrations are decreasing at the Area A wells 010 (soil), and 716 (bedrock), and at production well PW-2. PCE-series concentrations are decreasing at the Area A source associated with wells 714 (soil) and 716 (bedrock), at downgradient wells 103, 104, and 016, and at the B/384 sump (sampling point 395).
2. PCE-series concentrations have increased at Area A production well PW-2.
3. Freon TF concentrations at Landfill bedrock well 943 and PW-25 exhibit statistically significant decreasing trends.
4. PCE-series concentrations at Area D recovery well 032A and B/322 recovery well 612 exhibit statistically significant decreasing trends.
5. PCE-series concentrations have increased at Area A bedrock well 105 during the period 1990-2010.
6. PCE-series and Freon TF concentrations at production well PW-1 exhibit increasing trends since 1990.
7. PCE-series concentrations have decreased at inactive production wells PW-7 and PW-5/5A since shutdown in 2007. PCE-series concentrations have decreased at PW-4; PW-25 began pumping in January, 2003. Prior to the start of pumping at PW-25, PCE-series concentrations showed increasing trends at production well PW-4.

The graph for Area D location 032/032A (Figure 3-3) exhibits an inflection point, or change in overall trend at the beginning of 1995, and so the trend analysis was performed only on data collected since the beginning of 1995. Similarly, the trend analysis periods for wells 943, PW-4, and for the B/384 Sump were adjusted based on an inspection of their respective graphs. The trend period for PW-5/5A and PW-7 was adjusted because pumping was discontinued at these locations in 2007. These period adjustments are noted at the bottom of Table 3-2.

**Table 3-2. Statistical Trends in Contaminant Reduction Monitoring Wells
1990-2010 (except where noted)**

Well	Figure Number	Location	Parameter	Trend	Confidence Limit	Test Type
010	3-1	Area A	PCE-Series Freon TF	No trend Decreasing	-- >95%	SK
016	3-2	Area A	PCE-Series Freon TF	Decreasing No trend	>95% --	SK
032A ¹	3-3	Area D	PCE-Series Freon TF	Decreasing No trend	>95% --	SK
103	3-4	Area A	PCE-Series Freon TF	Decreasing No trend	>95% --	SK
104	3-5	Area A	PCE-Series Freon TF	Decreasing No trend	>95% --	SK
105	3-6	Area A (bedrock)	PCE-Series Freon TF	Increasing No trend	>90% --	MK
612	3-7	B/322	PCE-Series Freon TF	Decreasing No trend	>95% --	SK
613	3-8	B/322	PCE-Series Freon TF	Insufficient Data	-- --	None
617	3-9	B/322	PCE-Series Freon TF	No trend No trend	-- --	SK
618	3-10	B/322	PCE-Series Freon TF	No trend No trend	-- --	SK
628 ²	3-13	Area B	PCE-Series Freon TF	No trend No trend	-- --	SK
714	3-11	Area A	PCE-Series Freon TF	Decreasing No trend	>95% --	SK
716	3-12	Area A (bedrock)	PCE-Series Freon TF	Decreasing No trend	>95% --	SK
943 ³	3-14	Landfill (bedrock)	PCE-Series Freon TF	No trend Decreasing	-- >90%	MK
B/384 Sump ⁴	3-21	Area A	PCE-Series Freon TF	Decreasing No trend	>95% --	SK
PW-1	3-15	Bedrock	PCE-Series Freon TF	Increasing Increasing	>95% >95%	SK
PW-2	3-16	Bedrock	PCE-Series Freon TF	Increasing Decreasing	>95% >95%	SK
PW-4 ⁵	3-17	Bedrock	PCE-Series Freon TF	Decreasing No Trend	>95% --	SK
PW-5/5A ⁶	3-18	Bedrock	PCE-Series Freon TF	Decreasing No trend	>95% --	SK
PW-7 ⁶	3-19	Bedrock	PCE-Series Freon TF	Decreasing No trend	>95% --	SK
PW-25	3-20	Bedrock	PCE-Series Freon TF	No trend Increasing	-- >95%	SK

Test Type: SK = Seasonal Kendall test

MK = Mann-Kendall test for trend with deseasonalized data, where possible.

1 - Trend is for the period 1995-2010.

2 - Area B well 628 replaced well 863 in October, 2003.

3 - Trend is for the period 1994-2010.

4 - Location designation 395. Trend is for the period 1993-2010.

5 - Trend is for the period 2002-2010; PW-25 began pumping in January, 2003.

6 - Trend is for the period October 2007-2010, after pumping was discontinued.

Note: PW-9, which is used for water supply emergencies only, does not have sufficient data to test for trend. Well 613 is used for emergencies only, and does not have sufficient data to test for trend.

3.2.1.2.2 Point-of-Compliance Wells

The results of the Seasonal Kendall Test for trend are shown on Table 3-3 for each POC well. The statistical outcomes shown on this table indicate statistically significant decreasing trends in PCE-series concentrations at soil monitoring well 990 and at bedrock monitoring well 987. Well 064 shows a statistically significant increasing trend in PCE-series concentrations. The POC wells do not show any other statistically significant trends.

Table 3-3. Evaluations of Statistical Trends in Point-of-Compliance Wells 1990-2010					
Well	Figure No.	Location	Parameter	Trend	Confidence Limit
064	3-22	Area B	PCE-Series Freon TF	Increasing No trend	>90% --
065	3-23	Area B	PCE-Series Freon TF	No trend No trend	-- --
066	3-24	Area D	PCE-Series Freon TF	No trend No trend	-- --
067	3-25	Area D	PCE-Series Freon TF	No trend No trend	-- --
987	3-26	Southeast Quadrant	PCE-Series Freon TF	Decreasing No trend	>95% --
990	3-27	Southeast Quadrant	PCE-Series Freon TF	Decreasing No trend	>95% --
All wells are soil monitoring wells except wells 065 and 987.					

3.2.1.3 Changes in Water Quality at Corrective Action Monitoring Wells

As required by the Part 373 Permit, statistically significant changes in water quality at the designated Corrective Action Monitoring (CAM) wells (Appendix A, Table A-2) were determined using the Mann-Whitney Test (adjusted for seasonality) for changes in median concentrations of key compounds (PCE-series and Freon TF) over time. A statistically significant change was defined at a confidence limit of 90 percent or higher. This statistical evaluation was performed by grouping the PCE-series and Freon TF data (where appropriate) such that median of the most recent samples from each well was compared to the median of the older samples collected since 1990. For wells sampled semiannually, this means that the data for 2009-2010 was compared to the data for 1990-2008. For wells sampled quarterly or monthly, this means that the data for 2010 was compared to the data for 1990-2009. In this way, the median of at least four recent samples was compared to the median of all of the older samples. Changes to the GMP approved in 2003 have changed sampling frequency at several wells; therefore, the date range of the data for the recent

sample group was adjusted so as to obtain at least four data points in the recent sample group. Table 3-4 summarizes the results of the Mann-Whitney tests for the CAM wells.

Table 3-4. Statistical Evaluation of Changes in Water Quality at Corrective Action Monitoring Wells using the Mann-Whitney Test, adjusted for Seasonality Evaluation Period: 1990-2010			
Key Compound: PCE-Series Statistically Significant Change in Concentration: Decrease			
Well	Location	Well	Location
010	Area A	706	Area A
015	Area A	714	Area A
016	Area A	716	North of B/310 (Bedrock)
032A	Area D	720	Area A
046	Area B	739	Bedrock
048	Southeast Quadrant (Soil)	740	B/322
053	Landfill (Bedrock)	751	Area A
054	Landfill	755	B/322
103	Area A	756	B/330
104	Area A	757	Area D
105	Bedrock	766	B/322
106	Bedrock	767	B/322
113	Bedrock	768	B/322
118	Area A (Bedrock)	769	B/322
150	Bedrock	771	B/322
167	Bedrock	772	B/322
178	B/330	773	B/322
181	B/330	793	B/322
204	Area A	921	B/330
B/384 Sump	Area A (sample point 395)	923	B/330 (Bedrock)
520	Southeast Quadrant	932	Landfill (Bedrock)
543	Southeast Quadrant	943	Landfill (Bedrock)
545	Southeast Quadrant	959	B/322 (Bedrock)
559	Landfill (Bedrock)	960	B/322 (Bedrock)
561	Landfill	987	Southeast Quadrant (Bedrock)
563	Landfill (Bedrock)	990	Southeast Quadrant
609	B/330 (Bedrock)	998	Area A
610	B/330 (Bedrock)	PW-4 ¹	Bedrock
611	B/322 (Bedrock)	PW-5/5A ²	Bedrock
612	B/322	PW-6 ²	Bedrock
623	B/330 (Bedrock)	PW-7 ²	Bedrock
624	B/330 (Bedrock)	PW-23	Southeast Quadrant (Bedrock)
		PW-25	Bedrock

**Table 3-4. Statistical Evaluation of Changes in Water Quality at Corrective Action Monitoring Wells using the Mann-Whitney Test, adjusted for Seasonality
Evaluation Period: 1990-2010**

Key Compound: **PCE-Series**

Statistically Significant Change in Concentration: **Increase**

Well	Location	Well	Location
064	Area B	953	B/330 (Bedrock)
143	B/330 (Bedrock)	954	B/330 (Bedrock)
608	B/330 (Bedrock)	956	B/330
622	B/330 (Bedrock)	965	B/330 (Bedrock)
735	B/322	966	B/330 (Bedrock)
742	B/322 (Bedrock)	999	Area A
929	B/330 (Bedrock)	PW-1	Bedrock
931	B/330 (Bedrock)	PW-2	Bedrock
941	B/330 (Bedrock)		

Key Compound: **Freon TF**

Statistically Significant Change in Concentration: **Decrease**

Well	Location	Well	Location
010	Area A	768	B/322
053	Landfill (Bedrock)	769	B/322
609	B/330 (Bedrock)	931	B/330 (Bedrock)
740	B/322	953	B/330 (Bedrock)

Key Compound: **Freon TF**

Statistically Significant Change in Concentration: **Increase**

Well	Location	Well	Location
118	Area A (Bedrock)	943	Landfill (Bedrock)
178	B/330	960	B/322 (Bedrock)
576	B/330	B/384 Sump	Area A
739	Bedrock	PW-1	Bedrock
742	B/322 (Bedrock)	PW-2	Bedrock
922	B/330 (Bedrock)	PW-4 ¹	Bedrock
923	B/330 (Bedrock)	PW-25	Bedrock

1 - Trend is for the period 2002-2010; PW-25 began pumping in January, 2003.

2 - Trend is for the period October 2007-2010, after pumping was discontinued.

No other CAM wells exhibited statistically significant changes in water quality for the key compounds.

3.2.2 Quality Assurance/Quality Control Results

All GMP samples were collected in 2010 according to the procedures described in Section 2 of the GMP, except as noted in Section 3.1.1. The samples were analyzed by NYSDOH-certified laboratories using SW-846 and EPA methods for VOCs and inorganics. The 2010 field QA/QC chemistry data consists of duplicate samples, trip blanks, equipment rinse blanks, and field blanks. The duplicate samples are presented with the groundwater and production well analytical data in Appendices D and E. The trip, equipment rinse, and field blank results for all of 2010 are presented in Appendix F. QA/QC results for the first and second quarters of 2010 were previously published in the 2010 Semiannual Data Summary Report.

Laboratory precision was tested by filling multiple sampling containers from the same sampling device during each sampling round; these samples were then analyzed for the parameters of interest. Duplicate samples were generally collected once per 20 environmental samples from the groundwater monitoring wells and production wells. These duplicate sample results are indicated by the sample description “REPLICATE” in the analytical data printouts in Appendices D and E. The duplicate sample results are listed next to the corresponding primary sample results. In general, duplicate sample results are in good agreement and gross variations that would indicate serious analytical problems were not observed.

In addition to duplicate samples, trip blanks were prepared by the laboratory using analyte-free deionized (DI) water for each cooler containing VOC samples for each sampling round. The purpose of the trip blanks is to detect VOC contamination during sample transportation and storage. These trip blanks were the first items placed into each cooler by the laboratory and accompanied the empty sample containers from the laboratory to the field, and the filled sample containers from the field back to the laboratory. Environmental samples associated with each trip blank generally can be determined by the date of the trip blank (refer to “Sample Date” heading in Appendix F). 150 trip blanks were collected in 2010 as part of the Part 373 sampling program and supplemental sampling.

VOC parameters acetone, methylene chloride, and PCE were detected in at least one trip blank at concentrations less than 10 parts per billion. Acetone was detected 28 times at concentrations ranging from 1.6 to 6.1 $\mu\text{g/l}$, with all but two of these detections less than 5 $\mu\text{g/l}$. Methylene

chloride was detected in nine trip blanks at concentrations ranging from 0.3 to 9.5 $\mu\text{g/l}$. Two trip blanks had PCE concentrations less than or equal to 0.6 $\mu\text{g/l}$.

Equipment rinse blanks were collected to confirm the efficiency of decontamination procedures for each sampling round by rinsing non-dedicated equipment with laboratory-supplied analyte-free DI water. 129 rinse blanks were collected in 2010 from water level indicators. These results are also presented in Appendix F.

PCE was detected in twelve equipment blanks at concentrations ranging from 0.4 to 5.2 $\mu\text{g/l}$, and methylene chloride was detected in three equipment blanks at concentrations less than 1 $\mu\text{g/l}$. Acetone was detected thirty-four times at concentrations less than 5 $\mu\text{g/l}$.

Although field blanks are not required by the GMP, they have been routinely collected since 2000. Field blanks were collected by pouring analyte-free DI water from laboratory-prepared vials into empty VOC sample vials such that there was no headspace in the sample vials. The field blanks were analyzed for VOCs and serve to detect potential contamination from ambient air during sample collection procedures. PCE was detected eighteen times at concentrations less than 7 $\mu\text{g/l}$. Acetone was detected sixty-six times at concentrations ranging from 1.6 to 4.2 $\mu\text{g/l}$.

Considering that acetone and methylene chloride are commonly used by analytical laboratories, the relatively high number of detections of these two parameters in trip, equipment, and field blanks suggests that a low-level systematic contamination or some other laboratory bias may have affected all three types of QA/QC samples. Associated data was qualified as appropriate. Based on discussions with laboratory and sampling personnel, some of the water used for equipment blanks deionized water used to take equipment and field blanks may have been contaminated during sampling activities. This may explain the relatively high number of PCE detections in field and equipment blanks. Corrective action has been taken to avoid this problem in the future. Overall, the equipment rinse blank and field blank results do not suggest serious problems with field decontamination procedures.

4 CORRECTIVE MEASURES

Activities associated with the corrective action program at IBMEF are summarized in the following subsections.

4.1 Program Activities

This section discusses ongoing corrective measures activities performed throughout 2010, including groundwater pumping and treatment, and production well and treatment system maintenance.

4.1.1 Groundwater Pumping and Collection Operations

The Corrective Measures Program involves the operation of five groundwater collection and treatment systems and the monitoring of a previously remediated landfill. The groundwater collection and treatment systems are referred to as the Central Carbon, Area A, Area B, Area D, and B/322 systems and are described in Section 4.1.3. The Central Carbon System (CCS) treats groundwater from the bedrock production wells PW-1, -2, -4, -23 and -25. PW-5/5A, PW-6, and PW-7 were not pumped in 2010 except for sampling purposes as part of the production well rebalancing plan. The Areas A, B, D, and B/322 treatment systems operate in shallow remediation areas. Chemistry data for the bedrock production wells is presented in Appendix E, and chemistry data for the groundwater collection and treatment systems is presented in Appendix G.

During 2010, Main Site production wells PW-1, -2, -4, -23, and -25 were operated as groundwater withdrawal wells for the site's corrective measures program. In addition to supplementing the site's water supply, the purpose of the production well system on the Main Site is to control and contain the bedrock groundwater plumes. Contaminated groundwater from deep bedrock production wells PW-1 and -4, from shallow bedrock production well PW-23, and from PW-5/5A, -6, -7, and -9 (when operating), is pumped to the CCS in B/316 and is treated for process water use. Contaminated groundwater from deep bedrock production well PW-2, which generally exhibits higher concentrations than the other production wells, is pumped to a separate granular activated carbon (GAC) system located in B/316 and is used for process water or is discharged to the Industrial Waste Treatment Facility or to surface water under permit. Groundwater from PW-25 is also treated by a separate GAC system at B/316 and is discharged in a manner similar to PW-2. In 2010, all water treated by the B/316 GAC systems was used as process water. Pumping data for the shallow remediation areas and Main Site deep bedrock production wells is presented in Table 4-1.

Table 4-1. 2010 Pumping Volumes		
Remediation Area or Well	Gallons Pumped	Average 2010 Flow Rate (GPM)
PW-1	97,347,000	185
PW-2	48,937,000	93
PW-4	79,777,000	152
PW-5/5A*	96,000	0.2
PW-6*	128,000	0.2
PW-7*	158,400	0.3
PW-25	107,653,000	205
Area A	905,354	1.7
Area B	4,278,620	8.1
Area D	1,376,736	2.6
B/322 (612, 613, 617, 618)	5,918,627	11.3
Southeast Quadrant (PW-23)	8,290,639	16
Total	354,866,376	675
Pumping volumes are not shown for PW-9, which was not pumped. *Pumps operated for purging and sampling purposes only.		

Except for periods of maintenance, production wells PW-1, -2, -4, -23, and -25 generally operated continuously throughout 2010. PW-5/5A, PW-6, and PW-7 have been operated for sampling purposes only since they were shut down on October 22, 2007 as part of the production well rebalancing plan. PW-9 is only used during water supply emergencies and was not pumped during 2010.

4.1.2 Contaminant Removal

Contaminant mass removal was calculated for 2010 using annual median concentration data, together with annual pumping volumes for each shallow remediation area and bedrock production well. Table 4-2 shows that approximately 200 pounds of VOCs were recovered during 2010 from approximately 21 million gallons of extracted groundwater in shallow remediation Areas A, B, and D, plus B/322 (wells 612, 617, 618), and Southeast Quadrant shallow bedrock production well PW-23. Virtually all of the VOC mass recovered in 2010 from the shallow remediation areas came from Area A. The mass recovered from Area B, Area D, B/322, and PW-23 was less than 0.05 pound for each remediation area.

Table 4-2. 2010 Contaminant Recovery Levels Shallow Remediation Areas (lbs)					
Area (Well)	CIS	Freon TF	PCE	TCE	Total by Area
Area A	0.61	0.91	190	3.7	200
Area B	0.0	0.0	0.039	0.0	0.039
Area D	0.0063	0.0	0.012	0.030	0.048
B/322 (612, 613, 617, 618)	0.00070	0.0	0.0	0.00095	0.0017
SEQ (PW-23)	0.0	0.0	0.0	0.0073	0.0073
Total by Compound	0.62	0.91	190	3.7	200

Table 4-3 shows the contaminant recovery levels for the deep bedrock production well system. Approximately 4.0 tons of VOCs were recovered during 2010 from approximately 330 million gallons of groundwater extracted from the deep bedrock. As was the case in previous years, most of the VOC mass removed from the deep bedrock groundwater system (89 percent) came from production well PW-2. A significant fraction of the VOC mass (9.5 percent) was removed by production well PW-25.

Table 4-3. 2010 Contaminant Recovery Levels Deep Bedrock Production Wells (lbs)					
Well	CIS	Freon TF	PCE	TCE	Total by Well
PW-1	1.7	2.5	17	7.3	29
PW-2	490	130	5,700	780	7,100
PW-4	2.7	3.5	110	33	150
PW-5/5A	0.0	0.0	0.0	0.0	0.0
PW-6	0.0	0.0	0.0	0.0	0.0
PW-7	0.0024	0.0	0.0059	0.0024	0.011
PW-25	46	20	540	150	760
Total by Compound	540	160	6400	970	8,000*

*Total pounds removed is the sum of the mass removed by well. This number may not match the sum of the mass removed by compound because of rounding.

4.1.3 Groundwater Treatment System Operations

Appendix G presents analytical data for 2010 relating to the efficiency of the groundwater recovery and treatment systems for Area A, Area B, and the Deep Bedrock Production Wells and PW-23 (SEQ AOC), and for groundwater recovery from Area D and the B/322 AOC. Data for the first half of 2010 was previously published in the 2010 Semiannual Data Summary Report. Treatment efficiency and maintenance issues are discussed below.

4.1.3.1 Area A

Treatment efficiency at Area A is calculated from monthly samples collected from the B/384 Sump (sample point 395), the influent storage tank (sample point 395A), and the effluent from the stripping tower (sample point 395B). Results for these sampling points are presented in Appendix G and indicate removal efficiency, based on the ratio of influent (395A) to effluent (395B) concentrations, greater than 99 percent. The average flow rate was 1.7 gpm.

4.1.3.2 Area B

Treatment efficiency for Area B is calculated from monthly samples collected from the influent (well 628), from between the GAC units (sample location 628B), and from the effluent from the lag GAC unit (sample location 628A). Results for these sampling points are presented in Appendix G and indicate removal efficiency, based on the ratio of influent to effluent concentrations, of greater than 99 percent. Total VOC influent concentrations at Area B ranged from 0.5 to 3.7 $\mu\text{g/l}$. The average flow rate was 8.1 gpm.

4.1.3.3 Area D

Effluent from well 032A is pumped to the site's Water Pollution Control Facility (WPCF). The average flow rate in 2010 was approximately 2.6 gpm. Groundwater concentrations determined from the sampling port of groundwater extraction well 032A ranged from 1.3 to 2.5 $\mu\text{g/l}$ for TCE, and 1.5 $\mu\text{g/l}$ or less for all other parameters, including PCE and CIS. Influent chemistry data for Area D is presented in Appendix G.

4.1.3.4 B/322 AOC

The B/322 remediation system started up in January 2000 and pumps from extraction wells 612, 613, 617 and 618 to a small pump house whereby the extracted water is discharged to the WPCF. Well 613 is a backup well that was not pumped for a significant period in 2010.

The monthly analytical data for extraction wells 612, 617, and 618, and for the combined discharge from the B/322 containment system (sample location 360) are presented for January through December 2010 in Appendix G. The total VOC concentration in the combined discharge ranged from not detected to 0.3 $\mu\text{g/l}$ in 2010. The average combined flow rate for wells 612, 617, and 618 was 11.3 gpm in 2010.

4.1.3.5 Central Carbon System, PW-2, and PW-25

Treatment efficiency for the Central Carbon System (CCS), which normally handles the discharge from production wells PW-1, -4, -5/5A, -6, -7, -9, and -23, is determined from monthly samples collected from the blended influent to the CCS (location 500), from between the lead and lag carbon beds (locations 511-513) for GAC trains 1, 2, and 3, and from the blended effluent from the CCS (location 555). From March 25, 2010 through the end of the year, the CCS also handled the discharge of the PW-2 GAC effluent (location 080). The PW-2 effluent joins CCS downstream of the blended influent but before the lead carbon beds; therefore location 080 data is used to calculate CCS removal efficiency from March 25 to the end of the year. Data for these sampling points is presented in Appendix G.

Treatment efficiency for the production well PW-2 treatment system, when operated separate from the CCS, is determined from sampling of PW-2, from between the lead and lag carbon beds of the PW-2 GAC train (sample point 221), and from the effluent of the PW-2 GAC train (sample point 080). Data for production well PW-2 is presented in Appendix E. Data for sampling points 221 and 080 is presented in Appendix G.

Treatment efficiency for the PW-25 treatment system, which is also separate from the CCS, is determined from sampling of PW-25, from between the lead and lag carbon beds of the PW-25 GAC train (sample point 514), and from the effluent of the PW-25 GAC train (sample point 524). Data for sampling points 514 and 524 is presented in Appendix G.

Results for the sampling points in the CCS indicate removal efficiency, based on the ratio of influent (location 500 and 080 when discharged to the CCS) to effluent (location 555) concentrations, is typically greater than 96 percent for the CCS. Treatment efficiency for the PW-25 train and PW-2 GAC train when operated independently of the CCS, based on the ratio of influent to effluent concentrations, is greater than 99 percent for the PW-25 GAC and greater than 99 percent for the PW-2 GAC.

4.1.4 Groundwater Treatment System and Production Well Maintenance

The following groundwater treatment system and production well maintenance activities were performed in 2010:

The Area A air stripper level indicator was replaced on August 5, 2010.

The Area B well pump and motor were replaced on January 18, 2010. A new filter housing was installed December 22, 2010.

The pump was replaced in B/322 remediation system well 618 on March 8 and December 3, 2010. The level indicator in well 618 was also replaced on December 6, 2010.

The PW-2 well pump and motor were replaced on October 6, 2010. The PW-23 well pump and motor were replaced in October 2010. A damaged section of pipe near the PW-25 pump was replaced on June 7, 2010.

4.2 Other Activities and Issues

This section addresses activities undertaken in 2010 that relate to the groundwater monitoring program at IBMEF. Activities planned for 2011 are also discussed.

4.2.1 Groundwater Well Installation and Maintenance Activities Performed in 2010

A well inventory was performed in the second and third quarter 2010. During this inventory, the depth to bottom was measured to check for siltation in all Hydraulic Effectiveness Monitoring wells (Appendix A, Table A-1), including wells in the Corrective Action Performance Monitoring Network (Appendix A, Table A-2). Wells were inspected for damage and for the condition of the protective casings. Wells were also checked for the presence and condition of locks, identification tags, survey marks, sanitary seals, and caps. Follow-up work such as well development, painting and repair of protective casings, well seals, and locks was performed as required.

4.2.2 Production Well Rebalancing

In 2007, IBM began implementing a plan to rebalance the on-site production well operations in order to optimize mass recovery and containment. The first step in this plan commenced in October 2007, with the availability of municipal water, and consisted of the termination of pumping at PW-5/5A, PW-6, and PW-7 for a trial period of one year. Pumping at these wells was terminated on October 22, 2007, and the wells will continue to be maintained in an operational condition until completion of the test plan and final data analysis. The post-shutdown monitoring plan involved collection of groundwater elevation and chemistry samples at intervals of one week, one month,

three months, six months, and twelve months after shutdown. A summary report⁹ was submitted to NYSDEC during the first quarter of 2008 describing the first three months of shutdown activities. A second report submitted in the third quarter 2008 following the six month post-termination data collection¹⁰. In 2010, IBM has continued monitoring post-shutdown bedrock groundwater potentiometric surface (Plate 3, 3a, 3b, 3c). Groundwater sampling has continued at all CAP wells listed in Appendix A-3 and at three non-CAP wells (Appendix D). A comprehensive report will be submitted following final data analysis.

4.2.3 B/330D IW and Sanitary Line Investigation

In 2009, sampling of the B/330D industrial waste (IW) and sanitary lift stations revealed low levels of PCE. IBM informed NYSDEC of the B/330D lift station results via teleconference and a letter in 2009. IBM continued its investigation of potential sources of the PCE in 2010.

One potential source was a condensate lift station located on the east side of B/330D where elevated levels of PCE were detected. An abandoned, below ground B/335 drain line connected to a B/330D condensate lift station contained groundwater contaminated with PCE. This ductile iron pipe was disconnected from the condensate lift station and capped in February 2010.

Another potential source of PCE was the B/330D original under slab gravity IW system which was no longer in use but connected to the currently used overhead drain system on the west side of B/330D. It was suspected that contaminated groundwater or vapors were entering the IW system through this connection. The overhead drain system was disconnected from the under slab system in December 2009. Elevated levels of PCE continued to be detected in the B/330D IW lift station after this work was completed.

IBM continues to monitor PCE in the IW and sanitary lift station to determine if there is a correlation with PCE levels and the operation of the B/330D subslab vapor extraction system which was put on-line at the end of 2010.

⁹ IBM Environmental Engineering and Groundwater Sciences Corporation, February 29, 2008, *Field Observation of Alternate Groundwater Extraction Operations: Three Month Data Summary*.

¹⁰ IBM Environmental Engineering and Groundwater Sciences Corporation, July 18, 2008, *Field Observation of Alternate Groundwater Extraction Operations: Six Month Data Summary*.

4.2.4 VOC Source Assessment RCRA Facility Investigation (RFI)

IBM is conducting work according to its June 2009 “Workplan: RCRA Facility Investigation (RFI) VOC Source Assessment”¹¹, to address the known and potential presence of volatile organic compounds in indoor air within certain occupied buildings in the IBM East Fishkill Facility. This work plan was approved by NYSDEC and NYSDOH on July 10, 2009¹². In order to increase the spatial resolution of the groundwater monitoring network near the B/330D source area of elevated PCE soil vapor concentrations, IBM installed three groundwater monitoring wells in December 2009 (Figure 4-1). Groundwater monitoring well 639 has been dry since installation. Sampling results from 2010 for wells 638 and 640 are presented in Appendix D. The B/330D subslab vapor extraction system was completed and started in 2010.

4.2.5 GW-032A Replacement Project

In early June 2010 the pump in Area D recovery well 032A failed. The pump was removed from the well and replaced on June 15, 2010, and the well was returned to service. Subsequent investigation found an apparent break in the well screen near the bottom of the well. IBM determined that replacement of the well was necessary, and on April 25, 2011 submitted a work plan to NYSDEC entitled “Work Plan for Recovery Well GW-032A Replacement, Remediation Area D”¹³. This work plan was approved by NYSDEC on May 3, 2011¹⁴. IBM plans to proceed with the work plan in 2011. Results for three non-CAP wells (614, 615, and 616) sampled as part of the investigation are presented in Appendix D.

4.2.6 Chloroform Detections in Groundwater

Beginning in August 2007, municipal water from the Poughkeepsies’ Water Treatment Facility via the Central Dutchess Water Transmission Line has been the site potable water source. Periodically, IBM conducts flushing of the water supply lines, discharging water with NYSDEC approval to the

¹¹ IBM Environmental Engineering to NYSDEC and NYSDOH, June 15, 2009, Work Plan, *RCRA Facility Investigation (RFI), VOC Source Assessment*.

¹² NYSDEC to IBM Environmental Engineering, July 10, 2009, *Approval of RFI Work Plan, VOC Source Assessment*.

¹³ IBM Environmental Engineering to NYSDEC, June 25, 2011, *Work Plan for Recovery Well GW-032A Replacement, Remediation Area D*.

¹⁴ NYSDEC to IBM Environmental Engineering, May 3, 2011, *Response to Work Plan, Recovery Well GW-032A Replacement*.

site storm drains after the water has been dechlorinated. Chloroform has been detected in several groundwater wells near the discharge sites, most notably near Area B extraction well 628, near the site of the potable water influent storage tanks. Table 4-4 shows chloroform detections greater than 1 $\mu\text{g/l}$ observed in groundwater monitoring wells and the Area B extraction well. Chloroform appears to be a laboratory contaminant in diluted samples; therefore, results reflect detections from undiluted samples only. The concentrations in Table 4-4 are comparable to levels found in the potable water supply. Chloroform is not a parameter of concern on the site, and concentrations listed are not included in any calculations or summaries in other sections of this report. IBM will continue to monitor chloroform results in groundwater.

Table 4-4. 2010 Chloroform Detections in Groundwater				
Well	Sample Description	Sample Date	Laboratory Sample I.D.	Chloroform ($\mu\text{g/l}$)
046	Groundwater	10/25/10	R1005952-006	35
571	Groundwater	10/7/10	R1005581-010	4.0
628	Groundwater	10/4/10	R1005448-009	7.3
628	Replicate	11/1/10	R1006076-015	13
628	Groundwater	11/1/10	R1006076-014	14
628	Groundwater	12/1/10	R1006710-010	13
638	Groundwater	4/12/10	R1001926-004	1.4
720	Groundwater	3/25/10	R1001624-006	17
720	Groundwater	9/15/10	R1005081-006	24
751	Groundwater	12/8/10	R1006870-004	1.3
779	Groundwater	2/9/10	R1000777-004	2.4
779	Groundwater	8/20/10	R1004572-004	3.5
832	Groundwater	10/14/10	R1005734-004	2.3
965	Groundwater	9/15/10	R1005081-007	8.2
965	Replicate	9/15/10	R1005081-008	8.3

4.2.7 Well Installation and Maintenance Activities Planned for 2011

IBM plans to continue its annual inventory of monitoring wells, repairing wells as necessary. Well installation in Area D is discussed in Section 4.2.5.


4.3 Evaluation of Progress

This section summarizes the progress to date regarding corrective measures at IBMEF, including groundwater withdrawal and treatment, hydraulic control of groundwater flow, and detection trends in site groundwater.

Essentially continuous pumping at PW-1, -2, -4, -23, and -25 was accomplished for all of 2010. Hydraulic control and capture of the dissolved VOC plume in the bedrock groundwater system is being maintained by the operation of the groundwater production wells, as illustrated on Plates 3, 3a, 3b, and 3c. The potentiometric surface shown on these plates illustrates hydraulic control and capture of the dissolved VOC plume in the bedrock groundwater system has been maintained following production well rebalancing.

Treatment of groundwater by the Area A, Area B, and Central Carbon/PW-2/PW-25 treatment systems and extraction of groundwater by the Area D and B/322 remediation systems continued throughout the year. GAC-treated groundwater from the B/316 carbon systems was used as process water. In 2010, approximately 8,000 pounds of VOCs were removed from approximately 350 million gallons of groundwater pumped from the shallow soil and deep bedrock remediation areas. Since 1979, approximately 147 tons of VOCs have been removed from approximately 11.6 billion gallons of extracted groundwater.

Groundwater sampling activities will continue in 2011 at 179 monitoring wells and sampling points listed in the Groundwater Monitoring Plan and groundwater elevations will be measured quarterly at 392 HEM wells.




Portion of the Hopewell Junction, NY
7.5-minute USGS Quadrangle
(1957, Photorevised 1981)

Figure 1-1



Site Location Map







Figure 2-1

- 257 — Contour of Constant Potentiometric Head (feet amsl)
- 273.23 Groundwater Elevation (feet amsl)
- Generalized Direction of Groundwater Flow
- - - Groundwater Divide
- - - IBM Property Line
- ▼ Bedrock Monitoring Well (for groundwater sampling and elevations)
- ▽ Bedrock Monitoring Well (for groundwater elevations only)
- Soil/Bedrock Monitoring Well (for groundwater elevations only)
- ★ Bedrock Extraction Well
- ★ Shallow Extraction Well (all in soil except well 628 in bedrock)

PW-23 was pumped at an average of 12 gallons per minute in May 2010.



Shallow Bedrock Potentiometric Contours May 17-18, 2010

DRAWN BY: *MJM* DATE: 5/12/11



DRAWING NO.



CHECKED & APPROVED BY: *CEJ*



95007-025-I







GROUNDWATER SCIENCES CORPORATION

















































LEGEND

- IBM Main Site Property Line
- - - Former Structure
- ▲ GMP Soil Monitoring Well
- △ GMP Soil Monitoring Well (for groundwater elevations only)
- GMP Soil/Bedrock Monitoring Well
- GMP Soil/Bedrock Monitoring Well (for groundwater elevations only)
- ★ Bedrock Extraction Well
- ☆ Inactive Bedrock Extraction Well (Production Well Shutdown Test)
- ☆ Inactive Bedrock Extraction Well (as of mid-January 2003)
- ★ Shallow Extraction Well
- 220--- Contour of Constant Potentiometric Head (feet amsl)
- 226.72 Groundwater Elevation for Soil Monitoring Well in GMP that posts on Plate 2 (feet amsl)
- Generalized Direction of Groundwater Flow
- - - Groundwater Divide
- - - Extent of Clay Mapping
- Extent of Glaciolacustrine Clay (East Complex only)
- Inferred Areas of No Saturated Soil (Approximate)

Area of Concern	Extraction Well(s)	Avg. Feb. 2010 Flow Rate (GPM)
Area A	B384 Sump	0.8
Area B	628	9.2
Area D	032A	2.8
B/322	612, 613, 617, 618	11.3




Plate 2




East Fishkill, New York

Elevation Contour Map
Soil Groundwater Table
February 4-11, 2010

DRAWN BY: *ALM* DATE: 5/11/11
CHECKED & APPROVED BY: *ESJ*

DRAWING NO.
95007-047-D2

GROUNDWATER SCIENCES CORPORATION



- LEGEND
- IBM Main Site Property Line
 - Former Structure
 - ▼ GMP Bedrock Monitoring Well
 - ▽ GMP Bedrock Monitoring Well (for groundwater elevations only)
 - GMP Soil/Bedrock Monitoring Well
 - ★ Bedrock Extraction Well
 - ★ Inactive Bedrock Extraction Well (Production Well Shutdown Test)
 - ★ Inactive Bedrock Extraction Well (as of mid-January 2003)
 - ★ Soil Extraction Well
 - 200 - Contour of Constant Potentiometric Head (feet amsl)
 - Generalized Direction of Groundwater Flow
 - Groundwater Divide
 - 158.62 - Groundwater Elevation on May 17-27, 2010 (feet amsl)
 - "-" symbol denotes a dry well. Elevation listed is the bottom elevation of the well
 - Extraction well elevations measured May 4, 2010
 - (6/3) - Alternate Measurement Date

Note: Generally, the data used in contouring this plate is from the deepest of the bedrock wells in a well cluster and corresponds to a screened or open hole interval elevation between approximately 50 and 120 feet amsl (with the exception of PW-23). This elevation interval generally correlates with the principal water-bearing zones in the on-site deep bedrock production wells. (The principal water-bearing zone in PW-23 is at approximately 221 feet amsl, which is significantly higher than the elevation of the principal water-bearing zones in the other production wells.) Only groundwater elevation data from wells used in contouring is shown on this plate.

Extraction Well	Average May 2010 Flow Rate (GPM)
PW-1	172
PW-2	81
PW-4	150
*PW-5/5A	N/A
*PW-6	N/A
*PW-7	N/A
PW-23	12
PW-25	113

*Pump shutdown 10/22/07




Plate 3a



PW Shutdown Elevation Contour Map
Deep Bedrock Potentiometric Surface
(31-Mo. Post-Shutdown, 5/17/10 - 5/27/10)

DRAWN BY: *ALM* DATE: 5/11/11
CHECKED & APPROVED BY: *ESJ* 95007-043-N3

GROUNDWATER SCIENCES CORPORATION

- LEGEND
- IBM Main Site Property Line
 - Former Structure
 - ▼ GMP Bedrock Monitoring Well
 - ▽ GMP Bedrock Monitoring Well (for groundwater elevations only)
 - GMP Soil/Bedrock Monitoring Well
 - Bedrock Extraction Well
 - ★ Inactive Bedrock Extraction Well (Production Well Shutdown Test)
 - ☆ Inactive Bedrock Extraction Well (as of mid-January 2003)
 - ★ Soil Extraction Well
 - Contour of Constant Potentiometric Head (feet amsl)
 - Generalized Direction of Groundwater Flow
 - Groundwater Divide
 - 151.09 — Groundwater Elevation on August 23 to September 2, 2010 (feet amsl)
 - "c" symbol denotes a dry well. Elevation listed is the bottom elevation of the well
 - Extraction Well elevations measured on September 10, 2010
 - (9/21) — Alternate Measurement Date

Note: Generally, the data used in contouring this plate is from the deepest of the bedrock wells in a well cluster and corresponds to a screened or open hole interval elevation between approximately 50 and 120 feet amsl (with the exception of PW-23). This elevation interval generally correlates with the principal water-bearing zones in the on-site deep bedrock production wells. (The principal water-bearing zone in PW-23 is at approximately 221 feet amsl, which is significantly higher than the elevation of the principal water-bearing zones in the other production wells.) Only groundwater elevation data from wells used in contouring is shown on this plate.

Extraction Well	Avg. Aug.-Sept. 2010 Flow Rate (GPM)
PW-1	190
PW-2	82
PW-4	152
*PW-5/5A	N/A
*PW-6	N/A
*PW-7	N/A
PW-23	18
PW-25	240

*Pump shutdown 10/22/07




Plate 3b



East Fishkill, New York

PW Shutdown Elevation Contour Map
Deep Bedrock Potentiometric Surface
(34-Mo. Post-Shutdown, 8/23/10 – 9/2/10)

DRAWN BY: <i>MMU</i>	DATE: 5/10/11	DRAWING NO.
CHECKED & APPROVED BY: <i>ESJ</i>		95007-043-03



GROUNDWATER SCIENCES CORPORATION

LEGEND

- IBM Main Site Property Line
- Former Structure
- ▼ GMP Bedrock Monitoring Well
- ▽ GMP Bedrock Monitoring Well (for groundwater elevations only)
- GMP Soil/Bedrock Monitoring Well
- ★ Bedrock Extraction Well
- ★ Inactive Bedrock Extraction Well (Production Well Shutdown Test)
- ★ Inactive Bedrock Extraction Well (as of mid-January 2003)
- ★ Soil Extraction Well
- 200 Contour of Constant Potentiometric Head (feet amsl)
- Generalized Direction of Groundwater Flow
- Groundwater Divide
- 151.09 Groundwater Elevation on November 15-24, 2010 (feet amsl)
- "c" symbol denotes a dry well. Elevation listed is the bottom elevation of the well
- Extraction well elevations measured on November 4-5, 2010

Note: Generally, the data used in contouring this plate is from the deepest of the bedrock wells in a well cluster and corresponds to a screened or open hole interval elevation between approximately 50 and 120 feet amsl (with the exception of PW-23). This elevation interval generally correlates with the principal water-bearing zones in the on-site deep bedrock production wells. (The principal water-bearing zone in PW-23 is at approximately 221 feet amsl, which is significantly higher than the elevation of the principal water-bearing zones in the other production wells.) Only groundwater elevation data from wells used in contouring is shown on this plate.

Extraction Well	Avg. November 2010 Flow Rate (GPM)
PW-1	168
PW-2	103
PW-4	121
*PW-5/5A	N/A
*PW-6	N/A
*PW-7	N/A
PW-23	12
PW-25	225

*Pump shutdown 10/22/07




Plate 3c




IBM
East Fishkill, New York

PW Shutdown Elevation Contour Map
Deep Bedrock Potentiometric Surface
(37-Mo. Post-Shutdown, 11/15/10 - 11/24/10)

DRAWN BY: <i>MM</i>	DATE: 5/11/11	DRAWING NO.
CHECKED & APPROVED BY: <i>ESJ</i>		95007-043-P3



GROUNDWATER SCIENCES CORPORATION




- LEGEND
- IBM Main Site Property Line
 - Former Structure
 - ▲ GMP Soil Monitoring Well
 - GMP Soil/Bedrock Monitoring Well
 - ★ Bedrock Extraction Well
 - ★ Inactive Bedrock Extraction Well (Production Well Shutdown Test)
 - ★ Inactive Bedrock Extraction Well (as of mid-January 2003)
 - ★ Shallow Extraction Well
 - 10 Freon TF Concentration Contour (ug/l)
 - 1.1 Freon TF Concentration ug/l
 - (6/10) May or June 2010 Sampling Date
 - ★ All IBM Former West Complex Wells Sampled May 11 to June 16
 - 5 Approximate Limit of Plume as Defined by Annual Median Concentration Equal to 5 ug/l of Freon TF
 - Extent of Clay Mapping
 - Extent of Glaciolacustrine Clay (East Complex only)
 - Inferred Areas of No Saturated Soil (Approximate)

Note: All concentrations have been rounded to a maximum of two significant figures.

Concentrations greater than the MDL but less than the RL, which is 1.0 ug/l x DF for most compounds, are also reported by the laboratory (MDL=Method Detection Limit, RL=Reporting Limit, and DF=Dilution Factor). The MDL varies by compound but is less than the RL for the 23 key compounds at the site. Values greater than the MDL but less than the RL should be considered estimates that would typically be flagged with a "J" qualifier.

The PCE-series concentration is a calculated concentration that uses the weighted sum of four constituent VOC concentrations. In performing this calculation, compounds that were "not detected" are treated as zeroes, and the resulting PCE-series concentration is shown as "0" on the Plates 4 and 6 if none of the four PCE-series constituents was detected. However, the Freon TF concentration is not a calculated concentration; therefore, the concentrations posted on Plates 5 and 7 are shown as less than the RL, which is <1.0 ug/l times the DF where Freon TF was not detected.




LEGEND

- IBM Main Site Property Line
- Former Structure
- GMP Bedrock Monitoring Well
- GMP Soil/Bedrock Monitoring Well
- Bedrock Extraction Well
- Inactive Bedrock Extraction Well (Production Well Shutdown Test)
- Inactive Bedrock Extraction Well as of mid-January 2003
- Shallow Bedrock Extraction Well
- PCE-Series Concentration Contour ug/l
- PCE-Series Concentration ug/l
- May or June 2010 Sampling Date
- All IBM Former West Complex Wells Sampled May 11 to June 16
- Approximate Limit of Plume as Defined by Annual Median Concentration Equal to 5 ug/l of PCE-Series Compounds

Note: All concentrations have been rounded to a maximum of two significant figures. "0" means not detected.

Concentrations greater than the MDL but less than the RL, which is 1.0 ug/l x DF for most compounds, are also reported by the laboratory (MDL=Method Detection Limit, RL=Reporting Limit, and DF=Dilution Factor). The MDL varies by compound but is typically less than the RL for the 23 key compounds at the site. In general, values greater than the MDL but less than the RL should be considered estimates that would typically be flagged with a "u" qualifier.

The PCE-series concentration is a calculated concentration that uses the weighted sum of four constituent VOC concentrations. In performing this calculation, compounds that were "not detected" are treated as zeroes, and the resulting PCE-series concentration is shown as "0" on the Plates 4 and 6 if none of the four PCE-series constituents was detected. However, the Freon TF concentration is not a calculated concentration; therefore, the concentrations posted on Plates 5 and 7 are shown as less than the RL, which is <1.0 ug/l times the DF where Freon TF was not detected.





East Fishkill, New York

Isoconcentration Contour Map
PCE-Series, Bedrock
February-March-April 2010

DRAWN BY: <i>MLM</i>	DATE: 5/4/11	DRAWING NO.
CHECKED & APPROVED BY: <i>ESJ</i>		95007-009-P1




- LEGEND
- IBM Main Site Property Line
 - Former Structure
 - GMP Bedrock Monitoring Well
 - GMP Soil/Bedrock Monitoring Well
 - Bedrock Extraction Well
 - Inactive Bedrock Extraction Well (Production Well Shutdown Test)
 - Inactive Bedrock Extraction Well (as of mid-January 2003)
 - Shallow Extraction Well
 - Freon TF Concentration Contour (ug/l)
 - Freon TF Concentration ug/l
 - May or June 2010 Sampling Date
 - All IBM Former West Complex Wells Sampled May 11 to June 16
 - Approximate Limit of Plume as Concentration Equal to 5 ug/l of Concentration Equal to 5 ug/l of Freon TF

Note: All concentrations have been rounded to a maximum of two significant figures. "0" means not detected.

Concentrations greater than the MDL but less than the RL, which is 1.0 ug/l x DF for most compounds, are also reported by the laboratory (MDL=Method Detection Limit, RL=Reporting Limit, and DF=Dilution Factor). The MDL varies by compound but is typically less than the RL for the 23 key compounds at the site. In general, values greater than the MDL but less than the RL should be considered estimates that would typically be flagged with a "u" qualifier.

The PCE-series concentration is a calculated concentration that uses the weighted sum of four constituent VOC concentrations. In performing this calculation, compounds that were "not detected" are treated as zeroes, and the resulting PCE-series concentration is shown as "0" on the Plates 4 and 6 if none of the four PCE-series constituents was detected. However, the Freon TF concentration is not a calculated concentration; therefore, the concentrations posted on Plates 5 and 7 are shown as less than the RL, which is <1.0 ug/l times the DF where Freon TF was not detected.



Appendix A

Well Specifications and Lists

Table A-1: Hydraulic Effectiveness Monitoring Wells

Table A-2: Well Specifications for the Corrective Action Performance Monitoring Network

Table A-3: Sampling Schedule for the Corrective Action Performance Monitoring Network

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
002	275.39	8518.014	4537.868
003	275.32	8515.747	4538.284
005	255.16	7772.055	6134.484
006	254.38	7764.886	6126.095
007	257.35	7592.128	5547.170
008	265.29	8072.229	5042.508
009	265.35	8067.344	5043.589
010	270.76	8076.990	4661.237
011	266.47	7831.768	4697.559
013	263.26	7630.268	4904.651
014	262.60	7626.342	4906.258
015	262.86	7622.508	4907.920
016	254.91	7140.621	5083.247
017	254.31	7133.611	5089.249
018	257.78	7150.694	4924.310
019	257.70	7155.420	4922.857
020	250.88	6920.006	5024.650
022	250.88	6916.125	5015.190
027	260.24	7204.062	3450.750
028	259.22	7244.167	3358.706
030	232.87	7531.247	2282.942
032A	230.00	6707.600	2690.000
035	249.53	6773.709	3152.987
038	250.61	6320.836	4765.408
039	249.87	6322.183	4769.064
044	267.36	6897.844	5984.595
046	267.59	6649.354	6428.358
048	264.31	5756.458	6897.932
049	266.41	5256.598	6835.595
050	264.51	5251.734	6838.602
053	266.58	4965.757	6073.504
054	264.57	4696.491	5978.780
059	235.94	4833.049	3997.592
060	235.68	4828.527	4000.564
061	244.66	4136.068	4504.733
062	250.13	4322.084	5469.567
063	250.25	4320.995	5467.872
064	259.23	7040.533	6596.366
065	258.76	7055.103	6595.751
066	229.84	6987.994	2265.582
067	234.42	6463.455	2607.405

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
068	233.85	6253.894	2982.574
069	253.69	4482.364	6084.653
075	259.51	7366.983	3317.645
085	276.34	9058.705	5844.268
086	276.34	9058.705	5844.268
087	256.00	7832.757	6082.700
088	256.00	7832.757	6082.700
091	264.37	4806.212	7610.031
092	264.37	4806.212	7610.031
096	275.48	8066.420	5550.380
097	277.69	8070.910	5548.480
098	277.69	8070.910	5548.480
100	267.09	8383.665	4803.894
101	267.09	8384.262	4808.809
102	267.09	8384.262	4808.809
103	257.59	7422.942	5337.874
104	257.59	7422.942	5337.874
105	257.74	7426.962	5342.224
106	257.74	7426.962	5342.224
108	255.45	6742.206	5806.444
109	255.45	6742.206	5806.444
112	269.38	4285.998	7014.122
113	269.01	4227.305	7004.293
114	269.01	4227.305	7004.293
118	263.06	7579.473	4816.285
121	263.18	8015.845	3544.898
122	263.18	8015.845	3544.898
129	252.37	6282.508	4651.089
130	252.37	6282.508	4651.089
143	251.36	4709.770	4756.370
145	253.90	4301.093	5498.184
146	253.90	4301.093	5498.184
147	234.55	7663.575	2397.319
150	234.78	7659.624	2386.796
151	241.06	6279.506	3076.270
156	242.58	5003.112	3793.197
157	243.09	5009.063	3786.807
158	245.05	4084.387	4549.216
161	259.63	7206.137	3378.741
164	273.99	6299.089	7593.114
165	273.99	6299.089	7593.114

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
166	254.58	7422.875	6512.986
167	254.58	7422.875	6512.986
168	265.12	6794.614	6318.692
169	265.12	6794.614	6318.692
170	229.55	6965.743	2292.464
178	267.22	5685.196	5758.662
180	248.31	5035.183	5203.440
181	248.88	4988.890	5242.059
182	236.11	5859.220	2687.226
183	236.11	5859.220	2687.226
185	237.04	6481.471	2316.242
186	237.04	6481.471	2316.242
191	229.18	7123.366	1981.277
192	229.18	7123.366	1981.277
200	266.77	7694.652	4014.447
204	252.79	6694.859	4521.394
224	256.86	6741.816	3477.018
226	233.54	6151.658	3101.790
227	233.08	6144.019	3108.542
400	241.81	6939.843	1437.518
401	242.22	6935.937	1437.490
402	248.66	6315.556	1611.175
403	249.39	5909.759	1848.452
404	248.45	5905.340	1856.890
406	345.32	3941.228	1823.333
407	345.22	3941.830	1834.730
408	244.69	3862.518	206.405
409	243.46	3864.774	184.014
410	250.32	4762.902	-312.676
411	250.37	4767.536	-313.979
412	250.44	4766.660	-316.950
413	249.72	4786.574	-324.033
414	265.28	5214.821	465.867
415	265.83	5224.890	461.160
416	252.61	5985.020	129.180
417	253.31	5947.150	144.346
418	253.40	5938.351	149.519
421	281.02	4083.600	1055.200
422	276.75	4039.800	783.400
423	274.54	4124.489	723.976
424	274.95	4200.401	623.235

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
500	259.89	7545.320	6326.260
501	257.76	7580.570	6317.010
502	259.26	6219.330	7079.510
503	259.88	6183.280	7102.810
504	259.88	6087.120	7153.830
505	259.88	6087.120	7153.830
506	263.85	6010.120	7146.450
507	262.80	6014.130	7163.870
508	262.80	6014.130	7163.870
509	265.32	5912.440	7234.330
510	263.31	5808.400	7224.900
511	263.70	5812.890	7254.280
512	260.94	5734.740	7337.260
513	261.91	5717.960	7357.420
514	261.45	5488.000	7183.300
515	260.81	5486.400	7170.800
516	262.73	5428.830	7424.550
517	262.58	5445.700	7419.710
518	262.58	5445.700	7419.710
519	264.51	5182.090	7626.300
520	262.28	6648.150	6936.870
521	262.24	6688.820	6912.930
522	262.45	6713.370	6899.050
523	273.28	6108.470	8049.880
524	272.91	6095.860	7992.490
525	273.08	6106.720	8040.160
526	271.25	4797.560	7658.790
527	270.38	4770.130	7620.990
528	270.54	4773.360	7625.630
529	270.54	4773.360	7625.630
530	265.25	4538.130	7213.110
531	266.10	4549.280	7245.530
532	266.10	4549.280	7245.530
533	266.56	4566.230	7019.720
534	266.25	4548.820	7051.260
535	266.34	4555.640	7037.660
536	269.12	5346.300	6788.300
537	268.97	5324.500	6780.240
538	268.97	5324.500	6780.240
539	270.44	5478.760	6773.550
541	279.98	5711.500	6793.650

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
542	279.98	5711.500	6793.650
543	263.07	5956.040	6877.880
544	265.72	5988.650	6843.350
545	264.96	6143.040	6928.740
546	266.92	6098.760	6897.090
547	266.11	6140.200	6908.280
548	261.84	5796.160	6945.380
549	262.09	5833.700	6918.700
550	262.09	5833.700	6918.700
551	267.54	5648.190	6900.200
553	267.42	5510.740	6953.610
554	267.31	5525.200	6942.580
556	266.76	5382.290	6916.300
557	268.22	5304.090	6831.390
558	284.02	5270.310	6223.150
559	282.75	5251.530	6221.420
560	282.73	5251.530	6221.420
561	296.33	5445.380	6239.200
562	285.63	5584.350	6294.510
563	285.63	5584.350	6294.510
564	289.59	5835.500	6318.800
565	285.69	6081.080	6428.040
566	285.69	6081.080	6428.040
567	266.64	6656.400	6502.600
568	279.50	6487.650	6526.560
569	279.99	6491.880	6539.820
570	279.99	6491.880	6539.820
571	286.39	6274.080	6265.500
572	251.13	4806.400	5115.400
574	269.09	5547.400	5776.000
576	265.95	5657.000	5807.900
577	230.32	7043.390	2387.000
578	272.21	8432.860	4112.480
579	247.72	6219.930	3828.970
580	258.99	6538.850	4344.560
581	267.23	8381.000	4797.100
600	265.91	5838.318	5989.885
601	266.04	5833.206	5987.980
602	253.38	4841.290	5230.675
603	252.54	4493.647	5141.553
604	252.66	4497.252	5144.622

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
605	253.01	4931.463	4777.329
606	253.27	6115.035	5326.621
607	253.77	5020.203	5360.277
608	255.51	5688.197	5270.023
609	249.18	6188.755	5261.662
610	250.87	5562.575	4953.575
611	244.23	5432.960	4432.190
612	249.89	6407.200	3337.800
613	249.02	6445.900	3265.700
614	230.29	6719.000	2684.000
615	230.82	6710.600	2688.600
616	231.14	6692.800	2698.500
617	248.91	6410.800	3250.200
618	239.17	6276.600	3011.900
619	267.00	6635.600	6432.000
620	259.27	7232.300	3381.700
621	255.80	6776.700	4356.100
622	268.08	5752.000	5510.200
623	246.74	5719.497	4864.655
624	246.31	5592.540	4175.380
626	304.58	5357.900	7953.800
627	262.88	6925.360	4251.830
700	248.79	7121.200	5605.400
701	248.83	7124.900	5603.600
702	255.09	7252.100	5584.800
703	254.89	7255.900	5582.500
704	255.00	7239.500	5591.700
705	259.94	7651.700	5262.600
706	259.92	7649.400	5260.000
707	260.94	7722.600	5252.000
708	260.83	7727.700	5249.900
709	263.98	8017.500	5015.800
710	263.93	7996.700	5047.200
711	263.69	8023.400	5014.200
712	265.48	8180.400	4989.600
714	266.26	8063.100	4772.200
716	271.93	7964.440	4457.970
717	277.47	8063.080	5531.360
718	278.69	8048.650	5496.710
719	279.03	8076.750	5467.890
720	275.43	8012.780	5463.900

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
721	259.92	8290.600	5327.000
722	260.15	8294.500	5330.900
723	269.98	8653.200	5304.700
724	269.70	8649.400	5298.500
725	263.25	8775.600	5647.800
726	262.93	8769.300	5650.200
727	263.49	8779.800	5645.200
728	259.64	8454.300	5785.900
729	260.29	8480.800	5776.200
730	259.41	8448.000	5788.100
732	265.17	7294.800	4520.600
734	261.79	7004.400	4656.100
735	261.06	6828.700	4210.900
737	261.20	6824.500	4211.700
739	261.35	7240.400	3863.800
740	260.62	6685.900	3852.800
742	260.46	6687.600	3858.300
743	261.06	7234.500	3862.800
744	254.46	7887.200	5717.200
745	254.47	7890.300	5716.300
746	254.05	7731.800	5780.900
747	263.77	8480.700	5057.300
748	267.95	8152.000	4774.100
749	263.16	8484.600	5544.700
750	257.15	8325.200	5779.300
751	254.24	6760.000	4728.100
752	260.87	6913.000	4791.600
753	248.38	6755.800	5125.000
754	249.19	6587.200	3187.000
755	238.91	6392.400	3029.900
756	252.61	5000.100	5501.900
757	234.36	6678.800	2706.900
758	260.63	7896.780	5188.710
759	261.20	7893.170	5179.772
760	261.07	7897.478	4995.327
761	264.13	8271.640	5101.240
763	268.68	8252.690	4640.574
766	258.99	6501.571	3979.481
767	252.63	6362.949	3914.225
768	253.31	6506.100	3763.540
769	256.86	6569.128	3624.668

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
770	252.45	6469.710	3671.010
771	252.32	6466.790	3664.890
772	241.83	6208.100	3561.150
773	248.26	6417.860	3323.160
774	244.92	6089.045	3305.752
775	244.65	5886.936	3333.238
776	272.19	8431.465	4148.300
777	276.03	8555.239	4540.041
779	263.34	8113.332	3177.082
782	241.89	6868.581	2812.497
783	242.98	4995.956	3803.820
789	242.66	5542.741	3561.687
791	243.35	5736.641	3395.917
792	243.01	5913.540	3607.460
793	248.89	6174.694	3830.274
799	242.83	4995.150	3809.957
816	263.53	7821.917	4858.527
818	263.58	7728.867	4846.227
819	266.09	7683.873	4739.418
820	263.17	7587.709	4815.166
821	259.25	7595.669	4883.064
822	259.69	7611.786	4925.902
823	262.89	7546.746	5030.185
824	263.17	7533.202	4998.828
826	266.23	7787.289	4717.390
827	266.28	7838.292	4706.758
830	268.16	6631.393	6507.576
831	268.16	6631.393	6507.576
832	281.62	6446.260	6390.277
833	281.62	6446.260	6390.277
835	287.32	5732.456	6298.291
836	287.32	5732.456	6298.291
837	286.45	5650.743	6266.199
838	268.43	5053.607	6148.528
839	235.12	6671.416	2869.429
855	274.71	5839.970	8554.478
856	274.25	5824.081	8548.398
857	262.31	6655.420	6927.500
858	262.04	6639.380	6938.800
859	262.80	7312.421	7300.249
860	262.83	7298.574	7298.820

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
861	267.06	7826.369	7016.729
862	266.78	7816.150	7025.670
863	266.77	6658.536	6436.742
864	263.22	7793.411	4822.753
895	262.21	5420.504	7427.220
896	262.04	5414.132	7431.928
897	270.06	4934.338	6682.141
898	270.12	4928.359	6679.239
899	303.02	5649.460	6555.720
900	302.69	5658.950	6554.370
902	259.14	6196.074	7092.091
903	258.99	6231.299	7073.207
910	271.16	8404.686	5263.731
921	262.48	5383.703	5909.176
922	262.71	5370.449	5919.909
923	262.76	5366.539	5900.128
924	262.83	5382.716	5890.598
928	252.16	4924.716	5240.517
929	252.16	4924.716	5240.517
930	251.84	4664.774	5357.051
931	252.26	4697.190	5340.540
932	267.11	4950.680	6078.512
934	250.21	6719.264	4854.781
935	254.14	4921.320	5488.640
936	254.14	4921.320	5488.640
941	254.52	5331.321	5137.291
943	254.23	4481.165	6103.694
944	254.11	4488.497	6097.271
946	249.87	6172.939	3845.249
947	249.44	6176.877	3837.508
948	249.98	6170.128	3845.793
949	248.46	6194.257	3939.047
952	245.34	5869.760	3631.250
953	251.79	5090.590	4671.000
954	268.20	5627.761	5859.991
955	268.20	5631.698	5865.731
956	268.23	5636.339	5872.566
957	268.28	5640.382	5878.574
958	266.66	4786.231	7605.657
959	251.45	5923.400	4432.322
960	251.40	5938.559	4428.870

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
962	271.82	8425.917	4187.017
963	264.55	6001.330	7144.318
964	264.55	6001.330	7144.318
965	255.40	6056.588	5582.108
966	255.28	6064.807	5592.027
968	271.29	5257.910	5484.861
976	234.73	7274.448	2489.640
980	260.46	7292.800	5019.300
983	305.52	5459.845	6315.578
984	305.45	5459.845	6315.578
985	304.86	5466.675	6322.653
986	304.70	5466.675	6322.653
987	260.20	6384.320	6988.373
988	260.56	6379.532	6995.451
989	260.57	6379.532	6995.451
990	260.08	6361.989	6999.717
991	260.10	6355.954	7002.989
992	260.12	6355.954	7002.989
993	264.50	7465.500	4029.200
994	264.32	7274.400	4052.900
997	257.11	7710.200	5463.800
998	258.02	7789.600	5428.600
999	257.25	7794.100	5426.400

Key:

M.P. = Measuring Point

ft amsl = feet above mean sea level

All coordinates in feet relative to site grid

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
007	257.35	48.1	209.3	2.00	10.0	11/07/1979	Area A	NA
010	270.76	53.8	217.0	2.00	15.0	04/16/1979	Area A	Source
015	262.86	28.3	234.6	2.00	20.0	04/05/1979	Area A	Source
016	254.91	51.1	203.8	4.00	10.0	10/03/1979	Area A	D
032A	230.00	22.0	208.0	4.00	10.0	01/14/1998	Area D	Source
035	249.53	28.5	221.0	4.00	20.0	03/24/1979	B/322	S
046	267.59	19.2	248.4	4.00	10.0	11/07/1979	Area B	Source
048	264.31	15.7	248.6	4.00	5.0	11/01/1979	SEQ	Source
053	266.58	38.7	227.9	2.00	15.0	03/02/1979	Landfill	D
054	264.57	28.5	236.1	4.00	10.0	11/06/1979	Landfill	D
059	235.94	17.4	218.5	4.00	10.0	11/01/1979	B/330	U/S
060	235.68	46.4	189.3	4.00	10.0	11/01/1979	B/330	U/S
061	244.66	29.4	215.3	4.00	20.0	03/29/1979	B/330	U/S
063	250.25	54.7	195.6	2.00	10.0	11/13/1979	B/330	U/S
064	259.23	18.2	241.0	4.00	10.0	03/10/1980	Area B	D
065	258.76	43.5	215.3	4.00	10.0	03/18/1980	Area B	D
066	229.84	11.0	218.8	4.00	5.0	03/11/1980	Area D	U
067	234.42	14.7	219.7	2.00	10.0	03/11/1980	Area D	U
068	233.85	23.1	210.8	4.00	15.0	03/19/1980	B/322	D
069	253.69	15.5	238.2	4.00	5.0	03/24/1980	Landfill	S
085	276.34	123.0	153.3	2.00	3.0	12/10/1980	BR	NA
087	256.00	109.7	146.3	2.00	5.0	12/02/1980	BR	NA
103	257.59	14.6	243.0	2.00	1.0	11/21/1980	Area A	D
104	257.59	32.2	225.4	2.00	1.0	11/21/1980	Area A	D
105	257.74	105.4	152.3	2.00	3.0	12/01/1980	BR	NA
106	257.74	150.2	107.5	2.00	5.0	12/01/1980	BR	NA
108	255.45	104.7	150.8	2.00	3.0	12/04/1980	BR	NA
109	255.45	162.6	92.9	2.00	3.0	12/04/1980	BR	NA
113	269.01	110.6	158.4	2.00	5.0	01/14/1981	BR	NA
118	263.06	153.5	109.6	2.00	5.0	12/20/1980	Area A	Source
143	251.36	146.2	105.2	2.00	3.0	12/09/1980	B/330+BR	U
145	253.90	92.2	161.7	2.00	5.0	01/20/1981	B/330+BR	U
146	253.90	147.7	106.2	2.00	5.0	01/20/1981	B/330+BR	U
150	234.78	128.8	106.0	2.00	1.0	11/18/1980	BR	NA
151	241.06	18.4	222.7	2.00	1.0	11/17/1980	B/322	D
156	242.58	86.8	155.8	2.00	3.0	12/05/1980	BR	NA
161	259.63	17.6	242.0	2.00	1.0	04/20/1981	B/322	U
166	254.58	97.4	157.2	2.00	3.0	04/21/1981	BR	NA
167	254.58	148.1	106.5	2.00	3.0	04/21/1981	BR	NA
178	267.22	26.2	241.0	2.00	5.0	04/22/1981	B/330	D
181	248.88	18.1	230.8	4.00	5.0	04/26/1981	B/330	Source
204	252.79	12.9	239.9	2.00	10.0	06/14/1991	Area A	U(B/322), D(AA)
400	241.81	13.6	228.2	4.00	3.0	06/23/1984	WC	NA
401	242.22	97.7	144.5	4.00	10.0	07/01/1984	WC	NA
402	248.66	105.9	142.8	4.00	20.0	05/25/1984	WC	NA
403	249.39	24.9	224.5	4.00	5.0	06/25/1984	WC	NA
404	248.45	126.1	122.1	4.00	10.0	07/18/1984	WC	NA
407	345.22	240.7	104.5	4.00	10.0	07/11/1984	WC	NA
408	244.69	18.6	226.1	4.00	6.0	06/25/1984	WC	NA
410	250.32	18.0	232.3	4.00	3.0	06/24/1984	WC	NA
412	250.44	95.9	154.5	4.00	10.0	06/24/1984	WC	NA

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
415	265.83	168.2	97.6	4.00	10.0	06/21/1984	WC	NA
416	252.61	25.3	227.3	4.00	10.0	06/21/1984	WC	NA
417	253.31	96.7	156.6	4.00	10.0	06/24/1984	WC	NA
423	274.54	23.3	251.2	4.00	15.0	10/26/1990	WC	NA
424	274.95	24.6	250.4	4.00	15.0	10/25/1990	WC	NA
502	259.26	35.9	223.4	2.00	10.0	12/23/1986	SEQ	D
503	259.88	51.5	208.4	6.00	OPEN HOLE	01/09/1987	SEQ	D
515	260.81	157.5	103.3	2.00	20.0	04/23/1987	BR	NA
520	262.28	24.8	237.5	2.00	10.0	12/11/1986	SEQ	D
521	262.24	34.9	227.3	2.00	5.0	03/17/1987	BR	D
535	266.34	118.0	148.3	2.00	5.0	04/29/1987	BR	NA
543	263.07	13.1	250.0	2.00	5.0	01/20/1987	SEQ	D
545	264.96	29.8	235.2	2.00	20.5	01/17/1987	SEQ	D
559	282.75	83.5	199.3	2.00	10.0	05/05/1987	Landfill	Source
561	296.33	38.3	258.0	2.00	4.0	04/22/1987	Landfill	Source
563	285.63	130.0	155.6	2.00	15.0	04/28/1987	Landfill+BR	U
564	289.59	94.5	194.9	2.00	5.0	04/21/1987	BR	NA
571	286.39	15.0	271.4	2.00	4.0	03/17/1987	Area B	U
572	251.13	16.6	234.5	2.00	5.0	04/13/1989	B/330	Source
574	269.09	32.6	236.5	2.00	5.0	10/19/1989	B/330	Source
576	265.95	19.9	246.1	2.00	5.0	12/17/1991	B/330	Source
577	230.32	223.2	7.1	2.00	20.0	12/22/1994	BR	NA
578	272.21	200.0	72.2	2.00	20.0	02/24/1995	BR	NA
579	247.72	254.4	-6.7	2.00	20.0	04/06/1995	B/322+BR	NA
580	258.99	19.2	239.8	2.00	10.0	03/31/1995	B/322	U
581	267.23	28.9	238.3	2.00	5.0	06/20/1996	Area A	U
600	265.91	19.9	246.0	2.00	10.0	11/01/1996	B/330	U/S
601	266.04	137.7	128.3	2.00	5.0	10/16/1996	B/330	S
602	253.38	22.5	230.9	2.00	10.0	10/30/1996	B/330	S
603	252.54	26.0	226.5	2.00	10.0	10/31/1996	B/330	U
604	252.66	139.4	113.3	2.00	10.0	10/18/1996	B/330	U
607	253.77	118.9	134.9	2.00	20.0	12/06/1996	B/330+BR	Source
608	255.51	62.5	193.0	2.00	10.0	12/09/1996	B/330+BR	D
609	249.18	235.3	13.9	2.00	10.0	12/13/1996	B/330+BR	D
610	250.87	180.6	70.3	2.00	20.0	12/20/1996	B/330+BR	D/S
611	244.23	216.6	27.6	2.00	20.0	01/30/1997	B/330+BR	D/S
612	249.89	33.4	216.5	4.00	15.2	12/02/1997	B/322	D
613	249.02	33.6	215.4	4.00	15.2	12/03/1997	B/322	D
617	248.91	40.4	208.5	4.00	15.0	08/12/1998	B/322	D
618	239.17	32.5	206.7	4.00	15.0	08/11/1998	B/322	D
622	268.08	218.3	49.8	2.00	20.1	02/10/1999	B/330+BR	D
623	246.01	338.7	-92.7	2.00	15.0	02/26/1999	B/330+BR	D
624	246.31	364.0	-117.7	2.00	10.0	03/12/1999	B/330+BR	D
627	262.88	18.7	244.2	2.00	10.0	04/17/2000	B/322	U(B/322), D(AA)
628	267.42	64.2	203.2	4.00	40.0	04/12/2001	Area B	Source
701	248.83	20.0	228.8	2.00	5.0	12/04/1986	Area A	D
702	255.09	17.7	237.4	2.00	5.0	12/05/1986	Area A	D
704	255.00	347.0	-92.0	6.00	OPEN HOLE	12/04/1986	BR	NA
706	259.92	45.4	214.5	2.00	10.0	11/22/1986	Area A	D
711	263.69	349.3	-85.6	6.00	OPEN HOLE	10/15/1986	BR	NA
714	266.26	37.4	228.9	2.00	10.0	11/28/1986	Area A	Source

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
716	271.93	171.0	100.9	4.00	20.0	10/20/1986	BR	NA
720	275.43	53.1	222.4	2.00	22.5	01/07/1987	Area A	U
722	260.15	350.6	-90.5	6.00	OPEN HOLE	10/03/1986	BR	NA
735	261.06	25.5	235.6	2.00	10.0	12/11/1986	B/322	Source
739	261.35	214.4	47.0	4.00	40.0	10/26/1986	BR	NA
740	260.62	25.3	235.3	2.00	10.0	12/06/1986	B/322	D
742	260.46	221.6	38.9	4.00	80.0	10/30/1986	B/322+BR	NA
743	261.06	19.5	241.6	2.00	10.0	05/09/1987	B/322	U/S
744	254.46	28.7	225.8	2.00	5.0	08/18/1987	Area A	U
745	254.47	14.4	240.1	2.00	5.0	08/19/1987	Area A	U
751	254.24	13.4	240.8	4.00	6.0	07/23/1987	Area A	D
753	248.38	13.1	235.3	4.00	3.6	07/27/1987	Area A	D
754	249.19	22.8	226.4	4.00	15.0	07/17/1987	B/322	D/S
755	238.91	23.2	215.7	4.00	16.0	07/17/1987	B/322	D/S
756	252.61	20.0	232.6	4.00	12.0	07/09/1987	B/330	D
757	234.36	20.3	214.1	2.00	10.0	09/25/1987	Area D	Source
761	264.13	32.6	231.5	2.00	10.0	11/09/1990	Area A	U
763	268.68	49.7	219.0	2.00	5.0	10/12/1990	Area A	U
766	258.99	25.6	233.4	2.00	5.0	10/24/1990	B/322	Source
767	252.63	18.8	233.8	2.00	10.0	11/20/1990	B/322	Source
768	253.31	22.8	230.5	2.00	10.0	10/19/1990	B/322	D
769	256.86	26.9	230.0	2.00	10.0	10/22/1990	B/322	D
771	252.32	18.7	233.6	2.00	5.0	10/18/1990	B/322	D
772	241.83	18.8	223.0	2.00	10.0	11/20/1990	B/322	D
773	248.26	28.9	219.4	2.00	10.0	11/19/1990	B/322	D
774	244.92	30.1	214.8	2.00	10.0	10/23/1990	B/322	D
775	244.65	30.4	214.3	2.00	10.0	11/16/1990	B/322	D
777	276.03	130.5	145.5	2.00	10.0	12/21/1990	BR	NA
779	263.34	233.0	30.3	2.00	10.0	12/21/1990	BR	NA
789	242.66	21.3	221.4	2.00	10.0	05/09/1991	B/322	D
791	243.35	22.5	220.9	2.00	10.0	05/02/1991	B/322	D
792	243.01	20.9	222.1	2.00	10.0	06/04/1991	B/322	D
793	248.89	29.5	219.4	2.00	10.0	06/11/1991	B/322	D
832	281.62	30.4	251.2	2.00	5.0	03/23/1982	Area B	U
857	262.31	111.8	150.5	4.00	3.0	06/28/1982	BR	NA
858	262.04	160.2	101.8	4.00	5.0	06/25/1982	BR	NA
859	262.80	102.8	160.0	4.00	5.0	07/02/1982	SEQ	NA
860	262.83	153.3	109.5	4.00	5.0	07/01/1982	SEQ	NA
861	267.06	103.0	164.1	2.00	5.0	07/06/1982	SEQ	NA
862	266.78	152.0	114.8	2.00	6.0	07/05/1982	SEQ	NA
921	262.48	86.2	176.3	3.75	10.0	03/27/1984	B/330	D
922	262.71	116.6	146.1	3.75	10.0	04/24/1984	B/330	D
923	262.76	160.9	101.9	2.00	10.0	04/04/1984	B/330	D
929	252.16	152.9	99.3	2.00	10.0	06/14/1984	B/330	U
931	252.26	151.7	100.6	3.75	10.0	05/23/1984	B/330	S
932	267.11	172.8	94.3	4.00	20.0	05/24/1984	Landfill+BR	D
941	254.52	134.1	120.4	4.00	20.0	12/08/1984	B/330	D
943	254.23	144.1	110.1	4.00	20.0	01/09/1985	Landfill+BR	D
944	254.11	71.9	182.2	4.00	20.0	01/14/1985	Landfill	D
952	245.34	198.0	47.3	4.00	40.0	02/01/1985	B/322+BR	NA
953	251.79	153.1	98.7	4.00	10.0	02/07/1985	B/330+BR	D/S

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
954	268.20	172.5	95.7	4.00	20.0	02/12/1985	B/330	U
956	268.23	107.7	160.5	4.00	10.0	02/18/1985	B/330	U
958	266.66	106.4	160.3	4.00	20.0	02/20/1986	BR	NA
959	251.45	157.4	94.1	4.00	10.0	02/21/1985	B/322+BR	Source
960	251.40	90.6	160.8	4.00	20.0	02/22/1985	B/322+BR	Source
963	264.55	165.4	99.2	2.00	20.0	03/01/1985	BR	NA
964	264.55	95.3	169.3	2.00	10.0	03/01/1985	BR	NA
965	255.40	144.8	110.6	4.00	10.0	03/05/1985	B/330+BR	U
966	255.28	126.3	129.0	4.00	35.0	03/06/1985	B/330+BR	U
987	260.20	44.8	215.4	6.00	10.0	08/04/1986	SEQ	D
990	260.08	20.8	239.3	4.00	5.0	08/06/1986	SEQ	D
998	258.02	21.8	236.2	2.00	5.0	07/27/1987	Area A	D
999	257.25	52.9	204.4	2.00	10.0	07/23/1987	Area A	D
PW-1	262.24	541	-278.8	12.0	OPEN HOLE	1962	BR	NA
PW-2	255.34	277.5	-22.2	12.0	OPEN HOLE	1963	BR	NA
PW-4	248.73	265	-16.3	8.0	40.0	1968	BR	NA
PW-5	241.88	542	-300.1	10.0	OPEN HOLE	1970	BR	NA
PW-5A	242.01	522	-280.0	12.0	425.7	1984	BR	NA
PW-6	244.19	439	-194.8	12.0	OPEN HOLE	1979	BR	NA
PW-7	268.16	747	-478.8	12.0	OPEN HOLE	1979	B/330+BR	D
PW-9*	263.50	702	-438.5	14.0	OPEN HOLE	1981	BR	NA
PW-23	266.97	48.0	219.0	6.00	OPEN HOLE	03/03/1987	SEQ	Source
PW-25	250.53	432.3	-181.8	10.0	91.1	06/15/2000	B/330+BR	NA

Key:

Landfill = Landfill (Area C)

B/330 = Building 330 (Area C)

B/322 = Building 322

SEQ = Southeast Quadrant

BR = Bedrock

WC = West Complex

NA = Not applicable or not available

ft amsl = feet above mean sea level

M.P. = measuring point (generally a survey mark at top of inner monitoring pipe or casing)

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
007	Area A	S	X1	X					
010	Area A	S	X1	X		X			
015	Area A	S	X1	X					
016	Area A	S	X1	X		X			
032A	Area D	M		X	X	X			
035	B/322	A	X2						X
046	Area B	S		X					
048	SEQ	Q		X					
053	Landfill	S		X					
054	Landfill	S		X					
059	B/330	A							X
060	B/330	A							X
061	B/330	A							X
063	B/330	A							X
064	Area B	Q		X			X		
065	Area B	Q		X			X		
066	Area D	Q		X			X		
067	Area D	Q		X			X		
068	B/322	Q	X2	X					
069	Landfill	S		X					
085	BR	S		X					
087	BR	S		X					
103	Area A	S	X1	X		X			
104	Area A	S	X1	X		X			
105	BR	S		X		X			
106	BR	S		X					
108	BR	S		X					
109	BR	S		X					
113	BR	Q		X					
118	Area A	S	X1	X					
143	B/330+BR	S		X					
145	B/330+BR	A							X
146	B/330+BR	A							X
150	BR	S		X					
151	B/322	S	X2	X					
156	BR	S		X					
161	B/322	A	X2						X
166	BR	S		X					
167	BR	S		X					
178	B/330	A		X					
181	B/330	S		X					
204	Area A	A	X1	X					
360/COMB	B/322	M			X				
400	WC	S						X	
401	WC	S						X	
402	WC	S						X	
403	WC	S						X	
404	WC	S						X	
407	WC	S						X	
408	WC	S						X	
410	WC	S						X	
412	WC	S						X	

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
415	WC	S						X	
416	WC	S						X	
417	WC	S						X	
423	WC	S						X	
424	WC	S						X	
502	SEQ	Q		X					
503	SEQ	Q		X					
515	BR	Q		X					
520	SEQ	Q		X					
521	BR	Q		X					
535	BR	Q		X					
543	SEQ	Q		X					
545	SEQ	Q		X					
559	Landfill	S		X					
561	Landfill	S		X					
563	Landfill&BR	S		X					
564	BR	S		X					
571	Area B	Q		X					
572	B/330	A							X
574	B/330	A							X
576	B/330	S		X					
577	BR	S		X					
578	BR	S		X					
579	BR+B/322	S	X2	X					
580	B/322	A	X2						X
581	Area A	S	X1	X					
600	B/330	A							X
601	B/330	A							X
602	B/330	A							X
603	B/330	A							X
604	B/330	A							X
607	B/330+BR	A							X
608	B/330+BR	A		X					
609	B/330+BR	S		X					
610	B/330+BR	S		X					
611	B/330+BR	S		X					
612	B/322	M		X	X	X			
*613	B/322	M		X	X	X			
617	B/322	M		X	X	X			
618	B/322	M		X	X	X			
622	B/330+BR	S		X					
623	B/330+BR	S		X					
624	B/330+BR	S		X					
627	B/322	A	X2,X3						X
701	Area A	S	X1	X					
702	Area A	S	X1	X					
704	BR	S		X					
706	Area A	S	X1	X					
711	BR	S		X					
714	Area A	S	X1	X		X			
716	BR	S		X		X			
720	Area A	S	X1	X					

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
722	BR	S		X					
735	B/322	S	X2,X3	X					
739	BR	S		X					
740	B/322	A	X2	X					
742	BR+B/322	S	X2	X					
743	B/322	A	X2						X
744	Area A	Q	X1	X					
745	Area A	Q	X1	X					
751	Area A	S	X1	X					
753	Area A	S	X1	X					
754	B/322	A	X2						X
755	B/322	Q	X2	X					
756	B/330	A		X					
757	Area D	Q		X					
761	Area A	S	X1	X					
763	Area A	S	X1	X					
766	B/322	S	X2,X3	X					
767	B/322	S	X2	X					
768	B/322	S	X2,X3	X					
769	B/322	S	X2,X3	X					
771	B/322	A	X2	X					
772	B/322	Q	X2,X3	X					
773	B/322	Q	X2	X					
774	B/322	Q	X2	X					
775	B/322	A	X2						X
777	BR	S		X					
779	BR	S		X					
789	B/322	A	X2						X
791	B/322	A	X2						X
792	B/322	A	X2						X
793	B/322	S	X2,X3	X					
832	Area B	Q		X					
857	BR	Q		X					
858	BR	Q		X					
859	SEQ	Q		X					
860	SEQ	Q		X					
861	SEQ	Q		X					
862	SEQ	Q		X					
628	Area B	M		X	X	X			
628 GAC	Area B	M			X				
921	B/330	S		X					
922	B/330	S		X					
923	B/330	S		X					
929	B/330	S		X					
931	B/330	S		X					
932	Landfill&BR	S		X					
941	B/330	S		X					
943	Landfill&BR	S		X		X			
944	Landfill	S		X					
952	BR+B/322	S	X2	X					
953	B/330+BR	S		X					
954	B/330	S		X					

**Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network**

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
956	B/330	S		X					
958	BR	Q		X					
959	BR+B/322	S	X2	X					
960	BR+B/322	S	X2	X					
963	BR	Q		X					
964	BR	Q		X					
965	B/330+BR	S		X					
966	B/330+BR	S		X					
987	SEQ	Q		X			X		
990	SEQ	Q		X			X		
998	Area A	S	X1	X					
999	Area A	S	X1	X					
GACIN/316	BR	M			X				
PW-1	BR	M	X4	X	X	X			
PW-2	BR	M	X4	X	X	X			
PW-4	BR	M	X4	X	X	X			
PW-5/5A	BR	M	X4	X	X	X			
PW-6	BR	M	X4	X	X				
PW-7	BR & B/330	M	X5	X	X	X			
*PW-9	BR	M	X6	X	X	X			
PW-23	SEQ	M		X					
PW-25	BR & B/330	M	X4	X	X	X			
SUMP/B384	Area A	M	X1	X	X	X			

Key:

Landfill = Landfill (Area C)
 B/330 = Building 330 (Area C)
 B/322 = Building 322
 SEQ = Southeast Quadrant
 BR = Bedrock
 WC = West Complex

A = Annual
 S = Semiannual

CAM = Corrective Action Monitoring
 PCT = Process Control for Treatment
 CRM = Contaminant Reduction Monitoring
 POC = Point of Compliance Monitoring
 DM = Detection Monitoring
 AM = Annual Monitoring

Q = Quarterly
 M = Monthly
 M* = Monthly when used as a backup well
 * = PW-9 and GW613 are sampled only when in use.
 Current status for both wells is emergency use only.

All listed monitoring wells are hydraulic effectiveness monitoring wells. Refer to Table A-1 for complete list.

X = Sample all listed wells for Volatile Organics.

X1 = Sample for Total Fluoride and Chromium (dissolved & total) .

X2 = Sample for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X3 = Sample annually for Nickel (dissolved & total).

X4 = Sample quarterly for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X5 = Sample monthly for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X6 = Sample quarterly for Inorganics only when in use. (PW-9 is used only for emergencies.)

Appendix B

Quarterly Groundwater Elevation Data, 2010

IBM East Fishkill
Groundwater Elevation Data: January through December 2010

Page 1 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
002	02/09/2010	256.13	05/17/2010	256.82	08/23/2010	246.61	11/15/2010	246.66
003	02/09/2010	256.01	05/17/2010	256.74	08/23/2010	246.36	11/15/2010	246.44
005	02/05/2010	249.76	05/17/2010	249.40	08/31/2010	246.59	11/17/2010	248.74
006	02/05/2010	249.48	05/17/2010	249.12	08/31/2010	246.41	11/17/2010	248.50
007	02/08/2010	239.49	05/18/2010	239.30	08/24/2010	238.01	11/15/2010	238.29
008	02/09/2010	247.29	05/19/2010	247.72	08/26/2010	241.68	11/15/2010	244.38
009	02/09/2010	246.75	05/19/2010	247.24	08/26/2010	240.95	11/15/2010	243.76
010	02/09/2010	229.25	05/18/2010	234.64	08/23/2010	227.20	11/15/2010	226.12
011	02/09/2010	255.72	05/19/2010	255.76	08/26/2010	255.70	11/15/2010	254.51
013	02/11/2010	219.39	05/19/2010	220.89	09/01/2010	218.74	11/17/2010	219.07
014	02/11/2010	201.60	05/19/2010	206.92	09/01/2010	200.78	11/17/2010	200.12
015	02/11/2010	245.26	05/19/2010	246.46	09/01/2010	245.69	11/17/2010	245.17
016	02/11/2010	219.09	05/19/2010	220.19	08/26/2010	217.89	11/17/2010	219.07
017	02/11/2010	244.48	05/19/2010	245.33	08/26/2010	245.56	11/17/2010	245.45
018	02/11/2010	185.23	05/19/2010	191.16	08/26/2010	184.96	11/18/2010	186.22
019	02/11/2010	245.32	05/19/2010	246.28	08/26/2010	245.55	11/18/2010	245.84
020	02/11/2010	220.78	05/27/2010	222.19	09/01/2010	219.70	11/23/2010	221.55
022	02/11/2010	239.73	05/27/2010	239.83	09/01/2010	239.80	11/23/2010	239.86
027	02/08/2010	110.54	05/17/2010	138.17	08/23/2010	137.64	11/15/2010	128.00
028	02/08/2010	97.08	05/17/2010	103.65	08/23/2010	103.95	11/15/2010	101.52
030	02/08/2010	226.72	05/20/2010	226.84	08/23/2010	224.20	11/15/2010	226.30
032A	02/08/2010	225.90	05/17/2010	226.54	08/23/2010	223.02	11/15/2010	224.00
035	02/08/2010	240.53	05/21/2010	240.62	08/23/2010	238.78	11/15/2010	238.81
038	02/11/2010	228.87	05/20/2010	229.12	08/26/2010	229.04	11/17/2010	DRY
039	02/11/2010	211.72	05/20/2010	212.58	08/26/2010	211.79	11/17/2010	212.55
044	02/08/2010	245.51	05/18/2010	245.59	08/24/2010	245.52	11/15/2010	245.55
046	02/05/2010	259.94	05/18/2010	256.81	08/24/2010	248.81	11/15/2010	255.28
048	02/05/2010	257.64	05/18/2010	257.19	08/24/2010	252.05	11/16/2010	257.82
049	02/05/2010	259.71	05/18/2010	258.19	08/24/2010	255.73	11/16/2010	257.94
050	02/05/2010	259.81	05/18/2010	258.56	08/24/2010	256.20	11/16/2010	258.32
053	02/09/2010	250.58	05/19/2010	252.24	08/27/2010	246.56	11/18/2010	248.66
054	02/08/2010	250.72	05/17/2010	250.88	08/25/2010	247.50	11/16/2010	249.06
059	02/08/2010	231.04	05/17/2010	228.60	08/25/2010	228.13	11/16/2010	230.81
060	02/08/2010	211.96	05/17/2010	209.37	08/25/2010	203.80	11/16/2010	210.87
061	02/08/2010	235.96	05/17/2010	236.17	08/25/2010	237.82	11/16/2010	236.02
062	02/08/2010	234.01	05/17/2010	236.67	08/25/2010	238.46	11/16/2010	233.11
063	02/08/2010	232.85	05/17/2010	236.31	08/25/2010	228.17	11/16/2010	229.46
064	02/05/2010	255.13	05/17/2010	254.56	08/31/2010	249.83	11/17/2010	255.10
065	02/05/2010	255.16	05/17/2010	254.49	08/31/2010	249.76	11/17/2010	255.11
066	02/08/2010	224.34	05/17/2010	224.33	08/23/2010	225.38	11/15/2010	224.97
067	02/08/2010	226.77	05/17/2010	226.51	08/23/2010	227.14	11/15/2010	226.58
068	02/08/2010	222.35	05/17/2010	222.29	08/31/2010	221.00	11/15/2010	221.00
069	02/08/2010	250.19	05/17/2010	250.01	08/25/2010	249.43	11/15/2010	248.99
075	02/08/2010	243.61	05/17/2010	244.14	08/23/2010	242.59	11/15/2010	243.07
085	02/05/2010	253.04	05/17/2010	249.63	08/31/2010	246.38	11/18/2010	250.01

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

5/13/2011

IBM East Fishkill
Groundwater Elevation Data: January through December 2010

Page 2 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
086	02/05/2010	250.44	05/17/2010	252.07	08/31/2010	243.89	11/18/2010	247.44
087	02/05/2010	246.10	05/17/2010	245.98	08/31/2010	242.98	11/17/2010	245.39
088	02/05/2010	246.10	05/17/2010	246.09	08/31/2010	243.22	11/17/2010	245.62
091	02/05/2010	259.87	05/17/2010	259.25	08/25/2010	258.07	11/15/2010	258.86
092	02/05/2010	259.92	05/17/2010	259.27	08/25/2010	258.08	11/15/2010	258.88
096	02/08/2010	248.78	05/18/2010	248.72	09/02/2010	245.45	11/15/2010	247.66
097	02/08/2010	245.26	05/18/2010	246.69	09/02/2010	244.37	11/15/2010	244.22
098	02/08/2010	246.70	05/18/2010	246.81	09/02/2010	242.74	11/15/2010	245.51
100	02/08/2010	250.93	05/17/2010	251.27	08/23/2010	241.50	11/15/2010	245.76
101	02/08/2010	250.03	05/17/2010	250.42	08/23/2010	240.64	11/15/2010	244.88
102	02/08/2010	248.02	05/17/2010	252.48	08/23/2010	244.53	11/15/2010	243.52
103	02/09/2010	246.06	05/19/2010	246.86	08/26/2010	244.27	11/17/2010	245.53
104	02/09/2010	226.73	05/19/2010	227.27	08/26/2010	DRY	11/17/2010	226.38
105	02/09/2010	219.52	05/19/2010	220.33	08/26/2010	218.25	11/17/2010	219.48
106	02/09/2010	207.42	05/19/2010	207.99	08/26/2010	205.26	11/17/2010	206.82
108	02/09/2010	218.27	05/18/2010	229.36	08/24/2010	204.39	11/17/2010	223.49
109	02/09/2010	204.70	05/18/2010	215.14	08/24/2010	196.07	11/17/2010	212.73
112	02/05/2010	266.76	05/17/2010	265.45	08/25/2010	261.02	11/15/2010	265.42
113	02/05/2010	FLOW	05/17/2010	FLOW	08/25/2010	265.04	11/15/2010	FLOW
114	02/05/2010	FLOW	05/17/2010	267.96	08/25/2010	262.60	11/15/2010	267.12
118	02/11/2010	143.06	05/19/2010	155.41	09/01/2010	158.12	11/17/2010	150.88
121	02/09/2010	208.28	05/18/2010	208.94	08/23/2010	201.87	11/15/2010	200.04
122	02/09/2010	180.27	05/18/2010	183.92	08/23/2010	176.18	11/15/2010	173.77
129	02/11/2010	213.89	05/20/2010	215.63	09/21/2010	212.49	11/17/2010	213.05
130	02/11/2010	208.87	05/20/2010	211.65	08/26/2010	207.75	11/17/2010	207.76
143	02/09/2010	126.26	05/18/2010	140.31	08/25/2010	121.21	11/16/2010	119.21
145	02/08/2010	186.48	05/17/2010	190.06	08/25/2010	179.32	11/16/2010	176.09
146	02/08/2010	170.90	05/17/2010	179.06	09/21/2010	166.93	11/16/2010	166.95
147	02/08/2010	230.24	05/19/2010	230.86	08/23/2010	229.95	12/02/2010	229.72
150	02/08/2010	153.48	05/20/2010	158.62	08/23/2010	151.09	11/15/2010	150.45
151	02/08/2010	225.36	05/17/2010	225.83	08/23/2010	224.33	11/15/2010	224.15
156	02/08/2010	205.18	05/17/2010	202.87	08/25/2010	189.89	11/16/2010	199.72
157	02/08/2010	164.09	05/17/2010	173.91	08/25/2010	163.26	11/16/2010	157.03
158	02/08/2010	235.05	05/17/2010	232.93	08/25/2010	225.26	11/16/2010	233.31
161	02/08/2010	243.98	05/17/2010	244.61	08/23/2010	242.86	11/15/2010	243.28
164	02/05/2010	259.17	05/20/2010	257.71	08/30/2010	254.86	11/18/2010	257.88
165	02/05/2010	259.13	05/20/2010	257.64	08/30/2010	254.87	11/18/2010	257.87
166	02/05/2010	250.38	05/17/2010	250.41	08/31/2010	245.98	11/18/2010	249.60
167	02/05/2010	249.76	05/17/2010	250.27	08/31/2010	244.66	11/18/2010	248.36
168	02/05/2010	241.12	05/18/2010	263.26	08/24/2010	264.32	11/15/2010	258.51
169	02/05/2010	231.01	05/18/2010	234.28	08/24/2010	248.94	11/15/2010	234.30
170	02/08/2010	222.43	05/17/2010	222.67	08/23/2010	223.25	11/15/2010	217.95
178	02/09/2010	245.94	05/18/2010	248.88	08/24/2010	241.63	11/16/2010	241.93
180	02/09/2010	FLOW	05/19/2010	248.19	08/27/2010	247.58	11/16/2010	247.69
181	02/09/2010	246.03	05/19/2010	247.44	08/27/2010	247.08	11/16/2010	246.50
182	02/04/2010	227.66	05/20/2010	227.02	08/30/2010	226.50	11/24/2010	227.49

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

5/13/2011

IBM East Fishkill
Groundwater Elevation Data: January through December 2010

Page 3 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
183	02/04/2010	227.54	05/20/2010	226.93	08/30/2010	226.44	11/24/2010	227.42
185	02/04/2010	228.83	05/20/2010	220.93	08/30/2010	DRY	11/24/2010	228.09
186	02/04/2010	225.81	05/20/2010	219.92	08/30/2010	DRY	11/24/2010	226.58
191	02/04/2010	193.08	05/20/2010	193.10	08/30/2010	186.57	11/24/2010	190.87
192	02/04/2010	201.15	05/20/2010	201.88	08/30/2010	185.69	11/24/2010	195.70
200	02/09/2010	248.22	05/18/2010	246.32	08/23/2010	240.61	11/15/2010	247.16
204	02/09/2010	243.99	05/19/2010	244.02	08/26/2010	DRY	11/17/2010	241.54
224	02/09/2010	237.88	05/19/2010	239.65	08/25/2010	236.83	11/16/2010	236.31
226	02/08/2010	226.78	05/17/2010	227.03	08/23/2010	226.63	11/15/2010	226.47
227	02/08/2010	191.46	05/19/2010	191.96	08/23/2010	191.17	11/15/2010	191.22
400	02/04/2010	233.11	05/20/2010	231.95	08/31/2010	DRY	11/18/2010	232.44
401	02/04/2010	230.97	05/20/2010	229.77	08/31/2010	219.12	11/18/2010	226.71
402	02/04/2010	210.56	05/20/2010	211.34	08/31/2010	174.84	11/18/2010	196.40
403	02/04/2010	240.29	05/20/2010	239.16	08/31/2010	236.66	11/18/2010	241.09
404	02/23/2010	145.27	05/20/2010	149.64	08/31/2010	144.01	11/18/2010	144.08
406	02/04/2010	261.84	05/20/2010	262.12	08/31/2010	254.73	11/18/2010	256.14
407	02/04/2010	262.05	05/20/2010	262.01	08/31/2010	255.30	11/18/2010	256.54
408	02/04/2010	241.74	05/21/2010	241.14	08/31/2010	239.66	11/18/2010	241.87
409	02/04/2010	FLOW	05/21/2010	FLOW	08/31/2010	FLOW	11/18/2010	FLOW
410	02/04/2010	236.32	05/20/2010	235.87	08/31/2010	DRY	11/18/2010	233.99
411	02/04/2010	236.57	05/20/2010	236.17	08/31/2010	233.96	11/18/2010	235.17
412	02/04/2010	238.09	05/20/2010	237.57	08/31/2010	235.90	11/18/2010	237.19
413	02/04/2010	236.82	05/20/2010	236.32	08/31/2010	232.91	11/18/2010	234.89
414	02/04/2010	251.08	05/21/2010	249.52	08/31/2010	245.41	11/18/2010	248.40
415	02/04/2010	248.63	05/21/2010	248.59	08/31/2010	244.65	11/18/2010	247.46
416	02/04/2010	245.89	05/21/2010	244.53	08/31/2010	239.30	11/18/2010	242.43
417	02/04/2010	237.10	05/21/2010	236.57	08/31/2010	232.28	11/18/2010	234.52
418	02/04/2010	237.88	05/21/2010	236.98	08/31/2010	231.34	11/18/2010	233.43
421	02/04/2010	277.17	05/20/2010	269.61	08/31/2010	256.91	11/18/2010	274.31
422	02/04/2010	266.70	05/20/2010	265.53	08/31/2010	261.98	11/18/2010	266.14
423	02/04/2010	264.34	05/20/2010	263.60	08/31/2010	262.99	11/18/2010	264.06
424	02/04/2010	261.35	05/20/2010	260.83	08/31/2010	260.93	11/18/2010	261.02
500	02/05/2010	248.94	05/17/2010	248.88	08/31/2010	246.51	11/17/2010	246.67
501	02/05/2010	248.76	05/17/2010	249.83	08/31/2010	245.93	11/18/2010	248.92
502	02/05/2010	257.68	05/17/2010	257.77	08/31/2010	255.25	11/18/2010	257.43
503	02/05/2010	257.58	05/17/2010	257.81	08/31/2010	255.17	11/18/2010	257.92
504	02/05/2010	257.40	05/17/2010	259.33	08/31/2010	254.70	11/18/2010	258.12
505	02/05/2010	257.70	05/17/2010	258.62	08/31/2010	255.67	11/18/2010	258.13
506	02/05/2010	258.17	05/17/2010	257.99	08/31/2010	255.14	11/17/2010	258.19
507	02/05/2010	258.58	05/17/2010	258.05	08/31/2010	255.25	11/17/2010	258.25
508	02/05/2010	258.61	05/17/2010	258.06	08/31/2010	255.09	11/17/2010	258.23
509	02/05/2010	258.72	05/17/2010	260.19	08/31/2010	255.28	11/17/2010	258.36
510	02/05/2010	258.70	05/17/2010	258.27	08/31/2010	255.98	11/17/2010	258.67
511	02/05/2010	258.65	05/17/2010	258.14	08/31/2010	255.78	11/17/2010	258.65
512	02/05/2010	258.94	05/17/2010	258.56	08/31/2010	256.01	11/18/2010	259.25
513	02/05/2010	258.91	05/17/2010	258.94	08/31/2010	256.56	11/18/2010	259.18

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

5/13/2011

IBM East Fishkill
Groundwater Elevation Data: January through December 2010

Page 4 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
514	02/05/2010	258.94	05/17/2010	258.48	08/31/2010	257.25	11/17/2010	258.58
515	02/05/2010	258.76	05/17/2010	258.20	08/31/2010	255.56	11/17/2010	258.22
516	02/05/2010	259.56	05/17/2010	258.99	08/31/2010	256.55	11/17/2010	259.18
517	02/05/2010	259.35	05/17/2010	258.80	08/31/2010	256.44	11/17/2010	259.02
518	02/05/2010	260.48	05/17/2010	258.93	08/31/2010	256.07	11/17/2010	258.56
519	02/05/2010	260.34	05/17/2010	259.97	08/31/2010	257.36	11/18/2010	259.90
520	02/23/2010	256.09	05/17/2010	255.87	08/31/2010	254.32	11/18/2010	255.98
521	02/05/2010	257.44	05/17/2010	256.67	09/23/2010	252.64	11/18/2010	256.79
522	02/05/2010	FLOW	05/17/2010	FLOW	09/23/2010	253.38	11/18/2010	FLOW
523	02/05/2010	265.42	05/20/2010	263.97	08/30/2010	260.81	11/18/2010	264.43
524	02/05/2010	265.56	05/20/2010	264.05	08/30/2010	260.87	11/18/2010	264.69
525	02/05/2010	265.08	05/20/2010	263.20	08/30/2010	259.47	11/18/2010	263.77
526	02/05/2010	263.30	05/17/2010	260.73	08/25/2010	258.88	11/15/2010	260.54
527	02/05/2010	263.08	05/17/2010	261.56	08/25/2010	259.05	11/15/2010	260.49
528	02/05/2010	FLOW	05/17/2010	FLOW	08/25/2010	269.10	11/15/2010	268.73
529	02/05/2010	FLOW	05/17/2010	FLOW	08/25/2010	268.81	11/15/2010	270.13
530	02/05/2010	261.98	05/17/2010	261.11	08/25/2010	258.20	11/15/2010	260.58
531	02/05/2010	FLOW	05/17/2010	FLOW	08/25/2010	262.53	11/15/2010	FLOW
532	02/05/2010	FLOW	05/17/2010	FLOW	08/25/2010	264.67	11/15/2010	264.56
533	02/05/2010	261.56	05/17/2010	260.96	08/25/2010	257.78	11/15/2010	260.77
534	02/05/2010	262.59	05/17/2010	261.74	08/25/2010	258.25	11/15/2010	261.51
535	02/05/2010	FLOW	05/17/2010	264.36	08/25/2010	259.83	11/15/2010	263.68
536	02/05/2010	259.41	05/18/2010	258.08	08/24/2010	255.64	11/16/2010	257.81
537	02/05/2010	FLOW	05/18/2010	FLOW	08/24/2010	261.40	11/16/2010	265.56
538	02/05/2010	264.67	05/18/2010	FLOW	08/24/2010	261.66	11/16/2010	258.01
539	02/05/2010	FLOW	05/18/2010	FLOW	08/24/2010	268.46	11/16/2010	268.20
541	02/05/2010	274.07	05/18/2010	270.18	08/25/2010	255.51	11/16/2010	266.32
542	02/05/2010	274.36	05/18/2010	270.30	08/25/2010	255.53	11/16/2010	266.49
543	02/05/2010	257.66	05/18/2010	256.49	08/24/2010	254.15	11/16/2010	256.22
544	02/05/2010	258.12	05/18/2010	256.65	08/24/2010	254.09	11/16/2010	256.24
545	02/05/2010	257.46	05/18/2010	256.53	08/24/2010	254.35	11/16/2010	256.32
546	02/05/2010	FLOW	05/18/2010	265.46	08/24/2010	254.62	11/16/2010	265.61
547	02/05/2010	263.99	05/18/2010	262.30	08/24/2010	254.91	11/16/2010	261.35
548	02/05/2010	255.87	05/18/2010	256.27	08/24/2010	252.19	11/16/2010	255.60
549	02/05/2010	257.53	05/18/2010	256.64	08/24/2010	253.58	11/16/2010	256.31
550	02/05/2010	258.09	05/18/2010	256.94	08/24/2010	253.11	11/16/2010	256.48
551	02/05/2010	253.32	05/18/2010	252.16	08/24/2010	250.27	11/16/2010	254.81
553	02/05/2010	258.27	05/18/2010	258.09	08/24/2010	256.95	11/16/2010	258.09
554	02/05/2010	258.41	05/18/2010	258.02	08/24/2010	255.92	11/16/2010	257.84
556	02/05/2010	258.96	05/18/2010	257.88	08/24/2010	255.60	11/16/2010	257.69
557	02/05/2010	259.27	05/18/2010	258.07	08/24/2010	255.66	11/16/2010	257.82
558	02/05/2010	264.74	05/18/2010	261.97	08/24/2010	250.45	11/16/2010	254.95
559	02/05/2010	256.15	05/18/2010	255.15	09/21/2010	245.57	11/16/2010	249.87
560	02/05/2010	253.02	05/18/2010	253.10	08/24/2010	245.88	11/16/2010	248.26
561	02/05/2010	266.89	05/18/2010	264.76	08/24/2010	257.88	11/16/2010	259.39
562	02/05/2010	266.38	05/18/2010	262.99	08/24/2010	251.61	11/16/2010	257.03

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

5/13/2011

IBM East Fishkill
Groundwater Elevation Data: January through December 2010

Page 5 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
563	02/05/2010	250.08	05/18/2010	249.95	08/24/2010	243.76	11/16/2010	245.17
564	02/05/2010	261.59	05/06/2010	247.82	08/24/2010	251.84	11/16/2010	252.27
565	02/05/2010	267.04	05/18/2010	263.36	08/25/2010	254.71	11/16/2010	260.69
566	02/05/2010	258.05	05/18/2010	255.85	08/25/2010	246.44	11/16/2010	251.90
567	02/05/2010	260.14	05/18/2010	260.09	08/24/2010	249.08	11/15/2010	255.79
568	02/05/2010	264.16	05/18/2010	259.78	08/24/2010	255.03	11/15/2010	258.34
569	02/05/2010	268.68	05/18/2010	264.82	08/24/2010	254.40	11/15/2010	262.97
570	02/05/2010	234.74	05/18/2010	236.05	08/24/2010	223.86	11/15/2010	231.10
571	02/05/2010	276.19	05/18/2010	274.65	08/25/2010	273.71	11/15/2010	277.35
572	02/11/2010	243.46	05/19/2010	244.69	09/02/2010	244.84	11/23/2010	244.62
574	02/09/2010	248.64	06/03/2010	248.56	09/02/2010	238.81	11/23/2010	239.07
576	02/09/2010	250.17	05/18/2010	251.12	08/24/2010	249.40	11/18/2010	249.42
577	02/08/2010	113.79	05/17/2010	116.99	08/23/2010	116.24	11/15/2010	116.04
578	02/09/2010	159.90	05/17/2010	171.84	08/23/2010	163.78	11/15/2010	158.61
579	02/11/2010	122.47	05/19/2010	130.72	08/27/2010	116.86	11/18/2010	116.21
580	02/11/2010	242.47	05/19/2010	242.78	08/26/2010	242.00	11/17/2010	241.36
581	02/08/2010	251.98	05/17/2010	252.14	08/23/2010	242.43	11/15/2010	246.70
600	02/09/2010	247.74	05/18/2010	248.77	08/24/2010	DRY	11/16/2010	246.48
601	02/09/2010	213.14	05/18/2010	219.18	08/24/2010	207.11	11/16/2010	211.13
602	02/09/2010	246.43	05/18/2010	246.95	08/27/2010	248.15	11/16/2010	246.96
603	02/09/2010	244.84	05/18/2010	243.60	08/25/2010	241.56	11/16/2010	242.96
604	02/09/2010	154.95	05/18/2010	163.11	08/25/2010	155.54	11/16/2010	151.91
605	02/09/2010	125.01	05/18/2010	138.36	08/25/2010	121.09	11/16/2010	DRY
606	02/09/2010	85.61	05/18/2010	91.23	09/02/2010	84.70	11/17/2010	89.23
607	02/09/2010	145.92	05/18/2010	155.08	08/27/2010	145.94	11/16/2010	142.14
608	02/09/2010	DRY	05/18/2010	195.42	08/25/2010	195.72	11/17/2010	195.49
609	02/09/2010	81.58	05/18/2010	87.18	09/02/2010	80.34	11/17/2010	84.71
610	02/09/2010	111.77	05/19/2010	125.76	08/25/2010	107.52	11/17/2010	107.00
611	02/11/2010	137.47	05/20/2010	149.84	09/02/2010	125.22	11/23/2010	131.04
612	02/08/2010	224.98	05/17/2010	224.92	08/23/2010	224.78	11/15/2010	224.83
613	02/08/2010	226.86	05/17/2010	230.38	08/23/2010	226.46	11/15/2010	225.36
614	02/08/2010	226.02	05/17/2010	226.94	08/23/2010	224.75	11/15/2010	225.39
615	02/08/2010	223.70	05/17/2010	227.30	08/23/2010	225.09	11/15/2010	225.71
616	02/08/2010	226.67	05/17/2010	227.51	08/23/2010	225.33	11/15/2010	225.92
617	02/08/2010	218.14	05/17/2010	218.34	08/23/2010	217.85	11/15/2010	217.33
618	02/08/2010	218.05	05/17/2010	218.01	08/23/2010	217.84	11/15/2010	217.93
619	02/05/2010	259.96	05/18/2010	256.83	08/24/2010	247.14	11/15/2010	255.33
620	02/08/2010	230.97	05/17/2010	231.02	08/23/2010	230.10	11/15/2010	230.49
621	02/09/2010	DRY	05/19/2010	243.75	08/26/2010	243.72	11/17/2010	242.99
622	02/09/2010	197.78	05/18/2010	204.43	08/25/2010	192.10	11/17/2010	196.51
623	02/09/2010	107.80	05/20/2010	124.40	08/30/2010	97.16	11/17/2010	102.50
624	02/09/2010	119.31	05/20/2010	127.68	08/26/2010	113.63	11/17/2010	117.59
626	02/05/2010	261.28	05/20/2010	260.88	08/30/2010	256.82	11/18/2010	261.10
627	02/11/2010	245.91	05/19/2010	246.40	08/26/2010	245.60	11/17/2010	245.61
700	02/09/2010	238.19	05/18/2010	238.22	08/24/2010	237.76	11/17/2010	238.35
701	02/09/2010	237.83	05/18/2010	237.97	08/24/2010	237.51	11/17/2010	238.12

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

5/13/2011

IBM East Fishkill
Groundwater Elevation Data: January through December 2010

Page 6 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
702	02/09/2010	245.04	05/18/2010	245.04	08/24/2010	245.03	11/15/2010	245.04
703	02/09/2010	231.32	05/18/2010	231.26	08/24/2010	230.46	11/15/2010	231.13
704	02/09/2010	183.00	05/18/2010	187.98	08/24/2010	179.57	11/15/2010	185.58
705	02/09/2010	247.09	05/19/2010	248.01	08/26/2010	247.80	11/17/2010	247.50
706	02/09/2010	236.81	05/19/2010	237.44	08/26/2010	234.71	11/17/2010	236.28
707	02/09/2010	239.12	05/18/2010	240.10	08/26/2010	236.90	11/17/2010	238.63
708	02/09/2010	236.08	05/18/2010	236.50	08/26/2010	233.78	11/17/2010	236.45
709	02/09/2010	245.76	05/19/2010	246.33	08/26/2010	241.18	11/15/2010	243.21
710	02/09/2010	245.50	05/19/2010	245.94	08/26/2010	240.47	11/15/2010	242.99
711	02/09/2010	239.84	05/19/2010	240.81	08/26/2010	234.97	11/15/2010	237.17
712	02/09/2010	251.54	05/18/2010	252.58	08/23/2010	DRY	11/15/2010	DRY
714	02/09/2010	236.36	05/18/2010	237.88	08/23/2010	232.07	11/15/2010	231.57
716	02/09/2010	149.52	05/18/2010	158.37	08/23/2010	160.77	11/15/2010	156.41
717	02/08/2010	249.14	05/18/2010	248.99	09/02/2010	246.24	11/15/2010	248.02
718	02/08/2010	248.87	05/18/2010	248.85	09/02/2010	245.78	11/15/2010	247.88
719	02/08/2010	249.34	05/18/2010	249.17	09/02/2010	246.21	11/15/2010	248.29
720	02/08/2010	248.48	05/18/2010	248.55	09/02/2010	245.29	11/15/2010	247.45
721	02/08/2010	250.38	05/17/2010	249.97	08/24/2010	244.35	11/15/2010	247.44
722	02/08/2010	243.74	05/17/2010	244.47	08/24/2010	236.30	11/15/2010	240.11
723	02/08/2010	251.74	05/17/2010	251.65	08/24/2010	245.05	11/15/2010	248.06
724	02/08/2010	251.38	05/17/2010	251.35	08/24/2010	244.44	11/15/2010	247.67
725	02/08/2010	252.37	05/17/2010	251.71	08/24/2010	246.34	11/15/2010	248.50
726	02/08/2010	252.26	05/17/2010	251.78	08/24/2010	246.36	11/15/2010	249.50
727	02/08/2010	252.07	05/17/2010	251.70	08/24/2010	246.18	11/15/2010	249.31
728	02/08/2010	250.13	05/17/2010	249.84	08/24/2010	246.27	11/15/2010	248.59
729	02/08/2010	250.08	05/17/2010	249.78	08/24/2010	246.15	11/15/2010	248.56
730	02/08/2010	233.39	05/17/2010	233.15	08/24/2010	228.00	11/15/2010	230.97
732	02/11/2010	118.61	05/19/2010	124.75	08/26/2010	125.56	11/17/2010	123.09
734	02/09/2010	111.55	05/20/2010	115.91	08/26/2010	117.75	11/18/2010	114.95
735	02/11/2010	243.01	05/19/2010	244.21	08/26/2010	242.32	11/17/2010	242.42
737	02/11/2010	116.69	05/19/2010	122.87	08/26/2010	117.20	11/17/2010	115.47
739	02/09/2010	111.55	05/18/2010	117.53	09/02/2010	116.61	11/23/2010	115.45
740	02/09/2010	DRY	05/19/2010	240.01	08/27/2010	238.35	11/16/2010	237.14
742	02/09/2010	110.36	05/19/2010	117.49	08/27/2010	110.96	11/16/2010	109.71
743	02/09/2010	247.36	05/18/2010	243.09	09/02/2010	246.29	11/23/2010	246.35
744	02/08/2010	247.02	05/18/2010	247.05	08/24/2010	245.12	11/15/2010	246.61
745	02/08/2010	246.96	05/18/2010	247.12	08/24/2010	246.72	11/15/2010	246.86
746	02/08/2010	244.99	05/18/2010	245.05	08/24/2010	244.07	11/15/2010	245.53
747	02/08/2010	251.83	05/17/2010	251.90	08/23/2010	244.06	11/15/2010	247.83
748	02/09/2010	244.97	05/18/2010	245.68	08/23/2010	236.91	11/15/2010	239.82
749	02/08/2010	251.14	05/17/2010	250.94	08/24/2010	250.29	11/15/2010	250.53
750	02/08/2010	249.84	05/17/2010	249.61	08/24/2010	246.33	11/15/2010	248.50
751	02/11/2010	241.63	05/20/2010	241.56	08/27/2010	242.71	11/17/2010	241.60
752	02/11/2010	244.62	05/20/2010	244.91	08/27/2010	245.40	11/17/2010	245.06
753	02/11/2010	236.88	05/20/2010	236.78	08/27/2010	236.65	11/17/2010	236.90
754	02/08/2010	235.79	06/10/2010	235.92	08/23/2010	235.46	11/15/2010	235.38

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

5/13/2011

IBM East Fishkill
Groundwater Elevation Data: January through December 2010

Page 7 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
755	02/08/2010	226.66	05/17/2010	226.99	08/23/2010	224.81	11/15/2010	224.80
756	02/09/2010	235.81	05/21/2010	238.65	08/27/2010	DRY	11/16/2010	DRY
757	02/08/2010	226.96	05/17/2010	227.55	08/31/2010	224.85	11/15/2010	225.97
758	02/09/2010	253.08	05/18/2010	253.28	08/26/2010	252.89	11/17/2010	253.12
759	02/09/2010	241.30	05/18/2010	241.74	08/26/2010	237.83	11/17/2010	239.96
760	02/09/2010	238.85	05/19/2010	240.25	08/26/2010	235.35	11/15/2010	237.07
761	02/09/2010	250.58	05/18/2010	250.83	08/23/2010	243.70	11/15/2010	247.15
763	02/09/2010	236.17	05/18/2010	240.06	08/23/2010	229.54	11/15/2010	232.25
766	02/09/2010	237.28	05/19/2010	238.37	08/27/2010	237.68	11/16/2010	237.26
767	03/25/2010	238.02	05/19/2010	238.53	08/27/2010	237.91	11/18/2010	237.50
768	02/09/2010	236.89	05/19/2010	238.43	08/27/2010	237.02	11/18/2010	236.49
769	02/09/2010	236.26	05/19/2010	237.92	08/27/2010	236.33	11/16/2010	235.68
770	02/09/2010	235.60	06/10/2010	238.53	08/27/2010	DRY	11/18/2010	236.31
771	02/09/2010	236.40	05/19/2010	238.36	08/27/2010	236.50	11/18/2010	235.49
772	02/23/2010	230.13	05/19/2010	232.44	08/27/2010	230.75	11/18/2010	230.06
773	02/08/2010	231.06	05/17/2010	232.84	08/23/2010	231.01	11/15/2010	230.32
774	02/09/2010	230.32	05/19/2010	230.96	08/25/2010	229.78	11/16/2010	229.42
775	02/09/2010	227.85	05/19/2010	229.34	08/25/2010	228.62	11/16/2010	228.34
776	02/09/2010	236.39	05/17/2010	244.27	08/23/2010	237.97	11/15/2010	235.12
777	02/09/2010	252.71	05/17/2010	253.09	08/23/2010	240.74	11/15/2010	245.15
779	02/09/2010	125.34	05/17/2010	133.69	08/23/2010	127.42	11/15/2010	125.23
782	02/08/2010	227.38	05/17/2010	228.06	09/02/2010	225.12	11/23/2010	226.26
783	02/08/2010	201.47	05/17/2010	199.66	08/25/2010	184.73	11/16/2010	194.64
789	02/09/2010	230.96	05/19/2010	231.32	08/25/2010	230.15	11/16/2010	229.95
791	02/09/2010	228.95	05/19/2010	229.22	08/25/2010	228.73	11/16/2010	228.50
792	02/09/2010	229.81	05/19/2010	231.24	08/27/2010	228.20	11/18/2010	227.80
793	02/11/2010	227.23	05/19/2010	227.98	08/27/2010	227.71	11/18/2010	227.48
799	02/08/2010	211.45	05/17/2010	207.71	08/25/2010	200.79	11/16/2010	209.03
816	02/09/2010	245.53	05/19/2010	246.31	08/26/2010	245.21	11/15/2010	244.27
818	02/09/2010	247.58	05/19/2010	248.45	08/26/2010	248.59	11/15/2010	246.51
819	02/09/2010	252.72	05/19/2010	252.92	08/26/2010	253.11	11/15/2010	251.68
820	02/11/2010	250.99	05/19/2010	251.67	09/01/2010	251.57	11/17/2010	249.73
821	02/11/2010	248.74	05/19/2010	251.30	09/01/2010	251.19	11/17/2010	248.48
822	02/11/2010	244.69	05/19/2010	246.57	09/01/2010	245.71	11/17/2010	245.23
823	02/09/2010	245.99	05/19/2010	247.10	08/26/2010	246.70	11/17/2010	246.12
824	02/09/2010	246.37	05/19/2010	247.76	08/26/2010	246.32	11/17/2010	246.65
826	02/09/2010	250.93	05/19/2010	251.03	08/26/2010	250.68	11/15/2010	249.13
827	02/09/2010	255.44	05/19/2010	255.47	08/26/2010	255.40	11/15/2010	254.32
830	02/05/2010	251.91	05/18/2010	258.22	08/24/2010	248.57	11/15/2010	256.21
831	02/23/2010	249.34	05/18/2010	250.62	08/24/2010	234.97	11/15/2010	247.65
832	02/05/2010	263.02	05/18/2010	261.18	08/25/2010	256.70	11/15/2010	260.59
833	02/05/2010	272.96	05/18/2010	270.21	08/25/2010	264.75	11/15/2010	274.37
835	02/05/2010	276.32	05/18/2010	273.23	08/24/2010	262.98	11/16/2010	266.54
836	02/05/2010	270.41	05/18/2010	267.71	08/24/2010	257.29	11/16/2010	261.66
837	02/05/2010	276.27	05/18/2010	273.28	08/24/2010	264.75	11/16/2010	267.18
838	02/08/2010	DRY	05/18/2010	255.70	08/24/2010	DRY	11/15/2010	DRY

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

5/13/2011

IBM East Fishkill
Groundwater Elevation Data: January through December 2010

Page 8 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
839	02/08/2010	227.42	05/27/2010	227.86	08/23/2010	225.71	11/15/2010	226.35
855	02/05/2010	261.96	05/20/2010	260.39	08/30/2010	257.66	11/18/2010	261.05
856	02/05/2010	263.15	05/20/2010	261.74	08/30/2010	258.32	11/18/2010	262.39
857	02/05/2010	FLOW	05/17/2010	FLOW	09/23/2010	253.18	11/18/2010	FLOW
858	02/05/2010	FLOW	05/17/2010	FLOW	09/23/2010	252.80	11/18/2010	261.02
859	02/05/2010	255.80	05/17/2010	255.95	08/31/2010	254.45	11/23/2010	256.06
860	02/05/2010	255.73	05/17/2010	255.77	08/31/2010	254.02	11/23/2010	255.64
861	02/05/2010	254.16	05/17/2010	253.99	08/31/2010	247.48	11/23/2010	251.66
862	02/05/2010	252.78	05/17/2010	258.16	08/31/2010	246.76	11/23/2010	250.64
863	02/05/2010	259.83	05/18/2010	256.69	08/24/2010	247.37	11/15/2010	255.22
864	02/09/2010	249.33	05/19/2010	249.42	08/26/2010	249.68	11/15/2010	248.75
895	02/05/2010	259.46	05/17/2010	258.80	08/31/2010	256.27	11/17/2010	258.97
896	02/05/2010	259.54	05/17/2010	258.90	08/31/2010	256.12	11/17/2010	259.12
897	02/05/2010	266.66	05/18/2010	269.29	08/24/2010	263.68	11/16/2010	263.22
898	02/05/2010	268.91	05/18/2010	FLOW	08/24/2010	267.96	11/16/2010	245.04
899	02/05/2010	270.10	05/18/2010	273.05	08/25/2010	257.00	11/16/2010	261.51
900	02/05/2010	269.65	05/18/2010	271.51	08/25/2010	269.72	11/16/2010	268.40
902	02/05/2010	FLOW	05/17/2010	257.36	08/31/2010	255.31	11/18/2010	257.66
903	02/05/2010	FLOW	05/17/2010	257.87	08/31/2010	255.61	11/18/2010	257.88
910	02/08/2010	251.55	05/17/2010	251.32	08/24/2010	245.10	11/15/2010	248.93
921	02/09/2010	246.86	05/19/2010	249.35	08/27/2010	239.91	11/18/2010	242.51
922	02/09/2010	218.94	05/19/2010	224.91	08/27/2010	214.09	11/18/2010	216.42
923	02/09/2010	214.76	05/19/2010	220.95	08/27/2010	209.57	11/18/2010	211.83
924	02/09/2010	249.58	05/19/2010	250.98	08/27/2010	247.72	11/18/2010	248.77
928	02/09/2010	DRY	05/18/2010	DRY	08/27/2010	DRY	11/16/2010	DRY
929	02/09/2010	142.75	05/18/2010	150.43	08/27/2010	143.34	11/16/2010	139.74
930	02/09/2010	153.99	05/18/2010	162.93	08/27/2010	154.88	11/16/2010	151.67
931	02/09/2010	152.65	05/18/2010	161.58	08/27/2010	153.11	11/16/2010	149.66
932	02/09/2010	250.46	05/19/2010	252.00	08/27/2010	245.80	11/18/2010	248.05
934	02/11/2010	238.73	05/20/2010	239.06	08/27/2010	239.44	11/17/2010	238.91
935	02/09/2010	200.14	05/18/2010	212.95	08/27/2010	193.42	11/16/2010	190.32
936	02/09/2010	196.74	05/18/2010	208.68	08/27/2010	189.36	11/16/2010	186.30
941	02/09/2010	132.52	05/19/2010	145.04	08/25/2010	129.35	11/16/2010	127.04
943	02/08/2010	243.48	05/17/2010	243.81	08/25/2010	237.68	11/16/2010	239.83
944	02/08/2010	248.61	05/17/2010	248.32	08/25/2010	242.52	11/16/2010	242.87
946	02/11/2010	225.67	05/19/2010	225.70	08/27/2010	225.73	11/18/2010	225.75
947	02/11/2010	227.80	05/19/2010	228.58	08/27/2010	228.23	11/18/2010	227.99
948	02/11/2010	226.43	05/19/2010	227.05	08/27/2010	226.86	11/18/2010	226.69
949	02/09/2010	231.16	05/19/2010	231.61	08/27/2010	231.44	11/16/2010	DRY
952	02/09/2010	129.84	05/19/2010	136.76	08/27/2010	125.98	11/18/2010	125.92
953	02/09/2010	126.48	05/18/2010	141.45	08/25/2010	114.85	11/16/2010	116.45
954	02/09/2010	224.85	05/18/2010	228.39	08/24/2010	220.97	11/16/2010	224.38
955	02/09/2010	245.95	05/18/2010	248.35	08/24/2010	238.93	11/16/2010	241.17
956	02/09/2010	241.45	05/18/2010	244.52	08/24/2010	233.69	11/16/2010	235.83
957	02/09/2010	247.65	05/18/2010	249.75	08/24/2010	242.89	11/16/2010	244.76
958	02/05/2010	264.56	05/17/2010	262.92	08/25/2010	260.38	11/15/2010	261.89

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

5/13/2011

IBM East Fishkill
Groundwater Elevation Data: January through December 2010

Page 9 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
959	02/09/2010	141.80	05/20/2010	148.71	08/26/2010	133.67	11/17/2010	135.98
960	02/09/2010	213.00	05/20/2010	209.42	08/26/2010	198.15	11/17/2010	209.20
962	02/09/2010	174.22	05/17/2010	184.80	08/23/2010	178.49	11/15/2010	173.95
963	02/05/2010	259.15	05/17/2010	258.52	08/31/2010	255.45	11/17/2010	258.52
964	02/05/2010	259.03	05/17/2010	258.45	08/31/2010	255.52	11/17/2010	258.66
965	02/09/2010	198.85	05/27/2010	205.40	08/25/2010	193.30	11/17/2010	197.73
966	02/09/2010	199.18	05/27/2010	205.57	08/25/2010	193.37	11/17/2010	198.07
968	02/09/2010	156.94	05/18/2010	166.16	08/27/2010	153.04	11/16/2010	152.70
976	02/08/2010	226.53	05/17/2010	227.02	08/23/2010	224.30	11/15/2010	225.59
980	02/11/2010	247.28	05/19/2010	247.88	09/02/2010	247.07	11/17/2010	247.43
983	02/05/2010	254.71	05/18/2010	253.67	08/24/2010	244.88	11/16/2010	247.94
984	02/05/2010	251.69	05/18/2010	251.51	08/24/2010	245.21	11/16/2010	246.72
985	02/05/2010	264.76	05/18/2010	268.49	08/24/2010	254.35	11/16/2010	255.98
986	02/05/2010	263.95	05/18/2010	261.23	08/24/2010	249.78	11/16/2010	254.66
987	02/05/2010	256.55	05/17/2010	256.16	08/31/2010	253.85	11/18/2010	256.17
988	02/05/2010	257.56	05/17/2010	260.21	08/31/2010	253.91	11/18/2010	254.70
989	02/05/2010	FLOW	05/17/2010	260.25	08/31/2010	256.89	11/18/2010	260.26
990	02/05/2010	256.06	05/17/2010	255.93	08/31/2010	253.90	11/18/2010	256.00
991	02/05/2010	FLOW	05/17/2010	259.94	08/31/2010	259.87	11/18/2010	259.37
992	02/05/2010	FLOW	05/17/2010	259.14	08/31/2010	258.90	11/18/2010	258.81
993	02/11/2010	234.30	05/19/2010	234.01	08/23/2010	231.00	11/16/2010	DRY
994	02/11/2010	249.97	05/19/2010	249.72	08/23/2010	247.83	11/16/2010	DRY
997	02/08/2010	249.01	05/18/2010	248.89	08/24/2010	250.68	11/15/2010	249.00
998	02/08/2010	248.17	05/18/2010	248.23	08/24/2010	245.11	11/15/2010	247.02
999	02/08/2010	241.70	05/18/2010	241.82	08/24/2010	238.95	11/15/2010	240.75

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

5/13/2011

Appendix C

2010 Sampling Field Log Database (on CD): SAMP10.DBF

2010 Field Parameters Database (on CD): FIELD10.DBF

Table of Meteorological Data (January - December 2010)

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
007	373	158001	2/16/2010	GW100216007			BP/LINE	18.66	@PUMP	1.6M/G	10.0	DFB	3	0	1	1	1	0	Y	NA	
007	378	158468	9/14/2010	GW100914007		NR100914317	BP/LINE	22.33	@PUMP	2M/G	7.0	DFB	6	0	2	2	2	0	Y	NA	QC DUPLICATE #317
010	373	157992	2/11/2010	GW100211010			B/B	46.35	22.41	NA	3.5	DFB	3	0	1	1	1	0	N	NA	
010	378	158416	8/18/2010	GW100818010		NR100818312	B/B	43.30	53.04	NA	3.5	DFB	6	0	2	2	2	0	Y	NA	QC DUPLICATE #312
015	374	158021	2/25/2010	GW100225015			BP/LINE	17.24	@PUMP	2.1M/G	5.3	DFB	3	0	1	1	1	0	Y	ND/ND	FIELD BLANK TAKEN
015	378	158473	9/15/2010	GW100915015			BP/LINE	17.57	19.14	2.2M/G	5.2	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
016	374	158009	2/18/2010	GW100218016		NR100218312	BPP/LINE	35.72	NA	1.8M/G	22.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #312
016	378	158470	9/14/2010	GW100914016			BP/LINE	37.02	38.39	1.6M/G	27.0	DFB	3	0	1	1	1	0	N	NA	
032A	372	157868	1/5/2010	GW100105032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	373	157957	2/1/2010	GW100201032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	374	158040	3/5/2010	GW100305032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
032A	375	158128	4/5/2010	GW100405032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	376	158217	5/3/2010	GW100503032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	376	158270	6/2/2010	GW100602032A	NR100602312		SP/TAP	NA	NA	0.3	DFB	6	0	0	0	0	0	0	N	NA	QC DUPLICATE #312
032A	377	158310	7/1/2010	GW100701032A	NR100701311		SP/TAP	NA	NA	0.3	DFB	6	0	0	0	0	0	0	N	NA	QC DUPLICATE #311
032A	377	158374	8/9/2010	GW100809032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
032A	378	158432	9/7/2010	GW100907032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	379	158504	9/27/2010	GW100927032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	1	N	NA	INORGANIC KIT FOR 032A REPLACEMENT PROJECT
032A	379	158529	10/5/2010	GW101005032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	379	158590	11/1/2010	GW101101032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	380	158649	12/6/2010	GW101206032A			SP/TAP	NA	NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
035	376	158237	5/6/2010	GW100506035			BP/LINE	7.44	7.57	1.2M/G	41.0	DFB	3	0	1	1	1	0	N	NA	
046	374	158041	3/5/2010	GW100305046			PP/B	4.85	4.85	5M/G	27.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
046	379	158573	10/25/2010	GW101025046			PP/B	12.88	12.92	7.5M/G	11.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
048	372	157891	1/11/2010	GW100111048			2"SP/LINE	7.05	9.79	1GPM	17.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
048	375	158162	4/15/2010	GW100415048			2"SP/LINE	6.51	8.44	1GPM	18.0	DFB	3	0	0	0	0	0	N	NA	
048	377	158342	7/13/2010	GW100713048			2"SP/LINE	10.14	14.59	2.5M/G	11.0	DFB	3	0	0	0	0	0	N	NA	
048	379	158549	10/12/2010	GW101012048			2"SP/LINE	7.44	8.83	1GPM	16.0	DFB	3	0	0	0	0	0	N	NA	
053	374	158044	3/8/2010	GW100308053			BP/LINE	11.87	12.62	1.9M/G	13.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
053	379	158510	9/29/2010	GW100929053			BP/LINE	21.85	22.02	2.4M/G	8.1	DFB	3	0	0	0	0	0	N	NA	
054	374	158070	3/15/2010	GW100315054			2"SP/LINE	8.66	13.68	2GPM	39.0	DFB	3	0	0	0	0	0	N	NA	
054	378	158492	9/21/2010	GW100921054			2"SP/LINE	18.35	20.39	1GPM	20.0	DFB	3	0	0	0	0	0	N	NA	
059	375	158175	4/20/2010	GW100420059			2"SP/LINE	4.91	5.51	2GPM	24.0	DFB	3	0	0	0	0	0	N	NA	
060	375	158176	4/20/2010	GW100420060	NR100420319		2"SP/LINE	23.05	33.35	3GPM	46.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #319, FIELD BLANK TAKEN
061	374	158063	3/10/2010	GW100310061			2"SP/LINE	5.76	5.96	2GPM	46.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
061	375	158147	4/12/2010	GW100412061			2"SP/LINE	7.96	8.14	2GPM	42.0	DFB	3	0	0	0	0	0	N	NA	RESAMPLE
063	374	158101	3/24/2010	GW100324063			BP/LINE	11.22	25.16	1.5M/G	21.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
064	372	157889	1/11/2010	GW100111064			2"SP/LINE	4.51	4.92	2GPM	27.0	DFB	3	0	0	0	0	0	N	NA	
064	375	158170	4/19/2010	GW100419064			2"SP/LINE	3.87	4.23	2GPM	28.0	DFB	3	0	0	0	0	0	N	NA	
064	377	158358	7/15/2010	GW100715064			2"SP/LINE	8.53	8.82	3GPM	19.0	DFB	3	0	0	0	0	0	N	NA	
064	379	158547	10/12/2010	GW101012064			2"SP/LINE	4.57	4.94	2GPM	27.0	DFB	3	0	0	0	0	0	N	NA	
065	372	157890	1/11/2010	GW100111065	NR100111312		2"SP/LINE	4.08	9.10	3GPM	77.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
065	375	158171	4/19/2010	GW100419065			2"SP/LINE	3.44	8.10	3GPM	78.0	DFB	3	0	0	0	0	0	N	NA	
065	377	158357	7/15/2010	GW100715065			2"SP/LINE	8.14	16.96	4GPM	69.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
065	379	158548	10/12/2010	GW101012065	NR101012312		2"SP/LINE	4.14	8.54	3GPM	77.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
066	372	157897	1/12/2010	GW100112066			2"SP/LINE	5.25	6.77	1GPM	11.0	DFB	3	0	0	0	0	0	N	NA	
066	375	158148	4/12/2010	GW100412066			2"SP/LINE	4.87	6.68	2GPM	12.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
066	377	158349	7/13/2010	GW100713066	NR100713312		2"SP/LINE	6.75	8.63	1GPM	8.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
066	380	158626	11/9/2010	GW101109066	NR101109312		2"SP/LINE	4.35	5.43	1.5GPM	13.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
067	372	157896	1/12/2010	GW100112067			BP/LINE	7.70	8.09	1.6M/G	3.4	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
067	375	158165	4/15/2010	GW100415067	NR100415312		BP/LINE	7.45	8.02	1.7M/G	3.5	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
067	377	158339	7/12/2010	GW100712067			BP/LINE	8.51	8.92	1.5M/G	3.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
067	379	158579	10/26/2010	GW101026067			BP/LINE	7.95	8.33	2.7M/G	3.2	DFB	3	0	0	0	0	0	N	NA	
068	373	157905	1/14/2010	GW100114068			2"SP/LINE	12.05	13.81	2GPM	22.0	DFB	3	0	1	1	1	0	N	NA	
068	376	158207	4/29/2010	GW100429068			2"SP/LINE	11.22	14.34	2GPM	23.0	DFB	3	0	1	1	1	1	N	NA	EPA 625, MOF AND PART 373 SAMPLING
068	378	158462	9/13/2010	GW100913068			2"SP/LINE	13.18	15.51	2GPM	19.0	DFB	3	0	1	1	1	0	N	NA	
068	379	158567	10/19/2010	GW101019068			2"SP/LINE	12.54	14.21	1.5GPM	21.0	DFB	3	0	1	1	1	0	N	NA	
069	374	158084	3/18/2010	GW100318069			2"SP/LINE	2.64	4.84	2GPM	25.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
069	378	158482	9/16/2010	GW100916069	NR100916312		2"SP/LINE	7.71	10.51	1GPM	15.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
085	374	158085	3/18/2010	GW100318085	NR100318312		2"SP/LINE	19.32	68.61	2GPM	50.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
085	378	158485	9/20/2010	GW100920085			2"SP/LINE	31.33	66.73	2GPM	38.0	DFB	3	0	0	0	0	0	N	NA	

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
087	374	158086	3/18/2010	GW100318087			2"SP/LINE	8.06	29.81	2GPM	49.0	DFB	3	0	0	0	0	0	N	NA	
087	378	158484	9/20/2010	GW100920087			2"SP/LINE	14.04	46.66	2GPM	46.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
103	374	158073	3/16/2010	GW100316103			PP/B	8.29	DRY	7.5M/G	2.2	DFB	3	0	1	1	1	0	Y	NA	
103	380	158628	11/10/2010	GW101110103			PP/B	11.95	DRY	NA	0.6	DFB	3	0	1	1	1	0	Y	NA	
104	374	158072	3/16/2010	GW100316104			PP/B	28.19	31.22	11.5M/G	1.9	DFB	3	0	1	1	1	0	N	ND/ND	
104	380	158629	11/10/2010	GW101110104			PP/B	31.31	DRY	NA	0.2	DFB	3	0	1	1	1	0	Y	ND/ND	
105	374	158019	2/25/2010	GW100225105			BP/LINE	37.98	96.71	2.3M/G	16.0	DFB	3	0	0	0	0	0	Y	NA	
105	378	158466	9/14/2010	GW100914105			BP/LINE	40.21	97.04	2.2M/G	15.0	DFB	3	0	0	0	0	0	Y	NA	
106	374	158020	2/25/2010	GW100225106			BP/LINE	50.30	@PUMP	2M/G	19.0	DFB	3	0	0	0	0	0	Y	NA	
106	378	158467	9/14/2010	GW100914106			BP/LINE	53.00	@PUMP	2.8M/G	16.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
108	375	158111	3/29/2010	GW100329108			2"SP/LINE	21.23	@PUMP	2GPM	15.0	DFB	3	0	0	0	0	0	Y	NA	
108	378	158411	8/17/2010	GW100817108			2"SP/LINE	41.61	@PUMP	2GPM	12.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
109	374	158016	2/24/2010	GW100224109			2"SP/LINE	51.26	@PUMP	2GPM	20.0	DFB	3	0	0	0	0	0	Y	NA	
109	378	158412	8/17/2010	GW100817109	NR100817313		2"SP/LINE	53.40	@PUMP	2GPM	24.0	DFB	6	0	0	0	0	0	Y	NA	QC DUPLICATE #313
113	372	157899	1/13/2010	GW100113113			2"SP/LINE	-2.00	@PUMP	2GPM	32.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
113	375	158178	4/20/2010	GW100420113			2"SP/LINE	-2.00	@PUMP	2GPM	32.0	DFB	3	0	0	0	0	0	Y	NA	
113	378	158410	8/17/2010	GW100817113			2"SP/LINE	5.42	@PUMP	2GPM	26.0	DFB	3	0	0	0	0	0	Y	NA	
113	379	158551	10/13/2010	GW101013113			2"SP/LINE	-2.00	@PUMP	2GPM	40.0	DFB	3	0	0	0	0	0	Y	NA	
118	374	158045	3/8/2010	GW100308118			BP/LINE	118.55	140.83	2.3M/G	17.0	DFB	3	0	1	1	0	0	N	ND/ND	
118	378	158472	9/15/2010	GW100915118			BP/LINE	107.11	130.41	1.8M/G	22.0	DFB	3	0	1	1	0	0	N	ND/ND	
143	374	158042	3/8/2010	GW100308143			BP/LINE	124.52	124.68	2.6M/G	10.4	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
143	378	158474	9/15/2010	GW100915143			BP/LINE	132.78	132.96	3.4M/G	6.4	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
145	374	158075	3/16/2010	GW100316145			BP/LINE	64.18	@PUMP	2.2M/G	6.8	DFB	3	0	0	0	0	0	Y	NA	
146	374	158074	3/16/2010	GW100316146			BP/LINE	80.06	81.87	2.5M/G	32.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
150	373	157983	2/9/2010	GW100209150			2"SP/LINE	81.67	@PUMP	1GPM	10.0	DFB	3	0	0	0	0	0	Y	NA	
150	378	158461	9/13/2010	GW100913150			2"SP/LINE	85.20	@PUMP	1GPM	8.0	DFB	3	0	0	0	0	0	Y	NA	
151	373	158000	2/16/2010	GW100216151			PP/B	15.88	DRY	NA	0.4	DFB	3	0	0	0	0	0	Y	NA	VOAS ONLY, NETS HYDRO
151	373	158000	2/17/2010	GW100217151								DFB	0	0	1	1	1	0	NA	METALS AND TOTAL FLUORIDE ONLY	
151	380	158664	12/8/2010	GW101208151			PP/B	15.97	DRY	NA	0.8	DFB	3	0	0	0	1	0	Y	NA	VOAS AND TF ONLY
151	380	158664	12/9/2010	GW101209151			PP/B					DFB	0	0	1	1	0	0	NA	METALS ONLY	
156	373	157984	2/9/2010	GW100208156			2"SP/LINE	37.86	@PUMP	2GPM	16.0	DFB	3	0	0	0	0	0	Y	NA	
156	378	158409	8/17/2010	GW100817156			2"SP/LINE	53.07	@PUMP	2GPM	6.0	DFB	3	0	0	0	0	0	Y	NA	
161	374	158076	3/17/2010	GW100317161			PP/B	14.03	14.10	6M/G	1.7	DFB	3	0	1	1	1	0	N	NA	
166	375	158115	3/31/2010	GW100331166			2"SP/LINE	-2.00	90.84	2GPM	36.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
166	380	158673	12/13/2010	GW101213166			2"SP/LINE	4.59	@PUMP	1.5GPM	36.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
167	375	158114	3/31/2010	GW100331167			BP/LINE	0.26	140.04	2.0M/G	36.0	DFB	6	0	0	0	0	0	Y	NA	MS/MSD VOAS
167	380	158674	12/13/2010	GW101213167	NR101213312		BP/LINE	4.78	143.26	3.1M/G	32.0	DFB	6	0	0	0	0	0	Y	NA	QC DUPLICATE #312
178	374	158094	3/23/2010	GW100323178			B/B	16.01	22.37	NA	4.9	DFB	3	0	0	0	0	0	N	NA	
181	374	158098	3/24/2010	GW100324181			2"SP/LINE	1.31	15.11	1GPM	20.0	DFB	3	0	0	0	0	0	Y	ND/ND	
181	380	158681	12/15/2010	GW101215181			2"SP/LINE	1.85	13.22	1GPM	32.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
204	373	157994	2/11/2010	GW100211204			B/B	9.82	12.13	NA	1.9	DFB	3	0	1	1	1	0	N	NA	
210	372	157853	1/4/2010	PW100104210		NR100104310	SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #310
210	373	157962	2/2/2010	PW100202210		NR100202310	SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	2	N	NA	QC DUPLICATE #310, PW KIT
210	374	158025	3/3/2010	PW100303210			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
210	375	158131	4/6/2010	PW100406210			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
210	376	158211	5/3/2010	PW100503210			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
210	376	158267	6/2/2010	PW100602210	NR100602310		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #310
210	377	158316	7/6/2010	PW100706210		NR100706310	SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #310
210	377	158359	8/3/2010	PW100803210			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	NA	SMALL PW KIT, FIELD BLANK TAKEN
210	378	158431	9/7/2010	PW100907210	NR100907310		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	
210	379	158511	10/4/2010	PW101004210			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
210	379	158585	11/1/2010	PW101101210			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
210	380	158637	12/1/2010	PW101201210			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
220	372	157851	1/4/2010	PW100104220			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
220	373	157959	2/2/2010	PW100202220			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	ND/ND	PW KIT
220	374	158022	3/3/2010	PW100303220			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
220	375	158135	4/6/2010	PW100406220			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
220	376	158209	5/3/2010	PW100503220			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
220	376	158265	6/2/2010	PW100602220			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	0.6/0.6	FIELD BLANK TAKEN
220	377	158314	7/6/2010	PW100706220			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
220	377	158360	8/3/2010	PW100803220			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	ND/ND	SMALL PW KIT

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
220	378	158427	9/7/2010	PW100907220			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
220	379	158542	10/7/2010	PW101007220			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
220	379	158589	11/1/2010	PW101101220			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
220	380	158634	12/1/2010	PW101201220			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
240	372	157852	1/4/2010	PW100104240			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
240	373	157960	2/2/2010	PW100202240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	ND/ND	PW KIT
240	374	158023	3/3/2010	PW100303240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
240	375	158132	4/6/2010	PW100406240			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
240	376	158210	5/3/2010	PW100503240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
240	376	158266	6/2/2010	PW100602240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
240	377	158315	7/6/2010	PW100706240			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
240	377	158362	8/3/2010	PW100803240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	ND/ND	PW KIT
240	378	158428	9/7/2010	PW100907240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
240	379	158513	10/4/2010	PW101004240			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
240	379	158588	11/1/2010	PW101101240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
240	380	158635	12/1/2010	PW101201240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
250	372	157874	1/6/2010	PW100106250	NR100304310		SP/TAP	122.55	123.65	NA		DFB	3	0	1	1	1	0	N	NA	TOTALIZER AND GPM READOUT NOT WORKING
250	373	157964	2/3/2010	PW100203250			SP/TAP	120.90	121.5	NA		DFB	3	0	0	0	0	1	N	NA	PW KIT, TOTALIZER AND GPM READOUT OFF LINE
250	374	158030	3/4/2010	PW100304250			SP/TAP	119.45	120.10	NA		DFB	6	0	0	0	0	0	N	NA	TOTALIZER AND GPM READOUT NOT WORKING, QC DUP.#310
250	375	158142	4/7/2010	PW100407250			SP/TAP		NA	NA		DFB	3	0	1	1	1	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
250	376	158218	5/4/2010	PW100504250			SP/TAP	115.25	116.10	NA		DFB	3	0	0	0	0	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
250	376	158279	6/7/2010	PW100607250			SP/TAP	114.35	114.86	NA	0.3	DFB	3	0	0	0	0	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
250	377	158320	7/7/2010	PW100707250			SP/TAP	116.30	NA	NA	0.3	DFB	3	0	1	1	1	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
250	377	158369	8/5/2010	PW100805250			SP/TAP	117.50	118.2	NA	0.3	DFB	3	0	0	0	0	1	N	NA	GPM AND TOTALIZER READOUT NOT WORKING, SMALL PW KIT
250	378	158458	9/10/2010	PW100910250			TAP	121.30	121.60	NA		DFB	3	0	0	0	0	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
250	379	158530	10/6/2010	PW101006250			SP/TAP	122.15	122.95	NA	0.3	DFB	3	0	1	1	1	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
250	380	158617	11/4/2010	PW101104250			SP/TAP	121.55	121.9	NA	0.3	DFB	3	0	0	0	0	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
250	380	158642	12/2/2010	PW101202250			SP/TAP	119.90	120.35	NA	0.3	DFB	3	0	0	0	0	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
260	372	157875	1/6/2010	PW100106260			SP/TAP	70.10	>300	NA		DFB	3	0	1	1	1	0	N	NA	TOTALIZER AND GPM READOUT NOT WORKING
260	373	157966	2/3/2010	PW100203260			SP/TAP	68.15	>300	50GPM	15000.0	DFB	3	0	0	0	0	1	N	NA	PW KIT, FIELD BLANK TAKEN
260	374	158031	3/4/2010	PW100304260			SP/TAP	67.65	>300	55GPM	11000.0	DFB	3	0	0	0	0	0	N	NA	
260	375	158143	4/7/2010	PW100407260			SP/TAP		NA	NA	10000.0	DFB	3	0	1	1	1	0	N	NA	
260	376	158219	5/4/2010	PW100504260			SP/TAP	61.95	220.15	60GPM	11000.0	DFB	3	0	0	0	0	0	N	NA	
260	376	158280	6/7/2010	PW100607260			SP/TAP	60.60	195.05	69GPM	10000.0	DFB	3	0	0	0	0	0	N	NA	
260	377	158321	7/7/2010	PW100707260			SP/TAP	69.40	276.7	40GPM	13000.0	DFB	3	0	1	1	1	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
260	377	158370	8/5/2010	PW100805260			SP/TAP	73.00	>300	45GPM	12000.0	DFB	3	0	0	0	0	1	N	NA	SMALL PW KIT
260	378	158459	9/10/2010	PW100910260			TAP	77.15	>300	14GPM	10000.0	DFB	3	0	0	0	0	0	N	NA	
260	379	158531	10/6/2010	PW101006260			SP/TAP	77.40	>300	26GPM	7000.0	DFB	3	0	1	1	1	0	N	NA	
260	380	158618	11/4/2010	PW101104260			SP/TAP	75.50	275.4	35GPM	8000.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
260	380	158643	12/2/2010	PW101202260			SP/TAP	73.40	272.60	45GPM	9000.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
270	373	157932	1/21/2010	PW100121270			SP/TAP	57.75	>300	32GPM	13000.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	373	157965	2/3/2010	PW100203270			SP/TAP	53.45	>300	33GPM	14100.0	DFB	3	0	1	1	1	1	N	ND/ND	PW KIT
270	374	158032	3/4/2010	PW100304270			SP/TAP	51.35	>300	39GPM	13100.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	375	158144	4/7/2010	PW100407270			SP/TAP		NA	NA	13900.0	DFB	3	0	1	1	1	0	N	NA	
270	376	158220	5/4/2010	PW100504270	NR100504310		SP/TAP	44.25	>300	36GPM	13600.0	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #310
270	376	158281	6/7/2010	PW100607270			SP/TAP	48.95	>300	35GPM	13600.0	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
270	377	158322	7/7/2010	PW100707270			SP/TAP	73.20	>300	35GPM	13000.0	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
270	377	158371	8/5/2010	PW100805270			TAP	59.70	>300	34GPM	12800.0	DFB	3	0	0	0	0	1	N	ND/ND	SMALL PW KIT
270	378	158460	9/10/2010	PW100910270			TAP	64.50	>300	32GPM	13100.0	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
270	379	158532	10/6/2010	PW101006270			SP/TAP	60.15	>300	33GPM	13100.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	380	158619	11/4/2010	PW101104270		NR101104310	SP/TAP	62.55	>300	32GPM	12700.0	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #310
270	380	158644	12/2/2010	PW101202270			SP/TAP	61.90	>300	35GPM	12400.0	DFB	3	0	1	1	1	0	N	ND/ND	
290	372	157883	1/6/2010									DFB									NO SAMPLE, OFF LINE
290	378	158499	2/2/2010									DFB									NO SAMPLE, OFF LINE
290	378	158500	3/3/2010									DFB									NO SAMPLE, OFF LINE
290	375	158130	4/6/2010									DFB									NO SAMPLE, OFF LINE
290	376	158246	5/10/2010									DFB									NO SAMPLE, OFF LINE
290	376	158271	6/2/2010									DFB	3	0	0	0	0	0			NO SAMPLE, OFF LINE
290	377	158319	7/6/2010									DFB									NO SAMPLE, OFF LINE
290	374	158102	8/3/2010									DFB									NO SAMPLE, OFF LINE
290	378	158453	9/9/2010									DFB									NO SAMPLE, OFF LINE

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
290	374	158103	10/7/2010									DFB									NO SAMPLE, OFF LINE
290	379	158593	11/1/2010									DFB									NO SAMPLE, OFF LINE
290	380	158657	12/6/2010									DFB									NO SAMPLE, OFF LINE
300	372		1/5/2010	TB100105300								DFB	0	3	0	0	0	0			TRIP BLANK
300	372		1/6/2010	TB100106300								DFB	3	0	0	0	0	0			TRIP BLANK
300	373		1/20/2010	TB100120300								DFB	3	0	0	0	0	0			TRIP BLANK
300	373		1/21/2010	TB100121300								DFB	3	0	0	0	0	0			TRIP BLANK
300	373		2/8/2010	TB100208300								DFB	3	0	0	0	0	0			TRIP BLANK
300	374		2/23/2010	TB100223300								DFB	3	0	0	0	0	0			TRIP BLANK
300	374		3/9/2010	TB100309300								DFB	0	3	0	0	0	0			TRIP BLANK
300	374		3/16/2010	TB100316300								DFB	0	3	0	0	0	0			TRIP BLANK
300	375		4/6/2010	TB100406300								DFB	3	0	0	0	0	0			TRIP BLANK
300	376		4/29/2010	TB100428300								DFB	3	0	0	0	0	0			TRIP BLANK
300	376		5/5/2010	TB100505300								DFB	0	3	0	0	0	0			TRIP BLANK
300	376		5/6/2010	TB100506300								DFB	3	0	0	0	0	0			SPDES TRIP BLANK
300	376		6/8/2010	TB100608300								DFB	3	0	0	0	0	0			SPDES TRIP BLANK
300	377		7/7/2010	TB100707300								DFB	3	0	0	0	0	0			TRIP BLANK
300	377		7/14/2010	TB100714300								DFB	3	0	0	0	0	0			TRIP BLANK
300	377		8/9/2010	TB100809300								DFB	0	3	0	0	0	0			TRIP BLANK
300	377		8/10/2010	TB100810300								DFB	3	0	0	0	0	0			TRIP BLANK
300	378		9/8/2010	TB100908300								DFB	3	0	0	0	0	0			TRIP BLANK
300	378		9/9/2010	TB100909300								DFB	0	3	0	0	0	0			TRIP BLANK
300	379		10/5/2010	TB101005300								DFB	0	3	0	0	0	0			TRIP BLANK
300	379		10/6/2010	TB101006300								DFB	3	0	0	0	0	0			TRIP BLANK
300	380		11/2/2010	TB101102300								DFB	0	3	0	0	0	0			TRIP BLANK
300	380		11/3/2010	TB101103300								DFB	3	0	0	0	0	0			TRIP BLANK
300	380		12/6/2010	TB101206300								DFB	3	0	0	0	0	0			TRIP BLANK
302	372		1/4/2010	TB100104302								DFB	3	0	0	0	0	0			TRIP BLANK
302	372		1/5/2010	EB100105302								DFB	3	0	0	0	0	0			TRIP BLANK
302	372		1/6/2010	TB100106302								DFB	3	0	0	0	0	0			TRIP BLANK
302	372		1/7/2010	TB100107302								DFB	3	0	0	0	0	0			TRIP BLANK
302	372		1/11/2010	TB100111302								DFB	3	0	0	0	0	0			TRIP BLANK
302	372		1/12/2010	TB100112302								DFB	3	0	0	0	0	0			TRIP BLANK
302	372		1/13/2010	TB100113302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		1/14/2010	TB100114302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		1/18/2010	TB100118302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		1/19/2010	TB100119302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		1/25/2010	TB100125302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		1/28/2010	TB100128302								DFB	3	0	0	0	0	0			SAMPLE NOT RUN PER JACKIE BRAUNGART
302	373		2/1/2010	TB100201302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		2/2/2010	TB100202302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		2/3/2010	TB100203302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		2/4/2010	TB100204302								DFB	0	3	0	0	0	0			TRIP BLANK
302	373		2/8/2010	TB100208302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		2/9/2010	TB100209302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		2/10/2010	TB100210302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		2/11/2010	TB100211302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		2/15/2010	TB100215302								DFB	3	0	0	0	0	0			TRIP BLANK
302	373		2/16/2010	TB100216302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		2/18/2010	TB100218302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		2/22/2010	TB100222302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		2/23/2010	TB100223302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		2/24/2010	TB100224302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		2/25/2010	TB100225302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/3/2010	TB100303302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/4/2010	TB100304302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/5/2010	TB100305302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/8/2010	TB100308302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/9/2010	TB100309302								DFB	3	0	0	0	0	0			TRIP BLANK, SPDES
302	374		3/10/2010	TB100310302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/11/2010	TB100311302								DFB	3	0	0	0	0	0			TRIP BLANK

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
302	374		3/15/2010	TB100315302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/16/2010	TB100316302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/17/2010	TB100317302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/18/2010	TB100318302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/22/2010	TB100322302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/23/2010	TB100322302								DFB	3	0	0	0	0	0			TRIP BLANK
302	374		3/24/2010	TB100324302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		3/25/2010	TB100325302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		3/29/2010	TB100329302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		3/31/2010	TB100331302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/1/2010	TB100401302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/5/2010	TB100405302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/6/2010	TB100406302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/7/2010	TB100407302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/12/2010	TB100412302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/13/2010	TB100413302								DFB	0	3	0	0	0	0			TRIP BLANK
302	375		4/14/2010	TB100414302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/15/2010	TB100415302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/19/2010	TB100419302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/20/2010	TB100420302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/21/2010	TB100421302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/22/2010	TB100422302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/26/2010	TB100422302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/27/2010	TB100427302								DFB	3	0	0	0	0	0			TRIP BLANK
302	375		4/28/2010	TB100428302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		4/29/2010	TB100428302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/3/2010	TB100503302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/4/2010	TB100504302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/6/2010	TB100506302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/10/2010	TB100510302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/11/2010	TB100511302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/12/2010	TB100512302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/13/2010	TB100513302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		5/27/2010	TB100527302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/1/2010	TB100601302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/2/2010	TB100602302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/3/2010	TB100603302								DFB	0	3	0	0	0	0			TRIP BLANK
302	376		6/7/2010	TB100607302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/8/2010	TB100608302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/14/2010	TB100614302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/15/2010	TB100615302								DFB	3	0	0	0	0	0			TRIP BLANK
302	376		6/16/2010	TB100616302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		6/21/2010	TB100621302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		7/1/2010	TB100701302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		7/6/2010	TB100706302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		7/7/2010	TB100707302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		7/8/2010	TB100708302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		7/12/2010	TB100712302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		7/13/2010	TB100713302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		7/14/2010	TB100714302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		7/15/2010	TB100715302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		8/3/2010	TB100803302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		8/4/2010	TB100804302								DFB	0	3	0	0	0	0			TRIP BLANK
302	377		8/5/2010	TB100805302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		8/9/2010	TB100809302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		8/10/2010	TB100810302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		8/11/2010	TB100811302								DFB	3	0	0	0	0	0			TRIP BLANK
302	377		8/12/2010	TB100812302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		8/16/2010	TB100816302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		8/17/2010	TB100817302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		8/18/2010	TB100818302								DFB	3	0	0	0	0	0			TRIP BLANK

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
302	378		8/19/2010	TB100819302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		8/20/2010	TB100820302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/7/2010	TB100907302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/8/2010	TB100908302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/10/2010	TB100909302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/13/2010	TB100913302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/14/2010	TB100914302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/15/2010	TB100915302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/16/2010	TB100916302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/20/2010	TB100920302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/21/2010	TB100921302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/22/2010	TB100922302								DFB	3	0	0	0	0	0			TRIP BLANK
302	378		9/23/2010	TB100923302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		9/27/2010	TB100927302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		9/28/2010	TB100928302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		9/29/2010	TB100929302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/4/2010	TB101004302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/5/2010	TB101005302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/6/2010	TB101006302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/7/2010	TB101007302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/12/2010	TB101012302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/13/2010	TB101013302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/14/2010	TB101014302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/18/2010	TB101018302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/19/2010	TB101019302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/25/2010	TB101025302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/26/2010	TB101026302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/27/2010	TB101027302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		10/29/2010	TB101029302								DFB	3	0	0	0	0	0			TRIP BLANK
302	379		11/1/2010	TB101101302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		11/2/2010	TB101102302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		11/3/2010	TB101103302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		11/4/2010	TB101104302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		11/8/2010	TB101108302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		11/9/2010	TB101109302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		11/10/2010	TB101110302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		11/11/2010	TB101111302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/1/2010	TB101201302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/2/2010	TB101202302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/6/2010	TB101206302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/7/2010	TB101207302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/8/2010	TB101208302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/9/2010	TB101209302								DFB	0	3	0	0	0	0			TRIP BLANK
302	380		12/13/2010	TB101213302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/14/2010	TB101214302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/15/2010	TB101215302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/16/2010	TB101216302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/20/2010	TB101220302								DFB	3	0	0	0	0	0			TRIP BLANK
302	380		12/22/2010	TB101222302								DFB	3	0	0	0	0	0			TRIP BLANK
303	372		1/4/2010	EB100104303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	372		1/5/2010	EB100105303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	372		1/7/2010	EB100107303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	372		1/11/2010	EB100111303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	372		1/12/2010	EB100112303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	372		1/13/2010	EB100113303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		1/14/2010	EB100114303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		1/18/2010	EB100118303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		1/19/2010	EB100119303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		1/25/2010	EB100125303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		1/28/2010	EB100128303								DFB	3	0	0	0	0	0			SAMPLE NOT RUN PER JACKIE BRAUNGART
303	373		2/1/2010	EB100201303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
303	373		2/2/2010	EB100202303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/3/2010	EB100203303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/4/2010	EB100204303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/8/2010	EB100208303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/9/2010	EB100209303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/10/2010	EB100210303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/11/2010	EB100211303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/15/2010	EB100215303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	373		2/16/2010	EB100216303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		2/18/2010	EB100218303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		2/22/2010	EB100222303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		2/23/2010	EB100223303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		2/24/2010	EB100224303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		2/25/2010	EB100225303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/3/2010	EB100303303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/4/2010	EB100304303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/5/2010	EB100305303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/8/2010	EB100308303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/10/2010	EB100310303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/11/2010	EB100311303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/15/2010	EB100315303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/16/2010	EB100316303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/17/2010	EB100317303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/18/2010	EB100318303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/22/2010	EB100322303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/23/2010	EB100322303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	374		3/24/2010	EB100324303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		3/25/2010	EB100325303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		3/29/2010	EB100329303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		3/31/2010	EB100331303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/1/2010	EB100401303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/5/2010	EB100405303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/7/2010	EB100407303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/12/2010	EB100412303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/13/2010	EB100413303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/14/2010	EB100414303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/15/2010	EB100415303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/19/2010	EB100419303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/20/2010	EB100420303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/21/2010	EB100421303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/22/2010	EB100422303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/26/2010	EB100426303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/27/2010	EB100427303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	375		4/28/2010	EB100428303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		4/29/2010	TB100429303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		5/3/2010	EB100503303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		5/4/2010	EB100504303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		5/5/2010	EB100505303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		5/6/2010	EB100506303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		5/10/2010	EB100510303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		5/11/2010	EB100511303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		5/12/2010	EB100512303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		5/13/2010	EB100513303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		5/27/2010	EB100527303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		6/1/2010	EB100601303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		6/2/2010	EB100602303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		6/3/2010	EB100603303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		6/7/2010	EB100607303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		6/14/2010	EB100614303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		6/15/2010	EB100615303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	376		6/16/2010	EB100616303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
303	377		6/21/2010	EB100621303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		7/1/2010	EB100701303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		7/6/2010	EB100706303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		7/8/2010	EB100708303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		7/12/2010	EB100712303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		7/13/2010	EB100713303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		7/14/2010	EB100714303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		7/15/2010	EB100715303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		8/3/2010	EB100803303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		8/4/2010	EB100804303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		8/5/2010	EB100805303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		8/9/2010	EB100809303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		8/11/2010	EB100811303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	377		8/12/2010	EB100812303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		8/16/2010	EB100816303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		8/17/2010	EB100817303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		8/18/2010	EB100818303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		8/19/2010	EB100819303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		8/20/2010	EB100820303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/7/2010	EB100907303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/9/2010	EB100909303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/10/2010	EB100909303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/13/2010	EB100913303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/14/2010	EB100914303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/15/2010	EB100915303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/16/2010	EB100916303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/20/2010	EB100920303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/21/2010	EB100921303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/22/2010	EB100922303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	378		9/23/2010	EB100923303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		9/27/2010	EB100927303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		9/28/2010	EB100928303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		9/29/2010	EB100929303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/4/2010	EB101004303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/5/2010	EB101005303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/7/2010	EB101007303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/12/2010	EB101012303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/13/2010	EB101013303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/14/2010	EB101014303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/18/2010	EB101018303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/19/2010	EB101019303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/25/2010	EB101025303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/26/2010	EB101026303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/27/2010	EB101027303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		10/29/2010	EB101029303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	379		11/1/2010	EB101101303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		11/3/2010	EB101103303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		11/4/2010	EB101104303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		11/8/2010	EB101108303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		11/9/2010	EB101109303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		11/10/2010	EB101110303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		11/11/2010	EB101111303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		12/1/2010	EB101201303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		12/2/2010	EB101202303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		12/7/2010	EB101207303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		12/8/2010	EB101208303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		12/9/2010	EB101209303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		12/13/2010	EB101213303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		12/14/2010	EB101214303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		12/15/2010	EB101215303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		12/16/2010	EB101216303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
303	380		12/20/2010	EB101220303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	380		12/22/2010	EB101222303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
307	374		3/9/2010	TB100309307								DFB	3	0	0	0	0	0			TRIP BLANK, SPDES
323	372	157864	1/5/2010	PW100105323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	2	N	NA	BACTERIA, TURBIDITY, FIELD BLANK TAKEN
323	373	157961	2/2/2010	PW100202323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	NA	PW KIT, FIELD BLANK TAKEN
323	374	158024	3/3/2010	PW100303323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	2	N	NA	BACTERIA, TURBIDITY
323	375	158133	4/6/2010	PW100406323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
323	376	158213	5/3/2010	PW100503323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
323	376	158269	6/2/2010	PW100602323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
323	377	158318	7/6/2010	PW100706323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
323	377	158361	8/3/2010	PW100803323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	NA	SMALL PW KIT
323	378	158429	9/7/2010	PW100907323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
323	379	158514	10/4/2010	PW101004323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
323	379	158587	11/1/2010	PW101101323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
323	380	158638	12/1/2010	PW101201323	NR101201310		SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	QC DUPLICATE #310
325	372	157854	1/4/2010	PW100104325			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
325	373	157963	2/2/2010	PW100202325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	ND/ND	PW KIT
325	374	158026	3/3/2010	PW100303325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
325	375	158134	4/6/2010	PW100406325		NR100406310	SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #310
325	376	158212	5/3/2010	PW100503325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
325	376	158268	6/2/2010	PW100602325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
325	377	158317	7/6/2010	PW100706325			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
325	377	158363	8/3/2010	PW100803325			SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	2	N	ND/ND	PW KIT, QC DUPLICATE #310
325	378	158430	9/7/2010	PW100907325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
325	379	158512	10/4/2010	PW101004325			SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #310
325	379	158586	11/1/2010	PW101101325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
325	380	158636	12/1/2010	PW101201325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395	372	157855	1/4/2010	SW100104395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	0.2/0.3	
395	373	157947	2/1/2010	SW100201395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
395	374	158033	3/4/2010	SW100304395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FEILD BLANK TAKEN
395	375	158118	4/1/2010	SW100401395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
395	376	158226	5/4/2010	SW100504395			TANK/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
395	376	158285	6/8/2010	SW100608395			SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #311, FIELD BLANK TAKEN
395	377	158336	7/12/2010	SW100712395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
395	377	158383	8/10/2010	SW100810395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
395	378	158444	9/8/2010	SW100908395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
395	379	158539	10/7/2010	SW101007395			SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #311
395	380	158608	11/2/2010	SW101102395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
395	380	158659	12/7/2010	SW101207395			SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #311
395A	372	157856	1/4/2010	SW100104395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	0.1/0.1	
395A	373	157948	2/1/2010	SW100201395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	374	158034	3/4/2010	SW100304395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	375	158119	4/1/2010	SW100401395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	376	158227	5/4/2010	SW100504395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	376	158286	6/8/2010	SW100608395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	377	158337	7/12/2010	SW100712395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	377	158384	8/10/2010	SW100810395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	378	158445	9/8/2010	SW100908395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	379	158540	10/7/2010	SW101007395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	380	158609	11/2/2010	SW101102395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	380	158660	12/7/2010	SW101207395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	372	157857	1/4/2010	SW100104395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	0.2/0.2	
395B	373	157949	2/1/2010	SW100201395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	374	158035	3/4/2010	SW100304395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	375	158120	4/1/2010	SW100401395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	376	158228	5/4/2010	SW100504395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	376	158287	6/8/2010	SW100608395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	377	158338	7/12/2010	SW100712395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	377	158385	8/10/2010	SW100810395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	378	158446	9/8/2010	SW100908395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	379	158541	10/7/2010	SW101007395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
395B	380	158610	11/2/2010	SW101102395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	380	158661	12/7/2010	SW101207395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
400	377	158301	6/16/2010	GW100616400			PP/B	10.81	12.94	4M/G	5.4	DFB	3	0	0	0	0	0	N	NA	
400	380	158676	12/14/2010	GW101214400			BP/LINE	8.13	9.74	1.4M/G	11.0	DFB	3	0	0	0	0	0	N	NA	
401	377	158302	6/16/2010	GW100616401			BPP/LINE	15.22	NA	1.6M/G	22.0	DFB	3	0	0	0	0	0	N	NA	
401	380	158677	12/14/2010	GW101214401			BPP/LINE	13.46	NA	1.5M/G	22.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
402	376	158295	6/15/2010	GW100615402	NR100615313		2"SP/LINE	44.74	68.72	4GPM	119.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
402	380	158627	11/9/2010	GW101109402	NR101109313		2"SP/LINE	53.33	70.04	4GPM	103.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313, FIELD BLANK TAKEN
403	376	158250	5/11/2010	GW100511403			BP/LINE	10.23	20.88	1.6M/G	29.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
403	380	158662	12/7/2010	GW101207403			BP/LINE	8.34	16.37	1.8M/G	32.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
404	376	158251	5/12/2010	GW100512404			BP/LINE	98.84	99.44	4M/G	53.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
404	380	158684	12/16/2010	GW101216404			BP/LINE	103.40	104.23	1.6M/G	44.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
407	376	158252	5/12/2010	GW100512407			2"SP/LINE	83.11	137.97	3GPM	307.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
407	380	158688	12/20/2010	GW101220407			2"SP/LINE	86.45	NR	5GPM	301.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
408	376	158297	6/15/2010	GW100615408			BP/LINE	4.24	5.78	1/5M/G	28.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
408	380	158685	12/16/2010	GW101216408			BP/LINE	2.31	3.61	2.3M/G	32.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
410	376	158298	6/16/2010	GW100616410			PP/B	15.68	DRY	6M/G	2.8	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
410	380	158678	12/14/2010	GW101214410			PP/B	14.91	DRY	6.5M/G	3.8	DFB	3	0	0	0	0	0	Y	NA	
412	376	158299	6/16/2010	GW100616412			BPP/LINE	13.53	NA	1.5M/G	22.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
412	380	158679	12/14/2010	GW101214412			BPP/LINE	12.48	NA	1.5M/G	22.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
415	376	158255	5/13/2010	GW100513415			2"SP/LINE	17.56	52.11	3GPM	194.0	DFB	3	0	0	0	0	0	N	NA	
415	380	158686	12/16/2010	GW101216415	NR101216313		2"SP/LINE	16.61	29.09	2GPM	296.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
416	376	158296	6/15/2010	GW100615416			BP/LINE	9.55	21.24	1.7M/G	18.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
416	380	158620	11/8/2010	GW101108416			BP/LINE	10.32	21.59	2.3M/G	17.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
417	376	158253	5/12/2010	GW100512417	NR100512313		2"SP/LINE	16.90	47.71	5GPM	156.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
417	380	158621	11/8/2010	GW101108417			2"SP/LINE	18.50	43.08	4GPM	152.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
423	376	158249	5/11/2010	GW100511423			BP/LINE	10.95	11.41	1.4M/G	24.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
423	380	158631	11/10/2010	GW101110423			BP/LINE	10.37	10.71	1.7M/G	25.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS, FIELD BLANK TAKEN
424	376	158248	5/11/2010	GW100511424	NR100511314		BP/LINE	14.03	21.56	2.5M/G	21.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #314
424	380	158622	11/8/2010	GW101108424			BP/LINE	13.70	20.82	2M/G	21.0	DFB	3	0	0	0	0	0	N	NA	
502	373	157915	1/18/2010	GW100118502			BP/LINE	1.62	12.49	1.8M/G	17.0	DFB	3	0	0	0	0	0	N	NA	
502	375	158191	4/26/2010	GW100426502			BP/LINE	1.39	13.21	1.6M/G	17.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
502	378	158407	8/16/2010	GW100816502			BP/LINE	5.74	13.69	1.5M/G	15.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
502	379	158559	10/14/2010	GW101014502			BP/LINE	2.31	11.32	2M/G	16.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
503	373	157934	1/25/2010	GW100125503	NR100125313		2"SP/LINE	1.79	8.00	10GPM	224.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313, FIELD BLANK TAKEN
503	375	158169	4/19/2010	GW100419503			2"SP/LINE	1.58	7.96	10GPM	225.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
503	377	158394	8/11/2010	GW100811503			2"SP/LINE	5.66	11.77	8GPM	206.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
503	379	158560	10/14/2010	GW101014503			2"SP/LINE	2.47	9.53	10GPM	221.0	DFB	3	0	0	0	0	0	N	NA	
515	372	157898	1/13/2010	GW100113515			2"SP/LINE	2.57	33.31	3.5M/G	74.0	DFB	3	0	0	0	0	0	N	NA	
515	375	158174	4/20/2010	GW100420515			BP/LINE	2.19	45.90	3.1M/G	75.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
515	378	158402	8/16/2010	GW100816515	NR100816319		BP/LINE	6.40	39.51	4M/G	73.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #319, FIELD BLANK TAKEN
515	379	158550	10/13/2010	GW101013515			BP/LINE	3.69	37.56	3.8M/G	74.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
520	373	157913	1/18/2010	GW100118520			BP/LINE	6.04	7.61	1.7M/G	9.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
520	375	158179	4/20/2010	GW100420520			BP/LINE	5.84	7.98	1.4M/G	9.1	DFB	3	0	0	0	0	0	N	NA	
520	378	158413	8/17/2010	GW100817520			2"SP/LINE	9.04	10.11	2M/G	7.6	DFB	3	0	0	0	0	0	N	NA	
520	379	158577	10/26/2010	GW101026520			BP/LINE	6.52	7.36	2.4M/G	8.8	DFB	3	0	0	0	0	0	N	NA	
521	373	157914	1/18/2010	GW100118521			BP/LINE	5.04	5.75	1.6M/G	14.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
521	375	158180	4/20/2010	GW100420521			BP/LINE	4.36	4.64	1.7M/G	15.0	DFB	3	0	0	0	0	0	N	NA	
521	378	158498	9/23/2010	GW100923521			BP/LINE	9.60	10.12	2M/G	12.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
521	379	158578	10/26/2010	GW101026521			BP/LINE	6.10	6.64	1.7M/G	14.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
535	373	157911	1/18/2010	GW100118535			2"SP/LINE	0.32	@PUMP	2GPM	22.0	DFB	3	0	0	0	0	0	Y	NA	
535	375	158177	4/20/2010	GW100420535			2"SP/LINE	0.82	@PUMP	2GPM	24.0	DFB	3	0	0	0	0	0	Y	NA	
535	377	158397	8/12/2010	GW100811535			2"SP/LINE	7.02	@PUMP	2GPM	18.0	DFB	3	0	0	0	0	0	Y	NA	
535	379	158552	10/13/2010	GW101013535			2"SP/LINE	3.55	@PUMP	2GPM	22.0	DFB	3	0	0	0	0	0	Y	NA	
543	372	157892	1/11/2010	GW100111543			2"SP/LINE	6.46	6.51	5.5M/G	3.2	DFB	3	0	0	0	0	0	N	NA	
543	375	158163	4/15/2010	GW100415543			PP/B	4.94	5.02	6M/G	3.9	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
543	377	158344	7/13/2010	GW100713543			PP/B	8.77	8.84	7M/G	2.1	DFB	3	0	0	0	0	0	N	NA	
543	379	158558	10/14/2010	GW101014543			PP/B	7.39	7.45	6.7M/G	2.7	DFB	3	0	0	0	0	0	N	NA	
545	372	157901	1/13/2010	GW100113545			BP/LINE	8.39	8.41	1.7M/G	10.3	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
545	375	158160	4/14/2010	GW100414545			BP/LINE	7.05	7.41	1.5M/G	11.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
545	377	158343	7/13/2010	GW100713545			BP/LINE	10.49	10.81	1.6M/G	9.3	DFB	3	0	0	0	0	0	N	NA	

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
545	379	158557	10/14/2010	GW101014545	NR101014313		BP/LINE	9.12	9.21	1.7M/G	10.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
559	375	158158	4/14/2010	GW100414559			BP/LINE	23.81	70.23	1.5M/G	10.0	DFB	3	0	0	0	0	0	Y	ND/ND	
559	378	158489	9/21/2010	GW100921559			BP/LINE	37.18	@PUMP	2.1M/G	8.5	DFB	3	0	0	0	0	0	Y	ND/ND	
561	375	158159	4/14/2010	GW100414561			B/B	21.71	30.41	NA	8.0	DFB	3	0	0	0	0	0	N	ND/ND	
561	378	158490	9/21/2010	GW100921561			B/B	34.17	37.87	NA	1.2	DFB	3	0	0	0	0	0	Y	ND/ND	FIELD BLANK TAKEN
563	375	158157	4/14/2010	GW100414563			2"SP/LINE	31.90	@PUMP	2GPM	18.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
563	378	158488	9/21/2010	GW100921563			2"SP/LINE	43.49	@PUMP	2GPM	16.0	DFB	3	0	0	0	0	0	Y	NA	
564	376	158236	5/6/2010	GW100506564			BP/LINE	41.77	@PUMP	2.1M/G	11.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
564	378	158487	9/21/2010	GW100921564			BP/LINE	38.44	@PUMP	2.8M/G	9.6	DFB	3	0	0	0	0	0	Y	NA	
571	372	157893	1/11/2010	GW100111571			B/B	9.03	9.14	NA	2.9	DFB	3	0	0	0	0	0	N	NA	
571	375	158161	4/14/2010	GW100414571			B/B	10.74	11.96	NA	2.0	DFB	3	0	0	0	0	0	N	NA	
571	377	158345	7/13/2010	GW100713571			B/B	12.66	13.52	NA	1.1	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
571	379	158544	10/7/2010	GW101007571			B/B	10.11	10.74	NA	2.3	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
572	377	158303	6/21/2010	GW100621572			PP/B	6.26	6.41	5M/G	5.0	DFB	3	0	0	0	0	0	N	ND/0.9	FIELD BLANK TAKEN
574	377	158304	6/21/2010	GW100621574			PP/B	23.17	23.32	7M/G	4.5	DFB	3	0	0	0	0	0	N	ND/1.2	
576	374	158099	3/24/2010	GW100324576			B/B	13.01	13.82	NA	3.3	DFB	3	0	0	0	0	0	N	NA	
576	378	158491	9/21/2010	GW100921576			B/B	17.09	19.31	NA	1.3	DFB	3	0	0	0	0	0	N	NA	
577	373	157985	2/9/2010	GW100209577	NR100209313		2"SP/LINE	116.91	207.02	2GPM	51.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
577	378	158401	8/12/2010	GW100812577			2"SP/LINE	113.50	206.89	2GPM	53.0	DFB	3	0	0	0	0	0	N	NA	
578	373	157976	2/8/2010	GW100208578			2"SP/LINE	112.24	119.36	3GPM	42.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
578	377	158400	8/12/2010	GW100812578			2"SP/LINE	106.78	115.21	3GPM	45.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
579	375	158116	4/1/2010	GW100401579		NR100401318	2"SP/LINE	121.04	121.86	1GPM	64.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #318
579	380	158675	12/13/2010	GW101213579			2"SP/LINE	126.59	138.71	1GPM	61.0	DFB	3	0	1	1	1	0	N	NA	
580	373	157997	2/15/2010	GW100215580			B/B	16.96	18.61	NA	0.8	DFB	3	0	1	1	1	0	Y	NA	
581	373	157990	2/10/2010	GW100210581			B/B	15.31	16.15	NA	6.5	DFB	3	0	1	1	1	0	N	NA	
581	378	158418	8/18/2010	GW100818581			B/B	25.33	25.81	NA	1.7	DFB	3	0	1	1	1	0	N	NA	
600	374	158046	3/8/2010	GW100308600	NR100308317		B/B	14.51	14.91	NA	2.6	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #317
601	374	158062	3/10/2010	GW100310601			2"SP/LINE	41.16	45.35	2GPM	46.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
602	374	158067	3/11/2010	GW100311602			B/B	4.77	21.40	NA	8.5	DFB	3	0	0	0	0	0	N	NA	
603	374	158047	3/8/2010	GW100308603			B/B	4.64	23.61	NA	10.3	DFB	3	0	0	0	0	0	N	NA	
604	374	158081	3/17/2010	GW100317604			2"SP/LINE	95.71	116.17	2GPM	21.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
606	376	158292	6/14/2010	GW100614606	NR100614314		2"SP/LINE	154.28	158.51	1.5GPM	18.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #314
606	380	158691	12/22/2010	GW101222606			2"SP/LINE	162.93	163.74	1.5GPM	14.0	DFB	3	0	0	0	0	0	N	NA	
607	374	158092	3/23/2010	GW100323607			B/B	104.08	108.09	NA	7.1	DFB	3	0	0	0	0	0	N	ND/ND	
608	374	158093	3/23/2010	GW100323608			B/B	46.76	47.58	NA	7.6	DFB	3	0	0	0	0	0	N	NA	
609	374	158100	3/24/2010	GW100324609			2"SP/LINE	169.86	178.43	2GPM	31.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
609	379	158584	10/29/2010	GW101029609			2"SP/LINE	167.28	191.12	2GPM	33.0	DFB	3	0	0	0	0	0	N	NA	
610	375	158108	3/25/2010	GW100325610			BP/LINE	136.15	136.76	2.4M/G	21.0	DFB	3	0	0	0	0	0	N	ND/ND	
610	379	158505	9/28/2010	GW100928610			BP/LINE	146.91	147.98	2.5M/G	16.0	DFB	3	0	0	0	0	0	N	ND/ND	
611	375	158112	3/29/2010	GW100329611			2"SP/LINE	105.28	144.08	2GPM	53.0	DFB	3	0	0	0	0	0	N	NA	
611	380	158683	12/15/2010	GW101215611			2"SP/LINE	116.06	160.41	2GPM	48.0	DFB	3	0	0	0	0	0	N	NA	
612	372	157869	1/6/2010	GW100106612	NR100106311		SP/TAP	2.31	NA	0.8GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
612	373	157953	2/1/2010	GW100201612			SP/TAP	2.28	NA	0.8GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
612	374	158036	3/5/2010	GW100305612	NR100305311		SP/TAP	2.28	NA	0.8GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
612	375	158124	4/5/2010	GW100405612			SP/TAP	2.31	NA	1.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
612	376	158221	5/4/2010	GW100504612			SP/TAP	2.28	NA	1.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
612	376	158260	6/1/2010	GW100601612			SP/TAP	2.30	NA	0.9GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
612	377	158305	7/1/2010	GW100701612			SP/TAP	2.30	NA	0.9GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
612	377	158378	8/10/2010	GW100810612			SP/TAP	2.28	NA	0.8GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
612	378	158436	9/7/2010	GW100907612			SP/TAP	2.30	NA	0.7GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
612	379	158525	10/5/2010	GW101005612			SP/TAP	2.30	NA	0.8GPM	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
612	379	158591	11/1/2010	PW101101612			SP/TAP	2.30	NA	0.7GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
612	380	158645	12/6/2010	GW101206612			SP/TAP	2.30	NA	0.7GPM	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
613	372	157870	1/6/2010									DFB									NO SAMPLE, OFF LINE
613	373	157958	2/1/2010									DFB									NO SAMPLE, OFF LINE
613	376	158300	3/5/2010									DFB									NO SAMPLE, OFF LINE
613	375	158129	4/5/2010									DFB									NO SAMPLE, OFF LINE
613	376	158225	5/4/2010									DFB									NO SAMPLE, OFF LINE
613	376	158264	6/1/2010									DFB									NO SAMPLE, OFF LINE
613	377	158306	7/1/2010									DFB									NO SAMPLE, OFF LINE
613	377	158382	8/10/2010									DFB									NO SAMPLE, OFF LINE

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
613	378		9/8/2010									DFB									NO SAMPLE, OFF LINE
613	374	158104	10/5/2010									DFB									NO SAMPLE, OFF LINE
613	379	158592	11/1/2010									DFB									NO SAMPLE, OFF LINE
613	380	158656	12/6/2010									DFB									NO SAMPLE, OFF LINE
614	379	158501	9/27/2010	GW100927614			BP/LINE	7.97	8.54	2.2M/G	14.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN, 10 WELL VOLUMES PURGED
615	379	158502	9/27/2010	GW100927615			BP/LINE	8.18	8.26	2.6M/G	13.0	DFB	3	0	0	0	0	0	N	NA	10 WELL VOLUMES PURGED
616	379	158503	9/27/2010	GW100927616			BP/LINE	8.24	9.02	2M/G	11.0	DFB	3	0	0	0	0	0	N	NA	10 WELL VOLUMES PURGED
617	372	157871	1/6/2010	GW100106617			SP/TAP	7.54	NA	8.4GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	373	157954	2/1/2010	GW100201617			SP/TAP	7.59	NA	11.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	374	158037	3/5/2010	GW100305617			SP/TAP	6.72	NA	9.6GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	375	158125	4/5/2010	GW100405617	NR100405311		SP/TAP	8.14	NA	13.9GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
617	376	158222	5/4/2010	GW100504617	NR100504311		SP/TAP	6.83	NA	11.5GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
617	376	158261	6/1/2010	GW100601617			SP/TAP	7.12	NA	9.9GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	377	158307	7/1/2010	GW100701617			SP/TAP	7.19	NA	9.8GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	377	158379	8/10/2010	GW100810617			SP/TAP	7.15	NA	7.9GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	378	158437	9/7/2010	GW100907617			SP/TAP	7.04	NA	7.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	379	158526	10/5/2010	GW101005617			SP/TAP	7.35	NA	8.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	379	158594	11/1/2010	GW101101617			SP/TAP	7.45	NA	7.9GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	380	158646	12/6/2010	GW101206617			SP/TAP	4.53	NA	7.3GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	372	157872	1/6/2010	GW100106618			SP/TAP	3.00	NA	1.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
618	373	157955	2/1/2010	GW100201618			SP/TAP	3.00	NA	1.3GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	374	158038	3/5/2010	GW100305618			SP/TAP	2.98	NA	1.4GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	375	158126	4/5/2010	GW100405618			SP/TAP	3.01	NA	1.2GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	376	158223	5/4/2010	GW100504618			SP/TAP	2.98	NA	1.3GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	376	158262	6/1/2010	GW100601618			SP/TAP	2.98	NA	1.2GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	377	158308	7/1/2010	GW100701618			SP/TAP	3.02	NA	1.2GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	377	158380	8/10/2010	GW100810618	NR100810311		SP/TAP	3.02	NA	1.0GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
618	378	158438	9/7/2010	GW100907618	NR100907311		SP/TAP	3.00	NA	1.0GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
618	379	158527	10/5/2010	GW101005618			SP/TAP	3.00	NA	1.2GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	379	158595	11/1/2010	GW101101618			SP/TAP	3.00	NA	1.2GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	380	158647	12/6/2010	GW101206618			SP/TAP	3.00	NA	1.8GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
622	375	158184	4/21/2010	GW100421622			2"SP/LINE	58.63	180.21	1GPM	77.0	DFB	3	0	0	0	0	0	N	NA	
622	379	158574	10/25/2010	GW101025622			2"SP/LINE	69.79	177.47	2GPM	71.0	DFB	3	0	0	0	0	0	N	NA	
623	375	158183	4/21/2010	GW100421623			2"SP/LINE	123.14	126.51	2GPM	124.0	DFB	3	0	0	0	0	0	N	ND/ND	
623	379	158583	10/29/2010	GW101029623			2"SP/LINE	148.26	149.48	2GPM	91.0	DFB	3	0	0	0	0	0	N	ND/ND	
624	376	158254	5/13/2010	GW100513624			2"SP/LINE	118.04	179.81	4GPM	118.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
624	379	158582	10/29/2010	GW101029624			2"SP/LINE	133.46	166.42	2GPM	111.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
627	373	157996	2/15/2010	GW100215627			PP/B	16.51	17.88	6M/G	1.1	DFB	3	0	1	1	1	0	N	NA	
628	372	157865	1/5/2010	GW100105628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628	373	157950	2/1/2010	GW100201628	NR100201311		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
628	374	158027	3/3/2010	GW100303628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628	375	158121	4/5/2010	GW100405628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
628	376	158214	5/3/2010	GW100503628	NR100503312		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
628	376	158257	6/1/2010	GW100601628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
628	377	158311	7/1/2010	GW100701628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
628	377	158375	8/9/2010	GW100809628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628	378	158433	9/7/2010	GW100907628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628	379	158515	10/4/2010	GW101004628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628	379	158597	11/1/2010	GW101101628	NR101101311		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
628	380	158639	12/1/2010	GW101201628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	372	157866	1/5/2010	GW100105628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	373	157951	2/1/2010	GW100201628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	374	158028	3/3/2010	GW100303628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	375	158122	4/5/2010	GW100405628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	376	158215	5/3/2010	GW100503628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	376	158258	6/1/2010	GW100601628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	377	158312	7/1/2010	GW100701628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	377	158376	8/9/2010	GW100809628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	378	158434	9/7/2010	GW100907628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	379	158516	10/4/2010	GW101004628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	379	158598	11/1/2010	GW101101628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
628A	380	158640	12/1/2010	GW101201628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	372	157867	1/5/2010	GW100105628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	373	157952	2/1/2010	GW100201628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	374	158029	3/3/2010	GW100303628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	375	158123	4/5/2010	GW100405628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	376	158216	5/3/2010	GW100503628			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	376	158259	6/1/2010	GW100601628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	377	158313	7/1/2010	GW100701628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	377	158377	8/9/2010	GW100809628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	378	158435	9/7/2010	GW100907628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	379	158517	10/4/2010	GW101004628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	379	158599	11/1/2010	GW101101628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	380	158641	12/1/2010	GW101201628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
638	375	158146	4/12/2010	GW100412638			B/B	16.32	23.28	NA	2.9	DFB	3	0	0	0	0	0	Y	NA	
638	377	158347	7/13/2010	GW100713638			B/B	18.67	23.02	NA	2.5	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
638	379	158565	10/18/2010	GW101018638			B/B	16.90	23.41	NA	2.2	DFB	3	0	0	0	0	0	Y	NA	
639	377	158346	7/13/2010									DFB									NO SAMPLE, DRY WELL
639	379	158564	10/18/2010									DFB									NO SAMPLE, DRY WELL
639	380	158692	12/22/2010									DFB									NO SAMPLE, DRY WELL
640	375	158145	4/7/2010	GW100407640			B/B	11.72	20.12	NA	2.5	DFB	3	0	0	0	0	0	Y	NA	
640	377	158348	7/13/2010	GW100713640	NR100713313		B/B	13.34	20.17	NA	1.9	DFB	6	0	0	0	0	0	Y	NA	QC DUPLICATE #313
640	379	158563	10/18/2010	GW101018640			B/B	11.61	20.28	NA	2.5	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
701	373	157986	2/10/2010	GW100210701			B/B	10.92	11.67	NA	4.4	DFB	3	0	1	1	1	0	N	NA	
701	378	158423	8/19/2010	GW100819701			B/B	11.70	11.80	NA	4.0	DFB	3	0	1	1	1	0	N	NA	
702	373	157987	2/10/2010	GW100210702			B/B	10.06	16.18	NA	3.7	DFB	3	0	1	1	1	0	N	NA	
702	378	158422	8/19/2010	GW100819702			B/B	10.36	16.14	NA	3.5	DFB	3	0	1	1	1	0	N	NA	
704	373	157974	2/8/2010	GW100208704			2"SP/LINE	70.12	102.61	6GPM	1246.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
704	378	158408	8/17/2010	GW100817704			2"SP/LINE	73.12	106.29	5GPM	1232.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
706	374	158007	2/18/2010	GW100218706			BP/LINE	23.32	26.72	1.5M/G	10.6	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
706	378	158469	9/14/2010	GW100914706			BP/LINE	25.86	28.04	2M/G	9.4	DFB	3	0	1	1	1	0	N	ND/ND	
711	374	158012	2/23/2010	GW100223711	NR100223315		2"SP/LINE	24.23	73.31	7.5GPM	1463.0	DFB	6	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
711	378	158425	8/20/2010	GW100820711	NR100820315		2"SP/LINE	29.11	77.21	6GPM	1441.0	DFB	9	0	0	0	0	0	N	NA	QC DUPLICATE #315, MS/MSD VOAS
714	373	157991	2/11/2010	GW100211714			B/B	29.98	35.21	NA	3.6	DFB	3	0	1	1	1	0	N	ND/ND	
714	378	158420	8/19/2010	GW100819714			B/B	33.99	36.86	NA	1.1	DFB	3	0	1	1	1	0	Y	NA	FIELD BLANK TAKEN
716	374	158013	2/23/2010	GW100223716			BP/LINE	121.64	122.51	2.6M/G	96.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
716	378	158480	9/16/2010	GW100916716			BP/LINE	112.73	113.44	2.1M/G	114.0	DFB	3	0	0	0	0	0	N	ND/ND	
720	375	158107	3/25/2010	GW100325720			2"SP/LINE	25.33	25.81	1GPM	11.0	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
720	378	158475	9/15/2010	GW100915720			2"SP/LINE	31.19	38.53	1GPM	8.1	DFB	3	0	1	1	1	0	N	NA	
722	373	157999	2/16/2010	GW100216722			2"SP/LINE	17.05	29.06	7.5GPM	1501.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS, FIELD BLANK TAKEN
722	378	158414	8/18/2010	GW100818722			2"SP/LINE	24.33	34.84	6GPM	1468.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
732	376	158294	6/14/2010	GW100614732			2"SP/LINE	136.77	146.61	3GPM	217.0	DFB	3	0	0	0	0	0	N	NA	
732	380	158689	12/20/2010	GW101220732			2"SP/LINE	142.07	145.38	2GPM	207.0	DFB	3	0	0	0	0	0	N	NA	
734	376	158291	6/14/2010	GW100614734			2"SP/LINE	140.48	146.38	1.5GPM	38.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
734	380	158682	12/15/2010	GW101215734			2"SP/LINE	145.82	149.41	2GPM	35.0	DFB	3	0	0	0	0	0	N	NA	
735	373	157995	2/15/2010	GW100215735			B/B	18.08	25.08	NA	1.4	DFB	3	0	1	1	1	0	Y	ND/ND	FIELD BLANK TAKEN
735	378	158421	8/19/2010	GW100819735			B/B	18.60	24.96	NA	1.8	DFB	3	0	1	1	1	0	Y	NA	
737	376	158293	6/14/2010	GW100614737			BP/LINE	136.41	137.92	2.6M/G	27.0	DFB	3	0	0	0	0	0	N	NA	
737	380	158658	12/7/2010	GW101207737			BP/LINE	144.17	145.69	2.8GPM	23.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
739	375	158109	3/29/2010	GW100329739			2"SP/LINE	147.33	149.97	2GPM	131.0	DFB	3	0	0	0	0	0	N	NA	
739	380	158690	12/22/2010	GW101222739			2"SP/LINE	145.04	147.61	2GPM	135.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
740	374	158079	3/17/2010	GW100317740			PP/B	21.87	24.25	7.5M/G	1.6	DFB	3	0	1	1	1	0	N	NA	
742	374	158017	2/24/2010	GW100224742			2"SP/LINE	148.68	152.30	3GPM	142.0	DFB	3	0	1	1	1	0	N	NA	
742	378	158465	9/13/2010	GW100913742			2"SP/LINE	150.90	154.04	2GPM	138.0	DFB	3	0	1	1	1	0	N	NA	
743	375	158110	3/29/2010	GW100329743			B/B	16.93	18.71	NA	1.2	DFB	3	0	1	1	1	0	N	NA	
744	373	157910	1/14/2010	GW100114744		NR100114314	BP/LINE	7.91	8.03	1.2M/G	10.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314
744	375	158185	4/22/2010	GW100422744		NR100422313	BP/LINE	6.68	7.03	1.5M/G	11.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #313
744	377	158354	7/14/2010	GW100714744		NR100714314	BP/LINE	8.91	9.03	2.2M/G	9.5	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314
744	380	158624	11/9/2010	GW101109744			BP/LINE	7.44	7.78	1.4M/G	10.2	DFB	3	0	1	1	1	0	N	NA	
745	373	157907	1/14/2010	GW100114745			PP/B	7.68	13.60	6M/G	3.2	DFB	3	0	1	1	1	0	N	NA	
745	375	158190	4/26/2010	GW100426745			PP/B	6.73	DRY	6.5M/G	3.4	DFB	3	0	1	1	1	0	Y	NA	
745	377	158355	7/15/2010	GW100715745			PP/B	7.47	DRY	6M/G	3.2	DFB	3	0	1	1	1	0	Y	NA	FIELD BLANK TAKEN

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
745	380	158623	11/9/2010	GW101109745			PP/B	7.23	DRY	6.5M/G	3.0	DFB	3	0	1	1	1	0	Y	NA	
751	376	158205	4/29/2010	GW100429751			PP/B	12.57	DRY	6.5M/G	1.2	DFB	3	0	1	1	1	1	Y	NA	EPA 625, MOF AND PART 373 SAMPLING
751	380	158663	12/8/2010	GW101208751			PP/B	12.29	13.07	6M/G	2.2	DFB	3	0	1	1	1	0	N	NA	
753	376	158203	4/29/2010	GW100429753			PP/B	11.12	DRY	4.5M/G	2.0	DFB	3	0	1	1	1	1	Y	NA	EPA 625, MOF AND PART 373 SAMPLING
753	380	158630	11/10/2010	GW101110753			PP/B	11.33	DRY	4M/G	1.5	DFB	3	0	1	1	1	0	Y	NA	
754	375	158106	3/25/2010	GW100325754			PP/B	12.58	12.89	5.5M/G	20.0	DFB	3	0	1	1	1	0	N	NA	
754	376	158201	4/28/2010	GW100428754			PP/B	12.83	15.31	6M/G	19.4	DFB	3	0	0	0	0	1	N	NA	EPA 625, MOF SAMPLING
755	373	157906	1/14/2010	GW100114755			BP/LINE	12.93	18.68	2.2M/G	20.0	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
755	376	158206	4/29/2010	GW100429755			BP/LINE	10.95	18.22	2M/G	24.0	DFB	3	0	1	1	1	1	N	NA	EPA 625, MOF AND PART 373 SAMPLING, FIELD BLANK
755	376	158256	5/27/2010	GW100527755			BP/LINE	12.15	18.46	2.5M/G	22.0	DFB	3	0	0	0	0	0	N	NA	RESAMPLE, FIELD BLANK TAKEN
755	377	158350	7/14/2010	GW100714755			BP/LINE	13.41	18.90	3.5M/G	19.0	DFB	3	0	1	1	1	0	N	NA	
755	379	158566	10/19/2010	GW101019755			BP/LINE	13.28	18.74	3.2M/G	19.0	DFB	3	0	1	1	1	0	N	NA	
756	374	158090	3/23/2010	GW100323756			PP/B	3.27	DRY	4.2M/G	20.0	DFB	3	0	0	0	0	0	Y	NA	
756	375	158200	4/28/2010	GW100428756			PP/B	9.88	DRY	3.7M/G	13.0	DFB	3	0	0	0	0	1	Y	NA	EPA 625, MOF SAMPLING
757	372	157902	1/13/2010	GW100113757			B/B	7.82	8.48	NA	6.0	DFB	3	0	0	0	0	0	N	NA	
757	375	158166	4/15/2010	GW100415757			B/B	5.92	6.18	NA	6.9	DFB	3	0	0	0	0	0	N	ND/ND	
757	377	158340	7/12/2010	GW100712757			B/B	8.52	8.78	NA	5.7	DFB	3	0	0	0	0	0	N	ND/ND	
757	379	158543	10/7/2010	GW101007757			B/B	7.74	8.09	NA	6.0	DFB	3	0	0	0	0	0	N	NA	
761	373	157988	2/10/2010	GW100210761			B/B	13.34	27.25	NA	9.2	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
761	378	158417	8/18/2010	GW100818761			B/B	21.10	29.68	NA	5.5	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
763	373	157989	2/10/2010	GW100210763			B/B	32.06	48.65	NA	4.0	DFB	3	0	1	1	1	0	Y	NA	
763	378	158415	8/18/2010	GW100818763			B/B	38.66	49.05	NA	2.8	DFB	3	0	1	1	1	0	Y	NA	
766	374	158018	2/24/2010	GW100224766			B/B	21.84	22.07	NA	1.8	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
766	378	158463	9/13/2010	GW100913766			B/B	21.51	21.74	NA	2.0	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
767	375	158105	3/25/2010	GW100325767			PP/B	18.80	14.70	7M/G	2.0	DFB	3	0	1	1	1	0	N	ND/ND	
767	380	158665	12/8/2010	GW101208767			PP/B	15.19	15.28	7M/G	1.7	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
768	374	158077	3/17/2010	GW100317768			PP/B	15.91	16.03	7M/G	3.4	DFB	3	0	1	1	1	0	N	ND/ND	
768	378	158478	9/16/2010	GW100916768			PP/B	16.57	16.63	7.5M/G	3.0	DFB	3	0	1	1	1	0	N	ND/ND	
769	373	157998	2/15/2010	GW100215769		NR100215317	B/B	20.57	22.04	NA	3.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #317
769	378	158464	9/13/2010	GW100913769		NR100913319	B/B	20.75	22.44	NA	3.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #319
771	374	158078	3/17/2010	GW100317771			PP/B	15.69	18.55	6.5M/G	1.7	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
772	373	157919	1/19/2010	GW100119772		NR100119315	BP/LINE	11.72	12.32	2M/G	3.5	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #315, FIELD BLANK TAKEN
772	375	158187	4/22/2010	GW100422772			BP/LINE	9.75	10.65	1.7M/G	4.5	DFB	3	0	1	1	1	0	N	NA	INVALID SPECIFIC CONDUCTANCE READING
772	377	158356	7/15/2010	GW100715772			BP/LINE	10.69	11.21	2M/G	4.0	DFB	3	0	1	1	1	0	N	NA	
772	379	158569	10/19/2010	GW101019772			BP/LINE	11.71	12.16	2.5M/G	3.5	DFB	3	0	1	1	1	0	N	NA	
773	373	157909	1/14/2010	GW100114773			BP/LINE	17.44	18.71	1.7M/G	5.5	DFB	3	0	1	1	1	0	N	NA	
773	375	158186	4/22/2010	GW100422773			BP/LINE	14.92	16.84	1.7M/G	6.7	DFB	3	0	1	1	1	0	N	NA	
773	377	158352	7/14/2010	GW100714773		NR100714315	BP/LINE	16.54	18.32	2M/G	6.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #315
773	379	158568	10/19/2010	GW101019773			BP/LINE	17.46	18.82	2M/G	5.5	DFB	3	0	1	1	1	0	N	NA	
774	373	157908	1/14/2010	GW100114774			BP/LINE	14.85	22.80	1.4M/G	7.3	DFB	3	0	1	1	1	0	N	NA	
774	375	158188	4/22/2010	GW100422774		NR100422314	BP/LINE	13.57	24.11	2M/G	7.9	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314
774	377	158353	7/14/2010	GW100714774			BP/LINE	14.84	23.69	1.6M/G	7.3	DFB	6	0	1	1	1	0	N	NA	MS/MSD VOAS, FIELD BLANK TAKEN
774	379	158570	10/19/2010	GW101019774		NR101019314	BP/LINE	15.47	21.33	2.7M/G	7.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314
775	374	158008	2/18/2010	GW100218775		NR100218320	BP/LINE	15.74	16.72	2M/G	7.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #320
777	373	157975	2/8/2010	GW100208777		NR100208318	2"SP/LINE	23.32	29.20	3GPM	51.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #318
777	377	158399	8/12/2010	GW100812777			2"SP/LINE	35.47	41.03	3GPM	46.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
779	373	157982	2/9/2010	GW100209779			BP/LINE	138.00	138.31	3.5M/G	46.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
779	378	158426	8/20/2010	GW100820779			BP/LINE	135.51	136.23	2.7M/G	47.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
789	373	158003	2/16/2010	GW100216789			B/B	11.81	16.24	NA	4.6	DFB	3	0	1	1	1	0	N	NA	
791	373	158004	2/16/2010	GW100216791			B/B	14.30	15.01	NA	3.9	DFB	3	0	1	1	1	0	N	NA	
792	374	158080	3/17/2010	GW100317792		NR100317320	B/B	10.59	11.09	NA	4.9	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #320
793	375	158117	4/1/2010	GW100401793		NR100401319	B/B	20.71	27.42	NA	4.2	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #319, FIELD BLANK TAKEN
793	378	158479	9/16/2010	GW100916793			B/B	21.29	27.91	NA	3.9	DFB	3	0	1	1	1	0	N	NA	
832	372	157900	1/13/2010	GW100113832		NR100113316	PP/B	20.62	20.82	4.7M/G	4.7	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #316
832	375	158164	4/15/2010	GW100415832			PP/B	18.05	18.48	6.5M/G	5.9	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
832	377	158341	7/12/2010	GW100712832			PP/B	25.63	NR	8.5M/G	2.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
832	379	158556	10/14/2010	GW101014832			PP/B	21.03	21.34	7.2M/G	4.5	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
857	373	157912	1/18/2010	GW100118857			2"SP/LINE	-2.00	97.71	2GPM	78.0	DFB	3	0	0	0	0	0	Y	NA	
857	375	158182	4/21/2010	GW100421857			2"SP/LINE	-2.00	101.25	2GPM	82.0	DFB	3	0	0	0	0	0	Y	NA	
857	378	158497	9/23/2010	GW100923857			2"SP/LINE	9.13	101.91	2GPM	74.0	DFB	3	0	0	0	0	0	Y	NA	
857	379	158576	10/26/2010	GW101026857			2"SP/LINE	-2.00	27.97	2GPM	78.0	DFB	3	0	0	0	0	0	Y	NA	

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
858	373	157918	1/19/2010	GW100119858			2"SP/LINE	-2.00	154.18	2GPM	212.0	DFB	6	0	0	0	0	0	Y	NA	MS/MSD VOAS
858	375	158189	4/26/2010	GW100426858			2"SP/LINE	-2.00	148.75	2GPM	244.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
858	378	158496	9/23/2010	GW100923858			2"SP/LINE	9.24	148.10	2GPM	142.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
858	379	158575	10/26/2010	GW101026858			2"SP/LINE	1.81	148.26	2GPM	309.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
859	372	157895	1/12/2010	GW100112859			2"SP/LINE	7.11	95.31	2GPM	102.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
859	376	158244	5/10/2010	GW100510859			2"SP/LINE	6.77	92.31	1.5GPM	151.0	DFB	6	0	0	0	0	0	Y	NA	MS/MSD VOAS, FIELD BLANK TAKEN
859	378	158404	8/16/2010	GW100816859			2"SP/LINE	9.78	91.61	2GPM	72.0	DFB	3	0	0	0	0	0	Y	NA	
859	379	158562	10/18/2010	GW101018859			2"SP/LINE	6.88	91.26	2GPM	70.0	DFB	3	0	0	0	0	0	Y	NA	
860	372	157894	1/12/2010	GW100112860			2"SP/LINE	7.14	144.32	2GPM	285.0	DFB	3	0	0	0	0	0	N	NA	
860	375	158194	4/27/2010	GW100427860			2"SP/LINE	6.83	138.90	2GPM	180.0	DFB	3	0	0	0	0	0	Y	NA	
860	378	158403	8/16/2010	GW100816860			2"SP/LINE	10.07	148.72	2GPM	206.0	DFB	3	0	0	0	0	0	Y	NA	
860	379	158561	10/18/2010	GW101018860			2"SP/LINE	7.27	148.71	2GPM	204.0	DFB	3	0	0	0	0	0	Y	NA	
861	373	157916	1/19/2010	GW100119861			2"SP/LINE	14.11	@PUMP	1GPM	23.0	DFB	3	0	0	0	0	0	Y	NA	
861	375	158192	4/27/2010	GW100427861			2"SP/LINE	11.00	@PUMP	2GPM	26.0	DFB	3	0	0	0	0	0	Y	NA	
861	378	158405	8/16/2010	GW100816861			2"SP/LINE	19.96	@PUMP	2GPM	14.0	DFB	3	0	0	0	0	0	Y	NA	
861	379	158571	10/25/2010	GW101025861			2"SP/LINE	16.38	@PUMP	1GPM	20.0	DFB	3	0	0	0	0	0	Y	NA	
862	373	157917	1/19/2010	GW100119862			2"SP/LINE	15.07	@PUMP	1GPM	25.0	DFB	3	0	0	0	0	0	Y	NA	
862	375	158193	4/27/2010	GW100427862			2"SP/LINE	11.94	@PUMP	2GPM	30.0	DFB	3	0	0	0	0	0	Y	NA	
862	378	158406	8/16/2010	GW100816862			2"SP/LINE	20.47	@PUMP	2GPM	22.0	DFB	3	0	0	0	0	0	Y	NA	
862	379	158572	10/25/2010	GW101025862			2"SP/LINE	1.97	@PUMP	1GPM	25.0	DFB	3	0	0	0	0	0	Y	NA	
921	374	158087	3/22/2010	GW100322921			BP/LINE	10.17	17.98	1.2M/G	148.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
921	379	158508	9/29/2010	GW100929921			BP/LINE	24.35	33.24	1.7M/G	121.0	DFB	3	0	0	0	0	0	N	NA	
922	376	158245	5/10/2010	GW100510922			2"SP/LINE	35.92	110.74	2GPM	64.0	DFB	3	0	0	0	0	0	Y	NA	
922	380	158633	11/11/2010	GW101111922			2"SP/LINE	45.14	111.32	2GPM	56.0	DFB	3	0	0	0	0	0	Y	NA	
923	374	158089	3/22/2010	GW100322923			2"SP/LINE	36.18	126.59	2GPM	60.0	DFB	3	0	0	0	0	0	N	ND/ND	
923	379	158509	9/29/2010	GW100929923			2"SP/LINE	55.85	144.16	2GPM	50.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
929	374	158091	3/23/2010	GW100323929			BP/LINE	106.60	106.97	3M/G	22.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
929	380	158632	11/11/2010	GW101111929			BP/LINE	112.99	114.47	4M/G	19.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
931	374	158097	3/24/2010	GW100324931			2"SP/LINE	95.42	99.34	4GPM	110.0	DFB	3	0	0	0	0	0	N	NA	
931	379	158581	10/27/2010	GW101027931			2"SP/LINE	102.52	107.12	4GPM	96.0	DFB	3	0	0	0	0	0	N	NA	
932	374	158069	3/15/2010	GW100315932			2"SP/LINE	10.98	158.11	2GPM	216.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
932	379	158580	10/27/2010	GW101027932			2"SP/LINE	19.93	153.27	2GPM	298.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
941	374	158043	3/8/2010	GW100308941			BP/LINE	121.05	121.49	2.3M/G	25.0	DFB	3	0	0	0	0	0	N	ND/ND	
941	379	158507	9/28/2010	GW100928941			BP/LINE	128.72	129.03	4.8M/G	10.5	DFB	3	0	0	0	0	0	N	ND/ND	
943	374	158083	3/18/2010	GW100318943			2"SP/LINE	7.15	35.44	7.5GPM	267.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
943	378	158493	9/22/2010	GW100922943			2"SP/LINE	18.17	45.13	7.5GPM	246.0	DFB	3	0	0	0	0	0	N	NA	
944	374	158082	3/18/2010	GW100318944			2"SP/LINE	2.72	56.13	2GPM	135.0	DFB	3	0	0	0	0	0	N	NA	
944	378	158481	9/16/2010	GW100916944			BP/LINE	13.25	49.36	2GPM	114.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS, FIELD BLANK TAKEN
952	374	158068	3/15/2010	GW100315952			BP/LINE	113.44	115.61	2.2M/G	165.0	DFB	3	0	1	1	1	0	N	NA	
952	380	158687	12/20/2010	GW101220952		NR101220314	BP/LINE	115.77	118.72	2.4M/G	160.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314
953	374	158066	3/11/2010	GW100311953			2"SP/LINE	123.77	125.39	2.1M/G	57.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
953	379	158506	9/28/2010	GW100928953			BP/LINE	140.92	141.90	2.7M/G	24.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
954	374	158060	3/10/2010	GW100310954			2"SP/LINE	33.84	144.66	2GPM	122.0	DFB	3	0	0	0	0	0	Y	NA	
954	378	158494	9/22/2010	GW100922954			2"SP/LINE	46.03	145.04	2GPM	96.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
956	374	158061	3/10/2010	GW100310956			2"SP/LINE	24.59	99.56	2GPM	64.0	DFB	3	0	0	0	0	0	Y	ND/ND	
956	378	158495	9/22/2010	GW100922956			2"SP/LINE	35.10	99.66	2GPM	56.0	DFB	3	0	0	0	0	0	Y	ND/ND	
958	372	157888	1/11/2010	GW100111958			2"SP/LINE	3.43	91.24	2GPM	76.0	DFB	3	0	0	0	0	0	Y	NA	
958	375	158181	4/21/2010	GW100221958			2"SP/LINE	2.78	91.38	2GPM	74.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
958	377	158398	8/12/2010	GW100812958			2"SP/LINE	8.02	90.24	2GPM	68.0	DFB	3	0	0	0	0	0	Y	NA	
958	379	158553	10/13/2010	GW101013958			2"SP/LINE	5.16	90.34	2GPM	72.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
959	374	158011	2/22/2010	GW100222959			BP/LINE	110.61	135.72	2.1M/G	91.0	DFB	3	0	1	1	1	0	N	ND/ND	
959	378	158483	9/20/2010	GW100920959			BP/LINE	122.54	148.15	2.6M/G	68.0	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
960	374	158010	2/22/2010	GW100222960			BP/LINE	43.11	70.41	1.2M/G	93.0	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
960	378	158486	9/20/2010	GW100920960			BP/LINE	58.47	79.36	1.5M/G	63.0	DFB	3	0	1	1	1	0	N	ND/ND	
963	372	157886	1/7/2010	GW100107963			2"SP/LINE	6.26	46.63	2GPM	76.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
963	375	158172	4/19/2010	GW100419963			2"SP/LINE	5.52	41.26	2GPM	77.0	DFB	3	0	0	0	0	0	N	NA	
963	377	158395	8/11/2010	GW100811963			2"SP/LINE	10.14	49.61	2GPM	75.0	DFB	3	0	0	0	0	0	N	NA	
963	379	158554	10/13/2010	GW101013963			2"SP/LINE	7.03	61.29	2GPM	76.0	DFB	3	0	0	0	0	0	N	NA	
964	372	157887	1/7/2010	GW100107964			2"SP/LINE	6.06	18.47	2GPM	43.0	DFB	3	0	0	0	0	0	N	NA	
964	375	158173	4/19/2010	GW100419964			2"SP/LINE	5.58	16.21	2GPM	43.0	DFB	3	0	0	0	0	0	N	NA	
964	377	158396	8/11/2010	GW100811964			2"SP/LINE	10.06	25.38	2GPM	41.0	DFB	3	0	0	0	0	0	N	NA	

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLE ID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
964	379	158555	10/13/2010	GW101013964	NR101013315		2"SP/LINE	6.68	17.29	2GPM	43.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #315
965	374	158064	3/11/2010	GW100311965			2"SP/LINE	41.93	42.75	7.5GPM	201.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
965	378	158476	9/15/2010	GW100915965	NR100915316		2"SP/LINE	52.38	53.42	7.5GPM	180.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #316
966	374	158065	3/11/2010	GW100311966			2"SP/LINE	41.55	43.19	4GPM	165.0	DFB	3	0	0	0	0	0	N	NA	
966	378	158477	9/15/2010	GW100915966			2"SP/LINE	52.20	58.90	6GPM	144.0	DFB	3	0	0	0	0	0	N	NA	
987	372	157884	1/7/2010	GW100107987			2"SP/LINE	3.89	4.12	4GPM	184.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
987	375	158167	4/19/2010	GW100419987	NR100419315		2"SP/LINE	3.16	3.39	3GPM	187.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #315
987	377	158392	8/11/2010	GW100811987	NR100811320		2"SP/LINE	7.32	7.44	3GPM	169.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #320
987	379	158545	10/12/2010	GW101012987			2"SP/LINE	4.61	4.83	3GPM	181.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
990	372	157885	1/7/2010	GW100107990	NR100107317		2"SP/LINE	4.11	5.56	2GPM	33.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #317
990	375	158168	4/19/2010	GW100519990			2"SP/LINE	3.57	5.74	3GPM	34.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
990	377	158393	8/11/2010	GW100811990			2"SP/LINE	7.18	10.64	3GPM	27.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
990	379	158546	10/12/2010	GW101012990			2"SP/LINE	4.56	6.83	3GPM	32.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
998	373	157993	2/11/2010	GW100211998			B/B	9.95	19.44	NA	5.7	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
998	378	158419	8/18/2010	GW100818998			B/B	13.38	21.14	NA	2.7	DFB	3	0	1	1	1	0	Y	NA	
999	373	158002	2/16/2010	GW100216999			BP/LINE	15.81	16.71	1.5M/G	18.0	DFB	3	0	1	1	1	0	N	NA	
999	378	158424	8/19/2010	GW100819999			BP/LINE	18.85	19.52	1.8M/G	16.0	DFB	3	0	1	1	1	0	N	NA	
NR360	372	157873	1/6/2010	NR100106360			SP/TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	373	157956	2/1/2010	NR100201360			SP/TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	374	158039	3/5/2010	NR100305360			SP/TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	375	158127	4/5/2010	NR100405360			SP/TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	376	158224	5/4/2010	NR100504360			SP/TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	376	158263	6/1/2010	NR100601360			SP/TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	377	158309	7/1/2010	NR100701360			SP/TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	377	158381	8/10/2010	NR100810360			SP/TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	378	158439	9/7/2010	NR100907360			SP/TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	379	158528	10/5/2010	NR101005360			TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	379	158596	11/1/2010	NR101101360			TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	380	158648	12/6/2010	NR101206360			SP/TAP	NA	NA	0.3	0.3	DFB	3	0	0	0	0	0	N	NA	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
007		2/16/2010	10.5	6.9	5010	3.92	
007	317	9/14/2010	14.8	6.7	5120	4.39	QC DUPLICATE #317
010		2/11/2010	13.7	7.3	2360	1000	
010	312	8/18/2010	16.2	7.4	3770	155	QC DUPLICATE #312
015		2/25/2010	7.8	7.8	2620	26.8	
015		9/15/2010	19.7	6.6	1435	21.9	
016	312	2/18/2010	13.0	7.2	1880	4.91	QC DUPLICATE #312
016		9/14/2010	16.5	6.8	1950	5.23	
032A		1/5/2010	13.6	7.6	2070	0.46	
032A		2/1/2010	12.4	7.3	2600	2.76	
032A		3/5/2010	11.4	6.8	3900	0.28	
032A		4/5/2010	14.2	6.7	2730	1.12	
032A		5/3/2010	16.1	6.5	3240	2.89	
032A	312	6/2/2010	18.6	6.4	3610	2.19	QC DUPLICATE #312
032A	311	7/1/2010	19.4	6.2	3790	3.07	QC DUPLICATE #311
032A		8/9/2010	22.7	6.9	3700	1.06	
032A		9/7/2010	21.5	6.8	2890	2.07	
032A		9/27/2010	20.6	6.6	2900	5.51	
032A		10/5/2010	20.3	7.0	2280	4.98	
032A		11/1/2010	18.3	6.9	2260	0.57	
032A		12/6/2010	14.9	7.0	2010	0.88	
035		5/6/2010	12.8	5.9	5240	1.74	
046		3/5/2010	9.3	7.0	1296	1.04	
046		10/25/2010	14.0	6.7	1085	2.11	
048		1/11/2010	7.4	6.7	1458	15.6	
048		4/15/2010	9.6	6.3	850	22.1	
048		7/13/2010	13.0	7.2	1550	171	
048		10/12/2010	15.3	6.7	1520	1.38	
053		3/8/2010	13.5	6.7	8700	48.2	
053		9/29/2010	15.3	6.7	3440	27.1	
054		3/15/2010	8.5	6.4	2860	16.3	
054		9/21/2010	15.2	6.8	5610	11.6	
059		4/20/2010	8.1	6.1	851	7.67	
060	319	4/20/2010	10.3	6.4	1110	45.2	QC DUPLICATE #319
061		3/10/2010	5.7	6.6	7540	6.56	
061		4/12/2010	9.0	6.2	4590	6.20	
063		3/24/2010	12.4	6.7	7130	45.7	
064		1/11/2010	10.7	6.5	1710	4.56	
064		4/19/2010	11.3	6.6	1418	25.5	
064		7/15/2010	15.0	7.1	3170	22.5	
064		10/12/2010	15.1	7.0	2710	15.2	
065	312	1/11/2010	12.0	6.9	2120	0.66	QC DUPLICATE #312
065		4/19/2010	11.8	6.7	1441	12.2	
065		7/15/2010	13.2	7.2	2350	2.06	
065	312	10/12/2010	13.0	7.4	2060	0.24	QC DUPLICATE #312
066		1/12/2010	6.7	6.5	2670	13.2	
066		4/12/2010	9.9	6.3	2730	9.68	
066	312	7/13/2010	23.1	6.7	2070	46.6	QC DUPLICATE #312
066	312	11/9/2010	12.9	6.6	1407	6.78	QC DUPLICATE #312
067		1/12/2010	8.6	6.6	650	3.47	
067	312	4/15/2010	8.7	6.5	752	13.3	QC DUPLICATE #312

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
067		7/12/2010	15.4	7.5	750	2.67	
067		10/26/2010	16.9	6.9	636	15.8	
068		1/14/2010	10.5	6.8	2260	48.3	
068		4/29/2010	10.7	6.8	2570	72.1	
068		9/13/2010	14.0	6.3	2570	86.2	
068		10/19/2010	13.7	6.6	2480	32.2	
069		3/18/2010	3.3	6.8	2700	5.66	
069	312	9/16/2010	17.0	6.6	1344	13.9	QC DUPLICATE #312
085	312	3/18/2010	12.9	6.9	2400	78.0	QC DUPLICATE #312
085		9/20/2010	12.5	6.4	2500	79.7	
087		3/18/2010	12.0	7.0	1107	4.14	
087		9/20/2010	12.2	6.1	1109	0.76	
103		3/16/2010	9.1	7.5	453	1.98	
103		11/10/2010	14.5	6.1	2400	5.09	
104		3/16/2010	11.9	6.5	600	2.44	
104		11/10/2010	15.1	7.1	5820	6.54	
105		2/25/2010	11.9	7.1	1398	2.06	
105		9/14/2010	15.3	6.4	1550	10.6	
106		2/25/2010	11.0	6.9	1143	5.62	
106		9/14/2010	15.9	6.7	1164	41.9	
108		3/29/2010	13.3	6.9	1690	7.44	
108		8/17/2010	15.7	7.4	1650	19.5	
109		2/24/2010	11.6	7.3	1260	4.96	
109	313	8/17/2010	15.0	7.1	1399	13.9	QC DUPLICATE #313
113		1/13/2010	8.9	7.2	1800	27.8	
113		4/20/2010	10.9	6.5	1750	14.7	
113		8/17/2010	12.3	7.3	1680	16.1	
113		10/13/2010	11.0	6.9	1760	24.7	
118		3/8/2010	15.0	6.7	1760	3.27	
118		9/15/2010	16.3	6.2	1990	8.75	
143		3/8/2010	11.6	6.8	1396	2.20	
143		9/15/2010	14.8	6.6	1341	4.77	
145		3/16/2010	10.4	7.5	2560	200	
146		3/16/2010	10.3	7.5	725	36.2	
150		2/9/2010	10.3	7.0	1660	923	
150		9/13/2010	12.7	6.9	1600	>1000	
151		2/16/2010					NETS HYDRO
151		2/17/2010	10.8	6.9	2240	5.29	
151		12/8/2010					NETS HYDROLAB
151		12/9/2010	11.4	6.9	1860	18.8	
156		2/9/2010	8.4	7.0	1401	4.59	
156		8/17/2010	11.8	6.9	1338	6.14	
161		3/17/2010	8.8	6.6	1124	22.5	
166		3/31/2010	12.0	6.5	1172	15.4	
166		12/13/2010	12.0	7.0	1146	30.8	
167		3/31/2010	11.2	6.3	638	10.9	
167	312	12/13/2010	11.0	7.0	650	8.03	QC DUPLICATE #312
178		3/23/2010	14.0	6.8	1398	779	
181		3/24/2010	11.5	10.5	2120	>1000	
181		12/15/2010	13.1	7.6	8620	301	
204		2/11/2010	11.3	6.9	5020	507	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
210	310	1/4/2010	11.0	7.5	959	1.90	QC DUPLICATE #310
210	310	2/2/2010	11.0	7.3	990	2.81	QC DUPLICATE #310
210		3/3/2010	11.3	6.8	977	1.89	
210		4/6/2010	12.0	6.4	980	1.27	
210		5/3/2010	13.1	6.2	965	1.47	
210	310	6/2/2010	13.7	6.3	979	1.01	QC DUPLICATE #310
210	310	7/6/2010	14.5	6.0	974	3.16	QC DUPLICATE #310
210		8/3/2010	13.2	7.1	971	2.12	
210	310	9/7/2010	13.4	6.7	1004	2.76	QC DUPLICATE #310
210		10/4/2010	11.9	6.3	1003	4.15	
210		11/1/2010	11.5	6.8	1045	3.11	
210		12/1/2010	12.4	7.4	978	4.33	
220		1/4/2010	13.4	7.4	1500	1.28	
220		2/2/2010	12.8	6.9	1740	10.4	
220		3/3/2010	13.7	6.7	1560	3.64	
220		4/6/2010	14.1	6.8	1630	4.61	
220		5/3/2010	15.3	6.3	1530	3.47	
220		6/2/2010	14.8	6.4	1590	2.65	
220		7/6/2010	16.7	6.0	1630	3.40	
220		8/3/2010	16.1	6.9	1680	3.02	
220		9/7/2010	15.1	6.5	1630	4.13	
220		10/7/2010	14.3	7.1	1760	5.73	
220		11/1/2010	12.8	6.9	1700	0.86	
220		12/1/2010	13.6	6.6	1530	2.66	
240		1/4/2010	12.2	7.5	1025	0.70	
240		2/2/2010	12.0	7.1	1087	2.82	
240		3/3/2010	12.5	6.7	1067	5.57	
240		4/6/2010	12.8	6.5	1073	3.61	
240		5/3/2010	13.7	6.0	1077	2.26	
240		6/2/2010	14.0	6.3	1052	2.04	
240		7/6/2010	15.1	6.0	1060	3.52	
240		8/3/2010	14.8	6.9	1062	2.55	
240		9/7/2010	14.0	6.4	1096	6.55	
240		10/4/2010	13.4	6.6	1101	3.96	
240		11/1/2010	12.5	6.9	1153	4.93	
240		12/1/2010	13.1	6.9	1070	3.16	
250		1/6/2010	11.1	7.6	753	13.4	
250		2/3/2010	10.9	6.8	795	24.0	
250		3/4/2010	11.2	6.8	751	11.0	
250		4/7/2010	17.7	6.6	746	78.0	
250		5/4/2010	18.1	6.7	722	41.6	
250		6/7/2010	21.1	6.2	669	54.3	
250		7/7/2010	24.5	6.8	620	45.2	
250		8/5/2010	24.6	6.9	616	34.2	
250		9/10/2010	19.4	6.5	591	43.8	
250		10/6/2010	17.9	7.4	593	36.6	
250		11/4/2010	14.9	7.7	564	28.6	
250		12/2/2010	13.3	7.3	569	27.2	
260		1/6/2010	11.5	7.7	901	7.90	
260		2/3/2010	11.5	7.1	905	13.1	
260		3/4/2010	11.4	6.7	900	6.19	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
260		4/7/2010	12.9	6.4	829	9.56	
260		5/4/2010	13.3	5.9	795	9.58	
260		6/7/2010	12.6	6.1	760	5.45	
260		7/7/2010	14.8	6.1	827	14.4	
260		8/5/2010	14.1	7.2	840	7.87	
260		9/10/2010	12.8	6.5	918	13.8	
260		10/6/2010	12.0	6.4	946	5.91	
260		11/4/2010	12.4	7.1	919	6.02	
260		12/2/2010	11.8	6.8	920	13.6	
270		1/21/2010	11.6	6.9	667	5.52	
270		2/3/2010	11.5	6.8	743	6.27	
270		3/4/2010	11.9	6.9	915	2.13	
270		4/7/2010	14.0	6.4	1185	6.90	
270	310	5/4/2010	14.2	6.5	950	3.12	QC DUPLICATE #310
270		6/7/2010	14.9	6.1	776	2.12	
270		7/7/2010	15.6	6.7	696	2.48	
270		8/5/2010	14.8	6.8	667	1.46	
270		9/10/2010	13.2	6.4	653	1.53	
270		10/6/2010	12.9	7.0	705	3.87	
270	310	11/4/2010	13.8	7.3	663	0.75	QC DUPLICATE #310
270		12/2/2010	12.0	7.1	669	5.50	
290		1/6/2010					NO SAMPLE, OFF LINE
290		2/2/2010					NO SAMPLE, OFF LINE
290		3/3/2010					NO SAMPLE, OFF LINE
290		4/6/2010					NO SAMPLE, OFF LINE
290		5/10/2010					NO SAMPLE, OFF LINE
290		6/2/2010					NO SAMPLE, OFF LINE
290		7/6/2010					NO SAMPLE, OFF LINE
290		8/3/2010					NO SAMPLE, OFF LINE
290		9/9/2010					NO SAMPLE, OFF LINE
290		10/7/2010					NO SAMPLE, OFF LINE
290		11/1/2010					NO SAMPLE, OFF LINE
290		12/6/2010					NO SAMPLE, OFF LINE
300		1/5/2010					TRIP BLANK
300		1/6/2010					TRIP BLANK
300		1/20/2010					TRIP BLANK
300		1/21/2010					TRIP BLANK
300		2/8/2010					TRIP BLANK
300		2/23/2010					TRIP BLANK
300		3/9/2010					TRIP BLANK
300		3/16/2010					TRIP BLANK
300		4/6/2010					TRIP BLANK SPDES
300		4/29/2010					TRIP BLANK
300		5/5/2010					TRIP BLANK
300		5/6/2010					TRIP BLANK
300		6/8/2010					TRIP BLANK
300		7/7/2010					TRIP BLANK
300		7/14/2010					TRIP BLANK
300		8/9/2010					TRIP BLANK
300		8/10/2010					TRIP BLANK
300		9/8/2010					TRIP BLANK

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
300		9/9/2010					TRIP BLANK
300		10/5/2010					TRIP BLANK
300		10/6/2010					TRIP BLANK
300		11/2/2010					TRIP BLANK
300		11/3/2010					TRIP BLANK
300		12/6/2010					TRIP BLANK
302		1/4/2010					TRIP BLANK
302		1/5/2010					TRIP BLANK
302		1/6/2010					TRIP BLANK
302		1/7/2010					TRIP BLANK
302		1/11/2010					TRIP BLANK
302		1/12/2010					TRIP BLANK
302		1/13/2010					TRIP BLANK
302		1/14/2010					TRIP BLANK
302		1/18/2010					TRIP BLANK
302		1/19/2010					TRIP BLANK
302		1/25/2010					TRIP BLANK
302		1/28/2010					SAMPLE NOT ANALYZED
302		2/1/2010					TRIP BLANK
302		2/2/2010					TRIP BLANK
302		2/3/2010					TRIP BLANK
302		2/4/2010					TRIP BLANK
302		2/8/2010					TRIP BLANK
302		2/9/2010					TRIP BLANK
302		2/10/2010					TRIP BLANK
302		2/11/2010					TRIP BLANK
302		2/15/2010					TRIP BLANK
302		2/16/2010					TRIP BLANK
302		2/18/2010					TRIP BLANK
302		2/22/2010					TRIP BLANK
302		2/23/2010					TRIP BLANK
302		2/24/2010					TRIP BLANK
302		2/25/2010					TRIP BLANK
302		3/3/2010					TRIP BLANK
302		3/4/2010					TRIP BLANK
302		3/5/2010					TRIP BLANK
302		3/8/2010					TRIP BLANK
302		3/9/2010					TRIP BLANK
302		3/10/2010					TRIP BLANK
302		3/11/2010					TRIP BLANK
302		3/15/2010					TRIP BLANK
302		3/16/2010					TRIP BLANK
302		3/17/2010					TRIP BLANK
302		3/18/2010					TRIP BLANK
302		3/22/2010					TRIP BLANK
302		3/23/2010					TRIP BLANK
302		3/24/2010					TRIP BLANK
302		3/25/2010					TRIP BLANK
302		3/29/2010					TRIP BLANK
302		3/31/2010					TRIP BLANK
302		4/1/2010					TRIP BLANK

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
302		4/5/2010					TRIP BLANK
302		4/6/2010					TRIP BLANK
302		4/7/2010					TRIP BLANK
302		4/12/2010					TRIP BLANK
302		4/13/2010					TRIP BLANK
302		4/14/2010					TRIP BLANK
302		4/15/2010					TRIP BLANK
302		4/19/2010					TRIP BLANK
302		4/20/2010					TRIP BLANK
302		4/21/2010					TRIP BLANK
302		4/22/2010					TRIP BLANK
302		4/26/2010					TRIP BLANK
302		4/27/2010					TRIP BLANK
302		4/28/2010					TRIP BLANK
302		4/29/2010					TRIP BLANK
302		5/3/2010					TRIP BLANK
302		5/4/2010					TRIP BLANK
302		5/6/2010					TRIP BLANK
302		5/10/2010					TRIP BLANK
302		5/11/2010					TRIP BLANK
302		5/12/2010					TRIP BLANK
302		5/13/2010					TRIP BLANK
302		5/27/2010					TRIP BLANK
302		6/1/2010					TRIP BLANK
302		6/2/2010					TRIP BLANK
302		6/3/2010					TRIP BLANK
302		6/7/2010					TRIP BLANK
302		6/8/2010					TRIP BLANK
302		6/14/2010					TRIP BLANK
302		6/15/2010					TRIP BLANK
302		6/16/2010					TRIP BLANK
302		6/21/2010					TRIP BLANK
302		7/1/2010					TRIP BLANK
302		7/6/2010					TRIP BLANK
302		7/7/2010					TRIP BLANK
302		7/8/2010					TRIP BLANK
302		7/12/2010					TRIP BLANK
302		7/13/2010					TRIP BLANK
302		7/14/2010					TRIP BLANK
302		7/15/2010					TRIP BLANK
302		8/3/2010					TRIP BLANK
302		8/4/2010					TRIP BLANK
302		8/5/2010					TRIP BLANK
302		8/9/2010					TRIP BLANK
302		8/10/2010					TRIP BLANK
302		8/11/2010					TRIP BLANK
302		8/12/2010					TRIP BLANK
302		8/16/2010					TRIP BLANK
302		8/17/2010					TRIP BLANK
302		8/18/2010					TRIP BLANK
302		8/19/2010					TRIP BLANK

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
302		8/20/2010					TRIP BLANK
302		9/7/2010					TRIP BLANK
302		9/8/2010					TRIP BLANK
302		9/10/2010					TRIP BLANK
302		9/13/2010					TRIP BLANK
302		9/14/2010					TRIP BLANK
302		9/15/2010					TRIP BLANK
302		9/16/2010					TRIP BLANK
302		9/20/2010					TRIP BLANK
302		9/21/2010					TRIP BLANK
302		9/22/2010					TRIP BLANK
302		9/23/2010					TRIP BLANK
302		9/27/2010					TRIP BLANK
302		9/28/2010					TRIP BLANK
302		9/29/2010					TRIP BLANK
302		10/4/2010					TRIP BLANK
302		10/5/2010					TRIP BLANK
302		10/6/2010					TRIP BLANK
302		10/7/2010					TRIP BLANK
302		10/12/2010					TRIP BLANK
302		10/13/2010					TRIP BLANK
302		10/14/2010					TRIP BLANK
302		10/18/2010					TRIP BLANK
302		10/19/2010					TRIP BLANK
302		10/25/2010					TRIP BLANK
302		10/26/2010					TRIP BLANK
302		10/27/2010					TRIP BLANK
302		10/29/2010					TRIP BLANK
302		11/1/2010					TRIP BLANK
302		11/2/2010					TRIP BLANK
302		11/3/2010					TRIP BLANK
302		11/4/2010					TRIP BLANK
302		11/8/2010					TRIP BLANK
302		11/9/2010					TRIP BLANK
302		11/10/2010					TRIP BLANK
302		11/11/2010					TRIP BLANK
302		12/1/2010					TRIP BLANK
302		12/2/2010					TRIP BLANK
302		12/6/2010					TRIP BLANK
302		12/7/2010					TRIP BLANK
302		12/8/2010					TRIP BLANK
302		12/9/2010					TRIP BLANK
302		12/13/2010					TRIP BLANK
302		12/14/2010					TRIP BLANK
302		12/15/2010					TRIP BLANK
302		12/16/2010					TRIP BLANK
302		12/20/2010					TRIP BLANK
302		12/22/2010					TRIP BLANK
303		1/4/2010					EQUIP. BLANK/WLID
303		1/5/2010					EQUIP. BLANK/WLID
303		1/7/2010					EQUIP. BLANK/WLID

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
303		1/11/2010					EQUIP. BLANK/WLID
303		1/12/2010					EQUIP. BLANK/WLID
303		1/13/2010					EQUIP. BLANK/WLID
303		1/14/2010					EQUIP. BLANK/WLID
303		1/18/2010					EQUIP. BLANK/WLID
303		1/19/2010					EQUIP. BLANK/WLID
303		1/25/2010					EQUIP. BLANK/WLID
303		1/28/2010					SAMPLE NOT ANALYZED
303		2/1/2010					EQUIP. BLANK/WLID
303		2/2/2010					EQUIP. BLANK/WLID
303		2/3/2010					EQUIP. BLANK/WLID
303		2/4/2010					EQUIP. BLANK/WLID
303		2/8/2010					EQUIP. BLANK/WLID
303		2/9/2010					EQUIP. BLANK/WLID
303		2/10/2010					EQUIP. BLANK/WLID
303		2/11/2010					EQUIP. BLANK/WLID
303		2/15/2010					EQUIP. BLANK/WLID
303		2/16/2010					EQUIP. BLANK/WLID
303		2/18/2010					EQUIP. BLANK/WLID
303		2/22/2010					EQUIP. BLANK/WLID
303		2/23/2010					EQUIP. BLANK/WLID
303		2/24/2010					EQUIP. BLANK/WLID
303		2/25/2010					EQUIP. BLANK/WLID
303		3/3/2010					EQUIP. BLANK/WLID
303		3/4/2010					EQUIP. BLANK/WLID
303		3/5/2010					EQUIP. BLANK/WLID
303		3/8/2010					EQUIP. BLANK/WLID
303		3/10/2010					EQUIP. BLANK/WLID
303		3/11/2010					EQUIP. BLANK/WLID
303		3/15/2010					EQUIP. BLANK/WLID
303		3/16/2010					EQUIP. BLANK/WLID
303		3/17/2010					EQUIP. BLANK/WLID
303		3/18/2010					EQUIP. BLANK/WLID
303		3/22/2010					EQUIP. BLANK/WLID
303		3/23/2010					EQUIP. BLANK/WLID
303		3/24/2010					EQUIP. BLANK/WLID
303		3/25/2010					EQUIP. BLANK/WLID
303		3/29/2010					EQUIP. BLANK/WLID
303		3/31/2010					EQUIP. BLANK/WLID
303		4/1/2010					EQUIP. BLANK/WLID
303		4/5/2010					EQUIP. BLANK/WLID
303		4/7/2010					EQUIP. BLANK/WLID
303		4/12/2010					EQUIP. BLANK/WLID
303		4/13/2010					EQUIP. BLANK/WLID
303		4/14/2010					EQUIP. BLANK/WLID
303		4/15/2010					EQUIP. BLANK/WLID
303		4/19/2010					EQUIP. BLANK/WLID
303		4/20/2010					EQUIP. BLANK/WLID
303		4/21/2010					EQUIP. BLANK/WLID
303		4/22/2010					EQUIP. BLANK/WLID
303		4/26/2010					EQUIP. BLANK/WLID

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
303		4/27/2010					EQUIP. BLANK/WLID
303		4/28/2010					EQUIP. BLANK/WLID
303		4/29/2010					EQUIP. BLANK/WLID
303		5/3/2010					EQUIP. BLANK/WLID
303		5/4/2010					EQUIP. BLANK/WLID
303		5/5/2010					EQUIP. BLANK/WLID
303		5/6/2010					EQUIP. BLANK/WLID
303		5/10/2010					EQUIP. BLANK/WLID
303		5/11/2010					EQUIP. BLANK/WLID
303		5/12/2010					EQUIP. BLANK/WLID
303		5/13/2010					EQUIP. BLANK/WLID
303		5/27/2010					EQUIP. BLANK/WLID
303		6/1/2010					EQUIP. BLANK/WLID
303		6/2/2010					EQUIP. BLANK/WLID
303		6/3/2010					EQUIP. BLANK/WLID
303		6/7/2010					EQUIP. BLANK/WLID
303		6/14/2010					EQUIP. BLANK/WLID
303		6/15/2010					EQUIP. BLANK/WLID
303		6/16/2010					EQUIP. BLANK/WLID
303		6/21/2010					EQUIP. BLANK/WLID
303		7/1/2010					EQUIP. BLANK/WLID
303		7/6/2010					EQUIP. BLANK/WLID
303		7/8/2010					EQUIP. BLANK/WLID
303		7/12/2010					EQUIP. BLANK/WLID
303		7/13/2010					EQUIP. BLANK/WLID
303		7/14/2010					EQUIP. BLANK/WLID
303		7/15/2010					EQUIP. BLANK/WLID
303		8/3/2010					EQUIP. BLANK/WLID
303		8/4/2010					EQUIP. BLANK/WLID
303		8/5/2010					EQUIP. BLANK/WLID
303		8/9/2010					EQUIP. BLANK/WLID
303		8/11/2010					EQUIP. BLANK/WLID
303		8/12/2010					EQUIP. BLANK/WLID
303		8/16/2010					EQUIP. BLANK/WLID
303		8/17/2010					EQUIP. BLANK/WLID
303		8/18/2010					EQUIP. BLANK/WLID
303		8/19/2010					EQUIP. BLANK/WLID
303		8/20/2010					EQUIP. BLANK/WLID
303		9/7/2010					EQUIP. BLANK/WLID
303		9/9/2010					EQUIP. BLANK/WLID
303		9/10/2010					EQUIP. BLANK/WLID
303		9/13/2010					EQUIP. BLANK/WLID
303		9/14/2010					EQUIP. BLANK/WLID
303		9/15/2010					EQUIP. BLANK/WLID
303		9/16/2010					EQUIP. BLANK/WLID
303		9/20/2010					EQUIP. BLANK/WLID
303		9/21/2010					EQUIP. BLANK/WLID
303		9/22/2010					EQUIP. BLANK/WLID
303		9/23/2010					EQUIP. BLANK/WLID
303		9/27/2010					EQUIP. BLANK/WLID
303		9/28/2010					EQUIP. BLANK/WLID

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
303		9/29/2010					EQUIP. BLANK/WLID
303		10/4/2010					EQUIP. BLANK/WLID
303		10/5/2010					EQUIP. BLANK/WLID
303		10/7/2010					EQUIP. BLANK/WLID
303		10/12/2010					EQUIP. BLANK/WLID
303		10/13/2010					EQUIP. BLANK/WLID
303		10/14/2010					EQUIP. BLANK/WLID
303		10/18/2010					EQUIP. BLANK/WLID
303		10/19/2010					EQUIP. BLANK/WLID
303		10/25/2010					EQUIP. BLANK/WLID
303		10/26/2010					EQUIP. BLANK/WLID
303		10/27/2010					EQUIP. BLANK/WLID
303		10/29/2010					EQUIP. BLANK/WLID
303		11/1/2010					EQUIP. BLANK/WLID
303		11/2/2010					EQUIP. BLANK/WLID
303		11/4/2010					EQUIP. BLANK/WLID
303		11/8/2010					EQUIP. BLANK/WLID
303		11/9/2010					EQUIP. BLANK/WLID
303		11/10/2010					EQUIP. BLANK/WLID
303		11/11/2010					EQUIP. BLANK/WLID
303		12/1/2010					EQUIP. BLANK/WLID
303		12/2/2010					EQUIP. BLANK/WLID
303		12/7/2010					EQUIP. BLANK/WLID
303		12/8/2010					EQUIP. BLANK/WLID
303		12/9/2010					EQUIP. BLANK/WLID
303		12/13/2010					EQUIP. BLANK/WLID
303		12/14/2010					EQUIP. BLANK/WLID
303		12/15/2010					EQUIP. BLANK/WLID
303		12/16/2010					EQUIP. BLANK/WLID
303		12/20/2010					EQUIP. BLANK/WLID
303		12/22/2010					EQUIP. BLANK/WLID
307		3/9/2010					TRIP BLANK
323		1/5/2010	11.6	7.0	1460	3.72	
323		2/2/2010	11.8	6.7	1328	31.9	
323		3/3/2010	10.8	6.6	1197	8.43	
323		4/6/2010	11.0	6.6	786	6.61	
323		5/3/2010	11.4	6.2	1071	34.0	
323		6/2/2010	13.2	6.3	1224	71.7	
323		7/6/2010	13.4	6.2	1393	3.58	
323		8/3/2010	12.7	6.4	1510	1.92	
323		9/7/2010	13.0	6.4	1620	1.92	
323		10/4/2010	12.8	6.4	1640	2.61	
323		11/1/2010	12.0	6.6	1670	5.10	
323	310	12/1/2010	12.7	7.0	1540	7.97	QC DUPLICATE #310
325		1/4/2010	11.1	7.3	1290	2.55	
325		2/2/2010	11.2	6.8	1369	4.20	
325		3/3/2010	11.9	6.8	1312	11.3	
325	310	4/6/2010	13.2	6.7	1354	7.05	QC DUPLICATE #310
325		5/3/2010	14.2	6.3	1352	30.3	
325		6/2/2010	16.3	6.3	1366	11.8	
325		7/6/2010	14.7	6.2	1308	18.2	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
325	310	8/3/2010	14.1	6.7	1335	16.6	QC DUPLICATE #310
325		9/7/2010	13.6	6.6	1324	23.7	
325	310	10/4/2010	12.6	6.4	1334	12.5	QC DUPLICATE #310
325		11/1/2010	11.6	6.8	1394	15.1	
325		12/1/2010	12.6	7.0	1313	17.9	
395		1/4/2010	17.8	7.5	2090	2.96	
395		2/1/2010	14.9	7.0	2020	8.70	
395		3/4/2010	13.3	6.7	1720	2.61	
395		4/1/2010	12.9	6.7	1700	8.86	
395		5/4/2010	14.0	6.8	2250	6.07	
395	311	6/8/2010	14.9	6.4	1730	2.64	QC DUPLICATE #311
395		7/12/2010	12.7	7.4	1283	2.21	
395		8/10/2010	18.8	7.4	1252	1.48	
395		9/8/2010	19.6	7.2	1257	0.63	
395	311	10/7/2010	18.9	7.1	915	2.74	QC DUPLICATE #311
395		11/2/2010	18.4	7.1	1630	21.0	
395	311	12/7/2010	17.6	7.1	877	5.95	QC DUPLICATE #311
395A		1/4/2010	15.8	7.5	1354	0.61	
395A		2/1/2010	15.4	7.3	1410	4.17	
395A		3/4/2010	13.6	7.0	1447	0.82	
395A		4/1/2010	13.9	7.0	1640	7.80	
395A		5/4/2010	15.8	6.9	1870	11.0	
395A		6/8/2010	16.6	6.6	1650	12.9	
395A		7/12/2010	23.9	7.6	1380	1.22	
395A		8/10/2010	24.2	7.5	1157	1.84	
395A		9/8/2010	22.0	7.1	1141	0.71	
395A		10/7/2010	19.1	7.2	866	2.24	
395A		11/2/2010	16.3	7.2	1129	1.04	
395A		12/7/2010	16.8	7.4	819	2.36	
395B		1/4/2010	13.2	7.9	1285	6.63	
395B		2/1/2010	13.6	8.0	1383	7.33	
395B		3/4/2010	13.3	7.6	1440	11.0	
395B		4/1/2010	14.5	7.7	1670	10.3	
395B		5/4/2010	19.7	6.7	1850	5.71	
395B		6/8/2010	19.0	7.0	1640	16.6	
395B		7/12/2010	22.2	8.0	1242	10.1	
395B		8/10/2010	24.1	8.0	1041	4.65	
395B		9/8/2010	24.0	7.4	1094	2.88	
395B		10/7/2010	18.7	7.9	829	3.68	
395B		11/2/2010	17.2	7.9	1101	2.46	
395B		12/7/2010	14.1	7.8	760	4.23	
400		6/16/2010	11.9	6.0	724	6.68	
400		12/14/2010	10.4	6.4	675	8.60	
401		6/16/2010	11.9	6.2	811	6.85	
401		12/14/2010	11.3	6.5	944	6.94	
402	313	6/15/2010	13.1	6.1	1157	6.12	QC DUPLICATE #313
402	313	11/9/2010	12.2	6.9	1361	1.23	QC DUPLICATE #313
403		5/11/2010	10.3	6.4	1441	354	
403		12/7/2010	11.6	6.9	1550	5.48	
404		5/12/2010	11.8	6.4	4130	128	
404		12/16/2010	10.6	6.8	3840	27.9	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
407		5/12/2010	12.2	6.2	1440	5.51	
407		12/20/2010	11.2	6.7	1510	2.50	
408		6/15/2010	11.3	6.2	642	5.75	
408		12/16/2010	10.7	7.1	618	3.55	
410		6/16/2010	11.5	5.6	290	5.24	
410		12/14/2010	10.5	6.9	419	3.77	
412		6/16/2010	11.3	6.0	1227	4.00	
412		12/14/2010	9.6	6.5	1307	8.07	
415		5/13/2010	12.6	6.4	1550	2.48	
415	313	12/16/2010	11.4	7.0	1344	1.70	QC DUPLICATE #313
416		6/15/2010	12.2	6.1	797	198	
416		11/8/2010	11.3	7.0	808	116	
417	313	5/12/2010	12.1	6.6	802	11.8	QC DUPLICATE #313
417		11/8/2010	11.7	6.8	785	1.04	
423		5/11/2010	10.9	6.3	821	16.0	
423		11/10/2010	11.8	6.5	869	5.96	
424	314	5/11/2010	12.0	6.3	1124	19.8	QC DUPLICATE #314
424		11/8/2010	14.8	7.0	970	38.9	
502		1/18/2010	10.9	6.7	2130	1.68	
502		4/26/2010	11.3	6.3	2070	7.04	
502		8/16/2010	13.0	7.0	3240	2.88	
502		10/14/2010	12.0	7.2	2420	3.92	
503	313	1/25/2010	13.5	6.8	1620	8.98	QC DUPLICATE #313
503		4/19/2010	11.7	6.5	3110	15.4	
503		8/11/2010	13.5	6.7	1810	7.22	
503		10/14/2010	12.9	7.0	1890	6.14	
515		1/13/2010	9.8	7.3	582	2.12	
515		4/20/2010	11.8	6.3	594	4.35	
515	319	8/16/2010	12.9	7.1	578	0.62	QC DUPLICATE #319
515		10/13/2010	11.4	6.8	598	0.66	
520		1/18/2010	11.0	6.7	1299	1.28	
520		4/20/2010	11.6	6.5	1033	4.65	
520		8/17/2010	13.7	7.0	1169	5.52	
520		10/26/2010	14.9	6.9	1335	55.6	
521		1/18/2010	10.5	6.8	2860	137	
521		4/20/2010	10.1	6.5	747	195	
521		9/23/2010	12.6	6.9	2220	134	
521		10/26/2010	12.9	7.1	1389	78.0	
535		1/18/2010	9.4	6.9	596	3.90	
535		4/20/2010	12.1	6.4	615	2.32	
535		8/12/2010	12.8	7.2	608	8.39	
535		10/13/2010	12.4	6.9	623	1.57	
543		1/11/2010	7.9	6.9	850	2.36	
543		4/15/2010	9.2	6.4	574	17.7	
543		7/13/2010	13.3	7.3	822	4.61	
543		10/14/2010	13.6	7.1	1122	0.53	
545		1/13/2010	10.8	7.1	832	7.75	
545		4/14/2010	10.6	6.5	568	4.67	
545		7/13/2010	10.5	7.1	1177	6.07	
545	313	10/14/2010	11.0	7.0	1183	9.83	QC DUPLICATE #313
559		4/14/2010	12.0	6.4	1580	6.29	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
559		9/21/2010	11.8	6.4	1670	6.02	
561		4/14/2010	11.5	6.1	1046	69.1	
561		9/21/2010	12.4	6.9	1170	182	
563		4/14/2010	11.1	6.4	1459	9.77	
563		9/21/2010	11.6	6.4	1900	9.14	
564		5/6/2010	13.8	6.4	665	43.3	
564		9/21/2010	12.8	6.5	642	17.1	
571		1/11/2010	8.8	6.8	1870	1000	
571		4/14/2010	9.7	6.5	1371	>1000	
571		7/13/2010	14.2	7.2	1407	1000	
571		10/7/2010	14.8	6.8	1510	1000	
572		6/21/2010	21.6	6.4	1950	14.2	
574		6/21/2010	22.8	6.0	1690	2.75	
576		3/24/2010	10.7	6.7	4500	216	
576		9/21/2010	17.7	6.5	9230	166	
577	313	2/9/2010	13.2	6.9	1142	168	QC DUPLICATE #313
577		8/12/2010	14.5	7.3	1187	41.0	
578		2/8/2010	11.7	6.9	1213	0.97	
578		8/12/2010	12.8	7.0	1195	1.56	
579	318	4/1/2010	13.3	6.7	1373	214	QC DUPLICATE #318
579		12/13/2010	12.2	6.9	1308	1000	
580		2/15/2010	11.3	6.5	2270	41.7	
581		2/10/2010	12.4	6.9	1235	>1000	
581		8/18/2010	14.3	7.1	1580	>1000	
600	317	3/8/2010	10.3	6.5	8380	846	QC DUPLICATE #317
601		3/10/2010	13.1	6.6	1950	1.46	
602		3/11/2010	11.5	6.9	317	1000	
603		3/8/2010	12.2	7.1	537	1000	
604		3/17/2010	13.9	7.1	574	2.90	
606	314	6/14/2010	15.1	6.3	4680	8.32	QC DUPLICATE #314
606		12/22/2010	13.3	6.8	5370	87.0	
607		3/23/2010	13.2	6.8	816	>1000	
608		3/23/2010	14.4	7.0	1447	1000	
609		3/24/2010	14.2	7.1	2090	70.3	
609		10/29/2010	13.5	7.0	2150	366	
610		3/25/2010	12.9	6.7	1860	1.45	
610		9/28/2010	13.9	6.3	2010	17.9	
611		3/29/2010	13.4	6.7	1590	5.04	
611		12/15/2010	12.8	6.9	1590	9.50	
612	311	1/6/2010	12.5	6.8	3010	0.52	QC DUPLICATE #311
612		2/1/2010	10.9	6.7	3220	4.04	
612	311	3/5/2010	10.9	6.2	3180	0.93	QC DUPLICATE #311
612		4/5/2010	13.0	6.4	4150	3.05	
612		5/4/2010	14.9	6.0	3820	1.29	
612		6/1/2010	15.3	6.3	3550	1.51	
612		7/1/2010	16.4	6.6	3660	2.40	
612		8/10/2010	17.7	6.5	3970	1.53	
612		9/7/2010	18.7	6.8	4000	2.07	
612		10/5/2010	17.0	6.4	3970	4.24	
612		11/1/2010	16.0	6.5	3900	3.98	
612		12/6/2010	13.7	6.5	3650	4.78	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
613		1/6/2010					NO SAMPLE, OFF LINE
613		2/1/2010					NO SAMPLE, OFF LINE
613		3/5/2010					NO SAMPLE, OFF LINE
613		4/5/2010					NO SAMPLE, OFF LINE
613		5/4/2010					NO SAMPLE, OFF LINE
613		6/1/2010					NO SAMPLE, OFF LINE
613		7/1/2010					NO SAMPLE, OFF LINE
613		8/10/2010					NO SAMPLE, OFF LINE
613		9/8/2010					NO SAMPLE, OFF LINE
613		10/5/2010					NO SAMPLE, OFF LINE
613		11/1/2010					NO SAMPLE, OFF LINE
613		12/6/2010					NO SAMPLE, OFF LINE
614		9/27/2010	20.6	6.5	3860	89.5	
615		9/27/2010	21.0	6.6	3700	37.5	
616		9/27/2010	19.8	6.6	3750	107	
617		1/6/2010	13.9	7.0	2820	0.58	
617		2/1/2010	13.3	6.9	2900	4.33	
617		3/5/2010	12.4	6.5	2860	0.39	
617	311	4/5/2010	11.0	6.6	2900	1.19	QC DUPLICATE #311
617	311	5/4/2010	12.2	6.4	3360	1.09	QC DUPLICATE #311
617		6/1/2010	12.0	6.5	3590	0.95	
617		7/1/2010	12.4	6.7	3630	2.08	
617		8/10/2010	13.7	6.8	3760	0.71	
617		9/7/2010	14.2	7.0	3650	1.19	
617		10/5/2010	14.3	6.8	3540	1.46	
617		11/1/2010	14.5	6.7	3570	0.60	
617		12/6/2010	14.4	6.8	3300	0.86	
618		1/6/2010	10.7	7.0	2080	2.59	
618		2/1/2010	10.2	7.0	2170	3.48	
618		3/5/2010	9.0	6.7	2030	1.54	
618		4/5/2010	10.8	6.7	2150	0.83	
618		5/4/2010	12.6	6.2	2110	3.85	
618		6/1/2010	14.2	6.7	2080	5.44	
618		7/1/2010	15.9	6.7	2040	2.79	
618	311	8/10/2010	18.1	6.7	2080	2.74	QC DUPLICATE #311
618	311	9/7/2010	18.4	7.0	2160	3.31	QC DUPLICATE #311
618		10/5/2010	17.1	6.8	2210	1.32	
618		11/1/2010	15.4	6.7	2310	1.17	
618		12/6/2010	12.0	6.9	1870	1.56	
622		4/21/2010	14.8	6.5	1023	3.09	
622		10/25/2010	14.6	6.9	1056	4.97	
623		4/21/2010	13.4	6.5	1600	8.80	
623		10/29/2010	12.8	7.0	1720	20.2	
624		5/13/2010	12.8	6.5	865	9.78	
624		10/29/2010	12.9	7.0	908	3.38	
627		2/15/2010	12.8	5.0	1296	5.76	
628		1/5/2010	10.3	7.3	1880	0.68	
628	311	2/1/2010	9.3	6.8	1650	2.98	QC DUPLICATE #311
628		3/3/2010	10.0	6.7	1590	1.75	
628		4/5/2010	10.4	6.4	1470	2.48	
628	312	5/3/2010	12.0	6.4	1171	9.74	QC DUPLICATE #312

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
628		6/1/2010	12.2	6.1	1252	1.32	
628		7/1/2010	12.0	6.0	1354	1.61	
628		8/9/2010	13.5	7.1	1474	1.99	
628		9/7/2010	14.0	7.0	1620	2.85	
628		10/4/2010	13.8	6.5	1455	3.73	
628	311	11/1/2010	12.9	7.0	1600	0.88	QC DUPLICATE #311
628		12/1/2010	13.4	7.3	1450	1.85	
628A		1/5/2010	10.5	7.4	1890	0.31	
628A		2/1/2010	9.5	6.9	1650	2.75	
628A		3/3/2010	9.7	7.0	1620	0.60	
628A		4/5/2010	9.8	6.8	1468	1.30	
628A		5/3/2010	11.5	6.4	1175	3.27	
628A		6/1/2010	12.0	6.8	1242	1.08	
628A		7/1/2010	11.6	6.3	1343	2.15	
628A		8/9/2010	13.2	6.9	1452	0.66	
628A		9/7/2010	14.2	7.0	1620	1.82	
628A		10/4/2010	13.8	6.7	1455	1.64	
628A		11/1/2010	13.1	7.0	1600	0.09	
628A		12/1/2010	13.2	7.4	1457	0.68	
628B		1/5/2010	10.7	7.2	1890	0.73	
628B		2/1/2010	9.7	6.9	1650	2.27	
628B		3/3/2010	9.5	7.0	1640	0.30	
628B		4/5/2010	9.9	6.9	1471	1.14	
628B		5/3/2010	11.2	6.6	1180	1.45	
628B		6/1/2010	11.7	6.8	1251	1.10	
628B		7/1/2010	11.4	6.5	1327	1.07	
628B		8/9/2010	12.8	7.0	1451	2.09	
628B		9/7/2010	13.8	7.0	1630	1.16	
628B		10/4/2010	13.9	6.6	1462	1.47	
628B		11/1/2010	13.1	6.8	1600	0.58	
628B		12/1/2010	13.2	7.3	1464	0.65	
638		4/12/2010	11.8	6.5	5810	>1000	
638		7/13/2010	16.1	7.4	7500	>1000	
638		10/18/2010	15.7	6.9		>1000	SP. COND.=10970
639		7/13/2010					NO SAMPLE, DRY WELL
639		10/18/2010					NO SAMPLE, DRY WELL
639		12/22/2010					NO SAMPLE, DRY WELL
640		4/7/2010	14.3	6.5	1461	>1000	
640	313	7/13/2010	17.8	7.6	906	>1000	QC DUPLICATE #313
640		10/18/2010	19.2	6.8	1177	>1000	
701		2/10/2010	9.7	6.7	1810	>1000	
701		8/19/2010	13.5	6.8	1670	>1000	
702		2/10/2010	8.5	6.6	1970	1000	
702		8/19/2010	19.3	6.8	3750	>1000	
704		2/8/2010	11.0	7.0	1477	2.53	
704		8/17/2010	14.4	7.1	1416	5.06	
706		2/18/2010	14.4	6.8	5080	7.01	
706		9/14/2010	16.6	6.6	6300	8.78	
711	315	2/23/2010	15.0	6.7	1700	4.98	QC DUPLICATE #315
711	315	8/20/2010	16.0	7.0	1730	11.0	QC DUPLICATE #315
714		2/11/2010	13.5	6.8	2630	339	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
714		8/19/2010	15.0	6.8	2900	108	
716		2/23/2010	13.2	7.2	2380	29.4	
716		9/16/2010	14.6	6.6	2340	3.04	
720		3/25/2010	11.0	6.6	564	5.86	
720		9/15/2010	13.5	6.6	494	>1000	
722		2/16/2010	12.1	6.9	2050	1.02	
722		8/18/2010	13.9	7.2	2130	37.7	
732		6/14/2010	16.2	6.6	1040	16.5	
732		12/20/2010	14.4	6.9	977	6.85	
734		6/14/2010	16.1	6.3	1740	16.5	
734		12/15/2010	13.9	6.8	1750	9.17	
735		2/15/2010	13.2	5.8	1366	4.87	
735		8/19/2010	15.8	5.9	2790	11.8	
737		6/14/2010	14.4	6.5	489	548	
737		12/7/2010	12.1	7.1	391	124	
739		3/29/2010	14.0	6.7	1429	15.7	
739		12/22/2010	12.8	6.7	1407	2.91	
740		3/17/2010	14.6	6.9	6850	15.9	
742		2/24/2010	12.7	7.6	654	66.3	
742		9/13/2010	15.2	7.0	794	55.5	
743		3/29/2010	10.9	6.5	1520	625	SP COND 15200
744	314	1/14/2010	12.1	7.3	2340	0.52	QC DUPLICATE #314
744	313	4/22/2010	12.3	6.2	2220	1.23	QC DUPLICATE #313
744	314	7/13/2010	13.0	7.2	2230	2.09	QC DUPLICATE #314
744		11/9/2010	12.3	6.7	777	2.97	
745		1/14/2010	11.1	6.7	3171	2.08	
745		4/26/2010	12.6	6.2	4620	7.40	
745		7/15/2010	17.5	6.8	3900	2.39	
745		11/9/2010	13.2	6.4	3930	4.29	
751		4/29/2010	12.4	6.8	1406	663	
751		12/8/2010	11.4	6.7	1296	1000	
753		4/29/2010	11.2	6.2	749	30.0	
753		11/10/2010	15.2	6.4	935	6.74	
754		3/25/2010	11.7	6.7	2770	1.19	
754		4/28/2010	12.2	6.6	2810	4.74	
755		1/14/2010	11.4	7.2	898	11.4	
755		4/29/2010	10.6	6.9	948	5.32	
755		5/27/2010	12.6	6.2	990	6.43	
755		7/14/2010	14.9	6.9	1200	8.92	
755		10/19/2010	15.1	6.5	951	3.80	
756		3/23/2010	11.0	6.7	8220	15.3	
756		4/28/2010	12.8	6.4	6890	21.5	
757		1/13/2010	12.1	7.3	1600	>1000	
757		4/15/2010	13.1	6.6	2230	>1000	
757		7/12/2010	18.5	7.0	4060	>1000	
757		10/7/2010	14.3	7.3	1055	>1000	
761		2/10/2010	13.0	6.9	1810	>1000	
761		8/18/2010	14.4	7.1	2260	>1000	
763		2/10/2010	13.3	7.4	1520	738	
763		8/18/2010	16.3	7.6	1530	140	
766		2/24/2010	15.4	7.1	2780	523	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
766		9/13/2010	17.1	6.3	2870	487	
767		3/25/2010	12.7	6.4	3210	3.68	
767		12/8/2010	14.5	6.6	3490	10.9	
768		3/17/2010	13.1	6.5	3370	33.4	
768		9/16/2010	16.9	6.0	6930	39.8	
769	317	2/15/2010	14.0	6.9	2940	457	QC DUPLICATE #317
769	319	9/13/2010	16.6	6.5	5320	916	QC DUPLICATE #319
771		3/17/2010	14.1	6.9	2110	190	
772	315	1/19/2010	11.3	6.4	2790	6.68	QC DUPLICATE #315
772		4/22/2010	13.7	6.5		2.06	INVALID SP COND
772		7/15/2010	18.9	6.5	3080	9.79	
772		10/19/2010	18.9	6.4	3300	34.4	
773		1/14/2010	14.0	6.7	2920	36.2	
773		4/22/2010	13.3	6.4	3570	11.5	
773	315	7/14/2010	13.9	6.4	384	8.10	QC DUPLICATE #315
773		10/19/2010	15.9	6.3	3890	59.2	
774		1/14/2010	13.9	6.8	4190	5.78	
774	314	4/22/2010	13.2	6.6	4250	6.83	QC DUPLICATE #314
774		7/14/2010	15.0	6.7	4270	16.0	
774	314	10/19/2010	16.7	6.6	4270	4.99	QC DUPLICATE #314
775	320	2/18/2010	13.0	6.6	3410	8.21	QC DUPLICATE #320
777	318	2/8/2010	11.2	6.7	1236	0.59	QC DUPLICATE #318
777		8/12/2010	12.4	6.8	1394	0.83	
779		2/9/2010	11.6	7.0	1680	6.90	
779		8/20/2010	12.5	6.6	1680	4.34	
789		2/16/2010	10.9	6.1	895	>1000	
791		2/16/2010	10.8	6.6	2770	>1000	
792	320	3/17/2010	11.2	6.6	2450	>1000	QC DUPLICATE #320
793	319	4/1/2010	12.8	6.5	2080	102	QC DUPLICATE #319
793		9/16/2010	16.2	6.4	3250	104	
832	316	1/13/2010	8.8	6.8	1780	9.29	QC DUPLICATE #316
832		4/15/2010	10.0	6.3	927	13.1	
832		7/12/2010	14.6	7.2	1237	7.96	
832		10/14/2010	12.2	6.8	1288	11.0	
857		1/18/2010	10.6	7.1	1065	19.5	
857		4/21/2010	13.3	6.3	1060	147	
857		9/23/2010	12.2	6.7	1091	12.3	
857		10/26/2010	11.9	7.0	1045	7.44	
858		1/19/2010	10.6	6.6	831	1.91	
858		4/26/2010	12.0	6.3	805	9.61	
858		9/23/2010	12.1	6.4	955	21.1	
858		10/26/2010	12.6	6.8	891	2.71	
859		1/12/2010	11.1	6.7	663	6.94	
859		5/10/2010	13.6	6.5	678	5.46	
859		8/16/2010	12.0	7.1	664	6.21	
859		10/18/2010	11.1	6.6	680	6.42	
860		1/12/2010	12.3	6.7	577	9.81	
860		4/27/2010	11.3	6.0	585	7.36	
860		8/16/2010	12.4	6.5	581	3.74	
860		10/18/2010	11.4	6.7	604	6.54	
861		1/19/2010	10.7	6.6	3420	29.7	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
861		4/27/2010	12.0	5.7	390	441	
861		8/16/2010	13.2	7.3	1640	43.1	
861		10/25/2010	12.4	6.9	1570	55.3	
862		1/19/2010	10.7	6.8	1010	1.35	
862		4/27/2010	11.4	5.9	1011	7.62	
862		8/16/2010	13.3	6.9	979	9.73	
862		10/25/2010	12.3	6.8	1038	7.36	
921		3/22/2010	12.8	6.6	4610	18.1	
921		9/29/2010	14.4	6.7	3250	5.59	
922		5/10/2010	14.1	6.5	3830	2.49	
922		11/11/2010	12.9	6.9	3520	13.2	
923		3/22/2010	14.1	6.7	2860	6.66	
923		9/29/2010	15.2	6.5	3045	24.7	
929		3/23/2010	12.4	6.4	1402	4.92	
929		11/11/2010	13.5	6.9	1442	2.96	
931		3/24/2010	12.9	6.6	1940	4.73	
931		10/27/2010	13.7	7.0	1780	2.70	
932		3/15/2010	12.2	6.5	1910	13.0	
932		10/27/2010	14.2	6.7	2330	16.1	
941		3/8/2010	13.0	6.6	1057	4.45	
941		9/28/2010	17.1	6.5	1097	14.5	
943		3/18/2010	11.3	6.9	1404	372	
943		9/22/2010	11.5	6.7	1442	313	
944		3/18/2010	11.5	6.7	1200	268	
944		9/16/2010	11.6	6.6	1225	94.0	
952		3/15/2010	10.2	6.5	1157	24.4	
952		12/20/2010	9.5	6.6	1209	13.3	
953		3/11/2010	12.6	6.8	1900	2.65	
953		9/28/2010	14.1	6.6	1900	9.90	
954		3/10/2010	13.1	6.6	2330	8.41	
954		9/22/2010	15.1	6.4	2530	31.1	
956		3/10/2010	13.2	6.9	2410	342	
956		9/22/2010	14.8	6.5	2460	203	
958		1/11/2010	10.9	6.9	858	1.38	
958		4/21/2010	12.8	6.5	893	6.68	
958		8/12/2010	14.4	7.3	880	57.4	
958		10/13/2010	12.5	7.0	894	0.84	
959		2/22/2010	12.2	6.8	1257	6.58	
959		9/20/2010	14.7	6.4	1351	7.25	
960		2/22/2010	13.0	6.5	1283	8.69	
960		9/20/2010	14.7	6.7	1550	66.8	
963		1/7/2010	11.2	6.8	1094	2.01	
963		4/19/2010	12.4	6.6	696	10.8	
963		8/11/2010	12.6	7.2	777	1.43	
963		10/13/2010	11.9	6.9	884	0.89	
964		1/7/2010	11.3	6.9	1590	1.73	
964		4/19/2010	11.8	6.7	1680	11.4	
964		8/11/2010	12.4	7.1	1690	1.83	
964	315	10/13/2010	12.1	7.1	1650	0.99	QC DUPLICATE #315
965		3/11/2010	13.2	6.7	2760	3.88	
965	316	9/15/2010	14.6	7.0	1670	15.9	QC DUPLICATE #316

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
966		3/11/2010	12.9	6.6	1450	1.40	
966		9/15/2010	14.1	6.7	1930	2.55	
987		1/7/2010	11.4	7.0	1770	3.62	
987	315	4/19/2010	11.5	6.3	641	28.8	QC DUPLICATE #315
987	320	8/11/2010	13.3	7.0	2160	2.58	QC DUPLICATE #320
987		10/12/2010	12.5	6.9	2480	0.76	
990	317	1/7/2010	11.3	6.7	1316	5.28	QC DUPLICATE #317
990		4/19/2010	10.0	6.3	831	13.6	
990		8/11/2010	13.7	6.8	1540	0.86	
990		10/12/2010	14.9	6.8	2380	1.98	
998		2/11/2010	11.3	6.8	2420	99.0	
998		8/18/2010	15.1	7.4	1022	188	
999		2/16/2010	11.7	6.7	1620	2.34	
999		8/19/2010	13.8	7.0	1450	9.13	
NR360		1/6/2010	12.8	6.8	2760	0.29	COMP. 612, 617, 618
NR360		2/1/2010	10.6	6.8	2920	2.30	COMP. 612, 617, 618
NR360		3/5/2010	11.6	6.8	2780	0.31	COMP. 612, 617, 618
NR360		4/5/2010	11.2	6.7	2930	0.38	COMP. 612, 617, 618
NR360		5/4/2010	11.8	6.6	3300	2.09	COMP. 612, 617, 618
NR360		6/1/2010	13.6	6.8	3430	1.14	COMP. 612, 617, 618
NR360		7/1/2010	13.3	6.6	3460	3.06	COMP. 612, 617, 618
NR360		8/10/2010	16.3	6.7	3520	1.66	COMP. 612, 617, 618
NR360		9/7/2010	16.2	6.9	3500	1.58	COMP. 612, 617, 618
NR360		10/5/2010	15.0	6.7	3390	0.89	COMP. 612, 617, 618
NR360		11/1/2010	14.4	6.6	3470	0.57	COMP. 612, 617, 618
NR360		12/6/2010	13.9	6.8	3340	0.79	COMP. 612, 617, 618

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 01/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																	
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees						D a t e				
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max					
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed		Dir			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26			
01	37	29	33	7	30	31	32	0	0722	1636	SN BR HZ	M	M	M	0.01	29.70	29.85	0.2	33	0.2	10	330	7	290	01			
02	32	15	24	-2	15	21	41	0	0722	1637	SN BR	M	M	M	T	29.49	29.66	8.7	31	10.1	28	330	22	330	02			
03	20	15	18	-8	8	15	47	0	0722	1638	SN FZFG	M	M	M	T	29.34	29.53	9.9	29	10.8	30	260	23	270	03			
04	31	17	24	-1	12	20	41	0	0722	1639		M	M	M	0.00	29.49	29.68	4.1	32	4.8	15	330	12	320	04			
05	30	11	21	-4	12	20	44	0	0722	1640		M	M	M	0.00	29.54	29.70	3.7	32	4.2	14	340	10	350	05			
06	33	13	23	-2	14	22	42	0	0722	1641		M	M	M	0.00	29.52	29.70	4.4	30	5.1	20	280	15	280	06			
07	37	12	25	0	18	22	40	0	0722	1642		M	M	M	0.00	29.65	29.84	2.6	27	2.9	18	260	13	280	07			
08	29	18	24	-1	19	23	41	0	0722	1643	SN BR HZ	M	M	M	0.06	29.57	29.76	2.8	33	3.0	18	300	14	350	08			
09	24	5	15	-10	4	14	50	0	0722	1644	SQ	M	M	M	0.00	29.85	30.07	5.7	35	6.2	131s	010	131s	010	09			
10	25	-1*	12	-13	0	9	53	0	0722	1645		M	M	M	0.00	30.04	30.22	1.6	34	1.7	18	300	8	340	10			
11	30	0	15	-10	8	15	50	0	0721	1646	SN BR	M	M	M	T	29.93	30.11	1.2	24	1.2	12	230	8	230	11			
12	35	11	23	-2	14	21	42	0	0721	1647	SN BR	M	M	M	T	29.86	30.04	3.4	33	4.2	28	340	21	340	12			
13	32	8	20	-4	12	17	45	0	0721	1648		M	M	M	0.00	29.97	30.15			0.0	7	140	6	010	13			
14	39	14	27	3	18	22	38	0	0720	1649	BR	M	M	M	0.00	30.02	30.20	0.6	22	0.6	12	240	9	230	14			
15	47	17	32	8	25	30	33	0	0720	1650	BR HZ	M	M	M	0.00	29.93	30.10	3.9	26	4.7	24	270	18	270	15			
16	46	24	35	11	26	32	30	0	0720	1651		M	M	M	0.00	29.96	30.13	1.9	27	2.2	15	260	12	260	16			
17	37	21	29	5	28	29	36	0	0719	1652	SN BR	M	M	M	0.31	29.85	29.98	2.6	01	2.9	16	360	12	350	17			
18	45	33	39	15	34	36	26	0	0718	1654	SN BR	M	M	M	0.07	29.55	29.76	6.5	01	6.7	29	350	20	020	18			
19	39	32	36	12	34	35	29	0	0718	1655	RA BR	M	M	M	0.06	29.70	29.88	0.6	33	0.6	8	330	6	320	19			
20	41	24	33	9	28	31	32	0	0717	1656	FG+ FZFG BR	M	M	M	0.00	29.75	29.94	2.0	34	2.2	17	320	13	330	20			
21	41	19	30	6	21	26	35	0	0717	1657		M	M	M	0.00	29.98	30.16	0.4	36	0.7	10	310	7	020	21			
22	40	19	30	6	20	25	35	0	0716	1658		M	M	M	0.00	29.83	30.01	4.2	01	4.3	21	360	16	010	22			
23	37	18	28	4	16	22	37	0	0715	1660		M	M	M	0.00	30.06	30.25	2.6	03	2.7	13	020	10	010	23			
24	44	17	31	7	27	29	34	0	0715	1701	RA BR	M	M	M	0.02	29.96	30.09	0.3	31	0.7	13	180	9	180	24			
25	60*	41	51*	27	50	52	14	0	0714	1702	RA BR	M	M	M	1.42	29.30	29.42	8.5	17	10.6	40	150	25	170	25			
26	44	30	37	13	24	33	28	0	0713	1703		M	M	M	0.00	29.39	29.61	9.1	25	9.3	30	220	23	240	26			
27	38	24	31	7	19	27	34	0	0712	1705		M	M	M	0.00	29.80	30.01	4.8	25	5.1	20	240	15	250	27			
28	38	17	28	4	18	24	37	0	0711	1706	SN BR	M	M	M	0.09	29.83	30.00	6.6	27	8.3	35	290	25	310	28			
29	21	12	17	-7	-2	12	48	0	0710	1707		M	M	M	0.00	30.02	30.22	12.2	29	12.5	33	290	24	300	29			
30	15	3	9*	-15	-2	8	56	0	0710	1708		M	M	M	0.00	30.03	30.20	5.1	01	5.6	20	020	16	010	30			
31	28	4	16	-8	2	13	49	0	0709	1710		M	M	M	0.00	29.88	30.07	2.6	27	4.7	17	230	14	230	31			
	35.3	16.8	26.1		17.8	23.7	38.7	0.0	<-----Monthly Averages Totals----->				M	M	2.04	29.77	29.93	2.7	30	4.5	<Monthly Average							
	1.1	2.1	1.6		<-----Departure From Normal----->								-1.15															
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 1199 -58 M M Cooling: 0 0									Greatest 24-hr Precipitation: 1.43 Date: 24-25 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M							Sea Level Pressure Date Time (LST) Maximum 30.32 23 1035 Minimum 29.10 25 1419				Precipitation >=.01 inch: 8 Precipitation >=.10 inch: Snowfall >=1.0 inch : M								
									Number of Days with ----->				Max Temp >=90: 0 Max Temp <=32: 12 Thunderstorms : 0		Min Temp <=32: 29 Min Temp <=0 : 2 Heavy Fog : 1													
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																									Data Version: VER2			

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 02/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																																
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees						Date																			
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max																				
												Depth	Water Equiv	Snow Fall	Water Equiv						5-second	2-minute																					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26																		
01	33	17	25	1	10	22	40	0	0708	1711	SN BR	M	M	M	0.00	29.98	30.17	6.6	25	7.2	23	260	18	260	01																		
02	31	13	22	-2	15	21	43	0	0707	1712		M	M	M	T	30.04	30.20	0.4	02	0.5	8	350	6	050	02																		
03	35	19	27	2	25	27	38	0	0706	1713	SN BR	M	M	M	0.05	29.86	30.04	0.8	33	1.2	24	240	8	270	03																		
04	36	20	28	3	9	24	37	0	0704	1715	SN BR	M	M	M	T	30.07	30.27	6.3	31	7.2	28	330	18	330	04																		
05	35	13	24	-1	16	23	41	0	0703	1716		M	M	M	0.00	30.03	30.18	1.9	03	2.5	15	040	12	030	05																		
06	29	15	22	-3	7	18	43	0	0702	1717	SN BR	M	M	M	0.00	29.67	29.82	12.4	01	12.5	30	020	23	010	06																		
07	33	6	20*	-5	7	16	45	0	0701	1718		M	M	M	0.00	29.69	29.87	5.4	33	6.4	33	010	22	020	07																		
08	37	9	23	-2	12	20	42	0	0660	1720	SN BR	M	M	M	0.00	29.73	29.92	4.7	29	5.3	24	310	20	270	08																		
09	37	13	25	0	16	23	40	0	0659	1721		M	M	M	T	29.82	29.97	2.0	36	2.3	13	290	9	360	09																		
10	32	25	29	3	26	28	36	0	0658	1722	SN FG+ FZFG BR	M	M	M	0.12	29.24	29.37	10.6	36	10.6	37	010	24	010	10																		
11	38	17	28	2	16	26	37	0	0656	1724	SN FG+ FZFG BR	M	M	M	0.00	29.36	29.57	6.5	32	7.0	26	320	17	320	11																		
12	37	6*	22	-4	10	19	43	0	0655	1725		M	M	M	0.00	29.60	29.79	1.8	31	2.2	16	310	12	310	12																		
13	31	10	21	-5	11	19	44	0	0654	1726	SN BR	M	M	M	0.00	29.44	29.57	4.6	31	5.1	22	300	16	300	13																		
14	36	26	31	5	19	28	34	0	0652	1727		M	M	M	0.00	29.35	29.54	10.9	27	11.1	28	290	21	280	14																		
15	39	28	34	7	22	29	31	0	0651	1729	SN BR	M	M	M	T	29.52	29.70	6.9	24	7.2	23	250	17	230	15																		
16	31	21	26	-1	27	29	39	0	0650	1730	SN FG+ FZFG BR	M	M	M	0.18	29.32	29.48	4.4	34	4.8	22	330	17	360	16																		
17	34	23	29	2	23	28	36	0	0648	1731	SN BR	M	M	M	T	29.33	29.49	5.7	25	6.2	18	250	15	250	17																		
18	40	29	35	8	23	31	30	0	0647	1732		M	M	M	T	29.34	29.53	8.9	27	9.1	28	280	22	280	18																		
19	41	33	37*	9	25	32	28	0	0646	1734	SN BR	M	M	M	0.00	29.50	29.70	11.9	28	12.1	29	280	22	280	19																		
20	46*	24	35	7	27	32	30	0	0644	1735		M	M	M	0.00	29.72	29.90	4.2	28	4.6	23	290	17	280	20																		
21	44	24	34	6	20	30	31	0	0643	1736	RA SN BR UP	M	M	M	0.00	29.74	29.91	6.8	32	8.1	25	330	18	340	21																		
22	41	19	30	2	23	29	35	0	0641	1737		M	M	M	0.06	29.78	29.94	0.4	02	1.8	14	140	10	130	22																		
23	34	32	33	4	32	33	32	0	0640	1738	SN FG BR UP	M	M	M	0.94	29.70	29.85	4.9	01	5.2	15	020	12	010	23																		
24	37	32	35	6			30	0	0638	1740	RA SN BR UP	M	M	M	0.28	29.59	M	M	M	4.9	16	350	12	360	24																		
25	34	32	33	4	33	33	32	0	0637	1741	RA SN BR UP	M	M	M	2.14	29.27	29.36	2.6	31	3.4	13	300	9	300	25																		
26	M	M	M	M			M	M	0635	1742	SN BR	M	M	M	M	M	M	M	M	M	M	M	M	M	26																		
27	M	M	M	M			M	M	0634	1743	BR UP	M	M	M	0.00	M	M	M	M	M	M	nulls	M	E7	M	27																	
28	M	M	M	M			M	M	0632	1744		M	M	M	T	M	M	M	M	M	2.2	13	360	9	360	28																	
	36.0	20.2	28.1		M	M	M	M	<-----Monthly Averages Totals----->				M	M	T	29.62	29.82	M	M	M	<Monthly Average																						
	-1.5	4.1	1.3		<-----Departure From Normal----->								-2.53																														
Degree Days Monthly Season to Date Total Departure Total Departure Heating: M M M Cooling: M M M M									Greatest 24-hr Precipitation: T Date: M Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M							Sea Level Pressure Date Time (LST) Maximum 30.34 04 0958 Minimum 28.81 26 0248							Number of Days with -----> Max Temp >=90: M Max Temp <=32: M Thunderstorms : 0							Min Temp <=32: M Min Temp <=0 : M Heavy Fog : 2							Precipitation >=.01 inch: 0s Precipitation >=.10 inch: Snowfall >=1.0 inch : M						
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																				Data Version: VER2																							

Month: 03/2010

Elevation(Ground): 156 ft. above sea level

Degree Days Monthly Season to Date Total Departure Total Departure Heating: 672 -217 M M Cooling: 0 0	Greatest 24-hr Precipitation: 1.56s Date: 22-23 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M		Sea Level Pressure Date Time (LST) Maximum 30.43 27 0945 Minimum 29.39 30 1412		
	Number of Days with ----->		Max Temp >=90: 0 Max Temp <=32: 0 Thunderstorms : 0		Min Temp <=32: 16 Min Temp <=0 : 0 Heavy Fog : 0
					Precipitation >=.01 inch: 13 Precipitation >=.10 inch: Snowfall >=1.0 inch : M

*** EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.**

Data Version: VER2

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 04/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Data
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
																					5-second	2-minute	Speed	Dir	Speed	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	70	45	58	16	44	49	7	0	0539	1821		M	M	M	0.00	29.88	30.05	1.0	01	1.5	21	270	9	030	01	
02	74	40	57	15	45	51	8	0	0537	1822		M	M	M	0.00	29.95	30.12	3.4	18	4.4	20	150	13	160	02	
03	74	43	59	16	44	51	6	0	0536	1823		M	M	M	0.00	29.91	30.06	4.5	17	4.7	21	140	14	150	03	
04	73	44	59	16	41	50	6	0	0534	1824	BR	M	M	M	0.00	29.91	30.09	0.7	35	1.5	17	010	13	270	04	
05	77	38	58	14	40	49	7	0	0532	1825		M	M	M	0.00	29.86	30.01	3.1	18	3.2	23	190	17	180	05	
06	78	42	60	16	50	54	5	0	0531	1826	RA BR	M	M	M	0.07	29.68	29.81	0.9	14	2.3	20	280	10	130	06	
07	90*	47	69	25	49	58	0	4	0529	1827	BR	M	M	M	0.00	29.47	29.64	3.9	26	6.0	30	250	23	240	07	
08	84	55	70*	25	55	61	0	5	0527	1828	RA BR	M	M	M	0.01	29.47	29.61	4.1	15	5.0	24	140	18	140	08	
09	65	42	54	9	41	47	11	0	0526	1829	RA BR	M	M	M	0.29	29.51	29.71	6.1	32	8.1	33	310	23	280	09	
10	60	39	50	5	26	39	15	0	0524	1830		M	M	M	0.00	29.90	30.10	9.3	28	9.6	29	270	21	280	10	
11	70	40	55	9	30	45	10	0	0523	1831		M	M	M	0.00	29.98	30.15	4.4	26	6.0	26	300	21	250	11	
12	63	32	48	2	29	40	17	0	0521	1833		M	M	M	0.00	30.12	30.30	3.9	34	4.2	25	030	17	340	12	
13	59	37	48	2	31	41	17	0	0519	1834		M	M	M	0.00	30.27	30.45	0.3	26	2.1	21	030	9	260	13	
14	65	31	48	1	30	41	17	0	0518	1835	BR	M	M	M	0.00	30.27	30.43	0.9	01	2.3	22	020	15	010	14	
15	71	31	51	4	32	43	14	0	0516	1836	RA	M	M	M	T	30.06	30.22	1.1	05	3.3	23	110	17	110	15	
16	58	42	50	2	39	44	15	0	0515	1837	RA BR	M	M	M	0.16	29.80	29.92	4.9	14	6.1	22	120	16	120	16	
17	52	43	48	0	37	43	17	0	0513	1838	RA BR	M	M	M	0.15	29.57	29.74	4.1	31	4.2	23	310	17	300	17	
18	54	41	48	0	34	41	17	0	0512	1839		M	M	M	T	29.67	29.84	5.2	28	6.3	23	300	18	300	18	
19	61	32	47	-2	35	42	18	0	0510	1840		M	M	M	0.00	29.75	29.93	5.3	35	5.5	30	350	23	360	19	
20	69	32	51	2	36	44	14	0	0509	1841		M	M	M	0.00	29.75	29.91	0.4	36	1.4	30	060	12	270	20	
21	69	36	53	4	40	47	12	0	0507	1842	BR	M	M	M	0.00	29.62	29.76	3.0	19	4.2	20	180	14	190	21	
22	71	39	55	5	39	48	10	0	0506	1843	BR	M	M	M	T	29.51	29.69	2.1	32	4.8	28	240	23	230	22	
23	66	31	49	-1	29	41	16	0	0504	1845		M	M	M	0.00	29.67	29.86	5.2	33	5.5	24	300	17	300	23	
24	68	30*	49	-2	29	42	16	0	0503	1846	RA	M	M	M	0.00	29.85	30.00	1.6	20	2.9	17	230	12	240	24	
25	55	48	52	1	48	49	13	0	0501	1847	RA BR	M	M	M	0.48	29.50	29.62	1.1	13	1.3	12	230	8	220	25	
26	54	49	52	1	50	50	13	0	0460	1848	RA BR	M	M	M	0.54	29.18	29.33	2.5	01	3.0	21	040	8	350	26	
27	56	33	45	-7	37	43	20	0	0458	1849	RA BR	M	M	M	0.04	29.18	29.36	5.2	31	6.1	30	310	21	300	27	
28	55	31	43*	-9	28	38	22	0	0457	1850		M	M	M	T	29.35	29.54	10.1	29	11.6	38	340	25	280	28	
29	67	38	53	1	26	41	12	0	0456	1851		M	M	M	0.00	29.55	29.73	9.4	28	11.1	40	290	28	290	29	
30	79	40	60	7	40	50	5	0	0454	1852		M	M	M	0.00	29.61	29.78	1.8	27	3.4	23	280	17	260	30	
	66.9	39.0	53.0		37.8	46.1	12.0	0.3	<-----Monthly Averages Totals----->				M	M	1.74	29.72	29.89	1.8	28	4.7	<Monthly Average					
	7.9	3.2	5.6	<-----Departure From Normal----->									-2.05													
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 360 -168 M M Cooling: 9 9									Greatest 24-hr Precipitation: 0.55 Date: 26-27 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M									Sea Level Pressure Date Time (LST) Maximum 30.57 14 0931 Minimum 29.25 27 0442								
									Number of Days with ----->				Max Temp >=90: 1 Min Temp <=32: 8					Precipitation >=.01 inch: 8								
													Max Temp <=32: 0 Thunderstorms : 0					Min Temp <=0 : 0 Heavy Fog : 0					Precipitation >=.10 inch: Snowfall >=1.0 inch : M			
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																				Data Version: VER2						

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 05/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Date
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second	max 2-minute				
	Depth	Water Equiv	Snow Fall	Water Equiv																						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	88	47	68	15	51	58	0	3	0453	1853	RA BR HZ	M	M	M	0.00	29.61	29.78	2.5	19	3.4	20	170	12	170	01	
02	90	61	76	22	62	67	0	11	0452	1854		M	M	M	T	29.59	29.75	M	M	4.6	23	220	17	230	02	
03	77	52	65	11	63	65	0	0	0450	1855		M	M	M	0.28	29.50	29.68	M	M	4.8	31	250	21	280	03	
04	78	47	63	9	51	55	2	0	0449	1856	RA BR	M	M	M	0.01	29.59	29.77	2.4	27	4.2	33	330	23	320	04	
05	80	42	61	6	45	54	4	0	0448	1858	RA BR	M	M	M	0.00	29.72	29.88	3.8	20	5.2	26	160	16	170	05	
06	77	52	65	10	46	55	0	0	0447	1859		M	M	M	T	29.56	29.74	6.6	27	9.3	33	250	23	250	06	
07	73	39	56	1	40	49	9	0	0445	1860		M	M	M	0.00	29.74	29.90	0.8	20	2.7	17	260	14	250	07	
08	76	46	61	5	43	51	4	0	0444	1901	RA BR	M	M	M	0.13	29.35	29.53	10.2	25	12.4	46	260	33	250	08	
09	51	41	46	-10	27	37	19	0	0443	1901	RA BR	M	M	M	0.00	29.71	29.93	13.8	28	14.4	36	290	25	290	09	
10	59	31	45	-12	26	39	20	0	0442	1902		M	M	M	0.00	30.00	30.20	7.5	31	8.3	30	330	22	330	10	
11	56	28*	42*	-15	29	39	23	0	0441	1903		RA BR	M	M	M	0.04	30.20	30.36	0.7	32	3.3	20	030	14	030	11
12	47	38	43	-14	43	44	22	0	0440	1904	RA FG+ BR	M	M	M	0.44	30.03	30.19	1.9	06	2.6	18	030	8	050	12	
13	65	38	52	-6	38	46	13	0	0439	1905	RA FG+ BR	M	M	M	Ts	30.09	30.25	0.2	28	2.6	14	330	10	280	13	
14	80	51	66	8	58	61	0	1	0438	1906	RA BR HZ	M	M	M	0.23	29.85	29.99	3.3	22	5.4	18	010	14	010	14	
15	73	47	60	2	44	52	5	0	0437	1907	BR	M	M	M	0.00	29.82	30.01	5.0	31	6.4	24	320	15	330	15	
16	72	43	58	0	44	50	7	0	0436	1908	BR	M	M	M	0.00	29.94	30.11	2.7	34	3.3	22	330	17	320	16	
17	75	39	57	-2	43	51	8	0	0435	1909		M	M	M	0.00	29.98	30.14	0.5	32	1.1	15	340	10	020	17	
18	58	50	54	-5	49	51	11	0	0434	1910		RA BR	M	M	M	0.63	29.87	30.02	3.4	03	4.5	15	360	12	030	18
19	63	51	57	-3	52	54	8	0	0433	1911	BR	M	M	M	0.01	29.67	29.83	6.0	35	6.2	21	010	16	020	19	
20	82	49	66	6	54	58	0	1	0432	1912	FG BR	M	M	M	0.00	29.75	29.93	0.9	22	1.6	17	360	12	230	20	
21	86	50	68	8	54	60	0	3	0431	1913	BR	M	M	M	0.00	29.91	30.10	1.9	14	2.3	17	160	13	150	21	
22	75	54	65	4	52	57	0	0	0430	1914		M	M	M	0.00	30.03	30.20	3.9	14	4.4	18	140	13	140	22	
23	75	56	66	5	59	62	0	1	0430	1915		BR	M	M	M	0.00	30.05	30.22	2.3	12	3.0	15	140	10	140	23
24	78	53	66	5	61	63	0	1	0429	1916	BR	M	M	M	0.00	30.08	30.24	0.7	22	1.9	14	180	9	280	24	
25	87	56	72	11	61	65	0	7	0428	1917	BR	M	M	M	0.00	29.98	30.12	0.9	24	1.7	12	250	9	260	25	
26	95*	58	77*	15	65	69	0	12	0427	1917	BR	M	M	M	0.00	29.68	29.82	1.3	32	1.8	18	270	10	310	26	
27	78	58	68	6	60	64	0	3	0427	1918	BR	M	M	M	T	29.63	29.81	2.0	13	4.2	18	020	13	020	27	
28	75	57	66	4	55	59	0	1	0426	1919		M	M	M	0.00	29.76	29.93	1.6	21	2.6	17	250	13	250	28	
29	80	55	68	6	61	64	0	3	0426	1920		BR	M	M	M	0.00	29.71	29.86	2.6	20	3.6	17	250	13	240	29
30	86	56	71	8	56	62	0	6	0425	1921	FG+ BR	M	M	M	0.00	29.67	29.85	2.5	33	3.6	21	090	13	020	30	
31	86	56	71	8	57	62	0	6	0425	1922		M	M	M	0.00	29.78	29.95	3.9	14	4.2	22	150	16	120	31	
	74.9	48.4	61.7		50.0	55.6	5.0	1.9	<-----Monthly Averages Totals----->				M	M	1.77	29.80	29.97	1.4	27	4.5	<Monthly Average					
	4.5	2.1	3.3		<-----Departure From Normal----->								-2.96													
Degree Days Monthly Season to Date									Greatest 24-hr Precipitation: 0.64 Date: 18-19							Sea Level Pressure Date Time (LST)										
Total Departure Total Departure									Greatest 24-hr Snowfall: M Date: M							Maximum 30.47 11 0645										
Heating: 155 -65 M M									Greatest Snow Depth: M Date: M							Minimum 29.36 08 1257										
Cooling: 59 44									Number of Days with ----->				Max Temp >=90: 2		Min Temp <=32: 2			Precipitation >=.01 inch: 8								
													Max Temp <=32: 0		Min Temp <=0 : 0			Precipitation >=.10 inch:								
													Thunderstorms : 0		Heavy Fog : 3			Snowfall >=1.0 inch : M								
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																										
																				Data Version: VER2						

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 06/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Data	
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max				
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed	Dir			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26		
01	83	59	71	8	65	67	0	6	0424	1922	TSRA RA BR HZ	M	M	M	0.13	29.62	29.76	3.0	22	4.0	22	220	14	240	01		
02	86	54	70	6	56	62	0	5	0424	1923	FG+ BR	M	M	M	0.01s	29.64	29.79	1.5	20	2.5	30s	150	12	240	02		
03	87	67	77	13			0	12	0423	1924	BR HZ	M	M	M	0.00	29.51	M	2.8	25	5.5	24	260	18	290	03		
04	M	M	M	M			M	M	0423	1925		M	M	M	0.00	29.60	M	2.1	24	3.1	21	340	13	220	04		
05	89	69	79	14	66	70	0	14	0422	1925	TSRA	M	M	M	0.04	29.50	29.64	6.2	23	6.4	35	310	25	300	05		
06	83	55	69	4	62	65	0	4	0422	1926	TSRA RA BR	M	M	M	0.48	29.34	29.50	4.3	29	7.5	45	240	31	260	06		
07	75	47	61	-4	44	52	4	0	0422	1927		M	M	M	0.00	29.60	29.81	3.0	32	3.9	22	280	17	280	07		
08	71	43	57	-8	44	51	8	0	0422	1927		M	M	M	0.01	29.85	30.04	3.9	35	4.4	29	310	21	020	08		
09	61	42*	52*	-13	51	52	13	0	0421	1928	RA BR	M	M	M	0.36	29.90	30.03	1.6	13	1.8	17	130	13	130	09		
10	77	53	65	-1	57	60	0	0	0421	1928		M	M	M	T	29.66	29.84	1.8	26	2.9	22	010	17	010	10		
11	75	49	62	-4	55	58	3	0	0421	1929		M	M	M	0.00	29.91	30.09	2.5	19	3.3	17	180	12	220	11		
12	78	56	67	1	62	64	0	2	0421	1930	RA BR	M	M	M	0.35	29.85	29.99	3.5	14	4.2	16	180	9	040	12		
13	70	65	68	2	65	66	0	3	0421	1930	RA BR	M	M	M	0.06	29.70	29.85	1.8	03	3.2	12	010	9	010	13		
14	77	62	70	3	64	66	0	5	0421	1930	BR	M	M	M	0.00	29.67	29.83	1.3	33	1.6	17	340	12	360	14		
15	80	56	68	1	54	60	0	3	0421	1931		M	M	M	0.00	29.86	30.05	0.6	36	2.1	17	010	10	010	15		
16	72	52	62	-5	57	61	3	0	0421	1931		M	M	M	0.02	29.88	30.01	2.7	17	3.4	21	170	14	180	16		
17	75	54	65	-2	58	62	0	0	0421	1932		M	M	M	0.01s	29.67	29.85	6.1	30	7.6	28	270	21	270	17		
18	85	50	68	1	55	61	0	3	0421	1932	FG+ BR	M	M	M	0.00	29.88	30.05	0.2	23	1.0	14	290	9	240	18		
19	86	53	70	2	60	64	0	5	0421	1932		M	M	M	0.00	29.85	29.99	3.2	17	4.2	17	170	13	230	19		
20	93*	65	79	11	65	70	0	14	0421	1933		M	M	M	0.00	29.69	29.85	2.7	26	4.7	21	270	16	250	20		
21	88	59	74	6	60	65	0	9	0421	1933		M	M	M	0.00	29.80	29.99	1.5	35	2.9	17	020	14	020	21		
22	80	58	69	1	62	65	0	4	0422	1933	TSRA RA BR	M	M	M	0.37	29.91	30.05	0.4	17	0.8	16	270	14	270	22		
23	90	66	78	10	66	70	0	13	0422	1933	BR	M	M	M	T	29.74	29.89	4.4	27	5.0	23	250	17	250	23		
24	89	67	78	10	67	71	0	13	0422	1933	TSRA	M	M	M	0.03	29.57	29.74	4.7	24	5.6	32	250	22	250	24		
25	85	61	73	4	60	65	0	8	0423	1934	BR	M	M	M	0.00	29.77	29.94	1.4	26	2.9	17	240	13	230	25		
26	86	58	72	3	60	65	0	7	0423	1934	RA BR	M	M	M	T	29.72	29.88	1.3	26	2.6	18	010	15	010	26		
27	90	64	77	7	67	71	0	12	0423	1934	BR HZ	M	M	M	0.00	29.55	29.70	1.5	20	2.3	18	220	14	240	27		
28	91	70	81*	11	70	73	0	16	0424	1934	RA BR	M	M	M	0.03	29.41	29.57	4.6	23	5.6	25	280	20	280	28		
29	87	59	73	3	59	66	0	8	0424	1934	BR	M	M	M	0.00	29.59	29.79	6.6	28	7.9	26	260	20	260	29		
30	78	49	64	-6	45	54	1	0	0425	1934		M	M	M	0.00	29.86	30.04	3.3	26	4.3	25	260	20	260	30		
	81.6	57.3	69.5		59.1	63.4	1.1	5.7	<-----Monthly Averages Totals----->				M	M	1.90	29.70	29.87	1.7	25	3.9	<Monthly Average						
	3.2	2.0	2.6		<-----Departure From Normal----->								-1.83														
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 32 -10 M M Cooling: 166 69									Greatest 24-hr Precipitation: 0.52s Date: 05-06 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M							Sea Level Pressure Date Time (LST) Maximum 30.16 09 0753 Minimum 29.31 06 1446											
									Number of Days with ----->							Max Temp >=90: M Min Temp <=32: M Thunderstorms : 5				Min Temp <=32: M Min Temp <=0 : M Heavy Fog : 2				Precipitation >=.01 inch: 13 Precipitation >=.10 inch: Snowfall >=1.0 inch : M			
									* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																		

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 07/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Date
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
												Depth	Water Equip	Snow Fall	Water Equip						Speed	Dir	Speed	Dir	Speed	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	78	47	63*	-7	46	54	2	0	0425	1934		M	M	M	0.00	29.95	30.12	4.0	30	5.0	25	340	18	330	01	
02	82	47*	65	-5	48	56	0	0	0426	1934		M	M	M	0.00	30.01	30.17	2.3	33	2.8	23	300	15	340	02	
03	88	50	69	-1	54	61	0	4	0426	1933		M	M	M	0.00	29.92	30.07	1.1	20	1.9	22	090	10	180	03	
04	97	57	77	6	55	64	0	12	0427	1933		M	M	M	0.00	29.78	29.94	3.8	25	4.1	24	270	17	260	04	
05	97	56	77	6	61	67	0	12	0427	1933	BR	M	M	M	0.00	29.77	29.95	0.8	32	2.2	17	060	13	030	05	
06	102*	68	85	14	68	74	0	20	0428	1933	BR	M	M	M	0.00	29.80	29.97	1.1	36	2.4	21	340	13	010	06	
07	101	68	85*	14	66	72	0	20	0428	1932	BR	M	M	M	0.00	29.83	29.99	1.6	03	2.6	18	070	13	040	07	
08	89	70	80	9	70	74	0	15	0429	1932	BR HZ	M	M	M	0.00	29.83	30.00	4.1	14	4.6	17	140	12	160	08	
09	91	69	80	9	68	72	0	15	0430	1932		M	M	M	0.00	29.76	29.90	5.1	16	5.5	22	140	14	150	09	
10	79	67	73	1	69	71	0	8	0430	1931	RA BR	M	M	M	0.60	29.65	29.83	1.2	04	1.8	17	010	13	360	10	
11	91	66	79	7	66	70	0	14	0431	1931	FG+ BR	M	M	M	0.00	29.66	29.83	1.1	33	2.3	17	320	14	300	11	
12	93	63	78	6	62	68	0	13	0432	1930	RA BR	M	M	M	0.01	29.70	29.87	2.0	21	3.3	28	240	22	240	12	
13	87	70	79	7	69	72	0	14	0433	1930	RA BR	M	M	M	0.16	29.73	29.89	2.3	13	3.8	20	140	14	130	13	
14	83	70	77	5	71	72	0	12	0433	1929	RA BR	M	M	M	0.10	29.73	29.91	2.5	36	3.0	15	340	13	350	14	
15	91	68	80	8	68	71	0	15	0434	1929		M	M	M	0.00	29.83	29.99	1.1	05	3.0	14	110	10	100	15	
16	95	71	83	11	69	73	0	18	0435	1928	BR HZ	M	M	M	T	29.72	29.88	5.4	23	6.4	25	230	20	240	16	
17	94	67	81	9	66	71	0	16	0436	1928	BR HZ	M	M	M	0.00	29.67	29.83	5.7	23	6.2	29	260	20	230	17	
18	93	66	80	8	60	67	0	15	0437	1927		M	M	M	0.00	29.65	29.82	5.3	28	5.9	28	350	18	280	18	
19	92	63	78	6	66	69	0	13	0438	1926	TSRA RA	M	M	M	0.10	29.64	29.81	2.6	23	3.3	25	210	17	220	19	
20	87	67	77	5	66	69	0	12	0438	1926	BR	M	M	M	T	29.75	29.92	0.7	32	1.8	26s	030	13	240	20	
21	91	67	79	6	68	70	0	14	0439	1925	RA	M	M	M	0.05	29.72	29.87	2.2	23	3.6	30	330	22	330	21	
22	89	62	76	3	59	66	0	11	0440	1924		M	M	M	0.00	29.73	29.92	5.7	30	7.3	25	300	18	320	22	
23	77	65	71	-2	67	68	0	6	0441	1923	RA BR HZ	M	M	M	0.24	29.78	29.93	0.2	20	0.9	10	350	9	340	23	
24	95	72	84	11	72	75	0	19	0442	1922	RA BR	M	M	M	0.13	29.65	29.80	3.7	24	4.6	24	240	18	260	24	
25	87	63	75	2	68	71	0	10	0443	1921	RA	M	M	M	0.01	29.61	29.79	4.3	26	5.8	22	330	13	330	25	
26	87	56	72	-1	55	62	0	7	0444	1920		M	M	M	0.00	29.78	29.96	4.0	30	5.8	33	310	18	340	26	
27	89	56	73	0	57	63	0	8	0445	1920		M	M	M	0.00	29.86	30.03	2.3	22	3.1	21	230	15	250	27	
28	90	60	75	2	64	69	0	10	0446	1919		M	M	M	0.00	29.79	29.94	5.1	22	5.7	25	220	17	230	28	
29	91	61	76	3	61	68	0	11	0447	1918	RA HZ	M	M	M	T	29.65	29.82	4.0	32	5.8	20	360	15	010	29	
30	84	54	69	-4	53	60	0	4	0448	1917		M	M	M	0.00	29.73	29.90	2.3	34	3.2	18	250	13	030	30	
31	82	51	67	-5	47	56	0	2	0449	1916		M	M	M	0.00	29.78	29.95	1.4	02	2.6	20	020	12	330	31	
	89.4	62.5	76.0		62.5	67.6	0.1	11.3	<-----Monthly Averages Totals----->				M	M	1.40	29.75	29.92	1.4	26	3.9	<Monthly Average					
	5.8	2.3	4.1		<-----Departure From Normal----->								-3.32													
Degree Days Monthly Season to Date									Greatest 24-hr Precipitation: 0.60 Date: 10							Sea Level Pressure Date Time (LST)										
Total Departure Total Departure									Greatest 24-hr Snowfall: M Date: M							Maximum 30.24 02 0839										
Heating: 2 -4 M M									Greatest Snow Depth: M Date: M							Minimum 29.72 25 0238										
Cooling: 350 131									Number of Days with ----->				Max Temp >=90: 16			Min Temp <=32: 0			Precipitation >=.01 inch: 9							
													Max Temp <=32: 0			Min Temp <=0 : 0			Precipitation >=.10 inch:							
													Thunderstorms : 1			Heavy Fog : 1			Snowfall >=1.0 inch : M							
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																					Data Version: VER2					

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 08/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Date
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed	Dir	Speed	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	83	54	69	-3	60	63	0	4	0450	1914	TSRA RA BR	M	M	M	0.24	29.85	30.02	1.2	17	1.7	18	240	14	230	01	
02	86	62	74	2	62	66	0	9	0451	1913		M	M	M	0.00	29.93	30.09	3.4	20	4.1	22	250	16	250	02	
03	85	69	77	5	65	69	0	12	0452	1912		M	M	M	0.00	29.87	30.02	4.7	20	5.8	23	200	17	240	03	
04	92	71	82	10	71	74	0	17	0453	1911		M	M	M	0.00	29.67	29.82	2.8	20	3.4	18	250	15	250	04	
05	90	71	81	9	71	74	0	16	0454	1910	RA BR HZ	M	M	M	1.00	29.46	29.62	3.4	25	4.5	29	270	20	280	05	
06	87	57	72	0	58	64	0	7	0455	1909	BR	M	M	M	0.01s	29.52	29.70	4.2	30	5.1	30	290	21	310	06	
07	83	55	69	-3	51	58	0	4	0456	1907		M	M	M	0.00	29.74	29.92	1.8	24	2.3	22	280	13	220	07	
08	88	55	72	0	59	65	0	7	0457	1906		M	M	M	0.00	29.82	29.98	2.9	20	4.0	17	250	12	220	08	
09	93	70	82*	10	65	71	0	17	0458	1905		M	M	M	T	29.78	29.94	3.0	22	4.6	28	080	14	010	09	
10	89	70	80	8	69	72	0	15	0459	1904	RA BR	M	M	M	0.17	29.72	29.88	0.2	30	1.9	20	200	14	030	10	
11	91	67	79	7	64	69	0	14	0460	1902		M	M	M	0.00	29.68	M	2.6	01	3.2	16	360	12	340	11	
12	79	67	73	1	64	67	0	8	0501	1860	RA	M	M	M	0.02	29.72	29.90	3.6	12	4.4	14	130	10	120	12	
13	80	61	71	-1	58	63	0	6	0502	1858		M	M	M	T	29.86	30.04	1.1	11	2.4	25	090	9	100	13	
14	83	56	70	-1	54	61	0	5	0503	1857		M	M	M	0.00	29.94	30.10	1.3	17	2.8	24	230	16	230	14	
15	77	64	71	0	62	65	0	6	0504	1855	RA BR	M	M	M	0.25	29.87	30.02	2.4	16	2.7	21	090	12	170	15	
16	83	32s	M	M	71	72	M	M	0505	1854	TSRA RA BR	M	M	M	1.10	29.75	29.91	1.8	15	2.7	47	280	39	290	16	
17	85	65	75	4	64	68	0	10	0506	1853	FG+ BR	M	M	M	0.01s	29.80	29.99	1.5	25	2.7	23	270	13	230	17	
18	83	61	72	1	61	64	0	7	0507	1851		M	M	M	0.00	29.86	30.02	0.7	17	0.9	14	140	7	110	18	
19	88	57	73	3	60	65	0	8	0508	1850		M	M	M	0.00	29.72	29.87	1.5	27	2.2	25	300	18	320	19	
20	84	57	71	1	59	64	0	6	0509	1848		M	M	M	0.00	29.74	29.93	3.2	02	3.7	18	020	15	030	20	
21	80	52	66	-3	58	62	0	1	0510	1847		M	M	M	0.00	29.86	30.02	1.6	13	2.0	13	140	8	130	21	
22	76	68	72	3	69	70	0	7	0511	1845	TSRA RA BR	M	M	M	3.70	29.71	29.86	3.7	12	4.7	25	160	17	120	22	
23	70	62	66	-3	63	64	0	1	0512	1844	RA BR HZ	M	M	M	0.12	29.73	29.92	5.9	04	7.5	25	100	18	090	23	
24	70	62	66	-3	59	62	0	1	0513	1842	RA BR	M	M	M	0.11	29.83	29.99	7.8	01	8.2	24	030	18	030	24	
25	73	62	68	-1	63	65	0	3	0514	1840	RA BR	M	M	M	0.23	29.70	29.86	3.1	34	4.1	14	030	10	030	25	
26	80	55	68	-1	59	63	0	3	0515	1839		M	M	M	0.03	29.75	29.93	3.8	28	4.8	24	290	17	290	26	
27	77	50	64*	-4	53	57	1	0	0516	1837		M	M	M	0.00	29.91	30.09	1.4	32	1.7	14	280	10	280	27	
28	80	49*	65	-3	55	59	0	0	0517	1836		M	M	M	0.01s	29.99	30.17	0.1	06	0.5	12	040	8	060	28	
29	89	53	71	3	61	65	0	6	0518	1834		M	M	M	0.00	29.99	30.16	0.4	28	0.8	10	230	6	290	29	
30	89	56	73	5	63	66	0	8	0519	1832	FG+ FG BR	M	M	M	0.01s	30.01	30.17	0.7	36	1.1	28	270	10	030	30	
31	93*	63	78	11	68	71	0	13	0520	1831	BR	M	M	M	0.01s	29.93	30.09	0.3	29	0.5	20	270	8	270	31	
	83.4	59.8	71.6		61.9	65.7	0.0	7.4	<-----Monthly Averages Totals----->				M	M	7.03s	29.80	29.96	0.3	24	3.3	<Monthly Average					
	1.7	0.5	1.1		<-----Departure From Normal----->								3.20													
Degree Days Monthly Season to Date									Greatest 24-hr Precipitation: 3.79s Date: 22-23							Sea Level Pressure Date Time (LST)										
Total Departure Total Departure									Greatest 24-hr Snowfall: M Date: M							Maximum 30.23 30 0912										
Heating: 1 -12 M M									Greatest Snow Depth: M Date: M							Minimum 29.57 05 1805										
Cooling: 221 38									Number of Days with ----->				Max Temp >=90: 5			Min Temp <=32: 1			Precipitation >=.01 inch: 15s							
													Max Temp <=32: 0			Min Temp <=0 : 0			Precipitation >=.10 inch:							
													Thunderstorms : 3			Heavy Fog : 2			Snowfall >=1.0 inch : M							
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																										
																				Data Version: VER2						

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 09/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								D a t e
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
												Depth	Water Equiv	Snow Fall	Water Equiv						5-second Speed	Dir	2-minute Speed	Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	92	65	79	12	67	70	0	14	0521	1829	BR HZ	M	M	M	0.00	29.85	30.00	1.1	22	1.2	13	250	10	250	01	
02	93*	65	79*	12	68	72	0	14	0522	1827	BR HZ	M	M	M	0.00	29.78	29.93	1.3	20	2.1	14	240	10	240	02	
03	83	67	75	9	67	70	0	10	0523	1826	RA BR	M	M	M	T	29.55	29.68	0.8	07	1.4	13	120	8	270	03	
04	77	59	68	2	53	60	0	3	0524	1824		M	M	M	0.00	29.43	29.62	10.7	26	11.0	35	240	23	260	04	
05	73	49	61	-4	48	54	4	0	0525	1822		M	M	M	0.00	29.75	29.94	6.4	25	6.9	24	270	16	260	05	
06	78	45	62	-3	49	56	3	0	0526	1821		M	M	M	0.00	29.98	30.15	1.4	20	2.4	21	220	14	250	06	
07	87	59	73	8	62	66	0	8	0527	1819		M	M	M	0.00	29.89	30.03	3.4	19	4.1	20	170	14	230	07	
08	83	62	73	8	58	64	0	8	0528	1817	RA	M	M	M	0.02	29.59	29.75	6.9	28	8.5	33	300	21	290	08	
09	70	59	65	0	51	57	0	0	0529	1816		M	M	M	T	29.59	29.75	7.5	27	8.0	23	280	18	290	09	
10	68	50	59	-6	51	55	6	0	0530	1814		M	M	M	0.00	29.67	29.85	2.8	34	3.6	21	020	15	010	10	
11	76	44	60	-4	50	55	5	0	0531	1812	BR	M	M	M	0.00	29.80	29.98	1.9	36	2.7	23	280	13	340	11	
12	65	56	61	-2	54	57	4	0	0532	1811		M	M	M	T	29.87	30.04	2.0	12	2.4	16	100	12	100	12	
13	74	53	64	1	56	58	1	0	0533	1809	RA BR	M	M	M	0.12	29.77	29.92	2.0	24	2.7	14	230	12	230	13	
14	75	47	61	-2	49	54	4	0	0534	1807	FG BR	M	M	M	0.01s	29.72	29.90	3.6	29	4.5	29	270	18	290	14	
15	71	43	57	-5	44	50	8	0	0535	1805	BR	M	M	M	0.00	29.88	30.06	4.2	30	4.8	24	300	17	270	15	
16	70	41	56*	-6	53	55	9	0	0536	1804	RA BR	M	M	M	0.15	29.84	29.97	2.3	16	3.0	22	150	14	140	16	
17	67	50	59	-3	55	58	6	0	0537	1802	BR	M	M	M	T	29.74	29.94	4.9	36	6.6	26	020	21	010	17	
18	72	53	63	2	53	56	2	0	0538	1800		M	M	M	0.00	29.99	30.17	1.5	24	2.0	17	210	13	240	18	
19	79	51	65	4	57	60	0	0	0539	1758		M	M	M	0.00	29.91	30.06	0.5	29	1.2	12	220	8	360	19	
20	70	44	57	-3	45	52	8	0	0541	1757		M	M	M	0.00	29.83	30.02	5.8	01	6.2	29	010	21	020	20	
21	74	39*	57	-3	44	51	8	0	0542	1755		M	M	M	0.00	29.97	30.13	2.4	21	3.3	20	250	13	250	21	
22	87	52	70	10	60	63	0	5	0543	1753	RA FG+ FG BR	M	M	M	0.17	29.83	29.99	1.6	20	3.0	20	230	13	230	22	
23	78	56	67	8	60	63	0	2	0544	1752	FG+ FG	M	M	M	0.01s	29.96	30.14	0.4	21	2.5	13	140	8	150	23	
24	85	60	73	14	65	68	0	8	0545	1750		M	M	M	0.00	29.85	29.97	3.1	17	4.3	16	230	10	190	24	
25	86	56	71	13	58	64	0	6	0546	1748	BR	M	M	M	0.00	29.61	29.79	3.1	28	6.1	24	010	21	020	25	
26	71	49	60	2	52	56	5	0	0547	1746		M	M	M	0.00	29.86	30.04	1.9	35	3.2	16	120	10	100	26	
27	72	59	66	8	60	61	0	1	0548	1745	RA BR	M	M	M	0.48	29.85	29.99	1.6	03	2.1	16	190	9	080	27	
28	76	66	71	14	69	70	0	6	0549	1743	RA BR	M	M	M	0.27	29.55	29.71	5.2	17	6.5	24	150	14	150	28	
29	76	56	66	9	58	61	0	1	0550	1741		M	M	M	0.00	29.72	29.90	2.1	21	2.5	15	240	12	250	29	
30	M	M	M	M			M	M	0551	1740	RA BR	M	M	M	2.41	29.62	M	M	M	7.4	37	170	23	180	30	
	76.8	53.6	65.2		55.7	59.9	2.5	3.0	<----Monthly Averages Totals----->			M	M	3.64	29.78	29.95	1.5	26	4.2	<Monthly Average						
	3.0	3.5	3.2		<-----Departure From Normal----->							-0.05														
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 73 -51 M M Cooling: 86 53									Greatest 24-hr Precipitation: 2.41 Date: 30 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M									Sea Level Pressure Date Time (LST) Maximum 30.24 18 0757 Minimum 29.47 03 2350								
									Number of Days with ----->			Max Temp >=90: M Max Temp <=32: M Thunderstorms : 0			Min Temp <=32: M Min Temp <=0 : M Heavy Fog : 2			Precipitation >=.01 inch: 9 Precipitation >=.10 inch: Snowfall >=1.0 inch : M								
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																				Data Version: VER2						

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 10/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								D a t e
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed	Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	M	M	M	M			M	M	0552	1738	RA SN	M	M	M	0.03	29.50	M	M	M	5.6	24s	360	17s	360	01	
02	66	42	54	-1	42	48	11	0	0553	1736		M	M	M	0.00	29.75	29.97	2.3	34	2.5	20	340	13	340	02	
03	64	41	53	-2	42	47	12	0	0554	1734	RA	M	M	M	T	29.95	30.13	5.6	02	6.2	23	040	16	030	03	
04	55	49	52	-3	46	49	13	0	0555	1733	RA BR	M	M	M	0.32	29.95	30.10	6.9	36	7.0	18	360	13	010	04	
05	56	51	54	0	52	53	11	0	0556	1731	RA BR	M	M	M	0.18	29.83	30.00	5.2	36	5.3	15	350	12	010	05	
06	65	52	59	5	50	53	6	0	0557	1729	RA	M	M	M	T	29.70	29.83	0.3	28	3.2	17	350	12	240	06	
07	69	51	60	7	46	52	5	0	0558	1728	RA	M	M	M	0.03	29.47	29.65	8.5	26	9.2	31	290	23	300	07	
08	74	42	58	5	44	51	7	0	0560	1726		M	M	M	0.00	29.67	29.84	6.2	24	6.8	24	260	20	250	08	
09	70	37	54	1	38	47	11	0	0601	1725		M	M	M	0.00	29.71	29.90	2.5	35	3.9	23	360	18	360	09	
10	69	32	51	-1	38	44	14	0	0602	1723		M	M	M	0.00	29.70	29.84	3.1	22	3.5	17	260	14	250	10	
11	74	41	58	6	50	53	7	0	0603	1721	RA BR	M	M	M	0.14	29.59	29.76	1.7	22	2.4	16	260	12	240	11	
12	68	41	55	4	47	51	10	0	0604	1720	RA	M	M	M	0.12	29.62	29.81	1.3	34	2.3	14	030	10	040	12	
13	64	34	49	-2	39	43	16	0	0605	1718		M	M	M	0.00	29.83	30.01	0.4	03	0.4	10	280	8	310	13	
14	63	34	49	-2	44	46	16	0	0606	1716	RA FG+ BR	M	M	M	0.92	29.72	29.84	0.5	11	2.1	17	160	13	190	14	
15	55	46	51	1	43	47	14	0	0607	1715	RA	M	M	M	0.22	29.29	29.45	8.2	27	9.3	31	270	23	280	15	
16	57	37	47	-3	37	44	18	0	0608	1713		M	M	M	0.00	29.54	29.74	9.5	31	9.8	35	310	22	330	16	
17	70	35	53	3	38	45	12	0	0610	1712		M	M	M	0.00	29.67	29.83	5.7	26	6.2	24	320	17	300	17	
18	61	37	49	-1	37	43	16	0	0611	1710		M	M	M	0.00	29.72	29.90	5.1	25	5.6	22	230	16	240	18	
19	62	38	50	1	39	44	15	0	0612	1709		M	M	M	0.00	29.73	29.89	0.4	24	1.3	16	250	10	240	19	
20	60	35	48	0	38	43	17	0	0613	1707	BR	M	M	M	0.00	29.69	29.84	1.8	22	2.0	18	240	12	230	20	
21	60	37	49	1	38	43	16	0	0614	1706	BR	M	M	M	T	29.47	29.63	3.5	27	5.6	30	290	22	290	21	
22	49	35	42*	-6	30	38	23	0	0615	1704		M	M	M	T	29.76	29.96	8.7	27	9.2	29	280	22	290	22	
23	65	40	53	6	35	44	12	0	0616	1703	RA	M	M	M	0.01	29.91	30.09	5.2	24	6.7	22	230	15	240	23	
24	63	47	55	8	48	51	10	0	0618	1701	RA BR	M	M	M	0.03	29.91	30.07	0.4	15	1.3	12	120	8	110	24	
25	72	45	59	12	54	57	6	0	0619	1700	RA BR	M	M	M	0.00	29.72	29.86	3.0	16	4.3	20	180	12	190	25	
26	77*	55	66*	19	60	63	0	1	0620	1659		M	M	M	T	29.65	29.83	3.5	19	5.0	20	200	14	130	26	
27	73	49	61	15	62	63	4	0	0621	1657	RA FG+ BR	M	M	M	1.05	29.65	29.82	2.7	19	3.5	23	170	15	170	27	
28	74	45	60	14	44	51	5	0	0622	1656	BR	M	M	M	0.01s	29.64	29.81	2.9	26	4.3	26	280	21	270	28	
29	55	38	47	1	36	42	18	0	0624	1655		M	M	M	T	29.76	29.95	6.0	29	6.6	33	320	21	310	29	
30	57	40	49	4	31	41	16	0	0625	1653		M	M	M	0.00	29.77	29.91	6.3	23	7.5	22	230	16	240	30	
31	56	31*	44	-1	31	40	21	0	0626	1652		M	M	M	0.00	29.65	29.87	5.6	28	6.9	24	290	17	340	31	
	64.1	41.2	52.7		42.6	47.9	12.1	0.0	<-----Monthly Averages Totals----->				M	M	3.06	29.70	29.87	2.6	27	5.0	<Monthly Average					
	2.0	3.1	2.6		<-----Departure From Normal----->								-0.50													
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 362 -101 M M Cooling: 1 -2									Greatest 24-hr Precipitation: 1.13s Date: 14-15 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M							Sea Level Pressure Date Time (LST) Maximum 30.19 03 2220 Minimum 29.37 15 1513					Precipitation >=.01 inch: 11s Precipitation >=.10 inch: Snowfall >=1.0 inch : M					
									Number of Days with ----->			Max Temp >=90: M		Min Temp <=32: M												
												Max Temp <=32: M		Min Temp <=0 : M												
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																				Data Version: VER2						

Month: 11/2010

Elevation(Ground): 156 ft. above sea level

Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In) (In)				Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees						Date													
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second		max 2-minute																
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed	Dir															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26														
01	48	26	37	-8	26	32	28	0	0627	1651	RA BR RA BR RA RA BR RA BR SQ BR RA BR HZ RA BR RA BR RA	M	M	M	0.00	30.11	30.31	3.6	35	3.8	22	330	16	330	01														
02	51	25	38	-7	26	32	27	0	0628	1650		M	M	M	0.00	30.24	30.39	1.5	36	1.9	17	020	13	010	02														
03	54	26	40	-5	29	35	25	0	0630	1648		M	M	M	0.00	30.00	30.14	0.4	17	1.3	16	180	10	180	03														
04	46	39	43	-2	42	43	22	0	0631	1647		M	M	M	1.08	29.52	29.64	5.2	01	5.5	20	010	14	010	04														
05	51	39	45	1	40	43	20	0	0632	1646		M	M	M	0.12	29.33	29.55	4.5	26	5.5	23	250	17	250	05														
06	48	28	38	-5	31	36	27	0	0633	1645		M	M	M	0.00	29.92	30.13	4.1	02	4.4	22	030	16	030	06														
07	49	29	39	-4	26	35	26	0	0634	1644		M	M	M	0.00	30.03	30.17	6.7	36	7.0	24	030	20	020	07														
08	45	34	40	-3	29	36	25	0	0636	1643		M	M	M	0.02	29.54	29.70	8.6	34	9.2	30	360	21	360	08														
09	50	40	45	3	38	42	20	0	0637	1642		M	M	M	0.00	29.70	29.90	12.1	36	12.3	30	020	22	010	09														
10	53	39	46	4	33	40	19	0	0638	1641		M	M	M	0.00	29.91	30.11	12.5	01	12.6	29	020	21	010	10														
11	56	28	42	0	27	36	23	0	0639	1640		M	M	M	0.00	30.19	30.39	5.6	01	5.8	21	010	14	010	11														
12	62	24	43	1	26	34	22	0	0641	1639		M	M	M	0.00	30.23	30.40	1.1	32	1.3	12	270	8	330	12														
13	63	25	44	3	27	35	21	0	0642	1638		M	M	M	0.00	30.04	30.20	0.3	32	0.3	10	200	6	310	13														
14	63	27	45	4	32	38	20	0	0643	1637		M	M	M	0.00	29.91	30.07	1.7	14	2.0	16	120	12	130	14														
15	56	41	49	8	43	46	16	0	0644	1636		M	M	M	0.00	29.85	30.02	0.1	06	0.6	7	310	6	300	15														
16	56	44	50	10	48	49	15	0	0645	1635		M	M	M	0.16	29.83	29.97	2.3	12	3.4	22	120	15	120	16														
17	63	50	57*	17	43	49	8	0	0647	1634		M	M	M	0.60	29.41	29.60	9.9	25	12.6	46	240	32	230	17														
18	57	38	48	8	32	41	17	0	0648	1633		M	M	M	T	29.80	29.99	6.4	27	7.3	24	280	18	280	18														
19	46	27	37	-2	27	32	28	0	0649	1633		M	M	M	0.00	29.99	30.18	0.9	31	2.4	17	280	13	290	19														
20	57	25	41	2	28	36	24	0	0650	1632		M	M	M	0.00	29.93	30.12	4.3	28	5.7	25	290	17	290	20														
21	45	26	36	-3	24	32	29	0	0651	1631		M	M	M	0.00	30.26	30.45	0.2	34	1.9	15	140	10	010	21														
22	63*	37	50	12	42	46	15	0	0653	1631		M	M	M	0.00	30.11	30.23	2.4	19	2.9	20	220	14	220	22														
23	60	40	50	12	42	47	15	0	0654	1630		M	M	M	T	29.72	29.87	2.9	27	4.0	26	300	18	290	23														
24	49	28	39	2	18	33	26	0	0655	1629		M	M	M	0.00	29.90	30.11	7.2	32	8.0	33	340	24	330	24														
25	39	24	32*	-5	22	30	33	0	0656	1629		M	M	M	0.02	29.96	30.10	0.2	07	0.3	8	110	7	120	25														
26	50	27	39	2	35	38	26	0	0657	1628		M	M	M	0.32	29.46	29.60	2.9	27	3.4	24	260	18	260	26														
27	42	30	36	0	21	31	29	0	0658	1628	M	M	M	0.00	29.54	29.75	9.2	26	10.7	31	260	22	250	27															
28	47	21	34	-2	21	28	31	0	0659	1628	M	M	M	0.00	30.08	30.29	0.6	01	1.3	9	190	7	020	28															
29	47	20*	34	-2	24	28	31	0	0700	1627	M	M	M	0.00	30.32	30.50	0.1	20	0.6	9	250	6	250	29															
30	54	28	41	6	41	43	24	0	0701	1627	M	M	M	0.10	30.18	30.31	2.7	15	4.6	24	120	17	130	30															
	52.3	31.2	41.8		31.4	37.5	23.1	0.0	<-----Monthly Averages Totals----->				M	M	2.42	29.90	30.10	2.2	32	4.8	<Monthly Average																		
	1.7	1.1	1.4		<-----Departure From Normal----->								-1.11																										
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 692 -49 M M Cooling: 0 0										Greatest 24-hr Precipitation: 1.13s Date: 04-05 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M										Sea Level Pressure Date Time (LST) Maximum 30.58 29 1009 Minimum 29.37 05 0609																			
										Number of Days with ----->										Max Temp >=90: 0 Min Temp <=32: 19 Max Temp <=32: 0 Min Temp <=0 : 0 Thunderstorms : 0 Heavy Fog : 0										Precipitation >=.01 inch: 8 Precipitation >=.10 inch: Snowfall >=1.0 inch : M									
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																						Data Version: VER2																	

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 12/2010											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								D a t e
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second	max 2-minute				
												Depth	Water Equip	Snow Fall	Water Equip						Speed	Dir	Speed	Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	62*	39	51*	16	48	50	14	0	0703	1626	RA BR	M	M	M	1.34	29.64	29.78	8.6	16	12.7	38	140	25	250	01	
02	42	26	34	0	23	31	31	0	0704	1626		M	M	M	0.01s	29.83	30.03	5.2	27	5.7	29	330	15	290	02	
03	40	21	31	-3	23	27	34	0	0705	1626		M	M	M	0.00	29.83	29.99	1.2	34	1.4	13	350	8	320	03	
04	40	20	30	-4	19	27	35	0	0706	1626		M	M	M	0.00	29.63	29.78	3.9	30	4.6	25	300	18	300	04	
05	35	27	31	-2	18	27	34	0	0707	1626	SN	M	M	M	T	29.46	29.63	8.6	28	9.6	23	240	18	300	05	
06	33	28	31	-2	15	26	34	0	0708	1626		M	M	M	T	29.30	29.46	13.5	27	13.8	30	280	22	270	06	
07	35	28	32	-1	16	26	33	0	0708	1625		M	M	M	0.00	29.31	29.52	13.3	27	13.4	29	270	21	280	07	
08	32	21	27	-5	9	22	38	0	0709	1625		M	M	M	0.00	29.65	29.87	10.5	27	10.9	28	270	20	290	08	
09	30	12	21	-11	7	18	44	0	0710	1625		M	M	M	0.00	30.01	30.22	6.0	27	7.0	24	260	16	300	09	
10	28	10	19*	-13	14	19	46	0	0711	1625	SN	M	M	M	T	30.19	30.35	1.2	16	1.3	5s	120	3s	120	10	
11	43	20	32	1	23	28	33	0	0712	1626	BR	M	M	M	0.00	30.04	30.21	0.5	20	0.5	12	230	9	220	11	
12	58	24	41	10	41	43	24	0	0713	1626	RA FZRA BR UP HZ	M	M	M	0.83	29.53	29.60	4.6	13	6.2	33	190	21	150	12	
13	45	22	34	3	33	35	31	0	0714	1626	RA SN BR	M	M	M	0.16	29.00	29.18	4.3	32	5.5	25	320	18	330	13	
14	24	17	21	-9	8	17	44	0	0714	1626	SN BR	M	M	M	0.01	29.28	29.50	6.7	30	7.2	22	290	16	290	14	
15	26	17	22	-8	8	18	43	0	0715	1626		M	M	M	0.00	29.51	29.69	7.9	27	8.6	29	290	21	280	15	
16	32	15	24	-6	12	21	41	0	0716	1627		M	M	M	0.00	29.58	29.76	6.3	23	6.9	23	220	18	230	16	
17	37	10	24	-5	15	22	41	0	0716	1627		M	M	M	0.00	29.70	29.91	1.8	25	2.7	16	280	13	280	17	
18	36	19	28	-1	18	24	37	0	0717	1627		M	M	M	0.00	29.88	30.07	1.9	23	2.1	12	230	8	240	18	
19	31	15	23	-6	17	21	42	0	0718	1628	BR	M	M	M	0.00	29.84	30.01	1.1	35	1.3	10	340	8	340	19	
20	33	12	23	-6	15	21	42	0	0718	1628	BR	M	M	M	0.00	29.72	29.89	4.6	34	4.7	20	350	15	350	20	
21	38	24	31	3	19	27	34	0	0719	1628		M	M	M	0.00	29.70	29.86	6.4	34	6.9	22	010	16	020	21	
22	37	29	33	5	21	28	32	0	0719	1629		M	M	M	0.00	29.64	29.81	6.8	33	7.6	22	300	14	320	22	
23	34	28	31	3	20	27	34	0	0720	1629	SN HZ	M	M	M	T	29.70	29.87	7.6	32	8.3	25	320	20	310	23	
24	37	24	31	3	18	25	34	0	0720	1630		M	M	M	0.00	29.88	30.05	6.4	36	6.7	20	360	14	360	24	
25	29	21	25	-2	16	23	40	0	0721	1631		M	M	M	0.00	29.85	30.01	4.3	36	4.7	17	360	13	010	25	
26	25	17	21	-6	14	18	44	0	0721	1631	SN FG+ FZFG BR	M	M	M	0.14	29.63	29.75	11.9	01	12.8	186s	280	68s	310	26	
27	28	18	23	-4	10	20	42	0	0721	1632	SN BR UP HZ	M	M	M	0.03	29.16	29.38	M	M	M	nulls	M	E7	M	27	
28	37	17	27	0	15	25	38	0	0721	1633		M	M	M	0.00	29.57	29.77	M	M	M	29	270	22	270	28	
29	39	13	26	-1	21	27	39	0	0722	1633	BR HZ	M	M	M	0.00	29.78	29.99	2.8	30	3.2	18	350	14	290	29	
30	38	6*	22	-4	15	20	43	0	0722	1634	BR HZ	M	M	M	0.00	29.99	30.18	0.9	22	1.0	9	200	8	240	30	
31	48	21	35	9	25	32	30	0	0722	1635	BR HZ	M	M	M	0.00	29.95	30.12	2.6	22	3.0	13	220	9	220	31	
	36.5	20.0	28.3		18.6	25.6	36.5	0.0	<-----Monthly Averages Totals----->			M	M	2.52	29.67	29.83	3.5	29	6.2	<Monthly Average						
	-2.6	-0.9	-1.7		<-----Departure From Normal----->									-0.71												
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 1131 46 M M Cooling: 0 0									Greatest 24-hr Precipitation: 1.34 Date: 01 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M						Sea Level Pressure Date Time (LST) Maximum 30.43 10 0958 Minimum 29.09 13 0500						Precipitation >=.01 inch: 7 Precipitation >=.10 inch: Snowfall >=1.0 inch : M					
									Number of Days with ----->						Max Temp >=90: 0 Max Temp <=32: 10 Thunderstorms : 0		Min Temp <=32: 30 Min Temp <=0 : 0 Heavy Fog : 1									
									* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																	

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA

Effective January, 2005, flags will be available for most data elements:

If data are suspect:

s will appended to the value on the web form

s will be placed in a column following the suspect value in the ASCII form

If data are flagged as erroneous, it will not be printed.

**NOTICE OF CHANGE:

Effective July 28, 2000, observations contained in the Quality Controlled Local Climatological Data Hourly Observations table are reported in whole degrees Fahrenheit. The dry bulb, dew point and wet bulb temperatures were originally reported to the nearest tenth of a degree Fahrenheit. The Automated Surface Observing System (ASOS) records temperatures and dew points in whole degrees Fahrenheit and converts these values to the nearest tenth of a degree Celsius for observation transmission. Until this date, these values online have incorrectly been converted back to the nearest tenth of a degree Fahrenheit, implying a level of precision that is not present at the instrument level. We apologize for any inconvenience this may cause.

The Automated Weather Observing System (AWOS) generally records temperatures and dew points in whole degrees Fahrenheit and converts these values to the nearest whole degree Celsius for observation transmission. Also, AWOS stations will often have less data (i.e., fewer weather elements) than ASOS stations.

NCDC forms contain:

whole degree Celsius temperature values for AWOS stations

tenths degrees Celsius temperature values for ASOS stations

FORMAT FOR DAILY TABLE

COLUMN	TERMINOLOGY
1	DATE
Temp	Degrees Fahrenheit
2	MAXIMUM
3	MINIMUM
4	AVERAGE
5	DEPARTURE FROM NORMAL
6	AVERAGE DEW POINT
7	AVERAGE WET BULB
Degree Days: Base 65 F	
8	HEATING (SEASON BEGINS WITH JULY)
9	COOLING (SEASON BEGINS WITH JANUARY)
10	SUNRISE (Calculated, not observed)
11	SUNSET (Calculated, not observed)
Significant Weather Types	Weather Phenomena
12	+FC TORNADO/WATERSPOUT FC FUNNEL CLOUD TS THUNDERSTORM GR HAIL RA RAIN

	DZ DRIZZLE SN SNOW SG SNOW GRAINS GS SMALL HAIL &/OR SNOW PELLETS PL ICE PELLETS IC CRYSTALS FG+ HEAVY FOG (FG & LE.25 MILES VISIBILITY) FG FOG BR MIST UP UNKNOWN PRECIPITATION HZ HAZE FU SMOKE VA VOLCANIC ASH DU WIDESPREAD DUST DS DUSTSTORM PO SAND/DUST WHIRLS SA SAND SS SANDSTORM PY SPRAY SQ SQUALL DR LOW DRIFTING SH SHOWER FZ FREEZING MI SHALLOW PR PARTIAL BC PATCHES BL BLOWING VC VICINITY - LIGHT + HEAVY "NO SIGN" MODERATE
Snow/Ice	INCHES
13	SNOW/ICE (ON GROUND)(0600 LST) T = TRACE
14	WATER EQUIVALENT (1200 LST) M = MISSING DATA
Precipitation:	INCHES (24-HR PERIOD ENDING AT INDICATED LOCAL STANDARD TIME)
15	SNOWFALL (INCHES AND TENTHS)(2400 LST)* T = TRACE
16	WATER EQUIVALENT(INCHES & HUNDREDTHS(2400 LST) RAINFALL & MELTED SNOW M = MISSING DATA T = TRACE
Pressure	INCHES OF HG
17	AVERAGE STATION PRESSURE
18	AVERAGE SEA LEVEL PRESSURE
Wind	SPEED IN MILES PER HOUR DIRECTION TO TENS OF DEGREES
19	RESULTANT WIND SPEED
20	RESULTANT DIRECTION - (WHOLE DEGREES)
21	AVERAGE SPEED
22	MAXIMUM 5 SECOND SPEED
23	MAXIMUM 5 SECOND DIRECTION
24	MAXIMUM 2 MINUTE SPEED
25	MAXIMUM 2 MINUTE DIRECTION
26	DATE
	NOTE: RESULTANT WIND IS THE VECTOR SUM OF WIND SPEEDS AND DIRECTIONS

Appendix D

Groundwater Analytical Data (Organics): January 1, 2010 to December 31, 2010
Groundwater Analytical Data (Inorganics): January 1, 2010 to December 31, 2010
Groundwater Analytical Data (Organics): Shutdown Sampling Non-CAP Wells
Groundwater Analytical Data (Organics): B/330D Investigation
Groundwater Analytical Data (Organics): Well 032A Replacement Sampling

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		007	007	007	010	010	010
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		02/16/2010	09/14/2010	09/14/2010	02/11/2010	08/18/2010	08/18/2010
Laboratory Sample I.D.		R1000901-005	R1005051-006	R1005051-007	R1000817-005	R1004537-006	R1004537-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.1	2.1	2.1
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	19	14	13
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.63 J	2.1	2.2
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.3	3.4	3.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	23	43	42
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	7.4	13	12
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.65 J	0.22 J	0.25 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		015	015	015	016	016	016
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		02/25/2010	09/15/2010	09/15/2010	02/18/2010	02/18/2010	09/14/2010
Laboratory Sample I.D.		R1001065-006	R1005081-005	R1005081-005	R1000923-009	R1000923-010	R1005051-009
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@100	ND@250	ND@250 H	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	170	ND@50	21 HJ	1.4	1.4	1.7
DICHLORODIFLUOROMETHANE	ug/l	ND@20	ND@50	ND@50 H	16	17	16
ETHYLBENZENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@40	ND@100	ND@100 H	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1900	3500	7900 H	21	22	20
TOLUENE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	65	91	190 H	2.7	2.8	2.9
TRICHLOROFLUOROMETHANE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@20	ND@50	ND@50 H	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		035	046	046	048	048	048
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		05/06/2010	03/05/2010	10/25/2010	01/11/2010	04/15/2010	07/13/2010
Laboratory Sample I.D.		R1002469-004	R1001209-010	R1005952-006	R1000156-008	R1002034-004	R1003735-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.61 J	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		048	053	053	054	054	059
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		10/12/2010	03/08/2010	09/29/2010	03/15/2010	09/21/2010	04/20/2010
Laboratory Sample I.D.		R1005677-009	R1001260-006	R1005368-006	R1001399-006	R1005213-009	R1002145-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	2.0	0.92 J	2.9	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.60 J	3.0	0.73 J	1.9	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	2.7	2.0	4.8	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		060	060	061	061	063	064
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/20/2010	04/20/2010	03/10/2010	04/12/2010	03/24/2010	01/11/2010
Laboratory Sample I.D.		R1002145-006	R1002145-007	R1001301-007	R1001927-001	R1001593-008	R1000156-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	2.0	0.69 J	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	6.0	1.5	ND@1.0	1.3
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		064	064	064	065	065	065
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		04/19/2010	07/15/2010	10/12/2010	01/11/2010	01/11/2010	04/19/2010
Laboratory Sample I.D.		R1002119-008	R1003804-007	R1005677-006	R1000156-006	R1000156-007	R1002119-009
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.71 J	3.1	2.3	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	0.64 J	0.52 J	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	065			066		
Sample Description	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	07/15/2010	10/12/2010	10/12/2010	01/12/2010	04/12/2010	07/13/2010
Laboratory Sample I.D.	R1003804-006	R1005677-007	R1005677-008	R1000227-007	R1001926-005	R1003735-009
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.5	0.57 J	0.61 J	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.46 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	066		066		066		067		067		067	
Sample Description	REPLICATE		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER		REPLICATE	
Sample Date	07/13/2010		11/09/2010		11/09/2010		01/12/2010		04/15/2010		04/15/2010	
Laboratory Sample I.D.	R1003735-010		R1006277-004		R1006277-005		R1000227-006		R1002034-007		R1002034-008	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

May 11, 2011

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		067	067	068	068	068	068
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		07/12/2010	10/26/2010	01/14/2010	04/29/2010	04/29/2010	09/13/2010
Laboratory Sample I.D.		R1003673-007	R1006011-008	R1000255-004	R1002306-006	R1002309-005	R1005012-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.1	1.1	0.78 J
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	068		069		069		069		085		085	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE		GROUNDWATER		REPLICATE	
Sample Date	10/19/2010		03/18/2010		09/16/2010		09/16/2010		03/18/2010		03/18/2010	
Laboratory Sample I.D.	R1005835-005		R1001474-006		R1005107-008		R1005107-009		R1001474-007		R1001474-008	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	0.94 J		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

May 11, 2011

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	085	087	087	103	103	104
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	09/20/2010	03/18/2010	09/20/2010	03/16/2010	11/10/2010	03/16/2010
Laboratory Sample I.D.	R1005145-006	R1001474-009	R1005145-007	R1001431-004	R1006345-004	R1001431-005
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.9	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.82 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.1	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.69 J	ND@1.0

May 11, 2011

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	104	105	105	106	106	108
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	11/10/2010	02/25/2010	09/14/2010	02/25/2010	09/14/2010	03/29/2010
Laboratory Sample I.D.	R1006345-005	R1001065-004	R1005051-004	R1001065-005	R1005051-005	R1001656-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.48 J	0.95 J	1.1	ND@1.0	0.42 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.31 J	0.23 J	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	0.36 J	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	108	109	109	109	113	113
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date	08/17/2010	02/24/2010	08/17/2010	08/17/2010	01/13/2010	04/20/2010
Laboratory Sample I.D.	R1004490-007	R1001009-004	R1004490-008	R1004490-009	R1000234-005	R1002145-009
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	2.5	2.2
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	1.8	1.6	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	113	113	118	118	143	143
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	08/17/2010	10/13/2010	03/08/2010	09/15/2010	03/08/2010	09/15/2010
Laboratory Sample I.D.	R1004490-006	R1005735-005	R1001260-007	R1005081-004	R1001260-004	R1005081-010
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	2500	2100	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@10000	ND@6300	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@4000	ND@2500	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
TETRACHLOROETHYLENE	ug/l	2.1	2.2	200000	190000	2.1
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
TRICHLOROETHYLENE	ug/l	0.31 J	0.33 J	1700 J	1400	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1300	ND@1.0

May 11, 2011

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		145	146	150	150	151	151
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/16/2010	03/16/2010	02/09/2010	09/13/2010	02/16/2010	12/08/2010
Laboratory Sample I.D.		R1001431-006	R1001431-007	R1000777-005	R1005012-004	R1000901-009	R1006870-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		156	156	161	166	166	167
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/09/2010	08/17/2010	03/17/2010	03/31/2010	12/13/2010	03/31/2010
Laboratory Sample I.D.		R1000777-006	R1004490-005	R1001456-004	R1001702-004	R1006989-004	R1001702-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		167	167	178	181	181	204
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		12/13/2010	12/13/2010	03/23/2010	03/24/2010	12/15/2010	02/11/2010
Laboratory Sample I.D.		R1006989-005	R1006989-006	R1001557-008	R1001593-005	R1007054-004	R1000817-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	10	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	11	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	47	27	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	1.6	51	40	0.44 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.88 J	12	16	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	32	ND@1.0

May 11, 2011

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		400	400	401	401	402	402
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		06/16/2010	12/14/2010	06/16/2010	12/14/2010	06/15/2010	06/15/2010
Laboratory Sample I.D.		R1003250-004	R1007016-004	R1003250-005	R1007016-005	R1003229-004	R1003229-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		402	402	403	403	404	404
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		11/09/2010	11/09/2010	05/11/2010	12/07/2010	05/12/2010	12/16/2010
Laboratory Sample I.D.		R1006277-006	R1006277-007	R1002532-007	R1006840-005	R1002620-004	R1007121-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		407	407	408	408	410	410
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		05/12/2010	12/20/2010	06/15/2010	12/16/2010	06/16/2010	12/14/2010
Laboratory Sample I.D.		R1002620-005	R1007172-006	R1003229-007	R1007121-005	R1003250-006	R1007016-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.79 J	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		412	412	415	415	415	416
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		06/16/2010	12/14/2010	05/13/2010	12/16/2010	12/16/2010	06/15/2010
Laboratory Sample I.D.		R1003250-007	R1007016-007	R1002611-005	R1007121-006	R1007121-007	R1003229-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

21-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		416	417	417	417	423	423
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		11/08/2010	05/12/2010	05/12/2010	11/08/2010	05/11/2010	11/10/2010
Laboratory Sample I.D.		R1006235-004	R1002620-006	R1002620-007	R1006235-005	R1002532-006	R1006345-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

22-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		424	424	424	502	502	502
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		05/11/2010	05/11/2010	11/08/2010	01/18/2010	04/26/2010	08/16/2010
Laboratory Sample I.D.		R1002532-004	R1002532-005	R1006235-006	R1000285-008	R1002260-005	R1004464-010
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	2.3	2.3	3.4	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

23-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		502	503	503	503	503	503
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		10/14/2010	01/25/2010	01/25/2010	04/19/2010	08/11/2010	10/14/2010
Laboratory Sample I.D.		R1005734-008	R1000475-004	R1000475-005	R1002119-006	R1004345-007	R1005734-009
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

24-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		515	515	515	515	515	520
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		01/13/2010	04/20/2010	08/16/2010	08/16/2010	10/13/2010	01/18/2010
Laboratory Sample I.D.		R1000234-004	R1002145-004	R1004464-004	R1004464-005	R1005735-004	R1000285-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

25-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		520	520	520	521	521	521
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/20/2010	08/17/2010	10/26/2010	01/18/2010	04/20/2010	09/23/2010
Laboratory Sample I.D.		R1002145-010	R1004490-010	R1006011-006	R1000285-007	R1002145-011	R1005253-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

26-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	521	535	535	535	535	543
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	10/26/2010	01/18/2010	04/20/2010	08/12/2010	10/13/2010	01/11/2010
Laboratory Sample I.D.	R1006011-007	R1000285-004	R1002145-008	R1004396-004	R1005735-006	R1000156-009
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

27-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	543	543	543	545	545	545
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/15/2010	07/13/2010	10/14/2010	01/13/2010	04/14/2010	07/13/2010
Laboratory Sample I.D.	R1002034-005	R1003735-006	R1005734-007	R1000234-008	R1002033-007	R1003735-005
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

28-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		545	545	559	559	561	561
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		10/14/2010	10/14/2010	04/14/2010	09/21/2010	04/14/2010	09/21/2010
Laboratory Sample I.D.		R1005734-005	R1005734-006	R1002033-005	R1005213-006	R1002033-006	R1005213-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	43	74	0.95 J	1.4
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	1.6 J	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	13	14	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	1.1 J	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	7.6	8.2	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@10	ND@10	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	0.82 J	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	3.2	4.9	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	220	210	11	23
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@4.0	ND@4.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	65	65	11	48
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	200	220	3.3	9.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	20	27	ND@1.0	0.54 J

May 11, 2011

IBM Corporation

29-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		563	563	564	564	571	571
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/14/2010	09/21/2010	05/06/2010	09/21/2010	01/11/2010	04/14/2010
Laboratory Sample I.D.		R1002033-004	R1005213-005	R1002469-005	R1005213-004	R1000156-010	R1002033-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.3	2.7	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.2	2.2	0.81 J	2.3	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.3	3.8	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

30-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		571	571	572	574	576	576
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		07/13/2010	10/07/2010	06/21/2010	06/21/2010	03/24/2010	09/21/2010
Laboratory Sample I.D.		R1003735-007	R1005581-010	R1003335-004	R1003335-005	R1001593-006	R1005213-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	1.8	1.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	1.7	0.95 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@10000	ND@5000	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	1700 J	ND@1000	0.51 J	0.62 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@4000	ND@2000	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	210000	100000	32	35
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	820 J	ND@1000	ND@1.0	4.4
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2000	ND@1000	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

31-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		577	577	577	578	578	579
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/09/2010	02/09/2010	08/12/2010	02/08/2010	08/12/2010	04/01/2010
Laboratory Sample I.D.		R1000777-007	R1000777-008	R1004396-008	R1000726-006	R1004396-007	R1001750-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

32-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	579		579	580	581	581	600
Sample Description	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/01/2010	12/13/2010	02/15/2010	02/10/2010	08/18/2010	03/08/2010	
Laboratory Sample I.D.	R1001750-005	R1006989-007	R1000829-006	R1000819-008	R1004537-009	R1001260-008	
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.57 J	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

33-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	600		601		602		603		604		607	
Sample Description	REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	03/08/2010		03/10/2010		03/11/2010		03/08/2010		03/17/2010		03/23/2010	
Laboratory Sample I.D.	R1001260-009		R1001301-004		R1001340-007		R1001260-010		R1001456-010		R1001557-006	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@250
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		2.5		ND@1.0		ND@1.0		ND@1.0		60
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@100
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		1700
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
TRICHLOROETHYLENE	ug/l	ND@1.0		1.2		ND@1.0		ND@1.0		ND@1.0		ND@50
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@50

May 11, 2011

IBM Corporation

34-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	608	609	609	610	610	611
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	03/23/2010	03/24/2010	10/29/2010	03/25/2010	09/28/2010	03/29/2010
Laboratory Sample I.D.	R1001557-007	R1001593-007	R1006048-006	R1001624-007	R1005334-004	R1001656-007
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@10	ND@5.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	1.1	1.2	78	46
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.4 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@50	ND@25	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.44 J	220	120
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@10	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@5.0
TETRACHLOROETHYLENE	ug/l	1.6	13	11	1600	960
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@5.0
TRICHLOROETHYLENE	ug/l	ND@1.0	8.4	8.1	880	480
TRICHLOROFLUOROMETHANE	ug/l	1.4	1.2	1.2	ND@10	2.5 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@5.0

May 11, 2011

IBM Corporation

35-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	611	622	622	623	623	624
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	12/15/2010	04/21/2010	10/25/2010	04/21/2010	10/29/2010	05/13/2010
Laboratory Sample I.D.	R1007054-006	R1002176-007	R1005952-007	R1002176-006	R1006048-005	R1002611-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.59 J	0.73 J	ND@2.5	ND@2.5
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	1.1	1.3	ND@2.5	ND@2.5
ACETONE	ug/l	ND@5.0	ND@5.0	ND@13	ND@13	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	7.4	9.4	ND@2.5	ND@2.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@5.0	ND@5.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	390	340	12
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	3.1	3.3	ND@2.5	ND@2.5
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2.5	ND@2.5	ND@1.0

May 11, 2011

IBM Corporation

36-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	624		627		701		701		702		702	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	10/29/2010		02/15/2010		02/10/2010		08/19/2010		02/10/2010		08/19/2010	
Laboratory Sample I.D.	R1006048-004		R1000829-005		R1000819-004		R1004539-007		R1000819-005		R1004539-006	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		12		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		5.1		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.73 J		84		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	5.8		4.3		ND@1.0		ND@1.0		1.2		1.8
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	3.1		4.5		ND@1.0		ND@1.0		ND@1.0		0.29 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

May 11, 2011

IBM Corporation

37-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		704	704		706	706		711	711
Sample Description		GROUNDWATER	GROUNDWATER		GROUNDWATER	GROUNDWATER		GROUNDWATER	REPLICATE
Sample Date		02/08/2010	08/17/2010		02/18/2010	09/14/2010		02/23/2010	02/23/2010
Laboratory Sample I.D.		R1000726-004	R1004490-004		R1000923-006	R1005051-008		R1001012-005	R1001012-006
Sample Comment Codes									
Parameter	Units								
Base/Neutral Extractables									
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
Volatile Organics									
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0	0.73 J		ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0	0.37 J		ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0		ND@5.0	ND@5.0		ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		150	170		ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0		ND@2.0	ND@2.0		ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		51	140		ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	0.25 J		24	53		ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0		6.8	7.6		ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

38-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		711	711	714	714	716	716
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		08/20/2010	08/20/2010	02/11/2010	08/19/2010	02/23/2010	09/16/2010
Laboratory Sample I.D.		R1004572-005	R1004572-006	R1000817-004	R1004539-004	R1001012-004	R1005107-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	7.0	7.7	ND@2.5	ND@10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	39	47	58	91
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	4.5	ND@2.5	ND@10
ACETONE	ug/l	ND@5.0	ND@5.0	ND@25	ND@13	ND@13	ND@50
BENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	55	15	ND@2.5	2.5 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@10	ND@5.0	ND@5.0	ND@20
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	540	370	400	1100
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	89	64	6.2	15
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@2.5	ND@2.5	ND@10

May 11, 2011

IBM Corporation

39-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		720	720	722	722	735	735
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/25/2010	09/15/2010	02/16/2010	08/18/2010	02/15/2010	08/19/2010
Laboratory Sample I.D.		R1001624-006	R1005081-006	R1000901-004	R1004537-004	R1000829-004	R1004539-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	120	210
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	5.0 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@50	ND@100
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	410	440
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@20	ND@40
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
TETRACHLOROETHYLENE	ug/l	0.87 J	2.4	ND@1.0	ND@1.0	1100	1800
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
TRICHLOROETHYLENE	ug/l	ND@1.0	0.23 J	ND@1.0	ND@1.0	48	65
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@10	ND@20

May 11, 2011

IBM Corporation

40-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		739	739	740	742	742	743
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/29/2010	12/22/2010	03/17/2010	02/24/2010	09/13/2010	03/29/2010
Laboratory Sample I.D.		R1001656-004	R1007213-004	R1001456-007	R1001009-005	R1005012-009	R1001656-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.4	2.5	ND@1.0	2.8	1.6	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.26 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	100	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	2.0	0.90 J	0.44 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	3.4	3.1	4.0	7.6	1.9	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	0.42 J	5.2	2.3	1.1	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

41-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		744	744	744	744	744	744
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE
Sample Date		01/14/2010	01/14/2010	04/22/2010	04/22/2010	07/14/2010	07/14/2010
Laboratory Sample I.D.		R1000255-007	R1000255-009	R1002201-004	R1002201-005	R1003755-008	R1003755-009
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.22 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.47 J	0.52 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

42-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	744	745	745	745	745	751
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	11/09/2010	01/14/2010	04/26/2010	07/15/2010	11/09/2010	04/29/2010
Laboratory Sample I.D.	R1006277-009	R1000255-008	R1002260-006	R1003804-004	R1006277-008	R1002306-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.2 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.24 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.3
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.51 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.57 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

43-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	751	751	753	753	753	754
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/29/2010	12/08/2010	04/29/2010	04/29/2010	11/10/2010	03/25/2010
Laboratory Sample I.D.	R1002309-002	R1006870-004	R1002306-005	R1002309-003	R1006345-007	R1001624-005
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.6 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.99 J	0.86 J	0.88 J	0.91 J	0.97 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	0.31 J	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	0.55 J	0.51 J	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

44-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	754	755	755	755	755	755
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/28/2010	01/14/2010	04/29/2010	04/29/2010	05/27/2010	07/14/2010
Laboratory Sample I.D.	R1002283-009	R1000255-005	R1002306-007	R1002309-006	R1002902-004	R1003755-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	260	270	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@4.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.44 J	ND@2.0	ND@2.0	0.70 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	0.27 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@1.0

May 11, 2011

IBM Corporation

45-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	755	756	756	757	757	757
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	10/19/2010	03/23/2010	04/28/2010	01/13/2010	04/15/2010	07/12/2010
Laboratory Sample I.D.	R1005835-004	R1001557-004	R1002283-008	R1000234-009	R1002034-009	R1003673-008
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.50 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.56 J	1.6	0.94 J	0.58 J	1.5
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	2.2	1.8	3.7
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

46-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	757	761	761	763	763	766
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	10/07/2010	02/10/2010	08/18/2010	02/10/2010	08/18/2010	02/24/2010
Laboratory Sample I.D.	R1005581-009	R1000819-006	R1004537-008	R1000819-007	R1004537-005	R1001009-007
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	4.6
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.56 J	18
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.39 J	ND@1.0	ND@1.0	ND@1.0	8.1
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.6	ND@1.0	ND@1.0	ND@1.0	0.94 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.8	ND@1.0	ND@1.0	ND@1.0	1.9
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.1

May 11, 2011

IBM Corporation

47-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	766	767	767	768	768	769
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	09/13/2010	03/25/2010	12/08/2010	03/17/2010	09/16/2010	02/15/2010
Laboratory Sample I.D.	R1005012-005	R1001624-004	R1006870-005	R1001456-005	R1005107-004	R1000829-007
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	4.3	1.4	1.7	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.7
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	14	4.3	9.5	ND@1.0	0.56 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	1.0	1.2	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	15	24	35	4.8	7.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.2	0.75 J	0.99 J	5.4	11
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	3.4	4.6	5.1	9.3	13
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	2.6	2.2	3.6	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

48-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	769		769		771		772		772	
Sample Description	REPLICATE		GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER	
Sample Date	02/15/2010		09/13/2010		09/13/2010		03/17/2010		01/19/2010	
Laboratory Sample I.D.	R1000829-008		R1005012-006		R1005012-007		R1001456-006		R1000342-007	
Sample Comment Codes									R1000342-008	
Parameter	Units									
Base/Neutral Extractables										
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics										
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.4		1.5		1.3		2.1		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		0.65 J		0.56 J		0.82 J		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.7		3.5		3.6		17		1.9
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	4.8		5.1		5.0		0.93 J		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	10		11		11		1.2		0.63 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

May 11, 2011

IBM Corporation

49-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	772	772	772	773	773	773
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/22/2010	07/15/2010	10/19/2010	01/14/2010	04/22/2010	07/14/2010
Laboratory Sample I.D.	R1002201-007	R1003804-005	R1005835-007	R1000255-010	R1002201-006	R1003755-005
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.23 J	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.5	1.8	2.0	ND@1.0	0.30 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	0.78 J	0.78 J	ND@1.0	0.36 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

50-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	773		773	774		774	774		774
Sample Description	REPLICATE		GROUNDWATER	GROUNDWATER		GROUNDWATER	REPLICATE		GROUNDWATER
Sample Date	07/14/2010		10/19/2010	01/14/2010		04/22/2010	04/22/2010		07/14/2010
Laboratory Sample I.D.	R1003755-006		R1005835-006	R1000255-006		R1002201-008	R1002201-009		R1003755-007
Sample Comment Codes									
Parameter	Units								
Base/Neutral Extractables									
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
Volatile Organics									
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0		ND@5.0	ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.29 J	0.32 J	ND@1.0		ND@1.0	ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0		ND@2.0	ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	0.29 J	0.47 J	ND@1.0		ND@1.0	ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0		ND@1.0	ND@1.0		ND@1.0

May 11, 2011

IBM Corporation

51-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	774		774		775		775		777		777	
Sample Description	GROUNDWATER		REPLICATE		GROUNDWATER		REPLICATE		GROUNDWATER		REPLICATE	
Sample Date	10/19/2010		10/19/2010		02/08/2010		02/18/2010		02/08/2010		02/08/2010	
Laboratory Sample I.D.	R1005835-008		R1005835-009		R1000923-007		R1000923-008		R1000726-005		R1000726-007	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

May 11, 2011

IBM Corporation

52-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	777	779	779	789	791	792
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	08/12/2010	02/09/2010	08/20/2010	02/16/2010	02/16/2010	03/17/2010
Laboratory Sample I.D.	R1004396-006	R1000777-004	R1004572-004	R1000901-007	R1000901-008	R1001456-008
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

53-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	792	793	793	793	832	832
Sample Description	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date	03/17/2010	04/01/2010	04/01/2010	09/16/2010	01/13/2010	01/13/2010
Laboratory Sample I.D.	R1001456-009	R1001750-006	R1001750-007	R1005107-005	R1000234-006	R1000234-007
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	0.42 J	0.43 J	0.95 J	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.65 J	ND@1.0	0.60 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.52 J	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	5.0	4.5	9.8	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	2.6	2.4	2.3	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	2.4	2.3	3.5	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	4.9	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.57 J	ND@1.0

May 11, 2011

IBM Corporation

54-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	832	832	832	857	857	857
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/15/2010	07/12/2010	10/14/2010	01/18/2010	04/21/2010	09/23/2010
Laboratory Sample I.D.	R1002034-006	R1003673-009	R1005734-004	R1000285-005	R1002176-005	R1005253-004
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

55-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	857	858	858	858	858	859
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	10/26/2010	01/19/2010	04/26/2010	09/23/2010	10/26/2010	01/12/2010
Laboratory Sample I.D.	R1006011-005	R1000342-006	R1002260-004	R1005253-005	R1006011-004	R1000227-005
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

56-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	859			860		
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	05/10/2010	08/16/2010	10/18/2010	01/12/2010	04/27/2010	08/16/2010
Laboratory Sample I.D.	R1002533-004	R1004464-007	R1005813-005	R1000227-004	R1002259-004	R1004464-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

57-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	860		861		861		861		861		862	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	10/18/2010		01/19/2010		04/27/2010		08/16/2010		10/25/2010		01/19/2010	
Laboratory Sample I.D.	R1005813-004		R1000342-004		R1002259-005		R1004464-008		R1005952-004		R1000342-005	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ACETONE	ug/l	ND@5.0	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TOLUENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	

May 11, 2011

IBM Corporation

58-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	862			921		922
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/27/2010	08/16/2010	10/25/2010	03/22/2010	09/29/2010	05/10/2010
Laboratory Sample I.D.	R1002259-006	R1004464-009	R1005952-005	R1001534-004	R1005368-004	R1002533-005
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.80 J	1.1 0.74 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.58 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	4.5 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	7.8	14 9.7
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	1.4	1.2	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	5.2	4.9	0.77 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.29 J	1.8

May 11, 2011

IBM Corporation

59-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	922		923		923		929		929		931	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	11/11/2010		03/22/2010		09/29/2010		03/23/2010		11/11/2010		03/24/2010	
Laboratory Sample I.D.	R1006349-005		R1001534-005		R1005368-005		R1001557-005		R1006349-004		R1001593-004	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@2.5		ND@1.0		ND@25
1,2,4-TRICHLOROBENZENE	ug/l			ND@1.0		ND@1.0		ND@2.5		ND@1.0		ND@25
1,2-DICHLOROBENZENE	ug/l			ND@1.0		ND@1.0		ND@2.5		ND@1.0		ND@25
1,3-DICHLOROBENZENE	ug/l			ND@1.0		ND@1.0		ND@2.5		ND@1.0		ND@25
1,4-DICHLOROBENZENE	ug/l			ND@1.0		ND@1.0		ND@2.5		ND@1.0		ND@25
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l		ND@1.0		ND@1.0		ND@2.5		0.63 J			ND@25
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l		1.2		1.0	0.55 J		2.8		20		ND@25
1,1-DICHLOROETHYLENE	ug/l		ND@1.0		ND@1.0		ND@2.5		0.46 J			ND@25
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l		0.68 J		1.0	0.88 J		ND@2.5		0.60 J		ND@25
ACETONE	ug/l		ND@5.0		ND@5.0		ND@13		ND@5.0			ND@130
BENZENE	ug/l		ND@1.0		ND@1.0		ND@2.5		ND@1.0			ND@25
CHLOROBENZENE	ug/l		ND@1.0		ND@1.0		ND@2.5		ND@1.0			ND@25
CIS-1,2-DICHLOROETHYLENE	ug/l		13		48	55		8.5		4.1		18 J
DICHLORODIFLUOROMETHANE	ug/l		ND@1.0		ND@1.0		ND@2.5		ND@1.0			ND@25
ETHYLBENZENE	ug/l		ND@1.0		ND@1.0		ND@2.5		ND@1.0			ND@25
M,P-XYLENE	ug/l		ND@2.0		ND@2.0		ND@5.0		ND@2.0			ND@50
METHYLENE CHLORIDE	ug/l		ND@1.0		ND@1.0		ND@2.5		ND@1.0			ND@25
O-XYLENE	ug/l		ND@1.0		ND@1.0		ND@2.5		ND@1.0			ND@25
TETRACHLOROETHYLENE	ug/l				71	44		220		120		450
TOLUENE	ug/l		ND@1.0		ND@1.0		ND@2.5		ND@1.0			ND@25
TRICHLOROETHYLENE	ug/l		1.0		35	28		5.5		4.3		ND@25
TRICHLOROFLUOROMETHANE	ug/l		ND@1.0		ND@1.0		ND@2.5		ND@1.0			ND@25
VINYL CHLORIDE	ug/l		2.6		ND@1.0		ND@2.5		ND@1.0			ND@25

May 11, 2011

IBM Corporation

60-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	931		932		932		941		941		943	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	10/27/2010		03/15/2010		10/27/2010		03/08/2010		09/28/2010		03/18/2010	
Laboratory Sample I.D.	R1006009-005		R1001399-005		R1006009-004		R1001260-005		R1005334-006		R1001474-005	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	3.6		2.7		210		160		2.5	
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	1.2		1.2		ND@50		ND@25		ND@1.0	
ACETONE	ug/l	ND@25	ND@5.0		ND@5.0		ND@250		ND@130		ND@5.0	
BENZENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
CHLOROBENZENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	21	21		20		700		660		3.9	
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
ETHYLBENZENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
M,P-XYLENE	ug/l	ND@10	ND@2.0		ND@2.0		ND@100		ND@50		ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
O-XYLENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
TETRACHLOROETHYLENE	ug/l	490	12		8.8		5300		4400		7.8	
TOLUENE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
TRICHLOROETHYLENE	ug/l	9.7	19		16		2700		2300		8.3	
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	
VINYL CHLORIDE	ug/l	ND@5.0	ND@1.0		ND@1.0		ND@50		ND@25		ND@1.0	

May 11, 2011

IBM Corporation

61-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	943		944		944		952		952		952	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE	
Sample Date	09/22/2010		03/18/2010		09/16/2010		03/15/2010		12/20/2010		12/20/2010	
Laboratory Sample I.D.	R1005251-004		R1001474-004		R1005107-007		R1001399-004		R1007172-004		R1007172-005	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.8		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.26 J		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	4.5		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	6.6		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	7.8		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

May 11, 2011

IBM Corporation

62-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		953	953	954	954	956	956
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/11/2010	09/28/2010	03/10/2010	09/22/2010	03/10/2010	09/22/2010
Laboratory Sample I.D.		R1001340-006	R1005334-005	R1001301-005	R1005251-005	R1001301-006	R1005251-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	1.1	ND@1.0	0.64 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	0.66 J	0.72 J	0.69 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	170	150	38	31
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@4.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	130	130	20	20	180	140
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	0.37 J	5.7	8.7	33	32
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	0.23 J	ND@2.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	9.2	6.2	2.9	3.0

May 11, 2011

IBM Corporation

63-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		958	958	958	958	959	959
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/11/2010	04/21/2010	08/12/2010	10/13/2010	02/22/2010	09/20/2010
Laboratory Sample I.D.		R1000156-004	R1002176-004	R1004396-005	R1005735-007	R1001024-004	R1005145-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	37	35
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.5	1.4
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.0	1.5
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.77 J	0.73 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.8	2.8
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.51 J	0.50 J
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	170	180
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	83	32
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	46	20
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	14	20

May 11, 2011

IBM Corporation

64-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		960		960		963		963		963		963	
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date		02/22/2010		09/20/2010		01/07/2010		04/19/2010		08/11/2010		10/13/2010	
Laboratory Sample I.D.		R1001024-006		R1005145-005		R1000116-007		R1002119-010		R1004345-008		R1005735-008	
Sample Comment Codes													
Parameter		Units											
Base/Neutral Extractables													
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLOROBENZENE	ug/l	24		22		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,4-DICHLOROBENZENE	ug/l	1.4		1.2		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
Volatile Organics													
1,1,1-TRICHLOROETHANE	ug/l	0.57	J	0.25	J	ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.3		2.5		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		0.46	J	ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.0		2.3		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0	
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0		0.28	J	ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	140		120		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TETRACHLOROETHYLENE	ug/l	130		52		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROETHYLENE	ug/l	65		27		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
VINYL CHLORIDE	ug/l	13		14		ND@1.0		ND@1.0		ND@1.0		ND@1.0	

May 11, 2011

IBM Corporation

65-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		964	964	964	964	964	965
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		01/07/2010	04/19/2010	08/11/2010	10/13/2010	10/13/2010	03/11/2010
Laboratory Sample I.D.		R1000116-008	R1002119-011	R1004345-009	R1005735-009	R1005735-010	R1001340-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.49 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

66-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		965	965	966	966	987	987
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		09/15/2010	09/15/2010	03/11/2010	09/15/2010	01/07/2010	04/19/2010
Laboratory Sample I.D.		R1005081-007	R1005081-008	R1001340-005	R1005081-009	R1000116-004	R1002119-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.72 J	0.79 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.43 J	ND@1.0	2.7	3.2	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.75 J	0.84 J	ND@1.0	0.37 J	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	4.0	0.73 J	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

67-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location		987	987	987	987	990	990
Sample Description		REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		04/19/2010	08/11/2010	08/11/2010	10/12/2010	01/07/2010	01/07/2010
Laboratory Sample I.D.		R1002119-007	R1004345-004	R1004345-005	R1005677-004	R1000116-005	R1000116-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.7	2.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

68-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	990	990	990	998	998	999
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/19/2010	08/11/2010	10/12/2010	02/11/2010	08/18/2010	02/16/2010
Laboratory Sample I.D.	R1002119-005	R1004345-006	R1005677-005	R1000817-006	R1004537-010	R1000901-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	0.24 J	ND@1.0	1.6	0.60 J	1.6
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.5	1.9	2.3	ND@1.0	ND@1.0	1.1
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	0.40 J	0.40 J	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

69-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	999
Sample Description	GROUNDWATER
Sample Date	08/19/2010
Laboratory Sample I.D.	R1004539-008
Sample Comment Codes	

Parameter	Units	
Base/Neutral Extractables		
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0
Volatile Organics		
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0
ACETONE	ug/l	ND@5.0
BENZENE	ug/l	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	4.6
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0
M,P-XYLENE	ug/l	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0
O-XYLENE	ug/l	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.88 J
TOLUENE	ug/l	ND@1.0
TRICHLOROETHYLENE	ug/l	0.27 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0
VINYL CHLORIDE	ug/l	1.2

May 11, 2011

IBM Corporation

70-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation

H	Sample was prepped or analyzed beyond specified method holding time
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		007	007	007	010	010	010
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		02/16/2010	09/14/2010	09/14/2010	02/11/2010	08/18/2010	08/18/2010
Laboratory Sample I.D.		R1000901-005	R1005051-006	R1005051-007	R1000818-002	R1004538-002	R1004537-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.10	ND@0.20	ND@0.20	0.12	ND@0.10	ND@0.10
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0017	0.0016	ND@0.0010	0.0517	0.0169	0.0145
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		015	015	016	016	016	035
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		02/25/2010	09/15/2010	02/18/2010	02/18/2010	09/14/2010	05/06/2010
Laboratory Sample I.D.		R1001065-006	R1005081-005	R1000925-004	R1000925-005	R1005051-009	R1002470-001
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	3.38	6.33	0.61	0.61	0.74	ND@0.10
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	NA	ND@0.0050
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	NA	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	0.001 J	0.0015	0.0006 J	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0861	0.0410	0.0033	0.0019	0.0063	0.0039
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		068	068	068	068	103	103
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/14/2010	04/29/2010	09/13/2010	10/19/2010	03/16/2010	11/10/2010
Laboratory Sample I.D.		R1000255-004	R1002307-003	R1005014-004	R1005835-005	R1001431-004	R1006345-004
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.10	0.11	0.10	0.07 J	0.11	0.1 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.0037 J	ND@0.0050	0.0125	NA	NA
ARSENIC, TOTAL	mg/l	0.0140	0.0186	0.0120	ND@0.0050	NA	NA
CHROMIUM, DISSOLVED	mg/l	0.0008 J	0.0013	0.0027	ND@0.0010	0.0006 J	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0017	0.0014	0.0042	0.0029	0.0010	0.0044
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		104	104	118	118	151	151
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/16/2010	11/10/2010	03/08/2010	09/15/2010	02/17/2010	12/08/2010
Laboratory Sample I.D.		R1001431-005	R1006348-002	R1001260-007	R1005081-004	R1000902-005	R1006870-006
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.10	0.13	NA	NA	0.29	0.34
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	0.0057	NA
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	0.0085	NA
CHROMIUM, DISSOLVED	mg/l	0.0012	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	NA
CHROMIUM, TOTAL	mg/l	0.0209	0.0672	0.0009 J	0.0009 J	0.0021	NA
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		151	161	204	579	579	579
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		12/09/2010	03/17/2010	02/11/2010	04/01/2010	04/01/2010	12/13/2010
Laboratory Sample I.D.		R1006922-011	R1001456-004	R1000818-004	R1001750-004	R1001750-005	R1006989-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	NA	0.1 J	0.30	0.12	0.12	0.13
Metals							
ARSENIC, DISSOLVED	mg/l	0.0038 J	0.0039 J	NA	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	NA	ND@0.0050	ND@0.0050	0.0093
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	0.0029	0.0012	0.0012	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0009 J	0.001 J	0.694	0.0140	0.0145	0.0443
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		580	581	581	627	701	701
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/15/2010	02/10/2010	08/18/2010	02/15/2010	02/10/2010	08/19/2010
Laboratory Sample I.D.		R1000829-006	R1000819-008	R1004537-009	R1000830-002	R1000819-004	R1004539-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	9.09	0.11	0.11	133	0.13	0.12
Metals							
ARSENIC, DISSOLVED	mg/l	0.0034 J	NA	NA	0.0044 J	NA	NA
ARSENIC, TOTAL	mg/l	ND@0.0050	NA	NA	0.0053	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	0.0034	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0046	0.0877	0.0255	0.0039	0.0240	0.0672
NICKEL, DISSOLVED	mg/l	NA	NA	NA	0.750	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	0.848	NA	NA

May 12, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		702	702	706	706	714	714
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/10/2010	08/19/2010	02/18/2010	09/14/2010	02/11/2010	08/19/2010
Laboratory Sample I.D.		R1000819-005	R1004539-006	R1000925-001	R1005051-008	R1000817-004	R1004539-004
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.12	0.10	0.09 J	0.26	0.10	ND@0.10
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	0.0006 J	0.0009 J	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0201	0.0323	0.0015	0.0012	0.0130	0.0130
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		720	720	735	735	740	742
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/25/2010	09/15/2010	02/15/2010	08/19/2010	03/17/2010	02/24/2010
Laboratory Sample I.D.		R1001624-006	R1005081-006	R1000829-004	R1004540-002	R1001456-007	R1001009-005
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.09 J	0.12	15.2	20.4	4.7	0.11
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	0.0072	ND@0.0050	0.0056	0.0044 J
ARSENIC, TOTAL	mg/l	NA	NA	0.0055	ND@0.0050	0.0035 J	0.0034 J
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	0.0009 J	ND@0.0010	0.0010
CHROMIUM, TOTAL	mg/l	0.001 J	0.0218	0.0032	0.0030	0.0027	0.0092
NICKEL, DISSOLVED	mg/l	NA	NA	0.0244	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	0.0270	NA	NA	NA

May 12, 2011

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location	742	743	744	744	744	744
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE
Sample Date	09/13/2010	03/29/2010	01/14/2010	01/14/2010	04/22/2010	04/22/2010
Laboratory Sample I.D.	R1005014-005	R1001656-005	R1000255-007	R1000255-009	R1002202-001	R1002202-002
Sample Comment Codes						
Parameter	Units					
Inorganics						
FLUORIDE	mg/l	0.07 J	ND@0.40	ND@0.10	ND@0.10	0.09 J
Metals						
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.0035 J	NA	NA	NA
ARSENIC, TOTAL	mg/l	ND@0.0050	0.0051	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	0.0013	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0170	0.0064	0.0027	0.0024	0.0009 J
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location	744	744	744	745	745	745
Sample Description	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	07/14/2010	07/14/2010	11/09/2010	01/14/2010	04/26/2010	07/15/2010
Laboratory Sample I.D.	R1003755-008	R1003756-006	R1006277-009	R1000255-008	R1002260-006	R1003805-001
Sample Comment Codes						
Parameter	Units					
Inorganics						
FLUORIDE	mg/l	0.1 J	ND@0.10	0.06 J	ND@0.10	ND@0.10
						0.12
Metals						
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	0.0018	0.0043
CHROMIUM, TOTAL	mg/l	0.0012	0.0011	0.0034	0.0029	0.0046
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location	745	751	751	753	753	754
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	11/09/2010	04/29/2010	12/08/2010	04/29/2010	11/10/2010	03/25/2010
Laboratory Sample I.D.	R1006277-008	R1002306-004	R1006872-001	R1002307-002	R1006348-003	R1001624-005
Sample Comment Codes						
Parameter	Units					
Inorganics						
FLUORIDE	mg/l	0.11	0.23	0.20	0.18	0.07 J
						0.03 J
Metals						
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	ND@0.0050
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	0.0061	0.0014	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0179	0.0129	0.0081	0.0020	0.0006 J
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location	755	755	755	755	761	761
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	01/14/2010	04/29/2010	07/14/2010	10/19/2010	02/10/2010	08/18/2010
Laboratory Sample I.D.	R1000255-005	R1002306-007	R1003755-004	R1005835-004	R1000819-006	R1004537-008
Sample Comment Codes						
Parameter	Units					
Inorganics						
FLUORIDE	mg/l	0.12	0.18	0.17	0.15	0.12
						ND@0.10
Metals						
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	0.0060	0.0046 J	NA
ARSENIC, TOTAL	mg/l	0.0039 J	ND@0.0050	ND@0.0050	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0011	0.0006 J	0.0010	0.517	0.644
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		763	763	766	766	767	767
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/10/2010	08/18/2010	02/24/2010	09/13/2010	03/25/2010	12/08/2010
Laboratory Sample I.D.		R1000820-004	R1004537-005	R1001009-007	R1005014-001	R1001625-001	R1006870-005
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.14	0.13	5.2	5.47	6.32	6.18
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	0.0177	ND@0.0050	0.0340	0.0398
ARSENIC, TOTAL	mg/l	NA	NA	0.0434	0.0324	0.0317	0.0290
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	0.0009 J	0.0024	0.0060	0.0028
CHROMIUM, TOTAL	mg/l	0.0127	0.0497	1.78	1.48	0.127	0.0228
NICKEL, DISSOLVED	mg/l	NA	NA	0.499	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	0.686	NA	NA	NA

May 12, 2011

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		768	768	769	769	769	769
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE
Sample Date		03/17/2010	09/16/2010	02/15/2010	02/15/2010	09/13/2010	09/13/2010
Laboratory Sample I.D.		R1001456-005	R1005107-004	R1000829-007	R1000830-005	R1005012-006	R1005012-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.10	0.84	0.10	ND@0.10	ND@0.20	ND@0.20
Metals							
ARSENIC, DISSOLVED	mg/l	0.0083	ND@0.0050	ND@0.0050	0.0035 J	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	0.0036 J	ND@0.0050	0.0183	0.0153	0.0182	0.0221
CHROMIUM, DISSOLVED	mg/l	0.0039	0.0029	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.138	0.128	1.99	2.03	2.15	2.54
NICKEL, DISSOLVED	mg/l	0.0914	NA	0.0894	0.0899	NA	NA
NICKEL, TOTAL	mg/l	0.112	NA	0.307	0.315	NA	NA

May 12, 2011

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		771	772	772	772	772	772
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/17/2010	01/19/2010	01/19/2010	04/22/2010	07/15/2010	10/19/2010
Laboratory Sample I.D.		R1001457-003	R1000342-007	R1000342-008	R1002201-007	R1003804-005	R1005835-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.10	0.12	0.12	0.11	0.13	0.09 J
Metals							
ARSENIC, DISSOLVED	mg/l	0.0056	ND@0.0050	0.0054	ND@0.0050	0.0079	0.0092
ARSENIC, TOTAL	mg/l	0.0056	0.0052	ND@0.0050	ND@0.0050	0.0062	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	0.0029	0.0028	0.0029	0.0009 J	0.0020	0.0008 J
CHROMIUM, TOTAL	mg/l	1.97	0.203	0.18	0.0272	1.20	0.351
NICKEL, DISSOLVED	mg/l	NA	0.0524	0.0535	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	0.0642	0.0619	NA	NA	NA

May 12, 2011

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		773	773	773	773	773	774
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		01/14/2010	04/22/2010	07/14/2010	07/14/2010	10/19/2010	01/14/2010
Laboratory Sample I.D.		R1000255-010	R1002201-006	R1003756-002	R1003755-006	R1005835-006	R1000255-006
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.10	0.09 J	0.11	0.11	0.07 J	ND@0.10
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.0035 J	0.0064	0.0088	NA	ND@0.0050
ARSENIC, TOTAL	mg/l	0.0075	ND@0.0050	ND@0.0050	0.0041 J	0.0122	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	0.0072	0.0014	0.0032	0.0034	NA	ND@0.0010
CHROMIUM, TOTAL	mg/l	1.33	0.209	0.187	0.152	2.51	0.0201
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		774	774	774	774	774	775
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		04/22/2010	04/22/2010	07/14/2010	10/19/2010	10/19/2010	02/18/2010
Laboratory Sample I.D.		R1002201-008	R1002202-006	R1003756-004	R1005836-005	R1005836-006	R1000923-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	ND@0.20	ND@0.20	ND@0.10	0.06 J	0.06 J	0.11
Metals							
ARSENIC, DISSOLVED	mg/l	0.0035 J	ND@0.0050	0.0086	0.0113	0.0144	0.0054
ARSENIC, TOTAL	mg/l	ND@0.0050	0.0057	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	0.0015
CHROMIUM, TOTAL	mg/l	0.0440	0.0577	0.261	0.0531	0.082	0.0753
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location	775	789	791	792	792	793
Sample Description	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date	02/18/2010	02/16/2010	02/16/2010	03/17/2010	03/17/2010	04/01/2010
Laboratory Sample I.D.	R1000923-008	R1000902-003	R1000901-008	R1001456-008	R1001457-006	R1001750-006
Sample Comment Codes						
Parameter	Units					
Inorganics						
FLUORIDE	mg/l	0.11	0.18	0.12	0.14	0.26
Metals						
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.0057	0.0085	0.0037 J	0.0037 J
ARSENIC, TOTAL	mg/l	ND@0.0050	0.0291	0.0125	0.0304	0.0254
CHROMIUM, DISSOLVED	mg/l	0.0016	0.0034	0.0030	0.0007 J	0.0008 J
CHROMIUM, TOTAL	mg/l	0.0776	2.55	1.72	8.97	8.35
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		793	793	952	952	952	959
Sample Description		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		04/01/2010	09/16/2010	03/15/2010	12/20/2010	12/20/2010	02/22/2010
Laboratory Sample I.D.		R1001750-007	R1005107-005	R1001400-001	R1007175-001	R1007172-005	R1001024-004
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.25	0.29	0.10	0.06 J	0.06 J	0.18
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	0.0048 J	ND@0.0050	ND@0.0050	0.0033 J
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	0.0071	ND@0.0050	ND@0.0050	ND@0.025
CHROMIUM, DISSOLVED	mg/l	0.0706	0.0066	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.402	0.501	0.0013	ND@0.0010	0.0006 J	0.0007 J
NICKEL, DISSOLVED	mg/l	0.0869	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	0.136	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		959	960	960	998	998	999
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		09/20/2010	02/22/2010	09/20/2010	02/11/2010	08/18/2010	02/16/2010
Laboratory Sample I.D.		R1005146-001	R1001024-006	R1005146-002	R1000818-003	R1004538-006	R1000902-002
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.15	0.29	0.24	0.18	0.27	0.09 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.0059	ND@0.0050	NA	NA	NA
ARSENIC, TOTAL	mg/l	ND@0.0050	0.0125	0.0290	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	0.001 J	ND@0.0010	0.0050	0.0055	0.0035
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

May 12, 2011

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location	999
Sample Description	GROUNDWATER
Sample Date	08/19/2010
Laboratory Sample I.D.	R1004539-008
Sample Comment Codes	

Parameter	Units	
Inorganics		
FLUORIDE	mg/l	0.09 J
Metals		
ARSENIC, DISSOLVED	mg/l	NA
ARSENIC, TOTAL	mg/l	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010
NICKEL, DISSOLVED	mg/l	NA
NICKEL, TOTAL	mg/l	NA

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAP Organics Data
January 1, 2010 - December 31, 2010

Sample Location	606		606		606		732		732		734	
Sample Description	GROUNDWATER		REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	06/14/2010		06/14/2010		12/22/2010		06/14/2010		12/20/2010		06/14/2010	
Laboratory Sample I.D.	R1003198-005		R1003198-006		R1007213-005		R1003198-008		R1007172-007		R1003198-004	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.0 J	ND@25	ND@25	ND@25	ND@25	0.56 J	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	690	640	640	640	640	1.9	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	48	44	44	44	44	ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	14 J	20 J	20 J	20 J	20 J	0.97 J	
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@130	ND@130	ND@130	ND@130	ND@130	ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	550	700	700	700	700	2.7	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@50	ND@50	ND@50	ND@50	ND@50	ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	4600	4600	4600	4600	4600	53	
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	
TRICHLOROETHYLENE	ug/l	0.22 J	ND@1.0	ND@1.0	ND@1.0	1600	1400	1400	1400	1400	11	
TRICHLOROFLUOROMETHANE	ug/l	0.46 J	0.44 J	0.36 J	0.36 J	13 J	9.8 J	9.8 J	9.8 J	9.8 J	0.64 J	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@25	ND@25	ND@25	ND@25	ND@1.0	

April 28, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAP Organics Data
January 1, 2010 - December 31, 2010

Sample Location	734		737		737
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER
Sample Date	12/15/2010		06/14/2010		12/07/2010
Laboratory Sample I.D.	R1007054-005		R1003198-007		R1006840-004
Sample Comment Codes					
Parameter	Units				
Base/Neutral Extractables					
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics					
1,1,1-TRICHLOROETHANE	ug/l	0.29 J	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.8	6.4	3.5	
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.63 J	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.6	0.26 J	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	35	16	3.3	
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	6.9	3.8	0.86 J	
TRICHLOROFLUOROMETHANE	ug/l	0.52 J	0.77 J	0.40 J	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAP Organics Data
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
B/330D Investigation New Well Sampling Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	638	638	638	640	640	640
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date	04/12/2010	07/13/2010	10/18/2010	04/07/2010	07/13/2010	07/13/2010
Laboratory Sample I.D.	R1001926-004	R1003735-008	R1005813-007	R1001839-007	R1003735-011	R1003735-012
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.83 J	5.9	6.2
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	16	110	110
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.0	6.8
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
B/330D Investigation New Well Sampling Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	640
Sample Description	GROUNDWATER
Sample Date	10/18/2010
Laboratory Sample I.D.	R1005813-006
Sample Comment Codes	

Parameter	Units	
Base/Neutral Extractables		
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.0
1,2-DICHLOROBENZENE	ug/l	ND@2.0
1,3-DICHLOROBENZENE	ug/l	ND@2.0
1,4-DICHLOROBENZENE	ug/l	ND@2.0
Volatile Organics		
1,1,1-TRICHLOROETHANE	ug/l	ND@2.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.0
1,1-DICHLOROETHYLENE	ug/l	ND@2.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.0
ACETONE	ug/l	ND@10
BENZENE	ug/l	ND@2.0
CHLOROBENZENE	ug/l	ND@2.0
CIS-1,2-DICHLOROETHYLENE	ug/l	5.0
DICHLORODIFLUOROMETHANE	ug/l	ND@2.0
ETHYLBENZENE	ug/l	ND@2.0
M,P-XYLENE	ug/l	ND@4.0
METHYLENE CHLORIDE	ug/l	ND@2.0
O-XYLENE	ug/l	ND@2.0
TETRACHLOROETHYLENE	ug/l	250
TOLUENE	ug/l	ND@2.0
TRICHLOROETHYLENE	ug/l	7.4
TRICHLOROFLUOROMETHANE	ug/l	ND@2.0
VINYL CHLORIDE	ug/l	ND@2.0

May 11, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
B/330D Investigation New Well Sampling Data - Organics
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Well 032A Replacement Sampling - Non-CAP Well Organics
January 1, 2010 - December 31, 2010

Sample Location	614	615	616
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	09/27/2010	09/27/2010	09/27/2010
Laboratory Sample I.D.	R1005295-004	R1005295-005	R1005295-006
Sample Comment Codes			

Parameter	Units			
Base/Neutral Extractables				
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
Volatile Organics				
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.56 J	1.1	0.80 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.8	0.68 J	1.7
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.6	2.6	4.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Well 032A Replacement Sampling - Non-CAP Well Organics
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

Appendix E

Production Well Analytical Data (Organics): January 1, 2010 to December 31, 2010
Production Well Analytical Data (Inorganics): January 1, 2010 to December 31, 2010

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1
Sample Description	PUMPING WELL	REPLICATE	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL
Sample Date	01/04/2010	01/04/2010	02/02/2010	02/02/2010	03/03/2010	04/06/2010
Laboratory Sample I.D.	R1000019-004	R1000019-008	R1000614-007	R1000614-008	R1001155-004	R1001802-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.2	2.8	3.1	3.1	2.9	2.3
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.9	1.9	2.1	2.0	1.9	1.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	21	22	21	22	23	21
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	8.2	8.5	9.0	9.0	9.5	3.6
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1
Sample Description	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	REPLICATE	PUMPING WELL
Sample Date	05/03/2010	06/02/2010	06/02/2010	07/06/2010	07/06/2010	08/03/2010
Laboratory Sample I.D.	R1002359-004	R1002970-004	R1002970-005	R1003567-004	R1003567-005	R1004154-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.3	3.5	3.0	3.2	3.1	3.5
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.23 J	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.4	2.2	2.4	2.4	2.2	1.9
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	21	21	20	23	23	24
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	9.5	9.2	9.5	9.5	9.1	8.9
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1	PW- 2
Sample Description	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	09/07/2010	09/07/2010	10/04/2010	11/01/2010	12/01/2010	01/04/2010
Laboratory Sample I.D.	R1004827-004	R1004827-005	R1005448-004	R1006076-004	R1006710-007	R1000019-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.5	3.2	3.1	2.8	3.0	350
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.23 J	ND@1.0	ND@100
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	210
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
CIS-1,2-DICHLOROETHYLENE	ug/l	2.3	2.1	2.1	2.1	2.0	1200
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@200
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
TETRACHLOROETHYLENE	ug/l	22	21	21	20	21	13000
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
TRICHLOROETHYLENE	ug/l	9.1	8.9	8.5	8.2	8.3	2200
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@100
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	99

May 11, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW- 2	PW- 2	PW- 2	PW- 2	PW- 2	PW- 2
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	02/02/2010	03/03/2010	04/06/2010	05/03/2010	06/02/2010	07/06/2010
Laboratory Sample I.D.	R1000614-004	R1001155-005	R1001802-009	R1002359-005	R1002970-006	R1003567-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
1,2,4-TRICHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
1,2-DICHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
1,3-DICHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
1,4-DICHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	250	360	220	300	320	300
1,1-DICHLOROETHYLENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
ACETONE	ug/l	260	190 J	230 J	240 J	180 J	ND@1000
BENZENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
CHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
CIS-1,2-DICHLOROETHYLENE	ug/l	870	1100	600	1100	1100	1200
DICHLORODIFLUOROMETHANE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
ETHYLBENZENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
M,P-XYLENE	ug/l	ND@200	ND@200	ND@200	ND@200	ND@200	ND@400
METHYLENE CHLORIDE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
O-XYLENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
TETRACHLOROETHYLENE	ug/l	12000	14000	8600	13000	13000	15000
TOLUENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
TRICHLOROETHYLENE	ug/l	1700	2100	140	1800	1800	1900
TRICHLOROFLUOROMETHANE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@100	ND@200
VINYL CHLORIDE	ug/l	67	89 J	ND@100	91 J	92 J	92 J

May 11, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	PW- 2	PW- 2	PW- 2	PW- 2	PW- 2	PW- 4
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	08/03/2010	09/07/2010	10/07/2010	11/01/2010	12/01/2010	01/04/2010
Laboratory Sample I.D.	R1004154-005	R1004827-006	R1005581-006	R1006076-008	R1006710-004	R1000019-010
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	450	290	360	320	330	6.0
1,1-DICHLOROETHYLENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
ACETONE	ug/l	ND@1000	ND@1000	ND@1000	ND@500	ND@500	ND@5.0
BENZENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
CHLOROBENZENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1500	1400	1500	1300	1500	4.1
DICHLORODIFLUOROMETHANE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
ETHYLBENZENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
M,P-XYLENE	ug/l	ND@400	ND@400	ND@400	ND@200	ND@200	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
O-XYLENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
TETRACHLOROETHYLENE	ug/l	22000	18000	17000	14000	14000	190
TOLUENE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	ND@1.0
TRICHLOROETHYLENE	ug/l	2500	2100	1900	1600	2200	58
TRICHLOROFLUOROMETHANE	ug/l	ND@200	ND@200	ND@200	ND@100	ND@100	0.85 J
VINYL CHLORIDE	ug/l	130 J	98 J	150 J	100	100	ND@1.0

May 11, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	PW- 4	PW- 4	PW- 4	PW- 4	PW- 4	PW- 4
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	02/02/2010	03/03/2010	04/06/2010	05/03/2010	06/02/2010	07/06/2010
Laboratory Sample I.D.	R1000614-005	R1001155-006	R1001802-005	R1002359-006	R1002970-007	R1003567-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	5.6	5.3	4.2	5.6	6.0	5.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.37 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	4.0	3.7	2.8	4.4	4.5	4.7
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	160	170	160	160	170	170
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	54	57	8.9	55	59	52
TRICHLOROFLUOROMETHANE	ug/l	0.99 J	1.2	0.74 J	1.2	1.1	1.2
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW- 4	PW- 4	PW- 4	PW- 4	PW- 4	PW- 5 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	08/03/2010	09/07/2010	10/04/2010	11/01/2010	12/01/2010	01/06/2010
Laboratory Sample I.D.	R1004154-007	R1004827-007	R1005448-007	R1006076-007	R1006710-005	R1000077-011
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.7	5.4	4.3	4.5	4.2	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.28 J	0.33 J	0.36 J	0.33 J	0.31 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.5	4.3	4.2	4.1	4.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	160	150	150	120	130	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	45	47	42	38	41	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	0.99 J	1.2	1.3	1.0	1.1	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

7-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	02/03/2010	03/04/2010	03/04/2010	04/07/2010	05/04/2010	06/07/2010
Laboratory Sample I.D.	R1000651-004	R1001187-007	R1001187-008	R1001839-004	R1002426-009	R1003095-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

8-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	07/07/2010	08/05/2010	09/10/2010	10/06/2010	11/04/2010	12/02/2010
Laboratory Sample I.D.	R1003595-004	R1004239-004	R1004984-004	R1005537-004	R1006182-004	R1006751-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

9-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	01/06/2010	02/03/2010	03/04/2010	04/07/2010	05/04/2010	06/07/2010
Laboratory Sample I.D.	R1000077-012	R1000651-005	R1001187-009	R1001839-005	R1002426-010	R1003095-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

10-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	07/07/2010	08/05/2010	09/10/2010	10/06/2010	11/04/2010	12/02/2010
Laboratory Sample I.D.	R1003595-005	R1004239-005	R1004984-005	R1005537-005	R1006182-005	R1006751-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

11-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE
Sample Date	01/21/2010	02/03/2010	03/04/2010	04/07/2010	05/04/2010	05/04/2010
Laboratory Sample I.D.	R1000400-004	R1000651-006	R1001187-010	R1001839-006	R1002426-011	R1002426-012
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.0	1.8	2.1	1.3	2.3	2.2
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	4.2	5.2	8.4	11	8.1	8.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1.7	1.8	2.7	ND@1.0	3.1	3.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

12-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	06/07/2010	07/07/2010	08/05/2010	09/10/2010	10/06/2010	11/04/2010
Laboratory Sample I.D.	R1003095-005	R1003595-006	R1004239-006	R1004984-006	R1005537-006	R1006182-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.1	1.8	1.6	1.6	1.8	1.6
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	5.7	4.5	4.5	4.1	4.2	3.6
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.3	1.8	1.7	1.8	1.9	1.4
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

13-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	PW- 7 [OFF]	PW- 7 [OFF]	PW-23	PW-23	PW-23	PW-23
Sample Description	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	11/04/2010	12/02/2010	01/05/2010	02/02/2010	03/03/2010	04/06/2010
Laboratory Sample I.D.	R1006182-007	R1006751-006	R1000085-004	R1000614-006	R1001155-007	R1001802-007
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@50	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.4 J	1.7	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@20	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@10	3.3	0.47 J	0.83 J	1.4	3.0
TOLUENE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@10	1.4	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@10	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

14-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW-23	PW-23	PW-23	PW-23	PW-23	PW-23
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	05/03/2010	06/02/2010	07/06/2010	08/03/2010	09/07/2010	10/04/2010
Laboratory Sample I.D.	R1002359-007	R1002970-009	R1003567-007	R1004154-006	R1004827-008	R1005448-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.49 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

15-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	PW-23	PW-23	PW-23	PW-25	PW-25	PW-25
Sample Description	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	11/01/2010	12/01/2010	12/01/2010	01/04/2010	02/02/2010	03/03/2010
Laboratory Sample I.D.	R1006076-006	R1006710-008	R1006710-009	R1000019-012	R1000614-009	R1001155-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	22	23	23
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@25	ND@25	8.5 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	46	51	47
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@10	ND@10	ND@10
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.42 J	ND@1.0	570	600	600
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	160	190	190
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@5.0

May 11, 2011

IBM Corporation

16-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	PW-25	PW-25	PW-25	PW-25	PW-25	PW-25
Sample Description	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	04/06/2010	04/06/2010	04/06/2010	05/03/2010	06/02/2010	07/06/2010
Laboratory Sample I.D.	R1001802-006	R1001802-R06	R1001802-008	R1002359-008	R1002970-008	R1003567-009
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	NA	ND@5.0	ND@5.0	ND@2.5	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	16	19	16	21	14	24
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
ACETONE	ug/l	ND@25	ND@25	ND@25	ND@25	ND@13	ND@25
BENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
CHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	49	45	28	52	33	55
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
ETHYLBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
M,P-XYLENE	ug/l	ND@10	ND@10	ND@10	ND@10	ND@5.0	ND@10
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
O-XYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
TETRACHLOROETHYLENE	ug/l	580	510	480	530	410	610
TOLUENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
TRICHLOROETHYLENE	ug/l	150	140	8.3	170	110	170
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0
VINYL CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@2.5	ND@5.0

May 11, 2011

IBM Corporation

17-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	PW-25	PW-25	PW-25	PW-25	PW-25	PW-25
Sample Description	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL
Sample Date	08/03/2010	08/03/2010	09/07/2010	10/04/2010	10/04/2010	11/01/2010
Laboratory Sample I.D.	R1004154-008	R1004154-009	R1004827-009	R1005448-005	R1005448-006	R1006076-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	25	23	15	26	26	20
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
ACETONE	ug/l	ND@25	ND@50	ND@25	ND@25	17 J	ND@25
BENZENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
CHLOROBENZENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	49	49	46	61	62	60
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
ETHYLBENZENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
M,P-XYLENE	ug/l	ND@10	ND@20	ND@10	ND@10	ND@10	ND@10
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
O-XYLENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	670	680	480	690	670	540
TOLUENE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
TRICHLOROETHYLENE	ug/l	170	180	130	190	190	160
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0

May 11, 2011

IBM Corporation

18-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	PW-25
Sample Description	PUMPING WELL
Sample Date	12/01/2010
Laboratory Sample I.D.	R1006710-006
Sample Comment Codes	

Parameter	Units	
Base/Neutral Extractables		
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0
Volatile Organics		
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	22
1,1-DICHLOROETHYLENE	ug/l	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0
ACETONE	ug/l	ND@25
BENZENE	ug/l	ND@5.0
CHLOROBENZENE	ug/l	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	56
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0
ETHYLBENZENE	ug/l	ND@5.0
M,P-XYLENE	ug/l	ND@10
METHYLENE CHLORIDE	ug/l	ND@5.0
O-XYLENE	ug/l	ND@5.0
TETRACHLOROETHYLENE	ug/l	600
TOLUENE	ug/l	ND@5.0
TRICHLOROETHYLENE	ug/l	170
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0
VINYL CHLORIDE	ug/l	ND@5.0

May 11, 2011

IBM Corporation

19-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1
Sample Description	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL
Sample Date	01/04/2010	01/04/2010	04/06/2010	07/06/2010	07/06/2010	10/04/2010
Laboratory Sample I.D.	R1000019-004	R1000023-003	R1001803-001	R1003567-004	R1003569-002	R1005450-001
Sample Comment Codes						

Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.12	0.13	0.16	0.05 J	0.05 J	0.14
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	0.0049 J	0.0058	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0011	ND@0.0010	0.0006 J	ND@0.0010	0.0006 J	ND@0.0010

May 12, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location	PW- 2	PW- 2	PW- 2	PW- 2	PW- 4	PW- 4
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	01/04/2010	04/06/2010	07/06/2010	10/07/2010	01/04/2010	04/06/2010
Laboratory Sample I.D.	R1000019-006	R1001802-009	R1003569-003	R1005581-006	R1000023-004	R1001802-005
Sample Comment Codes						

Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.22	0.22	0.30	0.22	0.12	0.13
Metals							
ARSENIC, DISSOLVED	mg/l	0.0059	ND@0.0050	0.0074	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	0.0044 J	0.0043 J	0.0038 J	ND@0.0050	0.005 J	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	0.0007 J	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	0.0008 J	0.0011	0.0006 J	ND@0.0010	0.0005 J

May 12, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		PW- 4	PW- 4	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		07/06/2010	10/04/2010	01/06/2010	04/07/2010	07/07/2010	10/06/2010
Laboratory Sample I.D.		R1003569-004	R1005448-007	R1000084-001	R1001839-004	R1003595-004	R1005537-004
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.05 J	0.13	0.05 J	0.04 J	0.04 J	0.1 J
Metals							
ARSENIC, DISSOLVED	mg/l	0.0055	ND@0.0050	0.004 J	ND@0.0050	0.0058	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	0.0277	0.0020	0.0010	0.0016

May 12, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics

January 1, 2010 - December 31, 2010

Sample Location		PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		01/06/2010	04/07/2010	07/07/2010	10/06/2010	01/21/2010	02/03/2010
Laboratory Sample I.D.		R1000084-002	R1001840-002	R1003595-005	R1005540-002	R1000400-004	R1000651-006
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.08 J	0.07 J	0.07 J	0.15	0.13	0.13
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	0.0039 J	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	0.0045 J	0.0048 J	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	0.0005 J	ND@0.0010	0.002	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0008 J	0.0008 J	0.001 J	ND@0.0010	ND@0.0010	ND@0.0010

May 12, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2010 - December 31, 2010

Sample Location	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL
Sample Date	03/04/2010	04/07/2010	05/04/2010	05/04/2010	06/07/2010	07/07/2010
Laboratory Sample I.D.	R1001187-010	R1001839-006	R1002427-001	R1002427-002	R1003095-005	R1003601-003
Sample Comment Codes						

Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.12	0.06 J	ND@0.10	ND@0.10	0.11	0.05 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	0.0056
ARSENIC, TOTAL	mg/l	0.0035 J	0.0036 J	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	0.0007 J	ND@0.0010	ND@0.0010	0.0005 J	ND@0.0010

May 12, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2010 - December 31, 2010

Sample Location	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL
Sample Date	08/05/2010	09/10/2010	10/06/2010	11/04/2010	11/04/2010	12/02/2010
Laboratory Sample I.D.	R1004239-006	R1004984-006	R1005540-003	R1006182-006	R1006182-007	R1006751-006
Sample Comment Codes						

Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.11	0.11	0.11	0.08 J	0.08 J	0.08 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.010	ND@0.0050	ND@0.0050	0.0055	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	0.0011

May 12, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2010 - December 31, 2010

Sample Location		PW-25	PW-25	PW-25	PW-25	PW-25	PW-25
Sample Description		PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	REPLICATE
Sample Date		01/04/2010	04/06/2010	04/06/2010	07/06/2010	10/04/2010	10/04/2010
Laboratory Sample I.D.		R1000023-005	R1001803-003	R1001803-004	R1003569-005	R1005450-002	R1005450-003
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.13	0.12	0.10	0.06 J	0.14	0.14
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	0.0058	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	0.005 J	0.0043 J	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	0.0005 J	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	0.0006 J	0.0005 J	0.0007 J	ND@0.0010	ND@0.0010

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

Appendix F

Quality Assurance/Quality Control Analytical Data: January 1, 2010 to December 31, 2010

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/04/2010	01/05/2010	01/07/2010	01/11/2010	01/12/2010	01/13/2010
Laboratory Sample I.D.	R1000019-002	R1000085-002	R1000116-002	R1000156-002	R1000227-002	R1000234-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	1.6 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.59 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/14/2010	01/18/2010	01/19/2010	01/25/2010	02/01/2010	02/02/2010
Laboratory Sample I.D.	R1000255-002	R1000285-002	R1000342-002	R1000475-002	R1000573-002	R1000614-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	02/03/2010	02/08/2010	02/09/2010	02/10/2010	02/11/2010	02/15/2010
Laboratory Sample I.D.	R1000651-002	R1000726-002	R1000777-002	R1000819-002	R1000817-002	R1000829-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.2 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	02/16/2010	02/18/2010	02/22/2010	02/23/2010	02/24/2010	02/25/2010
Laboratory Sample I.D.	R1000901-002	R1000923-002	R1001024-002	R1001012-002	R1001009-002	R1001065-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	1.8 J	2.5 J	2.9 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/03/2010	03/04/2010	03/05/2010	03/08/2010	03/09/2010	03/10/2010
Laboratory Sample I.D.	R1001155-002	R1001187-002	R1001209-002	R1001260-002	R1001262-002	R1001301-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.3 J	2.6 J	ND@5.0	3.8 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/11/2010	03/15/2010	03/16/2010	03/17/2010	03/18/2010	03/22/2010
Laboratory Sample I.D.	R1001340-002	R1001399-002	R1001431-002	R1001456-002	R1001474-002	R1001534-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.4 J	2.7 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/23/2010	03/24/2010	03/25/2010	03/29/2010	03/31/2010	04/01/2010
Laboratory Sample I.D.	R1001557-002	R1001593-002	R1001624-002	R1001656-002	R1001702-002	R1001750-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

7-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/05/2010	04/07/2010	04/12/2010	04/14/2010	04/15/2010	04/19/2010
Laboratory Sample I.D.	R1001774-002	R1001839-002	R1001926-002	R1002033-002	R1002034-002	R1002119-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.1 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

8-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/20/2010	04/21/2010	04/22/2010	04/26/2010	04/27/2010	04/28/2010
Laboratory Sample I.D.	R1002145-002	R1002176-002	R1002201-002	R1002260-002	R1002259-002	R1002283-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.1 J	3.7 J	ND@5.0	2.7 J	3.0 J	2.0 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

9-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/29/2010	05/03/2010	05/04/2010	05/06/2010	05/10/2010	05/11/2010
Laboratory Sample I.D.	R1002306-002	R1002359-002	R1002426-002	R1002469-002	R1002533-002	R1002532-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	1.9 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	2.6	ND@1.0	ND@1.0	0.49 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

10-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	05/12/2010	05/13/2010	05/27/2010	06/01/2010	06/02/2010	06/07/2010
Laboratory Sample I.D.	R1002620-002	R1002611-002	R1002902-002	R1002934-002	R1002970-002	R1003095-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.6 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.5 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.48 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.79 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

11-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	06/14/2010	06/15/2010	06/16/2010	06/21/2010	07/01/2010	07/06/2010
Laboratory Sample I.D.	R1003198-002	R1003229-002	R1003250-002	R1003335-002	R1003516-002	R1003567-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.7 J	3.1 J	ND@5.0	ND@5.0	2.1 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.29 J	0.27 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.43 J	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

12-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	07/12/2010	07/13/2010	07/14/2010	07/15/2010	08/03/2010	08/05/2010
Laboratory Sample I.D.	R1003673-002	R1003735-002	R1003755-002	R1003804-002	R1004154-002	R1004239-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

13-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	08/09/2010	08/10/2010	08/11/2010	08/12/2010	08/16/2010	08/17/2010
Laboratory Sample I.D.	R1004290-002	R1004324-002	R1004345-002	R1004396-002	R1004464-002	R1004490-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.0 J	2.3 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

14-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	08/18/2010	08/19/2010	08/20/2010	09/07/2010	09/08/2010	09/10/2010
Laboratory Sample I.D.	R1004537-002	R1004539-002	R1004572-002	R1004827-002	R1004881-002	R1004984-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.7 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

15-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	09/13/2010	09/14/2010	09/15/2010	09/16/2010	09/20/2010	09/21/2010
Laboratory Sample I.D.	R1005012-002	R1005051-002	R1005081-002	R1005107-002	R1005145-002	R1005213-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.8 J	4.0 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

16-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	09/22/2010	09/23/2010	09/27/2010	09/28/2010	09/29/2010	10/04/2010
Laboratory Sample I.D.	R1005251-002	R1005253-002	R1005295-002	R1005334-002	R1005368-002	R1005448-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

17-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	10/05/2010	10/07/2010	10/12/2010	10/13/2010	10/14/2010	10/18/2010
Laboratory Sample I.D.	R1005509-002	R1005581-002	R1005677-002	R1005735-002	R1005734-002	R1005813-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.2 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

18-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	10/19/2010	10/25/2010	10/26/2010	10/27/2010	10/29/2010	11/01/2010
Laboratory Sample I.D.	R1005835-002	R1005952-002	R1006011-002	R1006009-002	R1006048-002	R1006076-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

19-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	11/04/2010	11/08/2010	11/09/2010	11/10/2010	11/11/2010	12/01/2010
Laboratory Sample I.D.	R1006182-002	R1006235-002	R1006277-002	R1006345-002	R1006349-002	R1006710-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.9 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

20-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	12/02/2010	12/07/2010	12/08/2010	12/13/2010	12/14/2010	12/15/2010
Laboratory Sample I.D.	R1006751-002	R1006840-002	R1006870-002	R1006989-002	R1007016-002	R1007054-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.6 J	3.2 J	3.0 J	2.3 J	2.4 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	5.2	1.8	1.6	1.2	1.2	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

21-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND			
Sample Date	12/16/2010	12/20/2010	12/22/2010	01/04/2010	01/05/2010	01/06/2010
Laboratory Sample I.D.	R1007121-002	R1007172-002	R1007213-002	R1000019-003	R1000085-003	R1000077-003
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.66 J	0.57 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.78 J	ND@1.0	0.97 J	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

22-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	01/07/2010	01/11/2010	01/12/2010	01/13/2010	01/14/2010	01/18/2010
Laboratory Sample I.D.	R1000116-003	R1000156-003	R1000227-003	R1000234-003	R1000255-003	R1000285-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

23-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	01/19/2010	01/25/2010	02/01/2010	02/02/2010	02/03/2010	02/08/2010
Laboratory Sample I.D.	R1000342-003	R1000475-003	R1000573-003	R1000614-003	R1000651-003	R1000726-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

24-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	02/09/2010	02/10/2010	02/11/2010	02/15/2010	02/16/2010	02/18/2010
Laboratory Sample I.D.	R1000777-003	R1000819-003	R1000817-003	R1000829-003	R1000901-003	R1000923-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.5 J	3.5 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

25-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	02/22/2010	02/23/2010	02/24/2010	02/25/2010	03/03/2010	03/04/2010
Laboratory Sample I.D.	R1001024-003	R1001012-003	R1001009-003	R1001065-003	R1001155-003	R1001187-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.5 J	ND@5.0	ND@5.0	2.0 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

26-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/05/2010	03/08/2010	03/09/2010	03/10/2010	03/11/2010	03/15/2010
Laboratory Sample I.D.	R1001209-003	R1001260-003	R1001262-003	R1001301-003	R1001340-003	R1001399-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.9 J	ND@5.0	4.2 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

27-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/16/2010	03/17/2010	03/18/2010	03/22/2010	03/23/2010	03/24/2010
Laboratory Sample I.D.	R1001431-003	R1001456-003	R1001474-003	R1001534-003	R1001557-003	R1001593-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.2 J	3.1 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

28-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/25/2010	03/29/2010	03/31/2010	04/01/2010	04/05/2010	04/06/2010
Laboratory Sample I.D.	R1001624-003	R1001656-003	R1001702-003	R1001750-003	R1001774-003	R1001802-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	3.2 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

29-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/07/2010	04/12/2010	04/14/2010	04/15/2010	04/19/2010	04/20/2010
Laboratory Sample I.D.	R1001839-003	R1001926-003	R1002033-003	R1002034-003	R1002119-003	R1002145-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.6 J	2.5 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

30-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/21/2010	04/22/2010	04/26/2010	04/27/2010	04/28/2010	04/29/2010
Laboratory Sample I.D.	R1002176-003	R1002201-003	R1002260-003	R1002259-003	R1002283-003	R1002306-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.8 J	ND@5.0	2.7 J	3.7 J	ND@5.0	1.7 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

31-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	05/03/2010	05/04/2010	05/06/2010	05/10/2010	05/11/2010	05/12/2010
Laboratory Sample I.D.	R1002359-003	R1002426-003	R1002469-003	R1002533-003	R1002532-003	R1002620-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	3.1 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.3	2.3	0.49 J	ND@1.0	0.48 J	0.47 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

32-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	05/13/2010	05/27/2010	06/01/2010	06/02/2010	06/07/2010	06/08/2010
Laboratory Sample I.D.	R1002611-003	R1002902-003	R1002934-003	R1002970-003	R1003095-003	R1003100-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	3.4 J	ND@5.0	ND@5.0	ND@5.0	3.0 J	4.2 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.47 J	ND@1.0	ND@1.0	1.1	0.64 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

33-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	06/14/2010	06/15/2010	06/16/2010	06/21/2010	07/01/2010	07/06/2010
Laboratory Sample I.D.	R1003198-003	R1003229-003	R1003250-003	R1003335-003	R1003516-003	R1003567-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.2 J	3.6 J	ND@5.0	ND@5.0	1.9 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.28 J	0.30 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

34-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	07/07/2010	07/12/2010	07/13/2010	07/14/2010	07/15/2010	08/03/2010
Laboratory Sample I.D.	R1003595-003	R1003673-003	R1003735-003	R1003755-003	R1003804-003	R1004154-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.9 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	0.28 J	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

35-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	08/05/2010	08/09/2010	08/10/2010	08/11/2010	08/12/2010	08/16/2010
Laboratory Sample I.D.	R1004239-003	R1004290-003	R1004324-003	R1004345-003	R1004396-003	R1004464-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	3.0 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.50 J	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

36-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	08/17/2010	08/18/2010	08/19/2010	08/20/2010	09/07/2010	09/08/2010
Laboratory Sample I.D.	R1004490-003	R1004537-003	R1004539-003	R1004572-003	R1004827-003	R1004881-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

37-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	09/10/2010	09/13/2010	09/14/2010	09/15/2010	09/16/2010	09/20/2010
Laboratory Sample I.D.	R1004984-003	R1005012-003	R1005051-003	R1005081-003	R1005107-003	R1005145-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.4 J	3.9 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

38-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	09/21/2010	09/22/2010	09/23/2010	09/27/2010	09/28/2010	09/29/2010
Laboratory Sample I.D.	R1005213-003	R1005251-003	R1005253-003	R1005295-003	R1005334-003	R1005368-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

39-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	10/04/2010	10/05/2010	10/06/2010	10/07/2010	10/12/2010	10/13/2010
Laboratory Sample I.D.	R1005448-003	R1005509-003	R1005537-003	R1005581-003	R1005677-003	R1005735-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

40-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	10/14/2010	10/18/2010	10/19/2010	10/25/2010	10/26/2010	10/27/2010
Laboratory Sample I.D.	R1005734-003	R1005813-003	R1005835-003	R1005952-003	R1006011-003	R1006009-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.9 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

41-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	10/29/2010	11/01/2010	11/03/2010	11/04/2010	11/08/2010	11/09/2010
Laboratory Sample I.D.	R1006048-003	R1006076-003	R1006139-003	R1006182-003	R1006235-003	R1006277-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

42-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	11/10/2010	11/11/2010	12/01/2010	12/02/2010	12/06/2010	12/07/2010
Laboratory Sample I.D.	R1006345-003	R1006349-003	R1006710-003	R1006751-003	R1006800-003	R1006840-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.9 J	3.2 J	2.6 J	3.5 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	6.8	5.1	0.57 J	1.7
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

43-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	12/08/2010	12/13/2010	12/14/2010	12/15/2010	12/16/2010	12/20/2010
Laboratory Sample I.D.	R1006870-003	R1006989-003	R1007016-003	R1007054-003	R1007121-003	R1007172-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.9 J	1.6 J	2.3 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.7	1.1	1.0	ND@1.0	0.77 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

44-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location		FIELD BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description			NO. 1	NO. 2	NO. 1	NO. 1	NO. 2
Sample Date		12/22/2010	01/04/2010	01/04/2010	01/05/2010	01/06/2010	01/06/2010
Laboratory Sample I.D.		R1007213-003	R1000019-001	R1000015-010	R1000085-001	R1000083-001	R1000077-001
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	1.7 J	ND@5.0	1.7 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.84 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

45-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location		TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description		NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date		01/07/2010	01/11/2010	01/12/2010	01/13/2010	01/14/2010	01/18/2010
Laboratory Sample I.D.		R1000116-001	R1000156-001	R1000227-001	R1000234-001	R1000255-001	R1000285-001
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

46-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 2
Sample Date	01/19/2010	01/20/2010	01/21/2010	01/25/2010	02/01/2010	02/01/2010
Laboratory Sample I.D.	R1000342-001	R1000345-001	R1000400-001	R1000475-001	R1000573-001	R1000569-010
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	3.4 J	2.4 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.46 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

47-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 2	NO. 1	NO. 1
Sample Date	02/02/2010	02/03/2010	02/08/2010	02/08/2010	02/09/2010	02/10/2010
Laboratory Sample I.D.	R1000614-001	R1000651-001	R1000723-001	R1000726-001	R1000777-001	R1000819-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.5 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

48-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	02/11/2010	02/15/2010	02/16/2010	02/18/2010	02/22/2010	02/23/2010
Laboratory Sample I.D.	R1000817-001	R1000829-001	R1000901-001	R1000923-001	R1001024-001	R1001023-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.5 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

49-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 2	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	02/23/2010	02/24/2010	02/25/2010	03/01/2010	03/03/2010	03/04/2010
Laboratory Sample I.D.	R1001012-001	R1001009-001	R1001065-001	R1001089-010	R1001155-001	R1001187-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	1.7 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

50-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 2	NO. 1	NO. 1
Sample Date	03/05/2010	03/08/2010	03/09/2010	03/09/2010	03/10/2010	03/11/2010
Laboratory Sample I.D.	R1001209-001	R1001260-001	R1001262-001	R1001257-001	R1001301-001	R1001340-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	3.3 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

51-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/15/2010	03/16/2010	03/17/2010	03/18/2010	03/22/2010	03/23/2010
Laboratory Sample I.D.	R1001399-001	R1001431-001	R1001456-001	R1001474-001	R1001534-001	R1001557-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

52-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/24/2010	03/25/2010	03/29/2010	03/31/2010	04/01/2010	04/05/2010
Laboratory Sample I.D.	R1001593-001	R1001624-001	R1001656-001	R1001702-001	R1001750-001	R1001774-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.0 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

53-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 2	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	04/06/2010	04/06/2010	04/07/2010	04/12/2010	04/14/2010	04/15/2010
Laboratory Sample I.D.	R1001806-001	R1001802-001	R1001839-001	R1001926-001	R1002033-001	R1002034-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.8 J	ND@5.0	2.3 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

54-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	04/19/2010	04/20/2010	04/21/2010	04/22/2010	04/26/2010	04/27/2010
Laboratory Sample I.D.	R1002119-001	R1002145-001	R1002176-001	R1002201-001	R1002260-001	R1002259-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	3.1 J	2.0 J	2.4 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

55-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 2	NO. 1	NO. 1	NO. 1
Sample Date	04/28/2010	04/29/2010	04/29/2010	05/03/2010	05/04/2010	05/06/2010
Laboratory Sample I.D.	R1002283-001	R1002309-001	R1002306-001	R1002359-001	R1002426-001	R1002468-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.63 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

56-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 2	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	05/06/2010	05/10/2010	05/11/2010	05/12/2010	05/13/2010	05/27/2010
Laboratory Sample I.D.	R1002469-001	R1002533-001	R1002532-001	R1002620-001	R1002611-001	R1002902-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.6 J	2.0 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

57-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 2	NO. 1
Sample Date	06/01/2010	06/02/2010	06/07/2010	06/08/2010	06/08/2010	06/14/2010
Laboratory Sample I.D.	R1002934-001	R1002970-001	R1003095-001	R1003092-001	R1003100-001	R1003198-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.0 J	2.3 J	1.8 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

58-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	06/15/2010	06/16/2010	06/21/2010	07/01/2010	07/06/2010	07/07/2010
Laboratory Sample I.D.	R1003229-001	R1003250-001	R1003335-001	R1003516-001	R1003567-001	R1003595-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

59-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	07/12/2010	07/13/2010	07/14/2010	07/15/2010	08/03/2010	08/05/2010
Laboratory Sample I.D.	R1003673-001	R1003735-001	R1003755-001	R1003804-001	R1004154-001	R1004239-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	6.1	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

60-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	08/09/2010	08/10/2010	08/11/2010	08/12/2010	08/16/2010	08/17/2010
Laboratory Sample I.D.	R1004290-001	R1004324-001	R1004345-001	R1004396-001	R1004464-001	R1004490-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.38 J	0.59 J	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

61-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	08/18/2010	08/19/2010	08/20/2010	09/07/2010	09/08/2010	09/10/2010
Laboratory Sample I.D.	R1004537-001	R1004539-001	R1004572-001	R1004827-001	R1004881-001	R1004984-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.7
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

62-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	09/13/2010	09/14/2010	09/15/2010	09/16/2010	09/20/2010	09/21/2010
Laboratory Sample I.D.	R1005012-001	R1005051-001	R1005081-001	R1005107-001	R1005145-001	R1005213-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

63-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	09/22/2010	09/23/2010	09/27/2010	09/28/2010	09/29/2010	10/04/2010
Laboratory Sample I.D.	R1005251-001	R1005253-001	R1005295-001	R1005334-001	R1005368-001	R1005448-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	2.9 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

64-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	10/05/2010	10/06/2010	10/07/2010	10/12/2010	10/13/2010	10/14/2010
Laboratory Sample I.D.	R1005509-001	R1005537-001	R1005581-001	R1005677-001	R1005735-001	R1005734-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	3.9 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.55 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

65-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	10/18/2010	10/19/2010	10/25/2010	10/26/2010	10/27/2010	10/29/2010
Laboratory Sample I.D.	R1005813-001	R1005835-001	R1005952-001	R1006011-001	R1006009-001	R1006048-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	2.0	ND@1.0	ND@1.0	ND@1.0	0.97 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

66-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	11/01/2010	11/02/2010	11/03/2010	11/04/2010	11/08/2010	11/09/2010
Laboratory Sample I.D.	R1006076-001	R1006111-001	R1006139-001	R1006182-001	R1006235-001	R1006277-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.42 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

67-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	11/10/2010	11/11/2010	12/01/2010	12/02/2010	12/06/2010	12/07/2010
Laboratory Sample I.D.	R1006345-001	R1006349-001	R1006710-001	R1006751-001	R1006800-001	R1006840-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	3.3 J	3.1 J	3.4 J	5.4
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	9.5
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

68-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	12/08/2010	12/13/2010	12/14/2010	12/15/2010	12/16/2010	12/20/2010
Laboratory Sample I.D.	R1006870-001	R1006989-001	R1007016-001	R1007054-001	R1007121-001	R1007172-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.31 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

April 28, 2011

IBM Corporation

69-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Sample Location	TRIP BLANK
Sample Description	NO. 1
Sample Date	12/22/2010
Laboratory Sample I.D.	R1007213-001
Sample Comment Codes	

Parameter	Units	
Base/Neutral Extractables		
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0
Volatile Organics		
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0
ACETONE	ug/l	ND@5.0
BENZENE	ug/l	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0
M,P-XYLENE	ug/l	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0
O-XYLENE	ug/l	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0
TOLUENE	ug/l	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0

April 28, 2011

IBM Corporation

70-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

Appendix G

Groundwater Treatment Analytical Data (Organics): January 1, 2010 to December 31, 2010

Groundwater Treatment Analytical Data (Inorganics): January 1, 2010 to December 31, 2010

Groundwater Treatment Analytical Data (Inorganics): Well 032A Replacement Sampling

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	032A	032A	032A	032A	032A	032A
Sample Description	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN
Sample Date	01/05/2010	02/01/2010	03/05/2010	04/05/2010	05/03/2010	06/02/2010
Laboratory Sample I.D.	R1000085-008	R1000573-015	R1001209-009	R1001774-007	R1002359-013	R1002970-010
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.50 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.61 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.1	1.0	0.80 J	0.65 J	0.64 J	0.88 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.8	2.4	2.4	1.3	2.0	2.6
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	032A	032A	032A	032A	032A	032A
Sample Description	REPLICATE	GW/AREA D IN	REPLICATE	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN
Sample Date	06/02/2010	07/01/2010	07/01/2010	08/09/2010	09/07/2010	10/05/2010
Laboratory Sample I.D.	R1002970-011	R1003516-008	R1003516-009	R1004290-004	R1004827-018	R1005509-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.64 J	0.66 J	0.53 J	0.70 J	0.66 J	0.70 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.83 J	0.92 J	0.70 J	1.2	1.4	1.4
TOLUENE	ug/l	ND@1.0	ND@1.0	1.2	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.6	2.7	2.5	3.3	3.5	3.4
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	032A	032A	080	080	080	080
Sample Description	GW/AREA D IN	GW/AREA D IN	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	11/01/2010	12/06/2010	01/04/2010	01/11/2010	01/18/2010	01/25/2010
Laboratory Sample I.D.	R1006076-009	R1006800-008	R1000015-006	R1000152-008	R1000281-008	R1000437-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.9 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.64 J	0.51 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.3	1.2	1.5	0.52 J	0.58 J	0.43 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	3.3	2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.2	2.1	2.9

May 11, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	02/04/2010	02/08/2010	02/15/2010	02/22/2010	03/01/2010	03/08/2010
Laboratory Sample I.D.	R1000675-002	R1000720-008	R1000833-008	R1000950-008	R1001089-006	R1001229-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@20	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@5.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	3.7	2.0	1.1 J	0.94 J	0.75 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@1.0	ND@1.0	0.82 J

May 11, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	03/22/2010	03/29/2010	04/13/2010	04/19/2010	04/26/2010	05/03/2010
Laboratory Sample I.D.	R1001499-008	R1001654-008	R1001973-001	R1002080-005	R1002230-005	R1002362-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	22	2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	26	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	120	42	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@10	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	730	13	3.5	0.43 J	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	120	11	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	30	21	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	05/10/2010	05/17/2010	05/24/2010	06/01/2010	06/07/2010	06/14/2010
Laboratory Sample I.D.	R1002505-005	R1002665-005	R1002783-005	R1002931-006	R1003054-006	R1003196-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	5.4	1.6
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.28 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.53 J	35	17
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	0.53 J	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	120	27
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	26	8.8
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	2.9	8.0	5.9

May 11, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	06/21/2010	06/28/2010	07/01/2010	07/06/2010	07/08/2010	07/12/2010
Laboratory Sample I.D.	R1003331-006	R1003450-006	R1003520-002	R1003571-006	R1003637-002	R1003669-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.9	5.8	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.46 J	0.70 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	36	47	3.5	1.6	2.4	0.91 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	99	130	23	3.8	3.1	1.5
TOLUENE	ug/l	0.21 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	24	33	2.0	0.98 J	1.1	0.45 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	5.9	9.2	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	07/14/2010	07/19/2010	07/21/2010	07/26/2010	07/28/2010	08/02/2010
Laboratory Sample I.D.	R1003765-002	R1003841-006	R1003911-002	R1003976-006	R1004044-002	R1004109-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.5 J	ND@5.0	2.0 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	4.0	1.1	1.4	1.8	1.6	1.3
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	2.1	1.2	1.0	1.0	1.1	0.87 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.73 J	0.22 J	0.23 J	0.27 J	0.31 J	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	08/04/2010	08/09/2010	08/11/2010	08/16/2010	08/18/2010	08/23/2010
Laboratory Sample I.D.	R1004210-002	R1004288-006	R1004356-002	R1004427-006	R1004493-002	R1004573-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.7 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.90 J	0.77 J	2.0	ND@1.0	0.41 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.1	0.81 J	23	1.1	1.6	0.58 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.27 J	ND@1.0	3.2	ND@1.0	0.25 J	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	08/25/2010	08/30/2010	09/02/2010	09/07/2010	09/09/2010	09/13/2010
Laboratory Sample I.D.	R1004619-001	R1004698-006	R1004771-002	R1004824-006	R1004913-002	R1004978-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	4.3 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.24 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.75 J	ND@1.0	0.58 J	ND@1.0	0.57 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	09/16/2010	09/20/2010	09/23/2010	09/27/2010	10/07/2010	10/11/2010
Laboratory Sample I.D.	R1005085-002	R1005137-006	R1005252-002	R1005303-006	R1005584-001	R1005633-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.3	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.51 J	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.75 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.0 J	5.1	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.30 J	ND@1.0	ND@1.0	ND@1.0	100	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.43 J	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.79 J	ND@1.0	0.52 J	1.0	160	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.22 J	ND@1.0	ND@1.0	ND@1.0	74	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	19	ND@1.0

May 11, 2011

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	10/14/2010	10/18/2010	10/21/2010	10/25/2010	10/28/2010	11/01/2010
Laboratory Sample I.D.	R1005738-001	R1005812-006	R1005893-002	R1005948-006	R1006030-002	R1006074-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	3.6 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	11/04/2010	11/08/2010	11/12/2010	11/15/2010	11/18/2010	11/22/2010
Laboratory Sample I.D.	R1006184-002	R1006234-006	R1006371-002	R1006414-006	R1006501-002	R1006557-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	3.8	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@10	6.2	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	32	0.28 J	0.37 J	0.33 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@4.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	200	0.80 J	0.94 J	0.47 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	27	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	2.5	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	11/29/2010	12/01/2010	12/01/2010	12/02/2010	12/02/2010	12/02/2010
Laboratory Sample I.D.	R1006639-006	R1006714-002	R1006714-004	R1006749-002	R1006806-002	R1006806-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.36 J	0.24 J	0.97 J	0.45 J	0.44 J	1.1
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.69 J	ND@1.0	ND@1.0	0.45 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	12/06/2010	12/09/2010	12/13/2010	12/16/2010	12/20/2010	12/27/2010
Laboratory Sample I.D.	R1006808-006	R1006927-001	R1006979-006	R1007123-002	R1007147-006	R1007248-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	4.7 J	4.0 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.22 J	ND@1.0	0.44 J	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	080	221	221	221	221	221
Sample Description	PW-2 EFFL	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	12/29/2010	01/04/2010	01/11/2010	01/18/2010	01/25/2010	02/04/2010
Laboratory Sample I.D.	R1007284-002	R1000015-007	R1000152-007	R1000281-007	R1000437-007	R1000675-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	3.3
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.78 J	1.2	1.6	1.5	ND@1.0
ACETONE	ug/l	2.6 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	22
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	19	32	50	73	17
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	0.76 J	0.94 J	0.81 J	0.69 J	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	50
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	10
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	54	68	58	50	6.4

May 11, 2011

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	02/08/2010	02/15/2010	02/22/2010	03/01/2010	03/08/2010	03/15/2010
Laboratory Sample I.D.	R1000720-007	R1000833-007	R1000950-007	R1001089-007	R1001229-007	R1001365-007
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,2-DICHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,3-DICHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,4-DICHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	11	34 J	88	100	93	110
1,1-DICHLOROETHYLENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
ACETONE	ug/l	ND@13	ND@400	ND@250	ND@130	ND@130	160 J
BENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
CHLOROBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
CIS-1,2-DICHLOROETHYLENE	ug/l	72	250	540	500	480	510
DICHLORODIFLUOROMETHANE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
ETHYLBENZENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
M,P-XYLENE	ug/l	ND@5.0	ND@100	ND@100	ND@50	ND@50	ND@100
METHYLENE CHLORIDE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
O-XYLENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
TETRACHLOROETHYLENE	ug/l	270	2100	5200	4300	3800	4600
TOLUENE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
TRICHLOROETHYLENE	ug/l	46	280	710	690	630	670
TRICHLOROFLUOROMETHANE	ug/l	ND@2.5	ND@100	ND@50	ND@25	ND@25	ND@50
VINYL CHLORIDE	ug/l	14	22 J	35 J	33	36	44 J

May 11, 2011

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	03/22/2010	03/29/2010	04/06/2010	04/12/2010	04/19/2010	04/26/2010
Laboratory Sample I.D.	R1001499-007	R1001654-007	R1001799-001	R1001925-005	R1002080-004	R1002230-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,2,4-TRICHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,2-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,3-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,4-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	96	110	ND@1.0	ND@1.0	11	27
1,1-DICHLOROETHYLENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
ACETONE	ug/l	92 J	210 J	1.9 J	11	ND@13	ND@50
BENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
CHLOROBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
CIS-1,2-DICHLOROETHYLENE	ug/l	510	630	2.2	0.56 J	56	150
DICHLORODIFLUOROMETHANE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
ETHYLBENZENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
M,P-XYLENE	ug/l	ND@100	ND@100	ND@2.0	ND@2.0	ND@5.0	ND@20
METHYLENE CHLORIDE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
O-XYLENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
TETRACHLOROETHYLENE	ug/l	5600	6100	6.9	5.6	460	1200
TOLUENE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
TRICHLOROETHYLENE	ug/l	740	870	11	1.9	66	180
TRICHLOROFLUOROMETHANE	ug/l	ND@50	ND@50	ND@1.0	ND@1.0	ND@2.5	ND@10
VINYL CHLORIDE	ug/l	32 J	39 J	ND@1.0	ND@1.0	5.3	14

May 11, 2011

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	05/03/2010	05/10/2010	05/17/2010	05/24/2010	06/01/2010	06/07/2010
Laboratory Sample I.D.	R1002362-007	R1002505-004	R1002665-004	R1002783-004	R1002931-007	R1003054-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,2,4-TRICHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,2-DICHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,3-DICHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,4-DICHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	27	80	60	92	180	160
1,1-DICHLOROETHYLENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
ACETONE	ug/l	ND@50	ND@100	ND@100	220 J	130 J	ND@250
BENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
CHLOROBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
CIS-1,2-DICHLOROETHYLENE	ug/l	160	310	320	420	740	770
DICHLORODIFLUOROMETHANE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
ETHYLBENZENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
M,P-XYLENE	ug/l	ND@20	ND@40	ND@40	ND@100	ND@100	ND@100
METHYLENE CHLORIDE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
O-XYLENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
TETRACHLOROETHYLENE	ug/l	1500	3100	2900	5100	9400	7800
TOLUENE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
TRICHLOROETHYLENE	ug/l	220	430	450	600	1100	1100
TRICHLOROFLUOROMETHANE	ug/l	ND@10	ND@20	ND@20	ND@50	ND@50	ND@50
VINYL CHLORIDE	ug/l	12	30	24	32 J	54	50

May 11, 2011

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	06/14/2010	06/21/2010	06/28/2010	07/01/2010	07/06/2010	07/08/2010
Laboratory Sample I.D.	R1003196-005	R1003331-005	R1003450-005	R1003520-001	R1003571-007	R1003637-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
1,2-DICHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
1,3-DICHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
1,4-DICHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	67	67	82	5.7	5.5	8.5
1,1-DICHLOROETHYLENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.8 J	ND@25	ND@50	0.70 J	0.82 J	0.96 J
ACETONE	ug/l	ND@100	ND@130	ND@250	ND@5.0	ND@5.0	ND@10
BENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
CHLOROBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
CIS-1,2-DICHLOROETHYLENE	ug/l	350	480	450	47	58	89
DICHLORODIFLUOROMETHANE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
ETHYLBENZENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
M,P-XYLENE	ug/l	ND@40	ND@50	ND@100	ND@2.0	ND@2.0	ND@4.0
METHYLENE CHLORIDE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
O-XYLENE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
TETRACHLOROETHYLENE	ug/l	2900	4300	4300	180	150	240
TOLUENE	ug/l	ND@20	5.5 J	ND@50	ND@1.0	ND@1.0	ND@2.0
TRICHLOROETHYLENE	ug/l	420	550	590	36	40	59
TRICHLOROFLUOROMETHANE	ug/l	ND@20	ND@25	ND@50	ND@1.0	ND@1.0	ND@2.0
VINYL CHLORIDE	ug/l	28	24 J	22 J	7.7	10	10

May 11, 2011

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	07/12/2010	07/14/2010	07/15/2010	07/15/2010	07/19/2010	07/21/2010
Laboratory Sample I.D.	R1003669-005	R1003765-001	R1003803-001	R1003803-002	R1003841-005	R1003911-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	16	18	19	8.4	4.1	4.5
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	0.71 J	0.45 J	0.50 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.6 J	2.0 J	2.0 J	1.4	0.93 J	1.0
ACETONE	ug/l	ND@25	ND@25	ND@25	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	120	150	160	120	63	80
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@10	ND@10	ND@10	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	0.34 J
O-XYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	520	570	680	150	78	76
TOLUENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	100	120	130	63	29	31
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	14	18	17	13	11	15

May 11, 2011

IBM Corporation

21-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	07/26/2010	07/28/2010	08/02/2010	08/04/2010	08/09/2010	08/11/2010
Laboratory Sample I.D.	R1003976-005	R1004044-001	R1004109-007	R1004210-001	R1004288-005	R1004356-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.9	3.5	3.0	2.7	2.8	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	0.39 J	0.40 J	0.38 J	ND@1.0	0.42 J	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.73 J	1.1	0.99 J	0.80 J	0.86 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	63	76	77	63	73	0.61 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	0.35 J	0.32 J	0.34 J	0.31 J	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	53	59	54	52	54	0.57 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	21	24	21	19	20	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	12	17	17	16	17	ND@1.0

May 11, 2011

IBM Corporation

22-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	08/16/2010	08/18/2010	08/23/2010	08/25/2010	08/30/2010	09/02/2010
Laboratory Sample I.D.	R1004427-005	R1004493-001	R1004573-005	R1004619-002	R1004698-005	R1004771-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	0.28 J
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.64 J	11	14	24	12
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	1.1
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	2.7 J	2.3
ACETONE	ug/l	2.1 J	2.3 J	ND@25	21 J	ND@50	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.53 J	12	75	84	160	190
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@10	ND@10	ND@20	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	0.29 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.43 J	45	540	590	1100	120
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	6.8	75	83	170	95
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@5.0	ND@5.0	ND@10	0.31 J
VINYL CHLORIDE	ug/l	0.57 J	2.6	7.6	9.6	15	22

May 11, 2011

IBM Corporation

23-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	09/07/2010	09/09/2010	09/13/2010	09/16/2010	09/20/2010	09/23/2010
Laboratory Sample I.D.	R1004824-007	R1004913-001	R1004978-005	R1005085-001	R1005137-005	R1005252-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
1,2-DICHLOROBENZENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
1,3-DICHLOROBENZENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
1,4-DICHLOROBENZENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	61	66	51	14	9.0	12
1,1-DICHLOROETHYLENE	ug/l	ND@20	ND@20	ND@20	0.96 J	0.66 J	ND@2.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	7.2 J	ND@20	ND@20	1.6 J	0.87 J	1.2 J
ACETONE	ug/l	50 J	ND@100	ND@100	3.2 J	ND@5.0	ND@10
BENZENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
CHLOROBENZENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
CIS-1,2-DICHLOROETHYLENE	ug/l	510	460	360	190	130	140
DICHLORODIFLUOROMETHANE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
ETHYLBENZENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
M,P-XYLENE	ug/l	ND@40	ND@40	ND@40	ND@4.0	ND@2.0	ND@4.0
METHYLENE CHLORIDE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
O-XYLENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
TETRACHLOROETHYLENE	ug/l	3000	2900	2100	240	180	220
TOLUENE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
TRICHLOROETHYLENE	ug/l	490	470	390	120	96	110
TRICHLOROFLUOROMETHANE	ug/l	ND@20	ND@20	ND@20	ND@2.0	ND@1.0	ND@2.0
VINYL CHLORIDE	ug/l	30	36	23	14	13	19

May 11, 2011

IBM Corporation

24-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	09/27/2010	10/07/2010	10/11/2010	10/14/2010	10/18/2010	10/21/2010
Laboratory Sample I.D.	R1005303-005	R1005584-002	R1005633-005	R1005738-002	R1005812-005	R1005893-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	9.8	ND@1.0	5.2	4.6	4.9	4.9
1,1-DICHLOROETHYLENE	ug/l	0.63 J	ND@1.0	ND@1.0	ND@1.0	0.48 J	0.47 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.1	ND@1.0	0.66 J	0.73 J	1.0	1.2
ACETONE	ug/l	2.5 J	ND@5.0	ND@5.0	3.3 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	120	0.25 J	66	68	100	96
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.45 J	ND@1.0	0.69 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	170	0.43 J	130	100	120	95
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.35 J	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	74	ND@1.0	50	41	50	43
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	21	ND@1.0	21	24	36	37

May 11, 2011

IBM Corporation

25-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	10/25/2010	10/28/2010	11/01/2010	11/04/2010	11/08/2010	11/12/2010
Laboratory Sample I.D.	R1005948-005	R1006030-001	R1006074-007	R1006184-001	R1006234-005	R1006371-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.3	4.5	4.4	5.4	5.7	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	0.52 J	0.45 J	0.54 J	0.83 J	0.90 J	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.1	1.3	1.4	2.1	2.1	ND@1.0
ACETONE	ug/l	ND@5.0	2.0 J	ND@5.0	3.3 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	100	120	130	190	190	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.97 J	1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	95	92	89	99	110	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	40	41	40	51	52	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	37	39	44	56	54	ND@1.0

May 11, 2011

IBM Corporation

26-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	11/15/2010	11/18/2010	11/22/2010	11/29/2010	12/01/2010	12/01/2010
Laboratory Sample I.D.	R1006414-005	R1006501-001	R1006557-005	R1006639-005	R1006714-001	R1006714-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.2 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.61 J	0.74 J	1.1
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.81 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.20 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	0.51 J	4.0	3.1	4.1

May 11, 2011

IBM Corporation

27-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	12/02/2010	12/02/2010	12/02/2010	12/06/2010	12/09/2010	12/13/2010
Laboratory Sample I.D.	R1006749-001	R1006806-001	R1006806-003	R1006808-007	R1006927-002	R1006979-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	5.7	3.8 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.39 J	2.1	1.4	1.9	2.4	4.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	0.34 J	0.28 J	0.35 J	0.42 J	0.51 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	10	5.1	9.1	12	14

May 11, 2011

IBM Corporation

28-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	221	221	221	221	360	360
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	B/322 OUTPUT	B/322 OUTPUT
Sample Date	12/16/2010	12/20/2010	12/27/2010	12/29/2010	01/06/2010	02/01/2010
Laboratory Sample I.D.	R1007123-001	R1007147-005	R1007248-005	R1007284-001	R1000077-008	R1000573-014
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.30 J	0.40 J	0.42 J	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	7.7	8.5	15	19	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.75 J	0.59 J	0.61 J	0.67 J	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	22	19	24	22	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

29-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	360	360	360	360	360	360
Sample Description	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT
Sample Date	03/05/2010	04/05/2010	05/04/2010	06/01/2010	07/01/2010	08/10/2010
Laboratory Sample I.D.	R1001209-008	R1001774-012	R1002426-008	R1002934-010	R1003516-007	R1004324-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

30-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	360		360		360		360		395		395	
Sample Description	B/322 OUTPUT		B/322 OUTPUT		B/322 OUTPUT		B/322 OUTPUT		B/384 SUMP		B/384 SUMP	
Sample Date	09/07/2010		10/05/2010		11/01/2010		12/06/2010		01/04/2010		02/01/2010	
Laboratory Sample I.D.	R1004827-014		R1005509-007		R1006076-013		R1006800-007		R1000019-014		R1000573-004	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		170 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@500		ND@1000
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0			76 J	220
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@200		ND@400
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		12000		29000
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
TRICHLOROETHYLENE	ug/l	ND@1.0		0.25 J				0.22 J		280		550
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@100		ND@200

May 11, 2011

IBM Corporation

31-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	395		395		395		395		395		395	
Sample Description	B/384 SUMP		B/384 SUMP		B/384 SUMP		B/384 SUMP		REPLICATE		B/384 SUMP	
Sample Date	03/04/2010		04/01/2010		05/04/2010		06/08/2010		06/08/2010		07/12/2010	
Laboratory Sample I.D.	R1001187-004		R1001750-008		R1002426-013		R1003100-004		R1003100-005		R1003673-004	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
1,2,4-TRICHLOROBENZENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
1,2-DICHLOROBENZENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
1,3-DICHLOROBENZENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
1,4-DICHLOROBENZENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	51 J		25 J		120 J		62 J		ND@200		120 J
1,1-DICHLOROETHYLENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
ACETONE	ug/l	ND@500		ND@250		ND@1000		ND@500		ND@1000		ND@1000
BENZENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
CHLOROBENZENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
CIS-1,2-DICHLOROETHYLENE	ug/l	70 J		33 J		ND@200		52 J		ND@200		60 J
DICHLORODIFLUOROMETHANE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
ETHYLBENZENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
M,P-XYLENE	ug/l	ND@200		ND@100		ND@400		ND@200		ND@400		ND@400
METHYLENE CHLORIDE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
O-XYLENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
TETRACHLOROETHYLENE	ug/l	15000		9000		21000		17000		20000		28000
TOLUENE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
TRICHLOROETHYLENE	ug/l	270		130		390		330		450		500
TRICHLOROFLUOROMETHANE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200
VINYL CHLORIDE	ug/l	ND@100		ND@50		ND@200		ND@100		ND@200		ND@200

May 11, 2011

IBM Corporation

32-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	395	395	395	395	395	395
Sample Description	B/384 SUMP	B/384 SUMP	B/384 SUMP	REPLICATE	B/384 SUMP	B/384 SUMP
Sample Date	08/10/2010	09/08/2010	10/07/2010	10/07/2010	11/02/2010	12/07/2010
Laboratory Sample I.D.	R1004324-011	R1004881-004	R1005581-004	R1005581-005	R1006111-002	R1006840-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
1,2,4-TRICHLOROBENZENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
1,2-DICHLOROBENZENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
1,3-DICHLOROBENZENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
1,4-DICHLOROBENZENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	190 J	180 J	200 J	150 J	240 J	ND@250
1,1-DICHLOROETHYLENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
ACETONE	ug/l	ND@1300	ND@1000	ND@1300	ND@1300	ND@1300	ND@1300
BENZENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
CHLOROBENZENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
CIS-1,2-DICHLOROETHYLENE	ug/l	100 J	96 J	88 J	83 J	88 J	110 J
DICHLORODIFLUOROMETHANE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
ETHYLBENZENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
M,P-XYLENE	ug/l	ND@500	ND@400	ND@500	ND@500	ND@500	ND@500
METHYLENE CHLORIDE	ug/l	73 J	ND@200	ND@250	ND@250	ND@250	ND@250
O-XYLENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
TETRACHLOROETHYLENE	ug/l	25000	29000	29000	24000	38000	25000
TOLUENE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
TRICHLOROETHYLENE	ug/l	490	680	540	460	940	600
TRICHLOROFLUOROMETHANE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250
VINYL CHLORIDE	ug/l	ND@250	ND@200	ND@250	ND@250	ND@250	ND@250

May 11, 2011

IBM Corporation

33-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	395	395A	395A	395A	395A	395A
Sample Description	REPLICATE	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL
Sample Date	12/07/2010	01/04/2010	02/01/2010	03/04/2010	04/01/2010	05/04/2010
Laboratory Sample I.D.	R1006840-009	R1000019-016	R1000573-005	R1001187-005	R1001750-009	R1002426-014
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
1,2,4-TRICHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
1,2-DICHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
1,3-DICHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
1,4-DICHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	110 J	ND@200	ND@200	ND@200	ND@100	71 J
1,1-DICHLOROETHYLENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
ACETONE	ug/l	ND@1300	ND@1000	ND@1000	ND@1000	ND@500	ND@500
BENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
CHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
CIS-1,2-DICHLOROETHYLENE	ug/l	93 J	ND@200	ND@200	ND@200	ND@100	50 J
DICHLORODIFLUOROMETHANE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
ETHYLBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
M,P-XYLENE	ug/l	ND@500	ND@400	ND@400	ND@400	ND@200	ND@200
METHYLENE CHLORIDE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
O-XYLENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
TETRACHLOROETHYLENE	ug/l	26000	26000	23000	21000	11000	18000
TOLUENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
TRICHLOROETHYLENE	ug/l	630	640	410	350	160	350
TRICHLOROFLUOROMETHANE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100
VINYL CHLORIDE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@100	ND@100

May 11, 2011

IBM Corporation

34-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	395A	395A	395A	395A	395A	395A
Sample Description	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL
Sample Date	06/08/2010	07/12/2010	08/10/2010	09/08/2010	10/07/2010	11/02/2010
Laboratory Sample I.D.	R1003100-006	R1003673-005	R1004324-009	R1004881-005	R1005581-007	R1006111-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
1,2,4-TRICHLOROBENZENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
1,2-DICHLOROBENZENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
1,3-DICHLOROBENZENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
1,4-DICHLOROBENZENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@200	ND@200	58 J	66 J	ND@200	ND@200
1,1-DICHLOROETHYLENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
ACETONE	ug/l	ND@1000	ND@1000	ND@500	ND@500	ND@1000	ND@1000
BENZENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
CHLOROBENZENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@200	ND@200	43 J	59 J	68 J	86 J
DICHLORODIFLUOROMETHANE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
ETHYLBENZENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
M,P-XYLENE	ug/l	ND@400	ND@400	ND@200	ND@200	ND@400	ND@400
METHYLENE CHLORIDE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
O-XYLENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
TETRACHLOROETHYLENE	ug/l	27000	19000	17000	20000	20000	21000
TOLUENE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
TRICHLOROETHYLENE	ug/l	500	360	280	440	350	500
TRICHLOROFLUOROMETHANE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200
VINYL CHLORIDE	ug/l	ND@200	ND@200	ND@100	ND@100	ND@200	ND@200

May 11, 2011

IBM Corporation

35-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	395A	395B	395B	395B	395B	395B
Sample Description	AREA A INFL	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL
Sample Date	12/07/2010	01/04/2010	02/01/2010	03/04/2010	04/01/2010	05/04/2010
Laboratory Sample I.D.	R1006840-006	R1000019-017	R1000573-006	R1001187-006	R1001750-010	R1002426-015
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	51 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@500	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	71 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@200	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	19000	11	2.6	6.5	4.4	6.4
TOLUENE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	430	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@100	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

36-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	395B	395B	395B	395B	395B	395B
Sample Description	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL
Sample Date	06/08/2010	07/12/2010	08/10/2010	09/08/2010	10/07/2010	11/02/2010
Laboratory Sample I.D.	R1003100-007	R1003673-006	R1004324-010	R1004881-006	R1005581-008	R1006111-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	1.9 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	9.0	8.7	8.1	9.9	4.7	9.6
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	0.25 J	0.25 J	0.27 J	ND@1.0	0.24 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

37-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	395B	500	500	500	500	500
Sample Description	AREA A EFFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL
Sample Date	12/07/2010	01/04/2010	02/01/2010	03/01/2010	04/12/2010	05/03/2010
Laboratory Sample I.D.	R1006840-007	R1000015-009	R1000569-009	R1001089-009	R1001925-006	R1002362-009
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	4.8	5.1	4.6	4.0	4.3
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	3.1	3.1	2.8	3.0	2.6
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	7.4	81	84	76	92	82
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.26 J	29	28	25	26	27
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.52 J	0.54 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

38-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	500	500	500	500	500	500
Sample Description	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL
Sample Date	06/01/2010	07/06/2010	08/02/2010	09/07/2010	10/04/2010	11/01/2010
Laboratory Sample I.D.	R1002931-009	R1003571-009	R1004109-009	R1004824-009	R1005461-007	R1006074-009
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.9	3.9	4.4	3.2	3.5	2.8
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.23 J	0.26 J	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.0	2.8	3.0	2.8	2.9	2.1
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	89	72	71	65	60	50
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	29	23	24	21	20	16
TRICHLOROFLUOROMETHANE	ug/l	0.51 J	0.39 J	0.62 J	0.40 J	0.45 J	0.33 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

39-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	500	511	511	511	511	511
Sample Description	C CARB INFL	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date	12/06/2010	01/04/2010	01/11/2010	01/18/2010	01/25/2010	02/01/2010
Laboratory Sample I.D.	R1006808-009	R1000015-001	R1000152-002	R1000281-002	R1000437-002	R1000569-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.7	5.8	7.1	6.6	5.0	6.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.7 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.1	3.6	3.3	3.5	3.1	3.9
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	49	21	21	23	23	26
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	15	17	16	18	15	18
TRICHLOROFLUOROMETHANE	ug/l	0.31 J	0.66 J	0.75 J	0.76 J	0.54 J	0.65 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

40-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	511	511	511	511	511	511
Sample Description	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date	02/08/2010	02/15/2010	02/22/2010	03/01/2010	03/08/2010	03/15/2010
Laboratory Sample I.D.	R1000720-002	R1000833-002	R1000950-002	R1001089-001	R1001229-002	R1001365-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.5	4.8 J	5.0	5.5	6.1	6.8
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@20	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.3	3.5 J	3.6	3.1	3.2	4.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@5.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	28	30	31	28	29	27
TOLUENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	16	17	18	18	18	18
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	0.50 J	0.51 J	0.51 J	0.54 J	0.96 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

41-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	511	511	511	511	511	511
Sample Description	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date	03/22/2010	03/29/2010	04/05/2010	05/03/2010	05/24/2010	06/01/2010
Laboratory Sample I.D.	R1001499-002	R1001654-002	R1001772-002	R1002362-001	R1002783-006	R1002931-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	5.4	5.3	5.6	5.7	5.4	4.9
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.6	3.5	3.5	3.1	3.7	3.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	31	29	36	38	40	35
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	18	17	20	20	21	18
TRICHLOROFLUOROMETHANE	ug/l	0.70 J	0.65 J	0.89 J	0.81 J	0.71 J	0.55 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.0

May 11, 2011

IBM Corporation

42-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	511	511	511	511	511	511
Sample Description	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date	07/06/2010	08/02/2010	08/19/2010	09/07/2010	10/04/2010	11/01/2010
Laboratory Sample I.D.	R1003571-001	R1004109-001	R1004536-001	R1004824-001	R1005461-001	R1006074-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.8	4.9	1.0	2.5	2.2	3.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.27 J	0.30 J	0.34 J	0.48 J	0.41 J	0.46 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.2 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	6.1	4.4	ND@1.0	0.41 J	0.61 J	0.97 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	32	34	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	16	17	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	0.43 J	0.75 J	0.23 J	0.39 J	0.39 J	0.54 J
VINYL CHLORIDE	ug/l	0.59 J	ND@1.0	0.75 J	0.45 J	0.31 J	ND@1.0

May 11, 2011

IBM Corporation

43-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	511	512	512	512	512	512
Sample Description	C CARB/GAC 1	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	12/06/2010	01/04/2010	01/11/2010	01/18/2010	01/25/2010	02/01/2010
Laboratory Sample I.D.	R1006808-001	R1000015-002	R1000152-003	R1000281-003	R1000437-003	R1000569-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.5	3.6	5.5	4.0	2.9	5.3
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.45 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.94 J	2.7	2.6	2.6	2.6	3.1
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	21	22	22	21	27
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	15	16	15	14	17
TRICHLOROFLUOROMETHANE	ug/l	0.41 J	ND@1.0	ND@1.0	0.48 J	ND@1.0	0.50 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

44-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	02/08/2010	02/15/2010	02/22/2010	03/01/2010	03/08/2010	03/15/2010
Laboratory Sample I.D.	R1000720-003	R1000833-003	R1000950-003	R1001089-002	R1001229-003	R1001365-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.8	3.2 J	3.3	3.8	4.3	3.9
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@20	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.6	2.8 J	3.0	2.6	2.6	3.2
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@5.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	25	26	26	15	15	15
TOLUENE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	14	14	15	12	12	13
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

45-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	03/22/2010	03/29/2010	04/05/2010	05/03/2010	06/01/2010	06/07/2010
Laboratory Sample I.D.	R1001499-003	R1001654-003	R1001772-003	R1002362-002	R1002931-002	R1003054-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.0	3.7	3.7	4.1	3.7	4.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.7	2.9	3.1	2.8	2.9	3.4
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	15	15	18	19	23	23
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	13	13	15	15	16	17
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	0.56 J	0.51 J	0.60 J	0.47 J	0.53 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

46-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	06/14/2010	06/21/2010	06/28/2010	07/06/2010	07/12/2010	07/19/2010
Laboratory Sample I.D.	R1003196-002	R1003331-002	R1003450-002	R1003571-002	R1003669-002	R1003841-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.4	3.4	3.5	3.0	4.1	3.7
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.23 J	ND@1.0	0.29 J	0.30 J	0.26 J	0.29 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.8	3.4	3.1	3.1	3.1	2.9
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	22	20	24	24	26	28
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	15	15	15	15	16	16
TRICHLOROFLUOROMETHANE	ug/l	0.41 J	0.45 J	0.48 J	0.41 J	0.49 J	0.48 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

47-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	07/26/2010	08/02/2010	08/09/2010	08/16/2010	08/23/2010	08/30/2010
Laboratory Sample I.D.	R1003976-002	R1004109-002	R1004288-002	R1004427-002	R1004573-002	R1004698-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.7	4.2	4.0	4.5	4.4	3.5
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.29 J	0.34 J	0.27 J	0.32 J	0.40 J	0.26 J
ACETONE	ug/l	4.2 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.1	3.5	3.3	3.5	3.2	3.2
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	28	27	29	29	27	22
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	17	17	17	16	16	14
TRICHLOROFLUOROMETHANE	ug/l	0.60 J	0.62 J	0.50 J	0.56 J	0.60 J	0.51 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

48-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	09/07/2010	09/13/2010	09/20/2010	09/27/2010	10/04/2010	10/11/2010
Laboratory Sample I.D.	R1004824-002	R1004978-002	R1005137-002	R1005303-002	R1005461-002	R1005633-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.3	3.2	3.5	4.6	3.8	3.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.26 J	0.26 J	0.24 J	0.28 J	0.27 J	ND@1.0
ACETONE	ug/l	1.8 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.3	3.4	3.5	3.9	3.9	3.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	25	25	25	25	24	25
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	16	15	15	15	15	14
TRICHLOROFLUOROMETHANE	ug/l	0.46 J	0.36 J	0.50 J	0.55 J	0.50 J	0.44 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

49-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	10/18/2010	10/25/2010	11/01/2010	11/08/2010	11/15/2010	11/22/2010
Laboratory Sample I.D.	R1005812-002	R1005948-002	R1006074-002	R1006234-002	R1006414-002	R1006557-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.5	3.5	3.4	3.3	2.8	4.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.27 J	0.24 J	0.31 J	0.26 J	0.24 J	0.27 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	3.7 J	3.2 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.6	3.2	3.8	5.2	4.4	4.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	24	23	21	23	21	21
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	14	13	14	13	13	13
TRICHLOROFLUOROMETHANE	ug/l	0.50 J	0.52 J	0.44 J	0.37 J	0.35 J	0.51 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

50-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	512	512	512	512	512	513
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 3
Sample Date	11/29/2010	12/06/2010	12/13/2010	12/20/2010	12/27/2010	01/04/2010
Laboratory Sample I.D.	R1006639-002	R1006808-002	R1006979-002	R1007147-002	R1007248-002	R1000015-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.5	2.7	3.4	2.9	3.5	5.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.25 J	ND@1.0	0.26 J	ND@1.0	0.23 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	3.1 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.9	3.5	4.0	3.1	3.4	2.9
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	21	21	24	20	23	19
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	13	13	14	12	14	13
TRICHLOROFLUOROMETHANE	ug/l	0.49 J	0.33 J	0.45 J	0.32 J	0.58 J	0.62 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

51-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	513	513	513	513	513	513
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date	01/11/2010	01/18/2010	01/25/2010	02/01/2010	02/08/2010	02/15/2010
Laboratory Sample I.D.	R1000152-004	R1000281-004	R1000437-004	R1000569-003	R1000720-004	R1000833-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	6.2	5.9	4.5	5.5	4.6	4.4 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	3.2 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.9	3.2	2.8	3.1	2.9	3.1 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@5.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	18	22	21	23	24	26
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	13	14	12	13	13	14
TRICHLOROFLUOROMETHANE	ug/l	0.68 J	0.77 J	0.50 J	0.60 J	ND@1.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0

May 11, 2011

IBM Corporation

52-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	513	513	513	513	513	513
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date	02/22/2010	03/05/2010	03/08/2010	03/15/2010	03/22/2010	03/29/2010
Laboratory Sample I.D.	R1000950-004	R1001207-001	R1001229-004	R1001365-004	R1001499-004	R1001654-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.9	5.0	5.3	5.5	4.3	3.9
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.3	2.9	3.0	3.2	3.1	8.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	25	11	14	16	19	16
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	14	9.6	12	12	13	12
TRICHLOROFLUOROMETHANE	ug/l	0.50 J	0.54 J	0.58 J	0.73 J	0.58 J	0.54 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.2

May 11, 2011

IBM Corporation

53-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	513	513	513	513	513	513
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date	04/05/2010	04/12/2010	05/03/2010	06/01/2010	07/06/2010	08/02/2010
Laboratory Sample I.D.	R1001772-004	R1001925-002	R1002362-003	R1002931-003	R1003571-003	R1004109-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	12	3.2	1.9	4.6	4.6	5.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.3	ND@1.0	ND@1.0	ND@1.0	0.37 J	0.40 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	37	8.5	3.0	3.9	3.8	3.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	100	25	11	22	27	28
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	33	11	6.6	13	15	17
TRICHLOROFLUOROMETHANE	ug/l	0.63 J	ND@1.0	ND@1.0	0.56 J	0.54 J	0.73 J
VINYL CHLORIDE	ug/l	17	2.8	0.66 J	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

54-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	513	513	513	513	514	514
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 4	C CARB/GAC 4
Sample Date	09/07/2010	10/04/2010	11/01/2010	12/06/2010	01/04/2010	01/11/2010
Laboratory Sample I.D.	R1004824-003	R1005461-003	R1006074-003	R1006808-003	R1000015-004	R1000152-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.3	4.1	3.4	3.3	40	44
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.24 J	0.30 J	0.29 J	ND@1.0	0.90 J	1.2
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.9 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.3	3.4	3.3	2.7	90	91
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	17	22	21	21	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	10	13	12	12	3.0	5.3
TRICHLOROFLUOROMETHANE	ug/l	0.34 J	0.54 J	0.45 J	0.43 J	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

55-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	01/18/2010	01/25/2010	01/27/2010	02/01/2010	02/08/2010	02/15/2010
Laboratory Sample I.D.	R1000281-005	R1000437-005	R1000503-001	R1000569-004	R1000720-005	R1000833-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	44	33	ND@1.0	0.68 J	1.3	1.9 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.1	0.79 J	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@20
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	100	86	ND@1.0	0.56 J	1.4	2.5 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@5.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	10	15	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0

May 11, 2011

IBM Corporation

56-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	02/22/2010	03/01/2010	03/08/2010	03/15/2010	03/22/2010	03/29/2010
Laboratory Sample I.D.	R1000950-005	R1001089-004	R1001229-005	R1001365-005	R1001499-005	R1001654-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.9	4.0	5.0	6.0	5.8	7.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.71 J	0.71 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.9	5.2	7.1	9.7	11	14
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.63 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.52 J	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

57-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	04/05/2010	04/12/2010	04/19/2010	04/26/2010	05/03/2010	05/10/2010
Laboratory Sample I.D.	R1001772-005	R1001925-003	R1002080-002	R1002230-002	R1002362-004	R1002505-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	9.1	11	12	13	16	20
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.99 J	1.3	1.0	1.2	1.2	1.5
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	16	20	22	27	28	38
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.43 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.50 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.87 J	1.0	1.3	1.6	2.3	2.8
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

58-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	05/17/2010	05/24/2010	06/01/2010	06/07/2010	06/14/2010	06/21/2010
Laboratory Sample I.D.	R1002665-002	R1002783-002	R1002931-004	R1003054-003	R1003196-003	R1003330-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.70 J	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	17	15	15	14	23	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.1	1.1	1.2	1.2	1.4	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	36	34	34	33	49	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.53 J	0.46 J	ND@1.0	46	2.8	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	3.3	3.1	2.3	8.3	4.9	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.33 J	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.30 J	ND@1.0

May 11, 2011

IBM Corporation

59-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	06/21/2010	06/28/2010	07/06/2010	07/12/2010	07/19/2010	07/26/2010
Laboratory Sample I.D.	R1003331-003	R1003450-003	R1003571-004	R1003669-003	R1003841-003	R1003976-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	25	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.45 J
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.24 J
ACETONE	ug/l	ND@25	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	58	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.39 J
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@10	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	630	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	190	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@5.0	ND@1.0	ND@1.0	0.28 J	0.35 J	0.56 J

May 11, 2011

IBM Corporation

60-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	08/02/2010	08/09/2010	08/16/2010	08/23/2010	08/30/2010	09/07/2010
Laboratory Sample I.D.	R1004109-004	R1004288-003	R1004427-003	R1004573-003	R1004698-003	R1004824-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.89 J	1.4	2.6	4.8	5.7	7.5
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.51 J	0.50 J	0.68 J	1.0	1.1	1.1
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.58 J	1.0	1.8	3.4	5.7	9.6
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.22 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.61 J	0.64 J	0.63 J	0.67 J	0.58 J	0.46 J

May 11, 2011

IBM Corporation

61-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	09/13/2010	09/20/2010	09/27/2010	10/04/2010	10/11/2010	10/18/2010
Laboratory Sample I.D.	R1004978-003	R1005137-003	R1005303-003	R1005461-004	R1005633-003	R1005812-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	8.7	12	17	18	21	24
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.2	1.3	1.5	1.5	1.3	1.3
ACETONE	ug/l	ND@5.0	ND@5.0	2.4 J	ND@5.0	ND@5.0	2.3 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	12	18	25	32	38	47
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.27 J	0.44 J	0.72 J	0.95 J	1.7	2.4
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	0.28 J	0.26 J	0.30 J	0.28 J
VINYL CHLORIDE	ug/l	0.43 J	0.42 J	0.56 J	0.40 J	0.36 J	0.41 J

May 11, 2011

IBM Corporation

62-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	10/25/2010	11/01/2010	11/08/2010	11/15/2010	11/22/2010	11/29/2010
Laboratory Sample I.D.	R1005948-003	R1006074-004	R1006234-003	R1006414-003	R1006557-003	R1006639-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	26	27	26	27	37	34
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.3	1.3	1.2	1.3	1.3	1.4
ACETONE	ug/l	1.6 J	ND@5.0	ND@5.0	4.1 J	1.8 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	53	68	63	67	78	83
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.49 J	0.72 J	1.2	1.6
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	3.6	5.3	6.2	8.4	12	17
TRICHLOROFLUOROMETHANE	ug/l	0.33 J	0.36 J	0.28 J	0.28 J	0.39 J	0.40 J
VINYL CHLORIDE	ug/l	0.32 J	0.33 J	0.30 J	0.31 J	0.38 J	0.35 J

May 11, 2011

IBM Corporation

63-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	514	514	514	514	524	524
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	PW-25 EFFL	PW-25 EFFL
Sample Date	12/06/2010	12/13/2010	12/20/2010	12/27/2010	01/04/2010	01/11/2010
Laboratory Sample I.D.	R1006808-004	R1006979-003	R1007147-003	R1007248-003	R1000015-005	R1000152-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	29	36	31	39	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	0.37 J	0.50 J	0.38 J	0.52 J	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.0	1.2	1.0	1.3	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.8 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	79	92	82	94	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	2.2	3.6	4.0	6.1	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	20	29	31	45	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	0.25 J	0.36 J	0.27 J	0.46 J	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	0.30 J	ND@1.0	0.32 J	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

64-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	01/18/2010	01/25/2010	01/27/2010	02/01/2010	02/08/2010	02/15/2010
Laboratory Sample I.D.	R1000281-006	R1000437-006	R1000503-002	R1000569-005	R1000720-006	R1000833-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@20
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@5.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0

May 11, 2011

IBM Corporation

65-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	02/22/2010	03/01/2010	03/08/2010	03/15/2010	03/22/2010	03/29/2010
Laboratory Sample I.D.	R1000950-006	R1001089-005	R1001229-006	R1001365-006	R1001499-006	R1001654-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

66-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	04/05/2010	04/12/2010	04/19/2010	04/26/2010	05/03/2010	05/10/2010
Laboratory Sample I.D.	R1001772-006	R1001925-004	R1002080-003	R1002230-003	R1002362-005	R1002505-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

67-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	05/17/2010	05/24/2010	06/01/2010	06/07/2010	06/14/2010	06/21/2010
Laboratory Sample I.D.	R1002665-003	R1002783-003	R1002931-005	R1003054-004	R1003196-004	R1003330-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.56 J	3.1	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.2	6.1	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.60 J	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

68-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	06/21/2010	06/28/2010	07/06/2010	07/12/2010	07/19/2010	07/26/2010
Laboratory Sample I.D.	R1003331-004	R1003450-004	R1003571-005	R1003669-004	R1003841-004	R1003976-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

69-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	08/02/2010	08/09/2010	08/16/2010	08/23/2010	08/30/2010	09/07/2010
Laboratory Sample I.D.	R1004109-005	R1004288-004	R1004427-004	R1004573-004	R1004698-004	R1004824-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.7 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

70-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	09/13/2010	09/20/2010	09/27/2010	10/04/2010	10/11/2010	10/18/2010
Laboratory Sample I.D.	R1004978-004	R1005137-004	R1005303-004	R1005461-005	R1005633-004	R1005812-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	4.7 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.28 J	ND@1.0	0.31 J

May 11, 2011

IBM Corporation

71-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	10/25/2010	11/01/2010	11/08/2010	11/15/2010	11/22/2010	11/29/2010
Laboratory Sample I.D.	R1005948-004	R1006074-005	R1006234-004	R1006414-004	R1006557-004	R1006639-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	3.2 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.36 J	0.36 J	0.34 J	0.32 J	0.38 J	0.41 J

May 11, 2011

IBM Corporation

72-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	524	524	524	524	555	555
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	C CARB EFFL	C CARB EFFL
Sample Date	12/06/2010	12/13/2010	12/20/2010	12/27/2010	01/04/2010	01/11/2010
Laboratory Sample I.D.	R1006808-005	R1006979-004	R1007147-004	R1007248-004	R1000015-008	R1000152-001
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.47 J	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.29 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	0.26 J	0.33 J	0.62 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.33 J	0.46 J	0.46 J	0.57 J	ND@1.0

May 11, 2011

IBM Corporation

73-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	01/18/2010	01/25/2010	02/01/2010	02/08/2010	02/15/2010	02/22/2010
Laboratory Sample I.D.	R1000281-001	R1000437-001	R1000569-008	R1000720-001	R1000833-001	R1000950-001
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@20	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

74-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	03/01/2010	03/08/2010	03/15/2010	03/22/2010	03/29/2010	04/05/2010
Laboratory Sample I.D.	R1001089-008	R1001229-001	R1001365-001	R1001499-001	R1001654-001	R1001772-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

75-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	04/12/2010	04/19/2010	04/26/2010	05/03/2010	05/10/2010	05/17/2010
Laboratory Sample I.D.	R1001925-001	R1002080-001	R1002230-001	R1002362-008	R1002505-001	R1002665-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

76-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	05/24/2010	06/01/2010	06/07/2010	06/14/2010	06/21/2010	06/28/2010
Laboratory Sample I.D.	R1002783-001	R1002931-008	R1003054-001	R1003196-001	R1003331-001	R1003450-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.40 J	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.30 J	0.38 J

May 11, 2011

IBM Corporation

77-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	07/06/2010	07/12/2010	07/19/2010	07/26/2010	08/02/2010	08/09/2010
Laboratory Sample I.D.	R1003571-008	R1003669-001	R1003841-001	R1003976-001	R1004109-008	R1004288-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.47 J	0.43 J	ND@1.0	0.58 J	0.46 J	0.48 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.28 J	0.25 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.7 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.47 J	0.62 J	0.57 J	0.63 J	0.77 J	0.61 J

May 11, 2011

IBM Corporation

78-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	08/16/2010	08/23/2010	08/30/2010	09/07/2010	09/13/2010	09/20/2010
Laboratory Sample I.D.	R1004427-001	R1004573-001	R1004698-001	R1004824-008	R1004978-001	R1005137-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.63 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.23 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.4 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.58 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

79-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	09/27/2010	10/04/2010	10/11/2010	10/18/2010	10/25/2010	11/01/2010
Laboratory Sample I.D.	R1005303-001	R1005461-006	R1005633-001	R1005812-001	R1005948-001	R1006074-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.40 J	ND@1.0	0.42 J	0.42 J	0.49 J	0.47 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	6.7	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.28 J	0.28 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.31 J	ND@1.0	ND@1.0	0.29 J	0.31 J	ND@1.0

May 11, 2011

IBM Corporation

80-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	11/08/2010	11/15/2010	11/22/2010	11/29/2010	12/06/2010	12/13/2010
Laboratory Sample I.D.	R1006234-001	R1006414-001	R1006557-001	R1006639-001	R1006808-008	R1006979-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.54 J	ND@1.0	1.2	1.1	0.81 J	1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	3.2 J	3.9 J	1.9 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.45 J	ND@1.0	0.45 J	0.41 J	0.44 J	0.59 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	0.23 J	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.32 J	ND@1.0	0.28 J

May 11, 2011

IBM Corporation

81-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	555	555	612	612	612	612
Sample Description	C CARB EFFL	C CARB EFFL	GW/B322 IN	REPLICATE	GW/B322 IN	GW/B322 IN
Sample Date	12/20/2010	12/27/2010	01/06/2010	01/06/2010	02/01/2010	03/05/2010
Laboratory Sample I.D.	R1007147-001	R1007248-001	R1000077-004	R1000077-005	R1000573-011	R1001209-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.89 J	1.2	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.54 J	0.46 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	0.23 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	0.30 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

82-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	612	612	612	612	612	612
Sample Description	REPLICATE	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN
Sample Date	03/05/2010	04/05/2010	05/04/2010	06/01/2010	07/01/2010	08/10/2010
Laboratory Sample I.D.	R1001209-005	R1001774-008	R1002426-004	R1002934-007	R1003516-004	R1004324-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.34 J	0.40 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.46 J	0.55 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

83-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	612	612	612	612	617	617
Sample Description	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN
Sample Date	09/07/2010	10/05/2010	11/01/2010	12/06/2010	01/06/2010	02/01/2010
Laboratory Sample I.D.	R1004827-010	R1005509-004	R1006076-010	R1006800-004	R1000077-006	R1000573-012
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.45 J	0.47 J	0.47 J	0.36 J	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.64 J	0.61 J	0.57 J	0.48 J	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

84-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	617	617	617	617	617	617
Sample Description	GW/B322 IN	GW/B322 IN	REPLICATE	GW/B322 IN	REPLICATE	GW/B322 IN
Sample Date	03/05/2010	04/05/2010	04/05/2010	05/04/2010	05/04/2010	06/01/2010
Laboratory Sample I.D.	R1001209-006	R1001774-009	R1001774-010	R1002426-005	R1002426-006	R1002934-009
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

85-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	617	617	617	617	617	617
Sample Description	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN
Sample Date	07/01/2010	08/10/2010	09/07/2010	10/05/2010	11/01/2010	12/06/2010
Laboratory Sample I.D.	R1003516-005	R1004324-005	R1004827-011	R1005509-005	R1006076-011	R1006800-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.44 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

86-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location		618	618	618	618	618	618
Sample Description		GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN
Sample Date		01/06/2010	02/01/2010	03/05/2010	04/05/2010	05/04/2010	06/01/2010
Laboratory Sample I.D.		R1000077-007	R1000573-013	R1001209-007	R1001774-011	R1002426-007	R1002934-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	1.4	1.1	1.2	1.2	1.4	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

87-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	618	618	618	618	618	618
Sample Description	GW/B322 IN	GW/B322 IN	REPLICATE	GW/B322 IN	REPLICATE	GW/B322 IN
Sample Date	07/01/2010	08/10/2010	08/10/2010	09/07/2010	09/07/2010	10/05/2010
Laboratory Sample I.D.	R1003516-006	R1004324-006	R1004324-007	R1004827-012	R1004827-013	R1005509-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLORO BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	0.76 J	1.0	1.1	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

88-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	618		618		628		628		628		628	
Sample Description	GW/B322 IN		GW/B322 IN		GW/AREA B IN		GW/AREA B IN		REPLICATE		GW/AREA B IN	
Sample Date	11/01/2010		12/06/2010		01/05/2010		02/01/2010		02/01/2010		03/03/2010	
Laboratory Sample I.D.	R1006076-012		R1006800-006		R1000085-005		R1000573-007		R1000573-008		R1001155-009	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	0.98 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.95 J	1.4	1.3	1.3	1.3	1.3	1.3	
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	

May 11, 2011

IBM Corporation

89-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	628	628	628	628	628	628
Sample Description	GW/AREA B IN	GW/AREA B IN	REPLICATE	GW/AREA B IN	GW/AREA B IN	GW/AREA B IN
Sample Date	04/05/2010	05/03/2010	05/03/2010	06/01/2010	07/01/2010	08/09/2010
Laboratory Sample I.D.	R1001774-004	R1002359-009	R1002359-010	R1002934-004	R1003516-010	R1004290-005
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.2	0.75 J	0.57 J	0.51 J	0.67 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

90-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	628	628	628	628	628	628A
Sample Description	GW/AREA B IN	GW/AREA B IN	GW/AREA B IN	REPLICATE	GW/AREA B IN	AREA B EFFL
Sample Date	09/07/2010	10/04/2010	11/01/2010	11/01/2010	12/01/2010	01/05/2010
Laboratory Sample I.D.	R1004827-015	R1005448-009	R1006076-014	R1006076-015	R1006710-010	R1000085-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	2.2	3.7	0.68 J	0.63 J	0.61 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

91-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	628A		628A		628A		628A		628A		
Sample Description	AREA B EFFL		AREA B EFFL		AREA B EFFL		AREA B EFFL		AREA B EFFL		
Sample Date	02/01/2010		03/03/2010		04/05/2010		05/03/2010		06/01/2010		
Laboratory Sample I.D.	R1000573-009		R1001155-010		R1001774-005		R1002359-011		R1002934-005		
Sample Comment Codes											
Parameter	Units										
Base/Neutral Extractables											
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics											
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

92-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	628A		628A		628A		628A		628B	
Sample Description	AREA B EFFL		AREA B EFFL		AREA B EFFL		AREA B EFFL		AREA B/GAC	
Sample Date	08/09/2010		09/07/2010		10/04/2010		11/01/2010		12/01/2010	
Laboratory Sample I.D.	R1004290-006		R1004827-016		R1005448-010		R1006076-016		R1006710-012	
Sample Comment Codes										
Parameter	Units									
Base/Neutral Extractables										
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics										
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

93-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Sample Location	628B		628B		628B		628B		628B		
Sample Description	AREA B/GAC		AREA B/GAC		AREA B/GAC		AREA B/GAC		AREA B/GAC		
Sample Date	02/01/2010		03/03/2010		04/05/2010		05/03/2010		06/01/2010		
Laboratory Sample I.D.	R1000573-010		R1001155-011		R1001774-006		R1002359-012		R1002934-006		
Sample Comment Codes											
Parameter	Units										
Base/Neutral Extractables											
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
Volatile Organics											
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0	
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	

May 11, 2011

IBM Corporation

94-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics

January 1, 2010 - December 31, 2010

Sample Location	628B	628B	628B	628B	628B
Sample Description	AREA B/GAC	AREA B/GAC	AREA B/GAC	AREA B/GAC	AREA B/GAC
Sample Date	08/09/2010	09/07/2010	10/04/2010	11/01/2010	12/01/2010
Laboratory Sample I.D.	R1004290-007	R1004827-017	R1005448-011	R1006076-017	R1006710-011
Sample Comment Codes					

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

May 11, 2011

IBM Corporation

95-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2010 - December 31, 2010

Sample Location	395	395	395	395	395	395
Sample Description	B/384 SUMP	B/384 SUMP	B/384 SUMP	B/384 SUMP	B/384 SUMP	B/384 SUMP
Sample Date	01/04/2010	02/01/2010	03/04/2010	04/01/2010	05/04/2010	06/08/2010
Laboratory Sample I.D.	R1000019-014	R1000573-004	R1001189-001	R1001751-005	R1002427-003	R1003101-001
Sample Comment Codes						

Parameter	Units						
Inorganics							
FLUORIDE	mg/l	1.06	0.90	0.67	0.59	0.62	0.88
Metals							
CHROMIUM, DISSOLVED	mg/l	0.0007 J	0.0007 J	0.0006 J	0.0016	0.0008 J	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0065 J	0.0021	0.0021	0.0018	0.0011	ND@0.0010

May 12, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2010 - December 31, 2010

Sample Location	395	395	395	395	395	395
Sample Description	REPLICATE	B/384 SUMP	B/384 SUMP	B/384 SUMP	B/384 SUMP	REPLICATE
Sample Date	06/08/2010	07/12/2010	08/10/2010	09/08/2010	10/07/2010	10/07/2010
Laboratory Sample I.D.	R1003100-005	R1003673-004	R1004324-011	R1004881-004	R1005581-004	R1005582-002
Sample Comment Codes						

Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.87	1.18	1.43	1.30	1.09	1.10
Metals							
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	0.0010 J	0.001 J	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	0.0013	0.0032	0.0020	0.0026	0.0026

May 12, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2010 - December 31, 2010

Sample Location	395	395	395
Sample Description	B/384 SUMP	B/384 SUMP	REPLICATE
Sample Date	11/02/2010	12/07/2010	12/07/2010
Laboratory Sample I.D.	R1006111-002	R1006840-008	R1006840-009
Sample Comment Codes			

Parameter	Units			
Inorganics				
FLUORIDE	mg/l	1.96	1.10	1.10
Metals				
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.180	0.0012	ND@0.0010

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

IBM East Fishkill Facility
Well 032A Replacement Sampling - Groundwater Treatment Inorganics
January 1, 2010 - December 31, 2010

Sample Location	032A
Sample Description	GROUNDWATER
Sample Date	09/27/2010
Laboratory Sample I.D.	R1005321-001
Sample Comment Codes	

Parameter	Units	
Inorganics		
FLUORIDE	mg/l	0.15

IBM East Fishkill Facility
Well 032A Replacement Sampling - Groundwater Treatment Inorganics
January 1, 2010 - December 31, 2010

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

IBM Corporation