



*Hudson Valley Research Park
2070 Route 52
Hopewell Junction, NY 12533-3507
S. C. Hawkins, Z/325*

November 28, 2011

Director, Remedial Bureau C
Division of Environmental Remediation
New York State Department of Environmental Conservation
625 Broadway
Albany, New York 12233-7014

Subject: 2011 Semiannual Data Summary Report

Reference: IBM East Fishkill Corrective Action Program
IBM East Fishkill Facility
Hopewell Junction, New York
NYSDEC Part 373 Permit 3-1323-0025-00249-0
EPA ID No. NYD000707901

Dear Director, Remedial Bureau C:

In accordance with the provisions of the Module IX – General Ground Water Monitoring Conditions, Section H, Item 2 of the initial referenced permit, issued in 1995, enclosed please find the following document for your review:

*2011 Semiannual Data Summary Report
IBM Corporation
Hopewell Junction, New York*


This will be the last semiannual data summary report submitted pursuant to Module IX.H.2 of the initial Part 373 Permit. The renewed Part 373 Permit was issued on 11/02/11. Per Module IX.H of the renewed permit, a semiannual data summary report is not required and IBM will submit a Groundwater Monitoring Status Report annually on June 1st of each year.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate

and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Please contact Jackie Braungart at (845)892-1672 if you have any questions or require further information.

Sincerely,
International Business Machines Corporation



Steven C. Hawkins, Manager
Environmental Engineering

- c: A. Czuhanych, NYSDEC (with enclosure and electronic copy)
NYSDEC Region 3, Regional Remediation Engineer (electronic copy)
NYSDEC, Supervisor RCRA Permitting Section (electronic copy)
R. Schatz, ESDC (without enclosure)
USEPA Region 2, Chief RCRA Programs Branch (electronic copy)
H. Wilkie, NYSDEC (electronic copy)



2011 Semiannual Data Summary Report

Prepared for:

**IBM Corporation
Hopewell Junction, New York**

November 28, 2011

Prepared by:

**IBM Environmental Engineering
Hudson Valley Research Park
Hopewell Junction, New York 12533**

Groundwater Sciences Corporation

**2601 Market Place Street, Suite 310
Harrisburg, PA 17110**

**560 Route 52, Suite 202
Beacon, NY 12508**

**1108 Vestal Parkway East, Suite 2
Vestal, NY 13850**

Table of Figures

Figure 1-1 Site Location Map

Table of Appendices

Appendix A	Well Specifications and Lists
	Table A-1: Hydraulic Effectiveness Monitoring Wells
	Table A-2: Well Specifications, Corrective Action Performance Monitoring Network
	Table A-3: Sampling Schedule, Corrective Action Performance Monitoring Network
Appendix B	Quarterly Groundwater Elevation Data, January 1, 2011 to June 30, 2011
Appendix C	Sampling Field Log Database (January - June 2011)
	Field Parameters Database (January - June 2011)
	Table of Meteorological Data (January - June 2011)
Appendix D	Groundwater Analytical Data (Organics): January 1, 2011 to June 30, 2011
	Groundwater Analytical Data (Inorganics): January 1, 2011 to June 30, 2011
	Groundwater Analytical Data (Organics): Shutdown Sampling Non-CAM Wells
	Groundwater Analytical Data (Organics): B/330D Investigation
Appendix E	Production Well Analytical Data (Organics): January 1, 2011 to June 30, 2011
	Production Well Analytical Data (Inorganics): January 1, 2011 to June 30, 2011
Appendix F	Quality Assurance/Quality Control Analytical Data: January 1, 2011 to June 30, 2011
Appendix G	Groundwater Treatment Analytical Data (Organics): January 1, 2011 to June 30, 2011
	Groundwater Treatment Analytical Data (Inorganics): January 1, 2011 to June 30, 2011

Table of Plates

Plate 1 Groundwater Monitoring Plan - Well Location Map


Cross-Reference for Semiannual Reporting Requirements IBM East Fishkill Facility			
Semiannual Reporting Requirement	Part 373 Permit Module Reference	Groundwater Monitoring Plan Reference	Semiannual Report Reference
Monitoring well survey data	IX.H(1)(c)	Section 3.2	Table A-1
Well Specifications: Physical well data Reference elevations Baseline well bottom elevation	IX.C.5(a),(b),(c)	Table 7-1	Table A-2
Quarterly groundwater elevation data	IX.H(1)(b) IX.C.5(d),(e) III.E.17(c)(1)(vi)	Section 3.2 Table 7-1	Appendix B
Sampling log book/database: Purging and sampling data	IX.C.5	Section 2.2.5.1 Table 7-1	Appendix C
Field parameters (pH, spec. cond., temperature)	IX.H(1)(a) IX.C.5(j)	Section 2.2.4.4 Table 7-1	Appendix C
Daily meteorological data	IX.C.5(n)	Section 7.1	Appendix C
Groundwater analytical data	IX.H(1)(a) III.E.17(c)(1)	Section 3.2 Table 7-1	Appendices D and E
QA/QC analytical data: Duplicates	IX.H(1)(a)	Section 3.2	Appendices D and E
QA/QC analytical data: trip and equipment rinse blanks	IX.H(1)(a)	Table 7-1	Appendix F
Groundwater treatment data	III.E.17(c)(1)(ii)	Table 7-1	Appendix G

NARRATIVE

The data presented in this report represent the revisions to the Groundwater Monitoring Plan (GMP) that were requested in May 2003 and subsequently approved by the New York State Department of Environmental Conservation (NYSDEC) in August 2003. The following issues are relevant to the data contained in this semiannual report and will also be discussed in the 2011 Annual Report.

All monitoring and production wells included in the GMP were sampled for all required parameters during the first and second quarters of 2011 with the following exception:

1. Field parameters could not be collected at well 108 because of poor well recovery after purging.
2. There are no June sample results for Central Carbon System (CCS) train 1 between the lead and the lag bed (location 511). The sample vials were broken in the lab.




Portion of the Hopewell Junction, NY
7.5-minute USGS Quadrangle
(1957, Photorevised 1981)

Figure 1-1




Site Location Map



GROUNDWATER SCIENCES CORPORATION

95007-044-A5 / 11-08-10



Appendix A

Table A-1: Hydraulic Effectiveness Monitoring Wells

**Table A-2: Well Specifications for the
Corrective Action Performance Monitoring Network**

**Table A-3: Sampling Schedule for the
Corrective Action Performance Monitoring Network**

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
002	275.39	8518.014	4537.868
003	275.32	8515.747	4538.284
005	255.16	7772.055	6134.484
006	254.38	7764.886	6126.095
007	257.35	7592.128	5547.170
008	265.29	8072.229	5042.508
009	265.35	8067.344	5043.589
010	270.76	8076.990	4661.237
011	266.47	7831.768	4697.559
013	263.26	7630.268	4904.651
014	262.60	7626.342	4906.258
015	262.86	7622.508	4907.920
016	254.91	7140.621	5083.247
017	254.31	7133.611	5089.249
018	257.78	7150.694	4924.310
019	257.70	7155.420	4922.857
020	250.88	6920.006	5024.650
022	250.88	6916.125	5015.190
027	260.24	7204.062	3450.750
028	259.22	7244.167	3358.706
030	232.87	7531.247	2282.942
032A	230.00	6707.600	2690.000
035	249.53	6773.709	3152.987
038	250.61	6320.836	4765.408
039	249.87	6322.183	4769.064
044	267.36	6897.844	5984.595
046	267.59	6649.354	6428.358
048	264.31	5756.458	6897.932
049	266.41	5256.598	6835.595
050	264.51	5251.734	6838.602
053	266.58	4965.757	6073.504
054	264.57	4696.491	5978.780
059	235.94	4833.049	3997.592
060	235.68	4828.527	4000.564
061	244.66	4136.068	4504.733
062	250.13	4322.084	5469.567
063	250.25	4320.995	5467.872
064	259.23	7040.533	6596.366
065	258.76	7055.103	6595.751
066	229.84	6987.994	2265.582
067	234.42	6463.455	2607.405

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
068	233.85	6253.894	2982.574
069	253.69	4482.364	6084.653
075	259.51	7366.983	3317.645
085	276.34	9058.705	5844.268
086	276.34	9058.705	5844.268
087	256.00	7832.757	6082.700
088	256.00	7832.757	6082.700
091	264.37	4806.212	7610.031
092	264.37	4806.212	7610.031
096	275.48	8066.420	5550.380
097	277.69	8070.910	5548.480
098	277.69	8070.910	5548.480
100	267.09	8383.665	4803.894
101	267.09	8384.262	4808.809
102	267.09	8384.262	4808.809
103	257.59	7422.942	5337.874
104	257.59	7422.942	5337.874
105	257.74	7426.962	5342.224
106	257.74	7426.962	5342.224
108	255.45	6742.206	5806.444
109	255.45	6742.206	5806.444
112	269.38	4285.998	7014.122
113	269.01	4227.305	7004.293
114	269.01	4227.305	7004.293
118	263.06	7579.473	4816.285
121	263.18	8015.845	3544.898
122	263.18	8015.845	3544.898
129	252.37	6282.508	4651.089
130	252.37	6282.508	4651.089
143	251.08	4709.770	4756.370
145	253.90	4301.093	5498.184
146	253.90	4301.093	5498.184
147	234.55	7663.575	2397.319
150	234.78	7659.624	2386.796
151	241.06	6279.506	3076.270
156	242.58	5003.112	3793.197
157	243.09	5009.063	3786.807
158	245.05	4084.387	4549.216
161	259.63	7206.137	3378.741
164	273.99	6299.089	7593.114
165	273.99	6299.089	7593.114

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
166	254.58	7422.875	6512.986
167	254.58	7422.875	6512.986
168	265.12	6794.614	6318.692
169	265.12	6794.614	6318.692
170	229.55	6965.743	2292.464
178	267.22	5685.196	5758.662
180	248.31	5035.183	5203.440
181	248.88	4988.890	5242.059
182	236.11	5859.220	2687.226
183	236.11	5859.220	2687.226
185	237.04	6481.471	2316.242
186	237.04	6481.471	2316.242
191	229.18	7123.366	1981.277
192	229.18	7123.366	1981.277
200	266.77	7694.652	4014.447
204	252.79	6694.859	4521.394
224	256.86	6741.816	3477.018
226	233.54	6151.658	3101.790
227	233.08	6144.019	3108.542
400	241.81	6939.843	1437.518
401	242.22	6935.937	1437.490
402	248.66	6315.556	1611.175
403	249.39	5909.759	1848.452
404	248.45	5905.340	1856.890
406	345.32	3941.228	1823.333
407	345.71	3941.830	1834.730
408	244.69	3862.518	206.405
409	243.46	3864.774	184.014
410	250.32	4762.902	-312.676
411	250.37	4767.536	-313.979
412	250.45	4766.660	-316.950
413	249.72	4786.574	-324.033
414	265.28	5214.821	465.867
415	265.73	5224.890	461.160
416	252.61	5985.020	129.180
417	253.31	5947.150	144.346
418	253.40	5938.351	149.519
421	281.02	4083.600	1055.200
422	276.75	4039.800	783.400
423	274.54	4124.489	723.976
424	274.95	4200.401	623.235

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
500	259.89	7545.320	6326.260
501	257.76	7580.570	6317.010
502	259.26	6219.330	7079.510
503	259.88	6183.280	7102.810
504	259.88	6087.120	7153.830
505	259.90	6087.120	7153.830
506	263.85	6010.120	7146.450
507	262.80	6014.130	7163.870
508	262.80	6014.130	7163.870
509	265.32	5912.440	7234.330
510	263.31	5808.400	7224.900
511	263.70	5812.890	7254.280
512	260.94	5734.740	7337.260
513	261.91	5717.960	7357.420
514	261.45	5488.000	7183.300
515	260.81	5486.400	7170.800
516	262.73	5428.830	7424.550
517	262.58	5445.700	7419.710
518	262.58	5445.700	7419.710
519	264.51	5182.090	7626.300
520	262.28	6648.150	6936.870
521	262.24	6688.820	6912.930
522	262.45	6713.370	6899.050
523	273.28	6108.470	8049.880
524	272.91	6095.860	7992.490
525	273.08	6106.720	8040.160
526	271.25	4797.560	7658.790
527	270.38	4770.130	7620.990
528	270.54	4773.360	7625.630
529	270.54	4773.360	7625.630
530	265.25	4538.130	7213.110
531	266.10	4549.280	7245.530
532	266.10	4549.280	7245.530
533	266.56	4566.230	7019.720
534	266.25	4548.820	7051.260
535	266.34	4555.640	7037.660
536	269.12	5346.300	6788.300
537	268.97	5324.500	6780.240
538	268.97	5324.500	6780.240
539	270.44	5478.760	6773.550
541	279.98	5711.500	6793.650

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
542	279.98	5711.500	6793.650
543	263.07	5956.040	6877.880
544	265.72	5988.650	6843.350
545	264.96	6143.040	6928.740
546	266.92	6098.760	6897.090
547	266.11	6140.200	6908.280
548	261.84	5796.160	6945.380
549	262.09	5833.700	6918.700
550	262.09	5833.700	6918.700
551	267.54	5648.190	6900.200
553	267.42	5510.740	6953.610
554	267.31	5525.200	6942.580
556	266.76	5382.290	6916.300
557	268.22	5304.090	6831.390
558	284.02	5270.310	6223.150
559	282.75	5251.530	6221.420
560	282.73	5251.530	6221.420
561	296.33	5445.380	6239.200
562	285.63	5584.350	6294.510
563	285.63	5584.350	6294.510
564	289.59	5835.500	6318.800
565	285.69	6081.080	6428.040
566	285.69	6081.080	6428.040
567	266.64	6656.400	6502.600
568	279.50	6487.650	6526.560
569	279.99	6491.880	6539.820
570	279.99	6491.880	6539.820
571	286.39	6274.080	6265.500
572	251.13	4806.400	5115.400
574	269.09	5547.400	5776.000
576	265.95	5657.000	5807.900
577	230.42	7043.390	2387.000
578	272.35	8432.860	4112.480
579	247.54	6219.930	3828.970
580	258.99	6538.850	4344.560
581	267.23	8381.000	4797.100
600	265.91	5838.318	5989.885
601	266.04	5833.206	5987.980
602	253.38	4841.290	5230.675
603	252.54	4493.647	5141.553
604	252.66	4497.252	5144.622

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
605	253.01	4931.463	4777.329
606	253.27	6115.035	5326.621
607	253.77	5020.203	5360.277
608	255.51	5688.197	5270.023
609	249.18	6188.755	5261.662
610	250.87	5562.575	4953.575
611	244.23	5432.960	4432.190
612	249.89	6407.200	3337.800
613	249.02	6445.900	3265.700
614	230.29	6719.000	2684.000
615	230.82	6710.600	2688.600
616	231.14	6692.800	2698.500
617	248.91	6410.800	3250.200
618	239.17	6276.600	3011.900
619	267.00	6635.600	6432.000
620	259.27	7232.300	3381.700
621	255.80	6776.700	4356.100
622	268.08	5752.000	5510.200
623	246.74	5719.497	4864.655
624	246.31	5592.540	4175.380
626	304.58	5357.900	7953.800
627	262.88	6925.360	4251.830
700	248.79	7121.200	5605.400
701	248.83	7124.900	5603.600
702	255.09	7252.100	5584.800
703	254.89	7255.900	5582.500
704	255.00	7239.500	5591.700
705	259.94	7651.700	5262.600
706	259.92	7649.400	5260.000
707	260.94	7722.600	5252.000
708	260.83	7727.700	5249.900
709	263.98	8017.500	5015.800
710	263.93	7996.700	5047.200
711	263.69	8023.400	5014.200
712	265.48	8180.400	4989.600
714	266.26	8063.100	4772.200
716	272.14	7964.440	4457.970
717	277.47	8063.080	5531.360
718	278.69	8048.650	5496.710
719	279.03	8076.750	5467.890
720	275.43	8012.780	5463.900

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
721	259.92	8290.600	5327.000
722	260.15	8294.500	5330.900
723	269.98	8653.200	5304.700
724	269.70	8649.400	5298.500
725	263.25	8775.600	5647.800
726	262.93	8769.300	5650.200
727	263.49	8779.800	5645.200
728	259.64	8454.300	5785.900
729	260.29	8480.800	5776.200
730	259.41	8448.000	5788.100
732	265.17	7294.800	4520.600
734	261.79	7004.400	4656.100
735	261.06	6828.700	4210.900
737	261.20	6824.500	4211.700
739	261.35	7240.400	3863.800
740	260.62	6685.900	3852.800
742	260.46	6687.600	3858.300
743	261.06	7234.500	3862.800
744	254.46	7887.200	5717.200
745	254.47	7890.300	5716.300
746	254.05	7731.800	5780.900
747	263.77	8480.700	5057.300
748	267.95	8152.000	4774.100
749	263.16	8484.600	5544.700
750	257.15	8325.200	5779.300
751	254.24	6760.000	4728.100
752	260.87	6913.000	4791.600
753	248.38	6755.800	5125.000
754	249.19	6587.200	3187.000
755	238.91	6392.400	3029.900
756	252.61	5000.100	5501.900
757	234.36	6678.800	2706.900
758	260.71	7896.780	5188.710
759	261.20	7893.170	5179.772
760	261.07	7897.478	4995.327
761	264.13	8271.640	5101.240
763	268.68	8252.690	4640.574
766	258.99	6501.571	3979.481
767	252.63	6362.949	3914.225
768	253.31	6506.100	3763.540
769	256.86	6569.128	3624.668

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
770	252.45	6469.710	3671.010
771	252.32	6466.790	3664.890
772	241.83	6208.100	3561.150
773	248.26	6417.860	3323.160
774	244.92	6089.045	3305.752
775	244.65	5886.936	3333.238
776	272.19	8431.465	4148.300
777	276.03	8555.239	4540.041
779	263.34	8113.332	3177.082
782	241.89	6868.581	2812.497
783	242.98	4995.956	3803.820
789	242.66	5542.741	3561.687
791	243.35	5736.641	3395.917
792	243.01	5913.540	3607.460
793	248.89	6174.694	3830.274
799	242.83	4995.150	3809.957
816	263.53	7821.917	4858.527
818	263.58	7728.867	4846.227
819	266.09	7683.873	4739.418
820	263.17	7587.709	4815.166
821	259.25	7595.669	4883.064
822	259.69	7611.786	4925.902
823	262.89	7546.746	5030.185
824	263.17	7533.202	4998.828
826	266.23	7787.289	4717.390
827	266.28	7838.292	4706.758
830	268.16	6631.393	6507.576
831	268.16	6631.393	6507.576
832	281.62	6446.260	6390.277
833	281.62	6446.260	6390.277
835	287.32	5732.456	6298.291
836	287.32	5732.456	6298.291
837	286.45	5650.743	6266.199
838	268.43	5053.607	6148.528
839	235.12	6671.416	2869.429
855	274.71	5839.970	8554.478
856	274.25	5824.081	8548.398
857	262.41	6655.420	6927.500
858	260.85	6639.380	6938.800
859	262.80	7312.421	7300.249
860	262.83	7298.574	7298.820

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
861	267.06	7826.369	7016.729
862	266.13	7816.150	7025.670
863	266.77	6658.536	6436.742
864	263.22	7793.411	4822.753
895	262.21	5420.504	7427.220
896	262.04	5414.132	7431.928
897	270.06	4934.338	6682.141
898	270.12	4928.359	6679.239
899	303.02	5649.460	6555.720
900	302.69	5658.950	6554.370
902	259.14	6196.074	7092.091
903	258.99	6231.299	7073.207
910	271.16	8404.686	5263.731
921	262.48	5383.703	5909.176
922	262.71	5370.449	5919.909
923	262.76	5366.539	5900.128
924	262.83	5382.716	5890.598
928	252.16	4924.716	5240.517
929	252.16	4924.716	5240.517
930	251.84	4664.774	5357.051
931	252.10	4697.190	5340.540
932	267.11	4950.680	6078.512
934	250.21	6719.264	4854.781
935	254.14	4921.320	5488.640
936	254.14	4921.320	5488.640
941	254.52	5331.321	5137.291
943	254.23	4481.165	6103.694
944	254.11	4488.497	6097.271
946	249.87	6172.939	3845.249
947	249.44	6176.877	3837.508
948	249.98	6170.128	3845.793
949	248.46	6194.257	3939.047
952	245.34	5869.760	3631.250
953	251.77	5090.590	4671.000
954	268.20	5627.761	5859.991
955	268.20	5631.698	5865.731
956	268.23	5636.339	5872.566
957	268.28	5640.382	5878.574
958	266.66	4786.231	7605.657
959	251.45	5923.400	4432.322
960	251.40	5938.559	4428.870

Table A-1
Hydraulic Effectiveness Monitoring Wells

Well	M.P. Elev. (ft amsl)	Coordinates	
		Northing	Easting
962	271.82	8425.917	4187.017
963	264.55	6001.330	7144.318
964	264.55	6001.330	7144.318
965	255.40	6056.588	5582.108
966	255.28	6064.807	5592.027
968	271.29	5257.910	5484.861
976	234.73	7274.448	2489.640
980	260.46	7292.800	5019.300
983	305.52	5459.845	6315.578
984	305.45	5459.845	6315.578
985	304.86	5466.675	6322.653
986	304.70	5466.675	6322.653
987	260.20	6384.320	6988.373
988	260.56	6379.532	6995.451
989	260.57	6379.532	6995.451
990	260.08	6361.989	6999.717
991	260.10	6355.954	7002.989
992	260.12	6355.954	7002.989
993	264.50	7465.500	4029.200
994	264.32	7274.400	4052.900
997	257.11	7710.200	5463.800
998	258.02	7789.600	5428.600
999	257.25	7794.100	5426.400

Key:

M.P. = Measuring Point

ft amsl = feet above mean sea level

All coordinates in feet relative to site grid

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
007	257.35	48.1	209.3	2.00	10.0	11/07/1979	Area A	NA
010	270.76	53.8	217.0	2.00	15.0	04/16/1979	Area A	Source
015	262.86	28.3	234.6	2.00	20.0	04/05/1979	Area A	Source
016	254.91	51.1	203.8	4.00	10.0	10/03/1979	Area A	D
032A	230.00	22.0	208.0	4.00	10.0	01/14/1998	Area D	Source
035	249.53	28.5	221.0	4.00	20.0	03/24/1979	B/322	S
046	267.59	19.2	248.4	4.00	10.0	11/07/1979	Area B	Source
048	264.31	15.7	248.6	4.00	5.0	11/01/1979	SEQ	Source
053	266.58	38.7	227.9	2.00	15.0	03/02/1979	Landfill	D
054	264.57	28.5	236.1	4.00	10.0	11/06/1979	Landfill	D
059	235.94	17.4	218.5	4.00	10.0	11/01/1979	B/330	U/S
060	235.68	46.4	189.3	4.00	10.0	11/01/1979	B/330	U/S
061	244.66	29.4	215.3	4.00	20.0	03/29/1979	B/330	U/S
063	250.25	54.7	195.6	2.00	10.0	11/13/1979	B/330	U/S
064	259.23	18.2	241.0	4.00	10.0	03/10/1980	Area B	D
065	258.76	43.5	215.3	4.00	10.0	03/18/1980	Area B	D
066	229.84	11.0	218.8	4.00	5.0	03/11/1980	Area D	U
067	234.42	14.7	219.7	2.00	10.0	03/11/1980	Area D	U
068	233.85	23.1	210.8	4.00	15.0	03/19/1980	B/322	D
069	253.69	15.5	238.2	4.00	5.0	03/24/1980	Landfill	S
085	276.34	123.0	153.3	2.00	3.0	12/10/1980	BR	NA
087	256.00	109.7	146.3	2.00	5.0	12/02/1980	BR	NA
103	257.59	14.6	243.0	2.00	1.0	11/21/1980	Area A	D
104	257.59	32.2	225.4	2.00	1.0	11/21/1980	Area A	D
105	257.74	105.4	152.3	2.00	3.0	12/01/1980	BR	NA
106	257.74	150.2	107.5	2.00	5.0	12/01/1980	BR	NA
108	255.45	104.7	150.8	2.00	3.0	12/04/1980	BR	NA
109	255.45	162.6	92.9	2.00	3.0	12/04/1980	BR	NA
113	269.01	110.6	158.4	2.00	5.0	01/14/1981	BR	NA
118	263.06	153.5	109.6	2.00	5.0	12/20/1980	Area A	Source
143	251.08	145.9	105.2	2.00	3.0	12/09/1980	B/330+BR	U
145	253.90	92.2	161.7	2.00	5.0	01/20/1981	B/330+BR	U
146	253.90	147.7	106.2	2.00	5.0	01/20/1981	B/330+BR	U
150	234.78	128.8	106.0	2.00	1.0	11/18/1980	BR	NA
151	241.06	18.4	222.7	2.00	1.0	11/17/1980	B/322	D
156	242.58	86.8	155.8	2.00	3.0	12/05/1980	BR	NA
161	259.63	17.6	242.0	2.00	1.0	04/20/1981	B/322	U
166	254.58	97.4	157.2	2.00	3.0	04/21/1981	BR	NA
167	254.58	148.1	106.5	2.00	3.0	04/21/1981	BR	NA
178	267.22	26.2	241.0	2.00	5.0	04/22/1981	B/330	D
181	248.88	18.1	230.8	4.00	5.0	04/26/1981	B/330	Source
204	252.79	12.9	239.9	2.00	10.0	06/14/1991	Area A	U(B/322), D(AA)
400	241.81	13.6	228.2	4.00	3.0	06/23/1984	WC	NA
401	242.22	97.7	144.5	4.00	10.0	07/01/1984	WC	NA
402	248.66	105.9	142.8	4.00	20.0	05/25/1984	WC	NA
403	249.39	24.9	224.5	4.00	5.0	06/25/1984	WC	NA
404	248.45	126.1	122.4	4.00	10.0	07/18/1984	WC	NA
407	345.71	241.2	104.5	4.00	10.0	07/11/1984	WC	NA
408	244.69	18.6	226.1	4.00	6.0	06/25/1984	WC	NA
410	250.32	18.0	232.3	4.00	3.0	06/24/1984	WC	NA
412	250.45	95.9	154.5	4.00	10.0	06/24/1984	WC	NA

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
415	265.73	168.1	97.6	4.00	10.0	06/21/1984	WC	NA
416	252.61	25.3	227.3	4.00	10.0	06/21/1984	WC	NA
417	253.31	96.7	156.6	4.00	10.0	06/24/1984	WC	NA
423	274.54	23.3	251.2	4.00	15.0	10/26/1990	WC	NA
424	274.95	24.6	250.4	4.00	15.0	10/25/1990	WC	NA
502	259.73	35.9	223.8	2.00	10.0	12/23/1986	SEQ	D
503	259.88	51.5	208.4	6.00	OPEN HOLE	01/09/1987	SEQ	D
515	260.81	157.5	103.3	2.00	20.0	04/23/1987	BR	NA
520	262.28	24.8	237.5	2.00	10.0	12/11/1986	SEQ	D
521	262.24	34.9	227.3	2.00	5.0	03/17/1987	BR	D
535	266.34	118.0	148.3	2.00	5.0	04/29/1987	BR	NA
543	263.07	13.1	250.0	2.00	5.0	01/20/1987	SEQ	D
545	264.96	29.8	235.2	2.00	20.5	01/17/1987	SEQ	D
559	282.75	83.5	199.3	2.00	10.0	05/05/1987	Landfill	Source
561	296.33	38.3	258.0	2.00	4.0	04/22/1987	Landfill	Source
563	285.63	130.0	155.6	2.00	15.0	04/28/1987	Landfill+BR	U
564	289.59	94.5	195.1	2.00	5.0	04/21/1987	BR	NA
571	286.39	15.0	271.4	2.00	4.0	03/17/1987	Area B	U
572	251.13	16.6	234.5	2.00	5.0	04/13/1989	B/330	Source
574	269.09	32.6	236.5	2.00	5.0	10/19/1989	B/330	Source
576	265.95	19.9	246.1	2.00	5.0	12/17/1991	B/330	Source
577	230.42	223.3	7.1	2.00	20.0	12/22/1994	BR	NA
578	272.35	200.1	72.2	2.00	20.0	02/24/1995	BR	NA
579	247.54	254.2	-6.7	2.00	20.0	04/06/1995	B/322+BR	NA
580	258.99	19.2	239.8	2.00	10.0	03/31/1995	B/322	U
581	267.23	28.9	238.3	2.00	5.0	06/20/1996	Area A	U
600	265.91	19.9	246.0	2.00	10.0	11/01/1996	B/330	U/S
601	266.04	137.7	128.3	2.00	5.0	10/16/1996	B/330	S
602	253.38	22.5	230.9	2.00	10.0	10/30/1996	B/330	S
603	252.54	26.0	226.5	2.00	10.0	10/31/1996	B/330	U
604	252.66	139.4	113.3	2.00	10.0	10/18/1996	B/330	U
607	253.77	118.9	134.9	2.00	20.0	12/06/1996	B/330+BR	Source
608	255.51	62.5	193.0	2.00	10.0	12/09/1996	B/330+BR	D
609	249.18	235.3	13.9	2.00	10.0	12/13/1996	B/330+BR	D
610	250.87	180.6	70.3	2.00	20.0	12/20/1996	B/330+BR	D/S
611	244.23	216.6	27.6	2.00	20.0	01/30/1997	B/330+BR	D/S
612	249.89	33.4	216.5	4.00	15.2	12/02/1997	B/322	D
613	249.02	33.6	215.4	4.00	15.2	12/03/1997	B/322	D
617	248.91	40.4	208.5	4.00	15.0	08/12/1998	B/322	D
618	239.17	32.5	206.7	4.00	15.0	08/11/1998	B/322	D
622	268.08	218.3	49.8	2.00	20.1	02/10/1999	B/330+BR	D
623	246.01	338.7	-92.7	2.00	15.0	02/26/1999	B/330+BR	D
624	246.31	364.0	-117.7	2.00	10.0	03/12/1999	B/330+BR	D
627	262.88	18.7	244.2	2.00	10.0	04/17/2000	B/322	U(B/322), D(AA)
628	267.42	64.2	203.2	4.00	40.0	04/12/2001	Area B	Source
701	248.83	20.0	228.8	2.00	5.0	12/04/1986	Area A	D
702	255.09	17.7	237.4	2.00	5.0	12/05/1986	Area A	D
704	255.00	347.0	-92.0	6.00	OPEN HOLE	12/04/1986	BR	NA
706	259.92	45.4	214.5	2.00	10.0	11/22/1986	Area A	D
711	263.69	349.3	-85.6	6.00	OPEN HOLE	10/15/1986	BR	NA
714	266.26	37.4	228.9	2.00	10.0	11/28/1986	Area A	Source

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
716	272.14	171.2	100.9	4.00	20.0	10/20/1986	BR	NA
720	275.43	53.1	222.4	2.00	22.5	01/07/1987	Area A	U
722	260.15	350.6	-90.5	6.00	OPEN HOLE	10/03/1986	BR	NA
735	261.06	25.5	235.6	2.00	10.0	12/11/1986	B/322	Source
739	261.35	214.4	47.0	4.00	40.0	10/26/1986	BR	NA
740	260.62	25.3	235.3	2.00	10.0	12/06/1986	B/322	D
742	260.46	221.6	38.9	4.00	80.0	10/30/1986	B/322+BR	NA
743	261.06	19.5	241.6	2.00	10.0	05/09/1987	B/322	U/S
744	254.46	28.7	225.8	2.00	5.0	08/18/1987	Area A	U
745	254.47	14.4	240.1	2.00	5.0	08/19/1987	Area A	U
751	254.24	13.4	240.8	4.00	6.0	07/23/1987	Area A	D
753	248.38	13.1	235.3	4.00	3.6	07/27/1987	Area A	D
754	249.19	22.8	226.4	4.00	15.0	07/17/1987	B/322	D/S
755	238.91	23.2	215.7	4.00	16.0	07/17/1987	B/322	D/S
756	252.61	20.0	232.6	4.00	12.0	07/09/1987	B/330	D
757	234.36	20.3	214.1	2.00	10.0	09/25/1987	Area D	Source
761	264.13	32.6	231.5	2.00	10.0	11/09/1990	Area A	U
763	268.68	49.7	219.0	2.00	5.0	10/12/1990	Area A	U
766	258.99	25.6	233.4	2.00	5.0	10/24/1990	B/322	Source
767	252.63	18.8	233.8	2.00	10.0	11/20/1990	B/322	Source
768	253.31	22.8	230.5	2.00	10.0	10/19/1990	B/322	D
769	256.86	26.9	230.0	2.00	10.0	10/22/1990	B/322	D
771	252.32	18.7	233.6	2.00	5.0	10/18/1990	B/322	D
772	241.83	18.8	223.0	2.00	10.0	11/20/1990	B/322	D
773	248.26	28.9	219.4	2.00	10.0	11/19/1990	B/322	D
774	244.92	30.1	214.8	2.00	10.0	10/23/1990	B/322	D
775	244.65	30.4	214.3	2.00	10.0	11/16/1990	B/322	D
777	276.03	130.5	145.5	2.00	10.0	12/21/1990	BR	NA
779	263.34	233.0	30.3	2.00	10.0	12/21/1990	BR	NA
789	242.66	21.3	221.4	2.00	10.0	05/09/1991	B/322	D
791	243.35	22.5	220.9	2.00	10.0	05/02/1991	B/322	D
792	243.01	20.9	222.1	2.00	10.0	06/04/1991	B/322	D
793	248.89	29.5	219.4	2.00	10.0	06/11/1991	B/322	D
832	281.62	30.4	251.2	2.00	5.0	03/23/1982	Area B	U
857	261.41	110.9	150.5	4.00	3.0	06/28/1982	BR	NA
858	260.85	159.0	101.8	4.00	5.0	06/25/1982	BR	NA
859	262.80	102.8	160.0	4.00	5.0	07/02/1982	SEQ	NA
860	262.83	153.3	109.5	4.00	5.0	07/01/1982	SEQ	NA
861	267.06	103.0	164.1	2.00	5.0	07/06/1982	SEQ	NA
862	266.13	151.4	114.8	2.00	6.0	07/05/1982	SEQ	NA
921	262.48	86.2	176.3	3.75	10.0	03/27/1984	B/330	D
922	262.71	116.6	146.1	3.75	10.0	04/24/1984	B/330	D
923	262.76	160.9	101.9	2.00	10.0	04/04/1984	B/330	D
929	252.16	152.9	99.3	2.00	10.0	06/14/1984	B/330	U
931	252.10	151.5	100.6	3.75	10.0	05/23/1984	B/330	S
932	267.11	172.8	94.3	4.00	20.0	05/24/1984	Landfill+BR	D
941	254.52	134.1	120.4	4.00	20.0	12/08/1984	B/330	D
943	254.23	144.1	110.1	4.00	20.0	01/09/1985	Landfill+BR	D
944	254.11	71.9	182.2	4.00	20.0	01/14/1985	Landfill	D
952	245.34	198.0	47.3	4.00	40.0	02/01/1985	B/322+BR	NA
953	251.77	153.1	98.7	4.00	10.0	02/07/1985	B/330+BR	D/S

Table A-2: Well Specifications
Corrective Action Performance Monitoring Network

Well Number	Current M.P. Elevation (ft amsl)	Baseline Depth to Bottom (ft below M.P.)	Baseline Elevation of Bottom (ft amsl)	Well Diameter (inches)	Screen Length (feet)	Completion Date	Site Area	Upgradient (U), Downgradient (D), Sidegradient (S), or Source
954	268.20	172.5	95.7	4.00	20.0	02/12/1985	B/330	U
956	268.23	107.7	160.5	4.00	10.0	02/18/1985	B/330	U
958	266.66	106.4	160.3	4.00	20.0	02/20/1986	BR	NA
959	251.45	157.4	94.1	4.00	10.0	02/21/1985	B/322+BR	Source
960	251.40	90.6	160.8	4.00	20.0	02/22/1985	B/322+BR	Source
963	264.55	165.4	99.2	2.00	20.0	03/01/1985	BR	NA
964	264.55	95.3	169.3	2.00	10.0	03/01/1985	BR	NA
965	255.40	144.8	110.6	4.00	10.0	03/05/1985	B/330+BR	U
966	255.28	126.3	129.0	4.00	35.0	03/06/1985	B/330+BR	U
987	260.20	44.8	215.4	6.00	10.0	08/04/1986	SEQ	D
990	260.08	20.8	239.3	4.00	5.0	08/06/1986	SEQ	D
998	258.02	21.8	236.2	2.00	5.0	07/27/1987	Area A	D
999	257.25	52.9	204.4	2.00	10.0	07/23/1987	Area A	D
PW-1	262.24	541	-278.8	12.0	OPEN HOLE	1962	BR	NA
PW-2	255.34	277.5	-22.2	12.0	OPEN HOLE	1963	BR	NA
PW-4	248.73	265	-16.3	8.0	40.0	1968	BR	NA
PW-5	241.88	542	-300.1	10.0	OPEN HOLE	1970	BR	NA
PW-5A	242.01	522	-280.0	12.0	425.7	1984	BR	NA
PW-6	244.19	439	-194.8	12.0	OPEN HOLE	1979	BR	NA
PW-7	268.16	747	-478.8	12.0	OPEN HOLE	1979	B/330+BR	D
PW-9*	263.50	702	-438.5	14.0	OPEN HOLE	1981	BR	NA
PW-23	266.97	48.0	219.0	6.00	OPEN HOLE	03/03/1987	SEQ	Source
PW-25	250.53	432.3	-181.8	10.0	91.1	06/15/2000	B/330+BR	NA

Key:

Landfill = Landfill (Area C)

B/330 = Building 330 (Area C)

B/322 = Building 322

SEQ = Southeast Quadrant

BR = Bedrock

WC = West Complex

NA = Not applicable or not available

ft amsl = feet above mean sea level

M.P. = measuring point (generally a survey mark at top of inner monitoring pipe or casing)

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
007	Area A	S	X1	X					
010	Area A	S	X1	X		X			
015	Area A	S	X1	X					
016	Area A	S	X1	X		X			
032A	Area D	M		X	X	X			
035	B/322	A	X2						X
046	Area B	S		X					
048	SEQ	Q		X					
053	Landfill	S		X					
054	Landfill	S		X					
059	B/330	A							X
060	B/330	A							X
061	B/330	A							X
063	B/330	A							X
064	Area B	Q		X			X		
065	Area B	Q		X			X		
066	Area D	Q		X			X		
067	Area D	Q		X			X		
068	B/322	Q	X2	X					
069	Landfill	S		X					
085	BR	S		X					
087	BR	S		X					
103	Area A	S	X1	X		X			
104	Area A	S	X1	X		X			
105	BR	S		X		X			
106	BR	S		X					
108	BR	S		X					
109	BR	S		X					
113	BR	Q		X					
118	Area A	S	X1	X					
143	B/330+BR	S		X					
145	B/330+BR	A							X
146	B/330+BR	A							X
150	BR	S		X					
151	B/322	S	X2	X					
156	BR	S		X					
161	B/322	A	X2						X
166	BR	S		X					
167	BR	S		X					
178	B/330	A		X					
181	B/330	S		X					
204	Area A	A	X1	X					
360/COMB	B/322	M			X				
400	WC	S						X	
401	WC	S						X	
402	WC	S						X	
403	WC	S						X	
404	WC	S						X	
407	WC	S						X	
408	WC	S						X	
410	WC	S						X	
412	WC	S						X	

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
415	WC	S						X	
416	WC	S						X	
417	WC	S						X	
423	WC	S						X	
424	WC	S						X	
502	SEQ	Q		X					
503	SEQ	Q		X					
515	BR	Q		X					
520	SEQ	Q		X					
521	BR	Q		X					
535	BR	Q		X					
543	SEQ	Q		X					
545	SEQ	Q		X					
559	Landfill	S		X					
561	Landfill	S		X					
563	Landfill&BR	S		X					
564	BR	S		X					
571	Area B	Q		X					
572	B/330	A							X
574	B/330	A							X
576	B/330	S		X					
577	BR	S		X					
578	BR	S		X					
579	BR+B/322	S	X2	X					
580	B/322	A	X2						X
581	Area A	S	X1	X					
600	B/330	A							X
601	B/330	A							X
602	B/330	A							X
603	B/330	A							X
604	B/330	A							X
607	B/330+BR	A							X
608	B/330+BR	A		X					
609	B/330+BR	S		X					
610	B/330+BR	S		X					
611	B/330+BR	S		X					
612	B/322	M		X	X	X			
*613	B/322	M		X	X	X			
617	B/322	M		X	X	X			
618	B/322	M		X	X	X			
622	B/330+BR	S		X					
623	B/330+BR	S		X					
624	B/330+BR	S		X					
627	B/322	A	X2,X3						X
701	Area A	S	X1	X					
702	Area A	S	X1	X					
704	BR	S		X					
706	Area A	S	X1	X					
711	BR	S		X					
714	Area A	S	X1	X		X			
716	BR	S		X		X			
720	Area A	S	X1	X					

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
722	BR	S		X					
735	B/322	S	X2,X3	X					
739	BR	S		X					
740	B/322	A	X2	X					
742	BR+B/322	S	X2	X					
743	B/322	A	X2						X
744	Area A	Q	X1	X					
745	Area A	Q	X1	X					
751	Area A	S	X1	X					
753	Area A	S	X1	X					
754	B/322	A	X2						X
755	B/322	Q	X2	X					
756	B/330	A		X					
757	Area D	Q		X					
761	Area A	S	X1	X					
763	Area A	S	X1	X					
766	B/322	S	X2,X3	X					
767	B/322	S	X2	X					
768	B/322	S	X2,X3	X					
769	B/322	S	X2,X3	X					
771	B/322	A	X2	X					
772	B/322	Q	X2,X3	X					
773	B/322	Q	X2	X					
774	B/322	Q	X2	X					
775	B/322	A	X2						X
777	BR	S		X					
779	BR	S		X					
789	B/322	A	X2						X
791	B/322	A	X2						X
792	B/322	A	X2						X
793	B/322	S	X2,X3	X					
832	Area B	Q		X					
857	BR	Q		X					
858	BR	Q		X					
859	SEQ	Q		X					
860	SEQ	Q		X					
861	SEQ	Q		X					
862	SEQ	Q		X					
628	Area B	M		X	X	X			
628 GAC	Area B	M			X				
921	B/330	S		X					
922	B/330	S		X					
923	B/330	S		X					
929	B/330	S		X					
931	B/330	S		X					
932	Landfill&BR	S		X					
941	B/330	S		X					
943	Landfill&BR	S		X		X			
944	Landfill	S		X					
952	BR+B/322	S	X2	X					
953	B/330+BR	S		X					
954	B/330	S		X					

Table A-3: Sampling Schedule
Corrective Action Performance Monitoring Network

Well	Area of Concern	Sampling Frequency	Inorganics	Monitoring Category					
				CAM	PCT	CRM	POC	DM	AM
956	B/330	S		X					
958	BR	Q		X					
959	BR+B/322	S	X2	X					
960	BR+B/322	S	X2	X					
963	BR	Q		X					
964	BR	Q		X					
965	B/330+BR	S		X					
966	B/330+BR	S		X					
987	SEQ	Q		X			X		
990	SEQ	Q		X			X		
998	Area A	S	X1	X					
999	Area A	S	X1	X					
GACIN/316	BR	M			X				
PW-1	BR	M	X4	X	X	X			
PW-2	BR	M	X4	X	X	X			
PW-4	BR	M	X4	X	X	X			
PW-5/5A	BR	M	X4	X	X	X			
PW-6	BR	M	X4	X	X				
PW-7	BR & B/330	M	X5	X	X	X			
*PW-9	BR	M	X6	X	X	X			
PW-23	SEQ	M		X					
PW-25	BR & B/330	M	X4	X	X	X			
SUMP/B384	Area A	M	X1	X	X	X			

Key:

Landfill = Landfill (Area C)
 B/330 = Building 330 (Area C)
 B/322 = Building 322
 SEQ = Southeast Quadrant
 BR = Bedrock
 WC = West Complex

A = Annual
 S = Semiannual

CAM = Corrective Action Monitoring
 PCT = Process Control for Treatment
 CRM = Contaminant Reduction Monitoring
 POC = Point of Compliance Monitoring
 DM = Detection Monitoring
 AM = Annual Monitoring

Q = Quarterly
 M = Monthly
 M* = Monthly when used as a backup well
 * = PW-9 and GW613 are sampled only when in use.
 Current status for both wells is emergency use only.

All listed monitoring wells are hydraulic effectiveness monitoring wells. Refer to Table A-1 for complete list.

X = Sample all listed wells for Volatile Organics.

X1 = Sample for Total Fluoride and Chromium (dissolved & total) .

X2 = Sample for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X3 = Sample annually for Nickel (dissolved & total).

X4 = Sample quarterly for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X5 = Sample monthly for Total Fluoride, Arsenic (dissolved & total) and Chromium (dissolved & total).

X6 = Sample quarterly for Inorganics only when in use. (PW-9 is used only for emergencies.)

Appendix B

Quarterly Groundwater Elevation Data: January 1, 2011 to June 30, 2011

IBM East Fishkill
Groundwater Elevation Data: January through June 2011

Page 1 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
002	02/22/2011	253.51	05/25/2011	258.60				
003	02/22/2011	253.36	05/25/2011	258.51				
005	03/02/2011	251.17	05/26/2011	250.26				
006	03/02/2011	251.02	05/26/2011	249.96				
007	02/23/2011	242.39	05/31/2011	240.56				
008	02/23/2011	247.26	05/23/2011	248.76				
009	02/23/2011	246.77	05/23/2011	248.38				
010	02/22/2011	224.65	05/24/2011	235.07				
011	02/23/2011	254.69	05/25/2011	255.08				
013	03/01/2011	219.20	05/27/2011	220.22				
014	03/01/2011	200.70	05/27/2011	204.99				
015	03/01/2011	245.69	05/27/2011	246.27				
016	03/01/2011	219.52	05/31/2011	220.46				
017	03/01/2011	246.17	05/31/2011	245.26				
018	03/02/2011	186.72	05/31/2011	191.12				
019	03/02/2011	246.81	06/01/2011	246.29				
020	03/19/2011	224.42	06/03/2011	222.90				
022	03/19/2011	240.50	06/03/2011	240.13				
027	02/22/2011	119.00	05/24/2011	143.56				
028	02/22/2011	108.11	05/24/2011	117.01				
030	02/22/2011	227.48	05/23/2011	227.96				
032A	03/21/2011	227.16	05/23/2011	226.22				
035	02/22/2011	239.62	05/23/2011	242.29				
038	03/01/2011	230.23	06/01/2011	228.83				
039	03/01/2011	222.08	06/01/2011	216.20				
044	02/23/2011	246.28	05/25/2011	245.58				
046	02/23/2011	261.34	05/31/2011	259.47				
048	02/23/2011	257.62	05/25/2011	258.23				
049	02/23/2011	259.74	05/25/2011	259.40				
050	02/23/2011	260.13	05/25/2011	259.78				
053	03/01/2011	254.43	05/24/2011	253.07				
054	02/24/2011	251.78	05/26/2011	251.88				
059	02/23/2011	231.13	05/27/2011	230.75				
060	02/23/2011	212.38	05/27/2011	212.00				
061	02/23/2011	237.10	05/27/2011	236.42				
062	03/22/2011	240.79	05/26/2011	243.23				
063	02/23/2011	236.67	05/26/2011	239.11				
064	03/02/2011	255.71	05/26/2011	255.39				
065	03/02/2011	255.78	05/26/2011	255.36				
066	02/22/2011	225.67	05/23/2011	225.77				
067	02/22/2011	227.13	05/23/2011	227.29				
068	02/22/2011	221.42	05/23/2011	222.31				
069	03/19/2011	250.98	05/26/2011	250.67				
075	02/22/2011	243.34	05/24/2011	244.54				
085	03/02/2011	255.64	05/26/2011	253.91				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/20/2011

IBM East Fishkill
Groundwater Elevation Data: January through June 2011

Page 2 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
086	03/02/2011	252.69	05/26/2011	251.44				
087	03/02/2011	247.51	05/26/2011	246.92				
088	03/02/2011	247.68	05/26/2011	247.82				
091	02/23/2011	259.97	05/26/2011	259.81				
092	02/23/2011	259.96	05/26/2011	259.85				
096	02/23/2011	249.30	05/31/2011	249.24				
097	02/23/2011	245.59	05/31/2011	247.15				
098	02/23/2011	247.31	05/31/2011	247.24				
100	02/22/2011	250.87	05/23/2011	253.17				
101	02/22/2011	249.93	05/23/2011	252.31				
102	02/22/2011	247.07	05/23/2011	252.68				
103	03/01/2011	249.00	05/31/2011	246.78				
104	03/01/2011	228.06	05/31/2011	227.40				
105	03/01/2011	221.41	05/31/2011	220.70				
106	03/01/2011	208.82	05/31/2011	207.98				
108	02/23/2011	226.51	05/24/2011	233.51				
109	02/23/2011	219.46	05/24/2011	222.54				
112	03/16/2011	267.18	05/26/2011	266.47				
113	02/24/2011	FLOW	05/26/2011	FLOW				
114	02/24/2011	FLOW	05/26/2011	FLOW				
118	03/01/2011	148.37	05/27/2011	155.29				
121	02/22/2011	203.50	05/23/2011	210.60				
122	02/22/2011	179.13	05/23/2011	187.80				
129	03/01/2011	212.63	05/31/2011	214.69				
130	03/01/2011	207.93	05/31/2011	211.64				
143	02/24/2011	122.89	05/24/2011	132.35				
145	02/23/2011	177.90	05/26/2011	184.66				
146	02/23/2011	169.31	05/26/2011	177.77				
147	02/22/2011	229.74	05/23/2011	229.99				
150	02/22/2011	153.70	05/23/2011	164.54				
151	02/22/2011	225.08	05/24/2011	226.57				
156	02/23/2011	205.12	05/27/2011	207.28				
157	02/23/2011	164.22	05/27/2011	174.56				
158	02/23/2011	236.21	05/27/2011	236.21				
161	02/22/2011	243.65	05/24/2011	245.09				
164	03/03/2011	261.52	06/03/2011	258.07				
165	03/03/2011	261.45	06/03/2011	258.03				
166	03/02/2011	252.93	05/26/2011	251.56				
167	03/02/2011	253.26	05/26/2011	249.22				
168	02/23/2011	253.36	05/31/2011	248.85				
169	02/23/2011	236.24	05/31/2011	236.48				
170	02/22/2011	219.82	05/23/2011	219.51				
178	03/01/2011	250.04	05/24/2011	250.51				
180	03/01/2011	FLOW	05/24/2011	248.23				
181	03/01/2011	247.30	05/24/2011	247.33				
182	03/05/2011	228.78	06/03/2011	227.19				

Key:
FLOW: Flowing Water
NA: Not Accessible
All Elevations are in feet above mean sea level

10/20/2011

IBM East Fishkill
Groundwater Elevation Data: January through June 2011

Page 3 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
183	03/05/2011	228.60	06/03/2011	227.12				
185	03/05/2011	227.31	06/03/2011	226.35				
186	03/05/2011	225.88	06/03/2011	224.97				
191	03/05/2011	194.78	06/03/2011	195.57				
192	03/05/2011	203.22	06/03/2011	206.74				
200	02/22/2011	248.79	05/23/2011	247.74				
204	03/01/2011	245.57	05/31/2011	244.76				
224	03/19/2011	240.69	05/25/2011	240.10				
226	02/22/2011	227.11	05/24/2011	227.66				
227	02/22/2011	191.41	05/24/2011	192.24				
400	03/02/2011	235.30	06/02/2011	232.70				
401	03/02/2011	234.66	06/02/2011	232.27				
402	03/02/2011	213.38	06/02/2011	224.45				
403	03/02/2011	241.79	06/02/2011	239.58				
404	03/02/2011	147.84	06/02/2011	155.30				
406	03/02/2011	262.56	06/02/2011	263.19				
407	03/02/2011	262.54	06/02/2011	263.65				
408	03/02/2011	243.35	06/22/2011	241.86				
409	03/02/2011	FLOW	06/22/2011	FLOW				
410	03/02/2011	236.32	06/02/2011	236.64				
411	03/02/2011	236.28	06/02/2011	236.85				
412	03/02/2011	238.72	06/02/2011	236.84				
413	03/02/2011	237.13	06/02/2011	237.01				
414	03/02/2011	252.01	06/02/2011	251.36				
415	03/02/2011	251.67	06/02/2011	249.69				
416	03/02/2011	247.09	06/02/2011	244.89				
417	03/02/2011	237.40	06/02/2011	237.24				
418	03/02/2011	236.29	06/02/2011	236.62				
421	03/02/2011	277.54	06/02/2011	273.50				
422	03/02/2011	268.79	06/02/2011	266.04				
423	03/02/2011	266.34	06/02/2011	263.99				
424	03/02/2011	262.21	06/02/2011	261.17				
500	03/02/2011	249.82	05/26/2011	249.25				
501	03/02/2011	250.58	05/26/2011	252.92				
502	03/02/2011	258.79	05/26/2011	257.95				
503	03/02/2011	259.13	05/26/2011	257.39				
504	03/02/2011	259.25	05/26/2011	258.74				
505	03/02/2011	259.32	05/26/2011	258.82				
506	03/02/2011	258.50	05/26/2011	258.20				
507	03/02/2011	258.13	05/26/2011	258.76				
508	03/02/2011	259.22	05/26/2011	258.81				
509	03/02/2011	259.22	05/26/2011	258.89				
510	03/02/2011	259.22	05/26/2011	258.65				
511	03/02/2011	259.40	05/26/2011	258.65				
512	03/02/2011	259.87	05/26/2011	259.19				
513	03/02/2011	260.11	05/26/2011	259.58				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/20/2011

IBM East Fishkill
Groundwater Elevation Data: January through June 2011

Page 4 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
514	03/02/2011	258.88	05/26/2011	258.61				
515	03/02/2011	259.68	05/26/2011	258.90				
516	03/02/2011	259.96	05/26/2011	259.54				
517	03/02/2011	259.80	05/26/2011	259.19				
518	03/02/2011	258.95	05/26/2011	259.49				
519	03/02/2011	260.66	05/26/2011	261.24				
520	03/02/2011	257.17	05/26/2011	256.30				
521	03/02/2011	261.25	05/26/2011	258.26				
522	03/02/2011	FLOW	05/26/2011	FLOW				
523	03/02/2011	267.61	06/03/2011	264.56				
524	03/02/2011	267.67	06/03/2011	264.68				
525	03/02/2011	266.76	06/03/2011	264.02				
526	02/23/2011	265.64	05/26/2011	264.18				
527	02/23/2011	263.31	05/26/2011	263.20				
528	03/19/2011	FLOW	05/26/2011	FLOW				
529	03/19/2011	FLOW	05/26/2011	FLOW				
530	02/23/2011	262.06	05/26/2011	261.84				
531	03/19/2011	265.67	05/26/2011	265.58				
532	03/19/2011	265.45	05/26/2011	265.45				
533	02/23/2011	261.83	05/26/2011	261.69				
534	02/23/2011	262.82	05/26/2011	262.70				
535	03/16/2011	FLOW	05/26/2011	FLOW				
536	02/23/2011	259.75	05/25/2011	259.75				
537	03/19/2011	FLOW	05/25/2011	FLOW				
538	03/19/2011	FLOW	05/25/2011	FLOW				
539	03/19/2011	FLOW	05/25/2011	FLOW				
541	02/24/2011	274.01	05/25/2011	273.14				
542	02/24/2011	274.29	05/25/2011	273.30				
543	02/23/2011	257.94	05/25/2011	257.96				
544	02/23/2011	258.56	05/25/2011	258.45				
545	02/23/2011	257.69	05/25/2011	257.75				
546	02/23/2011	FLOW	05/25/2011	FLOW				
547	03/19/2011	FLOW	05/25/2011	264.30				
548	02/23/2011	254.48	05/25/2011	257.53				
549	02/23/2011	257.45	05/25/2011	258.01				
550	02/23/2011	258.34	05/25/2011	258.39				
551	02/24/2011	251.65	05/25/2011	255.18				
553	02/23/2011	258.32	05/25/2011	258.35				
554	02/23/2011	258.69	05/25/2011	258.82				
556	02/23/2011	259.18	05/25/2011	258.99				
557	02/23/2011	259.61	05/25/2011	259.27				
558	02/24/2011	267.39	05/25/2011	265.84				
559	02/24/2011	258.31	05/25/2011	257.61				
560	02/24/2011	253.85	05/25/2011	254.38				
561	02/24/2011	267.97	05/25/2011	267.46				
562	02/24/2011	268.34	05/25/2011	267.25				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/20/2011

IBM East Fishkill
Groundwater Elevation Data: January through June 2011

Page 5 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
563	02/24/2011	252.33	05/25/2011	252.36				
564	02/24/2011	262.30	05/25/2011	252.16				
565	02/24/2011	267.61	05/25/2011	267.64				
566	02/24/2011	260.21	05/25/2011	260.45				
567	02/23/2011	261.20	05/31/2011	259.73				
568	02/23/2011	267.52	05/31/2011	262.91				
569	02/23/2011	269.91	05/31/2011	267.38				
570	02/23/2011	240.06	05/31/2011	238.76				
571	02/23/2011	277.63	05/25/2011	276.07				
572	02/24/2011	244.39	06/01/2011	244.89				
574	03/01/2011	250.42	06/01/2011	250.48				
576	03/01/2011	250.86	05/24/2011	251.65				
577	02/22/2011	121.93	05/23/2011	126.38				
578	02/22/2011	161.16	05/23/2011	176.86				
579	02/24/2011	127.36	06/01/2011	136.90				
580	03/01/2011	242.80	05/31/2011	243.78				
581	02/22/2011	251.91	05/23/2011	254.15				
600	03/01/2011	251.04	05/24/2011	249.87				
601	03/01/2011	223.33	05/24/2011	223.28				
602	03/01/2011	248.90	05/24/2011	248.40				
603	02/24/2011	245.29	05/24/2011	246.06				
604	02/24/2011	153.63	05/24/2011	161.20				
605	02/24/2011	121.88	05/24/2011	131.21				
606	03/01/2011	87.87	05/24/2011	89.95				
607	03/01/2011	144.46	05/24/2011	152.42				
608	03/01/2011	205.00	05/27/2011	200.02				
609	03/01/2011	83.13	06/01/2011	85.67				
610	03/01/2011	109.20	06/01/2011	118.80				
611	03/21/2011	136.60	06/01/2011	146.70				
612	02/22/2011	224.81	05/24/2011	224.87				
613	02/22/2011	225.96	05/24/2011	231.14				
614	03/19/2011	228.33	05/23/2011	227.85				
615	03/19/2011	229.62	05/23/2011	228.27				
616	03/19/2011	228.83	05/23/2011	228.45				
617	02/22/2011	219.34	05/24/2011	218.42				
618	02/22/2011	217.55	06/01/2011	216.59				
619	02/23/2011	261.36	05/31/2011	259.52				
620	02/22/2011	230.70	05/24/2011	231.47				
621	03/01/2011	243.60	05/31/2011	244.20				
622	03/01/2011	210.26	05/27/2011	207.64				
623	03/01/2011	103.81	05/23/2011	115.89				
624	03/19/2011	124.69	06/01/2011	129.40				
626	03/03/2011	263.42	06/03/2011	261.15				
627	03/01/2011	246.78	05/31/2011	246.66				
700	02/23/2011	239.28	06/01/2011	238.63				
701	02/23/2011	238.94	06/01/2011	238.35				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/20/2011

IBM East Fishkill
Groundwater Elevation Data: January through June 2011

Page 6 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
702	02/23/2011	245.48	05/23/2011	245.38				
703	02/23/2011	233.51	05/23/2011	232.11				
704	02/23/2011	189.98	05/23/2011	190.66				
705	02/23/2011	247.10	05/23/2011	247.63				
706	02/23/2011	237.13	05/23/2011	237.80				
707	02/23/2011	239.79	05/23/2011	241.07				
708	02/23/2011	236.38	05/23/2011	237.04				
709	02/23/2011	245.37	05/23/2011	246.89				
710	02/23/2011	245.40	05/23/2011	246.85				
711	02/23/2011	239.71	05/23/2011	241.96				
712	02/22/2011	255.28	05/23/2011	255.41				
714	02/22/2011	232.43	05/23/2011	238.61				
716	02/22/2011	155.61	05/23/2011	163.93				
717	02/23/2011	249.72	05/31/2011	249.51				
718	02/23/2011	249.45	05/31/2011	249.36				
719	02/23/2011	249.76	05/31/2011	249.61				
720	02/23/2011	249.07	05/31/2011	249.02				
721	02/22/2011	250.54	05/31/2011	250.48				
722	02/22/2011	245.04	05/31/2011	246.01				
723	02/22/2011	251.80	05/31/2011	252.22				
724	02/22/2011	251.77	05/31/2011	252.11				
725	02/22/2011	252.83	05/31/2011	252.60				
726	02/22/2011	252.89	05/31/2011	252.66				
727	02/22/2011	252.68	05/31/2011	252.45				
728	02/22/2011	250.53	05/31/2011	250.43				
729	02/22/2011	250.54	05/31/2011	250.43				
730	02/22/2011	234.23	05/31/2011	234.77				
732	03/01/2011	123.75	05/31/2011	129.90				
734	03/19/2011	117.82	05/23/2011	121.59				
735	03/01/2011	242.85	05/31/2011	244.35				
737	03/01/2011	121.29	05/31/2011	129.33				
739	03/03/2011	117.57	05/23/2011	126.57				
740	02/24/2011	236.39	05/25/2011	240.03				
742	02/24/2011	117.43	05/25/2011	125.95				
743	03/03/2011	246.70	05/25/2011	243.63				
744	02/23/2011	247.58	05/31/2011	247.55				
745	02/23/2011	247.44	05/31/2011	247.29				
746	02/23/2011	246.02	05/31/2011	245.58				
747	02/22/2011	251.85	05/25/2011	253.09				
748	02/22/2011	243.97	06/01/2011	246.35				
749	02/22/2011	251.46	05/31/2011	251.26				
750	02/22/2011	250.26	05/31/2011	250.18				
751	02/24/2011	244.09	05/31/2011	241.67				
752	02/24/2011	245.82	05/31/2011	245.07				
753	02/24/2011	238.57	05/31/2011	237.50				
754	02/22/2011	235.74	05/24/2011	236.31				

Key:
FLOW: Flowing Water
NA: Not Accessible
All Elevations are in feet above mean sea level

10/20/2011

IBM East Fishkill
Groundwater Elevation Data: January through June 2011

Page 7 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
755	02/22/2011	229.73	05/23/2011	229.96				
756	02/24/2011	242.76	05/24/2011	245.50				
757	02/22/2011	227.03	05/23/2011	228.48				
758	02/23/2011	253.42	05/23/2011	253.63				
759	02/23/2011	241.47	05/23/2011	242.50				
760	02/23/2011	238.46	05/23/2011	240.66				
761	02/22/2011	250.85	05/23/2011	252.05				
763	02/22/2011	233.73	05/24/2011	241.00				
766	02/24/2011	237.27	05/25/2011	238.68				
767	02/24/2011	237.45	06/01/2011	238.89				
768	02/24/2011	236.23	06/01/2011	238.77				
769	02/24/2011	235.92	05/25/2011	238.18				
770	02/24/2011	DRY	06/01/2011	238.08				
771	02/24/2011	234.77	06/01/2011	238.05				
772	02/24/2011	230.83	06/01/2011	232.83				
773	03/05/2011	231.65	05/24/2011	233.21				
774	02/24/2011	231.09	05/25/2011	231.31				
775	02/24/2011	229.08	05/25/2011	229.45				
776	02/22/2011	232.62	05/23/2011	243.95				
777	02/22/2011	252.31	05/25/2011	255.68				
779	02/22/2011	131.16	05/25/2011	144.37				
782	03/21/2011	229.22	05/31/2011	228.74				
783	02/23/2011	201.15	05/27/2011	204.47				
789	02/24/2011	232.00	05/25/2011	231.71				
791	02/24/2011	229.17	05/25/2011	229.30				
792	03/19/2011	231.57	05/25/2011	231.24				
793	02/24/2011	227.29	06/01/2011	228.24				
799	02/23/2011	212.71	05/27/2011	211.79				
816	02/23/2011	245.35	05/25/2011	246.56				
818	02/23/2011	247.37	05/25/2011	247.91				
819	02/23/2011	252.07	05/25/2011	252.36				
820	03/01/2011	250.39	05/27/2011	250.73				
821	03/01/2011	249.14	05/27/2011	249.71				
822	03/01/2011	245.80	05/27/2011	246.25				
823	02/23/2011	246.21	05/23/2011	246.98				
824	02/23/2011	246.74	05/23/2011	248.06				
826	02/23/2011	248.64	05/23/2011	249.18				
827	02/23/2011	254.51	05/23/2011	254.92				
830	02/23/2011	262.26	05/31/2011	260.95				
831	02/23/2011	254.50	05/31/2011	253.35				
832	02/24/2011	263.52	05/25/2011	263.33				
833	02/24/2011	275.57	05/25/2011	274.43				
835	02/24/2011	277.02	05/25/2011	275.92				
836	02/24/2011	271.73	05/25/2011	270.81				
837	02/24/2011	277.06	05/25/2011	275.93				
838	02/23/2011	258.07	06/01/2011	257.01				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/20/2011

IBM East Fishkill
Groundwater Elevation Data: January through June 2011

Page 8 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
839	02/22/2011	227.45	05/23/2011	229.14				
855	03/03/2011	263.82	06/03/2011	260.76				
856	03/03/2011	264.94	06/03/2011	262.15				
857	03/02/2011	FLOW	05/26/2011	FLOW				
858	03/02/2011	FLOW	05/26/2011	FLOW				
859	03/02/2011	256.99	05/26/2011	256.26				
860	03/02/2011	256.81	05/26/2011	255.93				
861	03/02/2011	257.83	05/26/2011	255.95				
862	03/02/2011	255.38	05/26/2011	254.04				
863	02/23/2011	261.16	05/31/2011	259.38				
864	03/21/2011	249.87	05/25/2011	249.48				
895	03/05/2011	260.02	05/26/2011	259.35				
896	03/05/2011	259.82	05/26/2011	259.56				
897	02/23/2011	267.78	05/25/2011	269.79				
898	02/23/2011	255.91	05/25/2011	262.78				
899	02/24/2011	271.14	05/25/2011	274.17				
900	02/24/2011	269.49	05/25/2011	271.45				
902	03/02/2011	257.96	05/26/2011	258.02				
903	03/02/2011	258.23	05/26/2011	257.89				
910	02/22/2011	251.73	05/31/2011	252.18				
921	03/01/2011	250.44	05/24/2011	250.33				
922	03/01/2011	228.18	05/24/2011	228.44				
923	03/01/2011	223.43	05/23/2011	223.89				
924	03/01/2011	253.52	05/24/2011	251.89				
928	03/01/2011	DRY	05/24/2011	DRY				
929	03/01/2011	141.14	05/24/2011	147.89				
930	03/01/2011	152.74	05/24/2011	161.45				
931	03/01/2011	151.21	05/24/2011	159.73				
932	03/19/2011	255.52	05/24/2011	253.30				
934	02/24/2011	240.12	05/31/2011	238.97				
935	03/01/2011	211.55	05/24/2011	216.76				
936	03/01/2011	206.75	05/24/2011	213.25				
941	02/24/2011	130.42	05/24/2011	139.27				
943	02/24/2011	244.43	05/26/2011	245.38				
944	02/24/2011	249.58	05/26/2011	249.81				
946	02/24/2011	225.67	06/01/2011	225.72				
947	02/24/2011	227.92	06/01/2011	228.95				
948	02/24/2011	226.58	06/01/2011	227.47				
949	02/24/2011	231.84	06/01/2011	232.02				
952	02/24/2011	132.73	05/25/2011	143.00				
953	02/24/2011	122.93	05/24/2011	134.10				
954	03/01/2011	234.39	05/24/2011	235.44				
955	03/01/2011	247.39	05/24/2011	249.55				
956	03/01/2011	243.59	05/24/2011	245.41				
957	03/01/2011	247.88	05/24/2011	250.31				
958	02/23/2011	264.75	05/26/2011	266.33				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/20/2011

IBM East Fishkill
Groundwater Elevation Data: January through June 2011

Page 9 of 9

Well	First Quarter		Second Quarter		Third Quarter		Fourth Quarter	
	Date	Elev.	Date	Elev.	Date	Elev.	Date	Elev.
959	03/01/2011	150.29	05/31/2011	154.41				
960	03/01/2011	221.99	05/31/2011	217.37				
962	02/22/2011	174.96	05/23/2011	188.02				
963	03/02/2011	260.14	05/26/2011	259.32				
964	03/02/2011	259.57	05/26/2011	259.19				
965	03/01/2011	212.00	05/24/2011	209.94				
966	03/01/2011	212.30	05/24/2011	210.17				
968	02/24/2011	156.01	05/24/2011	164.18				
976	02/22/2011	226.76	05/23/2011	228.23				
980	03/01/2011	248.17	06/01/2011	247.88				
983	02/24/2011	257.04	05/25/2011	256.57				
984	02/24/2011	253.50	05/25/2011	253.51				
985	02/24/2011	265.78	05/25/2011	269.88				
986	02/24/2011	266.35	05/25/2011	265.11				
987	03/02/2011	258.85	05/26/2011	257.08				
988	03/02/2011	256.32	05/26/2011	260.46				
989	03/02/2011	260.25	05/26/2011	260.50				
990	03/02/2011	257.68	05/26/2011	256.55				
991	03/02/2011	FLOW	05/26/2011	FLOW				
992	03/02/2011	FLOW	05/26/2011	FLOW				
993	02/24/2011	234.48	06/01/2011	234.32				
994	02/24/2011	250.34	06/01/2011	249.98				
997	02/23/2011	250.58	05/31/2011	249.48				
998	02/23/2011	248.73	05/31/2011	248.66				
999	02/23/2011	242.60	05/31/2011	242.52				

Key:

FLOW: Flowing Water

NA: Not Accessible

All Elevations are in feet above mean sea level

10/20/2011

Appendix C

Sampling Field Log Database (January - June 2011)

Field Parameters Database (January - June 2011)

Table of Meteorological Data (January - June 2011)

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
007	381	158770	1/31/2011	GW110131007			BP/LINE	19.03	@PUMP	1.5M/G	8.0	DFB	6	0	1	1	1	0	Y	NA	MS/MSD VOAS
010	381	158745	1/18/2011	GW110118010			B/B	44.81	53.21	NA	2.7	DFB	3	0	1	1	1	0	Y	NA	FIELD BLANK TAKEN
015	382	158811	2/15/2011	GW110215015			BP/LINE	17.92	20.11	1.8M/G	5.0	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
016	382	158812	2/15/2011	GW110215016		NR110215312	BP/LINE	36.05	37.15	2M/G	29.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #312
032A	381	158725	1/10/2011	GW110110032A			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
032A	381	158780	2/3/2011	GW110203032A			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	382	158830	3/4/2011	GW110304032A			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
032A	383	158906	4/4/2011	GW110404032A			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	384	159001	5/3/2011	GW110503032A			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
032A	384	159053	6/6/2011	GW110606032A			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
035	381	158769	1/27/2011	GW110127035			BP/LINE	10.35	10.76	1.2M/G	35.0	DFB	3	0	1	1	1	0	N	NA	
046	383	158980	4/26/2011	GW110426046			PP/B	4.66	4.81	5.5M/G	27.0	DFB	3	0	0	0	0	0	N	NA	
048	382	158844	3/10/2011	GW110310048			2"SP/LINE	5.63	5.83	1G/M	20.0	DFB	3	0	0	0	0	0	N	NA	
048	383	158937	4/11/2011	GW110411048			2"SP/LINE	6.18	7.15	1GPM	19.0	DFB	3	0	0	0	0	0	N	NA	
053	384	159014	5/9/2011	GW110509053		NR110509312	BP/LINE	13.37	11.41	2.2M/G	12.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312, FIELD BLANK TAKEN
054	382	158875	3/23/2011	GW110323054			2"SP/LINE	12.47	16.70	3GPM	31.0	DFB	3	0	0	0	0	0	N	NA	
059	382	158891	3/30/2011	GW110330059			2"SP/LINE	4.74	5.29	2GPM	25.0	DFB	3	0	0	0	0	0	N	NA	
060	382	158892	3/30/2011	GW110330060			2"SP/LINE	22.31	30.76	3GPM	47.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
061	382	158893	3/30/2011	GW110330061		NR110330317	2"SP/LINE	7.70	7.91	3GPM	42.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #317
063	382	158887	3/29/2011	GW110329063			BP/LINE	11.81	28.41	1.4M/G	21.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
064	382	158847	3/14/2011	GW110314064			2"SP/LINE	3.55	4.34	2G/M	29.0	DFB	3	0	0	0	0	0	N	NA	
064	383	158946	4/12/2011	GW110412064			2"SP/LINE	3.67	4.18	2GPM	28.0	DFB	3	0	0	0	0	0	N	NA	
065	382	158848	3/14/2011	GW110314065			2"SP/LINE	3.03	12.22	4G/M	79.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
065	383	158947	4/12/2011	GW110412065		NR110412312	2"SP/LINE	3.47	7.54	2GPM	78.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
066	381	158730	1/11/2011	GW110111066		NR110111312	2"SP/LINE	4.79	5.58	1GPM	12.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312, FIELD BLANK TAKEN
066	383	158927	4/7/2011	GW110407066			2"SP/LINE	4.11	5.34	1GPM	13.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
067	382	158843	3/10/2011	GW110310067			BP/LINE	6.78	7.20	2M/G	3.8	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
067	383	158941	4/11/2011	GW110411067			BP/LINE	7.42	7.96	1.4M/G	3.5	DFB	3	0	0	0	0	0	N	NA	
068	382	158867	3/18/2011	GW110318068		NR110318320	2"SP/LINE	11.38	13.69	2GPM	23.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #320
068	383	158965	4/19/2011	GW110419068			2"SP/LINE	11.55	14.81	2GPM	23.0	DFB	6	0	1	1	1	1	N	NA	MOF AND PART 373 SAMPLING
069	382	158874	3/23/2011	GW110323069			2"SP/LINE	2.78	5.49	3GPM	25.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
085	382	158896	3/31/2011	GW110331085			2"SP/LINE	21.03	70.85	2GPM	49.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
087	382	158895	3/31/2011	GW110331087		NR110331312	2"SP/LINE	8.47	30.63	2GPM	49.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #312
103	381	158761	1/25/2011	GW110125103			PP/B	11.56	DRY	NA	0.6	DFB	3	0	1	1	1	0	Y	NA	FIELD BLANK TAKEN
104	381	158762	1/25/2011	GW110125104			PP/B	31.38	DRY	NA	0.2	DFB	3	0	1	1	1	0	Y	ND/ND	
105	381	158767	1/27/2011	GW110127105			BP/LINE	38.29	@PUMP	2.7M/G	12.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
106	381	158768	1/27/2011	GW110127106			BP/LINE	41.84	@PUMP	2.4M/G	19.0	DFB	3	0	0	0	0	0	Y	NA	
108	381	158752	1/20/2011	GW110120108			2"SP/LINE	31.71	@PUMP	2GPM	14.0	DFB	2	0	0	0	0	0	Y	NA	LITTLE RECOVERY, 2 VOAS ONLY, NETS HYDROLAE
109	381	158753	1/20/2011	GW110120109			2"SP/LINE	42.50	@PUMP	2GPM	34.0	DFB	3	0	0	0	0	0	Y	NA	
113	382	158862	3/16/2011	GW110316113			2"SP/LINE		@PUMP	2GPM	40.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
113	383	158972	4/22/2011	GW110422113			2"SP/LINE	-2.00	@PUMP	2GPM	40.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
118	382	158802	2/10/2011	GW110210118			BP/LINE	114.03	137.45	1.9M/G	19.0	DFB	3	0	1	1	0	0	N	ND/ND	FIELD BLANK TAKEN
143	382	158888	3/29/2011	GW110329143			BP/LINE	125.08	125.22	2.3M/G	10.1	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
145	382	158885	3/29/2011	GW110329145			BP/LINE	70.49	@PUMP	2.1M/G	5.0	DFB	3	0	0	0	0	0	Y	NA	
146	382	158886	3/29/2011	GW110329146			BP/LINE	79.14	81.41	2.5M/G	33.0	DFB	3	0	0	0	0	0	N	NA	
150	384	159097	6/21/2011	GW110621150			2"SP/LINE	71.97	@PUMP	2GPM	10.0	DFB	3	0	0	0	0	0	Y	NA	
151	384	159077	6/13/2011	GW110613151			PP/B	15.21	DRY	7M/G	1.5	DFB	3	0	1	1	1	0	N	NA	WELL YIELDED TARGET VOLUME
156	384	159078	6/13/2011	GW110613156			2"SP/LINE	38.99	@PUMP	2GPM	16.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
161	382	158810	2/15/2011	GW110215161			PP/B	16.48	16.61	NA	0.5	DFB	3	0	1	1	1	0	N	NA	
166	384	159079	6/13/2011	GW110613166			2"SP/LINE	4.15	@PUMP	2GPM	24.0	DFB	3	0	0	0	0	0	Y	NA	
167	384	159085	6/15/2011	GW110615167			BP/LINE	5.61	@PUMP	2.2M/G	33.0	DFB	3	0	0	0	0	0	Y	NA	
178	382	158877	3/24/2011	GW110324178			B/B	15.53	22.33	NA	5.1	DFB	3	0	0	0	0	0	N	NA	
181	384	159032	5/16/2011	GW110516181			2"SP/LINE	2.02	15.91	1GPM	31.0	DFB	3	0	0	0	0	0	N	ND/ND	
204	381	158763	1/25/2011	GW110125204			B/B	9.01	11.77	NA	1.9	DFB	3	0	1	1	1	0	N	NA	
210	380	158697	1/4/2011	PW110104310		NR110104310	SP/TAP		NA	0.3	DFB	6	0	2	2	2	0	0	N	NA	QC DUPLICATE #310
210	381	158789	2/7/2011	PW110207210			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	1	N	NA	PW KIT
210	382	158821	3/3/2011	PW110303210			SP/TAP		NA	0.3	DFB	0	3	0	0	0	0	0	N	NA	
210	383	158905	4/4/2011	PW110404210		NR110404310	SP/TAP		NA	0.3	DFB	6	0	2	2	2	0	0	N	NA	QC DUPLICATE #310
210	383	158992	5/2/2011	PW110502210			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	0	N	NA	
210	384	159049	6/6/2011	PW110606210		NR110606310	SP/TAP		NA	0.3	DFB	6	0	0	0	0	0	0	N	NA	QC DUPLICATE #310
220	380	158693	1/4/2011	PW110104220			SP/TAP		NA	0.3	DFB	3	0	1	1	1	1	0	N	ND/ND	
220	381	158787	2/7/2011	PW110207220			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	1	N	ND/ND	PW KIT
220	382	158819	3/3/2011	PW110303220			SP/TAP		NA	0.3	DFB	0	3	0	0	0	0	0	N	ND/ND	
220	383	158901	4/4/2011	PW110404220			SP/TAP		NA	0.3	DFB	3	0	1	1	1	1	0	N	ND/ND	
220	383	158988	5/2/2011	PW110502220			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	0	N	ND/ND	
220	384	159045	6/6/2011	PW110606220			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	0	N	0.6/0.8	
240	380	158694	1/4/2011	PW110104240			SP/TAP		NA	0.3	DFB	3	0	1	1	1	1	0	N	ND/ND	
240	381	158785	2/7/2011	PW110207240			SP/TAP		NA	0.3	DFB	3	0	0	0	0	0	1	N	ND/ND	PW KIT
240	382	158820	3/3/2011	PW110303240			SP/TAP		NA	0.3	DFB	0	3	0	0	0	0	0	N	ND/ND	
240	383	158902	4/4/2011	PW110404240			SP/TAP		NA	0.3	DFB										

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
240	384	159046	6/6/2011	PW110606240			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
250	381	158717	1/10/2011	PW110110250			SP/TAP	116.80	117.75	NA	0.3	DFB	3	0	1	1	1	0	N	NA	
250	381	158790	2/8/2011	PW110208250			SP/TAP	115.45	118.40	NA		DFB	3	0	0	0	0	1	N	NA	PW KIT, FIELD BLANK TAKEN
250	382	158834	3/9/2011	PW110309250			SP/TAP		114.25	114.95		DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
250	383	158910	4/5/2011	PW110405250			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	NA	TOTALIZER AND GPM READOUT NOT WORKING
250	384	159005	5/4/2011	PW110504250			SP/TAP	108.20	109.60	NA		DFB	3	0	0	0	0	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING, FIELD BLANK
250	384	159064	6/8/2011	PW110608250			SP/TAP		NA	NA		DFB	3	0	0	0	0	0	N	NA	GPM AND TOTALIZER READOUT NOT WORKING
260	381	158718	1/10/2011	PW110110260			SP/TAP	71.25	262.25	76GPM	13000.0	DFB	3	0	1	1	1	0	N	NA	
260	381	158791	2/8/2011	PW110208260	NR110208310		SP/TAP	70.45	259.50	55GPM	12000.0	DFB	6	0	0	0	0	2	N	NA	QC DUPLICATE #310, PW KIT
260	382	158835	3/9/2011	PW110309260	NR110309310		SP/TAP	70.04	289.75	50GPM	17000.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #310
260	383	158911	4/5/2011	PW110405260			SP/TAP		NA	NA	12000.0	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
260	384	159006	5/4/2011	PW110504260			SP/TAP	64.40	261.50	40GPM	7000.0	DFB	3	0	0	0	0	0	N	NA	
260	384	159065	6/8/2011	PW110608260			SP/TAP		NA	NA	11000.0	DFB	3	0	0	0	0	0	N	NA	
270	381	158719	1/10/2011	PW101110270			SP/TAP	58.80	>300	31GPM	13000.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	381	158792	2/8/2011	PW110208270			SP/TAP	58.10	>300	32GPM	13700.0	DFB	3	0	1	1	1	1	N	ND/ND	PW KIT
270	382	158836	3/9/2011	PW110309270			SP/TAP	41.75	>300	36GPM	14200.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	383	158912	4/5/2011	PW110405270			SP/TAP		NA	NA	13500.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	384	159007	5/4/2011	PW110504270			SP/TAP	43.45	>300	35GPM	13500.0	DFB	3	0	1	1	1	0	N	ND/ND	
270	384	159066	6/8/2011	PW110608270			SP/TAP		NA	NA	13300.0	DFB	3	0	1	1	1	0	N	ND/ND	
290	387	159356	1/28/2011				DFB														NO SAMPLE, OFF LINE
290	387	159357	2/25/2011				DFB														NO SAMPLE, OFF LINE
290	387	159358	3/25/2011				DFB														NO SAMPLE, OFF LINE
290	382	158899	4/4/2011				DFB														NO SAMPLE, OFF LINE
290	387	159359	5/27/2011				DFB														NO SAMPLE, OFF LINE
290	387	159360	6/24/2011				DFB														NO SAMPLE, OFF LINE
300	381		1/5/2011	TB110105300			DFB						3	0	0	0	0	0			TRIP BLANK
300	381		1/6/2011	TB110106300			DFB						3	0	0	0	0	0			TRIP BLANK
300	381		2/8/2011	TB110208300			DFB						3	0	0	0	0	0			TRIP BLANK
300	382		2/14/2011	TB110214300			DFB						3	0	0	0	0	0			TRIP BLANK
300	382		3/9/2011	TB110309300			DFB						3	0	0	0	0	0			TRIP BLANK
300	382		3/15/2011	TB110315300			DFB						3	0	0	0	0	0			TRIP BLANK
300	383		4/6/2011	TB110406300			DFB						3	0	0	0	0	0			TRIP BLANK
300	383		4/7/2011	TB110407300			DFB						3	0	0	0	0	0			TRIP BLANK
300	383		4/19/2011	TB110419300			DFB						3	0	0	0	0	0			TRIP BLANK
300	383		4/20/2011	TB110420300			DFB						3	0	0	0	0	0			TRIP BLANK
300	384		5/5/2011	TB110505300			DFB						3	0	0	0	0	0			TRIP BLANK
300	384		6/7/2011	TB110607300			DFB						3	0	0	0	0	0			TRIP BLANK
300	384		6/14/2011	TB110614300			DFB						0	3	0	0	0	0			TRIP BLANK
302	380		1/4/2011	TB110104302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/5/2011	TB110105302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/10/2011	TB110110302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/11/2011	TB110111302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/13/2011	TB110113302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/14/2011	TB110114302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/17/2011	TB110117302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/18/2011	TB110118302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/19/2011	TB110119302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/20/2011	TB110120302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/24/2011	TB110124302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/25/2011	TB110125302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/26/2011	TB110126302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/27/2011	TB110127302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		1/31/2011	TB110131302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		2/3/2011	TB110203302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		2/7/2011	TB110207302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		2/8/2011	TB110208302			DFB						3	0	0	0	0	0			TRIP BLANK
302	381		2/9/2011	TB110209302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		2/10/2011	TB110210302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		2/14/2011	TB110214302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		2/15/2011	TB110215302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		2/16/2011	TB110216302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		2/17/2011	TB110217302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		3/3/2011	TB110303302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		3/4/2011	TB110304302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		3/9/2011	TB110309302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		3/10/2011	TB110310302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		3/14/2011	TB110314302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		3/15/2011	TB110315302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		3/16/2011	TB110316302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		3/17/2011	TB110317302			DFB						3	0	0	0	0	0			TRIP BLANK
302	382		3/18/2011	TB110318302			DFB						3	0	0	0	0	0			TRIP BLANK

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
302	382		3/22/2011	TB110322302								DFB	3	0	0	0	0	0			TRIP BLANK
302	382		3/23/2011	TB110323302								DFB	3	0	0	0	0	0			TRIP BLANK
302	382		3/24/2011	TB110324302								DFB	3	0	0	0	0	0			TRIP BLANK
302	382		3/28/2011	TB110328302								DFB	3	0	0	0	0	0			TRIP BLANK
302	382		3/29/2011	TB110229302								DFB	3	0	0	0	0	0			TRIP BLANK
302	382		3/30/2011	TB110330302								DFB	3	0	0	0	0	0			TRIP BLANK
302	382		3/31/2011	TB110331302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/4/2011	TB110404302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/5/2011	TB110405302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/6/2011	TB110406302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/7/2011	TB110407302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/8/2011	TB110408302								DFB	0	3	0	0	0	0			TRIP BLANK
302	383		4/11/2011	TB110408302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/12/2011	TB110412302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/13/2011	TB110413302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/14/2011	TB110414302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/18/2011	TB110418302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/19/2011	TB110419302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/20/2011	TB110420302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/21/2011	TB110421302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/22/2011	TB110422302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/25/2011	TB110425302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/26/2011	TB110426302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/27/2011	TB110427302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		4/28/2011	TB110428302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		5/2/2011	TB110502302								DFB	3	0	0	0	0	0			TRIP BLANK
302	383		5/3/2011	TB110503302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		5/4/2011	TB110504302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		5/5/2011	TB110505302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		5/9/2011	TB110509302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		5/10/2011	TB110510302								DFB	0	3	0	0	0	0			TRIP BLANK
302	384		5/11/2011	TB110511302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		5/12/2011	TB110512302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		5/16/2011	TB110516302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		5/17/2011	TB110517302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		5/18/2011	TB110518302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		5/19/2011	GW110519302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		5/20/2011	TB110520302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		6/6/2011	TB110606302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		6/7/2011	TB110607302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		6/8/2011	TB110608302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		6/9/2011	TB110609302								DFB	0	3	0	0	0	0			TRIP BLANK
302	384		6/13/2011	TB110613302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		6/14/2011	TB110614302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		6/15/2011	TB110615302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		6/17/2011	TB110617302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		6/20/2011	TB110620302								DFB	3	0	0	0	0	0			TRIP BLANK
302	384		6/21/2011	TB110621302								DFB	3	0	0	0	0	0			TRIP BLANK
302	385		6/22/2011	TB110622302								DFB	3	0	0	0	0	0			TRIP BLANK
303	380		1/4/2011	EB110104303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/6/2011	EB110106303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/10/2011	EB110110303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/11/2011	EB110111303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/13/2011	EB110113303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/14/2011	EB110114303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/17/2011	EB110117303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/18/2011	EB110118303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/19/2011	EB110119303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/20/2011	EB110120303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/24/2011	EB110124303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/25/2011	EB110125303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/26/2011	EB110126303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/27/2011	EB110127303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		1/31/2011	EB110131303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		2/3/2011	EB110203303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		2/7/2011	EB110207303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	381		2/9/2011	EB110209303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		2/10/2011	EB110210303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		2/14/2011	EB110214303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		2/15/2011	EB110215303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		2/16/2011	EB110216303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
303	382		2/17/2011	EB110217303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/3/2011	EB110303303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/4/2011	EB110304303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/10/2011	EB110310303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/14/2011	EB110314303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/15/2011	EB110315303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/16/2011	EB110316303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/17/2011	EB110317303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/18/2011	EB110318303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/22/2011	EB110322303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/23/2011	EB110323303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/24/2011	EB110324303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/28/2011	EB110328303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/29/2011	EB110329303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/30/2011	EB110330303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	382		3/31/2011	EB110331303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/4/2011	EB110404303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/5/2011	EB110405303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/7/2011	EB110407303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/8/2011	EB110408303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/11/2011	EB110408303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/12/2011	EB110412303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/13/2011	EB110413303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/14/2011	GW110414303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/18/2011	EB110418303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/19/2011	EB110419303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/20/2011	EB110420303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/21/2011	EB110421303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/22/2011	EB110422303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/25/2011	EB110425303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/26/2011	EB110426303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/27/2011	EB110427303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		4/28/2011	EB110428303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		5/2/2011	EB110502303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	383		5/3/2011	EB110503303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		5/4/2011	EB110504303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		5/9/2011	EB110509303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		5/10/2011	EB110510303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		5/11/2011	EB110511303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		5/12/2011	EB110512303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		5/16/2011	EB110516303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		5/17/2011	EB110517303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		5/18/2011	EB110518303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		5/19/2011	GW110519303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		5/20/2011	EB110520303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		6/6/2011	EB110606303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		6/8/2011	EB110608303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		6/9/2011	EB110609303								DFB	0	3	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		6/13/2011	EB110613303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		6/14/2011	EB110614303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		6/15/2011	EB110615303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		6/17/2011	EB110617303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	384		6/21/2011	EB110621303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
303	385		6/22/2011	EB110622303								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/WLID
304	384		6/20/2011	EB110620304								DFB	3	0	0	0	0	0			EQUIPMENT BLANK/2"SP#3
323	380	158695	1/4/2011	PW110104323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
323	381	158788	2/7/2011	PW110207323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	PW KIT
323	382	158817	3/3/2011	PW110303323			SP/TAP		NA	NA	0.3	DFB	0	3	0	0	0	0	N	NA	FIELD BLANK TAKEN
323	383	158903	4/4/2011	PW110404323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
323	383	158990	5/2/2011	PW110502323		NR110502310	SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #310, FIELD BLANK TAKEN
323	384	159047	6/6/2011	PW110606323			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
325	380	158696	1/4/2011	PW110104325			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
325	381	158786	2/7/2011	PW110207325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	1	N	ND/ND	PW KIT, FIELD BLANK TAKEN
325	382	158818	3/3/2011	PW110303325			SP/TAP		NA	NA	0.3	DFB	0	3	0	0	0	0	N	ND/ND	
325	383	158904	4/4/2011	PW110404325			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
325	383	158991	5/2/2011	PW110502325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
325	384	159048	6/6/2011	PW110606325			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395	381	158705	1/5/2011	SW110105395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
395	381	158774	2/3/2011	SW110203395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
395	382	158822	3/4/2011	SW110304395		NR110304311	SP/TAP		NA	NA	0.3	DFB	6	0	2	2	2	0	N	ND/ND	QC DUPLICATE #311
395	383	158924	4/7/2011	SW110407395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
395	384	159002	5/3/2011	SW110503395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/ND	
395	384	159067	6/8/2011	SW110608395			SP/TAP		NA	NA	0.3	DFB	3	0	1	1	1	0	N	ND/0.4	
395A	381	158706	1/5/2011	SW110105395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	381	158775	2/3/2011	SW110203395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	382	158823	3/4/2011	SW110304395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	383	158925	4/7/2011	SW110407395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	384	159003	5/3/2011	SW110503395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395A	384	159068	6/8/2011	SW110608395A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/0.2	
395B	381	158707	1/5/2011	SW110105395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	381	158776	2/3/2011	SW110203395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	382	158824	3/4/2011	SW110304395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	383	158926	4/7/2011	SW110407395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	384	159004	5/3/2011	SW110503395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	ND/ND	
395B	384	159069	6/8/2011	SW110608395B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	0.2/0.2	
400	384	159094	6/20/2011	GW110620400			BP/LINE	8.96	9.98	2M/G	9.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
401	384	159095	6/20/2011	GW110620401			BPP/LINE	9.33	NA	1.6M/G	22.0	DFB	3	0	0	0	0	0	N	NA	
402	384	159084	6/14/2011	GW110614402	NR110614312		2"SP/LINE	26.42	43.77	4GPM	155.0	DFB	9	0	0	0	0	0	N	NA	QC DUPLICATE #312, MS/MSD VOAS
403	384	159096	6/20/2011	GW110620403			BP/LINE	8.47	18.87	1.5M/G	32.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
404	384	159100	6/21/2011	GW110621404			BP/LINE	93.82	94.69	1.7M/G	63.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
407	384	159090	6/17/2011	GW110617407			2"SP/LINE	82.89	158.65	6GPM	308.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
408	385	159104	6/22/2011	GW110622408			BP/LINE	2.83	4.73	1.2M/G	31.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
410	384	159099	6/21/2011	GW110621410			PP/B	14.50	16.95	6M/G	6.8	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
412	384	159098	6/21/2011	GW110621412			BPP/LINE	12.91	NA	12.91	22.0	DFB	3	0	0	0	0	0	N	NA	
415	385	159101	6/21/2011	GW110621415			2"SP/LINE	16.56	36.45	4GPM	296.0	DFB	3	0	0	0	0	0	N	NA	
416	384	159086	6/15/2011	GW110615416	NR110615313		BP/LINE	7.88	21.24	1.3M/G	19.0	DFB	6	0	0	0	0	0	Y	NA	QC DUPLICATE #313
417	384	159091	6/17/2011	GW110617417			2"SP/LINE	16.93	40.33	5GPM	156.0	DFB	3	0	0	0	0	0	N	NA	
423	384	159088	6/15/2011	GW110615423			BP/LINE	10.64	11.08	1.4M/G	25.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
424	384	159087	6/15/2011	GW110615424			BP/LINE	13.86	21.07	1.9M/G	21.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
502	381	158729	1/11/2011	GW110111502			BP/LINE	1.91	20.21	1.2M/G	17.0	DFB	3	0	0	0	0	0	N	NA	
502	383	158951	4/13/2011	GW110413502			BP/LINE	0.92	19.08	1.4M/G	17.0	DFB	3	0	0	0	0	0	N	NA	
503	381	158728	1/11/2011	GW110111503			2"SP/LINE	1.85	8.32	10GPM	223.0	DFB	3	0	0	0	0	0	N	NA	
503	383	158950	4/13/2011	GW110413503			2"SP/LINE	1.21	7.58	10GPM	226.0	DFB	3	0	0	0	0	0	N	NA	
515	382	158860	3/16/2011	GW110316515			BP/LINE	0.82	46.26	3.8M/G	75.0	DFB	3	0	0	0	0	0	N	NA	
515	383	158969	4/21/2011	GW110421515			BP/LINE	0.94	20.35	3.8M/G	75.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS, FIELD BLANK TAKEN
520	382	158851	3/14/2011	GW110314520			BP/LINE	5.11	6.62	1.6M/G	9.0	DFB	3	0	0	0	0	0	N	NA	
520	383	158952	4/13/2011	GW110413520			BP/LINE	5.52	7.98	1.4M/G	9.3	DFB	3	0	0	0	0	0	N	NA	
521	382	158852	3/14/2011	GW110314521			BP/LINE	1.18	2.98	1.5M/G	16.0	DFB	3	0	0	0	0	0	N	NA	
521	383	158955	4/14/2011	GW110414521			BP/LINE	3.07	3.62	1.4M/G	15.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
535	382	158861	3/16/2011	GW110316535			2"SP/LINE		@PUMP	2GPM	22.0	DFB	3	0	0	0	0	0	Y	NA	
535	383	158973	4/22/2011	GW110422535			2"SP/LINE	-2.00	@PUMP	2GPM	28.0	DFB	3	0	0	0	0	0	Y	NA	
543	382	158845	3/10/2011	GW110310543			PP/B	1.98	2.04	6.8M/G	5.3	DFB	3	0	0	0	0	0	N	NA	
543	383	158939	4/11/2011	GW110411543			PP/B	5.27	5.41	7M/G	3.8	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
545	382	158845	3/10/2011	GW110310545			BP/LINE	4.97	5.03	2.1M/G	12.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
545	383	158938	4/11/2011	GW110411545			BP/LINE	7.39	7.51	1.4M/G	11.0	DFB	3	0	0	0	0	0	N	NA	
559	383	158983	4/27/2011	GW110427559			BP/LINE	22.91	@PUMP	2.2M/G	10.9	DFB	3	0	0	0	0	0	Y	ND/ND	
561	383	158985	4/27/2011	GW110427561			B/B	20.89	31.10	NA	8.4	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
563	383	158984	4/27/2011	GW110427563			2"SP/LINE	31.37	@PUMP	2GPM	24.0	DFB	3	0	0	0	0	0	Y	NA	
564	383	158982	4/27/2011	GW110427564			BP/LINE	21.03	@PUMP	2.9M/G	13.0	DFB	3	0	0	0	0	0	Y	NA	
571	381	158734	1/13/2011	GW110113571			B/B	9.48	10.02	NA	2.6	DFB	3	0	0	0	0	0	N	NA	
571	383	158929	4/7/2011	GW110407571	NR110407313		B/B	9.89	10.04	NA	2.5	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
572	385	159102	6/22/2011	GW110622572			PP/B	6.21	6.28	5M/G	5.0	DFB	3	0	0	0	0	0	N	ND/2.4	
574	385	159103	6/22/2011	GW110622574			PP/B	19.91	20.09	5M/G	6.1	DFB	3	0	0	0	0	0	N	ND/1.3	
576	382	158878	3/24/2011	GW110324576			B/B	13.05	13.73	NA	3.3	DFB	3	0	0	0	0	0	N	NA	
577	381	158742	1/17/2011	GW110117577	NR110117313		2"SP/LINE	113.61	206.39	2GPM	53.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #313
578	381	158741	1/17/2011	GW110117578			2"SP/LINE	112.61	120.19	3GPM	42.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
579	384	159092	6/20/2011	GW110620579		NR110620315	BP/LINE	110.72	117.91	2.7M/G	69.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #315
580	381	158748	1/19/2011	GW110119580			B/B	16.59	18.67	NA	0.7	DFB	3	0	1	1	1	0	Y	NA	FIELD BLANK TAKEN
581	381	158749	1/19/2011	GW110119581			B/B	18.57	18.79	NA	5.0	DFB	3	0	1	1	1	0	N	NA	
600	382	158879	3/24/2011	GW110324600			B/B	14.43	16.66	NA	2.6	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
601	382	158897	3/31/2011	GW110331601			2"SP/LINE	41.88	46.81	2GPM	46.0	DFB	3	0	0	0	0	0	N	NA	
602	382	158880	3/24/2011	GW110324602			B/B	5.07	20.96	NA	8.4	DFB	3	0	0	0	0	0	N	NA	
603	382	158881	3/24/2011	GW110324603	NR110324322		B/B	6.19	23.59	NA	9.5	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #322
604	382	158894	3/30/2011	GW110330604	NR110330318		2"SP/LINE	95.31	118.98	2GPM	21.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #318
606	384	159093	6/20/2011	GW110620606			2"SP#3/B	158.24	NR	1GPM	16.0	DFB	3	0	0	0	0	0	N	NA	COULD NOT GET DTW AFTER PURGE DUE TO TUBING/CABLE
607	384	159016	5/9/2011	GW110509607			B/B	102.27	105.04	NA	8.0	DFB	3	0	0	0	0	0	N	ND/ND	
608	382	158876	3/24/2011	GW110324608			B/B	50.64	51.81	NA	5.7	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
609	384	159080	6/13/2011	GW110613609			2"SP/LINE	158.58	180.63	2GPM	37.0	DFB	3	0	0	0	0	0	N	NA	
610	382	158898	3/31/2011	GW110331610			BP/LINE	138.19	138.74	3.3M/G	20.0	DFB	3	0	0	0	0	0	N	ND/ND	
611	384	159041	5/19/2011	GW110519611			2"SP/LINE	103.93	135.48	2GPM	54.0	DFB	3	0	0	0	0	0	N	NA	
612	381	158720	1/10/2011	GW110110612			SP/TAP	2.31	NA	0.7GPM	0.3	DFB	3	0	0	0	0				

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
612	382	158825	3/4/2011	GW110304612			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
612	383	158917	4/6/2011	GW110406612			SP/TAP	2.31	NA	1.0GPM	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
612	383	158993	5/3/2011	GW110503612			SP/TAP	2.31	NA	1.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
612	384	159060	6/7/2011	GW110607612			SP/TAP	2.30	NA	1.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
613	381	158721	1/10/2011																		
613	386	159299	2/25/2011																		NO SAMPLE, OFF LINE
613	382	158829	3/4/2011																		NO SAMPLE, OFF LINE
613	382	158900	4/4/2011																		NO SAMPLE, OFF LINE
613	383	158997	5/3/2011																		NO SAMPLE, OFF LINE
613	386	159300	6/24/2011																		NO SAMPLE, OFF LINE
617	381	158722	1/10/2011	GW110110617	NR110110311		SP/TAP	7.16	NA	6.8GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
617	381	158782	2/3/2011	GW110203617			SP/TAP	6.45	NA	5.7GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	382	158826	3/4/2011	GW110304617			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
617	383	158918	4/6/2011	GW110406617			SP/TAP	9.34	NA	11.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	383	158994	5/3/2011	GW110503617			SP/TAP	6.99	NA	11.1GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
617	384	159061	6/7/2011	GW110607617			SP/TAP	6.79	NA	10.8GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	381	158723	1/10/2011	GW110110618			SP/TAP	3.05	NA	0.8GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	381	158783	2/3/2011	GW110203618			SP/TAP	2.96	NA	0.9GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	382	158827	3/4/2011	GW110304618			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
618	383	158919	4/6/2011	GW110406618			SP/TAP	2.98	NA	1.0GPM	0.3	DFB	3	0	0	0	0	0	N	NA	
618	383	158995	5/3/2011	GW110503618	NR110503311		SP/TAP	2.98	NA	1.2GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
618	384	159062	6/7/2011	GW110607618	NR110607311		SP/TAP	3.00	NA	1.2GPM	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
622	384	159025	5/11/2011	GW110511622			2"SP/LINE	60.68	164.22	1GPM	76.0	DFB	3	0	0	0	0	0	N	NA	
623	384	159082	6/14/2011	GW110614623			2"SP/LINE	131.80	135.10	3GPM	99.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
624	384	159040	5/19/2011	GW110519624			2"SP/LINE	116.74	153.49	3GPM	119.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
627	381	158760	1/25/2011	GW110125627			PP/B	16.83	18.24	NA	0.9	DFB	3	0	1	1	1	0	N	NA	
628	380	158698	1/4/2011	GW110104628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628	381	158777	2/3/2011	GW110203628	NR110203311		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
628	382	158831	3/4/2011	GW110304628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628	383	158907	4/4/2011	GW110404628	NR110404211		SP/TAP		NA	NA	0.3	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #311
628	383	158998	5/3/2011	GW110503628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
628	384	159050	6/6/2011	GW110606628			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	380	158699	1/4/2011	GW110104628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	381	158778	2/3/2011	GW110203628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	382	158832	3/4/2011	GW110304628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	383	158908	4/4/2011	GW110404628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	383	158999	5/3/2011	GW110503628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628A	384	159051	6/6/2011	GW110606628A			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	380	158700	1/4/2011	GW110104628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	381	158779	2/3/2011	GW110203628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	382	158833	3/4/2011	GW110304628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	383	158909	4/4/2011	GW110404628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	383	159000	5/3/2011	GW110503628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
628B	384	159052	6/6/2011	GW110606628B			TANK/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	
638	381	158733	1/13/2011	GW110113638			B/B	17.98	23.21	NA	1.7	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
638	383	158943	4/11/2011	GW110411638			B/B	16.97	23.49	NA	2.3	DFB	3	0	0	0	0	0	Y	NA	
639	381	158735	1/13/2011																		NO SAMPLE, DRY WELL
639	383	158981	4/26/2011																		NO SAMPLE, DRY WELL
640	381	158732	1/13/2011	GW110113640			B/B	12.27	20.28	NA	2.2	DFB	3	0	0	0	0	0	Y	NA	
640	383	158942	4/11/2011	GW110411640			B/B	12.37	20.30	NA	2.6	DFB	3	0	0	0	0	0	Y	NA	
701	381	158754	1/20/2011	GW110120701			B/B	10.82	11.12	NA	4.4	DFB	3	0	1	1	1	0	N	NA	
702	381	158751	1/19/2011	GW110119702			B/B	9.95	14.68	NA	3.7	DFB	3	0	1	1	1	0	N	NA	
704	383	158986	4/28/2011	GW110428704			2"SP/LINE	63.54	96.42	6GPM	1276.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
706	381	158764	1/26/2011	GW110126706			BP/LINE	23.59	25.04	2.2M/G	10.5	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
711	384	159034	5/16/2011	GW110516711	NR110516316		2"SP/LINE	147.20	72.33	7.5GPM	1472.0	DFB	9	0	0	0	0	0	N	NA	QC DUPLICATE #316, MS/MSD VOAS
714	381	158744	1/18/2011	GW110118714			B/B	33.61	36.86	NA	1.0	DFB	3	0	1	1	1	0	Y	ND/ND	
716	381	158799	2/9/2011	GW110209716			BP/LINE	116.92	118.05	2GPM	105.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
720	383	158923	4/7/2011	GW110407720			2"SP/LINE	26.02	26.45	1GPM	13.0	DFB	3	0	1	1	1	0	N	NA	
722	384	159027	5/12/2011	GW110512722			2"SP/LINE	13.64	24.76	8.5GPM	1526.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
732	384	159037	5/17/2011	GW110517732			2"SP/LINE	135.69	139.51	3GPM	219.0	DFB	3	0	0	0	0	0	N	NA	
734	384	159083	6/14/2011	GW110614734			2"SP/LINE	138.77	141.72	1GPM	39.0	DFB	3	0	0	0	0	0	N	NA	
735	381	158747	1/19/2011	GW110119735			B/B	18.96	24.94	NA	1.8	DFB	3	0	1	1	1	0	Y	ND/ND	
737	383	158987	4/28/2011	GW110428737			BP/LINE	133.71	135.02	2.5M/G	28.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
739	382	158813	2/16/2011	GW110216739			2"SP/LINE	144.47	146.52	2GPM	136.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
740	384	159076	6/13/2011	GW110613740			PP/B	20.61	20.96	7.5M/G	2.3	DFB	3	0	1	1	1	0	N	NA	
742	382	158801	2/10/2011	GW110210742	NR110210313		2"SP/LINE	145.76	151.81	3G/M	148.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #313
743	382	158814	2/16/2011	GW110216743			PP/B	14.52	17.84	6.5M/G	2.4	DFB	3	0	1	1	1	0	N	NA	
744	382	158868	3/18/2011	GW110318744			BP/LINE	5.78	6.91	1.5M/G	11.0	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
744	383	158954	4/14/2011	GW110414744			BP/LINE	6.25	6.44	1.2M/G	11.0	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
745	382	158866	3/18/2011	GW110318745			PP/B	8.37	13.04	9GPM	2.9	DFB	3	0	1	1	1	0	N	NA	
745	383	158953	4/14/2011	GW110414745			PP/B	6.74	DRY	6.8M/G	3.7	DFB	3	0	1	1	1	0	Y	NA	

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
751	383	158967	4/20/2011	GW110420751			PP/B	10.46	11.02	6.5M/G	5.7	DFB	6	0	1	1	1	1	N	NA	MOF AND PART 373 SAMPLING, FIELD BLANK TAKEN
753	383	158966	4/20/2011	GW110420753			PP/B	9.81	DRY	4.5M/G	5.0	DFB	6	0	1	1	1	1	Y	NA	MOF AND PART 373 SAMPLING
754	381	158800	2/9/2011	GW110209754			PP/B	13.68	14.12	6.5M/G	18.0	DFB	6	0	1	1	1	0	N	NA	MS/MSD VOAS
754	383	158961	4/18/2011	GW110418754			PP/B	12.57	12.84	6M/G	20.0	DFB	3	0	0	0	0	1	N	NA	MOF SAMPLING
755	381	158737	1/14/2011	GW110114755			BP/LINE	13.31	19.22	1.7M/G	19.0	DFB	3	0	1	1	1	0	N	NA	
755	383	158964	4/19/2011	GW110419755			BP/LINE	3.92	8.81	2M/G	38.0	DFB	6	0	0	0	0	1	N	NA	MOF AND PART 373 SAMPLING
756	383	158963	4/19/2011	GW110419756			PP/B	4.89	DRY	3.5M/G	21.7	DFB	6	0	0	0	0	1	Y	NA	MOF AND PART 373 SAMPLING, FIELD BLANK TAKEN
757	381	158731	1/13/2011	GW110113757			B/B	8.72	8.91	NA	5.6	DFB	3	0	0	0	0	0	N	ND/ND	
757	383	158928	4/7/2011	GW110407757			B/B	6.03	6.38	NA	6.8	DFB	3	0	0	0	0	0	N	ND/ND	
761	381	158743	1/18/2011	GW110118761			B/B	15.61	26.91	NA	8.2	DFB	3	0	1	1	1	0	N	NA	
763	381	158746	1/18/2011	GW110118763			B/B	35.90	49.12	NA	3.5	DFB	3	0	1	1	1	0	Y	NA	
766	381	158756	1/20/2011	GW110120766			B/B	21.95	22.11	NA	1.8	DFB	3	0	1	1	1	0	N	NA	
767	382	158816	2/17/2011	GW110217767			PP/B	15.11	15.31	7M/G	1.8	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
768	381	158772	1/31/2011	GW110131768			PP/B	17.18	17.21	6.5M/G	2.7	DFB	3	0	1	1	1	0	N	ND/ND	FIELD BLANK TAKEN
769	381	158755	1/20/2011	GW110120769		NR110120317	B/B	21.21	24.98	NA	2.7	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #317, FIELD BLANK TAKEN
771	381	158771	1/31/2011	GW110131771			PP/B	17.49	DRY	NA	0.7	DFB	3	0	1	1	1	0	Y	NA	
772	381	158740	1/17/2011	GW110117772		NR110117314	BP/LINE	12.55	12.98	2M/G	3.1	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314, FIELD BLANK TAKEN
772	383	158976	4/25/2011	GW110425772			2"SP/LINE	9.14	10.32	1.3M/G	4.8	DFB	3	0	1	1	1	0	N	NA	
773	381	158738	1/14/2011	GW110114773			BP/LINE	18.14	19.71	1.8M/G	5.2	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
773	383	158957	4/14/2011	GW110414773			BP/LINE	15.16	17.28	1.5M/G	6.6	DFB	3	0	1	1	1	0	N	NA	
774	381	158739	1/14/2011	GW110114774			BP/LINE	15.52	22.54	2.3M/G	7.0	DFB	3	0	1	1	1	0	N	NA	
774	383	158956	4/14/2011	GW110414774		NR110414314	BP/LINE	13.68	22.23	1.3M/G	7.9	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314
775	381	158765	1/26/2011	GW110126775		NR110126320	BP/LINE	16.04	24.69	1.5M/G	6.9	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #320
777	382	158890	3/30/2011	GW110330777			2"SP/LINE	18.32	23.39	3GPM	54.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
779	382	158889	3/30/2011	GW110330779			BP/LINE	122.22	122.25	5.3M/G	53.0	DFB	3	0	0	0	0	0	N	NA	
789	381	158757	1/24/2011	GW110124789			B/B	12.09	15.96	NA	4.4	DFB	3	0	1	1	1	0	N	NA	
791	381	158758	1/24/2011	GW110124791			B/B	14.76	15.16	NA	3.7	DFB	3	0	1	1	1	0	N	NA	FIELD BLANK TAKEN
792	381	158759	1/24/2011	GW110124792			B/B	14.82	18.93	NA	2.9	DFB	3	0	1	1	1	0	N	NA	
793	381	158773	1/31/2011	GW110131793			B/B	21.78	28.87	NA	3.2	DFB	3	0	1	1	1	0	Y	NA	
832	381	158736	1/13/2011	GW110113832			PP/B	20.26	20.71	7M/G	4.9	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
832	383	158940	4/11/2011	GW110411832			PP/B	18.32	18.58	7M/G	5.8	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
857	382	158864	3/17/2011	GW110317857			2"SP/LINE		98.69	2GPM	84.0	DFB	3	0	0	0	0	0	Y	NA	
857	383	158971	4/21/2011	GW110421857			2"SP/LINE	-2.00	98.28	2GPM	80.0	DFB	3	0	0	0	0	0	Y	NA	
858	382	158863	3/17/2011	GW110317858			2"SP/LINE		148.11	2GPM	218.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
858	383	158970	4/21/2011	GW110421858			2"SP/LINE	-2.00	147.85	2GPM	208.0	DFB	3	0	0	0	0	0	Y	NA	
859	382	158869	3/22/2011	GW110322859			2"SP/LINE	6.10	97.03	2GPM	74.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
859	383	158975	4/25/2011	GW110425859			2"SP/LINE	6.24	92.26	2GPM	70.0	DFB	3	0	0	0	0	0	Y	NA	
860	382	158882	3/28/2011	GW110328860			2"SP/LINE	6.61	148.61	2GPM	188.0	DFB	3	0	0	0	0	0	Y	NA	
860	383	158974	4/25/2011	GW110425860			2"SP/LINE	6.31	149.41	2GPM	177.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
861	382	158870	3/22/2011	GW110322861			2"SP/LINE	9.04	@PUMP	2GPM	28.0	DFB	3	0	0	0	0	0	Y	NA	
861	383	158978	4/26/2011	GW110426861			2"SP/LINE	9.69	@PUMP	2GPM	22.0	DFB	3	0	0	0	0	0	Y	NA	
862	382	158871	3/22/2011	GW110322862			2"SP/LINE	9.59	@PUMP	2GPM	32.0	DFB	3	0	0	0	0	0	Y	NA	
862	383	158979	4/26/2011	GW110426862			2"SP/LINE	10.17	@PUMP	2GPM	28.0	DFB	3	0	0	0	0	0	Y	NA	
921	384	159024	5/11/2011	GW110511921			BP/LINE	12.08	24.41	1.2M/G	145.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
922	384	159039	5/18/2011	GW110518922			2"SP/LINE	36.32	111.56	2GPM	84.0	DFB	3	0	0	0	0	0	Y	NA	
923	384	159089	6/17/2011	GW110617923			BP/LINE	42.41	76.96	2.5M/G	57.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
929	384	159015	5/9/2011	GW110509929			BP/LINE	105.30	105.45	3.2M/G	23.0	DFB	3	0	0	0	0	0	N	NA	
931	384	159031	5/16/2011	GW110516931			2"SP/LINE	92.75	96.24	3GPM	115.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
932	384	159038	5/18/2011	GW110518932			2"SP/LINE	14.40	146.45	2GPM	309.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
941	384	159028	5/12/2011	GW110512941			BP/LINE	116.29	117.70	2.5M/G	35.0	DFB	3	0	0	0	0	0	N	ND/ND	
943	382	158773	3/23/2011	GW110323943			2"SP/LINE	7.65	28.56	5GPM	266.0	DFB	3	0	0	0	0	0	N	NA	
944	382	158872	3/23/2011	GW110323944			2"SP/LINE	3.31	44.41	2GPM	134.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
952	382	158815	2/17/2011	GW110217952		NR110217314	BP/LINE	112.44	116.19	1.9M/G	167.0	DFB	6	0	2	2	2	0	N	NA	QC DUPLICATE #314
953	384	159026	5/12/2011	GW110512953			BP/LINE	119.20	120.78	2.4M/G	66.0	DFB	3	0	0	0	0	0	N	ND/ND	FIELD BLANK TAKEN
954	384	159035	5/17/2011	GW110517954			2"SP/LINE	32.53	147.68	2GPM	104.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
956	384	159036	5/17/2011	GW110517956			2"SP/LINE	23.35	101.02	2GPM	72.0	DFB	3	0	0	0	0	0	Y	ND/ND	
958	382	158865	3/17/2011	GW110317958			2"SP/LINE	1.15	98.64	2GPM	88.0	DFB	6	0	0	0	0	0	Y	NA	MS/MSD VOAS
958	383	158977	4/26/2011	GW110426958			2"SP/LINE	-2.00	88.74	2GPM	89.0	DFB	3	0	0	0	0	0	Y	NA	FIELD BLANK TAKEN
959	384	159030	5/16/2011	GW110516959			BP/LINE	98.61	137.55	2M/G	115.0	DFB	3	0	1	1	1	0	N	ND/ND	
960	384	159033	5/16/2011	GW110516960			BP/LINE	38.09	69.41	1.6M/G	102.0	DFB	3	0	1	1	1	0	N	ND/ND	
963	382	158849	3/14/2011	GW110314963		NR110314321	2"SP/LINE	3.64	48.96	2G/M	78.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #321
963	383	158944	4/12/2011	GW110412963			2"SP/LINE	5.48	37.40	2GPM	77.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
964	382	158850	3/14/2011	GW110314964			2"SP/LINE	4.06	17.28	2G/M	44.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
964	383	158945	4/12/2011	GW110412964			2"SP/LINE	5.51	19.84	2GPM	43.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
965	382	158883	3/28/2011	GW110328965		NR110328316	2"SP/LINE	43.80	44.44	4GPM	197.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #316
966	382	158884	3/28/2011	GW110328966			2"SP/LINE	43.51	50.45	4GPM	161.0	DFB	3	0	0	0	0	0	N	NA	FIELD BLANK TAKEN
987	381	158726	1/11/2011	GW110111987			2"SP/LINE	3.74	3.94	3GPM	185.0	DFB	6	0	0	0	0	0	N	NA	MS/MSD VOAS
987	383	158948	4/13/2011	GW110413987		NR110413315	2"SP/LINE	2.73	2.98	3GPM	189.0	DFB	6	0	0	0	0	0	N	NA	QC DUPLICATE #315
990	381																				

Sampling Field Log Database

WELL	BOOK NO	PAGE NO	DATE	SAMPLEID	QC_ORG	QC_373_KIT	EQUIP ID	DTW BP	DTW_AP	RATE	VOL PURGE	SAMPLER ID	GW VOA	PW VOA	F METALS	U METALS	FLUORIDE	SPECIAL	PUMPED DRY	PID	COMMENTS
999	381	158766	1/26/2011	GW110126999			BP/LINE	15.86	16.69	1.8M/G	18.0	DFB	6	0	1	1	1	0	N	NA	MS/MSD VOAS
NR360	381	158724	1/10/2011	NR110110360			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	381	158784	2/3/2011	NR110203360			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	382	158828	3/4/2011	NR110304360			SP/TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	383	158920	4/6/2011	NR110406360			TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	383	158996	5/3/2011	NR110503360			TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618
NR360	384	159063	6/7/2011	NR110607360			TAP		NA	NA	0.3	DFB	3	0	0	0	0	0	N	NA	COMPOSITE OF 612, 617, AND 618

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
007		1/31/2011	12.5	6.3	6800	6.97	
010		1/18/2011	12.6	6.8	3320	228	
015		2/15/2011	11.3	6.3	1213	23.3	
016	312	2/15/2011	13.9	6.2	2140	1.95	QC DUPLICATE #312
032A		1/10/2011	12.0	7.0	2230	0.71	
032A		2/3/2011	10.7	6.4	2970	0.39	
032A		3/4/2011	10.5	6.7	3770	1.00	
032A		4/4/2011	12.0	6.6	2570	0.50	
032A		5/3/2011	15.3	6.4	3250	0.55	
032A		6/6/2011	18.9	6.6	3200	1.11	
035		1/27/2011	9.4	6.4	3330	14.9	
046		4/26/2011	11.4	6.5	906	6.70	
048		3/10/2011	4.6	6.7	577	4.85	
048		4/11/2011	7.6	6.1	893	4.65	
053	312	5/9/2011	11.3	6.2	5110	17.9	QC DUPLICATE #312
054		3/23/2011	11.9	6.3	6120	18.1	
059		3/30/2011	7.4	6.2	875	6.69	
060		3/30/2011	9.9	6.5	1040	32.7	
061	317	3/30/2011	7.5	6.6	7070	2.37	QC DUPLICATE #317
063		3/29/2011	11.7	6.1	6330	99.8	
064		3/14/2011	11.0	6.0	1490	7.65	
064		4/12/2011	11.2	6.7	1500	36.2	
065		3/14/2011	11.7	6.3	1470	4.60	
065	312	4/12/2011	11.9	6.8	1390	2.93	QC DUPLICATE #312
066	312	1/11/2011	5.1	6.6	1710	12.7	QC DUPLICATE #312
066		4/7/2011	7.6	6.4	1990	8.24	
067		3/10/2011	5.4	5.7	1315	9.77	
067		4/11/2011	7.6	6.6	819	5.56	
068	320	3/18/2011	11.5	6.1	2410	22.1	QC DUPLICATE #320
068		4/19/2011	10.6	6.3	2370	67.5	
069		3/23/2011	6.2	6.5	2390	4.04	
085		3/31/2011	14.1	6.5	2230	372	
087	312	3/31/2011	11.7	6.2	1112	1.02	QC DUPLICATE #312
103		1/25/2011	10.5	6.2	1760	7.68	
104		1/25/2011	10.0	6.8	5610	8.74	
105		1/27/2011	11.3	6.5	1600	6.61	
106		1/27/2011	11.1	6.7	1280	8.02	
108		1/20/2011					NETS HYDRO
109		1/20/2011	11.5	6.8	1460	5.43	
113		3/16/2011	9.5	6.4	1610	29.5	
113		4/22/2011	10.0	6.6	1550	35.0	
118		2/10/2011	13.6	6.4	2100	4.80	
143		3/29/2011	12.1	6.6	1403	8.71	
145		3/29/2011	8.3	6.3	2960	1000	
146		3/29/2011	9.7	6.1	699	19.2	
150		6/21/2011	13.6	6.5	1630	>1000	
151		6/13/2011	15.4	6.5	1870	102	
156		6/13/2011	11.4	6.6	1387	4.32	
161		2/15/2011	7.9	6.2	1222	0.94	
166		6/13/2011	13.9	6.6	1221	16.5	
167		6/15/2011	11.9	6.2	714	17.8	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
178		3/24/2011	12.9	6.6		508	SPEC. COND. = 13460
181		5/16/2011	14.4	6.4		1000	SPEC. COND. = 25900
204		1/25/2011	11.7	6.6	1473	756	
210	310	1/4/2011	11.3	7.0	997	1.38	QC DUPLICATE #310
210		2/7/2011	11.4	6.5	1019	0.66	
210		3/3/2011	11.3	6.4	1009	2.03	
210	310	4/4/2011	11.9	6.5	1001	2.85	QC DUPLICATE #310
210		5/2/2011	12.8	6.7	1023	4.48	
210	310	6/6/2011	13.6	6.5	1012	5.31	QC DUPLICATE #310
220		1/4/2011	13.7	6.7	1620	1.98	
220		2/7/2011	14.2	6.3	1660	1.58	
220		3/3/2011	13.5	6.3	1560	2.56	
220		4/4/2011	14.3	6.2	1600	1.19	
220		5/2/2011	13.8	6.2	1580	20.7	
220		6/6/2011	14.8	5.9	1570	8.91	
240		1/4/2011	12.8	6.7	1102	4.74	
240		2/7/2011	12.8	6.1	1125	1.27	
240		3/3/2011	12.2	6.4	1120	6.38	
240		4/4/2011	12.5	6.3	1111	2.62	
240		5/2/2011	13.1	6.5	1133	16.8	
240		6/6/2011	14.6	6.2	1118	7.00	
250		1/10/2011	11.7	7.3	562	16.8	
250		2/8/2011	11.0	6.7	553	24.8	
250		3/9/2011	11.2	6.6	561	26.9	
250		4/5/2011	14.1	6.5	556	23.1	
250		5/4/2011	15.8	6.6	572	19.9	
250		6/8/2011	20.1	6.4	6050	18.4	
260		1/10/2011	11.2	6.9	880	3.86	
260	310	2/8/2011	11.9	6.0	878	7.63	QC DUPLICATE #310
260	310	3/9/2011	11.6	6.4	946	5.59	QC DUPLICATE #310
260		4/5/2011	11.8	6.1	866	5.93	
260		5/4/2011	11.8	6.1	822	3.82	
260		6/8/2011	13.2	5.8	791	21.7	
270		1/10/2011	11.5	7.2	691	2.32	
270		2/8/2011	12.0	6.4	716	2.53	
270		3/9/2011	12.2	6.4	999	3.65	
270		4/5/2011	12.6	6.3	1057	2.94	
270		5/4/2011	12.4	6.4	1089	2.38	
270		6/8/2011	14.7	6.4	924	3.45	
290		1/28/2011					NO SAMPLE, OFF LINE
290		2/25/2011					NO SAMPLE, OFF LINE
290		3/25/2011					NO SAMPLE, OFF LINE
290		4/4/2011					NO SAMPLE, OFF LINE
290		5/27/2011					NO SAMPLE, OFF LINE
290		6/24/2011					NO SAMPLE, OFF LINE
300		1/5/2011					TRIP BLANK
300		1/6/2011					TRIP BLANK
300		2/8/2011					TRIP BLANK
300		2/14/2011					TRIP BLANK
300		3/9/2011					TRIP BLANK
300		3/15/2011					TRIP BLANK

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
300		4/6/2011					TRIP BLANK
300		4/7/2011					TRIP BLANK
300		4/19/2011					TRIP BLANK
300		4/20/2011					TRIP BLANK
300		5/5/2011					TRIP BLANK
300		6/7/2011					TRIP BLANK
300		6/14/2011					TRIP BLANK
302		1/4/2011					TRIP BLANK
302		1/5/2011					TRIP BLANK
302		1/10/2011					TRIP BLANK
302		1/11/2011					TRIP BLANK
302		1/13/2011					TRIP BLANK
302		1/14/2011					TRIP BLANK
302		1/17/2011					TRIP BLANK
302		1/18/2011					TRIP BLANK
302		1/19/2011					TRIP BLANK
302		1/20/2011					TRIP BLANK
302		1/24/2011					TRIP BLANK
302		1/25/2011					TRIP BLANK
302		1/26/2011					TRIP BLANK
302		1/27/2011					TRIP BLANK
302		1/31/2011					TRIP BLANK
302		2/3/2011					TRIP BLANK
302		2/7/2011					TRIP BLANK
302		2/8/2011					TRIP BLANK
302		2/9/2011					TRIP BLANK
302		2/10/2011					TRIP BLANK
302		2/14/2011					TRIP BLANK
302		2/15/2011					TRIP BLANK
302		2/16/2011					TRIP BLANK
302		2/17/2011					TRIP BLANK
302		3/3/2011					TRIP BLANK
302		3/4/2011					TRIP BLANK
302		3/9/2011					TRIP BLANK
302		3/10/2011					TRIP BLANK
302		3/14/2011					TRIP BLANK
302		3/15/2011					TRIP BLANK
302		3/16/2011					TRIP BLANK
302		3/17/2011					TRIP BLANK
302		3/18/2011					TRIP BLANK
302		3/22/2011					TRIP BLANK
302		3/23/2011					TRIP BLANK
302		3/24/2011					TRIP BLANK
302		3/28/2011					TRIP BLANK
302		3/29/2011					TRIP BLANK
302		3/30/2011					TRIP BLANK
302		3/31/2011					TRIP BLANK
302		4/4/2011					TRIP BLANK
302		4/5/2011					TRIP BLANK
302		4/6/2011					TRIP BLANK
302		4/7/2011					TRIP BLANK

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
302		4/8/2011					TRIP BLANK
302		4/11/2011					TRIP BLANK
302		4/12/2011					TRIP BLANK
302		4/13/2011					TRIP BLANK
302		4/14/2011					TRIP BLANK
302		4/18/2011					TRIP BLANK
302		4/19/2011					TRIP BLANK
302		4/20/2011					TRIP BLANK
302		4/21/2011					TRIP BLANK
302		4/22/2011					TRIP BLANK
302		4/25/2011					TRIP BLANK
302		4/26/2011					TRIP BLANK
302		4/27/2011					TRIP BLANK
302		4/28/2011					TRIP BLANK
302		5/2/2011					TRIP BLANK
302		5/3/2011					TRIP BLANK
302		5/4/2011					TRIP BLANK
302		5/5/2011					TRIP BLANK
302		5/9/2011					TRIP BLANK
302		5/10/2011					TRIP BLANK
302		5/11/2011					TRIP BLANK
302		5/12/2011					TRIP BLANK
302		5/16/2011					TRIP BLANK
302		5/17/2011					TRIP BLANK
302		5/18/2011					TRIP BLANK
302		5/19/2011					TRIP BLANK
302		5/20/2011					TRIP BLANK
302		6/6/2011					TRIP BLANK
302		6/7/2011					TRIP BLANK
302		6/8/2011					TRIP BLANK
302		6/9/2011					TRIP BLANK
302		6/13/2011					TRIP BLANK
302		6/14/2011					TRIP BLANK
302		6/15/2011					TRIP BLANK
302		6/17/2011					TRIP BLANK
302		6/20/2011					TRIP BLANK
302		6/21/2011					TRIP BLANK
302		6/22/2011					TRIP BLANK
303		1/4/2011					EQUIP. BLANK/WLID
303		1/6/2011					EQUIP. BLANK/WLID
303		1/10/2011					EQUIP. BLANK/WLID
303		1/11/2011					EQUIP. BLANK/WLID
303		1/13/2011					EQUIP. BLANK/WLID
303		1/14/2011					EQUIP. BLANK/WLID
303		1/17/2011					EQUIP. BLANK/WLID
303		1/18/2011					EQUIP. BLANK/WLID
303		1/19/2011					EQUIP. BLANK/WLID
303		1/20/2011					EQUIP. BLANK/WLID
303		1/24/2011					EQUIP. BLANK/WLID
303		1/25/2011					EQUIP. BLANK/WLID
303		1/26/2011					EQUIP. BLANK/WLID

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
303		1/27/2011					EQUIP. BLANK/WLID
303		1/31/2011					EQUIP. BLANK/WLID
303		2/3/2011					EQUIP. BLANK/WLID
303		2/7/2011					EQUIP. BLANK/WLID
303		2/9/2011					EQUIP. BLANK/WLID
303		2/10/2011					EQUIP. BLANK/WLID
303		2/14/2011					EQUIP. BLANK/WLID
303		2/15/2011					EQUIP. BLANK/WLID
303		2/16/2011					EQUIP. BLANK/WLID
303		2/17/2011					EQUIP. BLANK/WLID
303		3/3/2011					EQUIP. BLANK/WLID
303		3/4/2011					EQUIP. BLANK/WLID
303		3/10/2011					EQUIP. BLANK/WLID
303		3/14/2011					EQUIP. BLANK/WLID
303		3/15/2011					EQUIP. BLANK/WLID
303		3/16/2011					EQUIP. BLANK/WLID
303		3/17/2011					EQUIP. BLANK/WLID
303		3/18/2011					EQUIP. BLANK/WLID
303		3/22/2011					EQUIP. BLANK/WLID
303		3/23/2011					EQUIP. BLANK/WLID
303		3/24/2011					EQUIP. BLANK/WLID
303		3/28/2011					EQUIP. BLANK/WLID
303		3/29/2011					EQUIP. BLANK/WLID
303		3/30/2011					EQUIP. BLANK/WLID
303		3/31/2011					EQUIP. BLANK/WLID
303		4/4/2011					EQUIP. BLANK/WLID
303		4/5/2011					EQUIP. BLANK/WLID
303		4/7/2011					EQUIP. BLANK/WLID
303		4/8/2011					EQUIP. BLANK/WLID
303		4/11/2011					EQUIP. BLANK/WLID
303		4/12/2011					EQUIP. BLANK/WLID
303		4/13/2011					EQUIP. BLANK/WLID
303		4/14/2011					EQUIP. BLANK/WLID
303		4/18/2011					EQUIP. BLANK/WLID
303		4/19/2011					EQUIP. BLANK/WLID
303		4/20/2011					EQUIP. BLANK/WLID
303		4/21/2011					EQUIP. BLANK/WLID
303		4/22/2011					EQUIP. BLANK/WLID
303		4/25/2011					EQUIP. BLANK/WLID
303		4/26/2011					EQUIP. BLANK/WLID
303		4/27/2011					EQUIP. BLANK/WLID
303		4/28/2011					EQUIP. BLANK/WLID
303		5/2/2011					EQUIP. BLANK/WLID
303		5/3/2011					EQUIP. BLANK/WLID
303		5/4/2011					EQUIP. BLANK/WLID
303		5/9/2011					EQUIP. BLANK/WLID
303		5/10/2011					EQUIP. BLANK/WLID
303		5/11/2011					EQUIP. BLANK/WLID
303		5/12/2011					EQUIP. BLANK/WLID
303		5/16/2011					EQUIP. BLANK/WLID
303		5/17/2011					EQUIP. BLANK/WLID

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
303		5/18/2011					EQUIP. BLANK/WLID
303		5/19/2011					EQUIP. BLANK/WLID
303		5/20/2011					EQUIP. BLANK/WLID
303		6/6/2011					EQUIP. BLANK/WLID
303		6/8/2011					EQUIP. BLANK/WLID
303		6/9/2011					EQUIP. BLANK/WLID
303		6/13/2011					EQUIP. BLANK/WLID
303		6/14/2011					EQUIP. BLANK/WLID
303		6/15/2011					EQUIP. BLANK/WLID
303		6/17/2011					EQUIP. BLANK/WLID
303		6/21/2011					EQUIP. BLANK/WLID
303		6/22/2011					EQUIP. BLANK/WLID
304		6/20/2011					EQUIP. BLANK/NDSP#3
323		1/4/2011	11.7	6.6	1381	14.4	
323		2/7/2011	11.8	6.2	1425	4.40	
323		3/3/2011	10.9	6.1	1148	5.96	
323		4/4/2011	10.9	6.3	1068	4.92	
323	310	5/2/2011	11.3	6.5	987	4.03	QC DUPLICATE #310
323		6/6/2011	11.8	6.3	1086	3.03	
325		1/4/2011	11.8	7.0	1341	9.42	
325		2/7/2011	12.3	6.4	1362	8.69	
325		3/3/2011	11.9	6.2	1361	6.65	
325		4/4/2011	12.3	6.4	1370	25.1	
325		5/2/2011	13.3	6.5	1441	36.2	
325		6/6/2011	14.2	6.4	1407	29.6	
395		1/5/2011	17.5	6.9	895	0.31	
395		2/3/2011	16.2	6.3	945	1.59	
395	311	3/4/2011	15.6	6.2	1158	1.10	QC DUPLCICATE #311
395		4/7/2011	12.9	6.2	2050	1.33	
395		5/3/2011	14.8	6.5	1740	0.27	
395		6/8/2011	17.0	6.2	2100	7.25	
395A		1/5/2011	16.6	7.2	892	0.49	
395A		2/3/2011	17.3	6.6	917	0.36	
395A		3/4/2011	14.9	6.7	1109	1.14	
395A		4/7/2011	15.5	6.4	2050	0.85	
395A		5/3/2011	20.9	6.7	935	0.76	
395A		6/8/2011	20.4	6.4	2160	7.25	
395B		1/5/2011	14.3	7.6	869	1.48	
395B		2/3/2011	15.8	6.9	854	0.88	
395B		3/4/2011	14.0	6.9	1085	1.43	
395B		4/7/2011	15.6	6.9	2050	1.72	
395B		5/3/2011	18.8	6.8	1700	2.21	
395B		6/8/2011	23.0	6.7	2040	3.56	
400		6/20/2011	13.0	6.6	631	3.38	
401		6/20/2011	12.3	6.4	918	12.9	
402	312	6/14/2011	12.9	6.4	1369	2.26	QC DUPLICATE #312
403		6/20/2011	12.7	6.6	1467	44.3	
404		6/21/2011	14.6	6.5	3710	29.9	
407		6/17/2011	13.0	6.2	1530	10.2	
408		6/22/2011	11.3	7.2	615	2.73	
410		6/21/2011	11.7	6.2	318	15.4	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
412		6/21/2011	11.5	6.2	1360	19.9	
415		6/21/2011	13.5	6.5	1384	6.81	
416	313	6/15/2011	11.6	6.5	771	72.9	QC DUPLICATE #313
417		6/17/2011	12.9	6.5	758	8.20	
423		6/15/2011	11.8	6.3	884	4.13	
424		6/15/2011	13.3	6.4	957	37.5	
502		1/11/2011	10.6	6.5	2150	5.05	
502		4/13/2011	11.2	6.8	2050	5.62	
503		1/11/2011	11.6	6.4	1540	4.07	
503		4/13/2011	12.0	6.7	3070	2.72	
515		3/16/2011	10.5	6.4	593	2.30	
515		4/21/2011	10.9	6.7	589	0.43	
520		3/14/2011	10.6	6.7	1497	3.27	
520		4/13/2011	10.0	7.0	1227	1.98	
521		3/14/2011	8.7	6.8	701	53.1	
521		4/14/2011	9.8	6.7	865	47.8	
535		3/16/2011	10.5	6.1	629	2.51	
535		4/22/2011	11.4	6.8	616	7.12	
543		3/10/2011	7.2	6.9	562	2.11	
543		4/11/2011	8.4	6.5	581	1.80	
545		3/10/2011	10.3	7.0	623	10.9	
545		4/11/2011	10.0	6.4	591	11.0	
559		4/27/2011	12.7	6.6	1650	21.1	
561		4/27/2011	12.5	6.3	1025	97.7	
563		4/27/2011	12.5	6.8	1260	23.1	
564		4/27/2011	13.3	6.9	644	13.2	
571		1/13/2011	8.1	6.9	1310	>1000	
571	313	4/7/2011	8.5	6.5	1287	>1000	QC DUPLICATE #313
572		6/22/2011	19.9	6.7	1860	3.55	
574		6/22/2011	19.6	6.2	2650	3.85	
576		3/24/2011	10.0	6.4	4510	273	
577	313	1/17/2011	11.8	6.8	1129	81.6	QC DUPLICATE #320
578		1/17/2011	11.2	6.6	1192	2.10	
579	315	6/20/2011	14.3	6.6	1355	8.17	QC DUPLICATE #315
580		1/19/2011	10.9	6.4	3260	37.3	
581		1/19/2011	13.0	6.6	1464	>1000	
600		3/24/2011	9.1	6.6	5200	387	
601		3/31/2011	12.2	6.9	1820	12.9	
602		3/24/2011	11.1	6.8	321	1000	
603	322	3/24/2011	11.0	6.8	541	1000	QC DUPLICATE #322
604	318	3/30/2011	13.5	6.7	584	23.6	QC DUPLICATE #318
606		6/20/2011	16.8	6.2	6120	42.6	
607		5/9/2011	14.3	6.9	746	>1000	
608		3/24/2011	14.0	6.2	4340	496	
609		6/13/2011	14.7	6.7	2190	482	
610		3/31/2011	12.2	7.2	1940	4.54	
611		5/19/2011	15.1	6.5	1590	5.16	
612		1/10/2011	13.3	6.3	3670	40.1	
612		2/3/2011	11.5	6.5	2980	2.83	
612		3/4/2011	11.4	6.2	3430	2.75	
612		4/6/2011	11.8	6.2	4590	2.52	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
612		5/3/2011	14.6	6.2	4410	10.4	
612		6/7/2011	15.5	6.3	4310	12.7	
613		1/10/2011					NO SAMPLE, OFF LINE
613		2/25/2011					NO SAMPLE, OFF LINE
613		3/4/2011					NO SAMPLE, OFF LINE
613		4/4/2011					NO SAMPLE, OFF LINE
613		5/3/2011					NO SAMPLE, OFF LINE
613		6/24/2011					NO SAMPLE, OFF LINE
617	311	1/10/2011	14.1	6.4	3270	0.55	QC DUPLICATE #311
617		2/3/2011	13.2	6.5	3380	0.31	
617		3/4/2011	13.1	6.5	3120	1.06	
617		4/6/2011	11.4	6.5	3290	0.85	
617		5/3/2011	12.2	6.6	3930	1.68	
617		6/7/2011	14.0	6.6	4110	1.90	
618		1/10/2011	9.9	6.4	2110	1.24	
618		2/3/2011	9.4	6.6	2110	0.60	
618		3/4/2011	9.3	6.5	2020	2.28	
618		4/6/2011	9.9	6.5	1980	1.96	
618	311	5/3/2011	12.3	6.7	1930	5.17	QC DUPLICATE #311
618	311	6/7/2011	15.1	6.7	1940	1.35	QC DUPLICATE #311
622		5/11/2011	15.2	6.5	1029	6.00	
623		6/14/2011	12.9	6.2	1700	14.4	
624		5/19/2011	13.2	6.1	905	5.98	
627		1/25/2011	11.6	5.2	1198	10.2	
628		1/4/2011	11.2	6.9	1364	0.97	
628	311	2/3/2011	10.1	6.2	1390	0.62	QC DUPLICATE #311
628		3/4/2011	9.6	6.9	1470	1.07	
628	311	4/4/2011	9.8	6.5	1250	0.69	QC DUPLICATE #311
628		5/3/2011	11.5	6.2	1126	0.35	
628		6/6/2011	14.0	6.6	993	5.03	
628A		1/4/2011	11.5	6.9	1378	0.62	
628A		2/3/2011	10.3	6.5	1380	0.41	
628A		3/4/2011	9.6	6.8	1477	1.10	
628A		4/4/2011	9.7	6.5	1245	0.93	
628A		5/3/2011	10.6	6.3	1120	0.29	
628A		6/6/2011	12.8	6.5	1003	3.20	
628B		1/4/2011	11.5	6.9	1367	0.57	
628B		2/3/2011	10.2	6.5	1377	0.29	
628B		3/4/2011	9.6	6.8	1477	1.10	
628B		4/4/2011	9.7	6.5	1248	0.34	
628B		5/3/2011	10.4	6.5	1122	0.69	
628B		6/6/2011	11.5	6.5	1015	1.57	
638		1/13/2011	12.5	7.0	1153	>1000	
638		4/11/2011	13.6	6.6	9330	>1000	
639		1/13/2011					NO SAMPLE, DRY WELL
639		4/26/2011					NO SAMPLE, DRY WELL
640		1/13/2011	13.8	7.0	1116	1000	
640		4/11/2011	14.5	6.7	1019	803	
701		1/20/2011	9.8	6.5	1510	>1000	
702		1/19/2011	11.4	6.8	1970	>1000	
704		4/28/2011	14.3	6.4	1400	15.4	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
706		1/26/2011	12.2	6.4	5000	8.32	
711	316	5/16/2011	14.8	6.7	1730	14.2	QC DUPLICATE #316
714		1/18/2011	11.1	6.6	2340	126	
716		2/9/2011	12.3	6.4	2360	4.00	
720		4/7/2011	10.1	5.9	426	4.43	
722		5/12/2011	14.1	6.5	2250	2.99	
732		5/17/2011	15.7	6.6	1059	19.2	
734		6/14/2011	16.4	6.4	1800	7.80	
735		1/19/2011	13.1	6.3	1540	9.79	
737		4/28/2011	14.2	6.3	512	111	
739		2/16/2011	13.8	6.3	1401	4.24	
740		6/13/2011	14.7	5.7		1.03	SPEC. COND. = 11740
742	313	2/10/2011	12.7	6.3	776	28.8	QC DUPLICATE #313
743		2/16/2011	12.9	6.3	7350	24.1	
744		3/18/2011	12.7	6.4	1580	0.98	
744		4/14/2011	11.9	6.4	1690	0.32	
745		3/18/2011	11.2	6.1	3940	4.30	
745		4/14/2011	11.2	6.7	3610	7.12	
751		4/20/2011	9.0	6.5	1102	3.93	
753		4/20/2011	8.8	6.6	576	5.39	
754		2/9/2011	9.6	6.1	3680	3.21	
754		4/18/2011	12.1	6.7	2940	0.60	
755		1/14/2011	10.0	6.4	1321	10.8	
755		4/19/2011	9.6	6.7	887	10.9	
756		4/19/2011	11.2	6.5	7850	88.6	
757		1/13/2011	11.0	6.4	2190	>1000	
757		4/7/2011	11.1	6.5	2040	>1000	
761		1/18/2011	12.1	6.4	1711	546	
763		1/18/2011	12.5	7.0	2080	347	
766		1/20/2011	15.6	6.7	2620	321	
767		2/17/2011	13.9	6.0	3060	9.35	
768		1/31/2011	12.6	6.0	7660	162	
769	317	1/20/2011	12.9	6.4	3550	1000	QC DUPLICATE #317
771		1/31/2011	12.2	6.8	1620	>1000	
772		1/17/2011	10.6	6.3	3460	7.79	
772		4/25/2011	10.9	6.4	4870	36.1	
773		1/14/2011	13.3	6.4	3530	22.3	
773		4/14/2011	13.0	6.8	3940	7.59	
774		1/14/2011	14.2	6.5	4280	5.88	
774	314	4/14/2011	13.1	6.6	4320	6.88	QC DUPLICATE #314
775	320	1/26/2011	13.6	5.6	3570	16.3	QC DUPLICATE #320
777		3/30/2011	11.8	6.1	954	1.13	
779		3/30/2011	11.7	6.7	1680	2.43	
789		1/24/2011	11.7	5.7	946	>1000	
791		1/24/2011	12.2	6.4	2920	>1000	
792		1/24/2011	12.8	7.3	4600	944	
793		1/31/2011	13.6	6.7	2990	106	
832		1/13/2011	9.0	7.1	1346	27.0	
832		4/11/2011	10.9	6.4	840	7.12	
857		3/17/2011	10.9	6.2	1000	16.5	
857		4/21/2011	11.3	6.4	991	3.21	

Field Parameters Database

WELL	QC_ID	DATE	TEMP	PH	SPEC_COND	TURBIDITY	COMMENTS
858		3/17/2011	10.7	6.2	805	4.81	
858		4/21/2011	11.3	6.8	801	1.52	
859		3/22/2011	10.5	6.2	694	10.9	
859		4/25/2011	12.4	6.5	687	6.58	
860		3/28/2011	10.6	6.1	593	9.42	
860		4/25/2011	11.4	6.7	590	7.71	
861		3/22/2011	11.2	6.6	801	158	
861		4/26/2011	13.1	6.6	1750	28.8	
862		3/22/2011	11.0	6.4	1009	6.25	
862		4/26/2011	12.3	6.5	997	3.35	
921		5/11/2011	13.6	6.2	3180	21.2	
922		5/18/2011	14.2	6.4	3190	8.48	
923		6/17/2011	14.2	6.4	3110	24.7	
929		5/9/2011	14.8	6.5	1477	3.17	
931		5/16/2011	13.1	6.0	2260	4.56	
932		5/18/2011	14.1	6.1	1780	7.19	
941		5/12/2011	15.9	6.6	1480	3.27	
943		3/23/2011	10.6	6.3	1421	104	
944		3/23/2011	10.9	6.2	1227	32.6	
952	314	2/17/2011	10.8	6.3	1198	25.0	QC DUPLICATE #314
953		5/12/2011	13.5	6.1	2260	2.79	
954		5/17/2011	13.6	6.0	2540	99.1	
956		5/17/2011	14.1	6.4	2410	845	
958		3/17/2011	12.4	6.6	886	8.22	
958		4/26/2011	13.2	6.2	907	10.2	
959		5/16/2011	13.9	6.5	1461	33.5	
960		5/16/2011	14.0	6.6	1510	40.9	
963	321	3/14/2011	11.3	6.5	678	1.83	QC DUPLICATE #321
963		4/12/2011	12.0	6.4	633	5.97	
964		3/14/2011	11.0	6.6	1730	4.43	
964		4/12/2011	11.8	6.6	1670	8.11	
965	316	3/28/2011	13.2	6.4	3130	1.35	QC DUPLICATE #316
966		3/28/2011	13.1	6.4	1720	0.95	
987		1/11/2011	11.5	6.1	1328	17.5	
987	315	4/13/2011	11.3	6.5	674	15.7	QC DUPLICATE #315
990	317	1/11/2011	11.4	6.2	1356	1.5	QC DUPLICATE #317
990		4/13/2011	10.2	6.7	821	1.61	
998		1/19/2011	11.5	6.7	1730	42.9	
999		1/26/2011	11.2	6.6	1217	15.6	
NR360		1/10/2011	12.9	6.4	3160	1.06	COMP. 612, 617, 618
NR360		2/3/2011	12.0	6.5	3270	0.68	COMP. 612, 617, 618
NR360		3/4/2011	12.1	6.4	3060	0.87	COMP. 612, 617, 618
NR360		4/6/2011	11.1	6.6	3250	0.53	COMP. 612, 617, 618
NR360		5/3/2011	11.9	6.8	3770	0.48	COMP. 612, 617, 618
NR360		6/7/2011	13.5	6.5	3970	2.09	COMP. 612, 617, 618

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 01/2011											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees						Date		
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max			
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed		Dir	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	54*	27	41*	15	31	35	24	0	0722	1636	BR HZ	M	M	M	0.00	29.88	30.04	1.0	19	1.4	12	180	8	170	01	
02	44	32	38	12	34	37	27	0	0722	1637	RA FG+ FG BR	M	M	M	0.03	29.75	29.92	2.3	35	3.5	21	330	15	330	02	
03	35	23	29	3	13	25	36	0	0722	1638		M	M	M	0.00	29.90	30.08	7.4	28	7.9	31	310	21	340	03	
04	41	18	30	5	15	23	35	0	0722	1639		M	M	M	0.00	29.76	29.90	1.5	22	1.9	21	240	15	220	04	
05	38	17	28	3	19	26	37	0	0722	1640		M	M	M	0.00	29.62	29.80	4.1	27	6.0	22	310	17	260	05	
06	31	13	22	-3	14	19	43	0	0722	1641		M	M	M	0.00	29.52	29.67	M	M	0.0	6	190	5	180	06	
07	30	22	26	1	23	25	39	0	0722	1642	SN FG+ FZFG BR	M	M	M	0.17	29.27	29.43	1.3	36	2.4	10	110	8	120	07	
08	30	21	26	1	20	24	39	0	0722	1643		M	M	M	0.00	29.26	29.44	1.2	33	1.7	13	330	10	330	08	
09	33	16	25	0	13	22	40	0	0722	1644		M	M	M	Ts	29.59	29.82	8.6	28	9.1	26	290	21	280	09	
10	36	16	26	1	14	23	39	0	0722	1645		M	M	M	0.00	29.96	30.16	3.8	30	6.3	24	310	20	320	10	
11	27	7	17	-8	13	18	48	0	0721	1646	SN BR	M	M	M	0.08	30.01	30.15	3.3	36	3.5	14	020	12	030	11	
12	31	20	26	1	18	23	39	0	0721	1647	SN FZFG BR	M	M	M	0.38	29.52	29.68	7.2	32	7.9	29	310	21	320	12	
13	30	3	17	-7	8	17	48	0	0721	1648	BR	M	M	M	0.00	29.90	30.12	4.6	34	5.6	24	340	18	330	13	
14	25	-5	10	-14	1	6	55	0	0720	1649		M	M	M	0.00	30.11	30.30	0.4	33	0.5	9	350	8	320	14	
15	33	-6	14	-10	7	13	51	0	0720	1650	HZ	M	M	M	0.00	29.92	30.06	2.1	20	3.0	24	180	15	180	15	
16	33	13	23	-1	12	22	42	0	0720	1651		M	M	M	0.00	29.83	30.05	7.8	27	8.4	23	250	17	250	16	
17	23	11	17	-7	0	14	48	0	0719	1652	SN	M	M	M	0.00	30.13	30.32	3.4	02	3.5	16	350	12	030	17	
18	33	18	26	2	23	25	39	0	0718	1654	FZRA SN BR UP	M	M	M	0.53	29.80	29.90	M	M	6.9	18	020	14	350	18	
19	35	28	32	8	30	31	33	0	0718	1655	SN BR	M	M	M	0.09	29.53	29.73	M	M	2.0	16	350	8	340	19	
20	29	17	23	-1	18	22	42	0	0717	1656	SN BR	M	M	M	0.02	29.80	29.97	1.8	25	2.4	13	270	10	270	20	
21	31	16	24	0	14	21	41	0	0717	1657	SN FZFG BR UP	M	M	M	0.24	29.47	29.65	5.3	28	6.9	30	290	22	270	21	
22	23	-3	10	-14	0	8	55	0	0716	1658		M	M	M	0.00	29.75	29.92	0.9	23	1.0	20	250	15	250	22	
23	22	-10	6	-18	-4	4	59	0	0715	1660	BR HZ	M	M	M	0.00	29.82	30.05	3.7	34	4.2	24	340	16	330	23	
24	14	-14*	0*	-24	-8	1	65	0	0715	1701	SN	M	M	M	T	30.24	30.42	0.3	01	0.5	13	030	10	030	24	
25	28	8	18	-6	12	15	47	0	0714	1702	SN BR	M	M	M	0.09	30.01	30.17	0.7	19	0.9	8	170	6	200	25	
26	34	5	20	-4	19	21	45	0	0713	1703	SN FZFG BR HZ	M	M	M	0.11	29.77	M	3.9	02	4.2	29	010	18	010	26	
27	36	14	25	1	19	25	40	0	0712	1705	SN BR	M	M	M	0.04	29.54	29.74	4.6	33	5.3	26	320	18	330	27	
28	33	9	21	-3	20	22	44	0	0711	1706	SN FG+ FZFG BR HZ	M	M	M	T	29.65	29.83	0.1	23	0.1	12	300	5	220	28	
29	34	12	23	-1	19	24	42	0	0710	1707	SN BR	M	M	M	T	29.71	29.90	2.4	21	2.6	13	220	9	220	29	
30	37	15	26	2	20	26	39	0	0710	1708	BR	M	M	M	0.00	29.88	30.08	3.6	27	4.3	22	280	17	290	30	
31	27	0	14	-10	1	13	51	0	0709	1710		M	M	M	0.00	30.24	30.44	1.3	03	1.3	10	010	8	360	31	
	31.9	11.7	21.8		14.1	20.3	43.0	0.0	<----Monthly Averages Totals----->				M	M	1.78	29.78	29.95	2.2	30	3.7	<Monthly Average					
	-2.3	-3.0	-2.7		<-----Departure From Normal----->								-1.41													
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 1332 75 M M Cooling: 0 0									Greatest 24-hr Precipitation: 0.53 Date: 18 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M									Sea Level Pressure Date Time (LST) Maximum 30.53 24 0945 Minimum 29.37 07 1628								
									Number of Days with ----->				Max Temp >=90: 0 Max Temp <=32: 15 Thunderstorms : 0		Min Temp <=32: 31 Min Temp <=0 : 6 Heavy Fog : 3				Precipitation >=.01 inch: 11 Precipitation >=.10 inch: Snowfall >=1.0 inch : M							
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																					Data Version: VER2					

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 02/2011											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																		
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								Date			
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max						
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed	Dir					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26				
01	20	15	18	-6	13	16	47	0	0708	1711	FZRA SN FG+ FZFG BR UP	M	M	M	0.46	30.15	30.31	3.9	36	4.1	17	340	13	350	01				
02	35	18	27	3	22	25	38	0	0707	1712	FZRA SN BR UP	M	M	M	0.64	29.72	29.86	2.7	31	3.9	29	260	21	270	02				
03	32	8	20	-5	11	20	45	0	0706	1713		M	M	M	0.00	30.01	30.23	5.2	31	6.4	28	280	21	280	03				
04	36	4	20	-5	9	20	45	0	0704	1715		M	M	M	0.00	30.01	30.16	5.1	21	5.5	20	230	15	230	04				
05	38	12	25	0	24	26	40	0	0703	1716	RA SN BR UP	M	M	M	0.19	29.64	29.74	0.3	22	1.7	15	230	12	210	05				
06	44	28	36	11	26	33	29	0	0702	1717		M	M	M	0.00	29.57	29.81	7.2	26	7.9	33	270	24	280	06				
07	42	22	32	7	26	31	33	0	0701	1718	RA SN BR UP	M	M	M	0.06	29.78	29.92	1.0	16	1.6	12	170	8	160	07				
08	36	16	26	1	18	25	39	0	0660	1720	RA SN FG BR	M	M	M	0.18	29.53	29.74	9.4	28	10.0	39	290	30	290	08				
09	30	12	21	-4	3	16	44	0	0659	1721		M	M	M	0.00	29.94	30.11	8.0	23	8.6	21	240	16	230	09				
10	28	8	18	-8	3	17	47	0	0658	1722		M	M	M	0.00	29.82	30.01	5.7	29	7.0	21	310	15	300	10				
11	34	2	18*	-8	4	15	47	0	0656	1724		M	M	M	0.00	29.93	30.10	4.0	24	4.1	20	250	14	230	11				
12	37	9	23	-3	12	21	42	0	0655	1725		M	M	M	0.00	29.72	29.90	6.7	27	6.9	43	290	32	280	12				
13	45	15	30	4	17	27	35	0	0654	1726	SN	M	M	M	T	29.80	29.93	2.3	21	3.7	22	220	15	270	13				
14	56	28	42	16	26	35	23	0	0652	1727		M	M	M	0.00	29.36	29.54	7.4	27	9.9	43	260	30	270	14				
15	35	13	24	-3	3	19	41	0	0651	1729		M	M	M	0.00	30.01	30.24	7.6	34	8.9	32	330	24	310	15				
16	45	13	29	2	13	24	36	0	0650	1730		M	M	M	0.00	30.11	30.26	1.7	22	2.0	20	170	15	230	16				
17	57	32	45	18	30	37	20	0	0648	1731		M	M	M	0.00	29.91	30.06	1.5	22	1.6	14	230	10	220	17				
18	64*	31	48*	21	31	41	17	0	0647	1732	BR	M	M	M	0.00	29.57	29.71	5.4	26	6.5	46	280	29	280	18				
19	49	20	35	7	11	26	30	0	0646	1734		M	M	M	0.00	29.55	29.77	16.6	30	18.0	46	300	32	280	19				
20	32	14	23	-5	7	19	42	0	0644	1735	SN BR	M	M	M	T	29.94	30.11	3.9	01	4.5	20	010	15	030	20				
21	28	17	23	-5	15	21	42	0	0643	1736	SN BR	M	M	M	0.21	29.70	29.86	8.1	02	8.2	26	010	20	020	21				
22	30	10	20	-8	2	15	45	0	0641	1737		M	M	M	0.00	29.92	30.13	7.1	36	7.8	28	020	21	010	22				
23	36	2*	19	-10	3	15	46	0	0640	1738		M	M	M	0.00	30.14	30.31	1.0	32	1.4	17	180	8	350	23				
24	42	5	24	-5	14	23	41	0	0638	1740	RA BR UP	M	M	M	0.02	30.01	30.15	1.9	16	2.3	15	180	10	170	24				
25	35	29	32	3	30	32	33	0	0637	1741	RA SN FG BR UP HZ	M	M	M	1.18	29.45	29.62	5.5	34	6.3	31	350	22	320	25				
26	37	23	30	0	17	27	35	0	0635	1742	SN BR	M	M	M	0.00	29.91	30.09	3.5	24	4.5	18	230	14	260	26				
27	46	30	38	8	28	33	27	0	0634	1743	SN BR	M	M	M	0.08	29.80	29.97	1.2	26	2.1	16	130	13	300	27				
28	49	34	42	12	34	38	23	0	0632	1744	RA BR	M	M	M	0.63	29.60	29.74	0.8	21	5.6	25	330	20	310	28				
	39.2	16.8	28.0		16.1	24.9	36.9	0.0	<-----Monthly Averages Totals----->			M	M	3.65s	29.80	29.97	3.1	29	5.8	<Monthly Average									
	1.7	0.7	1.2	<-----Departure From Normal----->								1.12																	
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 1032 -38 M M Cooling: 0 0									Greatest 24-hr Precipitation: 1.20s Date: 24-25 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M						Sea Level Pressure Date Time (LST) Maximum 30.46 01 0020 Minimum 29.25 25 1451						Precipitation >=.01 inch: 10 Precipitation >=.10 inch: Snowfall >=1.0 inch : M								
									Number of Days with ----->						Max Temp >=90: 0 Max Temp <=32: 7 Thunderstorms : 0		Min Temp <=32: 27 Min Temp <=0 : 0 Heavy Fog : 1												
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																										Data Version: VER2			

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 03/2011											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level														
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees						Date	
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max		max		
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed		Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
01	40	23	32	1	13	26	33	0	0631	1746		M	M	M	0.00	29.98	30.18	3.8	35	4.0	23	350	16	330	01
02	46	21	34	3	16	27	31	0	0629	1747		M	M	M	0.00	29.92	30.12	7.0	29	9.6	38	280	24	290	02
03	30	13*	22*	-10	0	16	43	0	0628	1748		M	M	M	0.00	30.40	30.61	5.4	01	5.8	17	010	14	020	03
04	40	15	28	-4	15	25	37	0	0626	1749		M	M	M	0.00	30.47	30.64	4.1	16	4.8	23	130	15	180	04
05	59	34	47	15	40	44	18	0	0624	1750		M	M	M	T	30.17	30.31	6.0	17	6.6	28	160	18	170	05
06	55	33	44	11	45	46	21	0	0623	1751	RA BR	M	M	M	2.11	29.78	29.90	1.7	09	8.7	37	010	30	010	06
07	43	27	35	2	26	31	30	0	0621	1753	RA FZRA SN BR UP	M	M	M	0.29	29.68	29.92	8.6	34	9.8	31	330	23	320	07
08	42	22	32	-2	18	27	33	0	0619	1754		M	M	M	0.00	30.32	30.52	5.1	01	5.4	18	010	15	010	08
09	44	24	34	0	24	30	31	0	0618	1755		M	M	M	0.00	30.40	30.56	4.1	13	5.5	26	120	18	110	09
10	49	36	43	9	38	41	22	0	0616	1756	RA BR	M	M	M	0.75	30.05	30.15	10.4	12	10.8	31	090	22	100	10
11	54	39	47	12	40	45	18	0	0615	1757	RA BR	M	M	M	1.04	29.58	29.74	4.7	21	8.5	29	130	20	100	11
12	55	35	45	10	30	38	20	0	0613	1758		M	M	M	0.00	29.62	29.79	6.4	23	7.0	25	230	20	230	12
13	48	34	41	6	29	37	24	0	0611	1759		M	M	M	0.00	29.78	29.99	7.4	28	8.1	32	290	23	280	13
14	42	26	34	-2	26	33	31	0	0610	1801		M	M	M	T	30.11	30.30	2.7	36	3.2	16	020	13	360	14
15	48	22	35	-1	27	32	30	0	0608	1802	RA	M	M	M	T	30.26	30.42	4.3	15	4.8	20	130	15	140	15
16	54	36	45	9	38	40	20	0	0606	1803	RA BR	M	M	M	0.54	29.95	30.09	0.2	20	2.1	15	270	10	260	16
17	64	32	48	11	34	43	17	0	0604	1804	FG BR	M	M	M	0.00	29.92	30.08	2.3	22	3.2	17	260	13	250	17
18	72*	44	58*	21	33	47	7	0	0603	1805		M	M	M	0.00	29.68	29.84	5.7	27	7.5	35	290	25	280	18
19	49	33	41	4	24	36	24	0	0601	1806		M	M	M	0.00	30.01	30.24	7.3	34	8.7	24	320	17	310	19
20	48	24	36	-2	16	31	29	0	0559	1807		M	M	M	0.00	30.39	30.55	1.0	06	3.3	14	040	10	050	20
21	40	33	37	-1	34	36	28	0	0558	1808	RA SN FG BR	M	M	M	0.28	29.97	30.08	1.9	16	3.0	15	130	12	140	21
22	47	34	41	3	31	36	24	0	0556	1810	BR	M	M	M	0.00	29.74	29.93	5.1	36	5.2	22	340	16	350	22
23	37	28	33	-6	26	30	32	0	0554	1811	SN BR	M	M	M	0.08	29.67	29.81	5.9	01	6.0	16	360	13	010	23
24	45	28	37	-2	19	29	28	0	0553	1812	SN	M	M	M	0.01	29.53	29.73	8.2	36	8.5	24	330	16	020	24
25	43	20	32	-8	13	26	33	0	0551	1813		M	M	M	0.00	29.73	29.92	4.4	29	5.9	24	270	18	240	25
26	41	23	32	-8	7	24	33	0	0549	1814		M	M	M	0.00	29.80	29.98	6.6	31	7.6	24	340	18	320	26
27	44	20	32	-8	8	25	33	0	0548	1815		M	M	M	0.00	29.77	29.94	6.3	31	6.9	22	320	17	330	27
28	48	22	35	-6	8	27	30	0	0546	1816		M	M	M	0.00	29.77	29.94	6.0	29	7.3	21	300	16	310	28
29	47	22	35	-6	17	29	30	0	0544	1817		M	M	M	0.00	29.88	30.06	5.2	31	5.7	29	350	20	320	29
30	55	23	39	-2	23	34	26	0	0542	1818		M	M	M	0.00	29.90	M	1.0	15	2.1	14	200	10	170	30
31	47	36	42	0	31	37	23	0	0541	1819	RA BR	M	M	M	0.07	29.67	29.81	2.7	10	4.2	18	140	14	140	31
	47.6	27.8	37.7		24.2	33.2	27.1	0.0	<-----Monthly Averages Totals----->				M	M	5.17s	29.93	30.10	1.5	32	6.1	<Monthly Average				
	0.4	2.3	1.3		<-----Departure From Normal----->								1.58												
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 839 -50 M M Cooling: 0 0										Greatest 24-hr Precipitation: 2.40s Date: 06-07 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M						Sea Level Pressure Date Time (LST) Maximum 30.72 04 0833 Minimum 29.54 07 0340						Precipitation >=.01 inch: 9 Precipitation >=.10 inch: Snowfall >=1.0 inch : M			
										Number of Days with ----->				Max Temp >=90: 0 Max Temp <=32: 1 Thunderstorms : 0		Min Temp <=32: 19 Min Temp <=0 : 0 Heavy Fog : 0									
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																					Data Version: VER2				

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 04/2011											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																	
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees						Date				
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second		max 2-minute					
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed		Dir			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26			
01	41s	33	M	M	34	36	M	M	0539	1821	RA SN BR UP	M	M	M	0.16	29.26	29.40	3.1	31	6.1	18	360	14	250	01			
02	56	36	46	4	26	37	19	0	0537	1822		M	M	M	0.00	29.31	29.50	7.6	26	9.3	31	250	23	260	02			
03	57	37	47	4	24	37	18	0	0536	1823		M	M	M	0.00	29.66	29.86	6.6	29	8.0	32	310	23	340	03			
04	56	42	49	6	40	45	16	0	0534	1824	RA	M	M	M	0.03	29.57	29.67	2.9	16	3.9	23	130	15	150	04			
05	61	38	50	6	39	43	15	0	0532	1825	RA BR	M	M	M	0.30	29.21	29.41	5.8	29	8.2	30	340	20	270	05			
06	55	35	45	1	28	37	20	0	0531	1826	RA	M	M	M	0.01	29.72	29.92	8.6	25	9.2	32	250	26	280	06			
07	55	32	44	0	34	40	21	0	0529	1827	RA	M	M	M	0.01	29.90	30.08	1.0	28	2.1	13	250	9	240	07			
08	53	30	42	-3	27	36	23	0	0527	1828		M	M	M	0.00	30.01	30.18	1.1	19	1.4	13	230	10	230	08			
09	63	28	46	1	29	39	19	0	0526	1829	BR	M	M	M	0.00	29.95	30.12	1.6	18	2.8	20	250	12	260	09			
10	60	38	49	4	36	44	16	0	0524	1830		M	M	M	0.00	29.90	30.05	3.7	17	4.3	20	180	14	150	10			
11	83	50	67	21	54	59	0	2	0523	1831		M	M	M	T	29.51	29.63	5.6	21	7.2	36	240	23	220	11			
12	70	48	59	13	44	49	6	0	0521	1833	RA BR VCTS	M	M	M	0.40	29.67	29.87	4.2	02	6.4	26	300	20	300	12			
13	49	45	47	1	44	46	18	0	0519	1834	RA BR	M	M	M	0.63	29.76	29.91	4.1	02	5.5	10s	350	7s	350	13			
14	69	46	58	11	40	48	7	0	0518	1835	BR	M	M	M	0.00	29.80	30.01	5.1	36	5.8	31	020	23	020	14			
15	57	39	48	1	28	39	17	0	0516	1836		M	M	M	0.00	30.19	30.38	2.2	01	7.3	22	180	15	020	15			
16	53	37	45	-3	36	41	20	0	0515	1837	RA BR	M	M	M	1.41	30.00	30.06	10.3	12	11.7	32	120	25	110	16			
17	59	43	51	3	39	46	14	0	0513	1838	RA	M	M	M	0.41	29.40	29.60	9.6	24	10.9	39	240	26	240	17			
18	62	35	49	1	34	43	16	0	0512	1839	RA	M	M	M	T	29.75	29.93	3.2	23	4.6	21	250	16	240	18			
19	47	41	44	-5	40	42	21	0	0510	1840	RA BR	M	M	M	0.22	29.88	30.07	4.9	36	5.3	20	360	14	010	19			
20	62	43	53	4	46	47	12	0	0509	1841	BR	M	M	M	0.00	29.71	29.86	1.1	16	2.6	14	150	10	130	20			
21	54	32	43	-6	29	40	22	0	0507	1842		M	M	M	0.00	29.91	30.14	8.6	30	10.1	40	300	28	300	21			
22	52	27*	40*	-10	26	36	25	0	0506	1843	RA	M	M	M	0.00	30.26	30.42	1.1	18	3.3	15	160	10	150	22			
23	58	40	49	-1	46	48	16	0	0504	1845	RA BR	M	M	M	0.57	29.95	30.06	1.8	16	2.0	14	160	9	140	23			
24	72	48	60	9	54	56	5	0	0503	1846	RA FG+ FG BR	M	M	M	0.03	29.78	29.96	1.8	27	3.5	33s	330	13	250	24			
25	66	52	59	8	52	54	6	0	0501	1847	RA BR	M	M	M	0.06	29.86	30.02	2.0	36	2.1	17	210	10	290	25			
26	84*	56	70	19	59	63	0	5	0460	1848	BR	M	M	M	0.00	29.73	29.89	5.7	16	6.6	26	170	18	160	26			
27	81	59	70*	18	63	66	0	5	0458	1849	BR	M	M	M	0.03	29.73	29.88	7.0	17	7.2	28	150	17	140	27			
28	74	57	66	14	60	63	0	1	0457	1850	TSRA RA BR	M	M	M	0.34	29.51	29.64	3.6	17	6.0	31	100	17	170	28			
29	67	43	55	3	42	49	10	0	0456	1851	RA	M	M	M	0.02	29.55	29.74	4.0	28	5.6	24	230	16	270	29			
30	66	45	56	3	38	46	9	0	0454	1852		M	M	M	T	29.86	30.06	5.6	36	6.2	24	010	17	010	30			
	61.4	41.2	51.3		39.7	45.8	13.5	0.4	<-----Monthly Averages Totals----->				M	M	4.63s	29.75	29.91	1.3	25	5.8	<Monthly Average							
	2.4	5.4	3.9		<-----Departure From Normal----->								0.84															
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 391 -137 M M Cooling: 13 13									Greatest 24-hr Precipitation: 1.80s Date: 16-17 Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M						Sea Level Pressure Date Time (LST) Maximum 30.49 22 0701 Minimum 29.15 05 0750						Precipitation >=.01 inch: 15s Precipitation >=.10 inch: Snowfall >=1.0 inch : M							
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.									Number of Days with ----->						Max Temp >=90: 0 Max Temp <=32: 0 Thunderstorms : 1		Min Temp <=32: 5 Min Temp <=0 : 0 Heavy Fog : 1											
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																									Data Version: VER2			

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 05/2011											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level															
D a t e	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees								D a t e
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second		max 2-minute			
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed	Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
01	71	37	54	1	36	46	11	0	0453	1853		M	M	M	0.00	30.06	30.24	1.9	16	3.5	21	160	14	150	01	
02	66	47	57	3	43	50	8	0	0452	1854		M	M	M	0.00	30.03	30.18	2.9	18	4.1	16	180	12	170	02	
03	78	52	65	11	54	58	0	0	0450	1855	RA	M	M	M	T	29.86	30.01	4.9	15	5.4	23	140	16	130	03	
04	63	46	55	1	48	50	10	0	0449	1856	RA BR	M	M	M	0.74	29.78	29.94	2.6	34	5.1	20	250	16	250	04	
05	63	44	54	-1	30	44	11	0	0448	1858		M	M	M	0.00	29.75	29.91	8.9	29	9.7	30	280	22	270	05	
06	70	37*	54	-1	35	47	11	0	0447	1859		M	M	M	0.00	29.72	29.88	4.7	21	6.4	24	230	16	230	06	
07	68	43	56	1	45	50	9	0	0445	1860	RA	M	M	M	0.05	29.65	29.82	1.2	35	2.0	30	250	21	260	07	
08	69	38	54*	-2	42	49	11	0	0444	1901		M	M	M	0.00	29.72	29.90	4.3	36	4.6	24	040	14	340	08	
09	68	48	58	2	37	48	7	0	0443	1901		M	M	M	0.00	29.78	29.95	9.5	01	9.9	33	020	22	030	09	
10	73	40	57	0	40	49	8	0	0442	1902		M	M	M	0.00	29.80	29.98	5.0	01	5.7	24	360	18	360	10	
11	72	43	58	1	47	52	7	0	0441	1903		M	M	M	0.00	29.88	30.05	3.5	04	4.1	20	020	15	020	11	
12	78	51	65	8	47	55	0	0	0440	1904		M	M	M	0.00	29.85	30.01	1.9	17	3.1	22	160	16	150	12	
13	68	48	58	0	49	53	7	0	0439	1905		M	M	M	0.00	29.75	29.90	2.4	18	3.1	14	170	9	160	13	
14	64	58	61	3	52	56	4	0	0438	1906	RA	M	M	M	T	29.63	29.79	2.7	17	4.1	15	160	10	160	14	
15	66	54	60	2	58	59	5	0	0437	1907	RA BR VCTS	M	M	M	0.30	29.46	29.61	0.5	03	2.0	15	350	7	340	15	
16	60	54	57	-1	54	55	8	0	0436	1908	RA BR	M	M	M	0.05	29.54	29.74	4.5	06	5.4	15	110	12	100	16	
17	63	52	58	-1	54	55	7	0	0435	1909	RA BR	M	M	M	0.72	29.77	29.94	4.9	05	6.0	20	100	15	070	17	
18	70	58	64	5	59	60	1	0	0434	1910	RA BR	M	M	M	0.85	29.82	29.98	5.0	08	6.0	20	050	15	070	18	
19	74	60	67	7	60	62	0	2	0433	1911	RA BR	M	M	M	1.54	29.81	29.97	4.2	09	4.8	22	110	17	100	19	
20	73	55	64	4	56	59	1	0	0432	1912	TS TSRA FG+ FG BR	M	M	M	0.47	29.75	29.92	0.3	20	1.5	15	180	12	280	20	
21	78	54	66	6	57	59	0	1	0431	1913	FG+ FG BR	M	M	M	0.01	29.77	29.94	1.3	02	2.3	25	100	20	070	21	
22	62	54	58	-3	55	57	7	0	0430	1914	RA BR	M	M	M	0.01	29.93	30.10	4.1	15	5.0	15	150	10	150	22	
23	64	53	59	-2	57	58	6	0	0430	1915	RA BR	M	M	M	0.13	29.82	29.95	2.9	14	2.9	17	190	12	150	23	
24	81	58	70	9	62	65	0	5	0429	1916	BR HZ	M	M	M	0.01	29.57	29.75	3.7	23	3.9	17	260	14	260	24	
25	82	54	68	7	56	61	0	3	0428	1917	BR	M	M	M	0.00	29.72	29.89	0.7	28	2.2	13	180	9	090	25	
26	85	60	73	11	62	66	0	8	0427	1917	HZ	M	M	M	0.06	29.70	29.87	4.2	16	6.0	33	240	24	240	26	
27	87	60	74	12	63	67	0	9	0427	1918	BR	M	M	M	0.00	29.75	29.92	2.7	16	3.4	18	210	14	290	27	
28	85	64	75	13	63	67	0	10	0426	1919	BR	M	M	M	0.00	29.81	29.99	5.4	16	6.0	23	160	14	180	28	
29	86	66	76	14	66	69	0	11	0426	1920		M	M	M	0.00	29.88	30.04	4.3	18	4.7	20	240	13	240	29	
30	88	67	78*	15	68	71	0	13	0425	1921	RA BR VCTS	M	M	M	0.23	29.88	30.05	0.4	01	2.1	18	220	12	040	30	
31	89*	62	76	13	63	68	0	11	0425	1922	BR	M	M	M	0.01s	29.98	30.14	2.0	17	2.8	15	180	9	150	31	
	M	M	M		52.2	56.9	4.5	2.4	<----Monthly Averages Totals----->				M	M	5.18	M	M	0.7	12	4.4	<Monthly Average					
	M	M	M	<-----Departure From Normal----->								0.44														
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 139 -81 M M Cooling: 73 58										Greatest 24-hr Precipitation: M Date: M Greatest 24-hr Snowfall: M Date: M Greatest Snow Depth: M Date: M						Sea Level Pressure Date Time (LST) Maximum M M M Minimum M M M										
										Number of Days with ----->						Max Temp >=90: M		Min Temp <=32: M		Precipitation >=.01 inch: M						
																Max Temp <=32: M		Min Temp <=0 : M		Precipitation >=.10 inch:						
																Thunderstorms : 2		Heavy Fog : 2		Snowfall >=1.0 inch : M						
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																						Data Version: VER2				

QUALITY CONTROLLED LOCAL CLIMATOLOGICAL DATA (final) NOAA, National Climatic Data Center Month: 06/2011											Station Location: DUTCHESS COUNTY AIRPORT (14757) POUGHKEEPSIE , NY Lat. 41.627 Lon. -73.884 Elevation(Ground): 156 ft. above sea level																
Date	Temperature (Fahrenheit)						Degree Days Base 65 Degrees		Sun		Significant Weather	Snow/Ice on Ground(In)		Precipitation (In)		Pressure(inches of Hg)		Wind: Speed=mph Dir=tens of degrees						Date			
	Max.	Min.	Avg.	Dep From Normal	Avg. Dew pt.	Avg Wet Bulb	Heating	Cooling	Sunrise LST	Sunset LST		1200 UTC	1800 UTC	2400 LST	2400 LST	Avg. Station	Avg. Sea Level	Resultant Speed	Res Dir	Avg. Speed	max 5-second		max 2-minute				
												Depth	Water Equiv	Snow Fall	Water Equiv						Speed	Dir	Speed		Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26		
01	90	67	79	16	65	71	0	14	0424	1922	BR HZ	M	M	M	0.00	29.80	29.93	5.0	22	6.8	29	240	20	230	01		
02	72	53	63	-1	42	53	2	0	0424	1923		M	M	M	0.00	29.72	29.90	6.1	29	8.9	32	300	25	260	02		
03	75	46*	61	-3	37	50	4	0	0423	1924		M	M	M	0.00	29.84	30.02	6.1	32	7.3	30	340	21	340	03		
04	77	47	62	-3	46	54	3	0	0423	1925		M	M	M	0.00	29.88	30.04	1.7	19	2.6	15	120	10	130	04		
05	68	52	60	-5	52	56	5	0	0422	1925		M	M	M	0.00	29.86	30.02	1.3	19	1.9	13	120	9	120	05		
06	83	58	71	6	55	61	0	6	0422	1926		M	M	M	0.00	29.82	29.97	2.0	35	2.5	15	030	10	040	06		
07	89	54	72	7	59	65	0	7	0422	1927	BR	M	M	M	0.00	29.72	29.88	3.8	23	3.9	18	230	14	230	07		
08	95	63	79	14	65	70	0	14	0422	1927	BR	M	M	M	0.00	29.68	29.84	1.7	21	3.3	26	020	20	020	08		
09	95*	65	80*	15	67	70	0	15	0421	1928	TSRA RA BR HZ	M	M	M	0.46	29.65	29.82	1.7	20	4.7	44	340	29	330	09		
10	83	65	74	8	64	67	0	9	0421	1928	BR	M	M	M	0.01s	29.77	29.94	2.6	04	3.2	16	360	10	010	10		
11	70	59	65	-1	M	M	0	0	0421	1929	RA BR	M	M	M	0.13	29.82	M	M	M	4.1	25	120	18	110	11		
12	71	57	64	-2	58	60	1	0	0421	1930	RA BR	M	M	M	0.60	29.70	29.85	1.8	10	2.8	13	120	9	130	12		
13	71	59	65	-1	54	59	0	0	0421	1930		M	M	M	0.09	29.70	29.86	1.8	33	2.6	15	310	10	280	13		
14	67	52	60*	-7	55	57	5	0	0421	1930	RA	M	M	M	0.03	29.70	29.87	2.7	02	4.0	21	010	15	010	14		
15	83	48	66	-1	52	58	0	1	0421	1931		M	M	M	0.00	29.69	29.85	1.1	35	2.1	17	330	13	320	15		
16	81	52	67	0	56	61	0	2	0421	1931	RA BR	M	M	M	0.00	29.72	29.89	2.2	21	3.1	20	230	15	240	16		
17	78	60	69	2	63	64	0	4	0421	1932	RA BR VCTS	M	M	M	1.08	29.69	29.85	1.3	17	2.3	20	270	13	300	17		
18	82	58	70	3	62	65	0	5	0421	1932	BR	M	M	M	0.00	29.65	29.81	1.1	21	1.5	16	240	12	240	18		
19	80	57	69	1	55	60	0	4	0421	1932	BR	M	M	M	0.00	29.65	29.82	2.2	03	3.0	17	030	13	010	19		
20	81	53	67	-1	54	60	0	2	0421	1933		M	M	M	0.00	29.70	29.86	0.4	17	2.1	14	240	10	210	20		
21	84	57	71	3	63	66	0	6	0421	1933	BR	M	M	M	0.00	29.71	29.88	0.4	22	0.9	10	330	7	300	21		
22	M	M	M	M	M	M	M	M	0422	1933	RA BR	M	M	M	M	M	M	M	M	M	M	M	M	M	22		
23	73	66	70	2	M	M	0	5	0422	1933	RA BR	M	M	M	0.56	29.65	M	M	M	2.2	15	120	12	110	23		
24	73	65	69	1	64	65	0	4	0422	1933	RA BR	M	M	M	0.03	29.55	29.72	5.7	14	5.9	21	150	14	150	24		
25	82	63	73	4	62	66	0	8	0423	1934		M	M	M	0.07	29.60	29.77	3.2	21	6.2	20	220	13	230	25		
26	79	60	70	1	61	65	0	5	0423	1934	BR	M	M	M	0.00	29.73	29.91	1.4	27	1.8	13	250	9	240	26		
27	84	59	72	2	61	65	0	7	0423	1934	FG+	M	M	M	0.00	29.82	29.98	0.8	24	2.6	16	080	8	230	27		
28	83	63	73	3	65	68	0	8	0424	1934	RA BR	M	M	M	0.20	29.70	29.86	0.6	17	3.4	25	010	21	010	28		
29	79	65	72	2	60	65	0	7	0424	1934	BR	M	M	M	0.17	29.67	29.85	4.9	28	5.8	25	260	18	260	29		
30	82	57	70	0	56	61	0	5	0425	1934		M	M	M	0.00	29.75	29.92	3.7	24	4.3	20	310	14	240	30		
	79.7	57.9	68.8		M	M	0.7	4.8	<-----Monthly Averages Totals----->				M	M	1.03s	29.72	29.89	0.9	25	3.6	<Monthly Average						
	1.3	2.6	1.9	<-----Departure From Normal----->								-2.70															
Degree Days Monthly Season to Date Total Departure Total Departure Heating: 20 -22 M M Cooling: 138 41									Greatest 24-hr Precipitation: 0.58s Date: 23-24						Sea Level Pressure Date Time (LST)												
									Greatest 24-hr Snowfall: M Date: M						Maximum 30.12 01 0059												
									Greatest Snow Depth: M Date: M						Minimum 29.68 24 1618												
									Number of Days with ----->						Max Temp >=90: 3		Min Temp <=32: 0		Precipitation >=.01 inch: 4s								
						Max Temp <=32: 0		Min Temp <=0 : 0		Precipitation >=.10 inch:																	
						Thunderstorms : 1		Heavy Fog : 1		Snowfall >=1.0 inch : M																	
* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.																					Data Version: VER2						

Appendix D

Groundwater Analytical Data (Organics): January 1, 2011 to June 30, 2011
Groundwater Analytical Data (Inorganics): January 1, 2011 to June 30, 2011
Groundwater Analytical Data (Organics): Shutdown Sampling Non-CAP Wells
Groundwater Analytical Data (Organics): B/330D Investigation

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	007	010	015	016	016	035
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date	01/31/2011	01/18/2011	02/15/2011	02/15/2011	02/15/2011	01/27/2011
Laboratory Sample I.D.	R1100590-004	R1100350-006	R1100900-005	R1100900-006	R1100900-007	R1100531-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	1.8	ND@50	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	12	ND@50	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	1.7	ND@50	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@250	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	5.9	46 J	1.7	1.6
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@50	18	17
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@100	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	67	6900	19	19
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	18	180	2.8	2.8
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@50	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		046	048	048	053	053	054
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		04/26/2011	03/10/2011	04/11/2011	05/09/2011	05/09/2011	03/23/2011
Laboratory Sample I.D.		R1102280-007	R1101338-005	R1101953-004	R1102573-004	R1102573-005	R1101580-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.57 J	0.61 J	3.2
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.81 J	ND@1.0	ND@1.0	0.82 J	0.82 J	1.9
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.72 J	0.76 J	5.3
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		059	060	061	061	063	064
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		03/30/2011	03/30/2011	03/30/2011	03/30/2011	03/29/2011	03/14/2011
Laboratory Sample I.D.		R1101721-006	R1101721-007	R1101721-008	R1101721-009	R1101675-006	R1101374-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.82 J	0.73 J	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	1.1	0.96 J	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		064	065	065	065	066	066
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE
Sample Date		04/12/2011	03/14/2011	04/12/2011	04/12/2011	01/11/2011	01/11/2011
Laboratory Sample I.D.		R1101990-006	R1101374-005	R1101990-007	R1101990-008	R1100230-009	R1100230-010
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	066	067	067	068	068	068
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date	04/07/2011	03/10/2011	04/11/2011	03/18/2011	03/18/2011	04/19/2011
Laboratory Sample I.D.	R1101888-005	R1101338-004	R1101953-008	R1101494-006	R1101494-007	R1102142-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	068	069	085	087	087	103
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date	04/19/2011	03/23/2011	03/31/2011	03/31/2011	03/31/2011	01/25/2011
Laboratory Sample I.D.	R1102144-002	R1101580-005	R1101749-004	R1101749-005	R1101749-007	R1100484-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.93 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.70 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		104	105	106	108	109	113
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/25/2011	01/27/2011	01/27/2011	01/20/2011	01/20/2011	03/16/2011
Laboratory Sample I.D.		R1100484-007	R1100531-004	R1100531-005	R1100421-008	R1100421-009	R1101450-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.60 J	1.5	0.45 J	ND@1.0	ND@1.0	2.6
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	0.32 J	ND@1.0	ND@1.0	1.4	0.35 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		113	118	143	145	146	150
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		04/22/2011	02/10/2011	03/29/2011	03/29/2011	03/29/2011	06/21/2011
Laboratory Sample I.D.		R1102244-004	R1100814-006	R1101675-007	R1101675-004	R1101675-005	R1103502-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	2100	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5000	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2000	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	2.7	200000	1.3	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	1200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1000	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		151	156	161	166	167	178
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		06/13/2011	06/13/2011	02/15/2011	06/13/2011	06/15/2011	03/24/2011
Laboratory Sample I.D.		R1103313-004	R1103313-006	R1100900-004	R1103313-007	R1103388-004	R1101617-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.6
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.8
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.59 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		181	204	400	401	402	402
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE
Sample Date		05/16/2011	01/25/2011	06/20/2011	06/20/2011	06/14/2011	06/14/2011
Laboratory Sample I.D.		R1102742-004	R1100484-005	R1103499-007	R1103499-008	R1103349-004	R1103349-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	56	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	35	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	8.2	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	37	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		403	404	407	408	410	412
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		06/20/2011	06/21/2011	06/17/2011	06/22/2011	06/21/2011	06/21/2011
Laboratory Sample I.D.		R1103499-009	R1103502-007	R1103463-005	R1103534-006	R1103502-005	R1103502-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		415	416	416	417	423	424
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		06/21/2011	06/15/2011	06/15/2011	06/17/2011	06/15/2011	06/15/2011
Laboratory Sample I.D.		R1103502-008	R1103388-005	R1103388-006	R1103463-006	R1103388-007	R1103388-008
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.2
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		502		502		503		503		515		515	
Sample Description		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date		01/11/2011		04/13/2011		01/11/2011		04/13/2011		03/16/2011		04/21/2011	
Laboratory Sample I.D.		R1100230-008		R1102033-007		R1100230-007		R1102033-006		R1101450-006		R1102214-004	
Sample Comment Codes													
Parameter		Units											
Base/Neutral Extractables													
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
Volatile Organics													
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0	
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0	

October 19, 2011

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		520	520	521	521	535	535
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/14/2011	04/13/2011	03/14/2011	04/14/2011	03/16/2011	04/22/2011
Laboratory Sample I.D.		R1101374-009	R1102033-008	R1101374-010	R1102063-006	R1101450-005	R1102244-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBEZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		543	543	545	545	559	561
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/10/2011	04/11/2011	03/10/2011	04/11/2011	04/27/2011	04/27/2011
Laboratory Sample I.D.		R1101338-006	R1101953-006	R1101338-007	R1101953-005	R1102313-004	R1102313-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	94	1.5
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.9 J	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	15	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.2 J	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	7.7	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@10	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	1.0 J	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	5.8	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	240	11
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@4.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	88	8.8
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	220	3.3
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	32	0.47 J

October 19, 2011

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		563	564	571	571	571	572
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		04/27/2011	04/27/2011	01/13/2011	04/07/2011	04/07/2011	06/22/2011
Laboratory Sample I.D.		R1102313-006	R1102313-007	R1100271-007	R1101888-010	R1101888-011	R1103534-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@10000
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
CIS-1,2-DICHLOROETHYLENE	ug/l	1.4	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2700
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@4000
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
TETRACHLOROETHYLENE	ug/l	1.4	1.0	ND@1.0	ND@1.0	ND@1.0	220000
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
TRICHLOROETHYLENE	ug/l	2.6	ND@1.0	ND@1.0	ND@1.0	ND@1.0	940 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2000

October 19, 2011

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		574	576	577	577	578	579
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		06/22/2011	03/24/2011	01/17/2011	01/17/2011	01/17/2011	06/20/2011
Laboratory Sample I.D.		R1103534-005	R1101617-005	R1100348-007	R1100348-008	R1100348-006	R1103499-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@500	0.98 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@500	1.4	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@2500	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@500	0.50 J	ND@1.0	ND@1.0	ND@1.0	0.31 J
DICHLORODIFLUOROMETHANE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@1000	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	83000	51	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	170 J	1.8	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@500	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		579	580	581	600	601	602
Sample Description		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		06/20/2011	01/19/2011	01/19/2011	03/24/2011	03/31/2011	03/24/2011
Laboratory Sample I.D.		R1103499-005	R1100381-005	R1100381-006	R1101617-006	R1101749-006	R1101617-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.34 J	ND@1.0	ND@1.0	ND@1.0	3.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.30 J	1.7	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		603	603	604	604	607	608
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		03/24/2011	03/24/2011	03/30/2011	03/30/2011	05/09/2011	03/24/2011
Laboratory Sample I.D.		R1101617-008	R1101617-009	R1101721-010	R1101721-011	R1102573-007	R1101617-010
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	33	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@100	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	600	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@40	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	3200	5.9
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	140	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	1.5
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@20	ND@1.0

October 19, 2011

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		609	610	611	622	623	624
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		06/13/2011	03/31/2011	05/19/2011	05/11/2011	06/14/2011	05/19/2011
Laboratory Sample I.D.		R1103313-008	R1101749-008	R1102835-004	R1102637-005	R1103349-002	R1102835-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.78 J	69	ND@1.0	0.65 J	ND@2.5	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@20	ND@1.0	1.5	ND@2.5	ND@1.0
ACETONE	ug/l	ND@5.0	ND@100	ND@5.0	ND@5.0	ND@13	ND@5.0
BENZENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.48 J	190	ND@1.0	9.9	ND@2.5	0.75 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@40	ND@2.0	ND@2.0	ND@5.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
TETRACHLOROETHYLENE	ug/l	8.5	1500	ND@1.0	ND@1.0	280	5.6
TOLUENE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
TRICHLOROETHYLENE	ug/l	6.3	770	ND@1.0	3.4	ND@2.5	3.1
TRICHLOROFLUOROMETHANE	ug/l	0.88 J	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@20	ND@1.0	ND@1.0	ND@2.5	ND@1.0

October 19, 2011

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	627	701	702	704	706	711
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	01/25/2011	01/20/2011	01/19/2011	04/28/2011	01/26/2011	05/16/2011
Laboratory Sample I.D.	R1100484-004	R1100421-004	R1100381-008	R1102336-004	R1100544-004	R1102742-006
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	13	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	15	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@13	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	250	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@5.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	12	ND@1.0	1.2	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	7.1	ND@1.0	ND@1.0	8.8	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@2.5	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@2.5	ND@1.0	ND@1.0	7.0	ND@1.0

October 19, 2011

IBM Corporation

21-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	711	714	716	720	722	735
Sample Description	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	05/16/2011	01/18/2011	02/09/2011	04/07/2011	05/12/2011	01/19/2011
Laboratory Sample I.D.	R1102742-007	R1100350-005	R1100778-004	R1101895-002	R1102678-005	R1100381-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	4.1	ND@10	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	63	120	ND@1.0	37
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	5.4	ND@10	ND@1.0	1.9 J
ACETONE	ug/l	ND@5.0	ND@10	ND@50	ND@5.0	ND@25
BENZENE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@10	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	14	5.9 J	ND@1.0	99
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@20	ND@2.0	ND@10
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	220	1300	0.71 J	560
TOLUENE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	ND@1.0	34	18	ND@1.0	27
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@2.0	ND@10	ND@1.0	ND@5.0

October 19, 2011

IBM Corporation

22-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		739	740	742	742	743	744
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		02/16/2011	06/13/2011	02/10/2011	02/10/2011	02/16/2011	03/18/2011
Laboratory Sample I.D.		R1100926-004	R1103313-005	R1100814-004	R1100814-005	R1100926-005	R1101494-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.1	ND@1.0	2.3	2.2	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	0.39 J	0.39 J	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	8.7	7.5	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	1.7	0.79 J	0.82 J	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	2.7	3.0	3.9	3.7	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.37 J	3.7	1.7	1.6	ND@1.0	0.47 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

23-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	744		745		745		751		751		753	
Sample Description	GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	04/14/2011		03/18/2011		04/14/2011		04/20/2011		04/20/2011		04/20/2011	
Laboratory Sample I.D.	R1102063-005		R1101494-005		R1102063-004		R1102176-004		R1102173-002		R1102176-005	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		1.9 J		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		1.2
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	0.52 J		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		0.34 J		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

October 19, 2011

IBM Corporation

24-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	753	754	754	755	755	755
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/20/2011	02/09/2011	04/18/2011	01/14/2011	04/19/2011	04/19/2011
Laboratory Sample I.D.	R1102173-003	R1100778-005	R1102110-008	R1100288-004	R1102144-003	R1102142-005
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.0	ND@1.0	ND@1.0	0.63 J	0.55 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.20 J	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

25-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	756	756	757	757	761	763
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	04/19/2011	04/19/2011	01/13/2011	04/07/2011	01/18/2011	01/18/2011
Laboratory Sample I.D.	R1102144-004	R1102142-004	R1100271-004	R1101888-009	R1100350-004	R1100350-007
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	2.1	1.9	0.84 J	0.67 J	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	1.6	1.9	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

26-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		766	767	768	769	769	771
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		01/20/2011	02/17/2011	01/31/2011	01/20/2011	01/20/2011	01/31/2011
Laboratory Sample I.D.		R1100421-007	R1100962-004	R1100590-007	R1100421-005	R1100421-006	R1100590-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	5.3	1.6	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.1	1.3	0.68 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	30	9.5	0.49 J	0.32 J	0.38 J	0.41 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	1.1	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	16	36	7.3	2.8	3.2	13
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.98 J	0.84 J	9.1	6.6	6.6	1.2
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.6	4.4	13	12	12	1.1
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	2.7	4.2	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

27-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		772	772	772	773	773	774
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/17/2011	01/17/2011	04/25/2011	01/14/2011	04/14/2011	01/14/2011
Laboratory Sample I.D.		R1100348-004	R1100348-005	R1102246-006	R1100288-005	R1102063-009	R1100288-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.8	1.9	1.1	0.26 J	0.30 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.60 J	0.56 J	0.45 J	0.41 J	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

28-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		774	774	775	775	777	779
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		04/14/2011	04/14/2011	01/26/2011	01/26/2011	03/30/2011	03/30/2011
Laboratory Sample I.D.		R1102063-007	R1102063-008	R1100544-006	R1100544-007	R1101721-005	R1101721-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

29-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		789	791	792	793	832	832
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/24/2011	01/24/2011	01/24/2011	01/31/2011	01/13/2011	04/11/2011
Laboratory Sample I.D.		R1100458-004	R1100458-005	R1100458-006	R1100590-008	R1100271-008	R1101953-007
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.54 J	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.54 J	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.39 J	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	8.7	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	2.3	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	2.8	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	4.5	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.39 J	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

30-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		857	857	858	858	859	859
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/17/2011	04/21/2011	03/17/2011	04/21/2011	03/22/2011	04/25/2011
Laboratory Sample I.D.		R1101470-004	R1102214-005	R1101470-005	R1102214-006	R1101559-004	R1102246-004
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

31-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		860	860	861	861	862	862
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/28/2011	04/25/2011	03/22/2011	04/26/2011	03/22/2011	04/26/2011
Laboratory Sample I.D.		R1101660-004	R1102246-005	R1101559-005	R1102280-005	R1101559-006	R1102280-006
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

32-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	921	922	923	929	931	932
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	05/11/2011	05/18/2011	06/17/2011	05/09/2011	05/16/2011	05/18/2011
Laboratory Sample I.D.	R1102637-004	R1102786-005	R1103463-004	R1102573-006	R1102742-005	R1102786-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.72 J	0.66 J	0.86 J	2.5	3.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.63 J	0.46 J	0.97 J	0.70 J	1.2
ACETONE	ug/l	ND@5.0	ND@5.0	ND@10	ND@25	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	11	7.1	42	9.8	18
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@4.0	ND@10	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.2	ND@1.0	59	220	480
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
TRICHLOROETHYLENE	ug/l	4.9	0.75 J	29	6.3	12
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@2.0	ND@5.0	ND@1.0
VINYL CHLORIDE	ug/l	0.47 J	1.9	0.32 J	ND@2.0	ND@1.0

October 19, 2011

IBM Corporation

33-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	941	943	944	952	952	953
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date	05/12/2011	03/23/2011	03/23/2011	02/17/2011	02/17/2011	05/12/2011
Laboratory Sample I.D.	R1102678-006	R1101580-006	R1101580-007	R1100962-005	R1100962-006	R1102678-004
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	290	2.5	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@250	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	740	4.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@100	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	8200	7.0	ND@1.0	ND@1.0	130
TOLUENE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	3300	7.6	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	0.44 J
VINYL CHLORIDE	ug/l	ND@50	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

34-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		954	956	958	958	959	960
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		05/17/2011	05/17/2011	03/17/2011	04/26/2011	05/16/2011	05/16/2011
Laboratory Sample I.D.		R1102794-004	R1102794-005	R1101470-006	R1102280-004	R1102742-008	R1102742-009
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	26	19
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	1.3	1.1
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	1.4	2.4
1,1-DICHLOROETHYLENE	ug/l	0.97 J	ND@2.0	ND@1.0	ND@1.0	0.70 J	0.46 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.80 J	0.74 J	ND@1.0	ND@1.0	2.7	1.9
ACETONE	ug/l	ND@5.0	ND@10	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	0.40 J	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	140	42	ND@1.0	ND@1.0	150	130
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@4.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	23	240	ND@1.0	ND@1.0	32	58
TOLUENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	12	26	ND@1.0	ND@1.0	16	30
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@1.0	ND@1.0	0.36 J
VINYL CHLORIDE	ug/l	6.5	4.1	ND@1.0	ND@1.0	12	14

October 19, 2011

IBM Corporation

35-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location		963	963	963	964	964	965
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/14/2011	03/14/2011	04/12/2011	03/14/2011	04/12/2011	03/28/2011
Laboratory Sample I.D.		R1101374-006	R1101374-007	R1101990-004	R1101374-008	R1101990-005	R1101660-005
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.5
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.44 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	2.9
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

36-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	965		966		987		987		987		990	
Sample Description	REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER		REPLICATE		GROUNDWATER	
Sample Date	03/28/2011		03/28/2011		01/11/2011		04/13/2011		04/13/2011		01/11/2011	
Laboratory Sample I.D.	R1101660-006		R1101660-007		R1100230-004		R1102033-004		R1102033-009		R1100230-005	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ACETONE	ug/l	ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0		ND@5.0
BENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CHLOROBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.88 J		1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
ETHYLBENZENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
M,P-XYLENE	ug/l	ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0		ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
O-XYLENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TETRACHLOROETHYLENE	ug/l	0.56 J		0.62 J		ND@1.0		ND@1.0		ND@1.0		1.8
TOLUENE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
TRICHLOROETHYLENE	ug/l	0.73 J		0.69 J		ND@1.0		ND@1.0		ND@1.0		0.33 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0		ND@1.0

October 19, 2011

IBM Corporation

37-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	990		990		998		999	
Sample Description	REPLICATE		GROUNDWATER		GROUNDWATER		GROUNDWATER	
Sample Date	01/11/2011		04/13/2011		01/19/2011		01/26/2011	
Laboratory Sample I.D.	R1100230-006		R1102033-005		R1100381-007		R1100544-005	
Sample Comment Codes								
Parameter	Units							
Base/Neutral Extractables								
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics								
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	2.1	2.8	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.9	1.6	ND@1.0	ND@1.0	0.85 J	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.34 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.75 J	0.52 J	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

38-1

IBM East Fishkill Facility
Groundwater Analytical Data - Organics
January 1, 2011 - June 30, 2011

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location	007	010	015	016	016	035	
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	
Sample Date	01/31/2011	01/18/2011	02/15/2011	02/15/2011	02/15/2011	01/27/2011	
Laboratory Sample I.D.	R1100591-001	R1100351-003	R1100900-005	R1100900-006	R1100902-004	R1100535-001	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.06 J	0.1 J	3.91	0.80	0.78	0.09 J
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	NA	ND@0.0050
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	NA	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	0.0014
CHROMIUM, TOTAL	mg/l	ND@0.0010	0.0162	0.0651	0.0011	0.0012	0.0401
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

October 20, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		068	068	068	103	104	118
Sample Description		GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/18/2011	03/18/2011	04/19/2011	01/25/2011	01/25/2011	02/10/2011
Laboratory Sample I.D.		R1101495-003	R1101495-004	R1102142-006	R1100485-003	R1100484-008	R1100817-003
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.09 J	0.09 J	0.08 J	0.14	0.09 J	NA
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	0.0082	NA	NA	NA
ARSENIC, TOTAL	mg/l	0.0098	0.0073	0.0066	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	0.0009 J	0.0009 J	ND@0.0010	0.0009 J	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0037	0.0039	0.0029	0.0166	0.0619	0.0383
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

October 20, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		151	161	204	579	579	580
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		06/13/2011	02/15/2011	01/25/2011	06/20/2011	06/20/2011	01/19/2011
Laboratory Sample I.D.		R1103315-001	R1100900-004	R1100485-002	R1103499-004	R1103500-002	R1100381-005
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.23	0.11	0.37	0.12	0.11	9.48
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	NA	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	0.0025 J	ND@0.0050	NA	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	0.0008 J	0.0054	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0048	0.0014	3.99	ND@0.0010	ND@0.0010	0.0043
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

October 20, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location	581	627	701	702	706	714	
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	01/19/2011	01/25/2011	01/20/2011	01/19/2011	01/26/2011	01/18/2011	
Laboratory Sample I.D.	R1100381-006	R1100484-004	R1100421-004	R1100382-005	R1100547-001	R1100351-002	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.11	43.1	0.13	0.12	0.16	0.10
Metals							
ARSENIC, DISSOLVED	mg/l	NA	ND@0.0050	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	NA	ND@0.0050	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	0.001 J	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0328	0.0048	0.0712	0.0092	0.0011	0.0151
NICKEL, DISSOLVED	mg/l	NA	0.115	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	0.116	NA	NA	NA	NA

October 20, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		720	735	740	742	742	743
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER
Sample Date		04/07/2011	01/19/2011	06/13/2011	02/10/2011	02/10/2011	02/16/2011
Laboratory Sample I.D.		R1101891-001	R1100381-004	R1103313-005	R1100817-001	R1100817-002	R1100927-001
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.09 J	26.9	5.45	0.07 J	0.1 J	ND@0.10
Metals							
ARSENIC, DISSOLVED	mg/l	NA	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	NA	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	0.0007 J	0.0012
CHROMIUM, TOTAL	mg/l	0.0008 J	0.0032	ND@0.0010	0.0027	0.0025	0.0044
NICKEL, DISSOLVED	mg/l	NA	0.0068	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	0.0088	NA	NA	NA	NA

October 20, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		744	744	745	745	751	753
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		03/18/2011	04/14/2011	03/18/2011	04/14/2011	04/20/2011	04/20/2011
Laboratory Sample I.D.		R1101494-004	R1102063-005	R1101495-002	R1102063-004	R1102176-004	R1102176-005
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.08 J	0.08 J	0.09 J	0.11	0.21	0.15
Metals							
ARSENIC, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
ARSENIC, TOTAL	mg/l	NA	NA	NA	NA	NA	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	0.0075	0.0041	0.0007 J	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0012	0.0005 J	0.0253	0.0090	0.001 J	ND@0.0010
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

October 20, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		754	755	755	761	763	766
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		02/09/2011	01/14/2011	04/19/2011	01/18/2011	01/18/2011	01/20/2011
Laboratory Sample I.D.		R1100778-005	R1100288-004	R1102142-005	R1100351-001	R1100350-007	R1100421-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.02 J	0.19	0.19	0.11	0.12	5.92
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	0.0039 J	NA	NA	0.0094
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	NA	NA	0.0282
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	0.680	0.0159	0.998
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	0.261
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	0.337

October 20, 2011

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		767	768	769	769	771	772
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER
Sample Date		02/17/2011	01/31/2011	01/20/2011	01/20/2011	01/31/2011	01/17/2011
Laboratory Sample I.D.		R1100962-004	R1100591-003	R1100421-005	R1100422-003	R1100591-002	R1100348-004
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	6.31	0.57	ND@0.10	ND@0.10	0.09 J	0.13
Metals							
ARSENIC, DISSOLVED	mg/l	0.0382	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	0.0384	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.015	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	0.0035	0.0019	0.0010	0.0009 J	0.0060	0.0014
CHROMIUM, TOTAL	mg/l	0.102	0.191	4.63	4.66	2.96	0.0564
NICKEL, DISSOLVED	mg/l	NA	0.161	0.101	0.100	NA	0.0283
NICKEL, TOTAL	mg/l	NA	0.159	0.567	0.594	NA	0.0337

October 20, 2011

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		772	772	773	773	774	774
Sample Description		REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/17/2011	04/25/2011	01/14/2011	04/14/2011	01/14/2011	04/14/2011
Laboratory Sample I.D.		R1100348-005	R1102248-001	R1100289-002	R1102064-005	R1100289-003	R1102063-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.12	0.08 J	0.10	0.09 J	0.12	0.08 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.0052	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	0.0012	0.0007 J	0.0082	ND@0.0010	ND@0.0010	0.0007 J
CHROMIUM, TOTAL	mg/l	0.0556	0.365	0.451	0.0875	0.0192	0.0241
NICKEL, DISSOLVED	mg/l	0.0278	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	0.0346	NA	NA	NA	NA	NA

October 20, 2011

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location	774	775	775	789	791	792	
Sample Description	REPLICATE	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER	
Sample Date	04/14/2011	01/26/2011	01/26/2011	01/24/2011	01/24/2011	01/24/2011	
Laboratory Sample I.D.	R1102063-008	R1100544-006	R1100544-007	R1100458-004	R1100459-002	R1100458-006	
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.08 J	0.14	0.15	0.22	0.17	0.13
Metals							
ARSENIC, DISSOLVED	mg/l	0.0078	0.0037 J	ND@0.0050	ND@0.0050	ND@0.0050	0.0038 J
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	0.0075	0.0060	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	0.0009 J	0.0010	0.0036	0.0022	0.0007 J
CHROMIUM, TOTAL	mg/l	0.0245	0.0823	0.0611	1.40	4.32	5.24
NICKEL, DISSOLVED	mg/l	NA	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	NA	NA	NA	NA	NA	NA

October 20, 2011

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		793	952	952	959	960	998
Sample Description		GROUNDWATER	GROUNDWATER	REPLICATE	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		01/31/2011	02/17/2011	02/17/2011	05/16/2011	05/16/2011	01/19/2011
Laboratory Sample I.D.		R1100591-004	R1100962-005	R1100962-006	R1102742-008	R1102742-009	R1100381-007
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.30	0.08 J	0.07 J	0.17	0.27	0.19
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	0.0051	0.0068	NA
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	0.0022 J	0.0672	NA
CHROMIUM, DISSOLVED	mg/l	0.0031	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.609	ND@0.0010	ND@0.0010	0.0019	0.0009 J	0.0072
NICKEL, DISSOLVED	mg/l	0.0897	NA	NA	NA	NA	NA
NICKEL, TOTAL	mg/l	0.169	NA	NA	NA	NA	NA

October 20, 2011

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		999
Sample Description		GROUNDWATER
Sample Date		01/26/2011
Laboratory Sample I.D.		R1100544-005
Sample Comment Codes		
Parameter	Units	
Inorganics		
FLUORIDE	mg/l	0.09 J
Metals		
ARSENIC, DISSOLVED	mg/l	NA
ARSENIC, TOTAL	mg/l	NA
CHROMIUM, DISSOLVED	mg/l	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0008 J
NICKEL, DISSOLVED	mg/l	NA
NICKEL, TOTAL	mg/l	NA

October 20, 2011

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Analytical Data - Inorganics
January 1, 2011 - June 30, 2011

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAP Organics Data

January 1, 2011 - June 30, 2011

Sample Location		606	732	734	737
Sample Description		GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date		06/20/2011	05/17/2011	06/14/2011	04/28/2011
Laboratory Sample I.D.		R1103499-006	R1102794-006	R1103349-003	R1102336-005
Sample Comment Codes					
Parameter	Units				
Base/Neutral Extractables					
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
Volatile Organics					
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@50	0.27 J	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	680	1.7	6.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	40 J	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	16 J	0.64 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@250	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	490	1.5	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@100	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	5600	30	17
TOLUENE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	1700	6.1	3.4
TRICHLOROFLUOROMETHANE	ug/l	0.44 J	16 J	0.76 J	0.79 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@50	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Termination Sampling - Non-CAP Organics Data
January 1, 2011 - June 30, 2011

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

IBM East Fishkill Facility
B/330D Investigation New Well Sampling - Organics Data
January 1, 2011 - June 30, 2011

Sample Location	638	638	640	640
Sample Description	GROUNDWATER	GROUNDWATER	GROUNDWATER	GROUNDWATER
Sample Date	01/13/2011	04/11/2011	01/13/2011	04/11/2011
Laboratory Sample I.D.	R1100271-005	R1101953-010	R1100271-006	R1101953-009
Sample Comment Codes				

Parameter	Units				
Base/Neutral Extractables					
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics					
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	3.4	4.5
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	94	92
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	4.8	6.5
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
B/330D Investigation New Well Sampling - Organics Data
January 1, 2011 - June 30, 2011

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

IBM Corporation

Appendix E

Production Well Analytical Data (Organics): January 1, 2011 to June 30, 2011
Production Well Analytical Data (Inorganics): January 1, 2011 to June 30, 2011

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1	PW- 1
Sample Description	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE
Sample Date	01/04/2011	01/04/2011	02/07/2011	03/03/2011	04/04/2011	04/04/2011
Laboratory Sample I.D.	R1100058-008	R1100058-009	R1100723-004	R1101186-004	R1101780-004	R1101780-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.9	2.9	2.7	3.2	3.0	3.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.9	2.0	1.8	2.1	2.2	2.1
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	21	21	21	21	21	20
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	8.5	8.5	7.9	8.5	7.7	7.7
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	PW- 1	PW- 1	PW- 1	PW- 2	PW- 2	PW- 2
Sample Description	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	05/02/2011	06/06/2011	06/06/2011	01/04/2011	02/07/2011	03/03/2011
Laboratory Sample I.D.	R1102373-008	R1103152-005	R1103152-014	R1100058-004	R1100723-005	R1101186-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.4	2.7	2.4	280	330	300
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	34 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@500	ND@500	ND@500
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
CIS-1,2-DICHLOROETHYLENE	ug/l	2.0	2.0	2.0	1200	1200	1300
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@200	ND@200	ND@200
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
TETRACHLOROETHYLENE	ug/l	19	20	19	15000	16000	14000
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
TRICHLOROETHYLENE	ug/l	8.0	8.0	7.7	1900	1800	1500
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@100	ND@100	ND@100
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	110	110	130

October 19, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	PW- 2	PW- 2	PW- 2	PW- 4	PW- 4	PW- 4
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	04/04/2011	05/02/2011	06/06/2011	01/04/2011	02/07/2011	03/03/2011
Laboratory Sample I.D.	R1101780-006	R1102373-004	R1103152-006	R1100058-005	R1100723-006	R1101186-006
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	280	240	280	3.8	3.5
1,1-DICHLOROETHYLENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@100	ND@100	ND@100	0.23 J	ND@1.0
ACETONE	ug/l	ND@500	ND@500	160 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1300	1300	1400	3.6	3.5
DICHLORODIFLUOROMETHANE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@200	ND@200	ND@200	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	14000	13000	13000	140	130
TOLUENE	ug/l	ND@100	ND@100	ND@100	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1600	1700	1700	41	37
TRICHLOROFLUOROMETHANE	ug/l	ND@100	ND@100	ND@100	0.92 J	1.1
VINYL CHLORIDE	ug/l	100	95 J	94 J	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	PW- 4	PW- 4	PW- 4	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	04/04/2011	05/02/2011	06/06/2011	01/10/2011	02/08/2011	03/09/2011
Laboratory Sample I.D.	R1101780-007	R1102373-005	R1103152-007	R1100179-004	R1100746-006	R1101293-006
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.6	3.8	4.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.30 J	0.33 J	0.38 J	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	4.0	4.1	4.6	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	140	130	140	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	38	40	41	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	1.1	1.2	0.89 J	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	PW- 5 [OFF]	PW- 5 [OFF]	PW- 5 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	04/05/2011	05/04/2011	06/08/2011	01/10/2011	02/08/2011	03/09/2011
Laboratory Sample I.D.	R1101816-004	R1102476-004	R1103229-009	R1100179-005	R1100746-007	R1101293-007
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]
Sample Description	REPLICATE	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	03/09/2011	04/05/2011	05/04/2011	06/08/2011	01/10/2011	02/08/2011
Laboratory Sample I.D.	R1101293-008	R1101816-005	R1102476-005	R1103229-008	R1100179-006	R1100746-009
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.7	1.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	3.3	3.5
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.4	1.6
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW-23	PW-23
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	03/09/2011	04/05/2011	05/04/2011	06/08/2011	01/04/2011	02/07/2011
Laboratory Sample I.D.	R1101293-009	R1101816-006	R1102476-006	R1103229-004	R1100058-007	R1100723-007
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.1	2.5	2.3	2.4	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	9.0	8.2	8.0	6.8	0.63 J	0.48 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.8	3.2	2.9	2.5	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

7-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	PW-23	PW-23	PW-23	PW-23	PW-23	PW-25
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL
Sample Date	03/03/2011	04/04/2011	05/02/2011	05/02/2011	06/06/2011	01/04/2011
Laboratory Sample I.D.	R1101186-007	R1101780-009	R1102373-006	R1102373-009	R1103152-008	R1100058-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	21
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@25
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	52
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@10
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	1.2	0.60 J	0.51 J	0.48 J	0.68 J	600
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	170
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@5.0

October 19, 2011

IBM Corporation

8-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics

January 1, 2011 - June 30, 2011

Sample Location	PW-25	PW-25	PW-25	PW-25	PW-25
Sample Description	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date	02/07/2011	03/03/2011	04/04/2011	05/02/2011	06/06/2011
Laboratory Sample I.D.	R1100723-008	R1101186-008	R1101780-008	R1102373-007	R1103152-009
Sample Comment Codes					

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	22	22	22	16	21
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
ACETONE	ug/l	ND@25	ND@25	ND@25	ND@25	ND@25
BENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
CHLOROBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	54	58	60	57	58
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
ETHYLBENZENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
M,P-XYLENE	ug/l	ND@10	ND@10	ND@10	ND@10	ND@10
METHYLENE CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
O-XYLENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	610	570	660	530	570
TOLUENE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
TRICHLOROETHYLENE	ug/l	170	170	180	160	160
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
VINYL CHLORIDE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0

October 19, 2011

IBM Corporation

9-1

IBM East Fishkill Facility
Production Well Analytical Data - Organics
January 1, 2011 - June 30, 2011

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2011 - June 30, 2011

Sample Location		PW- 1	PW- 1	PW- 1	PW- 1	PW- 2	PW- 2
Sample Description		PUMPING WELL	REPLICATE	PUMPING WELL	REPLICATE	PUMPING WELL	PUMPING WELL
Sample Date		01/04/2011	01/04/2011	04/04/2011	04/04/2011	01/04/2011	04/04/2011
Laboratory Sample I.D.		R1100062-004	R1100058-009	R1101785-001	R1101780-005	R1100058-004	R1101780-006
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.08 J	0.07 J	0.11	0.11	0.21	0.22
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	0.0044 J	0.0061	ND@0.0050	0.0061
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0008 J	0.0006 J	ND@0.0010	ND@0.0010	0.0008 J	ND@0.0010

October 20, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2011 - June 30, 2011

Sample Location		PW- 4	PW- 4	PW- 5 [OFF]	PW- 5 [OFF]	PW- 6 [OFF]	PW- 6 [OFF]
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		01/04/2011	04/04/2011	01/10/2011	04/05/2011	01/10/2011	04/05/2011
Laboratory Sample I.D.		R1100058-005	R1101785-004	R1100179-004	R1101816-004	R1100181-002	R1101816-005
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.08 J	0.09 J	0.09 J	0.08 J	0.15	0.13
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.0054	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	0.0007 J	ND@0.0010	ND@0.0010	ND@0.0010

October 20, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]	PW- 7 [OFF]
Sample Description		PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL	PUMPING WELL
Sample Date		01/10/2011	02/08/2011	03/09/2011	04/05/2011	05/04/2011	06/08/2011
Laboratory Sample I.D.		R1100179-006	R1100754-001	R1101294-001	R1101816-006	R1102476-006	R1103229-004
Sample Comment Codes							
Parameter	Units						
Inorganics							
FLUORIDE	mg/l	0.11	0.10	0.11	0.09 J	0.10	0.09 J
Metals							
ARSENIC, DISSOLVED	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	0.0056	0.0036 J	ND@0.0050
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010

October 20, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics

January 1, 2011 - June 30, 2011

Sample Location		PW-25	PW-25
Sample Description		PUMPING WELL	PUMPING WELL
Sample Date		01/04/2011	04/04/2011
Laboratory Sample I.D.		R1100062-003	R1101780-008
Sample Comment Codes			
Parameter	Units		
Inorganics			
FLUORIDE	mg/l	0.09 J	0.11
Metals			
ARSENIC, DISSOLVED	mg/l	ND@0.0050	0.0047 J
ARSENIC, TOTAL	mg/l	ND@0.0050	ND@0.0050
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	ND@0.0010	ND@0.0010

October 20, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Production Well Analytical Data - Inorganics
January 1, 2011 - June 30, 2011

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

Appendix F

Quality Assurance/Quality Control Analytical Data: January 1, 2011 to June 30, 2011

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/04/2011	01/10/2011	01/11/2011	01/13/2011	01/14/2011	01/17/2011
Laboratory Sample I.D.	R1100058-002	R1100179-002	R1100230-002	R1100271-002	R1100288-002	R1100348-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/18/2011	01/19/2011	01/20/2011	01/24/2011	01/25/2011	01/26/2011
Laboratory Sample I.D.	R1100350-002	R1100381-002	R1100421-002	R1100458-002	R1100484-002	R1100544-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	01/27/2011	01/31/2011	02/03/2011	02/07/2011	02/09/2011	02/10/2011
Laboratory Sample I.D.	R1100531-002	R1100590-002	R1100679-002	R1100723-002	R1100778-002	R1100814-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	1.3	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	02/15/2011	02/16/2011	02/17/2011	03/03/2011	03/04/2011	03/10/2011
Laboratory Sample I.D.	R1100900-002	R1100926-002	R1100962-002	R1101186-002	R1101235-002	R1101338-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.8 J	2.8 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	0.75 J	0.66 J	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/14/2011	03/16/2011	03/17/2011	03/18/2011	03/22/2011	03/23/2011
Laboratory Sample I.D.	R1101374-002	R1101450-002	R1101470-002	R1101494-002	R1101559-002	R1101580-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	1.6 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	03/24/2011	03/28/2011	03/29/2011	03/30/2011	03/31/2011	04/04/2011
Laboratory Sample I.D.	R1101617-002	R1101660-002	R1101675-002	R1101721-002	R1101749-002	R1101780-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/05/2011	04/07/2011	04/11/2011	04/12/2011	04/13/2011	04/14/2011
Laboratory Sample I.D.	R1101816-002	R1101888-002	R1101953-002	R1101990-002	R1102033-002	R1102063-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

7-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/18/2011	04/19/2011	04/20/2011	04/21/2011	04/22/2011	04/25/2011
Laboratory Sample I.D.	R1102110-002	R1102142-002	R1102176-002	R1102214-002	R1102244-002	R1102246-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.50 J	0.48 J	0.48 J	0.83 J	0.72 J	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

8-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	04/26/2011	04/27/2011	04/28/2011	05/02/2011	05/03/2011	05/04/2011
Laboratory Sample I.D.	R1102280-002	R1102313-002	R1102336-002	R1102373-002	R1102441-002	R1102476-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	3.9 J	ND@5.0	1.9 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	0.80 J	0.80 J	0.56 J	1.4	1.1
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

9-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	05/09/2011	05/11/2011	05/12/2011	05/16/2011	05/17/2011	05/18/2011
Laboratory Sample I.D.	R1102573-002	R1102637-002	R1102678-002	R1102742-002	R1102794-002	R1102786-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	3.2 J	2.7 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

10-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK
Sample Description	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND	WTR LVL IND
Sample Date	05/19/2011	06/06/2011	06/08/2011	06/13/2011	06/14/2011	06/15/2011
Laboratory Sample I.D.	R1102835-002	R1103152-002	R1103229-002	R1103313-002	R1103349-006	R1103388-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

11-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	EQ RINSE BLK	FIELD BLANK	FIELD BLANK
Sample Description	WTR LVL IND	SUBM PUMP	WTR LVL IND	WTR LVL IND		
Sample Date	06/17/2011	06/20/2011	06/21/2011	06/22/2011	01/04/2011	01/05/2011
Laboratory Sample I.D.	R1103463-002	R1103499-002	R1103502-002	R1103534-002	R1100058-003	R1100102-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.49 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

12-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	01/10/2011	01/11/2011	01/13/2011	01/14/2011	01/17/2011	01/18/2011
Laboratory Sample I.D.	R1100179-003	R1100230-003	R1100271-003	R1100288-003	R1100348-003	R1100350-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

13-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	01/19/2011	01/20/2011	01/24/2011	01/25/2011	01/26/2011	01/27/2011
Laboratory Sample I.D.	R1100381-003	R1100421-003	R1100458-003	R1100484-003	R1100544-003	R1100531-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

14-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	01/31/2011	02/03/2011	02/07/2011	02/08/2011	02/09/2011	02/10/2011
Laboratory Sample I.D.	R1100590-003	R1100679-003	R1100723-003	R1100746-003	R1100778-003	R1100814-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	1.3	1.4	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

15-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	02/15/2011	02/16/2011	02/17/2011	03/03/2011	03/04/2011	03/09/2011
Laboratory Sample I.D.	R1100900-003	R1100926-003	R1100962-003	R1101186-003	R1101235-003	R1101293-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	4.4 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	0.74 J	0.58 J	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

16-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/10/2011	03/14/2011	03/16/2011	03/17/2011	03/18/2011	03/22/2011
Laboratory Sample I.D.	R1101338-003	R1101374-003	R1101450-003	R1101470-003	R1101494-003	R1101559-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.6 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

17-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	03/23/2011	03/24/2011	03/28/2011	03/29/2011	03/30/2011	03/31/2011
Laboratory Sample I.D.	R1101580-003	R1101617-003	R1101660-003	R1101675-003	R1101721-003	R1101749-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

18-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/04/2011	04/05/2011	04/06/2011	04/07/2011	04/11/2011	04/12/2011
Laboratory Sample I.D.	R1101780-003	R1101816-003	R1101853-003	R1101888-003	R1101953-003	R1101990-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.42 J	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

19-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/13/2011	04/14/2011	04/18/2011	04/19/2011	04/20/2011	04/21/2011
Laboratory Sample I.D.	R1102033-003	R1102063-003	R1102110-003	R1102142-003	R1102176-003	R1102214-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	0.54 J	0.42 J	0.43 J	0.64 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

20-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	04/22/2011	04/25/2011	04/26/2011	04/27/2011	04/28/2011	05/02/2011
Laboratory Sample I.D.	R1102244-003	R1102246-003	R1102280-003	R1102313-003	R1102336-003	R1102373-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	3.6 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.66 J	ND@1.0	ND@1.0	0.73 J	0.64 J	0.55 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

21-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	05/03/2011	05/04/2011	05/05/2011	05/09/2011	05/11/2011	05/12/2011
Laboratory Sample I.D.	R1102441-003	R1102476-003	R1102508-003	R1102573-003	R1102637-003	R1102678-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	1.8 J	2.3 J	ND@5.0	4.3 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	1.2	1.0	0.95 J	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

22-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	05/16/2011	05/17/2011	05/18/2011	05/19/2011	06/06/2011	06/07/2011
Laboratory Sample I.D.	R1102742-003	R1102794-003	R1102786-003	R1102835-003	R1103152-003	R1103198-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	3.7 J	2.7 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

23-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK	FIELD BLANK
Sample Description						
Sample Date	06/08/2011	06/13/2011	06/14/2011	06/15/2011	06/17/2011	06/20/2011
Laboratory Sample I.D.	R1103229-003	R1103313-003	R1103349-007	R1103388-003	R1103463-003	R1103499-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

24-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location		FIELD BLANK	FIELD BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description				NO. 1	NO. 1	NO. 1	NO. 1
Sample Date		06/21/2011	06/22/2011	01/04/2011	01/05/2011	01/10/2011	01/11/2011
Laboratory Sample I.D.		R1103502-003	R1103534-003	R1100058-001	R1100102-001	R1100179-001	R1100230-001
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

25-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location		TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description		NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date		01/13/2011	01/14/2011	01/17/2011	01/18/2011	01/19/2011	01/20/2011
Laboratory Sample I.D.		R1100271-001	R1100288-001	R1100348-001	R1100350-001	R1100381-001	R1100421-001
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

26-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	01/24/2011	01/25/2011	01/26/2011	01/27/2011	01/31/2011	02/03/2011
Laboratory Sample I.D.	R1100458-001	R1100484-001	R1100544-001	R1100531-001	R1100590-001	R1100679-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	0.34 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	3.1	ND@1.0	2.4
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

27-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	02/07/2011	02/08/2011	02/09/2011	02/10/2011	02/15/2011	02/16/2011
Laboratory Sample I.D.	R1100723-001	R1100746-001	R1100778-001	R1100814-001	R1100900-001	R1100926-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

28-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	02/17/2011	03/03/2011	03/04/2011	03/09/2011	03/10/2011	03/14/2011
Laboratory Sample I.D.	R1100962-001	R1101186-001	R1101235-001	R1101293-001	R1101338-001	R1101374-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.0 J	ND@5.0	ND@5.0	1.6 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.48 J	ND@1.0	ND@1.0	1.8	1.4
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

29-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/16/2011	03/17/2011	03/18/2011	03/22/2011	03/23/2011	03/24/2011
Laboratory Sample I.D.	R1101450-001	R1101470-001	R1101494-001	R1101559-001	R1101580-001	R1101617-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

30-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	03/28/2011	03/29/2011	03/30/2011	03/31/2011	04/04/2011	04/05/2011
Laboratory Sample I.D.	R1101660-001	R1101675-001	R1101721-001	R1101749-001	R1101780-001	R1101816-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

31-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 2	NO. 1	NO. 1	NO. 1
Sample Date	04/06/2011	04/07/2011	04/07/2011	04/11/2011	04/12/2011	04/13/2011
Laboratory Sample I.D.	R1101853-001	R1101895-001	R1101888-001	R1101953-001	R1101990-001	R1102033-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.36 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

32-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 2	NO. 1	NO. 2
Sample Date	04/14/2011	04/18/2011	04/19/2011	04/19/2011	04/20/2011	04/20/2011
Laboratory Sample I.D.	R1102063-001	R1102110-001	R1102144-001	R1102142-001	R1102173-001	R1102176-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

33-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	04/21/2011	04/22/2011	04/25/2011	04/26/2011	04/27/2011	04/28/2011
Laboratory Sample I.D.	R1102214-001	R1102244-001	R1102246-001	R1102280-001	R1102313-001	R1102336-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	6.2	ND@1.0	3.4	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

34-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	05/02/2011	05/03/2011	05/04/2011	05/05/2011	05/09/2011	05/11/2011
Laboratory Sample I.D.	R1102373-001	R1102441-001	R1102476-001	R1102508-001	R1102573-001	R1102637-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.30 BJ ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	3.3 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

35-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	05/12/2011	05/16/2011	05/17/2011	05/18/2011	05/19/2011	06/06/2011
Laboratory Sample I.D.	R1102678-001	R1102742-001	R1102794-001	R1102786-001	R1102835-001	R1103152-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

36-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1	NO. 1
Sample Date	06/07/2011	06/08/2011	06/13/2011	06/14/2011	06/15/2011	06/17/2011
Laboratory Sample I.D.	R1103198-001	R1103229-001	R1103313-001	R1103349-001	R1103388-001	R1103463-001
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	0.25 J	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

37-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Sample Location	TRIP BLANK	TRIP BLANK	TRIP BLANK
Sample Description	NO. 1	NO. 1	NO. 1
Sample Date	06/20/2011	06/21/2011	06/22/2011
Laboratory Sample I.D.	R1103499-001	R1103502-001	R1103534-001
Sample Comment Codes			

Parameter	Units			
Base/Neutral Extractables				
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
Volatile Organics				
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

38-1

IBM East Fishkill Facility
Quality Assurance/Quality Control Analytical Data
January 1, 2011 - June 30, 2011

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

B	Compound detected in the associated method blank at a concentration that may have contributed to the sample result
J	Estimated value - compound meets identification criteria, but result is less than the reporting limit

Appendix G

Groundwater Treatment Analytical Data (Organics): January 1, 2011 to June 30, 2011
Groundwater Treatment Analytical Data (Inorganics): January 1, 2011 to June 30, 2011

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	032A	032A	032A	032A	032A	032A
Sample Description	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN	GW/AREA D IN
Sample Date	01/10/2011	02/03/2011	03/04/2011	04/04/2011	05/03/2011	06/06/2011
Laboratory Sample I.D.	R1100179-012	R1100679-008	R1101235-011	R1101780-010	R1102441-009	R1103152-013
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.45 J	0.43 J	0.46 J	0.39 J	0.42 J	0.53 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.96 J	0.68 J	0.56 J	0.64 J	0.63 J	0.58 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	2.2	2.0	1.9	1.6	2.0	2.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	01/04/2011	01/06/2011	01/10/2011	01/14/2011	01/17/2011	01/20/2011
Laboratory Sample I.D.	R1100066-006	R1100143-002	R1100184-006	R1100283-002	R1100346-006	R1100419-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.0 J	2.4 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.83 J	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	3.6	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	01/24/2011	01/27/2011	01/31/2011	02/07/2011	02/10/2011	02/14/2011
Laboratory Sample I.D.	R1100455-006	R1100536-001	R1100588-006	R1100725-006	R1100820-001	R1100853-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.8 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.48 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.49 J	1.3	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.41 J	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

3-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	02/17/2011	02/21/2011	02/24/2011	02/28/2011	03/03/2011	03/07/2011
Laboratory Sample I.D.	R1100958-001	R1100996-006	R1101113-001	R1101110-006	R1101185-001	R1101230-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	4.1 J	2.9 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.67 J	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.41 J	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

4-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	03/10/2011	03/14/2011	03/17/2011	03/21/2011	03/24/2011	03/28/2011
Laboratory Sample I.D.	R1101336-001	R1101372-006	R1101468-001	R1101537-006	R1101616-001	R1101656-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

5-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	03/31/2011	04/04/2011	04/07/2011	04/11/2011	04/14/2011	04/18/2011
Laboratory Sample I.D.	R1101747-001	R1101776-006	R1101892-001	R1101952-006	R1102060-002	R1102113-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.39 J

October 19, 2011

IBM Corporation

6-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	04/21/2011	04/25/2011	04/28/2011	05/02/2011	05/05/2011	05/09/2011
Laboratory Sample I.D.	R1102211-002	R1102241-006	R1102337-002	R1102379-006	R1102513-002	R1102561-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.35 J	0.33 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.47 J	0.84 J	1.1	2.2	2.8	3.5

October 19, 2011

IBM Corporation

7-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	05/12/2011	05/16/2011	05/19/2011	05/23/2011	05/26/2011	05/31/2011
Laboratory Sample I.D.	R1102676-002	R1102741-006	R1102837-002	R1102902-006	R1102993-002	R1103039-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	0.53 J	ND@1.0	ND@1.0	0.60 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.45 J	0.57 J	0.58 J	0.77 J	0.89 J	1.1
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.61 J	ND@1.0	ND@1.0	1.1	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	5.2	5.1	6.6	9.8	13	19

October 19, 2011

IBM Corporation

8-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	080	080	080	080	080	080
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL
Sample Date	06/02/2011	06/06/2011	06/09/2011	06/13/2011	06/16/2011	06/20/2011
Laboratory Sample I.D.	R1103106-002	R1103155-006	R1103277-002	R1103319-006	R1103421-002	R1103467-006
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	2.0 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.97 J	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.98 J	1.3	1.3	1.3	1.3	1.4
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.62 J	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.23 J	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	15	24	30	41	49	52

October 19, 2011

IBM Corporation

9-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	080	080	080	221	221	221
Sample Description	PW-2 EFFL	PW-2 EFFL	PW-2 EFFL	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	06/23/2011	06/27/2011	06/30/2011	01/04/2011	01/06/2011	01/10/2011
Laboratory Sample I.D.	R1103584-002	R1103615-006	R1103687-002	R1100066-007	R1100143-001	R1100184-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.50 J
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.69 J	1.0	1.1
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.0 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.23 J	39	55	71
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	1.6	1.5	1.1	0.98 J	1.0	1.1
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	0.46 J	ND@1.0	ND@1.0	ND@1.0	9.7
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.73 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	70	61	65	34	39	47

October 19, 2011

IBM Corporation

10-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	01/14/2011	01/17/2011	01/20/2011	01/24/2011	01/27/2011	01/31/2011
Laboratory Sample I.D.	R1100283-001	R1100346-005	R1100419-001	R1100455-005	R1100536-002	R1100588-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.61 J	0.95 J	1.2	1.0 J	1.8
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	0.43 J	0.62 J	0.68 J	ND@2.0	0.84 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.98 J	1.7	2.4	2.4	1.6 J	2.2
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@10	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	83	120	160	170	180	200
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@4.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.91 J	1.0	1.2	1.0	1.1 J	0.83 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.73 J	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.30 J	0.56 J	0.83 J	1.4	1.9 J	4.1
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@1.0
VINYL CHLORIDE	ug/l	37	60	64	56	47	51

October 19, 2011

IBM Corporation

11-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	02/07/2011	02/10/2011	02/14/2011	02/17/2011	02/21/2011	02/24/2011
Laboratory Sample I.D.	R1100725-007	R1100820-002	R1100853-005	R1100958-002	R1100996-005	R1101113-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
1,2-DICHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
1,3-DICHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
1,4-DICHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.6	ND@1.0	ND@1.0	ND@1.0	42	100
1,1-DICHLOROETHYLENE	ug/l	0.92 J	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.4	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
ACETONE	ug/l	4.8 J	ND@5.0	ND@5.0	ND@5.0	46 J	ND@250
BENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
CHLOROBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
CIS-1,2-DICHLOROETHYLENE	ug/l	230	ND@1.0	ND@1.0	ND@1.0	220	550
DICHLORODIFLUOROMETHANE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
ETHYLBENZENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
M,P-XYLENE	ug/l	ND@4.0	ND@2.0	ND@2.0	ND@2.0	ND@50	ND@100
METHYLENE CHLORIDE	ug/l	0.86 J	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
O-XYLENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
TETRACHLOROETHYLENE	ug/l	2.6	ND@1.0	ND@1.0	ND@1.0	1800	4600
TOLUENE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
TRICHLOROETHYLENE	ug/l	8.8	ND@1.0	ND@1.0	ND@1.0	210	590
TRICHLOROFLUOROMETHANE	ug/l	ND@2.0	ND@1.0	ND@1.0	ND@1.0	ND@25	ND@50
VINYL CHLORIDE	ug/l	45	ND@1.0	ND@1.0	ND@1.0	19 J	47 J

October 19, 2011

IBM Corporation

12-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	02/28/2011	03/03/2011	03/07/2011	03/10/2011	03/14/2011	03/17/2011
Laboratory Sample I.D.	R1101110-005	R1101185-002	R1101230-007	R1101336-002	R1101372-005	R1101468-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
1,2,4-TRICHLOROBENZENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
1,2-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
1,3-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
1,4-DICHLOROBENZENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	200	180	160	160	60	56
1,1-DICHLOROETHYLENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
ACETONE	ug/l	99 J	100 J	130 J	ND@2500	ND@130	ND@130
BENZENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
CHLOROBENZENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
CIS-1,2-DICHLOROETHYLENE	ug/l	860	900	870	770	340	430
DICHLORODIFLUOROMETHANE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
ETHYLBENZENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
M,P-XYLENE	ug/l	ND@100	ND@100	ND@100	ND@100	ND@50	ND@50
METHYLENE CHLORIDE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
O-XYLENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
TETRACHLOROETHYLENE	ug/l	9300	6800	7000	7600	2900	3300
TOLUENE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
TRICHLOROETHYLENE	ug/l	1000	940	960	950	350	430
TRICHLOROFLUOROMETHANE	ug/l	ND@50	ND@50	ND@50	ND@50	ND@25	ND@25
VINYL CHLORIDE	ug/l	69	65	70	60	32	29

October 19, 2011

IBM Corporation

13-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	03/21/2011	03/24/2011	03/28/2011	03/31/2011	04/04/2011	04/07/2011
Laboratory Sample I.D.	R1101537-005	R1101616-002	R1101656-005	R1101747-002	R1101776-007	R1101892-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	5.4	62	19	77	110	88
1,1-DICHLOROETHYLENE	ug/l	0.43 J	ND@20	ND@5.0	ND@25	ND@50	ND@25
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.84 J	6.6 J	2.6 J	ND@25	ND@50	ND@25
ACETONE	ug/l	ND@5.0	ND@100	ND@25	ND@130	ND@250	ND@130
BENZENE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
CHLOROBENZENE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
CIS-1,2-DICHLOROETHYLENE	ug/l	70	440	250	540	720	620
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
ETHYLBENZENE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
M,P-XYLENE	ug/l	ND@2.0	ND@40	ND@10	ND@50	ND@100	ND@50
METHYLENE CHLORIDE	ug/l	0.37 J	ND@20	1.5 J	ND@25	ND@50	ND@25
O-XYLENE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
TETRACHLOROETHYLENE	ug/l	120	2900	600	4300	5600	3700
TOLUENE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
TRICHLOROETHYLENE	ug/l	35	380	140	530	790	630
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@20	ND@5.0	ND@25	ND@50	ND@25
VINYL CHLORIDE	ug/l	9.9	34	21	37	46 J	48

October 19, 2011

IBM Corporation

14-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	04/11/2011	04/14/2011	04/18/2011	04/21/2011	04/25/2011	04/28/2011
Laboratory Sample I.D.	R1101952-005	R1102060-001	R1102113-005	R1102211-001	R1102241-005	R1102337-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLOROBENZENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
1,3-DICHLOROBENZENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
1,4-DICHLOROBENZENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	34	81	44	22	16	13
1,1-DICHLOROETHYLENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@10	ND@50	ND@20	2.8 J	1.6 J	ND@5.0
ACETONE	ug/l	ND@50	ND@250	ND@100	ND@25	20 J	9.8 J
BENZENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
CHLOROBENZENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
CIS-1,2-DICHLOROETHYLENE	ug/l	280	620	370	250	190	160
DICHLORODIFLUOROMETHANE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
ETHYLBENZENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
M,P-XYLENE	ug/l	ND@20	ND@100	ND@40	ND@10	ND@10	ND@10
METHYLENE CHLORIDE	ug/l	ND@10	ND@50	ND@20	1.6 J	2.0 J	1.7 J
O-XYLENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
TETRACHLOROETHYLENE	ug/l	1500	4800	1900	500	630	560
TOLUENE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
TRICHLOROETHYLENE	ug/l	240	700	340	160	140	120
TRICHLOROFLUOROMETHANE	ug/l	ND@10	ND@50	ND@20	ND@5.0	ND@5.0	ND@5.0
VINYL CHLORIDE	ug/l	24	54	32	28	33	37

October 19, 2011

IBM Corporation

15-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	05/02/2011	05/05/2011	05/09/2011	05/12/2011	05/16/2011	05/19/2011
Laboratory Sample I.D.	R1102379-007	R1102513-001	R1102561-005	R1102676-001	R1102741-005	R1102837-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	15	8.6	16	6.2	8.1	8.8
1,1-DICHLOROETHYLENE	ug/l	ND@5.0	ND@2.5	ND@5.0	0.63 J	0.45 J	0.76 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@5.0	1.1 J	1.7 J	0.92 J	0.84 J	2.1
ACETONE	ug/l	11 J	6.6 J	17 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	140	110	150	130	110	140
DICHLORODIFLUOROMETHANE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	0.83 J
ETHYLBENZENE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@10	ND@5.0	ND@10	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	1.9 J	1.5 J	1.5 J	1.5	1.3	1.3
O-XYLENE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	560	370	690	140	200	160
TOLUENE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	120	86	120	66	57	85
TRICHLOROFLUOROMETHANE	ug/l	ND@5.0	ND@2.5	ND@5.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	50	43	68	91	110	130

October 19, 2011

IBM Corporation

16-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	05/23/2011	05/26/2011	05/31/2011	06/02/2011	06/06/2011	06/09/2011
Laboratory Sample I.D.	R1102902-005	R1102993-001	R1103039-006	R1103106-001	R1103155-007	R1103277-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	5.4	9.0	5.7	5.7	5.2	4.8
1,1-DICHLOROETHYLENE	ug/l	0.58 J	0.74 J	0.74 J	0.80 J	ND@2.0	1.0 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.8	2.3	2.8	3.1	3.9	5.2
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@10	5.1 J	6.0 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
CIS-1,2-DICHLOROETHYLENE	ug/l	120	130	200	210	230	300
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@4.0	ND@4.0	ND@5.0
METHYLENE CHLORIDE	ug/l	1.3	1.2	1.0	0.84 J	0.84 J	0.88 J
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
TETRACHLOROETHYLENE	ug/l	130	190	110	110	88	92
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
TRICHLOROETHYLENE	ug/l	62	70	54	54	41	43
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@2.0	ND@2.0	ND@2.5
VINYL CHLORIDE	ug/l	130	140	97	91	89	99

October 19, 2011

IBM Corporation

17-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	221	221	221	221	221	221
Sample Description	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC	PW-2/GAC
Sample Date	06/13/2011	06/16/2011	06/20/2011	06/23/2011	06/27/2011	06/30/2011
Laboratory Sample I.D.	R1103319-005	R1103421-001	R1103467-005	R1103584-001	R1103615-005	R1103687-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
1,2,4-TRICHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
1,2-DICHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
1,3-DICHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
1,4-DICHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	8.0	7.3	8.6 J	9.0	6.9 J	10
1,1-DICHLOROETHYLENE	ug/l	1.5 J	1.7 J	ND@10	3.2 J	2.9 J	3.3 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	7.5	8.2	8.9 J	8.4	8.6 J	8.8 J
ACETONE	ug/l	4.4 J	ND@50	10 J	ND@25	ND@50	ND@50
BENZENE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
CHLOROBENZENE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
CIS-1,2-DICHLOROETHYLENE	ug/l	400	480	630	850	800	860
DICHLORODIFLUOROMETHANE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
ETHYLBENZENE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
M,P-XYLENE	ug/l	ND@5.0	ND@10	ND@20	ND@10	ND@20	ND@20
METHYLENE CHLORIDE	ug/l	0.95 J	ND@5.0	ND@10	1.2 J	ND@10	ND@10
O-XYLENE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
TETRACHLOROETHYLENE	ug/l	170	130	110	220	110	130
TOLUENE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
TRICHLOROETHYLENE	ug/l	52	57	52	78	52	67
TRICHLOROFLUOROMETHANE	ug/l	ND@2.5	ND@5.0	ND@10	ND@5.0	ND@10	ND@10
VINYL CHLORIDE	ug/l	120	81	64	42	35	33

October 19, 2011

IBM Corporation

18-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location		360	360	360	360	360	360
Sample Description		B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT	B/322 OUTPUT
Sample Date		01/10/2011	02/03/2011	03/04/2011	04/06/2011	05/03/2011	06/07/2011
Laboratory Sample I.D.		R1100179-011	R1100679-012	R1101235-007	R1101853-007	R1102441-008	R1103198-010
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

19-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location		395	395	395	395	395	395
Sample Description		B/384 SUMP	B/384 SUMP	B/384 SUMP	REPLICATE	B/384 SUMP	B/384 SUMP
Sample Date		01/05/2011	02/03/2011	03/04/2011	03/04/2011	04/07/2011	05/03/2011
Laboratory Sample I.D.		R1100102-004	R1100679-015	R1101235-014	R1101235-015	R1101888-006	R1102441-013
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
1,2,4-TRICHLOROBENZENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
1,2-DICHLOROBENZENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
1,3-DICHLOROBENZENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
1,4-DICHLOROBENZENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@200	ND@250	120 J	110 J	110 J	110 J
1,1-DICHLOROETHYLENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
ACETONE	ug/l	ND@1000	ND@1300	400 J	ND@1300	ND@1000	ND@1000
BENZENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
CHLOROBENZENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
CIS-1,2-DICHLOROETHYLENE	ug/l	120 J	130 J	95 J	98 J	98 J	68 J
DICHLORODIFLUOROMETHANE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
ETHYLBENZENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
M,P-XYLENE	ug/l	ND@400	ND@500	ND@500	ND@500	ND@400	ND@400
METHYLENE CHLORIDE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
O-XYLENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
TETRACHLOROETHYLENE	ug/l	27000	28000	26000	27000	26000	26000
TOLUENE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
TRICHLOROETHYLENE	ug/l	590	590	650	640	650	720
TRICHLOROFLUOROMETHANE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200
VINYL CHLORIDE	ug/l	ND@200	ND@250	ND@250	ND@250	ND@200	ND@200

October 19, 2011

IBM Corporation

20-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	395	395A	395A	395A	395A	395A
Sample Description	B/384 SUMP	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL	AREA A INFL
Sample Date	06/08/2011	01/05/2011	02/03/2011	03/04/2011	04/07/2011	05/03/2011
Laboratory Sample I.D.	R1103229-005	R1100102-005	R1100679-014	R1101235-013	R1101888-007	R1102441-014
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
1,2,4-TRICHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
1,2-DICHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
1,3-DICHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
1,4-DICHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@250	ND@200	ND@200	110 J	88 J
1,1-DICHLOROETHYLENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
ACETONE	ug/l	ND@1300	ND@1000	ND@1000	ND@1000	ND@1000
BENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
CHLOROBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
CIS-1,2-DICHLOROETHYLENE	ug/l	110 J	110 J	90 J	84 J	96 J
DICHLORODIFLUOROMETHANE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
ETHYLBENZENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
M,P-XYLENE	ug/l	ND@500	ND@400	ND@400	ND@400	ND@400
METHYLENE CHLORIDE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
O-XYLENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
TETRACHLOROETHYLENE	ug/l	32000	23000	21000	21000	5000
TOLUENE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
TRICHLOROETHYLENE	ug/l	760	490	420	500	130 J
TRICHLOROFLUOROMETHANE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200
VINYL CHLORIDE	ug/l	ND@250	ND@200	ND@200	ND@200	ND@200

October 19, 2011

IBM Corporation

21-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	395A	395B	395B	395B	395B	395B
Sample Description	AREA A INFL	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL	AREA A EFFL
Sample Date	06/08/2011	01/05/2011	02/03/2011	03/04/2011	04/07/2011	05/03/2011
Laboratory Sample I.D.	R1103229-006	R1100102-006	R1100679-013	R1101235-012	R1101888-008	R1102441-015
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	82 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@1000	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	88 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@400	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	28000	8.2	7.7	4.6	5.5
TOLUENE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	660	0.25 J	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@200	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

22-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	395B	500	500	500	500	500
Sample Description	AREA A EFFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL	C CARB INFL
Sample Date	06/08/2011	01/04/2011	02/07/2011	03/07/2011	04/04/2011	05/02/2011
Laboratory Sample I.D.	R1103229-007	R1100066-009	R1100725-009	R1101230-009	R1101776-009	R1102379-009
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	2.5	1.9	3.2	2.5
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	0.32 J	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	2.0 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	2.1	2.0	2.7	2.3
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	7.4	44	45	50	58
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	15	13	17	17
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	0.25 J	ND@1.0	0.50 J	0.41 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.76 J

October 19, 2011

IBM Corporation

23-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	500	511	511	511	511	511
Sample Description	C CARB INFL	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1	C CARB/GAC 1
Sample Date	06/06/2011	01/04/2011	02/07/2011	03/07/2011	04/04/2011	05/02/2011
Laboratory Sample I.D.	R1103155-009	R1100066-001	R1100725-001	R1101230-001	R1101776-001	R1102379-001
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.3	3.2	3.4	4.9	5.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.37 J	0.38 J	0.45 J	0.40 J
ACETONE	ug/l	2.7 J	ND@5.0	ND@5.0	2.2 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.1	1.6	2.2	3.1	3.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.51 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	41	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	13	ND@1.0	ND@1.0	0.30 J	0.82 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	0.48 J	0.52 J	0.89 J	0.93 J
VINYL CHLORIDE	ug/l	12	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

24-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location		512	512	512	512	512	512
Sample Description		C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date		01/04/2011	01/10/2011	01/17/2011	01/24/2011	01/31/2011	02/07/2011
Laboratory Sample I.D.		R1100066-002	R1100184-002	R1100346-002	R1100455-002	R1100588-002	R1100725-002
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.9	2.3	2.6	3.1	2.5	2.6
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.6	3.1	3.5	3.7	3.2	5.4
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	20	20	20	23	20	24
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	13	11	12	13	12	13
TRICHLOROFLUOROMETHANE	ug/l	0.33 J	0.29 J	0.36 J	0.53 J	ND@1.0	0.31 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.32 J

October 19, 2011

IBM Corporation

25-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location		512	512	512	512	512	512
Sample Description		C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date		02/14/2011	02/21/2011	02/23/2011	02/28/2011	03/07/2011	03/14/2011
Laboratory Sample I.D.		R1100853-002	R1100996-002	R1101039-001	R1101110-002	R1101230-002	R1101372-002
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.5	3.4	2.0	3.2	4.2	4.6
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.34 J	ND@1.0	0.40 J	0.52 J	0.51 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	3.4 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	5.6	3.8	1.4	2.1	2.4	3.2
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	21	17	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	13	11	0.30 J	0.65 J	0.80 J	1.1
TRICHLOROFLUOROMETHANE	ug/l	0.51 J	0.45 J	0.40 J	0.65 J	0.70 J	0.62 J
VINYL CHLORIDE	ug/l	0.35 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

26-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	03/21/2011	03/28/2011	04/04/2011	04/11/2011	04/18/2011	04/25/2011
Laboratory Sample I.D.	R1101537-002	R1101656-002	R1101776-002	R1101952-002	R1102113-002	R1102241-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.1	3.9	4.2	4.0	4.3	4.5
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.42 J	0.38 J	0.41 J	0.36 J	0.39 J	0.41 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.5	3.2	3.3	3.6	3.6	3.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.50 J	0.46 J	0.70 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	1.2	1.3	1.7	1.9	2.2	2.8
TRICHLOROFLUOROMETHANE	ug/l	0.65 J	0.55 J	0.63 J	0.67 J	0.63 J	0.65 J
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

27-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	512	512	512	512	512	512
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2
Sample Date	05/02/2011	05/09/2011	05/16/2011	05/23/2011	05/31/2011	06/06/2011
Laboratory Sample I.D.	R1102379-002	R1102561-002	R1102741-002	R1102902-002	R1103039-002	R1103155-002
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.1	3.5	3.3	3.3	3.5	3.5
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.40 J	0.35 J	0.36 J	0.33 J	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.9	3.5	3.1	3.2	3.4	3.7
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.83 J	0.73 J	0.90 J	1.0	1.3	1.6
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	3.0	2.6	3.0	3.4	3.9	4.1
TRICHLOROFLUOROMETHANE	ug/l	0.68 J	0.55 J	0.50 J	0.56 J	0.49 J	0.56 J
VINYL CHLORIDE	ug/l	ND@1.0	0.36 J	0.65 J	1.2	2.0	3.7

October 19, 2011

IBM Corporation

28-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	512	512	512	513	513	513
Sample Description	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 2	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3
Sample Date	06/13/2011	06/20/2011	06/27/2011	01/04/2011	02/07/2011	03/07/2011
Laboratory Sample I.D.	R1103319-002	R1103467-002	R1103615-002	R1100066-003	R1100725-003	R1101230-003
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.3	3.2	2.9	3.5	3.2
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.23 J	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	3.2	3.6	3.5	2.9	2.8
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	0.31 J	0.42 J	0.41 J	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	1.4	1.5	1.6	22	23
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	3.7	4.1	4.3	12	12
TRICHLOROFLUOROMETHANE	ug/l	0.41 J	0.55 J	0.40 J	0.42 J	0.37 J
VINYL CHLORIDE	ug/l	4.6	9.2	8.3	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

29-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	513	513	513	514	514	514
Sample Description	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 3	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	04/04/2011	05/02/2011	06/06/2011	01/04/2011	01/10/2011	01/17/2011
Laboratory Sample I.D.	R1101776-003	R1102379-003	R1103155-003	R1100066-004	R1100184-003	R1100346-003
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	3.4	3.2	3.5	35	30
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.48 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.35 J	ND@1.0	ND@1.0	0.86 J	0.73 J
ACETONE	ug/l	ND@5.0	ND@5.0	1.8 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	2.9	2.9	3.3	96	91
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	0.38 J	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	25	26	25	8.1	11
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	14	14	14	56	61
TRICHLOROFLUOROMETHANE	ug/l	0.51 J	0.54 J	0.40 J	0.27 J	0.23 J
VINYL CHLORIDE	ug/l	ND@1.0	0.42 J	5.5	0.28 J	ND@1.0

October 19, 2011

IBM Corporation

30-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	01/24/2011	01/31/2011	02/07/2011	02/14/2011	02/21/2011	02/28/2011
Laboratory Sample I.D.	R1100455-003	R1100588-003	R1100725-004	R1100853-003	R1100996-003	R1101110-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	39	31	30	43	40	34
1,1-DICHLOROETHYLENE	ug/l	0.49 J	0.46 J	0.40 J	0.48 J	ND@1.0	0.45 J
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.3	0.75 J	0.86 J	1.1	0.85 J	1.1
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	100	93	88	100	92	91
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	20	20	27	33	43	57
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	96	100	110	140	150	180
TRICHLOROFLUOROMETHANE	ug/l	0.36 J	ND@1.0	ND@1.0	0.39 J	0.32 J	0.36 J
VINYL CHLORIDE	ug/l	0.34 J	ND@1.0	ND@1.0	0.31 J	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

31-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	03/07/2011	03/14/2011	03/21/2011	03/28/2011	04/04/2011	04/11/2011
Laboratory Sample I.D.	R1101230-004	R1101372-003	R1101537-003	R1101656-003	R1101776-004	R1101952-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	37	32	30	28	28	29
1,1-DICHLOROETHYLENE	ug/l	0.53 J	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.2	0.92 J	0.92 J	0.86 J	0.84 J	0.80 J
ACETONE	ug/l	1.7 J	ND@10	ND@5.0	ND@10	ND@10	ND@10
BENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
CHLOROBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
CIS-1,2-DICHLOROETHYLENE	ug/l	89	74	73	78	74	76
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
ETHYLBENZENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
M,P-XYLENE	ug/l	ND@2.0	ND@4.0	ND@2.0	ND@4.0	ND@4.0	ND@4.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
O-XYLENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
TETRACHLOROETHYLENE	ug/l	58	74	110	100	120	130
TOLUENE	ug/l	ND@1.0	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
TRICHLOROETHYLENE	ug/l	170	180	190	190	210	210
TRICHLOROFLUOROMETHANE	ug/l	0.30 J	ND@2.0	ND@1.0	ND@2.0	ND@2.0	ND@2.0
VINYL CHLORIDE	ug/l	0.42 J	ND@2.0	0.34 J	ND@2.0	ND@2.0	ND@2.0

October 19, 2011

IBM Corporation

32-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	514	514	514	514	514	514
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4
Sample Date	04/18/2011	04/25/2011	05/02/2011	05/09/2011	05/16/2011	05/23/2011
Laboratory Sample I.D.	R1102113-003	R1102241-003	R1102379-004	R1102561-003	R1102741-003	R1102902-003
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	13	17	20	19	21	29
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.6	1.5	1.9	2.0	2.0	2.3
ACETONE	ug/l	ND@5.0	ND@5.0	2.2 J	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	48	56	65	65	71	79
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.39 J	0.47 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	0.34 J	0.33 J	0.34 J	0.40 J
VINYL CHLORIDE	ug/l	0.43 J	0.50 J	0.43 J	0.44 J	0.39 J	0.41 J

October 19, 2011

IBM Corporation

33-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	514	514	514	514	514	524
Sample Description	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	C CARB/GAC 4	PW-25 EFFL
Sample Date	05/31/2011	06/06/2011	06/13/2011	06/20/2011	06/27/2011	01/04/2011
Laboratory Sample I.D.	R1103039-003	R1103155-004	R1103319-003	R1103467-003	R1103615-003	R1100066-005
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	33	33	29	38	36	0.53 J
1,1-DICHLOROETHYLENE	ug/l	0.41 J	ND@1.0	0.32 J	0.40 J	0.45 J	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	2.0	2.0	1.7	2.0	1.3	ND@1.0
ACETONE	ug/l	ND@5.0	4.5 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	97	93	99	110	110	1.3
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.88 J	1.1	2.0	3.4	5.9	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	0.43 J	0.36 J	0.42 J	0.50 J	0.42 J	ND@1.0
VINYL CHLORIDE	ug/l	0.36 J	0.42 J	0.32 J	0.31 J	0.25 J	0.44 J

October 19, 2011

IBM Corporation

34-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	01/10/2011	01/17/2011	01/24/2011	01/31/2011	02/07/2011	02/14/2011
Laboratory Sample I.D.	R1100184-004	R1100346-004	R1100455-004	R1100588-004	R1100725-005	R1100853-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.43 J	0.65 J	1.0	1.2	2.0	4.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	0.26 J	0.46 J	0.30 J	0.40 J	0.74 J
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	1.7 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	1.5	1.9	3.3	4.4	6.0	10
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.39 J	0.46 J	0.55 J	0.41 J	0.43 J	0.53 J

October 19, 2011

IBM Corporation

35-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	02/21/2011	02/28/2011	03/07/2011	03/14/2011	03/21/2011	03/28/2011
Laboratory Sample I.D.	R1100996-004	R1101110-004	R1101230-005	R1101372-004	R1101537-004	R1101656-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	4.6	6.6	8.4	9.0	9.9	12
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	0.61 J	0.94 J	0.90 J	1.2	1.1	1.4
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	13	20	23	26	33	40
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.36 J	0.60 J	0.46 J	0.50 J	0.57 J	0.44 J

October 19, 2011

IBM Corporation

36-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	04/04/2011	04/11/2011	04/18/2011	04/25/2011	05/02/2011	05/09/2011
Laboratory Sample I.D.	R1101776-005	R1101952-004	R1102113-004	R1102241-004	R1102379-005	R1102561-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	16	17	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.4	1.4	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	50	59	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.30 J	0.61 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLORODIFLUOROMETHANE	ug/l	0.31 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	0.44 J	0.44 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

37-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	524	524	524	524	524	524
Sample Description	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL	PW-25 EFFL
Sample Date	05/16/2011	05/23/2011	05/31/2011	06/06/2011	06/13/2011	06/20/2011
Laboratory Sample I.D.	R1102741-004	R1102902-004	R1103039-004	R1103155-005	R1103319-004	R1103467-004
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	2.1 J	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

38-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	524	555	555	555	555	555
Sample Description	PW-25 EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	06/27/2011	01/04/2011	01/10/2011	01/17/2011	01/24/2011	01/31/2011
Laboratory Sample I.D.	R1103615-004	R1100066-008	R1100184-001	R1100346-001	R1100455-001	R1100588-001
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	1.2	1.2	1.3	1.1
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	1.1 J	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	0.64 J	0.68 J	0.56 J	0.72 J
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	0.21 J	0.23 J	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

39-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	02/07/2011	02/14/2011	02/21/2011	02/28/2011	03/07/2011	03/14/2011
Laboratory Sample I.D.	R1100725-008	R1100853-001	R1100996-001	R1101110-001	R1101230-008	R1101372-001
Sample Comment Codes						
Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	1.2	1.5	0.85 J	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	5.3	ND@5.0	ND@5.0	2.5 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	0.62 J	0.65 J	0.46 J	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.45 J	0.42 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.35 J	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

40-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	03/21/2011	03/28/2011	04/04/2011	04/11/2011	04/18/2011	04/25/2011
Laboratory Sample I.D.	R1101537-001	R1101656-001	R1101776-008	R1101952-001	R1102113-001	R1102241-001
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.1 J	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

41-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	555	555	555	555	555	555
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL	C CARB EFFL
Sample Date	05/02/2011	05/09/2011	05/16/2011	05/23/2011	05/31/2011	06/06/2011
Laboratory Sample I.D.	R1102379-008	R1102561-001	R1102741-001	R1102902-001	R1103039-001	R1103155-008
Sample Comment Codes						

Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	2.0 J
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

42-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	555	555	555	612	612	612
Sample Description	C CARB EFFL	C CARB EFFL	C CARB EFFL	GW/B322 IN	GW/B322 IN	GW/B322 IN
Sample Date	06/13/2011	06/20/2011	06/27/2011	01/10/2011	02/03/2011	03/04/2011
Laboratory Sample I.D.	R1103319-001	R1103467-001	R1103615-001	R1100179-007	R1100679-009	R1101235-004
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.32 J	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.46 J	0.42 J
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

43-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	612	612	612	617	617	617
Sample Description	GW/B322 IN	GW/B322 IN	GW/B322 IN	GW/B322 IN	REPLICATE	GW/B322 IN
Sample Date	04/06/2011	05/03/2011	06/07/2011	01/10/2011	01/10/2011	02/03/2011
Laboratory Sample I.D.	R1101853-004	R1102441-004	R1103198-006	R1100179-008	R1100179-009	R1100679-010
Sample Comment Codes						

Parameter	Units					
Base/Neutral Extractables						
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics						
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	0.32 J	0.38 J	0.46 J	0.20 J	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

44-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	617		617		617		617		618		618	
Sample Description	GW/B322 IN		GW/B322 IN		GW/B322 IN		GW/B322 IN		GW/B322 IN		GW/B322 IN	
Sample Date	03/04/2011		04/06/2011		05/03/2011		06/07/2011		01/10/2011		02/03/2011	
Laboratory Sample I.D.	R1101235-005		R1101853-005		R1102441-005		R1103198-007		R1100179-010		R1100679-011	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.84 J	0.81 J		
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	0.44 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	

October 19, 2011

IBM Corporation

45-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	618		618		618		618		618		
Sample Description	GW/B322 IN		GW/B322 IN		GW/B322 IN		REPLICATE		GW/B322 IN		
Sample Date	03/04/2011		04/06/2011		05/03/2011		05/03/2011		06/07/2011		
Laboratory Sample I.D.	R1101235-006		R1101853-006		R1102441-006		R1102441-007		R1103198-008		
Sample Comment Codes									R1103198-009		
Parameter	Units										
Base/Neutral Extractables											
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics											
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	1.1	1.1	0.93 J	0.93 J	0.98 J	0.98 J	0.93 J	0.93 J	0.82 J	0.82 J
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

46-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location		628	628	628	628	628	628
Sample Description		GW/AREA B IN	GW/AREA B IN	REPLICATE	GW/AREA B IN	GW/AREA B IN	REPLICATE
Sample Date		01/04/2011	02/03/2011	02/03/2011	03/04/2011	04/04/2011	04/04/2011
Laboratory Sample I.D.		R1100058-010	R1100679-004	R1100679-005	R1101235-008	R1101780-011	R1101780-012
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.64 J	0.48 J	0.46 J	1.2	0.79 J	0.63 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

47-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location		628	628	628A	628A	628A	628A
Sample Description		GW/AREA B IN	GW/AREA B IN	AREA B EFFL	AREA B EFFL	AREA B EFFL	AREA B EFFL
Sample Date		05/03/2011	06/06/2011	01/04/2011	02/03/2011	03/04/2011	04/04/2011
Laboratory Sample I.D.		R1102441-010	R1103152-010	R1100058-012	R1100679-006	R1101235-009	R1101780-013
Sample Comment Codes							
Parameter	Units						
Base/Neutral Extractables							
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics							
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.66 J	0.66 J	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

48-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	628A		628A		628B		628B		628B		628B	
Sample Description	AREA B EFFL		AREA B EFFL		AREA B/GAC		AREA B/GAC		AREA B/GAC		AREA B/GAC	
Sample Date	05/03/2011		06/06/2011		01/04/2011		02/03/2011		03/04/2011		04/04/2011	
Laboratory Sample I.D.	R1102441-011		R1103152-011		R1100058-011		R1100679-007		R1101235-010		R1101780-014	
Sample Comment Codes												
Parameter	Units											
Base/Neutral Extractables												
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
Volatile Organics												
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	0.47 J
TOLUENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

49-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Sample Location	628B		628B
Sample Description	AREA B/GAC		AREA B/GAC
Sample Date	05/03/2011		06/06/2011
Laboratory Sample I.D.	R1102441-012		R1103152-012
Sample Comment Codes			
Parameter	Units		
Base/Neutral Extractables			
1,2,3-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,2,4-TRICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,2-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,3-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
1,4-DICHLOROBENZENE	ug/l	ND@1.0	ND@1.0
Volatile Organics			
1,1,1-TRICHLOROETHANE	ug/l	ND@1.0	ND@1.0
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0
1,1-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0
1,2-DICHLORO-1,2,2-TRIFLUOROETHANE	ug/l	ND@1.0	ND@1.0
ACETONE	ug/l	ND@5.0	ND@5.0
BENZENE	ug/l	ND@1.0	ND@1.0
CHLOROBENZENE	ug/l	ND@1.0	ND@1.0
CIS-1,2-DICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0
DICHLORODIFLUOROMETHANE	ug/l	ND@1.0	ND@1.0
ETHYLBENZENE	ug/l	ND@1.0	ND@1.0
M,P-XYLENE	ug/l	ND@2.0	ND@2.0
METHYLENE CHLORIDE	ug/l	ND@1.0	ND@1.0
O-XYLENE	ug/l	ND@1.0	ND@1.0
TETRACHLOROETHYLENE	ug/l	0.43 J	0.49 J
TOLUENE	ug/l	ND@1.0	ND@1.0
TRICHLOROETHYLENE	ug/l	ND@1.0	ND@1.0
TRICHLOROFLUOROMETHANE	ug/l	ND@1.0	ND@1.0
VINYL CHLORIDE	ug/l	ND@1.0	ND@1.0

October 19, 2011

IBM Corporation

50-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Organics
January 1, 2011 - June 30, 2011

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2011 - June 30, 2011

Sample Location	395	395	395	395	395	395
Sample Description	B/384 SUMP	B/384 SUMP	B/384 SUMP	REPLICATE	B/384 SUMP	B/384 SUMP
Sample Date	01/05/2011	02/03/2011	03/04/2011	03/04/2011	04/07/2011	05/03/2011
Laboratory Sample I.D.	R1100102-004	R1100681-001	R1101235-014	R1101237-002	R1101888-006	R1102442-001
Sample Comment Codes						

Parameter	Units						
Inorganics							
FLUORIDE	mg/l	1.18	1.14	0.95	0.93	1.00	0.85
Metals							
CHROMIUM, DISSOLVED	mg/l	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010	ND@0.0010
CHROMIUM, TOTAL	mg/l	0.0007 J	ND@0.0010	ND@0.0010	0.0006 J	ND@0.0010	ND@0.0010

October 20, 2011

IBM Corporation

1-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2011 - June 30, 2011

Sample Location	395
Sample Description	B/384 SUMP
Sample Date	06/08/2011
Laboratory Sample I.D.	R1103229-005
Sample Comment Codes	

Parameter	Units	
Inorganics		
FLUORIDE	mg/l	0.90
Metals		
CHROMIUM, DISSOLVED	mg/l	0.0013
CHROMIUM, TOTAL	mg/l	0.0856

October 20, 2011

IBM Corporation

2-1

IBM East Fishkill Facility
Groundwater Treatment Analytical Data - Inorganics
January 1, 2011 - June 30, 2011

Explanation of Reporting Conventions and Key to Comment Codes

Reporting Conventions

NA	Not Analyzed
ND@X	Not Detected at Detection Limit X

Code	Explanation
-------------	--------------------

J	Estimated value - compound meets identification criteria, but result is less than the reporting limit
---	---