

January 25, 2022

Email: <u>daniel.lanners@dec.ny.gov</u>

Mr. Daniel R. Lanners, P.E. New York State Department of Environmental Conservation Division of Environmental Remediation Remedial Bureau C 625 Broadway, 11th Floor Albany, New York 12233-7014

Subject: Groundwater Monitoring Report – Fourth Quarter, 2021 Apple Valley Shopping Center Freedom Plains Road, Dutchess County, LaGrange, New York Site No. 314084 STERLING File #23008

Dear Mr. Lanners,

This letter report provides results of the 4th quarter groundwater monitoring event for 2021 performed by Sterling Environmental Engineering, P.C. (STERLING) at the Apple Valley Shopping Center (AVSC, or the "Site") in LaGrange, New York on December 27, 2021.

Groundwater samples were collected from recovery wells AV-2, RW-1, RW-3, and from the groundwater treatment system effluent discharge, AVS-EFF. A groundwater sample was not collected from RW-2 due to insufficient flow from the recovery well. Samples collected from the monitoring locations were analyzed for the following site-specific chlorinated volatile organic compounds (cVOC): tetrachloroethene (PCE), trichloroethene (TCE), cis-1,2-dichloroethene (DCE), and vinyl chloride.

Treatment System Operations

For the period of October 1, 2021 (third quarter monitoring event) through December 27, 2021 (fourth quarter monitoring event), the treatment system recovered, treated, and discharged approximately 775,343 gallons of groundwater based on recorded system data. For the total period from startup of the system in May 2019 to this sample event, the system recovered, treated, and discharged approximately 9,120,343 gallons. Quarterly maintenance and inspection were performed during the monitoring event. No water was obtained from recovery well RW-2 due to insufficient flow. The status of the well pump is being evaluated. A control systems engineer has been contacted to inspect and troubleshoot the pump controls.

Groundwater Sampling and Analysis: VOCs

Groundwater samples were collected from the sampling ports in the treatment system trailer directly into laboratory provided glassware. The sampling point for the treatment system effluent was collected directly from the discharge pipe. Samples were transported in a cooler with ice under chain of custody protocol to Alpha Analytical of Westborough, MA for analysis of site-specific cVOCs by USEPA Method 8260C.

"Serving our clients and the environment since 1993"

Groundwater Sampling and Laboratory Analytical Results

Analytical results for collected samples are summarized in Table 1 and the analytical report is included in Attachment A.

ANALYTE	Regulatory Standard µg/L	AV-2	RW-1	RW-2	RW-3	AVS- EFF
Tetrachloroethene (PCE)	5	62	250	NS	67	0.18 U
Vinyl chloride	2	0.07 U	2.8	NS	0.07 U	0.07 U
Trichloroethene (TCE)	5	6	120	NS	7.8	0.18 U
cis-1,2-Dichloroethene (DCE)	5	7.9	32	NS	8.3	0.7 U
Total VOCs		75.9	404.8	NS	83.1	ND

 Table 1 – December 27, 2021 Groundwater Monitoring Sample Results

Notes: Regulatory Standard is New York TOGS 1.1.1 Ambient Water Quality Standards, June 2004

Bold and highlighted concentrations exceed applicable regulatory standard.

U – Not Detected (ND). The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

J – Concentration is above the laboratory method detection limit but below the reporting limit and is estimated.

 $NS-Not\ Sampled$

Recovery Wells – Concentrations of PCE, TCE, and DCE were detected above the TOGS 1.1.1 Water Quality Standards and Guidance Values of 5 μ g/l in all groundwater samples. Vinyl Chloride was detected at a concentration above the TOGS 1.1.1 Water Quality Standards and Guidance Values of 2 μ g/l in monitoring well RW-1.

Effluent Discharge – Concentrations of site-specific cVOCs were all below TOGS 1.1.1 Water Quality Standards and Guidance Values for sample AVS-EFF indicating proper operation of the treatment system.

Conclusions and Discussion

Site-specific cVOCs exist in recovered onsite groundwater at concentrations above the TOGS 1.1.1 Water Quality Standards and Guidance Values, which is consistent with prior monitoring events.

The effluent discharge sample (AVS-EFF) contained no cVOC concentrations above the TOGS 1.1.1 Water Quality Standards and Guidance Values confirming that the treatment system is functioning properly. A control systems engineer has been contacted to inspect and troubleshoot the pump controls.

The next monitoring is scheduled for the first quarter of 2022 consisting of the following:

- Sampling recovery wells AV-2, RW-1, RW-2, RW-3, and treatment system effluent (AVS-EFF).
- Onsite maintenance and cleaning of the treatment system.

Please contact me should you have any questions.

Very Truly Yours,

STERLING ENVIRONMENTAL ENGINEERING, P.C.

-1)

Andrew M. Millspaugh, P.E. Vice President <u>Andrew.Millspaugh@sterlingenvironmental.com</u>


Via Email

Attachments: Figure 1 – Site Location Map Figure 2 – Selected Site Features Attachment A – Laboratory Analytical Reports

cc: David Engel, Esq.

S:\Sterling\Projects\2003 Projects\2003 Projects\Apple Valley - 23008\Reports\Groundwater Monitoring Reports\2021_Q4 December GWM Report\2022-01-25 Q4 Groundwater Monitoring Report.doc

FIGURES





TOWN OF LAGRANGE DUTCHESS CO., NY	С.	APPLE VALLEY	E FEATURES MAR SHOPPING PLAINS ROAD	
		TOWN OF LAGRANGE	DUTCH	ESS CO., NY
CALE: 1" = 100' DWG. NO. 23008028 FIGURE 2	CALE:	1" = 100' DWG. NO. 23	008028 FIGURE	2

ATTACHMENT A

LABORATORY ANALYTICAL REPORTS



ANALYTICAL REPORT

Lab Number:	L2171054
Client:	Sterling Environmental Engineering 24 Wade Road Latham, NY 12110
ATTN:	Andrew Millspaugh
Phone:	(518) 456-4900
Project Name:	APPLE VALLEY
Project Number:	23008
Report Date:	01/10/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019 508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Serial_No:01102219:08

Project Name:APPLE VALLEYProject Number:23008

 Lab Number:
 L2171054

 Report Date:
 01/10/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2171054-01	RW-1	WATER	LAGRANGE, NY	12/27/21 09:40	12/27/21
L2171054-02	RW-3	WATER	LAGRANGE, NY	12/27/21 09:30	12/27/21
L2171054-03	AV-2	WATER	LAGRANGE, NY	12/27/21 09:50	12/27/21
L2171054-04	AVS-EFF	WATER	LAGRANGE, NY	12/27/21 09:20	12/27/21
L2171054-05	TB12272021	WATER	LAGRANGE, NY	12/27/21 00:00	12/27/21

Project Name: APPLE VALLEY Project Number: 23008 Lab Number: L2171054 Report Date: 01/10/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.



Project Name:APPLE VALLEYProject Number:23008

 Lab Number:
 L2171054

 Report Date:
 01/10/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

total. Sebastian Corbin

Authorized Signature:

Title: Technical Director/Representative

Date: 01/10/22



ORGANICS



VOLATILES



				Serial_No	0:01102219:08
Project Name:	APPLE VALLEY			Lab Number:	L2171054
Project Number:	23008			Report Date:	01/10/22
			SAMPLE RESULTS		
Lab ID: Client ID: Sample Location:	L2171054-01 RW-1 LAGRANGE, NY	D		Date Collected: Date Received: Field Prep:	12/27/21 09:40 12/27/21 Not Specified
Sample Depth:					
Matrix: Analytical Method: Analytical Date:	Water 1,8260C 01/05/22 14:21				
Analyst:	LAC				

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough	n Lab					
Tetrachloroethene	250		ug/l	1.0	0.36	2
Vinyl chloride	2.8		ug/l	2.0	0.14	2
Trichloroethene	120		ug/l	1.0	0.35	2
cis-1,2-Dichloroethene	32		ug/l	5.0	1.4	2
Surrogate			% Recovery	Qualifier		ptance iteria
1,2-Dichloroethane-d4			116		7	70-130
Toluene-d8			97		7	70-130

105



70-130 70-130

4-Bromofluorobenzene

			Serial_No	o:01102219:08
Project Name:	APPLE VALLEY		Lab Number:	L2171054
Project Number:	23008		Report Date:	01/10/22
		SAMPLE RESULTS		
Lab ID: Client ID: Sample Location:	L2171054-02 RW-3 LAGRANGE, NY		Date Collected: Date Received: Field Prep:	12/27/21 09:30 12/27/21 Not Specified
Sample Depth: Matrix: Analytical Method: Analytical Date: Analyst:	Water 1,8260C 01/05/22 15:12 LAC			

Result	Qualifier	Units	RL	MDL	Dilution Factor
ıgh Lab					
67		ug/l	0.50	0.18	1
ND		ug/l	1.0	0.07	1
7.8		ug/l	0.50	0.18	1
8.3		ug/l	2.5	0.70	1
		% Recovery	Qualifier		ptance teria
		121		7	0-130
		96		7	0-130
		94		7	0-130
	agh Lab 67 ND 7.8	agh Lab 67 ND 7.8	67 ug/l ND ug/l 7.8 ug/l 8.3 ug/l % Recovery 121 96	ugh Lab ug/l 0.50 ND ug/l 1.0 7.8 ug/l 0.50 8.3 ug/l 2.5 % Recovery Qualifier 121 96	Indext Index Index Index



70-130

			Serial_No	o:01102219:08
Project Name:	APPLE VALLEY		Lab Number:	L2171054
Project Number:	23008		Report Date:	01/10/22
		SAMPLE RESULTS		
Lab ID: Client ID: Sample Location:	L2171054-03 AV-2 LAGRANGE, NY		Date Collected: Date Received: Field Prep:	12/27/21 09:50 12/27/21 Not Specified
Sample Depth: Matrix: Analytical Method: Analytical Date: Analyst:	Water 1,8260C 01/05/22 23:15 NLK			

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Wes	tborough Lab					
Tetrachloroethene	62		ug/l	0.50	0.18	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Trichloroethene	6.0		ug/l	0.50	0.18	1
cis-1,2-Dichloroethene	7.9		ug/l	2.5	0.70	1
Surrogate			% Recovery	Qualifier	Accept Crite	
1,2-Dichloroethane-d4			103		70-	130
Toluene-d8			103		70-	130

Toluene-d8	103	70-130
4-Bromofluorobenzene	98	70-130
Dibromofluoromethane	103	70-130



			Serial_N	p:01102219:08
Project Name:	APPLE VALLEY		Lab Number:	L2171054
Project Number:	23008		Report Date:	01/10/22
		SAMPLE RESULTS		
Lab ID: Client ID: Sample Location:	L2171054-04 AVS-EFF LAGRANGE, NY		Date Collected: Date Received: Field Prep:	12/27/21 09:20 12/27/21 Not Specified
Sample Depth: Matrix: Analytical Method: Analytical Date: Analyst:	Water 1,8260C 01/05/22 15:38 LAC			

Result	Qualifier	Units	RL	MDL	Dilution Factor
h Lab					
ND		ug/l	0.50	0.18	1
ND		ug/l	1.0	0.07	1
ND		ug/l	0.50	0.18	1
ND		ug/l	2.5	0.70	1
		% Recovery	Qualifier		ptance teria
		122		7	0-130
		97		7	0-130
		96		7	0-130
	n Lab ND ND ND	n Lab ND ND ND	ND ug/l ND ug/l ND ug/l ND ug/l ND ug/l Kecovery 122 97	ND ug/l 0.50 ND ug/l 1.0 ND ug/l 0.50 ND ug/l 2.5 % Recovery Qualifier 122 97	ND ug/l 0.50 0.18 ND ug/l 1.0 0.07 ND ug/l 0.50 0.18 ND ug/l 0.50 0.18 ND ug/l 2.5 0.70 % Recovery Qualifier Acception 122 7 97 7



70-130

			Serial_No	o:01102219:08
Project Name:	APPLE VALLEY		Lab Number:	L2171054
Project Number:	23008		Report Date:	01/10/22
		SAMPLE RESULTS		
Lab ID: Client ID: Sample Location:	L2171054-05 TB12272021 LAGRANGE, NY		Date Collected: Date Received: Field Prep:	12/27/21 00:00 12/27/21 Not Specified
Sample Depth: Matrix: Analytical Method: Analytical Date: Analyst:	Water 1,8260C 01/05/22 13:55 LAC			

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - West	borough Lab					
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Trichloroethene	ND		ug/l	0.50	0.18	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Surrogate			% Recovery	Qualifier	Accept Crite	
1,2-Dichloroethane-d4			121		70-	130
Toluene-d8			95		70-	130
4-Bromofluorobenzene			95		70-	130



70-130

Project Name: APPLE VALLEY

Project Number: 23008

3008

 Lab Number:
 L2171054

 Report Date:
 01/10/22

Method Blank Analysis Batch Quality Control

Analytical Method:1,8260CAnalytical Date:01/05/22 10:05Analyst:PD

Parameter	Result	Qualifier Units	RL	MDL
Volatile Organics by GC/MS - W	estborough Lab f	or sample(s):	01-02,04-05	Batch: WG1591034-5
Tetrachloroethene	ND	ug/l	0.50	0.18
Vinyl chloride	ND	ug/l	1.0	0.07
Trichloroethene	ND	ug/l	0.50	0.18
cis-1,2-Dichloroethene	ND	ug/l	2.5	0.70

		Acceptance
Surrogate	%Recovery	Qualifier Criteria
1.2-Dichloroethane-d4	118	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	96	70-130
Dibromofluoromethane	104	70-130



Project Name: APPLE VALLEY

Project Number: 23008

3008

 Lab Number:
 L2171054

 Report Date:
 01/10/22

Method Blank Analysis Batch Quality Control

Analytical Method:1,8260CAnalytical Date:01/05/22 18:54Analyst:TMS

arameter	Result Qua	alifier Units	RL	MDL
olatile Organics by GC/MS -	Westborough Lab for	sample(s): 03	Batch: W	G1591292-5
Tetrachloroethene	ND	ug/l	0.50	0.18
Vinyl chloride	ND	ug/l	1.0	0.07
Trichloroethene	ND	ug/l	0.50	0.18
cis-1,2-Dichloroethene	ND	ug/l	2.5	0.70

Acceptance
fier Criteria
70-130
70-130
70-130
70-130



Lab Control Sample Analysis Batch Quality Control

Project Name: APPLE VALLEY

Project Number: 23008

Lab Number: L2171054 Report Date: 01/10/22

	LCS		LCSD	%Recovery		RP	
Parameter	%Recovery	Qual	%Recovery	Qual Limits	RPD	Qual Lim	its
Volatile Organics by GC/MS - Westborough	Lab Associated	sample(s):	01-02,04-05 Batc	h: WG1591034-3 WG159	1034-4		
Tetrachloroethene	99		110	70-130	11	20)
Vinyl chloride	90		99	55-140	10	20)
Trichloroethene	97		110	70-130	13	20)
cis-1,2-Dichloroethene	90		100	70-130	11	20)

	LCS	LCSD	Acceptance
Surrogate	%Recovery Qua	l %Recovery Qual	Criteria
1,2-Dichloroethane-d4	116	119	70-130
Toluene-d8	98	97	70-130
4-Bromofluorobenzene	98	96	70-130
Dibromofluoromethane	101	100	70-130



Lab Control Sample Analysis Batch Quality Control

Project Name: APPLE VALLEY

Project Number: 23008

Lab Number: L2171054 Report Date: 01/10/22

Denometer	LCS	0	LCSD %Recove		%Recovery		0	RPD Limite	
Parameter	%Recovery	Qual	%Recove	ery Qual	Limits	RPD	Qual	Limits	
Volatile Organics by GC/MS - Westborough L	ab Associated	sample(s):	03 Batch:	WG1591292-3	WG1591292-4				
Tetrachloroethene	98		100		70-130	2		20	
Vinyl chloride	110		100		55-140	10		20	
Trichloroethene	98		95		70-130	3		20	
cis-1,2-Dichloroethene	100		100		70-130	0		20	

	LCS	LCSD	Acceptance
Surrogate	%Recovery Qual	%Recovery Qual	Criteria
1,2-Dichloroethane-d4	103	103	70-130
Toluene-d8	100	104	70-130
4-Bromofluorobenzene	95	95	70-130
Dibromofluoromethane	105	108	70-130



Project Name: APPLE VALLEY Project Number: 23008

Serial_No:01102219:08 Lab Number: L2171054 *Report Date:* 01/10/22

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information				Final	Temp			Frozen	
Container ID	Container Type	Cooler	Initial pH	pН		Pres	Seal	Date/Time	Analysis(*)
L2171054-01A	Vial HCI preserved	А	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-01B	Vial HCI preserved	A	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-01C	Vial HCI preserved	A	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-02A	Vial HCI preserved	A	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-02B	Vial HCI preserved	A	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-02C	Vial HCI preserved	A	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-03A	Vial HCI preserved	A	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-03B	Vial HCI preserved	А	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-03C	Vial HCI preserved	А	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-04A	Vial HCI preserved	А	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-04B	Vial HCI preserved	A	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-04C	Vial HCI preserved	A	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-05A	Vial HCI preserved	A	NA		2.5	Y	Absent		NYTCL-8260-R2(14)
L2171054-05B	Vial HCI preserved	A	NA		2.5	Y	Absent		NYTCL-8260-R2(14)



Project Name: APPLE VALLEY

Project Number: 23008

Lab Number: L2171054

Report Date: 01/10/22

GLOSSARY

Acronyms

Actoryms							
DL	 Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) 						
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).						
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.						
EPA	- Environmental Protection Agency.						
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.						
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.						
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.						
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)						
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)						
	Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)						
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.						
MS	 Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values. 						
MSD	- Matrix Spike Sample Duplicate: Refer to MS.						
NA	- Not Applicable.						
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.						
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.						
NI	- Not Ignitable.						
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.						
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.						
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.						
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.						
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.						
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.						
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.						
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.						
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.						

Report Format: DU Report with 'J' Qualifiers



Project Name: APPLE VALLEY

Project Number: 23008

Lab Number: L2171054 Report Date: 01/10/22

Footnotes

1

- The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Waterpreserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'. Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(a)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentrations of the analyte at less than ten times (10x) the concentrations of the analyte at less than ten times (10x) the concentrations of the analyte at less than ten times (10x) the concentrations of the analyte at less than ten times (10x) the concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For NJ-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- **D** Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- **F** The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
- H The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I The lower value for the two columns has been reported due to obvious interference.
- J Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



Serial_No:01102219:08

Project Name: APPLE VALLEY

Project Number: 23008

Lab Number: L2171054 Report Date: 01/10/22

Data Qualifiers

- NJ Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- **P** The RPD between the results for the two columns exceeds the method-specified criteria.
- Q The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- **R** Analytical results are from sample re-analysis.
- **RE** Analytical results are from sample re-extraction.
- S Analytical results are from modified screening analysis.
- V The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: APPLE VALLEY
Project Number: 23008

 Lab Number:
 L2171054

 Report Date:
 01/10/22

REFERENCES

1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpineol

EPA 8260C/8260D: <u>NPW</u>: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; <u>SCM</u>: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: <u>NPW:</u> Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol; <u>SCM</u>: Dimethylnaphthalene,1,4-Diphenylhydrazine. **SM4500**: <u>NPW</u>: Amenable Cyanide; <u>SCM</u>: Total Phosphorus, TKN, NO2, NO3.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: <u>NPW</u>: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187. EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene. Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; SM4500NO3-F: Nitrate-N, Nitrite-N; SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B EPA 332: Perchlorate; EPA 524.2: THMs and VOCs; EPA 504.1: EDB, DBCP. Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, EPA 350.1: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, EPA 351.1, SM4500NO3-F, EPA 353.2: Nitrate-N, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate. EPA 624.1: Volatile Halocarbons & Aromatics, EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II.

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs **EPA 625.1**: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045**: PCB-Oil.

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. EPA 200.8: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. EPA 245.1 Hg. EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn. **EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn. **EPA 245.1** Hg. **SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

Serial_No:01102219:08

	NEW YORK CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitn Albany, NY 12205: 14 Walker Tonawanda, NY 14150: 275 C	Way	DS	Page	e t f t	Date Rec'd in Lab 」 2 \ 2				21	1	ALPHA JOB# L 2171054		
Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193	Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288	Project Information Project Name: App Project Location:	ale Vall	ey e. NY			Delivera		ile)	ASP-	B S (4 File	[Silling Information		
Client Information	NEON SECURIT	Project # 2300	8 1	-, 10 1				ther		-	roative vice	60. C	Sec.		
Client: Sterlin	A Env	(Use Project name as F	Project #)		_		Regulatory Requirement					D	isposal Site Information		
Address: 24 W	drew M	lillspan	igh .		NY TOGS NY Part 375					- 100	Please identify below location of applicable disposal facilities.				
Latham NY 12112 ALPHAQuote #: Phone: 518 456 - 4900 Turn-Around Time							AWQ Standards NY CP-51						isposal Facility:		
Fax:		Standar	rd 🔀	Due Date	e		NY Unrestricted Use					Г	UNI UNY		
Email:		Rush (only if pre approve		# of Days:				NYC Sewer Discharge					Other:		
These samples have be	een previously analyz	ed by Alpha					ANALY	SIS				s	Sample Filtration	T	
Other project specific	A REAL PROPERTY OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRES						U	-		1		1	Done	- 0	
Andrew.min * Report Please specify Metals	ONY = PCE	sterlingenu TCE, Cis	12-DCC	tal . c E. Viny	I Chlo.	rido	14 8360					[P [Lab to do Preservation Lab to do Please Specify below)	al Bot	
ALPHA Lab ID (Lab Use Only) Sample ID		imple ID	Collection Sample Sam			Sampler's	20					1			
		imple to	Date		Matrix	Initials	C					S	ample Specific Comments	e	
7054-01	RW-1		12-27-21	940	GW	PWS	×							3	
62	RW-3			930			X					\neg		3	
03	Read	AV-2		950			X					-		3	
04	AVS-	EFF		920			X	-		+		+		3	
05	TBIZZZ			-	LW	1	X							2	
						-						1			
		(Pus						E.			+		+	
								-		-		+		+	
C = HNO ₃ D = H ₂ SO ₄	Container Code P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup	Westboro: Certification No: MA935 Mansfield: Certification No: MA015				tainer Type Preservative	V B						Please print clearly, legibly and completely. Samples car not be logged in and turnaround time clock will not start until any ambiguities are		
$G = NaHSO_4$ H = Na ₂ S ₂ O ₃	C = Cube O = Other E = Encore Relinquished By: C = Cube Relinquished By: C = Cube Relinquished By: C = Cube C = Cube C = Cube C = Other C = Cube C =			Date/ 12-27-2 12-27-2	Time 1 16% (1630		Received By: Mr AA(Date/Time			resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS.		
Form No: 01-25 HC (rev. 30	-Sept-2013)												(See reverse side.)		