



Sterling Environmental Engineering, P.C.

August 10, 2023

Mr. Daniel R. Lanners, P.E.
New York State Department of Environmental Conservation
Division of Environmental Remediation
Remedial Bureau C
625 Broadway, 11th Floor
Albany, New York 12233-7014

Email: daniel.lanners@dec.ny.gov

Subject: Groundwater Monitoring Report – Third Quarter, 2023
Apple Valley Shopping Center
Freedom Plains Road, Dutchess County, LaGrange, New York
Site No. 314084
STERLING File #23008

Dear Mr. Lanners,

This letter report provides results of the 3rd quarter groundwater monitoring event for 2023 performed by Sterling Environmental Engineering, P.C. (STERLING) at the Apple Valley Shopping Center (AVSC, or the “Site”) in LaGrange, New York on July 13, 2023.

Groundwater samples were collected from recovery wells AV-2 and RW-3, and from the groundwater treatment system effluent discharge, AVS-EFF. Samples collected from the monitoring locations were analyzed for the following site-specific chlorinated volatile organic compounds (cVOC): tetrachloroethene (PCE), trichloroethene (TCE), cis-1,2-dichloroethene (DCE), and vinyl chloride. As reported in the November 8, 2022 status letter, recovery wells RW-1 and RW-2 are temporarily out of service pending repairs.

Treatment System Operations

For the period of May 18, 2023 (second quarter monitoring event) through July 13, 2023 (third quarter monitoring event), the treatment system recovered, treated, and discharged approximately 247,404 gallons of groundwater based on recorded system data. For the total period from startup of the system in May 2019 to this sample event, the system recovered, treated, and discharged approximately 13,033,242 gallons. Quarterly maintenance and inspection were performed during the monitoring event.

RW-1 and RW-2 remain temporarily out of service pending repairs. STERLING is coordinating with vendors to obtain pricing and confirm availability to redevelop the wells prior to reinstalling the pumps.

Groundwater Sampling and Analysis: VOCs

Groundwater samples were collected from the sampling ports in the treatment system trailer directly into laboratory provided glassware. The sample for the treatment system effluent was collected directly from the discharge pipe. Samples were transported in a cooler with ice under chain of custody protocol to Alpha Analytical of Westborough, MA for analysis of site-specific cVOCs by USEPA Method 8260D.

“Serving our clients and the environment since 1993”

Groundwater Sampling and Laboratory Analytical Results

Analytical results for collected samples are summarized in Table 1 and the analytical report is included in Attachment A.

Table 1 – July 13, 2023 Groundwater Monitoring Sample Results

ANALYTE	Regulatory Standard µg/L	AV-2	RW-3	AVS-EFF
Tetrachloroethene (PCE)	5	220	210	0.18 U
Trichloroethene (TCE)	5	17	16	0.18 U
cis-1,2-Dichloroethene (DCE)	5	25	50	0.7 U
Vinyl chloride	2	0.14 U	0.66 J	0.07 U
Total VOCs	--	262	276.66	ND

Notes: Regulatory Standard is New York TOGS 1.1.1 Ambient Water Quality Standards, June 2004

Bold and highlighted concentrations exceed applicable regulatory standard.

U – Not Detected (ND). The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

J – Concentration is above the laboratory method detection limit but below the reporting limit and is estimated.

NS – Not Sampled

Recovery Wells – Concentrations of PCE, TCE, and DCE were detected above the TOGS 1.1.1 Water Quality Standards and Guidance Values of 5 µg/l in groundwater samples collected from AV-2 and RW-3.

Effluent Discharge – Concentrations of site-specific cVOCs were all below TOGS 1.1.1 Water Quality Standards and Guidance Values for sample AVS-EFF indicating proper operation of the treatment system.

Sub-Slab Vapor Sampling and Analysis

Vapor samples were withdrawn from sampling ports in the exterior exhaust ducts prior to the in-line blower fans. SSDS sample collection was conducted into laboratory-prepared Summa canisters equipped with 8-hour laboratory-calibrated flow regulators. Samples were transported under chain of custody protocol to Alpha Analytical of Westborough, MA for analysis of VOCs by USEPA Method TO-15.

Sub-Slab Vapor Sampling and Laboratory Analytical Results

Analytical results for collected samples are summarized in Table 2 and the analytical report is included in Attachment A.

Table 2 – July 13, 2023 Vapor Monitoring Sample Results

ANALYTE	Min. Guidance Value ug/m ³	SSDS-E	SSDS-W
Cis-1,2-Dichloroethene	<6	ND <0.892	ND <0.944
Tetrachloroethylene (PCE)	<100	23.1	324
Trichloroethylene (TCE)	<6	ND <1.21	4.35
Vinyl Chloride	<6	ND <0.575	ND <0.608

Notes: Regulatory Standard is NYSDOH Guidance for Evaluating Soil Vapor Intrusion in the State of New York - 2017 Revised Decision Matrices A, B & C (NYSDOH Vapor Intrusion Guidance).

ND = Not detected at shown Reporting Limit (RL) for sample.

Bold and highlighted concentrations exceed applicable regulatory standard.

SSDS-E (Walgreens): Concentrations of all site-specific cVOCs were detected below the minimum guidance values in the NYSDOH soil vapor matrices. No deficiencies with the SSDS were observed.

SSDS-W (Pizza Margherita): PCE was detected at a concentration above the minimum guidance value of 100 µg/m³ in the NYSDOH soil vapor matrices. Concentrations of DCE, TCE and Vinyl Chloride were detected below the minimum guidance values in the NYSDOH soil vapor matrices. No deficiencies with the SSDS were observed.

Conclusions and Discussion

Site-specific cVOCs exist in recovered onsite groundwater at concentrations above the TOGS 1.1.1 Water Quality Standards and Guidance Values, which is consistent with prior monitoring events.

The effluent discharge sample (AVS-EFF) contained no cVOC concentrations above the TOGS 1.1.1 Water Quality Standards and Guidance Values confirming that the treatment system is functioning properly.

Site-specific cVOCs exist at concentrations above the minimum soil vapor guidance values contained in the NYSDOH soil vapor matrices at the SSDS-W monitoring location for Pizza Margherita. Active mitigation and monitoring should continue at both locations until paired sub-slab and indoor air samples indicate no further action based on the NYSDOH Soil Vapor Guidance decision matrices.

STERLING will provide a schedule for repairing and reinstalling the pumps in recovery wells RW-1 and RW-2 once a subcontractor is retained.

The next monitoring is scheduled for the fourth quarter of 2023 consisting of the following:

- Sampling recovery wells AV-2, RW-1, RW-2, RW-3, and treatment system effluent (AVS-EFF).
- Collection of groundwater elevations to confirm drawdown.
- Onsite maintenance and cleaning of the treatment system.

Please contact me should you have any questions.

Very Truly Yours,

STERLING ENVIRONMENTAL ENGINEERING, P.C.



Mark P. Millspaugh, P.E.

President

Mark.Millspaugh@sterlingenvironmental.com

MPM/ps

Via Email

Attachments: Figure 1 – Site Location Map
Figure 2 – Selected Site Features
Attachment A – Laboratory Analytical Reports

cc: David Engel, Esq.

S:\Sterling\Projects\2003 Projects\Apple Valley - 23008\Reports\Groundwater Monitoring Reports\2023_Q3 July Monitoring Report\Working Files\2023-08-10_2023 Q3 Groundwater Monitoring Report.doc


FIGURES

S:\Sterling\Projects\2003 Projects\Apple Valley - 23008\Drawings-Maps-Figures\CAD\23008028 - F2 - Selected Site Features Map (NO GWLE).dwg CAD 1/18/2022 10:54 AM



* LOT 6 AND 379 TITUSVILLE ROAD RESIDENCES ARE NOT ON MUNICIPAL WATER SUPPLY AND OBTAINS WATER FROM ONSITE WELL.

- MW-5 MONITORING WELL
- ▲ AV-2 ■ RW-1 RECOVERY WELL
- P-3 PIEZOMETER
- ◆ SUB-SLAB VAPOR MONITORING POINT



MAP REFERENCE: DISCOVER GIS DATA NY, 2016 ORTHOIMAGERY

STERLING

Sterling Environmental Engineering, P.C.

24 Wade Road • Latham, New York 12110

SELECTED SITE FEATURES MAP
APPLE VALLEY SHOPPING CENTER
FREEDOM PLAINS ROAD

TOWN OF LAGRANGE

DUTCHESS CO., NY

PROJ. No.: 23008 | DATE: 01/18/2022 | SCALE: 1" = 100' | DWG. NO. 23008028 | FIGURE 2

ATTACHMENT A
LABORATORY ANALYTICAL REPORT



ANALYTICAL REPORT

Lab Number:	L2340313
Client:	Sterling Environmental Engineering 24 Wade Road Latham, NY 12110
ATTN:	Andrew Millspaugh
Phone:	(518) 456-4900
Project Name:	APPLE VALLEY
Project Number:	23008
Report Date:	07/28/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0825), DoD (L2474), FL (E87814), IL (200081), IN (C-MA-04), KY (KY98046), LA (85084), ME (MA00030), MD (350), MI (99110), NJ (MA015), NY (11627), NC (685), OH (CL106), OR (MA-0262), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #525-23-107-88708), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340313
Report Date: 07/28/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2340313-01	SSDS-E	SOIL_VAPOR	LAGRANGE, NY	07/13/23 15:55	07/13/23
L2340313-02	SSDS-W	SOIL_VAPOR	LAGRANGE, NY	07/13/23 16:00	07/13/23
L2340313-03	UNUSED CAN #2678	SOIL_VAPOR	LAGRANGE, NY		07/13/23

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340313
Report Date: 07/28/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340313
Report Date: 07/28/23

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on June 30, 2023. The canister certification results are provided as an addendum.

L2340313-01D & -02D: Prior to sample analysis, the canisters were pressurized with UHP Nitrogen in order to perform a screen analysis. The pressurization resulted in a dilution of the samples. The reporting limits have been elevated accordingly.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Jennifer Jerome

Title: Technical Director/Representative

Date: 07/28/23

AIR

Project Name: APPLE VALLEY**Project Number:** 23008**Lab Number:** L2340313**Report Date:** 07/28/23**SAMPLE RESULTS**

Lab ID: L2340313-01 D

Client ID: SSDS-E

Sample Location: LAGRANGE, NY

Date Collected: 07/13/23 15:55

Date Received: 07/13/23

Field Prep: Not Specified

Sample Depth:

Matrix: Soil_Vapor

Analytical Method: 48,TO-15

Analytical Date: 07/27/23 21:12

Analyst: APR

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	0.528	0.225	--	2.61	1.11	--		1.125
Chloromethane	0.690	0.225	--	1.42	0.465	--		1.125
Freon-114	ND	0.225	--	ND	1.57	--		1.125
Vinyl chloride	ND	0.225	--	ND	0.575	--		1.125
1,3-Butadiene	ND	0.225	--	ND	0.498	--		1.125
Bromomethane	ND	0.225	--	ND	0.874	--		1.125
Chloroethane	ND	0.225	--	ND	0.594	--		1.125
Ethanol	23.0	5.62	--	43.3	10.6	--		1.125
Vinyl bromide	ND	0.225	--	ND	0.984	--		1.125
Acetone	42.3	1.12	--	100	2.66	--		1.125
Trichlorofluoromethane	ND	0.225	--	ND	1.26	--		1.125
Isopropanol	3.95	0.562	--	9.71	1.38	--		1.125
1,1-Dichloroethene	ND	0.225	--	ND	0.892	--		1.125
Tertiary butyl Alcohol	22.4	0.562	--	67.9	1.70	--		1.125
Methylene chloride	1.06	0.562	--	3.68	1.95	--		1.125
3-Chloropropene	ND	0.225	--	ND	0.704	--		1.125
Carbon disulfide	ND	0.225	--	ND	0.701	--		1.125
Freon-113	ND	0.225	--	ND	1.72	--		1.125
trans-1,2-Dichloroethene	ND	0.225	--	ND	0.892	--		1.125
1,1-Dichloroethane	ND	0.225	--	ND	0.911	--		1.125
Methyl tert butyl ether	ND	0.225	--	ND	0.811	--		1.125
2-Butanone	1.75	0.562	--	5.16	1.66	--		1.125
cis-1,2-Dichloroethene	ND	0.225	--	ND	0.892	--		1.125



Project Name: APPLE VALLEY**Project Number:** 23008**Lab Number:** L2340313**Report Date:** 07/28/23**SAMPLE RESULTS**

Lab ID: L2340313-01 D

Client ID: SSDS-E

Sample Location: LAGRANGE, NY

Date Collected: 07/13/23 15:55

Date Received: 07/13/23

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	ND	0.562	--	ND	2.03	--		1.125
Chloroform	ND	0.225	--	ND	1.10	--		1.125
Tetrahydrofuran	ND	0.562	--	ND	1.66	--		1.125
1,2-Dichloroethane	ND	0.225	--	ND	0.911	--		1.125
n-Hexane	ND	0.225	--	ND	0.793	--		1.125
1,1,1-Trichloroethane	ND	0.225	--	ND	1.23	--		1.125
Benzene	1.06	0.225	--	3.39	0.719	--		1.125
Carbon tetrachloride	ND	0.225	--	ND	1.42	--		1.125
Cyclohexane	ND	0.225	--	ND	0.774	--		1.125
1,2-Dichloropropane	ND	0.225	--	ND	1.04	--		1.125
Bromodichloromethane	ND	0.225	--	ND	1.51	--		1.125
1,4-Dioxane	ND	0.225	--	ND	0.811	--		1.125
Trichloroethene	ND	0.225	--	ND	1.21	--		1.125
2,2,4-Trimethylpentane	ND	0.225	--	ND	1.05	--		1.125
Heptane	ND	0.225	--	ND	0.922	--		1.125
cis-1,3-Dichloropropene	ND	0.225	--	ND	1.02	--		1.125
4-Methyl-2-pentanone	ND	0.562	--	ND	2.30	--		1.125
trans-1,3-Dichloropropene	ND	0.225	--	ND	1.02	--		1.125
1,1,2-Trichloroethane	ND	0.225	--	ND	1.23	--		1.125
Toluene	1.64	0.225	--	6.18	0.848	--		1.125
2-Hexanone	0.557	0.225	--	2.28	0.922	--		1.125
Dibromochloromethane	ND	0.225	--	ND	1.92	--		1.125
1,2-Dibromoethane	ND	0.225	--	ND	1.73	--		1.125
Tetrachloroethene	3.41	0.225	--	23.1	1.53	--		1.125
Chlorobenzene	ND	0.225	--	ND	1.04	--		1.125
Ethylbenzene	0.250	0.225	--	1.09	0.977	--		1.125



Project Name: APPLE VALLEY**Lab Number:** L2340313**Project Number:** 23008**Report Date:** 07/28/23**SAMPLE RESULTS**

Lab ID: L2340313-01 D

Client ID: SSDS-E

Sample Location: LAGRANGE, NY

Date Collected: 07/13/23 15:55

Date Received: 07/13/23

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
p/m-Xylene	1.00	0.450	--	4.34	1.95	--		1.125
Bromoform	ND	0.225	--	ND	2.33	--		1.125
Styrene	0.451	0.225	--	1.92	0.958	--		1.125
1,1,2,2-Tetrachloroethane	ND	0.225	--	ND	1.55	--		1.125
o-Xylene	0.302	0.225	--	1.31	0.977	--		1.125
4-Ethyltoluene	ND	0.225	--	ND	1.11	--		1.125
1,3,5-Trimethylbenzene	ND	0.225	--	ND	1.11	--		1.125
1,2,4-Trimethylbenzene	0.230	0.225	--	1.13	1.11	--		1.125
Benzyl chloride	ND	0.225	--	ND	1.17	--		1.125
1,3-Dichlorobenzene	ND	0.225	--	ND	1.35	--		1.125
1,4-Dichlorobenzene	ND	0.225	--	ND	1.35	--		1.125
1,2-Dichlorobenzene	ND	0.225	--	ND	1.35	--		1.125
1,2,4-Trichlorobenzene	ND	0.225	--	ND	1.67	--		1.125
Hexachlorobutadiene	ND	0.225	--	ND	2.40	--		1.125

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	96		60-140
Bromochloromethane	96		60-140
chlorobenzene-d5	97		60-140



Project Name: APPLE VALLEY**Project Number:** 23008**Lab Number:** L2340313**Report Date:** 07/28/23**SAMPLE RESULTS**

Lab ID: L2340313-02 D

Client ID: SSDS-W

Sample Location: LAGRANGE, NY

Date Collected: 07/13/23 16:00

Date Received: 07/13/23

Field Prep: Not Specified

Sample Depth:

Matrix: Soil_Vapor

Analytical Method: 48,TO-15

Analytical Date: 07/27/23 21:51

Analyst: APR

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	0.551	0.238	--	2.72	1.18	--		1.19
Chloromethane	0.264	0.238	--	0.545	0.491	--		1.19
Freon-114	ND	0.238	--	ND	1.66	--		1.19
Vinyl chloride	ND	0.238	--	ND	0.608	--		1.19
1,3-Butadiene	ND	0.238	--	ND	0.527	--		1.19
Bromomethane	ND	0.238	--	ND	0.924	--		1.19
Chloroethane	ND	0.238	--	ND	0.628	--		1.19
Ethanol	6.96	5.95	--	13.1	11.2	--		1.19
Vinyl bromide	ND	0.238	--	ND	1.04	--		1.19
Acetone	27.1	1.19	--	64.4	2.83	--		1.19
Trichlorofluoromethane	ND	0.238	--	ND	1.34	--		1.19
Isopropanol	1.14	0.595	--	2.80	1.46	--		1.19
1,1-Dichloroethene	ND	0.238	--	ND	0.944	--		1.19
Tertiary butyl Alcohol	27.4	0.595	--	83.1	1.80	--		1.19
Methylene chloride	1.02	0.595	--	3.54	2.07	--		1.19
3-Chloropropene	ND	0.238	--	ND	0.745	--		1.19
Carbon disulfide	0.984	0.238	--	3.06	0.741	--		1.19
Freon-113	ND	0.238	--	ND	1.82	--		1.19
trans-1,2-Dichloroethene	ND	0.238	--	ND	0.944	--		1.19
1,1-Dichloroethane	ND	0.238	--	ND	0.963	--		1.19
Methyl tert butyl ether	ND	0.238	--	ND	0.858	--		1.19
2-Butanone	1.66	0.595	--	4.90	1.75	--		1.19
cis-1,2-Dichloroethene	ND	0.238	--	ND	0.944	--		1.19



Project Name: APPLE VALLEY**Project Number:** 23008**Lab Number:** L2340313**Report Date:** 07/28/23**SAMPLE RESULTS**

Lab ID: L2340313-02 D

Client ID: SSDS-W

Sample Location: LAGRANGE, NY

Date Collected: 07/13/23 16:00

Date Received: 07/13/23

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	ND	0.595	--	ND	2.14	--		1.19
Chloroform	1.70	0.238	--	8.30	1.16	--		1.19
Tetrahydrofuran	ND	0.595	--	ND	1.75	--		1.19
1,2-Dichloroethane	ND	0.238	--	ND	0.963	--		1.19
n-Hexane	ND	0.238	--	ND	0.839	--		1.19
1,1,1-Trichloroethane	ND	0.238	--	ND	1.30	--		1.19
Benzene	1.68	0.238	--	5.37	0.760	--		1.19
Carbon tetrachloride	ND	0.238	--	ND	1.50	--		1.19
Cyclohexane	ND	0.238	--	ND	0.819	--		1.19
1,2-Dichloropropane	ND	0.238	--	ND	1.10	--		1.19
Bromodichloromethane	ND	0.238	--	ND	1.59	--		1.19
1,4-Dioxane	ND	0.238	--	ND	0.858	--		1.19
Trichloroethene	0.810	0.238	--	4.35	1.28	--		1.19
2,2,4-Trimethylpentane	ND	0.238	--	ND	1.11	--		1.19
Heptane	ND	0.238	--	ND	0.975	--		1.19
cis-1,3-Dichloropropene	ND	0.238	--	ND	1.08	--		1.19
4-Methyl-2-pentanone	ND	0.595	--	ND	2.44	--		1.19
trans-1,3-Dichloropropene	ND	0.238	--	ND	1.08	--		1.19
1,1,2-Trichloroethane	ND	0.238	--	ND	1.30	--		1.19
Toluene	0.853	0.238	--	3.21	0.897	--		1.19
2-Hexanone	0.679	0.238	--	2.78	0.975	--		1.19
Dibromochloromethane	ND	0.238	--	ND	2.03	--		1.19
1,2-Dibromoethane	ND	0.238	--	ND	1.83	--		1.19
Tetrachloroethene	47.8	0.238	--	324	1.61	--		1.19
Chlorobenzene	ND	0.238	--	ND	1.10	--		1.19
Ethylbenzene	0.321	0.238	--	1.39	1.03	--		1.19



Project Name: APPLE VALLEY**Lab Number:** L2340313**Project Number:** 23008**Report Date:** 07/28/23**SAMPLE RESULTS**

Lab ID: L2340313-02 D

Client ID: SSDS-W

Sample Location: LAGRANGE, NY

Date Collected: 07/13/23 16:00

Date Received: 07/13/23

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
p/m-Xylene	1.20	0.476	--	5.21	2.07	--		1.19
Bromoform	ND	0.238	--	ND	2.46	--		1.19
Styrene	0.515	0.238	--	2.19	1.01	--		1.19
1,1,2,2-Tetrachloroethane	ND	0.238	--	ND	1.63	--		1.19
o-Xylene	0.350	0.238	--	1.52	1.03	--		1.19
4-Ethyltoluene	ND	0.238	--	ND	1.17	--		1.19
1,3,5-Trimethylbenzene	ND	0.238	--	ND	1.17	--		1.19
1,2,4-Trimethylbenzene	0.280	0.238	--	1.38	1.17	--		1.19
Benzyl chloride	ND	0.238	--	ND	1.23	--		1.19
1,3-Dichlorobenzene	ND	0.238	--	ND	1.43	--		1.19
1,4-Dichlorobenzene	ND	0.238	--	ND	1.43	--		1.19
1,2-Dichlorobenzene	ND	0.238	--	ND	1.43	--		1.19
1,2,4-Trichlorobenzene	ND	0.238	--	ND	1.77	--		1.19
Hexachlorobutadiene	ND	0.238	--	ND	2.54	--		1.19

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	96		60-140
Bromochloromethane	96		60-140
chlorobenzene-d5	98		60-140



Project Name: APPLE VALLEY

Lab Number: L2340313

Project Number: 23008

Report Date: 07/28/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 07/27/23 14:48

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1808636-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1



Project Name: APPLE VALLEY

Lab Number: L2340313

Project Number: 23008

Report Date: 07/28/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 07/27/23 14:48

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1808636-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1



Project Name: APPLE VALLEY

Lab Number: L2340313

Project Number: 23008

Report Date: 07/28/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 07/27/23 14:48

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1808636-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Lab Control Sample Analysis

Batch Quality Control

Project Name: APPLE VALLEY

Project Number: 23008

Lab Number: L2340313

Report Date: 07/28/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1808636-3								
Dichlorodifluoromethane	91		-		70-130	-		
Chloromethane	79		-		70-130	-		
Freon-114	87		-		70-130	-		
Vinyl chloride	85		-		70-130	-		
1,3-Butadiene	80		-		70-130	-		
Bromomethane	86		-		70-130	-		
Chloroethane	85		-		70-130	-		
Ethanol	78		-		40-160	-		
Vinyl bromide	82		-		70-130	-		
Acetone	93		-		40-160	-		
Trichlorofluoromethane	92		-		70-130	-		
Isopropanol	75		-		40-160	-		
1,1-Dichloroethene	85		-		70-130	-		
Tertiary butyl Alcohol	74		-		70-130	-		
Methylene chloride	79		-		70-130	-		
3-Chloropropene	92		-		70-130	-		
Carbon disulfide	82		-		70-130	-		
Freon-113	94		-		70-130	-		
trans-1,2-Dichloroethene	91		-		70-130	-		
1,1-Dichloroethane	94		-		70-130	-		
Methyl tert butyl ether	77		-		70-130	-		
2-Butanone	82		-		70-130	-		
cis-1,2-Dichloroethene	96		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: APPLE VALLEY

Project Number: 23008

Lab Number: L2340313

Report Date: 07/28/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1808636-3								
Ethyl Acetate	91		-		70-130	-		
Chloroform	94		-		70-130	-		
Tetrahydrofuran	79		-		70-130	-		
1,2-Dichloroethane	92		-		70-130	-		
n-Hexane	86		-		70-130	-		
1,1,1-Trichloroethane	93		-		70-130	-		
Benzene	84		-		70-130	-		
Carbon tetrachloride	94		-		70-130	-		
Cyclohexane	85		-		70-130	-		
1,2-Dichloropropane	91		-		70-130	-		
Bromodichloromethane	90		-		70-130	-		
1,4-Dioxane	85		-		70-130	-		
Trichloroethene	93		-		70-130	-		
2,2,4-Trimethylpentane	87		-		70-130	-		
Heptane	85		-		70-130	-		
cis-1,3-Dichloropropene	89		-		70-130	-		
4-Methyl-2-pentanone	86		-		70-130	-		
trans-1,3-Dichloropropene	79		-		70-130	-		
1,1,2-Trichloroethane	99		-		70-130	-		
Toluene	93		-		70-130	-		
2-Hexanone	83		-		70-130	-		
Dibromochloromethane	102		-		70-130	-		
1,2-Dibromoethane	97		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: APPLE VALLEY

Project Number: 23008

Lab Number: L2340313

Report Date: 07/28/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1808636-3								
Tetrachloroethene	92		-		70-130	-		
Chlorobenzene	94		-		70-130	-		
Ethylbenzene	100		-		70-130	-		
p/m-Xylene	101		-		70-130	-		
Bromoform	109		-		70-130	-		
Styrene	96		-		70-130	-		
1,1,2,2-Tetrachloroethane	101		-		70-130	-		
o-Xylene	101		-		70-130	-		
4-Ethyltoluene	96		-		70-130	-		
1,3,5-Trimethylbenzene	95		-		70-130	-		
1,2,4-Trimethylbenzene	96		-		70-130	-		
Benzyl chloride	88		-		70-130	-		
1,3-Dichlorobenzene	107		-		70-130	-		
1,4-Dichlorobenzene	107		-		70-130	-		
1,2-Dichlorobenzene	104		-		70-130	-		
1,2,4-Trichlorobenzene	89		-		70-130	-		
Hexachlorobutadiene	98		-		70-130	-		

Project Name: APPLE VALLEY

Project Number: 23008

Serial_No:07282316:09
Lab Number: L2340313

Report Date: 07/28/23

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L2340313-01	SSDS-E	0792	Flow 4	06/30/23	428731		-	-	-	Pass	10.0	9.3	7
L2340313-01	SSDS-E	896	6.0L Can	06/30/23	428731	L2334365-08	Pass	-29.4	-11.4	-	-	-	-
L2340313-02	SSDS-W	01601	Flow 4	06/30/23	428731		-	-	-	Pass	10.0	8.9	12
L2340313-02	SSDS-W	1610	6.0L Can	06/30/23	428731	L2334365-08	Pass	-29.4	-11.9	-	-	-	-
L2340313-03	UNUSED CAN #2678	01062	Flow 4	06/30/23	428731		-	-	-	Pass	10.0	10.1	1
L2340313-03	UNUSED CAN #2678	2678	6.0L Can	06/30/23	428731	L2334365-08	Pass	-29.4	-30.4	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2334365
Report Date: 07/28/23

Air Canister Certification Results

Lab ID: L2334365-08
Client ID: CAN 2103 SHELF 55
Sample Location:

Date Collected: 06/16/23 14:00
Date Received: 06/16/23
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Analytical Method: 48,TO-15
Analytical Date: 06/17/23 17:33
Analyst: RAY

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2334365
Report Date: 07/28/23

Air Canister Certification Results

Lab ID: L2334365-08
Client ID: CAN 2103 SHELF 55
Sample Location:

Date Collected: 06/16/23 14:00
Date Received: 06/16/23
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2334365
Report Date: 07/28/23

Air Canister Certification Results

Lab ID: L2334365-08
Client ID: CAN 2103 SHELF 55
Sample Location:

Date Collected: 06/16/23 14:00
Date Received: 06/16/23
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2334365
Report Date: 07/28/23

Air Canister Certification Results

Lab ID: L2334365-08
Client ID: CAN 2103 SHELF 55
Sample Location:

Date Collected: 06/16/23 14:00
Date Received: 06/16/23
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L2334365**Project Number:** CANISTER QC BAT**Report Date:** 07/28/23**Air Canister Certification Results**

Lab ID: L2334365-08

Date Collected: 06/16/23 14:00

Client ID: CAN 2103 SHELF 55

Date Received: 06/16/23

Sample Location:

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								

Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds				

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	89		60-140
Bromochloromethane	90		60-140
chlorobenzene-d5	92		60-140

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2334365
Report Date: 07/28/23

Air Canister Certification Results

Lab ID: L2334365-08
Client ID: CAN 2103 SHELF 55
Sample Location:

Date Collected: 06/16/23 14:00
Date Received: 06/16/23
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Analytical Method: 48,TO-15-SIM
Analytical Date: 06/17/23 17:33
Analyst: RAY

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acrolein	ND	0.050	--	ND	0.115	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2334365
Report Date: 07/28/23

Air Canister Certification Results

Lab ID: L2334365-08
Client ID: CAN 2103 SHELF 55
Sample Location:

Date Collected: 06/16/23 14:00
Date Received: 06/16/23
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.100	--	ND	0.377	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethybenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.100	--	ND	0.518	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2334365
Report Date: 07/28/23

Air Canister Certification Results

Lab ID: L2334365-08
Client ID: CAN 2103 SHELF 55
Sample Location:

Date Collected: 06/16/23 14:00
Date Received: 06/16/23
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	99		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	100		60-140

Project Name: APPLE VALLEY**Lab Number:** L2340313**Project Number:** 23008**Report Date:** 07/28/23**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information**Cooler** **Custody Seal**

NA Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2340313-01A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-LL(30)
L2340313-02A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-LL(30)
L2340313-03A	Canister - 6 Liter	NA	NA			Y	Absent		CLEAN-FEE()

Project Name: APPLE VALLEY**Lab Number:** L2340313**Project Number:** 23008**Report Date:** 07/28/23

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340313
Report Date: 07/28/23

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report



Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340313
Report Date: 07/28/23

Data Qualifiers

- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340313
Report Date: 07/28/23

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.Facility: **Company-wide**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**

Revision 20

Published Date: 6/16/2023 4:52:28 PM

Page 1 of 1

Certification Information**The following analytes are not included in our Primary NELAP Scope of Accreditation:****Westborough Facility****EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B**The following analytes are included in our Massachusetts DEP Scope of Accreditation****Westborough Facility:****Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,****SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.****EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



AIR ANALYSIS

CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: Sterling Env.
Address: 24 Wade Rd
Latham NY 12110
Phone: 518 456-4900
Fax:
Email: andrew.millsbaugh@sterlingenvironmental.com

☐ These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List: ☐

Project Information

Project Name: Apple Valley
Project Location: Lagrange, NY
Project #: 23008
Project Manager: Andrew Millsbaugh
ALPHA Quote #:

Turn-Around Time

☒ Standard ☐ RUSH (only confirmed if pre-approved)

Date Due: Time:

Date Rec'd in Lab: 7/14/23

Report Information - Data Deliverables

☐ FAX
☒ ADEX
Criteria Checker:
(Default based on Regulatory Criteria Indicated)
Other Formats:
☒ EMAIL (standard pdf report)
☐ Additional Deliverables:
Report to: (if different than Project Manager)

ALPHA Job #: L2340313

Billing Information

☒ Same as Client info PO #:

Regulatory Requirements/Report Limits

State/Fed Program Res / Comm

ANALYSIS

TO-15
TO-15 SIM
APH
Fixed Gases
Sulfides & Mercaptans by TO-15

All Columns Below Must Be Filled Out

All Columns Below Must Be Filled Out																		
ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION						Sample Matrix*	Sampler's Initials	Can Size	I D Can	I D - Flow Controller	TO-15	TO-15 SIM	APH	Fixed Gases	Sulfides & Mercaptans	Sample Comments (i.e. PID)
		End Date	Start Time	End Time	Initial Vacuum	Final Vacuum												
40313-01	SSDS-E	7-13-2023	1555	21.72	-10.92	SV	PWS	6L	896	0792	X							929 start time
02	SSDS-W	7-13-2023	1600	21.70	-11.33	SV	PWS	6L	1610	01601	X							933 start time
																	</	

*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)
SV = Soil Vapor/Landfill Gas/SVE
Other = Please Specify

Container Type 6L Sample

Relinquished By:

Date/Time

Received By:

Date/Time:

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



ANALYTICAL REPORT

Lab Number:	L2340316
Client:	Sterling Environmental Engineering 24 Wade Road Latham, NY 12110
ATTN:	Andrew Millspaugh
Phone:	(518) 456-4900
Project Name:	APPLE VALLEY
Project Number:	23008
Report Date:	07/27/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OH (CL108), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2340316-01	AVS-EFF	WATER	LAGRANGE, NY	07/13/23 09:40	07/13/23
L2340316-02	RW-3	WATER	LAGRANGE, NY	07/13/23 10:00	07/13/23
L2340316-03	AV-2	WATER	LAGRANGE, NY	07/13/23 10:10	07/13/23
L2340316-04	TB07132023	WATER	LAGRANGE, NY	07/13/23 00:00	07/13/23

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Michelle M. Morris

Title: Technical Director/Representative

Date: 07/27/23

ORGANICS

VOLATILES

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

SAMPLE RESULTS

Lab ID: L2340316-01
Client ID: AVS-EFF
Sample Location: LAGRANGE, NY

Date Collected: 07/13/23 09:40
Date Received: 07/13/23
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260D
Analytical Date: 07/25/23 13:27
Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Trichloroethene	ND		ug/l	0.50	0.18	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	93		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	102		70-130

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

SAMPLE RESULTS

Lab ID: L2340316-02 D
Client ID: RW-3
Sample Location: LAGRANGE, NY

Date Collected: 07/13/23 10:00
Date Received: 07/13/23
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260D
Analytical Date: 07/21/23 21:14
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Tetrachloroethene	210		ug/l	1.0	0.36	2
Vinyl chloride	0.66	J	ug/l	2.0	0.14	2
Trichloroethene	16		ug/l	1.0	0.35	2
cis-1,2-Dichloroethene	50		ug/l	5.0	1.4	2

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	105		70-130

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

SAMPLE RESULTS

Lab ID: L2340316-03 D
Client ID: AV-2
Sample Location: LAGRANGE, NY

Date Collected: 07/13/23 10:10
Date Received: 07/13/23
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260D
Analytical Date: 07/21/23 21:36
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Tetrachloroethene	220		ug/l	1.0	0.36	2
Vinyl chloride	ND		ug/l	2.0	0.14	2
Trichloroethene	17		ug/l	1.0	0.35	2
cis-1,2-Dichloroethene	25		ug/l	5.0	1.4	2

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	107		70-130
Dibromofluoromethane	105		70-130

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

SAMPLE RESULTS

Lab ID: L2340316-04
Client ID: TB07132023
Sample Location: LAGRANGE, NY

Date Collected: 07/13/23 00:00
Date Received: 07/13/23
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260D
Analytical Date: 07/25/23 13:52
Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Trichloroethene	ND		ug/l	0.50	0.18	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	94		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	105		70-130

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 07/21/23 18:18
Analyst: PLAC

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02-03 Batch: WG1807394-5					
Tetrachloroethene	ND		ug/l	0.50	0.18
Vinyl chloride	ND		ug/l	1.0	0.07
Trichloroethene	ND		ug/l	0.50	0.18
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	108		70-130

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
 Analytical Date: 07/25/23 10:59
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,04 Batch: WG1808020-5					
Tetrachloroethene	ND		ug/l	0.50	0.18
Vinyl chloride	ND		ug/l	1.0	0.07
Trichloroethene	ND		ug/l	0.50	0.18
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	100		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: APPLE VALLEY

Project Number: 23008

Lab Number: L2340316

Report Date: 07/27/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02-03 Batch: WG1807394-3 WG1807394-4								
Tetrachloroethene	110		100		70-130	10		20
Vinyl chloride	120		110		55-140	9		20
Trichloroethene	100		93		70-130	7		20
cis-1,2-Dichloroethene	120		100		70-130	18		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	97		103		70-130
Toluene-d8	101		100		70-130
4-Bromofluorobenzene	96		97		70-130
Dibromofluoromethane	97		102		70-130

Lab Control Sample Analysis Batch Quality Control

Project Name: APPLE VALLEY

Project Number: 23008

Lab Number: L2340316

Report Date: 07/27/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,04 Batch: WG1808020-3 WG1808020-4								
Tetrachloroethene	96		96		70-130	0		20
Vinyl chloride	100		100		55-140	0		20
Trichloroethene	97		99		70-130	2		20
cis-1,2-Dichloroethene	100		100		70-130	0		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	90		93		70-130
Toluene-d8	98		98		70-130
4-Bromofluorobenzene	101		100		70-130
Dibromofluoromethane	96		98		70-130

Project Name: APPLE VALLEY**Lab Number:** L2340316**Project Number:** 23008**Report Date:** 07/27/23**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information**Cooler** **Custody Seal**

A Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2340316-01A	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)
L2340316-01B	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)
L2340316-01C	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)
L2340316-02A	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)
L2340316-02B	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)
L2340316-02C	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)
L2340316-03A	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)
L2340316-03B	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)
L2340316-03C	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)
L2340316-04A	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)
L2340316-04B	Vial HCl preserved	A	NA		3.0	Y	Absent		NYTCL-8260-R2(14)

Project Name: APPLE VALLEY**Lab Number:** L2340316**Project Number:** 23008**Report Date:** 07/27/23

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers

Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: APPLE VALLEY
Project Number: 23008

Lab Number: L2340316
Report Date: 07/27/23

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.Facility: **Company-wide**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**

Revision 20

Published Date: 6/16/2023 4:52:28 PM

Page 1 of 1

Certification Information**The following analytes are not included in our Primary NELAP Scope of Accreditation:****Westborough Facility****EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B**The following analytes are included in our Massachusetts DEP Scope of Accreditation****Westborough Facility:****Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,****SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.****EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

[illegible]