


New York State Department of Environmental Conservation
50 Wolf Road, Albany, New York 12233



Thomas C. Jorling
Commissioner

MAY 25 1990

Mr. Frank Ganzer
Vice President of Operations
C & D Charter Power Systems
3043 Walton Road
Plymouth Meeting, PA 19462

Dear Mr. Ganzer:

Re: Phase II Engineering Investigation at Inactive
Hazardous Waste Disposal Sites

The New York State Department of Environmental Conservation (NYSDEC), as required by Chapter 857 of the Laws of 1982 (commonly known as the "New York State Superfund Law"), has conducted field investigations of inactive hazardous waste disposal sites throughout the State.

Our present records indicate that you are the owner and/or operator of the following site:

Site Name: C & D Batteries, ID No. 336001
Site Address: Huguenot, Orange County

Enclosed is one copy of the final Phase II report associated with the above-listed site for your records. This office will be in contact with you if additional work is to be done in connection with the site.

If you have any questions in connection with this matter, please telephone Mr. John Swartwout, of my staff, at (518) 457-0639.

Sincerely,

Earl H. Barcomb, P.E.
Director
Bureau of Hazardous Site Control
Div. of Hazardous Waste Remediation

Enclosure

CD 002572

ENGINEERING INVESTIGATIONS AT INACTIVE HAZARDOUS WASTE SITES

PHASE II INVESTIGATION

C & D Batteries
Site No. 336001
Huguenot, Orange County
Final - March, 1990




Prepared for:
New York State
Department of
Environmental Conservation

50 Wolf Road, Albany, New York 12233-7010
Thomas C. Jorling, Commissioner

Division of Hazardous Waste Remediation
Michael J. O'Toole Jr, P.E., Director

Prepared by:
Gibbs & Hill, Inc.
New York, New York



ENGINEERING INVESTIGATIONS AT
INACTIVE HAZARDOUS WASTE SITES
IN THE STATE OF NEW YORK
PHASE II INVESTIGATION

C&D BATTERIES
TOWN OF HUGUENOT, ORANGE COUNTY
SITE NO. 336001

FINAL - MARCH 1990

RECEIVED

MAR 29 1990

BUREAU OF
HAZARDOUS SITE CONTROL
DIVISION OF HAZARDOUS
WASTE REMEDIATION

PREPARED FOR:
NEW YORK STATE
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
50 WOLF ROAD
ALBANY, NEW YORK, 12233-7010

PREPARED BY:

GIBBS & HILL, INC.
11 PENN PLAZA
NEW YORK, N.Y. 10001-2059



CD 002573

CONTENTS

	<u>PAGE</u>
I. Executive Summary	I-1
II. Purpose	II-1
III. Scope of Work	III-1
A. Introduction	III-1
B. Sampling and Analysis	III-2
C. Air Survey	III-2
D. Source of Information	III-3
IV. Site Assessment	IV-1
A. Site Description and History	IV-1
B. Topography	IV-9
C. Hydrology	IV-9
D. Site Contamination Assessment	IV-11
1. Waste Characteristics	IV-12
2. Groundwater	IV-13
3. Surface Water and Sediment	IV-14
4. Air Survey	IV-16
E. Conclusions	IV-16

CONTENTS (Continued)

	<u>PAGE</u>
V. Final Application of Hazard Ranking System	V-1
A. Narrative Summary	V-1
B. Site Location Map	V-3
C. Updated HRS Worksheets	V-5
D. Updated HRS Documentation Records	V-13
E. EPA Site Inspection Form	V-53
 APPENDICES	
A. Work Plan Update	A-1
B. Slug Test and Survey Data	B-1
C. Sampling and Analyses	C-1
1. Procedures	C-2
2. Results	C-14
D. Historic Literature	D-1
E. Updated Registry	E-1

CD 002575

I. EXECUTIVE SUMMARY

Gibbs & Hill, Inc. (G&H) has entered into a consulting services agreement with the New York State Department of Environmental Conservation (NYSDEC) Division of Hazardous Waste Remediation to conduct preliminary investigations (Phase I) and field investigations (Phase II) at inactive hazardous waste disposal sites in New York State. This report presents the results of the Phase II investigation of the C&D Batteries site (NYSDEC Site ID No. 336001) performed by G&H. A Phase I investigation of this site was not conducted.

The C&D Batteries site is located in Huguenot, Orange County, New York (Figure I-1), in the Neversink River Valley, about 4 miles northeast of the City of Port Jervis. C&D Charter Power Systems, Batteries Division (C&D), purchased the site in 1973 from the Empire Tube Corporation, a manufacturer of black and white television picture tubes.

A Phase II investigation of the site was conducted to gather information to classify the site and to calculate the final Hazard Ranking System (HRS) scores. Field investigations included a record search, interviews, site reconnaissance, and collection of five groundwater samples and one duplicate groundwater sample, two surface water, and two sediment

samples. Groundwater, surface water, and sediment samples were analyzed to define the extent of potential contamination at the site.

The groundwater, surface water, and sediment sample analyses do not indicate migration of site soil contamination from the site to the groundwater and to the downslope surface water.

The final HRS scores for the site based on the results of this Phase II investigation have been calculated as follows:

$S_M = 0.00$
 $S_{gw} = 0.00$
 $S_{sw} = 0.00$
 $S_a = 0.00$
 $S_{DC} = 0.00$
 $S_{FE} = N/A$

The S_M score reflects the potential for harm due to migration of hazardous substances away from the facility. This score is the composite of scores for groundwater (S_{gw}), surface water (S_{sw}), and air (S_a) transport routes. The S_{FE} score reflects the potential for harm from substances that can cause fire or explode, and the S_{DC} score reflects the potential harm from direct contact with hazardous substances.

CD 002577





FIGURE I-1

COORDINATES:

LONGITUDE: $41^{\circ} 25' 10''$

LATITUDE: $74^{\circ} 37' 45''$




SCALE (FEET)

SITE LOCATION MAP
SITE: C & D BATTERIES

MAP SOURCE:
USGS MAP PORT JERVIS NORTH QUAD
USGS MAP OTISVILLE QUAD
7.5 MINUTE SERIES (1969 EDITION)

GIBBS & HILL, INC.

CD 002578



not to scale

FIGURE I-2

SITE SKETCH

SITE: C & D BATTERIES

GIBBS & HILL, INC.

CD 002579

II. PURPOSE

The objective of a New York State Superfund Phase II investigation is to determine if contaminants are present at an inactive hazardous waste site with a resulting adverse impact on human population and/or the environment.

The goal of this investigation was to collect the information required to classify the site and to develop final HRS scores. This included collecting field data necessary to identify the occurrence and characteristics of contamination and determine if a release of contaminants from the site has occurred. This information will be used by the NYSDEC to determine if any imminent and/or significant environmental or health hazard exists. These objectives were accomplished through the sampling and analysis of groundwater in accordance with NYSDEC protocols and guidelines.

III. SCOPE OF WORK

A. INTRODUCTION

Gibbs & Hill, Inc. (G&H) entered into a consulting services agreement on October 16, 1986 with the NYSDEC Division of Hazardous Waste Remediation to conduct preliminary investigations (Phase I) and field investigations (Phase II) at inactive hazardous waste disposal sites in New York State. G&H and its subcontractors completed Phase I investigations of 30 sites under the provisions of this agreement.

The original agreement was amended January 21, 1988 (Amendment 1) to include an additional 25 sites to receive Phase II investigations. This report presents the results of the Phase II investigation of the C&D Batteries site (NYSDEC Site ID No. 356001) performed by G&H. A Phase I investigation of this site was not performed.

The Phase II field investigations at the C&D Batteries site began in July 1988 and were completed in January 1989. An updated work plan (Appendix A), approved by the NYSDEC, was prepared by G&H to define the scope of sampling activities at the site. The Phase II investigation was comprised of a record search; review of relevant literature, groundwater, surface

CD 002581

water, and sediment sampling and analysis; and the preparation of final HRS scores. The scope of work of the investigation is summarized in Table III-1.

B. SAMPLING AND ANALYSIS

On January 18, 1989, one groundwater sample from upgradient well MW-11; four groundwater samples from downgradient wells MW-6, MW-7, MW-8, and MW-9; one duplicate; and two surface water/sediment sample pairs (upstream and downstream) from the tributary of the Neversink River were collected. These samples were analyzed for Target Compound List (TCL) inorganics, volatiles, semi-volatiles, and pesticides/PCBs. The chemical analytical results are discussed in Section IV and included in their entirety in Appendix C.2. The relevant field procedures are outlined in Appendix C.1.

H2M Labs (Melville, New York) performed the analyses in accordance with November 1987 NYSDEC Contract Laboratory Protocols (CLP). OBG Laboratories (Syracuse, New York) performed an independent data validation.

C. AIR SURVEY

In accordance with appropriate health and safety procedures, a photoionization detector (PID) was used to monitor the air in the working zone for organic vapors before sampling.

CD 002582

D. SOURCES OF INFORMATION

The following individuals and agencies with knowledge of the site were contacted:

Contact

Information Received

Mattias J. Schleifer
Environmental Health Department
Orange County Department
of Health
124 Main Street
Goshen, NY 10924
Phone: 914/294-7961

DOH files

Lawrence J. Alden
N.Y. State Dept. of Environmental
Conservation
Div. of Hazardous Waste Remediation
Bureau of Hazardous Site Control
50 Wolf Road
Albany, NY 12233-7010
Phone: 518/457-0639

NYSDEC files

Michael M. Langan
Environmental Engineer
C&D Charter Power Systems, Inc.
Route. 208, P.O. Box 209
Hugenot, NY 12746
Phone: 914/856-4466

C&D files
Interview

CD 002583

Contact

Carol Reschke
Community Ecologist
Wildlife Resources Center
Delmar, NY 12054

Debbie Kraybill
National Park Service
P. O. Box 37127
Washington, DC 20013-7127
Phone: 202/343-9559

James R. Covey
Assoc. Sanitary Engineer
NYSDOH
The Governor Nelson A. Rockefeller
Empire State Plaza
Albany, NY 12237
Phone: 518/458-6731

Ms. Susan Hopkins
CLEARS
Cornell University
464 Hollister Hall
Ithaca, NY 14853-3501

Map Information Unit
New York State
Department of Transportation
State Campus, Bldg. 4, Room 105
Albany, NY 12232
Phone: 518/457-3555

Information Received

Critical habitat

National or state
park, forest, or
wildlife reserves
location

NYS safe water
inventory printouts

Wetland map

NYS DOT map

CD 002584

Contact

Hagstrom
57 West 43rd Street
New York, NY 10036
Phone: 212/398-1222

Ramanand Pergadia, P.E.
Senior Sanitary Engineer
NYSDEC Region 3
Div. of Solid and Hazardous Waste
21 South Putt Corners Road
New Paltz, NY 12561
Phone: 914/255-5453

Mr. Lee Lockhart
Reproduction Supervisor
Syracuse Blue Print Company
Syracuse, NY 1321
Phone: 315/476-4084

Information Received

Updated USGS maps

NYSDEC files

Wetland maps

TABLE III-1
SCOPE OF WORK

Task	Description
Record search and data compilation	Collection of information.
Interviews	Conduct interviews with individuals and agencies with knowledge of the site to collect additional information.
Site reconnaissance	Note site changes since NYSDEC initial reconnaissance, assess access to monitoring well and sampling locations, and become familiar with the site.
Updated work plan	Revise preliminary NYSDEC work plan based on results of record search and site reconnaissance. Prepare health and safety plan and define sampling protocols and procedures.
Sampling and analysis Groundwater	Collect groundwater samples from five wells and one additional duplicate groundwater sample from a downgradient well. Analyze these samples for TCL inorganics, volatiles, semi-volatiles, and pesticides/PCBs.
Surface Water	Collect two surface water samples (upstream and downstream) from the tributary at the Neversink River. Analyze samples for TCL inorganics, volatiles, semi-volatiles, and pesticides PCBs.

TABLE III-1 (Continued)

Sediment

Collect the sediment samples (upstream and downstream) from the tributary of the Neversink River. Analyze samples for TCL inorganics, volatiles, semi-volatiles, and pesticides/PCBs.

Investigation Report

Prepare a report containing significant Phase I information, additional field data, final HRS scores, HRS documentation records, and site assessments.

CD 002587

IV. SITE ASSESSMENT

A. SITE DESCRIPTION AND HISTORY

The C&D Batteries site, approximately a 10-acre parcel of land, is located on Route 209 in Huguenot, Orange County, New York (Figure I-1). C&D Charter Power System, Batteries Division (C&D), purchased the site in 1973 from the Empire Tube Corporation (ET), a manufacturer of black and white television picture tubes.

The Empire Tube Corporation started the plant in 1959. In the manufacturing process, 15 percent hydrofluoric acid was used to remove carbon and a small amount of potassium silicate from the tubes. In addition, small quantities of emulsified paint wastes were introduced into the wastewater. In January 1961, Eustance and Horowitz, Civil Engineers, submitted a letter to the NYSDOH with explanations on a proposed treatment plant for wastewater generated by this process [D.1]. Plans for lagoon disposal of industrial wastes were approved by the Middletown District Department of Health in October 1961 [D.2].

In May 1964, the NYSDOH inspected the waste disposal system. The site report shows the following: (1) The waste disposal facilities consisted of three cesspools to handle sanitary wastes and a lagoon to handle industrial wastes. The sanitary

CD 002588

system was located approximately 400 feet to the north of the factory building and approximately 250 feet from the bank rising above tributary D-1-7 of the Neversink River. The industrial wastes disposal system was located approximately 75 feet northwest of the existing plant and extends to within some 150 feet of the bank mentioned above. (2) The industrial wastewater treatment system consisted of a lagoon approximately 150 feet in diameter and 15 feet deep, receiving rinse waters, floor drainage and various wash waters, but no direct discharges of hydrofluoric acid. The lagoon was constructed in gravel, and its seepage capabilities allowed not more than 2 feet of standing liquid on the bottom of the lagoon. (3) The outlet pipe was not located according to the plans. However, according to the report, it seemed that the outlet has never been used while the lagoon has been in operation. (4) The spent hydrofluoric acid was conveyed to two neutralization tanks located on the south side of the plant and neutralized with lime, resulting in calcium fluoride. The supernatant, as well as the sludge, was collected and dumped off-site by the M&S Sewage Disposal Co. (5) A sludge lagoon was constructed alongside of the bank to take sludge from the neutralization tank, but was not used. (6) Pocono Biological Laboratories analyzed surface water and groundwater collected at four points by Empire Tube on a monthly basis. The average results from the 1963 sampling showed that the water sample taken from the spring coming out from the bank on which the waste disposal lagoon was

CD 002589

located contained approximately 100 mg/l of fluorides. The results on fluorides of the samples taken from tributary D-1-7 showed 8.0 mg/l and from the plant production well, located 50 feet from the southerly side of the building, showed 0.0 to 5.5 mg/l. Samples from a private well, located on a property some 800 feet away from the lagoon, consistently indicated 0.0 mg/l of fluorides [D.2].

An investigation made in May 1964 concerning odor complaints in the vicinity of Huguenot disclosed an area where a local scavenger dumped sludges from the cesspools and the ET neutralization tank. The area was 4 feet by 60 feet, located approximately 1,600 feet upslope from the headwaters of tributary D-1-7 [D.2].

In September 1966, the NYSDOH filed a complaint against the ET Company regarding the disposal of untreated or inadequately treated sewage, industrial wastes, and other wastes into the waters of the State of New York. Complaints included discharges of industrial wastes containing about 2,500 ppm of fluorides and unspecified concentrations of barium and silicates. Said discharges had contravened water quality standards since February 1, 1963 [D.6].

Environmental Resources Management, Inc. (ERM) conducted an investigation of the site to determine the chemical character

CD 002590

and hazardous nature of the residual wastes in the lagoon. In December 1981 and January 1982, ERM installed wells MW-1 through MW-13 (originally designated by ERM as CD-1 through CD-13). Well log sheets are enclosed in Attachment D. (Log sheet for well CD-11 could not be provided.) As part of the investigation, ERM analyzed soil samples collected from the site on October 15, 1981 by C&D's employees (sample points were not specified)[D.11]. With the exception of lead, cadmium, and zinc, all other analyzed inorganics were within the common range of inorganics in the soil (Table IV-7). Oil and grease were also detected. Since the lagoon was receiving floor drainage (which commonly contains oil and grease spillage), their presence in the soil sample (assumed taken from the bottom of the lagoon) is not surprising. The soil sample was also analyzed for characteristics of Extraction Procedure (EP) toxicity for hazardous waste. The result of the EP toxicity test indicates that concentrations of metals leached from the soil sample did not exceed maximum concentrations. The presence of lead, cadmium, and zinc may be attributable to paint wastes from ET's operation.

Several composite soil samples were also collected from the bottom of the lagoon on December 10, 1981 [D.11]. Leachate generated from each sample, according to EPA protocols, was analyzed for fluoride, barium, cadmium, lead, and zinc and compared to EPA standards. The January 1982 soil leachate

CD 002591

results indicated that lead concentrations were below the detection limits and fluoride concentrations were in the range of 28 to 358 mg/kg. ERM concluded that the soil material in the bottom of the lagoon is not classified as a RCRA hazardous waste. The groundwater samples collected in December 1981 from wells MW-1, 2, 3, 4, and 5 (CD-1, CD-2, CD-3, CD-4, and CD-5) and the plant production well showed that the water in the vicinity of the lagoon is generally of acceptable quality except for the presence of elevated fluoride concentrations (13-38 mg/l) as compared to the background level (0.07 mg/l) and the New York State Sanitary Code (2.2 mg/l)[D.10, 11, and 20].

The second phase of ERM's investigation included the collection of groundwater samples from wells MW-6 through MW-10 (CD-6 through CD-10), two surface water samples from tributary D-1-7 (upstream and downstream), one sample from the spring, and one sample from standing water at the bottom of the lagoon. In March 1982, ERM submitted a draft report to C&D Batteries with the following findings: (1) groundwater quality has been impacted in the downgradient directions from the lagoon; significant attenuation of fluoride and barium occurs in the soil over the relatively short distance from the inner ring of monitoring wells to the outer ring; (2) water in the lagoon does not pick up contaminants from contact with lagoon bottom soils; and (3) impacts on surface water in the tributary stream northeast of the lagoon are negligible. The recommended actions

CD 002592

included stopping the disposal of noncontact cooling water in the lagoon, backfilling of the lagoon, and construction of building expansion over it which, according to ERM, "would effectively eliminate vertical infiltration through the lagoon bottom soil" [D.12].

Based on ERM recommendations, C&D Batteries discontinued the disposal of noncontact cooling water in the lagoon in order to stop the flow of water through the contaminated soils in the lagoon to the groundwater table. C&D Batteries also proposed to the NYSDOH the closure of the lagoon by capping through the construction of a building over it [D.7]. However, capping of the lagoon was not done. (NOT ALLOWED BY NYSDEC.)^{2/R}

In 1987, NYSDEC Region 3 sampled the C&D septic tank effluent, cooling water discharged to the stream, and monitoring well MW-11. The results, sent to C&D in October 1987, indicated violations of their SPDES permit and the potential existence of both surface and groundwater contamination. The NYSDEC required C&D to initiate a short-term, high-intensity monitoring program for parameters either not authorized for discharge or in violation of water quality standards [D.13].

In January and February 1988, ERM conducted groundwater sampling in conjunction with their SPDES investigation [D.16].

CD 002593


In September 1988, ERM submitted a report on their septic leach field investigation. According to the report, only a single organic compound (2-hexanone) was detected in the four samples of groundwater; however, the compound was probably a sampling artifact. Concentrations of 2-hexanone were only detected in the sample from the upgradient well (MW-1, 12 ug/l) and the field blank (5.3 ppb). These concentrations were very low and border the CRQL value. Five metals (chromium, copper, iron, lead, and zinc) were detected in the groundwater. Copper (at 48 ug/l) and lead (at 62 ug/l) were only detected in the upgradient well (MW-1). Chromium was detected in the intermediate well (MW-12, 13 ug/l) and the downgradient well (MW-13, 14 ug/l) at concentrations only marginally above the CRQL value. The remaining two metals (iron and zinc) were detected in groundwater samples from all of the monitoring wells. The concentrations detected were generally consistent with the background concentrations detected in the upgradient well (MW-1 - 1,817 ug/l of iron, 185 ug/l of zinc). Iron was the only compound detected above the NYSDEC water quality guidelines in groundwater beneath the Huguenot facility. The background concentration of iron (MW-1) was 1,817 ug/l, while groundwater from wells MW-12 and MW-13 had concentrations of 1,306 ug/l and 2,067 ug/l, respectively [D.17].

On July 21, 1988, a site reconnaissance of the study area was undertaken by G&H. C&D Charter Power Systems, Inc. operates a

CD 002594

battery manufacturing facility. The facility discharges its noncontact cooling water (see D.15 or analyses) into tributary D-1-7 and sanitary wastewater into an on-site septic system with a leach field. All discharges are conducted under SPDES permits, and effluents are sampled and reported to the NYSDEC on a regular basis. C&D Batteries does not dispose any wastewater on-site. C&D treats all their process wastewaters by an ultrafiltration unit. The recovered clean water is reused as process water. All wastes produced by the process are disposed by a waste hauler. The lagoon is presently inactive. It is surrounded by a chain-link fence; its inner slopes are covered with grass and brush; and its bottom contains wet grasses and other vegetation. Eleven monitoring wells were found (Figure I-2). Wells MW-1 and MW-4 are essentially flush with the ground. Wells MW-2 and MW-3 are covered by a newly paved area (A.1). Two old neutralization tanks, located south of the building, were removed in 1985.

To determine the flow direction of the groundwater beneath the site, all monitoring wells were surveyed for elevations, and the relative depths to groundwater were measured. The flow direction of the aquifer is described in Section IV-Hydrology, and the groundwater flow map is shown in Figure IV-1. Based on the groundwater flow map, well MW-1 was selected to intercept groundwater flowing towards the lagoon. Downgradient wells MW-6, 7, 8, and 9 were selected to detect contaminants migrating from the lagoon into the aquifer.



B. TOPOGRAPHY

The C&D Batteries site is located in the Neversink River Valley at the confluence of the Neversink and Delaware Rivers. The valley is bordered by the Shawangunk Mountains to the east. This province is characterized by a flat valley surface and ridges trending in a northeast to southwest direction. The Neversink River Valley is nearly flat, sloping less than 1 percent. The upland region is considerably steeper with slopes averaging 25 percent. Elevations in the area span from 1,000 feet above sea level in the upland to about 440 feet above sea level in the valley.

The C&D building is situated on a fairly flat area which slopes down steeply on the northeast towards tributary D-1-7 of the Neversink River and more gradually on the southeast towards the plain of the Neversink River. The site stands some 35 feet above the Neversink River. A residential area is located to the northwest of the site. The nearest residence is approximately 800 feet from the site. A water supply intake for Port Jervis City is located more than 3 miles upgradient from the site.

C. HYDROLOGY

Based on the data obtained from the drilling logs of the existing monitoring wells, the study area is underlain by

CD 002596

predominantly coarse sands and gravel. Finer sands and silts are found near the surface and gravels become more abundant with depth. The deposition of these sediments occurred during the last glacial retreat [D.18]. Deposition of large quantities of outwash material transpired as large, turbulent streams surged out from the stagnating and retreating ice front. The thickness of the deposit ranges from less than 10 feet to about 150 feet, but it varies because of the irregular surface of the underlying bedrock. During post-glacial activity, meandering streams flowed across the valley floor eroding a considerable amount of previously deposited glacial materials and forming the recent floodplains of the Neversink River Valley. Near the edges of the valley along the slopes of the valley walls, remnant glacial debris characterize the flat-topped benches and terraces elevated above the present day Neversink River.

Most of these glacially deposited sands and gravels are what make up the regions underlying the valley-fill aquifer. The aquifer extends a distance of approximately 28 miles from Summitville in Sullivan County, New York, to Milford, Pennsylvania. It is approximately 1 mile wide and stores about 84.4 billion gallons of water. The aquifer in the New York State area is 21 miles in length and about ½ mile in width. It has an average saturated thickness of nearly 100 feet and stores roughly 44 billion gallons of water [D.18]. Even though a considerable amount of recharge occurs through precipitation,

CD 002597

the largest source of recharge to the valley-fill aquifer is the Neversink River. Deposits near and along the river and its tributaries are highly permeable, allowing for infiltration of water into the aquifer.

The flow condition of the groundwater at the site was reconstructed from measurements performed at all existing wells. The local configuration of groundwater flow at the site is shown in Figure IV-1. Groundwater flow is approximately southeast at a gradient of less than 1 percent, which agrees with the groundwater contour map prepared by ERM [D.17]. The groundwater flows toward the nearby brook, which is a tributary to the Neversink River.

The hydraulic conductivity in the saturated zone was determined by a slug test. Results from the slug test showed a hydraulic conductivity value of 6×10^{-3} cm/sec (Appendix B).

D. SITE CONTAMINATION ASSESSMENT

Potential contamination of the environment within the site boundary was assessed by reviewing the character of wastes suspected to be at the site and by an evaluation of chemical analyses of the groundwater, surface water, and sediment samples.

The character of wastes suspected to be at the site was

CD 002598

evaluated by a review of information from historic literature (Appendix D).

The groundwater, surface water, and sediment assessment, the process by which analytical data was evaluated, is based on the criteria presented in Appendix C.1. Tables IV-1 through IV-6 summarize the results from the chemical analyses performed at the site. Results of analyses are reported in these tables for every analyte and sample if that analyte was detected in any concentration above Contract Required Quantitation Limits (CRQL). However, an analyte detected below CRQL is not reported unless it was detected above CRQL in another sample or is a contaminant of concern at the site.

1. Waste Characteristics

In view of the operational history, it is likely that when the lagoon was in operation, it received wastewater contaminated with various chemicals including fluorides, silicates, carbon deposits, aluminum, and paint wastes [D.1]. However, none of these contaminants were detected in the groundwater samples collected as part of this Phase II investigation. After purchasing the plant, C&D used the lagoon for several years to dispose its cooling water.

CD 002599

2. Groundwater Contamination

Six groundwater samples were collected as part of the Phase II investigations. These samples were collected from one upgradient well (MW-11) and four downgradient wells (MW-6, 7, 8, and 9), and a duplicate sample (GW-14) was chosen at random from one of the downgradient wells (MW-6). Field blank samples and a trip blank sample were included in the sampling program. Results from the chemical analyses of the groundwater samples are summarized in Tables IV-2 and IV-3.

Three organic compounds bis (2-ethylhexyl) phthalate, 4,4'-DDT, and methylene chloride were detected in all samples of the groundwater. Because the concentrations of these three compounds as well as the concentration of acetone found in well MW-11 only are less than three times the concentrations of these compounds in the associated method or field blank, these results are considered to be the result of laboratory or sampling contamination. Concentrations of toluene (found in sample GW-11 only) and tetrachloroethane (found in well MW-9 only) were detected in concentrations less than three times the CRQL, and therefore, these results cannot be considered as evidence of migration of these contaminants from the site into the groundwater.

CD 002600

The analyses of samples for inorganics also indicate that there is no evidence of migration of contaminants from the site into the groundwater. The concentrations of aluminum, calcium, iron, lead, and zinc in the downgradient wells were found to be in elevated concentrations, but not more than three times greater the concentrations of these metals in the upgradient well. Lead was the only TCL inorganic detected above the Federal Primary Drinking Water Quality Standards (maximum contaminant level). Iron and manganese concentrations are above the Federal Secondary Drinking Water Standards (secondary maximum contaminant level)(Table IV-7).

PCBs were not detected in any of the groundwater samples.

3. Surface Water and Sediment Contamination

Two surface water/sediment sample pairs were collected to determine whether contaminants discharged by wastewaters into the lagoon are currently impacting the nearby surface water.

The sample pairs were taken at two locations shown in Figure I-2. The samples were obtained from the small tributary stream northeast of the lagoon from the points downstream (3 feet downstream of the cooling water outlet) and upstream (below MW-11) from the lagoon.

CD 002601

4,4'-DDT was found in both upstream and downstream samples in almost equal concentrations, indicating that the site is not a source of this contamination. These concentrations are above the New York State Water Standard (Table IV-7). Methylene chloride, acetone, and bis (2-ethylhexyl) phthalate were also found in both surface water samples. Because the concentrations of these three common laboratory contaminants were less than five times the concentrations detected in the method blank, the results are considered as laboratory artifacts. The level of iron is significantly (49,000 ug/l) higher in the upstream sample as compared to the downstream level (127 ug/l). It is also above the New York State Water Standard (300 ug/l).

The sediment samples collected from downstream showed that the material along the bottom of the stream is contaminated by 15 organic compounds. Four of them: methylene chloride, acetone, heptachlor, and 4,4'-DDT, are found in both the upstream and downstream samples. Concentrations of these compounds detected in the downstream samples do not exceed ten times the concentrations detected in the upstream (background) samples, indicating that there is no evidence of migration of any of these compounds from the site to the surface water.

CD 002602

The remaining 11 organic compounds (detected in downstream sample SS-2 only) are of coal tar origin. The source of this contamination remains unclear. Due to a lack of complete analysis of wastes generated in the ET plant and the design of the wastewater treatment facility, the sediment contamination cannot be positively attributed to the site. Since the crude, refined products, or fractions of coal tar are used for waterproofing, paints, pipe coating, roads, roofing, insulation, and sealants, the abandoned rail bed and nearby paved parking lot might be the source of this contamination.

4. Air Survey

Air quality surveys were conducted with a PID during the site reconnaissance and sampling activities in accordance with appropriate health and safety precautions. A background level of 0.4 ppm was detected both on and around the site. No detectable levels of organic contaminants above background were registered on the meter.


E. CONCLUSIONS

All terms of the Phase II investigation for C&D Power Systems have been completed. Enough data has been collected to prepare a final HRS score.

CD 002603


The Phase II investigation shows that presently there is no evidence of contamination or migration of contaminants from the site. Hence the site does not have an adverse impact on the environment. Because the process wastes disposed into the lagoon contained fluorides and were not analyzed, further investigations with respect to this compound would be warranted.

CD 002604



**GROUNDWATER FLOW MAP
C & D BATTERIES**

**FIGURE IV-1
GIBBS & HILL INC.**



CD 002605

TABLE IV-1 - ANALYTICAL RESULTS FOR GROUNDWATER SAMPLES - VOLATILES, SEMI-VOLATILES, PESTICIDES, AND PCBs
 (All data in micrograms/liter)

C&D BATTERIES

Compound	GW-6 (dup)														Method
	GW-6	GW-7	GW-8	GW-9	GW-11	GW-14	Field Blank	Trip Blank							
Methylene chloride	9 B	8 B	12 B	14 B	25 B	13 B	9 B	8 B							15
Tetrachloroethene	ND	ND	ND	10	ND	ND	ND	ND							ND
Acetone	4 BJ	4 BJ	9 BJ	8 BJ	20 B	7 BJ	6 BJ	3 BJ							16
Toluene	ND	ND	ND	ND	9	3 J	ND	ND							ND
Bis (2-ethylhexyl) phthalate	24 B	19 B	32 B	34 B	21 B	25 B	31 B	ND							27
4,4'-DDT	0.39 B	0.26 B	0.26 B	0.08 BJ	0.63	0.42 B	0.34 B	ND							0.09 J

- GW-14 duplicate of GW-6
- ND - Not detected
- B - Detected in a sample as well as in Method Blank
- J - Detected in concentration below Contract Required Quantitation Limit (CRQL)

TABLE IV-2 - ANALYTICAL RESULTS FOR GROUNDWATER SAMPLES - TCL INORGANICS
(All data in micrograms/liter)

C&D BATTERIES

Analyte	GW-6	GW-7	GW-8	GW-9	GW-11	(AW-6 Dup) GW-14	Field Blank
Aluminum	3,250	6,500	2,500	10,100	1,100	3,400	ND
Cadmium	5	7	5	5	ND	6	ND
Calcium	8,270	21,900	29,500	35,900	14,900	9,060	ND
Chromium	ND	ND	ND	30	20	30	10
Copper	7 B	28	ND	40	ND	ND	ND
Iron	8,240	8,680	5,340	22,900	2,390	4,240	19 B
Lead	30.6	14.9	10.4	37	7.2	9.5	ND
Magnesium	2,950 B	5,400	4,300	8,500	4,220	2,620 B	ND
Manganese	388	5,240	306	1,440	126	199	ND
Potassium	3,900	250,000	13,000	15,000	450	3,200	200
Sodium	6,350	13,200	10,600	14,700	15,700	5,030	ND
Zinc	218	41	33.0	90.0	18.0 B	19.0 B	5.0

- NS - No standard
- MW-14 duplicate of MW-6
- ND - Not detected
- B - Less than CRQL, but greater than Instrument Detection Limit (IDL)

TABLE IV-3 - ANALYTICAL RESULTS FOR SURFACE WATER -
VOLATILES, SEMI-VOLATILES, PESTICIDES, AND PCBs
(All data in micrograms/liter)

C&D BATTERIES

Compound	SW-1		SW-2		Method	
					Blank	
Methylene chloride	11 B	13 B				15
Acetone	8 BJ	11 B				16
Bis (2-ethylhexyl) phthalate	9 BJ	13 B				27
4,4'-DDT	0.43 B	0.60 B				0.09 J

- B - Detected in a sample as well as in Method Blank
- J - Detected in concentration below CFQL

TABLE IV-4 - ANALYTICAL RESULTS FOR SURFACE WATER -
 TCL INORGANICS
 (All data in micrograms/liter)

C&D BATTERIES

Analyte	Sample Number	
	SW-1	SW-2
Aluminum	4,920	124 B
Arsenic	8 B	ND
Barium	110 B	11 B
Beryllium	2 B	ND
Cadmium	9	6
Calcium	17,200	9,520
Chromium	30	20
Iron	44,600	127
Lead	26.7	11
Magnesium	4,300 B	2,290 B
Manganese	864	51
Potassium	670	32
Silver	12	6 B
Sodium	9,110	6,110
Vanadium	21 B	ND
Zinc	110	11 B

- NS - No standard
- ND - Not detected
- B - Less than CRQL, but greater than IDL

TABLE IV-5 - ANALYTICAL RESULTS FOR SEDIMENT -
VOLATILES, SEMI-VOLATILES, PESTICIDES, AND PCBs
(All data in micrograms/kg)

C&D BATTERIES

Compound	SS-1	SS-2	Method Blank
Methylene chloride	310 B	78 B	15
Acetone	170 B	110 B	19
2-Butanone	21 BJ	28 B	7 J
Phenanthrene	ND	6,800	ND
Fluoranthene	ND	13,000	ND
Pyrene	ND	9,500	ND
Benzo (a) anthracene	ND	5,300	ND
Chrysene	ND	5,500	ND
Bis (2-ethylhexyl) phthalate	ND	32,000 B	790
Benzo (b) fluoranthene	ND	6,900	ND
Benzo (k) fluoranthene	ND	6,300	ND
Benzo (a) pyrene	ND	5,900	ND
Ideno (1,2,3-od) pyrene	ND	3,800	ND
Benzo (g,h,i) perylene	ND	3,100	ND
Heptachlore	90 B	58 B	2 J
4,4' -DDT	120	280	ND

• ND - Not detected
• B - Detected also in Method Blank

TABLE IV-6 - ANALYTICAL RESULTS FOR SEDIMENT SAMPLES -
 INORGANICS
 (All data in mg/kg)
 C&D BATTERIES

Analyte	SS-1	SS-2
Aluminum	6,290	2,610
Antimony	36.8	21.3
Arsenic	8.8	1.3
Barium	125 B	59.2
Beryllium	2.4 B	0.51 B
Cadmium	ND	21.8
Calcium	1,760 B	4,000
Chromium	24	23
Cobalt	ND	5.3 B
Copper	11.2 B	52.9
Iron	37,400	9,400
Lead	29.9	1,290
Magnesium	1,640 B	1,860
Manganese	388	118
Potassium	208	ND
Silver	6.4 B	2.3 B
Sodium	2,770 B	997 B
Vanadium	20.8 B	10.4 B
Zinc	60.8	185

- ND - Not detected
- B - Less than CRQL, but greater than IDL

CD 002611

TABLE IV-7

FEDERAL AND STATE WATER STANDARDS AND GOALS

TCL VOLATILE ORGANICS		Contract	[A]	[A]	[B]	[C]	[D]
CAS Number	Compound	Detection	40CFR141	40CFR141	10 NYCRR	6 NYCRR	6 NYCRR
		Limit	MCL*	MCLG**	5.1 MCL*	Standard	Standard
		[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]
74-87-3	Chloromethane	10			5	50	5
74-83-9	Bromomethane	10			5	50	5
75-01-4	Vinyl Chloride	10	2	0	2	50	2
75-00-3	Chloroethane	10			5	50	5
75-09-2	Methylene Chloride	5			5	50	5
67-64-1	Acetone	10			50	50	50
75-15-0	Carbon Disulfide	5			50	50	50
75-35-4	1,1-Dichloroethene	5	7	7	5	50	5
75-34-3	1,1-Dichloroethane	5			5	50	5
540-59-0	1,2-Dichloroethene (total)	5			10	50	10
67-66-3	Chloroform	5	[1]		[2]	0.2	[2]
107-06-2	1,2-Dichloroethane	5	5	0	5	0.8	5
78-93-3	2-Butanone	10			50	50	50
71-55-6	1,1,1-Trichloroethane	5	200	200	5	50	5
56-23-5	Carbon Tetrachloride	5	5	0	5	50	5
108-05-4	Vinyl Acetate	10			50	50	50
75-27-4	Bromodichloromethane	5	[1]		[2]	50	[2]
78-87-5	1,2-Dichloropropane	5			5	0.6	5
10061-01-5	cis-1,3-Dichloropropene	5			5	50	5
79-01-6	Trichloroethene	5	5	0	5	50	5
124-48-1	Dibromochloromethane	5	[1]		[2]	50	[2]
79-00-5	1,1,2-Trichloroethane	5			50	50	50
71-43-2	Benzene	5	5	0	50	50	ND[4]
10061-02-6	trans-1,3-Dichloropropene	5			5	50	5
75-25-2	Bromoform	5	[1]		[2]	50	[2]
108-10-1	4-Methyl-2-pentanone	10			5	50	5
591-78-6	2-Hexanone	10			5	50	5
127-18-4	Tetrachloroethene	5			5	50	5
79-34-5	1,1,2,2-Tetrachloroethane	5			5	50	5
108-88-3	Toluene	5			5	50	5
108-90-7	Chlorobenzene	5			5	20[3]	5
100-41-4	Ethylbenzene	5			5	50	5
100-42-5	Styrene	5			5	50	5
1330-20-7	Xylene (total)	5			15	50	15

[1] 100 ug/l for the total of these four compounds for community water systems serving greater than 10,000 persons and which add a disinfectant (oxidant) to the water.

[2] 100 ug/l for the total of these four compounds for community water systems.

[3] Sources of water for drinking, culinary or food processing purposes - aquatic life protection: 5 ug/l. Primary contact recreation: 5 ug/l.

[4] Not detectable by tests or analytical determinations referenced in 6 NYCRR 703.4.

* Maximum Contaminant Level - "maximum permissible level of a contaminant in water which is delivered to the free flowing outlet of the ultimate user of a public water system."

** Maximum Contaminant Level Goal - "nonenforceable health goal."

CD 002612

TABLE IV-7 (Contd)

FEDERAL AND STATE WATER STANDARDS AND GOALS

TCL SEMI-VOLATILE ORGANICS

CAS Number	Compound	Contract	[A]	[A]	[B]	[C]	[D]
		Detection Limit [ug/l]	EPA 40CFR141 MCL* [ug/l]	EPA 40CFR141 MCLG** [ug/l]	10 NYCRR Subpart 5.1 MCL* [ug/l]	6 NYCRR 702 Standard [ug/l]	6 NYCRR 703 Standard [ug/l]
108-95-2	Phenol	10			50	1	50
111-44-4	bis(2-Chloroethyl)ether	10			50	50	1
95-57-8	2-Chlorophenol	10			50	50	50
541-73-1	1,3-Dichlorobenzene	10			5	20[1]	5
106-46-7	1,4-Dichlorobenzene	10	75	75	5	30[1]	4.7
100-51-6	Benzyl alcohol	10			50	50	50
95-50-1	1,2-Dichlorobenzene	10			5	50[1]	4.7
95-48-7	2-Methylphenol	10			50	50	50
39638-32-9	bis(2-Chloroisopropyl)ether	10			50	50	50
106-44-5	4-Methylphenol	10			50	50	50
621-64-7	N-Nitroso-di-n-propylamine	10			50	50	50
67-72-1	Hexachloroethane	10			50	50	50
98-95-3	Nitrobenzene	10			50	30	50
78-59-1	Isophorone	10			50	50	50
88-75-5	2-Nitrophenol	10			50	50	50
105-67-9	2,4-Dimethylphenol	10			50	50	50
65-85-0	Benzoic acid	50			50	50	50
111-91-1	bis(2-Chloroethoxy)methane	10			50	50	50
120-83-2	2,4-Dichlorophenol	10			50	0.3	50
120-82-1	1,2,4-Trichlorobenzene	10			5	10[1]	5
91-20-3	Naphthalene	10			50	10	50
106-47-8	4-Chloroaniline	10			50	50	50
87-68-3	Hexachlorobutadiene	10			5	0.5	5
59-50-7	4-Chloro-3-methylphenol	10			50	50	50
91-57-6	2-Methylnaphthalene	10			50	50	50
77-47-4	Hexachlorocyclopentadiene	10			50	1[2]	50
88-06-2	2,4,6-Trichlorophenol	10			50	50	50
95-95-4	2,4,5-Trichlorophenol	50			50	50	50
91-58-7	2-Chloronaphthalene	10			50	10	50
88-74-4	2-Nitroaniline	50			50	50	50
131-11-3	Dimethylphthalate	10			50	50	50
208-96-8	Acenaphthylene	10			50	50	50
606-20-2	2,6-Dinitrotoluene	10			50	50	50

[1] Sources of water for drinking, culinary or food processing purposes
- aquatic life protection: 5 ug/l; primary contact recreation: 5 ug/l

[2] Sources of water for drinking, culinary or food processing purposes
- aquatic life protection: 0.45 ug/l; primary contact recreation: 0.45 ug/l

[3] Sources of water for drinking, culinary or food processing purposes
- aquatic life protection: 0.4 ug/l; primary contact recreation: 0.4 ug/l

* Maximum Contaminant Level - "maximum permissible level of a contaminant in water which is delivered to the free flowing outlet of the ultimate user of a public water system."

** Maximum Contaminant Level Goal - "nonenforceable health goal."

CD 002613

V. FINAL APPLICATION OF HAZARD RANKING SYSTEM

A. NARRATIVE SUMMARY

The C&D Batteries site is located on Route 209 in Huguenot, Orange County, New York. The inactive industrial disposal system consists of a lagoon, approximately 150 feet in diameter and 15 feet deep, located 75 feet northwest of the plant building. The plant is in the Neversink River Valley about 4 miles northeast of the City of Port Jervis. Presently, the site is owned by C&D Charter Power Systems. Groundwater is used as a source of drinking water for a nonmunicipal community water system. The total population served by groundwater wells from the aquifer of concern within a 3-mile radius is 3,636. There are no freshwater wetlands within a 1-mile radius. The tributary D-1-7 of the Neversink River is approximately 150 feet from the site.

The site received wastewater containing various chemicals including fluorides, silicates, aluminum, carbon deposits, and heavy metals.

Contamination of groundwater and surface water was not detected during the Phase II investigation. Lead, iron, and manganese were the only TCL-metals detected above the NYSDEC water quality standards.

CD 002614

Fifteen organic compounds were found in the sediment samples. The source of this contamination remains unclear and cannot be positively attributed to the site.

B. SITE LOCATION MAP





FIGURE V-1

COORDINATES:

LONGITUDE: 41° 25' 10"

LATITUDE: 74° 37' 45"



SCALE (FEET)

SITE LOCATION MAP
SITE: C & D BATTERIES

MAP SOURCE:
USGS MAP PORT JERVIS NORTH QUAD
USGS MAP OTISVILLE QUAD
7.5 MINUTE SERIES (1969 EDITION)

GIBBS & HILL, INC.

C. UPDATED HRS WORKSHEETS

CD 002618

Facility name: C&D Batteries

Location: Town of Huguenot, Orange County

EPA Region: II

Person(s) in charge of the facility: C&D Charter Power Systems

Name of Reviewer: A. Kostic Date: 9/22/89

General description of the facility:
 (For example: landfill, surface impoundment, pile, container, types of hazardous substances; location of the facility; contamination route of major concern; types of information needed for rating; agency action, etc.)

C&D Batteries site is inactive and fenced off to the general public. The site was once used for the disposal of industrial wastes by the previous owner, a black and white television tube manufacturer.

Scores: $S_M = 0.00$ ($S_{GW} = 0.00$ $S_{SW} = 0.00$ $S_a = 0.00$)
 $S_{FE} = N/A$
 $S_{DC} = 0.00$

**FIGURE 1
HRS COVER SHEET**

Ground Water Route Work Sheet						
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)	
1 Observed Release	0 45	1	0	45	3.1	
If observed release is given a score of 45, proceed to line 4 . If observed release is given a score of 0, proceed to line 2 .						
2 Route Characteristics					3.2	
Depth to Aquifer of Concern	0 1 2 3	2	6	6		
Net Precipitation	0 1 2 3	1	2	3		
Permeability of the Unsaturated Zone	0 1 2 3	1	3	3		
Physical State	0 1 2 3	1	3	3		
Total Route Characteristics Score			14	15		
3 Containment	0 1 2 3	1	3	3	3.3	
4 Waste Characteristics					3.4	
Toxicity/Persistence	0 3 6 9 12 15 18	1	0	18		
Hazardous Waste Quantity	0 1 2 3 4 5 6 7 8	1	0	8		
Total Waste Characteristics Score			0	26		
5 Targets					3.5	
Ground Water Use	0 1 2 3	3	9	9		
Distance to Nearest Well/Population Served	0 4 6 8 10 12 16 18 20 24 30 32 35 40	1	35	40		
Total Targets Score			44	49		
6 If line 1 is 45, multiply 1 x 4 x 5 If line 1 is 0, multiply 2 x 3 x 4 x 5			0.00	57.330		
7 Divide line 6 by 57,330 and multiply by 100			$S_{gw} = 0.00$			

**FIGURE 2
GROUND WATER ROUTE WORK SHEET**

CD 002620

Surface Water Route Work Sheet						
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)	
1 Observed Release	(0) 45	1	0	45	4.1	
If observed release is given a value of 45, proceed to line 4 . If observed release is given a value of 0, proceed to line 2 .						
2 Route Characteristics					4.2	
Facility Slope and Intervening Terrain	(0) 1 2 3	1	0	3		
1-yr. 24-hr. Rainfall	0 1 (2) 3	1	2	3		
Distance to Nearest Surface Water	0 1 2 (3)	2	6	6		
Physical State	0 1 2 (3)	1	3	3		
Total Route Characteristics Score			11	15		
3 Containment	(0) 1 2 3	1	0	3	4.3	
4 Waste Characteristics					4.4	
Toxicity/Persistence	(0) 3 6 9 12 15 18	1	0	18		
Hazardous Waste Quantity	(0) 1 2 3 4 5 6 7 8	1	0	8		
Total Waste Characteristics Score			0	26		
5 Targets					4.5	
Surface Water Use	0 1 (2) 3	3	6	9		
Distance to a Sensitive Environment	(0) 1 2 3	2	0	6		
Population Served/Distance to Water Intake Downstream	(0) 4 6 8 10 12 18 18 20 40 24 30 32 35 40	1	0	40		
Total Targets Score			6	55		
6 If line 1 is 45, multiply 1 x 4 x 5 If line 1 is 0, multiply 2 x 3 x 4 x 5			0.00	64,350		
7 Divide line 6 by 64,350 and multiply by 100			$S_{sw} = 0.00$			

FIGURE 7
SURFACE WATER ROUTE WORK SHEET

Air Route Work Sheet						
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)	
1 Observed Release	0 45	1	0	45	5.1	
Date and Location: 1/18/89, C&D Charter Power Systems, Huguenot, NY						
Sampling Protocol: N/A						
If line 1 is 0, the $S_a = 0$. Enter on line 5 .						
If line 1 is 45, then proceed to line 2 .						
2 Waste Characteristics					5.2	
Reactivity and Incompatibility	0 1 2 3	1	0	3		
Toxicity	0 1 2 3	3	0	9		
Hazardous Waste Quantity	0 1 2 3 4 5 6 7 8	1	0	8		
Total Waste Characteristics Score			0.00	20		
3 Targets					5.3	
Population Within 4-Mile Radius	} 0 9 12 15 18 21 24 27 30	1	18	30		
Distance to Sensitive Environment	0 1 2 3	2	0	6		
Land Use	0 1 2 3	1	3	3		
Total Targets Score			21	39		
4 Multiply 1 x 2 x 3			0.00	35,100		
5 Divide line 4 by 35,100 and multiply by 100	$S_a = 0.00$					

**FIGURE 9
AIR ROUTE WORK SHEET**

CD 002621

	s	s ²
Groundwater Route Score (S _{gw})	0.00	0.00
Surface Water Route Score (S _{sw})	0.00	0.00
Air Route Score (S _a)	0.00	0.00
$S_{gw}^2 + S_{sw}^2 + S_a^2$		0.00
$\sqrt{S_{gw}^2 + S_{sw}^2 + S_a^2}$		0.00
$\sqrt{S_{gw}^2 + S_{sw}^2 + S_a^2} / 1.73 = S_M =$		0.00

FIGURE 10
WORKSHEET FOR COMPUTING S_M

Fire and Explosion Work Sheet						
Rating Factor	Assigned Value (Circle One)		Multi-plier	Score	Max. Score	Ref. (Section)
1 Containment	1	3	1		3	7.1
2 Waste Characteristics						7.2
Direct Evidence	0	3	1		3	
Ignitability	0	1 2 3	1		3	
Reactivity	0	1 2 3	1		3	
Incompatibility	0	1 2 3	1		3	
Hazardous Waste Quantity	0	1 2 3 4 5 6 7 8	1		8	
Total Waste Characteristics Score					20	
3 Targets						7.3
Distance to Nearest Population	0	1 2 3 4 5	1		5	
Distance to Nearest Building	0	1 2 3	1		3	
Distance to Sensitive Environment	0	1 2 3	1		3	
Land Use	0	1 2 3	1		3	
Population Within 2-Mile Radius	0	1 2 3 4 5	1		5	
Buildings Within 2-Mile Radius	0	1 2 3 4 5	1		5	
Total Targets Score					24	
4 Multiply 1 x 2 x 3					1,440	
5 Divide line 4 by 1,440 and multiply by 100					SFE = N/A	

**FIGURE 11
FIRE AND EXPLOSION WORK SHEET**

*S_{FE} is scored only if a Fire Marshal has certified that the site is a fire and explosion threat or field observation documented a fire and explosion threat. Since neither of these is true, S_{FE} is not scored

Direct Contact Work Sheet						
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. Section)	
1 Observed Incident	0 45	1	0	45	8.1	
If line 1 is 45, proceed to line 4 If line 1 is 0, proceed to line 2						
2 Accessibility	0 1 2 3	1	0	3	8.2	
3 Containment	0 15	1	0	15	8.3	
4 Waste Characteristics Toxicity	0 1 2 3	5	0	15	8.4	
5 Targets					8.5	
Population Within a 1-Mile Radius	0 1 2 3 4 5	4	4	20		
Distance to a Critical Habitat	0 1 2 3	4	0	12		
Total Targets Score			4	32		
6 If line 1 is 45, multiply 1 x 4 x 5 If line 1 is 0, multiply 2 x 3 x 4 x 5			0.00	21,600		
7 Divide line 6 by 21,600 and multiply by 100			SDC = 0.00			

FIGURE 12
DIRECT CONTACT WORK SHEET

D. UPDATED HRS DOCUMENTATION RECORDS

CD 002623

DOCUMENTATION RECORDS
FOR
HAZARD RANKING SYSTEM

INSTRUCTIONS: As briefly as possible summarize the information you used to assign the score for each factor (e.g., "Waste quantity = 4,230 drums plus 800 cubic yards of sludges"). The source of information should be provided for each entry and should be a bibliographic-type reference. Include the location of the document.

FACILITY NAME: C&D Batteries (Presently C&D Charter Power Systems, Inc.)

LOCATION: Route 209, Huguenot, New York

DATE SCORED: August 18, 1989

PERSON SCORING: Albert Longoria and Alex Kostic

PRIMARY SOURCE(S) OF INFORMATION (e.g., EPA region, state, FIT, etc.):

Site visit, site representative interview, NYSDEC files, and groundwater, surface water, and sediment analyses

FACTORS NOT SCORED DUE TO INSUFFICIENT INFORMATION:

Sa - no air sampling data available

COMMENTS OR QUALIFICATIONS:

None

GROUNDWATER ROUTE

1 OBSERVED RELEASE

Contaminants detected (5 maximum):

None. There is no analytical evidence of an observed release. Three organic compounds were detected in groundwater samples, but less than three times concentrations found in method or field blank. Several metals were detected in downgradient wells, but less than ten times concentrations found in the upgradient well [1].

Rationale for attributing the contaminants to the facility:

N/A

Score = 0

* * *

2 ROUTE CHARACTERISTICS

Depth to Aquifer of Concern

Name/description of aquifer(s) of concern:

The Neversink Valley Sand and Gravel Aquifer [11]

Depth(s) from the ground surface to the highest seasonal level of the saturated zone [water table(s)] of the aquifer of concern:

Depth of water table ranged from 18.92 feet to 29.00 feet. Seasonal level variations were not determined [3].

Depth from the ground surface to the lowest point of waste disposal/storage:

The lagoon is 15 feet deep [3]

18.92 ft. - 15 ft. = 3.92 ft.

Score = 3

Net Precipitation

Mean annual or seasonal precipitation (list months for seasonal):

43 inches [2]

CD 002625

Mean annual lake or seasonal evaporation (list months for seasonal):

28 inches [2]

Net precipitation (subtract the above figures):

15 inches [2]

Score = 2

Permeability of Unsaturated Zone

Soil type in unsaturated zone:

Sand and gravel with occasional lenses of silt and clay [3].

Permeability associated with soil type:

6×10^{-3} cm/sec. [5]

Score = 3

Physical State

Physical state of substances at time of disposal (or at present time for generated gases):

Liquids [6]

Score = 3

3 CONTAINMENT

Containment

Method(s) of waste or leachate containment evaluated:

Lagoon - no liner or leachate control present [6]

Method with highest score:

No liner or leachate control

Score = 3

CD 002626

4 WASTE CHARACTERISTICS

Toxicity and Persistence

Compound(s) evaluated:

None. Three organic compounds and twelve inorganics were found in the groundwater samples. However, these contaminants could not be attributed to the site [1].

Compound with highest score:

None

Score = 0

Hazardous Waste Quantity

Total quantity of hazardous substances at the facility, excluding those with a containment score of 0 (Give a reasonable estimate even if quantity is above maximum):

None

Basis of estimating and/or computing waste quantity:

There is no analytical evidence of an observed release. Contaminants found in the groundwater samples could not be attributed to the site [1]. No documentation of waste quantity has been obtained [6].

Score = 0

5 TARGETS

Groundwater Use

Use(s) of aquifer(s) of concern within a 3-mile radius of the facility:

Drinking water (private wells) and industrial uses (cooling water and process water)[7 and 17]

Score = 3

Distance to Nearest Well

Location of nearest well drawing from aquifer of concern or occupied building not served by a public water supply:

Location of nearest drinking water well is in the Town of Huguenot [8].

CD 002627

Distance to above well or building:

Approximately 100 feet [8]

Score = 4

Population Served by Groundwater Wells Within a 3-Mile Radius

Identified water-supply well(s) drawing from aquifer(s) of concern within a 3-mile radius and populations served by each:

Private wells	3,435	
Painted Apron Village	16	
Fairlawn Mobile Village	60	
Huguenot Estates	<u>125</u>	[7, 8, and 13]
Total	3,636	

Computation of land area irrigated by supply well(s) drawing from aquifer(s) of concern within a 3-mile radius, and conversion to population (1.5 people per acre):

No irrigation is being done within a 3-mile radius [12]

Total population served by ground water within a 3-mile radius (see breakdown by well above):

3,636 is the total population served by groundwater within a 3-mile radius

Score = 4

Matrix score = 35

SURFACE WATER ROUTE

1 OBSERVED RELEASE

Contaminants detected in surface water at the facility or downhill from it (5 maximum):

None. There is no analytical evidence of an observed release. The organic compounds found in the surface water samples were less than five times the concentrations in the method blank. No hazardous inorganics were detected in the surface water samples [1].

Rationale for attributing the contaminants to the facility:

N/A

Score = 0

* * *

2 ROUTE CHARACTERISTICS

Facility Slope and Intervening Terrain

Average slope of facility in percent:

Less than 1 percent [8]

Name/description of nearest downslope surface water:

Tributary D-1-7 to the Neversink River

Average slope of terrain between facility and above-cited surface water body in percent:

Facility is a closed basin [19]

Score = 0

Is the facility located either totally or partially in surface water?

No [19].

Score = 0

CD 002629

Is the facility completely surrounded by areas of higher elevation?

Yes [19]

1-Year, 24-Hour Rainfall in Inches

2.5 inches [2]

Score = 2

Distance to Nearest Downslope Surface Water

Less than 150 feet [4, 8]

Score = 3

Physical State of Waste

Liquid [6]

Score = 3

* * *

3 CONTAINMENT

Containment

Method(s) of waste or leachate containment evaluated:

The approximately 15-foot deep lagoon was constructed in gravel, and its seepage capabilities allowed not more than 2 feet of standing liquid on the bottom of the lagoon [16].

Method with highest score:

Sound diking, and no erosion evident [2].

Score = 0

4 WASTE CHARACTERISTICS

Toxicity and Persistence

Compound(s) evaluated

There is no analytical evidence of surface water contamination or migration of contaminants from the site to the nearest surface water body (Tributary D-1-7) [1].

Compound with highest score:

N/A

Score = 0

Hazardous Waste Quantity

Total quantity of hazardous substances at the facility, excluding those with a containment score of 0 (Give a reasonable estimate even if quantity is above maximum):

None

Basis of estimating and/or computing waste quantity:

All wastewaters were conveyed to the lagoon (zero containment score) [2].

Score = 0

* * *

5 TARGETS

Surface Water Use

Use(s) of surface water within 3 miles downstream of the hazardous substance:

The Neversink River and its tributaries where they pass through the site are class B (primary contact recreation and any other uses except water supply for drinking)[D.2].

Score = 2

Is there tidal influence?

No

Distance to a Sensitive Environment

Distance to 5-acre (minimum) coastal wetland if 2 miles or less:

N/A

Distance to 5-acre (minimum) freshwater wetland if 1 mile or less:

None [14]

Distance to critical habitat of an endangered species or national wildlife refuge if 1 mile or less:

None. However, there are records of copperhead and timber rattlesnake, a state-threatened species in the vicinity of the site.

Score = 0

Population Served by Surface Water

Location(s) of water-supply intake(s) within 3 miles (free-flowing bodies) or a 1 mile (static water bodies) downstream of the hazardous substances and population served by each intake:

None. Water supply intake for Port Jervis city water is located upgradient from the site [7].

Score = 0

Computation of land area irrigated by above-cited intake(s) and conversion of population (1.5 people per acre):

No known land irrigation is occurring [12]

Total population served:

None

Name/description of nearest of above water bodies:

N/A

Distance to above-cited intakes measured in stream miles:

N/A

AIR ROUTE

1 OBSERVED RELEASE

Contaminants detected:

No evidence of an observed release has been documented or obtained. Field measurements taken with a PID indicated no readings above background levels.

Date and location of detection of contaminants:

N/A

Methods used to detect the contaminants:

N/A

Rationale for attributing the contaminants to the site:

N/A

Score = 0

* * *

2 WASTE CHARACTERISTICS

Reactivity and Incompatibility

Most reactive compound:

N/A

Score = 0

Most incompatible pair of compounds:

N/A

Toxicity

Most toxic compound:

N/A

Score = 0

CD 002633

Hazardous Waste Quantity

Total quantity of hazardous waste:

No documentation of waste quantity has been obtained. Field measurements taken with a PID indicated no readings above background level [6].

Score = 0

Basis of estimating and/or computing waste quantity:

N/A

Score = 0

* * *

3 TARGETS

Population Within 4-Mile Radius

Circle radius used - give population and indicate how determined:

0 to 4 mi

0 to 1 mi

0 to 1/2 mi

0 to 1/4 mi

4,726 persons (based on 3.8 persons per residence) [18]. The highest score was obtained for a 0 to 4 mile radius [2].

Score = 18

Distance to a Sensitive Environment

Distance to 5-acre (minimum) coastal wetland if 2 miles or less:

N/A [14]

Distance to 5-acre (minimal) freshwater wetland if 1 mile or less:

None [14]

Score = 0

CD 002634

Distance to critical habitat of an endangered species, if 1 mile or less:

None. However, there are records of copperhead and timber rattlesnakes, state-threatened species, in the vicinity of the site [9].

Score = 0

Land Use

Distance to commercial/industrial area if 1 mile or less:

On-site

Score = 3

Distance to national or state park, forest, or wildlife reserve if 2 miles or less:

None [10]

Score = 0

Distance to residential area if 2 miles or less:

Approximately 100 feet [8]

Score = 3

Distance to agricultural land in production within past 5 years if 1 mile or less:

None [12]

Score = 0

Distance to prime agricultural land in production within past 5 years if 2 miles or less:

None [12]

Score = 0

Is an historic or landmark site (National Register or Historic Places and National Natural Landmarks) within the view of the site?

None [10]

Score = 0

CD 002635

FIRE AND EXPLOSION*

1 CONTAINMENT

Hazardous substances present:

Hazardous substances and fire and/or explosion hazard contaminants were not detected in the groundwater analyses. There is no record of hazardous waste disposal at the facility [1].

Type of containment if applicable:

N/A

* * *

2 WASTE CHARACTERISTICS

Direct Evidence

Type of instrument and measurements:

N/A

Ignitability

Compound used:

N/A

Reactivity

Most reactive compound:

N/A

Incompatibility

Most incompatible pair of compounds:

N/A

*S_{FE} is scored only if a Fire Marshal has certified that the site is a fire and explosion threat or field observation documented a fire and explosion threat. Since neither is true, S_{FE} is not scored.

Hazardous Waste Quantity

Total quantity of hazardous substances at the facility:

N/A

Basis of estimating and/or computing waste quantity:

N/A

* * *

3 TARGETS

Distance to Nearest Population

N/A

Distance to Nearest Building

N/A

Distance to Sensitive Environment

Distance to wetlands:

N/A

Distance to critical habitat:

N/A

Land Use

Distance to commercial/industrial area if 1 mile or less:

N/A

Distance to national or state park, forest, or wildlife reserve if 2 miles or less:

N/A

Distance to residential area if 2 miles or less:

N/A

CD 002637

Distance to agricultural land in production within past 5 years if 1 mile or less:

N/A

Distance to prime agricultural land in production within past 5 years if 2 miles or less:

N/A

Is a historic or landmark site (National Register or Historic Places and National Natural Landmarks) within the view of the site?

N/A

Population Within 2-Mile Radius

N/A

Buildings Within 2-Mile Radius

N/A

CD 002638

DIRECT CONTACT

1 OBSERVED INCIDENT

Date, location, and pertinent details of incident:

No documentation of direct contact causing injury to humans or animals [6]

Score = 0

2 ACCESSIBILITY

Describe type of barrier(s):

A chain-link fence (with locked gate) completely surrounds the facility and restricts entry at all times.

Score = 0

* * *

3 CONTAINMENT

Type of containment if applicable:

No hazardous substances at the site.

Score = 0

* * *

4 WASTE CHARACTERISTICS

Toxicity

Compounds evaluated:

None

Compound with highest score:

N/A

Score = 0

5 TARGETS

Population within 1-Mile Radius

832 persons (based on 3.8 persons per dwelling for dwellings) [8 and 18].

Score = 1

Distance to critical habitat (of endangered species)

None

Score = 0

CD 002640

HRS DOCUMENTATION REFERENCES

CD 002641

HRS DOCUMENTATION REFERENCES

If the entire reference is not available for public review in the EPA regional files on this site, indicate where the references may be found:

<u>Ref. No</u>	<u>Description of Reference</u>	<u>Page</u>
1	Chemical Analyses, Tables IV-1 through IV-6	V-33
2	USEPA HRS Users Manual (HW-10), 1984	V-39
3	Conductivity Test Data	B-4
4	Site Reconnaissance, Appendix A	A-1
5	Permeability In Situ Tests, Appendix B	B-1
6	Letter [D.3]	D-9
7	NYS Atlas of Community Water System Sources, 1982	V-40
8	USGS Quadrangle Map, Figure I-1	I-4
9	Letter: C. Reschke, NYSDEC Wildlife Resources Center to N. Hinsey, G&H, May 2, 1989	V-44
10	Department of Interior, National Park Service Printouts, 1989	V-47
11	M. H. Frimpter, Groundwater Resources [D.18]	D-159
12	Telephone Conversation Record	V-49
13	Telephone Conversation Record	V-50
14	Freshwater Wetlands Map	V-51
15	G&H Interview Acknowledgement Form	D-70
16	Letter: DOH to Empire Tube Corp., D.2	D-5
17	Telephone Conversation Record, D.22	D-173
18	House Count	V-52
19	Historic Literature, D.2	D-5
20	NYSDOH Notice of Consolidated Hearing, D.6	D-14

CD 002642

TABLE IV-1 - ANALYTICAL RESULTS FOR GROUNDWATER SAMPLES - VOLATILES, SEMI-VOLATILES, PESTICIDES, AND PCBs
(All data in micrograms/liter)

C&D BATTERIES

Compound	GW-6	GW-7	GW-8	GW-9	GW-11	GW-14	Field		Trip		Method
							Blank	Blank	Blank	Blank	Blank
Methylene chloride	9 B	8 B	12 B	14 B	25 B	13 B	9 B	9 B	8 B	8 B	15
Tetrachloroethene	ND	ND	ND	10	ND	ND	ND	ND	ND	ND	ND
Acetone	4 BJ	4 BJ	9 BJ	8 BJ	20 B	7 BJ	6 BJ	6 BJ	3 BJ	3 BJ	16
Toluene	ND	ND	ND	ND	9	3 J	ND	ND	ND	ND	ND
Bis (2-ethylhexyl), phthalate	24 B	19 B	32 B	34 B	21 B	25 B	31 B	31 B	ND	ND	27
4,4'-DDT	0.39 B	0.26 B	0.26 B	0.08 BJ	0.63	0.42 B	0.34 B	0.34 B	ND	ND	0.09 J

- GW-14 duplicate of GW-6
- ND - Not detected
- B - Detected in a sample as well as in Method Blank
- J - Detected in concentration below Contract Required Quantitation Limit (CROL)

TABLE IV-2 - ANALYTICAL RESULTS FOR GROUNDWATER SAMPLES - TCL INORGANICS
(All data in micrograms/liter)

C&D BATTERIES

Analyte	GW-6	GW-7	GW-8	GW-9	GW-11	GW-14	Field Blank
Aluminum	3,250	6,500	2,500	10,100	1,100	3,400	ND
Cadmium	5	7	5	5	ND	6	ND
Calcium	8,270	21,900	29,500	35,900	14,900	9,060	ND
Chromium	ND	ND	ND	30	20	30	10
Copper	7 B	28	ND	40	ND	ND	ND
Iron	8,240	8,680	5,340	22,900	2,390	4,240	19 B
Lead	30.6	14.9	10.4	37	7.2	9.5	ND
Magnesium	2,950 B	5,400	4,300	8,500	4,220	2,620 B	ND
Manganese	388	5,240	306	1,440	126	199	ND
Potassium	3,900	250,000	13,000	15,000	450	3,200	200
Sodium	6,350	13,200	10,600	14,700	15,700	5,030	ND
Zinc	218	41	33.0	90.0	18.0 B	19.0 B	5.0

- NS - No standard
- MW-14 duplicate of MW-6
- ND - Not detected
- B - Less than CRQL, but greater than Instrument Detection Limit (IDL)

TABLE IV-3 - ANALYTICAL RESULTS FOR SURFACE WATER -
 VOLATILES, SEMI-VOLATILES, PESTICIDES, AND PCBs
 (All data in micrograms/liter)

C&D BATTERIES

Compound	SW-1	SW-2	Method	
			Blank	Blank
Methylene chloride	11 B	13 B	15	15
Acetone	8 BJ	11 B	16	16
Bis (2-ethylhexyl) phthalate	9 BJ	13 B	27	27
4,4'-DDT	0.43 B	0.60 B	0.09 J	0.09 J

- B - Detected in a sample as well as in Method Blank
- J - Detected in concentration below CRQL

TABLE IV-4 - ANALYTICAL RESULTS FOR SURFACE WATER -
 TCL INORGANICS
 (All data in micrograms/liter)

C&D BATTERIES

Analyte	Sample Number	
	SW-1	SW-2
Aluminum	4,920	124 B
Arsenic	8 B	ND
Barium	110 B	11 B
Beryllium	2 B	ND
Cadmium	9	6
Calcium	17,200	9,520
Chromium	30	20
Iron	44,600	127
Lead	26.7	11
Magnesium	4,300 B	2,290 B
Manganese	864	51
Potassium	670	32
Silver	12	6 B
Sodium	9,110	6,110
Vanadium	21 B	ND
Zinc	110	11 B

- NS - No standard
- ND - Not detected
- B - Less than CRQL, but greater than IDL

TABLE IV-5 - ANALYTICAL RESULTS FOR SEDIMENT -
VOLATILES, SEMI-VOLATILES, PESTICIDES, AND PCBs
(All data in micrograms/kg)

C&D BATTERIES

Compound	SS-1	SS-2	Method Blank
Methylene chloride	310 B	78 B	15
Acetone	170 B	110 B	19
2-Butanone	21 BJ	28 B	7 J
Phenanthrene	ND	6,800	ND
Fluoranthene	ND	13,000	ND
Pyrene	ND	9,500	ND
Benzo (a) anthracene	ND	5,300	ND
Chrysene	ND	5,500	ND
Bis (2-ethylhexyl) phthalate	ND	32,000 B	790
Benzo (b) fluoranthene	ND	6,900	ND
Benzo (k) fluoranthene	ND	6,300	ND
Benzo (a) pyrene	ND	5,900	ND
Ideno (1,2,3-od) pyrene	ND	3,800	ND
Benzo (g,h,i) perylene	ND	3,100	ND
Heptachlore	90 B	58 B	2 J
4,4'-DDT	120	280	ND

- ND - Not detected
- B - Detected also in Method Blank

TABLE IV-6 - ANALYTICAL RESULTS FOR SEDIMENT SAMPLES -
 INORGANICS
 (All data in mg/kg)

C&D BATTERIES

Analyte	SS-1	SS-2
Aluminum	6,290	2,610
Antimony	36.8	21.3
Arsenic	8.8	1.3
Barium	125 B	59.2
Beryllium	2.4 B	0.51 B
Cadmium	ND	21.8
Calcium	1,760 B	4,000
Chromium	24	23
Cobalt	ND	5.3 B
Copper	11.2 B	52.9
Iron	37,400	9,400
Lead	29.9	1,290
Magnesium	1,640 B	1,860
Manganese	388	118
Potassium	208	ND
Silver	6.4 B	2.3 B
Sodium	2,770 B	997 B
Vanadium	20.8 B	10.4 B
Zinc	60.8	185

- ND - Not detected
- B - Less than CRQL, but greater than IDL

Uncontrolled Hazardous Waste Site Ranking System


A Users Manual (HW-10)

Originally Published in
the July 16, 1982, *Federal Register*

United States
Environmental Protection
Agency

1984


CD 002649




**New York State Atlas of
Community Water System Sources
1982**

NEW YORK STATE DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL PROTECTION
BUREAU OF PUBLIC WATER SUPPLY PROTECTION

LOCATION OF COMMUNITY WATER SYSTEM SOURCES-1982



NEW YORK STATE DEPARTMENT OF HEALTH
 DIVISION OF ENVIRONMENTAL PROTECTION
 BUREAU OF PUBLIC WATER SUPPLY PROTECTION



NORTH

ORANGE COUNTY


ORANGE COUNTY

ID NO	COMMUNITY WATER SYSTEM	POPULATION	SOURCE
Municipal Community			
1	Arden Farms Dairy Company.	60.	Echo Lake
2	Arrow Park, Inc.	NA.	Wells
3	Beaver Dam Lake Development.	400.	Wells
4	Bellvale Park Water District.	100.	Wells
5	Blooming Grove Water District #1.	2000.	Wells
6	Blooming Grove Water District #2. Oxford Heights.80.	Wells
7	Blooming Grove Water District #3.	200.	Wells
8	Chester Village.	1910.	Walton Lake, Wells
9	Cornwall-on-Hudson, Main Line.	3164.	Alec Meadow Reservoir, Arthurs, Tamarac, & Sphagnum Ponds
10	Cornwall-on-Hudson, Mt. Line.	300.	Upper Reservoir
11	Deer Park Manor.	400.	Wells
12	Denton Hills.	130.	Wells
13	Drew Road Association.	50.	Wells
14	Eurich Heights.	200.	Wells
15	Fleetwood Manor - Holiday Park.	225.	Wells
16	Florida Water Works.	2000.	Glenmere Lake
17	Forest Knolls.	400.	Wells
18	Goshen Village.	5000.	Goshen Reservoir
19	Goshen Water District #2 (Arcadia Hills).750.	Wells
20	Goshen Water District #1.	500.	Wells
21	Greater Display & Wire Forming.75.	Wells
22	Greenwood Lake Village.	2150.	Wells
23	Harriman Village.	1800.	Wells
24	Hidden Valley Estates.	200.	Wells
25	Highland Falls Village.	5500.	Bog Meadow Pond
26	Hill Lake Estates.	40.	Wells
27	Hillcrest Heights.	25.	Wells
28	Hillside Acres.	80.	Wells
29	Indian Kill.	2000.	Indian Kill
30	J. Ludlam Water Supply.	15.	Wells
31	Keystone Park.	150.	Wells
32	King Tract.	200.	Wells
33	Kiryas Joel.	2500.	Wells
34	Lake Hill Farms Water District.	360.	Wells
35	Lake Linda.	30.	Wells
36	Lake Vue Park Water District.	160.	Wells
37	Lakewood Homes.	60.	Wells
38	Lincoln Park.	32.	Wells
39	Lorelei Lake.	150.	Wells
40	Maple Brook.	160.	Wells
41	Maybrook Village.	2500.	Wells
42	Merriwold Water Company.	1600.	Wells
43	Middletown City.	21454.	Monhagen, Highland & Shawangunk Lakes
44	Monroe Hills Estates.	120.	Wells
45	Monroe Village.	6000.	Lake Mombasha
46	Monroe Water District #1 (High Ridge).	NA.	Lake Mombasha
47	Monroe Water District #2 (Sterling Manor).90.	Wells
48	Montgomery Village.	2320.	Wells
49	Mountain Lodge Park Development.	1600.	Wells
50	Mountain View Estates.	250.	Wells
51	New Vernon Estates.	150.	Wells
52	New Windsor Consolidated Water District.	12000.	Wells
53	Newburgh City.	23488.	Lake Washington
54	Newburgh Consolidated Water District.	9000.	Chadwick Lake
55	Orange Lake Development Company.	20.	Wells
56	Orchard Hill.	174.	Wells
57	Orchard Hill Water District.	80.	Wells
58	Orchard Lake Park.	250.	Wells
59	Painted Apron Village.	16.	Wells
60	Pheasant Hill.	150.	Wells
61	Pine Bush Water District.	1500.	Wells
62	Pine Island Water Company.	50.	Wells
63	Port Jervis City.	8500.	Reservoirs
64	Ridgebury Lake Acres.	60.	Wells
65	Robin Meadows.	126.	Wells
66	Rural Ridge Water District.	300.	Wells
67	Scheller Water Supply.	25.	Wells
68	Scotchtown Park.	180.	Wells
69	Scott Acres.	120.	Wells
70	Skyview Hills.	450.	Wells

ID NO	COMMUNITY WATER SYSTEM	POPULATION	SOURCE
Municipal Community			
71	Slate Hill (Green)	40	Wells
72	Squirrel Hills	78	Wells
73	Star Industries	NA	Wells
74	Stone Hedge Water Company	160	Wells
75	Sugar Loaf Hills	125	Wells
76	Surrey Meadow Water District	900	Wells
77	Tappan Homes	536	Wells
78	Tuxedo Park Village	1800	We-Wah Lake
79	Unionville Village	576	Wells
80	Walden Village	5500	Wells
81	Wallkill Heights	48	Wells
82	Wallkill Water District #1	12000	Wells
83	Walton Lake Estates	500	Wells
84	Warwick Village	4320	Warwick Reservoir
85	Washingtonville Village	NA	Wells
86	Wawayanda Development Corporation	125	Wells
87	West Side Greenwood Lake Water District	1800	Wells
88	Whitlock Farms	120	Wells
89	Wickham Village	1100	Wells
90	Woodbury Water District #1	4500	Wells
91	Woodbury Water District #6 (Amdor Park)	360	Wells
92	Woodland Acres	100	Wells
Non-Municipal Community			
93	Bear Mountain State Park (Rockland Co, Page 74)		Turkey Lake, Queensboro Lake
94	Bel-Air Trailer Park	59	Wells
95	Brittany Terrace	150	Wells
96	Butler Mobile Homes	200	Wells
97	Campbell Water Supply	35	Wells
98	Candlestick Mobile Park	324	Wells
99	Castle High Trailer Park	130	Wells
100	Crystal Run Village Inc.	100	Wells
101	Dicker's Bungalow Colony	30	Wells
102	Dombal Trailer Park	70	Wells
103	Donovan's Place	20	Wells
104	Doodletown Water System (Rockland Co, Page 74)		Queensboro Lake
105	Fair Mead Farm	15	Wells
106	Fairlawn Mobile Village	60	Wells
107	Falkirk Hospital	45	Wells
108	Fancher Trailer Court	55	Wells
109	Federal Correctional Institute	500	Wells
110	Gillen Trailer Park	16	Wells
111	Goshen Center for Boys	250	Wells
112	Greenwood Mobile Home Court	125	Wells
113	H A Harris, Inc.	25	Wells
114	Hampton Realty Trailer Park	23	Wells
115	Hill and Dale Mobile Home Park	55	Wells
116	Hilltop Haven Trailer Park	NA	Wells
117	Hogencamps Trailer Court	6	Wells
118	Holiday Mobile Park Inc.	225	Wells
119	Hudson Valley Trailer Park	25	Wells
120	Hudson View Terrace (Lower Section)	120	Wells
121	Hudson View Terrace (Upper Section)	150	Wells
122	Huguenot Estates East	125	Wells
123	K & M Mobile Home Park	46	Wells
124	Kaylake Lodge	30	Wells
125	Kimball Farms	83	Wells
126	Lage Country Homes	NA	Wells
127	Lamplight Village	260	Wells
128	M G U Realty	NA	Wells
129	Mary Crest Convent	40	Wells
130	Mason's Trailer Park & Apartments	60	Wells
131	Mid-Hudson Psychiatric Center	400	Reservoir
132	Mid-Lake Park	15	Wells
133	Mid-Orange Correctional Facility	1200	Wells
134	Montgomery Nursing Home	100	Wells
135	Mt Airy Trailer Court	240	Wells

D.9

New York State Department of Environmental Conservation
Information Services
Wildlife Resources Center
Delmar, New York 12054



Thomas C. Jorling
Commissioner

May 2, 1989

Norman W. Hinsey
Gibbs and Hill, Inc.
11 Penn Plaza
New York, N.Y. 10001-2059

Dear Mr. Hinsey:

We have reviewed the Significant Habitat Program and the Natural Heritage Program files with respect to fourteen (14) inactive hazardous waste sites in various counties in New York State.

We have identified the following potential concerns:

1. Cardwell Condenser Corp. Site - Bay Shore West quadrangle -
There is a designated Significant Coastal Fish and Wildlife Habitat (SCFWH) in Great South Bay. The Great South Bay SCFWH has records of Least tern (*Sterna antillarum*), a federally-listed endangered species. A brief report on this site is enclosed. This site is officially designated under the New York State Department of State's Coastal Management Program; coastal consistency requirements have to be met for projects that might adversely impact the habitat, whether or not the project is actually within the designated area. More information regarding this designation and the consistency requirements may be obtained by contacting:

Mr. Thomas Hart, NYS Dept. of State, Coastal Management Program
162 Washington Ave., Albany, N.Y. 12231 (518) 474-3642

There are four historic records of rare plants in this area.
(see enclosed list for occurrences on the Bay Shore West quadrangle).
None of these species are federally-listed.


2. Site 356013, Poughkeepsie quadrangle -
The Poughkeepsie Deepwater Habitat SCFWH is officially designated under the Coastal Management Program described above. The same Coastal consistency requirements apply to this site. This SCFWH includes habitat for Shortnose sturgeon (*Acipenser brevirostrum*), a federally-listed endangered species. A brief report describing this site is enclosed.

There are three historic records of rare plants in this area
(see enclosed list for occurrences on the Poughkeepsie quadrangle).
None of these species are federally-listed.

3. Hercules site, Kingston East quadrangle -
This site is within a deer wintering area (Sig. Hab. #DC56-101), a significant wildlife habitat.
4. Site 344028, Sloatsburg Quad -
There is a 1977 report of bog turtle (Clemmys muhlenbergii), a state-endangered species, within 1 mile of the site (see enclosed list).
5. Cornwall Landfill, site #336011, Cornwall quadrangle -
There are three significant wildlife habitats in the vicinity, a waterfowl concentration area, a raptor concentration area, and an anadromous fish concentration area. (see enclosed list).
6. Site 314062, Copake quadrangle -
There is an occurrence of a rare wetland community, a rich shrub fen, in the vicinity (see enclosed list).
7. C & D Batteries, site #336001, Port Jervis North quadrangle -
There are records of copperhead (Agkistrodon contortrix, Heritage rank of S3) and timber rattlesnake (Crotalus horridus, ranked S3), a state-threatened species in the vicinity. There are also significant occurrences of two communities: Appalachian calcareous rocky summit and hemlock northern hardwood forest (see enclosed list).
8. East Greenbush Landfill, East Greenbush quadrangle -
The Papscaene Marsh and Creek SCFWH is officially designated under the Coastal Management Program described above. The same coastal consistency requirements apply to this site. A brief report describing this site is enclosed.

We did not identify any other potential impacts on endangered, threatened or special concern wildlife species, rare animal or natural community occurrences, or other significant habitats on or adjacent to the other six sites.

Our files are continually growing as new habitats and occurrences of rare species and communities are discovered. In most cases, site-specific or comprehensive surveys for plant and animal occurrences have not been conducted. For these reasons, we can only provide data which have been assembled from our files. We cannot provide a definitive statement on the presence or absence of species, habitats or natural communities. This information should not be substituted for on-site surveys that may be required for environmental assessment.



This response applies only to known occurrences of rare animals, plants and natural communities and/or significant wildlife habitats. You should contact our regional offices(s), Division of Regulatory Affairs, at the address(es) enclosed for information regarding any regulated areas or permits that may be required (e.g., regulated wetlands) under State law.

If this project is still active one year from now we recommend that you contact us again so that we may update this response.

If we can be of further assistance please do not hesitate to contact us.

Sincerely,

Carol Reschke

Carol Reschke
Community Ecologist
NY Natural Heritage Program

CR:jp
Encs.

cc: T. Hart
R. Miller
A. Breisch
H. Knoch, Reg. 1
G. Cole, Reg. 3
Q. VanNortwich, Reg. 4
J. Proud, Reg. 7

CD 002656

V-46

WASO-34
(May 1987)

DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE
TRANSMITTAL STATEMENT

D.10

From: National Register of Historic Places
(In reply refer to) National Park Service, P.O. Box 37127
413 Department of the Interior
Washington, D.C. 20013-7127

Date 31 March 1989

To: Norman Hinsey
Gibbs and Hill
11 Penn Plaza
New York, NY 10001
L

We are enclosing:
 We are sending under separate cover.

NUMBER	ITEM	DESCRIPTION
2	Print-outs, Properties listed and determined eligible for listing in New York	

COMMENTS

If we can be of further assistance, please call us at 202-343-9559.

NAME AND TITLE Debbie Kraybill **SIGNATURE** *Debbie Kraybill* **CD 002657**

V-47

Highland Falls Church of the Holy Innocents and Rectory [Hudson Highlands MRA] 112 Main St. Reference No. 82001213	Listed 11/23/82
First Presbyterian Church of Highland Falls [Hudson Highlands MRA] 140 Main St. Reference No. 82001216	Listed 11/23/82
Highland Falls Railroad Depot [Hudson Highlands MRA] Dock Rd. Reference No. 82001218	Listed 11/23/82
Highland Falls Village Hall [Hudson Highlands MRA] Main St. Reference No. 82001219	Listed 11/23/82
House at 116 Main Street [Hudson Highlands MRA] 116 Main St. Reference No. 82001221	Listed 11/23/82
House at 37 Center Street [Hudson Highlands MRA] 37 Center St. Reference No. 82001220	Listed 11/23/82
Parry House [Hudson Highlands MRA] Michel Rd. Reference No. 82001223	Listed 11/23/82
Pine Terrace [Hudson Highlands MRA] Main St. Reference No. 82001224	Listed 11/23/82
Squirrels, The [Hudson Highlands MRA] 225 Main St. Reference No. 82001226	Listed 11/23/82
Stonihurst [Hudson Highlands MRA] NY 218 Reference No. 82001228	Listed 11/23/82
Webb Lane House [Hudson Highlands MRA] Webb Lane Reference No. 82001230	Listed 11/23/82
Highland Mills Smith Clove Meetinghouse Quaker Rd. Reference No. 74001290	Listed 01/11/74
Highlands Cragston Dependencies [Hudson Highlands MRA] NY 218 Reference No. 82001214	Listed 11/23/82
Storm King Highway [Hudson Highlands MRA] NY 218 Reference No. 82001229	Listed 11/23/82
/brook Blake, John, House (The Blake House) 924 Homestead Ave. Reference No. 84000521	Listed 12/20/84
Middletown Oliver Avenue Bridge	Listed

CD 002658

Telephone Conversation Record

Date: 8/23/89Time: 14:28

Call by: A. Longoria of Gibbs & Hill, Inc.
 (Name) (Company)

Answer by: Mr. Jim Garvey of Supervisor of Town of
 (Name) Deer Park, N.Y.
 (Company)

Contract No: 5583-067

Subject discussed: Irrigation of land in the Towns of Deerpark and
Hvegonot, N.Y. within a three mile radius of the
C&D Charter Power Systems Plant

 SUMMARY OF DISCUSSION, DECISIONS AND COMMITMENTS

Mr. Garvey informed A. Longoria that there is no known irrigation occurring throughout the area. The Town of Deerpark does not have any documentation of irrigation taking place in the Region. In addition, Mr. Garvey in response to agricultural land use, informed A. Longoria that there was only one active farm in the region. The farm is located on Route 209 along the border of Port Jervis. The farm is situated more than 3 miles from the site.


Telephone Conversation Record

Date: 8/01/89Time: 1400 Hrs.Call by: A. Longoria of Gibbs & Hill, Inc.
(Name) (Company)Answer by: Mr. Decker of Port Jervis City
(Name) (Company)
Water DepartmentContract No: 5583-067Subject discussed: Boundaries of Water Department and people
serviced-----
SUMMARY OF DISCUSSION, DECISIONS AND COMMITMENTS

Mr. Decker informed A. Longoria that the Port Jervis City Water Department only service people in Port Jervis. The boundary is the Port Jervis city limits. People outside this area use private wells. The Water Department draws water from reservoir nos. 1,2&3 north of the city. Approximately 8,800 people are served.

FRESHWATER WETLANDS MAP

C&D BATTERIES SITE



PN-30

FIGURE

COORDINATES:

LONGITUDE: 41° 25' 10"

LATITUDE: 74° 37' 45"


NEW YORK STATE

DEPARTMENT OF TRANSPORTATION

PORT JERVIS NORTH QUADRANGLE

SECOND EDITION - 1973

SCALE 1:24 000



CD 002661

GIBBS & HILL, INC.

USGS HOUSE COUNT

C&D BATTERIES

Radius	Quadrant				Subtotal	Population
	I	II	III	IV		
0-1/4	0	20	18	0	38	
1/4-1/2	0	33	38	0	71	
1/2-1	<u>7</u>	<u>32</u>	<u>36</u>	<u>110</u>	<u>110</u>	
0-1	7	85	92	35	219	832
1-2	100	25	189	4	318	
0-2					537	2,040
2-3	156	26	137	48	367	
0-3					904	3,435
						+ <u>201</u> (3)
						3,636
3-4	142	54	28	63	287	1,090
0-4						4,726

Notes:

- 1) The number of residences for each radius is determined by overlaying a coordinates system onto a USGS 7.5-minute topographic map.
- 2) A multiplier of 3.8 persons per residence is used to determine population in accordance with Mitre Model 1985.
- 3) Population using noncommunity water system [7]

Painted Apron Village:	16
Fairlawn Mobile Village:	60
Huguenot Estates:	<u>125</u>

Total	201
-------	-----

CD 002662

E. EPA SITE INSPECTION FORM

APPENDIX B
FIELD DATA

1. Slug Test

The slug test was performed to determine the hydraulic conductivity of the saturated zone. A standard method of performing a slug test is to instantaneously drop a clean weight down the well to displace the water and measure the water level as it returns to its original level. The weight used was a dedicated teflon bailer with a disposable propylene suspension cord filled with distilled water. The weight was lowered below the water level.

The rate of the groundwater level change was recorded by measuring the depth to the water below the top of the casing as a function of time after the start of the test until the original level of the water table is restored. Because the soil is highly permeable, the original level of the water table restored rapidly. The recovery of the groundwater level was achieved in under 5 seconds.

Groundwater elevation was measured and recorded prior to any testing. All water elevation measurements was performed with an electronic water level indicator.

CD 002665

The Hvorslev method was used to calculate the permeability, K
(cm/sec):

$$K = [r^2 \ln L/R] / [2LT_0]$$

Where:

r = radius of a PVC riser, cm

L = length of screen beneath static water level, cm

R = radius of sand pack, cm

T₀ = elapsed time, t, at (H-h)/(H-H₀) = 0.37 sec.

H = reference datum, cm

H₀ = water level at equilibrium, cm

h = water level at time t, cm

t = elapsed time, sec.

(R. Allan Freeze and J.A. Cherry, Groundwater, Prentice
Hall Inc., pg. 339)

CONDUCTIVITY TEST DATA

Site Name: C&D Power System
Date: 1/18/89

<u>Well No.</u>	<u>Depth to Water, ft.*</u>	<u>Conductivity, cm/sec.</u>
MW-6	29.00	7×10^{-3}
MW-7	18.92	7×10^{-3}
MW-8	20.00	6×10^{-3}
MW-9	21.17	7×10^{-3}
MW-10	28.66	7×10^{-3}

* Depth to water refers to feet below surface

CD 002667

MONITORING WELL & WATER LEVEL DATA
C & D CHARTER POWER SYSTEMS
HUGUENOT, NEW YORK

						26 JUNE 1988	
MONITORING WELL	TOTAL DEPTH OF WELL	SCREENED INTERVAL	ELEVATION OF GROUND SURFACE	TOP OF RISER ELEVATION	DEPTH TO WATER	WATER LEVEL ELEVATION	
MW-1	32'	22-32'	472.46	472.27	27.55	444.72	
MW-4	40'	30-40'	472.75	472.36	30.00	442.36	
MW-5	45'	31-41'	470.23	473.00	29.69	443.31	
MW-6	43'	33-43'	470.77	472.37	30.25	442.12	
MW-7	29'	19-29'	460.65	461.18	18.80	442.29	
MW-8	33'	23-33'	461.35	463.40	21.90	441.50	
MW-9	33'	23-33'	462.15	464.70	22.95	441.75	
MW-10	35'	25-35'	462.21	464.75	23.10	441.65	
MW-11	34'	DNA	471.42	473.71	29.94	443.77	
MW-12	50'	45-50'	471.30	473.95	30.43	443.52	
MW-13	37'	27-37'	470.00	472.86	29.06	443.80	

NOTES: 1) Elevation is mean sea level in feet, using National Geodetic Datum of 1929.
2) Depth to water refers to feet below top of inner casing.
3) DNA - data not available.

(EMR - Northeast, C&D Charter Power Systems Septic Leach Field Investigation, September 1988)

CD 002668

FIELD SURVEY VISIT REPORT

SITE: C+D Batteries

DATE: Nov. 10, 1988

CHIEF OF PARTY: H. Yuen

SURVEY PARTY:

H. Yuen
J. M. Williams

HAZARD:

Level D Protection

WEATHER:

Cloudy and rainy in afternoon
45°F

PERSONNEL AT SITE:

Survey Party

NUMBER OF WELLS: _____
NUMBER OF BORINGS: 13
OTHER: _____

SURVEY DATA:

Horizontal Control, Reference Plane: _____

Arbitrary

Vertical Control, Datum: _____


Arbitrary

Bench Mark TBM-1 Elev. 500.00' (see sketch)

COMMENTS:

Unable to locate USCGS BM in field. Established arbitrary bench mark - 'U' cut at NE corner of concrete slab at main entrance. Survey crew was not equipped with keys for the well. Elevations were taken on top of the cap.

STORCH ASSOCIATES
30 Jericho Executive Plaza
Jericho, New York 11753



**C&D BATTERIES
NYSDEC #336001**

NOTES:

All elevations are in an arbitrary system. Distances between wells are shown to the nearest foot. Tie distances are shown to the nearest one hundredth of a foot. Elevations labeled "TC" are representative of the top of the well casing. "GR" refers to ground elev.

STUCK
NO OTHER EXECUTIVE PLANS
2007-2011

Gibbs & Hill, Inc.

JOB NO.: 5583-

CLIENT: NYSDEC

SITE NAME: C & D BATTERIES

SUBJECT: Determination of Permeability of Soil in Situ

DATE OF TEST: WELL NO.: MW-6

REF: J. Cherry & R. Freeze, GROUNDWATER, Prentice-Hall, 1979.

TYPE OF TEST: SLUG TEST

METHOD:

$$K = \frac{r^2 \ln(L/R)}{2LT_0}$$

T₀ = elapsed time at
(H-h)/(H-H₀) = 0.37 (sec)

K = permeability (cm/sec)

r = radius of standpipe (cm)

L = length of screen beneath static water level (cm)

R = radius of sand pack (cm)

T = basic time lag (sec)

H₀ = reference datum (cm)

H = water level at equilibrium (cm)

h = water level at time t (cm)

t = elapsed time (sec)

WELL DATA:

r = 2.54 cm.

L = 304.8 cm.

R = 13.02 cm.


T₀ = 5 sec.

CALCULATION:

$$K = \frac{(2.54)^2 \ln(304.8/13.02)}{2(304.8)(5)} = 7 \times 10^{-3} \text{ cm/sec}$$

TEST DATA:

(H-h) (H-H ₀)	t
0.1	1.0
0.2	1.0
0.3	1.0
0.4	1.0
0.5	1.0
0.6	1.0
0.7	1.0
0.8	1.0
0.9	1.0



CD 002671

HEAD RATIO (H-h)/(H-H₀)

15 SEC

10

5

0.1

0.2

0.3

0.4

0.5

0.6

0.7

0.8

0.9

1.0

46 6212

Gibbs & Hill, Inc.

JOB NO.: 5583-

CLIENT: NYSDEC

SITE NAME: C & D BATTERIES

SUBJECT: Determination of Permeability of Soil in Situ

DATE OF TEST:

WELL NO.: M-7

REF.: J. Cherry & R. Freeze, GROUNDWATER, Prentice-Hall, 1979.

TYPE OF TEST: SLUG TEST

METHOD:

$$K = \frac{r^2 \ln(L/R)}{2LT_0}$$

K = permeability (cm/sec)

r = radius of standpipe (cm)

L = length of screen beneath static water level (cm)

R = radius of sand pack (cm)

T = basic time lag (sec)

T₀ = elapsed time at (H-h)/(H-H₀) = 0.37 (sec)

H₀ = reference datum (cm)

H = water level at equilibrium (cm)

h = water level at time t (cm)

t = elapsed time (sec)

WELL DATA:

r = 2.54 cm.

L = 304.8 cm.

R = 13.02 cm.

T₀ = 5 sec.


CALCULATION:

$$K = \frac{(2.54)^2 \ln(304.8/13.02)}{2(304.8)(5)} = 7 \times 10^{-3} \text{ cm/sec}$$

TEST DATA:

t	(H-h)/(H-H ₀)
0	1
5	0.37

CD 279200



Gibbs & Hill, Inc. JOB NO.: 5583- CLIENT: NYSDEC

SITE NAME: C+D Bakers

DATE OF TEST: WELL NO.: MJ-8

SUBJECT: Determination of Permeability of Soil in Situ

REF.: J. Cherry & R. Freeze, GROUNDWATER, Prentice-Hall, 1979.

METHOD:
$$K = \frac{r^2 \ln(L/R)}{2LT_0}$$


K = permeability (cm/sec)
r = radius of standpipe (cm)
L = length of screen beneath static water level (cm)
R = radius of sand pack (cm)
T₀ = basic time lag (sec)

T₀ = elapsed time at (H-h)/(H-H₀) = 0.37 from best fit line obtained from test data.(sec)
H = reference datum (cm)
H₀ = water level at equilibrium (cm)
h = water level at time t (cm)
t = elapsed time (sec)

WELL DATA:
r = 2.54 cm.
L = 304.8 cm.
R = 13.02 cm.
T₀ = 6 sec.

CALCULATION:
$$K = \frac{(2.54)^2 \ln(304.8/13.02)}{2(6)(6)} = 6 \times 10^{-3} \text{ cm/sec}$$

TEST DATA:	
t	(H-h)/(H-H ₀)
0	1
5	.44
30	.0



Gibbs & Hill, Inc. JOB NO.: 5583- CLIENT: NYSDEC SITE NAME: C + D Battenio

SUBJECT: Determination of Permeability of Soil in Situ DATE OF TEST: WELL NO.: MD-9

REF.: J. Cherry & R. Freeze, GROUNDWATER, Prentice-Hall, 1979. TYPE OF TEST: Slug

METHOD:

$$K = \frac{r^2 \ln(L/R)}{2LT_0}$$

$$K = \frac{(H-h)/(H-H_0)}{t - T_0}$$


K = permeability (cm/sec)
 r = radius of standpipe (cm)
 L = length of screen beneath static water level (cm)
 R = radius of sand pack (cm)
 T₀ = basic time lag (sec)

T₀ = elapsed time at (H-h)/(H-H₀) = 0.37 from best fit line obtained from test data. (sec)
 H = reference datum (cm)
 H₀ = water level at equilibrium (cm)
 h = water level at time t (cm)
 t = elapsed time (sec)

WELL DATA:
 r = 2.54 cm.
 L = 304.8 cm.
 R = 13.02 cm.
 T₀ = 5 sec.

CALCULATION:

$$K = \frac{(0.5)^2 \ln(304.8/13.02)}{2(3.14)(5)} = 7 \times 10^{-3} \text{ cm/sec}$$



CD 002674

APPENDIX C
SAMPLING AND ANALYSIS

C.1 PROCEDURES

1. Sampling Methodology

The sampling plan was prepared by Gibbs & Hill as a part of the updated work plan. It identifies the number of each sample type to be collected, and describes collection methods to be utilized. The sampling plan specifies each sampling location and gives a sketch with roughly indicated sampling locations for illustrative purpose. The sampling locations were given code numbers for identification.

In order to ensure a smooth and proper sampling process in the field, the following preparations and steps were taken:

- Coordination with the laboratory to ensure adequate number of laboratory cleaned containers were provided, with the necessary preservatives according to the appropriate protocols.
- All instruments to be used in the field were checked to ensure working order. All instruments were calibrated before going to the site.
- Sampling equipment was cleaned in accordance with cleaning procedure outlined in the Page C-4.

During the sampling events the following elements were implemented:

- Chain of custody procedures were followed.
- Accurate sampling log was maintained.
- No sampling containers other than those provided by the laboratory were used.
- A field blank and a trip blank accompanied aqueous samples.
- Prior to sampling, laboratory supplied deionized water was poured over sampling equipment and collected into field blank bottles.
- Well purging was performed. A minimum of three well volumes of water were evacuated.
- Prior to filling the sample bottles, the groundwater was analyzed for temperature, specific conductance and pH.
- Groundwater sample collection occurred right after well development. Samples were collected from the inertial pump except samples for VOA. Dedicated teflon bailer with disposable polypropylene suspension cords were used to collect samples for VOA. Care was taken to minimize the potential for volatilization during the transfer of the sample from the bailer to the bottle. No headspace or air bubbles were allowed in these samples.



Site Inspection Report

CD 002678



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 1 - SITE LOCATION AND INSPECTION INFORMATION

I. IDENTIFICATION

01 STATE | 02 SITE NUMBER
NYD | 064337298

II. SITE NAME AND LOCATION

01 SITE NAME (Legal, common, or descriptive name of site) C&D Batteries (C&D Charter Power Systems)		02 STREET, ROUTE NO., OR SPECIFIC LOCATION IDENTIFIER Route 209			
03 CITY Huguenot		04 STATE NY	05 ZIP CODE 12746	06 COUNTY Orange	07 COUNTY CODE
08 COORDINATES LATITUDE 41. 25. 10" LONGITUDE 74. 37. 45"		10 TYPE OF OWNERSHIP (Check one) <input checked="" type="checkbox"/> A. PRIVATE <input type="checkbox"/> B. FEDERAL <input type="checkbox"/> C. STATE <input type="checkbox"/> D. COUNTY <input type="checkbox"/> E. MUNICIPAL <input type="checkbox"/> F. OTHER <input type="checkbox"/> G. UNKNOWN			

III. INSPECTION INFORMATION

01 DATE OF INSPECTION 07, 21, 88 MONTH DAY YEAR	02 SITE STATUS <input type="checkbox"/> ACTIVE <input checked="" type="checkbox"/> INACTIVE	03 YEARS OF OPERATION BEGINNING YEAR _____ ENDING YEAR _____ <input checked="" type="checkbox"/> UNKNOWN
---	---	--

04 AGENCY PERFORMING INSPECTION (Check all that apply)

A. EPA B. EPA CONTRACTOR C. MUNICIPAL D. MUNICIPAL CONTRACTOR
 E. STATE F. STATE CONTRACTOR Gibbs & Hill, Inc. G. OTHER _____

05 CHIEF INSPECTOR Alex Kostic	06 TITLE Senior Environmental Engineer	07 ORGANIZATION Gibbs & Hill	08 TELEPHONE NO. (212) 216-6630
09 OTHER INSPECTORS Albert Longoria	10 TITLE Geologist	11 ORGANIZATION Gibbs & Hill	12 TELEPHONE NO. (212) 216-6633
			()
			()
			()
			()

13 SITE REPRESENTATIVES INTERVIEWED Michael Langan	14 TITLE Env. Project Engr.	15 ADDRESS C&D Charter Power Systems Route 209, Huguenot, NY	16 TELEPHONE NO. (514) 856-4466
			()
			()
			()
			()
			()

17 ACCESS GAINED BY (Check one) <input checked="" type="checkbox"/> PERMISSION <input type="checkbox"/> WARRANT	18 TIME OF INSPECTION 0900 hrs.	19 WEATHER CONDITIONS Partly cloudy and hot around 80°F
---	------------------------------------	--

IV. INFORMATION AVAILABLE FROM

01 CONTACT Norman Hinsey	02 OF (Agency/Organization) Gibbs & Hill, Inc.	03 TELEPHONE NO. (212) 216-7839
04 PERSON RESPONSIBLE FOR SITE INSPECTION FORM Alex Kostic	05 AGENCY Gibbs & Hill	06 ORGANIZATION Gibbs & Hill
	07 TELEPHONE NO. 212/216-7839	08 DATE 8, 21, 89 MONTH DAY YEAR



**POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 2 - WASTE INFORMATION**

I. IDENTIFICATION

01 STATE NYD 02 SITE NUMBER 064337298

II. WASTE STATES, QUANTITIES, AND CHARACTERISTICS

01 PHYSICAL STATES (Check all that apply)

A. SOLID
 B. POWDER, FINES
 C. SLUDGE

D. OTHER _____
(Specify)

E. SLURRY
 F. LIQUID
 G. GAS

02 WASTE QUANTITY AT SITE
(Measurements of waste quantities must be independent)

TONS _____

CUBIC YARDS _____

NO. OF DRUMS _____

03 WASTE CHARACTERISTICS (Check all that apply)

A. TOXIC
 B. CORROSIVE
 C. RADIOACTIVE
 D. PERSISTENT

E. SOLUBLE
 F. INFECTIOUS
 G. FLAMMABLE
 H. IGNITABLE

I. HIGHLY VOLATILE
 J. EXPLOSIVE
 K. REACTIVE
 L. INCOMPATIBLE
 M. NOT APPLICABLE

III. WASTE TYPE

CATEGORY	SUBSTANCE NAME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS
SLU	SLUDGE			
OLW	OILY WASTE			
SOL	SOLVENTS			
PSD	PESTICIDES			
OCC	OTHER ORGANIC CHEMICALS			
IOC	INORGANIC CHEMICALS	unknown		
ACD	ACIDS			
BAS	BASES			
MES	HEAVY METALS			

IV. HAZARDOUS SUBSTANCES (See Appendix for most frequently used CAS Numbers)

01 CATEGORY	02 SUBSTANCE NAME	03 CAS NUMBER	04 STORAGE/DISPOSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION
IOC	Fluorides		Conveyed into lagoon	unknown	

V. FEEDSTOCKS (See Appendix for CAS Numbers)

CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER	CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER
FDS			FDS		
FDS			FDS		
FDS			FDS		
FDS			FDS		

VI. SOURCES OF INFORMATION (Cite specific references, e.g., state files, reports, studies, records)

Site reconnaissance
NYSDEC and NYSDOH files

CD 002680



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

L IDENTIFICATION
01 STATE NYD 02 SITE NUMBER 064337298

II. HAZARDOUS CONDITIONS AND INCIDENTS

01 A. GROUNDWATER CONTAMINATION 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
03 POPULATION POTENTIALLY AFFECTED: 3,636 04 NARRATIVE DESCRIPTION

Site has no liner and is upgradient to local groundwater recharge area.

01 B. SURFACE WATER CONTAMINATION 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION

Site has a sound diking system and is approximately 200 feet from surface water.

01 C. CONTAMINATION OF AIR 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION

No detection of contamination of air using PID during G&H site reconnaissance and sampling event.

01 D. FIRE/EXPLOSIVE CONDITIONS 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION

None noted during site reconnaissance and sampling.

01 E. DIRECT CONTACT 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION

No direct contact has been documented causing injury to humans or animals. A chain link fence completely surrounds the facility and restricts entry at all times.

01 F. CONTAMINATION OF SOIL 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
03 AREA POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION

Waste liquids were conveyed into lagoon. No soil analyses were obtained by G&H. Soil sample analyses conducted in 1982 showed high concentration of fluoride.

01 G. DRINKING WATER CONTAMINATION 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
03 POPULATION POTENTIALLY AFFECTED: 3,636 04 NARRATIVE DESCRIPTION

Within a 3-mile radius.

01 H. WORKER EXPOSURE/INJURY 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
03 WORKERS POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION

No worker exposure/injury has been documented.

01 I. POPULATION EXPOSURE/INJURY 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
03 POPULATION POTENTIALLY AFFECTED: None 04 NARRATIVE DESCRIPTION

None known. Site is closed.



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

L IDENTIFICATION
01 STATE 02 SITE NUMBER
NYD 064337298

II. HAZARDOUS CONDITIONS AND INCIDENTS *(Continued)*

01 J. DAMAGE TO FLORA 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION

None noted or reported.

01 K. DAMAGE TO FAUNA 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION *(specify number(s) of species)*

None noted or reported.

01 L. CONTAMINATION OF FOOD CHAIN 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION

None noted or reported.

01 M. UNSTABLE CONTAINMENT OF WASTES 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
(Spills/Leaks, Standing liquids, Leaking drums)
03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION

None

01 N. DAMAGE TO OFFSITE PROPERTY 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION

None noted or reported.

01 O. CONTAMINATION OF SEWERS, STORM DRAINS, WWTPs 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION

None reported or noted.

01 P. ILLEGAL/UNAUTHORIZED DUMPING 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION

None reported or noted.

05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR ALLEGED HAZARDS

None noted or reported.

III. TOTAL POPULATION POTENTIALLY AFFECTED: _____

IV. COMMENTS

Most obvious threat would be to groundwater supply and population utilizing groundwater.

V. SOURCES OF INFORMATION *(City specific references, e.g., city files, sample analyses, reports)*

Site reconnaissance
NYSDEC and NYSDOH files

CD 002682



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION
PART 4 - PERMIT AND DESCRIPTIVE INFORMATION

L IDENTIFICATION
01 STATE NYD 02 SITE NUMBER 064337298

II. PERMIT INFORMATION

01 TYPE OF PERMIT ISSUED <i>(Check all that apply)</i>	02 PERMIT NUMBER	03 DATE ISSUED	04 EXPIRATION DATE	05 COMMENTS
<input type="checkbox"/> A. NPDES				
<input type="checkbox"/> B. UIC				
<input type="checkbox"/> C. AIR				
<input type="checkbox"/> D. RCRA				
<input type="checkbox"/> E. RCRA INTERIM STATUS				
<input type="checkbox"/> F. SPCC PLAN				
<input type="checkbox"/> G. STATE <i>(Specify)</i>				
<input type="checkbox"/> H. LOCAL <i>(Specify)</i>				
<input type="checkbox"/> I. OTHER <i>(Specify)</i>				
<input checked="" type="checkbox"/> J. NONE				

III. SITE DESCRIPTION

01 STORAGE/DISPOSAL <i>(Check all that apply)</i>	02 AMOUNT	03 UNIT OF MEASURE	04 TREATMENT <i>(Check all that apply)</i>	05 OTHER
<input type="checkbox"/> A. SURFACE IMPOUNDMENT	_____	_____	<input type="checkbox"/> A. INCINERATION	<input checked="" type="checkbox"/> A. BUILDINGS ON SITE
<input type="checkbox"/> B. PILES	_____	_____	<input type="checkbox"/> B. UNDERGROUND INJECTION	
<input type="checkbox"/> C. DRUMS, ABOVE GROUND	_____	_____	<input type="checkbox"/> C. CHEMICAL/PHYSICAL	06 AREA OF SITE <u>Approx. 10</u> (Acres)
<input type="checkbox"/> D. TANK, ABOVE GROUND	_____	_____	<input type="checkbox"/> D. BIOLOGICAL	
<input type="checkbox"/> E. TANK, BELOW GROUND	_____	_____	<input type="checkbox"/> E. WASTE OIL PROCESSING	
<input type="checkbox"/> F. LANDFILL	_____	_____	<input type="checkbox"/> F. SOLVENT RECOVERY	
<input type="checkbox"/> G. LANDFARM	_____	_____	<input type="checkbox"/> G. OTHER RECYCLING/RECOVERY	
<input type="checkbox"/> H. OPEN DUMP	_____	_____	<input checked="" type="checkbox"/> H. OTHER <u>Neutralization</u> <i>(Specify)</i>	
<input checked="" type="checkbox"/> I. OTHER <u>Lagoon</u> <i>(Specify)</i>	<u>unknown</u>	_____		

07 COMMENTS

The spent hydrofluoric acid was conveyed to two neutralization tanks and neutralized with lime.

IV. CONTAINMENT

01 CONTAINMENT OF WASTES *(Check one)*

A. ADEQUATE, SECURE B. MODERATE C. INADEQUATE, POOR D. INSECURE, UNSOUND, DANGEROUS

02 DESCRIPTION OF DRUMS, DUKING, LINERS, BARRIERS, ETC.

The lagoon was constructed in gravel, and its seepage capabilities allowed not more than 2 feet of standing liquid on the bottom of the lagoon.

V. ACCESSIBILITY

01 WASTE EASILY ACCESSIBLE: YES NO

02 COMMENTS

Site fenced in.

VI. SOURCES OF INFORMATION *(Can include references, e.g., EPA files, agency reports, reports)*

Site reconnaissance
NYSDEC and NYSDOH files



**POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 5 - WATER, DEMOGRAPHIC, AND ENVIRONMENTAL DATA**

I IDENTIFICATION
01 STATE: NYD 02 SITE NUMBER: 064337298

II. DRINKING WATER SUPPLY

01 TYPE OF DRINKING SUPPLY <i>(Check all applicable)</i>		02 STATUS			03 DISTANCE TO SITE	
COMMUNITY	SURFACE A. <input type="checkbox"/>	WELL B. <input type="checkbox"/>	ENDANGERED A. <input type="checkbox"/>	AFFECTED B. <input type="checkbox"/>	MONITORED C. <input type="checkbox"/>	A. _____ (mi)
NON-COMMUNITY	C. <input type="checkbox"/>	D. <input type="checkbox"/>	D. <input type="checkbox"/>	E. <input type="checkbox"/>	F. <input type="checkbox"/>	B. <u>0.019</u> (mi)

III. GROUNDWATER

01 GROUNDWATER USE IN VICINITY *(Check one)*

A. ONLY SOURCE FOR DRINKING B. DRINKING *(Other sources available)*
COMMERCIAL, INDUSTRIAL, IRRIGATION *(No other water sources available)*

C. COMMERCIAL, INDUSTRIAL, IRRIGATION *(Ground water sources available)* D. NOT USED, UNUSEABLE

02 POPULATION SERVED BY GROUND WATER: 3,636

03 DISTANCE TO NEAREST DRINKING WATER WELL: 0.019 (mi)

04 DEPTH TO GROUNDWATER: 18.67 (ft)

05 DIRECTION OF GROUNDWATER FLOW: southeast

06 DEPTH TO AQUIFER OF CONCERN: 18.67 (ft)

07 POTENTIAL YIELD OF AQUIFER: unknown (gpd)

08 SOLE SOURCE AQUIFER: YES NO

09 DESCRIPTION OF WELLS *(including depths, depths, and location relative to population and buildings)*

No data available

10 RECHARGE AREA		11 DISCHARGE AREA	
<input checked="" type="checkbox"/> YES	COMMENTS: The largest source of recharge is the Neversink River.	<input type="checkbox"/> YES	COMMENTS:
<input type="checkbox"/> NO		<input checked="" type="checkbox"/> NO	

IV. SURFACE WATER

01 SURFACE WATER USE *(Check one)*

A. RESERVOIR, RECREATION DRINKING WATER SOURCE B. IRRIGATION, ECONOMICALLY IMPORTANT RESOURCES C. COMMERCIAL, INDUSTRIAL D. NOT CURRENTLY USED

02 AFFECTED/POTENTIALLY AFFECTED BODIES OF WATER

NAME:	AFFECTED	DISTANCE TO SITE
Tributary D-1-7 of the Neversink River	<input type="checkbox"/>	Approx. 0.028 (mi)
_____	<input type="checkbox"/>	_____ (mi)
_____	<input type="checkbox"/>	_____ (mi)

V. DEMOGRAPHIC AND PROPERTY INFORMATION

01 TOTAL POPULATION WITHIN

ONE (1) MILE OF SITE A. <u>832</u> NO. OF PERSONS	TWO (2) MILES OF SITE B. <u>2,040</u> NO. OF PERSONS	THREE (3) MILES OF SITE C. <u>3,636</u> NO. OF PERSONS	02 DISTANCE TO NEAREST POPULATION: <u>0.019</u> (mi)
---	--	--	--

03 NUMBER OF BUILDINGS WITHIN TWO (2) MILES OF SITE: 537

04 DISTANCE TO NEAREST OFF-SITE BUILDING: 0.019 (mi)

05 POPULATION WITHIN VICINITY OF SITE *(Provide narrative description of nature of population within vicinity of site, e.g., rural, village, densely populated urban area)*

Within a 3-mile radius, 3,805 people are known to be using groundwater supplies.

CD 002684



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 5 - WATER, DEMOGRAPHIC, AND ENVIRONMENTAL DATA

L IDENTIFICATION
01 STATE: NYD 02 SITE NUMBER: 064337298

VI ENVIRONMENTAL INFORMATION

01 PERMEABILITY OF UNSATURATED ZONE (Check one)

A. 10^{-8} - 10^{-6} cm/sec B. 10^{-6} - 10^{-4} cm/sec C. 10^{-4} - 10^{-2} cm/sec D. GREATER THAN 10^{-2} cm/sec

02 PERMEABILITY OF BEDROCK (Check one)

A. IMPERMEABLE (Less than 10^{-6} cm/sec) B. RELATIVELY IMPERMEABLE (10^{-6} - 10^{-4} cm/sec) C. RELATIVELY PERMEABLE (10^{-2} - 10^{-4} cm/sec) D. VERY PERMEABLE (Greater than 10^{-2} cm/sec)

03 DEPTH TO BEDROCK

10-150 (ft)

04 DEPTH OF CONTAMINATED SOIL ZONE

unknown (ft)

05 SOIL pH

unknown

06 NET PRECIPITATION

15 (in)

07 ONE YEAR 24 HOUR RAINFALL

2.5 (in)

08 SLOPE SITE SLOPE

1.0 %

DIRECTION OF SITE SLOPE

northeast

TERRAIN AVERAGE SLOPE

1.0 %

09 FLOOD POTENTIAL

SITE IS IN N/A YEAR FLOODPLAIN

10

SITE IS ON BARRIER ISLAND, COASTAL HIGH HAZARD AREA, RIVERINE FLOODWAY

11 DISTANCE TO WETLANDS (5 acre minimum)

ESTUARINE

A. N/A (mi)

OTHER

B. none (mi)

12 DISTANCE TO CRITICAL HABITAT (if designated areas)

Less than 1 (mi)

ENDANGERED SPECIES: Copperhead snake

13 LAND USE IN VICINITY

DISTANCE TO:

COMMERCIAL/INDUSTRIAL

A. adj. (mi)

RESIDENTIAL AREAS; NATIONAL/STATE PARKS, FORESTS, OR WILDLIFE RESERVES

B. 0.07 (mi)

AGRICULTURAL LANDS PRIME AG LAND AG LAND

C. none (mi) D. none (mi)

14 DESCRIPTION OF SITE IN RELATION TO SURROUNDING TOPOGRAPHY

The site is in the Neversink River Valley about 4 miles northeast of the City of Port Jervis and the confluence of the Neversink and Delaware Rivers. The site is situated on a fairly flat area which slopes down steeply on the northeast towards tributary D-1-7 of the Neversink River. A residential neighborhood to the west is upgradient of the site.

VII SOURCES OF INFORMATION (Cite specific references, e.g., 2000 Map, aerial photos, reports)

CD 002685



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 6 - SAMPLE AND FIELD INFORMATION

I. IDENTIFICATION
01 STATE NYD 02 SITE NUMBER 064337298

II. SAMPLES TAKEN			03 ESTIMATED DATE RESULTS AVAILABLE
SAMPLE TYPE	01 NUMBER OF SAMPLES TAKEN	02 SAMPLES SENT TO	
GROUNDWATER	6	H2M Lab	Available
SURFACE WATER	2	H2M Lab	Available
WASTE			
AIR			
RUNOFF			
SPILL			
SOIL			
VEGETATION			Available
OTHER Sediment	2	H2M Lab	

III. FIELD MEASUREMENTS TAKEN	
01	02 COMMENTS
pH	Groundwater samples
Conduction by PID measurements	No readings above background

IV. PHOTOGRAPHS AND MAPS

01 TYPE GROUND AERIAL

02 IN CUSTODY OF _____ (Name of organization or individual)

03 MAPS YES NO

04 LOCATION OF MAPS
Gibbs & Hill, Inc., 11 Penn Plaza, New York, NY 10001

V. OTHER FIELD DATA COLLECTED (Provide narrative description)

VI. SOURCES OF INFORMATION (Cite specific references, e.g., State Reg., District Office, Reports)

Gibbs & Hill sampling logs

CD 002686



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 7 - OWNER INFORMATION

I. IDENTIFICATION

D1 STATE NYD D2 SITE NUMBER 064337298

II. CURRENT OWNER(S)				PARENT COMPANY (if applicable)			
D1 NAME	D2 D+B NUMBER	D3 STREET ADDRESS (P.O. Box, RFD #, etc.)	D4 SIC CODE	D5 CITY	D6 STATE	D7 ZIP CODE	D8 NAME
C&D Charter Power Systems		Route 209		Huguenot	NY	12746	

III. PREVIOUS OWNER(S) (List most recent first)				IV. REALTY OWNER(S) (if applicable, list most recent first)			
D1 NAME	D2 D+B NUMBER	D3 STREET ADDRESS (P.O. Box, RFD #, etc.)	D4 SIC CODE	D5 CITY	D6 STATE	D7 ZIP CODE	D8 NAME
Empire Tube Corporation		Route 209		Huguenot	NY	12746	

V. SOURCES OF INFORMATION (Can include references, e.g., EPA files, other agency reports)

Gibbs & Hill site reconnaissance report

CD 002687



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 8 - OPERATOR INFORMATION

L IDENTIFICATION

D1 STATE NYD D2 SITE NUMBER 064337298

II. CURRENT OPERATOR <small>(Provide if different from owner)</small>				OPERATOR'S PARENT COMPANY <small>(if applicable)</small>			
D1 NAME C&D Charter Power Systems		D2 D+B NUMBER		D10 NAME N/A		D11 D+B NUMBER	
D3 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small> Route 209			D4 SIC CODE	D12 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			D13 SIC CODE
D5 CITY Huguenot		D6 STATE NY	D7 ZIP CODE 12746	D14 CITY		D15 STATE	D16 ZIP CODE
D8 YEARS OF OPERATION		D9 NAME OF OWNER					
III. PREVIOUS OPERATOR(S) <small>(List most recent first; provide city if different from owner)</small>				PREVIOUS OPERATORS' PARENT COMPANIES <small>(if applicable)</small>			
D1 NAME Empire Tube Corp.		D2 D+B NUMBER		D10 NAME N/A		D11 D+B NUMBER	
D3 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small> Route 209			D4 SIC CODE	D12 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			D13 SIC CODE
D5 CITY Huguenot		D6 STATE NY	D7 ZIP CODE 12746	D14 CITY		D15 STATE	D16 ZIP CODE
D8 YEARS OF OPERATION		D9 NAME OF OWNER DURING THIS PERIOD					
D1 NAME		D2 D+B NUMBER		D10 NAME		D11 D+B NUMBER	
D3 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			D4 SIC CODE	D12 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			D13 SIC CODE
D5 CITY		D6 STATE	D7 ZIP CODE	D14 CITY		D15 STATE	D16 ZIP CODE
D8 YEARS OF OPERATION		D9 NAME OF OWNER DURING THIS PERIOD					
D1 NAME		D2 D+B NUMBER		D10 NAME		D11 D+B NUMBER	
D3 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			D4 SIC CODE	D12 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			D13 SIC CODE
D5 CITY		D6 STATE	D7 ZIP CODE	D14 CITY		D15 STATE	D16 ZIP CODE
D8 YEARS OF OPERATION		D9 NAME OF OWNER DURING THIS PERIOD					

IV. SOURCES OF INFORMATION (List specific references, e.g., data files, sample analyses, reports)

Gibbs & Hill site reconnaissance report

CD 002688



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 9 - GENERATOR/TRANSPORTER INFORMATION

L IDENTIFICATION

01 STATE 02 SITE NUMBER
NYD 064337298

II. ON-SITE GENERATOR

01 NAME C&D Charter Power Systems	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD #, etc.) Route 209	04 SIC CODE		
05 CITY Huguenot	06 STATE NY	07 ZIP CODE 12746	

III. OFF-SITE GENERATOR(S)

01 NAME N/A	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE
01 NAME	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE

IV. TRANSPORTER(S)

01 NAME N/A	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE
01 NAME	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE

V. SOURCES OF INFORMATION (City specific references, e.g., 2000 Reg. 268.100-20000, 20000)

CD 002689



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 10 - PAST RESPONSE ACTIVITIES

L IDENTIFICATION

01 STATE 02 SITE NUMBER
NYD 064337298

II. PAST RESPONSE ACTIVITIES

01 A. WATER SUPPLY CLOSED
04 DESCRIPTION

No

02 DATE _____

03 AGENCY _____

01 B. TEMPORARY WATER SUPPLY PROVIDED
04 DESCRIPTION

No

02 DATE _____

03 AGENCY _____

01 C. PERMANENT WATER SUPPLY PROVIDED
04 DESCRIPTION

No

02 DATE _____

03 AGENCY _____

01 D. SPILLED MATERIAL REMOVED
04 DESCRIPTION

No documentation of any action found

02 DATE _____

03 AGENCY _____

01 E. CONTAMINATED SOIL REMOVED
04 DESCRIPTION

No documentation of any action found

02 DATE _____

03 AGENCY _____

01 F. WASTE REPACKAGED
04 DESCRIPTION

None known

02 DATE _____

03 AGENCY _____

01 G. WASTE DISPOSED ELSEWHERE
04 DESCRIPTION

The sludge from the neutralization process was taken and dumped at an unknown location.

02 DATE 1961-1974

03 AGENCY _____

01 H. ON SITE BURIAL
04 DESCRIPTION

None known

02 DATE _____

03 AGENCY _____

01 I. IN SITU CHEMICAL TREATMENT
04 DESCRIPTION

The wastewater was neutralized in neutralization tanks.

02 DATE 1961-1974

03 AGENCY _____

01 J. IN SITU BIOLOGICAL TREATMENT
04 DESCRIPTION

None known

02 DATE _____

03 AGENCY _____

01 K. IN SITU PHYSICAL TREATMENT
04 DESCRIPTION

The wastewater was partially filtered by the bed of the lagoon.

02 DATE _____

03 AGENCY _____

01 L. ENCAPSULATION
04 DESCRIPTION

None known

02 DATE _____

03 AGENCY _____

01 M. EMERGENCY WASTE TREATMENT
04 DESCRIPTION

None known

02 DATE _____

03 AGENCY _____

01 N. CUTOFF WALLS
04 DESCRIPTION

None known

02 DATE _____

03 AGENCY _____

01 O. EMERGENCY DIKING/SURFACE WATER DIVERSION
04 DESCRIPTION

None known

02 DATE _____

03 AGENCY _____

01 P. CUTOFF TRENCHES/SUMP
04 DESCRIPTION

None known

02 DATE _____

03 AGENCY _____

01 Q. SUBSURFACE CUTOFF WALL
04 DESCRIPTION

None known

02 DATE _____

03 AGENCY _____

CD 002690



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 10 - PAST RESPONSE ACTIVITIES

L IDENTIFICATION
01 STATE 02 SITE NUMBER
NYD 064337298

II PAST RESPONSE ACTIVITIES (Continued)

01 <input type="checkbox"/> DESCRIPTION	02 DATE	03 AGENCY
01 <input checked="" type="checkbox"/> R. BARRIER WALLS CONSTRUCTED 04 DESCRIPTION Unknown		
01 <input checked="" type="checkbox"/> S. CAPPING/COVERING 04 DESCRIPTION Unknown		
01 <input checked="" type="checkbox"/> T. BULK TANKAGE REPAIRED 04 DESCRIPTION Unknown		
01 <input checked="" type="checkbox"/> U. GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION Unknown		
01 <input checked="" type="checkbox"/> V. BOTTOM SEALED 04 DESCRIPTION No		
01 <input checked="" type="checkbox"/> W. GAS CONTROL 04 DESCRIPTION Unknown		
01 <input checked="" type="checkbox"/> X. FIRE CONTROL 04 DESCRIPTION Unknown		
01 <input checked="" type="checkbox"/> Y. LEACHATE TREATMENT 04 DESCRIPTION Unknown		
01 <input checked="" type="checkbox"/> Z. AREA EVACUATED 04 DESCRIPTION Unknown		
01 <input checked="" type="checkbox"/> 1. ACCESS TO SITE RESTRICTED 04 DESCRIPTION Fenced, secured		
01 <input checked="" type="checkbox"/> 2. POPULATION RELOCATED 04 DESCRIPTION Unknown		
01 <input checked="" type="checkbox"/> 3. OTHER REMEDIAL ACTIVITIES 04 DESCRIPTION None		

III SOURCES OF INFORMATION (Cite specific references, e.g., maps, files, sample analyses, reports)

Gibbs & Hill site reconnaissance
NYSDEC and NYSDOH files

CD 002691



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 11 - ENFORCEMENT INFORMATION

I IDENTIFICATION

01 STATE	02 SITE NUMBER
NYD	064337298

II. ENFORCEMENT INFORMATION

01 PAST REGULATORY/ENFORCEMENT ACTION YES NO

02 DESCRIPTION OF FEDERAL STATE, LOCAL REGULATORY/ENFORCEMENT ACTION

Presently, the cooling water discharge is conducted under SPDES permit, and the effluent is sampled and reported to the State on a regular basis.

III. SOURCES OF INFORMATION (Cite specific references, e.g., State Reg., Sample Analysis, Reports)

Gibbs & Hill site reconnaissance

CD 002692

APPENDIX A
WORK PLAN UPDATE

Work Plan Update

Phase II Investigation

**C & D Batteries
Site No. 336001**

Submitted to

NYSDEC

January 10, 1989

Gibbs & Hill, Inc.

CD 002694

CONTENTS

		<u>PAGE NO.</u>
I.	DEC Work Plan	I-1
II.	Site Reconnaissance Report	II-1
III.	Site Sketch	III-1
IV.	Geophysical Report	IV-1
V.	Drilling Protocols	V-1
VI.	Sampling Protocols	VI-1
VII.	Health & Safety Plan	VII-1

APPENDICES:

- A: Guidelines for Exploratory Boring, Monitoring Wells Installation, and Documentation of these Activities (Exhibit 3).
- B: Gibbs & Hill Sampling Protocols.
- C: Gibbs & Hill Health & Safety Plan.

I. DEC WORK PLAN

Work Plan

C & D Batteries

Cornwall, Orange County

Site No. 336001

General:

Based on this work plan for which there have already been regional and Central Office site visits and comments, a costing sheet is to be developed and attached by the consultant. The work plan and associated costs will be made part of this cost plus fixed fee contract with a limiting upset figure. Unless otherwise stated in this work plan, the work shall conform to the concepts of the Generic Work Plan -- State Superfund Program -- Phase II Investigations (Schedule 4, Exhibit 1) and Schedule 4, Exhibit 3, both of the contract document. As these latter documents are crucial to the proper field implementation of NYSDEC protocols, a copy of this work plan attached to Exhibits 1 and 3 of the contract must be taken to the field by the consultant's project manager during the Phase II field activities. The representative must display, through his actions, thorough familiarity with the provisions of the work plan and exhibits. Failure by the consultant's representative to present these documents upon NYSDEC request or demonstration of inadequate knowledge of their contents are both sufficient ground for NYSDEC to halt the Phase II field operations.

Introduction:

The C & D Batteries site is located on U.S. Highway 209 in Huguenot, New York (Figure 1). C & D Power Systems (formerly C & D Batteries), which is an active facility at the site, purchased the site from a manufacturer of television picture tubes that utilized an excavated disposal lagoon adjacent to the plant building for disposal of various industrial wastes.

Two reports entitled "Implementation of a Hydrogeologic Assessment Plan for the C & D Batteries Division Plant, Huguenot, New York" and "Supplementary Hydrogeologic Assessment Program for the C & D Batteries Division Plant, Huguenot, New York" has been prepared by Environmental Resources Management, Inc. (ERM) for C & D Power System. There are ten monitoring wells on site installed by ERM for C & D Power Systems.

The C & D Batteries site is located in the Neversink River Valley which is part of Valley and Ridge Physiographic province. This province is characterized by the presence of folded paleozoic sedimentary rocks that include sandstone, shale, and limestone. The long axis of the folds generally trend northeast-southwest, resulting in a marked parallelism of ridges oriented in this direction. According to the ERM reports based on well logs, the unconsolidated surficial materials consist of glacial outwash.

Objectives:

Since there is no Phase I investigation performed for this site, the scope of a Phase I investigation shall also be incorporated under this investigation. This will include collection, review and evaluation of all available data which will be incorporated into the Summary Report as prepared following completion of the Phase II investigation. Based on the collected information, if necessary, the scope of the Phase II work plan shall be revised. For the purpose of report preparation, the consultant is to compile all data available.

The objective of this Phase II investigation is to collect essential field information needed to adequately determine whether a significant threat to the environment exists, to prepare final HRS Scores and make recommendation for future actions at the site. Specifically, this will be accomplished by sampling and analysis of groundwater and surface water, soil, wastes and sediments (where any or all of these media are applicable).

Site Reconnaissance:

A site inspection was conducted by NYSDEC personnel on November 1, 1985. The purpose of the site inspection was to locate the proposed well and sampling locations. Based on the inspection, a site sketch was prepared showing the existing well locations (Figure 2).

Field Investigation:

The project has been subdivided into specific tasks. Table 1 briefly summarizes each task. From the existing information it seems that no additional wells will be necessary to accomplish the objective of this investigation. If detailed analysis of the existing data as well as the data to be collected indicates that additional wells or soil borings are necessary, the workplan will be modified by the consultant with the concurrence of NYSDEC.

Existing data on static water levels of monitoring wells shall be used for determination of groundwater flow direction. Based on the direction of groundwater flow, five to ten wells shall be selected for sampling with the approval of NYSDEC.

3. Sampling and Analysis:

Where required by NYSDEC, sampling and chemical analyses will be performed by the consultant. Field QA/QC Protocol for sample collection and for sample integrity from the field to the laboratory shall be submitted by the consultant. When sampling is requested, the consultant must follow the QA/QC and chain-of-custody protocols as referred to in the Generic Work Plan and as described in the New York State Contract Laboratory Protocols document.

Where dilution of any Phase II sample is to be done by the chemical analytical laboratory prior to analysis, NYSDEC is to be advised immediately. The concern is that a component of low concentration, but of significant environmental impact, could become so diluted that its presence in the final extract will not be detected.

During this contact, the NYSDEC chemist will discuss alternatives with the laboratory's chemist on how best to conduct the analysis. NYSDEC chemist in Mr. John Rankin, telephone (518) 457-3252.

Although a method or extra work may be agreed upon by both chemist, clearance for any extra cost must be obtained by the consultant from the NYSDEC contract manager. Such cost will be paid from the contingency amount in the contract, and clearance must be conformed by NYSDEC in writing.

Air monitoring, consisting of a perimeter survey with a photoionization instrument such as HNU or OVA shall occur upon arrival at the site. A survey within the boundary of the site shall follow the perimeter survey. This air monitoring is separate from monitoring that is part of the health and safety plan. If a source of air contamination is identified, the air should be sampled using appropriate equipment to determine the nature and concentration of the contaminant. Upwind air samples must also be analyzed at the same time. Wind direction must be continuously monitored and documented during any sampling and on site analysis of air samples.

Health and Safety Plan:

A site specific Health and Safety Plan must be developed and followed for each site. A copy of the Health and Safety Plan shall be submitted to NYSDEC.

For the purpose of costing the investigation, Level D protection is assumed. The health and safety precautions and procedures will conform to the consultant's generalized Health and Safety Plan. Should protective levels higher than Level D be required for any activity, the consultant shall prepare a site specific health and safety plan appropriate for the level of protection required.

Report Preparation:

Report preparation will involve analysis of the data as well as preparation of the text. Included in this task are the compilation and organization of the data, reduction of data, preparation of graphical representations, analysis, and calculations, and updating the HRS score for the site. The report shall follow the format detailed in the Generic Phase II Work Plan. Four copies of the draft report shall be submitted. After review by NYSDEC, any corrections are to be made by the consultant and fourteen copies of the final report are to be submitted. Draft and final reports must bear the stamp of a professional engineer in accordance with Article 49.

Table 1

Phase II Work Plan - Task Description

C & D Batteries #336001

<u>Tasks</u>	<u>Description of Task</u>
Task	
II-A Prepare and update work plan	Will be done by NYSDEC.
II-B Conduct records search/data compilation	Review all available information.
II-C Site reconnaissance	Has been done by NYSDEC.
II-F Perform sampling and analysis	Refer to Table 2 and 3.
II-G Conduct site assessment	A preliminary site contamination assessment will be conducted to complete the final HRS and HRS documentation records.
II-H Report preparation	Prepare final report containing all available information, additional field data, final HRS and HRS documentation records and site assessments.
II-I Project management	Project coordination, administration and reporting.

Table 2

Phase II Work Plan - Sampling Summaries

C & D Batteries #336001

Designation

Location

Groundwater

Five to ten existing wells shall be selected with the approval of NYSDEC for sampling.

Surface Water

SW-1

Upstream sample from the creek.

SW-2

Downstream sample from the creek.

Sediment

SW-1

Upstream sample from the creek.

SW-2

Downstream sample from the creek.

Lagoon

If the lagoon is still in existence one composite sample will be taken from the water phase, and one from the sediment phase.

NOTE: 1. Locations, aquifer screened, approximate boring depth listed are based on existing data. These criteria may change based on the results of the geophysical surveys and/or field conditions.

I-5-

A-9

CD 002701

Table 3


Analyses - C & D Batteries #336001

Type of Sample	Type of Analysis(1)*				
	HSL(2) Metals	HSL(3) Volatiles	HSL(4) Semi- Volatiles	HSL(5) Pesticides/ PCBs	Matrix Spike/ Duplicate (6)
Groundwater(7)	6	6	6	6	1/1
Surface Water	2	2	2	2	1/1
Sediment	2	2	2	2	1/1
Field Blank	1	1	1	1	
Trip Blank	-	1	-	-	

- (1) Complete identification per NYSDEC Generic Work Plan, Section 3(b)(ii)(B). Field pH, conductivity and temperature measurements will be conducted on all water samples. Also pH, specific conductance, Chemical Oxygen Demand (COD), Total Dissolved Solids (TDS) and Total Suspended Solids (TSS) measurements will be made at the laboratory for all water samples.
- (2) HSL Metals - Preparation and analysis of the 15 Task 1 and 9 Task 2 inorganic compounds using the specified CLP methods. *No Fluorides 2, 2, 1*
- (3) HSL Volatiles - Preparation and analysis using the CLP specified GC/MS method for HSL purgeable organics plus a library search for and the quantification of any additional non-HSL compounds (the CLP requires the library search only for the 10 non-HSL compounds of largest apparent concentration).
- (4) HSL Semi-Volatiles - Preparation and Analysis using the CLP specified GC/MS method for HSL Extractable Base/Neutral and Acid Organic compounds plus a library search for and the quantification of any additional non-HSL compounds (the CLP requires the library search only for the 20 non-HSL compounds of largest apparent concentration).
- (5) HSL Pesticides/PCBs - Preparation and pre-extraction of the HSL organo-chloride pesticides and polychlorinated biphenyls using the CLP specified GC-ECD method.
- (6) Superfund and Contract Laboratory Protocol, January 1985, requires at least one spiked sample analysis and one duplicate sample analysis from each group of samples of a similar matrix type for each case of samples or for each 20 samples received, whichever is more frequent.

- (7) A duplicate groundwater sample must be obtained from a monitoring well chosen at random (or some other medium if wells are not available). That duplicate sample must not be identified as a duplicate to the laboratory, but must be assigned an identifier similar to other groundwater samples. The Bureau requires the blind analysis of a duplicate sample for each site by the laboratory, to confirm the integrity of all sampling and analytical activities.
- Designates that samples are not to be analyzed for that parameter.

C4D BATTERY # 2001



Route 209

Wholesale


Post Office

CD 002704

FIGURE 2
C4D BATTERIES
201-201

I-8 A-12

SITE LOCATION MAP



Scale 1" : 2000'

FIGURE-1

II. SITE RECONNAISSANCE REPORT

CD 002706

SITE RECONNAISSANCE REPORT

C&D BATTERIES

Date: July 21, 1988

Time: 10:30 AM

Present: Alex Kostic (G&H)
Albert Longoria (G&H)
Michael Langan (C&D Charter Power Systems, Inc.)

Contact Person(s):

Michael Langan
Environmental & Project Engineer
C&D Charter Power System, Inc.
Rt. 209, P.O. Box 209
Huguenot, NY 12746
(914) 856-4466

General Site Access

Take 17 to Route 84. Take Rt. 84 to Port Jarvis exit. Make left off exit and get on Rt. 6. Bear right and go straight on Rt. 6 for about a few blocks (Ford Dealership on left hand side) and make a right on Neversink Drive. Go for 4 miles to Rt. 209. Make right onto 209 North. The site will be on right hand side approximately 1/4 of a mile down the road.

Adjoining Site Owners (Contact Persons)

N/A.

Site Changes Since DEC Site Reconnaissance

GW-1	No Change. Well is essentially flush with ground.
GW-2	Covered by a newly paved area. No longer accessible.
GW-3	Covered by a newly paved area. No longer accessible.
GW-4	No Change. Well is essentially flush with ground.
GW-5	No Change.
GW-6	No Change.
GW-7	No Change.
GW-8	No Change.
GW-9	No Change.
GW-10	No Change.
GW-11	No Change.
GW-12	No Change.
GW-13	No Change.

C&D BATTERIES (continued)

Recommended Relocation of Monitoring Well(s)

None.

Recommended Sampling Location(s)

GW-11 has been selected as the upgradient well. GW-11 was selected over GW-1 because GW-1 is located in the parking lot where rain runoff and automobile fluids might have contaminated the well.

GW-6 Downgradient.
GW-7 Downgradient.
GW-8 Downgradient.
GW-9 Downgradient.

GW-4 was not selected as a downgradient well because it is located in the parking lot and flush with ground where rain runoff and automobile fluids might have contaminated the well.

Drilling Rig Access to Well Location(s)

Not Applicable.

Useable Potable Water Source

Location: C&D Charter Power System, Inc.
Contact Person: Michael Langan
Environmental & Project Engineer
C&D Charter Power System, Inc.
Route 209, P.O. Box 209
Huguenot, NY 12746

Placement of Drilling Cuttings

Not Applicable.

Changes to Site Sketch

See attached sketch. (Section III)

Other Relevant Information

See groundwater level contour map.

C&D BATTERIES (continued)

Groundwater Level Contour Map

This contour map has been prepared on the basis of the following:


1. Water level measurements obtained from existing wells performed by Roux Associates at the C&D Systems Inc. site on August 16, 1988. Depths to water refers to feet below top of inner PVC riser. (Attachment No. 1).
2. Elevation of ground surface and elevation of top of casings (onsite) performed by Storch Associates on November 21, 1988. (Attachment No. 2).
3. Gibbs & Hill's measurement of riser to casing distance. (Attachment No. 3).

JOB NO. 5353-061
BY A.K/A.L
CLIENT NYS DEC

Gibbs & Hill, Inc.
ENGINEERS, DESIGNERS, CONSTRUCTORS
NEW YORK
TITLE CONTOUR MAP

SKETCH No 1
DATE 7/21/83
12/6/83


C & D CHARTER POWER SYSTEMS
HUGUENOT, NEW YORK



CONSULTING GROUND WATER
GEOLOGISTS AND ENGINEERS
ROUX ASSOCIATES INC

ROUX

THE HUNTINGTON ATRIUM
775 PARK AVENUE
SUITE 255
HUNTINGTON, NEW YORK 11743 516 673 7200 FAX # 516 673 7216



August 26, 1988

Mr. Norman Hinsey
Gibbs & Hill, Inc.
11 Penn Plaza
New York, NY 10001-2059

RE: NYSDEC Phase II Investigations
C&D Batteries - Water Level Measurements


Dear Mr. Hinsey:

On August 16, 1988 Roux Associates obtained water level measurements from existing monitoring wells at the C&D Batteries site. All well locations were obtained during the site visit from Mr. Micheal Langan, an environmental engineer with C&D Batteries. Mr. Langan said that well 2 and 3 may have been covered when the area was paved and as a result, they were not measured. He also mentioned that well 4 was recently repaired.

Enclosed is a table of water level measurements and a map showing the approximate locations of the wells. All measurements were made to an accuracy of 0.01 feet.

Please give me a call should you have any questions regarding this matter.

Sincerely,


Jeffrey S. Day
Geologist


Paul H. Roux
President

/g
Encl.

CD 002711

Water Level Measurements - C&D Batteries

Site I.D. #336001

Deer Park, Orange County - August 16, 1988


<u>Well</u> <u>Number</u>	<u>Time</u>	<u>Well</u> <u>Diameter</u>	<u>DTW</u> <u>from MP</u>	<u>Measuring</u> <u>Point</u>
1	14:45	4"	28.32'	Black Mark
4*	15:40	2"	30.51'	Black Mark
5	15:33	2"	30.33'	Top PVC Coupling
6	15:16	2"	30.58'	Black Mark
7	15:20	2"	19.27'	Black Mark
8	15:22	2"	22.63'	Mark on Steel Casing
9	15:25	2"	23.33'	Black Mark
10	15:28	2"	23.39'	Black Mark
11	14:51	4"	30.00'	Black Mark
12	14:54	4"	31.06'	Black Mark
13	15:11	4"	29.62'	Black Mark



*Well 4 was recently reconstructed

Wells 2 and 3 could not be located

DTW - Depth To Water

MP - Measuring Point





Rte. 209



II-7


A-21

CD 002713

C&D Batteries
 # 336001
 Well Locations

ATTACHMENT NO 2

SHEET 1 of 2



STORCH ASSOCIATES
30 Jericho Executive Plaza
Jericho, New York 11753

FACSIMILE COVER PAGE

DATE: November 22, 1988 TIME: 3:20

DELIVER TO: Norman Hinsey, Gibbs & Hill Inc.

FROM: Bill Welsh

NUMBER OF PAGES: This page and 1

PROJECT NO: 8296 PROJECT NAME: Superfund

INSTRUCTIONS: Norman :

These well and ground elevations were
obtained 11/10/88. We now have keys. I
received them from Albert L. on Friday.

Phone: (516) 338-4500
Fax No. (516) 338-6698

WJW

S RCH ENGINEERS
S RCH ASSOCIATES
 Engineers - landscape Architects - Architects
 Planners - Environmental Consultants

JOB Gibbs & Hill, CED Battery

SHEET NO. _____ OF _____

CALCULATED BY (J. McW.) DATE NOV. 21, 1988

CHECKED BY WAW DATE Nov. 22, 1988

SCALE _____

<u>WELL</u>	<u>No.</u>	<u>Elevation, Top of Well Casing (outside)</u>	<u>Elevation at Ground Level</u>	<u>Comments</u>
MW-1		495.92	495.9	Well is essentially flush w/grd.
-2	}	not yet installed		
-3				
-4				
MW-5		496.87	493.6	
MW-6		496.02	494.0	
MW-7		484.87	484.0	
MW-8		487.54	484.3	
MW-9		489.27	485.4	
MW-10		489.63	485.2	
MW-11		497.27	494.8	
MW-12		497.51	494.8	
MW-13		496.53	492.4	
E. Prod. Well		502.42	—	Existing well
W. Prod. Well		502.42	—	" "

RECEIVED
 ENVIRONMENTAL
 SCIENCE DEPARTMENT
 NOV 22 1988
 GIBBS & HILL INC.

Datum : Arbitrary, based on reference BM at elev. 500.00 feet

CD 002715

Gibbs & Hill, Inc. Job No. 5583-061 Client NYS DEC

Subject Contour Map

Calculation Number Sheet No. 1 of 2

Revision	Original Issue	Date	Rev.	Date	Rev.	Date	Rev.	Date	Rev.	Date
Checking Method #										
Preparer										
Checker										

WELL NO	EL. OF GROUND SURFACE, (ft) ⁽¹⁾	Top of casing Elevation, (ft) ⁽¹⁾	Depth to Water, (ft) ⁽²⁾	Depth to water ⁽³⁾ Below Ground	Water Elevation (ft)
1	495.90	495.92	28.63	28.61	467.31
2	-	-	-	-	-
3	-	-	-	-	-
4	-	-	-	-	-
5	493.6	496.87	30.69	27.42	466.18
6	494.0	496.02	30.70	28.68	465.32
7	484.0	484.87	19.54	18.67	465.33
8	484.3	487.54	23.30	20.06	464.24
9	485.4	489.27	24.42	20.55	464.85
10	485.2	489.63	24.83	20.40	464.80
11	494.8	497.27	30.11	27.64	467.16
12	494.8	497.51	31.21	28.50	466.30
13	493.4	496.53	29.89	26.76	466.54

(1) Measurements performed by Storch Assoc. on Nov. 21, 1980

(2) Measurements performed by Roux Assoc. on Aug. 16, 1988 refers to depth of the water (in feet) below of PVC riser. Roux's measurements have been adjusted to the top of casing.

(3) Depth of the water below the ground surface.

II-10

A-24

Checking Method #

1. Line-by-line checking
2. Alternative Calculation Results compared
3. Identical Calculation Results compared
4. Compare inputs and results of computer with corresponding inputs and results of similar c

F-166, 7-82

CD 002716

III. SITE SKETCH

CD 002717

A-25


JOB NO. 5582-061
BY A.K/A.L
CLIENT NYS DEC

Gibbs & Hill, Inc.
ENGINEERS, DESIGNERS, CONSTRUCTORS
NEW YORK

SKETCH No. 1
DATE 7/2/88

TITLE SITE SKETCH

C & D CHARTER POWER SYSTEMS
HUGUENOT, NEW YORK



IV. GEOPHYSICAL REPORT

CD 002719

All monitoring wells have been installed. No
additional geophysical investigation is
necessary.

V. DRILLING PROTOCOLS

CD 002721

All monitoring wells have been installed.
No additional drilling will be necessary.

CD 002722

V-1

A-30

VI. SAMPLING PROTOCOLS

II. Site Specific Sampling Order
Field Data Sheet

Sampling Team Members
Name Title

Site Name: C&D Batteries

Date: _____
 Weather: _____
 Temp.: _____
 Humidity: _____
 Precipitation: _____
 Wind Speed/Direction: _____

- a)
- b)
- c)

Sample Order	Station Location No.	Sampling Device	Laboratory Sample ID. No.	Comp.	Grab	GW	Sed.	Soil	Leachate	SW	Remarks
1	Trip blank					X					
2	Field blank					X					
3	GW-11	Beiler				X					
4	GW-6	"				X					
5	GW-7	"				X					
6	GW-8	"				X					
7	GW-9	"				X					
8	GW-14	"				X					Duplicate GW-6
9	SW-2	wheaton sampler								X	
10	SW-2	sediment sampler					X				
11	SW-1	wheaton sampler								X	
2	SW-1	sediment sampler					X				

VI-1
 A-32

See Appendix B for Sampling Protocols

VII. HEALTH & SAFETY PLAN

CD 002725

VII. SITE SPECIFIC HEALTH AND SAFETY PLAN

A. GENERAL INFORMATION

SITE NAME: C & D Batteries NY ID. NO.: 336 001

LOCATION: C & D Power Systems Inc., Rt. 209, Huguenot, NY 12746

CONTACT NAME: Michael M. Langan, Env. Engr.

ADDRESS: C & D Power Systems Inc.

PHONE NO: (914) 856-4466

G&H's PROJECT MANAGER:

NAME: Norman Hinsey

PHONE NO.: (212) 216-7839

NYS DEC CONTACT:

NAME: Lawrence Alden

PHONE NO.: (518) 457-0639

B. SITE CHARACTERISTICS

FACILITY FUNCTION: An inactive industrial waste disposal lagoon.

PHASE I COMPLETED:

YES _____ NO X

STATUS: ACTIVE _____ INACTIVE X UNKNOWN _____

POSSIBLE CONTAMINANTS: Fluorides, lead

RECOMMENDED LEVEL OF PROTECTION: LEVEL A _____ LEVEL B _____
LEVEL C _____ LEVEL D X

MONITORING EQUIPMENT: PID (HNU) X MAX. LEVEL 5 ppm*

(*In the event air monitoring results indicate an increase above 5 ppm of total organic vapor, all work activities will cease, the NYS DEC will be notified, and a joint decision will be made on the altering of the SOP.)

WORKING ZONE: 6 ft around monitoring wells

Site Secured Yes ^{Wells No} 1,5 & 4 No Wells No 11, 12, 13, 7, 8, 9 & 10
Sketch attached Yes _____ No X

SITE SPECIFIC CONCERNS: None

C. GIBBS & HILL STANDARD HEALTH AND SAFETY PLAN

G&H's STANDARD HEALTH AND SAFETY PLAN FOR PHASE II
INVESTIGATION: Attached See Appendix C
Not Attached _____

CD 002727

EMERGENCY INFORMATION

Emergency Response Agencies:

• Hospital: Marcy Community Hospital (Former St. Francis Hospital)

Has the hospital been contacted? Yes Y No

Do they handle chemical accidents? Yes X No

Do they have an emergency room? Yes Y No

What are business hours? 24 HRS

General telephone: (914) 856-5351

Emergency room telephone:

Location: 160 East Main Street, Pt. Jervis, NY.

Site to hospital route: Take Rt 209 for about 4 miles. to East Main Street. Make left. Go 4 blocks. Hospital will be on left hand side.

Is the route map attached? Yes X No


Nearest Site Phone Location: CED Power Co

Phone Direction/Map Attached: Yes No X

- | | <u>Phone No.</u> |
|--------------------------------------|-----------------------|
| • Ambulance | <u>(914) 856-5351</u> |
| • Police | <u>N/A</u> |
| • Fire Department | <u>N/A</u> |
| • Poison Control Center | <u>1-800-535-0525</u> |
| • CHEMTREC | <u>1-800-424-9300</u> |
| • USCG/DOT National Response Center: | <u>1-800-424-8802</u> |

Emergency Contacts

- | | <u>Phone No.</u> |
|---|------------------|
| o NYCDEC Project Manager: Marsden Chen | 1-518-457-0639 |
| o NYCDEC Project Engineer: Lawrence Alden | 1-518-457-0639 |
| o G&H Project Manager: Norman Hinsey | 1-212-216-7839 |
| o G&H Corporate Health & Safety Officer: R. Barbour | 1-212-216-66 |



12746

12739

Huguenot

Meyers Grove

Godeffroy

Guymarc

Shin Holler

GREENVILLE

CD 002729

VII-4

A-37

© 1984 Hagstrom Map Company, Inc.

West End
Recreation Park
10963
COUNTY

PENNSYLVANIA

39

84

16

15



Delaware

River

NEW JERSEY

VII-5

A-38

CD 002730

E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

APPENDIX B
FIELD DATA

1. Slug Test

The slug test was performed to determine the hydraulic conductivity of the saturated zone. A standard method of performing a slug test is to instantaneously drop a clean weight down the well to displace the water and measure the water level as it returns to its original level. The weight used was a dedicated teflon bailer with a disposable propylene suspension cord filled with distilled water. The weight was lowered below the water level.

The rate of the groundwater level change was recorded by measuring the depth to the water below the top of the casing as a function of time after the start of the test until the original level of the water table is restored. Because the soil is highly permeable, the original level of the water table restored rapidly. The recovery of the groundwater level was achieved in under 5 seconds.

Groundwater elevation was measured and recorded prior to any testing. All water elevation measurements was performed with an electronic water level indicator.

CD 002732

The Hvorslev method was used to calculate the permeability, K
(cm/sec):

$$K = [r^2 \ln L/R] / [2LT_0]$$

Where:

r = radius of a PVC riser, cm

L = length of screen beneath static water level, cm

R = radius of sand pack, cm

T₀ = elapsed time, t, at (H-h)/(H-H₀) = 0.37 sec.

H = reference datum, cm

H₀ = water level at equilibrium, cm

h = water level at time t, cm

t = elapsed time, sec.

(R. Allan Freeze and J.A. Cherry, Groundwater, Prentice
Hall Inc., pg. 339)

CONDUCTIVITY TEST DATA

Site Name: C&D Power System
Date: 1/18/89

<u>Well No.</u>	<u>Depth to Water, ft.*</u>	<u>Conductivity, cm/sec.</u>
MW-6	29.00	7×10^{-3}
MW-7	18.92	7×10^{-3}
MW-8	20.00	6×10^{-3}
MW-9	21.17	7×10^{-3}
MW-10	28.66	7×10^{-3}

* Depth to water refers to feet below surface

CD 002734

MONITORING WELL & WATER LEVEL DATA
C & D CHARTER POWER SYSTEMS
HUGUENOT, NEW YORK

26 JUNE 1988						
MONITORING WELL	TOTAL DEPTH OF WELL	SCREENED INTERVAL	ELEVATION OF GROUND SURFACE	TOP OF RISER ELEVATION	DEPTH TO WATER	WATER LEVEL ELEVATION
MW-1	32'	22-32'	472.46	472.27	27.55	444.72
MW-4	40'	30-40'	472.75	472.36	30.00	442.36
MW-5	45'	31-41'	470.23	473.00	29.69	443.31
MW-6	43'	33-43'	470.77	472.37	30.25	442.12
MW-7	29'	19-29'	460.65	461.18	18.80	442.29
MW-8	33'	23-33'	461.35	463.40	21.90	441.50
MW-9	33'	23-33'	462.15	464.70	22.95	441.75
MW-10	35'	25-35'	462.21	464.75	23.10	441.65
MW-11	34'	DNA	471.42	473.71	29.94	443.77
MW-12	50'	45-50'	471.30	473.95	30.43	443.52
MW-13	37'	27-37'	470.00	472.86	29.06	443.80

NOTES: 1) Elevation is mean sea level in feet, using National Geodetic Datum of 1929.
2) Depth to water refers to feet below top of inner casing.
3) DNA - data not available.

(EMR - Northeast, C&D Charter Power Systems Septic Leach Field Investigation, September 1988)

CD 002735

FIELD SURVEY VISIT REPORT

SITE: C+D Batteries DATE: Nov. 10, 1988 CHIEF OF PARTY: H. Yuen SURVEY PARTY: H. Yuen
J. M^sWilliams

HAZARD: Level D Protection WEATHER: Cloudy and rainy in afternoon
45°F


PERSONNEL AT SITE: Survey Party NUMBER OF WELLS: 13
NUMBER OF BORINGS: _____
OTHER: _____

SURVEY DATA:
Horizontal Control, Reference Plane: Arbitrary
Vertical Control, Datum: Arbitrary

Bench Mark T6m-1 Elev. 500.00' (see sketch)

COMMENTS: Unable to locate USCGS BM in field. Established arbitrary bench mark - 'U' cut at NE corner of concrete slab at main entrance. Survey crew was not equipped with keys for the well. Elevations were taken on top of the cap.

STORCH ASSOCIATES
30 Jericho Executive Plaza
Jericho, New York 11753



Gibbs & Hill, Inc. JOB NO.: 5583-

CLIENT: NYSDEC

SITE NAME: C & D BATTERIES

SUBJECT: Determination of Permeability of Soil in Situ

DATE OF TEST: WELL NO.: MIV-6

REF.: J. Cherry & R. Freeze, GROUNDWATER, Prentice-Hall, 1979.

TYPE OF TEST: SLUG TEST

METHOD:

$$K = \frac{r^2 \ln(L/R)}{2LT_0}$$

- K = permeability (cm/sec)
- r = radius of standpipe (cm)
- L = length of screen beneath static water level (cm)
- R = radius of sand pack (cm)
- T = basic time lag (sec)

- T_0 = elapsed time at $(H-h)/(H-H_0) = 0.37$ (sec)
- H_0 = reference datum (cm)
- H = water level at equilibrium (cm)
- h = water level at time t (cm)
- t = elapsed time (sec)

WELL DATA:

- r = 2.54 cm.
- L = 304.8 cm.
- R = 13.02 cm.
- $T_0 = 5$ sec.


CALCULATION:

$$K = \frac{(2.54)^2 \ln(304.8/13.02)}{2(304.8)(5)}$$

$$= 7 \times 10^{-3} \text{ cm/sec}$$

TEST DATA:

t	$\frac{(H-h)}{(H-H_0)}$
0	1
5	0.37



CD 002738

HEAD RATIO (H-h)/(H-H₀)

46 6212

15 SEC

10

5

Gibbs & Hill, Inc. JOB NO.: 5583- CLIENT: NYSDEC

SITE NAME: C & D BATTERIES

DATE OF TEST: WELL NO.: M2-7

SUBJECT: Determination of Permeability of Soil in Situ

TYPE OF TEST: SLUG TEST

REF.: J. Cherry & R. Freeze, GROUNDWATER, Prentice-Hall, 1979.

METHOD:

$$K = \frac{r^2 \ln(L/R)}{2LT_0}$$

T_0 = elapsed time at $(H-h)/(H-H_0) = 0.37$ (sec)

H_0 = reference datum (cm)

H = water level at equilibrium (cm)

h = water level at time t (cm)

t = elapsed time (sec)

K = permeability (cm/sec)

r = radius of standpipe (cm)

L = length of screen beneath static water level (cm)

R = radius of sand pack (cm)

T = basic time lag (sec)

WELL DATA:

$r = 2.54$ cm.

$L = 304.8$ cm.

$R = 13.02$ cm.

$T_0 = 5$ sec.


CALCULATION:

$$K = \frac{(2.54)^2 \ln(304.8/13.02)}{2(304.8)(5)}$$

$$= 7 \times 10^{-3} \text{ cm/sec}$$

TEST DATA:

1	$\frac{(H-h)}{(H-H_0)}$
0	1
5	0.37



Gibbs & Hill, Inc. JOB NO.: 5583- CLIENT: NYSDEC
 SUBJECT: Determination of Permeability of Soil in Situ
 REF.: J. Cherry & R. Freeze, GROUNDWATER, Prentice-Hall, 1979.

SITE NAME: C + D Bakers

DATE OF TEST: WELL NO.: MJ-8
 TYPE OF TEST: Slug

METHOD:
 $K = \frac{r^2 \ln(L/R)}{2LT_0}$
 K = permeability (cm/sec)
 r = radius of standpipe (cm)
 L = length of screen beneath static water level (cm)
 R = radius of sand pack (cm)
 T_0 = basic time lag (sec)


T_0 = elapsed time at $(H-h)/(H-H_0) = 0.37$
 from best fit line obtained from test data. (sec)
 H = reference datum (cm)
 H_0 = water level at equilibrium (cm)
 h = water level at time t (cm)
 t = elapsed time (sec)

WELL DATA:
 r = 2.54 cm.
 L = 304.8 cm.
 R = 13.02 cm.
 $T_0 = 6$ sec.

CALCULATION:
 $K = \frac{(2.54)^2 \ln(304.8/13.02)}{2(304.8)(6)}$
 = 6×10^{-3} cm/sec

TEST DATA:

t	$\frac{H-h}{H-H_0}$
0	1
5	.44
30	.0



Gibbs & Hill, Inc. JOB NO.: 5583- CLIENT: NYSDEC SITE NAME: C + D Betherio

SUBJECT: Determination of Permeability of Soil in Situ DATE OF TEST: WELL NO.: MD-9

REF.: J. Cherry & R. Freeze, GROUNDWATER, Prentice-Hall, 1979. TYPE OF TEST: Slug

METHOD:

$$K = \frac{r^2 \ln(L/R)}{2LT_0}$$

K = permeability (cm/sec)

r = radius of standpipe (cm)

L = length of screen beneath static water level (cm)

R = radius of sand pack (cm)

T₀ = basic time lag (sec)

T₀ = elapsed time at (H-h)/(H-H₀) = 0.37 from best fit line obtained from test data. (sec)

H = reference datum (cm)

H₀ = water level at equilibrium (cm)

h = water level at time t (cm)

t = elapsed time (sec)

WELL DATA:

r = 2.54 cm.

L = 304.8 cm.

R = 13.02 cm.

T₀ = 5 sec.

CALCULATION:

$$K = \frac{(2.54)^2 \ln(304.8/13.02)}{2(5)(5)}$$


$$= 7 \times 10^{-3} \text{ cm/sec}$$

TEST DATA:

t (H-h)/(H-H₀)

0 1

5 0.37



CD 002741

APPENDIX C
SAMPLING AND ANALYSIS

C.1 PROCEDURES

1. Sampling Methodology

The sampling plan was prepared by Gibbs & Hill as a part of the updated work plan. It identifies the number of each sample type to be collected, and describes collection methods to be utilized. The sampling plan specifies each sampling location and gives a sketch with roughly indicated sampling locations for illustrative purpose. The sampling locations were given code numbers for identification.

In order to ensure a smooth and proper sampling process in the field, the following preparations and steps were taken:

- Coordination with the laboratory to ensure adequate number of laboratory cleaned containers were provided, with the necessary preservatives according to the appropriate protocols.
- All instruments to be used in the field were checked to ensure working order. All instruments were calibrated before going to the site.
- Sampling equipment was cleaned in accordance with cleaning procedure outlined in the Page C-4.

CD 002743

During the sampling events the following elements were implemented:

- Chain of custody procedures were followed.
- Accurate sampling log was maintained.
- No sampling containers other than those provided by the laboratory were used.
- A field blank and a trip blank accompanied aqueous samples.
- Prior to sampling, laboratory supplied deionized water was poured over sampling equipment and collected into field blank bottles.
- Well purging was performed. A minimum of three well volumes of water were evacuated.
- Prior to filling the sample bottles, the groundwater was analyzed for temperature, specific conductance and pH.
- Groundwater sample collection occurred right after well development. Samples were collected from the inertial pump except samples for VOA. Dedicated teflon bailer with disposable polypropylene suspension cords were used to collect samples for VOA. Care was taken to minimize the potential for volatilization during the transfer of the sample from the bailer to the bottle. No headspace or air bubbles were allowed in these samples.

CD 002744

- Samples were capped, labeled (well no., site location, type of sample, collection date and time) and placed in ice filled coolers.
- All samples were stored and maintained at less than 4°C and delivered to the laboratory within 48 hours.

Cleaning Procedure

All sampling equipment was thoroughly cleaned before use in accordance with the following procedures:

1. Non-phosphate detergent and tap water wash
2. Tap water rinse
3. Distilled water rinse
4. Acetone (pesticide grade) rinse
5. Hexane rinse
6. Distilled water rinse
7. Air dry

After this procedure has been accomplished, the sampling equipment was wrapped in aluminum foil, placed in a plastic bag and kept in its wrapping until use.

Inertial Pump

The pump is composed of one-piece molded ABS plastic body, foot valve, a flexible polyethylene tubing, and a stainless steel levered handle. A gasoline powered motor drive was used in place of the levered handle where large volumes of water were removed from the wells. The operating principle of the pump is based on the inertia of a column of water contained within a riser tubing. The pump is operated by a continuous up and down movement of the tubing. The water within the tubing will move upward to in pulses and ultimately discharge at the surface.

Air Survey

A PID meter was used to monitor the presence of volatile organic contaminants in the ambient air at the hazardous waste site. The measurements were evaluated to determine the proper health and safety requirements to be implemented during the site reconnaissance, and during sampling activities.

The meter was calibrated daily with a benzene standard. Organic vapor emanating from the surface was determined by holding the probe 6"-12" above the surface for 30 seconds. In all monitoring events, the readings were at the background level.

CD 002746

2. Chemical Analysis

A quality assurance program was developed in the Work Plan to ensure that the precision and accuracy of the groundwater sample analyses were not impacted by sampling, sample handling and equipment decontamination procedures. This program was based on the collection of the field blank samples for laboratory analysis and the maintenance of a trip blank.

A trip blank determines if sample bottles (empty or full) have been exposed to air-borne contaminants in transport or on site. A trip blank (an aliquot of deionized, analyte-free water which was placed in a container and sealed at the laboratory), accompanied the sampler to each sampling site. The trip blanks were handled, transported and analyzed (for VOA) in the same manner as the samples acquired that day, except that the sample containers themselves were not opened in the field.

A field blank was prepared for each sampling episode. The purpose of a field blank is to provide an additional check on possible sources of contamination beyond that which is intended for the trip blank. At the field location, in the most contaminated area, the analyte-free water was passed through a sampling device into an empty set of containers. By being opened in the field, and transferred over a cleaned sampling device, the field blank was also indicative of atmospheric

conditions and/or equipment conditions that might potentially affect the quality of the associated samples. The field blanks were transported, handled and analyzed as routine groundwater samples.

All samples analyses were performed by H2M Laboratory following the procedures outlined in the New York State Contract Laboratory Protocol (CLP). The analyses included are the following:

- TCL (Target Compound List) Inorganics - Preparation and analysis of inorganic compounds using the specified CLP methods. The metal analyses are performed on an unfiltered sample. Results of metal analyses represent total metals.
- TCL Volatiles - Preparation and analysis using the CLP specified GC/MS (Gas Chromatograph/Mass Spectrometer) method for TCL purgeable organics plus a library search for and the quantification of any additional non-TCL compounds (the CLP requires the library search only for the 10 non-TCL compounds of largest apparent concentration).
- TCL Semi-Volatiles - Preparation and analysis using the CLP specified GC/MS method for TCL extractable base/neutral and acid organic compounds plus a library search for and the quantification of any additional non-TCL compounds (the CLP

requires the library search only for the 20 non-TCL compounds of largest apparent concentration).

- TCL Pesticides/PCBs - Preparation and pre-extraction of the organo-chloride pesticides and polychlorinated biphenyls using the CLP specified Gas Chromatograph/Electron Capture Detection (GC/ECD) method.

The CLP used for the analyses specified the quality control measures which were employed, including:

- A duplicate sample obtained from a monitoring well chosen at random. That sample was not identified as a duplicate to the laboratory, but was assigned an identifier similar to other groundwater samples. The Bureau of Hazardous Site Control requires the blind analyses of a duplicate sample for each site by the laboratory to confirm the integrity of all sampling and analytical activities.
- For volatile organic analyses, CLP requires at least one spiked sample analysis and one spike duplicate sample analysis from each group of samples of a similar matrix type for each case of samples or for each 20 samples received, whichever is more frequent.
- A method blank is also used to assess the level of possible laboratory background contamination.

OBG Laboratories, Inc. performed validation of data submitted by H2M Laboratory. For validation of analytical data, the CLP guidelines for validation of laboratory data were followed.

3. Guidelines for Evaluating Chemical Analyses

a. The assessment of a chemical analysis is to determine the existence and magnitude of contamination problems and criteria to determine whether or not a quantitative evidence exists of an observed release. The following criteria based on USEPA, Laboratory Data Validation, February 1, 1988 [D.18] have been applied for evaluation of blanks associated with samples:

- For all pollutants the method blank must contain less than Contract Required Quantitation Limits (CRQL) of any single pollutant. If a method blank exceeds this criterion, the analytical system is considered as "out-of-control".
- Trip and field blank are evaluated as if they are "true" samples. The presence of the analyte in the field/trip blank is an indication of possible field/trip introduced contamination.

- Sample results are considered suitable when concentration of the compound in the sample exceeds 10 times the amount in any blank for common lab contaminants (methylene chloride, acetone, toluene, 2-butanone and common phthalate esters), or 5 times the amount for other compounds.

b. To determine whether or not a quantitative evidence exists of an observed release, the following guidelines have been applied:

- If a contaminant is measured in a sample at the concentration equal to or greater than ten times that of the contaminant in the background sample, then the contaminant is considered to be in a significantly higher level than the background level, and quantitative evidence exists for an observed release.
- If no background concentration is detected (background sample results are below CRQL), then the analytical results for contamination of the sample must be three or more times the CRQL to be considered at significantly higher level than the background level.

c. To determine the magnitude of a water body contamination problem, sample results are compared to the following

federal and New York State water quality standards or guidelines:

- Environmental Protection Agency National Primary Drinking Water Regulations (as of 7/17/89).

Applied to results of all water sample analyses.

- Chapter 1 of Title 10 of the Official Compilation of Codes, Rules, and Regulations of the State of New York, Part 5, Drinking Water Supplies, Subpart 5-1, Public Water Supplies (as of 11/28/88).

Applied to results of drinking water sample analyses.

- Chapter 10 of Title 6 of the Official Compilation of Codes, Rules, and Regulations of the State of New York, Division of Water Resources, Article 2, Part 702, Appendix 31, Ambient Water Quality Standards - "The standards adopted herein relate to the condition of waters as affected by the discharge of sewage, industrial wastes, or other wastes" (as of 7/5/85).

Applied to results of surface water sample analyses for surface water that is not a source of drinking water.

- Chapter 10 of Title 6 of the Official Compilation of Codes, Rules, and Regulations of the State of New York, Division of Water Resources, Article 2, Part 703.5(a)(2) and (3), classes and quality standards for groundwaters - "The purpose of these classes, quality standards, and effluent standards and/or limitations is to prevent pollution of groundwaters and to protect the groundwaters for use as a potable water" (as of 7/5/85).

Applied to results of all groundwater sample analyses regardless of groundwater use.

- d. To determine the magnitude of soil and sediment contamination, soil and sediment samples are compared to the common range of inorganics in uncontaminated soils as listed in the publication USEPA, Review of In-Place Treatment Techniques for Contaminated Surface Soils (EPA-5400/2-84-0036, November 1984, p. 79).

SAMPLING SUMMARY REPORT

Site Name: C&D Power System
Date: 1/18/89
Samplers: A. Kostic and A. Longoria
Weather: Partly cloudy, 5°C


FIELD TEST DATA

<u>Well No.</u>	<u>Temp. °C</u>	<u>Cond., umho/cm</u>	<u>pH</u>	<u>Remarks</u>
MW-6	9	70	5.8	No odor, clear
MW-7	9	200	7.8	No odor, cloudy
MW-8	9	180	6.9	No odor, cloudy
MW-9	8	240	7.3	No odor, reddish
MW-11	9	150	5.5	No odor, clear

Before sampling, four volumes were evacuated from each well by dedicated teflon bailers.

CD 002754

C.2 RESULTS



LABORATORIES, INC.

June 5, 1989

Mr. Lawrence J. Alden
New York State Department
of Environmental Conservation
Division of Solid and Hazardous Waste
50 Wolf Road
Albany, New York 12233-0001

Re: Data Validation
File: 4398-001-517

Dear Larry,

Please find enclosed the report on the validation of data packages submitted by H2M Labs, Inc. The samples validated were collected from the C & D Batteries Site on 1-17-89. The following table itemizes the site identification, laboratory sample number and parameters validated.

SITE ID	LABORATORY SAMPLE NUMBER	PARAMETERS				CN
		VOA	BNA	PEST	METALS	
GW-6	951190/951198	X	X	X	X	X
GW-7	951191/951199	X	X	X	X	X
GW-8	951192/951200	X	X	X	X	X
GW-9	951193/951201	X	X	X	X	X
GW-11	951194/951202	X	X	X	X	X
GW-14	951195/951203	X	X	X	X	X
Field Blank	951196/951204	X	X	X	X	X
Trip Blank	951197	X				
SW-1	951205/951207	X	X	X	X	X
SW-2	951206/951208	X	X	X	X	X
SS-1	951209/951211	X	X	X	X	X
SS-2	951210/951212	X	X	X	X	X

The data packages were received at OBG Laboratories, Inc. on May 11, 1989. Following the review by our chemists a report is typed identifying the excursions from the 1987 NYS DEC CLP requirements. The excursions are minor and should not effect the overall usability of the data. The laboratory should comment on the excursions cited.

OBG Laboratories, Inc.
Box 4942 / 1304 Buckley Road / Syracuse, New York 13221 / (315) 457-1494


C-15

CD 002756

Page 2
Mr. Lawrence Alden
June 5, 1989

Should you have any questions pertaining to the comments
please feel free to contact us.

Very truly yours,
OBG Laboratories, Inc.



David R. Hill
Vice President

enc.
cc:Mr. Norman Hinsey, Gibbs & Hill
Mr. Stanley Isaacson, H2M Labs

H2M LABS, INC.

Environmental and Industrial Analytical Laboratory
575 Broad Hollow Road, Melville, NY 11747-5076

(516) 694-3040

May 9, 1989

Mr. Norman Hinsey
Gibbs & Hill, Inc.
11 Penn Plaza
New York, New York 10001


Dear Mr. Hinsey:

Please find enclosed a copy of the lab reports, case narratives, and invoice for the samples received on January 19, 1989 from the C & D Batteries Site. The CLP data package has been forwarded to OBG Labs for review.

If you have any questions regarding this material, please feel free to contact us.

Very truly yours,

H2M Labs, Inc.


Stanley Isaacson
Laboratory Manager

SI/aks
Enclosure

CD 002758

H2M LABS

Melville, NY • Riverhead, NY • Fairfield, NJ

C-17

Member ACIL



CASE NARRATIVE FOR VOLATILE ORGANICS

All quality control and calibration requirements for this data package were met with the following exceptions.

The % RPD was outside the required limits for toluene and chlorobenzene for SW-2 MS/MSD.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

* *J. J. Molloy* *
* *J. J. Molloy* *

John J. Molloy, P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

WATER VOLATILE SURROGATE RECOVERY

Lab Name: H2M LABS, INC. Contract: Gibbs & Hill

Level: LOW

EPA SAMPLE NO.	S1 (TOL)#	S2 (BFB)#	S3 (DCE)#	OTHER	(TOT) (OUT)
01:VBLK	90	103	97	--	0
02:Trip Blank	100	99	77	--	0
03:Field Blank	96	109	86	--	0
04:GW-6	89	99	86	--	0
05:GW-7	97	99	83	--	0
06:GW-8	95	102	91	--	0
07:GW-9	98	101	80	--	0
08:GW-11	96	95	79	--	0
09:GW-14	97	92	87	--	0
10:GW-14MS	97	96	94	--	0
11:GW-14MSD	95	99	101	--	0
12:SW-1	91	102	91	--	0
13:SW-2	93	103	77	--	0
14:SW-2MS	91	100	100	--	0
15:SW-2MSD	91	101	90	--	0
16:					
17:					
18:					
19:					
20:					
21:					
22:					
23:					
24:					
25:					
26:					
27:					
28:					
29:					
30:					

QC LIMITS
 S1 (TOL) = Toluene-d8 (88-110)
 S2 (BFB) = Bromofluorobenzene (86-115)
 S3 (DCE) = 1,2-Dichloroethane-d4 (76-114)

Column to be used to flag recovery values

* Values outside of contract required QC limits due to matrix interference

D Surrogates diluted out

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

SOIL VOLATILE SURROGATE RECOVERY

Lab Name: H2M LABS, INC. Contract: Gibbs & Hill

Level: LOW

EPA SAMPLE NO.	S1 (TOL)#	S2 (BFB)#	S3 (DCE)#	OTHER	TOT OUT
01 VBL	104	104	108	--	0
02 SS-1	103	100	110	--	0
03 SS-1M5	101	101	93	--	0
04 SS-1MSD	105	97	101	--	0
05 SS-2	98	107	108	--	0
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					

S1 (TOL) = Toluene-d8
 S2 (BFB) = Bromofluorobenzene
 S3 (DCE) = 1,2-Dichloroethane-d4

QC LIMITS
 (81-117)
 (74-121)
 (70-121)

- # Column to be used to flag recovery values
- * Values outside of contract required QC limits due to matrix interference
- D Surrogates diluted out

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

WATER VOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: H2M LAB INC. Contract: Gibbs & Hill

Matrix Spike - Sample No.: GW-14

COMPOUND	SPIKE ADDED (ug/l)	SAMPLE CONCENTRATION (ug/l)	MS CONCENTRATION (ug/l)	MS % REC #	QC LIMITS REC.
1,1-Dichloroethene	50	0	55.8	112	61-145
Trichloroethene	50	0	59.2	120	71-120
Benzene	50	0	57.5	115	76-127
Toluene	50	3	61.2	116	76-125
Chlorobenzene	50	0	53.7	107	75-130

COMPOUND	SPIKE ADDED (ug/l)	MSD CONCENTRATION (ug/l)	MSD % REC #	% REC #	QC LIMITS RPD REC.
1,1-Dichloroethene	50	59.6	119	6	14 61-145
Trichloroethene	50	59.0	118	2	14 71-120
Benzene	50	61.7	123	7	11 76-127
Toluene	50	54.3	103	12	13 76-125
Chlorobenzene	50	50.3	101	6	13 75-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits due to high level of compound in sample.

RPD: 0 out of 5 outside limits

Spike Recovery: 0 out of 10 outside limits

Comments: _____

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

WATER VOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: H2M LAB INC. Contract: Gibbs & Hill

Matrix Spike - Sample No.: SW-7

COMPOUND	SPIKE ADDED (ug/l)	SAMPLE CONCENTRATION (ug/l)	MS CONCENTRATION (ug/l)	MS % REC #	QC LIMITS REC.
1,1-Dichloroethene	50	0	50.3	101	61-145
Trichloroethene	50	0	44.6	29	71-120
Benzene	50	0	49.3	100	76-127
Toluene	50	0	39.2	78	76-125
Chlorobenzene	50	0	37.4	75	75-130

COMPOUND	SPIKE ADDED (ug/l)	MSD CONCENTRATION (ug/l)	MSD % REC #	% REC #	QC LIMITS RPD REC.
1,1-Dichloroethene	50	52.7	107	6	14 61-145
Trichloroethene	50	50.7	101	13	14 71-120
Benzene	50	54.8	110	10	11 76-127
Toluene	50	49.4	99	24*	13 76-125
Chlorobenzene	50	47.7	95	24*	13 75-130

Column to be used to flag recovery and RPD values with an asterisk
 * Values outside of QC limits due to high level of compound in sample.

RPD: 2 out of 5 outside limits
 Spike Recovery: 0 out of 10 outside limits

Comments: _____

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Soil VOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: H2M LAB INC. Contract: Gibbs & Hill

Matrix Spike - Sample No.: SS-1 Level: Low

COMPOUND	SPIKE ADDED (ug/kg)	SAMPLE CONCENTRATION (ug/kg)	MS CONCENTRATION (ug/kg)	MS % REC #	QC LIMITS REC.
1,1-Dichloroethene	255	0	195	76	59-172
Trichloroethene	255	0	297	116	62-137
Benzene	255	0	305	120	66-142
Toluene	255	15	360	135	59-139
Chlorobenzene	255	0	330	129	60-133

COMPOUND	SPIKE ADDED (ug/kg)	MSD CONCENTRATION (ug/kg)	MSD % REC #	MSD % REC #	QC LIMITS RPD	REC.
1,1-Dichloroethene	242	191	79	4	22	59-172
Trichloroethene	242	265	110	5	24	62-137
Benzene	242	292	121	1	21	66-142
Toluene	242	327	130	4	21	59-139
Chlorobenzene	242	314	130	1	21	60-133

* Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits due to high level of compound in sample.

RPD: 0 out of 5 outside limits

Spike Recovery: 0 out of 10 outside limits

Comments: _____

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

VOLATILE METHOD BLANK SUMMARY

25


Lab Name: H2M LABS, INC.
Lab File ID: PU9623
Date Analyzed: 1/23/89
Matrix: (soil/water) Water
Instrument ID: OWA-1

Gibbs & Hill
Lab Sample ID: VBLK
Time Analyzed: 9:00
Level: (low/med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES. MS AND MSD:

SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01: Trip Blank	951197	PU9626	9:47
02: Field Blank	951196	PU9627	10:29
03: GW-6	951190	PU9628	11:14
04: GW-7	951191	PU9629	11:58
05: GW-8	951192	PU9630	12:43
06: GW-9	951193	PU9631	13:28
07: GW-11	951194	PU9632	14:13
08: GW-14	951195	PU9633	14:59
09: GW-14MS	951195MS	PU9634	15:44
10: GW-14MSD	951195MSD	PU9635	16:29
11: SW-1	951205	PU9636	17:14
12: SW-2	951206	PU9637	17:50
13: SW-2MS	951206MS	PU9638	18:30
14: SW-2MSD	951206MSD	PU9639	19:11
15:			
16:			
17:			
18:			
19:			
20:			
21:			
22:			
23:			
24:			
25:			
26:			
27:			
28:			
29:			
30:			

COMMENTS: _____



ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

VOLATILE METHOD BLANK SUMMARY

Lab Name: H2M LABS, INC.
Lab File ID: FU9643
Date Analyzed: 1/24/89
Matrix: (soil/water) Soil
Instrument ID: QWA-1

Gibbs & Hill
Lab Sample ID: VELK
Time Analyzed: 13:46
Level: (low/med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01:SS-1	951209	FU9644	19:31
02:SS-1MS	951209MS	FU9645	20:14
03:SS-1MSD	951209MSD	FU9646	20:56
04:SS-2	951210	FU9647	21:41
05:			
06:			
07:			
08:			
09:			
10:			
11:			
12:			
13:			
14:			
15:			
16:			
17:			
18:			
19:			
20:			
21:			
22:			
23:			
24:			
25:			
26:			
27:			
28:			
29:			
30:			

COMMENTS:

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951190 Sample No. GW-6
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9628
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit:	ug/l
74-27-3	Chloromethane	10	U	
74-23-9	Bromomethane	10	U	
75-01-4	Vinyl Chloride	10	U	
75-00-3	Chloroethane	10	U	
75-09-2	Methylene Chloride	9	B	
67-64-1	Acetone	4	BJ	
75-15-0	Carbon Disulfide	5	U	
75-35-4	1,1-Dichloroethene	5	U	
75-34-3	1,1-Dichloroethane	5	U	
540-59-0	1,2-Dichloroethene (total)	5	U	
67-66-3	Chloroform	5	U	
107-02-2	1,2-Dichloroethane	5	U	
78-93-3	2-Butanone	3	JB	
71-55-6	1,1,1-Trichloroethane	5	U	
56-23-5	Carbon Tetrachloride	5	U	
108-05-4	Vinyl Acetate	10	U	
75-27-4	Bromodichloromethane	5	U	
78-87-5	1,2-Dichloropropane	5	U	
10061-02-6	cis-1,3-Dichloropropene	5	U	
79-01-6	Trichloroethene	5	U	
124-48-1	Dibromochloromethane	5	U	
79-00-5	1,1,2-Trichloroethane	5	U	
71-43-2	Benzene	5	U	
10061-01-5	trans-1,3-Dichloropropene	5	U	
75-25-2	Bromoform	5	U	
108-10-1	4-Methyl-2-Pentanone	10	U	
591-78-6	2-Hexanone	10	U	
127-18-4	Tetrachloroethene	5	U	
79-34-5	1,1,2,2-Tetrachloroethane	5	U	
108-88-3	Toluene	5	U	
108-90-7	Chlorobenzene	5	U	
100-41-4	Ethylbenzene	5	U	
100-42-5	Styrene	5	U	
1330-20-7	Xylene (total)	5	U	

John J. Molloy

Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs. Inc.
 Lab Code: --- Case No. ---
 Matrix: Water
 Sample Vol: 5 ml
 Level: Low
 % Moisture: not dec:
 Column: Pack

Lab Sample ID: 951190 Sample No. GW-6
 SAS No.: ----- SDG No.: -----
 Lab File ID: PU9628 Gibbs & Hill
 Date Received: 1/19/89
 Date Analyzed: 1/23/89
 Dilution Factor: 1

Number TICs found: 0

CAS Number	Compound Name	RT	Est. Conc.	ug/l
No TICs Found				

Date Reported: 2/25/89

 * *J. Molloy* *
 * *****
 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951191 Sample No. GW-7
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9629
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-27-3	Chloromethane	10	U
74-23-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	8	B
67-64-1	Acetone	4	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	3	JB
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

 * *John J. Molloy* *

-Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs. Inc. Lab Sample ID: 951191 Sample No. GW-7
Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
Matrix: Water Lab File ID: PU9629 Gibbs & Hill
Sample Vol: 5 ml Date Received: 1/19/89
Level: Low Date Analyzed: 1/23/89
% Moisture: not dec: Dilution Factor: 1
Column: Pack

Number TICs found: 2 ug/l

CAS	Compound Name	RT	Est. Conc.	Q
1066406	Tri Methyl silanol	10:18	10	J
	Unknown	14:42	31	J

* May be from the column
Date Reported: 3/1/89

* *John J. Molloy* *

John J. Molloy, P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951192 Sample No. GW-8
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU963D
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-27-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	12	B
67-64-1	Acetone	9	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	4	JE'
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	4	J
79-34-5	1,1,2,2, Tetrachloroethane	5	U
108-28-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

 * *J. J. Molloy* *

Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs. Inc. Lab Sample ID: 951192 Sample No. GW-8
Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
Matrix: Water Lab File ID: PU9630 Gibbs & Hill
Sample Vol: 5 ml Date Received: 1/19/89
Level: Low Date Analyzed: 1/23/89
% Moisture: not dec: Dilution Factor: 1
Column: Pack

Number TICs found: 2 ug/l

CAS	Compound Name	RT	Est. Conc.	Q
1066406	Trimethyl silanol	10:18	26	J
	Unknown	14:42	27	J

* May be from the column

Date Reported: 3/1/89

* *John J. Molloy* *
* *****
John J. Molloy, P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951193 Sample No. GW-9
 Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
 Matrix: Water Lab File ID: PU9631
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	14	B
67-64-1	Acetone	8	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	3	J
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	4	JB
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	2	J
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	3	J
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	2	J
71-43-2	Benzene	2	J
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	2	J
591-78-6	2-Hexanone	10	U
127-13-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	2	J
100-41-4	Ethylbenzene	1	J
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	2	J

 * *J. J. Molloy* *

Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
(516) 694-3040 FAX: (516) 694-4122

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs. Inc. Lab Sample ID: 951193 Sample No. GW-9
Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
Matrix: Water Lab File ID: PU9631 Gibbs & Hill
Sample Vol: 5 ml Date Received: 1/19/89
Level: Low Date Analyzed: 1/23/89
% Moisture: not dec: Dilution Factor: 1
Column: Pack

Number TICs found: 1 ug/l

CAS	Compound Name	RT	Est. Conc.	Q
	Unknown Alkane	14:43	6	J

Date Reported: 3/1/89

* *J. Molloy* *
* *

John J. Molloy, P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951194 Sample No. GW-11
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9632
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	25	B
67-64-1	Acetone	20	B
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	6	JB
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	2	J
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	9	U
108-90-7	Chlorobenzene	3	J
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

John J. Molloy

Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs. Inc. Lab Sample ID: 951194 Sample No. GW-11
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9632 Gibbs & Hill
 Sample Vol: 5 ml Date Received: 1/19/89
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack

Number TICs found: 2		ug/l		
CAS		RT	Est. Conc.	Q
1066406	* Trimethyl silanol	10:21	22	J
	: Unknown	14:48	9	J

* May be from the column
 Date Reported: 3/1/89

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951195 Sample No. GW-14
 Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
 Matrix: Water Lab File ID: PU9633
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	13	B
67-64-1	Acetone	7	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	4	JB
71-55-6	1,1,1-Trichloroethane	5	U
50-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	3	J
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

John J. Molloy

Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

27

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs, Inc. Lab Sample ID: 951195 Sample No. GW-14
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9633 Gibbs & Hill
 Sample Vol: 5 ml Date Received: 1/19/89
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack

Number TICs found: 2				ug/l
CAS	Compound Name	RT	Est. Conc.	Q
1066406	Trimethyl silanol	10:24	12	J
	Unknown	21:24	20	J

Date Reported: 3/1/89

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951196 Sample No. Field Blank
Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: ----
Matrix: Water Lab File ID: PU9627
Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
Level: Low Date Analyzed: 1/23/89
% Moisture: not dec: Dilution Factor: 1
Column: Fack C & D Batteries #336001
Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	9	B
67-64-1	Acetone	6	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	8	JB
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-37-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	2	J
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

* *J. J. Molloy* *

Date Reported: 2/27/89

John J. Molloy, P.E.
Laboratory Director

29

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs. Inc. Lab Sample ID: 951196 Sample No. Field Blar
 Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
 Matrix: Water Lab File ID: PU9627 Gibbs & Hill
 Sample Vol: 5 ml Date Received: 1/19/89
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack

Number TICs found: 1				ug/l
CAS	Compound Name	RT	Est. Conc.	Q
1066406	*Trimethyl silanol	10:24	22	J

* May be from the column
 Date Reported: 3/1/89

 * *John J. Molloy* *
 * *****
 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951197 Sample No. Trip Blank
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9626
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	8	B
67-64-1	Acetone	3	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	4	J
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-38-3	Toluene	4	J
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

 * *J. J. Molloy* *

Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
(516) 694-3040 FAX: (516) 694-4122

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs. Inc. Lab Sample ID: 951197 Sample No. Trip Blank
Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
Matrix: Water Lab File ID: PU9626 Gibbs & Hill
Sample Vol: 5 ml Date Received: 1/19/89
Level: Low Date Analyzed: 1/23/89
% Moisture: not dec: Dilution Factor: 1
Column: Pack

Number TICs found: 0				ug/l
CAS Number	Compound Name	RT	Est. Conc.	0
No TICs Found				

Date Reported: 3/1/89

* *J. Molloy* *

John J. Molloy, P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951205 Sample No. **SW-1**
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9636
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-37-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	11	B
67-64-1	Acetone	8	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U,
78-93-3	2-Butanone	4	JB
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-73-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2, Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

 * *John J. Molloy* *

Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

CD 002783

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs, Inc. Lab Sample ID: 951205 Sample No. SW-1
Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
Matrix: Water Lab File ID: PU9636 Gibbs & Hill
Sample Vol: 5 ml Date Received: 1/19/89
Level: Low Date Analyzed: 1/23/89
% Moisture: not dec: Dilution Factor: 1
Column: Pack

Number TICs found: 0 ug/l

CAS Number	Compound Name	RT	Est. Conc.	Q
No TICs Found				

Date Reported: 3/1/89

* *J. Molloy* *

John J. Molloy, P.E.
Laboratory Director

C-42

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs. Inc. Lab Sample ID: 951206 Sample No. SW-2
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9637
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	13	B
67-64-1	Acetone	11	B
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	3	B
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

John J. Molloy

-Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs. Inc. Lab Sample ID: 951209 Sample No. SS-1
 Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
 Matrix: Soil Lab File ID: PU9644
 Sample Wt: 3.40 g Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/24/89
 % Moisture: not dec: 75 Dilution Factor: 1
 Column: Fack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/kg
74-37-3	Chloromethane	59	U
74-83-9	Bromomethane	59	U
75-01-4	Vinyl Chloride	59	U
75-00-3	Chloroethane	59	U
75-09-2	Methylene Chloride	310	B
67-64-1	Acetone	170	B
75-15-0	Carbon Disulfide	29	U
75-35-4	1,1-Dichloroethene	29	U
75-34-3	1,1-Dichloroethane	29	U
540-59-0	1,2-Dichloroethene (total)	29	U
67-66-3	Chloroform	20	J
107-02-2	1,2-Dichloroethane	29	U
78-93-3	2-Butanone	21	BJ
71-55-6	1,1,1-Trichloroethane	31	B
56-23-5	Carbon Tetrachloride	29	U
108-05-4	Vinyl Acetate	59	U
75-27-4	Bromodichloromethane	29	U
78-87-5	1,2-Dichloropropane	29	U
10061-02-6	cis-1,3-Dichloropropene	29	U
79-01-6	Trichloroethene	29	U
124-48-1	Dibromochloromethane	29	U
79-00-5	1,1,2-Trichloroethane	29	U
71-43-2	Benzene	29	U
10061-01-5	trans-1,3-Dichloropropene	29	U
75-25-2	Bromoform	29	U
108-10-1	4-Methyl-2-Pentanone	59	U
591-78-6	2-Hexanone	59	U
127-13-4	Tetrachloroethene	29	U
79-34-5	1,1,2,2-Tetrachloroethane	29	U
108-88-3	Toluene	15	JB
108-90-7	Chlorobenzene	29	U
100-41-4	Ethylbenzene	29	U
100-42-5	Styrene	29	U
1330-20-7	Xylene (total)	29	U

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

Date Reported: 2/27/89

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs. Inc. Lab Sample ID: 951206 Sample No. SW-2
Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
Matrix: Water Lab File ID: PU9637 Gibbs & Hill
Sample Vol: 5 ml Date Received: 1/19/89
Level: Low Date Analyzed: 1/23/89
% Moisture: not dec: Dilution Factor: 1
Column: Pack

Number TICs found: 0 ug/l

CAS	Compound Name	RT	Est. Conc.	Q
No TICs Found				

Date Reported: 3/1/89

* *J. Molloy* *

John J. Molloy. P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs. Inc. Lab Sample ID: 951209 Sample No. SS-1
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Soil Lab File ID: PU9644
 Sample Wt: 3.40 g Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/24/89
 % Moisture: not dec: 75 Dilution Factor: 1
 Column: Fack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/kg
74-37-3	Chloromethane	59	U
74-83-9	Bromomethane	59	U
75-01-4	Vinyl Chloride	59	U
75-00-3	Chloroethane	59	U
75-09-2	Methylene Chloride	310	B
67-64-1	Acetone	170	B
75-15-0	Carbon Disulfide	29	U
75-35-4	1,1-Dichloroethene	29	U
75-34-3	1,1-Dichloroethane	29	U
540-59-0	1,2-Dichloroethene (total)	29	U
67-66-3	Chloroform	20	J
107-02-2	1,2-Dichloroethane	29	U
78-93-3	2-Butanone	21	BJ
71-55-6	1,1,1-Trichloroethane	31	B
56-23-5	Carbon Tetrachloride	29	U
108-05-4	Vinyl Acetate	59	U
75-27-4	Bromodichloromethane	29	U
78-87-5	1,2-Dichloropropane	29	U
10061-02-6	cis-1,3-Dichloropropene	29	U
79-01-6	Trichloroethene	29	U
124-48-1	Dibromochloromethane	29	U
79-00-5	1,1,2-Trichloroethane	29	U
71-43-2	Benzene	29	U
10061-01-5	trans-1,3-Dichloropropene	29	U
75-25-2	Bromoform	29	U
108-10-1	4-Methyl-2-Pentanone	59	U
591-78-6	2-Hexanone	59	U
127-18-4	Tetrachloroethene	29	U
79-34-5	1,1,2,2-Tetrachloroethane	29	U
108-88-3	Toluene	15	JB
108-90-7	Chlorobenzene	29	U
100-41-4	Ethylbenzene	29	U
100-42-5	Styrene	29	U
1330-20-7	Xylene (total)	29	U

John J. Molloy

Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs, Inc. Lab Sample ID: 951209 Sample No. SS-1
 Lab Code: --- Case No. ----- SAS No. : ----- SDG No. : -----
 Matrix: Soil Lab File ID: PU9544 Gibbs & Hill
 Sample Wt: 3.40 g Date Received: 1/19/89
 Level: Low Date Analyzed: 1/24/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack

Number TICs found: 0 ug/kg

CAS Number	Compound Name	RT	Est. Conc.	Q
No TICs Found				

Date Reported: 3/1/89

J. J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951210 Sample No. SS-2
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Soil Lab File ID: PU9647
 Sample Wt: 4.81 g Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/24/89
 % Moisture: not dec: 21 Dilution Factor: 1
 Column: Fack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/kg
74-87-3	Chloromethane	13	U
74-83-9	Bromomethane	13	U
75-01-4	Vinyl Chloride	13	U
75-00-3	Chloroethane	13	U
75-09-2	Methylene Chloride	78	B
67-64-1	Acetone	110	B
75-15-0	Carbon Disulfide	13	U
75-35-4	1,1-Dichloroethene	7	U
75-34-3	1,1-Dichloroethane	7	U
540-59-0	1,2-Dichloroethene (total)	7	U
67-66-3	Chloroform	8	
107-02-2	1,2-Dichloroethane	7	U
78-93-3	2-Butanone	28	B
71-55-6	1,1,1-Trichloroethane	4	JB
56-23-5	Carbon Tetrachloride	7	U
108-05-4	Vinyl Acetate	13	U
75-27-4	Bromodichloromethane	7	U
78-87-5	1,2-Dichloropropane	7	U
10061-02-6	cis-1,3-Dichloropropene	7	U
79-01-6	Trichloroethene	7	U
124-48-1	Dibromochloromethane	7	U
79-00-5	1,1,2-Trichloroethane	7	U
71-43-2	Benzene	3	J
10061-01-5	trans-1,3-Dichloropropene	7	U
75-25-2	Bromoform	7	U
108-10-1	4-Methyl-2-Pentanone	4	JB
591-78-6	2-Hexanone	3	JB
127-18-4	Tetrachloroethene	7	U
79-34-5	1,1,2,2-Tetrachloroethane	7	U
108-88-3	Toluene	40	B
108-90-7	Chlorobenzene	7	U
100-41-4	Ethylbenzene	4	J
100-42-5	Styrene	7	U
1330-20-7	Xylene (total)	14	

 * *John J. Molloy* *

Date Reported: 2/27/89

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs. Inc. Lab Sample ID: 951210 Sample No. SS-2
Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
Matrix: Soil Lab File ID: PU9647 Gibbs & Hill
Sample Wt: 4.81 g Date Received: 1/19/89
Level: Med Date Analyzed: 1/24/89
% Moisture: not dec: 21 Dilution Factor: 1
Column: Pack

Number TICs found: 2 ug/kg

CAS Number	Compound Name	RT	Est. Conc.	Q
	Unknown alkane	14:48	9	J
	Unknown alkene	21:24	22	J

Date Reported: 3/1/89

* *J. Molloy* *

John J. Molloy, P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs. Inc. Lab Sample ID: Sample No. VBLK
 Lab Code:--- Case No.----- SAS No.: ----- SDG No.:-----
 Matrix: Water Lab File ID: PU9625
 Sample Vol: 5 ml Date Received: Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Fack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	15	
67-64-1	Acetone	16	
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	4	J
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-13-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

 * *John J. Molloy* *
 * *****

Date Reported: 3/1/89

John J. Molloy, P.E.
 Laboratory Director

283

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs. Inc. Lab Sample ID: Sample No. VBLK
 Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: -----
 Matrix: Water Lab File ID: PU9625 Gibbs & Hill
 Sample Vol: 5 ml Date Received:
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec; Dilution Factor: 1
 Column: Pack

Number TICs found: 0				ug/l
CAS	Compound Name	RT	Est. Conc.	0
No TICs found				

Date Reported: 3/1/89

 * *John J. Molloy* *

 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

5612

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs. Inc. Lab Sample ID: Sample No. VBLK
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9643
 Sample Vol: 5 ml Date Received: Gibbs & Hill
 Level: Low Date Analyzed: 1/24/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	UU
75-01-4	Vinyl Chloride	10	UUU
75-00-3	Chloroethane	10	UU
75-09-2	Methylene Chloride	15	
67-64-1	Acetone	19	
75-15-0	Carbon Disulfide	5	UUU
75-35-4	1,1-Dichloroethene	5	UUUU
75-34-3	1,1-Dichloroethane	5	UUUUU
540-59-0	1,2-Dichloroethene (total)	5	UUUUUU
67-66-3	Chloroform	5	UUUUUUU
107-02-2	1,2-Dichloroethane	5	UUUUUUUU
78-93-3	2-Butanone	7	UUUUUUUUU
71-55-6	1,1,1-Trichloroethane	4	UUUUUUUUUU
56-23-5	Carbon Tetrachloride	5	UUUUUUUUUUU
108-05-4	Vinyl Acetate	10	UUUUUUUUUUUU
75-27-4	Bromodichloromethane	5	UUUUUUUUUUUUU
78-87-5	1,2-Dichloropropane	5	UUUUUUUUUUUUUU
10061-02-6	cis-1,3-Dichloropropene	5	UUUUUUUUUUUUUUU
79-01-6	Trichloroethene	5	UUUUUUUUUUUUUUUU
124-48-1	Dibromochloromethane	5	UUUUUUUUUUUUUUUUU
79-00-5	1,1,2-Trichloroethane	5	UUUUUUUUUUUUUUUUUU
71-43-2	Benzene	5	UUUUUUUUUUUUUUUUUUU
10061-01-5	trans-1,3-Dichloropropene	5	UUUUUUUUUUUUUUUUUUUU
75-25-2	Bromoform	5	UUUUUUUUUUUUUUUUUUUUU
102-10-1	4-Methyl-2-Pentanone	3	UUUUUUUUUUUUUUUUUUUUUU
591-78-6	2-Hexanone	5	UUUUUUUUUUUUUUUUUUUUUUU
127-18-4	Tetrachloroethene	5	UUUUUUUUUUUUUUUUUUUUUUU
79-34-5	1,1,2,2-Tetrachloroethane	5	UUUUUUUUUUUUUUUUUUUUUUU
108-88-3	Toluene	2	UUUUUUUUUUUUUUUUUUUUUUU
108-90-7	Chlorobenzene	5	UUUUUUUUUUUUUUUUUUUUUUU
100-41-4	Ethylbenzene	5	UUUUUUUUUUUUUUUUUUUUUUU
100-42-5	Styrene	5	UUUUUUUUUUUUUUUUUUUUUUU
1330-20-7	Xylene (total)	5	UUUUUUUUUUUUUUUUUUUUUUU

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

Date Reported: 3/1/89

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

Lab Name: H2M Labs, Inc.	Lab Sample ID:	Sample No. VBLK
Lab Code:---	Case No.-----	SAS No.:-----
		SDG No.:-----
Matrix: Soil	Lab File ID: PU9643	Gibbs & Hill
Sample Vol: 5 ml	Date Received:	
Level: Low	Date Analyzed: 1/24/89	
% Moisture: not dec:	Dilution Factor: 1	
Column: Pack		

Number TICs found: 0 ug/l

CAS Number	Compound Name	RT	Est. Conc.	0
No TICs found				

Date Reported: 3/1/89

J. J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951195MS Sample No. GW-14MS
 Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: ----
 Matrix: Water Lab File ID: PU9634
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	24	B
67-64-1	Acetone	9	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	*	
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	8	BJ
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	*	
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	*	
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
138-10-1	4-Methyl-2-Pentanone	10	U
591-75-6	2-Hexanone	10	U
127-13-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	*	
108-90-7	Chlorobenzene	*	
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

* Analyte is a matrix spike compound

J. J. Molloy

Date Reported: 3/1/89

John J. Molloy, P.E.
 Laboratory Director

313

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs. Inc. Lab Sample ID: 951195MSD Sample No. GW-14MSD
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9635
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	20	B
67-64-1	Acetone	7	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	*	
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	8	BJ
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	*	
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	*	
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-13-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	*	
108-90-7	Chlorobenzene	*	
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

* Analyte is a matrix spike compound

 * *J. J. Molloy* *

Date Reported: 3/1/89

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs. Inc. Lab Sample ID: 951206MS Sample No. SW-2 MS
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Water Lab File ID: PU9638
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-27-3	Chloromethane	10	U
74-83-9	Bromomethane	10	UU
75-01-4	Vinyl Chloride	10	UU
75-00-3	Chloroethane	10	UU
75-09-2	Methylene Chloride	7	B
67-64-1	Acetone	6	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	UU
540-59-0	1,2-Dichloroethene (total)	5	UU
67-66-3	Chloroform	5	UU
107-02-2	1,2-Dichloroethane	5	UU
78-93-3	2-Butanone	5	BJ
71-55-6	1,1,1-Trichloroethane	5	UU
56-23-5	Carbon Tetrachloride	5	UU
108-05-4	Vinyl Acetate	10	UU
75-27-4	Bromodichloromethane	5	UU
78-87-5	1,2-Dichloropropane	5	UU
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	*	U
124-48-1	Dibromochloromethane	5	UU
79-00-5	1,1,2-Trichloroethane	5	UU
71-43-2	Benzene	*	U
10061-01-5	trans-1,3-Dichloropropene	5	UU
75-25-2	Bromoform	5	UU
108-10-1	4-Methyl-2-Pentanone	10	UU
591-78-6	2-Hexanone	10	UU
127-13-4	Tetrachloroethene	5	UU
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	*	U
108-90-7	Chlorobenzene	*	U
100-41-4	Ethylbenzene	5	UU
100-42-5	Styrene	5	UU
1330-20-7	Xylene (total)	5	U

* Analyte is a matrix spike compound

John J. Molloy

Date Reported: 3/1/89

John J. Molloy, F.E.
 Laboratory Director

321

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951206MSD Sample No. SW-2 MSD
 Lab Code: --- Case No. ----- SAS No.: ----- SDG No.: ----
 Matrix: Water Lab File ID: PU9639
 Sample Vol: 5 ml Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/l
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	B
67-64-1	Acetone	7	BJ
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	*	
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-02-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	6	BJ
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
73-87-5	1,2-Dichloropropane	5	U
10061-02-6	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	*	
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	*	
10061-01-5	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-13-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-38-3	Toluene	*	
108-90-7	Chlorobenzene	*	
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

* Analyte is a matrix spike compound

 * *J. J. Molloy* *
 * *****

Date Reported: 3/1/89

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs, Inc. Lab Sample ID: 951209MS Sample No. SS-1MS
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Soil Lab File ID: PU9645
 Sample Wt: 3.93 g Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/23/89
 % Moisture: not dec: 75 Dilution Factor: 1
 Column: Pack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit	ug/kg
74-87-3	Chloromethane	51	U	
74-83-9	Bromomethane	51	U	
75-01-4	Vinyl Chloride	51	U	
75-00-3	Chloroethane	51	U	
75-09-2	Methylene Chloride	300	B	
67-64-1	Acetone	590	B	
75-15-0	Carbon Disulfide	25	U	
75-35-4	1,1-Dichloroethene	*		
75-34-3	1,1-Dichloroethane	25	U	
540-59-0	1,2-Dichloroethene (total)	25	U	
67-66-3	Chloroform	30		
107-02-2	1,2-Dichloroethane	25	U	
78-93-3	2-Butanone	130	B	
71-55-6	1,1,1-Trichloroethane	36	B	
56-23-5	Carbon Tetrachloride	25	U	
108-05-4	Vinyl Acetate	51	U	
75-27-4	Bromodichloromethane	25	U	
78-87-5	1,2-Dichloropropane	25	U	
10061-02-6	cis-1,3-Dichloropropene	25	U	
79-01-6	Trichloroethene	*		
124-48-1	Dibromochloromethane	25	U	
79-00-5	1,1,2-Trichloroethane	25	U	
71-43-2	Benzene	*		
10061-01-5	trans-1,3-Dichloropropene	25	U	
75-25-2	Bromoform	25	U	
108-10-1	4-Methyl-2-Pentanone	14	JB	
591-78-6	2-Hexanone	15	JB	
127-18-4	Tetrachloroethene	25	U	
79-34-5	1,1,2,2-Tetrachloroethane	25	U	
108-88-3	Toluene	*		
108-90-7	Chlorobenzene	*		
100-41-4	Ethylbenzene	25	U	
100-42-5	Styrene	25	U	
1330-20-7	Xylene (total)	25	U	

* Analyte is a matrix spike compound

J. J. Molloy

Date Reported: 3/1/89

John J. Molloy, P.E.
 Laboratory Director

329

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

TARGETED COMPOUND LIST - VOLATILE ORGANIC

Lab Name: H2M Labs. Inc. Lab Sample ID: 951209MSD Sample No. SS-1MSD
 Lab Code: --- Case No. --- SAS No.: --- SDG No.: ---
 Matrix: Soil Lab File ID: PU9646
 Sample Wt: 4.14 g Date Received: 1/19/89 Gibbs & Hill
 Level: Low Date Analyzed: 1/24/89
 % Moisture: not dec: 75 Dilution Factor: 1
 Column: Fack C & D Batteries #336001
 Groundwater Samples

C.A.S. Number	Compound	Concentration	Unit: ug/kg
74-27-3	Chloromethane	48	U
74-23-9	Bromomethane	48	U
75-01-4	Vinyl Chloride	48	U
75-00-3	Chloroethane	48	U
75-09-2	Methylene Chloride	370	B
67-64-1	Acetone	420	B
75-15-0	Carbon Disulfide	24	U
75-35-4	1.1-Dichloroethene	*	
75-34-3	1.1-Dichloroethane	24	U
540-59-0	1.2-Dichloroethene (total)	24	U
67-66-3	Chloroform	35	
107-02-2	1.2-Dichloroethane	24	U
78-93-3	2-Butanone	85	B
71-55-6	1.1,1-Trichloroethane	21	JB
56-23-5	Carbon Tetrachloride	24	U
108-05-4	Vinyl Acetate	24	
75-27-4	Bromodichloromethane	24	U
78-87-5	1.2-Dichloropropane	24	U
10061-02-6	cis-1.3-Dichloropropene	24	U
79-01-6	Trichloroethene	*	
124-48-1	Dibromochloromethane	24	U
79-00-5	1.1.2-Trichloroethane	24	U
71-43-2	Benzene	*	
10061-01-5	trans-1.3-Dichloropropene	24	U
75-25-2	Bromoform	24	U
108-10-1	4-Methyl-2-Pentanone	48	U
591-73-6	2-Hexanone	48	U
127-13-4	Tetrachloroethene	24	U
79-34-5	1.1.2.2.Tetrachloroethane	24	U
108-88-3	Toluene	*	
108-90-7	Chlorobenzene	*	
100-41-4	Ethylbenzene	24	U
100-42-5	Styrene	24	U
1330-20-7	Xylene (total)	24	U

* Analyte is a matrix spike compound

John J. Molloy

Date Reported: 3/1/89

John J. Molloy, P.E.
 Laboratory Director

323

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

CASE NARRATIVE FOR SEMI-VOLATILES

C & D Batteries Site

All quality control data and deliverable of this data package meet the requirements of the protocol with the following exceptions:

2,4,6-tribromophenol was just outside the allowable recovery limits (10-123) the recovery was 124%.

Sample SS-2 was re-extracted, the original sample was extracted 1/19/89 and the re-extraction was performed on 2/13/89. A 1:5 dilution of this sample was made due to several analytes exceeding the instruments calibration range. Both the re-extract and the dilution are submitted for review.

Pentachlorophenol for the matrix spike and matrix spike duplicate for GW# 14 were both just outside the allowable range (9-103%); the recoveries were 105% and 110% respectively.

The relative percent difference for SW# 2 were outside of the allowable limit for 1,4 dichlorobenzene, 1,2,4-trichlorobenzene, acenaphthene, 2,4-dinitrotoluene, and pyrene. Both the matrix spike and the matrix spike duplicate recoveries were within the allowable ranges but the matrix spike recovery was higher than the matrix spike duplicate recovery.

Pyrene was just outside the allowable percent recovery for the matrix spike and matrix spike duplicate for SS-1. The allowable recoveries are (35-142) and the matrix spike/matrix spike duplicate recoveries was 32% and 30% respectively.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: April 3, 1989

*
*
*

John J. Molloy, F.E.

Laboratory Director

H2M LABS, INC.

WATER SEMI-VOLATILE SURROGATE RECOVERY

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

	EPA	S1	S2	S3	S4	S5	S6	OTHER	TOT
	SAMPLE NO.	(NBZ)#	(FBP)#	(TPH)#	(PHL)#	(QFP)#	(TBP)#		LCU
01	SBLK 457	83	71	67	32	59	94		0
02	GW #6	62	56	59	33	65	90		0
03	GW #7	81	74	71	29	52	87		0
04	GW #8	77	68	58	35	60	106		0
05	SW #9	63	47	50	39	63	104		0
06	GW #11	82	65	62	34	53	97		0
07	GW #14	63	55	56	26	66	107		0
08	GW #14 MS	81	63	63	31	53	93		0
09	GW #14 MSD	78	68	59	28	50	98		0
10	SBLK 458	93	112	114	72	78	93		0
11	FIELD BLANK	64	62	59	49	82	124	*	1
12	SW #1	71	64	61	27	38	63		0
13	SW #2	66	59	59	26	39	65		0
14	SW #2 MS	101	80	92	28	41	50		0
15	SW #2 MSD	59	58	63	35	48	80		0
16	SBLK 476	57	58	50	36	42	50		0
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

QC LIMITS

- S1 (NBZ) = Nitrobenzene-d5 (35-114)
- S2 (FBP) = 2-Fluorobiphenyl (43-116)
- S3 (TPH) = Terphenyl-d14 (33-141)
- S4 (PHL) = Phenol-d5 (10-94)
- S5 (QFP) = 2-Fluorophenol (21-100)
- S6 (TBP) = 2,4,6-Tribromophenol (10-103)

Column to be used to flag recovery values
 * Values outside of contract required QC limits
 D Surrogates diluted out

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SOIL SEMI-VOLATILE SURROGATE RECOVERY

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-1


Level: (low/med) LOW

	EPA	S1	S2	S3	S4	S5	S6	OTHER	TOT
	SAMPLE NO.	(NBZ)#	(FBP)#	(TPH)#	(PHL)#	(2FP)#	(TEP)#		OUT
01	SS-1	92	76	67	81	77	96		0
02	SS-1 MS	81	63	59	71	69	81		0
03	SS-1 MSC	71	51	51	67	72	68		0
04	SS-2 RE	52	47	106	50	48	84		0
05	SS-2 RE DL	46	61	91	42	33	75		0
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

QC LIMITS

- S1 (NBZ) = Nitrobenzene-d5 (23-120)
- S2 (FBP) = 2-Fluorobiphenyl (30-115)
- S3 (TPH) = Terphenyl-d14 (18-137)
- S4 (PHL) = Phenol-d5 (24-113)
- S5 (2FP) = 2-Fluorophenol (25-121)
- S6 (TBP) = 2,4,6-Tribromophenol (19-122)

- * Column to be used to flag recovery values
- * Values outside of contract required QC limits
- D Surrogates diluted out



H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
(516) 694-3040 FAX: (516) 694-4122

WATER SEMI-VOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix Spike - EPA Sample No.: GW #14

COMPOUND	SPIKE	SAMPLE	MS	MS	QC
	ADDED	CONCENTRATION	CONCENTRATION	%	LIMITS
	(ug/L)	(ug/L)	(ug/L)	REC #	REC.
Phenol	210.00	0.00	82.00	39	112- 89
2-Chlorophenol	220.00	0.00	160.00	73	127-123
1,4-Dichlorobenzene	100.00	0.00	68.00	68	136- 97
N-Nitroso-di-n-prop. (1)	110.00	0.00	80.00	73	141-116
1,2,4-Trichlorobenzene	120.00	0.00	74.00	62	139- 96
4-Chloro-3-methylphenol	200.00	0.00	160.00	80	123- 97
Acenaphthene	110.00	0.00	63.00	57	146-118
4-Nitrophenol	200.00	0.00	80.00	40	110- 80
2,4-Dinitrotoluene	110.00	0.00	82.00	75	124- 96
Pentachlorophenol	210.00	0.00	220.00	105 *	9-103
Pyrene	100.00	0.00	36.00	36	126-127

COMPOUND	SPIKE	MSD	MSD	%	QC LIMITS	
	ADDED	CONCENTRATION	CONCENTRATION	REC #	RPD #	RPD REC.
	(ug/L)	(ug/L)	(ug/L)			
Phenol	210.00	69.00	33	17	42	112- 89
2-Chlorophenol	220.00	170.00	77	5	40	127-123
1,4-Dichlorobenzene	100.00	61.00	61	11	28	136- 97
N-Nitroso-di-n-prop. (1)	110.00	70.00	64	13	38	141-116
1,2,4-Trichlorobenzene	120.00	71.00	59	5	28	139- 96
4-Chloro-3-methylphenol	200.00	150.00	75	6	42	123- 97
Acenaphthene	110.00	58.00	53	7	31	146-118
4-Nitrophenol	200.00	95.00	48	18	50	110- 80
2,4-Dinitrotoluene	110.00	87.00	79	5	38	124- 96
Pentachlorophenol	210.00	230.00	110 *	5	50	9-103
Pyrene	100.00	36.00	36	0	31	126-127

(1) N-Nitroso-di-n-propylamine

* Column to be used to flag recovery and RPD values with an asterisk
- Values outside of qc limits

RPD: 0 out of 11 outside limits
Spike Recovery: 2 out of 22 outside limits

7

COMMENTS:

C-64

CD 002805

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

WATER SEMI-VOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SMS No.: -----

SDG No.: GW #6

Matrix Spike - EPA Sample No.: SW #2

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	MS CONCENTRATION (ug/L)	MS % REC #	QC LIMITS REC.
Phenol	210.00	0.00	54.00	26	112-89
2-Chlorophenol	220.00	0.00	140.00	64	127-123
1,4-Dichlorobenzene	100.00	0.00	92.00	92	136-97
N-Nitroso-di-n-prop. (1)	110.00	0.00	120.00	109	141-116
1,2,4-Trichlorobenzene	120.00	0.00	110.00	90	139-98
4-Chloro-3-methylphenol	200.00	0.00	140.00	70	123-97
Acenaphthene	110.00	0.00	25.00	77	146-118
4-Nitrophenol	200.00	0.00	49.00	25	110-89
2,4-Dinitrotoluene	110.00	0.00	99.00	90	124-96
Pentachlorophenol	210.00	0.00	130.00	62	9-103
Pyrene	100.00	0.00	55.00	55	126-127

COMPOUND	SPIKE ADDED (ug/L)	MSD CONCENTRATION (ug/L)	MSD % REC #	% RPD #	QC LIMITS FPD REC.
Phenol	210.00	82.00	39	40	42 112-89
2-Chlorophenol	220.00	160.00	73	13	40 127-123
1,4-Dichlorobenzene	100.00	59.00	59	44 *	23 136-97
N-Nitroso-di-n-prop. (1)	110.00	81.00	74	38	38 141-116
1,2,4-Trichlorobenzene	120.00	66.00	55	48 *	28 139-98
4-Chloro-3-methylphenol	200.00	140.00	70	0	42 123-97
Acenaphthene	110.00	58.00	53	37 *	31 146-118
4-Nitrophenol	200.00	68.00	34	31	50 110-89
2,4-Dinitrotoluene	110.00	63.00	57	51 *	33 124-96
Pentachlorophenol	210.00	170.00	81	26	50 9-103
Pyrene	100.00	37.00	37	39 *	31 126-127

(1) N-Nitroso-di-n-propylamine

Column to be used to flag recovery and RPD values with an asterisk
 * Values outside of qc limits

RPD: 5 out of 11 outside limits
 Spike Recovery: 0 out of 22 outside limits

COMMENTS: _____

C-65

CD 002806

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SOIL SEMI-VOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-1

Matrix Spike - EPA Sample No.: SS-1

Level: (low/med) LOW

COMPOUND	SPIKE ADDED (ug/Kg)	SAMPLE CONCENTRATION (ug/Kg)	MS CONCENTRATION (ug/Kg)	MS % REC #	QC LIMITS REC.
Phenol	56000.00	0.00	34000.00	61	126-90
2-Chlorophenol	59000.00	0.00	34000.00	58	125-102
1,4-Dichlorobenzene	27000.00	0.00	17000.00	63	128-104
N-Nitroso-di-n-prop. (1)	29000.00	0.00	24000.00	83	141-126
1,2,4-Trichlorobenzene	32000.00	0.00	20000.00	63	138-107
4-Chloro-3-methylphenol	53000.00	0.00	39000.00	74	126-103
Acenaphthene	29000.00	0.00	16000.00	55	131-137
4-Nitrophenol	53000.00	0.00	45000.00	85	111-114
2,4-Dinitrotoluene	29000.00	0.00	20000.00	69	128-89
Pentachlorophenol	56000.00	0.00	36000.00	64	117-109
Pyrene	27000.00	0.00	8700.00	32*	135-142

COMPOUND	SPIKE ADDED (ug/Kg)	MSD CONCENTRATION (ug/Kg)	MSD % REC #	% RPD #	QC LIMITS RPD REC.
Phenol	56000.00	30000.00	54	10	35 126-90
2-Chlorophenol	59000.00	30000.00	51	13	50 125-102
1,4-Dichlorobenzene	27000.00	16000.00	59	7	27 128-104
N-Nitroso-di-n-prop. (1)	29000.00	23000.00	79	5	38 141-126
1,2,4-Trichlorobenzene	32000.00	17000.00	53	17	23 138-107
4-Chloro-3-methylphenol	53000.00	35000.00	66	11	33 126-103
Acenaphthene	29000.00	14000.00	48	14	19 131-137
4-Nitrophenol	53000.00	37000.00	70	19	50 111-114
2,4-Dinitrotoluene	29000.00	17000.00	59	16	47 128-89
Pentachlorophenol	56000.00	32000.00	57	12	47 117-109
Pyrene	27000.00	8100.00	30*	6	36 135-142

(1) N-Nitroso-di-n-propylamine

Column to be used to flag recovery and RPD values with an asterisk.
 * Values outside of qc limits

RPD: 0 out of 11 outside limits
 Spike Recovery: 2 out of 22 outside limits

COMMENTS: _____

H2M LABS, INC.

SEMI-VOLATILE METHOD BLANK SUMMARY

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

Lab Name: H2M LABS INC. Contract: -----
 Lab Code: ----- Case No.: ----- SHS No.: ----- SDG No.: -----
 Lab File ID: >P5506 Lab Sample ID: SSKL 457
 Date Extracted 01/20/89 Extraction: (SepF/Cont/Sonc) SEFF
 Date Analyzed: 2/03/89 Time Analyzed: 13:56
 Matrix: (soil/water) WATER Level: (low/med) LOW
 Instrument ID: 70 2

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, ME AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
01	GW #6	>P5507	2/03/89
02	GW #7	>P5508	2/03/89
03	GW #8	>P5509	2/03/89
04	GW #9	>P5510	2/03/89
05	GW #11	>P5511	2/03/89
06	GW #14	>P5512	2/03/89
07	GW #14 MS	>P5513	2/03/89
08	GW #14 MSD	>P5514	2/03/89
09	FIELD BLANK	>P5517	2/05/89
10	SW #1	>P5518	2/05/89
11	SW #2	>P5519	2/05/89
12	SW #2 ME	>P5520	2/05/89
13	SW #2 MSD	>P5521	2/05/89
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			

COMMENTS: _____ IO

H2M LABS, INC.

SEMIVOLATILE METHOD BLANK SUMMARY

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: -----

Lab File ID: >P5516

Lab Sample ID: SBLK 459

Date Extracted: 01/24/89

Extraction: (SepF/Cont/Sonc) SONC

Date Analyzed: 2/05/89

Time Analyzed: 15:56

Matrix: (soil/water) SOIL

Level: (low/med) LOW

Instrument ID: 70 2

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
01	SS-1	951209	>P5522	2/05/89
02	SS-1 MS	951209 MS	>P5523	2/05/89
03	SS-1 MSD	951209 MSD	>P5524	2/05/89
04				
05				
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

REMARKS:

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SEMIVOLATILE METHOD BLANK SUMMARY

Lab Name: H2M LABS INC. Contract: -----
 Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: -----
 Lab File ID: >E0010 Lab Sample ID: SBLK 476
 Date Extracted: 02/13/89 Extraction: (SepF/Cont/Sonc) SONC
 Date Analyzed: 2/19/89 Time Analyzed: 15:01
 Matrix: (soil/water) SOIL Level: (low/med) LOW
 Instrument ID: 70 2

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
01	SS-2 RE	951210 RE	>E0011	2/19/89
02	SS-2 RE DL	951210 RE DL	>E0012	2/19/89
03				
04				
05				
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS: _____

12

2M LABS, INC.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

GW #6

Lab Name: 2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951190

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5507

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sap/Cont/Sonc) SEFF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	10.	IU
111-44-3	bis(-2-Chloroethyl)Ether	10.	IU
95-57-8	2-Chlorophenol	10.	IU
541-73-1	1,3-Dichlorobenzene	10.	IU
105-46-7	1,4-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39538-32-9	bis(2-chloroisopropyl)ether	10.	IU
105-44-5	4-Methylphenol	10.	IU
521-64-7	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(-2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
120-82-1	1,2,4-Trichlorobenzene	10.	IU
61-83-3	Naphthalene	10.	IU
186-27-8	4-Chloroaniline	10.	IU
67-68-3	Hexachlorobutadiene	10.	IU
59-50-7	4-Chloro-3-methylphenol	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-06-2	2,3,6-Trichlorophenol	10.	IU
69-95-2	2,4,5-Trichlorophenol	50.	IU
61-38-7	2-Chloronaphthalene	10.	IU
88-74-2	2-Nitroaniline	50.	IU
131-11-3	Dimethyl Phthalate	10.	IU
208-96-8	Acenaphthylene	10.	IU
636-20-2	2,6-Dinitrotoluene	10.	IU

John I. Morrow
 John I. Morrow, P.E.

CD 002811

H2M LABS, INC.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4125

GW #6

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SEG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951190

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5507

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sep/Cont/Sond) SEPF

Date Analyzed: 2/03/89

GFC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO.

COMPOUND

(ug/L or ug/Kg) ug/L

Q

99-09-2	3-Nitroaniline	50.	IU
85-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
129-00-0	Pyrene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-31-7	bis(2-Ethylhexyl)phthalate	24.	I B
117-84-0	Di-n-octyl Phthalate	10.	IU
305-99-2	Benzo(b)fluoranthene	10.	IU
207-03-9	Benzo(k)fluoranthene	10.	IU
70-32-8	Benzo(a)pyrene	10.	IU
123-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenz(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

(1) - Cannot be separated from Diphenylamine alloy, PE

Date Reported: 3/10/89

Laboratory Director

FORM 1 SU-2

C-71

1/87 Rev.

CD 002812

20

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

GW #6

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SLG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951190

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5507

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GFC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

Number TICs found: 0

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	D
1.	No Non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

John J. Melloy

 John J. Melloy, PE
 Laboratory Director

21

H2M LABS, INC.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

GW #7

Lab Name: H2M LABS, INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAB No.: -----

SDG No.: GW #8

Matrix: (soil/water) WATER

Lab Sample ID: 951191

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5508

Level: (low med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. ---

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS:	
		(ug/L or ug/Kg)	ug/L
108-95-2	Phenol	10.	IU
111-44-4	bis(-2-Chloroethyl)Ether	10.	IU
95-57-8	2-Chlorophenol	10.	IU
541-73-1	1,3-Dichlorobenzene	10.	IU
106-46-7	1,4-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39673-32-9	bis(2-chloroisopropyl)ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
621-64-7	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(-2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
120-82-1	1,2,4-Trichlorobenzene	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
59-50-7	4-Chloro-3-methylphenol	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-06-2	2,4,6-Trichlorophenol	10.	IU
88-05-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronaphthalene	10.	IU
88-74-4	2-Nitroaniline	50.	IU
131-11-3	Dimethyl Pthalate	10.	IU
208-96-8	Acenaphthylene	10.	IU
606-20-2	2,6-Dinitrotoluene	10.	IU

CD 002814

22

Date Reported: 3/10/89

John J. Molloy, P.E.

FORM 1 SU-1 Laboratory Director C-73

1/87 Rev.

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

GW #7

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951191

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5508

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. ---

Date Extracted: 01/20/89

Extraction: (Sep/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L Q

99-09-2	3-Nitroaniline	50.	IU
63-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
129-00-0	Pyrene	10.	IU
85-68-7	Ethylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	19.	I B
117-84-0	Di-n-octyl Phthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
50-70-8	Benzo(a)pyrene	10.	IU
183-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenz(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

(1) - Cannot be separated from Diphenylamine

Date Reported: 3/10/89

John J. Molloy, P.E.

FORM I SU-2

Laboratory Director

C-74

1/87 Rev.

CD 002815

23

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4121

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

GW #7

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SOG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951191

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5508

Level: (low med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

Number TICs found: 1

PKS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	9.66	8.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

John I. McLean

 John I. McLean, P.E.
 Laboratory Director

H2M LABS, INC.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4125

GW #8

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951192

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5509

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO. COMPOUND

CAS NO.	COMPOUND	(ug/L or ug/Kg) ug/L	Q
103-95-2	Phenol	10.	IU
111-44-4	bis(-2-Chloroethyl)Ether	10.	IU
95-57-8	2-Chlorophenol	10.	IU
541-73-1	1,3-Dichlorobenzene	10.	IU
105-46-7	1,4-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39538-32-9	bis(2-chloroisopropyl)ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
621-64-7	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1	Hexachloroethane	10.	IU
99-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(-2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
120-82-1	1,2,4-Trichlorobenzene	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
59-50-7	4-Chloro-3-methylphenol	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-06-2	2,4,6-Trichlorophenol	10.	IU
95-95-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronaphthalene	10.	IU
88-74-4	2-Nitroaniline	50.	IU
131-11-3	Dimethyl Phthalate	10.	IU
208-96-8	Acenaphthylene	10.	IU
605-20-2	2,6-Dinitrotoluene	10.	IU

John J. Mallow
 John J. Mallow P.E.

Date Reported: 3/10/89

Laboratory Director

FORM I SU-1

C-76

CD 002817

1/87 Rev.

H2M LABS, INC.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

GW #8

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951192

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5509

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. ---

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CHE NO.

COMPOUND

(ug/L or ug/Kg) ug/L

Q

99-99-2-----	3-Nitroaniline	50.	IU
83-32-9-----	Acenaphthene	10.	IU
51-28-5-----	2,4-Dinitrophenol	50.	IU
100-02-7-----	4-Nitrophenol	50.	IU
132-64-9-----	Dibenzofuran	10.	IU
121-14-2-----	2,4-Dinitrotoluene	10.	IU
84-66-2-----	Diethylphthalate	10.	IU
7005-72-3-----	4-Chlorophenyl-phenylether	10.	IU
86-73-7-----	Fluorene	10.	IU
100-01-6-----	4-Nitroaniline	50.	IU
534-52-1-----	4,6-Dinitro-2-methylphenol	50.	IU
85-30-6-----	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3-----	4-Bromophenyl-phenylether	10.	IU
118-74-1-----	Hexachlorobenzene	10.	IU
87-86-5-----	Pentachlorophenol	50.	IU
85-01-8-----	Phenanthrene	10.	IU
120-12-7-----	Anthracene	10.	IU
84-74-2-----	Di-n-butylphthalate	10.	IU
206-44-0-----	Fluoranthene	10.	IU
129-00-0-----	Pyrene	10.	IU
85-69-7-----	Butylbenzylphthalate	10.	IU
91-94-1-----	3,3'-Dichlorobenzidine	20.	IU
56-55-3-----	Benzo(a)anthracene	10.	IU
218-01-9-----	Chrysene	10.	IU
117-31-7-----	bis(2-Ethylhexyl)phthalate	32.	I B
117-84-0-----	Di-n-octyl Phthalate	10.	IU
205-99-2-----	Benzo(b)fluoranthene	10.	IU
207-09-9-----	Benzo(k)fluoranthene	10.	IU
50-31-8-----	Benzo(a)pyrene	10.	IU
197-39-5-----	Indeno(1,2,3-cd)pyrene	10.	IU
87-70-3-----	Dibenzofluoranthene	10.	IU
191-24-2-----	Benzo(g,h,i)perylene	10.	IU

John J. Molloy

Cannot be separated from Diphenylamine

Date Reported: 3/10/89

John J. Molloy, P.E.
 Laboratory Director

CD 002818

FORM 1 SM-2

C-77

1/87 Rev.

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET
 TENTATIVELY IDENTIFIED COMPOUNDS

GW #8

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #8

Matrix: (Soil/Water) WATER

Lab Sample ID: 951192

Sample wt (g): 1000 (g/mL) ML

Lab File ID: >P5509

Level: (Low/Med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sep/Cont/Son) SEPF

Date Analyzed: 2/03/89

GFC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

Number TICs found: 1

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	D
1. 21964498	1,13-Tetradecadecene (801901)	29.20	38.	0
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

 * *John J. Molloy* *

 John J. Molloy, P.E.
 Laboratory Director

27

Date Reported: 3/10/89

FOPM I SU-TIC

C-78

CD 002819

1/87 Rev.

H2M LABS, INC.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

GW #9

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951193

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5510

Level: (low/med) LOD

Date Received: 01/19/89

% Moisture: not dec. --- dec. ---

Date Extracted: 01/20/89

Extraction: (Sep/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GFC Cleanup: (Y/N) N pH: ---

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO.

COMPOUND

Q

108-95-2	Phenol	10.	IU
111-44-4	bis(2-Chloroethyl)Ether	10.	IU
95-57-8	2-Chlorophenol	10.	IU
941-73-1	1,3-Dichlorobenzene	10.	IU
106-46-7	1,4-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39038-32-9	bis(2-chloroisopropyl)ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
621-64-7	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(-2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
120-81-1	1,2,4-Trichlorobenzene	10.	IU
91-20-3	Napthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
97-68-3	Hexachlorobutadiene	10.	IU
59-50-7	4-Chloro-3-methylphenol	10.	IU
91-57-6	2-Methylnapthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-06-2	2,4,6-Trichlorophenol	10.	IU
95-95-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronapthalene	10.	IU
88-74-4	2-Nitroaniline	50.	IU
131-11-3	Dimethyl Phthalate	10.	IU
208-95-8	Acenaphthylene	10.	IU
600-20-2	2,6-Dinitrotoluene	10.	IU

John J. Miller
 Laboratory Director, P.E.

Date Reported: 3/10/89

FORM I SU-1

C-79

CD 002820

1/87 Rev.

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4121

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

GW #9

Lab Name: H2M LABS, INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951193

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5510

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. ---

Date Extracted: 01/20/89

Extraction: (Soxh/Cont (Sonic)) SEFF

Date Analyzed: 2/03/89

GFC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50.	IU
83-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-65-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
85-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
85-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
129-30-0	Pyrene	10.	IU
95-68-7	Butylbenzophthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-91-7	bis(2-Ethylhexyl)phthalate	34.	I B
117-84-0	Di-n-octyl phthalate	10.	IU
206-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
56-32-8	Benzo(a)pyrene	10.	IU
193-39-6	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenzo(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

(1) - Cannot be separated from Diphenylamine Indoloy, P.E.
 Date Reported: 3/10/89

Laboratory Director

FORM I SU-2

C-80

1/87 Rev.

CD 002821

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

GW #9

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951193

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5510

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

Number TICs found: 1

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	D
1. 21964498	1,13-Tetradecadiene (8CI9CI)	29.20	20.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				
31.				
32.				
33.				
34.				
35.				
36.				
37.				
38.				
39.				
40.				
41.				
42.				
43.				
44.				
45.				
46.				
47.				
48.				
49.				
50.				
51.				
52.				
53.				
54.				
55.				
56.				
57.				
58.				
59.				
60.				
61.				
62.				
63.				
64.				
65.				
66.				
67.				
68.				
69.				
70.				
71.				
72.				
73.				
74.				
75.				
76.				
77.				
78.				
79.				
80.				
81.				
82.				
83.				
84.				
85.				
86.				
87.				
88.				
89.				
90.				
91.				
92.				
93.				
94.				
95.				
96.				
97.				
98.				
99.				
100.				

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

30

H2M LABS, INC.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

GW #11

Lab Name: H2M LABS, INC.

Contract:-----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951194

Sample wt./vol: 1000 (ug/mL) ML

Lab File ID: >P5511

Level: (low/med) LDU

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Soxh/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH:--

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/L Q

108-95-2	Phenol	10.	IU
111-44-4	bis(2-Chloroethyl)Ether	10.	IU
95-57-8	2-Chlorophenol	10.	IU
541-73-1	1,3-Dichlorobenzene	10.	IU
106-46-7	1,4-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39638-32-9	bis(2-chloroisopropyl)ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
621-64-7	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
120-82-1	1,2,4-Trichlorobenzene	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-7	Hexachlorocyclopentadiene	10.	IU
59-53-7	2-Chloro-3-methylphenol	10.	IU
91-37-6	2-Methylnaphthalene	10.	IU
77-27-4	Hexachlorocyclopentadiene	10.	IU
88-06-0	2,4,6-Trichlorophenol	10.	IU
87-87-2	2,4,5-Trichlorophenol	50.	IU
81-78-7	2-Chloronaphthalene	10.	IU
88-71-1	2-Nitroanisole	50.	IU
131-11-7	Dimethyl Pthalate	10.	IU
208-98-7	Benaphthylene	10.	IU
635-26-2	2,6-Dinitrotoluene	10.	IU

John J. Malloy
 John J. Malloy, P.E.

Date Reported: 3/10/89

Laboratory Director

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4125

SEMIVOLATILE ORGANIC ANALYSIS DATA SHEET

GW #11

Lab Name: H2M LABS, INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAE No.: ----- SDG No.: GW #6

Matrix: (soil/water) WATER Lab Sample ID: 951194

Sample wt/vol: 1000 (g/mL) ML Lab File ID: >P5511

Level: (Sampled) LDM Date Received: 01/19/89

% Moisture: not dec. -- dec. -- Date Extracted: 01/20/89

Extraction: (Soil/Cont/Solc) SEFF Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: -- Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND	ug/L	Q
39-09-2	3-Nitroaniline	50.	IU
37-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
119-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-24-0	Fluoranthene	10.	IU
129-09-0	Pyrene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-91-7	bis(2-Ethylhexyl)phthalate	21.	I B
117-84-0	Di-n-octyl Phthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
80-33-8	Benzo(a)pyrene	10.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenzo(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

Jan M. M. M. M.
 Laboratory Director

(1) - Cannot be separated from Diphenylamine
 Date Reported: 3/10/89

CD 002824

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4121

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

GW #11

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SIG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951194

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5511

Level: (low/med) LOW

Date Received: 01/19/89

Moisture: not dec. --- dec. ---

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GC Cleanup: (Y/N) N pH: ---

Dilution Factor: 1.00000

Number TICs found: 1

CONCENTRATION UNITS:
 (ug/L or ug/kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	D
1. 21964-98	1,13-Tetradecadiene (8C19C1)	29.22	14.13	
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

John J. Mulloy

 John J. Mulloy, P.E.
 Laboratory Director

33

Date Reported: 3/10/89

FORM I SU-TIC

C-84

CD 002825

1/87 Rev.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

GW #14

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951195

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5512

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. --

Date Extracted: 01/20/89

Extraction: (Soxh/Cont/Son) SEPF

Date Analyzed: 2/03/89

GFC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L Q

108-95-2	Phenol	10.	IU
111-44-4	bis(-2-Chloroethyl)Ether	10.	IU
95-57-8	2-Chlorophenol	10.	IU
541-73-1	1,3-Dichlorobenzene	10.	IU
106-46-7	1,4-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39638-32-9	bis(2-chloroisopropyl)ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
621-64-7	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(-2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
106-22-1	1,2,4-Trichlorobenzene	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
59-50-7	4-Chloro-3-methylphenol	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-06-2	2,4,6-Trichlorophenol	10.	IU
95-95-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronaphthalene	10.	IU
88-71-4	2-Nitroaniline	50.	IU
131-11-3	Dimethyl Fhtalate	10.	IU
103-90-8	Acenaphthylene	10.	IU
605-20-2	2,6-Dinitrotoluene	10.	IU

John J. Molloy
 John J. Molloy, P.E.
 Laboratory Director

Date Reported: 3/10/89

FOPM 1 SU-1

C-85

1/87 Rev.

CD 002826

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

GW #14

Lab Name: H2M LABS, INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDS No.: GW #e

Matrix: (soil/water) WATER

Lab Sample ID: 951195

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5512

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not det. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CASE NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50.	IU
93-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-68-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
934-52-1	4,6-Dinitro-2-methylphenol	50.	IU
8e-30-e	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	3-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
8--74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
129-39-9	Pyrene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
318-01-9	Chrysene	10.	IU
117-31-7	bis(2-Ethylhexyl)phthalate	25.	I B
117-84-0	Di-n-octyl Phthalate	10.	IU
235-92-2	Benzo(b)fluoranthene	10.	IU
237-08-9	Benzo(k)fluoranthene	10.	IU
51-32-8	Benzo(a)pyrene	10.	IU
193-39-9	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenzo(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

John J. Molloy
 John J. Molloy, P.E.
 Laboratory Director

(1) - Cannot be separated from Diphenylamine
 Date Reported: 3/10/89

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4125

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET
 TENTATIVELY IDENTIFIED COMPOUNDS

GW #14

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SOG No.: GW #c

Matrix: (soil/water) WATER

Lab Sample ID: 951195

Sample wt/Vol: 1000 (g/mL) ML

Lab File ID: >P5512

Level: (low/med) LDM

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Soxh/Cont/Sonc) SEFF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

Number TICs found: 4

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	14.46	8.	J
2.	1731846 Nonanoic acid, methyl ester	16.47	52.	J
3.	Unknown	21.71	46.	J
4.	7459338 9,12-Octadecadienoyl chlorid	29.65	10.	J
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

 * *John J. Malloy* *
 * Laboratory Director *

Date Reported: 3/10/89

FORM I SU-TIC

C-87

CD 002828

1/87 Rev.

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
(516) 694-3040 FAX: (516) 694-4122
EPA SAMPLE NO.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD BLANK

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951196

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5517

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sand) SEPF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/L Q

108-95-2	Phenol	10.	IU
111-44-4	bis(2-Chloroethyl) Ether	10.	IU
95-57-8	2-Chlorophenol	10.	IU
541-73-1	1,3-Dichlorobenzene	10.	IU
106-46-7	1,4-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39833-32-9	bis(2-chloroisopropyl) ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
621-64-7	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
120-82-1	1,2,4-Trichlorobenzene	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
59-58-7	4-Chloro-3-methylphenol	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-86-2	2,4,6-Trichlorophenol	10.	IU
88-95-4	2,4,5-Trichlorophenol	50.	IU
91-59-7	2-Chloronaphthalene	10.	IU
88-73-4	2-Nitroaniline	50.	IU
171-11-3	Dimethyl Phthalate	10.	IU
208-26-2	Acenaphthylene	10.	IU
886-20-2	2,6-Dinitrotoluene	10.	IU

John J. M. Low, P.E.
Laboratory Dir.

Date Reported: 3/10/89

FOPM I SU-1

C-88

CD 002829

1/87 Rev.

37

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD BLANK

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951196

Sample wt/Vol: 1000 (ug/mL) ML

Lab File ID: P5517

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. ---

Date Extracted: 01/20/89

Extraction: (Sep/Cont/Soxh) SEPF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: ---

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO.

COMPOUND

(ug/L or ug/Kg) ug/L

Q

99-09-2	3-Nitroaniline	50.	IU
83-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-14-0	Fluoranthene	10.	IU
129-00-0	Pyrene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	31.	IU B
117-84-0	Di-n-octyl Phthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
50-32-3	Benzo(a)pyrene	10.	IU
123-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenz(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

(1) - Cannot be separated from Diphenylamine
 John J. Molloy, P.E.
 Laboratory Director

Date Reported: 3/10/89

FORM 1 SU-2

C-89

1/87 Rev.

CD 002830

38

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
(516) 694-3040 FAX: (516) 694-4123
EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

FIELD BLANK

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951196

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5517

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Bond) SEPF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

Number TICs found: 1

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 17312822	Undecane, 4,6-dimethyl- (8CI)	13.97	8.13	
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

John J. Mulloy

John J. Mulloy, P.E.
Laboratory Director

39

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SW #1

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951205

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5518

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND	Q
108-95-2	Phenol	10. IU
111-44-4	bis(2-Chloroethyl)Ether	10. IU
95-57-8	2-Chlorophenol	10. IU
541-73-1	1,3-Dichlorobenzene	10. IU
106-46-7	1,4-Dichlorobenzene	10. IU
100-51-6	Benzyl alcohol	10. IU
95-50-1	1,2-Dichlorobenzene	10. IU
95-48-7	2-Methylphenol	10. IU
32638-72-9	bis(2-chloroisopropyl)ether	10. IU
106-44-5	4-Methylphenol	10. IU
621-64-7	N-Nitroso-Di-n-propylamine	10. IU
67-72-1	Hexachloroethane	10. IU
98-95-3	Nitrobenzene	10. IU
78-59-1	Isophorone	10. IU
89-75-5	2-Nitrophenol	10. IU
105-67-9	2,4-Dimethylphenol	10. IU
65-85-0	Benzoic acid	50. IU
111-91-1	bis(-2-Chloroethoxy)methane	10. IU
120-83-2	2,4-Dichlorophenol	10. IU
120-82-1	1,2,4-Trichlorobenzene	10. IU
91-20-3	Naphthalene	10. IU
106-47-8	4-Chloroaniline	10. IU
87-69-3	Hexachlorobutadiene	10. IU
59-50-7	4-Chloro-3-methylphenol	10. IU
91-57-6	2-Methylnaphthalene	10. IU
77-47-4	Hexachlorocyclopentadiene	10. IU
88-06-2	2,4,6-Trichlorophenol	10. IU
95-95-4	2,4,5-Trichlorophenol	50. IU
91-58-7	2-Chloronaphthalene	10. IU
98-74-4	2-Nitroaniline	50. IU
131-11-3	Dimethyl Fthalate	10. IU
208-95-8	Acenaphthylene	10. IU
606-20-2	2,6-Dinitrotoluene	10. IU

John J. Molloy
 Laboratory Director

Date Reported: 3/10/89

FORM I SU-1

C-91

CD 002832

1/87 Rev.

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SW #1

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951205

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5518

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L Q

99-09-2	3-Nitroaniline	50.	IU
83-32-9	Acenaphthene	10.	IU
51-29-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
208-24-0	Fluoranthene	10.	IU
129-00-0	Pyrene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	9.	JB
117-84-0	Di-n-octyl Phthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
50-32-8	Benzo(a)pyrene	10.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenzo(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

(1) - Cannot be separated from Diphenylamine
 Date Reported: 3/10/89
 Laboratory Director

CD 002833

41

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE ID.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SW #1

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951205

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5518

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. --

Date Extracted: 01/20/89

Extraction: (Sep/Cont/Sonc) SEPF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

Number TICs found: 0

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

CD 002834

John J. Molloy
 John J. Molloy, P.E.
 Laboratory Director

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPH SAMPLE NO.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

SW #2

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951206

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >F5519

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Soxh. Cont. Snd) SE-E

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND	Q
108-95-2	Phenol	10. IU
111-42-4	bis(2-Chloroethyl)Ether	10. IU
95-57-9	2-Chlorophenol	10. IU
541-73-1	1,3-Dichlorobenzene	10. IU
106-46-7	1,4-Dichlorobenzene	10. IU
100-51-6	Eenzyl alcohol	10. IU
95-50-1	1,2-Dichlorobenzene	10. IU
95-48-7	2-Methylphenol	10. IU
39638-32-9	bis(2-chloroisopropyl)ether	10. IU
106-44-5	4-Methylphenol	10. IU
621-64-7	N-Nitroso-Di-n-propylamine	10. IU
67-72-1	Hexachloroethane	10. IU
98-95-3	Nitrobenzene	10. IU
78-59-1	Isophorone	10. IU
88-75-5	2-Nitrophenol	10. IU
105-67-9	2,4-Dimethylphenol	10. IU
65-85-0	Benzoic acid	50. IU
111-91-1	bis(2-Chloroethoxy)methane	10. IU
120-83-2	2,4-Dichlorophenol	10. IU
120-82-1	1,2,4-Trichlorobenzene	10. IU
91-20-3	Naphthalene	10. IU
106-47-8	4-Chloroaniline	10. IU
87-68-3	Hexachlorobutadiene	10. IU
59-50-7	4-Chloro-3-methylphenol	10. IU
91-57-6	2-Methylnaphthalene	10. IU
77-47-4	Hexachlorocyclopentadiene	10. IU
98-06-2	2,4,6-Trichlorophenol	10. IU
65-95-4	2,4,5-Trichlorophenol	50. IU
91-59-7	2-Chloronaphthalene	10. IU
98-72-2	2-Nitroaniline	50. IU
131-11-3	Dimethyl Phthalate	10. IU
103-95-8	Acenaphthylene	10. IU
606-23-2	2,6-Dinitrotoluene	10. IU

John I. Molloy
 John I. Molloy, PE
 Laboratory Director

Date Reported: 3/10/89

FORM 1 SU-1

C-94

1/87 Rev.

CD 002835

43

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

SW #2

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951206

Sample wt (soil): 1000 (g/mL) ML

Lab File ID: >P5519

Level: (low/med) LEW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEFF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/L 0

99-09-2	3-Nitroaniline	50.	IU
87-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
109-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-66-2	Diethylphthalate	10.	IU
7095-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
85-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-24-0	Fluoranthene	10.	IU
129-00-0	Pyrene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
213-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	13.	I B
117-84-0	Di-n-octyl Phthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
50-32-8	Benzo(a)pyrene	10.	IU
193-39-5	Indeno(1,2,3-cd)pyrene*****	10.	IU
53-70-3	Dibenzo(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene*****	10.	IU

CD 002836

44

(1) - Cannot be separated from Diphenylamine
 Date Reported: 3/10/89
 FORM I SU-2

C-95 Laboratory Director

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SW #2

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #0

Matrix: (soil/water) WATER

Lab Sample ID: 951206

Sample wt./Vol: 1000 (g/mL) ML

Lab File ID: >P5519

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sept/Cont/Sond) SEPF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

Number TICs found: 1

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 21964498	1,13-Tetradecadiene (SCI9CI)	29.33	14.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

CD 002837

John J. Molloy
 John J. Molloy, P.E.
 Laboratory Director

45

Date Reported: 3/10/89

C-96

1/87 Rev.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SS-1

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-1

Matrix: (soil/water) SOIL

Lab Sample ID: 951209

Sample wt/vol: 30.0691 (ug/mL) G

Lab File ID: >P5522

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec.75 dec. --

Date Extracted: 01/24/89

Extraction: (Sep/Cont/Sonc) SONC

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: 5.9

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

108-95-2	Phenol	1300.	IU
111-44-4	bis(2-Chloroethyl)Ether	1300.	IU
95-57-8	2-Chlorophenol	1300.	IU
541-73-1	1,3-Dichlorobenzene	1300.	IU
106-46-7	1,4-Dichlorobenzene	1300.	IU
100-51-6	Benzyl alcohol	1300.	IU
95-50-1	1,2-Dichlorobenzene	1300.	IU
95-43-7	2-Methylphenol	1300.	IU
39633-32-9	bis(2-chloroisopropyl)ether	1300.	IU
106-44-5	4-Methylphenol	1300.	IU
621-64-7	N-Nitroso-Di-n-propylamine	1300.	IU
67-72-1	Hexachloroethane	1300.	IU
98-95-3	Nitrobenzene	1300.	IU
78-59-1	Isophorone	1300.	IU
88-75-5	2-Nitrophenol	1300.	IU
105-67-9	2,4-Dimethylphenol	1300.	IU
65-85-0	Benzoic acid	6500.	IU
111-91-1	bis(2-Chloroethoxy)methane	1300.	IU
120-83-2	2,4-Dichlorophenol	1300.	IU
120-82-1	1,2,4-Trichlorobenzene	1300.	IU
91-20-3	Naphthalene	1300.	IU
186-47-9	4-Chloroaniline	1300.	IU
87-68-3	Hexachlorobutadiene	1300.	IU
59-50-7	4-Chloro-3-methylphenol	1300.	IU
91-57-6	2-Methylnaphthalene	1300.	IU
77-47-4	Hexachlorocyclopentadiene	1300.	IU
88-06-2	2,4,6-Trichlorophenol	1300.	IU
95-95-4	2,4,5-Trichlorophenol	6500.	IU
91-58-7	2-Chloronaphthalene	1300.	IU
88-74-4	2-Nitroaniline	6500.	IU
131-11-3	Dimethyl Fthalate	1300.	IU
208-96-8	Acenaphthylene	1300.	IU
606-20-2	2,6-Dinitrotoluene	1300.	IU

John J. Mollo
 John J. Mollo, P.E.
 Laboratory Director

Date Reported: 3/10/89

FORM I SU-1

C-97

1/87 Rev.

CD 002838

46

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPH SAMPLE NO.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

SS-1

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAB No.: ----- SDG No.: SS-1

Matrix: (soil/water) SDIL

Lab Sample ID: 951209

Sample wt/vol: 30.6g/1(g/mL) G

Lab File ID: >P5522

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec.75 dec. --

Date Extracted: 01/24/89

Extraction: (Soxh/Cont/Sonc) SONC

Date Analyzed: 2/05/89

GFC Cleanup: (Y/N) N pH: 6.9

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg 0

CAS NO.	COMPOUND	(ug/L or ug/Kg)	ug/Kg	0
99-09-2	3-Nitroaniline	6500.	IU	
83-32-9	Acenaphthene	1300.	IU	
51-28-5	2,4-Dinitrophenol	6500.	IU	
108-02-7	4-Nitrophenol	6500.	IU	
132-64-9	Dibenzofuran	1300.	IU	
121-14-2	2,4-Dinitrotoluene	1300.	IU	
84-66-2	Diethylphthalate	1300.	IU	
7005-72-3	4-Chlorophenyl-phenylether	1300.	IU	
86-73-7	Fluorene	1300.	IU	
100-01-6	4-Nitroaniline	6500.	IU	
534-52-1	4,6-Dinitro-2-methylphenol	6500.	IU	
96-39-6	N-Nitrosodiphenylamine (1)	1300.	IU	
101-55-3	4-Bromophenyl-phenylether	1300.	IU	
118-74-1	Hexachlorobenzene	1300.	IU	
87-86-5	Pentachlorophenol	6500.	IU	
85-01-8	Phenanthrene	1300.	IU	
120-12-7	Anthracene	1300.	IU	
84-74-2	Di-n-butylphthalate	1300.	IU	
207-44-0	Fluoranthene	1300.	IU	
129-00-0	Pyrene	1300.	IU	
95-68-7	Butylbenzylphthalate	1300.	IU	
91-94-1	3,5'-Dichlorobenzidine	2600.	IU	
56-55-3	Benzo(a)anthracene	1300.	IU	
218-01-9	Chrysene	1300.	IU	
117-81-7	bis(2-Ethylhexyl)phthalate	800.	I JB	
117-84-0	Di-n-octyl phthalate	1300.	IU	
205-99-2	Benzo(b)fluoranthene	1300.	IU	
207-08-9	Benzo(k)fluoranthene	1300.	IU	
50-32-8	Benzo(a)pyrene	1300.	IU	
193-39-5	Indeno(1,2,3-cd)pyrene	1300.	IU	
53-70-3	Dibenz(a,h)anthracene	1300.	IU	47
191-24-2	Benzo(g,h,i)perylene	1300.	IU	

(1) - Cannot be separated from Diphenylamine
 Date Reported: 3/10/89
 Laboratory Director

CD 002839

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPH SAMPLE NO.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SS-1

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-1

Matrix: (soil/water) SOIL

Lab Sample ID: 951209

Sample wt/vol: 30.0g/91(ug/mL) G

Lab File ID: >P5522

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. 75 dec. --

Date Extracted: 01/24/89

Extraction: (Sep/Cont/Sonc) SONC

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: 6.9

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/Kg

Number TICs found: 7

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	4.93	530.	1J
2.	141797 13-Penten-2-one, 4-methyl- (8	6.29	2500.	1JA
3.	Unknown	6.76	670.	1J
4.	Unknown	7.62	800.	1J
5.	79345 Ethane, 1,1,2,2-tetrachloro-	9.45	2100.	1JB
6.	17312822 Undecane, 4,6-dimethyl- (8CI	13.97	1100.	1J
7.	56554359 19,17-Octadecadienal, (Z)- (9	29.66	1500.	1J
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

CD 002840

 *
 *

 John J. Molloy, P.E.
 Laboratory Director

Date Reported: 3/10/89

FORM I SU-TIC

C-99

1/87 Rev.

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SS-2 RE

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-1

Matrix: (Soil/Water) SOIL

Lab Sample ID: 951210 RE

Sample wt/vol: 30.0170 (g/mL) G

Lab File ID: >E0011

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. 21 dec. --

Date Extracted: 02/13/89

Extraction: (Sep/Cont/Sonc) SONC

Date Analyzed: 2/19/89

GPC Cleanup: (Y/N) N pH: 7.2

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

108-95-2	Phenol	420.	IU
111-44-4	bis(-2-Chloroethyl)Ether	420.	IU
95-57-8	2-Chlorophenol	420.	IU
541-73-1	1,3-Dichlorobenzene	420.	IU
106-46-7	1,4-Dichlorobenzene	420.	IU
100-51-6	Benzyl alcohol	420.	IU
95-50-1	1,2-Dichlorobenzene	420.	IU
95-48-7	2-Methylphenol	420.	IU
39638-32-9	bis(2-chloroisopropyl)ether	420.	IU
106-44-5	4-Methylphenol	420.	IU
621-64-7	N-Nitroso-Di-n-propylamine	420.	IU
67-72-1	Hexachloroethane	420.	IU
98-95-3	Nitrobenzene	420.	IU
78-59-1	Isophorone	420.	IU
88-75-5	2-Nitrophenol	420.	IU
105-67-9	2,4-Dimethylphenol	420.	IU
65-85-0	Benzoic acid	2100.	IU
111-91-1	bis(-2-Chloroethoxy)methane	420.	IU
120-83-2	2,4-Dichlorophenol	420.	IU
120-82-1	1,2,4-Trichlorobenzene	420.	IU
91-20-3	Naphthalene	340.	I J
106-47-8	4-Chloroaniline	420.	IU
87-68-3	Hexachlorobutadiene	420.	IU
59-50-7	4-Chloro-3-methylphenol	420.	IU
91-57-6	2-Methylnaphthalene	150.	I J
77-47-4	Hexachlorocyclopentadiene	420.	IU
88-06-2	2,4,6-Trichloropheno!	420.	IU
95-95-4	2,4,5-Trichloropheno!	2100.	IU
91-58-7	2-Chloronaphthalene	420.	IU
88-74-4	2-Nitroaniline	2100.	IU
151-11-7	Dimethyl Phthalate	420.	IU
209-96-8	Acenaphthylene	420.	IU
606-20-2	2,6-Dinitrotoluene	420.	IU

John J. Mummy
 Laboratory Director

Date Reported: 3/10/89

FORM I SU-1

C-100

CD 002841

1/87 Rev.

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

RE-EXT
 SS-2 RE

Lab Name: H2M LABS INC. Contract: -----
 Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: SS-1
 Matrix: (soil/water) SOIL Lab Sample ID: 951210 RE
 Sample wt/vol: 30.0270(g/mL) G Lab File ID: >E0011
 Level: (low/med) LDW Date Received: 01/19/89
 % Moisture: not dec. 21 dec. -- Date Extracted: 02/13/89
 Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 2/19/89
 GPC Cleanup: (Y/N) N pH: 7.2 Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	2100.	IU
83-32-9	Acenaphthene	1100.	I
51-28-5	2,4-Dinitrophenol	2100.	IU
100-02-7	4-Nitrophenol	2100.	IU
132-64-9	Dibenzofuran	500.	I
121-14-2	2,4-Dinitrotoluene	420.	IU
84-66-2	Diethylphthalate	420.	IU
7005-72-3	4-Chlorophenyl-phenylether	420.	IU
86-73-7	Fluorene	1000.	I
100-01-6	4-Nitroaniline	2100.	IU
534-52-1	4,6-Dinitro-2-methylphenol	2100.	IU
86-30-6	N-Nitrosodiphenylamine (1)	420.	IU
101-55-3	4-Bromophenyl-phenylether	420.	IU
118-74-1	Hexachlorobenzene	420.	IU
87-86-5	Pentachlorophenol	2100.	IU
85-01-8	Phenanthrene	5500.	I
120-12-7	Anthracene	920.	I
84-74-2	Di-n-butylphthalate	420.	IU
206-44-0	Fluoranthene	8800.	I D
129-00-0	Pyrene	9000.	I D
85-68-7	Butylbenzylphthalate	420.	IU
91-94-1	3,3'-Dichlorobenzidine	840.	IU
56-55-3	Benzo(a)anthracene	4900.	I
218-01-9	Chrysene	3800.	I
117-81-7	bis(2-Ethylhexyl)phthalate	19000.	I BD
117-84-0	Di-n-octyl Phthalate	420.	IU
205-99-2	Benzo(b)fluoranthene	3900.	I
207-08-0	Benzo(k)fluoranthene	4100.	I
50-32-8	Benzo(a)fluorene	3400.	I
193-39-5	Indeno(1,2,3-cd)pyrene	1800.	I
53-70-3	Dibenzo(a,h)anthracene	700.	I
191-24-2	Benzo(g,h,i)perylene	1200.	I

John J. Molloy
 John J. Molloy, P.E.
 Laboratory Director

(1) - Cannot be separated from Diphenylamine
 Date Reported: 3/10/89

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SS-2 PE

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-2

Matrix: (soil/water) SOIL

Lab Sample ID: 951210 RE

Sample wt/vol: 30.0270(g/mL) G

Lab File ID: >E0011

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. 21 dec. --

Date Extracted: 02/13/89

Extraction: (Sep/Cont/Sand) SONE

Date Analyzed: 2/19/89

GPC Cleanup: (Y/N) N pH: 7.2

Dilution Factor: 1.00000

CONCENTRATION UNITS:

(ug/L or ug/Kg) ug/Kg

Number TICs found: 20

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	5.05	1200.	U
2.	86748 19H-Carbazole (9CI)	26.49	420.	U
3.	832713 1Phenanthrene, 3-methyl- (8CI)	27.27	310.	U
4.	4505420 1H-Indene, 2-phenyl- (9CI)	27.37	260.	U
5.	203645 14H-Cyclopenta[def]phenanthre	27.61	460.	U
6.	612942 1Naphthalene, 2-phenyl- (8CI9	29.25	190.	U
7.	2388-6 11H-Benzof[al]fluorene (8CI9CI	31.33	1100.	U
8.	243174 11H-Benzof[b]fluorene (8CI9CI	31.54	730.	U
9.	3353126 1Pyrene, 4-methyl- (8CI9CI)	31.62	330.	U
10.	Unknown	31.70	280.	U
11.	84151 1,1':2',1''-Terphenyl (9CI)	32.65	250.	U
12.	82053 17H-Benz[delanthracen-7-one (32.92	400.	U
13.	205436 1Benzof[b]naphtho[1,2-d]thioph	33.22	220.	U
14.	203123 1Benzof[ghi]fluoranthene (8CI9	33.35	370.	U
15.	Unknown	33.45	280.	U
16.	185197 1Benzof[c]phenanthrene (8CI9CI	34.38	290.	U
17.	2381319 1Benz[alanthracene, 8-methyl-	35.43	200.	U
18.	2498773 1Benz[alanthracene, 1-methyl-	35.53	200.	U
19.	Unknown	35.68	250.	U
20.	Unknown	35.99	240.	U
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

John J. Molloy

 John J. Molloy, PE
 Laboratory Director

Date Reported: 3/10/89

FCP: I SU-TIC

C-102

CD 002843

1/87 Rev.

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SS-2 PE DL

Lab No.: 951210 RE DL
 Contract: -----
 Lab Order: ----- Date No.: ----- SPS No.: ----- SCS No.: SS-1
 Method: EPA Method 8210 SOIL
 Lab Sample ID: 951210 RE DL
 Sample Weight: 70.0270 (g/mL) G
 Lab File ID: >E0012
 Level: (Assumed) LDW
 Date Received: 01/19/89
 % Moisture: not dec. 21 dec. --
 Date Extracted: 02/13/89
 Extractions: (Sep. Cont. Snd) SMC
 Date Analyzed: 2/19/89
 GPC Cleanup: (Y/N) N pH: 7.2
 Dilution Factor: 5.00000

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	2100.	IU
111-44-4	bis(-2-Chloroethyl)Ether	2100.	IU
95-57-8	2-Chlorophenol	2100.	IU
541-73-1	1,3-Dichlorobenzene	2100.	IU
106-46-7	1,4-Dichlorobenzene	2100.	IU
100-51-6	Benzyl alcohol	2100.	IU
95-50-1	1,2-Dichlorobenzene	2100.	IU
95-48-7	2-Methylphenol	2100.	IU
39638-32-9	bis(2-chloroisopropyl)ether	2100.	IU
106-44-5	4-Methylphenol	2100.	IU
621-64-7	N-Nitroso-Di-n-propylamine	2100.	IU
67-72-1	Hexachloroethane	2100.	IU
98-95-3	Nitrobenzene	2100.	IU
78-59-1	Isophorone	2100.	IU
88-75-5	2-Nitrophenol	2100.	IU
105-67-9	2,4-Dimethylphenol	2100.	IU
65-85-0	Benzoic acid	11000.	IU
111-91-1	bis(-2-Chloroethoxy)methane	2100.	IU
120-83-2	2,4-Dichlorophenol	2100.	IU
120-82-1	1,2,4-Trichlorobenzene	2100.	IU
91-20-3	Naphthalene	360.	I JD
106-47-8	4-Chloroaniline	2100.	IU
87-68-3	Hexachlorobutadiene	2100.	IU
59-50-7	4-Chloro-3-methylphenol	2100.	IU
91-57-6	2-Methylnaphthalene	2100.	IU D
77-47-4	Hexachlorocyclopentadiene	2100.	IU
98-06-2	2,4,6-Trichlorophenol	2100.	IU
95-95	2,4,5-Trichlorophenol	11000.	IU
91-58-7	2-Chloronaphthalene	2100.	IU
85-74-4	2-Nitroaniline	11000.	IU
131-11-3	Dimethyl Fthalate	2100.	IU
208-95-8	Acenaphthylene	2100.	IU
606-20-2	2,6-Dinitrotoluene	2100.	IU

John J. Mulloy, P.E.
 Laboratory Director

Date Reported: 3/10/89

CD 002844

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

SS-2 RE DL

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-1

Matrix: (soil/water) SOIL

Lab Sample ID: 951210 RE DL

Sample wt/vol: 30.0270 (g/mL) G

Lab File ID: >E0012

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. 21 dec. --

Date Extracted: 02/13/89

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 2/19/89

GPC Cleanup: (Y/N) N pH: 7.2

Dilution Factor: 5.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/Kg

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	11000.	IU
83-32-9	Acenaphthene	1200.	JD
51-28-5	2,4-Dinitrophenol	11000.	IU
100-02-7	4-Nitrophenol	11000.	IU
132-64-9	Dibenzofuran	500.	JD
121-14-2	2,4-Dinitrotoluene	2100.	IU
84-66-2	Diethylphthalate	2100.	IU
7005-72-3	4-Chlorophenyl-phenylether	2100.	IU
86-73-7	Fluorene	1000.	JD
100-01-6	4-Nitroaniline	11000.	IU
534-52-1	4,6-Dinitro-2-methylphenol	11000.	IU
80-30-6	N-Nitrosodiphenylamine (1)	2100.	IU
101-55-3	4-Bromophenyl-phenylether	2100.	IU
118-74-1	Hexachlorobenzene	2100.	IU
87-86-5	Pentachlorophenol	11000.	IU
85-01-8	Phenanthrene	6800.	IU
120-12-7	Anthracene	1200.	JD
84-74-2	Di-n-butylphthalate	2100.	IU
200-44-0	Fluoranthene	13000.	IU
129-00-0	Pyrene	9500.	IU
85-68-7	Butylbenzylphthalate	2100.	IU
91-94-1	3,3'-Dichlorobenzidine	4200.	IU
56-55-3	Benzo(a)anthracene	5300.	IU
218-01-9	Chrysene	5500.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	32000.	B
117-84-0	Di-n-octyl Phthalate	2100.	IU
205-99-2	Benzo(b)fluoranthene	6900.	IU
207-08-9	Benzo(k)fluoranthene	6300.	IU
50-32-8	Benzo(a)pyrene	5900.	IU
143-39-5	Indeno(1,2,3-cd)pyrene	3800.	IU
53-70-3	Dibenz(a,h)anthracene	1600.	JD
141-2--2	Benzo(g,h,i)perylene	5100.	IU

CD 002845

Cannot be separated from Diphentylamine
 Date Reported: 3/10/89

John J. Molloy
 Laboratory Director

C-104

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET
 TENTATIVELY IDENTIFIED COMPOUNDS

SS-2 RE DL

Lab Name: H2M LABS, INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-1

Matrix: (soil/water) SOIL

Lab Sample ID: 951210 RE DL

Sample wt/vol: 30.0270 (g/mL) G

Lab File ID: NE0012

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. 21 dec. --

Date Extracted: 02/13/89

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 2/19/89

GFC Cleanup: (Y/N) N pH: 7.2

Dilution Factor: 5.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/Kg

Number TICs found: 10

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 867-9	9H-Carbazole (9CI)	26.43	900.	13
2. 203645	4H-Cyclopenta[def]phenanthrene	27.55	1300.	13
3. 84651	9,10-Anthracenedione (9CI)	28.23	1200.	13
4. 238846	11H-Benzo[a]fluorene (8CI9CI)	31.23	1800.	13
5. 243174	11H-Benzo[b]fluorene (8CI9CI)	31.41	950.	13
6. 82053	7H-Benz[de]lanthracen-7-one (32.83	1200.	13
7. 203123	Benzo[ghi]fluoranthene (8CI9	33.26	850.	13
8.	Unknown	35.88	1100.	13
9. 192972	Benzo[e]pyrene (8CI9CI)	37.36	1400.	13
10. 205823	Benzo[ghi]fluoranthene	37.79	4700.	13
11. GAB 205823	Benzo(j)fluoranthene			
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

 *
 * *J. Molloy* *

 John J. Molloy, P.E.
 Laboratory Director

Date Reported: 3/10/89

FORM I SU-TIC

C-105

CD 002846

1/87 Rev.

H2M LABS, INC.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SBLK 457

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: -----

Matrix: (soil/water) WATER

Lab Sample ID: SBLK 457

Sample wt/vol: 1000 (ug/mL) ML

Lab File ID: >P5506

Level: (low med) LBN

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND	CONCENTRATION UNITS	Q
108-95-2	Phenol	10.	IU
111-44	bis(2-Chloroethyl)Ether	10.	IU
95-57-8	2-Chlorophenol	10.	IU
541-73-1	1,3-Dichlorobenzene	10.	IU
106-46-7	1,4-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39879-32-9	bis(2-chloroisopropyl)ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
621-64-7	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
68-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(-2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
120-82-1	1,2,4-Trichlorobenzene	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
59-50-7	4-Chloro-3-methylphenol	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-06-2	2,4,6-Trichlorophenol	10.	IU
95-95-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronaphthalene	10.	IU
88-74-4	2-Nitroaniline	50.	IU
171-11-3	Dimethyl Pthalate	10.	IU
208-96-8	Acenaphthylene	10.	IU
606-20-2	2,6-Dinitrotoluene	10.	IU

John J. Molloy
 John J. Molloy, P.E.
 Laboratory Director

Date Reported: 3/10/89

FORM I SU-1

C-106

CD 002847

1/87 Rev.

252



H2M LABS, INC.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4123

SBLK 457

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: -----

Matrix: (soil/water) WATER

Lab Sample ID: SBLK 457

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5506

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sapf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GFC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L Q

99-09-2	3-Nitroaniline	50.	IU
83-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
172-84-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Fentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
129-38-0	Pyrene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzol(a)anthracene	10.	IU
219-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	27.	I
117-84-0	Di-n-octyl Phthalate	10.	IU
205-99-2	Benzol(b)fluoranthene	10.	IU
207-08-9	Benzol(k)fluoranthene	10.	IU
50-32-8	Benzol(a)pyrene	10.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenzo(a,h)anthracene	10.	IU
191-24-2	Benzol(g,h,i)perylene	10.	IU

John J. Molloy, P.E.
 Laboratory Director

(1) - Cannot be separated from Diphenyl.
 Date Reported: 3/10/89

CD 002848

253

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4125

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SSLK 457

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: -----

Matrix: (soil/water) WATER

Lab Sample ID: SBLK 457

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5506

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/03/89

GFC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

Number TICs found: 3

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	D
1. 1-0034	9-Octadecenoic acid, 12-(ace	27.48	10.	13
2. 7459338	9,12-Octadecadienyl chlorid	29.68	14.	13
3.	Unkown	36.83	10.	13
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

254

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SBLK 459

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: -----

Matrix: (soil/water) SCIL

Lab Sample ID: SBLK 459

Sample wt/vol: 250 (g/mL) ML

Lab File ID: >P5516

Level: (low/med) LDW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 01/24/89

Extraction: (Soxh/Cont/Sonc) SONC

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/Kg

CAS NO. COMPOUND Q

108-95-2	Phenol	330.	IU
111-44-4	bis(-2-Chloroethyl)Ether	330.	IU
95-57-8	2-Chlorophenol	330.	IU
541-73-1	1,3-Dichlorobenzene	330.	IU
106-46-7	1,4-Dichlorobenzene	330.	IU
100-51-6	Benzyl alcohol	330.	IU
95-50-1	1,2-Dichlorobenzene	330.	IU
95-48-7	2-Methylphenol	330.	IU
39638-32-9	bis(2-chloroisopropyl)ether	330.	IU
106-44-5	4-Methylphenol	330.	IU
621-64-7	N-Nitroso-Di-n-propylamine	330.	IU
67-72-1	Hexachloroethane	330.	IU
98-95-3	Nitrobenzene	330.	IU
78-59-1	Isophorone	330.	IU
88-75-5	2-Nitrophenol	330.	IU
105-67-9	2,4-Dimethylphenol	330.	IU
65-85-0	Benzoic acid	1700.	IU
111-91-1	bis(-2-Chloroethoxy)methane	330.	IU
120-83-2	2,4-Dichlorophenol	330.	IU
120-82-1	1,2,4-Trichlorobenzene	330.	IU
91-20-3	Naphthalene	330.	IU
106-47-8	4-Chloroaniline	330.	IU
87-68-3	Hexachlorobutadiene	330.	IU
59-50-7	4-Chloro-3-methylphenol	330.	IU
91-57-6	2-Methylnaphthalene	330.	IU
77-47-4	Hexachlorocyclopentadiene	330.	IU
88-06-2	2,4,6-Trichlorophenol	330.	IU
95-95-4	2,4,5-Trichlorophenol	1700.	IU
91-58-7	2-Chloronaphthalene	330.	IU
88-74-4	2-Nitroaniline	1700.	IU
131-11-3	Dimethyl Phthalate	330.	IU
208-96-8	Acenaphthylene	330.	IU
506-20-2	2,6-Dinitrotoluene	330.	IU

John J. Molloy
 John J. Molloy, P.E.
 Laboratory Director

Date Reported: 3/10/89

C-109

CD 002850

234

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SELK 459

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: -----

Matrix: (soil/water) SOIL

Lab Sample ID: SELK 459

Sample wt/vol: 250 (g/mL) ML

Lab File ID: >P5516

Level: (low/med) LOW

Date Received: -----

% Moisture: not det. --- det. ---

Date Extracted: 01/24/89

Extraction: (Soxhlet/Cont. Sonol.) SONO

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/Kg Q

99-09-2	3-Nitroaniline	1700.	IU
83-32-9	Acenaphthene	330.	IU
51-29-5	2,4-Dinitrophenol	1700.	IU
100-02-7	4-Nitrophenol	1700.	IU
132-64-9	Dibenzofuran	330.	IU
121-14-2	2,4-Dinitrotoluene	330.	IU
84-66-2	Diethylphthalate	330.	IU
7005-72-3	4-Chlorophenyl-phenylether	330.	IU
86-73-7	Fluorene	330.	IU
100-01-6	4-Nitroaniline	1700.	IU
534-52-1	4,6-Dinitro-2-methylphenol	1700.	IU
86-30-6	N-Nitrosodiphenylamine (1)	330.	IU
101-55-3	4-Bromophenyl-phenylether	330.	IU
118-74-1	Hexachlorobenzene	330.	IU
87-86-5	Pentachlorophenol	1700.	IU
85-01-8	Phenanthrene	330.	IU
120-12-7	Anthracene	330.	IU
84-74-2	Di-n-butylphthalate	330.	IU
206-44-0	Fluoranthene	330.	IU
129-00-0	Pyrene	330.	IU
85-68-7	Butylbenzylphthalate	330.	IU
91-94-1	3,3'-Dichlorobenzidine	670.	IU
56-55-3	Benzo(a)anthracene	330.	IU
218-01-9	Chrysene	330.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	790.	I
117-84-0	Di-n-octyl Phthalate	330.	IU
205-99-2	Benzo(b)fluoranthene	330.	IU
207-08-9	Benzo(k)fluoranthene	330.	IU
50-32-8	Benzo(a)pyrene	330.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	330.	IU
53-70-3	Dibenzo(a,h)anthracene	330.	IU
191-24-2	Benzo(g,h,i)perylene	330.	IU

John J. Molloy

John J. Molloy, P.E.

(1) - Cannot be separated from Diphenyl Laboratory Director
 Date Reported: 3/10/89

265

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SBLK 459

Lab Name: H2M LABS INC. Contract: -----
 Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: -----
 Matrix: (soil/water) SOIL Lab Sample ID: SBLK 459
 Sample wt/vol: 250 (g/mL) ML Lab File ID: >P5516
 Level: (low/med) LOW Date Received: -----
 % Moisture: not dec. --- dec. -- Date Extracted: 01/24/89
 Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 2/05/89
 GFC Cleanup: (Y/N) N pH: -- Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/Kg

Number TICs found: 1

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 79345	Ethane, 1,1,2,2-tetrachloro-	9.34	900.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

John J. Mallov

 John J. Mallov, P.E.
 Laboratory Director

256

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SELK 476

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: -----

Matrix: (soil/water) WATER

Lab Sample ID: SELK 476

Sample wt/vol: 250 (g/mL) ML

Lab File ID: >E0010

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 02/13/89

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 2/19/89

GPC Cleanup: (Y/N) N pH: 7.2

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/Kg

CAS NO.

COMPOUND

Q

108-95-2-----	Phenol	330.	IU
111-44-4-----	bis(-2-Chloroethyl)Ether	330.	IU
95-57-8-----	2-Chlorophenol	330.	IU
541-73-1-----	1,3-Dichlorobenzene	330.	IU
106-46-7-----	1,4-Dichlorobenzene	330.	IU
100-51-6-----	Benzyl alcohol	330.	IU
95-50-1-----	1,2-Dichlorobenzene	330.	IU
95-48-7-----	2-Methylphenol	330.	IU
39638-32-9-----	bis(2-chloroisopropyl)ether	330.	IU
106-44-5-----	4-Methylphenol	330.	IU
621-64-7-----	N-Nitroso-Di-n-propylamine	330.	IU
67-72-1-----	Hexachloroethane	330.	IU
98-95-3-----	Nitrobenzene	330.	IU
78-59-1-----	Isophorone	330.	IU
88-75-5-----	2-Nitrophenol	330.	IU
105-67-9-----	2,4-Dimethylphenol	330.	IU
65-85-0-----	Benzoic acid	1700.	IU
111-91-1-----	bis(-2-Chloroethoxy)methane	330.	IU
120-83-2-----	2,4-Dichlorophenol	330.	IU
120-82-1-----	1,2,4-Trichlorobenzene	330.	IU
91-20-3-----	Naphthalene	220.	IU
106-47-8-----	4-Chloroaniline	330.	IU
87-63-3-----	Hexachlorobutadiene	330.	IU
59-50-7-----	4-Chloro-3-methylphenol	330.	IU
91-57-6-----	2-Methylnaphthalene	330.	IU
77-47-4-----	Hexachlorocyclopentadiene	330.	IU
88-06-2-----	2,4,6-Trichlorophenol	330.	IU
95-95-4-----	2,4,5-Trichlorophenol	1700.	IU
91-58-7-----	2-Chloronaphthalene	330.	IU
88-74-4-----	2-Nitroaniline	1700.	IU
131-11-3-----	Dimethyl Pthalate	330.	IU
208-96-8-----	Acenaphthylene	330.	IU
606-20-2-----	2,6-Dinitrotoluene	330.	IU

John J. Molloy
 John J. Molloy, P.E.
 Laboratory Director

Date Reported: 3/10/89

FORM I SU-1

C-112

1/87 Rev.

CD 002853

274

5-2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SBLK 476

Lab Name: HCM LABS INC. Contract: -----
 Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: -----
 Matrix: (soil/water) WATER Lab Sample ID: SBLK 476
 Sample wt/vol: 250 (g/mL) ML Lab File ID: >E0010
 Level: (low/med) LOW Date Received: -----
 % Moisture: not dec. -- dec. -- Date Extracted: 02/13/89
 Extraction: (Soxh/Cont/Sons) SONC Date Analyzed: 2/19/89
 GPC Cleanup: (Y/N) N pH: 7.2 Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	1700.	IU
83-32-9	Acenaphthene	330.	IU
51-28-5	2,4-Dinitrophenol	1700.	IU
100-02-7	4-Nitrophenol	1700.	IU
132-64-9	Dibenzofuran	330.	IU
121-14-2	2,4-Dinitrotoluene	330.	IU
84-66-2	Diethylphthalate	330.	IU
7005-72-3	4-Chlorophenyl-phenylether	330.	IU
86-73-7	Fluorene	330.	IU
100-01-6	4-Nitroaniline	1700.	IU
534-52-1	4,6-Dinitro-2-methylphenol	1700.	IU
86-30-6	N-Nitrosodiphenylamine (1)	330.	IU
101-55-3	4-Bromophenyl-phenylether	330.	IU
118-74-1	Hexachlorobenzene	330.	IU
87-86-5	Pentachlorophenol	1700.	IU
85-01-8	Phenanthrene	330.	IU
120-12-7	Anthracene	330.	IU
84-74-2	Di-n-butylphthalate	330.	IU
236-05-0	Fluoranthene	330.	IU
129-00-0	Pyrene	330.	IU
25-63-7	Butylbenzylphthalate	330.	IU
91-94-1	3,3'-Dichlorobenzidine	670.	IU
56-55-3	Benzo(a)anthracene	330.	IU
218-01-9	Thrysene	330.	IU
117-81-7	Bis(2-Ethylhexyl)phthalate	870.	I ^B
117-81-0	Di-n-octyl Phthalate	330.	IU
215-90-2	Benzo(b)fluoranthene	330.	IU
207-08-9	Benzo(k)fluoranthene	330.	IU
50-32-9	Benzo(a)pyrene	330.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	330.	IU
37-70-3	Dibenzofluoranthene	330.	IU
19-24-2	Benzo(g,h,i)perylene	330.	IU

John J. Mollan
 Laboratory Director, P.E.

(1) - Cannot be separated from Diphenylamine
 Date Reported: 3/10/89

C-113

CD 002854

275

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
(516) 694-3040 FAX: (516) 694-4122
EPA SAMPLE NO.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SBLK 476

Lab Name: H2M LABS, INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: -----

Matrix: (soil/water) SOIL

Lab Sample ID: SBLK 476

Sample wt/vol: 250 (g/mL) ML

Lab File ID: E0010

Level: (found/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 02/13/89

Extraction: (Sep/Cont/Sonc) SONC

Date Analyzed: 2/19/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

Number TICs found: 1

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 79345	Ethane, 1,1,2,2-tetrachloro-	9.41	200.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

John J. Molloy

John J. Molloy, P.E.
Laboratory Director

2.

Date Reported: 3/10/89

FORM 1 SV-TIC

C-114

CD 002855

1/87 Rev.

H2M LABS, INC.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4123

GW #14 MS

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951195 MS

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5513

Level: (low/med) LDM

Date Received: 01/19/89

% Moisture: not dec. --- dec. --

Date Extracted: 01/20/89

Extraction: (Sep/Cont/Sond) SEFF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CASE NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
111-44-4	bis(2-Chloroethyl) Ether	10.	IU
5-1-73-1	1,3-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39638-32-9	bis(2-chloroisopropyl) ether	10.	IU
105-44-5	4-Methylphenol	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-95-0	Benzoic acid	50.	IU
111-91-1	bis(2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
39-06-2	2,4,6-Trichlorophenol	10.	IU
95-95-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronaphthalene	10.	IU
88-74-4	2-Nitroaniline	50.	IU
131-11-3	Dimethyl Phthalate	10.	IU
208-95-8	Acenaphthylene	10.	IU
606-20-2	2,6-Dinitrotoluene	10.	IU

Date Reported: 3/10/89
 FORM I SU-1

 * *Jmolloy* * 1/87 Rev.

John J. Molloy, P.E.
 Laboratory Director

284

C-115

CD 002856

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

GW #14 MS

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: GW #6

Matrix: (soil/water) WATER Lab Sample ID: 951195 MS

Sample wt/vol: 1000 (g/mL) ML Lab File ID: >P5513

Level: (low/med) LOW Date Received: 01/19/89

% Moisture: not dec. --- dec. --- Date Extracted: 01/20/89

Extraction: (Soil/Cont/Sand) SEPF Date Analyzed: 2/03/89

GFC Cleanup: (Y/N) N PH: --- Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50.	IU
51-28-6	2,4-Dinitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
66-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	16.	I B
117-84-8	Di-n-octyl Phthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
50-32-8	Benzo(a)pyrene	10.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenzo(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

1) - Cannot be separated from Diphenylamine*****

FORM I SV-2

Date Reported: 3/10/89

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

1/87 Rev.

285

C-116

CD 002857

C2M LABS, INC.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4125

GW #14 MSD

Lab Name: C2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951195 MSD

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5514

Level: (low/med) LDW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEFF

Date Analyzed: 2/03/89

GFC Cleanup: (Y/N) N PH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CASE NO.

COMPOUND

Q

111-44-4	bis(2-Chloroethyl)Ether	10.	IU
541-75-1	1,3-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39638-32-9	bis(2-chloroisopropyl)ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
67-72-1	Hexachloroethane	10.	IU
93-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-95-0	Benzoic acid	50.	IU
111-91-1	bis(2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-86-2	2,4,6-Trichlorophenol	10.	IU
95-95-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronaphthalene	10.	IU
88-74-4	2-Nitroaniline	50.	IU
131-11-3	Dimethyl Phthalate	10.	IU
208-96-8	Acenaphthylene	10.	IU
606-20-2	2,6-Dinitrotoluene	10.	IU

CD 002858

1/87 Rev.

FORM I SU-1

Date Reported: 3/10/89

C-117

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

299

H2M LABS, INC.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122

GW #14 MSD

Lab Name: H2M LABS, INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951195 MSD

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5514

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not des. -- dec. --

Date Extracted: 01/20/89

Extraction: (Soxh/Cont/Sonc) SOXF

Date Analyzed: 2/03/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	D
99-09-2	3-Nitroaniline	50.	I
91-28-5	2,4-Dinitrophenol	50.	I
132-64-9	Dibenzofuran	10.	I
84-66-2	Diethylphthalate	10.	I
7085-72-3	4-Chlorophenyl-phenylether	10.	I
85-73-7	Fluorene	10.	I
100-01-6	4-Nitroaniline	50.	I
934-52-1	4,6-Dinitro-2-methylphenol	50.	I
86-30-6	N-Nitrosodiphenylamine (1)	10.	I
191-55-3	4-Bromophenyl-phenylether	10.	I
118-74-1	Hexachlorobenzene	10.	I
85-01-8	Phenanthrene	10.	I
120-12-7	Anthracene	10.	I
84-74-2	Di-n-butylphthalate	10.	I
206-44-0	Fluoranthene	10.	I
85-68-7	Butylbenzylphthalate	10.	I
91-94-1	3,3'-Dichlorobenzidine	20.	I
56-55-3	Benzo(a)anthracene	10.	I
218-01-9	Chrysene	10.	I
117-81-7	bis(2-Ethylhexyl)phthalate	160.	I B
117-84-0	Di-n-butyl Phthalate	10.	I
205-99-2	Benzo(b)fluoranthene	10.	I
207-08-9	Benzo(k)fluoranthene	10.	I
50-32-8	Benzo(a)pyrene	10.	I
193-39-5	Indeno(1,2,3-cd)pyrene	10.	I
53-70-3	Dibenzo(a,h)anthracene	10.	I
191-24-2	Benzo(g,h,i)perylene	10.	I

(1) - Cannot be separated from Diphenylamine *****

Date Reported: 3/10/89
 FUP 1 I SU-2

John J. Molloy
 John J. Molloy, P.E.
 Laboratory Director

1/87 Rev

290

C-118

CD 002859

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SW #2 MS

Lab Name: H2M LABS INC. Contract: -----
 Lab Code: ----- Case No.: ----- SAS No.: ----- SDS No.: GW #6
 Matrix: (soil/water) WATER Lab Sample ID: 951206 MS
 Sample wt/vol: 1000 (g/ml) Lab File ID: >P5520
 Level: (low/med) LO Date Received: 01/19/89
 % Moisture: not det. -- dec. -- Date Extracted: 01/20/89
 Extraction: (Soxhlet/Cont/Sonic) SEPF Date Analyzed: 2/05/89
 GPC Cleanup: (Y/N) N pH: -- Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS:	
		(ug/L or ug/Kg)	ug/L
111-44-4	bis(2-Chloroethyl) Ether	10.	IU
541-75-1	1,3-Dichlorobenzene	10.	IU
101-81-6	Benzyl alcohol	10.	IU
95-81-1	1,2-Dichlorobenzene	10.	IU
95-81-7	2,4-Dimethylphenol	10.	IU
78-78-7	bis(2-chloroisopropyl) ether	10.	IU
101-81-6	2-Methylphenol	10.	IU
78-78-7	1,1-dichloroethane	10.	IU
95-85-3	Nitrobenzene	10.	IU
78-78-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-06-2	2,4,6-Trichlorophenol	10.	IU
95-95-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronaphthalene	10.	IU
88-74-4	2-Nitroaniline	50.	IU
131-11-3	Dimethyl Phthalate	10.	IU
208-96-8	Acenaphthylene	10.	IU
686-29-2	2,6-Dinitrotoluene	10.	IU

FORM I SU-1

Date Reported: 3/10/89

 * *John J. Molloy* * 1/87 Rev.

John J. Molloy, P.E.
 Laboratory Director

C-119

CD 002860

294

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SW #2 MS

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951206 MS

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5520

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. --- dec. ---

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO. COMPOUND Q

99-09-2	3-Nitroaniline	50.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
26-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
36-30-6	N-Nitrosociphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	16.	I B
117-84-0	Di-n-octyl Phthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
50-32-8	Benzo(a)pyrene	10.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenzo(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

(1) - Cannot be separated from Diphenylamine*****

FORM I SU-2

Date Reported: 3/10/89

John J. Molloy, P.E.
 Laboratory Director
 1/87 Rec

C-120

CD 002861

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPH SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SW #2 MSD

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951206 MSD

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5521

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO. COMPOUND Q

111-44-4	bis(2-Chloroethyl) Ether	10.	IU
541-73-1	1,3-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39638-32-9	bis(2-chloroisopropyl) ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(-2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
93-06-2	2,4,6-Trichlorophenol	10.	IU
95-95-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronaphthalene	10.	IU
89-74-4	2-Nitroaniline	50.	IU
131-11-3	Dimethyl Phthalate	10.	IU
208-96-8	Acenaphthylene	10.	IU
606-20-2	2,6-Dinitrotoluene	10.	IU

FORM I SU-1

Date Reported: 3/10/89

CD 002862

C-121

 * *John J. Molloy* * 1/87 Rev.

John J. Molloy, PE
 Laboratory Director

299

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

SW #2 MSD

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: GW #6

Matrix: (soil/water) WATER

Lab Sample ID: 951206 MSD

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >P5521

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. -- dec. --

Date Extracted: 01/20/89

Extraction: (Soxh./Cont./Sono) BEPF

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/L

CAS NO.

COMPOUND

Q

99-09-2	3-Nitroaniline	50.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	24.	I B
117-84-0	Di-n-octyl Phthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
50-32-8	Benzo(a)pyrene	10.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenz(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

(1) - Cannot be separated from Diphenylamine

FORM I SU-2

Date Reported: 3/10/89

C-122

 * *John J. Molloy* *

John J. Molloy, P.E.
 Laboratory Director

1/87 Rev.

300

CD 002863

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPH SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SS-1 MS

Lab Name: H2M LABS INC.

Contract:-----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-1

Matrix: (soil/water) SDIL

Lab Sample ID: 951209 MS

Sample wt/vol: 30.0-55 (g/mL) G

Lab File ID: >P5523

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec.75 dec. --

Date Extracted: 01/24/89

Extraction: (Sep/Cont/Sonc) SONC

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: 6.9

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/Kg

CAS NO.	COMPOUND	ug/Kg	Q
111-44-4	bis(2-Chloroethyl)Ether	1300.	IU
541-73-1	1,3-Dichlorobenzene	1300.	IU
100-51-6	Benzyl alcohol	1300.	IU
95-50-1	1,2-Dichlorobenzene	1300.	IU
95-48-7	2-Methylphenol	1300.	IU
39638-32-9	bis(2-chloroisopropyl)ether	1300.	IU
106-44-5	4-Methylphenol	1300.	IU
67-72-1	Hexachloroethane	1300.	IU
98-95-3	Nitrobenzene	1300.	IU
78-59-1	Isophorone	1300.	IU
88-75-5	2-Nitrophenol	1300.	IU
105-67-9	2,4-Dimethylphenol	1300.	IU
65-95-0	Benzoic acid	6500.	IU
111-91-1	bis(2-Chloroethoxy)methane	1300.	IU
120-83-2	2,4-Dichlorophenol	1300.	IU
91-20-3	Naphthalene	1300.	IU
106-47-8	4-Chloroaniline	1300.	IU
87-68-3	Hexachlorobutadiene	1300.	IU
91-57-6	2-Methylnaphthalene	1300.	IU
77-47-4	Hexachlorocyclopentadiene	1300.	IU
88-06-2	2,4,6-Trichlorophenol	1300.	IU
95-95-4	2,4,5-Trichlorophenol	6500.	IU
91-58-7	2-Chloronaphthalene	1300.	IU
28-74-4	2-Nitroaniline	6500.	IU
131-11-3	Dimethyl Phthalate	1300.	IU
208-96-8	Acenaphthylene	1300.	IU
606-29-2	2,6-Dinitrotoluene	1300.	IU

FORM I SU-1

Date Reported: 3/10/89

CD 002864

C-123

 1/87 Rev.
 * *John J. Molloy* *

John J. Molloy, P.E.
 Laboratory Director

304

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPH SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SS-1 MS

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: SS-1

Matrix: (soil/water) SOIL

Lab Sample ID: 951209 MS

Sample wt (ool): 30.0455 (g/mL) G

Lab File ID: >P5523

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec. 75 dec. --

Date Extracted: 01/24/89

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 2/05/89

GFC Cleanup: (Y/N) N pH: 6.9

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	6500.	IU
51-28-5	2,4-Dinitrophenol	6500.	IU
132-64-9	Dibenzofuran	1300.	IU
84-60-2	Diethylphthalate	1300.	IU
7005-72-3	4-Chlorophenyl-phenylether	1300.	IU
86-73-7	Fluorene	1300.	IU
100-01-6	4-Nitroaniline	6500.	IU
534-52-1	4,6-Dinitro-2-methylphenol	6500.	IU
86-30-6	N-Nitrosodiphenylamine (1)	1300.	IU
101-55-3	4-Bromophenyl-phenylether	1300.	IU
118-74-1	Hexachlorobenzene	1300.	IU
85-01-8	Phenanthrene	1300.	IU
120-12-7	Anthracene	1300.	IU
84-74-2	Di-n-butylphthalate	1300.	IU
206-44-0	Fluoranthene	1300.	IU
85-68-7	Butylbenzylphthalate	1300.	IU
91-94-1	3,3'-Dichlorobenzidine	2600.	IU
56-55-3	Benzo(a)anthracene	1300.	IU
213-01-9	Chrysene	1300.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	800.	I JB
117-94-0	Di-n-octyl Phthalate	1300.	IU
205-99-2	Benzo(b)fluoranthene	1300.	IU
207-08-9	Benzo(k)fluoranthene	1300.	IU
50-32-8	Benzo(a)pyrene	1300.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	1300.	IU
53-70-3	Dibenzo(a,h)anthracene	1300.	IU
191-24-2	Benzo(g,h,i)perylene	1300.	IU

(1) - Cannot be separated from Diphenylamine

FORM 1 SU-2

 * *J. Mellay* *

1/87 Rev.

Date Reported: 3/10/89

C-124

John J. Mellay, P.E.
 Laboratory Director

305

CD 002865

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SS-1 MSD

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-1

Matrix: (soil/water) SOIL

Lab Sample ID: 951209 MSD

Sample wt/vol: 30.0091(g/mL) G

Lab File ID: >P5524

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec.75 dec. --

Date Extracted: 01/24/89

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: 6.9

Dilution Factor: 1.00000

CONCENTRATION UNITS:
 (ug/L or ug/Kg) ug/Kg

CAS NO.

COMPOUND

Q

111-44-4	bis(-2-Chloroethyl)Ether	1300.	IU
541-73-1	1,3-Dichlorobenzene	1300.	IU
100-51-6	Benzyl alcohol	1300.	IU
95-50-1	1,2-Dichlorobenzene	1300.	IU
95-48-7	2-Methylphenol	1300.	IU
39638-32-9	bis(2-chloroisopropyl)ether	1300.	IU
106-44-5	4-Methylphenol	1300.	IU
67-72-1	Hexachloroethane	1300.	IU
98-95-3	Nitrobenzene	1300.	IU
78-59-1	Isophorone	1300.	IU
88-75-5	2-Nitrophenol	1300.	IU
105-67-9	2,4-Dimethylphenol	1300.	IU
65-85-0	Benzoic acid	6500.	IU
111-91-1	bis(-2-Chloroethoxy)methane	1300.	IU
120-83-2	2,4-Dichlorophenol	1300.	IU
91-20-3	Naphthalene	1300.	IU
106-47-8	4-Chloroaniline	1300.	IU
87-68-3	Hexachlorobutadiene	1300.	IU
91-57-6	2-Methylnaphthalene	1300.	IU
77-47-4	Hexachlorocyclopentadiene	1300.	IU
88-06-2	2,4,6-Trichlorophenol	1300.	IU
95-95-4	2,4,5-Trichlorophenol	6500.	IU
91-58-7	2-Chloronaphthalene	1300.	IU
68-74-4	2-Nitroaniline	6500.	IU
131-11-3	Dimethyl Phthalate	1300.	IU
208-66-8	Acenaphthylene	1300.	IU
206-20-2	2,6-Dinitrotoluene	1300.	IU

FORM I SU-1

1/87 Rev.

Date Reported: 3/10/89

C-125

 * *John J. Molloy* *

 John J. Molloy, P.E.
 Laboratory Director

CD 002866

H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747
 (516) 694-3040 FAX: (516) 694-4122
 EPH SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SS-1 MSD

Lab Name: H2M LABS INC.

Contract: -----

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: SS-1

Matrix: (soil/water) SOIL

Lab Sample ID: 951209 MSD

Sample wt/vol: 30.0091(g/mL) G

Lab File ID: >P5524

Level: (low/med) LOW

Date Received: 01/19/89

% Moisture: not dec.75 dec. --

Date Extracted: 01/24/89

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 2/05/89

GPC Cleanup: (Y/N) N pH: 6.9

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg

CAS NO.	COMPOUND	(ug/L or ug/Kg)	ug/Kg
99-09-2	3-Nitroaniline	6500.	IU
51-28-5	2,4-Dinitrophenol	6500.	IU
132-64-9	Dibenzofuran	1300.	IU
84-66-2	Diethylphthalate	1300.	IU
7005-72-3	4-Chlorophenyl-phenylether	1300.	IU
86-73-7	Fluorene	1300.	IU
100-01-6	4-Nitroaniline	6500.	IU
534-52-1	4,6-Dinitro-2-methylphenol	6500.	IU
86-30-6	N-Nitrosodiphenylamine (1)	1300.	IU
101-55-3	4-Bromophenyl-phenylether	1300.	IU
118-74-1	Hexachlorobenzene	1300.	IU
85-01-8	Phenanthrene	1300.	IU
120-12-7	Anthracene	1300.	IU
84-74-2	Di-n-butylphthalate	1300.	IU
206-44-0	Fluoranthene	1300.	IU
85-68-7	Butylbenzylphthalate	1300.	IU
91-94-1	3,3'-Dichlorobenzidine	2600.	IU
56-55-3	Benzo(a)anthracene	1300.	IU
218-01-9	Chrysene	1300.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	740.	JB
117-84-0	Di-n-octyl Phthalate	1300.	IU
205-99-2	Benzo(b)fluoranthene	1300.	IU
207-08-9	Benzo(k)fluoranthene	1300.	IU
50-32-8	Benzo(a)pyrene	1300.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	1300.	IU
53-70-3	Dibenzo(a,h)anthracene	1300.	IU
191-24-2	Benzo(g,h,i)perylene	1300.	IU

(1) - Cannot be separated from Diphenylamine

FORM 1 SU-2

Date Reported: 3/10/89

C-126

[Signature]

1/87 Re

PE.
 Laboratory Director

CD 002867

CASE NARRATIVE FOR PESTICIDE/PCB'S

QC Data

A total of eight water and soil samples and one method blank exceed the advisory limit for the surrogate standard recovery due to matrix interference (coeluting contaminant).

The recoveries for the compounds were very low for the matrix spike analysis of SW-2, whereas the duplicate resulted in acceptable recoveries. Re-extraction of another spiked sample was not possible, because not enough sample bottles were submitted to allow for a spare. The RPD for the duplicates were all outside QC limits.

System Performance Checks

Breakdown for the Evaluation Mix B on both the primary and secondary column exceeded 20% for DDT for the run at 19:01, caused by some samples with high contaminations. Remedial action was taken, and the system was checked with another run of the Evaluation Mix at 20:39. The level of breakdown for this second analysis met QC criteria and the sequence was continued.

Sample Analysis

Aroclor 1260 found in SS-2 and confirmed on secondary column. Not all peaks were summed for quantification but only those that were not superimposed by interferences, i.e. those that gave approximately the same ratios as the standard peaks. Peaks that were left out for the partial sum of areas were also omitted for calibration of the standard.

Raised limits were reported for pesticides coeluting with Ar 1260 isomers.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: April 24, 1989

*

*

*

John J. Molloy, P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

WATER PESTICIDE SURROGATE RECOVERY

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

SAMPLE NO.	S1 (DBC)	OTHER
01 GW-6	145	
02 GW-7	121	
03 GW-8	447	*
04 GW-9	154	
05 GW-11	225	*
06 GW-14	209	*
07 FIELD BLANK	182	*
08 GW-14MS	148	
09 GW-14MSD	184	*
10 SW-1	131	
11 SW-2	206	*
12 SW-2MS	177	*
13 SW-2MSD	152	
14 BLK	127	
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		

S1 (DBC) = Dibutylchloroendate

ADVISORY
QC LIMITS
(24-154)

- # Column to be used to flag recovery values
- * Values outside of QC limits
- D Surrogates diluted out

COMMENTS:

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

SOIL PESTICIDE SURROGATE RECOVERY

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

Level: (low/med) low

SAMPLE NO.	S1 (DEB)	#	OTHER
01:SS-1	118		
02:SS-2	59		
03:SS-1MS	189	*	
04:SS-1MSD	117		
05:PBK	547	*	
06:			
07:			
08:			
09:			
10:			
11:			
12:			
13:			
14:			
15:			
16:			
17:			
18:			
19:			
20:			
21:			
22:			
23:			
24:			
25:			
26:			
27:			
28:			
29:			
30:			

ADVISORY
QC LIMITS
(20-150)

S1 (DEB) = Dinitrochlorobenzene

- # Column to be used to flag recovery values
- * Values outside of QC limits
- D Surrogates diluted out

COMMENTS:

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

WATER PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

Matrix Spike - Sample No.: SW-2

Compound	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	MS CONCENTRATION (ug/L)	MS % REC #	QC LIMITS REC.
gamma-BHC (Lindane)	0.2	0	0.01	3 *	56-123
Heptachlor	0.2	0	0.04	18 *	40-131
Aldrin	0.2	0	0.07	32 *	40-120
Dieldrin	0.5	0	0.04	9 *	52-126
Endrin	0.5	0	0	0 *	56-121
4,4' DDT	0.5	0.60	0.41	0 *	38-127

Compound	SPIKE ADDED (ug/L)	MSD CONCENTRATION (ug/L)	MSD % REC #	MSD % RPD #	QC LIMITS RPD REC.
gamma-BHC (Lindane)	0.2	0.13	67	183*	15 56-123
Heptachlor	0.2	0.13	65	113*	20 40-131
Aldrin	0.2	0.15	74	79*	22 40-120
Dieldrin	0.5	0.45	90	164*	18 52-126
Endrin	0.5	0.62	123*	200*	21 56-121
4,4' DDT	0.5	1.1	91	200*	27 38-127

Column to be used to flag recovery and RPD values with an asterisk
 * Values outside of QC limits

RPD: 6 out of 6 outside limits
 Spike Recovery: 7 out of 12 outside limits

COMMENTS:

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

WATER PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

Matrix Spike - Sample No.: GW-14

Compound	SPIKE	SAMPLE	MS	MS	QC
	ADDED	CONCENTRATION	CONCENTRATION	%	LIMITS
	(ug/L)	(ug/L)	(ug/L)	REC #	REC.
gamma-BHC (Lindane)	0.20	0	0.21	103	56-123
Heptachlor	0.20	0.01	0.22	105	40-131
Aldrin	0.20	0	0.21	103	40-120
Dieldrin	0.50	0	0.56	112	52-126
Endrin	0.50	0.05	0.78	144*	56-121
4,4' DDT	0.50	0.42	1.3	176*	38-127

Compound	SPIKE	MSD	MSD		QC LIMITS	
			CONCENTRATION	%	RPD #	REC.
	ADDED	(ug/L)	REC #	RPD #	RPD	REC.
	(ug/L)	(ug/L)				
gamma-BHC (Lindane)	0.20	0.11	55*	61*	15	56-123
Heptachlor	0.20	0.11	50	71*	20	40-131
Aldrin	0.20	0.09	45	78*	22	40-120
Dieldrin	0.50	0.46	92	20*	18	52-126
Endrin	0.50	0.52	92	44*	21	56-121
4,4' DDT	0.50	1.03	122	36*	27	38-127

Column to be used to flag recovery and RPD values with an asterisk
 * Values outside of QC limits

RPD: 6 out of 6 outside limits
 Spike Recovery: 3 out of 12 outside limits

COMMENTS:

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

SOIL PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

Matrix Spike - Sample No.: SS-1

Level: LOW

Compound	SPIKE ADDED (ug/Kg)	SAMPLE CONCENTRATION (ug/Kg)	MS CONCENTRATION (ug/Kg)	MS % REC #	QC LIMITS REC.
Lindane	213	0	459	216*	46-127
Heptachlor	213	90	481	184*	35-130
Aldrin	213	0	655	308*	34-132
Dieldrin	533	0	1070	201*	31-134
Endrin	533	0	1081	203*	42-139
4,4' DDT	533	120	1625	294*	23-134

Compound	SPIKE ADDED (ug/Kg)	MSD CONCENTRATION (ug/Kg)	MSD % REC #	% RPD #	QC LIMITS RPD REC.
Lindane	213	491	231*	7	50 46-127
Heptachlor	213	346	120	42*	31 35-130
Aldrin	213	252	118	89*	43 34-132
Dieldrin	533	660	124	47*	38 31-134
Endrin	533	733	138	38	45 42-139
4,4' DDT	533	886	144*	68*	50 23-134

Column to be used to flag recovery and RPD values with an asterisk
 * Values outside of QC limits

RPD: 4 out of 6 outside limits
 Spike Recovery: 8 out of 12 outside limits

COMMENTS:

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE METHOD BLANK SUMMARY

Lab Name: H2M LABS, INC.	Contract: GIBBS & HILL
Lab Sample ID: B-1-22-89	Lab File ID: 482
Matrix: WATER	Level: LOW
Date Extracted: 01/22/89	Extraction: SEPF
Date Analyzed (1): 02/16/89	Date Analyzed (2): 02/16/89
Time Analyzed (1): 18:12	Time Analyzed (2): 18:12
Instrument ID: HP-5890	Instrument ID: HP-5890
GC Column ID (1): 1.5% SP-2250/1.95% SF-2401 ON 100/120 SUPELCOPORT	GC Column ID (2): 3% SP-2100 ON 100/120 SUPELCOPORT

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED 1	DATE ANALYZED 2
01:GW-6	951190	02/17/89	02/17/89
02:GW-7	951191	"	"
03:GW-8	951192	"	"
04:GW-9	951193	"	"
05:GW-11	951194	"	"
06:GW-14	951195	"	"
07:FIELD BLANK	951196	"	"
08:GW-14MS	951195MS	"	"
09:GW-14MSD	951195MSD	"	"
10:SW-1	951205	"	"
11:SW-2	951206	"	"
12:SW-2MS	951206MS	"	"
13:SW-2MSD	951206MSD	"	"
14:			
15:			
16:			
17:			
18:			
19:			
20:			
21:			
22:			
23:			
24:			
25:			
26:			
27:			
28:			
29:			
30:			

Comments:

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE METHOD BLANK SUMMARY

Lab Name: H2M LABS, INC. Contract: GIBBS & HILL
Lab Sample ID: B-459 Lab file ID: 484
Matrix: SOIL Level: LOW
Date Extracted: 01/24/89 Extraction: SONG
Date Analyzed (1): 02/16/89 Date Analyzed (2): 02/16/89
Time Analyzed (1): 19:27 Time Analyzed (2): 19:27
Instrument ID: HP-5890 Instrument ID: HP-5890
GC Column ID (1): 1.5% SP-2250/1.95% GC Column ID (2): 3% SP-2100
ON 100/120 SUPELCOPORT ON 100/120 SUPELCOPORT

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED 1	DATE ANALYZED 2
01:SS-1	951209	02/17/89	02/17/89
02:SS-2	951210	"	"
03:SS-1MS	951209	"	"
04:SS-1MSD	951209MSD	"	"
05:			
06:			
07:			
08:			
09:			
10:			
11:			
12:			
13:			
14:			
15:			
16:			
17:			
18:			
19:			
20:			
21:			
22:			
23:			
24:			
25:			
26:			
27:			
28:			
29:			
30:			

Comments:

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS, INC.	Contract: GIBBS & HILL	GW-6 C & D Batteries
Matrix: WATER	Lab Sample ID: 951190	
Sample wt: vol 1000(ML)	Lab File ID: P501/C1042	
Level: LOW	Date Received: 01/19/89	
% Moisture: not dec. dec.	Date Extracted: 01/22/89	
Extraction: SepF	Date Analyzed: 02/17/89	
GPC Cleanup: N pH:	Dilution Factor: 1	

GCAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	
1319-84-6	alpha-BHC	0.05		U
1319-85-7	beta-BHC	0.05		U
1319-86-8	delta-BHC	0.05		U
158-89-4	gamma-BHC (Lindane)	0.05		U
176-44-8	Heptachlor	0.05		U
109-00-2	Aldrin	0.05		U
1024-57-3	Heptachlor epoxide	0.05		U
1059-98-8	Endosulfan I	0.05		U
150-57-1	Dieldrin	0.04		BJ
172-55-9	4,4'-DDE	0.10		U
172-20-8	Endrin	0.10		U
13213-65-9	Endosulfan II	0.10		U
172-54-8	4,4'-DDD	0.10		U
13031-07-8	Endosulfan sulfate	0.10		U
150-29-3	4,4'-DDT	0.39		B
172-43-5	Methoxychlor	0.5		U
153494-70-5	Endrin ketone	0.10		U
15103-71-9	alpha-Chlordane	0.5		U
15103-74-2	gamma-Chlordane	0.5		U
13001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
153469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

Date Reported: 04/08/89

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS. (INC.)	Contract: GIBBS & HILL	GW-7 C & D Batteries
Matrix: WATER	Lab Sample ID: 951191	
Sample wt: vol 1000(ml)	Lab File ID: P502/C1043	
Level: LOW	Date Received: 01/19/89	
% Moisture: not dec. dec.	Date Extracted: 01/22/89	
Extraction: SepF	Date Analyzed: P2/17/89/C2/17/89	
GPC Cleanup: N pH:	Dilution Factor: 1	

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	
319-84-6	alpha-BHC	0.05	U
319-85-7	beta-BHC	0.05	U
319-86-8	delta-BHC	0.05	U
52-89-9	gamma-BHC (Lincane)	0.05	U
76-44-8	Heptachlor	0.05	U
59-60-1	Aldrin	0.04	U
1014-57-3	Heptachlor epoxide	0.05	U
959-98-8	Endosulfan I	0.05	U
60-57-1	Dieldrin	0.10	U
72-55-9	4,4'-DDE	0.10	U
72-20-8	Endrin	0.10	U
38013-65-9	Endosulfan II	0.10	U
72-54-8	4,4'-DDD	0.10	U
1031-07-8	Endosulfan sulfate	0.10	U
50-29-3	4,4'-DDT	0.26	B
72-43-5	Methoxychlor	0.5	U
53494-70-5	Endrin ketone	0.10	U
5103-71-9	alpha-Chlordane	0.5	U
5103-74-2	gamma-Chlordane	0.5	U
8001-35-2	Toxaphene	1.0	U
12674-11-2	Aroclor-1016	0.5	U
11104-28-2	Aroclor-1221	0.5	U
11141-16-5	Aroclor-1232	0.5	U
53469-21-9	Aroclor-1242	0.5	U
12672-29-6	Aroclor-1248	0.5	U
11097-69-1	Aroclor-1254	1.0	U
11096-82-5	Aroclor-1260	1.0	U

Date Reported: 04/03/89

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS, INC.

Contract: GIBBS &
HILL

GW-8

C & D Batteries

Matrix: WATER

Lab Sample ID: 951192

Sample wt: vol 1000(mL)

Lab File ID: P504/C1045

Level: LOW

Date Received: 01/19/89

% Moisture: not dec. dec.

Date Extracted: 01/22/89

Extraction: SepF

Date Analyzed: P2/17/89/C2/17/89

GPC Cleanup: N pH:

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	Q
1319-34-6	alpha-BHC	0.05		U
1319-85-7	beta-BHC	0.05		U
1319-86-8	delta-BHC	0.05		U
58-89-9	gamma-BHC (Lindane)	0.05		U
76-44-8	heptachlor	0.05		U
1024-57-3	Alorin	0.05		U
1024-57-3	Heptachlor epoxide	0.05		U
959-98-8	Endosulfan I	0.05		U
60-57-1	Dieldrin	0.10		U
72-55-9	4,4'-DDE	0.10		U
72-20-8	Endrin	0.10		U
33213-65-9	Endosulfan II	0.10		U
72-54-8	4,4'-DDD	0.10		U
1031-07-8	Endosulfan sulfate	0.10		U
58-29-3	4,4'-DDT	0.26		B
72-43-5	Methoxychlor	0.5		U
53494-70-5	Endrin ketone	0.10		U
5103-71-9	alpha-Chlordane	0.5		U
5103-74-2	gamma-Chlordane	0.5		U
8001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
53469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

Date Reported: 04/08/89

* *John J. Molloy* *

John J. Molloy, P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS, INC.	Contract: GIBBS & HILL	GW-9
		C & D Batteries
Matrix: WATER	Lab Sample ID: 951193	
Sample wt: vol 1000(mL)	Lab File ID: P505/C1046	
Level: LOW	Date Received: 01/19/89	
% Moisture: not dec. dec.	Date Extracted: 01/22/89	
Extraction: Soxh	Date Analyzed: 02/17/89	
GPC Cleanup: N on:	Dilution Factor: 1	

OCAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	
1319-84-6	alpha-BHC	0.05		U
1319-85-7	beta-BHC	0.05		U
1319-86-8	delta-BHC	0.05		U
1319-89-9	gamma-BHC (Lindane)	0.05		U
176-44-8	Heptachlor	0.05		U
1509-80-2	Aldrin	0.05		U
1024-57-3	Heptachlor epoxide	0.05		U
1559-98-8	Endosulfan I	0.05		U
160-57-1	Dieldrin	0.10		U
72-55-9	4,4'-DDE	0.02		J
72-20-8	Endrin	0.03		J
103215-66-9	Endosulfan II	0.10		U
72-54-8	4,4'-DDD	0.10		U
1031-07-8	Endosulfan sulfate	0.10		U
150-29-3	4,4'-DDT	0.08		B, J
72-43-5	Methoxychlor	0.5		U
53494-70-5	Endrin ketone	0.10		U
5103-71-9	alpha-Chlordane	0.5		U
5103-74-2	gamma-Chlordane	0.5		U
8001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
53469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

Date Reported: 04/08/89

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

GW-11
 C & D Batteries

Matrix: WATER

Lab Sample ID: 951194

Sample wt: vol 1000(mL)

Lab File ID: P506/C1047

Level: LOW

Date Received: 01/19/89

% Moisture: not dec. dec.

Date Extracted: 01/22/89

Extraction: Soxh

Date Analyzed: P2/17/89/C2/17/89

GPC Cleanup: N pH:

Dilution Factor: 1

LCAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	G
1319-84-6	alpha-BHC	0.05		U
1319-85-7	beta-BHC	0.05		U
1319-86-8	delta-BHC	0.05		U
1319-89-9	gamma-BHC (lincane)	0.05		U
176-44-8	heptachlor	0.05		U
389-00-2	Aldrin	0.05		U
1024-57-3	heptachlor epoxide	0.05		U
459-98-8	Endosulfan I	0.05		U
160-57-1	Dieldrin	0.10		U
172-55-9	4,4'-DDE	0.10		U
172-20-8	Endrin	0.10		U
133213-65-9	Endosulfan II	0.10		U
172-64-8	4,4'-DDD	0.10		U
1031-07-8	Endosulfan sulfate	0.10		U
150-29-3	4,4'-DDT	0.63		B
172-43-5	Methoxychlor	0.5		U
53494-70-5	Endrin ketone	0.10		U
5103-71-9	alpha-Chlordane	0.5		U
5103-74-2	gamma-Chlordane	0.5		U
8001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
53469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

Date Reported: 04/08/89

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS, INC.	Contract: GIBBS & HILL	GW-14
Matrix: WATER	Lab Sample ID: 951195	C & D Batteries
Sample wt: vol 1000(mL)	Lab File ID: P507/C1048	
Level: LOW	Date Received: 01/19/89	
% Moisture: not dec. dec.	Date Extracted: 01/22/89	
Extraction: SepF	Date Analyzed: P2/17/89/C2/17/89	
GPC Cleanup: N pH:	Dilution Factor: 1	

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	
319-84-8	alpha-BHC	0.05		U
319-85-7	beta-BHC	0.01		J
319-86-8	delta-BHC	0.05		U
58-89-9	gamma-BHC (Lindane)	0.05		U
76-44-8	Heptachlor	0.01		J
309-00-2	Alcon	0.05		U
1024-57-3	Heptachlor epoxide	0.05		U
959-98-5	Endosulfan I	0.05		U
60-57-1	Dieldrin	0.10		U
72-55-9	4,4'-DDE	0.10		U
72-20-8	Endrin	0.06		J
33213-65-9	Endosulfan II	0.10		U
72-54-8	4,4'-DDD	0.10		U
1031-07-8	Endosulfan sulfate	0.10		U
50-29-3	4,4'-DDT	0.42		B
72-43-5	Methoxychlor	0.5		U
53494-70-5	Endrin ketone	0.10		U
5103-71-9	alpha-Chlordane	0.5		U
5103-74-2	gamma-Chlordane	0.5		U
8001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
53469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

Date Reported: 04/08/89

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS, INC.	Contract: GIBBS & HILL	FIELD BLANK C & D Batteries
Matrix: WATER	Lab Sample ID: 951196	
Sample wt: vol 1000(ml)	Lab File ID: PSD8/C1049	
Level: LOW	Date Received: 01/19/89	
% Moisture: not dec. dec.	Date Extracted: 01/22/89	
Extraction: SepF	Date Analyzed: P2/17/89/C2/17/89	
GPC Cleanup: N pH:	Dilution Factor: 1	

ICAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	
1319-84-6	alpha-BHC	0.05	U
1319-85-7	beta-BHC	0.05	U
1319-85-8	delta-BHC	0.05	U
78-89-9	gamma-BHC (Lindane)	0.05	U
176-44-8	Heptachlor	0.05	U
176-00-2	Aldrin	0.05	U
1024-57-3	Heptachlor epoxide	0.05	U
159-98-8	Endosulfen I	0.05	U
50-57-1	Dieldrin	0.10	U
72-55-9	4,4'-DDE	0.10	U
72-20-8	Endrin	0.10	U
13213-65-9	Endosulfen II	0.10	U
72-54-8	4,4'-DDD	0.10	U
1031-07-8	Endosulfan sulfate	0.10	U
50-29-3	4,4'-DDT	0.34	B
72-43-5	Methoxychlor	0.5	U
53494-70-5	Endrin ketone	0.10	U
5103-71-9	alpha-Chlordane	0.5	U
5103-74-2	gamma-Chlordane	0.5	U
5001-35-2	Toxaphene	1.0	U
12674-11-2	Aroclor-1016	0.5	U
11104-28-2	Aroclor-1221	0.5	U
11141-16-5	Aroclor-1232	0.5	U
53469-21-9	Aroclor-1242	0.5	U
12672-29-6	Aroclor-1248	0.5	U
11097-69-1	Aroclor-1254	1.0	U
11096-82-5	Aroclor-1260	1.0	U

Date Reported: 04/08/89

Arvid del

 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS. INC. Contract: GIBBS & HILL SW-1
 C & D Batteries
 Matrix: WATER Lab Sample ID: 951205
 Sample wt: vol 1000(ML) Lab File ID: P510/C1051
 Level: LOW Date Received: 01/19/89
 % Moisture: not det. sec. Date Extracted: 01/22/89
 Extraction: SepF Date Analyzed: P2/17/89/C2/17/89
 GPC Cleanup: N pH: Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L
319-84-6	alpha-BHC	0.05	U
319-85-7	beta-BHC	0.05	U
319-86-8	delta-BHC	0.05	U
58-89-9	gamma-BHC (lindane)	0.01	J
76-44-8	Heptachlor	0.05	U
609-00-2	Aldrin	0.05	U
1024-57-3	Heptachlor epoxide	0.05	U
459-98-8	Endosulfan I	0.05	U
60-57-1	Dieldrin	0.10	U
72-55-9	4,4'-DDE	0.10	U
72-20-8	Endrin	0.10	U
732-3-65-9	Endosulfan II	0.10	U
72-54-8	4,4'-DDD	0.10	U
1031-07-8	Endosulfan sulfate	0.10	U
50-29-3	4,4'-DDT	0.43	B
72-43-5	Methoxychlor	0.5	U
53494-70-5	Endrin ketone	0.10	U
5103-71-9	alpha-Chlordane	0.5	U
5103-74-2	gamma-Chlordane	0.5	U
8001-35-2	Toxaphene	1.0	U
12674-11-2	Aroclor-1016	0.5	U
11104-28-2	Aroclor-1221	0.5	U
11141-16-5	Aroclor-1232	0.5	U
53469-21-9	Aroclor-1242	0.5	U
12672-29-6	Aroclor-1248	0.5	U
11097-69-1	Aroclor-1254	1.0	U
11096-82-5	Aroclor-1260	1.0	U

Date Reported: 04/08/89

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

SW-2

C & D Batteries

Matrix: WATER

Lab Sample ID: 951206

Sample wt: vol 1000(mL)

Lab File ID: P511/C1052

Level: LQA

Date Received: 01/19/89

% Moisture: not dec. dec.

Date Extracted: 01/22/89

Extraction: Sep^r

Date Analyzed: P2/17/89/C2/17/89

GPC Cleanup: N pH:

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	Q
519-84-6	alpha-BHC	0.05		U
519-85-7	beta-BHC	0.05		U
519-86-8	gamma-BHC	0.05		U
58-89-9	gamma-BHC (Lindane)	0.05		U
75-44-8	heptachlor	0.05		U
50-81-2	Aldrin	0.05		U
1024-57-3	Heptachlor epoxide	0.05		U
459-98-8	Endosulfan I	0.05		U
60-57-1	Dieldrin	0.10		U
72-55-9	4,4'-DDE	0.02		J
72-20-8	Endrin	0.10		U
50213-65-9	Endosulfan II	0.10		U
72-54-8	4,4'-DDD	0.10		U
1031-07-8	Endosulfan sulfate	0.10		U
50-29-3	4,4'-DDT	0.60		B
72-43-5	Methoxychlor	0.5		U
53494-70-5	Endrin ketone	0.10		U
5103-71-9	alpha-Chlordane	0.5		U
5103-74-2	gamma-Chlordane	0.5		U
8001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
53469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

Date Reported: 04/08/89

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS, INC.

Contract: GIBBS &
HILL

SS-1

C & D Batteries

Matrix: SOIL

Lab Sample ID: 951209

Sample wt: 30.069 (ug)

Lab File ID: P517/C1058

Level: 10%

Date Received: 01/19/89

% Moisture: not dec. 75 dec.

Date Extracted: 01/24/89

Extraction: Sonic

Date Analyzed: P2/17/89/C2/17/89

GPC Cleanup: N pH: 6.9

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS	ug/Kg	Q
1319-84-6	alpha-BHC	32			U
1319-85-7	beta-BHC	32			U
1319-86-8	delta-BHC	32			U
58-89-9	gamma-BHC (Lindane)	32			U
76-44-8	Heptachlor	90			B
309-00-2	Aldrin	32			U
3024-57-3	Heptachlor epoxide	11			J
259-98-8	Endosulfan I	32			U
60-57-1	Dieldrin	64			U
72-55-9	4,4'-DDE	64			J
72-20-8	Endrin	64			U
33213-65-9	Endosulfan II	64			U
72-54-8	4,4'-DDD	64			U
1031-07-8	Endosulfan sulfate	64			U
50-29-3	4,4'-DDT	120			
72-43-5	Methoxychlor	320			U
53494-70-5	Endrin ketone	64			U
5103-71-9	alpha-Chlordane	320			U
5103-74-2	gamma-Chlordane	320			U
8001-35-2	Toxaphene	640			U
12674-11-2	Aroclor-1016	320			U
11104-28-2	Aroclor-1221	320			U
11141-16-5	Aroclor-1232	320			U
53469-21-9	Aroclor-1242	320			U
12672-29-6	Aroclor-1248	320			U
11097-69-1	Aroclor-1254	640			U
11096-82-5	Aroclor-1260	640			U

Date Reported: 04/08/89

* *John J. Molloy* *

John J. Molloy, P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS. INC.

Contract: GIBBS & HILL

SS-2
 C & D Batteries

Matrix: SOIL

Lab Sample ID: 951210

Sample wt: 30.0155lb

Lab File ID: P518/C1059

Levs: 100

Date Received: 01/19/89

% Moisture: not dec. 25 dec.

Date Extracted: 01/24/89

Extraction: Sonic

Date Analyzed: P2/17/89/C2/17/89

GFC Cleanup: Y pH: 7.2

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/Kg	
1319-84-6	alpha-BHC	21		U
1319-85-7	beta-BHC	21		U
1319-86-8	delta-BHC	21		U
58-89-9	gamma-BHC (Lindane)	21		U
76-44-8	Heptachlor	58		B
1009-00-0	Aldrin	21		U
1024-97-0	Heptachlor epoxide	21		U
959-98-8	Endosulfan I	14		J
160-57-1	Dieldrin	47		U
72-55-9	4,4'-DDE	42		U
72-20-8	Endrin	42		U
13213-65-9	Endosulfan II	42		U
72-54-8	4,4'-DDD	90		U*
1031-07-8	Endosulfan sulfate	42		U
50-29-3	4,4'-DDT	280		U*
72-43-5	Methoxychlor	210		U
53494-70-5	Endrin ketone	210		U*
5103-71-9	alpha-Chlordane	210		U
5103-74-2	gamma-Chlordane	210		U
8001-35-2	Toxaphene	420		U
12674-11-2	Aroclor-1016	210		U
11104-28-2	Aroclor-1221	210		U
11141-16-5	Aroclor-1232	210		U
53469-21-9	Aroclor-1242	210		U
12672-29-6	Aroclor-1248	210		U
11097-69-1	Aroclor-1254	420		U
11096-82-5	Aroclor-1260	2000		U

* Raised reporting limit in presence of Ar 1260

Date Reported: 04/08/89

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

PBLK

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

Matrix: WATER

Lab Sample ID: B-1-22-89

Sample wt: vol 1000(mL)

Lab File ID: P481/C1022

Level: LOW

Date Received: --

% Moisture: not dec. dec.

Date Extracted: 01/22/89

Extraction: SepF

Date Analyzed: P2/16/89/C2/16/89

GPC Cleanup: N pH:

Dilution Factor: 1

ICAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	
319-84-6	alpha-BHC	0.05		U
319-85-7	beta-BHC	0.05		U
319-86-8	delta-BHC	0.05		U
318-89-9	gamma-BHC (Lincane)	0.05		U
76-44-8	Heptachlor	0.05		U
309-00-2	Aldrin	0.05		U
1024-57-3	Heptachlor epoxide	0.03		J
959-98-8	Endosulfan I	0.05		U
60-57-1	Dieldrin	0.04		J
72-55-9	4,4'-DDE	0.10		U
72-20-3	Endrin	0.10		U
33213-65-9	Endosulfan II	0.10		U
72-54-8	4,4'-DDD	0.10		U
1031-07-8	Endosulfan sulfate	0.10		U
50-29-3	4,4'-DDT	0.09		J
72-43-5	Methoxychlor	0.05		U
53494-70-5	Endrin ketone	0.10		U
5103-71-9	alpha-Chlorocane	0.5		U
5103-74-2	gamma-Chlordane	0.5		U
8001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
53469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

Date Reported: 04/08/89

Arddel

John J. Molloy, P.E.
 Laboratory Director

254

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

PBLK

Matrix: SOIL
 Sample wt: 30 (g)
 Level: LOW
 % Moisture: not dec. 100 dec.
 Extraction: Sonc
 GPC Cleanup: N PH:

Lab Sample ID: B-459
 Lab File ID: P484/C1025
 Date Received: --
 Date Extracted: 01/24/89
 Date Analyzed: P2/16/89/C2/16/89
 Dilution Factor: 1

GCAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/kg	Q
319-84-6	alpha-BHC	8		U
319-85-7	beta-BHC	8		U
319-86-2	delta-BHC	8		U
58-80-4	gamma-BHC (Lindane)	8		U
75-44-8	Heptachlor	2		U
309-80-2	Aldrin	8		U
1024-57-3	Heptachlor epoxide	8		U
959-98-8	Endosulfan I	8		U
60-57-1	Dieldrin	16		U
72-55-9	4,4'-DDE	16		U
72-20-8	Endrin	16		U
33213-65-9	Endosulfan II	16		U
72-54-8	4,4'-DDD	16		U
1031-07-8	Endosulfan sulfate	16		U
50-29-3	4,4'-DDT	16		U
72-43-5	Methoxychlor	80		U
53494-70-5	Endrin ketone	16		U
5103-71-9	alpha-Chlordane	80		U
5103-74-2	gamma-Chlordane	80		U
8001-35-2	Toxaphene	160		U
12674-11-2	Aroclor-1016	80		U
11104-28-2	Aroclor-1221	80		U
11141-16-5	Aroclor-1232	80		U
53469-21-9	Aroclor-1242	80		U
12672-29-6	Aroclor-1248	80		U
11097-69-1	Aroclor-1254	160		U
11096-82-5	Aroclor-1260	160		U

Date Reported: 04/08/89

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

GW-14MS

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

Matrix: WATER

Lab Sample ID: 951195MS

Sample wt: vol 1000(mL)

Lab File ID: P512/C1053

Level: LOW

Date Received: 01/19/89

% Moisture: not dec. dec.

Date Extracted: 01/22/89

Extraction: SepF

Date Analyzed: P2/17/89/C2/17/89

GPC Cleanup: N pH:

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	
319-84-6	alpha-BHC	0.05		U
319-85-7	beta-BHC	0.05		U
319-86-8	delta-BHC	0.05		U
55-89-9	gamma-BHC (Lindane)	*		
76-44-8	Heptachlor	*		
309-00-2	Aldrin	*		
1024-57-0	Heptachlor epoxide	0.05		U
959-98-8	Endosulfan I	0.05		U
60-57-1	Dieldrin	*		
72-55-9	4,4'-DDE	0.10		U
72-55-8	Endrin	*		
33213-65-9	Endosulfan II	0.10		U
72-54-8	4,4'-DDD	0.04		J **
1031-07-8	Endosulfan sulfate	0.10		U
50-29-3	4,4'-DDT	*		
72-43-5	Methoxychlor	0.05		U
53494-70-5	Endrin ketone	0.10		U
5103-71-9	alpha-Chlordane	0.5		U
5103-74-2	gamma-Chlordane	0.5		U
8001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
53469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

* Analyte is a spike compound.
 ** Breakdown product of spike.

Date Reported: 04/08/89

 * *Ariddle* *

278

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

GW-14MSD

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

Matrix: WATER

Lab Sample ID: 951195MSD

Sample wt: vol 1000(ml)

Lab File ID: P513/C1054

Level: LOW

Date Received: 01/19/89

% Moisture: not dec. dec.

Date Extracted: 01/22/89

Extraction: Soxh

Date Analyzed: P2/17/89/C2/17/89

GPC Cleanup: N pH:

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	
319-84-6	alpha-BHC	0.05		U
319-85-7	beta-BHC	0.05		U
319-86-8	delta-BHC	0.05		U
58-89-9	gamma-BHC (Lindane)	*		
76-44-2	heptachlor	*		
109-00-2	Alorin	*		
1024-57-3	heptachlor epoxide	0.05		U
959-98-8	Endosulfan I	0.05		U
60-57-1	Dieldrin	*		
72-55-9	4,4'-DDE	0.10		U
72-20-8	Endrin	*		
33213-65-9	Endosulfan II	0.10		U
72-54-8	4,4'-DDD	0.03		J **
1031-07-8	Endosulfan sulfate	0.10		U
50-29-3	4,4'-DDT	*		
72-43-5	Methoxychlor	0.05		U
53494-70-5	Endrin ketone	0.10		U
5103-71-9	alpha-Chlordane	0.5		U
5103-74-2	gamma-Chlordane	0.5		U
5001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
53469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

* Analyte is a spike compound.
 ** Breakdown product of spike.

Date Reported: 04/08/89

 * *John J. Molloy* *

John J. Molloy, P.E.
 Laboratory Director

285

C-149

CD 002890

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

SW-2MS

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

Matrix: WATER

Lab Sample ID: 951206MS

Sample wt: vol 1000(mL)

Lab File ID: P514/C1055

Level: LOW

Date Received: 01/19/89

% Moisture: not dec. dec.

Date Extracted: 01/22/89

Extraction: Soxh

Date Analyzed: P2/17/89/C2/17/89

GPC Cleanup: N pH:

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	
1319-81-6	alpha-BHC	0.05		U
1019-85-7	beta-BHC	0.05		U
1319-80-3	delta-BHC	0.05		U
58-87-9	gamma-BHC (Lindane)	*		
76-44-8	Heptachlor	*		
309-10-2	Aldrin	*		
1024-57-3	Heptachlor epoxide	0.05		U
959-98-8	Endosulfan I	0.05		U
160-57-1	Dieldrin	*		
172-55-9	4,4'-DDE	0.10		U
172-22-8	Endrin	*		
3213-65-9	Endosulfan II	0.10		U
172-54-8	4,4'-DDD	0.10		U
1031-07-8	Endosulfan sulfate	0.10		U
50-29-3	4,4'-DDT	*		
172-43-5	Methoxychlor	0.05		U
53494-70-5	Endrin ketone	0.10		U
5103-71-9	alpha-Chlordane	0.5		U
5103-74-2	gamma-Chlordane	0.5		U
8001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
93469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

* Analyte is a spike compound.

Date Reported: 04/08/89

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

SW-2MSD

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

Matrix: WATER

Lab Sample ID: 951206MSD

Sample wt: vol 1000(ml)

Lab File ID: P516/C1057

Level: LOW

Date Received: 01/19/89

% Moisture: not dec. dec.

Date Extracted: 01/22/89

Extraction: SepF

Date Analyzed: P2/17/89/C2/17/89

GPC Cleanup: N PH:

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/L	
319-84-6	alpha-BHC	0.05		U
319-85-7	beta-BHC	0.05		U
319-86-8	delta-BHC	0.05		U
58-89-9	gamma-BHC (Lindane)	*		
76-44-8	Heptachlor	*		
309-00-2	Aldrin	*		
1024-57-3	Heptachlor epoxide	0.05		U
959-98-8	Endosulfan I	0.05		U
60-57-1	Dieldrin	*		
72-55-9	4,4'-DDE	0.10		U
72-20-8	Endrin	*		
33213-65-9	Endosulfan II	0.10		U
72-54-8	4,4'-DDD	0.04		U **
1031-07-8	Endosulfan sulfate	0.10		U
50-29-3	4,4'-DDT	*		
72-43-5	Methoxychlor	0.05		U
53494-70-5	Endrin ketone	0.10		U
5103-71-9	alpha-Chlordane	0.5		U
5103-74-2	gamma-Chlordane	0.5		U
8001-35-2	Toxaphene	1.0		U
12674-11-2	Aroclor-1016	0.5		U
11104-28-2	Aroclor-1221	0.5		U
11141-16-5	Aroclor-1232	0.5		U
53469-21-9	Aroclor-1242	0.5		U
12672-29-6	Aroclor-1248	0.5		U
11097-69-1	Aroclor-1254	1.0		U
11096-82-5	Aroclor-1260	1.0		U

* Analyte is a spike compound.
 ** Breakdown product of spike.

Date Reported: 04/08/89

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

299

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

SS-1MS

Lab Name: H2M LABS. INC.

Contract: GIBBS & HILL

Matrix: SOIL

Lab Sample ID: 951209MS

Sample wt: 30.0455(g)

Lab File ID: P519/C1060

Level: LDW

Date Received: 01/19/89

% Moisture: not dec. 75 dec.

Date Extracted: 01/24/89

Extraction: Sonic

Date Analyzed: P2/17/89/C2/17/89

GPC Cleanup: N PH:

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/kg	G
:319-84-6	alpha-BHC	32		U
:319-85-7	beta-BHC	32		U
:319-86-8	delta-BHC	32		U
:56-89-4	gamma-BHC (Lindane)	*		
:76-44-8	Heptachlor	*		
:309-00-2	Aldrin	*		
:1024-57-3	Heptachlor epoxide	32		U
:959-98-8	Endosulfan I	7		J
:60-57-1	Dieldrin	*		
:72-55-9	4,4'-DDE	64		U
:72-20-8	Endrin	*		
:33213-65-9	Endosulfan II	64		U
:72-54-8	4,4'-DDD	76		U*
:1031-07-8	Endosulfan sulfate	64		U
:50-29-3	4,4'-DDT	*		
:72-43-5	Methoxychlor	320		U
:53494-70-5	Endrin ketone	64		U
:5103-71-9	alpha-Chlordane	320		U
:5103-74-2	gamma-Chlordane	320		U
:8001-35-2	Toxaphene	640		U
:12674-11-2	Aroclor-1016	320		U
:11104-28-2	Aroclor-1221	320		U
:11141-16-5	Aroclor-1232	320		U
:53469-21-9	Aroclor-1242	320		U
:12672-29-6	Aroclor-1248	320		U
:11097-69-1	Aroclor-1254	640		U
:11096-82-5	Aroclor-1260	640		U

* Analyte is a spike compound.
 ** Breakdown product of spike.

Date Reported: 04/08/89

John J. Molloy

 John J. Molloy, P.E.
 Laboratory Director

306

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

PESTICIDE ORGANICS ANALYSIS DATA SHEET

SS-1MSD

Lab Name: H2M LABS, INC.

Contract: GIBBS & HILL

Matrix: SOIL

Lab Sample ID: 951209MSD

Sample wt: 30.009(g)

Lab File ID: P520/C1061

Level: LOW

Date Received: 01/19/89

% Moisture: not dec. 75 dec.

Date Extracted: 01/24/89

Extraction: Sonic

Date Analyzed: P2/17/89/C2/17/89

GPC Cleanup: N PH:

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION	UNITS: ug/Kg	
319-84-6	alpha-BHC	32		U
319-85-7	beta-BHC	32		U
319-86-8	delta-BHC	32		U
58-89-9	gamma-BHC (Lindane)	*		
76-44-8	Heptachlor	*		
309-90-2	Aldrin	*		
1024-57-3	Heptachlor epoxide	15		J
959-98-8	Endosulfan I	32		U
60-57-1	Dieldrin	*		
72-55-9	4,4'-DDE	4		U
72-20-8	Endrin	*		
33213-65-9	Endosulfan II	64		U
72-54-8	4,4'-DDD	58		J**
1031-07-8	Endosulfan sulfate	64		U
50-29-3	4,4'-DDT	*		
72-43-5	Methoxychlor	320		U
53494-70-5	Endrin ketone	64		U
5103-71-9	alpha-Chlordane	320		U
5103-74-2	gamma-Chlordane	320		U
8001-35-2	Toxaphene	640		U
12674-11-2	Aroclor-1016	320		U
11104-28-2	Aroclor-1221	320		U
11141-16-5	Aroclor-1232	320		U
53469-21-9	Aroclor-1242	320		U
12672-29-6	Aroclor-1248	320		U
11097-69-1	Aroclor-1254	640		U
11096-82-5	Aroclor-1260	640		U

* Analyte is a spike compound.

** Breakdown product of spike.

Date Reported: 04/08/89

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

313

C-153

CD 002894

CASE NARRATIVE FOR INORGANICS

ICP analysis was performed on the ARL 3410. Furnace analysis was performed on the Perkin Elmer Zeeman 5100 and the Varian GTA 96. Mercury was analyzed via the cold vapor method using the Perkin Elmer 2380. The Perkin Elmer 2380 was also used for flame analysis.

The arsenic, chromium, selenium and antimony matrix spike recoveries associated with sample SS-1 were not within 75-125%. The data for these elements respective to the SS-1 matrix group were reported flagged with and "N" on Forms I-IN and V-IN (Part 1). The aluminum matrix spike recovery associated with sample GW-14 was not within 75-125%. The aluminum data respective to the GW-14 matrix group was reported flagged with an "N" on Forms I-IN and V-IN (Part 1).

The selenium post digestion spike recoveries for samples GW-9 and GW-14 were not within 85-115%. The thallium post digestion spike recoveries for samples GW-11, Field Blank, SW-2, and SS-1 were not within 85-115%. The arsenic post digestion spike recovery for sample GW-11 was not within 85-115%. All of the above sample absorbances were less than 50% of the spike absorbances. The results pertaining to the above samples for the aforementioned elements were reported flagged with a "W" on the corresponding data sheets (I-IN).

The difference between sample and duplicate for cadmium analysis of sample SW-2 was greater than the CRDL. Therefore, the data received associated with SW-2 was reported flagged with an "*" on Forms I-IN and VI-IN.

The ICP dilution analysis of sample GW-11 for barium and iron did not agree within 10% of the original determination. The barium and iron data for samples associated with GW-11 were reported flagged with and "E" on Forms I-IN and IX-IN. The ICP dilution analysis of sample SS-2 for beryllium did not agree within 10% of the original determination. The beryllium data for samples associated with SS-2 were reported flagged with an "E".

The method of standard additions was used for lead analysis of sample GW-9. The correlation coefficient for the data is greater than 0.995. The reported value obtained by MSA was flagged on the data sheet (Form I-IN) with "s".

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: May 2, 1989

*  *

John J. Molloy, F.E.
Laboratory Director

C-154

CD 002895

1
 INORGANIC ANALYSIS DATA SHEET

XXXGW6

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): WATER

Lab Sample ID: 951198

Level (low/med): LOW

Date Received: 01/19/89

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	3250	N		P
7440-36-0	Antimony	46.0	U		P
7440-38-2	Arsenic				
7440-39-3	Barium	28.0	B	E	P
7440-41-7	Beryllium	0.10	U		P
7440-43-9	Cadmium	5.0			P
7440-70-2	Calcium	8270			P
7440-47-3	Chromium				
7440-48-4	Cobalt	14.0	U		P
7440-50-8	Copper	7.0	B		P
7439-89-6	Iron	8240	E		P
7439-92-1	Lead				
7439-95-4	Magnesium	2950	B		P
7439-96-5	Manganese	388			P
7439-97-6	Mercury				
7440-02-0	Nickel	39.0	U		P
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	6.0	U		P
7440-23-5	Sodium	6350			P
7440-28-0	Thallium				
7440-62-2	Vanadium	11.0	U		P
7440-66-6	Zinc	218			P
	Cyanide				

Color Before: BEIGE

Clarity Before: CLOUDY

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

John J. Moiloy

John J. Moiloy, P.E.
 Laboratory Director

57

C-155

CD 002896

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

INORGANIC ANALYSIS DATA SHEET

GW-6
 C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILL

Lab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIBD21

Matrix (soil/water): WATER Lab Sample ID: 951198

Level (low/med): LOW Date Received: 01/19/89

% Solids : _____

Concentration Units (ug/L or mg/kg dry weight) ug/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	5	B		F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	10	U		A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	30.6			F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	0.2	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	3900			A
7782-49-2	Selenium	1.0	U		F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	5.0	U		F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	10	U		C

Color Before: BEIGE Clarity Before: CLOUDY Texture: --
 Color After: COLORLESS Clarity After: CLEAR Artifacts: --

Date Reported: 04/15/89

 *
 * *John J. Molloy* *

John J. Molloy, P.E.
 Laboratory Director

1
 INORGANIC ANALYSIS DATA SHEET

XXXGW7

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): WATER

Lab Sample ID:

Level (low/med): LOW

Date Received: 01/19/89

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	6500		N	P
7440-36-0	Antimony	46.0	U		P
7440-38-2	Arsenic				
7440-39-3	Barium	69.0	B	E	P
7440-41-7	Beryllium	0.10	U		P
7440-43-9	Cadmium	7.0			P
7440-70-2	Calcium	21900			P
7440-47-3	Chromium				
7440-48-4	Cobalt	14.0	U		P
7440-50-8	Copper	38.0			P
7439-89-6	Iron	8680		E	P
7439-92-1	Lead				
7439-95-4	Magnesium	5400			P
7439-96-5	Manganese	5240			P
7439-97-6	Mercury				
7440-02-0	Nickel	39.0	U		P
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	6.0	U		P
7440-23-5	Sodium	13200			P
7440-28-0	Thallium				
7440-62-2	Vanadium	11.0	U		P
7440-66-6	Zinc	41.0			P
	Cyanide				

Color Before: BEIGE

Clarity Before: CLOUDY

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

CD 002898

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

59

C-157

FORM I - IN

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

INORGANIC ANALYSIS DATA SHEET

GW-7
C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILL

Lab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIB021

Matrix (soil/water): WATER Lab Sample ID: 951199

Level (low/med): LOW Date Received: 01/19/89

% Solids : _____

Concentration Units (ug/L or mg/kg dry weight) _____ ug/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	7	B		F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	10	U		A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	14.9			F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	0.2	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	25000 ^{g?}			A
7782-49-2	Selenium	1.0	U		F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	5.0	U		F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	10	U		C

Color Before: BEIGE Clarity Before: CLOUDY Texture: --
Color After: COLORLESS Clarity After: CLEAR Artifacts: --

Date Reported: 04/15/89

* *John J. Molloy* *

John J. Molloy, P.E.
Laboratory Director

1
INORGANIC ANALYSIS DATA SHEET

XXXGWB

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): WATER

Lab Sample ID: 951200

Level (low/med): LOW

Date Received: 01/19/89

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	2550		N	F
7440-36-0	Antimony	46.0	U		F
7440-38-2	Arsenic				
7440-39-3	Barium	33.0	B	E	F
7440-41-7	Beryllium	0.10	U		F
7440-43-9	Cadmium	5.0			F
7440-70-2	Calcium	29500			F
7440-47-3	Chromium				
7440-48-4	Cobalt	14.0	U		F
7440-50-8	Copper	6.0	U		F
7439-89-6	Iron	5340		E	F
7439-92-1	Lead				
7439-95-4	Magnesium	4300	B		F
7439-96-5	Manganese	306			F
7439-97-6	Mercury				
7440-02-0	Nickel	39.0	U		F
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	6.0	U		F
7440-23-5	Sodium	10600			F
7440-28-0	Thallium				
7440-62-2	Vanadium	11.0	U		F
7440-66-6	Zinc	33.0			F
	Cyanide				

Color Before: BEIGE

Clarity Before: CLOUDY

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

*
*
*

CD 002900

John J. Molloy, P.E.
Laboratory Director

61

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

INORGANIC ANALYSIS DATA SHEET

GW-8
C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILL

Lab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIB021

Matrix (soil/water): WATER Lab Sample ID: 951200

Level (low/med): LOW Date Received: 01/19/89


% Solids : _____

Concentration Units (ug/L or mg/kg dry weight) ug/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	5	U		F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	10	U		A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	10.4			F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	0.2	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	13000			A
7782-49-2	Selenium	1.0	U		F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	5.0	U		F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	10	U		C

Color Before: BEIGE Clarity Before: CLOUDY Texture: --
 Color After: COLORLESS Clarity After: CLEAR Artifacts: --

Date Reported: 04/15/89

 *  *

 John J. Molloy, P.E.
 Laboratory Director

1
 INORGANIC ANALYSIS DATA SHEET

XXXGW9

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): WATER

Lab Sample ID: 951201

Level (low/med): LOW

Date Received: 01/21/89

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	10100		N	F
7440-36-0	Antimony	46.0	U		F
7440-38-2	Arsenic				
7440-39-3	Barium	100	B	E	F
7440-41-7	Beryllium	1.0	B		F
7440-43-9	Cadmium	5.0			F
7440-70-2	Calcium	35900			F
7440-47-3	Chromium				
7440-48-4	Cobalt	16.0	B		F
7440-50-8	Copper	40.0			F
7439-89-6	Iron	22900		E	F
7439-92-1	Lead				
7439-95-4	Magnesium	8050			F
7439-96-5	Manganese	1440			F
7439-97-6	Mercury				
7440-02-0	Nickel	39.0	U		F
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	6.0	U		F
7440-23-5	Sodium	14700			F
7440-28-0	Thallium				
7440-62-2	Vanadium	18.0	B		F
7440-66-6	Zinc	90.0			F
	Cyanide				

Color Before: TAN

Clarity Before: CLOUDY

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

 *
 *

CD 002902

John J. Molloy, P.E.
 Laboratory Director

53

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

INORGANIC ANALYSIS DATA SHEET

GW-9
C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILL

Lab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIB021

Matrix (soil/water): WATER Lab Sample ID: 951201

Level (low/med): LOW Date Received: 01/19/89


* Solids : _____

Concentration Units (ug/L or mg/kg dry weight) ug/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	9	B		F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	30			A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	37.0		S	F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	0.2	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	15000			A
7782-49-2	Selenium	1.0	U	E	F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	5.0	U		F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	10	U		C

Color Before: TAN Clarity Before: CLOUDY Texture: --
Color After: COLORLESS Clarity After: CLEAR Artifacts: --

Date Reported: 04/15/89

*  *

John J. Molloy, P.E.
Laboratory Director

54

1
 INORGANIC ANALYSIS DATA SHEET

XXGW11

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): WATER

Lab Sample ID: 951202

Level (low/med): LOW

Date Received: 01/19/89

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	1110		N	F
7440-36-0	Antimony	46.0	U		F
7440-38-2	Arsenic				
7440-39-3	Barium	23.0	B	E	F
7440-41-7	Beryllium	0.10	U		F
7440-43-9	Cadmium	5.0	U		F
7440-70-2	Calcium	14900			F
7440-47-3	Chromium				
7440-48-4	Cobalt	14.0	U		F
7440-50-8	Copper	6.0	U		F
7439-89-6	Iron	2390		E	F
7439-92-1	Lead				
7439-95-4	Magnesium	4220	B		F
7439-96-5	Manganese	126			F
7439-97-6	Mercury				
7440-02-0	Nickel	39.0	U		F
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	6.0	U		F
7440-23-5	Sodium	15700			F
7440-28-0	Thallium				
7440-62-2	Vanadium	11.0	U		F
7440-66-6	Zinc	18.0	B		F
	Cyanide				

Color Before: BEIGE

Clarity Before: CLOUDY

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

John J. Molloy

CD 002904

John J. Molloy, P.E.
 Laboratory Director

55

C-163

FORM I - IN

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

INORGANIC ANALYSIS DATA SHEET

GW-11
C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILL

Lab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIB021

Matrix (soil/water): WATER Lab Sample ID: 951202

Level (low/med): LOW Date Received: 01/19/89

* Solids : _____

Concentration Units (ug/L or mg/kg dry weight) ug/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	5	U	W	F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	20			A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	7.2			F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	0.2	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	450			A
7782-49-2	Selenium	1.0	U		F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	5.0	U	W	F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	10	U		C

Color Before: BEIGE
 Color After: COLORLESS

Clarity Before: CLOUDY
 Clarity After: CLEAR

Texture: ---
 Artifacts: ---

Date Reported: 04/15/89

John J. Molloy

John J. Molloy, P.E.
 Laboratory Director

1
 INORGANIC ANALYSIS DATA SHEET

XXGW14

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): WATER

Lab Sample ID: 951203

Level (low/med): LDW

Date Received: 01/19/89

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	3400		N	F
7440-36-0	Antimony	46.0	U		F
7440-38-2	Arsenic				
7440-39-3	Barium	28.0	B	E	F
7440-41-7	Beryllium	0.10	U		F
7440-43-9	Cadmium	6.0			F
7440-70-2	Calcium	9060			F
7440-47-3	Chromium				
7440-48-4	Cobalt	14.0	U		F
7440-50-8	Copper	6.0	U		F
7439-89-6	Iron	4240		E	F
7439-92-1	Lead				
7439-95-4	Magnesium	2620	B		F
7439-96-5	Manganese	199			F
7439-97-6	Mercury				
7440-02-0	Nickel	39.0	U		F
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	6.0	U		F
7440-23-5	Sodium	5030			F
7440-28-0	Thallium				
7440-62-2	Vanadium	13.0	B		F
7440-66-6	Zinc	19.0	B		F
	Cyanide				

Color Before: BEIGE

Clarity Before: CLOUDY

Texture:


Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

 *  *

CD 002906

John J. Molloy, P.E.
 Laboratory Director

57

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY**INORGANIC ANALYSIS DATA SHEET**

GW-14
C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILLLab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIB021Matrix (soil/water): WATER Lab Sample ID: 951203Level (low/med): LOW Date Received: 01/19/89

% Solids : _____

Concentration Units (ug/L or mg/kg dry weight) ug/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	5	U		F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	30			A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	9.5			F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	0.2	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	3200			A
7782-49-2	Selenium	1.0	U	E	F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	5.0	U		F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	10	U		C

Color Before: BEIGE Clarity Before: CLOUDY Texture: --
Color After: COLORLESS Clarity After: CLEAR Artifacts: --Date Reported: 04/15/89

* *John J. Molloy* *

John J. Molloy, P.E.
Laboratory Director

1
INORGANIC ANALYSIS DATA SHEET

FLDBLK

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): WATER

Lab Sample ID:

Level (low/med): LOW

Date Received: 01/19/89

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	108	U		P
7440-36-0	Antimony	46.0	U		P
7440-38-2	Arsenic				
7440-39-3	Barium	2.0	B		P
7440-41-7	Beryllium	0.10	U		P
7440-43-9	Cadmium	5.0	U		P
7440-70-2	Calcium	330	U		P
7440-47-3	Chromium				
7440-48-4	Cobalt	14.0	U		P
7440-50-8	Copper	6.0	U		P
7439-89-6	Iron	19.0	B		P
7439-92-1	Lead				
7439-95-4	Magnesium	219	U		P
7439-96-5	Manganese	2.0	U		P
7439-97-6	Mercury				
7440-02-0	Nickel	39.0	U		P
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	7.0	B		P
7440-23-5	Sodium	594	U		P
7440-28-0	Thallium				
7440-62-2	Vanadium	11.0	B		P
7440-66-6	Zinc	5.0	U		P
	Cyanide				

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

CD 002908

John J. Malloy, P.E. 59
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

INORGANIC ANALYSIS DATA SHEET

FIELD BLANK
C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILL

Lab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIB021

Matrix (soil/water): WATER Lab Sample ID: 951204

Level (low/med): LOW Date Received: 01/19/89

% Solids : _____

Concentration Units (ug/L or mg/kg dry weight) ug/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	5	U		F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	10			A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	2	U		F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	0.2	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	200	U		A
7782-49-2	Selenium	1.0	U		F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	5.0	U	W	F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	10	U		C

Color Before: COLORLESS Clarity Before: CLEAR Texture: --
Color After: COLORLESS Clarity After: CLEAR Artifacts: --

Date Reported: 04/15/89

* *Deane* *

John J. Molloy, P.E.
Laboratory Director

1

INORGANIC ANALYSIS DATA SHEET

XXXXSW1

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): SURFA

Lab Sample ID: 951207

Level (low/med): LOW

Date Received: 01/19/89

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	4920			P
7440-36-0	Antimony	46.0	U		F
7440-38-2	Arsenic				
7440-39-3	Barium	110	B		F
7440-41-7	Beryllium	2.0	B		F
7440-43-9	Cadmium	9.0	*		F
7440-70-2	Calcium	17200			P
7440-47-3	Chromium				
7440-48-4	Cobalt	14.0	U		P
7440-50-8	Copper	6.0	U		P
7439-89-6	Iron	44600			P
7439-92-1	Lead				
7439-95-4	Magnesium	4300	B		P
7439-96-5	Manganese	864			F
7439-97-6	Mercury				
7440-02-0	Nickel	39.0	U		P
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	12.0			P
7440-23-5	Sodium	9110			P
7440-28-0	Thallium				
7440-62-2	Vanadium	21.0	B		F
7440-66-6	Zinc	110			P
	Cyanide				

Color Before: BROWN

Clarity Before: CLOUDY

Texture:

Color After: YELLOW

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

 *
 *
 *

John J. Molloy, P.E.
 Laboratory Director

CD 002910

71

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

INORGANIC ANALYSIS DATA SHEET

SW-1
C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILL

Lab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIB021

Matrix (soil/water): WATER Lab Sample ID: 951207

Level (low/med): LOW Date Received: 01/19/89

% Solids : _____

Concentration Units (ug/L or mg/kg dry weight) ug/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	8	B		F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	30			A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	26.7			F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	0.2	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	670	U		A
7782-49-2	Selenium	1.0	U		F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	5.0	U		F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	10	U		C

Color Before: BROWN
Color After: YELLOW

Clarity Before: CLOUDY
Clarity After: CLEAR

Texture: --
Artifacts: --

Date Reported: 04/15/89

* *John J. Molloy* *

John J. Molloy, P.E.
Laboratory Director

1
 INORGANIC ANALYSIS DATA SHEET

XXXSW2

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): SURFA

Lab Sample ID: 951208

Level (low/med): LOW

Date Received: 01/19/89

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	124	B		P
7440-36-0	Antimony	46.0	U		P
7440-38-2	Arsenic				
7440-39-3	Barium	11.0	B		P
7440-41-7	Beryllium	0.10	U		P
7440-43-9	Cadmium	6.0	*		P
7440-70-2	Calcium	9520			P
7440-47-3	Chromium				
7440-48-4	Cobalt	14.0	U		P
7440-50-8	Copper	6.0	U		P
7439-89-6	Iron	127			P
7439-92-1	Lead				
7439-95-4	Magnesium	2290	B		P
7439-96-5	Manganese	51.0			P
7439-97-6	Mercury				
7440-02-0	Nickel	39.0	U		P
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	6.0	B		P
7440-23-5	Sodium	6110			P
7440-28-0	Thallium				
7440-62-2	Vanadium	11.0	U		P
7440-66-6	Zinc	11.0	B		P
	Cyanide				

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

 *
 *

John J. Molloy, P.E.
 Laboratory Director

CD 002912

73

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

INORGANIC ANALYSIS DATA SHEET

SW-2
C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILLLab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIB021Matrix (soil/water): WATER Lab Sample ID: 951208Level (low/med): LOW Date Received: 01/19/89

* Solids : _____

Concentration Units (ug/L or mg/kg dry weight) ug/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	5	U		F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	20			A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	11.0			F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	0.2	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	320			A
7782-49-2	Selenium	1.0	U		F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	5.0	U	W	F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	10	U		C

Color Before: COLORLESS Clarity Before: CLEAR Texture: --
Color After: COLORLESS Clarity After: CLEAR Artifacts: --Date Reported: 04/15/89

*
* *Deven* *
*John J. Molloy, P.E.
Laboratory Director

1
INORGANIC ANALYSIS DATA SHEET

XXXSS1

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): SOIL

Lab Sample ID: 951211

Level (low/med): LOW

Date Received: 01/19/89

% Solids: 25.0

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	6290			P
7440-36-0	Antimony	36.8	U	N	P
7440-38-2	Arsenic				
7440-39-3	Barium	125	B		P
7440-41-7	Beryllium	2.4	B	E	P
7440-43-9	Cadmium	4.0	U		P
7440-70-2	Calcium	1760	B		P
7440-47-3	Chromium				
7440-48-4	Cobalt	11.2	U		P
7440-50-8	Copper	11.2	B		P
7439-89-6	Iron	37400			P
7439-92-1	Lead				
7439-95-4	Magnesium	1640	B		P
7439-96-5	Manganese	388			P
7439-97-6	Mercury				
7440-02-0	Nickel	31.2	U		P
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	6.4	B		P
7440-23-5	Sodium	2770	B		P
7440-28-0	Thallium				
7440-62-2	Vanadium	20.8	B		P
7440-66-6	Zinc	60.8			P
	Cyanide				

Color Before: BROWN

Clarity Before: OPAQUE

Texture: MEDIUM

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

*
*
*

CD 002914

John J. Molloy, P.E.
Laboratory Director

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

INORGANIC ANALYSIS DATA SHEET

SS-1
 C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILL

Lab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIB021

Matrix (soil/water): SOIL Lab Sample ID: 951211

Level (low/med): LOW Date Received: 01/19/89

% Solids : 25

Concentration Units (ug/L or mg/kg dry weight) mg/kg

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	8.8		N	F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	24		N	A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	29.9			F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	.36	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	208			A
7782-49-2	Selenium	4.0	U	N	F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	4.0	U	W	F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	4.0	U		C

Color Before: BROWN Clarity Before: OPAQUE Texture: MEDIUM
 Color After: COLORLESS Clarity After: CLEAR Artifacts: --

Date Reported: 04/15/89

 *
 * *Deacon* *
 *

John J. Molloy, P.E.
 Laboratory Director

CD 002915

73

C-174

1
 INORGANIC ANALYSIS DATA SHEET

XXXSS2

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB021

Matrix (soil/water): SOIL

Lab Sample ID: 951212

Level (low/med): LOW

Date Received: 01/19/89

% Solids: 79.0

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	2610			P
7440-36-0	Antimony	21.3	N		P
7440-38-2	Arsenic				
7440-39-3	Barium	59.2			P
7440-41-7	Beryllium	0.51	B	E	P
7440-43-9	Cadmium	21.8			P
7440-70-2	Calcium	4000			P
7440-47-3	Chromium				
7440-48-4	Cobalt	5.3	B		P
7440-50-8	Copper	52.9			P
7439-89-6	Iron	9400			P
7439-92-1	Lead				
7439-95-4	Magnesium	1860			P
7439-96-5	Manganese	118			P
7439-97-6	Mercury				
7440-02-0	Nickel	9.9	U		P
7440-09-7	Potassium				
7782-49-2	Selenium				
7440-22-4	Silver	2.3	B		P
7440-23-5	Sodium	997	B		P
7440-28-0	Thallium				
7440-62-2	Vanadium	10.4	B		P
7440-66-6	Zinc	185			P
	Cyanide				

Color Before: BROWN

Clarity Before: OPAQUE

Texture: MEDIUM


Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: APR 10 1989

 *  *

CD 002916

John J. Molloy, P.E.
 Laboratory Director

77

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

INORGANIC ANALYSIS DATA SHEET

SS-2
C & D BATTERIES

Lab Name: H2M LABS, INC. Contract: GIBBS & HILLLab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: GIB021Matrix (soil/water): SOIL Lab Sample ID: 951212Level (low/med): LOW Date Received: 01/19/89% Solids : 79Concentration Units (ug/L or mg/kg dry weight) mg/kg

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum				
7440-36-0	Antimony				
7440-38-2	Arsenic	2.3		N	F
7440-39-3	Barium				
7440-41-7	Beryllium				
7440-43-9	Cadmium				
7440-70-2	Calcium				
7440-47-3	Chromium	23		N	A
7440-48-4	Cobalt				
7440-50-8	Copper				
7439-89-6	Iron				
7439-92-1	Lead	1290			F
7439-95-4	Magnesium				
7439-96-5	Manganese				
7439-97-6	Mercury	.12	U		CV
7440-02-0	Nickel				
7440-09-7	Potassium	50.6	U		A
7782-49-2	Selenium	1.3	U	N	F
7440-22-4	Silver				
7440-23-5	Sodium				
7440-28-0	Thallium	1.3	U		F
7440-62-2	Vanadium				
7440-66-6	Zinc				
	Cyanide	1.3	U		C

Color Before: BROWN
Color After: COLORLESSClarity Before: OPAQUE
Clarity After: CLEARTexture: MEDIUM
Artifacts: --Date Reported: 04/15/89

* *John J. Molloy* *
* *****
John J. Molloy, P.E.
Laboratory Director

D. HISTORIC LITERATURE

D. HISTORIC LITERATURE

CONTENTS

<u>Ref. No.</u>	<u>Description</u>	<u>Page</u>
D.1	Letter: E&H Civil Engineers to NYSDOH	D-3
D.2	Letter: DOH to Empire Tube Corp.	D-5
D.3	Letter: DOH to Regional Office	D-9
D.4	NYSDOH Memorandum	D-12
D.5	Pocono Labs, Water Analysis	D-13
D.6	NYSDOH Notice of Consolidated Hearing	D-14
D.7	Letter: NYSDOH Orange County to NYSDOH	D-19
D.8	Driller's Logs	D-20
D.9	ERM, Inc., Water Level Measurements	D-38
D.10	ERM, Inc., Test Results (1/5/82)	D-39
D.11	ERM, Inc., Test Results (1/5/82)	D-51
D.12	ERM, Inc., Supplementary Hydrogeological Assessment Program, March 1982	D-72
D.13	NYSDEC SPDES Compliance Sampling Results	D-99
D.14	Enviro Test Lab, Inc., Water Analysis	D-104
D.15	SPDES Laboratory Analysis (3/7/88)	D-117
D.16	Lancaster Lab Report (10/6/88)	D-119
D.17	ERM Septic Leach Field Investigation	D-140
D.18	M. H. Frimpter, Groundwater Resources	D-159
D.19	The Condensate Chemical Dictionary	D-164
D.20	New York State Sanitary Code	D-167
D.21	Interview Acknowledgement Form	D-170
D.22	Telephone Conversation Record	D-172

CD 002919

EUSTANCE AND HOROWITZ

CIVIL ENGINEERS

P. O. BOX 175

CIRCLEVILLE, NEW YORK

TELEPHONE: MIDDLETOWN FO 1-2741

24 COLUMBUS AVENUE
NEWBURGH, N. Y.
TEL: JO 1-8672

ELLENVILLE, N. Y.
TEL: 1050

ARTHUR W. EUSTANCE
AARON HOROWITZ

T. SCOTT WOODHULL
RODNEY D. GIBBS
PAUL WEISSHAAR, JR.
WILLIS E. TUTTLE

REC'D

JAN 17 1961

N.Y.

January 17, 1961

Mr. W. A. Bruce, P.E.
Sanitary Engineer
Water Pollution Control Section
New York State Department of Health
64 Holland Avenue
Albany 6, New York

Re: Industrial ^{WASTE} Water Treatment Works
Empire Tube Corporation
Deer Park (T), Orange County

Dear Mr. Bruce:

Your letter of January 10, 1961, prompts the following explanations:

1. Item number 1 of our engineering report dated November 18, 1960, refers to a washing operation in which the cleansing agent is a 5-gallon batch of organic paint stripping compound diluted with several hundred gallons of water. The reclamation of 5 gallons per week of this active agent hardly seems worthwhile. The entire batch of waste which we propose dumping to the lagoon weekly will be dirty, but will not be heavily loaded with emulsified and floating paint, since this is not a true paint-stripping operation.
2. Calcium fluoride, the troublesome sludge which we propose to dump near a surface stream, will permit leaching of some fluoride ions, no matter where it is dumped. Fluoride ions themselves are not dangerous in low concentrations. Our problem is to keep these concentrations at a low level, preferably less than 1 milligram per liter. If the calcium fluoride sludge is dumped at a location far from any surface stream, fluoride ions can be expected to accumulate to or beyond permissible limits while the ground water is making its slow trip to the nearest surface stream, and all ground waters along the way will be contaminated. By dumping immediately adjacent to a large surface stream (such as the Neversink or Delaware Rivers) as proposed in the engineer's report, there will be prompt interception of the leachings by the large volume of water in the stream, with the attendant desirable dilution. Leaching will occur faster during periods of heavy precipitation, when the larger volumes of stream water are available for dilution. It is understood, of course, that the dumping site will be fenced to exclude trespassers, and the site will also be ditched to exclude surface drainage which might wash solids to the stream directly. No appreciable quantity of solids could be carried to the stream through the soil.

EUSTANCE AND HOROWITZ

CIVIL ENGINEERS

P. O. BOX 175

CIRCLEVILLE, NEW YORK

TELEPHONE: MIDDLETOWN FO 1-2741

ARTHUR W. EUSTANCE
AARON HOROWITZ

24 COLUMBUS AVENUE
NEWBURGH, N. Y.
TEL: JO 1-8672

T. SCOTT WOODHULL
RODNEY D. GIBBS
PAUL WEISSHAAR, JR.
WILLIS E. TUTTLE

ELLENVILLE, N. Y.
TEL: 1050

-2-

3. The effluent of the lagoon can be sampled at will at the outlet end of the lagoon discharge pipe.
4. The drawings have been revised to further exclude sludge from the lagoon effluent by altering the outlet manhole. The 6" asbestos-cement pipe extending into the lagoon from this manhole has been turned upward with a 90° bend extended about 2½ feet, to keep the point of withdrawal well above the lagoon's sludge blanket.

Three revised plans are returned herewith.

Very truly yours,

EUSTANCE AND HOROWITZ, ENGINEERS

Thomas F. Branman

Thomas F. Branman, P.E.

TFB/sh

cc: Middletown District
White Plains District

D-2
May 18, 1964

Mr. Harrison, White Plains Regional Office

Mr. Schleifer, Middletown District

Empire Tube Corporation, Town of Deerpark, Orange County

On May 12, 1964 an inspection was made of the above referenced facilities and the following data was obtained.

Empire Tube Corporation is located in the Hamlet of Huguenot, in the Town of Deerpark, on the eastern side of Route 209 between the intersections of Big Pond Road and Huguenot Roads. The site can be located on the Port Jarvis North Quadrangle. The plant is situated on a fairly flat area of some ten acres which slopes down steeply on the north toward D-1-7 and more gradually on the east towards the flood plain of the Neversink River.

The waste disposal facilities consist of three cesspools to handle the sanitary wastes and a lagoon to handle industrial wastes. The sanitary system is located approximately 400 ft. to the north of the factory building and approximately 250 ft. from the bank rising above tributary 7 of the Neversink River. The industrial wastes disposal system is located approximately 200 ft. northwest of the plant and extends to within some 150 ft. of the above mentioned bank.

The sanitary sewage disposal system may not have much bearing upon the overall wastes disposal problem except perhaps to introduce some bacterial load to the springs which feed D-1-7.

The industrial wastes disposal system consists of a lagoon receiving rinse waters, floor drainage and various wash waters, but no direct discharges of hydrofluoric acid. Mr. Larry Roberts of the plant staff indicated that the only fluorides reaching the lagoon would be from inadvertent spills. The lagoon itself is surrounded by a fence with an access gate and has two inlets and an overflow type of outlet. The first inlet is as shown on the plans approved October 3, 1961 and apparently carries the industrial wastes. The second inlet is not on the plans and has been constructed since the approval and carries roof drainage. The inlets have a certain amount of riprap at their bases to minimize erosion of the lagoon sides. The outlet structure has not been constructed according to plans. It is simply a pipe near the top of the lagoon and does not have the structure as detailed on the plans. It seems, however, that the outlet has never been used while the lagoon has been in operation. The lagoon is constructed in gravel and the leaching characteristics are such that the wastes consist of no more than a foot or two of liquid on the very bottom of the lagoon. The outlet pipe does not seem to be located according to plans and comes out to the bank above D-1-7 north of the old railroad bridge abutments rather than south of them.

D-5
CD 002922

A 25'x50' lagoon has been constructed alongside the bank to take the sludge which was to have results from the treatment process used to neutralize the hydrofluoric acid. Apparently this lagoon is not presently nor has it been in the past used for this purpose. Mr. Roberts indicated that the hydrofluoric acid is kept in two tanks located on the south side of the building and neutralized with lime, with the supernatant as well as the sludge taken by a scavenger and dumped at an unknown location. The service is performed by the M.A.S. Sewage Disposal Company, located in Huguenot.

The Delaware River Official Classification Report shows that two streams, D-1-7 and D-1-6-a run through the property of Empire Tube Corporation. However, D-1-6-a in the vicinity of the factory has been filled in with only the headwaters remaining as a dry stream bed. The topography is such that the headwaters would normally flow, during the wet seasons into D-1-7 rather than D-1-6. There is a certain amount of flow in D-1-6-a-1 and in the portion of -a to which -1 is tributary. All the drainage from the area of the lagoon and cesspools, however, would be to D-1-7 which is classified C(T) as Item No. 38 of the Delaware River Official Classifications. The Neversink River, D-1, is classified B from the mouth to Trib. 10 as Item 3 of the Delaware River Official Classifications. There are no Class A waters directly involved except for that portion of the Delaware River which the Neversink is tributary.

D-1-7 is a stream which receives most of its flow from springs that rise from the bank on which the Empire Tube Corporation waste disposal systems are located, but there is a small amount of flow from the farm lands above this location. The stream at the bank appears to be a series of pools with a heavy growth of aquatic vegetation. By the time it reaches the old railroad bridge abutments it has assumed definite proportions and has a considerable flow of water. However, the aquatic vegetation does persist for most of the stream's length.

The Empire Tube Corporation has engaged the Peconic Biological Laboratories to sample the surface and ground waters at four points and determine fluoride concentrations. This is done on a monthly basis and the results are sent to this office. Review of the results from the last year showed that the water at the spring averaged approximately 100 p.p.m. of fluorides, the water from the river 8 p.p.m., the plant well from 0.0 to 5.5 p.p.m. and the old well consistently indicated 0 p.p.m. of fluorides. The sampling points were located as follows: The spring is a natural spring coming out from the bank on which the wastes disposal lagoon is located. It is a developed spring having a structure at its base from which there is an ample flow of water. It is located along the river bank some 50 ft. upstream from the old railroad bridge abutments. This spring has been used in the past, before the plant was established, as a source of water supply for several people in the vicinity, particularly Mr. Swartwout, who has his house east of the plant along D-1-7. The river sample is collected from D-1-7 just above the spring. This point is more or less below the outlet pipe from the lagoon. The plant sampling point is the well which the Corporation uses for its industrial as well as domestic purposes. This is a gravel packed well about 75 ft. deep located some 50 ft. from the southerly side of the building. The hydrofluoric acid holding tanks are located next to the factory wall, some 50 ft. away from the well. The old well is on the Swartwout property and it is located some 800 ft. away down

slope from the wastes disposal lagoon and approximately 200 ft. from D-1-7. It is a shallow dug well which presently is not used for domestic purposes, since according to Mr. Swartwout, it is polluted. Exactly what type of pollution it was he was unable to say.

The results of the corporation's sampling indicates that, although, according to its representatives, there are no fluorides going directly into the lagoon, they are certainly being discharged into the surface and ground waters. The spring is probably representative of the ground waters in the vicinity of the lagoon. The river sampling point is probably above the discharge point of several other springs and does not represent the actual conditions in the river. A sampling point further downstream would very likely indicate higher fluoride concentrations. The plant well should not show high fluoride concentrations since the ground water does appear to drain to the opposite direction. However, the ground water may be so saturated with fluorides that a certain amount does get into the well and perhaps there is some leaching from inadvertent spills around the hydrofluoric acid holding tanks. The old well on the Swartwout property is apparently located far enough away from the lagoon so it is not affected. Generally, it appears that the springs pick up most of the ground water from the bank and convey it to D-1-7.

There are several locations where the surface waters could be sampled if a sampling program is necessary to gather more information. Along D-1-7 the natural waters reaching the area in question can be sampled at a farm road crossing the headwaters of the stream directly southeast of the Huguenot Hotel. A point at the old railroad bridge abutments would give a good indication of the conditions directly below the discharges of the springs and the farm road crossing directly below the Swartwout house would show to what degree the fluorides in the stream have been diluted. The Neversink River can be sampled at the bridge next to the gaging station at Godeffroy and at the Neversink Drive crossing below Huguenot.

The only wells that may be affected by the fluoride discharges would be the well on the Swartwout property, the plant well, a new well that the corporation has drilled in front of their building next to Route 209 for air conditioning use, and the well in the Deepark Town Barn located along Rt. 209 and Huguenot Road. It is not likely that many wells on the northwest side of Route 209 would be affected; however, since these houses do have individual systems, it would be easy to obtain samples if necessary.

A discussion was held with Mr. Swartwout regarding his water supply. Presently he is not using the dug well as a source of drinking water. The reason is that the well is polluted to an unknown degree and it would appear that the supply is probably inadequate in terms of quantity. Mr. Swartwout would like to use the spring which flows from the bank on which the lagoon is located as a drinking water source. He has talked to the corporation regarding this and regarding the drilling of a new well on his property, as per agreement reached with Empire Tube if his well becomes polluted. The matter now is before his lawyer. Also Mr. Swartwout has mentioned that his cows will not drink the water from D-1-7 and that there is an apparent decrease in the trout population.

It would appear from the above investigation that the problem of waste disposal has not been completely solved. The one definite polluting material

that we know is reaching the surface and ground waters are fluorides for which we have no standards. There are no Class A surface waters involved directly. The sampling of the well on the Swartwout property within the last year does not show the presence of fluorides, however, the plant well has at times shown fluoride concentrations as high as 5.5 p.p.m. which would be above the drinking water standards. Presently we are only dealing with fluorides, although there may very likely be other chemicals being discharged which may be contravening drinking water or stream standards. Perhaps an industrial survey and a sampling program done at the plant and on the surface and ground waters in the vicinity may be helpful in indicating exactly what is going into the waters of the State.

An extra copy of this memorandum is enclosed for your use.

MJS:MI:HE

CC: Div. of Envir. Health Services

File

P.S. An investigation made on May 13, 1964 concerning an odor complaint in the vicinity of Huguenot disclosed an area where the local scavengers dump septic tank pumpings including the neutralised hydrofluoric acid from Empire Tube Corporation. The area is located approximately 1000 ft. northwest from the Huguenot Hotel and some 1600 ft. up slope from the headwaters of D-1-7 and some 100 ft. from D-1-6. The disposal is done in a 4 ft. wide and 60 ft. long trench of unknown depth machine dug in a fairly impervious soil. Whether fluorides from the acid or the sludge reach the stream is unknown.

March 8, 1966

Mr. Harrison, White Plains Regional Office

Mr. Schleifer, Middletown District

Empire Tube Corporation, Town of Deerpark

On February 10, 1966 Messrs. Jutulic and D. Olson inspected and sampled the industrial waste facilities at the above corporation.

Please refer to our memorandum of May 18, 1964 describing the overall conditions at and in the vicinity of the factory. Additional investigations since that time show that the fluoride wastes are produced in the following manner:

Empire Tube remanufactures old television tubes. A 15% solution of hydrofluoric acid is used to remove the carbon deposit from the tube. This is done on a rotating machine where successive acid washes are followed by water washes and followed by sodium hydroxide washes and again followed by water washes. The tube undergoes the following processes:

1. Water rinse
2. Hydrofluoric acid rinse
3. Water rinse ^{OUT}
4. Hydrofluoric acid rinse
5. Water rinse ^{OUT}
6. Hydrofluoric acid rinse
7. Water rinse ^{IN A TANK.}
8. Sodium hydroxide rinse
9. Water rinse
10. Sodium hydroxide rinse
11. Water rinse
- 12., 13. & 14. Deionized water rinses

Kem-Pickle
per copy of 2/10/66

The tube is placed on a holder type device where the acid or water is injected into the tube and then drained. The acid is drained back to its container where it is injected into the next tube. As the acid is injected and returned there is some spillage. Additional acid is released when the tube is picked up and moved to the next stage. All these drippings fall to the floor where they are diluted with the water from the wash rinses. This water then is discharged into the lagoon. The machine can handle about 110 tubes per hour and each washing operation produces about 50 liters of wash water. Since there are nine washing operations, the dilution factor for the acid spilled is rather high. Sodium hydroxide wash is same as acid with some spills also. After use it is dumped into lagoon. Some 20 gallons involved.

The hydrofluoric acid is used primarily to remove carbon and small amounts of potassium silicate. Apparently only very small amounts of aluminum are involved in this process so that the formation of aluminum hydroxide is small. The sodium hydroxide wash is,

According to plant personnel, need to raised the pH of the tube because of the adhering acid and the somewhat acid wash water. The final washings with demineralized water are used to remove all the ions.

The acid is used through one working day which now is 17 hours. After that it is discharged by means of a pump to the holding tanks just outside of the plant building. As the acid becomes slightly diluted additional acid is added to each batch to keep it up to strength. Apparently there are no spills between the acid bath and the acid holding tanks so that all the acid is collected there and regularly neutralized with lime. The M. & S. Sanitary Sewage Disposal Corporation pumps out the tanks and removes the liquid as well as the sludge slurry to a disposal area in Port Orange some six miles away from the Empire Tube. This is far enough, of course, not to add any fluorides to the ground and surface waters around the plant. It was also noted that there are no outlet pipes from these holding tanks and the only way for the acid to be discharged to the lagoon would be to pump it by means of an auxiliary pump.

The summary of sampling results made by the company during 1965 indicates that the spring has a fluoride concentration of 92 ppm, that the river has a fluoride concentration of 3.4 ppm, and that the plant well has a fluoride concentration of less than 0.05 ppm. The present sampling was used to determine where the fluorides are coming from.

Grab samples were picked up at seven points.

Sampling Point 1 - Combined process and wash water from the tube cleaning facility. The discharge consisted of wash water and the drippings from the acid and hydroxide rinses. The fluorides were 2500 ppm.

Sampling Point 2 - Discharge from buffing process and floor drains into the lagoon. This discharge supposedly gets no fluorides at all. Apparently there is some carry-over of water from the tube cleaning facility into the building's floor drains. The fluorides content is 6.4 ppm.

Sampling Point 3 - Main discharge into lagoon from the tube cleaning facility. This discharge receives the drainage from the tube cleaning facility, plus additional process water. The fluorides have been diluted to 600 ppm.

Sampling Point 4 - Spring discharge into stream. The spring receives some of its water from the ground waters that are underlying the waste lagoon. The fluorides were 100 ppm.

Sampling Point 5 - Sampling point 0.2 miles above spring discharge into stream. This stream is primarily fed by ground waters and some of the ground water does pass the vicinity of the lagoon. The fluorides content was 0.3 ppm.

Sampling Point 6 - Sampling point 0.2 miles below spring discharge. At this point on the stream most of the ground waters that were contaminated with fluorides should have reached it. The fluorides content was 15 ppm.

Sampling Point 7 - Plant well. This well supplies the plant with process and domestic water. The well is located on the side of the plant opposite from the lagoons and apparently some ground water contaminated with fluorides is reaching it. The fluorides content was 0.4 ppm.

From the examination of the tube washing process and the sampling results, the following can be concluded:

1. The hydrofluoric acid rinsing procedure is operated in a relatively sloppy manner resulting in a discharge of acid in such a concentration that the waste waters have a fluoride content of 2500 ppm.
2. By the time these wastes reach the lagoon they are diluted with other waters, however, the concentration still is 600 ppm.
3. By the time the ground waters in the vicinity of the lagoon reach the surface waters at the spring, the concentration of fluorides is still 100 ppm.
4. The stream then, after reasonable dilution, contains 15 ppm of fluorides.

The facility for neutralizing the acid after a day's operation seemed to be operated adequately. It is not likely that contribution to the fluorides in the ground waters is made by this process.

Plans approved by this Department on October 3, 1961 were for the disposal of wastes from the rinse water from the tube washing facility. No provisions are indicated in the plans for treating this water. The plans do provide for the neutralization of the acid itself.

The above comments describe the operation of the plant and summarize the character of the wastes. We hope that this will provide a basis on which you can take action that seems to be appropriate. If additional information or clarification of any points is necessary, please let us know.

MJS:JHE
CC: Div. of Envir. Health Services
File

STATE OF NEW YORK
DEPARTMENT OF HEALTH
MEMORANDUM

September 18, 1968

To: File
From: Mr. MacDonald
Subject: Empire Tube Corporation, Town of Deerpark

On September 13, 1968 I inspected the above referenced wastewater disposal facilities. Mr. Roberts of Empire Tube accompanied me on the inspection. The chemical analysis reports from Quality Control Laboratory Division, Southampton, Pa., showed that the separation facilities to isolate the hydrofluoric acid in the separate holding tanks were not working properly. The fluoride content in both the lagoon (spring) and the inlet to the lagoon was consistently over 100 ppm. No one at the plant seemed to know enough about the separation system.

The lagoon itself, although receiving a good flow from its two inlets, contained only one foot of water at its deepest point indicating an enormous seepage rate.

The overflow structure at the far end of the lagoon was still not constructed according to plan and the fence behind this same area had been ~~down~~^{tear} down.

I called Robert Caddell at White Plains Regional Office regarding this and he indicated his intention to start legal action for contravention of ground water standards.

GM:HE

Jm

0.5

POCONO BIOLOGICAL LABORATORIES
703-05 SARAH STREET, STROUDSBURG, PA.
135 BROADWAY, BANGOR, PA.

RECEIVED

EMPIRE TUBE CORPORATION
P. O. BOX 915
PORT JERVIS, NEW YORK

LAB. NO. 77835
AUGUST 17, 1967
N.Y.S. DEPT. OF HEALTH
BIOLOGICAL SERVICES

SUBJECT: WATER SAMPLES LIFTED JULY 25, 1967 FOR FLOURIDE
DETERMINATIONS.

SAMPLE	pH	FLOURIDE PARTS PER MILLION
PLANT WELL	6.7	0.7
SWARTHOUT WELL	7.4	0.4
SPRING	6.8	125.0
RIVER	7.6	0.0

[Handwritten signature]

STATE OF NEW YORK : DEPARTMENT OF HEALTH

In the Matter of Alleged Violations of Article 12 of the Public Health Law by

EMPIRE TUBE CORP.,

RECEIVED
SEP 14 1966
N.Y.S. DEPT. OF HEALTH
BUCKETTOWN DISTRICT

NOTICE

OF

CONSOLIDATED

HEARING

Respondent

In the Matter of the Consideration of such Action as should be Taken in Respect to Continuation, Modification or Revocation of any and all Permits issued to

EMPIRE TUBE CORP.

Respondent

for the Discharge of Sewage and/or Industrial Wastes and Other Wastes or the Effluents thereof into the Waters of the State.

TAKE NOTICE pursuant to the provisions of §§ 1210, 1220, 1223, 1240, 1241 and 1242 of the Public Health Law that you are required to cease and abate all discharges by you of untreated or inadequately treated sewage, industrial wastes or other wastes or effluents thereof into the waters of the State of New York as more specifically alleged in the complaint in the above entitled proceedings which is annexed hereto and is incorporated herein and made a part hereof, or to appear in person or by attorney before a duly designated representative of the Commissioner of Health at 9:30 A.M., October 7, 1966, Room 159 of the New York State Department of Health Building, 84 Holland Avenue, Albany, New York, at a consolidated public hearing in the above entitled proceedings and answer the charges specified in the complaint herein, at which time motion for a date for trial of the issues will be made before the Hearing Officer.

DATED: Albany, New York
Sept. 9, 1966

HOLLIS S. INGRAHAM, M.D.
Commissioner of Health
of the State of New York

By: *[Signature]*
New York State Department of Health
Commissioner's Designee for
Issuance of Notices of Hearings

TO: President or Vice Pres.
Empire Tube Corp.
Town of Wawarsing
Village of Ellenville
Ulster County

----- X
In the Matter of Alleged Violations of
Article 12 of the Public Health Law by

EMPIRE TUBE CORP.,

Respondent
----- X

In the Matter of the Consideration of Such
Action as should be Taken in Respect to
Continuation, Modification or Revocation of Any
and All Permits issued to

EMPIRE TUBE CORP.,

Respondent

for the Discharge of Sewage and/or Industrial
Wastes and Other Wastes or the Effluents thereof
into the Waters of the State.
----- X

COMPLAINT

The Department of Health of the State of New York
complaining of the Respondents herein upon investigation duly authorized
by the Commissioner of Health of the State of New York alleges:

1. The Water Pollution Control Board was a body duly
organized and established pursuant to L.1949, C.666.
2. Said Water Pollution Control Board duly adopted Rules and
Classifications and Standards of Quality and Purity for Waters of New York
State pursuant to authority of Public Health Law Article 6, Section 108
(now Article 12, Section 1200).
3. Said rules and classifications and standards were duly filed
in the Office of the Secretary of State on October 27, 1950.
4. Said classifications and standards include the class(es)
and standards "B" & "C" & "C(T)"
5. Pursuant to L.1961, C.490 the responsibilities of the
Water Pollution Control Board for establishment of rules, class and
standards of Quality and Purity for Waters of the State were transferred
to the Water Resources Commission.
6. Pursuant to L.1961, C.490 the rules, classes and standards

formerly adopted by said Water Pollution Control Board were continued in effect under said Water Resources Commission except as modified by said Water Resources Commission.

7. Pursuant to L.1963, C.392 the rules, classes and standards and their assignment to particular waters formerly adopted by said Water Pollution Control Board are deemed adopted by said Water Resources Commission.

8. Effective Feb. 1, 1963 said Water Pollution Control Board duly adopted the class(es) and standards for the receiving waters herein as follows:

<u>WATER</u>	<u>ITEM NO.</u>	<u>CLASS</u>	<u>STANDARDS</u>
Neversink River	3	B	B
Trib. of Neversink	38	C	C(T)
Spring Effluent Trib.	3	C	C(T)

9. The above description(s) include(s) all points of discharge of wastes by the Respondent(s) into the said receiving waters.

10. Pursuant to Public Health Law § 12 and Article 12, especially § 1210, the State Department of Health acting through the Commissioner is duly authorized to convene public hearings to receive proof of contravention of assigned water standards, to order the abatement of contravening discharges, to issue, deny, continue, revoke or modify permits for discharges of sewage, industrial wastes or other wastes into the waters of the State and to assess penalties for violations of the Public Health Law, the Sanitary Code, a notice, regulation or order prescribed by the said Commission.

11. On November 15, 1965, in a writing the said Commissioner of Health duly deputized and designated any of the Deputy Commissioners to authorize the convening of public hearings to investigate and determine charges of alleged contravention of standards duly assigned by the Water Resources Commission to the waters of the State.

12. On May 11, 1966 Andrew D. Fleck, Jr., M. D., Deputy Commissioner of the Department of Health, on presentation to him of

D-16

a written case summary, duly authorized in writing the convening of a public hearing against the Respondent(s) named herein.

13. Upon information and belief the Respondent is a corporation which operates a factory in the Town of Deerpark, Orange County, New York.

14. Said Respondent discharges industrial wastes containing fluorides indirectly into a tributary of the Neversink River.

15. Said wastes contain about 2500 parts per million of fluorides and frequently impart fluoride concentrations as high as 15 parts per million to the said receiving waters, even after dilution.

16. Said fluoride concentrations impair the use of said water for stock watering and fishing.

~~17. Said discharges also contain barium and silicates.~~

18. Said discharges cause and contribute and since February 1, 1963 have caused and contributed to conditions in contravention of the standards (deemed) adopted, established and assigned respectively for and to said receiving waters and the downstream waters.

WHEREFORE the said Department demands:

a. That the Respondent cease and abate immediately and thereafter keep abated all contravening discharges by it into the said classified waters of the State unless and until the Respondent shall comply with such pollution abatement schedule as the said Commissioner shall direct or approve.

b. That the Respondent discharge only effluents treated in facilities constructed pursuant to plans approved by the New York State Department of Health not earlier than 1966.

c. That the Respondent forfeit such penalties as the Commissioner shall duly assess as a result of contravention by it of said stream standards.

d. Such other and further relief as shall be deemed by the said Commissioner to be just and proper under the circumstances.

Yours, etc.
DONALD A. MACHARG
Counsel, New York State
Dept. of Health
Office and P.O. Address
84 Holland Ave.
Albany, New York

STATE OF NEW YORK)
COUNTY OF ALBANY) ss.
CITY OF ALBANY)

Vincent H. Barlow, being duly sworn, deposes and says:

I am a Senior Attorney in the Office of the Counsel of the New York State Department of Health.

As such I am assigned to the prosecution of violations of the Public Health Law including those alleged in the complaint herein.

I make this verification because the complainant is a State agency and the persons with direct knowledge of the facts are not present within the county in which my office is located.

I have read the foregoing complaint and know the contents thereof. The allegations therein are true of my own knowledge except as to matters alleged upon information and belief and as to such matters I believe them to be true.

The sources of my information and the grounds for my belief as to matters alleged upon information and belief are reports of investigations contained in subject file and examinations of department files.

Vincent H. Barlow

Sworn to and subscribed before me
this 9th day of September, 1966

in Name

Notary Public
ROSE HAMAR
Notary Public, State of New York
Qualified in Albany County
My Commission Expires March 30, 1967

D.7

Al Reilly, New York State Department of Health, New Rochelle
Rich Gardiner, Solid Waste Program, Region 3, White Plains
C & D BATTERIES, IN-PLACE TOXIC SITE NO. 336001
DEEP PARK (T), ORANGE COUNTY

May 17, 1982

C & D Batteries has contacted this Department concerning the proper closure of a discharge lagoon, which is listed as an Inactive Hazardous Waste Disposal Site. They have submitted a Groundwater Investigative Program, which is comprised of two (2) submissions dated February 15, 1982 and March 31, 1982. This program has consisted of drilling of ten (10) borings; the placement of ten (10) groundwater monitoring wells; the sampling of the discharge lagoon, the groundwater monitoring wells, the nearby stream, the water supply well and a spring; and the preparation of a groundwater contour map.

The results have indicated the presence of Lead, Barium and Fluoride in the groundwater and in some cases, greater than the allowable standards of Part 703.5 of 6 NYCRR. Table 4-2 of the February Report and Table 3-1 of the March Report have been enclosed for your information. A groundwater Contour Map is also enclosed showing the location of the monitoring wells, the water supply well and the lagoon.

C & D Batteries has proposed the closure of the lagoon by capping, through the construction of a building over it. The Department will allow this under the conditions listed in the enclosed letter dated May 4, 1982 addressed to Mr. Richard Rothstein of C & D Batteries. As you will note, C & D will be required to continue monitoring the groundwater and the stream for the above mentioned parameters to determine if their concentrations are decreasing. It is felt that the groundwater leaving the site will discharge into the stream and any metal or Fluorides will be diluted.

However, the groundwater flowing to the southeast may not entirely discharge into the stream. Enclosed is a photocopy of a map made from a U.S.G.S. Quadrangle. This map shows a building between the C & D Batteries property and the stream. This property is noted as "Lands of Swartout" on the Groundwater Contour Map. The Groundwater Contour Map shows a flow directly towards the property.

As you know, the Department of Environmental Conservation does not sample private wells. This information is being sent to your Department, since you may wish to sample the Swartout well or notify the owner of the groundwater problem at C & D Batteries.

If you have any question, please contact me at (914) 761-6660.

RG:jm

Enclosures

cc: Orange County Department of Health ✓
Bureau of Hazardous Site Control

DRILLER'S LOGS

DATE

STARTED 12/21/81

FINISHED 12/22/81

SHEET 1 OF 2



EMPIRE SOILS INVESTIGATIONS, INC.

HOLE NO B-CD-1

SURF ELEV _____

C W DEPTH _____

SUBSURFACE LOG

PROJECT Environmental Resource
Management - C & D Battery

LOCATION Port Jervis, N.Y.

DEPTH SAMPLES	SAMPLE NO	BLOWS ON SAMPLER				BLOW IN CASING	SOIL OR ROCK CLASSIFICATION	NOTES
		0-6	6-12	12-18	18-N			
1	15	16			39	Greyish Brown - fine GRAVEL and coarse-fine SAND, trace Silt, dry	Groundwater Observation Installation. 2" diameter PVC screen and riser pipe. Tip at 37' screen from 37' to 27' Bentonite seal from 25' to 20'. PVC stick- up 2' above ground and covered with a threaded capped protective casing.	
		23	50			5.0'		
2	17	23	28		51	Brown fine SAND, trace to little Silt, moist		
3	8	15	17		32			
4								
5	9	17	22		39	Brown SILT, wet		
6								
7	5	12	19	25	44	Brown SILT, some fine Sand, moist		
8								
9	6	24	27	28	55	Brown - fine GRAVEL and coarse-fine SAND, trace Silt, moist		
10								
11	7	7	18	20	38			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								
49								
50								

N = No. blows to drive 2 - spoon 12" with 140 lb. pin wt falling 30" per blow

C = No. blows to drive - casing - with lb weight falling - per blow

CLASSIFICATION

CD 002938

D-21

DATE
 STARTED 12/30/81
 FINISHED 12/31/81
 SHEET 1 OF 2



EMPIRE SOILS INVESTIGATIONS, INC.

HOLE NO R-CD-2
 SURF ELEV _____
 C W DEPTH _____

SUBSURFACE LOG

PROJECT Environmental Resource Management-C & D Battery LOCATION Port Jervis, N.Y.

DEPTH	SAMPLE NO	BLOWS ON SAMPLER					SOIL OR ROCK CLASSIFICATION	NOTES
		0-6"	6-12"	12-18"	18-24"	24-30"		
0	1	3	3	5	8	Brown Topsoil, moist	2.0'	Samples 4 through 8 were wash samples. Groundwater Observation Well 2" diameter PVC screen & riser pipe installed to 40.6'. Screen from 40.6'-30.6'
3	2	8	6	6	15	Medium Brown SILT and fine SAND	10.0'	
13	3	24	19	29	49	Brown coarse-fine SAND, some medium-fine Gravel, trace SILT		Bentonite seal from 25'-22' RVD Stickup 2.5' inside Protective casing.
18	4					Coarse Sand (wash sample)		
20	5					Brown coarse-fine GRAVEL, some + coarse-fine Sand, trace-silt		
25	6							
30	7							
35	8							

CD 002940

N = No blows to drive 2 " spoon 12" with 140 lb. pin wt. falling 30" per blow
 C = No blows to drive _____ " casing _____ " with _____ lb weight falling _____ " per blow

CLASSIFICATION D-23

DATE
 STARTED 1/6/82
 FINISHED 1/6/82
 SHEET 1 OF 2



EMPIRE SOILS INVESTIGATIONS, INC.

HOLE NO B-CD-3
 SURF ELEV
 C W DEPTH

SUBSURFACE LOG

PROJECT Environmental Resource Management-C & D Battery

LOCATION Parr Jarvis, N.Y.

DEPTH	SAMPLES	BLOW ON SAMPLER				BLOW ON CASING	SOIL OR ROCK CLASSIFICATION	NOTES
		0-6	6-12	12-18	18-N			
10	1	14	16	0	25		Dark brown coarse-fine GRAVEL and coarse-fine SAND, trace Silt 4.0'	Groundwater observation well 2" diameter PVC screen & riser pipe installed to 40.0' Screen 40'-30' Protective Seal 26'-16.7' PVC stickup 2.5' inside Metal Protective Casing
	2	18	22	21	43		Brown coarse-fine SAND, little + coarse Gravel, trace silt	
	3	28	27	25	54		Dark Brown Coarse-fine GRAVEL, some coarse-fine sand, trace Silt	
	4	22	22	12	24			
30	5	24	26	25	51			
	6	29	26	27	53			
30	7	18	25	21	46			
	8	29	18	24	42			
40								

CD 002942

N = No blows to drive 2 " spoon 12 " with 140 lb. pin wt. falling 30 " per blow
 C = No blows to drive " casing " with lb weight falling " per blow

CLASSIFICATION D-25

DATE
 STARTED 12/31/81
 FINISHED 1/5/82
 SHEET: 1 OF 2



EMPIRE SOILS INVESTIGATIONS, INC.

HOLE NO E-CD-4
 SURF ELEV
 C.W. DEPTH

SUBSURFACE LOG

PROJECT Environmental Resource Management-C & D Battery

LOCATION Port Jervis, N.Y.

DEPTH	SAMPLES	BLOWS ON SAMPLER					SOIL OR ROCK CLASSIFICATION	NOTES
		0-6	6-12	12-18	18-24	N		
1	25	18	22	41		Dark brown coarse-fine SAND, some coarse-fine Gravel, little Silt, trace Roots, moist	Tip of 2" dia. PVC Observation well installed at a depth of 41.6'	
2	15	16	16	32		Brown coarse-fine SAND, some fine gravel, trace & silt	Slotted screen from 41.6' to 51.6'	
10.0'								
3	12	12	15	15		Brown fine SAND, trace to little silt	Bentonite seal from 26' to 22'	
25.0'								Observation well has a 2.5' section of wire mesh protective casing and cap.
5	11	14	21	35				
25.0'								
6	11	13	14	27		Brown Fine SAND, little silt and medium fine Gravel, wet		
7	18	11	14	25				
8	11	16	18	34				

CD 002944

N = No blows to drive 2 - spoon 12 - with 140 lb pin wt. falling 30 "per blow
 C = No blows to drive _____ - casing _____ - with _____ lb weight falling _____ "per blow.

CLASSIFICATION: D-27

DATE

STARTED 12/28/81

FINISHED 12/30/81

SHEET 1 of 2



EMPIRE SOILS INVESTIGATIONS, INC.

HOLE NO E-CD-5

SURF ELEV _____

C W DEPTH _____

SUBSURFACE LOG

PROJECT: Environmental Resource Management-C & D Battery

LOCATION: Port Jervis, N.Y.

DEPTH	SAMPLES	SAMPLE NO	BLOWS ON SAMPLER				BLOW ON CASING	SOIL OR ROCK CLASSIFICATION	NOTES
			0-6	6-12	12-18	18-24			
10	1	17	20	20	20	20	Trace Roots Brown moist fine GRAVEL, little to some coarse-fine Sand, trace Silt	Groundwater Observation Well 2" diameter PVC screen and riser pipe installed to 45' Screen 42'-32' from 24.4'-22.6' PVC Stick up 3.9' inside Metal Protective casing	
20	5	13	20	20	40				
30	7	19	23	9	32				
40	8	28	42	21	63				

25.0'

33.0'

CD 002945

N = No blows to drive 2" spoon 12" with 140 lb. pin wt. falling 30" per blow
 C = No blows to drive _____" casing _____" with _____ lb weight falling _____ per blow

CLASSIFICATION: D-28

DATE
 STARTED 12/29/81
 FINISHED 12/30/81
 SHEET 2 OF 2



EMPIRE SOILS INVESTIGATIONS, INC.

HOLE NO B-CD-5
 SURF ELEV _____
 C W DEPTH _____

SUBSURFACE LOG

PROJECT Environmental Resource Management - C & D Battery LOCATION Port Jervis, N.Y.

DEPTH	SAMPLES	SAMPLE NO.	BLOWS ON SAMPLER					BLOW ON CASING: C	SOIL OR ROCK CLASSIFICATION	NOTES
			0	6	12	18	24			
			0	29	23	24	47		Brown medium-fine GRAVEL, little-coarse-fine Sand, trace Silt	
			10	12	0	2	17		45.5'	
									End of Boring	

CD 002946

N = No. blows to drive 2 - spoon 12 - with 140 lb. pin wt falling 30 "per blow CLASSIFICATION _____
 C = No blows to drive _____ - casing _____ - with _____ lb weight falling _____ "per blow _____ D-29

DATE
 STARTED 3-1-82
 FINISHED 3-1-82
 SHEET 1 of 2




SUBSURFACE LOG

HOLE NO. CD-6
 SURF. ELEV. _____
 C. W. DEPTH See Note

PROJECT Observation Well Installations LOCATION Huguenot, New York
C & D Battery, Inc.

DEPTH	SAMPLES	SAMPLE NO	BLOWS ON SAMPLER				BLOW ON CASING 'C'	SOIL OR ROCK CLASSIFICATION	5'x3" Guard Pipe	Diagram	12' Stick-up w/cap
			a	b	12"	18"					
0	/	1	20	42			Brown, medium-coarse SAND & GRAVEL, Some Silt, roots (Damp-Very Compact)				
			34	15		76					
5	/	2	15	12			grades similar (Moist-Firm)				
			12	12		24					
10	/	3	10	5			Brown, medium-fine SAND, Some fine Gravel, trace silt (Moist-Firm)				
			6	5		11					
15	/	4	7	4			grades similar with trace coarse gravel, grading to Some coarse Gravel (moist-Loose)				
			5	10		9					
20	/	5	3	4			Brown, coarse-medium GRAVEL (Moist-Firm)				
			20	20		24					
25	/	6	12	16			grades similar with Some Silt (Damp-Compact)				
			23	36		39					
30	/	7	12	17			Brown, medium-fine SAND, Some coarse Gravel (Wet-Firm)				
			11	4		28					
35	/	8	7	9			Brown, medium-fine SAND & GRAVEL, Some coarse Gravel (Wet-Firm)				
			11	7		20					



CD 002947

C = No blows to drive 2 " spin 12 " with 140 lb pin wt falling 30 " per blow
 C = No blows to drive _____ casing _____ " with _____ lb weight falling _____ " per blow

CLASSIFICATION Visual by Driller
D-30

DATE
 STARTED 3-3-82
 FINISHED 3-3-82
 SHEET 1 of 1



SUBSURFACE LOG

HOLE NO. CD-7
 SURF ELEV _____
 C. W. DEPTH See Note

PROJECT Observation Well Installations
C & D Battery, Inc.

LOCATION Huguenot, New York


DEPTH	SAMPLE NO	RECVS IN SAMPLER				RECVS IN CASING	SOIL OR ROCK CLASSIFICATION	Diagram
		6"	12"	12"	18"			
0	1	6	4			SILT, ROOTS & fine GRAVEL 0.5'	5'x3" Guard Pipe 2" Ø Riser Pipe Auger Cuttings Fill Bentonite Seal 40 Sand Well Screen .010" Slot Size Plug #2' Stick-up w/cap	
		4	3		8	Brown, SILT & fine SAND (Damp-Loose)		
5	2	4	5			grades similar		
		4	4		9	COBBLES from 7.0'-8.0'		
10	3	4	15			10.5'		
		18	15		33	Brown, coarse GRAVEL (Moist-Compact) 13.0'		
15	4	3	5			Brown, medium-fine SAND w/CLAY seam @ 15.0'-15.2' (Moist-Firm)		
		6	7		11			
20	5	7	12			Brown SILT & fine SAND COBBLE in tip of spoon (Wet-Firm)		
		14	15		26			
	6	6	13			Brown, medium-fine SAND, Some fine Gravel-little recovery (Wet-Firm)		
		9	10		22			
25	7	4	5			Brown, medium-fine SAND (Wet-Firm)		
		7	9		12			
30								
35								
						Boring Terminated @ 32.0'		
						Note: Water level @ 19.5' inside 20' of casing. At completion of boring water level @ 18.0'.		

No blows to drive 2 spec 12 with 140 lb pin wt falling 30 "per blow
 No blows to drive casing with _____ lb weight falling _____ "per blow
3 1/4" I.D. Hollow Stem Auger Casing

CLASSIFICATION Visual by Driller D-32

CD 002949

DATE
 STARTED 3-4-82
 FINISHED 3-4-82
 1 of 1



SUBSURFACE LOG

HOLE NO CD-8
 SURF. ELEV _____
 C. W. DEPTH See Note

PROJECT Observation Well Installations
C & D Battery, Inc.

LOCATION Huguenot, New York

DEPTH	MANNING SAMPLER					MANNING CASING	SOIL OR ROCK CLASSIFICATION	5'x3" Guard Pipe	#2' Stick-up w/cap
	1	4	4	10	10				
0	1	4	4				Brown, coarse-medium GRAVEL & SILT ROOTS (Damp-Firm)	2" ø Riser Pipe	
5	2	6	6				Brown, coarse-medium SAND, GRAVEL & SILT (Possible Fill) (Damp-Firm) Note: Auger Refusal @ 6.5', Moved borehole and proceeded sampling at 10.0'	Auger Cuttings Fill	
10	3	5	5				Brown, SILT & fine SAND (Damp-Loose)		
15	4	3	4				grades similar with Some Clay (Wet-Loose)	Bentonite Seal	17.0 18.0
20	5	2	4				Brown, SILT & fine SAND w/medium-fine SAND seams and CLAY seams (Wet-Firm)	4Q Sandz	23.0
25	6	2	4				Brown, SILT & fine SAND, trace fine gravel (Wet-Loose)	Well Screen .010" Slot Size	
30	7	4	3				grades similar-no gravel (Wet-Loose)	Plug	33.0
35	8	3	4				grades, damp		37.0
40							Boring Terminated @ 37.0' Note: Water level @ 23.5' inside 30' of casing.		

CD 002950

blows to drive 2 spec 12 with 140 lb pm wt falling 30 per blow
 casing with _____ lb weight falling _____ per blow

CLASSIFICATION Visual by Driller D-33

DATE
 STARTED 3-2-82
 FINISHED 3-3-82
 SHEET 1 of 1




SUBSURFACE LOG

HOLE NO. CD-9
 SURF. ELEV _____
 C. W. DEPTH See Note

PROJECT Observation Well Installations
 C & D Battery, Inc.

LOCATION Huguenot, New York



Note: Water level @ 28.0' inside 30' of casing. At completion of boring water level @ 24.2' inside 30' of casing

CD 002951

No. blows to drive 2 spins 12 with 140 lb pin wt falling 30 per blow CLASSIFICATION Visual by Driller D-34

DATE
 STARTED 3-2-82
 FINISHED 3-2-82
 SHEET 1 OF 1



SUBSURFACE LOG

HOLE NO. CD-10
 SURF. ELEV. _____
 C. W. DEPTH See Note

PROJECT Observation Well Installations
C & D Battery, Inc.

LOCATION Huguenot, New York

DEPTH	SAMPLES	BLOW COUNT SAMPLER				BLOW COUNT CASING	SOIL OR ROCK CLASSIFICATION	5'x3" Guard Pipe	2" ø Riser Pipe	Auger Cittings Fill	Bentonite Seal	4Q Sand	Well Screen .010" Slot Size	Plug	Stick w/cap			
		1	2	3	4													
0	1	25	19				Brown, medium-fine SAND & GRAVEL, Some Silt (Damp-Compact) 2.0'											
		12	12			31												
5	2	4	6				Brown, SILT & fine SAND (Damp-Firm)											
		7	7			13												
10	3	6	6				grades similar											
		7	6			13												
15	4	3	4				grades, saturated w/CLAY Seam @ 16.0'											
		8	8			12	grades, dry											
20	5	3	7				Brown, fine SAND, trace silt (Wet-Firm)											
		8	8			15												
25	6	2	2				grades with Some Silt (Wet-Loose)											
		4	3			6												
30	7	2	2				grades, trace silt											
		3	3			5												
35	8	4	4				Brown, SILT, Some fine Sand (Wet-Loose)											
		5	8			9												
40	Boring Terminated @ 37.0'							Note: Inside 30' of casing, water level @ 23.5'										

N = No. blows to drive 2 spurs 12 with 140 lb pin wt falling 30 " per blow CLASSIFICATION Visual by Driller

Environmental Resources Management

Drilling Log

Project C & D Power Systems Owner _____
 Location Huguenot, NY W.O. Number _____
 Well Number MW-12 Total Depth 50 ft Diameter 4 in.
 Surface Elevation _____ Water Level: Initial _____ 24-hrs _____
 Screen: Dia. 4 in. Length 5 ft Slot Size 0.01
 Casing: Dia. 4 in. Length 47 ft Type Stls. Steel
 Drilling Company Rochester Drl. Drilling Method Augers/mud rtry
 Driller _____ Log By Glenn Wygant Date Drilled 6/13/88

Sketch Map

Notes

Depth (Feet)	Graphic Log	Well Construction	Sample Number	Description/Soil Classification (Color, Texture, Structures)
0				
2				
4			S-1	Brown <u>mf</u> SAND, moist/dry, 16 in. recovery 9/24/9/9
6				
8				
10			S-2	Same, 14 in. recovery, 4/5/7/8
12				
14				
16			S-3	SAME, moist, 6/12/15/16 16.7
18				Brown Clayey SILT, little (+) f Sand, wet 19.0
20			S-4	Greyish Brown <u>mf</u> SAND, little (+) silt, moist, 18 in. rec. 8/12/14/20
22				
24				
26		GROUT	S-5	Greyish Brown <u>cmf</u> SAND, wet, 19 in. recovery, 9/12/18/23
28		GROUT		
30			S-6	No Recovery, 17/16/12/12. Cobbles encountered during augering
32				
34			S-7	Brownish Grey <u>cmf</u> SAND, with 1" to 2.5" laminae of f gravel and of Clayey Silt
36				
38				
40			S-8	Brown <u>f</u> Sand, little (+) silt 41.0 Grey <u>cmf</u> SAND, with cobbles
42				
44				
46			S-9	Cobbles, 16/54/32/33
48				
50				Bottom of Hole 50 feet

Drilling Log

Environmental Resources Management

Project C & D Power Systems Owner _____

Location Huguenot, NY W.O. Number _____

Well Number MW-13 Total Depth 37 ft Diameter 4 in.

Surface Elevation _____ Water Level: Initial _____ 24-hrs _____

Screen: Dia. 4 in. Length 10 ft Slot Size 0.01

Casing: Dia. 4 in. Length 27 ft Type Stls. Steel

Drilling Company Rochester Drl. Drilling Method Augers/mud rtry

Driller _____ Log By Glenn Wygant Date Drilled 6/11/88

Sketch Map

Notes

Depth (Feet)	Graphic Log	Well Construction	Sample Number	Description/Soil Classification (Color, Texture, Structures)
0			S-1	Brown, <u>cmf</u> SAND and F GRAVEL, dry
2				
4				
6			S-2	Brown, <u>mf</u> SAND, slightly moist
8				
10			S-3	SAME
12				
14			S-4	SAME
16				
18				
20			S-5	Brown <u>cmf</u> SAND, and Cobbles
22				
24			S-6	SAME
26				
28				
30			S-7	SAME
32				
34				
36			S-8	No recovery, boulder. Subsequent drilling very slow
38				Bottom of Hole 37.0
40				
42				
44				
46				
48				
50				

Environmental Resources Management, Inc.

TABLE 3-1
WATER LEVEL MEASUREMENTS

<u>Well No.</u>	<u>Casing Elevation</u>	<u>Ground Elevation</u>	<u>Depth to Water (ft)</u>	<u>Water Table Elevation</u>
CD-1	474.37	472.62	30.86	443.51
CD-2	474.27	471.71	31.09	443.18
CD-3	475.47	474.84	33.26	443.21
CD-4	474.73	473.31	31.97	442.76
CD-5	472.98	470.21	29.77	443.21

Surface of water in lagoon = Elevation 458.83

SECTION 4

SAMPLING PROCEDURES AND
ANALYTICAL RESULTS

4.1 Soil Sampling

To determine the chemical character and hazardous or non-hazardous nature of the residual wastes in the disposal lagoon, soil samples were collected on 10 December 1981. The procedure outlined below was followed to insure that all material in the lagoon was adequately characterized:

- The lagoon was divided into quadrants as shown in Figure 2-1.
- Several samples were collected in each quadrant from depths of 6, 18, and 30 inches.
- Samples from the same depth and quadrant were composited.
- Leachate generated from each sample, according to EPA protocols, was analyzed for selected metals and compared to EP Toxicity standards.

The results of the soil leachate analyses are shown in Table 4-1. All soil samples were found to be non-hazardous according to U.S. EPA standards.

4.2 Ground Water Sampling

Ground water samples were collected on 5 January 1982 from CD-1, CD-2, CD-3, CD-4, CD-5, and from the plant production well on 7 January 1982. Individual PVC bailers were used to thoroughly evacuate each well, removing at least three volumes of water. The bailers were then used to collect a ground water sample from each well. A representative from the New York DEC was present during the ground water sampling on 5 and 7 January 1982, and each sample collected was split with the DEC for separate analysis. ERM and DEC metal samples were filtered using Whatman No. 5 filters (rated at 2.5 microns) to prevent the inclusion of natural suspended particulate matter in the analyses before they were acidified.

TABLE 4-1
SOIL LEACHATE RESULTS
(5 JANUARY 1982)

<u>Sample Location and Depth</u>	<u>Fluoride (mg/kg)</u>	<u>Barium (mg/l)</u>	<u>Cadmium (mc/l)</u>	<u>Lead (mc/l)</u>	<u>Zinc (mc/l)</u>
Quadrant 1					
6"	28	0.73	0.02	< .05	0.09
18"	28	< 0.5	< .01	< .05	0.11
30"	80	0.79	.01	< .05	0.07
Quadrant 2					
6"	28	0.83	< .01	< .05	0.07
18"	50	< .05	< .01	< .05	0.07
30"	353	0.52	0.01	< .05	0.09
Quadrant 3					
6"	310	2.9	0.02	< .05	0.11
18"	77	1.4	< .01	< .05	0.09
30"	67	2.4	< .01	< .05	0.08
Quadrant 4					
6"	58	1.4	0.05	< .05	0.10
18"	28	0.76	0.15	< .05	0.20
30"	55	0.69	0.09	< .05	0.12
EP Toxicity Limit		100.0	1.0	5.0	-

The analytical results obtained for the C&D Batteries ground water samples from Sanitary Science and Laboratories, Inc. of Newburgh, New York are shown in Table 4-2.

An unsuccessful attempt was made to obtain samples from the area of the spring at the tributary stream. Because of seasonally dry conditions, the spring was not flowing.

4.3 Discussion of Results

The laboratory soil leachate results indicate that metals are not leached in appreciable quantities, if at all, from soils on the floor of the lagoon. Lead concentrations in the leachate were uniformly below the detection limits, and only very small amounts of zinc and cadmium were found to be present. Based on the frequency with which barium was found in the soils and in the leachate, it appears to have been part of the previous plant owner's waste stream. Fluoride was shown to be the parameter present in the greatest concentrations. It, too, is thought to have been an important constituent of that waste stream.

The analyses of samples from the ground water monitoring wells show that water in the vicinity of the lagoon is generally of acceptable quality except for the presence of elevated fluoride concentrations, as compared to background levels in the upgradient wells. The values for conductivity and potassium were slightly elevated in the wells near the lagoon, especially in CD-2, CD-3 and CD-5, in contrast to the apparent background values detected in the upgradient well and the production well. These indicators of general ground water quality point to some alteration of natural ground water conditions in the vicinity of the lagoon. The samples taken from Wells CD-2, CD-3, CD-4, and CD-5 near the lagoon all contained fluoride at concentrations significantly above the State limitations (Table 4-3). The contrast between the fluoride levels in the four downgradient wells and the low concentrations found in the upgradient well, CD-1, and in the production well point to the lagoon as the probable fluoride source. The laboratory soil leachate results also tend to support this suspicion. It is to be expected that natural attenuation and dilution of the fluoride occurs as the ground water moves further downgradient from the lagoon. The locations of the monitoring wells in close proximity to the lagoon does not allow for prediction

TABLE 4-2

GROUND WATER SAMPLE TEST RESULTS
(29 JANUARY 1982)

Parameter (mg/l)	Upgradient Wells		Downgradient Wells			
	Production Well	CD-1	CD-2	CD-3	CD-4	CD-5
Arsenic	<.005	<.005	<.005	<.005	<.005	<.005
Barium	<.5	0.50	0.50	0.70	<.50	1.3
Cadmium	<.01	<.01	<.01	<.01	<.01	<.01
Chromium (Hex.)	<.01	<.01	<.01	<.01	<.01	<.01
Copper	1.5	0.05	0.05	<.05	<.05	<.05
Mercury	<.0002	<.0002	<.0002	<.0002	<.0002	<.0002
Lead	.15	0.03	0.06	0.01	0.02	0.02
Selenium	<.005	<.005	<.005	<.005	<.005	<.005
Silver	<.01	<.01	<.01	<.01	<.01	<.01
Zinc	0.78	<.05	0.07	<.05	<.05	<.05
Sodium	6.5	6	15	13	5.5	15
Calcium	12	6.9	18	23	13	16
Magnesium	2.3	2.0	3.7	3.8	2.0	3.3
Potassium	1.4	2.3	20	20	4.8	20
Sulfate	25	16	34	18	28	31
Chloride	0.66	0.67	0.77	0.81	0.80	0.74
Fluoride	0.10	<.07	36	38	13	38
pH	6.7	6.8	7.1	7.6	6.9	6.9
Conductivity	120	82	243	250	129	216
Total Dissolved Solids	98	164	162	169	103	165
Alkalinity (as CaCO ₃)	19	19	43	59	26	31

TABLE 4-3

NEW YORK STATE LIMITATIONS
ON WATER QUALITY IMPACTS
FOR SELECTED PARAMETERS
FOR GLASS GA GROUND WATER

	<u>Maximum Level (mg/l)</u>
Arsenic	0.025
Barium	1.0
Cadmium	0.01
Chloride	250
Chromium (hex.)	0.05
Copper	1.0
Fluoride	1.5
Lead	0.025
Mercury	0.002
Selenium	0.02
Silver	0.05
Zinc	5
Sulfate	250

of rates of downgradient attenuation of fluoride concentrations, however. Downgradient attenuation of chemical parameters could be investigated by installing additional monitoring wells farther away from the lagoon in the downgradient direction.

The evidence obtained from the five ground water monitoring wells strongly suggests that the ground water in the vicinity of the lagoon has been impacted by water infiltrating through the lagoon bottom where it picks up the more mobile elements from the soils and moves downward to the ground water table. It is likely, therefore, that cessation of disposal of non-contact cooling water in the lagoon will cut off the primary source of chemical contaminants reaching the ground water table. Stoppage of water flow through the soils at the bottom of the lagoon should effectively remove the lagoon as a source of ground water contamination. The location of the lagoon bottom approximately 13 to 14 feet above the ground water table would then leave a relatively thick unsaturated zone between the lagoon bottom soils and the ground water table. If the lagoon were then backfilled and the planned building constructed over it, vertical infiltration through the lagoon bottom soils would be effectively eliminated. The elevation difference between the lagoon bottom and the ground water table should be sufficient to preclude the possibility of the water table rising to the level of the lagoon bottom. Water table fluctuation in the wells near the lagoon has been less than 0.2 feet in the two months since the wells were installed.

In order to confirm the effectiveness of the remedial action, monitoring wells could be sampled periodically and the samples analyzed to demonstrate improvement in water quality.

SECTION 5

CONCLUSIONS AND RECOMMENDATIONS

5.1 Conclusions

The following conclusions can be drawn from the data presented in the report:

1. The C&D Batteries facility is underlain by glacial deposits that are generally coarse-grained, ranging from coarse sand to coarse gravel and containing variable, but generally minor amounts of interstitial silt. As a result, the permeabilities of the sediments beneath the plant site are quite high and relatively rapid movement of the ground water is to be expected.
2. The water table at the plant is within the range of 27 to 32 feet below land surface and about 13 to 15 feet below the floor of the disposal lagoon.
3. Ground water flow is apparently radial outward in the vicinity of the lagoon due to the presence of a ground water mound that has apparently formed in response to infiltration from the lagoon.
4. Soil samples systematically collected from the lagoon floor and analyzed according to EP Toxicity test protocols show that the soil material currently in the bottom of the lagoon is not classified as a hazardous waste.
5. Ground water samples collected from the monitoring wells and the production well indicate that fluoride is probably being leached from the lagoon and carried downward to the ground water table. It occurs in all of the wells near the lagoon in concentrations significantly above the New York State limitations.

CD 002962

Environmental Resources Management, Inc.

6. The total areal extent of the elevated fluoride concentrations in ground water cannot be determined at the present time.
7. The occurrence of lead and copper in the production well is probably attributable to contamination during sampling.
8. Lead in Well CD-2 and barium in Well CD-5 slightly above New York State limits, probably came from the lagoon.

5.2 Recommendations

The following recommendations are made based on the findings of ERM's investigation. The recommended actions are aimed at (1) stopping the outflow of contaminants from the lagoon to the ground water, (2) monitoring the effects of this stoppage in reducing the concentrations of the various chemical parameters in the ground water beneath the plant property, and (3) determining whether any further mitigative action will be required. The recommended remedial actions are presented in the chronological order in which they should be performed. The results obtained from some of the earlier steps may modify later actions or preclude the need for performing some of them.

1. Disposal of non-contact cooling water in the lagoon should be discontinued as soon as possible to stop the flow of water through the contaminated soils in the bottom of the lagoon to the ground water table.
2. A series of surface water samples should be collected to determine whether fluoride or other contaminants are currently impacting nearby surface water. The samples should be collected from:
 - a. The tributary stream, upstream from the spring.
 - b. The spring.
 - c. The tributary, downstream from the spring.
 - d. From the lagoon.

Environmental Resources Management, Inc.

These samples should be analyzed for fluoride, barium, and lead, at a minimum.

3. Resample and analyze water from the plant production well, taking care to prevent any contamination from laboratory plumbing or equipment.
4. Install additional monitoring wells farther from the lagoon in order to better define the regional ground water flow direction and gradient, and to determine the fluoride attenuation in the soils.
5. Sample and analyze the ground water in all of the wells around the lagoon after the disposal of non-contact cooling water in the lagoon has been stopped for a period of time. The ground water samples should be analyzed for those parameters that were found to occur at concentrations significantly above the background values in the upgradient wells. The waiting period between cessation of wastewater flow to the lagoon and sampling of ground water can be estimated. Sampling should begin at some time after the water in the bottom of the lagoon has drained to monitor improvement in ground water quality downgradient.
6. If ground water monitoring confirms that the lagoon was the primary source of contaminants to the ground water, then backfill the lagoon and construct the planned building expansion to cut off vertical infiltration through the buried lagoon soils.

REFERENCES

Frimpter, Michael. 1972. Ground Water Resources of Orange and Ulster Counties, New York. USGS Water Supply Paper 1985.

U.S. EPA. 1978. Sludge Treatment and Disposal, EPA Technology Transfer, EPA 625/4-78-012, Vol. 2, p. 71.

Environmental Resources Management, Inc.

TEST RESULTS
NON-CONTACT COOLING WATER

CD 002966

D-49-

- CHEMICAL ANALYSIS OF PROCESS WATER
C&D BATTERIES (1981)
(ppm)

Date	Outfall B (002)			Outfall C (003)		
	9/21	9/22	9/23	9/21	9/22	9/23
TSS	0.2	< 0.2	< 0.2	< 0.2	< 0.2	0.2
Oil and Grease	2	5	2	1	1	2
TOC	3	2	2	2	1	2
SO ₄	22	21	21	25	22	23
NE ₃ -N	0.08	0.08	0.08	0.08	0.08	0.08
Sb	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
As	0.001	< 0.001	< 0.001	0.001	< 0.001	< 0.001
Ba	< 0.013	< 0.013	< 0.013	< 0.013	< 0.013	< 0.013
Be	< 0.004	< 0.004	< 0.004	< 0.004	< 0.004	< 0.004
Cd	< 0.007	< 0.007	< 0.007	< 0.007	< 0.007	< 0.007
Cu	< 0.010	0.021	< 0.010	< 0.010	< 0.010	< 0.010
Fe	0.10	< 0.020	< 0.020	0.040	< 0.020	0.060
Pb	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045	< 0.045
Ni	< 0.026	< 0.026	< 0.026	< 0.026	< 0.026	< 0.026
Zn	0.013	0.074	0.052	0.043	0.070	0.048

Environmental Resources Management, Inc.

SOIL AND GROUND WATER
CHEMICAL TEST RESULTS

CD 002968

SANITARY SCIENCE & LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 • PHONE (914) 562-4392

EXMINATION OF SOIL

Sample No.: 81-2912 Date Reported: 5 January 1982
Work Order No.: 781-308 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 1 at 6"
Collected by: Mr. Rothstein

RESULTS

Dry Weight..... 79.3 g

Fluoride was determined on a slurry of the soil in deionized water according to Method 340.1 in Methods for Chemical Analysis of Water and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 28 mg/kg

A portion of the soil was leached as described in the Federal Register, Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... 0.73 mg/l
Cadmium..... 0.02 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.09 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

D-52

CD 002969

SANITARY SCIENCE
&
LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 • PHONE (914) 562-4392

EXAMINATION OF SOIL

Sample No.: 61-2913 Date Reported: 5 January 1982
Work Order No.: 791-300 Date Collected: 19 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 1 at 10"
Collected by: Mr. Rothstein

RESULTS

Dry Weight..... 95.4 %

Fluoride was determined on a slurry of the soil in deionized water according to Method 340.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 28 mg/kg

A portion of the soil was leached as described in the Federal Register Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... <0.5 mg/l
Cadmium..... <0.01 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.11 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

SANITARY SCIENCE LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 • PHONE (914) 562-4302

EXAMINATION OF SOIL

Sample No.: 81-2914 Date Reported: 5 January 1982
Work Order No.: TEL-330 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 1 at 30"
Collected by: Mr. Rothstein

RESULTS

Dry Weight..... 96 %

Fluoride was determined on a slurry of the soil in deionized water according to Method 340.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 80 mg/kg

A portion of the soil was leached as described in the Federal Register, Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... 0.79 mg/l

Cadmium..... <0.01 mg/l

Lead..... <0.05 mg/l

Zinc..... 0.07 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

SANITARY SCIENCE & LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR - NEWBURGH, NEW YORK 12550 - PHONE (914) 562-4392

EXAMINATION OF SOIL

Sample No.: 81-2915 Date Reported: 5 January 1982
Work Order No.: 781-300 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 2 at 6"
Collected by: Mr. Rothstein

RESULTS

Dry Weight..... 84.5 %

Fluoride was determined on a slurry of the soil in deionized water according to Method 340.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 28 mg/kg

A portion of the soil was leached as described in the Federal Register, Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... 0.63 mg/l
Cadmium..... <0.01 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.07 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

SANITARY SCIENCE & LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 • PHONE (614) 562-4392

EXAMINATION OF SOIL

Sample No.: 81-2916 Date Reported: 5 January 1982
Work Order No.: T81-300 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12745
Sampling Point: Quadrant 2 at 18"
Collected by: Mr. Rothstein

RESULTS

Dry Weight..... 88.1 %

Fluoride was determined on a slurry of the soil in deionized water according to Method 340.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 50 mg/kg

A portion of the soil was leached as described in the Federal Register, Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... <0.5 mg/l
Cadmium..... <0.01 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.07 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

SANITARY SCIENCE & LABORATORIES, INC.

355 ROUTE 94, NEW WINDEOR • NEWBURGH, NEW YORK 12550 • PHONE (914) 562-4392

EXAMINATION OF SOIL

Sample No.: 81-2917 Date Reported: 5 January 1982
Work Order No.: T81-300 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 2 at 30"
Collected by: Mr. Rothstein

RESULTS

Dry Weight..... 93.8 %

Fluoride was determined on a slurry of the soil in deionized water according to Method 340.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 358 mg/kg

A portion of the soil was leached as described in the Federal Register, Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... 0.52 mg/l
Cadmium..... 0.01 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.09 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

D-57

CD 002974

SANITARY SCIENCE & LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR - NEWBURGH, NEW YORK 12550 - PHONE (914) 362-4392

EXAMINATION OF SOIL

Sample No.: 81-2918 Date Reported: 5 January 1982
Work Order No.: TS1-300 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 3 at 6"
Collected by: Mr. Rothstein

RESULTS

Dry Weight..... 90.8 %

Fluoride was determined on a slurry of the soil in deionized water according to Method 340.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 310 mg/kg

A portion of the soil was leached as described in the Federal Register Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... 2.9 mg/l
Cadmium..... 0.02 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.11 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

SANITARY SCIENCE LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR · NEWBURGH, NEW YORK 12550 · PHONE (914) 562-4362

EXAMINATION OF SOIL

Sample No.: 81-2919 Date Reported: 5 January 1982
Work Order No.: T81-200 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 3 at 18"
Collected by: Mr. Rothstein

RESULTS

Dry Weight..... 93.1 %

Fluoride was determined on a slurry of the soil in deionized water according to Method 348.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 77 mg/kg

A portion of the soil was leached as described in the Federal Register Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... 1.4 mg/l
Cadmium..... <0.01 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.09 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

D-59

CD 002976

SANITARY SCIENCE LABORATORIES, INC.

SEE ROUTE 94, NEW WINDSOR - NEWBURGH, NEW YORK 12550 - PHONE (914) 562-4392

EXAMINATION OF SOIL

Sample No.: R1-2920 Date Reported: 5 January 1982
Work Order No.: TS1-300 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 3 at 30"
Collected by: Mr. Rothstein

RESULTS

Dry Weight..... 99.6 %

Fluoride was determined on a slurry of the soil in deionized water according to Method 340.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 67 mg/kg

A portion of the soil was leached as described in the Federal Register, Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... 2.4 mg/l
Cadmium..... <0.01 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.08 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

SANITARY SCIENCE LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR - NEWBURGH, NEW YORK 12550 - PHONE (914) 552-4392

EXAMINATION OF SOIL

Sample No.: 81-2921 Date Reported: 5 January 1982
Work Order No.: T81-300 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 4 at 6"
Collected By: Mr. Rothstein

RESULTS

Dry Weight..... 68 %

Fluoride was determined on a slurry of the soil in deionized water according to Method 340.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 58 mg/kg

A portion of the soil was leached as described in the Federal Register, Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... 1.4 mg/l
Cadmium..... 0.05 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.10 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

D-61

CD 002978

SANITARY SCIENCE LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 • PHONE (614) 562-4392

EXAMINATION OF SOIL

Sample No.: 81-2922 Date Reported: 5 January 1982
Work Order No.: T81-300 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 4 at 18"
Collected by: Mr. Rothstein

RESULTS

Dry Weight..... 92.6 %

Fluoride was determined on a slurry of the soil in deionized water according to Method 340.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1979.

Fluoride (as received)..... 28 mg/kg

A portion of the soil was leached as described in the Federal Register, Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... 0.76 mg/l
Cadmium..... 0.15 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.20 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

D-62

CD 002979

SANITARY SCIENCE LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 • PHONE (914) 562-4392

EXAMINATION OF SOIL

Sample No.: 81-2923 Date Reported: 5 January 1982
Work Order No.: T61-300 Date Collected: 10 December 1981
Client Work Order No.: 9550 Date Received: 15 December 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Sampling Point: Quadrant 4 at 30"
Collected by: M. Rothstein

RESULTS

Dry Weight..... 93.0 %

Fluoride was determined on a slurry of the soil in dechlorinated water according to Method 340.1 in Methods for Chemical Analysis of Waters and Wastewaters, USEPA, March 1978.

Fluoride (as received)..... 55 mg/kg

A portion of the soil was leached as described in the Federal Register, Vol. 45, p. 33127, May 19, 1980. The leachate was then analyzed for metals.

Barium..... 0.69 mg/l
Cadmium..... 0.09 mg/l
Lead..... <0.05 mg/l
Zinc..... 0.12 mg/l

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

D-63

CD 002980

SANITARY SCIENCE & LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 • PHONE (914) 562-4392

EXAMINATION OF WATER

Sample No.: 82-7 Date Reported: 29 January 1982
 Work Order No.: TS2-7 Date Collected: 5 January 1982
 Purchase Order No.: --- Date Received: 7 January 1982
 Client Sample No.: --- Time Sampled: ---
 Client: C & D Battery, Attn: Richard Rothstein
 Address: Route 208, Huguenot, New York 12746
 Owner of Water Supply: C & D Battery
 Location of Water Supply: above address
 Sampling Point: Well CD-1
 Collected By: Craig Werle of EPA Northeast

RESULTS

pH.....	6.8
Conductivity (in Mhos).....	82
<u>Chemical Tests</u>	<u>mg/l</u>
Total Dissolved Solids.....	164
Alkalinity (as CaCO ₃)*.....	19
Arsenic.....	less than 0.005
Barium.....	0.50
Cadmium.....	less than 0.01
Hexavalent Chromium.....	less than 0.01
Copper.....	0.05
Mercury.....	less than 0.0002
Lead.....	0.03
Selenium.....	less than 0.005
Zinc.....	less than 0.05
Sulfate.....	16
Silver.....	less than 0.01
Sodium.....	6
Calcium.....	6.9
Magnesium.....	2.0
Potassium.....	2.3
Chloride.....	0.67
Fluoride.....	less than 0.07

*To inflection point at pH 5.1

D-64

By: Ila G. Fulton

Ila G. Fulton, Ph.D.

CD 002981

SANITARY SCIENCE & LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 • PHONE (514) 562-4392

EXAMINATION OF WATER

Sample No.: 82-8 Date Reported: 29 January 1982
 Work Order No.: TS2-7 Date Collected: 5 January 1982
 Purchase Order No.: --- Date Received: 7 January 1982
 Client Sample No.: --- Time Sampled: ---
 Client: C & D Battery, Attn: Richard Rothstein
 Address: Route 200, Huguenot, New York 12746
 Owner of Water Supply: C & D Battery
 Location of Water Supply: above address
 Sampling Point: Well CD-2
 Collected By: Craig Werle of ERM No. 12345

RESULTS

pH.....	7.1
Conductivity (in Mhos).....	243
<u>Chemical Tests</u>	<u>mg/l</u>
Total Dissolved Solids.....	162
Alkalinity (as CaCO ₃)*.....	43
Arsenic.....	less than 0.005
Barium.....	0.50
Cadmium.....	less than 0.01
Hexavalent Chromium.....	less than 0.01
Copper.....	0.05
Mercury.....	0.0005
Lead.....	0.06
Selenium.....	less than 0.005
Zinc.....	0.07
Sulfate.....	34
Silver.....	less than 0.01
Sodium.....	15
Calcium.....	18
Magnesium.....	3.7
Potassium.....	20
Chloride.....	0.77
Fluoride.....	36

CD 002982

*To inflection point at pH 5.1

D-65

By: Ila G. Fulton
 Ila G. Fulton, Ph.D.
 Laboratory Director

SANITARY SCIENCE & LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 • PHONE (914) 532-4392

EXAMINATION OF WATER

Sample No.: 82-10 Date Reported: 29 January 1982
 Work Order No.: T82-7 Date Collected: 7 January 1982
 Purchase Order No.: --- Date Received: 7 January 1982
 Client Sample No.: --- Time Sampled: ---
 Client: C & D Battery, Attn: Richard Rothstein
Route 209, Eugenet, New York 12746
 Owner of Water Supply: C & D Battery
 Location of Water Supply: above address
 Sampling Point: Well CD-3
 Collected By: Craig Wylie of ERM Northeast

RESULTS

pH..... 7.6
 Conductivity (in Mhos)..... 250

Chemical Tests

	<u>mg/l</u>
Total Dissolved Solids.....	169
Alkalinity (as CaCO ₃)*.....	59
Arsenic.....	less than 0.005
Barium.....	0.70
Cadmium.....	0.01
Hexavalent Chromium.....	less than 0.01
Copper.....	less than 0.05
Mercury.....	less than 0.0002
Lead.....	0.01
Selenium.....	less than 0.005
Zinc.....	less than 0.05
Sulfate.....	18
Silver.....	less than 0.01
Sodium.....	13
Calcium.....	23
Magnesium.....	3.8
Potassium.....	20
Chloride.....	0.81
Fluoride.....	38

CD 002983

*To inflection point at pH 5.1

D-66

By: Ila G. Fulton
 Ila G. Fulton, Ph.D.
 Laboratory Director

SANITARY SCIENCE & LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 - PHONE (914) 562-4392

EXAMINATION OF WATER

Sample No.: 82-11 Date Reported: 29 January 1982
 Work Order No.: TE2-7 Date Collected: 7 January 1982
 Purchase Order No.: --- Date Received: 7 January 1982
 Client Sample No.: --- Time Sampled: ---
 Client: C & D Battery, Attn: Richard Rothstein
 Address: Route 209, Huguenot, New York 12746
 Owner of Water Supply: C & D Battery
 Location of Water Supply: above address
 Sampling Point: Well CD-4
 Collected By: Craig Warle of EPH Northeast

RESULTS

pH.....	6.9
Conductivity (in Mhos).....	129
<u>Chemical Tests</u>	<u>mg/l</u>
Total Dissolved Solids.....	103
Alkalinity (as CaCO ₃)*.....	26
Arsenic.....	less than 0.005
Barium.....	less than 0.5
Cadmium.....	less than 0.01
Hexavalent Chromium.....	less than 0.01
Copper.....	less than 0.05
Mercury.....	less than 0.0002
Lead.....	0.02
Selenium.....	less than 0.005
Zinc.....	less than 0.05
Sulfate.....	28
Silver.....	0.01
Sodium.....	5.5
Calcium.....	13
Magnesium.....	2.0
Potassium.....	4.8
Chloride.....	0.80
Fluoride.....	13

CD 002984

*To inflection point at pH 5.1

D-67

By: Ila G. Fulton
 Ila G. Fulton, Ph.D.
 Laboratory Director

SANITARY SCIENCE & LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR • NEWBURGH, NEW YORK 12550 • PHONE (914) 562-4392

EXAMINATION OF WATER

Sample No.: 82-9 Date Reported: 29 January 1982
 Work Order No.: T62-7 Date Collected: 5 January 1982
 Purchase Order No.: --- Date Received: 7 January 1982
 Client Sample No.: --- Time Sampled: ---
 Client: C & D Battery, Attn: Richard Rothstein
 Address: Route 255, Huganot, New York 12746
 Name of Water Supply: C & D Battery
 Location of Water Supply: above address
 Sampling Point: Well CD-5
 Collected By: Craig Warle of ERM Northeast

RESULTS

pH.....	5.9
Conductivity (in Mhos).....	216
 <u>Chemical Tests</u>	
Total Dissolved Solids.....	165
Alkalinity (as CaCO ₃)*.....	31
Arsenic.....	less than 0.005
Barium.....	1.3
Cadmium.....	less than 0.01
Hexavalent Chromium.....	less than 0.01
Copper.....	less than 0.05
Mercury.....	less than 0.0002
Lead.....	0.02
Selenium.....	less than 0.005
Zinc.....	less than 0.05
Sulfate.....	31
Silver.....	less than 0.01
Sodium.....	13
Calcium.....	16
Magnesium.....	3.3
Potassium.....	20
Chloride.....	0.74
Fluoride.....	38

CD 002985

inflection point at pH 5.1 D-68

By: Jim E. Yutton

SANITARY SCIENCE & LABORATORIES, INC.

555 ROUTE 94, NEW WINDSOR - NEWBURGH, NEW YORK 12550 - PHONE (914) 562-4392

EXAMINATION OF WATER

Sample No.: 82-12 Date Reported: 29 January 1982
 Work Order No.: T82-7 Date Collected: 7 January 1982
 Purchase Order No.: --- Date Received: 7 January 1982
 Client Sample No.: --- Time Sampled: ---
 Client: C & D Battery, Attn: Richard Rothstein
 Address: Route 200, Huguenot, New York 12746
 Owner of Water Supply: C & D Battery
 Location of Water Supply: above address
 Sampling Point: Production Well
 Collected By: Craig Werle of ERM Northeast

RESULTS

pH.....	6.7	
Conductivity (in Mhos).....	120	
<u>Chemical Tests</u>	<u>mg/l</u>	
Total Dissolved Solids.....	98	
Alkalinity (as CaCO ₃)*.....	19	
Arsenic.....	less than 0.005	
Barium.....	less than 0.5	
Cadmium.....	less than 0.01	
Hexavalent Chromium.....	less than 0.01	
Copper.....	1.5	
Mercury.....	less than 0.0002	
Lead.....	0.15	
Selenium.....	less than 0.005	
Zinc.....	0.78	
Sulfate.....	25	
Silver.....	less than 0.01	
Sodium.....	6.5	
Calcium.....	12	
Magnesium.....	2.3	
Potassium.....	1.4	CD 002986
Chloride.....	0.66	
Fluoride.....	0.10	

*To inflection point at pH 5.1 D-69

By: Ila G. Fulton
Ila G. Fulton, Ph.D.

SANITARY SCIENCE
&
LABORATORIES, INC.

555 ROUTE 9A, NEW WINDSOR - NEWBURGH, NEW YORK 12550 - PHONE (914) 562-4392

EXAMINATION OF SOIL

Sample No.: 81-2652 Date Reported: 28 October 1981
Work Order No.: 781-300 Date Collected: 15 October 1981
Purchase Order No.: _____ Date Received: 16 October 1981
Client Sample No.: --- Time Sampled: ---
Client: C & D Battery, Attn: Richard Rothstein
Address: Route 209, Huguenot, New York 12746
Owner of Soil Supply: C & D Battery
Location of Soil Supply: above address
Sampling Point: not known
Collected By: Company Employee


RESULTS

Dry Weight.....	76.03
pH.....	5.6
Oil & Grease.....	7,185 mg/kg
Fluoride.....	2.8 mg/kg
Arsenic.....	4.39 mg/kg
Barium.....	1,278 mg/kg
Cadmium.....	1,060 mg/kg
Chromium.....	21.9 mg/kg
Lead.....	2,119 mg/kg
Mercury.....	0.15 mg/kg
Selenium.....	0.15 mg/kg
Silver.....	less than 0.33 mg/kg
Zinc.....	3,191 mg/kg

By: Ila G. Fulton
Ila G. Fulton, Ph.D.
Laboratory Director

TABLE 3-2
NEW YORK STATE LIMITATIONS
ON WATER QUALITY IMPACTS
FOR SELECTED PARAMETERS
FOR GLASS GA GROUND WATER

<u>Parameter</u>	<u>Maximum Level (mg/l)</u>
Arsenic	0.025
Barium	1.00
Cadmium	0.01
Chloride	250
Chromium (hexavalent)	0.05
Copper	1.00
Fluoride	1.50
Lead	0.025
Mercury	0.002
Selenium	0.02
Silver	0.05
Zinc	5.00



Environmental Resources Management, Inc.

Chemical analysis of water from the spring and from the tributary creek at a point downstream from the spring show fluoride values considerably below New York State standards, but elevated slightly above the extremely low fluoride background levels in the wells upgradient from the lagoon. The fluoride value of 0.83 ppm at the spring shows the effects of rapid dilution a short distance downstream, where the fluoride value was found to be 0.38 ppm. Upstream from the seep, fluoride, lead, and barium values are all below the limits of detection of the analyses.

SECTION 4

CONCLUSIONS AND RECOMMENDATIONS

4.1 Conclusions

The work performed in the second phase of the investigation has provided a clearer understanding of the movement of ground water in the vicinity of the lagoon. A number of inferences can now be made regarding subsurface migration or the lack of migration of certain chemical constituents from the lagoon bottom soils. The following conclusions can be drawn from the data presented in this report:

1. The regional flow pattern in the area of the C&D Batteries plant is toward the east and east-southeast. The pattern has been modified somewhat in the vicinity of the lagoon adjacent to the plant. In this area, a ground water mound has formed, resulting in steepened ground water gradients in the downgradient directions from the lagoon, toward the north-east, east, and southeast. Ground water movement in the vicinity of the lagoon is controlled by the topography and the location of the tributary stream east and northeast of the lagoon and by grain size variations in the unconsolidated sediments downgradient from the lagoon.
2. Ground water quality has been impacted somewhat in the downgradient directions from the lagoon, as indicated by the increases in the levels of the ground water indicator parameters tested, as compared to levels in upgradient wells. Drinking water standards were found to be exceeded for fluoride in the five new monitoring wells although to a lesser degree than in wells located nearer the lagoon, and lead was found to exceed the standards in one well.
3. Significant attenuation of fluoride and barium occurs in the soil over the relatively short distance from the inner ring of monitoring wells to the outer ring. Attenuation is greatest in those directions in which finer grained sediments were encountered, i.e., in the direction of Wells CD-8, CD-9, and CD-10.

4. Water in the lagoon does not pick up contaminants from contact with the lagoon bottom soils, probably because of its short residence time in the lagoon.
5. Impacts on surface water in the tributary stream northeast of the lagoon are negligible as a result of attenuation in the soil and dilution of the spring water that reaches the stream. No impacts on the water in the marsh resulting from the existence of the lagoon were discernible.

4.2 Recommendations

The following recommendations are made based on the findings of ERM's investigation. The recommended actions are aimed at (1) stopping the outflow of contaminants from the lagoon to the ground water, (2) monitoring the effects of this stoppage in reducing the concentrations of the various chemical parameters in the ground water beneath the plant property, and (3) determining whether any further mitigative action will be required.

1. Disposal of non-contact cooling water in the lagoon should be discontinued to stop the flow of water through the contaminated soils in the bottom of the lagoon to the ground water table.
2. Changes in ground water conditions and quality should be monitored after cooling water disposal in the lagoon ceases. The ground water in all of the wells around the lagoon should be sampled and chemically analyzed for those parameters that were found to occur at concentrations significantly above the background values in the upgradient wells.
3. The lagoon can be backfilled with material of low permeability and the planned building expansion constructed to cut off vertical infiltration through the buried lagoon soils.

APPENDIX

D-92


CD 002992

DRILLING LOGS AND
WELL INSTALLATION

Environmental Resources Management

Drilling Log

Project C&D Batteries Owner _____
 Location Huguenot, NY W.O. Number _____
 Well Number CD-6 Total Depth 42.5' Diameter 6"
 Surface Elevation 470.62 Water Level: Initial 29.8' 24-hrs. 28.66'
 Screen: Dia. 2" Length 10' Slot Size .010
 Casing: Dia. 2" Length 35' Type PVC
 Drilling Company Empire Soils Drilling Method Holl. Stem Auger
 Driller Mike Warner Log By C. Werle Date Drilled 3/1/82



Notes

Depth (Feet)	Graphic Log	Well Construction	Sample Number	Description/Soil Classification (Color, Texture, Structures)
			1	Grayish brown medium to coarse sand, gravel and small cobbles to 2"-minor fine sand and silt.
5			2	Coarse sand, gravel, cobbles with reddish silty clay coating.
10			3	Well sorted tannish brown medium to coarse sand, some pebbles - reddish silty coating.
15			4	Same as above.
20			5	Gravel and cobbles with minor medium and coarse sand - red silty clay stringer interbedded with coarse material.
25			6	Medium to coarse sand and gravel, some small stones, approximately 2%-3% fine sand and silt.
30			7	Coarse sand and gravel, some small cobbles, brown silty coating on all material; sample wet.
35			8	Dark tannish brown medium to coarse sand and gravel, some larger stones.
40			9	Same as above.
45				

CD 002994

Environmental Resources Management

Drilling Log

Project C&D Batteries Owner _____
 Location Huguenot, NY W.O. Number _____
 Well Number CD-7 Total Depth 29' Diameter 6"
 Surface Elevation 459.07 Water Level: Initial 17.0 24-hrs. 16.39
 Screen: Dia. 2" Length 10' Slot Size .010
 Casing: Dia. 2" Length 21' Type PVC
 Drilling Company Empire Soils Drilling Method Holl. Stem Auger
 Driller Mike Warner Log By C. Werle Date Drilled 3/3/82

Sketch Map

Notes

Depth (Feet)	Graphic Log	Well Construction	Sample Number	Description/Soil Classification (Color, Texture, Structures)
0-5	[Dotted pattern]	[Vertical line with small circles]	1	Well-sorted tannish brown very fine sand, small number of small (1/4"-1/2") pebbles.
5-10	[Dotted pattern]	[Vertical line with small circles]	2	Tan brown very fine sand to coarse silt, totally homogeneous.
10-15	[Dotted pattern]	[Vertical line with small circles]	3	Tan very fine sand, sharp contact with coarse-horizon consisting of medium to coarse sand and gravel, some interstitial silt.
15-20	[Dotted pattern]	[Vertical line with small circles]	4	Coarse sand and gravel above 1" thick reddish tan clay - cohesive and plastic, below clay is brown well-sorted medium sand.
20-25	[Dotted pattern]	[Vertical line with small circles]	5	Medium and coarse sand, gravel, pebbles - silty coating on all material.
25-30	[Dotted pattern]	[Vertical line with small circles]	6	Medium to coarse sand with some gravel, grading into medium sand with minor interstitial silt.
30-35	[Dotted pattern]	[Vertical line with small circles]	7	Same as above.

CD 002995

Environmental Resources Management

Drilling Log

Project C&D Batteries Owner _____
 Location Huguenot, NY W.O. Number _____
 Well Number CD-8 Total Depth 33.0' Diameter 6"
 Surface Elevation 460.82 Water Level: Initial 23.5' 24-hrs. _____
 Screen: Dia. 2" Length 10' Slot Size .010
 Casing: Dia. 2" Length 25' Type PVC
 Drilling Company Empire Soils Drilling Method Holl. Stem Auger
 Driller Mike Warner Log By C. Werle Date Drilled 3/4/82

Sketch Map

Notes

Depth (Feet)	Graphic Log	Well Construction	Sample Number	Description/Soil Classification (Color, Texture, Structures)
			1	Brown, organic-rich fine sand and silt, some pebbles, minor interstitial plastic brown clay.
5			2	Dark brown silty, clayey matrix with gravel and pebbles-material cohesive and moderately plastic.
10			3	Tan, very well sorted coarse silt.
15			4	Tan well sorted silt, as above, grading into tan silty clay - sample damp.
20			5	Brownish tan medium and fine sand with interstitial silt, grading into reddish tan, plastic, cohesive silty clay.
25			6	Well sorted brown fine sand and silt, occasional pebbles.
30			7	Same as above, no pebbles.
35			8	Brown fine sand and silt with slight grain size variation over length of sample.

CD 002996

Environmental Resources Management

Drilling Log

Project C&D Batteries Owner _____
 Location Huguenot, NY W.O. Number _____
 Well Number CD-9 Total Depth 33.0' Diameter _____
 Surface Elevation 462.41 Water Level: Initial 24.35' 24-hrs. 20.56'
 Screen: Dia. 2" Length 10' Slot Size .010
 Casing: Dia. 2" Length 25' Type PVC
 Drilling Company Empire Soils Drilling Method Holl Stem Auger
 Driller Mike Warner Log By C. Werle Date Drilled 3/3/82

Sketch Map

Notes

Depth (Feet)	Graphic Log	Well Construction	Sample Number	Description/Soil Classification (Color, Texture, Structures)
			1	Tannish brown fine sand and silt, some pebbles.
5			2	Dark tan, very well sorted silt, sample totally homogeneous.
10			3	Same as above.
15			4	Tan silt, as above, with interbedded laminae of lavender silty clay, sample wet.
20			5	Brown silty clay, sample cohesive and plastic interbedded horizons of brownish black medium sand with interstitial silt.
25			6	Brown fine and medium sand with interstitial silt sample somewhat cohesive.
30			7	Brown fine sand, percent silt in sample varies vertically.
35			8	Dark brown medium and fine sand with some interstitial silt.

CD 002997

Environmental Resources Management

Drilling Log

Project C&D Batteries Owner _____
 Location Huquenot, NY W.O. Number _____
 Well Number CD-10 Total Depth 35' Diameter 6"
 Surface Elevation 462.42 Water Level: Initial 23' 24-hrs. 20.6'
 Screen: Dia. 2" Length 10' Slot Size .010
 Casing: Dia. 2" Length 25' Type PVC
 Drilling Company Empire Soils Drilling Method Holl. Stem Auger
 Driller Mike Warner Log By C. Werle Date Drilled 3/2/82

Sketch Map
 CD-8 CD-9 CD-10
 CD-7
 LAG 000 BLD'G
 Notes

Depth (Feet)	Graphic Log	Well Construction	Sample Number	Description/Soil Classification (Color, Texture, Structures)
			1	Brown fine sand and silt with pebbles.
5			2	Very well sorted, tannish brown coarse silt.
10			3	Tan well sorted silt.
15			4	Tan clayey silt, well sorted, cohesive, plastic, sample wet.
20			5	Brown fine sand with minor amount of silt, sample well sorted.
25			6	Same as above.
30			7	Brown fine and medium sand, silt present as coating on grains.
35			8	Brown clayey silt, sample fairly cohesive and plastic, some fine sandy horizons 1/2" to 1" thick.

CD 002998

D.13



Thomas C. Jorling
Commissioner

New York State Department of Environmental Conservation
21 South Putt Corners Road
New Paltz, New York 12561-1696
(914) 255-5453

CERTIFIED MAIL
RETURN RECEIPT REQUESTED
P 076 048 173

November 10, 1987

C & D Power Systems, Inc.
P.O. Box 209, Route 209
Huguenot, New York 12746

ATTN: Mr. Michael Langan
Plant Engineer

RE: SPDES Compliance Sampling Results
C & D Battery
SPDES Permit No. NY-0096938
Deer Park(I), Orange County, Industrial

Dear Mr. Langan:

On October 21, 1987 you were forwarded a copy of the results of sampling which was performed by this Department with respect to the State Pollutant Discharge Elimination System (SPDES) Permit at the referenced facility.

The results indicate the presence of the following substances at the time of sampling:

<u>Location/Parameter</u>	<u>Value</u>	<u>Comments</u>
<u>001-Septic Tank Effluent</u>		
Methylene Chloride	950 ug/l	Not Authorized for Discharge
1,4-Dichlorobenzene	95 ug/l	Violation of Water Quality Standard
Phenol	18 ug/l	Violation of Water Quality Standard
Calcium	12825 ug/l	No Action Required
Chromium	13 ug/l	Not Authorized for Discharge

4 22 V
A
10

D-99

CD 002999

• Copper	97 ug/l	Not Authorized for Discharge
• Iron	735 ug/l	Violation of Water Quality Standard
• Lead	480 ug/l	Permit Limit Compliance
Magnesium	2944 ug/l	No Action Required
• Manganese	39 ug/l	No Action Required
Nickel	13 ug/l	Not Authorized for Discharge
Potassium	9989 ug/l	No Action Required
Sodium	22187 ug/l	No Action Required
• Zinc	132 ug/l	Not Authorized for Discharge
<u>Monitoring Well</u>		
Aluminum	11079 ug/l	Violation of Water Quality Standard
• Arsenic	4.2 ug/l	No Action Required
• Barium	81 ug/l	No Action Required
Beryllium <i>No</i>	0.9 ug/l	No Action Required
• Cadmium	7 ug/l	No Action Required
<i>NP</i> Calcium	14968 ug/l	No Action Required
• Chromium	36 ug/l	No Action Required
Cobalt <i>No</i>	29 ug/l	No Action Required
• Copper	103 ug/l	No Action Required
• Iron	22078 ug/l	Violation of Water Quality Standard
• Lead	77 ug/l	Violation of Water Quality Standard
Cyanide	35.2 ug/l	No Action Required

NI ² Magnesium	7231 ug/l	No Action Required
• Manganese	746 ug/l	Violation of Water Quality Standard
Nickel	39 ug/l	No Action Required
Potassium	3231 ug/l	No Action Required
Sodium	15151 ug/l	No Action Required
Vanadium <i>50 Normal</i>	25 ug/l	No Action Required
• Zinc	164 ug/l	No Action Required
<u>002-Cooling Water To Discharge</u>		
Aluminum	163 ug/l	Not Authorized for Discharge
Beryllium	0.9 ug/l	Not Authorized for Discharge
• Cadmium	11 ug/l	Not Authorized for Discharge
Calcium	10805 ug/l	No Action Required
• Chromium	16 ug/l	Not Authorized for Discharge
Cobalt	13 ug/l	Not Authorized for Discharge
• Copper	93 ug/l	Not Authorized for Discharge
• Iron	455 ug/l	Not Authorized for Discharge
• Lead	36 ug/l	Permit Limit Compliance
Magnesium	2679 ug/l	No Action Required
• Manganese	36 ug/l	Not Authorized for Discharge
Nickel	13 ug/l	Not Authorized for Discharge

C & D Power Systems, Inc.
November 10, 1987
Page 4

Potassium	1175 ug/l	No Action Required
Sodium	8674 ug/l	No Action Required
Vanadium	8 ug/l	Not Authorized for Discharge
Zinc	67 ug/l	Not Authorized for Discharge

Please be advised that the discharge of substances not authorized by the SPDES Permit constitutes a violation of said permit and Article 17 of the Environmental Conservation Law. It is requested that you perform a short-term high-intensity monitoring program for the parameters which have been identified above as present but not authorized for discharge or that are in violation of Water Quality Standards. This program will consist of grab samples and flow measurements collected on each of three(3) consecutive operating days or discharge events. The samples must be analyzed according to the procedures specified in 40 CFR Part 136 using a limit of detection of at least the level utilized by this Department. Please submit the results of this sampling and the associated flow measurements within 60 days of the date of this letter. Upon receipt, this Department will evaluate the results and notify you regarding the need for a Permit modification and/or additional action to be taken, if necessary. Failure to comply with this request could result in this Department's taking more stringent measures to effect compliance with the SPDES Permit.


A review of the sample results indicates the potential for both surface and groundwater contamination exists. The results also indicate numerous violations of Article 17 of the Environmental Conservation Law. I have tentatively scheduled a compliance conference for December 1, 1987 at 10 a.m. to resolve this matter. Your attendance is required. I will be contacting you by telephone to confirm this date and to discuss topics of the conference.

Be advised that compliance with all terms and conditions of the SPDES Permit is the responsibility of the Permittee. Failure to comply could be punishable by fines of up to \$10,000 per day and/or one year imprisonment for each violation.

C & D Power Systems, Inc.
November 10, 1987
Page 5

Your cooperation in complying with your SPDES Permit and the protection of New York's water will be appreciated. I can be reached at (914) 255-5453 if you should have any questions or need assistance.

Very truly yours,



Shayne A. Mitchell
Assistant Sanitary Engineer
Region 3, Division of Water

SAM/ar

cc: Orange County Health Department


D-103

CD 003003

EnviroTest
Laboratories Inc.

D.14
315 Fullerton Avenue
Newburgh, NY 12550
(914) 562-0890

MONITORING WELL
SANITARY



January 6, 1988

C&D Power Systems
Box 209, Route 209
Huguenot, New York 12746

Attention: Mike Langan

SUBJECT: RESULTS OF WATER ANALYSES, SAMPLES RECEIVED
12/17/87 AND 12/18/87, LAB #60528 AND #60586.

Dear Mr. Langan:

Enclosed please find the subject data for your review. All analyses were performed according to EPA accepted methodologies.

If there are any questions regarding this data, please do not hesitate to contact my office.

Very truly yours,

ENVIROTEST LABORATORIES, INC.


Ronald A. Bayer
President

RAB/pkd

D-104

CD 003004

EnviroTest Laboratories Inc.

S. M. H. H. H.

315 Fullerton Ave
Newburgh, N
(914) 562-0890

LAB#: 60528-001 DATE REC'D: 87/12/17
LNAME: C & D
STREET:
SPL LOCATION: 87-12-007A sanitary

DATE CCLL'D: 87/12/16 STATUS: c
FNAME:
CITY: STATE: ZIP:

REPORT TO: same
BILL TO: same

T COLI :	Cr+6 :	COD :
F COLI :	Phenol : 0.17	HARD-T :
SPC :	CN : 0.02	Ca Hard :
F :	B :	SO3 :
NO3 :	Br :	Cl :
NO2 :	Color :	Alk :
T-PO4 :	Odor :	SOD-Inf :
O-PO4 :	Turb :	BOD-Eff :
SO4 :	pH :	SOD-S :
MBAS :	LI :	TSS-Inf :
SiO2 :	Cond :	TSS-Eff :
H2S :	NH3-T :	MLSS :
NH3-C :	TKN :	MLVSS :
VSS :	Ca : 13	K : 13
TS :	Cr : <0.05	Se :
VS :	Co : 0.01	Ag :
TDS :	Cu : 0.04	Na : 31
SS :	Au :	Tl :
% SOL :	Fe : 0.28	Sn :
G & O :	Pb : 0.75	Ti :
Al : 0.32	Mg : 3.0	V : <0.05
Sb :	Mn : 0.03	Zn : 0.27
As : <5.0 ug/l	Hg :	THM :
Sa : <0.05	Mo :	TOC :
Se : <0.005	Ni : <0.04	
Cd : <0.01	Pd :	

Remarks: All results in mg/l unless otherwise indicated.

RMB

Ronald A. Bayer
Laboratory Director 12/30/

CD 003005

D-105

Central Water 002

LAB#: 60528-003 DATE REC'D: 87/12/18 DATE COLL'D: 87/12/16 STATUS: close
NAME: C & D
STREET: CITY: STATE: ZIP:
SPL LOCATION: 87-12-017A COLL'D BY:


REPORT TO: same
BILL TO: same

VOLATILE ORGANICS ANALYSIS

Bromodichloromethane	:	Tetrachloroethylene	:
Bromoform	:	Trans-1,3-dichloropropene	:
Bromomethane	:	Trans-1,2-dichloroethylene	:
Carbon tetrachloride	:	1,1,1-trichloroethane	:
Chlorobenzene	:	1,1,2-trichloroethane	:
Chloroethane	:	Trichloroethylene	:
2-chloroethylvinyl ether	:	Trichlorofluoromethane	:
Chloroform	:	1,1,2-trichloro-1,2,2-	:
Chloromethane	:	trifluoroethane	:
Cis-1,3-dichloropropene	:	Vinyl chloride	:
Dibromochloromethane	:		
1,1-dichloroethane	:	Benzene	:
1,2-dichloroethane	:	1,2-dichlorobenzene	:
1,1-dichloroethylene	:	1,3-dichlorobenzene	:
1,2-dichloropropane	:	1,4-dichlorobenzene	:
Methylene chloride	:	Ethylbenzene	:
1,1,2,2-tetrachloroethane	:	Toluene	:
		Total Xylenes	:

All results in ug/l.

Remarks: All EPA 601 <1.0 ug/l.


Ronald A. Bayer
Laboratory Director 1/5/88

D-107

CD 003007

EnviroTest Laboratories Inc.

315 Fullerton Ave
Newburgh, NY 12
(914) 562-0890


Cooling Water 002

LAB#: 60526-003 DATE REC'D: 87/12/17 DATE COLL'D: 87/12/16 STATUS: close
 NAME: C & D FNAME:
 STREET: CITY: STATE: ZIP:
 SPL LOCATION: 87-12-017A cooling water

REPORT TO: same
 BILL TO: same

T COLI :	Cr+6 :	COD :
F COLI :	Phenol : <0.01	HARD-T :
SPC :	CN : <0.005	Ca Hard :
F :	B :	SO3 :
NO3 :	Br :	Cl :
NO2 :	Color :	Alk :
T-PO4 :	Odor :	SOD-Inf :
O-PO4 :	Turb :	BCD-Eff :
SO4 :	pH :	SOD-S :
MBAS :	LI :	TSS-Inf :
SI02 :	Cond :	TSS-Eff :
H2S :	NH3-T :	MLSS :
NH3-C :	TKN :	MLVSS :
VSS :	Ca : 9.0	K : 0.73
TS :	Cr : <0.05	Se :
VS :	Co : <0.03	Ag :
TDS :	Cu : 0.01	Na : 7.0
SS :	Au :	Tl :
% SOL :	Fe : 0.07	Sn :
G & O :	Pb : <0.05	Ti :
Al : 0.16	Mg : 2.0	V : <0.05
Sb :	Mn : 0.02	Zn : 0.02
As : <5.0 ug/l	Hg :	THM :
Ba : <0.05	Mo :	TOC :
Be : <0.005	Ni : <0.04	
Cd : <0.01	Pd :	

Remarks: All results in mg/l unless otherwise indicated.


 Ronald A. Bayer
 Laboratory Director 12/30/87

D-108

CD 003008

EnviroTest Laboratories Inc.

315 Fullerton Ave
Newburgh, NY
(914) 562-0811

Monitoring

LAB#: 60528-002 DATE REC'D: 87/12/17
 LNAME: C & D
 STREET:
 SPL LOCATION: 87-12-013A Monitoring

DATE COLL'D: 87/12/16 STATUS: c
 FNAME:
 CITY: STATE: ZIP:

REPORT TO: same
 BILL TO: same

T COLI :	Cr+6 :	COD :
F COLI :	Phenol : <0.01	HARD-T :
SPC :	CN : <0.005	Ca Hard :
F :	B :	SO3 :
NO3 :	Br :	Cl :
NO2 :	Color :	Alk :
T-PO4 :	Odor :	BOD-Inf :
U-PO4 :	Turb :	BOD-Eff :
SO4 :	pH :	BOD-S :
MBAS :	LI :	TSS-Inf :
SiO2 :	Cond :	TSS-Eff :
H2S :	NH3-T :	MLSS :
NH3-C :	TKN :	MLVSS :
VSS :	Ca : 9.9	K : 0.74
TS :	Cr : <0.05	Se :
VS :	Cc : 0.02	Ag :
TDS :	Cu : 0.02	Na : 18
SS :	Au :	Tl :
% SOL :	Fe : 3.1	Sn :
G & O :	Pb : 0.06	Ti :
Al : 0.96	Mg : 2.7	V : <0.05
Sb :	Mn : 0.27	Zn : 0.04
As : <5.0 ug/l	Hg :	THM :
Se : <0.05	Mo :	TOC :
Be : <0.005	Ni : <0.04	
Cd : <0.01	Pd :	

Remarks: All results in mg/l unless otherwise indicated.

RMB
 Ronald A. Bayer
 Laboratory Director 12/3

D-109

CD 003009


LAB#: 60528-002 DATE REC'D: 87/12/18 DATE COLL'D: 87/12/16 STATUS: clo
NAME: C & D CITY: STATE: ZIP:
STREET: COLL'D BY:
SPL LOCATION: 87-12-013A
REPORT TO: same
BILL TO: same

VOLATILE ORGANICS ANALYSIS

Bromodichloromethane	:	Tetrachloroethylene	:
Bromoform	:	Trans-1,3-dichloropropene	:
Bromomethane	:	Trans-1,2-dichloroethylene	:
Carbon tetrachloride	:	1,1,1-trichloroethane	:
Chlorobenzene	:	1,1,2-trichloroethane	:
Chloroethane	:	Trichloroethylene	:
2-chloroethylvinyl ether	:	Trichlorofluoromethane	:
Chloroform	:	1,1,2-trichloro-1,2,2-	:
Chloromethane	:	trifluoroethane	:
Cis-1,3-dichloropropene	:	Vinyl chloride	:
Dibromochloromethane	:		
1,1-dichloroethane	:	Benzene	:
1,2-dichloroethane	:	1,2-dichlorobenzene	:
1,1-dichloroethylene	:	1,3-dichlorobenzene	:
1,2-dichloropropane	:	1,4-dichlorobenzene	:
Methylene chloride	: <1.0	Ethylbenzene	:
1,1,2,2-tetrachloroethane:		Toluene	:
		Total Xylenes	:

All results in ug/l.

Remarks: All EPA 601 <1.0 ug/l.


Ronald A. Bayer
Laboratory Director 1/5/88

EnviroTest Laboratories Inc.

315 Fullerton Ave.
Newburgh, NY
(914) 562-0890

Monitoring Well

pH 6.15

LAB#: 50586-002 DATE REC'D: 87/12/18 DATE COLL'D: 87/12/18 STATUS: closed
 _NAME: C & D FNAME:
 STREET: CITY: STATE: ZIP:
 SPL LOCATION: 87-12-031

REPORT TO: same
 BILL TO: same

T COLI :	Cr+6 :	CCD :
F COLI :	Phenol : <0.01	HARD-T :
SPC :	CN : <0.005	Ca Hard :
F :	B :	SO3 :
NO3 :	Br :	Cl :
NO2 :	Color :	Alk :
T-PO4 :	Odor :	BOD-Inf :
O-PO4 :	Turb :	BOD-Eff :
SO4 :	pH :	BOD-S :
MBAS :	LI :	TSS-Inf :
SiO2 :	Cond :	TSS-Eff :
H2S :	NH3-T :	MLSS :
NH3-C :	TKN :	MLVSS :
VSS :	Ca : 7.8	K : 0.61
TS :	Cr : 0.05	Se :
VS :	Co : 0.02	Ag :
TDS :	Cu : <0.01	Na : 17
SS :	Au :	Tl :
% SCL :	Fe : 1.1	Sn :
S & O :	Pb : <0.05	Ti :
Al : 0.39	Mg : 2.5	V : <0.05
Sb :	Mn : 0.09	Zn : <0.01
As : <5.0 ug/l	Hg :	THM :
Ba : <0.05	Mo :	TOC :
Be : <0.005	Ni : <0.04	
Cd : <0.01	Pd :	

Remarks: All results in mg/l unless otherwise indicated.

Ronald A. Bayer
 Ronald A. Bayer
 Laboratory Director 12/30/87

D-111

CD 003011

Monitoring Well
PH 6.18

LAB#: 60586-002 DATE REC'D: 87/12/18 DATE COLL'D: 87/12/18 STATUS: c/c
NAME: C & D CITY: STATE: ZIP:
STREET: COLL'D BY:
SPL LOCATION: 27-12-031

REPORT TO: same
BILL TO: same

VOLATILE ORGANICS ANALYSIS

Bromodichloromethane	:	Tetrachloroethylene	:
Bromoform	:	Trans-1,3-dichloropropene	:
Bromomethane	:	Trans-1,2-dichloroethylene:	:
Carbon tetrachloride	:	1,1,1-trichloroethane	:
Chlorobenzene	:	1,1,2-trichloroethane	:
Chloroethane	:	Trichloroethylene	:
2-chloroethylvinyl ether	:	Trichlorofluoromethane	:
Chloroform	:	1,1,2-trichloro-1,2,2-	:
Chloromethane	:	trifluoroethane	:
Cis-1,3-dichloropropene	:	Vinyl chloride	:
Dibromochloromethane	:		:
1,1-dichloroethane	:	Benzene	:
1,2-dichloroethane	:	1,2-dichlorobenzene	:
1,1-dichloroethylene	:	1,3-dichlorobenzene	:
1,2-dichloropropane	:	1,4-dichlorobenzene	:
Methylene chloride	: 31	Ethylbenzene	:
1,1,2,2-tetrachloroethane:		Toluene	:
		Total Xylenes	:

All results in ug/l.

Remarks: All other EPA 601 <1.0 ug/l.

Ronald A. Bayer
Ronald A. Bayer
Laboratory Director 1/5/88

EnviroTest Laboratories Inc.

315 Fuller
Newburgh
(914) 562

Cooling Water 002
FH 7.18

LAB#: 60586-003 DATE REC'D: 87/12/18
LNAME: C & D
STREET:
SPL LOCATION: 87-12-032

DATE COLL'D: 87/12/18 STATUS:
FNAME:
CITY: STATE: ZIP:

REPORT TO: same
BILL TO: same

T COLI:	Cr+6 :	COD :
F COLI:	Phenol: <0.01	HARD-T :
SPC :	CN : <0.005	Ca Hard:
F :	B :	SO3 :
NO3 :	Br :	Cl :
NO2 :	Color :	Alk :
T-PO4 :	Odor :	SOD-Inf:
O-PO4 :	Turb :	BOD-Eff:
SO4 :	pH :	SOD-S :
MBAS :	LI :	TSS-Inf:
SiO2 :	Cond :	TSS-Eff:
H2S :	NH3-T :	MLSS :
NH3-C :	TKN :	MLVSS :
VSS :	Ca : 7.3	K : 0.36
TS :	Cr : <0.02	Se :
VS :	Co : <0.01	Ag :
TDS :	Cu : 0.02	Na : 5.8
SS :	Au :	Tl :
% SOL :	Fe : <0.03	Sn :
G & O :	Pb : <0.05	Ti :
Al : 0.12	Mg : 2.0	V : <0.05
Sb :	Mn : 0.02	Zn : 0.02
As : <5.0 ug/l	Hg :	THM :
Ba : <0.05	Mo :	TOC :
Be : <0.005	Ni : 0.04	
Cd : 0.02	Pd :	

Remarks: All results in mg/l unless otherwise indicated.

RMB

Ronald A. Bayer
Laboratory Director 12/7

EnviroTest Laboratories Inc.

315 Fullerton Ave
Newburgh, NY
(914) 562-0890

Sanitary 001

PH 7.62

LAB#: 60585-004 DATE REC'D: 87/12/18
LNAME: C & D
STREET:
SPL LOCATION: 87-12-033

DATE COLL'D: 87/12/18 STATUS: clo
FNAME:
CITY: STATE: ZIP:

REPORT TO: same
BILL TO: same

T COLI:	Cr+6 :	COD :
F COLI:	Phenol: 0.30	HARD-T :
SPC :	CN : 0.03	Ca Hard:
F :	B :	SO3 :
NO3 :	Br :	Cl :
NO2 :	Color :	Alk :
T-PO4 :	Odor :	SOD-Inf:
O-PO4 :	Turb :	BOD-Eff:
SO4 :	pH :	SOD-S :
MBAS :	LI :	TSS-Inf:
SiO2 :	Cond :	TSS-Eff:
H2S :	NH3-T :	MLSS :
NH3-C :	TKN :	MLVSS :
VSS :	Ca : 11	K : 12
TS :	Cr : 0.08	Se :
VS :	Co : 0.02	Ag :
TDS :	Cu : 0.02	Na : 30
SS :	Au :	Tl :
% SOL :	Fe : 0.26	Sn :
G & O :	Pb : 0.48	Ti :
Al : 0.19	Mg : 3.3	V : <0.05
Sb :	Mn : 0.27	Zn : 0.24
As : <5.0 ug/l	Hg :	THM :
Se : <0.05	Mo :	TOC :
Se : <0.005	Ni : 0.04	
Cd : 0.01	Pd :	

Remarks: All results in mg/l unless otherwise indicated.

Ronald A. Bayer
Ronald A. Bayer
Laboratory Director

12/30/87

CD 003015

D-115

SPDES LABORATORY ANALYSIS

MONITORING WELL - SANITARY DRAINFIELD

COMPARISON SHEET

UPDATED: 03-07-88

PARAMETER	8/87 NYDEC (4)	12/16 C8D (7)	12/17 C8D (10)	12/18 C8D (13)	1/19 C8D (19)	1/20 C8D (23)	1/21 C8D (27)	2/10 C8D	2/11 C8D	2/12 C8D
(NYCRR 703.6)	WELL	WELL	WELL	WELL	WELL	WELL	WELL	WELL	WELL	WELL
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
METHYLENE CHLORIDE	0.00	11.00	31.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
1,4-DICHLOROBENZENE	0.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00
PHENOL (2.0 ug/L)	0.00	11.00	15.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00
CALCIUM	14968.00	9900.00	7800.00	7370.00	7250.00	7380.00	7380.00	7380.00	7380.00	7380.00
CHROMIUM (100.0 ug/L Hex)	35.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00
COPPER (1000.0 ug/L)	103.00	20.00	10.00	10.00	20.00	20.00	20.00	20.00	20.00	20.00
IRON (600.0 ug/L)	22078.00	3100.00	2900.00	1100.00	1920.00	5460.00	6610.00	6610.00	6610.00	6610.00
LEAD (Perm = 25 ug/L)	77.00	60.00	15.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00
MAGNESIUM	7231.00	2700.00	2600.00	2500.00	2200.00	2690.00	2920.00	2920.00	2920.00	2920.00
MANGANESE (600.0 ug/L)	745.00	270.00	230.00	90.00	70.00	200.00	260.00	260.00	260.00	260.00
NICKEL (2000.0 ug/L)	39.00	40.00	50.00	40.00	40.00	40.00	40.00	40.00	40.00	40.00
POTASSIUM	3231.00	740.00	700.00	610.00	1200.00	1700.00	2200.00	2200.00	2200.00	2200.00
SODIUM	15151.00	18000.00	17000.00	17000.00	14300.00	14400.00	14500.00	14500.00	14500.00	14500.00
ZINC (5000.0 ug/L)	164.00	40.00	20.00	10.00	20.00	20.00	20.00	20.00	20.00	20.00
ALUMINIUM (2000.0 ug/L)	11079.00	960.00	850.00	390.00	1500.00	3500.00	4900.00	4900.00	4900.00	4900.00
ARSENIC (50.0 ug/L)	4.20	5.00	5.00	5.00	4.00	10.00	10.00	10.00	10.00	10.00
BARIUM (2000.0 ug/L)	81.00	50.00	50.00	50.00	100.00	100.00	100.00	100.00	100.00	100.00
BERYLLIUM	0.90	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
CADMIUM (20.0 ug/L)	7.00	10.00	12.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00
COBALT	29.00	20.00	20.00	20.00	50.00	50.00	50.00	50.00	50.00	50.00
CYANIDE (400.0 ug/L)	35.20	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
VANADIUM	25.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00
pH (6.5-8.5)	ND	6.58	6.18	6.51	6.53	7.09	7.09	7.09	7.13	7.11

FIELD BLANKS

METHYLENE CHLORIDE = 15.00 6.00
TOLUENE = 15.00 15.00

CD 003017

D-117

D.15

SPDES LABORATORY ANALYSIS
COMPARISON SHEET

MAIN PRODUCTION SUPPLY WELL

UPDATED: 03-07-88

	12/15 CND (116)	12/17 CND (115)	12/18 CND (116)	1719 CND (20)	1720 CND (24)	1721 CND (28)	2710 CND	2711 CND	2712 CND
PARAMETER	WELL	WELL	WELL	WELL	WELL	WELL	WELL	WELL	WELL
(6NYCRR 703.6)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
METHYLENE CHLORIDE	1.00	1.00	1.00	5.00	5.00	5.00			
1,4-DICHLOROBENZENE	1.00	1.00	1.00	10.00	10.00	10.00			
PHENOL (2.0 ug/L)	10.00	10.00	10.00	10.00	10.00	10.00			
CALCIUM	9100.00	7600.00	11300.00	10800.00	10900.00	10900.00			
CHROMIUM (100.0 ug/L Hex)	20.00	310.00	50.00	50.00	50.00	50.00	110.00	110.00	110.00
COPPER (1000.0 ug/L)	10.00	10.00	10.00	120.00	120.00	120.00			
IRON (600.0 ug/L)	90.00	130.00	150.00	120.00	120.00	150.00			
LEAD (50.0 ug/L)	10.00	10.00	10.00	150.00	150.00	150.00	15.00	15.00	15.00
MAGNESIUM	2100.00	2200.00	2400.00	2400.00	2320.00	2370.00			
MANGANESE (600.0 ug/L)	20.00	40.00	30.00	30.00	30.00	30.00			
NICKEL (2000.0 ug/L)	40.00	50.00	40.00	40.00	40.00	40.00	40.00	40.00	40.00
POTASSIUM	780.00	330.00	900.00	900.00	900.00	900.00			
SODIUM	6400.00	6400.00	7900.00	8700.00	8600.00	8600.00			
ZINC (5000 ug/L)	20.00	30.00	120.00	120.00	120.00	120.00			
ALUMINUM (2000.0 ug/L)	380.00	240.00	100.00	200.00	200.00	100.00			
ARSENIC (50.0 ug/L)	15.00	15.00	10.00	10.00	10.00	10.00			
BARIUM (2000.0 ug/L)	50.00	50.00	100.00	100.00	100.00	100.00			
BERYLLIUM	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
CADMIUM (20.0 ug/L)	12.00	20.00	15.00	15.00	15.00	15.00			
COBALT	10.00	10.00	10.00	50.00	50.00	50.00	50.00	50.00	50.00
CYANIDE (400.0 ug/L)	5.00	5.00	5.00	15.00	15.00	15.00	10.00	10.00	10.00
VARADUM	150.00	150.00	150.00	150.00	150.00	150.00	150.00	150.00	150.00
pH (6.5 - 8.5)	7.12	7.03	7.35	6.67	7.16	7.16	7.04	6.69	7.15

FIELD-BLANK-PURGABLES

METHYLENE CHLORIDE = 5.00

TOLUENE = 5.00

CD 003018

D-118

RT. 209, P.O. Box 209
Huguenot (Orange County), NY 12746
Telephone: (914) 856-4466

Gibbs & Hill, Inc.
11 Penn Plaza
New York, New York 10001
Attn: Mr. Albert Longoria


10/6/88

Dear Mr. Longoria:

Pursuant to your request for any information regarding groundwater assessment and water analysis, please find enclosed a copy of SEPTIC LEACH FIELD INVESTIGATION REPORT and lab analysis results obtained during January and February samplings conducted at the C & D Charter Power Systems' Huguenot Plant in conjunction with our SPDES Investigation. I wish to apologize for the delay in responding to your request, but the final draft of the ERM, SEPTIC LEACH FIELD INVESTIGATION REPORT was just received this week.

If you should require any additional information or if I can be of further assistance in your PHASE II investigation, feel free to contact me at 914-856-4466.

Sincerely Yours,



Michael M. Langan
Environmental Engineer

Enclosures:

D-119

CD 003019

Lancaster Laboratories

220 NEW HOLLAND PIKE LANCASTER, PA 17601-5994 (717) 656-2301

LIT Sample No. WV 1229419

C & D Power Systems - New York
Rt. 209
P. O. Box 209
Huguenot, NY 12746
88-01-19-2 Monitoring Well Water Sample
Collected on 01/19/88

Date Reported 1/29/88
Date Submitted 1/21/88
Discard Date 2/ 6/88
Collected by C
P.O.
Rel.

ANALYSIS	RESULT AS RECEIVED	LIMIT OF DETECTION	LAB CODE
Antimony	< 4. ug/l	4.	024401950S
Arsenic	< 4. ug/l	4.	024503750S
Beryllium	< 5. ug/l	5.	024701950S
Cadmium	< 5. ug/l	5.	024901950S
Chromium	< 50. ug/l	50.	025101950S
Copper	< 20. ug/l	20.	025301950S
Lead	< 50. ug/l	50.	025501950S
Mercury	< 1. ug/l	1.	025903750S
Nickel	< 40. ug/l	40.	026101950S
Selenium	< 4. ug/l	4.	026403750S
Silver	< 10. ug/l	10.	026601950S
Zinc	20. ug/l	20.	027201950S
Thallium	< 100. ug/l	100.	042201950S
Purgables Method # 624	attached		052034500S
Acid Extractables	attached		055225500S
Base Neutrals	attached		055343500S
Base Neutrals (cont)	attached		055400000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

04197 15.00 135750

Respectfully Submitted
Lancaster Laboratories, Inc.
Reviewed and Approved by:

Nelson H. Risser B.A.
Manager, GC/MS

SEE REVERSE SIDE FOR EXPLANATION
OF SYMBOLS AND ABBREVIATIONS AND
OUR STANDARD TERMS AND CONDITIONS

D-120

CD 003020

The American Association for
Laboratory Accreditation
Chemical & Biological fields of testing



Member American Council of

ANALYSIS REPORT



2125 NEW HOLLAND PIKE LANCASTER PA 17601-5904 (717) 657-2301

LI Sample No. WV 1229419

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-19-2 Monitoring Well Water Sample
 Collected on 01/19/88

Date Reported 1/29/88
 Date Submitted 1/21/88
 Discard Date 2/ 6/88
 Collected by C
 P.O.
 Rel.

	RESULT		LIMIT OF	LAB CODE
	AS RECEIVED		DETECTION	
Purgables Method # 624				
Chloromethane	< 10.	ug/l	10.	082700000S
Bromomethane	< 10.	ug/l	10.	082800000S
Vinyl chloride	< 10.	ug/l	10.	082900000S
Chloroethane	< 10.	ug/l	10.	083000000S
Acrolein	< 100.	ug/l	100.	082400000S
Acrylonitrile	< 100.	ug/l	100.	082500000S
Methylene chloride	< 5.	ug/l	5.	083100000S
Trichlorofluoromethane	< 5.	ug/l	5.	079000000S
1,1-Dichloroethene	< 5.	ug/l	5.	083200000S
1,1-Dichloroethane	< 5.	ug/l	5.	083300000S
trans-1,2-Dichloroethene	< 5.	ug/l	5.	083400000S
Chloroform	< 5.	ug/l	5.	083500000S
1,2-Dichloroethane	< 5.	ug/l	5.	083600000S
1,1,1-Trichloroethane	< 5.	ug/l	5.	083700000S
Carbon tetrachloride	< 5.	ug/l	5.	083800000S
Bromodichloromethane	< 5.	ug/l	5.	083900000S
1,1,2,2-Tetrachloroethane	< 5.	ug/l	5.	084900000S
1,2-Dichloropropane	< 5.	ug/l	5.	084000000S
trans-1,3-Dichloropropene	< 5.	ug/l	5.	084100000S
Trichloroethene	< 5.	ug/l	5.	084200000S
Dibromochloromethane	< 5.	ug/l	5.	084600000S
1,1,2-Trichloroethane	< 5.	ug/l	5.	084500000S
Benzene	< 5.	ug/l	5.	084300000S
cis-1,3-Dichloropropene	< 5.	ug/l	5.	084400000S
2-Chloroethylvinyl ether	< 10.	ug/l	10.	082600000S
Bromoform	< 5.	ug/l	5.	084700000S
Tetrachloroethane	< 5.	ug/l	5.	084800000S
Toluene	< 5.	ug/l	5.	085000000S
Chlorobenzene	< 5.	ug/l	5.	085100000S
Ethylbenzene	< 5.	ug/l	5.	085200000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

Nelson H. Risser B.A.
 Manager, GC/MS

The American Association for
 Laboratory Accreditation
 Chemical & Biological Testing



SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

D-121

CD 003021

Lancaster Laboratories

INCORPORATED

2225 NEW HOLLAND PIKE LANCASTER PA 17601-5994 FAX 717/397-2901

LLI Sample No. HW 1229419

C & D Power Systems-New York
Rt. 209
P. O. Box 209
Huguenot, NY 12746

88-01-19-2 Monitoring Well Water Sample
Collected on 01/19/88

Date Reported 1/29/88
Date Submitted 1/21/88
Discard Date 2/ 6/88
Collected by C
P.O.
Rel.

	RESULT AS RECEIVED	LIMIT OF DETECTION	LAB CODE
Acid Extractables			
2-chlorophenol	< 10. ug/l	10.	064600000S
phenol	< 10. ug/l	10.	065500000S
2-nitrophenol	< 10. ug/l	10.	065100000S
2,4-dimethylphenol	< 10. ug/l	10.	064800000S
2,4-dichlorophenol	< 10. ug/l	10.	064700000S
4-chloro-3-methylphenol	< 10. ug/l	10.	065300000S
2,4,6-trichlorophenol	< 10. ug/l	10.	065600000S
2,4-dinitrophenol	< 25. ug/l	25.	065000000S
4-nitrophenol	< 25. ug/l	25.	065200000S
2-methyl-4,6-dinitrophenol	< 25. ug/l	25.	064900000S
pentachlorophenol	< 25. ug/l	25.	065400000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

CD 003022

Respectfully Submitted
Lancaster Laboratories, Inc.
Reviewed and Approved by:

Richard S. Rodgers, B.S.
Group Leader, GC/MS

D-122



Lancaster Laboratories

INCORPORATED

425 NEW HOLLAND PIKE LANCASTER PA 17601-8994 TEL: 717-656-2301

LLT Sample No. WW 1229419

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-19-2 Monitoring Well Water Sample
 Collected on 01/19/88

Date Reported 1/29/88
 Date Submitted 1/21/88
 Discard Date 2/ 6/88
 Collected by C
 P.O.
 Rel.

	RESULT		LIMIT OF	LAB CODE
	AS RECEIVED		DETECTION	
Base Neutrals				
N-nitrosodimethylamine	< 10.	ug/l	10.	069700000S
bis (2-chloroethyl) ether	< 10.	ug/l	10.	066700000S
1,3-dichlorobenzene	< 10.	ug/l	10.	067700000S
1,4-dichlorobenzene	< 10.	ug/l	10.	067800000S
1,2-dichlorobenzene	< 10.	ug/l	10.	067600000S
bis (2-chloroisopropyl) ether	< 10.	ug/l	10.	066800000S
hexachloroethane	< 10.	ug/l	10.	069200000S
N-nitrosodi-n-propylamine	< 10.	ug/l	10.	069800000S
nitrobenzene	< 10.	ug/l	10.	069600000S
isophorone	< 10.	ug/l	10.	069400000S
bis (2-chloroethoxy) methane	< 10.	ug/l	10.	066600000S
1,2,4-trichlorobenzene	< 10.	ug/l	10.	070200000S
naphthalene	< 10.	ug/l	10.	069500000S
hexachlorobutadiene	< 10.	ug/l	10.	069000000S
hexachlorocyclopentadiene	< 10.	ug/l	10.	069100000S
2-chloronaphthalene	< 10.	ug/l	10.	067200000S
acenaphthylene	< 10.	ug/l	10.	065800000S
dimethyl phthalate	< 10.	ug/l	10.	068100000S
2,6-dinitrotoluene	< 10.	ug/l	10.	068400000S
acenaphthene	< 10.	ug/l	10.	065700000S
2,4-dinitrotoluene	< 10.	ug/l	10.	068300000S
fluorene	< 10.	ug/l	10.	068800000S
4-chlorophenyl phenyl ether	< 10.	ug/l	10.	067300000S
diethyl phthalate	< 10.	ug/l	10.	068000000S
1,2-diphenylhydrazine	< 10.	ug/l	10.	068600000S
N-nitrosodiphenylamine	< 10.	ug/l	10.	069900000S
4-bromophenyl phenyl ether	< 10.	ug/l	10.	067000000S
hexachlorobenzene	< 10.	ug/l	10.	068900000S
phenanthrene	< 10.	ug/l	10.	070000000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

Richard S. Rodgers, B.S.
 Group Leader, GC/MS

D-123

SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

Member Association for
 Laboratory Accreditation
 Chemical & Biological Fields of Testing



Member, American Council of
 Lancaster Laboratories, Inc.

CD 003023

Lancaster Laboratories

2225 NEW HOLLAND PIKE LANCASTER, PA 17601-5981 (717) 656-2301

LLI Sample No. WY 1229419

C & D Power Systems-New York
Rt. 209
P. O. Box 209
Huguenot, NY 12746
88-01-19-2 Monitoring Well Water Sample
Collected on 01/19/88

Date Reported 1/29/88
Date Submitted 1/21/88
Discard Date 2/ 6/88
Collected by C
P.O.
Rel.

	RESULT AS RECEIVED	LIMIT OF DETECTION	LAB CODE
Base Neutrals (cont)			
anthracene	< 10. ug/l	10.	065900000S
di-n-butyl phthalate	< 10. ug/l	10.	068200000S
fluoranthene	< 10. ug/l	10.	068700000S
pyrene	< 10. ug/l	10.	070100000S
benzidine	< 25. ug/l	25.	066000000S
butyl benzyl phthalate	< 10. ug/l	10.	067100000S
benzo (a) anthracene	< 10. ug/l	10.	066100000S
chrysene	< 10. ug/l	10.	067400000S
3,3'-dichlorobenzidine	< 25. ug/l	25.	067900000S
bis (2-ethylhexyl) phthalate	< 10. ug/l	10.	066900000S
di-n-octyl phthalate	< 10. ug/l	10.	068500000S
benzo (b) fluoranthene	< 10. ug/l	10.	066300000S
benzo (K) fluoranthene	< 10. ug/l	10.	066500000S
benzo (a) pyrene	< 10. ug/l	10.	066200000S
indeno (1,2,3-cd) pyrene	< 10. ug/l	10.	069300000S
dibenzo (a,h) anthracene	< 10. ug/l	10.	067500000S
benzo (ghi) perylene	< 10. ug/l	10.	066400000S

1 COPY TO C & D Power Systems ATTN: Mike Langan

Respectfully Submitted
Lancaster Laboratories, Inc.
Reviewed and Approved by:

Richard S. Rodgers, B.S.
Group Leader, GC/MS

D-124

SEE REVERSE SIDE FOR EXPLANATION
OF SYMBOLS AND ABBREVIATIONS AND
OUR STANDARD TERMS AND CONDITIONS

CD 003024

The American Association for
Laboratory Accreditation
Chemical & Biological Fields of Testing



Member, American Council of

ANALYSIS REPORT



2425 NEW HOLLAND PIKE LANCASTER PA 17601-5884 (717) 296-2301

LLI Sample No. WW 1229420

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-19-3 Cooling Water Sample
 Collected on 01/19/88

Date Reported 1/29/88
 Date Submitted 1/21/88
 Discard Date 2/ 6/88
 Collected by C
 P.O.
 Rel.

ANALYSIS	RESULT AS RECEIVED	LIMIT OF DETECTION	LAB CODE
Antimony	5. ug/l	4.	024401950S
Arsenic	< 4. ug/l	4.	024503750S
Beryllium	< 5. ug/l	5.	024701950S
Cadmium	< 5. ug/l	5.	024901950S
Chromium	< 50. ug/l	50.	025101950S
Copper	< 20. ug/l	20.	025301950S
Lead	310. ug/l	50.	025501950S
Mercury	< 1. ug/l	1.	025903750S
Nickel	< 40. ug/l	40.	026101950S
Selenium	< 4. ug/l	4.	026403750S
Silver	< 10. ug/l	10.	026601950S
Zinc	60. ug/l	20.	027201950S
Thallium	< 100. ug/l	100.	042201950S
Purgables Method # 624	attached		052034500S
Acid Extractables	attached		055225500S
Base Neutrals	attached		055343500S
Base Neutrals (cont)	attached		055400000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Lancaster Laboratories

225 NEW HOLLAND PIKE LANCASTER, PA 17301-5984 TEL 717/858-2301

LLI Sample No. WV 1229420

C & D Power Systems - New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-19-3 Cooling Water Sample
 Collected on 01/19/88

Date Reported 1/29/88
 Date Submitted 1/21/88
 Discard Date 2/ 6/88
 Collected by C
 P.O.
 Rel.

	RESULT	LIMIT OF	LAB CODE
	AS RECEIVED	DETECTION	
Purgables Method # 624			
Chloromethane	< 10. ug/l	10.	082700000S
Bromomethane	< 10. ug/l	10.	082800000S
Vinyl chloride	< 10. ug/l	10.	082900000S
Chloroethane	< 10. ug/l	10.	083000000S
Acrolein	< 100. ug/l	100.	082400000S
Acrylonitrile	< 100. ug/l	100.	082500000S
Methylene chloride	< 5. ug/l	5.	083100000S
Trichlorofluoromethane	< 5. ug/l	5.	079000000S
1,1-Dichloroethene	< 5. ug/l	5.	083200000S
1,1-Dichloroethane	< 5. ug/l	5.	083300000S
trans-1,2-Dichloroethene	< 5. ug/l	5.	083400000S
Chloroform	< 5. ug/l	5.	083500000S
1,2-Dichloroethane	< 5. ug/l	5.	083600000S
1,1,1-Trichloroethane	< 5. ug/l	5.	083700000S
Carbon tetrachloride	< 5. ug/l	5.	083800000S
Bromodichloromethane	< 5. ug/l	5.	083900000S
1,1,2,2-Tetrachloroethane	< 5. ug/l	5.	084900000S
1,2-Dichloropropane	< 5. ug/l	5.	084000000S
trans-1,3-Dichloropropene	< 5. ug/l	5.	084100000S
Trichloroethene	< 5. ug/l	5.	084200000S
Dibromochloromethane	< 5. ug/l	5.	084600000S
1,1,2-Trichloroethane	< 5. ug/l	5.	084500000S
Benzene	< 5. ug/l	5.	084300000S
cis-1,3-Dichloropropene	< 5. ug/l	5.	084400000S
2-Chloroethylvinyl ether	< 10. ug/l	10.	082600000S
Bromoform	< 5. ug/l	5.	084700000S
Tetrachloroethene	< 5. ug/l	5.	084800000S
Toluene	< 5. ug/l	5.	085000000S
Chlorobenzene	< 5. ug/l	5.	085100000S
Ethylbenzene	< 5. ug/l	5.	085200000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

Nelson H. Risser B.A.
 Manager, GC/MS

D-126

SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

The American Association for
 Laboratory Accreditation
 Chemical & Biological fields of testing



ANALYSIS REPORT



2295 NEW HOLLAND PKE LANCASTER, PA 17601-6994

LLI Sample No. WW 1229420

C & D Power Systems-New York
Rt. 209
P. O. Box 209
Huguenot, NY 12746
88-01-19-3 Cooling Water Sample
Collected on 01/19/88

Date Reported 1/29/88
Date Submitted 1/21/88
Discard Date 2/ 6/88
Collected by C
P.O.
Rel.

	RESULT		LIMIT OF	LAB CODE
	AS RECEIVED		DETECTION	
Acid Extractables				
2-chlorophenol	< 10. ug/l		10.	064600000S
phenol	< 10. ug/l		10.	065500000S
2-nitrophenol	< 10. ug/l		10.	065100000S
2,4-dimethylphenol	< 10. ug/l		10.	064800000S
2,4-dichlorophenol	< 10. ug/l		10.	064700000S
4-chloro-3-methylphenol	< 10. ug/l		10.	065300000S
2,4,6-trichlorophenol	< 10. ug/l		10.	065600000S
2,4-dinitrophenol	< 25. ug/l		25.	065000000S
4-nitrophenol	< 25. ug/l		25.	065200000S
2-methyl-4,6-dinitrophenol	< 25. ug/l		25.	064900000S
pentachlorophenol	< 25. ug/l		25.	065400000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

CD 003027

Respectfully Submitted
Lancaster Laboratories, Inc.
Reviewed and Approved by:

Richard S. Rodgers, B.S.
Group Leader, GC/MS

D-127

SEE REVERSE SIDE FOR EXPLANATION
OF SYMBOLS AND ABBREVIATIONS AND
OUR STANDARD TERMS AND CONDITIONS



Lancaster Laboratories

215 NEW HOLLAND PIKE LANCASTER PA 17601-6994 (717) 396-2300

LLI Sample No. WV 1229420

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-19-3 Cooling Water Sample
 Collected on 01/19/88

Date Reported 1/29/88
 Date Submitted 1/21/88
 Discard Date 2/ 6/88
 Collected by C
 P.O.
 Rel.

	RESULT	LIMIT OF	LAB CODE
	AS RECEIVED	DETECTION	
Base Neutrals	< 10. ug/l	10.	069700000S
N-nitrosodimethylamine	< 10. ug/l	10.	066700000S
bis (2-chloroethyl) ether	< 10. ug/l	10.	067700000S
1,3-dichlorobenzene	< 10. ug/l	10.	067800000S
1,4-dichlorobenzene	< 10. ug/l	10.	067600000S
1,2-dichlorobenzene	< 10. ug/l	10.	066800000S
bis (2-chloroisopropyl) ether	< 10. ug/l	10.	069200000S
hexachloroethane	< 10. ug/l	10.	069800000S
N-nitrosodi-n-propylamine	< 10. ug/l	10.	069600000S
nitrobenzene	< 10. ug/l	10.	069400000S
isophorone	< 10. ug/l	10.	066600000S
bis (2-chloroethoxy) methane	< 10. ug/l	10.	070200000S
1,2,4-trichlorobenzene	< 10. ug/l	10.	069500000S
naphthalene	< 10. ug/l	10.	069000000S
hexachlorobutadiene	< 10. ug/l	10.	069100000S
hexachlorocyclopentadiene	< 10. ug/l	10.	067200000S
2-chloronaphthalene	< 10. ug/l	10.	065800000S
acenaphthylene	< 10. ug/l	10.	068100000S
dimethyl phthalate	< 10. ug/l	10.	068400000S
2,6-dinitrotoluene	< 10. ug/l	10.	065700000S
acenaphthene	< 10. ug/l	10.	068300000S
2,4-dinitrotoluene	< 10. ug/l	10.	068800000S
fluorene	< 10. ug/l	10.	067300000S
4-chlorophenyl phenyl ether	< 10. ug/l	10.	068000000S
diethyl phthalate	< 10. ug/l	10.	068600000S
1,2-diphenylhydrazine	< 10. ug/l	10.	069900000S
N-nitrosodiphenylamine	< 10. ug/l	10.	067000000S
4-bromophenyl phenyl ether	< 10. ug/l	10.	068900000S
hexachlorobenzene	< 10. ug/l	10.	070000000S
phenanthrene	< 10. ug/l	10.	

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

Richard S. Rodgers, B.S.
 Group Leader, GC/MS

D-128

CD 003028

The American Association for
 Laboratory Accreditation
 Chemical & Biological fields of testing



SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

Member American Council of
 Independent Laboratories, Inc.

Lancaster Laboratories

2225 NEW HOLLAND PIKE LANCASTER, PA 17601-5994 (717) 856-2201

LLI Sample No. WW 1229420

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-19-3 Cooling Water Sample
 Collected on 01/19/88

Date Reported 1/29/88
 Date Submitted 1/21/88
 Discard Date 2/ 6/88
 Collected by C
 P.O.
 Rel.

	RESULT AS RECEIVED	LIMIT OF DETECTION	LAB CODE
Base Neutrals (cont)			
anthracene	< 10. ug/l	10.	065900000S
di-n-butyl phthalate	< 10. ug/l	10.	068200000S
fluoranthene	< 10. ug/l	10.	068700000S
pyrene	< 10. ug/l	10.	070100000S
benzidine	< 25. ug/l	25.	066000000S
butyl benzyl phthalate	< 10. ug/l	10.	067100000S
benzo (a) anthracene	< 10. ug/l	10.	066100000S
chrysene	< 10. ug/l	10.	067400000S
3,3'-dichlorobenzidine	< 25. ug/l	25.	067900000S
bis (2-ethylhexyl) phthalate	< 10. ug/l	10.	066900000S
di-n-octyl phthalate	< 10. ug/l	10.	068500000S
benzo (b) fluoranthene	< 10. ug/l	10.	066300000S
benzo (K) fluoranthene	< 10. ug/l	10.	066500000S
benzo (a) pyrene	< 10. ug/l	10.	066200000S
indeno (1,2,3-cd) pyrene	< 10. ug/l	10.	069300000S
dibenzo (a,h) anthracene	< 10. ug/l	10.	067500000S
benzo (ghi) perylene	< 10. ug/l	10.	066400000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

CD 003029

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

Richard S. Rodgers, B.S.
 Group Leader, GC/MS

The American Association for
 Laboratory Accreditation
 Chemical & Biological fields of testing



SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

D-129

Lancaster Laboratories

NEW HOLLAND, PA. 17601

LLI Sample No. WV 1229865

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746

Date Reported 2/ 4/88
 Date Submitted 1/22/88
 Discard Date 2/12/88
 Collected by ML
 P.O. 88-01-21
 Rel.

88-01-20-2 #6 Monitoring Well Grab Water Sample
 Collected on 01/20/88 by ML

	RESULT		LIMIT OF	LAD CODE
	AS RECEIVED		DETECTION	
Fugals Method # 624				
Chloromethane	< 10.	ug/l	10.	082700000S
Bromomethane	< 10.	ug/l	10.	082800000S
Vinyl chloride	< 10.	ug/l	10.	082900000S
Chloroethane	< 10.	ug/l	10.	083000000S
Acrolein	< 100.	ug/l	100.	082400000S
Acrylonitrile	< 100.	ug/l	100.	082500000S
Methylene chloride	< 5.	ug/l	5.	083100000S
Trichlorofluoromethane	< 5.	ug/l	5.	079000000S
1,1-Dichloroethene	< 5.	ug/l	5.	083200000S
1,1-Dichloroethane	< 5.	ug/l	5.	083300000S
trans-1,2-Dichloroethene	< 5.	ug/l	5.	083400000S
Chloroform	< 5.	ug/l	5.	083500000S
1,2-Dichloroethane	< 5.	ug/l	5.	083600000S
1,1,1-Trichloroethane	< 5.	ug/l	5.	083700000S
Carbon tetrachloride	< 5.	ug/l	5.	083800000S
Bromodichloromethane	< 5.	ug/l	5.	083900000S
1,1,2,2-Tetrachloroethane	< 5.	ug/l	5.	084900000S
1,2-Dichloropropane	< 5.	ug/l	5.	084000000S
trans-1,3-Dichloropropene	< 5.	ug/l	5.	084100000S
Trichloroethene	< 5.	ug/l	5.	084200000S
Dibromochloromethane	< 5.	ug/l	5.	084600000S
1,1,2-Trichloroethane	< 5.	ug/l	5.	084500000S
Benzene	< 5.	ug/l	5.	084300000S
cis-1,3-Dichloropropene	< 5.	ug/l	5.	084400000S
2-Chloroethylvinyl ether	< 10.	ug/l	10.	082600000S
Bromoform	< 5.	ug/l	5.	084700000S
Tetrachloroethene	< 5.	ug/l	5.	084800000S
Toluene	< 5.	ug/l	5.	085000000S
Chlorobenzene	< 5.	ug/l	5.	085100000S
Ethylbenzene	< 5.	ug/l	5.	085200000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

Nelson H. Risser B.A.
 Manager, GC/MS

CD 003030

The American Association for
 Laboratory Accreditation
 Chemical & Biological Fields of Testing



Member American Council of

SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

D-130

Lancaster Laboratories

22 NEW HOLLAND PIKE LANCASTER, PA 17601-5994 (717) 298-2311

LLI Sample No. WY 1229865

C & D Power Systems - New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746

Date Reported 2/ 4/88
 Date Submitted 1/22/88
 Discard Date 2/12/88
 Collected by ML
 P.O. 88-01-21
 Rel.

88-01-20-2 #6 Monitoring Well Grab Water Sample
 Collected on 01/20/88 by ML

	RESULT		LIMIT OF	LAB CODE
	AS RECEIVED		DETECTION	
Acid Extractables				
2-chlorophenol	< 10.	ug/l	10.	064600000S
phenol	< 10.	ug/l	10.	065500000S
2-nitrophenol	< 10.	ug/l	10.	065100000S
2,4-dimethylphenol	< 10.	ug/l	10.	064800000S
2,4-dichlorophenol	< 10.	ug/l	10.	064700000S
4-chloro-3-methylphenol	< 10.	ug/l	10.	065300000S
2,4,6-trichlorophenol	< 10.	ug/l	10.	065600000S
2,4-dinitrophenol	< 25.	ug/l	25.	065000000S
4-nitrophenol	< 25.	ug/l	25.	065200000S
2-methyl-4,6-dinitrophenol	< 25.	ug/l	25.	064900000S
pentachlorophenol	< 25.	ug/l	25.	065400000S

1 COPY TO C & D Power Systems ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

Richard S. Rodgers, B.S.
 Group Leader, GC/MS

D-31

SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

Member Association for
 Laboratory Accreditation
 Chemical & Biological fields of testing



Member American Council of
 Independent Laboratories, Inc.



CD 003031

Lancaster Laboratories

LLI Sample No. WW 1229865

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-20-2 #6 Monitoring Well Grab Water Sample
 Collected on 01/20/88 by ML

Date Reported 2/ 4/88
 Date Submitted 1/22/88
 Discard Date 2/12/88
 Collected by ML
 P.O. 88-01-21
 Rel.

	RESULT AS RECEIVED	LIMIT OF DETECTION	LAB CODE
Base Neutrals	< 10. ug/l	10.	069700000S
N-nitrosodimethylamine	< 10. ug/l	10.	066700000S
bis (2-chloroethyl) ether	< 10. ug/l	10.	067700000S
1,3-dichlorobenzene	< 10. ug/l	10.	067800000S
1,4-dichlorobenzene	< 10. ug/l	10.	067600000S
1,2-dichlorobenzene	< 10. ug/l	10.	066800000S
bis (2-chloroisopropyl) ether	< 10. ug/l	10.	069200000S
hexachloroethane	< 10. ug/l	10.	069800000S
N-nitrosodi-n-propylamine	< 10. ug/l	10.	069600000S
nitrobenzene	< 10. ug/l	10.	069400000S
isophorone	< 10. ug/l	10.	066600000S
bis (2-chloroethoxy) methane	< 10. ug/l	10.	070200000S
1,2,4-trichlorobenzene	< 10. ug/l	10.	069500000S
naphthalene	< 10. ug/l	10.	069000000S
hexachlorobutadiene	< 10. ug/l	10.	069100000S
hexachlorocyclopentadiene	< 10. ug/l	10.	067200000S
2-chloronaphthalene	< 10. ug/l	10.	065800000S
acenaphthylene	< 10. ug/l	10.	068100000S
dimethyl phthalate	< 10. ug/l	10.	068400000S
2,6-dinitrotoluene	< 10. ug/l	10.	065700000S
acenaphthene	< 10. ug/l	10.	068300000S
2,4-dinitrotoluene	< 10. ug/l	10.	068800000S
fluorene	< 10. ug/l	10.	067300000S
4-chlorophenyl phenyl ether	< 10. ug/l	10.	068000000S
diethyl phthalate	< 10. ug/l	10.	068600000S
1,2-diphenylhydrazine	< 10. ug/l	10.	069900000S
N-nitrosodiphenylamine	< 10. ug/l	10.	067000000S
4-bromophenyl phenyl ether	< 10. ug/l	10.	068900000S
hexachlorobenzene	< 10. ug/l	10.	070000000S
phenanthrene	< 10. ug/l	10.	070000000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

D-132

Richard S. Rodgers, B.S.
 Group Leader, GC/MS

The American Association for
 Laboratory Accreditation
 in the Chemical & Biological fields of testing



SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

American Council of
 Independent Laboratories, Inc.

CD 003032

Lancaster Laboratories

15 NEW HOLLAND PIKE LANCASTER PA 17601-5806 TEL 610-654-2391

LLI Sample No. WV 1229865

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-20-2 #6 Monitoring Well Grab Water Sample
 Collected on 01/20/88 by ML

Date Reported 2/ 4/88
 Date Submitted 1/22/88
 Discard Date 2/12/88
 Collected by ML
 P.O. 88-01-21
 Rel.

	RESULT		LIMIT OF	LAB CODE
	AS RECEIVED		DETECTION	
Base Neutrals (cont)				
anthracene	< 10. ug/l		10.	065900000S
di-n-butyl phthalate	< 10. ug/l		10.	068200000S
fluoranthene	< 10. ug/l		10.	068700000S
pyrene	< 10. ug/l		10.	070100000S
benzidine	< 25. ug/l		25.	066000000S
butyl benzyl phthalate	< 10. ug/l		10.	067100000S
benzo (a) anthracene	< 10. ug/l		10.	066100000S
chrysene	< 10. ug/l		10.	067400000S
3,3'-dichlorobenzidine	< 25. ug/l		25.	067900000S
bis (2-ethylhexyl) phthalate	< 10. ug/l		10.	066900000S
di-n-octyl phthalate	< 10. ug/l		10.	068500000S
benzo (b) fluoranthene	< 10. ug/l		10.	066300000S
benzo (K) fluoranthene	< 10. ug/l		10.	066500000S
benzo (a) pyrene	< 10. ug/l		10.	066200000S
indeno (1,2,3-cd) pyrene	< 10. ug/l		10.	069300000S
dibenzo (a,h) anthracene	< 10. ug/l		10.	067500000S
benzo (ghi) perylene	< 10. ug/l		10.	066400000S


1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

D-133 Richard S. Rodgers, B.S.
 Group Leader, GC/MS

American Association for
 Laboratory Accreditation
 Chemical & Biological fields of testing



Member, American Council of
 Laboratories, Inc.

SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

CD 003033

Lancaster Laboratories

25 NEW HOLLAND PIKE LANCASTER, PA. 17601-5994 TEL: 717/466-2401

LLI Sample No. WW 1229865

C & D Power Systems-New York
Rt. 209
P. O. Box 209
Huguenot, NY 12746
88-01-20-2 #6 Monitoring Well Grab Water Sample
Collected on 01/20/88 by ML

Date Reported 2/ 4/88
Date Submitted 1/22/88
Discard Date 2/12/88
Collected by ML
P.O. 88-01-21
Rel.

ANALYSIS	RESULT AS RECEIVED	UNIT	LIMIT OF DETECTION	LAB CODE
Cyanide, Total	< 0.005	mg/l	0.005	023706000S
As per client request, the Cyanide analysis was performed on samples that were not preserved with NaOH to a pH > 10 as specified in the analytical method. Results reported may not be accurate.				
Aluminum	3,500.	ug/l	100.	024301950S
Antimony	< 50.	ug/l	50.	024401950S
Arsenic	< 0.01	mg/l	0.01	024503750S
Barium	< 100.	ug/l	100.	024601950S
Beryllium	< 5.	ug/l	5.	024701950S
Cadmium	< 5.	ug/l	5.	024901950S
Calcium	7,250.	ug/l	50.	025001950S
Chromium	< 50.	ug/l	50.	025101950S
Cobalt	< 50.	ug/l	50.	025201950S
Copper	< 20.	ug/l	20.	025301950S
Iron	5,460.	ug/l	50.	025401950S
Lead	< 50.	ug/l	50.	025501950S
Magnesium	2,690.	ug/l	50.	025701950S
Manganese	200.	ug/l	10.	025801950S
Mercury	< 1.	ug/l	1.	025903750S
Nickel	< 40.	ug/l	40.	026101950S
Potassium	1,700.	ug/l	500.	026201950S
Selenium	< 5.	ug/l	5.	026403750S
Silver	< 10.	ug/l	10.	026601950S
Sodium	14,400.	ug/l	500.	026701950S
Vanadium	< 50.	ug/l	50.	027101950S
Zinc	< 20.	ug/l	20.	027201950S
Thallium	< 100.	ug/l	100.	042201950S
Purgables Method # 624.		attached		052034500S
Acid Extractables		attached		055225500S
Base Neutrals		attached		055343500S
Base Neutrals (cont)		attached		055400000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
Lancaster Laboratories, Inc.
Reviewed and Approved by:

04197 15.00 161250

D-134 Nelson H. Risser B.A.
Manager, GC/MS

SEE REVERSE SIDE FOR EXPLANATION OF SYMBOLS AND ABBREVIATIONS AND OUR STANDARD TERMS AND CONDITIONS

CD 003034

American Association for Laboratory Accreditation
Chemical & Biological fields of testing



Member American Council of

Lancaster Laboratories

221 NEW HOLLAND PIKE LANCASTER PA 17601-5934 TEL 717-456-2801

LLI Sample No. **WW 1229869**

C & D Power Systems - New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-21-2 #10 Monitoring Well Grab Water Sample
 Collected on 01/21/88 by ML

Date Reported 2/ 4/88
 Date Submitted 1/22/88
 Discard Date 2/12/88
 Collected by ML
 P.O. 88-01-21
 Rel.

	RESULT		LIMIT OF	LAB CODE
	AS RECEIVED		DETECTION	
Purgables Method # 624				
Chloromethane	< 10.	ug/l	10.	082700000S
Bromomethane	< 10.	ug/l	10.	082800000S
Vinyl chloride	< 10.	ug/l	10.	082900000S
Chloroethane	< 10.	ug/l	10.	083000000S
Acrolein	< 100.	ug/l	100.	082400000S
Acrylonitrile	< 100.	ug/l	100.	082500000S
Methylene chloride	< 5.	ug/l	5.	083100000S
Trichlorofluoromethane	< 5.	ug/l	5.	079000000S
1,1-Dichloroethene	< 5.	ug/l	5.	083200000S
1,1-Dichloroethane	< 5.	ug/l	5.	083300000S
trans-1,2-Dichloroethene	< 5.	ug/l	5.	083400000S
Chloroform	< 5.	ug/l	5.	083500000S
1,2-Dichloroethane	< 5.	ug/l	5.	083600000S
1,1,1-Trichloroethane	< 5.	ug/l	5.	083700000S
Carbon tetrachloride	< 5.	ug/l	5.	083800000S
Bromodichloromethane	< 5.	ug/l	5.	083900000S
1,1,2,2-Tetrachloroethane	< 5.	ug/l	5.	084900000S
1,2-Dichloropropane	< 5.	ug/l	5.	084000000S
trans-1,3-Dichloropropene	< 5.	ug/l	5.	084100000S
Trichloroethene	< 5.	ug/l	5.	084200000S
Dibromochloromethane	< 5.	ug/l	5.	084600000S
1,1,2-Trichloroethane	< 5.	ug/l	5.	084500000S
Benzene	< 5.	ug/l	5.	084300000S
cis-1,3-Dichloropropene	< 5.	ug/l	5.	084400000S
2-Chloroethylvinyl ether	< 10.	ug/l	10.	082600000S
Bromoform	< 5.	ug/l	5.	084700000S
Tetrachloroethene	< 5.	ug/l	5.	084800000S
Toluene	< 5.	ug/l	5.	085000000S
Chlorobenzene	< 5.	ug/l	5.	085100000S
Ethylbenzene	< 5.	ug/l	5.	085200000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

CD 003035

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

D-135

Nelson H. Risser B.A.
 Manager, GC/MS

SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

The American Association for
 Laboratory Accreditation
 Chemical & Biological Tests of Testing



Lancaster Laboratories

7425 NEWFORDLAND PIKE LANCASTER PA 17601-5994 TEL 717-636-2001

LLI Sample No. WV 1229869

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-21-2 #10 Monitoring Well Grab Water Sample
 Collected on 01/21/88 by ML

Date Reported 2/ 4/88
 Date Submitted 1/22/88
 Discard Date 2/12/88
 Collected by ML
 P.O. 88-01-21
 Rel.

	RESULT	LIMIT OF	LAB CODE
	AS RECEIVED	DETECTION	
Base Neutrals	< 10.	10.	069700000S
N-nitrosodimethylamine	< 10.	10.	066700000S
bis (2-chloroethyl) ether	< 10.	10.	067700000S
1,3-dichlorobenzene	< 10.	10.	067800000S
1,4-dichlorobenzene	< 10.	10.	067600000S
1,2-dichlorobenzene	< 10.	10.	066800000S
bis (2-chloroisopropyl) ether	< 10.	10.	069200000S
hexachloroethane	< 10.	10.	069800000S
N-nitrosodi-n-propylamine	< 10.	10.	069600000S
nitrobenzene	< 10.	10.	069400000S
isophorone	< 10.	10.	066600000S
bis (2-chloroethoxy) methane	< 10.	10.	070200000S
1,2,4-trichlorobenzene	< 10.	10.	069500000S
naphthalene	< 10.	10.	069000000S
hexachlorobutadiene	< 10.	10.	069100000S
hexachlorocyclopentadiene	< 10.	10.	067200000S
2-chloronaphthalene	< 10.	10.	065800000S
acenaphthylene	< 10.	10.	068100000S
dimethyl phthalate	< 10.	10.	068400000S
2,6-dinitrotoluene	< 10.	10.	065700000S
acenaphthene	< 10.	10.	068300000S
2,4-dinitrotoluene	< 10.	10.	068800000S
fluorene	< 10.	10.	067300000S
4-chlorophenyl phenyl ether	< 10.	10.	068000000S
diethyl phthalate	< 10.	10.	068600000S
1,2-diphenylhydrazine	< 10.	10.	069900000S
N-nitrosodiphenylamine	< 10.	10.	067000000S
4-bromophenyl phenyl ether	< 10.	10.	068900000S
hexachlorobenzene	< 10.	10.	070000000S
phenanthrene	< 10.	10.	

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

Richard S. Rodgers, B.S.
 Group Leader, GC/MS

The American Association for Laboratory Accreditation
 Chemical & Biological fields of testing



SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

D-136

CD 003036

Lancaster Laboratories

25 NEW HOLLAND PIKE LANCASTER, PA 17601

LLI Sample No. WV 1229869

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-21-2 #10 Monitoring Well Grab Water Sample
 Collected on 01/21/88 by ML

Date Reported 2/ 4/88
 Date Submitted 1/22/88
 Discard Date 2/12/88
 Collected by ML
 P.O. 88-01-21
 Rel.

	RESULT		LIMIT OF	LAB CODE
	AS RECEIVED		DETECTION	
Base Neutrals (cont)				
anthracene	< 10.	ug/l	10.	065900000S
di-n-butyl phthalate	< 10.	ug/l	10.	068200000S
fluoranthene	< 10.	ug/l	10.	068700000S
pyrene	< 10.	ug/l	10.	070100000S
benzidine	< 25.	ug/l	25.	066000000S
butyl benzyl phthalate	< 10.	ug/l	10.	067100000S
benzo (a) anthracene	< 10.	ug/l	10.	066100000S
chrysene	< 10.	ug/l	10.	067400000S
3,3'-dichlorobenzidine	< 25.	ug/l	25.	067900000S
bis (2-ethylhexyl) phthalate	< 10.	ug/l	10.	066900000S
di-n-octyl phthalate	< 10.	ug/l	10.	068500000S
benzo (b) fluoranthene	< 10.	ug/l	10.	066300000S
benzo (K) fluoranthene	< 10.	ug/l	10.	066500000S
benzo (a) pyrene	< 10.	ug/l	10.	066200000S
indeno (1,2,3-cd) pyrene	< 10.	ug/l	10.	069300000S
dibenzo (a,h) anthracene	< 10.	ug/l	10.	067500000S
benzo (ghi) perylene	< 10.	ug/l	10.	066400000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

D-137
 Richard S. Rodgers, B.S.
 Group Leader, GC/MS

American Association for
 Laboratory Accreditation
 Chemical & Biological Fields of Testing



SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

Member, American Council of
 Independent Laboratories, Inc.

CD 003037

Lancaster Laboratories INCORPORATED

2405 NEW HOLLAND PIKE LANCASTER PA 17601-5944

LLI Sample No. WW 1229869

C & D Power Systems-New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746

Date Reported 2/ 4/88
 Date Submitted 1/22/88
 Discard Date 2/12/88
 Collected by ML
 P.O. 88-01-21
 Rel.

88-01-21-2 #10 Monitoring Well Grab Water Sample
 Collected on 01/21/88 by ML

	RESULT		LIMIT OF	LAB CODE
	AS RECEIVED		DETECTION	
Acid Extractables				
2-chlorophenol	< 10.	ug/l	10.	064600000S
phenol	< 10.	ug/l	10.	065500000S
2-nitrophenol	< 10.	ug/l	10.	065100000S
2,4-dimethylphenol	< 10.	ug/l	10.	064800000S
2,4-dichlorophenol	< 10.	ug/l	10.	064700000S
4-chloro-3-methylphenol	< 10.	ug/l	10.	065300000S
2,4,6-trichlorophenol	< 10.	ug/l	10.	065600000S
2,4-dinitrophenol	< 25.	ug/l	25.	065000000S
4-nitrophenol	< 25.	ug/l	25.	065200000S
2-methyl-4,6-dinitrophenol	< 25.	ug/l	25.	064900000S
pentachlorophenol	< 25.	ug/l	25.	065400000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

Richard S. Rodgers, B.S.
 Group Leader, GC/MS

CD 003038

The American Association for
 Laboratory Accreditation
 Chemical & Biological fields of testing



American Council of
 Independent Laboratories, Inc.

SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

D-138

ANALYSIS REPORT

Lancaster Laboratories

2425 NEW HOLLAND PIKE LANCASTER PA 17601-5904 TEL: 717-396-2300

LLI Sample No. WV 1229869

C & D Power Systems - New York
 Rt. 209
 P. O. Box 209
 Huguenot, NY 12746
 88-01-21-2 #10 Monitoring Well Grab Water Sample
 Collected on 01/21/88 by ML

Date Reported 2/ 4/88
 Date Submitted 1/22/88
 Discard Date 2/12/88
 Collected by ML
 P.O. 88-01-21
 Rel.

ANALYSIS	RESULT AS RECEIVED	UNIT	LIMIT OF DETECTION	LAB CODE
Cyanide, Total	< 0.005	mg/l	0.005	023706000S
As per client request, the Cyanide analysis was performed on samples that were not preserved with NaOH to a pH > 10 as specified in the analytical method. Results reported may not be accurate.				
Aluminum	4,900.	ug/l	100.	024301950S
Antimony	< 50.	ug/l	50.	024401950S
Arsenic	< 10.	ug/l	10.	024503750S
Barium	< 100.	ug/l	100.	024601950S
Beryllium	< 5.	ug/l	5.	024701950S
Cadmium	< 5.	ug/l	5.	024901950S
Calcium	7,380.	ug/l	50.	025001950S
Chromium	< 50.	ug/l	50.	025101950S
Cobalt	< 50.	ug/l	50.	025201950S
Copper	< 20.	ug/l	20.	025301950S
Iron	6,610.	ug/l	50.	025401950S
Lead	< 50.	ug/l	50.	025501950S
Magnesium	2,920.	ug/l	50.	025701950S
Manganese	260.	ug/l	10.	025801950S
Mercury	< 1.	ug/l	1.	025903750S
Nickel	< 40.	ug/l	40.	026101950S
Potassium	2,200.	ug/l	500.	026201950S
Selenium	< 5.	ug/l	5.	026403750S
Silver	< 10.	ug/l	10.	026601950S
Sodium	14,500.	ug/l	500.	026701950S
Vanadium	< 50.	ug/l	50.	027101950S
Zinc	50.	ug/l	20.	027201950S
Thallium	< 100.	ug/l	100.	042201950S
Purgables Method # 624		attached		052034500S
Acid Extractables		attached		055225500S
Base Neutrals		attached		055343500S
Base Neutrals (cont)		attached		055400000S

1 COPY TO C & D Power Systems

ATTN: Mike Langan

04197 15.00 161250

Respectfully Submitted
 Lancaster Laboratories, Inc.
 Reviewed and Approved by:

Nelson H. Risser B.A.
 Manager, GC/MS

SEE REVERSE SIDE FOR EXPLANATION
 OF SYMBOLS AND ABBREVIATIONS AND
 OUR STANDARD TERMS AND CONDITIONS

D-139

The American Association for
 Laboratory Accreditation
 Chemical & Biological fields of testing



Member, American Council of
 Environmental Laboratories

CD 003039

RESULTS AND RECOMMENDATIONS
SEPTIC LEACH FIELD INVESTIGATION
C & D CHARTER POWER SYSTEMS
HUGUENOT, NEW YORK

SEPTEMBER, 1988

PREPARED FOR:

C & D CHARTER POWER SYSTEMS
HUGUENOT, NEW YORK

PREPARED BY:

ERM-NORTHEAST, INC.
88 SUNNYSIDE BOULEVARD
PLAINVIEW, NEW YORK 11803

D-40

CD 003040

TABLE OF CONTENTS

<u>Section</u>	<u>Page No.</u>
1.0 INTRODUCTION.....	1 - 1
1.1 Facility Description.....	1 - 1
1.2 Objectives.....	1 - 1
2.0 SUBSURFACE INVESTIGATION.....	2 - 1
2.1 Site Hydrogeology.....	2 - 1
2.2 Well Installation Procedures.....	2 - 6
2.3 Sampling Methodologies.....	2 - 8
3.0 DISCUSSION OF RESULTS.....	3 - 1
4.0 RECOMMENDATIONS.....	4 - 1


1.0 INTRODUCTION

1.1 Facility Description

C & D Charter Power Systems, Inc. presently operates a battery manufacturing facility along Route 209 in Huguenot, New York (Figure 1-1). As part of their manufacturing process, the facility discharges its non-contact effluent into an on-site septic system with a leach field. This discharge is conducted under SPDES Permit No. NY-0096938, and the effluent is sampled and reported to the state on a regular basis.

1.2 Objectives

ERM was retained in 1988 by C & D Charter Power Systems in response to requests set forth by NYSDEC in a letter dated 10 November 1987. This letter summarized analytical results recently obtained by NYSDEC as part of their routine SPDES permit compliance sampling. The samples collected by the NYSDEC are as follows: 1) septic tank effluent, 2) ground water from a monitoring well near the septic's leach field, and 3) non-contact cooling water.



Scale 1" : 2000'

TITLE		SITE LOCATION PLAN	
PREPARED FOR		C & D CHARTER POWER SYSTEMS	
	ERM-Northeast	SCALE	FIGURE
	Environmental Resources Management	noted	1-1
		DATE	

ERM-Northeast

The analytical results obtained by the NYSDEC indicated elevated concentrations ("violation of water quality standard" and "not authorized for discharge") of several chlorinated hydrocarbons and metals (mainly iron and lead). As a consequence of their sampling results, NYSDEC requested that C & D Charter Power Systems conduct a supplemental hydrogeologic investigation in the area around the septic system leach field.

A work plan outlining a proposed hydrogeologic investigation was submitted to the NYSDEC in April, 1988. The NYSDEC requested some minor modifications to the work plan in a letter dated May 3, 1988. These comments were incorporated into revised work plan ("Septic Leach Field Investigation") which was submitted to the NYSDEC in May. On June 1, 1988 the NYSDEC approved the revised work plan. The NYSDEC-approved investigation was implemented during the summer of 1988 by ERM-Northeast, where the specific objectives were three-fold:

1. Redevelopment of the existing monitoring well (MW-11) adjacent to the septic's leach field. It is not known if the NYSDEC sampling results are representative of the actual ground-water chemistry because of the uncertainty concerning the installation and development procedures used during well construction;

2. Characterize ground-water quality laterally at positions upgradient and downgradient from the leach field. One upgradient well (MW-1) and one additional downgradient well (MW-13) were installed to achieve this objective.

3. Characterize ground-water quality beneath the septic field at a greater depth within the same aquifer (MW-12). This will determine if any contaminants have migrated vertically downward within the aquifer.

2.0 SUBSURFACE INVESTIGATION2.1 Site Hydrogeology

The Huguenot facility is located in the Neversink River Valley, about four miles northeast of the city of Port Jervis and the confluence of the Neversink and Delaware Rivers. As shown on the topographic map (see Figure 1-1), the plant is situated on a river terrace approximately 35 feet above the Neversink River. The ground surface on the terrace is nearly flat, while the slopes extending down to the valley floor (on the east and northeast) are quite steep. Incised in the valley floor at the base of this slope is a small tributary of the Neversink River.

Previous drilling at the Huguenot facility revealed that the soils underlying the site are predominantly sands and cobbles, with the cobbles becoming more abundant with depth. These sediments were deposited as glacial outwash during the last glacial retreat. According to Frimpter (1972), deposition in the Neversink Valley occurred when the ice front stagnated near the present location of Summitville, New York. Large, swift-flowing streams carrying coarse glacial sediment deposited up to 150 feet of material in this portion of the Neversink Valley and farther south into the Delaware River Valley. During post-glacial time,

the Neversink River has meandered back and forth across the valley floor eroding the older glacial deposits and forming the modern floodplain. Remnants of the older glacial deposits remain along the sides of the valley as flat-topped benches or terraces, elevated above the present Neversink floodplain.

The unconfined valley-fill aquifer underlying the Neversink River is the major regional aquifer. It extends roughly 28 miles from Summitville, New York south-southwestward to Milford, Pennsylvania. The aquifer's width is about one mile. The storage capacity of the aquifer has been estimated to be approximately 84.4 billion gallons of water (Frimpter, 1972). Recharge to the aquifer is derived from infiltration of surface water, principally seepage from the Neversink River and its tributaries. Consequently, the regional flow direction of this unconfined aquifer is also to the south-southwest.

The flow condition of the water-table aquifer at the time of sampling was reconstructed from water-level measurements collected in all eleven monitoring wells (Figure 2-1). The reconstructed local configuration of the aquifer beneath the Huguenot facility is shown on Figure 2-2, while the water-level measurements used for this contouring are summarized in Table 2-1. Ground-water flow within the aquifer is approximately

TABLE 2-1
 MONITORING WELL & WATER LEVEL DATA
 C & D CHARTER POWER SYSTEMS
 HUGUENOT, NEW YORK

MONITORING WELL	TOTAL DEPTH OF WELL	SCREENED INTERVAL	ELEVATION OF GROUND SURFACE	TOP OF RISER ELEVATION	26 JUNE 1988	
					DEPTH TO WATER	WATER LEVEL ELEVATION
MW-1	32'	22-32'	472.46	472.27	27.55	444.72
MW-4	40'	30-40'	472.75	472.36	30.00	442.36
MW-5	45'	31-41'	470.23	473.00	29.69	443.31
MW-6	43'	33-43'	470.77	472.37	30.25	442.12
MW-7	29'	19-29'	460.65	461.18	18.80	442.38
MW-8	33'	23-33'	461.35	463.40	21.90	441.50
MW-9	33'	23-33'	462.15	464.70	22.95	441.75
MW-10	35'	25-35'	462.21	464.75	23.10	441.65
MW-11	34'	DNA	471.42	473.71	29.94	443.77
MW-12	50'	45-50'	471.30	473.95	30.43	443.52
MW-13	37'	27-37'	470.00	472.86	29.06	443.80

NOTES: 1) Elevation is mean sea level in feet, using National Geodetic Datum of 1929.
 2) Depth to water refers to feet below top of inner casing.
 3) DNA - data not available.

southeast (S40°E) at a gradient of 0.004 ft/ft. Discharge of ground water occurs approximately 700 feet southeast of Route 209 to the small tributary of the Neversink River.

2.2 Well Installation Procedures

Four monitoring wells, three shallow (MW-1, MW-11 and MW-13) and one intermediate (MW-12), were used to establish the ground-water quality of the aquifer beneath the septic's leach field at the Huguenot facility. Six other monitoring wells (MW-4 through MW-10) presently exist from previous hydrogeological investigations and were used for ground-water contouring. Two of the wells (MW-1 and MW-4) used in the septic leach field investigation had to be reinstalled during the field program because the older wells were damaged. The location of the all existing monitoring wells at the facility are shown on Figure 2-1. Design specifications of both shallow and intermediate wells are discussed below.

The monitoring wells were installed by drilling with hollow-stem augers until refusal (at approximately 20 feet because of boulders), at which time mud rotary was used to advance the remainder of the boring. Split-spoon samples were collected at five-foot intervals for the purpose of soil classification. In

the shallow wells, the top of the screen was positioned approximately two feet above the top of the water table (see Table 2-1). The intermediate depth well, MW-12, was installed adjacent to the septic's leach field and was screened in the same unconsolidated aquifer but at a greater depth. The installation reports for the two new wells are provided in Appendix A.

A ten-foot section of slotted stainless steel (4-inch I.D.) well screen was installed for each shallow well, while a five-foot section of screen was used for the deeper well (MW-12). All screens were connected to the surface with a riser casing of flush joint (threaded), 4-inch stainless-steel pipe. A gravel pack was extended to approximately 2 feet above the screen, where a two-foot thick bentonite seal was emplaced. The remaining annular space was filled with a cement/bentonite grout. Steel protective casings (with locking covers) were set over the monitoring well risers and secured into the ground with concrete. During the well-installation operations, all drilling materials that were used within the borehole were cleaned with a steam jenny before their use at the next monitoring well.

To complete the installation of the monitoring wells, each well was developed with air for approximately one hour. The

existing monitoring well located adjacent to the septic field (MW-11) was also developed. Development was necessary to ensure that a good hydraulic connection was established between the well and the aquifer.

All of the on-site monitoring wells (i.e., the new wells and the existing wells) were surveyed for elevation by tying-in with an off-site datum (National Geodetic Datum of 1929). Depths to ground water was synoptically measured in all new and existing wells on the same day of sampling (June 27, 1988) and were converted into ground-water elevations so that a ground-water contour map could be constructed for the parcel. The elevations calculated by the surveyor are provided in Appendix B, while the ground-water depths and elevations are presented in Table 2-1.

2.3 Sampling Methodologies

Ground-water samples were collected from the three shallow wells (MW-1, MW-11, and MW-13; and the one deeper well (MW-12) to determine if contaminants were emanating from the septic's leach field. Samples from these wells were analyzed for volatile organics (USEPA Method 624), total phenols, pH, iron, and priority-pollutant metals (antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver,

thallium, and zinc). Sampling (June 27, 1988) was conducted two weeks after the development of the wells (June 13, 1988) so as to allow time for the aquifer to reestablish its natural flow state. Dedicated Teflon bailers with disposable polypropylene suspension cords were used to sample the monitoring wells. Three volumes of well water were purged from each well (with dedicated 3' X 3.5" PVC bailers) prior to sampling.

A quality assurance program was developed to ensure that the precision and accuracy of the ground-water sample analyses was not impacted by sampling, sample handling, and equipment decontamination procedures. This program was based on the collection of field-blank samples for laboratory analysis and the maintenance of a travel (trip) blank. Included in the program was the collection of a duplicate sample chosen from one of the monitoring wells sampled. All of the ground-water samples collected at the Huguenot facility were analyzed by EnviroTest Laboratories, Inc. of Newburgh, New York in accordance with CLP protocols.

3.0 DISCUSSION OF RESULTS

Results from the chemical analyses of ground water samples are summarized in Table 3-1, while the actual Laboratory Analytical Report is presented in Appendix C. These analytical results are summarized and discussed below. Incorporated in the discussion is a comparison between the compounds and concentrations found at the site and the guideline levels presented in the New York State Department of Environmental Conservation's publication: "Ambient Water Quality Standards and Guidance Values."

Only a single organic compound (2-hexanone) was detected in the samples of ground water; however, the compound is probably a sampling artifact. Concentrations of 2-hexanone were only detected in the sample from the upgradient well (MW-1, 12 ppb), and the field blank (5.3 ppb). These concentrations are very low and border the analytical detection limit (generally 10 ppb).

Five metals (chromium, copper, iron, lead, and zinc) were detected in the ground water. Copper (at 48 ppb) and lead (at 6.2 ppb) were only detected in the upgradient well (MW-1). Chromium was detected in the intermediate well (MW-12, 13 ppb) and the downgradient well (MW-13, 14 ppb) at concentrations only

TABLE 3-1
GROUND-WATER ANALYTICAL RESULTS
C & D CHARTER POWER SYSTEMS
HUGUENOT, NEW YORK

SAMPLE NUMBER	NYSDEC GUIDELINES†	MW-1	MW-11	MW-12	MW-12 DUP	MW-13	FB	TB
DATE COLLECTED		6/27/88	6/27/88	6/27/88	6/27/88	6/27/88	6/27/88	6/27/88
pH	6.5-8.5	6.9	6.9	7.5	---	6.4	---	---
INORGANIC ANALYSIS in ppb (P.P. Metals, Iron & Phenols)								
Chromium (Cr)	50	10u	10u	13	11	14	10u	NA
Copper (Cu)	1000	48	25U	25U	25U	25U	25U	NA
Iron (Fe)	300	1817	138	1054	1306	2067	100U	NA
Lead (Pb)	25	6.2	5U	5U	5U	5U	5U	NA
Zinc (Zn)	5000	185	35	359	378	75	20U	NA
VOLATILES ORGANIC ANALYSIS In ppb (35 Compounds)								
2-Hexanone	50	12B	10U	10U	10U	10U	5.3J	10U

NOTES: U - Indicates compound was analyzed for but not detected.
 J - Indicates an estimated value, the compound meets the identification criteria but the result is < than the specified detection limit but > than zero.
 B - The analyte is found in the blank as well as the sample.
 NA - Indicates that the compound was not analyzed for.
 † - Data taken from NYSDEC "Ambient Water Quality Standards and Guidance Values."

marginally above the analytical detection limit (10 ppb). The remaining two metals (iron and zinc) were detected in ground-water samples from all of the monitoring wells. The concentrations detected were generally consistent with the background concentrations detected in the upgradient well (MW-1: 1817 ppb of iron, 185 ppb of zinc).

Iron was the only compound detected above the NYSDEC water quality guidelines (300 ppb) in ground water beneath the Huguenot facility. The background concentration of iron (MW-1) was 1817 ppb, while ground water beneath (MW-12) and downgradient (MW-13) of the leach field had concentrations of 1306 ppb and 2067 ppb respectively. Interestingly, only ground water from the monitoring well immediately adjacent to the leach field (MW-11) had a concentration of iron below the NYSDEC guidelines--probably due to localized dilution of ground water by the water discharged into the Huguenot facility's septic system.

4.0 RECOMMENDATIONS

Based on the data obtained to date, no remedial action or additional hydrogeologic assessment is presently necessary at the Huguenot facility's septic leach field. However, three recommendations are set forth concerning future procedures for SPDES-permit sampling of monitoring well MW-11, and appropriate actions to undertake if future analytical results exceed NYSDEC water quality guidelines or background concentrations.

- 1) Monitoring well MW-11 should be purged of three volumes of well water prior to every SPDES sampling event. Samples of ground water should be collected with a laboratory-decontaminated bailer and polypropylene cord. Prior to each sampling event, the bailer should be shipped to the laboratory for decontamination (and subsequently wrapped in aluminum foil) and a new section of cord attached.
- 2) There is no present need to alter the current schedule of SPDES sampling of the monitoring well. If groundwater contaminants are detected in future samples, then the deeper (MW-12) and downgradient wells (MW-13)

should be sampled during the subsequent round of sampling.

- 3) A field blank should be collected at the time of sampling because the volatile organic compounds detected in the past (i.e., methylene chloride) are common laboratory/sampling artifacts. Collection of a field blank would enable C & D Charter Power Systems to determine if any positive analytical results in the future are such artifacts.

Ground-Water Resources of Orange and Ulster Counties, New York

By MICHAEL H. FRIMPTER

GEOLOGICAL SURVEY WATER-SUPPLY PAPER 1985

*Prepared in cooperation with the
New York State Conservation
Department*



UNITED STATES GOVERNMENT PRINTING OFFICE, WASHINGTON : 1972

D-159

CD 003059

estimated 48 mgd which could be induced to infiltrate from the Neversink River is also dependent on the flow available for infiltration. The flow of the Neversink River at Godeffroy occasionally drops below 48 mgd, but only for very short periods of time. As an example, in 1964 when precipitation in the drainage area was about 20 percent below normal, the flow at Godeffroy was below 48 mgd for only 10 days in the period October 1, 1963, to October 1, 1964 (U.S. Geological Survey, 1970, p. 619). From October 1, 1964, to September 30, 1965, the flow at Godeffroy was less than 48 mgd for about 40 days but was never lower than 20 mgd (U.S. Geological Survey, 1970, p. 619). The low flows of this stream are largely controlled by the Neversink Reservoir. Releases from this reservoir are at the discretion of New York City except for conservation releases. Most likely, the export of ground water from this basin would not be allowable because it would reduce the natural ground-water discharge to the Delaware River system by the amount of water exported.

Base flow of Basher Kill near Cuddebackville indicates a ground-water discharge of over 13 mgd for the valley northeast of Cuddebackville. This represents a salvable discharge of about 1.4 mgd per linear mile of valley for that part of the aquifer drained by Basher Kill.

Because withdrawal of water at the 13 mgd rate would dry up Basher Kill at Cuddebackville about 10 percent of the time, the stream cannot be considered as an additional source of recharge through infiltration to the aquifer. Withdrawing 13 mgd from the aquifer would also reduce Basher Kill's contribution to the Neversink River by about 13 mgd. This reduction of streamflow would reduce the quantity of water available in the Neversink River to recharge the aquifer between Godeffroy and Port Jervis. However, if the water withdrawn from the aquifer in the Basher Kill valley were returned to Basher Kill as waste or used water, there would be no appreciable loss from the system and the quantity of water available for infiltration in the Neversink River would not be significantly reduced. The interrelations between surface water and ground water must be fully understood if the water resources of these two valleys are to be developed to their full potential.

An alternative and more accurate method of estimating potential yield of an aquifer is to estimate the quantity of water available in storage between periods of complete recharge. A large part of the spring runoff in the Basher Kill valley is water which might have become ground water if the aquifer had not been completely saturated. If, however, ground water is withdrawn for use during periods of little recharge, additional storage space for spring recharge would be created. Water that is normally rejected as recharge would then be accepted as recharge and be available as usable ground water. No permanent loss in storage would result because the aquifer would be

recharged each spring, just as the storage of a surface-water reservoir is replenished during spring runoff.

To analyze this aquifer for potential yield from storage, several simple and logical assumptions were made: the transmissibility of the aquifer averages about 50,000 gallons per day per foot, the storage coefficient is 0.2, the valley walls are impermeable, and the aquifer is completely recharged during the spring. Because the aquifer averages about 100 feet thick, an available drawdown of 50 feet was assumed. By constructing distance drawdown graphs for the stated conditions, by summing the drawdown produced by hypothetical pumping wells, and by summing the drawdown caused by the impermeable valley walls, a maximum possible pumping rate can be found. In this analysis, a pumping rate of about 400 gpm for wells 1,000 feet apart was found to produce a drawdown of 50 feet at the pumping wells after 360 days. This amounts to about 2.8 mgd per 5,000 foot length of valley—a total of 39 mgd for the aquifer between Godeffroy and Summitville, and 22 mgd for the aquifer between Godeffroy and Port Jervis.

The estimates of recharge that would occur if water were drawn from storage are larger and believed to be more accurate than the estimates of recharge determined from measurements of natural ground-water discharge. Therefore, the estimates of potential yield of the aquifer are based on these larger recharge estimates. The aquifer between Godeffroy and Port Jervis has a potential yield of 70 mgd—22 mgd from storage and 48 mgd from stream infiltration. The aquifer between Godeffroy and Summitville has a potential yield of 39 mgd from storage. As mentioned previously, the streamflow may not be considered an infiltration source in this section of the aquifer because streamflow here is derived from ground-water discharge.

In (1968) only a few wells tapped this aquifer and it was virtually undeveloped. As more industry and housing enters the area, the aquifers undoubtedly will be developed to a much greater extent. Planned recharge using infiltration pits or even recharge ditches that could be scarified between recharge seasons could be made to easily double the recharge to this aquifer. A discussion of artificial recharge and numerous references are included in Parker, Cohen, and Foxworthy (1967).

SANDBURG CREEK VALLEY

Between Phillipsport in Sullivan County and Wawarsing in Ulster County, the valleys of Homowack Kill, Sandburg Creek, and a small part of Rondout Creek contain an important sand and gravel aquifer (aquifer G, pl. 3). The Summitville moraine forms the southern end of this aquifer and is part of the drainage divide between the Delaware River drainage basin and the Hudson River drainage basin.

LOWER NEVERSINK RIVER VALLEY AND BASHER KILL VALLEY

A sand and gravel aquifer in the valleys of the Neversink River and Basher Kill extends from Summitville in Sullivan County (Soren, 1961, p. 22) to Port Jervis in the southwestern corner of Orange County (fig. 16; aquifer L, pl. 8). Parker and others (1964, p. 92) describe this aquifer as being 28 miles long extending from Summitville to Milford, Pa., averaging 1 mile wide and storing about 11.8 billion cubic feet of water or about 84.4 billion gallons. The sand and gravel generally grades downvalley from coarser material at Summitville to finer material at Port Jervis and from coarser material on the bottom to fine material on the top. A thin layer of fine sandy and silty soil overlies some of the surface of the aquifer, mostly in the low, flat areas as shown on plate 2. The fine sand is more than 50 feet thick at Port Jervis, north of the confluence of the Neversink and Delaware Rivers. The thickness of the aquifer ranges from less than 10 feet to a little more than 150 feet but is variable because of the irregular surface of the underlying bedrock. An example of this irregularity is an islandlike hill of shale and siltstone protruding from the glacial-outwash sediments 1 to 2 miles northeast of Port Jervis. Section *A-A'*, plate 4, is a geologic cross section of the unconsolidated deposits showing the depth to bedrock in the Neversink Valley at Godeffroy.

The aquifer in New York State is 21 miles long, has an average width of about half a mile, and has an average saturated thickness of 100 feet, so the volume is roughly 29 billion cubic feet. "The storage coefficient *S*, of an aquifer is defined as the volume of water it releases from or takes into storage per unit surface area of the aquifer per




FIGURE 16.—Surface and subsurface structure of Neversink valley near Port Jervis.

unit change in the component of head normal to that surface." (Ferris and others 1962, p. 74). The storage coefficient for sand and gravel deposits generally is about 0.2. If this aquifer could be completely drained, it would yield about 0.2×20 billion cubic feet or about 44 billion gallons of water. Probably less than half of this amount could be withdrawn under the present economic and technological conditions.

The largest source of recharge in the Neversink valley is the Neversink River. The following paragraphs discuss the possible rate of recharge along a 5,000-foot reach where the Neversink River is 30 feet wide.

The flow of water through porous material is described by Darcy's Law, which may be expressed by the formula

$$Q = PIA,$$

where

Q = the quantity of water, in gallons per day,

P = the permeability of the aquifer, in gallons per day per square foot,

I = the hydraulic gradient, in feet per foot, and

A = the cross-sectional area through which the water is moving, in square feet.

Along this stream then

$A = 30 \text{ ft} \times 5,000 \text{ ft} = 150,000$ square feet, and

$I = i$ (max).

Because there are no deposits of very low permeability between this stream and the aquifer and because the streambed area through which the water must infiltrate is relatively small, the permeability of the streambed rather than the permeability of the aquifer determines the rate of infiltration. Assuming that the streambed has a permeability similar to that of very fine sand—about 40 gallons per day per square foot and substituting in $Q = PIA$, then

$$Q = 40 \times 1 \times 150,000$$

$Q = 6,000,000$ gpd (gallons per day) per 5,000 feet of stream which is more than 4,000 gpm (gallons per minute).

Except for small reaches of the river where the streambed is separated from the sand and gravel of the aquifer by silt, 4,000 gpm should be a fair estimate of the infiltration rate. Therefore, an estimated 6 mgd (million gallons per day) per mile or a total of 48 mgd could be induced to infiltrate into the aquifer from the Neversink River through the 8 miles of streambed between Godeffroy and Port Jervis. This

D.19

The
Condensed Chemical
Dictionary

TENTH EDITION

Revised by

GESSNER G. HAWLEY

 VAN NOSTRAND REINHOLD COMPANY
NEW YORK CINCINNATI TORONTO LONDON MELBOURNE

D-164

CD 003063

**SODIUM DODECYLDIPHENYL
OXIDE DISULFONATE**

940

powder; biodegradable. The dodecyl radical may have many isomers, and the benzene may be attached to it in many positions. Combustible.

Derivation: Benzene is alkylated with dodecene, to which it attaches itself in any secondary position; the resulting dodecylbenzene is sulfonated with sulfuric acid and neutralized with caustic soda. For ABS (branched-chain alkyl) the dodecene is usually a propylene tetramer, made by catalytic polymerization of propylene. For LAS (straight-chain alkyl), the dodecene may be removed from kerosene or crudes by molecular sieve, may be formed by Ziegler polymerization of ethylene, or by cracking wax paraffins to alpha-olefins. See also biodegradability; alkyl sulfonate, linear; detergent; alkylate (3).

Containers: Carlots.

Use: Anionic detergent.

sodium dodecyldiphenyl oxide disulfonate

$C_{24}H_{34}O(SO_3)_2Na_2$. M.p. 150°C (dec); dry form 90% min active solution (45%), sp. gr. 1.1. Very soluble in water, strong acids, bases and electrolytes; stable to oxidation.

sodium edetate. See tetrasodium EDTA.

sodium erythorbate (sodium isoascorbate)

$NaC_6H_7O_6$. White, free-flowing crystals. Soluble in water.

Grades: Technical; F.C.C.

Uses: Antioxidant and preservative.

sodium ethoxide. See sodium ethylate.

sodium ethylate (sodium ethoxide; caustic alcohol)
 C_2H_5ONa .

Properties: White powder, sometimes having brownish tinge. Readily hydrolyzes to alcohol and sodium hydroxide.

Derivation: By carefully adding small amounts of sodium to absolute alcohol kept at a temperature of 10°C, heating carefully to 37.7°C, again carefully adding sodium, cooling to 10°C, and adding the same quantity of absolute alcohol as was used originally.

Hazard: See sodium hydroxide, which is formed when exposed to moisture.

Use: Organic synthesis.

sodium ethylenebisdithiocarbamate. See nabam.

sodium 2-ethylhexyl sulfacetate
 $C_8H_{17}OOCCH_2SO_3Na$.

Properties: Light cream-colored flakes; water-soluble. Good foaming properties and excellent resistance to hard water. Solutions practically neutral and stable to mineral acids. Low toxicity. Combustible.

Uses: Solubilizing agent, particularly for soapless shampoo compositions; electroplating detergent.

sodium ethylmercurithiosalicylate. See thimerosal.

sodium ethyl oxalacetate. See ethyl sodium oxalacetate.

sodium ethylxanthate (sodium xanthogenate; sodium xanthate) $C_2H_5OC(S)SNa$. See also xanthic acids.

Properties: Yellowish powder; soluble in water, alcohol.

Use: Ore flotation agent.

sodium ferricyanide (red prussiate of soda)
 $Na_3Fe(CN)_6 \cdot H_2O$.

Properties: Ruby-red, deliquescent crystals. Soluble in water; insoluble in alcohol. Low toxicity.

Derivation: Chlorine is passed into sodium ferrocyanide solution.

Grades: Technical; C.P.

Uses: Production of pigments; dyeing; printing.

sodium ferrocyanide (yellow prussiate of soda)
 $Na_4Fe(CN)_6 \cdot 10H_2O$.

Properties: Yellow, semitransparent crystals. Partially soluble in water; insoluble in organic solvents.

Sp. gr. 1.458. Low toxicity.

Grades: Technical; F.C.C.

Containers: Bags.

Uses: Mfg. of sodium ferricyanide; blue pigments; blueprint paper; anticaking agent for salt; ore flotation; pickling metals; polymerization catalyst; photographic fixing agent.

sodium fluoborate. See sodium fluoroborate.

sodium fluophosphate. See sodium fluorophosphate.

sodium fluorescein. U.S.P. name for uranine. ✕

sodium fluoride NaF.

Properties: Clear, lustrous crystals or white powder. Insecticide grade frequently dyed blue. Soluble in water; very slightly soluble in alcohol. Sp. gr. 2.558

(41°C); m.p. 988°C; b.p. 1695°C.

Derivation: By adding sodium carbonate to hydrofluoric acid.

Grades: Pure; C.P.; U.S.P.; insecticide; technical; single pure crystals.

Containers: 100-lb multiwall paper bags; 125-lb drums; 400-lb carlots.

Hazard: Toxic by ingestion and inhalation; strong irritant to tissue. Tolerance (as F), 2.5 mg per cubic meter of air.

Uses: Fluoridation of municipal water (1 ppm); degassing steel; wood preservative; insecticide (not to be used on living plants); fungicide and rodenticide; chemical cleaning; electroplating; glass manufacture; vitreous enamels; preservative for adhesives; toothpaste; disinfectant (fermentation equipment); dental prophylaxis; cryolite mfg; single crystals used as windows in ultraviolet and infrared radiation detecting systems.

Shipping regulations: (solution) (Rail, Air) Corrosive label.

sodium fluoroacetate (also known as 1080)
 FCH_2COONa .

Properties: Fine, white, odorless powder; soluble in

D-165

CD 003064

water. Nonvolatile. Decomposes at 200°C; soluble in water; insoluble in most organic solvents.

Derivation: Ethyl chloroacetate and potassium fluoride form ethyl fluoroacetate, which is then treated with a methanol solution of sodium hydroxide.

Hazard: Highly toxic by ingestion, inhalation, and skin absorption. Tolerance, 0.05 mg per cubic meter of air. For use by trained operators only.

Use: Rodenticide.

sodium fluoroborate NaBF_4

Properties: White powder; bitter acid taste; slowly decomposed by heat; sp. gr. 2.47 (20°C); m.p. 384°C. Soluble in water; slightly soluble in alcohol.

Derivation: By heating sodium fluoride and hydrofluoric acid and cooling slowly.

Uses: Sand casting of aluminum and magnesium; electrochemical processes; oxidation inhibitor; fluxes for nonferrous metals; fluorinating agent.

sodium fluorophosphate (sodium fluophosphate) $\text{Na}_2\text{PO}_3\text{F}$

Properties: Colorless crystals; m.p. 625°C (approx.); soluble in water.

Grade: 97%.

Hazard: Toxic by ingestion; strong irritant.

Uses: Preparation of bactericides and fungicides.

sodium fluorosilicate (sodium silicofluoride; sodium hexafluorosilicate; sodium fluosilicate) Na_2SiF_6

Properties: White, odorless, tasteless, free-flowing powder; sp. gr. 2.7; m.p., decomposes at red heat; partially soluble in cold water; more soluble in hot water; insoluble in alcohol.

Derivation: From fluosilicic acid and sodium carbonate, or sodium chloride.

Grades: Technical; C.P.

Containers: Multiwall bags; fiber drums; various sized barrels.

Hazard: Toxic by ingestion and inhalation; strong irritant to tissue. Tolerance (as F), 2.5 mg per cubic meter of air.

Uses: Fluoridation; laundry sour; opalescent glass; vitreous enamel frits; metallurgy (aluminum and beryllium); insecticides and rodenticides; chemical intermediate; glue, leather and wood preservative; moth repellent; mfg. of pure silicon (q.v.).

sodium formaldehyde bisulfite $\text{HOCH}_2\text{SO}_2\text{Na}$

Properties: White water-soluble solid.

Derivation: Action of sodium bisulfite, formaldehyde and water.

Use: Textile stripping agent.

See also hydrosulfite-formaldehyde compounds.

sodium formaldehyde hydrosulfite. See hydrosulfite-formaldehyde compounds. Also used in synthetic rubber polymerization, and textile dyeing and stripping agent.

sodium formaldehyde sulfoxylate (sodium sulfoxylate; sodium sulfoxylate formaldehyde; SFS) $\text{HCHO} \cdot \text{HSO}_2\text{Na} \cdot 2\text{H}_2\text{O}$

Properties: White solid; m.p. 64°C; soluble in water and alcohol.

Purity: Usually admixed with a sulfite.

Containers: Drums; truckloads.

Hazard: Probably toxic.

Uses: Stripping and discharge agent for textiles; bleaching agent for molasses, soap.

See also hydrosulfite-formaldehyde preparations.

sodium formate HCOONa

Properties: White, slightly hygroscopic, crystalline powder, slight odor of formic acid; soluble in water and glycerol; slightly soluble in alcohol; insoluble in ether. Sp. gr. 1.919; m.p. 253°C.

Derivation: Carbon monoxide and sodium hydroxide are heated under pressure; also from pentaerythritol manufacture.

Grades: Technical; C.P.

Containers: Bags; carlots.

Uses: Reducing agent; manufacture of formic acid and oxalic acid; organic chemicals; mordant; manufacture of sodium dithionite; complexing agent; analytical reagent (noble metal precipitant); buffering agent.

sodium glucoheptonate $\text{HOCH}_2(\text{CHOH})_5\text{COONa}$

Light tan crystalline powder. A sequestering agent for polyvalent metals.

Uses: Metal cleaning; bottle washing; kier boiling; mercerizing; caustic boiloff; paint stripping; aluminum etching.

sodium gluconate $\text{NaC}_6\text{H}_{11}\text{O}_7$

Properties: White to yellowish, crystalline powder; soluble in water; sparingly soluble in alcohol. Low toxicity.

Derivation: From glucose by fermentation.

Grades: Purified; technical; F.C.C.

Containers: Fiber drums; bags.

Use: Foods and pharmaceuticals; sequestering agent; metal cleaners; paint stripper; aluminum deoxidizer; bottle-washing preparations; rust removal; chrome tanning; metal plating; mordant in dyeing.

sodium glucosulfone $\text{C}_{12}\text{H}_{21}\text{N}_2\text{Na}_2\text{O}_{11}\text{S}_3$ (para'-diaminodiphenylsulfone-N,N'-di-dextrose sodium sulfonate). The U.S.P. grade is an aqueous solution (for injection), clear and pale yellow; pH 5.0-6.5. Used in medicine.

sodium glutamate (monosodium glutamate; MSG) $\text{COOH}(\text{CH}_2)_2\text{CH}(\text{NH}_2)\text{COONa}$. Sodium salt of glutamic acid, one of the common naturally occurring amino acids.

Properties: White crystalline powder; m.p., decomposes; soluble in water and alcohol. Shows optical activity. Most effective between pH 6 and 8. Non-toxic.

Derivation: (a) Alkaline hydrolysis of the waste liquor from beet sugar refining; (b) a similar hydrolysis of wheat or corn gluten; (c) organic synthesis based on acrylonitrile.

Grades: Technical, 99%; N.D.; F.C.C.

D-166

CD 003065

~~(4) If no timely request for hearing is submitted and the commissioner does not determine to hold a public hearing on his own motion, the proposed variance or schedule prescribed pursuant to the granting of a variance or exemption shall become effective 30 days after notice of opportunity for hearing is given pursuant to subdivision (c) of this section. If a public hearing is held, the commissioner shall take appropriate action with respect to such proposed variance or schedule within 30 days after termination of the public hearing.~~

~~5-1.96 Enforceability of final schedule prescribed pursuant to granting of variance or exemption. Once a schedule prescribed pursuant to the granting of a variance under section 5-1.90 or an exemption under section 5-1.92 of this Subpart has become final pursuant to subdivision (e) of section 5-1.94 of this Subpart, the conditions or requirements of any such schedule shall be enforceable, upon the application of the commissioner, by any court of competent jurisdiction in the same manner as an order of the commissioner under section 1103 of the Public Health Law.~~

~~5-1.100 Separability. If any provisions of this Part are held invalid, such invalidity shall not affect other provisions which can be given effect without the invalid provisions.~~

CHAPTER 1 STATE SANITARY CODE

PART 5
DRINKING WATER SUPPLIES
(Statutory Authority: Public Health Law §225)

SUBPART 5-1
PUBLIC WATER SUPPLIES

(c) All users of a public water system shall prevent cross-connections between the potable water piping system and any other piping system within the premises.

5-1.32 Protection of equalizing and distribution reservoirs. Equalizing and distribution reservoirs which deliver water to the user without subsequent acceptable treatment shall be covered, or the water from an uncovered reservoir must be continuously disinfected in a manner acceptable to the State before being discharged to the distribution system.

5-1.33 Water supply emergency plans. (a) All water suppliers shall submit to the State a water supply emergency plan. The plan shall identify and outline the steps necessary to ensure that potable water is available during all phases of a water supply emergency.

(b) The water supply emergency plan shall include:

(1) The development of procedures for providing consumer notification during all phases of the water supply emergency.

(2) The development of criteria and procedures for determining and the subsequent reporting of critical water levels or safe yield of the source or sources of water.

(3) The identification of existing and future sources of water available during normal non emergency and water supply emergency conditions.

(4) The identification of all available water storage. Available water storage includes source, transmission and distribution system storage.

(5) The identification, capacity and location of existing inter-connections. Identification of additional inter-connections needed to provide potable water during a water supply emergency.

(6) The development of a specific action plan outlining all the steps to be implemented, taken or followed during a water supply emergency, including State notification, emergency notification rosters of key water supply personnel with current telephone numbers both business and home, and follow-up corrective action to minimize the reoccurrence of an emergency.

(7) The identification and implementation of procedures for water conservation and water use restrictions to be put in place during a water supply emergency.

(8) The identification of and the procedures for prioritization of potable water use during a water supply emergency.

(9) The identification and availability of emergency equipment needed during a water supply emergency.

(10) The development of criteria and procedures for determining and the subsequent reporting of the water supplier's capacity and ability to meet peak water demands and fire flow conditions concurrently.

(c) A vulnerability assessment shall be performed on the source or sources of water supply, the public water system, disinfection stations and water treatment plants to determine the vulnerability of these water supply components

to a water supply emergency. The water supplier shall take whatever steps are necessary to ensure that potable water can be and is available during a water supply emergency.

(d) The water supplier, prior to the final submission of the water supply emergency plan to the State, shall publish a notice in a newspaper of general circulation in the area served by the community water system stating that the proposed water supply emergency plan is available for review and comment. The notice shall be printed at least once in each of two successive weeks. The water supplier shall accept public comment for at least fourteen days following the date of first publication. The water supplier shall submit all public comment with the water supply emergency plan to the State.

(e) The water supplier must submit the water supply emergency plan to the State by no later than December 31, 1990. The water supplier shall review, update and resubmit the water supply emergency plan every five years thereafter. The first revision is due no later than December 31, 1995.

(f) A community water system with an annual gross operating revenue of one hundred twenty-five thousand dollars or less, a non transient noncommunity water system and a noncommunity water system may be required to prepare, update and submit to the State an acceptable written water supply emergency plan for providing potable water during a water supply emergency.

PUBLIC WATER SYSTEMS: MAXIMUM CONTAMINANT LEVELS; MONITORING REQUIREMENTS; NOTIFICATIONS REQUIRED

5-1.50 Applicability and responsibility. The provisions of sections 5-1.50 and 5-1.51 of this Subpart shall apply to public water systems. The supplier of water of a public water system is responsible for completion of the sampling and analytical requirements set forth in such sections. At the discretion of the State, analyses performed by the State may be used for monitoring purposes.

5-1.51 Maximum contaminant levels. (a) The maximum contaminant levels contained in Section 5-1.52, Tables 1 through 7, shall not be exceeded. In the case where a MCL is exceeded, notwithstanding anything to the contrary contained in section 5-1.12 of this Subpart, the supplier of water will take the necessary steps to comply with this section as deemed appropriate by the State to ensure the protection of the public health, including the undertaking of remedial feasibility studies and subsequent installation of a suitable treatment process. Compliance with the MCLs shall be determined by the procedures contained in Tables 1 through 7.

(b) The minimum monitoring requirements for each contaminant are indicated in Section 5-1.52, Tables 8 through 12.

(c) The notifications required whenever an MCL is violated or a monitoring requirement is not met, are indicated in Section 5-1.52, Table 13.

(d) Analyses to determine compliance with this section shall be made in accordance with the methods set forth in Standard Methods for the Examination of Water and Wastewater, current edition. Except for microbiological analysis, a standard sample size shall be employed, with the standard sample used in the membrane filter procedure being 100 milliliters and in the multiple tube fermentation technique, being five times the standard portion of 10 milliliters and/or applicable procedures acceptable to the commissioner.

(e) Monitoring and reporting frequencies for specific contaminants may be established at State discretion whenever the State believes that a potential exists for an MCL violation or the contaminant may present a risk to public health.

(f) Notwithstanding anything to the contrary in subdivision (a) of this section the commissioner may recommend values lower than the MCLs if sufficient valid information based on commonly accepted scientific standards and principles demonstrates an increased public health concern. Within one year from the date of such recommendation, the State shall hold a public hearing regarding the justification for the lower value, and whether a new MCL is warranted.

(g) Notwithstanding anything to the contrary in section 5-1.52, the commissioner may in specific cases except specific organic chemicals from the MCLs for general organic chemicals if the supplier of water can demonstrate that sufficient valid scientific information exists to show that the organic chemical does not pose an unreasonable risk to human health, the organic chemical is present at a level and under circumstances not indicative of contamination, and the cost of compliance is unreasonable in light of the risk to human health.

(h) Notwithstanding anything to the contrary in Section 5-1.52, the commissioner may, based upon receipt and review of a justification submitted by the supplier of water, allow a higher MCL for a period of up to 60 days following application of a paint or lining to a potable water structure, if he determines that an unreasonable risk to human health does not exist.

5-1.52 Tables

TABLE 1-INORGANIC CHEMICALS AND PHYSICAL CHARACTERISTICS
MAXIMUM CONTAMINANT LEVEL DETERMINATION

Contaminants	MCL (milligrams per liter)	Determination of MCL violation
Primary		
Arsenic	0.05	If the results of a monitoring sample analysis exceed the MCL, the supplier of water shall collect three more samples from the same sampling point within 30 days or as soon as practical. An MCL violation occurs when the average ¹ of the four results exceeds the MCL.
Barium	1.00	
Cadmium	0.01	
Chromium	0.05	
Lead	0.05	
Mercury	0.002	
Selenium	0.01	
Silver	0.05	
Fluoride	2.2	
Secondary		
Chloride	250.0	
Copper	1.0	
Corrosivity	Noncorrosive ²	
Iron	0.3 ³	
Manganese	0.3 ³	
Sodium	No designated limits ³	
Sulfate	250.0	
Zinc	5.0	
Color	15 Units	
Odor	3 Units	

1. Rounded to the same number of significant figures as the MCL for the substance in question.
2. If iron and manganese are present, the total concentration of both should not exceed 0.5 mg/l. Higher levels may be allowed when justified by the supplier of water.
3. Water containing more than 20 mg/l of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/l of sodium should not be used for drinking by people on moderately restricted sodium diets.

D-169

CD 003068

INTERVIEW ACKNOWLEDGEMENT FORM

Site Name: C&D Batteries I.D. Number: 336001
 Person Contacted: Michael M. Langan Date: 7/21/88
 Title: Environmental & Project Engineer
 Affiliation: C&D Charter Power Systems
 Address: Route 209, P.O. Box 209 Phone: (914) 856-4466
 Huguenot, NY 12746
 Type of Contact: IN PERSON Person Making Contact: A. Kostic/
 A. Longoria

Interview Summary:

C&D Charter Power Systems, (formerly C&D Batteries), purchased the site in 1973 from a manufacturer of black and white television picture tubes. To dispose various industrial wastes, the latter company had excavated a lagoon (waste fluid pond) adjacent to the plant building. There is no record of the quantity and composition of wastes disposed in the pond. Environmental Resources Management, Inc. installed five wells in 1982. According to preliminary analyses, fluoride attenuations in the soil were found to be considerable over a relatively short distance.

We met with Mr. Michael Langan who escorted us around the plant and showed us the location of the monitoring wells. Two wells (Nos. 2&3) were apparently covered when a newly paved road was constructed. Mr. Langan provided us with a 1982 hydrological study performed by Environmental Resources Management (ERM). He also informed us that ERM was presently completing a hydrological assessment study for C&D Charter Power Systems. Mr. Langan agreed to provide us with a copy of this study in order to enhance the Phase II study underway.

Acknowledgement: I have read the above transcript and I agree that it is an accurate summary of the information verbally conveyed to Gibbs & Hill, Inc. interviewers, or as I have revised below, is an accurate account.

Revisions (Please write in corrections to above transcript)

Subsequent ERM study forwarded to
Cibbs & Hill

Signature: Michael M. Pappin Date: 1-18-59
Title: Environmental Engineer

Telephone Conversation Record

Date: 2/17/90

Time: _____

Call by: Alex Kostic of Gibbs & Hill, Inc.
 (Name) (Company)

Answer by: Michael Langan of C&D Power Systems
 (Name) (Company)
 914/856-4466

Contract No: 5583-067 - C&D Batteries

Subject discussed: _____

 SUMMARY OF DISCUSSION, DECISIONS AND COMMITMENTS

M. Langan informed me of the following:

1. The old neutralization tank located south of the building was removed in 1985.
2. Process wastewaters are treated by an ultrafiltration unit. Clean water returns to process. Water from the production well is used as makeup water.
3. Cooling system is a once-through noncontact system.

/nsa

E. UPDATED REGISTRY

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID AND HAZARDOUS WASTE
INACTIVE HAZARDOUS WASTE DISPOSAL REPORT

CLASSIFICATION CODE: 2a REGION: 3 SITE CODE: 336001
EPA ID: NYD064337298

NAME OF SITE: (C&D Batteries) C&D Power Systems
STREET ADDRESS: Route 209, Huguenot
TOWN/CITY: Huguenot COUNTY: Orange ZIP: 12746

SITE TYPE: Open Dump Structure Lagoon
Landfill Treatment Pond

ESTIMATED SIZE: 10 acres

SITE OWNER/OPERATOR INFORMATION:
CURRENT OWNER NAME: C&D Charter Power Systems
CURRENT OWNER ADDRESS: Route 209, Huguenot, New York
OWNER(S) DURING USE: Empire Tube Corp.
OPERATOR DURING USE: Empire Tube Corp.
OPERATOR ADDRESS: Route 209, Huguenot, New York
PERIOD ASSOCIATED WITH HAZARDOUS WASTE: From 1959 to 1973

SITE DESCRIPTION:

Empire Tube Corporation used a lagoon for disposal of industrial wastes. The lagoon is presently inactive; its inner slopes are covered with grass and brush; and its bottom contains wet grasses and other vegetation. The lagoon is surrounded by a chain link fence. Ten monitoring wells have been installed. The Phase II draft report was completed in October 1989. The analyses show there is no evidence of migration of contaminants from the site into the groundwater and surface water. With exception of 4,4'-DDT, concentrations of all analytes of the surface water (tributary D-1-7) samples were found to meet NYSDEC water quality standards. The origin of the organics found in the sediment samples remains unclear.

RECOMMEND: Further investigation with respect to fluoride would be warranted.

HAZARDOUS WASTE DISPOSED: Confirmed Suspected

<u>TYPE</u>	<u>QUANTITY (units)</u>
Unknown	Unknown

CD 003073

ANALYTICAL DATA AVAILABLE:

Air ___ Surface Water X Groundwater X Sediment X
Soil X Leachate ___ None ___

CONTRAVENTION OF STANDARDS:

Groundwater ___ Drinking Water X Surface Water X Air ___

LEGAL ACTION: None

TYPE: State ___ Federal ___
STATUS: Progress ___ Order Signed ___

REMEDIAL ACTION: None

Proposed ___ Under Design ___ In Progress Completed ___

NATURE OF ACTION:

GEOTECHNICAL INFORMATION:

SOIL TYPE: Coarse sands and gravel
GROUNDWATER DEPTH: Varies from 18 feet to 33 feet

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

Contravention of drinking water and surface water standards.
Contamination of sediments.

ASSESSMENT OF HEALTH PROBLEMS:

	<u>Contaminants Available</u>	<u>Migration Potential</u>	<u>Potentially Exposed Population</u>	<u>Need for Investigation</u>
<u>Medium</u>				
Air	Likely	Unlikely	Yes	Medium
Surface Soil	Likely	Unlikely	No	Low
Groundwater	Likely	Highly likely	Yes	High
Surface Water	Likely	Highly likely	No	Medium

HEALTH DEPARTMENT SITE INSPECTION DATE: 1/86

MUNICIPAL WASTE ID: N/A

CD 003074

