



**Experience is the solution**

314 North Pearl Street ♦ Albany, New York 12207  
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

October 17, 2007

\*\*\*AES IH DEPARTMENT\*\*\*

Delaware Engineering  
28 Madison Avenue Ext.  
Albany, NY 12203

Work Order No: 071015041

TEL: (518) 452-1290

FAX: (518) 452-1335

RE: Lead Assessment  
DP Town Hall

Dear \*\*\*AES IH DEPARTMENT\*\*\*:

Adirondack Environmental Services, Inc received 11 samples on 10/15/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read "Tara Daniels", is written over a large, light-colored scribble.

Tara Daniels  
Laboratory Manager

ELAP#: 10709  
AIHA#: 100307

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits, Estimated

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound - Estimated Conc

E - Value above quantitation range

**Adirondack Environmental Services, Inc**

Date: 17-Oct-07

**CLIENT:** Delaware Engineering  
**Project:** Lead Assessment  
 DP Town Hall

**LabWork Order:** 071015041  
**PO#:**

**Lab SampleID:** 071015041-001  
**Client Sample ID:** W-1; MTG Room

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ICP METALS SW6010B Analyst: KH  
 ( Prep: SW3050A - 10/17/2007 )

Lead	216	0.25		µg/ft2	1	10/17/2007 11:02:00 AM
------	-----	------	--	--------	---	------------------------

**Lab SampleID:** 071015041-002  
**Client Sample ID:** W-2; Sup. Office

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ICP METALS SW6010B Analyst: KH  
 ( Prep: SW3050A - 10/17/2007 )

Lead	20.5	0.25		µg/ft2	1	10/17/2007 11:05:00 AM
------	------	------	--	--------	---	------------------------

**Lab SampleID:** 071015041-003  
**Client Sample ID:** W-3; MTG Room

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ICP METALS SW6010B Analyst: KH  
 ( Prep: SW3050A - 10/17/2007 )

Lead	149	0.25		µg/ft2	1	10/17/2007 11:13:00 AM
------	-----	------	--	--------	---	------------------------

**Lab SampleID:** 071015041-004  
**Client Sample ID:** W-4; MTG Room

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ICP METALS SW6010B Analyst: KH  
 ( Prep: SW3050A - 10/17/2007 )

Lead	26.6	0.25		µg/ft2	1	10/17/2007 11:17:00 AM
------	------	------	--	--------	---	------------------------

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits, Estimated  
 B - Analyte detected in the associated Method Blank  
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 T - Tentatively Identified Compound - Estimated Conc  
 E - Value above quantitation range

**Adirondack Environmental Services, Inc**

Date: 17-Oct-07

**CLIENT:** Delaware Engineering  
**Project:** Lead Assessment  
 DP Town Hall

**LabWork Order:** 071015041  
**PO#:**

**Lab SampleID:** 071015041-005  
**Client Sample ID:** W-5; MTG Room

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>ICP METALS SW6010B</b>						Analyst: KH
( Prep: SW3050A - 10/17/2007 )						
Lead	101	0.25		µg/ft2	1	10/17/2007 11:22:00 AM

**Lab SampleID:** 071015041-006  
**Client Sample ID:** W-6; Build Insp. Off.

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>ICP METALS SW6010B</b>						Analyst: KH
( Prep: SW3050A - 10/17/2007 )						
Lead	47.7	0.25		µg/ft2	1	10/17/2007 11:26:00 AM

**Lab SampleID:** 071015041-007  
**Client Sample ID:** W-7; Build Insp. Off.

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>ICP METALS SW6010B</b>						Analyst: KH
( Prep: SW3050A - 10/17/2007 )						
Lead	2.65	0.25		µg/ft2	1	10/17/2007 11:41:00 AM

**Lab SampleID:** 071015041-008  
**Client Sample ID:** W-8; Court Room

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>ICP METALS SW6010B</b>						Analyst: KH
( Prep: SW3050A - 10/17/2007 )						
Lead	5.93	0.25		µg/ft2	1	10/17/2007 11:45:00 AM

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits, Estimated  
 B - Analyte detected in the associated Method Blank  
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 I - Tentatively Identified Compound - Estimated Conc  
 E - Value above quantitation range

**Adirondack Environmental Services, Inc**

Date: 17-Oct-07

**CLIENT:** Delaware Engineering  
**Project:** Lead Assessment  
 DP Town Hall

**LabWork Order:** 071015041  
**PO#:**

**Lab SampleID:** 071015041-009  
**Client Sample ID:** W-9; Court Room

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ICP METALS SW6010B Analyst: KH  
 ( Prep: SW3050A - 10/17/2007 )

Lead	5.27	0.25		µg/ft2	1	10/17/2007 11:49:00 AM
------	------	------	--	--------	---	------------------------

**Lab SampleID:** 071015041-010  
**Client Sample ID:** W-10; Maint Shop

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ICP METALS SW6010B Analyst: KH  
 ( Prep: SW3050A - 10/17/2007 )

Lead	413	0.25		µg/ft2	1	10/17/2007 11:53:00 AM
------	-----	------	--	--------	---	------------------------

**Lab SampleID:** 071015041-011  
**Client Sample ID:** Blank

**Collection Date:** 10/15/2007  
**Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ICP METALS SW6010B Analyst: KH  
 ( Prep: SW3050A - 10/17/2007 )

Lead	0.34	0.25		µg/ft2	1	10/17/2007 11:57:00 AM
------	------	------	--	--------	---	------------------------

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits, Estimated  
 B - Analyte detected in the associated Method Blank  
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 T - Tentitively Identified Compound-Estimated Conc  
 E - Value above quantitation range

071015041



314 North Pearl Street  
Albany, New York 12207  
518-434-4546/434-0891 FAX

**BULK SAMPLE DATA AND CHAIN OF CUSTODY RECORD**

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>Delaware Eng PC</i>	Address: <i>28 Madison Ave Ext</i>	Date: <i>10/15/07</i>
Send Report To: <i>Cameron Stover</i>	Project Name (Location): <i>DP Town Hall</i>	Project Manager: <i>D.C. Stover MS. CTH</i>
Client Phone No:	Project Number: <i>071012EC</i>	Inspector: <i>D.C. Stover MS. CTH</i>
Client Fax No:		

**BULK SAMPLE INFORMATION**

Lab Sample ID No	Homogenous Area No	Bulk Sample ID No./Material	SUR TSI MIS	Sample Location	Material Qty. (LF,SF)	Analysis Requested
001		W-1, MTG Room		Floor, Front Left Seats	10.4 <sup>2</sup>	Pb in Dust
002		W-2, Sup Office		Window Sill	0.25 ft <sup>2</sup>	↓
003		W-3, MTG Room		Supply Diffuser	0.56 ft <sup>2</sup>	
004		W-4, MTG Room		Top Emergency Man Cal	1.0 ft <sup>2</sup>	
005		W-5, MTG Room		Return Duct	0.83 ft <sup>2</sup>	
006		W-6, Build Insp Off		Window Sill	0.61 ft <sup>2</sup>	
007		W-7, Build Insp Off		Comp Work Sta Part Shelf	0.83 ft <sup>2</sup>	
008		W-8, Court Room		Judge's Bench Top	1.0 ft <sup>2</sup>	
009		W-9, Court Room		Window Sill	1.0 ft <sup>2</sup>	
010		W-10, Maint Shop		Top of Pepsi Mach	1.0 ft <sup>2</sup>	
011		Blank		-	-	
<i>ADP</i>						

Turnaround Time Request: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input checked="" type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> Other _____	Special Instructions/Remarks <i>Please provide units as Pb<sup>(ug)</sup>/ft<sup>2</sup></i>
CC Report To: <i>[Signature]</i>	
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>
Relinquished by: (Signature)	Received for Laboratory by: <i>[Signature]</i>
	Date/Time <i>10/15/07 4:41 PM</i>

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy





Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

## TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.

**SURFACE WIPE RESULTS - LEAD**

**Date Sampled:** October 15, 2007  
**Sample Location:** Deer Park Town Hall  
**Sample By:** D. Cameron Steuer, MS, CIH  
**Sample Equipment:** Ghost Wipe, Lot Sept 14, 2007  
**Method of Collection:** Wipe up to 1 ft<sup>2</sup> or known area of surface. Wipe placed directly into 50 ml polypropylene hot-block digestion container.  
**Method of Analysis:** EPA Method 6010B – ICP Metals

<i><b>CLIENT SAMPLE ID</b></i>	<i><b>SAMPLE LOCATION</b></i>	<i><b>LAB RESULT</b></i>	<i><b>COMMENTS</b></i>
W-1; MTG Room	Carpeted floor, front of left-side seats	21.6 ug/ft <sup>2</sup>	
W-2; Sup. Office	Inside edge of window sill	20.5 ug/ft <sup>2</sup>	Surface sampled had visible dust accumulation
W-3; MTG Room	Upper surface of overhead supply air diffuser	149 ug/ft <sup>2</sup>	Surface sampled had "significant" visible dust accumulation
W-4; MTG Rom	Top of Emergency Management cabinet located in back of room.	26.6 ug/ft <sup>2</sup>	Surface sample had visible dust accumulation
W-5; MTG Room	Inside of flexible return air duct	101 ug/ft <sup>2</sup>	Surface sampled had "significant" visible dust accumulation
W-6; Build Insp. Off.	Inside of window sill	47.7 ug/ft <sup>2</sup>	Surface sampled had visible dust accumulation
W-7; Build. Insp. Off.	Computer work station upper book shelf	2.65 ug/ft <sup>2</sup>	Surface sampled had visible dust accumulation
W-8; Court Room	Top surface of judge's bench	5.93 ug/ft <sup>2</sup>	
W-9; Court Room	Inside of window sill on left corner window.	5.27 ug/ft <sup>2</sup>	Surface sampled had visible dust accumulation
W-10; Maint. Shop	Top of Pepsi machine in maintenance shop break room	413 ug/ft <sup>2</sup>	Surface sampled had "significant" visible dust accumulation.
Blank	Field Blank	0.34 ug/ft <sup>2</sup>	