

December 20, 2023

Brittany O'Brien-Drake
Assistant Geologist – Bureau D, Section D
New York State Department of Environmental Conservation
625 Broadway, 12th Floor
Albany, New York 12233

Sent via email: Brittany.OBrien-Drake@dec.ny.gov

Re: Groundwater Elevations Study Including CAMP Results

NYSDEC Site ID No. 3-36-009 - DuPont Stauffer Landfill Site 700 South Street, City of Newburgh, Orange County, New York

LaBella Project # 2222335

Dear Ms. O'Brien-Drake:

On behalf of IV5 Newburgh South Logistics Center LLC (IV5), LaBella Associates, D.P.C. ("LaBella") is pleased to submit this summary letter documenting our Groundwater Elevation Study and associated Community Air Monitoring Program (CAMP) implemented during investigation activities at the above-listed site ("Site"). IV5 contracted LaBella to conduct a groundwater elevation study in support of redevelopment planning and design at the Site. This study was designed to address a New York State Department of Environmental Conservation (NYSDEC) requirement to determine if groundwater could be exposed during redevelopment efforts (including in the retention ponds). Field work was conducted consistent with NYSDEC-approved Work Plan dated July 13, 2023, the existing Site Management Plan (SMP) and its Excavation Work Plan (EWP) dated November 2016 and revised June 12, 2017.

WORK PEFORMED

Monitoring Well/Piezometer Installations and Development

To document groundwater elevations across the Site, LaBella arranged and observed the drilling and installation of one bedrock monitoring well in the proposed warehouse footprint, two overburden monitoring wells in the proposed stormwater basin areas, and one screened standpipe piezometer near Gidneytown Creek. These are labelled respectively on attached **Figures 1 and 2** as Bedrock Well, Obs Well 1, Obs Well 2, and Piezometer. On July, 26, 2023, LaBella performed limited vegetation clearing to provide access to the drilling locations. Drilling and monitoring well installations were performed by Core Down Drilling, LLC of Brewster, NY, on July 28, 2023, and July 31, 2023. A LaBella environmental professional observed the borings/well installations, logged the soil boring and well construction information, and screened recovered soils for visual, olfactory, and photo-ionization detector (PID). Boring and well construction logs are attached in **Appendix A**.

<u>Bedrock Well</u>: On July 28, a CME 55 drilling rig was used to advance hollow stem augers to bedrock which was encountered at a depth of 8 feet below ground surface (bgs). A 5-inch diameter steel casing was then set at a depth of 9.8 feet bgs, cement grout-sealed, and allowed to cure over the weekend. On July 31, the boring was advanced below the casing using an air hammer. The borehole was extended to a depth of 57 feet bgs, with groundwater observed at a depth of 29 feet bgs. The well was left open hole across the water table, consistent with the construction of bedrock landfill monitoring wells in the vicinity.

Overburden Wells: On July 28, two overburden soil borings, SB-01 and SB-02, were advanced using 5-inch hollow stem augers to the bedrock surface (12.5-feet bgs and 10.5-feet bgs, respectively). Groundwater was encountered at approximate depths of 7 to 8 feet bgs. Soils consisted of clayey glacial till. Monitoring wells were constructed of 1-inch diameter PVC, with 5 to 10 feet of screen installed within each of these borings, along with a sand pack and bentonite seal. Protective covers with stick-ups set in concrete were used to finish monitoring well locations. Following completion of Obs Well 1 and Obs Well 2, each monitoring well was developed using a peristaltic pump. The purge water was drummed and later analyzed (see below).



Piezometer: A 1-inch diameter PVC screened standpipe piezometer was manually driven to a depth of one foot below the bed of Gidneytown Creek by a LaBella environmental professional.

Survey

On August 2 and 3, 2023, LaBella surveyed the three newly installed monitoring wells, standpipe piezometer, and three existing landfill monitoring well locations: LF-9 (bedrock), LF-14D (bedrock), and LF-14S (overburden). The horizontal coordinates of each groundwater observation location were surveyed on the NAD83 New York East datum using GPS. The ground surface elevation and measuring point elevation were surveyed using the NAVD88 vertical datum and adjusted to the datum established at pre-existing monitoring wells LF-14D and LF-14S.

Water Level Measurements

After sufficient time had been permitted for equilibration, LaBella staff returned to the Site on August 10 to collect the first of three rounds of water levels from the three new monitoring wells, standpipe piezometer, and three existing landfill monitoring wells (identified on attached Figures 1 and 2). Subsequent water levels readings were measured on August 31, and September 28. Water level measurements are listed in Table 1 below. The resulting vertical elevations were used for groundwater elevation contour maps depicted in Figures 1 and 2.

August 10, 2023 August 31, 2023 **September 28, 2023** Top of PVC Groundwater Groundwater Groundwater Elevation Depth to Water **Elevation** Depth to Water **Elevation** Depth to Water **Elevation** Well ID LF-9 26.41 26.93 264.18 237.77 237.25 13.04 251.14 LF-14S 240.14 13.22 226.92 226.7 227.83 13.44 12.31 LF-14D 240.08 13.93 226.15 14.08 226 12.80 227.28 Obs Well 1 228.28 8.87 239.33 10.28 229.05 11.05 230.46 Obs Well 2 238.18 11.37 226.81 11.68 226.5 10.85 227.33 Bedrock Well 260.04 246.47 13.57 15.93 244.11 14.34 245.7 Piezometer 222.54 220.21 220.25 1.61 2.33 2.29 220.93

Table 1 – Groundwater Elevation Data

CAMP Monitoring

Consistent with the existing SMP, a LaBella environmental professional conducted CAMP monitoring in accordance with Appendix 1A of DER-10, Generic Community Air Monitoring Plan, during intrusive Site activities (i.e., soil boring and monitoring well installations) on July 28 and July 31, 2023.

LaBella's CAMP monitoring consisted of establishing three (3) on-site monitoring stations positioned in upwind, work zone, and downwind locations relative to the active groundwater elevation study work areas, depicted on the attached figure. Each station consisted of a RAE Systems® ppbRAE 3000 photo-ionization detector (PID) for monitoring volatile organic compound (VOC) vapors and a TSI Model 8530 DustTrak II particulate detector capable of measuring particulate matter less than 10 micrometers in size (PM-10), housed in a Pelican case mounted on an aluminum tripod, with the intakes positioned in the breathing zone (approximately 4 to 5-feet above grade). Each instrument was calibrated daily, operated continuously throughout each workday, and was programmed to log and report 15-minute time-weighted average (TWA) data. Stations were checked periodically by the on-site LaBella environmental professional to ensure proper operation.

To properly evaluate VOC and particulate concentrations within the three monitoring zones described above, weather conditions were recorded throughout each workday necessary for proper positioning of each CAMP station. Weather conditions are summarized in the table below.



Date:	7/28/2023	7/31/2023
Weather	Mostly sunny; Temperature	Mostly sunny; Temperature
(Morning)	68°F to 84°F; Humidity	57°F to 77°F; Humidity 70%
	75% to 80%. Winds NNW	to 75%. Winds N @ Calm to 5
	and N @ Calm to 5 mph	mph
Weather	Mostly sunny; Temperature	Mostly sunny; Temperature
(Afternoon)	84°F to 90°F; Humidity	77°F to 81°F; Humidity 75%
	80%. Winds N @ 5-10mph	to 80%; Winds N @ Calm to
		5mph

CAMP action levels used during the groundwater elevation study were 5 parts per million (ppm) above background/upwind for 15-minute average VOC readings and 100 micrograms per cubic meter (mcg/m³) (0.100 mg/m³) above background/upwind for 15-minute average particulate readings. Particulate and VOC concentrations were consistently less than action Levels throughout the duration of intrusive site activities on July 28 and 31, 2023. No exceedances of the established action limits for VOCs or particulates were recorded during this CAMP monitoring period. Recorded data for particulates and VOCs have been summarized in the table below and the raw data are provided in **Appendix B**.

Station/ Location	C	:AMP-1 (u	(bniwqı		CA	CAMP-2 (work zone)				CAMP-3 (downwind)			
	Particulate (mg/m³)		VOCs (ppm)		Particulate (mg/m³)		VOCs (ppm)		Partio (mg,	culate /m³)	VOCs (ppm)		
Date	Daily Avg.	Max TWA Avg.	Daily Avg.	Max TWA Avg.	Daily Avg.	Max TWA Avg.	Daily Avg.	Max TWA Avg.	Daily Avg.	Max TWA Avg.	Daily Avg.	Max TWA Avg.	
7/28/2023	0.014	0.022	0.0	0.1	0.015	0.018	0.0	0.0	0.023	0.035	0.6	1.0	
7/31/2023	0.011	0.047	0.5	0.6	0.017	0.039	0.2	0.3	0.065	0.025	0.5	0.8	

Management of Investigation Derived Waste (IDW)

A decontamination pad was assembled and used for equipment decontamination. The decontamination fluids were drummed as IDW and staged on-Site. Liquids generated during drilling and well development were also drummed. Drums were placed in an area that had accessibility for future removal from the Site for disposal and in an area that was previously remediated and where clean backfill was used. LaBella collected one (1) sample of IDW liquid (IV5-IDW-WC-O1) and submitted to York Analytical Laboratory (York) of Stratford, Connecticut for analysis of typical waste characterization criteria required by disposal facilities. A laboratory analytical summary report is attached in **Appendix C**. The results of this analysis indicated that the IDW water did not meet the characteristics of hazardous waste. On October 12, 2023, the IDW was disposed of off-Site at Veolia ES technical Solutions in Middlesex, NJ, by Corbett Industrial Cleaning Services Inc. (CICS) of Slingerlands, NY. Waste disposal documentation is attached in **Appendix C**.

Efforts were undertaken to minimize the generation of soil and rock cuttings. Materials were PID field screened. Cuttings generated during soil borings and well installations were stockpiled on and under anchored plastic adjacent to each drilling location in order to not co-mingle with clean backfill brought to the Site as part of prior remedial efforts.

RESULTS

Site Groundwater Elevations

As indicated in Table 1 above, groundwater elevations had a net rise during the observation period from August to September 2023. Attributed to an unusually wet period, this trend is opposite of the typical trend of falling groundwater levels during late-summer and fall. Review of data from USGS observation wells in Orange County and the surrounding region indicate that groundwater levels during the study period were significantly higher



than average conditions for the season, and in fact equaled or exceeded historical average annual high levels (based upon USGS wells 0-2288, U-1620, Du-1009). Thus, groundwater levels observed during the study period conservatively estimate high groundwater elevations that may be encountered during Site construction.

Figures 1 and 2 are maps of groundwater levels measured on August 31, and September 28, 2023, respectively. Consistent with previous investigations, groundwater at the proposed warehouse footprint is found mostly in the bedrock, with overburden groundwater seasonally found between the building site and Gidneytown Creek. Shallow groundwater flow directions across the Site are west towards Gidneytown Creek and presumably southerly in the immediate vicinity of Gidneytown Creek. The calculated horizontal hydraulic gradient is 0.026 ft/ft.

CONCLUSIONS

Based upon the shallow groundwater elevation maps, the groundwater elevations in the wet stormwater pond are projected to be 227 to 231 feet above sea level (asl). Based on the April 7, 2023, design drawings, the bottom of the wet stormwater pond west of the warehouse site would have been at an elevation of 231 feet asl, with excavation likely to extend to an elevation of 230 feet asl. Therefore, design is being adjusted to keep the pond at a higher elevation with the bottom of the wet stormwater pond west of the warehouse site to be at an elevation of 232 feet asl, with excavation likely to extend to an elevation of 231 feet asl. An updated engineering drawing considering the results of this study showing the proposed excavation limits versus record groundwater elevations should be completed by mid-January.

In the dry detention basin, projected groundwater elevations are 225 to 231 feet asl. The bottom of the dry pond is currently designed to be excavated to a depth of 234 feet asl and thus groundwater is not expected to be encountered here.

Limited bedrock groundwater may be encountered during excavation work in the eastern portion of the site depending upon seasonal conditions. Calculations indicate that the volume of bedrock groundwater that may need to be removed will be limited and it will be disposed of off-Site during construction. Extracted groundwater will be sampled and analyzed to confirm acceptance at a disposal facility. Prior to off-Site disposal, the analytical results and disposal plan will be provided to NYSDEC.

If you have any questions regarding this study, please do not hesitate to contact me at 518-540-4933.

Respectfully submitted,

LaBella Associates

Steven Winkley, PG Senior Hydrogeologist

cc: Arlette St. Romain, LaBella Walt Kubow, PE LaBella

William Pasik and Frank Van Der Veken, Brookfield Properties

Attachments:


Figure 1: August 2023 Groundwater Elevation Contours

Figure 2: September 2023 Groundwater Elevation Contours

Appendix A: Boring and Well Construction Logs

Appendix B: Raw CAMP Data


Appendix C: Investigative Derived Waste Documentation





IV5 NEWBURGH SOUTH LOGISTICS CENTER LLC

GROUNDWATER ELEVATION STUDY



Legend



Well/Piezometer

Aug. 31, 2023 Groundwater Elevation Contour Tax Parcel Boundary

Data Sources:


1. 2023 Orange County Tax Parcel Data. Regrid_Published_2023_01

2. March 2021 New York State orthoimagery (1 foot resolution)

LaBella Project No: 2222335 Date: October 2023

August 2023 Groundwater **Elevation Contours**


FIGURE 1





IV5 NEWBURGH SOUTH LOGISTICS CENTER LLC

GROUNDWATER ELEVATION STUDY



Legend



Well/Piezometer

Sept. 28, 2023 Groundwater Elevation Contour Tax Parcel Boundary

Data Sources:

1. 2023 Orange County Tax Parcel Data. Regrid_Published_2023_01

2. March 2021 New York State orthoimagery (1 foot resolution)

LaBella Project No: 2222335 Date: October 2023

September 2023 Groundwater **Elevation Contours**

FIGURE 2



APPENDIX A

BORING AND WELL CONSTRUCTION LOGS

DRILL LABEL	Boring Log 21 Fox Street Poughkeepsie, NY 12601 CONTRACTOR: CONC. DOWN DRILLER: A. BELL VICU LABELLA REPRESENTATIVE: G. F. Ald TYPE OF DRILL RIG: CME			PROJECT NUSSING STEENS 3-36-CCPT Depent Stanker Landell Zow Such St. Nurbugh, WY BORING LOCATION: BERLEVELE WELL GROUND SURFACE ELEVATION NA				BORING: SB-C1 SHEET LOTA JOB: JOAN 335 CHKD BY: DATE: 9/26/23 TIME: 07-20 TO 0970 DATUM: NA WEATHER: SUM-71-75-7		
TYPE (TRACTOR: G	are Down		BORING LOC	ATION: BELLO	vele well	TIME: O	740 10 0410		
TYPE	LLA REPRESENTA	TIVE: BIFE	ld's	START DATE:	7/24/13	END DATE:	WEATHER:	501-71-1)		
AUGE	OF DRILL RIG: R SIZE AND TYPE:	NG METHOD:	A MARRE	Stere		DRIVE SAMPLER TYPE: INSIDE DIAMETER:				
- 1	BURDEN SAMPLIN	NG METHOD:	1/10-	,		OTHER:		T		
E		SAMPLE					PID	- Consideration		
BGS)	SAMPLE RECOVERY (INCHES)	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET BGS)		VISUA	SCREEN (PPM)	REMARKS			
0	1,500		500)	100	77.77		2	1		
1 2 3 4 5	Na	0-87		NO NO	NDY SILT	MARAVELON	14)	605.09		
7 8 9	_			Beduce	Ĭk.		4			
10								1		
11		7								
12	1	1						1 1 2		
13		1						open		
14		*		<u> </u>				No.		
15				67 ·				57		
.6				-						
7										
.8										
.9										
11										
2										
3										
4										
5							_ 14.4			
				DEPTH (F	r)	NOTES: ISSUE O DA	1 616.00	1		
	WATER LEVEL		BOTTOM OF	BOTTOM OF	GROUNDWATER	NOIES: PM 6 94,	1000			
ATE	TIME	ELAPSED TIME	CASING	BORING	ENCOUNTERED	I the second				
GENER	RAL NOTES									
1) 5	STRATIFICATION L	ADINGS HAVE BEEN	MADE AT TIMES A	INDARY BETW AND UNDER C	ONDITIONS STATED,	ANSITIONS MAY BE GRADUAL. FLUCTUATIONS OF GROUNDWATER				
7.74	S = Below Ground = Not Applicable		and = 35 - 50% some = 20 - 35% little = 10 - 20%		C = Coarse M = Medium F = Fine	R = Rounded A = Angular SR = Subrounded				

?

SB-02 For+ NYSORE SIK NO 13-36-609 Dupont Stanffer Londful 700 Jorth St. Nowburgh, M. LaBella LaBella SHEET 10B: 222335 CHKD BY: 21 Fax Street DATE: 7/24/23 Poughkeepsie, NY 12601
CONTRACTOR: Cot & D do r BORING LOCATION: Worth Observation had for the the 1030 10 1250 DRILLER: A Ballveci WEATHER: Symmy, 2856F LABELLA REPRESENTATIVE: B. Relds START DATE: + 26/23 END DATE: TYPE OF DRILL RIG: CME AUGER SIZE AND TYPE: NF 5" HS DRIVE SAMPLER TYPE: INSIDE DIAMETER: OVERBURDEN SAMPLING METHOD: NIA OTHER: SAMPLE DEPTH (FEET FIELD REMARKS VISUAL CLASSIFICATION SAMPLE STRATA SCREEN SAMPLE NO. AND RECOVERY CHANGE (FEET (PPM) DEPTH (INCHES) BGS) Loose; Bown; CL; LEAN CLAY w Send; Lt. orence (f); Most C 2'bgs; Wet @ T'bgs; Medium plasticity; Cohesive; Massive, NotoI 0 0 1 2 3 4 0-12.5 5 6 7 8 9 10 11 12 Bedrock ancembred @ 125 bgs. 13 14 15 16 17 18 19 20 21 22 23 24 25 NOTES: DEPTH (FT) WATER LEVEL DATA BOTTOM OF BOTTOM OF GROUNDWATER DATE TIME ELAPSED TIME CASING ENCOUNTERED

- 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.
- 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER

BGS = Below Ground Surface

and = 35 - 50% some = 20 - 35% C = Coarse M = Medium

R = Rounded A = Angular

NA = Not Applicable

little = 10 - 20% trace = 1 - 10%

F = Fine VF = Very Fine

SR = Subrounded SA = Subangular

BORING:

SB- CO



WELL DEVELOPMENT LOG

									Sull Borns -13	Ž.
ROJECTI	NFORMATIO	NC							Sul Borny = 13	3.03
roject: I	UYSDEC	sik N.	3-76-	00 9 D	upent Ster	older La	rolfil LaBell	Project N	10.: 2222335	
									State: NY	
aBella Rep	o.:	Brans	- Field	ls	Wea	ather:	Paunny	hum	d, 190F	
evelopme	nt Date(s):		7	54/a3						
					UME CALCULA		, C			
		72							n	
tatic Water	Level:	4.02	-ft bloc	Height of	Water Column:	6.15	<u>ft</u> 0	ne Well Vo	lume: 0.25 gallons	
METHOD O	F DEVELOR	MENT	DICE							
Bailer - Type	e:					Pump - Ty	pe: Ca	zistalti	C	
									Sheen: No	
	, dr.								Purged: 4,5 gallons	
, o.o.,	1,441.						100	i voidille r	urged:gallons	
VELL DEVE	LOPMENT	PARAMET	ERS							
Time	Pump Rate	Gallons Purged	рН	Temp.	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved O ₂	ORP	Comments	
0905	(gpm)	0.5	7.15	13.5	6.316	750	(mg/l)	(mV)		
2915	0.05		7.14	13.8	0,549	750	6 46	191.0	Diw- 2,93 bloc	
0925	0.05	2-0	7.10	13.4	0.60%	750	6.28	181.7	DTW 10.90' blue	
0935	6-06	3,8	7.08	13.4	0.640	750	6.24	183.7		
0945	0,06		7.10	13.3		250	_	183.8		
0954	0.40	4.5	7.11	13.3	v.645	220	6-26	193.7	12.20%	OF
									11.15 blue 0955	
							1		10.34 bloc 1000	
									9.51.6hc 1005	
	Lu		-			-		4000	7.04 blec. 18:10	
							7 17 11	1 1	311.0	-

[LaB Boring L 211 ox 5b	og reet NY 12601			PROJECT Sile No 3- Herfrer Li Harl New	36-009	CHKD BA: 108: 3343; PAGE A 12			
DRI	TRACTOR: COLLER: A GE	TIVE:		BORING LOCAT GROUND SURF START DATE:	ACE ELEVATION 7/26	Objection well. NA END DATE:	TIME: DATUM: WEATHER: 4	10_ NA		
AUG	E OF DRILL RIG: ER SIZE AND TYPE RBURDEN SAMPLI	CME NA 5" HS ING METHOD: NI	t			DRIVE SAMPLER TYPE: INSIDE DIAMETER: OTHER:				
FEET		SAMPLE					PID FIELD	Transport		
DEPTH (FEET BGS)	SAMPLE RECOVERY (INCHES)	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET BGS)	CHANGE (FEET				REMARKS		
0 1 2 3 4 5 6 7 8 9	Nla	0-10.5				L; LEAN CLAY of); most @ 4'195) med plastruty; ve; no so &	4			
112 113 114 115 116 117 118 119 120 121 122 123 124								50-ce= 10.5-5.5		
25						Turker				
	WATER LEVEL	DATA	BOTTOM OF	DEPTH (FT BOTTOM OF	GROUNDWATER	NOTES:				
DATE	TIME	ELAPSED TIME	CASING	BORING	ENCOUNTERED					
						INSITIONS MAY BE GRADUAL FLUCTUATIONS OF GROUNDWATER				
	BGS = Below Groun NA = Not Applicable	[and = 35 · 50% some = 20 - 35 little = 10 - 20% trace = 1 - 10%		C = Coarse M = Medium F = Fine VF = Very Fine	R = Rounded A = Angular SR = Subrounded SA = Subangular		BORING: SB		



WELL DEVELOPMENT LOG

									12.000	T. Carlotte
									Well No.:	Mur-03
ROJECT IN	FORMATIO	ON								"43-03"
roject: N	YSDEC	5.L. N. 3	3-36-6	a Du	ent Staulie	s hadh	LaBella	Project N	o.: 332	2335
										NY
llent:										
					Wea			-		
evelopmen			- 1							
Sailer - Type	DEVELOR	PMENT			Water Column:		pe:			
Other:	15.7	_			r: No			CALL TO	Sheen:	The second
olor:	Pump Rate	-		Odo Temp.	r: No.	Turbidity	Tota	Volume P	rurged:	The second
/ELL DEVE	Pump Rate (gpm)	PARAMET	<u>ERS</u>	Odo	r. Na	<u> </u>	Tota	l Volume P	rurged:	gallons
VELL DEVE	Pump Rate (gpm)	Gallons Purged	ERS pH	Temp.	Conductivity	Turbidity (NTU)	Dissolved O ₂	ORP (mV)	rurged:	gallons
VELL DEVE	Pump Rate (gpm)	Gallons Purged	pH 7.33	Temp. (oc) (3 T	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved O ₂ (mg/l)	ORP (mV)	rurged:	gallons
Time	Pump Rate (gpm)	Gallons Purged	PH 7-33 7.32 7.33	Temp. (oc) (3 T	Conductivity (mS/cm) 0 68 0,671	Turbidity (NTU) 450 40	Dissolved O ₂ (mg/l) 4.84 4.81	ORP (mV) 170.1	Co	gallons
olor;	Pump Rate (gpm)	Gallons Purged	PH 7-33 7.32 7.33	Temp. (oc) (3 T	Conductivity (mS/cm) 0 68	Turbidity (NTU) 450 40	Dissolved O ₂ (mg/l) 4.84 4.81	ORP (mV) 170.1	Drw = 1	gallons
Time	Pump Rate (gpm)	Gallons Purged	PH 7-33 7.32 7.33	Temp. (oc) (3 T	Conductivity (mS/cm) 0 68 0,671	Turbidity (NTU) 450 40	Dissolved O ₂ (mg/l) 4.84 4.81	ORP (mV) 170.1	Drw = 1	gallons mments
Time	Pump Rate (gpm)	Gallons Purged	PH 7-33 7.32 7.33	Temp. (oc) (3 T	Conductivity (mS/cm) 0 68 0,671	Turbidity (NTU) 450 40	Dissolved O ₂ (mg/l) 4.84 4.81	ORP (mV) 170.1	Drw = 1	gallons mments



APPENDIX B

RAW CAMP DATA

	009	7/28/2023 09:03:16	0.0	0.0	0.0
23/07/28 08:54	010	7/28/2023 09:04:16	0.0	0.0	0.0
**********	011	7/28/2023 09:05:16	0.0	0.0	0.0
Summary	012	7/28/2023 09:06:16	0.0	0.0	0.0
	013	7/28/2023 09:07:16	0.0	0.1	0.1
Unit Name MiniRAE 3000 +(PGM-7320)	014	7/28/2023 09:08:16	0.1	0.1	0.1
Unit SN 592-601324	015	7/28/2023 09:09:16	0.2	0.2	0.2
Unit Firmware Ver V2.22A	016	7/28/2023 09:10:16	0.2	0.2	0.2
	017	7/28/2023 09:11:16	0.3	0.3	0.3
Running Mode Hygiene Mode	018	7/28/2023 09:12:16	0.3	0.3	0.3
Datalog Mode Auto	019	7/28/2023 09:13:16	0.3	0.4	0.4
Diagnostic Mode No	020	7/28/2023 09:14:16	0.4	0.4	0.4
Stop Reason Power Down	021	7/28/2023 09:15:16	0.4	0.4	0.4
	022	7/28/2023 09:16:16	0.5	0.5	0.5
Site ID 12345678	023	7/28/2023 09:17:16	0.5	0.5	0.5
User ID 12345678	024	7/28/2023 09:18:16	0.5	0.6	0.6
	025	7/28/2023 09:19:16	0.6	0.6	0.6
Begin 7/28/2023 08:54:16	026	7/28/2023 09:20:16	0.6	0.6	0.6
End 7/28/2023 09:50:04	027	7/28/2023 09:21:16	0.6	0.6	0.6
Sample Period(s) 60	028	7/28/2023 09:22:16	0.7	0.7	0.7
Number of Records 55	029	7/28/2023 09:23:16	0.7	0.7	0.7
	030	7/28/2023 09:24:16	0.7	0.7	0.7
Sensor PID(ppm)	031	7/28/2023 09:25:16	0.7	0.7	0.7
Sensor SN S023030154B4	032	7/28/2023 09:26:16	0.8	0.8	0.8
Measure Type Avg; Max; Real	033	7/28/2023 09:27:16	0.8	0.8	0.8
Span 100.0	034	7/28/2023 09:28:16	0.8	0.8	0.8
Span 2 1000.0	035	7/28/2023 09:29:16	0.8	0.8	0.8
Low Alarm 50.0	036	7/28/2023 09:30:16	0.8	0.8	0.8
High Alarm 100.0	037	7/28/2023 09:31:16	0.8	0.8	0.8
Over Alarm 15000.0	038	7/28/2023 09:32:16	0.9	0.9	0.9
STEL Alarm 100.0	039	7/28/2023 09:33:16	0.9	0.9	0.9
TWA Alarm 50.0	040	7/28/2023 09:34:16	0.9	0.9	0.9
Measurement Gas Isobutylene	041	7/28/2023 09:35:16	0.9	0.9	0.9
Calibration Time 7/25/2023 15:18	042	7/28/2023 09:36:16	0.9	0.9	0.9
Peak 1.0	043	7/28/2023 09:37:16	0.9	0.9	0.9
Min 0.0	044	7/28/2023 09:38:16	0.9	0.9	0.9
Average 0.6	045	7/28/2023 09:39:16	0.9	0.9	0.9
	046	7/28/2023 09:40:16	0.9	0.9	0.9
*******	047	7/28/2023 09:41:16	0.9	1.0	1.0
Datalog	048	7/28/2023 09:42:16	1.0	1.0	1.0
PID(ppm) PID(ppm) PID(ppm)	049	7/28/2023 09:43:16	1.0	1.0	1.0
Index Date/Time (Avg) (Max) (Real)	050	7/28/2023 09:44:16	1.0	1.0	1.0
001 7/28/2023 08:55:16 0.0 0.0 0.0	051	7/28/2023 09:45:16	1.0	1.0	1.0
002 7/28/2023 08:56:16 0.0 0.0 0.0	052	7/28/2023 09:46:16	1.0	1.0	1.0
003 7/28/2023 08:57:16 0.0 0.0 0.0	053	7/28/2023 09:47:16	1.0	1.0	1.0
004 7/28/2023 08:58:16 0.0 0.0 0.0	054	7/28/2023 09:48:16	1.0	1.0	1.0
005 7/28/2023 08:59:16	055	7/28/2023 09:49:16	1.0	1.0	1.0
006 7/28/2023 09:00:16 0.0 0.0 0.0	Peak	1.0 1.0	1.0	1.0	1.0
007 7/28/2023 09:01:16 0.0 0.0 0.0	Min	0.0 0.0	0.0		
008 7/28/2023 09:02:16	Average		0.6		
7/20/2025 05:02:10	Average	0.5 0.0	0.0		

******	*******	******	******	*******
TWA/STEI	L			
	P:	ID(ppm)	PID(ppm)
Index	Date/Time	(TWA)	(STEL)	
001	7/28/2023	08:55:16	0.0	
002	7/28/2023	08:56:16	0.0	
003	7/28/2023	08:57:16	0.0	
004	7/28/2023	08:58:16	0.0	
005	7/28/2023	08:59:16	0.0	
006	7/28/2023	09:00:16	0.0	
007	7/28/2023	09:01:16	0.0	
800	7/28/2023	09:02:16	0.0	
009	7/28/2023	09:03:16	0.0	
010	7/28/2023	09:04:16	0.0	
011	7/28/2023	09:05:16	0.0	
012	7/28/2023	09:06:16	0.0	
013	7/28/2023	09:07:16	0.0	
014	7/28/2023	09:08:16	0.0	
015	7/28/2023	09:09:16	0.0	0.0
016	7/28/2023	09:10:16	0.0	0.0
017	7/28/2023	09:11:16	0.0	0.1
018	7/28/2023	09:12:16	0.0	0.1
019	7/28/2023	09:13:16	0.0	0.1
020	7/28/2023	09:14:16	0.0	0.1
021	7/28/2023	09:15:16	0.0	0.2
022	7/28/2023	09:16:16	0.0	0.2
023	7/28/2023	09:17:16	0.0	0.2
024	7/28/2023	09:18:16	0.0	0.3
025	7/28/2023	09:19:16	0.0	0.3
026	7/28/2023	09:20:16	0.0	0.3
027	7/28/2023	09:21:16	0.0	0.4
028	7/28/2023	09:22:16	0.0	0.4
029	7/28/2023	09:23:16	0.0	0.5
030	7/28/2023	09:24:16	0.0	0.5
031	7/28/2023	09:25:16	0.0	0.5
032	7/28/2023	09:26:16	0.0	0.6
033	7/28/2023	09:27:16	0.0	0.6
034	7/28/2023	09:28:16	0.0	0.7
035	7/28/2023	09:29:16	0.0	0.7
036	7/28/2023	09:30:16	0.0	0.7
037	7/28/2023	09:31:16	0.0	0.7
038	7/28/2023	09:32:16	0.0	0.8
039	7/28/2023	09:33:16	0.0	0.8
040	7/28/2023	09:34:16	0.0	0.8
041	7/28/2023	09:35:16	0.0	0.8
042	7/28/2023	09:36:16	0.0	0.8
043	7/28/2023	09:37:16	0.0	0.9
044	7/28/2023	09:38:16	0.0	0.9
045	7/28/2023	09:39:16	0.0	0.9

	/	,				_,,			
	PID(ppm)	PID(ppm		PID(ppm)	049	7/28/2023 11:54:03	0.5	0.5	0.5
Index	Date/Time (Avg)	(Max)	(Real)		050	7/28/2023 11:55:03	0.5	0.5	0.5
001	7/28/2023 11:06:03	0.6	0.7	0.6	051	7/28/2023 11:56:03	0.5	0.5	0.5
002	7/28/2023 11:07:03	0.5	0.6	0.5	Peak	0.6 0.7	0.6		
003	7/28/2023 11:08:03	0.5	0.5	0.5	Min	0.5 0.5	0.5		
004	7/28/2023 11:09:03	0.5	0.5	0.5	Average	0.5 0.6	0.5		
005	7/28/2023 11:10:03	0.5	0.5	0.5					
006	7/28/2023 11:11:03	0.5	0.5	0.5		**********	******	******	********
007	7/28/2023 11:12:03	0.5	0.5	0.5	TWA/STE				
800	7/28/2023 11:13:03	0.5	0.5	0.5		PID(ppm)	PID(ppm)	
009	7/28/2023 11:14:03	0.5	0.5	0.5	Index	Date/Time (TWA)	(STEL)		
010	7/28/2023 11:15:03	0.5	0.5	0.5	001	7/28/2023 11:06:03	0.0		
011	7/28/2023 11:16:03	0.5	0.5	0.5	002	7/28/2023 11:07:03	0.0		
012	7/28/2023 11:17:03	0.5	0.5	0.5	003	7/28/2023 11:08:03	0.0		
013	7/28/2023 11:18:03	0.5	0.5	0.5	004	7/28/2023 11:09:03	0.0		
014	7/28/2023 11:19:03	0.5	0.5	0.5	005	7/28/2023 11:10:03	0.0		
015	7/28/2023 11:20:03	0.5	0.5	0.5	006	7/28/2023 11:11:03	0.0		
016	7/28/2023 11:21:03	0.5	0.5	0.5	007	7/28/2023 11:12:03	0.0		
017	7/28/2023 11:22:03	0.5	0.5	0.5	800	7/28/2023 11:13:03	0.0		
018	7/28/2023 11:23:03	0.5	0.5	0.5	009	7/28/2023 11:14:03	0.0		
019	7/28/2023 11:24:03	0.5	0.6	0.6	010	7/28/2023 11:15:03	0.0		
020	7/28/2023 11:25:03	0.6	0.6	0.5	011	7/28/2023 11:16:03	0.0		
021	7/28/2023 11:26:03	0.6	0.6	0.6	012	7/28/2023 11:17:03	0.0		
022	7/28/2023 11:27:03	0.6	0.6	0.6	013	7/28/2023 11:18:03	0.0		
023	7/28/2023 11:28:03	0.6	0.6	0.6	014	7/28/2023 11:19:03	0.0		
024	7/28/2023 11:29:03	0.6	0.6	0.6	015	7/28/2023 11:20:03	0.0	0.5	
025	7/28/2023 11:30:03	0.6	0.6	0.6	016	7/28/2023 11:21:03	0.0	0.5	
026	7/28/2023 11:31:03	0.6	0.6	0.6	017	7/28/2023 11:22:03	0.0	0.5	
027	7/28/2023 11:32:03	0.6	0.6	0.6	018	7/28/2023 11:23:03	0.0	0.5	
028	7/28/2023 11:33:03	0.6	0.6	0.6	019	7/28/2023 11:24:03	0.0	0.5	
029	7/28/2023 11:34:03	0.6	0.6	0.6	020	7/28/2023 11:25:03	0.0	0.5	
030	7/28/2023 11:35:03	0.6	0.6	0.6	021	7/28/2023 11:26:03	0.0	0.5	
031	7/28/2023 11:36:03	0.6	0.6	0.6	022	7/28/2023 11:27:03	0.0	0.6	
032	7/28/2023 11:37:03	0.6	0.6	0.6	023	7/28/2023 11:28:03	0.0	0.6	
033	7/28/2023 11:38:03	0.6	0.6	0.6	024	7/28/2023 11:29:03	0.0	0.6	
034	7/28/2023 11:39:03	0.6	0.6	0.6	025	7/28/2023 11:30:03	0.0	0.6	
035	7/28/2023 11:40:03	0.6	0.6	0.6	026	7/28/2023 11:31:03	0.0	0.6	
036	7/28/2023 11:41:03	0.6	0.6	0.6	027	7/28/2023 11:32:03	0.0	0.6	
037	7/28/2023 11:42:03	0.6	0.6	0.5	028	7/28/2023 11:33:03	0.0	0.6	
038	7/28/2023 11:43:03	0.5	0.6	0.5	029	7/28/2023 11:34:03	0.0	0.6	
039	7/28/2023 11:44:03	0.6	0.6	0.5	030	7/28/2023 11:35:03	0.0	0.6	
040	7/28/2023 11:45:03	0.5	0.6	0.6	031	7/28/2023 11:36:03	0.0	0.6	
041	7/28/2023 11:46:03	0.5	0.6	0.5	032	7/28/2023 11:37:03	0.0	0.6	
042	7/28/2023 11:47:03	0.5	0.6	0.5	033	7/28/2023 11:38:03	0.0	0.6	
043	7/28/2023 11:48:03	0.5	0.5	0.5	034	7/28/2023 11:39:03	0.0	0.6	
044	7/28/2023 11:49:03	0.5	0.5	0.5	035	7/28/2023 11:40:03	0.0	0.6	
045	7/28/2023 11:50:03	0.5	0.5	0.5	036	7/28/2023 11:41:03	0.0	0.6	
046	7/28/2023 11:51:03	0.5	0.5	0.5	037	7/28/2023 11:42:03	0.0	0.6	
047	7/28/2023 11:52:03	0.5	0.5	0.5	038	7/28/2023 11:42:03	0.0	0.6	
048	7/28/2023 11:52:03	0.5	0.5	0.5	039	7/28/2023 11:44:03	0.0	0.6	
	.,,					.,,			

949	7/28/20	23 11:45	:03	0.0	0.6	
041		23 11:46		0.0	0.6	
042	7/28/20	23 11:47	:03	0.0	0.6	
043		23 11:48		0.0	0.6	
044		23 11:49		0.0	0.6	
045		23 11:50		0.1	0.6	
046	7/28/20	23 11:51	:03	0.1	0.6	
047	7/28/20	23 11:52	:03	0.1	0.6	
048	7/28/20	23 11:53	:03	0.1	0.6	
049	7/28/20	23 11:54	:03	0.1	0.6	
050	7/28/20	23 11:55	:03	0.1	0.6	
051	7/28/20	23 11:56	:03	0.1	0.5	
=====				======		
	28 12:30					
*****	******	******	******	*****	******	**********
Summar						
	lame		3000 +(PGM-7326	9)	
	N 592-601					
	irmware V					
	ig Mode		Mode			
	g Mode					
	stic Mode					
	leason					
	D 1234567					
	D 1234567					
	7/28/20					
	7/28/20 Period(s					
	of Recor					
	PID(ppm					
Sensor) S023030	1 E 4 D 4			
	e Type 100.0	Avg, Ma	x, near			
	100.0					
Low Al		50.0				
High A Over A		100.0				
STEL A		15000.0 100.0				
TWA Al		50.0	lono			
	ement Gas			22 15,14	,	
	ation Tim	e	7/25/20	25 15:18	•	
Peak	0.8					
	0 6					
Min Averag						

Datalog			DTD /	,	DTD()
T		D(ppm)	PID(ppr		PID(ppm)
Index	Date/Time	(Avg)	(Max)	(Real)	
001	7/28/2023		0.6	0.7	0.7
002	7/28/2023		0.7	0.8	0.7
003	7/28/2023		0.7	0.7	0.7
004	7/28/2023		0.8	0.8	0.8
005	7/28/2023		0.8	0.8	0.8
906	7/28/2023		0.8	0.8	0.8
907	7/28/2023		0.8	0.8	0.8
806	7/28/2023		0.8	0.9	0.8
909	7/28/2023		0.8	0.8	0.8
910	7/28/2023		0.8	0.8	0.8
911	7/28/2023		0.8	0.8	0.8
ð12	7/28/2023		0.8	0.8	0.8
013	7/28/2023		0.8	0.8	0.8
914	7/28/2023	12:44:38	0.8	0.8	0.8
ð15	7/28/2023	12:45:38	0.8	0.8	0.8
ð16	7/28/2023		0.8	0.8	0.8
917	7/28/2023	12:47:38	0.8	0.8	0.8
918	7/28/2023	12:48:38	0.8	0.8	0.8
ð19	7/28/2023	12:49:38	0.8	0.8	0.8
920	7/28/2023	12:50:38	0.8	0.8	0.8
921	7/28/2023	12:51:38	0.8	0.8	0.8
922	7/28/2023	12:52:38	0.8	0.8	0.8
023	7/28/2023	12:53:38	0.8	0.8	0.8
924	7/28/2023	12:54:38	0.8	0.8	0.8
ð25	7/28/2023	12:55:38	0.8	0.8	0.7
926	7/28/2023	12:56:38	0.7	0.8	0.7
927	7/28/2023	12:57:38	0.7	0.7	0.7
928	7/28/2023	12:58:38	0.7	0.7	0.7
929	7/28/2023	12:59:38	0.7	0.7	0.7
939	7/28/2023	13:00:38	0.7	0.7	0.7
031	7/28/2023	13:01:38	0.7	0.7	0.7
032	7/28/2023	13:02:38	0.7	0.7	0.7
933	7/28/2023	13:03:38	0.7	0.7	0.7
ð34	7/28/2023	13:04:38	0.7	0.7	0.7
035	7/28/2023	13:05:38	0.7	0.7	0.7
936	7/28/2023	13:06:38	0.7	0.7	0.7
937	7/28/2023	13:07:38	0.7	0.7	0.7
938	7/28/2023	13:08:38	0.7	0.7	0.7
939	7/28/2023	13:09:38	0.7	0.7	0.7
040	7/28/2023		0.7	0.7	0.7
041	7/28/2023		0.7	0.7	0.7
042	7/28/2023		0.7	0.7	0.7
042 043	7/28/2023		0.7	0.7	0.7
044	7/28/2023		0.7	0.7	0.7
045	7/28/2023		0.7	0.7	0.7
045 046	7/28/2023		0.7	0.7	0.7

047	7/28/2023 1	3:17:	38	0.7	0.7	0.7			7/28/2023		0.0
048	7/28/2023 1	3:18:	38	0.7	0.7	0.7	6	904	7/28/2023	12:34:38	0.0
049	7/28/2023 1	3:19:	38	0.7	0.7	0.7	6	905	7/28/2023	12:35:38	0.0
050	7/28/2023 13	3:20:	38	0.7	0.7	0.7	6	906	7/28/2023	12:36:38	0.0
051	7/28/2023 1	3:21:	38	0.7	0.7	0.7	6	907	7/28/2023	12:37:38	0.0
052	7/28/2023 1	3:22:	38	0.7	0.7	0.7	6	808	7/28/2023	12:38:38	0.0
053	7/28/2023 1	3:23:	38	0.7	0.7	0.7	6	909	7/28/2023	12:39:38	0.0
054	7/28/2023 1	3:24:	38	0.7	0.7	0.7	6	10	7/28/2023	12:40:38	0.0
055	7/28/2023 1	3:25:	38	0.7	0.7	0.7	6	11	7/28/2023	12:41:38	0.0
056	7/28/2023 13	3:26:	38	0.7	0.7	0.7	6	12	7/28/2023	12:42:38	0.0
057	7/28/2023 1	3:27:	38	0.7	0.7	0.7	6	13	7/28/2023	12:43:38	0.0
058	7/28/2023 1	3:28:	38	0.7	0.7	0.7	6	14	7/28/2023	12:44:38	0.0
059	7/28/2023 1	3:29:	38	0.7	0.7	0.7	6	15	7/28/2023	12:45:38	0.0
060	7/28/2023 1	3:30:	38	0.7	0.7	0.7	6	16	7/28/2023	12:46:38	0.0
061	7/28/2023 1	3:31:	38	0.7	0.7	0.7	6	17	7/28/2023	12:47:38	0.0
062	7/28/2023 1	3:32:	38	0.7	0.7	0.7	6	18	7/28/2023	12:48:38	0.0
063	7/28/2023 1	3:33:	38	0.7	0.7	0.7	6	19	7/28/2023	12:49:38	0.0
064	7/28/2023 1	3:34:	38	0.7	0.7	0.7	6	320	7/28/2023	12:50:38	0.0
065	7/28/2023 13	3:35:	38	0.7	0.7	0.7	6	21	7/28/2023	12:51:38	0.0
066	7/28/2023 1	3:36:	38	0.7	0.7	0.7	6	122	7/28/2023	12:52:38	0.0
067	7/28/2023 1	3:37:	38	0.7	0.7	0.7	6	23	7/28/2023	12:53:38	0.0
068	7/28/2023 1	3:38:	38	0.7	0.7	0.7	6	124	7/28/2023	12:54:38	0.0
069	7/28/2023 1	3:39:	38	0.7	0.7	0.7	6	25	7/28/2023	12:55:38	0.0
070	7/28/2023 1	3:40:	38	0.6	0.7	0.7	6	26	7/28/2023	12:56:38	0.0
071	7/28/2023 1	3:41:	38	0.7	0.7	0.7	6	27	7/28/2023	12:57:38	0.0
072	7/28/2023 1	3:42:	38	0.7	0.7	0.7	6	28	7/28/2023	12:58:38	0.0
073	7/28/2023 1	3:43:	38	0.6	0.7	0.7	6	29	7/28/2023	12:59:38	0.0
074	7/28/2023 1	3:44:	38	0.6	0.7	0.6	6	30	7/28/2023	13:00:38	0.0
075	7/28/2023 13	3:45:	38	0.6	0.7	0.7	6	31	7/28/2023	13:01:38	0.0
076	7/28/2023 1	3:46:	38	0.6	0.7	0.6	6	32	7/28/2023	13:02:38	0.1
077	7/28/2023 1	3:47:	38	0.6	0.7	0.6	6	33	7/28/2023	13:03:38	0.1
078	7/28/2023 1	3:48:	38	0.6	0.7	0.6	6	34	7/28/2023	13:04:38	0.1
079	7/28/2023 1	3:49:	38	0.6	0.6	0.6	6	35	7/28/2023	13:05:38	0.1
080	7/28/2023 1	3:50:	38	0.6	0.6	0.6	6	36	7/28/2023	13:06:38	0.1
081	7/28/2023 1	3:51:	38	0.6	0.6	0.6	6	37	7/28/2023	13:07:38	0.1
082	7/28/2023 1	3:52:	38	0.7	0.7	0.7	6	38	7/28/2023	13:08:38	0.1
083	7/28/2023 1	3:53:	38	0.7	0.7	0.7	6	39	7/28/2023	13:09:38	0.1
084	7/28/2023 13	3:54:	38	0.6	0.7	0.6	6	140	7/28/2023	13:10:38	0.1
085	7/28/2023 1	3:55:	38	0.6	0.7	0.6	6	41	7/28/2023	13:11:38	0.1
086	7/28/2023 1	3:56:	38	0.6	0.6	0.6	6	142	7/28/2023	13:12:38	0.1
Peak	0.8		0.9	0.8			6	143	7/28/2023	13:13:38	0.1
Min	0.6		0.6	0.6			6	144	7/28/2023	13:14:38	0.1
Average	0.7		0.7	0.7			6	45	7/28/2023	13:15:38	0.1
Ü							6	146	7/28/2023	13:16:38	0.1
******	*******	****	******	******	******	******	6	47	7/28/2023	13:17:38	0.1
TWA/STEL	-						6	48	7/28/2023	13:18:38	0.1
	PID	(ppm)		PID(ppm))		6	149	7/28/2023	13:19:38	0.1
Index	Date/Time		(TWA)	(STEL)					7/28/2023		0.1
	7/28/2023 1			0.0					7/28/2023		0.1

```
7/28/2023 13:23:38
7/28/2023 13:24:38
7/28/2023 13:25:38
7/28/2023 13:26:38
7/28/2023 13:27:38
7/28/2023 13:28:38
                                                                            0.1
0.1
0.1
0.1
0.1
054
                                                                                                 0.7
                                                                                                0.7
0.7
955
056
057
058
                                                                                                 0.7
                   7/28/2023 13:29:38
7/28/2023 13:30:38
7/28/2023 13:31:38
059
060
                                                                              0.1
0.1
061
                                                                              0.1
                                                                                                 0.7
                   7/28/2023 13:31:38
7/28/2023 13:32:38
7/28/2023 13:33:38
7/28/2023 13:34:38
7/28/2023 13:36:38
7/28/2023 13:37:38
062
063
064
                                                                              0.1
0.1
0.1
                                                                                                 0.7
                                                                              0.1
0.1
0.1
965
                                                                                                 0.7
966
967
                  7/28/2023 13:37:38
7/28/2023 13:38:38
7/28/2023 13:39:38
7/28/2023 13:40:38
7/28/2023 13:41:38
7/28/2023 13:42:38
7/28/2023 13:43:38
7/28/2023 13:44:38
7/28/2023 13:45:38
7/28/2023 13:45:38
068
                                                                              0.1
                                                                                                 0.7
069
                                                                              0.1
0.1
071
                                                                              0.1
                                                                                                 0.7
072
                                                                              0.1
                                                                                                 0.7
073
075
                                                                              0.1
                                                                                                 0.7
976
                                                                              0.1
                                                                                                 9 7
077
                    7/28/2023 13:47:38
                                                                              0.1
                    7/28/2023 13:48:38
078
                                                                              0.1
                                                                                                 0.7
                   7/28/2023 13:49:38
7/28/2023 13:50:38
7/28/2023 13:51:38
079
081
082
                    7/28/2023 13:52:38
                                                                              0.1
                                                                                                 0.7
                   7/28/2023 13:53:38
7/28/2023 13:54:38
7/28/2023 13:55:38
083
085
                                                                              0.1
                   7/28/2023 13:56:38
086
                                                                              0.1
                                                                                                 0.7
```

7/28/2023 12:32:38

```
Unit Name MiniRAE 3000 +(PGM-7320)
Unit SN 592-601324
Unit Firmware Ver V2.22A
Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
Stop Reason Power Down
Site ID 12345678
User ID 12345678
Begin 7/31/2023 08:01:02
End 7/31/2023 12:04:12
End 7/31/2023 12:04:12
Sample Period(s) 60
Number of Records 243
Sensor PID(ppm)
Sensor SN 5023030154B4
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time
                                  7/25/2023 15:18
Peak 0.8
Min 0.0
Average 0.5
Datalog
PID(ppm)
Index Date/Time (Avg)
001 7/31/2023 08:02:02
                                              PID(ppm)
                                                                      PID(ppm)
                                                         (Real)
0.0
0.0
0.0
0.0
                                              (Max)
0.0
                                              0.0
0.0
0.0
                                                                     0.0
0.0
0.0
            7/31/2023 08:03:02
992
            7/31/2023 08:04:02
7/31/2023 08:05:02
                                                         0.0
0.0
0.0
005
            7/31/2023 08:06:02
                                              0.0
                                                                      0.0
           7/31/2023 08:07:02
7/31/2023 08:07:02
7/31/2023 08:08:02
7/31/2023 08:09:02
                                              0.0
0.0
0.0
                                                                     0.0
```

0.0

0.8 0.8 0.9 0.9 0.9 0.9 0.9 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.7 0.7 0.7 0.7 0.7 0.7

0.7

052

7/28/2023 13:22:38

109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154	009 010 011 0112 013 014 015 016 017 018 019 020 021 022 023 024 025 026 027 028 029 030 031 032 033 034 035 036 037 038 039 040 041 042 043 044 045 046 047 048 049 050 051 052 053 054 055 056 057 058
7/31/2023 09:50:02 7/31/2023 09:51:02 7/31/2023 09:52:02 7/31/2023 09:53:02 7/31/2023 09:55:02 7/31/2023 09:55:02 7/31/2023 09:55:02 7/31/2023 09:55:02 7/31/2023 09:55:02 7/31/2023 09:55:02 7/31/2023 09:55:02 7/31/2023 10:01:02 7/31/2023 10:01:02 7/31/2023 10:01:02 7/31/2023 10:03:02 7/31/2023 10:05:02 7/31/2023 10:05:02 7/31/2023 10:05:02 7/31/2023 10:05:02 7/31/2023 10:05:02 7/31/2023 10:05:02 7/31/2023 10:05:02 7/31/2023 10:05:02 7/31/2023 10:05:02 7/31/2023 10:10:02 7/31/2023 10:10:02 7/31/2023 10:10:02 7/31/2023 10:15:02 7/31/2023 10:15:02 7/31/2023 10:15:02 7/31/2023 10:15:02 7/31/2023 10:15:02 7/31/2023 10:15:02 7/31/2023 10:15:02 7/31/2023 10:15:02 7/31/2023 10:15:02 7/31/2023 10:15:02 7/31/2023 10:25:02 7/31/2023 10:25:02 7/31/2023 10:25:02 7/31/2023 10:25:02 7/31/2023 10:25:02 7/31/2023 10:25:02 7/31/2023 10:25:02 7/31/2023 10:28:02 7/31/2023 10:38:02	7/31/2023 08:10:02 7/31/2023 08:11:02 7/31/2023 08:11:02 7/31/2023 08:11:02 7/31/2023 08:13:02 7/31/2023 08:15:02 7/31/2023 08:15:02 7/31/2023 08:15:02 7/31/2023 08:15:02 7/31/2023 08:17:02 7/31/2023 08:19:02 7/31/2023 08:20:02 7/31/2023 08:22:02 7/31/2023 08:22:02 7/31/2023 08:22:02 7/31/2023 08:22:02 7/31/2023 08:22:02 7/31/2023 08:22:02 7/31/2023 08:22:02 7/31/2023 08:23:02 7/31/2023 08:23:02 7/31/2023 08:33:02 7/31/2023 08:33:02 7/31/2023 08:33:02 7/31/2023 08:33:02 7/31/2023 08:33:02 7/31/2023 08:33:02 7/31/2023 08:33:02 7/31/2023 08:33:02 7/31/2023 08:34:02 7/31/2023 08:36:02 7/31/2023 08:36:02 7/31/2023 08:36:02 7/31/2023 08:36:02 7/31/2023 08:36:02 7/31/2023 08:36:02 7/31/2023 08:36:02 7/31/2023 08:40:02 7/31/2023 08:40:02 7/31/2023 08:40:02 7/31/2023 08:41:02 7/31/2023 08:45:02 7/31/2023 08:45:02 7/31/2023 08:45:02 7/31/2023 08:45:02 7/31/2023 08:45:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02 7/31/2023 08:55:02
0.770.770.770.770.770.770.770.770.770.7	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
0.770.770.770.770.770.770.770.770.770.7	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206	059 060 061 062 063 064 065 066 067 068 069 071 072 073 074 075 076 077 078 089 081 082 083 084 085 086 087 088 089 091 092 093 094 095 096 097 097 098 099 090 091 092 093 094 095 096 097 098 099 090 091 092 093 094 095 096 097 098 099 090 091 092 093 094 095 096 097 098 099 099 100 101 102 102 103 104 105 106 107 108 108 108 108 108 108 108 108
7/31/2023 10:40:02 7/31/2023 10:41:02 7/31/2023 10:42:02 7/31/2023 10:42:02 7/31/2023 10:44:02 7/31/2023 10:44:02 7/31/2023 10:45:02 7/31/2023 10:45:02 7/31/2023 10:45:02 7/31/2023 10:50:02 7/31/2023 10:50:02 7/31/2023 10:50:02 7/31/2023 10:50:02 7/31/2023 10:55:02 7/31/2023 10:55:02 7/31/2023 10:55:02 7/31/2023 10:55:02 7/31/2023 10:55:02 7/31/2023 10:55:02 7/31/2023 10:55:02 7/31/2023 10:55:02 7/31/2023 10:55:02 7/31/2023 10:55:02 7/31/2023 10:55:02 7/31/2023 10:50:02 7/31/2023 10:20:02	7/31/2023 09:00:02 7/31/2023 09:01:02 7/31/2023 09:02:02 7/31/2023 09:03:02 7/31/2023 09:05:02 7/31/2023 09:05:02 7/31/2023 09:06:02 7/31/2023 09:06:02 7/31/2023 09:06:02 7/31/2023 09:07:02 7/31/2023 09:10:02 7/31/2023 09:10:02 7/31/2023 09:11:02 7/31/2023 09:11:02 7/31/2023 09:11:02 7/31/2023 09:11:02 7/31/2023 09:11:02 7/31/2023 09:11:02 7/31/2023 09:11:02 7/31/2023 09:11:02 7/31/2023 09:11:02 7/31/2023 09:11:02 7/31/2023 09:12:02 7/31/2023 09:12:02 7/31/2023 09:21:02 7/31/2023 09:22:02 7/31/2023 09:22:02 7/31/2023 09:22:02 7/31/2023 09:22:02 7/31/2023 09:22:02 7/31/2023 09:22:02 7/31/2023 09:22:02 7/31/2023 09:23:02 7/31/2023 09:23:02 7/31/2023 09:23:02 7/31/2023 09:38:02 7/31/2023 09:38:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:33:02 7/31/2023 09:34:02 7/31/2023 09:44:02 7/31/2023 09:44:02 7/31/2023 09:45:02
0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7	0.3 0.3 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.5 0.5 0.5 0.5 0.5 0.5 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6
0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7	0.3 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5
0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7	0.3 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4

209 7/31/2023 11:30:02 210 7/31/2023 11:31:02 211 7/31/2023 11:32:02 212 7/31/2023 11:33:02 213 7/31/2023 11:33:02 214 7/31/2023 11:35:02 215 7/31/2023 11:35:02 216 7/31/2023 11:35:02 217 7/31/2023 11:37:02 217 7/31/2023 11:39:02 218 7/31/2023 11:39:02 219 7/31/2023 11:40:02 220 7/31/2023 11:40:02 221 7/31/2023 11:44:02 222 7/31/2023 11:44:02 223 7/31/2023 11:45:02 224 7/31/2023 11:45:02 225 7/31/2023 11:45:02 226 7/31/2023 11:45:02 227 7/31/2023 11:45:02 228 7/31/2023 11:49:02 229 7/31/2023 11:49:02 229 7/31/2023 11:49:02 229 7/31/2023 11:51:02 230 7/31/2023 11:51:02 231 7/31/2023 11:51:02 232 7/31/2023 11:51:02 233 7/31/2023 11:51:02	8.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9	0.6 0.6	908 909 9119 9111 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931	7/31/2023 08:09:02 7/31/2023 08:10:02 7/31/2023 08:11:02 7/31/2023 08:11:02 7/31/2023 08:13:02 7/31/2023 08:13:02 7/31/2023 08:13:02 7/31/2023 08:16:02 7/31/2023 08:16:02 7/31/2023 08:18:02 7/31/2023 08:18:02 7/31/2023 08:20:02 7/31/2023 08:21:02 7/31/2023 08:21:02 7/31/2023 08:22:02 7/31/2023 08:25:02 7/31/2023 08:25:02 7/31/2023 08:25:02 7/31/2023 08:26:02 7/31/2023 08:26:02 7/31/2023 08:25:02 7/31/2023 08:26:02 7/31/2023 08:26:02 7/31/2023 08:26:02 7/31/2023 08:26:02 7/31/2023 08:28:02 7/31/2023 08:38:00 7/31/2023 08:30:02 7/31/2023 08:31:02 7/31/2023 08:31:02	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
233 7/31/2023 11:54:02 234 7/31/2023 11:55:02 235 7/31/2023 11:55:02 236 7/31/2023 11:55:02 237 7/31/2023 11:55:02 238 7/31/2023 11:59:02 239 7/31/2023 11:59:02 240 7/31/2023 12:00:02 241 7/31/2023 12:00:02 242 7/31/2023 12:00:02 243 7/31/2023 12:00:02 244 7/31/2023 12:00:02 245 7/31/2023 12:00:02 247 7/31/2023 12:00:02 248 0.8 0.8 0.8 Min 0.0 0.0 Average 0.5 0.5 ************************************	PID(ppr	m)	932 933 934 935 936 937 938 939 949 941 942 943 944 945 946 947 948 949 959 951		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.1 0.1
066 7/31/2023 08:07:02 067 7/31/2023 08:08:02 058 7/31/2023 08:59:02 059 7/31/2023 09:00:02 060 7/31/2023 09:01:02 061 7/31/2023 09:02:02	0.0 0.0 0.0 0.0 0.0	0.3 0.3 0.3 0.3	956 957 108 109 110 111	7/31/2023 09:52:02	0.0 0.0	0.3 0.3 0.7 0.7 0.7
062 7/31/2023 09:03:02 0663 7/31/2023 09:04:02 0664 7/31/2023 09:05:02 0665 7/31/2023 09:05:02 0667 7/31/2023 09:05:02 0667 7/31/2023 09:08:02 0667 7/31/2023 09:08:02 0668 7/31/2023 09:09:02 0669 7/31/2023 09:11:02 077 7/31/2023 09:11:02 077 7/31/2023 09:11:02 077 7/31/2023 09:13:02 077 7/31/2023 09:15:02 077 7/31/2023 09:15:02 077 7/31/2023 09:15:02 077 7/31/2023 09:15:02 077 7/31/2023 09:15:02 077 7/31/2023 09:15:02 078 7/31/2023 09:15:02 078 7/31/2023 09:15:02 078 7/31/2023 09:20:02 081 7/31/2023 09:20:02 082 7/31/2023 09:20:02 083 7/31/2023 09:20:02 084 7/31/2023 09:20:02 085 7/31/2023 09:20:02 085 7/31/2023 09:20:02 085 7/31/2023 09:20:02 085 7/31/2023 09:20:02 087 7/31/2023 09:20:02 087 7/31/2023 09:20:02 087 7/31/2023 09:20:02 099 7/31/2023 09:30:02 099 7/31/2023	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.3 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4	112 113 114 115 116 117 118 119 129 120 121 122 123 124 125 126 127 128 129 130 131 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149	7/31/2023 09:53:02 7/31/2023 09:54:02 7/31/2023 09:55:02 7/31/2023 09:56:02 7/31/2023 09:56:02 7/31/2023 09:56:02 7/31/2023 09:57:02 7/31/2023 09:58:02 7/31/2023 10:00:00 7/31/2023 10:00:00 7/31/2023 10:00:00 7/31/2023 10:00:00 7/31/2023 10:00:00 7/31/2023 10:00:00 7/31/2023 10:00:00 7/31/2023 10:00:00 7/31/2023 10:00:00 7/31/2023 10:00:00 7/31/2023 10:00:00 7/31/2023 10:10:00 7/31/2023 10:10:00 7/31/2023 10:10:00 7/31/2023 10:10:00 7/31/2023 10:11:00 7/31/2023 10:11:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:15:00 7/31/2023 10:20:00 7/31/2023 10:20:00 7/31/2023 10:22:00 7/31/2023 10:22:00 7/31/2023 10:25:00 7/31/2023 10:25:00 7/31/2023 10:25:00 7/31/2023 10:27:02 7/31/2023 10:27:02 7/31/2023 10:27:02 7/31/2023 10:27:02 7/31/2023 10:27:02 7/31/2023 10:27:02 7/31/2023 10:27:02 7/31/2023 10:27:02 7/31/2023 10:27:02 7/31/2023 10:29:02 7/31/2023 10:29:02 7/31/2023 10:29:02 7/31/2023 10:30:02 7/31/2023 10:30:02 7/31/2023 10:30:02 7/31/2023 10:30:02 7/31/2023 10:30:02	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7
101 7/31/2023 09:42:02 102 7/31/2023 09:43:02 103 7/31/2023 09:43:02 104 7/31/2023 09:45:02 105 7/31/2023 09:46:02 106 7/31/2023 09:47:02 107 7/31/2023 09:48:02	0.1 0.1 0.1 0.1 0.1 0.1	0.6 0.6 0.7 0.7 0.7	151 152 153 154 155 156 157	7/31/2023 10:32:02 7/31/2023 10:33:02 7/31/2023 10:33:02 7/31/2023 10:35:02 7/31/2023 10:35:02 7/31/2023 10:36:02 7/31/2023 10:38:02	0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.8 0.8 0.8 0.8 0.8 0.8

158	7/31/2023	10:39:02	0.1	0.8
159	7/31/2023	10:40:02	0.1	0.8
160	7/31/2023	10:41:02	0.1	0.7
161	7/31/2023	10:42:02	0.1	0.7
162	7/31/2023	10:43:02	0.2	0.7
163	7/31/2023	10:44:02	0.2	0.7
164	7/31/2023	10:45:02	0.2	0.7
165	7/31/2023	10:46:02	0.2	0.7
166	7/31/2023	10:47:02	0.2	0.7
167	7/31/2023	10:48:02	0.2	0.7
168	7/31/2023	10:49:02	0.2	0.7
169	7/31/2023	10:50:02	0.2	0.7
170	7/31/2023	10:51:02	0.2	0.7
171	7/31/2023	10:52:02	0.2	0.7
172	7/31/2023	10:53:02	0.2	0.7
173	7/31/2023	10:54:02	0.2	0.7
174	7/31/2023	10:55:02	0.2	0.7
175	7/31/2023	10:56:02	0.2	0.7
176	7/31/2023	10:57:02	0.2	0.7
177	7/31/2023	10:58:02	0.2	0.7
178	7/31/2023	10:59:02	0.2	0.7
179	7/31/2023	11:00:02	0.2	0.7
180	7/31/2023	11:01:02	0.2	0.7
181	7/31/2023	11:02:02	0.2	0.7
182	7/31/2023	11:03:02	0.2	0.7
183	7/31/2023	11:04:02	0.2	0.7
184	7/31/2023	11:05:02	0.2	0.7
185	7/31/2023	11:06:02	0.2	0.7
186	7/31/2023	11:07:02	0.2	0.7
187	7/31/2023	11:08:02	0.2	0.7
188	7/31/2023	11:09:02	0.2	0.7
189	7/31/2023	11:10:02	0.2	0.7
190	7/31/2023	11:11:02	0.2	0.7
191	7/31/2023	11:12:02	0.2	0.7
192	7/31/2023	11:13:02	0.2	0.7
193	7/31/2023	11:14:02	0.2	0.7
194	7/31/2023	11:15:02	0.2	0.7
195	7/31/2023	11:16:02	0.2	0.7
196	7/31/2023	11:17:02	0.2	0.7
197	7/31/2023	11:18:02	0.2	0.7
198	7/31/2023	11:19:02	0.2	0.7
199	7/31/2023	11:20:02	0.2	0.7
200	7/31/2023	11:21:02	0.2	0.7
201	7/31/2023	11:22:02	0.2	0.7
202	7/31/2023	11:23:02	0.2	0.7
203	7/31/2023	11:24:02	0.2	0.7
204	7/31/2023	11:25:02	0.2	0.7
205	7/31/2023	11:26:02	0.2	0.7
206	7/31/2023	11:27:02	0.2	0.7
207		11:28:02	0.2	0.7
	,,			,

```
7/31/2023 11:29:02
7/31/2023 11:30:02
7/31/2023 11:31:02
208
209
                                                   0.2
0.2
0.2
                                                                0.7
0.7
                                                                0.7
210
                                                   0.2
0.2
0.2
                                                                0.7
0.7
0.7
211
             7/31/2023 11:32:02
            7/31/2023 11:33:02
7/31/2023 11:34:02
213
214
             7/31/2023 11:35:02
                                                   0.2
                                                                0.7
215
216
            7/31/2023 11:36:02
7/31/2023 11:37:02
217
             7/31/2023 11:38:02
7/31/2023 11:39:02
                                                   0.2
                                                                0.7
218
                                                   0.2
                                                                0.6
219
220
            7/31/2023 11:39:02
7/31/2023 11:40:02
7/31/2023 11:41:02
                                                                0.6
221
             7/31/2023 11:42:02
                                                   0.2
                                                                0.6
222
             7/31/2023 11:43:02
                                                   0.2
            7/31/2023 11:44:02
7/31/2023 11:44:02
7/31/2023 11:45:02
224
                                                   0.2
                                                                0.6
225
             7/31/2023 11:46:02
                                                   0.2
                                                                0.6
            7/31/2023 11:40:02
7/31/2023 11:47:02
7/31/2023 11:48:02
7/31/2023 11:49:02
227
                                                   0.2
                                                                0.6
228
                                                   0.2
                                                                0.6
229
230
            7/31/2023 11:50:02
7/31/2023 11:51:02
                                                                0.6
231
             7/31/2023 11:52:02
                                                   0.2
                                                                0.6
                                                                0.6
232
             7/31/2023 11:53:02
                                                   0.2
            7/31/2023 11:54:02
7/31/2023 11:55:02
234
                                                   0.2
                                                                0.6
235
             7/31/2023 11:56:02
                                                   0.3
                                                                0.6
236
237
            7/31/2023 11:57:02
7/31/2023 11:58:02
                                                                0.6
238
             7/31/2023 11:59:02
                                                   0.3
                                                                0.6
239
             7/31/2023 12:00:02
                                                   0.3
                                                                0.6
240
241
            7/31/2023 12:00:02
7/31/2023 12:01:02
7/31/2023 12:02:02
                                                   0.3
                                                                0.6
242
             7/31/2023 12:03:02
                                                   0.3
                                                                0.6
             7/31/2023 12:04:02
```

```
Unit Name MiniRAE 3000(PGM-7320)
Unit SN 592-910816
Unit Firmware Ver V2.22
 Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
ulagnostic Mode No
Stop Reason Power Down
Site ID 12345678
User ID 12345678
 User 1U 12:45678

Begin 7/28/2023 09:41:00
End 7/28/2023 10:23:18
Sample Period(s) 60
Number of Records 42
Number of Records 42

Sensor PID(ppm)
Sensor SN S02303019856
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
THA Alarm 50.0
Measurement Gas Isobutvlene
  Measurement Gas Isobutylene
 Calibration Time 7/25/2023 10:21
  Average 0.0
  PID(ppm)
(Max) (Real)
0.0 0.0
0.0 0.0
0.0 0.0
0.0 0.0
0.0 0.0
 Datalog
          og PID(ppm)
Date/Time (Avg)
7/28/2023 09:42:00
7/28/2023 09:43:00
                                                                            PID(ppm)
  Index
  001
                                                                            0.0
0.0
0.0
  992
  003
004
              7/28/2023 09:44:00
7/28/2023 09:45:00
  005
              7/28/2023 09:46:00
                                                                            0.0
                                                   0.0
0.0
0.0
                                                               0.0
0.0
0.0
              7/28/2023 09:47:00
                                                                            0.0
```

0.0

7/28/2023 09:48:00 7/28/2023 09:49:00

```
7/28/2023 09:50:00
7/28/2023 09:51:00
7/28/2023 09:52:00
010
                                               0.0
                                                           0.0
                                                                       0.0
911
                                               0.0
                                                           0.0
                                                                       0.0
012
013
           7/28/2023 09:53:00
7/28/2023 09:54:00
                                               0.0
                                                           0.0
                                                                       0.0
                                                           0.0
                                                                       0.0
014
            7/28/2023 09:55:00
                                               0.0
           7/28/2023 09:56:00
7/28/2023 09:57:00
016
                                               0.0
                                                           0.0
                                                                       0.0
017
            7/28/2023 09:58:00
                                               0.0
                                                           0.0
                                                                       0.0
018
            7/28/2023 09:59:00
                                               0.0
                                                           0.0
                                                                       0.0
           7/28/2023 10:00:00
7/28/2023 10:01:00
020
                                               0.0
                                                           0.0
                                                                       0.0
021
            7/28/2023 10:02:00
                                               0.0
                                                           0.0
                                                                       0.0
           7/28/2023 10:03:00
7/28/2023 10:04:00
023
                                                0.0
                                                           0.0
                                                                       0.0
024
            7/28/2023 10:05:00
                                               0.0
                                                           0.0
                                                                       0.0
           7/28/2023 10:05:00
7/28/2023 10:06:00
7/28/2023 10:07:00
7/28/2023 10:08:00
925
                                               0.0
                                                           0.0
                                                                       0.0
027
                                               0.0
                                                           0.0
                                                                       0.0
028
            7/28/2023 10:09:00
                                               0.0
                                                           0.0
                                                                       0.0
           7/28/2023 10:10:00
7/28/2023 10:11:00
7/28/2023 10:12:00
                                                                       0.0
031
                                               0.0
                                                           0.0
                                                                       0.0
           7/28/2023 10:13:00
7/28/2023 10:14:00
            7/28/2023 10:15:00
034
                                               0.0
                                                           0.0
                                                                       0.0
           7/28/2023 10:15:00
7/28/2023 10:16:00
7/28/2023 10:17:00
7/28/2023 10:18:00
035
                                               0.0
                                                            0.0
                                                                       0.0
036
037
                                               0.0
                                                                       0.0
038
            7/28/2023 10:19:00
                                               0.0
                                                           0.0
                                                                       0.0
           7/28/2023 10:20:00
7/28/2023 10:21:00
7/28/2023 10:22:00
939
                                               0.0
                                                                       0.1
0.1
041
                                               0.1
                                                           0.1
                                                                       0.1
           7/28/2023 10:23:00
942
                                               0.1
                                                           0.1
                                                                       0.1
             0.1 0.1
0.0 0.0
0.0 0.0
Min
Average
                                               0.0
```

TWA/STEL

	P:	ID(ppm)	PID(ppm)
Index	Date/Time	(TWA)	(STEL)	
001	7/28/2023	09:42:00	0.0	
002	7/28/2023	09:43:00	0.0	
003	7/28/2023	09:44:00	0.0	
004	7/28/2023	09:45:00	0.0	
005	7/28/2023	09:46:00	0.0	
006	7/28/2023	09:47:00	0.0	
007	7/28/2023		0.0	
800	7/28/2023	09:49:00	0.0	

```
7/28/2023 09:50:00
7/28/2023 09:51:00
7/28/2023 09:52:00
                                               0.0
0.0
                                                                                                                                                          Begin 7/28/2023 11:50:32
010
011
                                               0.0
                                                                                                                                                         End
                                                                                                                                                                    7/28/2023 12:47:32
                                                                                                                                                         Sample Period(s)
Number of Records
012
            7/28/2023 09:53:00
                                               0.0
            7/28/2023 09:54:00
7/28/2023 09:55:00
                                                                                                                                                        Sensor PID(ppm)
Sensor SN
Se2303019856
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
014
                                               0.0
015
            7/28/2023 09:56:00
                                               0.0
                                                           0.0
016
017
            7/28/2023 09:57:00
                                               0.0
                                                           0.0
            7/28/2023 09:58:00
7/28/2023 09:59:00
018
                                               0.0
                                                           0.0
            7/28/2023 10:00:00
7/28/2023 10:01:00
7/28/2023 10:02:00
919
                                               a a
                                                           0.0

        Span 2 1000.0

        Low Alarm
        50.0

        High Alarm
        100.0

        Over Alarm
        15000.0

        STEL Alarm
        100.0

        TWA Alarm
        50.0

        Measurement Gas Isobutylene

                                               0.0
021
                                                           0.0
022
            7/28/2023 10:03:00
                                               0.0
                                                           0.0
923
            7/28/2023 10:04:00
                                               0.0
                                                           0.0
            7/28/2023 10:05:00
7/28/2023 10:06:00
025
                                               0.0
                                                           0.0
                                                                                                                                                          Calibration Time
                                                                                                                                                                                           7/25/2023 10:21
026
            7/28/2023 10:07:00
                                               0.0
                                                           0.0
            7/28/2023 10:08:00
7/28/2023 10:09:00
                                                                                                                                                         Peak 0.5
Min 0.3
028
                                               0.0
                                                           0.0
929
            7/28/2023 10:10:00
                                               0.0
                                                           0.0
                                                                                                                                                         Average 0.4
            7/28/2023 10:10:00
7/28/2023 10:11:00
7/28/2023 10:12:00
                                               0.0
030
                                                           0.0
                                                                                                                                                          ***********
031
                                                           0.0
032
            7/28/2023 10:13:00
                                               0.0
                                                           0.0
                                                                                                                                                         Datalog
                                                                                                                                                         PID(ppm)
Index Date/Time (Avg)
001 7/28/2023 11:51:32
                                                                                                                                                                                                        PID(ppm)
                                                                                                                                                                                                                                PID(ppm)
033
            7/28/2023 10:14:00
                                               0.0
                                                           0.0
                                                                                                                                                                                                        (Max)
0.2
0.3
            7/28/2023 10:15:00
7/28/2023 10:16:00
                                                                                                                                                                                                                    (Real)
                                                                                                                                                                                                                                0.3
035
                                               0.0
                                                           0.0
                                                                                                                                                                                                                    0.3
036
            7/28/2023 10:17:00
                                               0.0
                                                           0.0
                                                                                                                                                         002
                                                                                                                                                                     7/28/2023 11:52:32
                                                                                                                                                                                                                                0.3
937
            7/28/2023 10:18:00
7/28/2023 10:19:00
                                               0.0
                                                           0.0
                                                                                                                                                         003
004
                                                                                                                                                                     7/28/2023 11:53:32
7/28/2023 11:54:32
                                                                                                                                                                                                        0.3
038
                                                                                                                                                                     7/28/2023 11:55:32
7/28/2023 11:56:32
039
            7/28/2023 10:20:00
                                               0.0
                                                           0.0
                                                                                                                                                         005
                                                                                                                                                                                                        0.3
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
                                                                                                                                                                                                                    0.4
949
            7/28/2023 10:21:00
                                               0.0
                                                           a a
                                                                                                                                                         996
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                                0.4
            7/28/2023 10:22:00
7/28/2023 10:23:00
                                              0.0
                                                                                                                                                                     7/28/2023 11:56:32
7/28/2023 11:57:32
7/28/2023 11:58:32
7/28/2023 11:59:32
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
042
                                                           0.0
                                                                                                                                                          008
              _____
                                                                                                                                                         009
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
                                                                                                                                                                     7/28/2023 12:00:32
7/28/2023 12:01:32
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                                0.4
23/07/28 11:50
                                                                                                                                                         919
Summary
                                                                                                                                                         012
                                                                                                                                                                     7/28/2023 12:02:32
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
                                                                                                                                                                     7/28/2023 12:03:32
7/28/2023 12:04:32
7/28/2023 12:05:32
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
Unit Name MiniRAE 3000(PGM-7320)
Unit SN 592-910816
Unit Firmware Ver V2.22
                                                                                                                                                         015
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
Unit Firmware Ver V2.22

Running Mode Hygiene Mode
                                                                                                                                                         916
                                                                                                                                                                     7/28/2023 12:06:32
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
                                                                                                                                                                     7/28/2023 12:00:32
7/28/2023 12:07:32
7/28/2023 12:08:32
                                                                                                                                                                                                                    0.4
0.4
                                                                                                                                                                                                                                0.4
..ygiene Mod
vatalog Mode Auto
Diagnostic Mode No
Stop Reserv
                                                                                                                                                         019
                                                                                                                                                                     7/28/2023 12:09:32
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
                                                                                                                                                          929
                                                                                                                                                                     7/28/2023 12:10:32
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
Stop Reason
                                                                                                                                                                      7/28/2023 12:11:32
                      7/28/2023 12:12:32
                                                                                                                                                         022
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
Site ID 12345678
                                                                                                                                                         023
                                                                                                                                                                     7/28/2023 12:13:32
                                                                                                                                                                                                        0.4
                                                                                                                                                                                                                    0.4
                                                                                                                                                                                                                                0.4
User ID 12345678
                                                                                                                                                                     7/28/2023 12:14:32
            7/28/2023 12:15:32
7/28/2023 12:16:32
7/28/2023 12:17:32
                                                                                                                                                                     7/28/2023 12:00:32
026
                                               0.4
                                                           0.4
                                                                       0.4
                                                                                                                                                         011
                                                                                                                                                                     7/28/2023 12:01:32
7/28/2023 12:02:32
                                                                                                                                                                                                        0.0
927
                                               g 4
                                                                       a 4
                                                                                                                                                         912
                                                                                                                                                                                                        a a
            7/28/2023 12:17:32
7/28/2023 12:18:32
7/28/2023 12:19:32
                                               0.4
                                                           0.4
                                                                      0.4
                                                                                                                                                         013
014
                                                                                                                                                                     7/28/2023 12:03:32
7/28/2023 12:04:32
028
029
                                                                                                                                                                                                         0.0
            7/28/2023 12:20:32
7/28/2023 12:21:32
7/28/2023 12:22:32
                                               0.4
0.4
0.4
                                                                                                                                                                     7/28/2023 12:05:32
7/28/2023 12:06:32
7/28/2023 12:07:32
939
                                                           0.4
                                                                       0.4
                                                                                                                                                         015
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
                                                                      0.4
032
                                                                                                                                                         017
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
033
            7/28/2023 12:23:32
                                               0.4
                                                           0.4
                                                                       0.4
                                                                                                                                                         018
                                                                                                                                                                     7/28/2023 12:08:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
            7/28/2023 12:24:32
7/28/2023 12:25:32
7/28/2023 12:26:32
                                               0.4
0.4
0.4
934
                                                           0.4
                                                                       0.4
                                                                                                                                                         019
                                                                                                                                                                     7/28/2023 12:09:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
                                                                                                                                                                     7/28/2023 12:10:32
7/28/2023 12:11:32
                                                           0.4
036
                                                                       0.4
                                                                                                                                                         021
                                                                                                                                                                                                         0.0
                                                                                                                                                                                                                    0.4
937
            7/28/2023 12:27:32
                                               0.4
                                                           0.4
                                                                       0.4
                                                                                                                                                         922
                                                                                                                                                                     7/28/2023 12:12:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
038
039
            7/28/2023 12:28:32
7/28/2023 12:29:32
                                                                      0.4
                                                                                                                                                         023
024
                                                                                                                                                                     7/28/2023 12:13:32
7/28/2023 12:14:32
                                                                                                                                                                                                                    0.4
            7/28/2023 12:30:32
7/28/2023 12:31:32
7/28/2023 12:32:32
7/28/2023 12:33:32
040
                                               0.4
                                                           0.4
                                                                       0.4
                                                                                                                                                         025
                                                                                                                                                                     7/28/2023 12:15:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
941
                                                                      0.4
                                                                                                                                                         926
                                                                                                                                                                     7/28/2023 12:16:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
                                                                                                                                                                     7/28/2023 12:10:32
7/28/2023 12:17:32
7/28/2023 12:18:32
043
                                               0.4
                                                           0.4
                                                                       0.4
                                                                                                                                                         028
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
044
            7/28/2023 12:34:32
                                               0.4
                                                           0.4
                                                                       0.4
                                                                                                                                                         029
                                                                                                                                                                     7/28/2023 12:19:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
            7/28/2023 12:35:32
7/28/2023 12:35:32
7/28/2023 12:36:32
7/28/2023 12:37:32
7/28/2023 12:38:32
                                               0.4
0.4
0.4
                                                                                                                                                                     7/28/2023 12:20:32
7/28/2023 12:21:32
7/28/2023 12:22:32
7/28/2023 12:23:32
045
                                                                      0.4
                                                                                                                                                                                                                    0.4
047
                                                           0.4
                                                                       0.4
                                                                                                                                                         032
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
948
                                               g 4
                                                           0 5
                                                                       a 4
                                                                                                                                                         933
                                                                                                                                                                                                        a a
                                                                                                                                                                                                                    a 4
            7/28/2023 12:39:32
                                                                                                                                                          034
                                                                                                                                                                     7/28/2023 12:24:32
049
                                               0.4
                                                                       0.5
                                                           0.5
                                               0.5
                                                                                                                                                                     7/28/2023 12:25:32
050
            7/28/2023 12:40:32
                                                           0.5
                                                                       0.5
                                                                                                                                                         035
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
            7/28/2023 12:41:32
7/28/2023 12:42:32
7/28/2023 12:43:32
                                               0.5
0.5
                                                                                                                                                                     7/28/2023 12:26:32
7/28/2023 12:27:32
7/28/2023 12:28:32
051
                                                           0.5
                                                                       0.5
                                                                                                                                                         036
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
                                               0.5
053
                                                           0.5
                                                                       0.5
                                                                                                                                                         038
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
054
            7/28/2023 12:44:32
                                               0.5
                                                           0.5
                                                                       0.5
                                                                                                                                                         039
                                                                                                                                                                     7/28/2023 12:29:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
                                                                                                                                                                     7/28/2023 12:30:32
7/28/2023 12:31:32
7/28/2023 12:32:32
055
            7/28/2023 12:45:32
                                               0.5
0.5
                                                                      0.5
                                                                                                                                                         949
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
            7/28/2023 12:46:32
7/28/2023 12:47:32
057
                                               0.5
                                                           0.5
                                                                       0.4
                                                                                                                                                         042
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
                    0.5 0.5
0.2 0.3
0.4 0.4
Peak
                                               0.5
                                                                                                                                                         943
                                                                                                                                                                     7/28/2023 12:33:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
                                                                                                                                                                     7/28/2023 12:34:32
7/28/2023 12:35:32
Average
                                               0.4
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
                                                                                                                                                         046
                                                                                                                                                                     7/28/2023 12:36:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
*****************
                                                                                                                                                                                                                    0.4
                                                                                                                                                         047
                                                                                                                                                                     7/28/2023 12:37:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                     7/28/2023 12:38:32
7/28/2023 12:39:32
TWA/STEL
                       PID(ppm)
                                               PID(ppm)
                                                                                                                                                         049
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
           Date/Time (TWA)
7/28/2023 11:51:32
7/28/2023 11:52:32
Index
                                               (STEL)
                                                                                                                                                         050
                                                                                                                                                                     7/28/2023 12:40:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
001
002
                                               0.0
                                                                                                                                                                     7/28/2023 12:41:32
7/28/2023 12:42:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.4
993
            7/28/2023 11:53:32
                                               0.0
                                                                                                                                                         053
                                                                                                                                                                     7/28/2023 12:43:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.5
004
005
            7/28/2023 11:54:32
7/28/2023 11:55:32
                                                                                                                                                                     7/28/2023 12:44:32
7/28/2023 12:45:32
                                               0.0
                                                                                                                                                          055
006
            7/28/2023 11:56:32
                                               0.0
                                                                                                                                                         056
                                                                                                                                                                     7/28/2023 12:46:32
                                                                                                                                                                                                        0.0
                                                                                                                                                                                                                    0.5
            7/28/2023 11:57:32
7/28/2023 11:58:32
7/28/2023 11:59:32
997
                                               0.0
                                                           ---
                                                                                                                                                         957
                                                                                                                                                                     7/28/2023 12:47:32
```

23/07/28 13:06

0.0

Sensor PID(ppm)	GM-7320)			011 012 013 014 015 016 017 018 019 020 021 022 023 024 025 026 027 028 029 030 031 032 033 034 035 036 037	7/28/2023 13:29:61 7/28/2023 13:39:61 7/28/2023 13:30:61 7/28/2023 13:30:61 7/28/2023 13:30:61 7/28/2023 13:32:61 7/28/2023 13:33:61 7/28/2023 13:33:61 7/28/2023 13:35:61 7/28/2023 13:35:61 7/28/2023 13:35:61 7/28/2023 13:39:61 7/28/2023 13:39:61 7/28/2023 13:40:61 7/28/2023 13:41:61 7/28/2023 13:41:61 7/28/2023 13:42:61 7/28/2023 13:44:61 7/28/2023 13:44:61	0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4	0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4	0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4
STEL Alarm 100.0 TMA Alarm 50.0 Measurement Gas Isobutylene Calibration Time 7/25/2 Peak 0.4 Min 0.4 Average 0.4 ***********************************	*********** PID(ppm) (Max) (R 0.4 0. 0.4 0. 0.4 0. 0.4 0. 0.4 0. 0.4 0. 0.4 0. 0.4 0.	PID(pp Real) 5 0.4 4 0.4		039 049 041 042 043 044 045 046 047 048 049 050 051 052 053 055 055 055	7/28/2023 13:46:01 7/28/2023 13:47:01 7/28/2023 13:48:01 7/28/2023 13:59:01 7/28/2023 14:00:01 7/28/2023 14:01:01 7/28/2023 14:01:01 7/28/2023 14:01:01 7/28/2023 14:01:01 7/28/2023 14:01:01	0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4	0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4	0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4
061 7/28/2023 14:07:01 062 7/28/2023 14:09:01 063 7/28/2023 14:09:01 064 7/28/2023 14:10:01 065 7/28/2023 14:10:01 066 7/28/2023 14:11:01 066 7/28/2023 14:11:01 067 7/28/2023 14:11:01 068 7/28/2023 14:15:01 079 7/28/2023 14:15:01 079 7/28/2023 14:15:01 071 7/28/2023 14:15:01 072 7/28/2023 14:15:01 073 7/28/2023 14:19:01 074 7/28/2023 14:21:01 075 7/28/2023 14:22:01 076 7/28/2023 14:22:01 077 7/28/2023 14:22:01 078 7/28/2023 14:22:01 079 7/28/2023 14:22:01 078 7/28/2023 14:22:01 089 7/28/2023 14:23:01 080 7/28/2023 14:25:01 081 7/28/2023 14:25:01 082 7/28/2023 14:25:01 083 7/28/2023 14:25:01 084 7/28/2023 14:29:01 085 7/28/2023 14:30:01 086 7/28/2023 14:30:01 087 7/28/2023 14:30:01 088 7/28/2023 14:30:01 098 7/28/2023 14:30:01 099 7/28/2023 14:30:01 099 7/28/2023 14:30:01 099 7/28/2023 14:30:01 090 7/28/2023 14:30:01 091 7/28/2023 14:30:01 092 7/28/2023 14:30:01 093 7/28/2023 14:30:01 094 7/28/2023 14:30:01 095 7/28/2023 14:40:01 095 7/28/2023 14:40:01 096 7/28/2023 14:40:01 097 7/28/2023 14:40:01 097 7/28/2023 14:40:01 099 7/28/2023 14:40:01	0.4 0.4 0.0.	4 0.4 4 0.4 6 0.4		004 005 006 007 008 009 010 011 012 013 014 015 016 017 018 019 020 021 022 023 024 025 026 027 028 029 030 031 032 033 034 035 036 037 038 039 049 041 044 044 045	7/28/2023 13:10:01 7/28/2023 13:11:01 7/28/2023 13:11:01 7/28/2023 13:11:01 7/28/2023 13:13:01 7/28/2023 13:13:01 7/28/2023 13:13:01 7/28/2023 13:15:01 7/28/2023 13:16:01 7/28/2023 13:16:01 7/28/2023 13:10:01 7/28/2023 13:20:01 7/28/2023 13:20:01 7/28/2023 13:23:01 7/28/2023 13:23:01 7/28/2023 13:23:01 7/28/2023 13:23:01 7/28/2023 13:25:01 7/28/2023 13:25:01 7/28/2023 13:25:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:30:01 7/28/2023 13:40:01	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		
TWA/STEL PID(ppm) Index Date/Time (TWA) 001 7/28/2023 13:07:01 002 7/28/2023 13:08:01 003 7/28/2023 13:09:01	PID(ppm) (STEL) 0.0 0.0	 		048 049 050 051 052 053	7/28/2023 13:53:01 7/28/2023 13:54:01 7/28/2023 13:55:01 7/28/2023 13:55:01 7/28/2023 13:55:01 7/28/2023 13:55:01 7/28/2023 13:59:01	0.0 0.0 0.0 0.0 0.0 0.0	0.4 0.4 0.4 0.4 0.4	

Average		0.4	0.4	0.4	
*****	*******	*****	******	******	**********
TWA/STEI	_				
		PID(ppm))	PID(ppm))
Index	Date/Tim	ie	(TWA)	(STEL)	
001	7/28/202	3 13:07	:01	0.0	
002	7/28/202	3 13:08	:01	0.0	
003	7/28/202	3 13:09	:01	0.0	

054	7/28/2023	14:00:01	0.0	0.4
055	7/28/2023	14:01:01	0.0	0.4
056	7/28/2023	14:02:01	0.0	0.4
057	7/28/2023	14:03:01	0.0	0.4
058	7/28/2023	14:04:01	0.0	0.4
059	7/28/2023	14:05:01	0.0	0.4
060	7/28/2023	14:06:01	0.0	0.4
061	7/28/2023	14:07:01	0.1	0.4
062	7/28/2023	14:08:01	0.1	0.4
063	7/28/2023	14:09:01	0.1	0.4
064	7/28/2023	14:10:01	0.1	0.4
065	7/28/2023	14:11:01	0.1	0.4
066	7/28/2023	14:12:01	0.1	0.4
067	7/28/2023	14:13:01	0.1	0.4
068	7/28/2023	14:14:01	0.1	0.4
069	7/28/2023	14:15:01	0.1	0.4
070	7/28/2023	14:16:01	0.1	0.4
	7/28/2023			
071		14:17:01	0.1	0.4
072	7/28/2023	14:18:01	0.1	0.4
073	7/28/2023	14:19:01	0.1	0.4
074	7/28/2023	14:20:01	0.1	0.4
075	7/28/2023	14:21:01	0.1	0.4
076	7/28/2023	14:22:01	0.1	0.4
077	7/28/2023	14:23:01	0.1	0.4
078	7/28/2023	14:24:01	0.1	0.4
079	7/28/2023	14:25:01	0.1	0.4
080	7/28/2023	14:26:01	0.1	0.4
081	7/28/2023	14:27:01	0.1	0.4
082	7/28/2023	14:28:01	0.1	0.4
083	7/28/2023	14:29:01	0.1	0.4
084	7/28/2023	14:30:01	0.1	0.4
085	7/28/2023	14:31:01	0.1	0.4
086	7/28/2023	14:32:01	0.1	0.4
087	7/28/2023	14:33:01	0.1	0.4
088	7/28/2023	14:34:01	0.1	0.4
089	7/28/2023	14:35:01	0.1	0.4
090	7/28/2023	14:36:01	0.1	0.4
091	7/28/2023	14:37:01	0.1	0.4
092	7/28/2023	14:38:01	0.1	0.4
093	7/28/2023	14:39:01	0.1	0.4
094	7/28/2023	14:40:01	0.1	0.4
095	7/28/2023	14:41:01	0.1	0.4
096	7/28/2023	14:42:01	0.1	0.4
097	7/28/2023	14:43:01	0.1	0.4
098	7/28/2023	14:44:01	0.1	0.4
099	7/28/2023	14:45:01	0.1	0.4
0,,,	., 20, 2025	2		0.7

	=======		======	======	.======	=========
	31 08:56	******	******	******	******	******
Summar	у					
Unit N	 ame N 592-9108	MiniRAE				
Unit F	irmware Ve	er	V2.22			
Runnin Datalo Diagno Stop R	g Mode g Mode stic Mode eason	Hygiene Auto No Power D	Mode own			
Site I User I	D 12345678 D 12345678	3				
Begin	7/31/202	23 08:56	:30			
	7/31/202 Period(s)					
Number	of Record	ls	231			
Sensor Measur Span 2 Low Al High A Over A STEL A TWA Al Measur Calibr Peak Min Averag	e Type 100.0 1000.0 arm larm larm arm ement Gas ation Time 0.6 0.1 e 0.5	S023030 Avg; Ma 50.0 100.0 15000.0 100.0 50.0 Isobuty	x; Real lene 7/25/20			
****** Datalo		******	******	******	******	********
	-	PID(ppm		PID(ppn		PID(ppm)
Index						
001 002	7/31/202 7/31/202			0.1	0.1 0.1	0.1 0.1
002	7/31/202			0.1	0.1	0.1
004	7/31/202				0.1	0.1
005	7/31/202	3 09.01	.30	0.1	0.1	0.1
006	7/31/202	23 09:02	:30	0.1	0.1	0.1
007	7/24/200		20			

0.1

7/31/2023 09:03:30 7/31/2023 09:04:30

007

0.2

0.1 0.1

009	7/31/2023	09:05:30	0.1	0.1	0.1
010	7/31/2023	09:06:30	0.1	0.2	0.2
011	7/31/2023	09:07:30	0.1	0.2	0.2
012	7/31/2023	09:08:30	0.2	0.2	0.2
013	7/31/2023	09:09:30	0.2	0.2	0.2
014	7/31/2023	09:10:30	0.2	0.2	0.2
015	7/31/2023	09:11:30	0.2	0.2	0.2
016	7/31/2023	09:12:30	0.2	0.2	0.2
017	7/31/2023	09:13:30	0.2	0.2	0.2
018	7/31/2023	09:14:30	0.2	0.2	0.2
019	7/31/2023	09:15:30	0.2	0.2	0.2
020	7/31/2023		0.2	0.2	0.2
021	7/31/2023		0.2	0.2	0.2
022	7/31/2023		0.2	0.2	0.2
023	7/31/2023	09:19:30	0.2	0.2	0.2
024	7/31/2023		0.2	0.2	0.2
025	7/31/2023	09:21:30	0.2	0.2	0.2
026	7/31/2023	09:22:30	0.2	0.2	0.2
027	7/31/2023	09:23:30	0.2	0.2	0.2
028	7/31/2023		0.2	0.2	0.2
029	7/31/2023		0.2	0.2	0.2
030	7/31/2023		0.2	0.2	0.2
031	7/31/2023		0.2	0.3	0.2
032	7/31/2023		0.2	0.3	0.2
033	7/31/2023	09:29:30	0.3	0.3	0.3
034	7/31/2023	09:30:30	0.3	0.3	0.3
035	7/31/2023	09:31:30	0.3	0.3	0.3
036	7/31/2023	09:32:30	0.3	0.3	0.3
037	7/31/2023		0.3	0.3	0.3
038	7/31/2023		0.3	0.3	0.3
039	7/31/2023		0.3	0.3	0.3
040	7/31/2023		0.3	0.3	0.3
041	7/31/2023		0.3	0.3	0.3
042	7/31/2023	09:38:30	0.3	0.3	0.3
043	7/31/2023	09:39:30	0.3	0.3	0.3
044	7/31/2023	09:40:30	0.3	0.3	0.3
045	7/31/2023		0.3	0.3	0.3
046	7/31/2023		0.3	0.3	0.3
047	7/31/2023		0.3	0.3	0.3
048	7/31/2023		0.3	0.3	0.3
049	7/31/2023		0.3	0.3	0.3
050	7/31/2023		0.3	0.3	0.3
051	7/31/2023	09:47:30	0.3	0.4	0.3
052	7/31/2023	09:48:30	0.3	0.4	0.3
053	7/31/2023	09:49:30	0.3	0.4	0.4
054	7/31/2023		0.4	0.4	0.4
055	7/31/2023		0.4	0.4	0.4
056	7/31/2023		0.4	0.4	0.4
057	7/31/2023		0.4	0.4	0.4
058	7/31/2023	09:54:30	0.4	0.4	0.4

7/31/2023 09:55:30 7/31/2023 09:56:30 7/31/2023 09:57:30 7/31/2023 09:58:30 7/31/2023 09:59:30 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 059 060 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.5 0.5 0.5 0.5 0.5 0.5 0.5 061 062 063 7/31/2023 09:59:30 7/31/2023 10:00:30 7/31/2023 10:01:30 7/31/2023 10:02:30 7/31/2023 10:03:30 7/31/2023 10:03:30 7/31/2023 10:05:30 7/31/2023 10:05:30 7/31/2023 10:08:30 7/31/2023 10:09:30 7/31/2023 10:09:30 064 065 066 067 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.5 0.5 0.5 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.5 0.5 0.5 0.5 068 069 070 071 072 073 //31/2023 10:10:30
//31/2023 10:10:30
//31/2023 10:12:30
//31/2023 10:12:30
//31/2023 10:13:30
//31/2023 10:13:30
//31/2023 10:15:30
//31/2023 10:15:30
//31/2023 10:15:30
//31/2023 10:15:30
//31/2023 10:20:30
//31/2023 10:20:30
//31/2023 10:20:30
//31/2023 10:20:30
//31/2023 10:20:30
//31/2023 10:20:30
//31/2023 10:23:30
//31/2023 10:20:30
//31/2023 10:20:30
//31/2023 10:20:30
//31/2023 10:20:30
//31/2023 10:20:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30
//31/2023 10:30:30 074 075 076 077 078 081 082 083 084 0.5 085 086 087 088 089 090 091 992 093 094 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 095 096 097 098 0.5 0.5 0.5 099 100 101 102 103 104 7/31/2023 10:38:30 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 7/31/2023 10:39:30 7/31/2023 10:40:30 7/31/2023 10:41:30 105 7/31/2023 10:41:30 7/31/2023 10:42:30 7/31/2023 10:43:30 7/31/2023 10:44:30

109 110 111 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 130 131 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158	7/31/2023 10:45:30 7/31/2023 10:46:30 7/31/2023 10:46:30 7/31/2023 10:46:30 7/31/2023 10:49:30 7/31/2023 10:59:30 7/31/2023 10:51:30 7/31/2023 10:51:30 7/31/2023 10:51:30 7/31/2023 10:55:30 7/31/2023 10:55:30 7/31/2023 10:55:30 7/31/2023 10:55:30 7/31/2023 10:55:30 7/31/2023 10:55:30 7/31/2023 10:55:30 7/31/2023 10:59:30 7/31/2023 11:05:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:06:30 7/31/2023 11:10:30 7/31/2023 11:10:30 7/31/2023 11:10:30 7/31/2023 11:10:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:20:30 7/31/2023 11:30:30	8.5556666666666666666666666666666666666	9.55 9.66 9.66 9.66 9.66 9.66 9.66 9.66	9.5 9.5 9.5 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6		159 160 161 162 163 164 165 166 167 168 177 177 177 177 177 177 177 17	7/31/2023 11:35:30 7/31/2023 11:35:30 7/31/2023 11:37:30 7/31/2023 11:38:30 7/31/2023 11:38:30 7/31/2023 11:38:30 7/31/2023 11:44:30 7/31/2023 11:44:30 7/31/2023 11:44:30 7/31/2023 11:44:30 7/31/2023 11:45:30 7/31/2023 11:45:30 7/31/2023 11:45:30 7/31/2023 11:45:30 7/31/2023 11:45:30 7/31/2023 11:53:30 7/31/2023 11:53:30 7/31/2023 11:53:30 7/31/2023 11:53:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:10:30 7/31/2023 12:20:30 7/31/2023 12:20:30 7/31/2023 12:20:30 7/31/2023 12:20:30	0.66666666666666666666666655555566666666	0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6
TWA/STE	********	0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6	om)	0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6		9220 9221 9222 9222 9225 9225 9225 9225 9225 9225 9225 9225 9225 9225 9225 9227 9227 9233 9333 9334 9335 9336 9337 9338 9349 9459 9466	7/31/2023 09:16:30 7/31/2023 09:17:30 7/31/2023 09:18:30 7/31/2023 09:18:30 7/31/2023 09:18:30 7/31/2023 09:18:30 7/31/2023 09:19:30 7/31/2023 09:22:30 7/31/2023 09:22:30 7/31/2023 09:22:30 7/31/2023 09:22:30 7/31/2023 09:22:30 7/31/2023 09:22:30 7/31/2023 09:23:30 7/31/2023 09:23:30 7/31/2023 09:33:30 7/31/2023 09:33:30 7/31/2023 09:33:30 7/31/2023 09:33:30 7/31/2023 09:33:30 7/31/2023 09:33:30 7/31/2023 09:33:30 7/31/2023 09:33:30 7/31/2023 09:34:30 7/31/2023 09:34:30 7/31/2023 09:43:30 7/31/2023 09:43:30 7/31/2023 09:43:30 7/31/2023 09:43:30 7/31/2023 09:43:30 7/31/2023 09:43:30 7/31/2023 09:43:30 7/31/2023 09:43:30 7/31/2023 09:43:30 7/31/2023 09:43:30 7/31/2023 09:43:30 7/31/2023 09:45:30 7/31/2023 09:45:30 7/31/2023 09:45:30 7/31/2023 09:45:30 7/31/2023 09:55:30 7/31/2023 10:00:30 7/31/2023 10:00:30 7/31/2023 10:00:30 7/31/2023 10:00:30 7/31/2023 10:00:30 7/31/2023 10:00:30 7/31/2023 10:00:30 7/31/2023 10:00:30	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2

070 071 072 073 074 075 076 077 078 079 080 081 082 083 084 085 086 087 099 091 092 093 094 095 096 097 100 101 102 103 104 105 107 108 110 111 111 111 111 111 111 111 111	7/31/2023 10:06:30 7/31/2023 10:08:30 7/31/2023 10:08:30 7/31/2023 10:08:30 7/31/2023 10:10:30 7/31/2023 10:10:30 7/31/2023 10:12:30 7/31/2023 10:12:30 7/31/2023 10:12:30 7/31/2023 10:15:30 7/31/2023 10:15:30 7/31/2023 10:15:30 7/31/2023 10:15:30 7/31/2023 10:12:30 7/31/2023 10:12:30 7/31/2023 10:22:30 7/31/2023 10:22:30 7/31/2023 10:22:30 7/31/2023 10:22:30 7/31/2023 10:22:30 7/31/2023 10:22:30 7/31/2023 10:22:30 7/31/2023 10:22:30 7/31/2023 10:22:30 7/31/2023 10:22:30 7/31/2023 10:23:30 7/31/2023 10:33:30 7/31/2023 10:33:30 7/31/2023 10:33:30 7/31/2023 10:33:30 7/31/2023 10:33:30 7/31/2023 10:33:30 7/31/2023 10:33:30 7/31/2023 10:33:30 7/31/2023 10:33:30 7/31/2023 10:33:30 7/31/2023 10:33:30 7/31/2023 10:34:30 7/31/2023 10:34:30 7/31/2023 10:34:30 7/31/2023 10:34:30 7/31/2023 10:34:30 7/31/2023 10:34:30 7/31/2023 10:34:30 7/31/2023 10:34:30 7/31/2023 10:34:30 7/31/2023 10:34:30 7/31/2023 10:34:30 7/31/2023 10:44:30 7/31/2023 10:44:30 7/31/2023 10:44:30 7/31/2023 10:44:30 7/31/2023 10:44:30 7/31/2023 10:44:30 7/31/2023 10:44:30 7/31/2023 10:44:30 7/31/2023 10:44:30 7/31/2023 10:44:30 7/31/2023 10:45:30 7/31/2023 10:45:30 7/31/2023 10:55:30 7/31/2023 10:55:30 7/31/2023 10:55:30 7/31/2023 10:55:30	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5		120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169	7/31/2023 7/31/2023	10:57:30 10:58:30 10:59:30 11:00:30 11:00:30 11:00:30 11:00:30 11:00:30 11:00:30 11:00:30 11:00:30 11:00:30 11:00:30 11:00:30 11:00:30 11:10:30 11:10:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:11:30 11:20:30 11:20:30 11:20:30 11:30:30 11:40:30 11:40:30	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6
170 171 172 173 174 175 176 177 178 180 181 182 183 184 185 186 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 219 219 210 211 212 213 214 215 216 217 218 219 219 219 219 219 219 219 219 219 219	7/31/2023 11:46:30 7/31/2023 11:44:30 7/31/2023 11:48:30 7/31/2023 11:49:30 7/31/2023 11:50:30 7/31/2023 11:50:30 7/31/2023 11:51:30 7/31/2023 11:51:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:55:30 7/31/2023 11:56:30 7/31/2023 11:56:30 7/31/2023 11:56:30 7/31/2023 11:59:30 7/31/2023 11:59:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:00:30 7/31/2023 12:10:30 7/31/2023 12:10:30 7/31/2023 12:10:30 7/31/2023 12:10:30 7/31/2023 12:10:30 7/31/2023 12:10:30 7/31/2023 12:10:30 7/31/2023 12:10:30 7/31/2023 12:10:30 7/31/2023 12:21:30 7/31/2023 12:21:30 7/31/2023 12:21:30 7/31/2023 12:21:30 7/31/2023 12:22:30 7/31/2023 12:22:30 7/31/2023 12:22:30 7/31/2023 12:22:30 7/31/2023 12:22:30 7/31/2023 12:22:30 7/31/2023 12:23:30 7/31/2023 12:23:30 7/31/2023 12:23:30 7/31/2023 12:32:30 7/31/2023 12:33:30 7/31/2023 12:33:30 7/31/2023 12:33:30 7/31/2023 12:33:30 7/31/2023 12:33:30 7/31/2023 12:33:30 7/31/2023 12:33:30 7/31/2023 12:33:30	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2	0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6		220 221 222 223 224 225 226 227 228 229 230 231	7/31/2023 7/31/2023 7/31/2023 7/31/2023 7/31/2023 7/31/2023 7/31/2023 7/31/2023 7/31/2023	12:37:30 12:38:30 12:39:30 12:40:30 12:41:30 12:42:30 12:43:30 12:44:30 12:45:30 12:46:30	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2	0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6

======================================	PID(ppm) PID(ppm) Index Date/Time (TWA) (STEL) 001 7/28/2023 07:42:20 0.0 002 7/28/2023 07:43:20 0.0
Unit Name	23/07/28 08:51
Unit SN 592-603121	************************************
Unit Firmware Ver V2.22A	Summary
Running Mode Hygiene Mode	Unit Name MiniRAE 3000 +(PGM-7320)
Datalog Mode Auto	Unit SN 592-603121
Diagnostic Mode No	Unit Firmware Ver V2.22A
Stop Reason Power Down	Running Mode Hygiene Mode
Site ID 12345678	Datalog Mode Auto
User ID 12345678	Diagnostic Mode No
D 1 7/00/0000 07 44 00	Stop Reason Power Down
Begin 7/28/2023 07:41:20 End 7/28/2023 07:43:43	Site ID 12345678
Sample Period(s) 60	User ID 12345678
Number of Records 2	
C DTD/)	Begin 7/28/2023 08:51:15
Sensor PID(ppm) Sensor SN S023030119D2	End 7/28/2023 09:54:27 Sample Period(s) 60
Measure Type Avg; Max; Real	Number of Records 63
Span 100.0	Number of Necolus 05
Span 2 1000.0	Sensor PID(ppm)
Low Alarm 50.0	Sensor SN S023030119D2
High Alarm 100.0	Measure Type Avg; Max; Real
Over Alarm 15000.0	Span 100.0
STEL Alarm 100.0	Span 2 1000.0
TWA Alarm 50.0 Measurement Gas Isobutylene	Low Alarm 50.0 High Alarm 100.0
Calibration Time 7/25/2023 15:15	Over Alarm 15000.0
Peak 0.0	STEL Alarm 100.0
Min 0.0	TWA Alarm 50.0
Average 0.0	Measurement Gas Isobutylene
	Calibration Time 7/25/2023 15:15
***********	Peak 0.1
Datalog DID() DID()	Min 0.0
PID(ppm) PID(ppm) PID(ppm) Index Date/Time (Avg. (Max) (Posl)	Average 0.0
Index Date/Time (Avg) (Max) (Real) 001 7/28/2023 07:42:20 0.0 0.0 0.0	*************************************
002 7/28/2023 07:43:20 0.0 0.0 0.0	Datalog
Peak 0.0 0.0 0.0	PID(ppm) PID(ppm) PID(ppm)
Min 0.0 0.0 0.0	Index Date/Time (Avg) (Max) (Real)
Average 0.0 0.0 0.0	001 7/28/2023 08:52:15 0.0 0.0 0.0
	002 7/28/2023 08:53:15 0.0 0.0 0.0
**********	003 7/28/2023 08:54:15 0.0 0.0 0.0
TWA/STEL	004 7/28/2023 08:55:15 0.0 0.0 0.0

005	7/28/2023	08:56:15	0.0	0.0	0.0
006	7/28/2023	08:57:15	0.0	0.0	0.0
007	7/28/2023	08:58:15	0.0	0.0	0.0
008	7/28/2023	08:59:15	0.0	0.0	0.0
009	7/28/2023	09:00:15	0.0	0.0	0.0
010	7/28/2023	09:01:15	0.0	0.0	0.0
011	7/28/2023		0.0	0.0	0.0
012	7/28/2023		0.0	0.0	0.0
013	7/28/2023		0.0	0.0	0.0
014	7/28/2023		0.0	0.0	0.0
015	7/28/2023		0.0	0.0	0.0
016	7/28/2023		0.0	0.0	0.0
017	7/28/2023		0.0	0.0	0.0
018	7/28/2023		0.0	0.0	0.0
019	7/28/2023		0.0	0.0	0.0
020	7/28/2023		0.0	0.0	0.0
021	7/28/2023		0.0	0.0	0.0
022	7/28/2023		0.0	0.0	0.0
023	7/28/2023		0.0	0.0	0.0
023	7/28/2023		0.0	0.0	0.0
025	7/28/2023		0.0	0.0	0.0
026	7/28/2023		0.0	0.0	0.0
027	7/28/2023		0.0	0.0	0.0
028	7/28/2023		0.0	0.0	0.0
029	7/28/2023		0.0	0.0	0.0
030	7/28/2023		0.0	0.0	0.0
031	7/28/2023		0.0	0.0	0.0
032	7/28/2023		0.0	0.0	0.0
033	7/28/2023		0.0	0.0	0.0
034	7/28/2023		0.0	0.0	0.0
035	7/28/2023		0.0	0.0	0.0
036	7/28/2023		0.0	0.0	0.0
037	7/28/2023		0.0	0.0	0.0
038	7/28/2023		0.0	0.0	0.0
039	7/28/2023		0.0	0.0	0.0
040	7/28/2023		0.0	0.0	0.0
041	7/28/2023		0.0	0.0	0.0
042	7/28/2023		0.0	0.0	0.0
043	7/28/2023		0.0	0.0	0.0
044	7/28/2023		0.0	0.0	0.0
045	7/28/2023		0.0	0.0	0.0
046	7/28/2023		0.0	0.0	0.0
047	7/28/2023		0.0	0.0	0.0
048	7/28/2023		0.0	0.0	0.0
049	7/28/2023	09:40:15	0.0	0.0	0.0
050	7/28/2023		0.0	0.0	0.0
051	7/28/2023		0.0	0.0	0.0
052	7/28/2023		0.0	0.0	0.0
053	7/28/2023		0.0	0.0	0.0
054	7/28/2023	09:45:15	0.0	0.0	0.0

055	7/28/2023 09:4	6:15	0.0	0.0	0.0	
056	7/28/2023 09:4		0.0	0.0	0.0	
057	7/28/2023 09:4		0.0	0.0	0.0	
058	7/28/2023 09:4		0.0	0.0	0.0	
059	7/28/2023 09:5		0.0	0.0	0.0	
060	7/28/2023 09:5		0.0	0.1	0.0	
061	7/28/2023 09:5		0.0	0.1	0.0	
062	7/28/2023 09:5		0.1	0.1	0.1	
063	7/28/2023 09:5		0.1	0.1	0.1	
Peak	0.1	0.1	0.1	0.1	0.1	
Min	0.0	0.0	0.0			
Average		0.0	0.0			
*****	*********	******	*******	******	*******	****
TWA/STI						
, -	PID(pp	m)	PID(ppm)		
Index	Date/Time	(TWA)	(STEL)	•		
001	7/28/2023 08:5	2:15	ò.o ´			
002	7/28/2023 08:5	3:15	0.0			
003	7/28/2023 08:5	4:15	0.0			
004	7/28/2023 08:5		0.0			
005	7/28/2023 08:5		0.0			
006	7/28/2023 08:5		0.0			
007	7/28/2023 08:5		0.0			
008	7/28/2023 08:5		0.0			
009	7/28/2023 09:0		0.0			
010	7/28/2023 09:0		0.0			
011	7/28/2023 09:0	2:15	0.0			
012	7/28/2023 09:0		0.0			
013	7/28/2023 09:0		0.0			
014	7/28/2023 09:0	5:15	0.0			
015	7/28/2023 09:0		0.0	0.0		
016	7/28/2023 09:0		0.0	0.0		
017	7/28/2023 09:0		0.0	0.0		
018	7/28/2023 09:0		0.0	0.0		
019	7/28/2023 09:1		0.0	0.0		
020	7/28/2023 09:1		0.0	0.0		
021	7/28/2023 09:1		0.0	0.0		
022	7/28/2023 09:1		0.0	0.0		
023	7/28/2023 09:1		0.0	0.0		
024	7/28/2023 09:1		0.0	0.0		
025	7/28/2023 09:1		0.0	0.0		
026	7/28/2023 09:1		0.0	0.0		
027	7/28/2023 09:1		0.0	0.0		
028	7/28/2023 09:1		0.0	0.0		
029	7/28/2023 09:2		0.0	0.0		
030	7/28/2023 09:2		0.0	0.0		
031	7/28/2023 09:2		0.0	0.0		
032	7/28/2023 09:2		0.0	0.0		
033	7/28/2023 09:2		0.0	0.0		
333	.,20,2025 05.2		5.0	5.0		

```
7/28/2023 09:25:15
7/28/2023 09:26:15
7/28/2023 09:27:15
934
                                                            0.0
0.0
                                                                           0.0
0.0
                                                                                                                                                                                                      Number of Records
035
                                                                                                                                                                                                      Sensor PID(ppm)
036
                                                            0.0
                                                                            0.0
                                                            0.0
                                                                           0.0
                                                                                                                                                                                                                                    502303011902
937
                7/28/2023 09:28:15
                                                                                                                                                                                                      Sensor SN
                                                                                                                                                                                                      Sensor SN S023030119D2
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
               7/28/2023 09:29:15
7/28/2023 09:30:15
039
                                                             0.0
                                                                            0.0
040
               7/28/2023 09:31:15
                                                             0.0
                                                                            0.0
941
               7/28/2023 09:32:15
                                                            0.0
                                                                           0.0
                                                                                                                                                                                                      Low Alarm
High Alarm
                                                                                                                                                                                                                                   50.0
               7/28/2023 09:33:15
7/28/2023 09:34:15
                                                                                                                                                                                                                                   100.0
15000.0
                                                                                                                                                                                                      Over Alarm
043
                                                            0.0
                                                                            0.0
                                                                                                                                                                                                      Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
               7/28/2023 09:35:15
7/28/2023 09:36:15
7/28/2023 09:37:15
944
                                                            a a
                                                                            0.0
045
046
                                                            0.0
                                                                            0.0
                                                                                                                                                                                                      Calibration Time 7/25/2023 15:15
047
               7/28/2023 09:38:15
                                                            0.0
                                                                            0.0
                                                                                                                                                                                                      Peak 0.1
Min 0.0
948
               7/28/2023 09:39:15
                                                            0.0
                                                                            0.0
               7/28/2023 09:40:15
7/28/2023 09:41:15
050
                                                            0.0
                                                                            0.0
                                                                                                                                                                                                      Average 0.0
051
               7/28/2023 09:42:15
                                                            0.0
                                                                           0.0
                                                                                                                                                                                                      7/28/2023 09:43:15
7/28/2023 09:44:15
                                                                                                                                                                                                      Datalog
053
                                                            0.0
                                                                            0.0
054
               7/28/2023 09:45:15
                                                            0.0
                                                                            0.0
                                                                                                                                                                                                                                   PID(ppm)
                                                                                                                                                                                                                                                                   PTD(nnm)
                                                                                                                                                                                                                                                                                                 PTD(nnm)
                                                                                                                                                                                                      | F10(ppin) | F10(
               7/28/2023 09:45:15
7/28/2023 09:47:15
                                                            0.0
055
                                                                                                                                                                                                                                                                                  (Real)
                                                                                                                                                                                                                                                                                 0.0
056
                                                                            0.0
057
               7/28/2023 09:48:15
                                                            0.0
                                                                           0.0
                                                                                                                                                                                                                                                                                                 0.0
                                                            0.0
0.0
0.0
058
               7/28/2023 09:49:15
                                                                           0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
               7/28/2023 09:50:15
7/28/2023 09:51:15
                                                                                                                                                                                                                     7/28/2023 11:03:57
7/28/2023 11:04:57
060
                                                                            0.0
                                                                                                                                                                                                      005
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
                                                                                                                                                                                                                     7/28/2023 11:05:57
061
               7/28/2023 09:52:15
                                                            0.0
                                                                           0.0
                                                                                                                                                                                                      006
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                 0.0
                                                                                                                                                                                                                                                                                                 0.0
                                                                                                                                                                                                                    7/28/2023 11:05:57

7/28/2023 11:06:57

7/28/2023 11:07:57

7/28/2023 11:08:57

7/28/2023 11:09:57

7/28/2023 11:11:57

7/28/2023 11:11:57
               7/28/2023 09:53:15
7/28/2023 09:54:15
                                                            0.0
                                                                            0.0
                                                                                                                                                                                                      007
008
                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                 0.0
                                                                                                                                                                                                                                                                                                 0.0
                _____
                                                                                                                                                                                                      009
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                 0.0
                                                                                                                                                                                                                                                                                                 0.0
23/07/28 10:59
                                                                                                                                                                                                      919
                                                                                                                                                                                                                                                                   a a
                                                                                                                                                                                                                                                                                  a a
                                                                                                                                                                                                                                                                                                 a a
Summary
                                                                                                                                                                                                      012
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
                                                                                                                                                                                                                     7/28/2023 11:12:57
                                                                                                                                                                                                      013
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
Unit Name MiniRAE 3000 +(PGM-7320)
Unit SN 592-603121
Unit Firmware Ver V2.22A
                                                                                                                                                                                                                     7/28/2023 11:13:57
7/28/2023 11:14:57
                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                      914
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
                                                                                                                                                                                                      016
                                                                                                                                                                                                                     7/28/2023 11:15:57
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
                                                                                                                                                                                                                     7/28/2023 11:16:57
7/28/2023 11:17:57
7/28/2023 11:18:57
7/28/2023 11:19:57
Running Mode Hygiene Mode
                             Auto
Datalog Mode
                                                                                                                                                                                                      019
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
Datagnostic Mode No
Stop Reason Power Down
                                                                                                                                                                                                      929
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
                                                                                                                                                                                                                     7/28/2023 11:20:57
7/28/2023 11:21:57
                                                                                                                                                                                                      021
                                                                                                                                                                                                      022
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
                                                                                                                                                                                                      023
                                                                                                                                                                                                                     7/28/2023 11:22:57
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
User ID 12345678
                                                                                                                                                                                                      924
                                                                                                                                                                                                                     7/28/2023 11:23:57
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                                 0.0
Begin 7/28/2023 10:59:57
                                                                                                                                                                                                                      7/28/2023 11:24:57
                                                                                                                                                                                                                     7/28/2023 11:25:57
                                                                                                                                                                                                      026
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.1
                                                                                                                                                                                                                                                                                                 0.0
              7/28/2023 11:52:12
                                                                                                                                                                                                      027
                                                                                                                                                                                                                     7/28/2023 11:26:57
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.1
                                                                                                                                                                                                                                                                                                 0.0
Sample Period(s)
                                                                                                                                                                                                                     7/28/2023 11:27:57
               7/28/2023 11:28:57
7/28/2023 11:29:57
7/28/2023 11:30:57
                                                                                                                                                                                                                     7/28/2023 11:18:57
                                                                                                                                                                                                                     7/28/2023 11:19:57
7/28/2023 11:20:57
7/28/2023 11:21:57
7/28/2023 11:22:57
030
                                                            0.0
                                                                           0.0
                                                                                           0.0
                                                                                                                                                                                                      020
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                           0.0
0.0
0.0
931
                                                            0.0
                                                                            0.0
                                                                                                                                                                                                      921
                                                                                                                                                                                                                                                                   a a
                                                                                                                                                                                                                                                                                  a a
               7/28/2023 11:31:57
7/28/2023 11:32:57
                                                            0.0
                                                                                                                                                                                                      022
023
032
033
                                                                            0.0
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
               7/28/2023 11:33:57
7/28/2023 11:34:57
7/28/2023 11:35:57
                                                                                                                                                                                                                     7/28/2023 11:23:57
7/28/2023 11:24:57
7/28/2023 11:25:57
                                                            0.0
034
                                                                           0.1
                                                                                           0.0
                                                                                                                                                                                                      024
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
036
                                                             0.0
                                                                            0.1
                                                                                           0.0
                                                                                                                                                                                                      026
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
037
               7/28/2023 11:36:57
                                                            0.0
                                                                            0.1
                                                                                           0.1
                                                                                                                                                                                                      027
                                                                                                                                                                                                                     7/28/2023 11:26:57
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
               7/28/2023 11:37:57
7/28/2023 11:38:57
7/28/2023 11:39:57
                                                                                                                                                                                                                     7/28/2023 11:20:57
7/28/2023 11:27:57
7/28/2023 11:28:57
7/28/2023 11:29:57
038
                                                            0.1
                                                                                           0.1
                                                                                                                                                                                                      028
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
040
                                                             0.0
                                                                            0.1
                                                                                           0.0
                                                                                                                                                                                                      030
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
               7/28/2023 11:40:57
7/28/2023 11:41:57
7/28/2023 11:42:57
941
                                                             0.1
                                                                            0.1
                                                                                           0.1
                                                                                                                                                                                                      031
                                                                                                                                                                                                                     7/28/2023 11:30:57
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                            0.1
                                                                                           0.0
                                                                                                                                                                                                      032
033
                                                                                                                                                                                                                     7/28/2023 11:30:57
7/28/2023 11:31:57
7/28/2023 11:32:57
                                                                                                                                                                                                                                                                                  0.0
044
               7/28/2023 11:43:57
                                                            0.1
                                                                            0.1
                                                                                           0.1
                                                                                                                                                                                                      034
                                                                                                                                                                                                                     7/28/2023 11:33:57
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                     7/28/2023 11:33:37
7/28/2023 11:34:57
7/28/2023 11:35:57
7/28/2023 11:36:57
945
               7/28/2023 11:44:57
7/28/2023 11:45:57
                                                            0.1
                                                                                           0.1
                                                                                                                                                                                                      035
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
047
               7/28/2023 11:46:57
                                                            0.0
                                                                            0.1
                                                                                           0.0
                                                                                                                                                                                                      037
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
048
               7/28/2023 11:47:57
                                                            0.0
                                                                           0.1
                                                                                           0.0
                                                                                                                                                                                                      038
                                                                                                                                                                                                                     7/28/2023 11:37:57
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                     7/28/2023 11:37:37
7/28/2023 11:38:57
7/28/2023 11:39:57
7/28/2023 11:40:57
049
               7/28/2023 11:48:57
7/28/2023 11:49:57
                                                                                           0.1
                                                                                                                                                                                                                                                                                  0.0
               7/28/2023 11:50:57
051
                                                            0.1
                                                                            0.1
                                                                                           0.1
                                                                                                                                                                                                      041
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
952
               7/28/2023 11:51:57
                                                            0 1
                                                                                           a 1
                                                                                                                                                                                                      942
                                                                                                                                                                                                                     7/28/2023 11:41:57
                                                                                                                                                                                                                                                                   a a
                                                                                                                                                                                                                                                                                  a a
                  0.1 0.1
0.0 0.0
0.0 0.0
                                                                                                                                                                                                                     7/28/2023 11:42:57
                                                                                                                                                                                                                     7/28/2023 11:43:57
Min
                                                            0.0
                                                                                                                                                                                                      044
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
Average
                                                            0.0
                                                                                                                                                                                                      045
                                                                                                                                                                                                                     7/28/2023 11:44:57
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                     7/28/2023 11:45:57
7/28/2023 11:46:57
*******************
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.0
TWA/STEL
                                                                                                                                                                                                      048
                                                                                                                                                                                                                     7/28/2023 11:47:57
                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                  0.0
              PID(ppm)
Date/Time (TWA)
7/28/2023 11:00:57
7/28/2023 11:01:57
7/28/2023 11:02:57
7/28/2023 11:03:57
7/28/2023 11:04:57
                                                            PTD(nnm)
                                                                                                                                                                                                      949
                                                                                                                                                                                                                     7/28/2023 11:48:57
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.1
                                                            (STEL)
                                                                                                                                                                                                                    7/28/2023 11:49:57
7/28/2023 11:50:57
001
                                                            0.0
                                                                                                                                                                                                      051
                                                                                                                                                                                                                                                                   0.0
                                                                                                                                                                                                                                                                                  0.1
                                                                                                                                                                                                                    7/28/2023 11:51:57
992
                                                                           ---
                                                                                                                                                                                                      052
                                                                                                                                                                                                                                                                  0.0
                                                                                                                                                                                                                                                                                  0.1
                                                                                                                                                                                                      23/07/28 12:30
004
                                                            0.0
005
                                                            0.0
               7/28/2023 11:05:57
7/28/2023 11:06:57
7/28/2023 11:07:57
                                                                                                                                                                                                      Summary (2017-2020)
                                                            0.0
996
                                                                                                                                                                                                     Summary

Unit Name MiniRAE 3000 +(PGM-7320)

Unit SN 592-603121

Unit Firmware Ver V2.22A

Running Mode Hygiene Mode

Datalog Mode Auto
008
                                                            0.0
009
               7/28/2023 11:08:57
                                                            0.0
919
               7/28/2023 11:09:57
7/28/2023 11:10:57
011
912
               7/28/2023 11:11:57
                                                            0.0
                                                                           ---
               7/28/2023 11:12:57
7/28/2023 11:13:57
                                                                                                                                                                                                      Datalog Mode Auto
Diagnostic Mode No
                                                            0.0
014
                                                                                                                                                                                                      Stop Reason Power Down
015
               7/28/2023 11:14:57
                                                            0.0
                                                                           0.0
               7/28/2023 11:15:57
7/28/2023 11:16:57
7/28/2023 11:17:57
016
                                                            0.0
                                                                           0.0
                                                                                                                                                                                                     Site ID 12345678
User ID 12345678
```

0.0

0.0

Period(s) 60 c Period(s) 60 rof Records 81 PID(ppm) SN S023030119D2 re Type Avg; Max; Real 100.0 larm 50.0 larm 100.0 larm 100.0 larm 160.0 larm 50.0 rement Gas Isobutylene ration Time 7/25/2 0.0 ge 0.1			025 026 027 028 029 030 031 032 033 034 035 036 037 038 039 040 041 042	7/28/2023 13:12:17 7/28/2023 13:13:17 7/28/2023 13:14:17	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
**************************************			047 048	7/28/2023 13:17:17 7/28/2023 13:18:17	0.1 0.1
PID(ppm) x Date/Time (Avg) 7/28/2023 12:31:17 7/28/2023 12:32:17 7/28/2023 12:33:17 7/28/2023 12:33:17 7/28/2023 12:35:17 7/28/2023 12:36:17 7/28/2023 12:36:17 7/28/2023 12:39:17 7/28/2023 12:39:17	(Max) (Real) 0.0 0.0 0 0.0 0.0 0 0.0 0.0 0 0.0 0.0 0	PID(ppm) 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	049 050 051 052 053 054 055 056 057 058	7/28/2023 13:20:17 7/28/2023 13:21:17 7/28/2023 13:22:17 7/28/2023 13:22:17 7/28/2023 13:24:17 7/28/2023 13:25:17 7/28/2023 13:25:17 7/28/2023 13:26:17 7/28/2023 13:28:17 7/28/2023 13:28:17 7/28/2023 13:29:17	0.1 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2
7/28/2023 12:40:17 7/28/2023 12:41:17 7/28/2023 12:42:17 7/28/2023 12:43:17 7/28/2023 12:44:17 7/28/2023 12:45:17 7/28/2023 12:46:17 7/28/2023 12:48:17 7/28/2023 12:49:17	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1	969 961 962 963 964 965 966 967 968	7/28/2023 13:31:17 7/28/2023 13:32:17 7/28/2023 13:33:17 7/28/2023 13:34:17 7/28/2023 13:35:17 7/28/2023 13:36:17 7/28/2023 13:37:17 7/28/2023 13:38:17 7/28/2023 13:39:17	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2
7/28/2023 12:50:17 7/28/2023 12:51:17 7/28/2023 12:52:17 7/28/2023 12:53:17 7/28/2023 12:54:17	0.1 0.1 0 0.1 0.1 0 0.1 0.1 0	3.1 3.1 3.1 3.1	970 971 972 973 974	7/28/2023 13:40:17 7/28/2023 13:41:17 7/28/2023 13:42:17 7/28/2023 13:43:17 7/28/2023 13:44:17	0.2 0.2 0.2 0.2 0.2
7/28/2023 13:47:17 7/28/2023 13:48:17 7/28/2023 13:49:17 7/28/2023 13:50:17 7/28/2023 13:50:17 k 0.2 0.2 0.0 0.0 rage 0.1 0.1	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2	3.2 3.2 3.2 3.2 3.2 3.2	036 037 038 039 040 041 042 043 044 045	7/28/2023 13:06:17 7/28/2023 13:07:17 7/28/2023 13:08:17 7/28/2023 13:09:17 7/28/2023 13:10:17 7/28/2023 13:11:17 7/28/2023 13:12:17 7/28/2023 13:13:17 7/28/2023 13:14:17 7/28/2023 13:15:17 7/28/2023 13:15:17 7/28/2023 13:15:17	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
7/28/2023 13:46:17 7/28/2023 13:47:17 7/28/2023 13:48:17 7/28/2023 13:49:17 7/28/2023 13:59:17 7/28/2023 13:59:17 7/28/2023 13:50:17 0.0 0.0	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2	3.2 3.2 3.2 3.2 3.2 3.2	937 938 939 940 941 942 943 944 945	7/28/2023 13:09:17 7/28/2023 13:08:17 7/28/2023 13:09:17 7/28/2023 13:10:17 7/28/2023 13:11:17 7/28/2023 13:12:17 7/28/2023 13:13:17 7/28/2023 13:15:17 7/28/2023 13:15:17	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

159	7/31/2023 10:36:39	0.3	0.3	0.3	209	7/31/2023 11:26:39	0.3	0.3	
160	7/31/2023 10:37:39	0.3	0.3	0.3	210	7/31/2023 11:27:39	0.3	0.3	
61	7/31/2023 10:38:39	0.3	0.3	0.3	211	7/31/2023 11:28:39	0.3	0.3	
52	7/31/2023 10:39:39	0.3	0.3	0.3	212	7/31/2023 11:29:39	0.3	0.3	
3	7/31/2023 10:40:39	0.3	0.3	0.3	213	7/31/2023 11:30:39	0.3	0.3	
4	7/31/2023 10:41:39	0.3	0.3	0.3	214	7/31/2023 11:31:39	0.3	0.3	
5	7/31/2023 10:42:39	0.3	0.3	0.3	215	7/31/2023 11:32:39	0.3	0.3	
6	7/31/2023 10:43:39	0.3	0.3	0.3	216	7/31/2023 11:33:39	0.3	0.3	
7	7/31/2023 10:43:39	0.3	0.3	0.3	217	7/31/2023 11:33:39	0.3	0.3	
58	7/31/2023 10:44:39	0.3	0.3	0.3	218	7/31/2023 11:35:39	0.3	0.3	
59	7/31/2023 10:45:39	0.3	0.3	0.3	219		0.3	0.3	
						7/31/2023 11:36:39			
70	7/31/2023 10:47:39	0.3	0.3	0.3	220	7/31/2023 11:37:39	0.3	0.3	
71	7/31/2023 10:48:39	0.3	0.3	0.3	221	7/31/2023 11:38:39	0.3	0.3	
72	7/31/2023 10:49:39	0.3	0.3	0.3	222	7/31/2023 11:39:39	0.3	0.3	
73	7/31/2023 10:50:39	0.3	0.3	0.3	223	7/31/2023 11:40:39	0.3	0.3	
74	7/31/2023 10:51:39	0.3	0.3	0.3	224	7/31/2023 11:41:39	0.3	0.3	
5	7/31/2023 10:52:39	0.3	0.3	0.3	225	7/31/2023 11:42:39	0.3	0.3	
6	7/31/2023 10:53:39	0.3	0.3	0.3	226	7/31/2023 11:43:39	0.3	0.3	
77	7/31/2023 10:54:39	0.3	0.3	0.3	227	7/31/2023 11:44:39	0.3	0.3	
8	7/31/2023 10:55:39	0.3	0.3	0.3	228	7/31/2023 11:45:39	0.3	0.3	
9	7/31/2023 10:56:39	0.3	0.3	0.3	229	7/31/2023 11:46:39	0.3	0.3	
10	7/31/2023 10:57:39	0.3	0.3	0.3	230	7/31/2023 11:47:39	0.3	0.3	
1	7/31/2023 10:58:39	0.3	0.3	0.3	231	7/31/2023 11:48:39	0.2	0.3	
2	7/31/2023 10:59:39	0.3	0.3	0.3	232	7/31/2023 11:49:39	0.3	0.3	
3	7/31/2023 11:00:39	0.3	0.3	0.3	233	7/31/2023 11:50:39	0.3	0.3	
4	7/31/2023 11:01:39	0.3	0.3	0.3	234	7/31/2023 11:51:39	0.3	0.3	
5	7/31/2023 11:02:39	0.3	0.3	0.3	235	7/31/2023 11:52:39	0.3	0.3	
6	7/31/2023 11:03:39	0.3	0.3	0.3	236	7/31/2023 11:53:39	0.3	0.3	
7	7/31/2023 11:03:39	0.3	0.3	0.3	237	7/31/2023 11:54:39	0.3	0.3	
8	7/31/2023 11:04:39	0.3	0.3	0.3	238	7/31/2023 11:55:39	0.2	0.3	
39	7/31/2023 11:06:39	0.3	0.3	0.3	239	7/31/2023 11:56:39	0.2	0.3	
90		0.3	0.3	0.3	240			0.3	
	7/31/2023 11:07:39					7/31/2023 11:57:39	0.2		
91	7/31/2023 11:08:39	0.3	0.3	0.3	241	7/31/2023 11:58:39	0.2	0.3	
92	7/31/2023 11:09:39	0.3	0.3	0.3	242	7/31/2023 11:59:39	0.2	0.3	
93	7/31/2023 11:10:39	0.3	0.3	0.3	243	7/31/2023 12:00:39	0.2	0.3	
94	7/31/2023 11:11:39	0.3	0.3	0.3	244	7/31/2023 12:01:39	0.2	0.3	
95	7/31/2023 11:12:39	0.3	0.3	0.3	245	7/31/2023 12:02:39	0.2	0.3	
96	7/31/2023 11:13:39	0.3	0.3	0.3	246	7/31/2023 12:03:39	0.2	0.2	
97	7/31/2023 11:14:39	0.3	0.3	0.3	247	7/31/2023 12:04:39	0.2	0.2	
8	7/31/2023 11:15:39	0.3	0.3	0.3	248	7/31/2023 12:05:39	0.2	0.2	
9	7/31/2023 11:16:39	0.3	0.3	0.3	249	7/31/2023 12:06:39	0.2	0.2	
90	7/31/2023 11:17:39	0.3	0.3	0.3	250	7/31/2023 12:07:39	0.2	0.2	
1	7/31/2023 11:18:39	0.3	0.3	0.3	251	7/31/2023 12:08:39	0.2	0.2	
2	7/31/2023 11:19:39	0.3	0.3	0.3	Peak	0.3 0.3	0.3		
93	7/31/2023 11:20:39	0.3	0.3	0.3	Min	0.0 0.0	0.0		
94	7/31/2023 11:21:39	0.3	0.3	0.3	Average		0.2		
25	7/31/2023 11:22:39	0.3	0.3	0.3					
06	7/31/2023 11:22:39	0.3	0.3	0.3	*****	*********	******	******	**
96 97	7/31/2023 11:24:39	0.3	0.3	0.3	TWA/STE				
98	7/31/2023 11:24:39	0.3	0.3	0.3	INM/SIE	PID(ppm)	PID(p	nm)	
	// JI/ ZUZJ II.ZJ.39	v.5	٥.٥	0.0		LID(hhiii)	LIN(b	ΡIII <i>)</i>	

Date/Time	(TWA)	(STEL)		050
7/31/2023 6	07:58:39	0.0		05:
7/31/2023 6	07:59:39	0.0		05:
7/31/2023 6	08:00:39	0.0		05:
7/31/2023 6	08:01:39	0.0		05-
7/31/2023 6	08:02:39	0.0		05:
7/31/2023 6		0.0		05
7/31/2023 6		0.0		05
7/31/2023 6		0.0		05
7/31/2023 6		0.0		05:
7/31/2023 6		0.0		06
7/31/2023 6		0.0		06.
7/31/2023 6		0.0		06.
7/31/2023 6		0.0		06.
7/31/2023 6		0.0		06-
7/31/2023 6		0.0	0.0	06
7/31/2023 6		0.0	0.0	96
7/31/2023 6		0.0	0.0	06
7/31/2023 6		0.0	0.0	066
7/31/2023 6		0.0	0.0	06:
7/31/2023 6		0.0	0.0	070
7/31/2023 6		0.0	0.0	07:
7/31/2023 6		0.0	0.0	07.
7/31/2023 6		0.0	0.0	07.
7/31/2023 6		0.0	0.0	07-
7/31/2023 6		0.0	0.0	07
7/31/2023 6		0.0	0.0	070
7/31/2023 6		0.0	0.0	07
7/31/2023 6		0.0	0.0	073
7/31/2023 6		0.0	0.0	079
7/31/2023 6	08:27:39	0.0	0.0	08
7/31/2023 6	08:28:39	0.0	0.0	08:
7/31/2023 6	08:29:39	0.0	0.0	08
7/31/2023 6	08:30:39	0.0	0.0	08
7/31/2023 6	08:31:39	0.0	0.0	084
7/31/2023 6	08:32:39	0.0	0.0	08
7/31/2023 6	08:33:39	0.0	0.0	080
7/31/2023 6	08:34:39	0.0	0.0	08
7/31/2023 6	8:35:39	0.0	0.0	08
7/31/2023 6		0.0	0.0	089
7/31/2023 6		0.0	0.0	09
7/31/2023 6	98:38:39	0.0	0.0	09:
7/31/2023 6	08:39:39	0.0	0.0	09.
7/31/2023 6		0.0	0.0	09.
7/31/2023 6		0.0	0.0	094
7/31/2023 6		0.0	0.0	09
7/31/2023 6		0.0	0.0	09
7/31/2023 6		0.0	0.0	09
			0.0	09
7/31/2023 0		0.0		

100	7/31/2023 09:37:39	0.0	0.1	150	7/31/2023 10:27
100	7/31/2023 09:37:39	0.0	0.1 0.1	150	7/31/2023 10:27
101	7/31/2023 09:39:39	0.0	0.1 0.1	151	7/31/2023 10:28
103	7/31/2023 09:40:39	0.0	0.1	152	7/31/2023 10:30
103	7/31/2023 09:41:39	0.0	0.1	154	7/31/2023 10:30
105	7/31/2023 09:42:39	0.0	0.1	155	7/31/2023 10:31
106	7/31/2023 09:43:39	0.0	0.1	156	7/31/2023 10:32
107	7/31/2023 09:44:39	0.0	0.1	156	7/31/2023 10:34
108	7/31/2023 09:45:39	0.0	0.1	157	7/31/2023 10:34
100		0.0	0.1	150	
	7/31/2023 09:46:39				7/31/2023 10:36
110	7/31/2023 09:47:39	0.0	0.2	160	7/31/2023 10:37
111	7/31/2023 09:48:39	0.0	0.2	161	7/31/2023 10:38
112	7/31/2023 09:49:39	0.0	0.2	162	7/31/2023 10:39
113	7/31/2023 09:50:39	0.0	0.2	163	7/31/2023 10:40
114	7/31/2023 09:51:39	0.0	0.2	164	7/31/2023 10:43
115	7/31/2023 09:52:39	0.0	0.2	165	7/31/2023 10:42
116	7/31/2023 09:53:39	0.0	0.2	166	7/31/2023 10:43
117	7/31/2023 09:54:39	0.0	0.2	167	7/31/2023 10:44
118	7/31/2023 09:55:39	0.0	0.2	168	7/31/2023 10:45
119	7/31/2023 09:56:39	0.0	0.2	169	7/31/2023 10:46
120	7/31/2023 09:57:39	0.0	0.2	170	7/31/2023 10:47
121	7/31/2023 09:58:39	0.0	0.2	171	7/31/2023 10:48
122	7/31/2023 09:59:39	0.0	0.2	172	7/31/2023 10:49
123	7/31/2023 10:00:39	0.0	0.2	173	7/31/2023 10:50
124	7/31/2023 10:01:39	0.0	0.2	174	7/31/2023 10:53
125	7/31/2023 10:02:39	0.0	0.2	175	7/31/2023 10:53
126	7/31/2023 10:03:39	0.0	0.2	176	7/31/2023 10:53
127	7/31/2023 10:04:39	0.0	0.2	177	7/31/2023 10:5
128	7/31/2023 10:05:39	0.0	0.2	178	7/31/2023 10:5
129	7/31/2023 10:06:39	0.0	0.2	179	7/31/2023 10:5
130	7/31/2023 10:07:39	0.0	0.2	180	7/31/2023 10:5
131	7/31/2023 10:08:39	0.0	0.2	181	7/31/2023 10:58
132	7/31/2023 10:09:39	0.0	0.2	182	7/31/2023 10:59
133	7/31/2023 10:10:39	0.0	0.3	183	7/31/2023 11:00
134	7/31/2023 10:11:39	0.0	0.3	184	7/31/2023 11:0:
135	7/31/2023 10:12:39	0.0	0.3	185	7/31/2023 11:0
136	7/31/2023 10:13:39	0.0	0.3	186	7/31/2023 11:0
137	7/31/2023 10:14:39	0.0	0.3	187	7/31/2023 11:04
138	7/31/2023 10:14:39	0.0	0.3	188	7/31/2023 11:0
139	7/31/2023 10:15:39	0.0	0.3	189	7/31/2023 11:0
140	7/31/2023 10:17:39	0.0	0.3	190	7/31/2023 11:00
141	7/31/2023 10:17:39	0.0	0.3	190	7/31/2023 11:0
141	7/31/2023 10:10:39	0.0	0.3	191	7/31/2023 11:00
142 143	7/31/2023 10:19:39	0.0	0.3 0.3	192	7/31/2023 11:09
144	7/31/2023 10:20:39	0.0	0.3 0.3	193	7/31/2023 11:10
144			0.3 0.3	194	
	7/31/2023 10:22:39	0.0			7/31/2023 11:13
146 147	7/31/2023 10:23:39	0.0	0.3	196	7/31/2023 11:13
	7/31/2023 10:24:39	0.0	0.3	197	7/31/2023 11:14
	7/31/2023 10:25:39	0.0	0.3 0.3	198	7/31/2023 11:1
148 149	7/31/2023 10:26:39	0.0		199	7/31/2023 11:16

7/31/2023 12:07:39 7/31/2023 12:08:39 0.1 0.1 0.2 0.2

200	7/31/2023 11:17:39	0.1	0.3
201	7/31/2023 11:18:39	0.1	0.3
202	7/31/2023 11:19:39	0.1	0.3
203	7/31/2023 11:20:39	0.1	0.3
204	7/31/2023 11:21:39	0.1	0.3
205	7/31/2023 11:22:39	0.1	0.3
206	7/31/2023 11:23:39	0.1	0.3
207	7/31/2023 11:24:39	0.1	0.3
208	7/31/2023 11:25:39	0.1	0.3
209	7/31/2023 11:26:39	0.1	0.3
210	7/31/2023 11:27:39	0.1	0.3
211	7/31/2023 11:28:39	0.1	0.3
212	7/31/2023 11:29:39	0.1	0.3
213	7/31/2023 11:30:39	0.1	0.3
214	7/31/2023 11:31:39	0.1	0.3
215	7/31/2023 11:32:39	0.1	0.3
216	7/31/2023 11:33:39	0.1	0.3
217	7/31/2023 11:34:39	0.1	0.3
218	7/31/2023 11:35:39	0.1	0.3
219	7/31/2023 11:36:39	0.1	0.3
220	7/31/2023 11:37:39	0.1	0.3
221	7/31/2023 11:38:39	0.1	0.3
222	7/31/2023 11:39:39	0.1	0.3
223	7/31/2023 11:40:39	0.1	0.3
224	7/31/2023 11:41:39	0.1	0.3
225	7/31/2023 11:42:39	0.1	0.3
226	7/31/2023 11:43:39	0.1	0.3
227	7/31/2023 11:44:39	0.1	0.3
228	7/31/2023 11:45:39	0.1	0.3
229	7/31/2023 11:46:39	0.1	0.3
230	7/31/2023 11:47:39	0.1	0.3
231	7/31/2023 11:48:39	0.1	0.3
232	7/31/2023 11:49:39	0.1	0.3
233	7/31/2023 11:50:39	0.1	0.3
234	7/31/2023 11:51:39	0.1	0.3
235	7/31/2023 11:52:39	0.1	0.3
236	7/31/2023 11:53:39	0.1	0.3
237	7/31/2023 11:54:39	0.1	0.3
238	7/31/2023 11:55:39	0.1	0.3
239	7/31/2023 11:56:39	0.1	0.3
240	7/31/2023 11:57:39	0.1	0.3
241	7/31/2023 11:58:39	0.1	0.3
242	7/31/2023 11:59:39	0.1	0.3
243	7/31/2023 12:00:39	0.1	0.3
244	7/31/2023 12:01:39	0.1	0.3
245	7/31/2023 12:02:39	0.1	0.3
246	7/31/2023 12:03:39	0.1	0.3
247	7/31/2023 12:04:39	0.1	0.3
248	7/31/2023 12:05:39	0.1	0.3
249	7/31/2023 12:06:39	0.1	0.2

```
07/28/2023,09:11:01,0.021,0.022,0.022,0.023,0.023
07/28/2023,09:12:01,0.022,0.022,0.022,0.023,0.023
07/28/2023,09:13:01,0.022,0.022,0.023,0.024,0.025
   TrakPro Version 4.70 ASCII Data File
   Model:,DustTrak DRX
   Model Number:,8533
Serial Number:,8533192213
Test ID:,001
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    07/28/023,09:14:01,0.022,0.022,0.023,0.023,0.023
07/28/2023,09:15:01,0.022,0.022,0.023,0.023,0.023
07/28/2023,09:16:01,0.022,0.022,0.022,0.023,0.023
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  07/28/2023,09:16:01,0.022,0.022,0.022,0.022,0.023,0.023
07/28/2023,09:17:01,0.022,0.022,0.022,0.022,0.023,0.023
07/28/2023,09:18:01,0.021,0.021,0.022,0.022,0.022
07/28/2023,09:18:01,0.021,0.021,0.022,0.022,0.022
07/28/2023,09:20:01,0.021,0.021,0.022,0.022
07/28/2023,09:21:01,0.021,0.021,0.022,0.022,0.022
07/28/2023,09:21:01,0.021,0.021,0.022,0.022,0.022
07/28/2023,09:22:01,0.021,0.021,0.022,0.022,0.022
07/28/2023,09:23:01,0.021,0.021,0.022,0.022,0.022
07/28/2023,09:23:01,0.021,0.021,0.022,0.022
07/28/2023,09:25:01,0.021,0.021,0.021,0.022,0.022
07/28/2023,09:25:01,0.021,0.021,0.021,0.021,0.021,0.021
07/28/2023,09:25:01,0.021,0.021,0.021,0.021,0.021,0.021
   Test Abbreviation: ,MANUAL 001
   Start Date:,07/28/2023
Start Time:,08:49:01
   Duration (dd:hh:mm:ss):.0:00:50:00
   Log Interval (mm:ss):,01:00
Number of points:,50
Notes:,
 Statistics,Channel:,PM1,PM2.5,RESP,PM10,TOTAL,Units:,mg/m^3,mg/m^3,mg/m^3,mg/m^3,mg/m^3, ,average:,0.022,0.022,0.023,0.023,0.023
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    07/28/2023,09:28:01,0.022,0.022,0.022,0.023,0.023
07/28/2023,09:29:01,0.022,0.022,0.022,0.023,0.023
07/28/2023,09:39:01,0.022,0.022,0.023,0.023,0.023
     .Minimum: .0.021.0.021.0.021.0.021.0.021
   ,Minimum:,0.021,0.021,0.021,0.021,0.021
,Time of Minimum:,007/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    07/28/2023,09:31:01,0.022,0.022,0.023,0.024,0.026

07/28/2023,09:31:01,0.022,0.022,0.023,0.024,0.026

07/28/2023,09:32:01,0.022,0.022,0.023,0.023,0.023

07/28/2023,09:33:01,0.022,0.022,0.023,0.024,0.024

07/28/2023,09:34:01,0.021,0.021,0.021,0.022,0.022,0.023
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    07/28/2023,09:35:01,0.021,0.021,0.022,0.023,0.023
07/28/2023,09:36:01,0.021,0.021,0.022,0.022,0.022
07/28/2023,09:36:01,0.021,0.021,0.022,0.022,0.022
   Calibration, Sensor:, AEROSOL
     ,Cal. date,05/30/2023
   Date, Time, PM1, PM2.5, RESP, PM10, TOTAL
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      07/28/2023.09:38:01.0.021.0.021.0.021.0.022.0.022
   07/28/2023,08:51:01,0.023,0.023,0.024,0.024,0.024
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      07/28/2023,09:39:01,0.021,0.021,0.022,0.022,0.022
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Model:.DustTrak DRX
   07/28/2023,08:52:01,0.023,0.023,0.024,0.024,0.024
07/28/2023,08:52:01,0.023,0.023,0.024,0.024,0.024
07/28/2023,08:53:01,0.023,0.023,0.024,0.024,0.024
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Model Number:,8533
Serial Number:,8533192213
Test ID:,002
07/28/2023, 08:55:01, 0.022, 0.023, 0.023, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0.024, 0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Test Abbreviation: MANUAL 002
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Start Date:,07/28/2023
Start Time:,10:54:41
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Duration (dd:hh:mm:ss):,0:00:51:00
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Log Interval (mm:ss):,01:00
Number of points:,51
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Statistics, Channel:, PM1, PM2.5, RESP, PM10, TOTAL, JUnits:, mg/m³3, mg/m³2, 
   07/28/2023,09:06:01,0.022,0.022,0.023,0.024,0.024
07/28/2023,09:06:01,0.022,0.022,0.023,0.024,0.024
07/28/2023,09:08:01,0.022,0.022,0.023,0.023,0.023,0.023
   07/28/2023,09:00:01,0.022,0.022,0.022,0.023,0.023
07/28/2023,09:10:01,0.022,0.022,0.022,0.023,0.023
   Date of Maximum: .07/28/2023.07/28/2023.07/28/2023.07/28/2023
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      07/28/2023,11:38:41,0.003,0.003,0.003,0.003,0.003
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    07/28/2023,11:39:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:40:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:41:41,0.003,0.003,0.003,0.003,0.003
   Calibration Sensor: AFROSOL
     ,Cal. date,05/30/2023
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      07/28/2023,11:42:41,0.003,0.003,0.003,0.003,0.003
 Date,Time,PM1,PM2.5,RESP,PM10,TOTAL MM/dd/yyyy,hh:mm:ss,mg/m^3,mg/m^3,mg/m^3,mg/m^3,mg/m^3,mg/m^3,07/28/2023,10:55:41,0.013,0.013,0.014,0.014,0.014
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    07/28/2023,11:43:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:43:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:45:41,0.003,0.003,0.003,0.003,0.003
   07/28/2023,10:56:41,0.010,0.010,0.010,0.011,0.011
   07/28/2023,10:57:41,0.009,0.009,0.009,0.009,0.009
07/28/2023,10:57:41,0.009,0.009,0.009,0.009,0.009
07/28/2023,10:58:41,0.007,0.007,0.008,0.008,0.008
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Model:.DustTrak DRX
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Model:,Dustinak Dix
Model Number:,8533
Serial Number:,8533192213
   07/28/2023,11:00:41,0.006,0.006,0.006,0.006,0.006,0.006
07/28/2023,11:01:41,0.005,0.005,0.005,0.005,0.005
07/28/2023,11:02:41,0.005,0.005,0.005,0.005,0.005
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Test ID:,003
Test Abbreviation:,MANUAL_003
Start Date:,07/28/2023
   07/28/2023,11:03:41,0.005,0.005,0.005,0.005,0.005
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Start Time: .12:20:16
   07/28/2023,11:06:41,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.00
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Duration (dd:hh:mm:ss):,0:01:27:00
Log Interval (mm:ss):,01:00
Number of points:,87
   07/28/2023,11:07:41,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.004,0.00
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Notes:.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Statistics, Channel:, PM1, PM2.5, RESP, PM10, TOTAL
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Statistics, Channel:, PM1, PM2.5, RESP, PM10, TOTAL
, Units:, mg/m³3, mg/m³3, mg/m³3, mg/m³3, mg/m³3
, Average:, 0.016, 0.016, 0.016, 0.016, 0.017
, Minimum:, 0.015, 0.015, 0.015, 0.015
, Time of Minimum:, 12:21:16, 12:22:16, 12:32:16, 12:31:16, 12:31:16
, Date of Minimum:, 0.7/28/2023, 0.7/28/2023, 0.7/28/2023, 0.7/28/2023
, Maximum:, 0.021, 0.021, 0.021, 0.022, 0.022
, Time of Maximum:, 13:22:16, 13:42:16, 13:42:16, 13:42:16, 12:21:16
, Date of Maximum:, 0.7/28/2023, 0.7/28/2023, 0.7/28/2023, 0.7/28/2023, 0.7/28/2023
   07/28/2023,11:10:41,0.004,0.004,0.004,0.004,0.004
07/28/2023,11:11:41,0.004,0.004,0.004,0.004,0.004
07/28/2023,11:12:41,0.003,0.004,0.004,0.004,0.004
07/28/2023,11:21:41,0.003,0.003,0.003,0.003,0.003
   07/28/2023,11:16:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:16:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:16:41,0.003,0.003,0.003,0.003,0.003
   07/28/2023,11:17:41,0.003,0.003,0.004,0.004,0.004
   07/28/2023,11:18:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:19:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:20:41,0.003,0.003,0.003,0.003,0.003
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Calibration, Sensor:, AEROSOL, Cal. date, 05/30/2023
   07/28/2023,11:21:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:22:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:23:41,0.003,0.003,0.003,0.003,0.003
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Date,Time,PM1,PM2.5,RESP,PM10,TOTAL
MM/dd/yyyy,hh:mm:ss,mg/m^3,mg/m^3,mg/m^3,mg/m^3
07/28/2023,12:21:16,0.016,0.016,0.016,0.019,0.022
   07/28/2023,11:24:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:25:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:25:41,0.003,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:27:41,0.003,0.003,0.003,0.003,0.003,0.003
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    07/28/2023,12:22:16,0.015,0.015,0.016,0.016,0.016
07/28/2023,12:23:16,0.016,0.016,0.016,0.017,0.018
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      07/28/2023,12:24:16,0.016,0.016,0.016,0.016,0.016
   07/28/2023,11:28:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:29:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:30:41,0.003,0.003,0.003,0.003,0.003
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    07/28/2023,12:25:16,0.016,0.016,0.016,0.016,0.016
07/28/2023,12:25:16,0.016,0.016,0.016,0.016,0.016
07/28/2023,12:27:16,0.016,0.016,0.016,0.016,0.016
   07/28/2023,11:31:41,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.003,0.00
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    07/28/2023,12:28:16,0.015,0.015,0.016,0.016,0.016
07/28/2023,12:29:16,0.015,0.015,0.016,0.016
07/28/2023,12:29:16,0.015,0.015,0.016,0.016
07/28/2023,12:30:16,0.015,0.015,0.015,0.015,0.015
   07/28/2023,11:35:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:36:41,0.003,0.003,0.003,0.003,0.003
07/28/2023,11:37:41,0.003,0.003,0.003,0.003,0.003
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    07/28/2023,12:32:16,0.015,0.015,0.015,0.015,0.016
07/28/2023,12:33:16,0.015,0.015,0.015,0.015,0.015
07/28/2023,12:33:16,0.015,0.015,0.015,0.015,0.015
07/28/2023,12:34:16,0.015,0.015,0.016,0.016,0.016
```

07/28/2023,12:35:16,0.015,0.015,0.015,0.016,0.016 07/28/2023,12:36:16,0.015,0.015,0.015,0.016,0.016 07/28/2023,12:37:16,0.015,0.015,0.015,0.016,0.016 07/28/2023,12:38:16,0.015,0.015,0.016,0.016,0.016 07/28/2023,12:38:16,0.015,0.015,0.016,0.016,0.016 07/28/2023,12:40:16,0.015,0.015,0.015,0.016,0.016 07/28/2023,12:41:16,0.015,0.015,0.016,0.016,0.016 07/28/2023,12:42:16,0.018,0.018,0.018,0.019,0.019 07/28/2023,12:42:16,0.015,0.015,0.015,0.015,0.016,0.016 07/28/2023,12:44:16,0.015,0.015,0.015,0.015,0.015,0.015 07/28/2023,12:45:16,0.015,0.015,0.015,0.016,0.016 07/28/2023,12:45:16,0.015,0.015,0.015,0.016,0.016 07/28/2023,12:47:16,0.015,0.015,0.016,0.017,0.017 07/28/2023,12:48:16,0.016,0.016,0.016,0.017,0.017 07/28/2023,12:49:16,0.015,0.015,0.015,0.016,0.016,0.016 07/28/2023,12:59:16,0.015,0.015,0.016,0.016,0.016 07/28/2023,12:51:16,0.015,0.015,0.016,0.016,0.016 07/28/2023, 12:51:16, 0.015, 0.015, 0.015, 0.015, 0.016, 0.016, 0.016
07/28/2023, 12:52:16, 0.015, 0 07/28/2023,12:59:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:00:16,0.016,0.016,0.016,0.016,0.017 07/28/2023,13:00:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:02:16,0.016,0.016,0.016,0.017,0.017 07/28/2023,13:03:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:03:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:04:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:06:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:06:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:08:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:09:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:10:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:11:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:12:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:13:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:13:14:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:15:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:16:16,0.017,0.017 07/28/2023,13:20:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:20:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:21:16,0.016,0.016,0.016,0.016,0.016 07/28/2023,13:23:16,0.015,0.016,0.016,0.016,0.016 07/28/2023,13:24:16,0.016,0.016,0.016,0.016,0.016

 $07/28/2023,13:25:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:25:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:27:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:27:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:29:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:39:16,0.015,0.015,0.016,0.016,0.016,0.016\\07/28/2023,13:39:16,0.015,0.015,0.016,0.016,0.016,0.016\\07/28/2023,13:32:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:32:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:32:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:32:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:32:16,0.016,0.016,0.016,0.016,0.017,0.017\\07/28/2023,13:33:16,0.016,0.016,0.016,0.016,0.017,0.017\\07/28/2023,13:33:16,0.016,0.016,0.016,0.017,0.017,0.017\\07/28/2023,13:33:16,0.016,0.016,0.016,0.016,0.017,0.017\\07/28/2023,13:33:16,0.016,0.016,0.016,0.016,0.017,0.017\\07/28/2023,13:33:16,0.016,0.016,0.016,0.016,0.017,0.017\\07/28/2023,13:33:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:34:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:42:16,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:42:16,0.024,0.024,0.024,0.024,0.020,0.020\\07/28/2023,13:44:16,0.024,0.024,0.024,0.024,0.020,0.020\\07/28/2023,13:44:16,0.024,0.024,0.024,0.024,0.020,$

TrakPro Version 4.70 ASCII Data File

Model:,DustTrak DRX Model Number:,8533 Serial Number:,8533192213 Test ID:,004 Test Abbreviation:,MANUAL_004 Start Date:,07/31/2023 Start Time:,07:51:35 Duration (dd:hh:mm:ss):,0:04:01:00 Log Interval (mm:ss):,01:00 Number of points:,241 Notes:.

Statistics, Channel:, PM1, PM2.5, RESP, PM10, TOTAL , Units:, mg/m^3, mg/m, mg

Calibration, Sensor:, AEROSOL, Cal. date, 05/30/2023

Date, Time, PMI, PM2.5, RESP, PM10, TOTAL MM/dd/yyyy, hh:mm:ss, mg/m^3, mg/m, mg/m, mg/m^3, mg/m, mg/m, mg/m, mg/m, mg

07/31/2023,08:13:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,08:14:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,08:15:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,08:16:35,0.013,0.013,0.014,0.014,0.014 07/31/2023,08:16:35,0.013,0.013,0.014,0.014,0.014 07/31/2023,08:18:35,0.012,0.013,0.013,0.014,0.014 07/31/2023,08:19:35,0.012,0.013,0.013,0.014,0.014 07/31/2023,08:20:35,0.012,0.013,0.013,0.014,0.014 07/31/2023,08:21:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,08:22:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,08:22:35,0.012,0.013,0.013,0.014,0.014 07/31/2023,08:23:35,0.012,0.013,0.013,0.014,0.014 07/31/2023,08:25:35,0.013,0.013,0.013,0.014,0.015 07/31/2023,08:25:35,0.013,0.013,0.013,0.014,0.015 07/31/2023,08:27:35,0.013,0.013,0.014,0.015,0.015 07/31/2023,08:28:35,0.013,0.013,0.014,0.015,0.015 07/31/2023,08:29:35,0.013,0.014,0.014,0.015,0.015 07/31/2023,08:39:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,08:30:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,08:32:35,0.016,0.016,0.017,0.019,0.020 07/31/2023,08:33:35,0.618,0.648,0.793,1.100,1.110 07/31/2023,08:34:35,0.332,0.347,0.417,0.564,0.573 07/31/2023,08:35:35,0.431,0.452,0.545,0.728,0.737 07/31/2023,08:36:35,0.437,0.048,0.055,0.068,0.068 07/31/2023,08:37:35,0.942,0.987,1.220,1.850,1.900 07/31/2023,08:38:35,0.938,0.983,1.200,1.700,1.730 07/31/2023,08:39:35,1.560,1.630,1.990,2.780,2.830 07/31/2023,08:40:35,0.430,0.451,0.552,0.777,0.787 07/31/2023,08:41:35,0.801,0.838,1.010,1.420,1.450 07/31/2023,08:42:35,0.490,0.514,0.625,0.863,0.876 07/31/2023,08:42:35,0.676,0.673,0.085,0.113,0.114 07/31/2023,08:43:55,0.673,0.676,0.888,0.110,0.113 07/31/2023,08:45:35,0.035,0.036,0.040,0.052,0.061 07/31/2023,08:46:35,0.015,0.015,0.016,0.017,0.018 07/31/2023,08:46:35,0.015,0.015,0.016,0.018,0.018 07/31/2023,08:47:35,0.015,0.015,0.016,0.018,0.018 07/31/2023,08:49:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,08:50:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,08:51:35,0.014,0.014,0.014,0.14,0.015,0.015 07/31/2023,08:51:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,08:53:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,08:54:35,0.014,0.015,0.015,0.015 07/31/2023,08:54:35,0.014,0.015,0.015,0.016,0.016 07/31/2023,08:56:35,0.017,0.017,0.018,0.019,0.019 07/31/2023,08:56:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,08:58:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,08:59:35,0.016,0.016,0.017,0.018,0.018 07/31/2023,09:00:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,09:00:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:01:35,0.014,0.014,0.014,0.015,0.015

 $\begin{array}{l} 07/31/2023,09:03:35,0.014,0.014,0.014,0.014,0.014,\\ 07/31/2023,09:04:35,0.014,0.014,0.014,0.015,0.015\\ 07/31/2023,09:05:35,0.014,0.014,0.014,0.014,0.014,0.015 \end{array}$ 07/31/2023,09:06:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:06:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:08:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:09:35,0.015,0.016,0.016,0.016,0.017 07/31/2023,09:10:35,0.014,0.014,0.015,0.016,0.016 07/31/2023,09:11:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:12:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:13:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:14:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:15:35,0.015,0.015,0.015,0.016,0.016 07/31/2023,09:16:35,0.016,0.015,0.017,0.018,0.018 07/31/2023,09:17:35,0.015,0.016,0.016,0.016,0.016,0.016 07/31/2023,09:18:35,0.015,0.015,0.016, 07/31/2023.09:20:35.0.019.0.019.0.020.0.022.0.022 07/31/2023,09:21:35,0.023,0.023,0.024,0.028,0.028 07/31/2023,09:22:35,0.021,0.021,0.022,0.023,0.024 0/731/2023, 09:22:35, 0.012, 0.02, 0 07/31/2023,09:30:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,09:31:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,09:31:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,09:33:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:34:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:35:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:36:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,09:37:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,09:38:35,0.015,0.015,0.015,0.016,0.016 07/31/2023,09:39:35,0.014,0.015,0.015,0.015,0.015 07/31/2023,09:40:35,0.014,0.014,0.015,0.015,0.016 07/31/2023,09:41:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:41:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,09:42:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,09:44:35,0.015,0.015,0.015,0.015,0.016,0.016 07/31/2023,09:45:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,09:46:35,0.016,0.016,0.016,0.018,0.018 07/31/2023,09:47:35,0.015,0.015,0.015,0.016,0.016 07/31/2023,09:48:35,0.015,0.015,0.015,0.016,0.016 07/31/2023,09:48:35,0.015,0.015,0.015,0.016,0.016 07/31/2023,09:50:35,0.015,0.015,0.015,0.015,0.015 07/31/2023,09:51:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,09:52:35,0.014,0.014,0.015,0.015,0.015

 $\begin{array}{l} 07/31/2023,09:53:35,0.014,0.014,0.015,0.015,0.015\\ 07/31/2023,09:54:35,0.014,0.014,0.015,0.015,0.015\\ 07/31/2023,09:55:35,0.014,0.014,0.014,0.015,0.015\\ \end{array}$ 07/31/2023,09:56:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:56:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:58:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:59:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,10:00:35,0.015,0.015,0.015,0.016,0.016 07/31/2023,10:01:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,10:02:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,10:03:35,0.014,0.014,0.014,0.014,0.014,0.015 07/31/2023,10:04:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,10:05:35,0.015,0.015,0.015,0.016,0.016 07/31/2023,10:06:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,10:07:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,10:08:35,0.016,0.016,0.016,0.016,0.016 07/31/2023,10:08:35,0.015,0.015,0.015,0.016,0.016 07/31/2023,10:10:35,0.014,0.014,0.014,0.014,0.015,0.015 07/31/2023,10:11:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,10:12:35,0.014,0.014,0.015,0.015,0.015 07/31/2023,10:13:35,0.014,0.014,0.015,0.015,0.015,0.015 07/31/2023,10:14:35,0.014,0.015,0.015,0.015,0.015 07/31/2023,10:14:35,0.014,0.015,0.015,0.015,0.015,0.015,0.015,0.015,0.015,0.015,0.015 07/31/2023,10:17:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,10:17:35,0.014,0.014,0.015,0.015 07/31/2023,10:19:35,0.014,0.014,0.015,0.015,0.015 07/31/2023, 10:20:35, 0.14, 0.014, 0.014, 0.014, 0.015, 0.015
07/31/2023, 10:21:35, 0.014, 0.014, 0.014, 0.015, 0.015
07/31/2023, 10:21:35, 0.014, 0.014, 0.014, 0.015, 0.015
07/31/2023, 10:22:35, 0.014, 0.014, 0.014, 0.015, 0.015
07/31/2023, 10:23:35, 0.013, 0.014, 0.014, 0.015, 0.015
07/31/2023, 10:23:35, 0.013, 0.014, 0.014, 0.014, 0.014, 0.014
07/31/2023, 10:25:35, 0.013, 0.013, 0.014, 0.014, 0.014 07/31/2023,10:27:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,10:28:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,10:29:35,0.014,0.014,0.014,0.014,0.015 07/31/2023,10:30:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,10:31:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,10:32:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,10:33:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,10:34:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,10:35:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,10:36:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,10:37:35,0.014,0.014,0.014,0.014,0.014 07/31/2023,10:38:35,0.013,0.014,0.014,0.014,0.014 07/31/2023,10:38:35,0.013,0.014,0.014,0.014,0.014 07/31/2023,10:39:35,0.013,0.014,0.014,0.014,0.014 07/31/2023,10:40:35,0.014,0.014,0.014,0.015,0.016 07/31/2023,10:41:35,0.024,0.024,0.028,0.043,0.048 07/31/2023,10:42:35,0.017,0.017,0.019,0.025,0.031

07/31/2023,10:43:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,10:44:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,10:45:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,10:46:35,0.014,0.014,0.014,0.014,0.015,0.015 07/31/2023,10:47:35,0.021,0.021,0.024,0.035,0.040 07/31/2023,10:48:35,0.013,0.013,0.014,0.014,0.014,0.014,0.014,0.014,0.014,0.014,0.014,0.015,0.013,0.013,0.014,0.014,0.015 07/31/2023,10:51:35,0.013,0.014,0.014,0.015,0.016 07/31/2023,10:52:35,0.016,0.016,0.017,0.022,0.022 07/31/2023,10:52:35,0.016,0.013,0.013,0.014,0.014 07/31/2023,10:54:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,10:55:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,10:56:35,0.016,0.016,0.017,0.021,0.024 07/31/2023,10:57:35,0.015,0.015,0.015,0.018,0.018 07/31/2023.10:58:35.0.013.0.013.0.013.0.015.0.015 07/31/2023,10:59:35,0.013,0.013,0.013,0.013,0.014 07/31/2023,11:00:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,11:01:35,0.017,0.017,0.018,0.022,0.023 07/31/2023,11:02:35,0.014,0.014,0.014,0.015,0.015 07/31/2023,11:03:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,11:04:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:05:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:06:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:06:35,0.013, 07/31/2023,11:00:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:00:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:11:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:12:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:13:35,0.012,0.012,0.013,0.013,0.013 07/31/2023,11:14:35,0.012,0.012,0.013,0.013,0.013 07/31/2023.11:15:35.0.012.0.012.0.013.0.013.0.013 07/31/2023,11:16:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:17:35,0.013,0.013,0.013,0.013,0.014 07/31/2023,11:18:35,0.014,0.014,0.015,0.017,0.018 07/31/2023,11:19:35,0.017,0.017,0.019,0.026,0.030 07/31/2023,11:20:35,0.014,0.014,0.014,0.016,0.016 07/31/2023,11:21:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:23:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:24:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:25:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,11:26:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,11:27:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:28:35,0.013,0.013,0.013,0.013,0.013 07/31/2023,11:29:35,0.013,0.013,0.014,0.014,0.014 07/31/2023,11:30:35,0.013,0.013,0.013,0.014,0.014 07/31/2023,11:30:35,0.013,0.013,0.014,0.014,0.014 07/31/2023,11:32:35,0.013,0.013,0.014,0.014,0.014 07/31/2023, 11:33:35,0.013,0.013,0.013,0.014,0.014,0.014
07/31/2023, 11:33:35,0.013,0.013,0.013,0.014,0.014
07/31/2023, 11:35:35,0.013,0.013,0.013,0.013,0.014,0.014
07/31/2023, 11:35:35,0.013,0.013,0.013,0.013,0.014,0.014
07/31/2023, 11:36:35,0.013,0.013,0.013,0.013,0.014,0.014
07/31/2023, 11:38:35,0.013,0.013,0.013,0.014,0.014
07/31/2023, 11:38:35,0.013,0.013,0.013,0.014,0.014
07/31/2023, 11:40:35,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:40:35,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:42:35,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:42:35,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:42:35,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:43:35,0.013,0.013,0.014,0.014,0.014
07/31/2023, 11:45:35,0.013,0.013,0.014,0.014,0.014
07/31/2023, 11:45:35,0.013,0.013,0.014,0.014,0.014
07/31/2023, 11:45:35,0.013,0.013,0.014,0.014,0.014
07/31/2023, 11:48:35,0.013,0.013,0.014,0.014,0.014
07/31/2023, 11:48:35,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:48:35,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:59:35,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:59:35,0.014,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:59:35,0.014,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:59:35,0.014,0.014,0.014,0.014,0.014,0.014
07/31/2023, 11:59:35,0.014,0.014,0.014,0.014,0.014,0.014

TrakPro Version 4.70 ASCII Data File

Model:,DustTrak DRX Model Number:,8533 Serial Number:,8533192705 Test ID:,001 Test Abbreviation:,MANUAL 001 Start Date:,07/28/2023 Start Time:,08:50:55 Duration (dd:hh:mm:ss):.0:00:41:00 Log Interval (mm:ss):,01:00 Number of points:,41 Notes:,

Statistics,Channel:,PM1,PM2.5,RESP,PM10,TOTAL,Units:,mg/m^3,mg/m^3,mg/m^3,mg/m^3,mg/m^3, ,average:,0.019,0.019,0.020,0.022,0.022 ,Average:,0.013,0.013,0.014,0.014,0.015
,Minimum:,0.013,0.014,0.014,0.015
,Time of Minimum:,09:13:55,09:15:55,09:14:55,09:17:55,09:14:55
,Date of Minimum:,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023,

Calibration, Sensor:, AEROSOL, Cal. date, 11/02/2022

 $\begin{array}{lll} {\rm Date, Time, PM1, PM2.5, RESP, PM10, TOTAL} \\ {\rm MM/dd/yyyy, hi.ms. iss, mg/m^3, m$ Date, Time, PM1, PM2.5, RESP, PM10, TOTAL 07/28/2023, 09:02:55, 0.018, 0.019, 0.029, 0.029, 0.020 07/28/2023, 09:03:55, 0.018, 0.019, 0.029, 0.029, 0.020 07/28/2023, 09:03:55, 0.016, 0.016, 0.017, 0.018, 0.018, 0.018, 0.018, 0.018, 0.019, 0.025, 0.017, 0.017, 0.018, 0.018, 0.016, 0.017, 0.017, 0.018, 0.018, 0.018, 0.018, 0.017, 0.017, 0.017, 0.017, 0.017, 0.018, 0.018, 0.018, 0.018, 0.018, 0.017, 0.017, 0.017, 0.017, 0.018, 0 07/28/2023,09:10:55,0.014,0.015,0.016,0.017,0.017 07/28/2023,09:11:55,0.014,0.015,0.015,0.016,0.016

07/28/2023,11:01:47,0.013,0.014,0.014,0.016,0.016 07/28/2023,11:02:47,0.013,0.014,0.014,0.015,0.014,0.014 07/28/2023,11:06:47,0.012,0.013,0.013,0.014,0.014 07/28/2023,11:07:47,0.012,0.013,0.013,0.014,0.014 07/28/2023,11:08:47,0.013,0.013,0.013,0.014,0.014 07/28/2023, 11:08:47, 0.013, 0.013, 0.013, 0.014, 0.014, 0.010 07/28/2023, 11:09:47, 0.013, 0.013, 0.014, 0.015, 0.015 07/28/2023, 11:10:47, 0.013, 0.013, 0.014, 0.015, 0.015 07/28/2023, 11:11:47, 0.013, 0.013, 0.014, 0.015, 0.015 07/28/2023, 11:11:47, 0.013, 0.013, 0.014, 0.014, 0.015 07/28/2023, 11:13:47, 0.013, 0.013, 0.014, 0.014, 0.015 07/28/2023, 11:15:47, 0.013, 0.013, 0.014, 0.014, 0.014 07/28/2023, 11:15:47, 0.013, 0.013, 0.014, 0.014, 0.014 07/28/2023,11:16:47,0.013,0.013,0.014,0.014,0.014 07/28/2023,11:17:47,0.014,0.014,0.015,0.016,0.016 07/28/2023,11:18:47,0.014,0.014,0.015,0.017,0.018 07/28/2023,11:19:47,0.013,0.014,0.014,0.015,0.015 07/28/2023,11:20:47,0.013,0.014,0.014,0.015,0.015 07/28/2023,11:21:47,0.013,0.013,0.014,0.015,0.015 07/28/2023,11:22:47,0.013,0.013,0.014,0.014,0.014,0.014 07/28/2023,11:23:47,0.013,0.013,0.013,0.014,0.014 07/28/2023,11:23:47,0.013,0.013,0.013,0.014,0.014 07/28/2023,11:24:47,0.013,0.013,0.013,0.014,0.014 07/28/2023,11:25:47,0.013,0.014,0.015,0.016,0.016 07/28/2023,11:27:47,0.015,0.015,0.016,0.018,0.019 07/28/2023,11:27:47,0.015,0.015,0.016,0.018,0.019 07/28/2023,11:28:47,0.013,0.013,0.014,0.015,0.015 07/28/2023,11:29:47,0.013,0.014,0.014,0.015,0.016 07/28/2023,11:30:47,0.014,0.014,0.015,0.017,0.017 07/28/2023,11:31:47,0.013,0.014,0.014,0.016,0.016 07/28/2023,11:32:47,0.013,0.013,0.014,0.014,0.014,0.014 07/28/2023,11:33:47,0.013,0.013,0.014,0.014,0.014 07/28/2023,11:34:47,0.013,0.013,0.014,0.015,0.015 07/28/2023,11:35:47,0.013,0.013,0.013,0.014,0.014 07/28/2023,11:36:47,0.013,0.013,0.014,0.015,0.015 07/28/2023,11:37:47,0.014,0.014,0.015,0.017,0.018 07/28/2023,11:38:47,0.013,0.014,0.014,0.015,0.016 07/28/2023,11:39:47,0.013,0.014, 07/28/2023,11:41:47,0.013,0.014,0.014,0.017,0.017 07/28/2023,11:42:47,0.013,0.013,0.013,0.014,0.014 07/28/2023,11:43:47,0.013,0.014,0.014,0.016,0.016 07/28/2023,11:44:47,0.013,0.013,0.014,0.014,0.014,0.014 07/28/2023,11:44:47,0.013,0.013,0.013,0.014,0.015 07/28/2023,11:45:47,0.012,0.013,0.013,0.014,0.015 07/28/2023,11:46:47,0.012,0.013,0.013,0.013,0.014,0.014 07/28/2023,11:48:47,0.012,0.013,0.013,0.013,0.013 07/28/2023,11:49:47,0.015,0.015,0.016,0.021,0.021 07/28/2023,11:50:47,0.013,0.013,0.014,0.015,0.015

07/28/2023,09:12:55,0.015,0.015,0.016,0.017,0.018 07/28/2023,09:13:55,0.013,0.014,0.015,0.016,0.016 07/28/2023,09:14:55,0.013,0.014,0.014,0.015,0.015 07/28/2023, 09:14:55, 0.013, 0.014, 0.014, 0.015, 0.015 07/28/2023, 09:15:55, 0.013, 0.013, 0.014, 0.015, 0.015 07/28/2023, 09:16:55, 0.013, 0.013, 0.014, 0.015, 0.015 07/28/2023, 09:16:55, 0.013, 0.013, 0.014, 0.015, 0.015 07/28/2023, 09:19:55, 0.013, 0.014, 0.014, 0.015, 0.015 07/28/2023, 09:19:55, 0.013, 0.014, 0.014, 0.015, 0.015 07/28/2023, 09:20:55, 0.013, 0.014, 0.014, 0.015, 0.015 07/28/2023, 09:21:55, 0.013, 0.013, 0.014, 0.015, 0.015 07/28/2023, 09:21:55, 0.013, 0.013, 0.014, 0.015, 0.015 07/28/2023, 09:22:55, 0.013, 0.014, 0.015, 0.015 07/28/2023, 09:23:55, 0.013, 0.014, 0.015, 0.015 07/28/2023, 09:23:55, 0.013, 0.014, 0.015, 0.015, 0.015 07/28/2023, 09:23:55, 0.013, 0.014, 0.015, 0.015, 0.015 07/28/2023, 09:25:55, 0.013, 0.014, 0.015, 0.015, 0.015 07/28/2023, 09:25:55, 0.014, 0.014, 0.015, 0.015, 0.015 07/28/2023, 09:25:55, 0.014, 0.014, 0.015, 0.015, 0.015 07/28/2023, 09:25:55, 0.014, 0.014, 0.015, 0.015, 0.015 07/28/2023, 09:25:55, 0.014, 0.014, 0.015, 0.015, 0.015 07/28/2023, 09:25:55, 0.014, 0.014, 0.015, 0.015, 0.015 07/28/2023,09:29:55,0.013,0.014,0.015,0.015,0.015 07/28/2023,09:30:55,0.013,0.014,0.014,0.015,0.015 07/28/2023,09:31:55,0.014,0.014,0.015,0.016,0.016

Model:,DustTrak DRX Model Number:,8533 Serial Number:,8533192705 Test ID:,002 Test Abbreviation:,MANUAL_002 Start Date:,07/28/2023 Start Time:,10:58:47
Duration (dd:hh:mm:ss):,0:00:57:00
Log Interval (mm:ss):,01:00 Number of points: .57 Notes:.

Statistics, Channel:, PM1, PM2.5, RESP, PM10, TOTAL Statistics, Channet; ; PHI; PML: 5, RESP; PHI0; [UIAL]
Juhits: jmg/m³3, mg/m³3, mg/m³3, mg/m³3
, Average: ,0.013, 0.013, 0.014, 0.015, 0.016
, Minimum: ,0.012, 0.012, 0.013, 0.013, 0.013
, Time of Minimum: ,11:05:47, 11:51:47, 11:04:47, 11:48:47, 11:48:47
, Date of Minimum: ,07/28/2023, 07/28/2023, 07/28/2023, 07/28/2023
, Maximum: ,0.021, 0.022, 0.024, 0.033, 0.043
, Time of Maximum: ,11:00:47, 11:00:4 Date of Maximum:,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023

,Cal. date,11/02/2022

Date, Time, PM1, PM2.5, RESP, PM10, TOTAL MM/dd/yyyy,hh:mm:ss,mg/m^3,mg/m^3,mg/m^3,mg/m^3,mg/m^3,07/28/2023,10:59:47,0.013,0.013,0.014,0.015,0.015 07/28/2023,11:00:47,0.021,0.022,0.024,0.033,0.043

07/28/2023,11:51:47,0.012,0.012,0.013,0.014,0.014 07/28/2023,11:52:47,0.012,0.013,0.013,0.013,0.013 07/28/2023,11:53:47,0.013,0.013,0.013,0.014,0.015 07/28/2023,11:54:47,0.012,0.013,

Model:,DustTrak DRX Model Number:,8533 Serial Number:,8533192705 Test ID:,003
Test Abbreviation:,MANUAL_003
Start Date:,07/28/2023 Start Time:,12:15:07

Duration (dd:hh:mm:ss):,0:01:39:00

Log Interval (mm:ss):,01:00 Number of points:,99 Notes:.

Statistics, Channel:, PM1, PM2.5, RESP, PM10, TOTAL Statistics, Channel:, PMI, PML:, 5, RESP, PMLD, TOTAL
JUNIts:, mg/m^3, mg/m^3, mg/m^3, mg/m^3
, Average:, 0.013, 0.013, 0.014, 0.014, 0.014
, Minimum:, 0.012, 0.012, 0.012, 0.013, 0.013
, Time of Minimum:, 12:16:07, 12:17:07, 12:37:07, 12:17:07, 12:17:07
, Date of Minimum:, 07/28/2023, 07/28/2023, 07/28/2023, 07/28/2023
, Maximum:, 0.019, 0.019, 0.020, 0.023, 0.025
, Time of Maximum:, 13:43:07, 13:43:07, 13:44:07, 13:44:07
Date of Maximum:, 13:43:07, 13:43:07, 13:43:07, 13:44:07, 13:44:07
Date of Maximum:, 13:47, 2/2023, 2/13/2/2023, 2/13/2023, Date of Maximum:,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023

Calibration, Sensor:, AEROSOL ,Cal. date,11/02/2022

Date,Time,PM1,PM2.5,RESP,PM10,TOTAL
MM/dd/yyyy,hh:mm:ss,mg/m^3,mg/m^3,mg/m^3,mg/m^3
07/28/2023,12:16:07.0.012,0.013,0.014,0.014,0.014
07/28/2023,12:17:07.0,012,0.012,0.013,0.13,0.013
07/28/2023,12:18:07.0,012,0.013,0.013,0.013 07/28/2023, 12:19:07, 0.012, 0.013, 0.013, 0.014, 0.014 07/28/2023, 12:19:07, 0.012, 0.012, 0.013, 0.013, 0.013 07/28/2023, 12:20:07, 0.012, 0.012, 0.013, 0.013, 0.013 07/28/2023, 12:21:07, 0.012, 0.012, 0.013, 0.013, 0.013 07/28/2023, 12:22:07, 0.012, 0.012, 0.013, 0.013, 0.013 07/28/2023, 12:23:07, 0.012, 0.012, 0.013, 0.014, 0.014 07/28/2023, 12:25:07, 0.013, 0.013, 0.013, 0.014, 0.014 07/28/2023, 12:25:07, 0.013, 0.013, 0.013, 0.014, 0.014 07/28/2023, 12:26:07, 0.013, 0.013, 0.013, 0.014, 0.014, 0.014
07/28/2023, 12:26:07, 0.013, 0.013, 0.014, 0.014, 0.014
07/28/2023, 12:27:07, 0.013, 0.013, 0.013, 0.014, 0.014
07/28/2023, 12:28:07, 0.012, 0.013, 0.013, 0.014, 0.014
07/28/2023, 12:29:07, 0.013, 0.013, 0.013, 0.014, 0.014
07/28/2023, 12:30:07, 0.012, 0.013, 0.013, 0.014, 0.014
07/28/2023, 12:31:07, 0.012, 0.012, 0.013, 0.013, 0.013
07/28/2023, 12:31:07, 0.012, 0.012, 0.013, 0.013, 0.013

07/28/2023,12:33:07,0.012,0.013,0.013,0.014,0.014 07/28/2023,12:34:07,0.012,0.013,0.015,0.013,0.013 07/28/2023,12:35:07,0.013,0.013,0.013,0.014,0.014 07/28/2023,12:36:07,0.012,0.013,0.013,0.014,0.014 07/28/2023,12:37:07,0.012,0.012,0.012,0.013,0.013 07/28/2023,12:38:07,0.012,0.012,0.012,0.013,0.013 07/28/2023,12:39:07,0.012,0.012,0.013,0.013,0.014 07/28/2023,12:40:07,0.012,0.012,0.013,0.013,0.013 07/28/2023,12:41:07,0.012,0.012,0.012,0.013,0.013 07/28/2023,12:41:07,0.012,0.012,0.012,0.013,0.013 07/28/2023,12:43:07,0.012,0.012,0.012,0.013,0.013 07/28/2023,12:43:07,0.012,0.012,0.012,0.013,0.013 07/28/2023,12:45:07,0.012,0.013,0.013,0.013,0.013 07/28/2023,12:46:07,0.012,0.012,0.013,0.013,0.013 07/28/2023,12:47:07,0.012,0.013,0.013,0.013,0.013 07/28/2023,12:48:07,0.012,0.013,0.013,0.014,0.014 07/28/2023,12:49:07,0.012,0.013,0.013,0.013,0.013 07/28/2023,12:50:07,0.013,0.013,0.013,0.014,0.014 07/28/2023,12:51:07,0.012,0.012,0.013,0.013,0.013 07/28/2023,12:52:07,0.012,0.012,0.012,0.013,0.013 07/28/2023,12:53:07,0.012,0.012,0.013,0.01 07/28/2023,12:57:07,0.013,0.013,0.013,0.014,0.014 07/28/2023,12:57:07,0.012,0.013,0.013,0.013,0.013 07/28/2023,12:59:07,0.012,0.013,0.013,0.013,0.014,0.014 07/28/2023,13:00:07,0.012,0.013,0.013,0.014,0.014 07/28/2023,13:01:07,0.013,0.013,0.014,0.014,0.015 07/28/2023,13:02:07,0.012,0.013,0.013,0.013,0.013 07/28/2023,13:03:07,0.012,0.012,0.013,0.013,0.013,0.013 07/28/2023,13:04:07,0.012,0.013,0.013,0.013,0.013 07/28/2023,13:05:07,0.012,0.012,0.013,0.013,0.013 07/28/2023,13:06:07,0.012,0.012,0.013,0.013,0.013 07/28/2023,13:07:07,0.012,0.012,0.012,0.013,0.013 07/28/2023,13:08:07,0.012,0.013,0.013,0.013 07/28/2023,13:08:07,0.013,0.013,0.013,0.014,0.014 07/28/2023,13:10:07,0.013,0.013,0.013,0.014,0.014 07/28/2023,13:11:07,0.013,0.013,0.013,0.014,0.014 07/28/2023,13:11:07,0.013,0.013,0.013,0.014,0.014 07/28/2023,13:12:07,0.013,0.013,0.013,0.013,0.014 07/28/2023,13:13:07,0.012,0.013,0.013,0.013,0.014 07/28/2023,13:14:07,0.012,0.013,0.01 07/28/2023,13:18:07,0.013,0.013,0.013,0.014,0.014 07/28/2023,13:18:07,0.013,0.013,0.013,0.014,0.014 07/28/2023,13:19:07,0.013,0.013,0.013,0.013,0.014 07/28/2023,13:20:07,0.013,0.013,0.013,0.013,0.013 07/28/2023,13:22:07,0.013,0.013,0.013,0.013,0.013 07/28/2023,13:22:07,0.013,0.013,0.013,0.014,0.014

 $\begin{array}{c} 07/28/2023,13:23:07,0.013,0.013,0.013,0.013,0.013\\07/28/2023,13:22:07,0.013,0.013,0.013,0.014,0.014\\07/28/2023,13:25:07,0.013,0.013,0.013,0.014,0.014\\07/28/2023,13:25:07,0.013,0.013,0.013,0.014,0.014\\07/28/2023,13:25:07,0.013,0.013,0.013,0.013,0.014\\07/28/2023,13:28:07,0.013,0.013,0.013,0.013,0.014\\07/28/2023,13:29:07,0.013,0.013,0.013,0.014,0.014\\07/28/2023,13:29:07,0.013,0.013,0.013,0.014,0.014\\07/28/2023,13:30:07,0.013,0.013,0.013,0.014,0.014\\07/28/2023,13:30:07,0.013,0.013,0.013,0.014,0.014\\07/28/2023,13:31:07,0.013,0.013,0.013,0.014,0.014\\07/28/2023,13:31:07,0.013,0.013,0.014,0.014,0.014\\07/28/2023,13:31:07,0.013,0.013,0.014,0.014,0.014\\07/28/2023,13:31:07,0.013,0.013,0.014,0.014,0.014\\07/28/2023,13:35:07,0.013,0.013,0.014,0.014,0.014\\07/28/2023,13:35:07,0.013,0.013,0.014,0.014,0.015\\07/28/2023,13:35:07,0.013,0.013,0.014,0.014,0.015\\07/28/2023,13:35:07,0.014,0.014,0.014,0.015,0.015\\07/28/2023,13:35:07,0.014,0.014,0.014,0.015,0.015\\07/28/2023,13:35:07,0.014,0.014,0.014,0.015,0.015\\07/28/2023,13:35:07,0.014,0.014,0.014,0.015,0.015\\07/28/2023,13:35:07,0.014,0.014,0.014,0.015,0.015\\07/28/2023,13:35:07,0.014,0.014,0.014,0.015,0.015\\07/28/2023,13:35:07,0.014,0.014,0.014,0.014,0.015,0.015\\07/28/2023,13:35:07,0.014,0.014,0.014,0.014,0.015,0.015\\07/28/2023,13:40:07,0.016,0.016,0.016,0.016,0.016,0.016\\07/28/2023,13:41:07,0.019,0.017,0.017,0.018,0.019\\07/28/2023,13:41:07,0.019,0.017,0.017,0.018,0.019\\07/28/2023,13:41:07,0.019,0.019,0.020,0.020,0.020,0.020\\07/28/2023,13:41:07,0.016,0.016,0.016,0.016,0.017,0.018,0.019\\07/28/2023,13:41:07,0.016,0.016,0.016,0.017,0.018,0.019\\07/28/2023,13:41:07,0.016,0.016,0.016,0.017,0.018,0.019\\07/28/2023,13:41:07,0.016,0.016,0.017,0.018,0.019\\07/28/2023,13:41:07,0.016,0.016,0.017,0.018,0.019\\07/28/2023,13:41:07,0.016,0.016,0.017,0.018,0.018\\07/28/2023,13:41:07,0.016,0.016,0.017,0.018,0.019\\07/28/2023,13:41:07,0.016,0.016,0.017,0.017,0.018,0.019\\07/28/2023,13:41:07,0.016,0.016,0.017,0.017,0.018,0.019\\07/28/2023,13:41:07,0.016,0.016,0.017,0.017,0.018,0.019\\07/28/2023,13:41:07,0.0$

07/28/2023,13:54:07,0.014,0.014,0.015,0.015,0.015

TrakPro Version 4.70 ASCII Data File

Model:,DustTrak DRX Model Number:,8533 Serial Number:,8533192705 Test ID:,004 Test Abbreviation:,MANUAL_004 Start Date:,07/31/2023 Start Time:,07:55:17 Duration (dd:hh:mm:ss):,0:04:00:00 Log Interval (mm:ss):,0:04:00:00 Number of points:,240 Notes:.

Statistics, Channel:, PM1, PM2.5, RESP, PM10, TOTAL , Units:, mg/m^3, mg/m^3,

Calibration, Sensor:, AEROSOL, Cal. date, 11/02/2022

Date, Time, PM1, PM2.5, RESP, PM10, TOTAL
MM/dd/yyyy, hh:mm:ss, mg/m^3, mg/m^3

 $07/31/2023, 08:17:17, 0.010, 0.011, 0.011, 0.013, 0.013\\ 07/31/2023, 08:18:17, 0.010, 0.010, 0.011, 0.012, 0.012\\ 07/31/2023, 08:19:17, 0.010, 0.010, 0.011, 0.012, 0.012\\ 07/31/2023, 08:20:17, 0.010, 0.010, 0.011, 0.012, 0.012\\ 07/31/2023, 08:20:17, 0.0010, 0.010, 0.011, 0.011, 0.012, 0.012\\ 07/31/2023, 08:22:17, 0.009, 0.009, 0.009, 0.009, 0.011, 0.011\\ 07/31/2023, 08:22:17, 0.009, 0.009, 0.009, 0.009, 0.011, 0.011\\ 07/31/2023, 08:22:17, 0.010, 0.010, 0.010, 0.011, 0.011, 0.011\\ 07/31/2023, 08:23:17, 0.010, 0.010, 0.011, 0.011, 0.013, 0.013\\ 07/31/2023, 08:25:17, 0.010, 0.011, 0.011, 0.013, 0.013\\ 07/31/2023, 08:25:17, 0.010, 0.011, 0.011, 0.013, 0.013\\ 07/31/2023, 08:25:17, 0.010, 0.011, 0.011, 0.013, 0.013\\ 07/31/2023, 08:28:17, 0.008, 0.009, 0.010, 0.011, 0.012\\ 07/31/2023, 08:28:17, 0.008, 0.009, 0.009, 0.010, 0.012\\ 07/31/2023, 08:28:17, 0.008, 0.009, 0.009, 0.001, 0.012\\ 07/31/2023, 08:3117, 0.008, 0.009, 0.009, 0.001, 0.012\\ 07/31/2023, 08:3117, 0.008, 0.009, 0.009, 0.010, 0.010\\ 07/31/2023, 08:32:17, 0.008, 0.009, 0.009, 0.010, 0.010\\ 07/31/2023, 08:33:17, 0.007, 0.008, 0.009, 0.099, 0.010, 0.010\\ 07/31/2023, 08:33:17, 0.008, 0.009, 0.099, 0.010, 0.010\\ 07/31/2023, 08:33:17, 0.007, 0.008, 0.009, 0.009, 0.009\\ 07/31/2023, 08:33:17, 0.008, 0.008, 0.009, 0.010, 0.010\\ 07/31/2023, 08:33:17, 0.008, 0.008, 0.009, 0.010, 0.010\\ 07/31/2023, 08:33:17, 0.008, 0.008, 0.009, 0.010, 0.010\\ 07/31/2023, 08:33:17, 0.008, 0.008, 0.009, 0.010, 0.010\\ 07/31/2023, 08:33:17, 0.008, 0.008, 0.009, 0.010, 0.010\\ 07/31/2023, 08:33:17, 0.008, 0.008, 0.009, 0.010, 0.010\\ 07/31/2023, 08:317, 0.008, 0.008, 0.009, 0.010, 0.010\\ 07/31/2023, 08:317, 0.008, 0.008, 0.009, 0.010, 0.010\\ 07/31/2023, 08:417, 0.008, 0.008, 0.009, 0.009, 0.010, 0.010\\ 07/31/2023, 08:417, 0.008, 0.008, 0.009, 0.009, 0.010, 0.010\\ 07/31/2023, 08:4217, 0.008, 0.008, 0.009, 0.010, 0.010\\ 07/31/2023, 08:4217, 0.008, 0.008, 0.009, 0.010, 0.010\\ 07/31/2023, 08:5217, 0.008, 0.008, 0.009, 0.009, 0.010, 0.010\\ 07/31/2023, 08:5217, 0.008, 0.008, 0.009, 0.009, 0.010,$

 $\begin{array}{l} 07/31/2023,09:07:17,0.013,0.013,0.014,0.016,0.016 \\ 07/31/2023,09:08:17,0.009,0.009,0.009,0.010,0.010 \\ 07/31/2023,09:09:17,0.008,0.009,0.009,0.010,0.010 \\ \end{array}$ 07/31/2023,09:10:17,0.008,0.009,0.009,0.010,0.010 07/31/2023,09:11:17,0.008,0.009,0.009,0.010,0.010 07/31/2023,09:12:17,0.009,0.009,0.009,0.011,0.011 07/31/2023,09:13:17,0.009,0.009,0.010,0.011,0.011 07/31/2023,09:14:17,0.010,0.010,0.011,0.012,0.012 07/31/2023,09:15:17,0.009,0.009,0.010,0.011,0.011 07/31/2023,09:16:17,0.010,0.010,0.010,0.011,0.011 07/31/2023,09:19:17,0.011,0.011,0.012,0.013,0.013 07/31/2023,09:18:17,0.012,0.012,0.013,0.013,0.013 07/31/2023,09:19:17,0.010,0.011,0.011,0.012,0.012 07/31/2023.09:20:17.0.010.0.010.0.010.0.012.0.012 07/31/2023,09:22:17,0.010,0.010,0.011,0.011,0.011 07/31/2023,09:22:17,0.011,0.011,0.011,0.012,0.013 07/31/2023,09:22:17,0.011,0.012,0.012,0.013,0.013 07/31/2023.09:24:17.0.010.0.010.0.011.0.011.0.011 07/31/2023,09:25:17,0.010,0.010,0.010,0.011,0.011 07/31/2023,09:26:17,0.011,0.011,0.011,0.012,0.012 07/31/2023,09:27:17,0.011,0.011,0.012,0.013,0.013 07/31/2023,09:28:17,0.012,0.012,0.012,0.013,0.013 07/31/2023,09:29:17,0.012,0.012,0.013,0.013,0.013 07/31/2023,09:30:17,0.014,0.014,0.014,0.015,0.015 07/31/2023,09:31:17,0.013,0.013,0.013,0.014,0.014 07/31/2023,09:32:17,0.011,0.011,0.012,0.013,0.014 07/31/2023,09:33:17,0.012,0.012,0.012,0.013,0.013 07/31/2023,09:34:17,0.011,0.011,0.012,0.013,0.013 07/31/2023,09:35:17,0.010,0.010,0.010,0.011,0.011 07/31/2023,09:36:17,0.010,0.010,0.011,0.011,0.011 07/31/2023.09:37:17.0.009.0.009.0.010.0.011.0.011 07/31/2023,09:38:17,0.009,0.009,0.009,0.010,0.011 07/31/2023,09:38:17,0.009,0.009,0.009,0.011,0.011 07/31/2023,09:40:17,0.009,0.009,0.010,0.011,0.011 07/31/2023.09:41:17.0.009.0.009.0.010.0.011.0.011 07/31/2023,09:42:17,0.008,0.009,0.009,0.010,0.010 07/31/2023,09:43:17,0.008,0.008,0.009,0.009,0.009 07/31/2023,09:44:17,0.009,0.009,0.009,0.010,0.010 07/31/2023,09:45:17,0.009,0.009,0.010,0.011,0.011 07/31/2023,09:46:17,0.009,0.009,0.009,0.010,0.011 07/31/2023,09:47:17,0.009,0.009,0.010,0.011,0.011 07/31/2023,09:48:17,0.009,0.009,0.010,0.011,0.011 07/31/2023,09:49:17,0.010,0.010,0.011,0.012,0.012 07/31/2023,09:50:17,0.010,0.010,0.011,0.012,0.012 07/31/2023,09:51:17,0.010,0.010,0.011,0.012,0.012 07/31/2023,09:52:17,0.009,0.009,0.009,0.010,0.010 07/31/2023,09:53:17,0.008,0.008,0.009,0.010,0.010 07/31/2023,09:53:17,0.008,0.008,0.009,0.010,0.011 07/31/2023,09:55:17,0.008,0.008,0.008,0.009,0.010 07/31/2023,09:56:17,0.008,0.008,0.008,0.010,0.010

 $\begin{array}{l} 07/31/2023, 99:57:17, 0.008, 0.008, 0.008, 0.009, 0.009 \\ 07/31/2023, 99:58:17, 0.007, 0.008, 0.008, 0.009, 0.009 \\ 07/31/2023, 99:59:17, 0.008, 0.008, 0.008, 0.009, 0.009 \end{array}$ 07/31/2023,10:00:17,0.008,0.008,0.008,0.009,0.009 07/31/2023,10:00:17,0.008,0.008,0.008,0.009,0.009 07/31/2023,10:02:17,0.008,0.008,0.008,0.009,0.009 07/31/2023,10:03:17,0.008,0.008,0.008,0.009,0.009 07/31/2023,10:04:17,0.008,0.008,0.008,0.009,0.009 07/31/2023,10:05:17,0.007,0.008,0.008,0.009,0.009 07/31/2023.10:06:17.0.007.0.007.0.008.0.009.0.009 07/31/2023,10:09:17,0.007,0.007,0.008,0.008,0.008,0.008 07/31/2023,10:09:17,0.007,0.008,0.008,0.009,0.009 07/31/2023,10:09:17,0.008,0.008,0.008,0.009,0.009 07/31/2023.10:10:17.0.007.0.007.0.008.0.009.0.009 07/31/2023,10:11:17,0.008,0.008,0.009,0.010,0.011 07/31/2023,10:11:17,0.008,0.008,0.009,0.010,0.011 07/31/2023,10:12:17,0.007,0.008,0.008,0.009,0.009 07/31/2023,10:13:17,0.007,0.007,0.008,0.009,0.009 07/31/2023,10:14:17,0.007,0.007,0.008,0.009,0.009 07/31/2023,10:15:17,0.007,0.007,0.007,0.009,0.009 07/31/2023,10:16:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:21:17,0.007,0.007,0.008,0.009,0.009
07/31/2023,10:22:17,0.007,0.007,0.007,0.008,0.009
07/31/2023,10:23:17,0.007,0.007,0.007,0.008,0.008 $\begin{array}{l} 07/31/2023, 10:24:17, 0.007, 0.007, 0.007, 0.008, 0.008, 0.008\\ 07/31/2023, 10:25:17, 0.007, 0.007, 0.007, 0.008, 0.008\\ 07/31/2023, 10:26:17, 0.007, 0.007, 0.007, 0.008, 0.008\\ 07/31/2023, 10:27:17, 0.007, 0.007, 0.007, 0.007, 0.007, 0.007, 0.007\\ \end{array}$ 07/31/2023,10:28:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:29:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:30:17,0.007,0.007,0.007,0.007,0.007,0.007 07/31/2023,10:31:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:32:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:33:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:34:17,0.007,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:35:17,0.006,0.007,0.007,0.008,0.008 07/31/2023,10:35:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:36:17,0.007,0.007,0.007,0.007,0.008 07/31/2023,10:38:17,0.006,0.007,0.007,0.007,0.008 07/31/2023,10:38:17,0.013,0.013,0.013,0.013,0.014,0.014 07/31/2023,10:40:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:42:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:42:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:44:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:45:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:46:17,0.007,0.007,0.007,0.008,0.008

07/31/2023,10:47:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:48:17,0.007,0.007,0.007,0.008,0.009 07/31/2023,10:49:17,0.006,0.006,0.006,0.007,0.007 07/31/2023,10:50:17,0.006,0.006,0.006,0.006,0.006,0.006 07/31/2023,10:51:17,0.006,0.006,0.006,0.006,0.006 07/31/2023,10:52:17,0.006,0.006,0.006,0.007,0.007 07/31/2023,10:52:17,0.006,0.006,0.006,0.007,0.007 07/31/2023,10:53:17,0.006,0.006,0.006,0.007,0.007 07/31/2023,10:54:17,0.007,0.007,0.008,0.009,0.009 07/31/2023,10:55:17,0.006,0.006,0.006,0.007,0.007 07/31/2023,10:56:17,0.006,0.006,0.006,0.007,0.007 07/31/2023,10:56:17,0.006,0.006,0.007,0.007,0.007 07/31/2023,10:57:17,0.006,0.006,0.007,0.007,0.007 07/31/2023,10:58:17,0.006,0.006,0.006,0.007,0.007 07/31/2023,10:59:17,0.006,0.006,0.006,0.007,0.007 07/31/2023,11:00:17,0.006,0.006,0.007,0.007,0.007 07/31/2023,11:01:17,0.006,0.007,0.007,0.007,0.007 07/31/2023.11:02:17.0.006.0.006.0.007.0.007.0.007 07/31/2023,11:03:17,0.006,0.006,0.006,0.006,0.006,0.007 07/31/2023,11:03:17,0.006,0.006,0.006,0.006,0.007,0.007 07/31/2023,11:05:17,0.005,0.005,0.006,0.006,0.006,0.006 07/31/2023,11:06:17,0.005,0.006,0.006,0.006,0.006 07/31/2023,11:07:17,0.005,0.006,0.006,0.006,0.007 07/31/2023,11:08:17,0.005,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:09:17,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:10:17,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:11:17,0.005,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:12:17,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:13:17,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:13:17,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:15:17,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:16:17,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:17:17,0.005,0.005,0.006,0.006,0.006 07/31/2023,11:18:17,0.006,0.006,0.006,0.006,0.007 07/31/2023.11:19:17.0.005.0.005.0.005.0.006.0.006 07/31/2023,11:20:17,0.005,0.006,0.006,0.006,0.006,0.006 07/31/2023,11:21:17,0.006,0.006,0.006,0.006,0.006 07/31/2023,11:22:17,0.006,0.006,0.006,0.007,0.007 07/31/2023.11:23:17.0.006.0.006.0.006.0.007.0.007 07/31/2023,11:24:17,0.006,0.006,0.006,0.006,0.007,0.007 07/31/2023,11:25:17,0.006,0.006,0.006,0.007,0.007 07/31/2023,11:26:17,0.006,0.006,0.007,0.007,0.007 07/31/2023,11:27:17,0.007,0.007,0.007,0.007,0.008,0.008 07/31/2023,11:28:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,11:29:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,11:30:17,0.007,0.007,0.007,0.007,0.007,0.007 07/31/2023,11:31:17,0.007,0.007,0.007,0.008,0.009 07/31/2023,11:31:17,0.007,0.007,0.007,0.008,0.009 07/31/2023,11:33:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,11:34:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,11:34:17,0.007,0.007,0.007,0.008,0.008 07/31/2023,11:36:17,0.007,0.007,0.007,0.008,0.009

Start Date:,07/28/2023 Start Time:,08:43:08 Duration (dd:hh:mm:ss):.0:01:02:00 Log Interval (mm:ss):,01:00 Number of points:,62 Notes:, Statistics,Channel:,PM1,PM2.5,RESP,PM10,TOTAL,Units:,mg/m^3,mg/m^3,mg/m^3,mg/m^3,mg/m^3, ,average:,0.015,0.016,0.017,0.018,0.018 ,Average:,0.013,0.013,0.014,0.015,0.018
,Minimum:,0.013,0.014,0.015,0.015
,Time of Minimum:,09:21:08,09:23:08,09:21:08,09:43:08,09:43:08
,Date of Minimum:,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023
,Maximum:,0.018,0.019,0.020,0.021,0.022
,Time of Maximum:,08:45:08,08:45:08,08:45:08,08:45:08,08:45:08
,Date of Maximum:,07/28/2023,07/28/2023,07/28/2023,07/28/2023 Calibration, Sensor:, AEROSOL, Cal. date, 11/08/2022 Date, Time, PM1, PM2.5, RESP, PM10, TOTAL

MM/dd/yyyy, hh:mm:ss,mg/m^3,mg/m^3,mg/m^3,mg/m^3,mg/m^3,07/28/2023,08:34:08,0.017,0.018,0.019,0.020,0.020,0.020

07/28/2023,08:34:08,0.018,0.019,0.020,0.021,0.022

07/28/2023,08:34:08,0.018,0.019,0.020,0.021,0.022

07/28/2023,08:34:08,0.018,0.019,0.020,0.021,0.022

07/28/2023,08:34:08,0.017,0.018,0.019,0.020,0.021,0.020

07/28/2023,08:36:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,08:36:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,08:50:08,0.018,0.018,0.019,0.021,0.021

07/28/2023,08:50:08,0.018,0.018,0.019,0.021,0.021

07/28/2023,08:50:08,0.018,0.018,0.019,0.021,0.021

07/28/2023,08:50:08,0.018,0.018,0.019,0.021,0.021

07/28/2023,08:55:08,0.017,0.017,0.018,0.019,0.019

07/28/2023,08:55:08,0.017,0.017,0.018,0.019,0.020

07/28/2023,08:55:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,08:55:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,08:55:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,08:55:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,08:55:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,08:59:08,0.016,0.017,0.018,0.019,0.020,0.020

07/28/2023,09:00:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,09:00:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,09:00:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,09:00:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,09:00:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,09:00:08,0.017,0.018,0.019,0.020,0.020

07/28/2023,09:00:08,0.017,0.018,0.019,0.021,0.021 Date, Time, PM1, PM2.5, RESP, PM10, TOTAL Log Interval (mm:ss):,01:00 Number of points:,51 Notes: Statistics, Channel:, PM1, PM2.5, RESP, PM10, TOTAL Statistics, Channel:, PMI, PML:5, KtsP, PMID, IUIAL
, Units:, mg/m^3, mg/m^3, mg/m^3, mg/m^3
, Average:, 0.013, 0.013, 0.014, 0.015, 0.015
, Wininum:, 0.012, 0.012, 0.013, 0.013, 0.014
, Time of Minimum:, 10/157:49, 10:58:49, 10:56:49, 10:58:49, 10:56:49
, Date of Minimum:, 07/28/2023, 07/28/2023, 07/28/2023, 07/28/2023
, Maximum:, 0.014, 0.014, 0.015, 0.017, 0.020
, Time of Maximum:, 10:53:49, 10:53:49, 10:53:49, 10:54:49, 10:54:49

Date of Maximum:, 10:53:49, 10:53:49, 10:53:49, 10:54:49, 10:54:49

Date of Maximum: 07/28/2023 07/28/2023 07/28/2023 07/28/2023 07/28/2023 Date of Maximum:,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023 Calibration, Sensor:, AEROSOL .Cal. date.11/08/2022 Date, Time, PM1, PM2.5, RESP, PM10, TOTAL
MM/dd/yyyy, hh:mm:ss, mg/m^3, mg/m^3, mg/m^3, mg/m^3, mg/m^3
07/28/2023, 10:52:49, 0.013, 0.013, 0.014, 0.015, 0.015
07/28/2023, 10:53:49, 0.014, 0.014, 0.015, 0.015
07/28/2023, 10:53:49, 0.013, 0.014, 0.015, 0.015 07/28/2023,10:55:49,0.013,0.013,0.014,0.015,0.015 07/28/2023,10:55:49,0.013,0.013,0.013,0.014,0.014 07/28/2023,10:55:49,0.012,0.013,0.013,0.014,0.014 07/28/2023,10:57:49,0.012,0.013,0.013,0.013,0.014 07/28/2023,10:59:49,0.012,0.012,0.013,0.014,0.014 07/28/2023,11:00:49,0.012,0.013,0.013,0.014,0.014 07/28/2023,11:01:49,0.012,0.013,0.013,0.014,0.014 07/28/2023, 11:02:49, 0.013, 0.013, 0.014, 0.014, 0.014 07/28/2023, 11:02:49, 0.013, 0.013, 0.014, 0.014, 0.014 07/28/2023, 11:03:49, 0.013, 0.013, 0.014, 0.015, 0.015 07/28/2023, 11:03:49, 0.013, 0.014, 0.014, 0.015, 0.015 07/28/2023, 11:03:49, 0.013, 0.014, 0.014, 0.015, 0.015 07/28/2023, 11:03:49, 0.013, 0.014, 0.014, 0.014, 0.015 07/28/2023, 11:03:49, 0.013, 0.014, 0.014, 0.015, 0.015 07/28/2023, 11:03:49, 0.013, 0.014, 0.014, 0.014, 0.015, 0.015 07/28/2023,11:09:49,0.013,0.013,0.014,0.014,0.014 07/28/2023,11:10:49,0.013,0.013,0.014,0.014,0.014 07/28/2023,11:11:49,0.013,0.013,0.014,0.014,0.014 07/28/2023,11:11:49,0.012,0.013,0.013,0.014,0.014 07/28/2023,11:13:49,0.012,0.013,0.013,0.014,0.015 07/28/2023,11:13:49,0.013,0.013,0.013,0.014,0.014 07/28/2023,11:15:49,0.013,0.013,0.014,0.015,0.016 07/28/2023,11:16:49,0.013,0.013,0.014,0.014,0.014,0.014 07/28/2023,11:17:49,0.013,0.013,0.014,0.014,0.014,0.014 07/28/2023,11:18:49,0.013,0.013,0.014,0.014,0.014,0.014

07/28/2023,11:20:49,0.013,0.014,0.014,0.015,0.015 07/28/2023,11:20:49,0.013,0.013,0.014,0.015,0.016 07/28/2023,11:22:49,0.013,0.014,0.014,0.015,0.015

TrakPro Version 4.70 ASCII Data File

Test Abbreviation:,MANUAL 001

Model:,DustTrak DRX Model Number:,8533 Serial Number:,8533192301 Test ID:,001 07/28/2023,09:05:08,0.016,0.016,0.017,0.019,0.019 07/28/2023,09:06:08,0.016,0.016,0.017,0.018,0.019 07/28/2023,09:07:08,0.016,0.016,0.017,0.018,0.018 07/28/2023,09:08:08,0.016,0.017,0.017,0.019,0.019 07/28/2023,09:09:08,0.016,0.017,0.017,0.019,0.019 07/28/2023,09:10:08,0.016,0.016,0.017,0.019,0.019 07/28/2023, 09:10:88, 0.015, 0.016, 0.017, 0.019, 0.019
07/28/2023, 09:11:80, 0.015, 0.016, 0.017, 0.018, 0.018
07/28/2023, 09:11:208, 0.015, 0.016, 0.017, 0.017
07/28/2023, 09:12:08, 0.015, 0.015, 0.016, 0.017, 0.017
07/28/2023, 09:14:08, 0.014, 0.015, 0.015, 0.017, 0.018
07/28/2023, 09:15:08, 0.014, 0.015, 0.015, 0.017, 0.018
07/28/2023, 09:15:08, 0.014, 0.015, 0.015, 0.017, 0.018
07/28/2023, 09:17:08, 0.015, 0.016, 0.016, 0.017, 0.017
07/28/2023, 09:17:08, 0.015, 0.015, 0.016, 0.017, 0.017
07/28/2023, 09:18:08, 0.015, 0.015, 0.016, 0.017, 0.018
07/28/2023, 09:21:08, 0.015, 0.015, 0.016, 0.017, 0.017
07/28/2023, 09:21:08, 0.015, 0.015, 0.016, 0.017, 0.017
07/28/2023, 09:21:08, 0.014, 0.015, 0.015, 0.016, 0.016, 0.016 07/28/2023, 09:21:08, 0.013, 0.014, 0.014, 0.016, 0.016, 0.016
07/28/2023, 09:22:08, 0.014, 0.014, 0.015, 0.017, 0.018
07/28/2023, 09:23:08, 0.014, 0.014, 0.015, 0.017, 0.018
07/28/2023, 09:23:08, 0.014, 0.014, 0.015, 0.016, 0.016
07/28/2023, 09:25:08, 0.014, 0.014, 0.015, 0.016, 0.016
07/28/2023, 09:25:08, 0.014, 0.014, 0.015, 0.016, 0.016
07/28/2023, 09:27:08, 0.014, 0.015, 0.015, 0.017, 0.017
07/28/2023, 09:27:08, 0.014, 0.015, 0.015, 0.017, 0.017
07/28/2023, 09:29:08, 0.015, 0.015, 0.016, 0.017, 0.017
07/28/2023, 09:30:08, 0.015, 0.015, 0.015, 0.016, 0.016, 0.017
07/28/2023, 09:31:08, 0.014, 0.014, 0.015, 0.016, 0.016, 0.017
07/28/2023, 09:31:08, 0.014, 0.014, 0.015, 0.016, 0.016, 0.017 07/28/2023, 99:31:08, 0.014, 0.014, 0.015, 0.016, 0.016
07/28/2023, 99:33:08, 0.014, 0.014, 0.015, 0.015, 0.016, 0.017
07/28/2023, 99:33:08, 0.014, 0.014, 0.015, 0.015, 0.016, 0.016
07/28/2023, 99:33:08, 0.014, 0.014, 0.015, 0.015, 0.016, 0.016
07/28/2023, 99:35:08, 0.014, 0.014, 0.015, 0.017, 0.018
07/28/2023, 99:35:08, 0.014, 0.015, 0.015, 0.016, 0.017
07/28/2023, 99:37:08, 0.014, 0.015, 0.015, 0.016, 0.017
07/28/2023, 99:39:09, 0.014, 0.015, 0.015, 0.017, 0.017
07/28/2023, 99:39:08, 0.014, 0.015, 0.016, 0.017, 0.017
07/28/2023, 99:40:08, 0.014, 0.015, 0.015, 0.017, 0.017
07/28/2023, 99:40:08, 0.014, 0.015, 0.015, 0.017, 0.017
07/28/2023, 99:40:08, 0.014, 0.015, 0.015, 0.016, 0.017, 0.017 07/28/2023,09:42:08,0.014,0.014,0.015,0.016,0.016 07/28/2023,09:42:08,0.013,0.014,0.015,0.015,0.015 07/28/2023,09:42:08,0.013,0.014,0.015,0.015,0.015 07/28/2023,09:45:08,0.013,0.013,0.014,0.015,0.015 07/28/2023,09:45:08,0.013,0.013,0.014,0.015,0.016 Model:,DustTrak DRX Model Number:,8533 Serial Number:,8533192301

Test ID:,002 Test Abbreviation:,MANUAL_002 Start Date: .07/28/2023 Start Time: 10:51:49 Duration (dd:hh:mm:ss):,0:00:51:00

07/28/2023,11:23:49,0.013,0.013,0.014,0.015,0.015 07/28/2023, 11:23:49, 0.013, 0.014, 0.014, 0.015, 0.015
07/28/2023, 11:24:49, 0.013, 0.014, 0.014, 0.015, 0.015
07/28/2023, 11:25:49, 0.013, 0.014, 0.014, 0.015, 0.015
07/28/2023, 11:25:49, 0.013, 0.014, 0.014, 0.015, 0.015
07/28/2023, 11:27:49, 0.013, 0.014, 0.014, 0.015, 0.015
07/28/2023, 11:27:49, 0.013, 0.013, 0.014, 0.014, 0.015, 0.015
07/28/2023, 11:29:49, 0.013, 0.013, 0.014, 0.014, 0.015
07/28/2023, 11:31:49, 0.013, 0.013, 0.014, 0.014, 0.014
07/28/2023, 11:31:49, 0.013, 0.013, 0.014, 0.014, 0.015
07/28/2023, 11:33:49, 0.013, 0.013, 0.014, 0.014, 0.015
07/28/2023, 11:33:49, 0.013, 0.013, 0.014, 0.015, 0.015
07/28/2023, 11:33:49, 0.013, 0.013, 0.014, 0.015, 0.015
07/28/2023, 11:33:49, 0.013, 0.013, 0.014, 0.015, 0.015 07/28/2023,11:35:49,0.012,0.013,0.013,0.014,0.014 07/28/2023,11:36:49,0.012,0.013,0.013,0.014,0.014 07/28/2023,11:37:49,0.013,0.013,0.014,0.015,0.015 07/28/2023,11:38:49,0.012,0.013,0.013,0.014,0.015 07/28/2023,11:39:49,0.012,0.013,0.013,0.015,0.015 07/28/2023,11:49:49,0.012,0.013,0.013,0.014,0.015 07/28/2023,11:40:49,0.012,0.012,0.013,0.014,0.015 07/28/2023.11:42:49.0.012.0.012.0.013.0.014.0.014

Model:,DustTrak DRX Model Number:,8533 Serial Number:,8533192301 Test ID:,003 Test Abbreviation:,MANUAL 003 Start Date:,07/28/2023 Start Time:,12:22:03 Duration (dd:hh:mm:ss):,0:01:20:00 Log Interval (mm:ss):,01:00 Number of points:,80

Statistics, Channel:, PM1, PM2.5, RESP, PM10, TOTAL, Units:, mg/m^3, mg/m^3, mg/m^3, mg/m^3, Mg/m^3, Average:, 0.011, 0.011, 0.012, 0.012, 0.013 Minimum:,0.010,0.011,0.011,0.011,0.011,
Time of Minimum:,12:42:03,12:43:03,12:30:03,12:43:03,12:43:03,
Date of Minimum:,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023 ,Maximum:,0.014,0.014,0.016,0.019,0.031 Time of Maximum:,13:21:03,13:21:03,13:21:03,13:21:03,12:23:03 ,Date of Maximum:,07/28/2023,07/28/2023,07/28/2023,07/28/2023,07/28/2023

Calibration, Sensor:, AEROSOL, Cal. date, 11/08/2022

Date, Time, PM1, PM2.5, RESP, PM10, TOTAL 07/28/2023,12:24:03,0.012,0.013,0.013,0.013,0.014 07/28/2023,12:25:03,0.012,0.012,0.013,0.013,0.013 07/28/2023,12:26:03,0.012,0.012,0.013,0.013,0.013 07/28/2023,12:27:03,0.012,0.012,0.013,0.015,0.015 07/28/2023,12:28:03,0.012,0.012,0.013,0.014,0.014 07/28/2023,12:29:03,0.011,0.012,0.012,0.014,0.014 07/28/2023,12:30:03,0.011,0.011,0.011,0.012,0.013 07/28/2023,12:31:03,0.011,0.011,0.012,0.013,0.015 07/28/2023,12:32:03,0.011,0.011,0.012,0.013,0.014 07/28/2023,12:33:03,0.012,0.012,0.012,0.013,0.014 07/28/2023,12:34:03,0.011,0.012,0.012,0.013,0.014 07/28/2023,12:35:03,0.011,0.012,0.012,0.013,0.013 07/28/2023,12:35:03,0.011,0.012,0.012,0.013,0.013 07/28/2023,12:37:03,0.012,0.012,0.012,0.013,0.013 07/28/2023,12:38:03,0.011,0.011,0.012,0.013,0.013 07/28/2023,12:39:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,12:39:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,12:41:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,12:42:03,0.010,0.011,0.011,0.012,0.013 07/28/2023,12:43:03,0.010,0.010,0.011,0.011,0.011 07/28/2023,12:44:03,0.010,0.010,0.011,0.011,0.011 07/28/2023,12:45:03,0.010,0.010,0.011,0.011,0.011 07/28/2023,12:45:03,0.010,0.010,0.011,0.012,0.013 07/28/2023,12:46:03,0.010,0.010,0.011,0.012,0.013 07/28/2023,12:47:03,0.010,0.010,0.011,0.012,0.012 07/28/2023,12:48:03,0.010,0.010,0.011,0.011,0.012 07/28/2023,12:49:03,0.010,0.010,0.011,0.011,0.011 07/28/2023,12:50:03,0.010,0.011,0.011,0.012,0.012 07/28/2023,12:51:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,12:52:03,0.011,0.011,0.011,0.013,0.013 07/28/2023,12:53:03,0.010,0.011,0.011,0.012,0.012 07/28/2023,12:53:03,0.010,0.011,0.011,0.012,0.012 07/28/2023,12:55:03,0.010,0.011,0.011,0.012,0.012 07/28/2023,12:56:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,12:57:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,12:58:03,0.011,0.011,0.012,0.012,0.012 07/28/2023,12:59:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:00:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:00:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:00:03,0.011,0.012,0.012,0.012 07/28/2023,13:02:03,0.011,0.011,0.012,0.012,0.012 07/28/2023,13:03:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:03:04:03,0.011,0.011,0.011,0.012,0.013 07/28/2023,13:05:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:06:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:06:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:07:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:08:03,0.011,0.01,0.011,0.011,0.012,0.012 07/28/2023,13:09:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:10:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:11:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:12:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:13:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:14:03,0.011,0.011,0.011,0.012,0.012 07/28/2023,13:15:03,0.011,0.011,0.011,0.012,0.012
07/28/2023,13:16:03,0.011,0.011,0.011,0.012,0.012
07/28/2023,13:16:03,0.011,0.011,0.011,0.012,0.012
07/28/2023,13:17:03,0.011,0.011,0.011,0.012,0.012
07/28/2023,13:18:03,0.013,0.013,0.014,0.017,0.019
07/28/2023,13:19:03,0.013,0.013,0.014,0.017,0.019
07/28/2023,13:21:03,0.014,0.014,0.016,0.019,0.012
07/28/2023,13:22:03,0.014,0.014,0.016,0.019,0.012
07/28/2023,13:22:03,0.011,0.012,0.012,0.013,0.013
07/28/2023,13:22:03,0.011,0.011,0.011,0.012,0.012
07/28/2023,13:22:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:25:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:25:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:25:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:25:03,0.011,0.011,0.012,0.012,0.013
07/28/2023,13:35:03,0.011,0.011,0.011,0.011,0.011
07/28/2023,13:30:03,0.011,0.011,0.011,0.012,0.013
07/28/2023,13:33:03,0.011,0.011,0.011,0.011,0.011
07/28/2023,13:33:03,0.011,0.011,0.011,0.012,0.013
07/28/2023,13:33:03,0.011,0.011,0.011,0.012,0.013
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012
07/28/2023,13:33:03,0.011,0.011,0.012,0.012,0.012

TrakPro Version 4.70 ASCII Data File

Model:,DustTrak DRX Model Number:,8533 Serial Number:,853192301 Test ID:,004 Test Abbreviation:,MANUAL_004 Start Date:,07/31/2023 Start Time:,07:49:26 Duration (dd:hh:mm:ss):,0:04:09:00 Log Interval (mm:ss):,0:00 Number of points:,249 Notes:.

Statistics, Channel:, PM1, PM2.5, RESP, PM10, TOTAL ,Units:, mg/m^3, mg/m, mg/

Calibration, Sensor:, AEROSOL, Cal. date, 11/08/2022

Date, Time, PM1, PM2.5, RESP, PM10, TOTAL MM/dd/yyyy, hh:mm:ss, mg/m^3, mg/m^3

87/31/2023, 08:11:26, 0.009, 0.009, 0.010, 0.012, 0.012
87/31/2023, 08:13:26, 0.009, 0.010, 0.010, 0.011, 0.012
87/31/2023, 08:13:26, 0.009, 0.010, 0.010, 0.011, 0.012
87/31/2023, 08:13:26, 0.009, 0.010, 0.010, 0.011, 0.012
87/31/2023, 08:14:26, 0.009, 0.010, 0.010, 0.011, 0.011
87/31/2023, 08:15:26, 0.009, 0.010, 0.010, 0.011, 0.011
87/31/2023, 08:15:26, 0.009, 0.010, 0.010, 0.011, 0.012
87/31/2023, 08:15:26, 0.009, 0.010, 0.010, 0.011, 0.012
87/31/2023, 08:19:26, 0.012, 0.012, 0.013, 0.015, 0.017
87/31/2023, 08:19:26, 0.015, 0.015, 0.015, 0.016, 0.018, 0.019
87/31/2023, 08:19:26, 0.013, 0.015, 0.015, 0.016, 0.018, 0.019
87/31/2023, 08:29:26, 0.013, 0.014, 0.015, 0.016, 0.018, 0.019
87/31/2023, 08:21:26, 0.009, 0.010, 0.011, 0.013, 0.013
87/31/2023, 08:21:26, 0.009, 0.009, 0.010, 0.011, 0.013, 0.013
87/31/2023, 08:22:26, 0.009, 0.009, 0.010, 0.011, 0.012, 0.012
87/31/2023, 08:22:26, 0.009, 0.009, 0.010, 0.011, 0.012, 0.012
87/31/2023, 08:22:26, 0.009, 0.009, 0.010, 0.010, 0.012, 0.012
87/31/2023, 08:22:26, 0.009, 0.009, 0.010, 0.010, 0.012, 0.012
87/31/2023, 08:24:26, 0.009, 0.010, 0.010, 0.012, 0.012
87/31/2023, 08:25:26, 0.014, 0.015, 0.016, 0.018, 0.017
87/31/2023, 08:25:26, 0.019, 0.010, 0.012, 0.012, 0.012
87/31/2023, 08:25:26, 0.019, 0.010, 0.012, 0.013, 0.013
87/31/2023, 08:32:26, 0.010, 0.010, 0.011, 0.011, 0.013, 0.013
87/31/2023, 08:32:26, 0.010, 0.010, 0.011, 0.011, 0.013, 0.013
87/31/2023, 08:33:26, 0.010, 0.010, 0.011, 0.011, 0.013, 0.013
87/31/2023, 08:33:26, 0.010, 0.010, 0.011, 0.013, 0.013
87/31/2023, 08:33:26, 0.010, 0.010, 0.011, 0.011, 0.013, 0.013
87/31/2023, 08:33:26, 0.010, 0.010, 0.011, 0.013, 0.013
87/31/2023, 08:33:26, 0.010, 0.010, 0.011, 0.011, 0.013, 0.013
87/31/2023, 08:33:26, 0.010, 0.010, 0.011, 0.011, 0.013, 0.013
87/31/2023, 08:33:26, 0.010, 0.010, 0.011, 0.011, 0.013, 0.013
87/31/2023, 08:33:26, 0.010, 0.010, 0.011, 0.011, 0.012, 0.012
87/31/2023, 08:33:26, 0.010, 0.010, 0.011, 0.011, 0.012, 0.012
87/31/2023, 08:33:26, 0.010, 0.010, 0.011, 0.011, 0.012, 0.012
87/31/2023, 08:4

07/31/2023,09:01:26,0.010,0.010,0.011,0.012,0.012 07/31/2023,09:02:26,0.010,0.010,0.011,0.011,0.013 07/31/2023,09:03:26,0.010,0.010,0.011,0.012,0.012 07/31/2023,09:04:26,0.010,0.010,0.011,0.011,0.011 07/31/2023,09:04:26,0.011,0.011,0.011,0.013,0.014 07/31/2023,09:06:26,0.011,0.011,0.012,0.012,0.012 07/31/2023,09:07:26,0.011,0.011,0.011,0.012,0.013 07/31/2023,09:08:26,0.011,0.011,0.012,0.013,0.013 07/31/2023,09:09:26,0.011,0.011,0.012,0.013,0.013 07/31/2023.09:10:26.0.010.0.011.0.011.0.012.0.012 07/31/2023,09:11:26,0.010,0.010,0.011,0.012,0.012 07/31/2023,09:12:26,0.010,0.010,0.011,0.012,0.012 07/31/2023,09:13:26,0.010,0.010,0.010,0.011,0.011 07/31/2023.09:14:26.0.010.0.010.0.010.0.011.0.011 07/31/2023,09:15:26,0.009,0.010,0.010,0.011,0.011 07/31/2023,09:15:26,0.009,0.010,0.010,0.011,0.011 07/31/2023,09:16:26,0.009,0.010,0.010,0.011,0.011 07/31/2023.09:18:26.0.010.0.010.0.010.0.012.0.012 07/31/2023,09:19:26,0.010,0.011,0.011,0.011,0.011 07/31/2023,09:20:26,0.010,0.011,0.011,0.013,0.013 07/31/2023,09:21:26,0.011,0.011,0.011,0.013,0.014 07/31/2023,09:22:26,0.011,0.011,0.012,0.013,0.013 07/31/2023,09:23:26,0.011,0.011,0.012,0.013,0.013 07/31/2023,09:24:26,0.010,0.010,0.011,0.012,0.012 07/31/2023,09:25:26,0.010,0.010,0.010,0.011,0.011 07/31/2023,09:25:26,0.009,0.009,0.010,0.010,0.010 07/31/2023,09:27:26,0.009,0.009,0.009,0.010,0.010 07/31/2023,09:28:26,0.008,0.009,0.009,0.010,0.010 07/31/2023,09:29:26,0.008,0.008,0.009,0.010,0.010 07/31/2023,09:30:26,0.008,0.008,0.009,0.009,0.009 07/31/2023,09:31:26,0.008,0.008,0.009,0.009,0.009 07/31/2023,09:32:26,0.008,0.009,0.009,0.010,0.010
07/31/2023,09:33:26,0.008,0.009,0.009,0.010,0.010
07/31/2023,09:34:26,0.008,0.009,0.009,0.010,0.010 07/31/2023.09:35:26.0.008.0.008.0.009.0.010.0.010 07/31/2023,09:36:26,0.008,0.008,0.009,0.010,0.010 07/31/2023,09:37:26,0.008,0.008,0.008,0.009,0.009 07/31/2023,09:38:26,0.007,0.008,0.008,0.010,0.010 07/31/2023,09:39:26,0.007,0.007,0.008,0.009,0.009 07/31/2023,09:39:26,0.007,0.007,0.007,0.008,0.009 07/31/2023,09:40:26,0.007,0.007,0.007,0.008,0.009 07/31/2023,09:42:26,0.006,0.007,0.007,0.008,0.008 07/31/2023,09:42:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,09:43:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,09:45:26,0.007,0.007,0.007,0.007,0.008 07/31/2023,09:46:26,0.007,0.007,0.008,0.009,0.009 07/31/2023,09:46:26,0.007,0.007,0.008,0.009,0.009 07/31/2023,09:47:26,0.007,0.007,0.008,0.009,0.009 07/31/2023,09:48:26,0.007,0.007,0.008,0.009,0.009 07/31/2023,09:50:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,09:50:26,0.006,0.007,0.007,0.008,0.008

 $\begin{array}{l} 07/31/2023, 99:51:26, 0.006, 0.006, 0.007, 0.008, 0.008 \\ 07/31/2023, 99:52:26, 0.006, 0.006, 0.007, 0.007, 0.007 \\ 07/31/2023, 99:53:26, 0.006, 0.007, 0.007, 0.008, 0.008 \end{array}$ 07/31/2023,09:54:26,0.006,0.007,0.007,0.008,0.008 07/31/2023,09:55:26,0.006,0.007,0.007,0.009,0.009 07/31/2023,09:56:26,0.006,0.007,0.007,0.009,0.009 07/31/2023,09:57:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,09:58:26,0.007,0.007,0.008,0.009,0.009 07/31/2023,09:59:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:00:26,0.006,0.006,0.007,0.008,0.009 07/31/2023,10:01:26,0.006,0.007,0.007,0.008,0.008 07/31/2023,10:01:26,0.006,0.007,0.007,0.008,0.008 07/31/2023,10:02:26,0.006,0.006,0.007,0.007,0.008 $\begin{array}{c} 07/31/2023, 10:04:26, 0.006, 0.006, 0.007, 0.008, 0.008\\ 07/31/2023, 10:05:26, 0.006, 0.006, 0.007, 0.008, 0.008\\ 07/31/2023, 10:05:26, 0.006, 0.006, 0.007, 0.007, 0.008\\ 07/31/2023, 10:06:26, 0.006, 0.007, 0.007, 0.007, 0.008\\ 07/31/2023, 10:07:26, 0.006, 0.007, 0.007, 0.008, 0.008\\ 07/31/2023, 10:07:26, 0.006, 0.007, 0.007, 0.008, 0.008\\ \end{array}$ 07/31/2023,10:08:26,0.007,0.007,0.008,0.008,0.008 07/31/2023,10:09:26,0.007,0.007,0.008,0.009,0.009 07/31/2023,10:10:26,0.007,0.007,0.008,0.009,0.009 07/31/2023,10:11:26,0.007,0.007,0.008,0.009,0.009,0.731/2023,10:11:26,0.007,0.007,0.008,0.008,0.009,0/31/2023,10:12:26,0.007,0.007,0.008,0.008,0.008,0.007,0/31/2023,10:13:26,0.007,0.007,0.008,0.009,0.009,0.731/2023,10:14:26,0.007,0.007,0.008,0.009,0.009,0.009 07/31/2023,10:15:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:15:26,0.006,0.007,0.007,0.008,0.008 07/31/2023,10:15:26,0.006,0.007,0.007,0.008,0.008 $\begin{array}{l} 07/31/2023, 10:18:26, 0.006, 0.006, 0.006, 0.007, 0.007 \\ 07/31/2023, 10:19:26, 0.006, 0.006, 0.006, 0.007, 0.007 \\ 07/31/2023, 10:20:26, 0.006, 0.006, 0.006, 0.007, 0.007 \\ 07/31/2023, 10:20:26, 0.006, 0.006, 0.006, 0.007, 0.007, 0.008 \\ 07/31/2023, 10:21:26, 0.006, 0.006, 0.007, 0.007, 0.007, 0.008 \end{array}$ 07/31/2023,10:22:26,0.006,0.006,0.007,0.008,0.008 07/31/2023,10:22:26,0.006,0.006,0.007,0.008,0.008 07/31/2023,10:23:26,0.006,0.006,0.007,0.007,0.008 07/31/2023,10:25:26,0.006,0.007,0.007,0.007,0.007 07/31/2023,10:25:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:27:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:28:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:29:26,0.006,0.006,0.007,0.007,0.007 07/31/2023,10:30:26,0.006,0.007,0.007,0.008,0.009 07/31/2023,10:31:26,0.006,0.006,0.007,0.007,0.007,0.007 07/31/2023,10:32:26,0.006,0.006,0.006,0.007,0.007 07/31/2023,10:33:26,0.006,0.006,0.006,0.008,0.008 07/31/2023,10:33:26,0.006,0.006,0.006,0.008,0.008 07/31/2023,10:35:26,0.005,0.005,0.006,0.006,0.006 07/31/2023,10:36:26,0.005,0.005,0.006,0.006,0.006 07/31/2023,10:36:26,0.005,0.005,0.006,0.006,0.006 07/31/2023,10:37:26,0.005,0.005,0.006,0.006,0.006 07/31/2023,10:39:26,0.005,0.006,0.006,0.006,0.006 07/31/2023,10:40:26,0.006,0.006,0.007,0.007,0.007

07/31/2023,10:41:26,0.006,0.006,0.006,0.006,0.006 07/31/2023,10:42:26,0.006,0.006,0.007,0.007,0.008 07/31/2023,10:43:26,0.006,0.006,0.007,0.007,0.008 07/31/2023,10:44:26,0.007,0.007,0.007,0.008,0.009 07/31/2023,10:45:26,0.007,0.007,0.007,0.007,0.008 07/31/2023,10:46:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:46:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:48:26,0.007,0.007,0.007,0.007,0.007,0.007 07/31/2023,10:49:26,0.007,0.007,0.007,0.008,0.008 07/31/2023,10:50:26,0.006,0.006,0.006,0.006,0.007,007 07/31/2023,10:50:26,0.005,0.005,0.006,0.006,0.006,0.006 07/31/2023,10:52:26,0.005,0.005,0.006,0.006,0.006 07/31/2023,10:53:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,10:54:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,10:55:26,0.005,0.005,0.005,0.005,0.006 07/31/2023.10:56:26.0.005.0.005.0.005.0.005.0.006 07/31/2023,10:57:26,0.005,0.005,0.005,0.005,0.006,0.006 07/31/2023,10:57:26,0.005,0.005,0.005,0.005,0.006 07/31/2023,10:58:26,0.005,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:00:26,0.004,0.005,0.005,0.006,0.006 07/31/2023,11:01:26,0.005,0.005,0.005,0.005,0.006 07/31/2023,11:01:26,0.005,0.005,0.005,0.005,0.006,0.007 07/31/2023,11:03:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:03:26,0.004,0.004,0.005,0.005,0.005 07/31/2023,11:04:26,0.004,0.004,0.005,0.005,0.005 07/31/2023,11:06:26,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:07:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:07:26,0.005,0.006,0.006,0.006,0.008 07/31/2023,11:09:26,0.005,0.005,0.005,0.005,0.006,0.009 07/31/2023,11:10:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:11:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:11:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:13:26,0.005,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:14:26,0.005,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:15:26,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:16:26,0.005,0.005,0.005,0.005,0.005 07/31/2023.11:17:26.0.005.0.005.0.005.0.006.0.006 07/31/2023,11:18:26,0.005,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:19:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:20:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:21:26,0.005,0.005,0.005,0.005,0.006 07/31/2023,11:21:26,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:23:26,0.005,0.005,0.005,0.005,0.006,0.007 07/31/2023,11:24:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:25:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:25:26,0.005,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:27:26,0.005,0.005,0.005,0.006,0.006 07/31/2023,11:29:26,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:29:26,0.005,0.005,0.005,0.005,0.005 07/31/2023,11:30:26,0.005,0.005,0.005,0.005,0.006

 $\begin{array}{c} 07/31/2023, 11:31:26, 0.005, 0.005, 0.005, 0.006, 0.006\\ 07/31/2023, 11:32:26, 0.005, 0.005, 0.005, 0.005, 0.006, 0.006\\ 07/31/2023, 11:33:26, 0.005, 0.005, 0.005, 0.005, 0.006, 0.006\\ 07/31/2023, 11:33:26, 0.005, 0.005, 0.005, 0.005, 0.006, 0.006\\ 07/31/2023, 11:33:26, 0.005, 0.005, 0.005, 0.006, 0.006\\ 07/31/2023, 11:35:26, 0.005, 0.005, 0.005, 0.005, 0.006, 0.006\\ 07/31/2023, 11:35:26, 0.005, 0.005, 0.005, 0.005, 0.006, 0.006\\ 07/31/2023, 11:35:26, 0.005, 0.005, 0.005, 0.005, 0.006, 0.006\\ 07/31/2023, 11:33:26, 0.005, 0.006, 0.006, 0.006, 0.006, 0.006\\ 07/31/2023, 11:33:26, 0.005, 0.006, 0.006, 0.006, 0.006, 0.006\\ 07/31/2023, 11:33:26, 0.006, 0.006, 0.006, 0.006, 0.006, 0.006\\ 07/31/2023, 11:32:26, 0.006, 0.006, 0.006, 0.006, 0.006, 0.007\\ 07/31/2023, 11:42:26, 0.006, 0.006, 0.006, 0.006, 0.007, 0.007\\ 07/31/2023, 11:42:26, 0.006, 0.006, 0.006, 0.006, 0.007, 0.007\\ 07/31/2023, 11:42:26, 0.006, 0.006, 0.006, 0.006, 0.007, 0.007\\ 07/31/2023, 11:42:26, 0.006, 0.006, 0.006, 0.006, 0.007, 0.007\\ 07/31/2023, 11:42:26, 0.006, 0.006, 0.006, 0.006, 0.007, 0.007\\ 07/31/2023, 11:42:26, 0.006, 0.006, 0.006, 0.006, 0.007, 0.007\\ 07/31/2023, 11:42:26, 0.006, 0.006, 0.006, 0.007, 0.007\\ 07/31/2023, 11:42:26, 0.006, 0.006, 0.006, 0.007, 0.007\\ 07/31/2023, 11:42:26, 0.006, 0.006, 0.006, 0.007, 0.008\\ 07/31/2023, 11:42:26, 0.006, 0.006, 0.006, 0.007, 0.008\\ 07/31/2023, 11:52:26, 0.006, 0.006, 0.006, 0.007, 0.008\\ 07/31/2023, 11:52:26, 0.006, 0.006, 0.006, 0.006, 0.006, 0.006\\ 07/31/2023, 11:52:26, 0.006, 0.006, 0.006, 0.006, 0.006, 0.006\\ 07/31/2023, 11:52:26, 0.006, 0.006, 0.006, 0.006, 0.006, 0.006, 0.006\\ 07/31/2023, 11:52:26, 0.006, 0.006, 0.006, 0.006, 0.006, 0.006, 0.006\\ 07/31/2023, 11:52:26, 0.006, 0.006, 0.006, 0.006, 0.006, 0.006, 0.006\\ 07/31/2023, 11:52:26, 0.006, 0$



APPENDIX C

Investigative Derived Waste Documentation



Technical Report

prepared for:

LaBella Associates (Poughkeepsie)

21 Fox Street
Poughkeepsie NY, 12601
Attention: Branson Fields

Report Date: 08/10/2023

Client Project ID: 2222335 IV5-Newburgh Warehouse

York Project (SDG) No.: 23H0121

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE www.YORKLAB.com

STRATFORD, CT 06615 (203) 325-1371

132-02 89th AVENUE FAX (203) 357-0166 RICHMOND HILL, NY 11418
ClientServices@yorklab.com

Report Date: 08/10/2023

Client Project ID: 2222335 IV5-Newburgh Warehouse

York Project (SDG) No.: 23H0121

LaBella Associates (Poughkeepsie)

21 Fox Street Poughkeepsie NY, 12601 Attention: Branson Fields

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on August 02, 2023 and listed below. The project was identified as your project: 2222335 IV5-Newburgh Warehouse.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	<u>Matrix</u>	Date Collected	Date Received
23Н0121-01	IV5-IDW-WC-01	Ground Water	07/31/2023	08/02/2023
23Н0121-02	Field Blank	Water	07/31/2023	08/02/2023

General Notes for York Project (SDG) No.: 23H0121

- 1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
- 2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
- 3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
- This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
- 5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
- 6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
- 7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
- Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

Approved By:

Cassie L. Mosher Laboratory Manager

Och I most

Date: 08/10/2023



Client Sample ID: IV5-IDW-WC-01 York Sample ID: 23H0121-01

York Project (SDG) No.Client Project IDMatrixCollection Date/TimeDate Received23H01212222335 IV5-Newburgh WarehouseGround WaterJuly 31, 2023 2:15 pm08/02/2023

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

ample Prepared	d by Method: EPA 5030B											
CAS No.	. Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference	Method	Date/Time Prepared	Date/Time Analyzed	Analyst
30-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
1-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
9-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
6-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
9-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
5-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
5-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PF	08/08/2023 12:30 H-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
7-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	NELAC-NY	08/08/2023 12:30 /10854,NELAC-NY12	08/09/2023 05:37 2058,NJDEP,PADEP	SMA
6-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	NELAC-N	08/08/2023 12:30 /10854,NELAC-NY12	08/09/2023 05:37 2058,NJDEP,PADEP	SMA
20-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	NELAC-NY	08/08/2023 12:30 /10854,NELAC-NY12	08/09/2023 05:37 2058,NJDEP,PADEP	SMA
5-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
6-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:		08/08/2023 12:30 H-0723,NELAC-NY10	08/09/2023 05:37	SMA
06-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
5-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PF	08/08/2023 12:30 H-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
07-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 H-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
8-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PF	08/08/2023 12:30 H-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
08-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PF	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
41-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:		08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37	SMA
06-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
23-91-1	1,4-Dioxane	ND		ug/L	40	40	1	EPA 8260D Certifications:	NELAC-NY	08/08/2023 12:30 /10854,NELAC-NY12	08/09/2023 05:37 2058,NJDEP,PADEP	SMA
8-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 I-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58,NJDEP,PA
91-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	CTDOH-PI	08/08/2023 12:30 H-0723,NELAC-NY10	08/09/2023 05:37 854,NELAC-NY1205	SMA 58.NJDEP.PA

120 RESEARCH DRIVE www.YORKLAB.com

STRATFORD, CT 06615 (203) 325-1371 132-02 89th AVENUE FAX (203) 357-0166 RICHMOND HILL, NY 11418

ClientServices@ Page 4 of 42



Client Sample ID: IV5-IDW-WC-01

York Sample ID: 23

23H0121-01

York Project (SDG) No. 23H0121

Sample Prepared by Method: EPA 5030B

<u>Client Project ID</u> 2222335 IV5-Newburgh Warehouse Matrix Ground Water Collection Date/Time
July 31, 2023 2:15 pm

Date Received 08/02/2023

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

CAS N	o. Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference	Method Date/Time Date/Time Prepared Analyzed	Analyst
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
67-64-1	Acetone	2.8	ICVE	ug/L	1.0	2.0	1	EPA 8260D	08/08/2023 12:30	SMA
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY1	2058,NJDEP,PA
107-02-8	Acrolein	ND	CCVE, ICVE	ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
107-13-1	Acrylonitrile	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	5.,,,,
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
74-83-9	Bromomethane	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
110-82-7	Cyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	5.,,,,
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30	

120 RESEARCH DRIVE www.YORKLAB.com

STRATFORD, CT 06615 (203) 325-1371 132-02 89th AVENUE FAX (203) 357-0166 RICHMOND HILL, NY 11418

ClientServices@ Page 5 of 42



Client Sample ID: IV5-IDW-WC-01

York Sample ID: 23H0121-01

York Project (SDG) No. 23H0121

<u>Client Project ID</u> 2222335 IV5-Newburgh Warehouse Matrix Ground Water Collection Date/Time
July 31, 2023 2:15 pm

Date Received 08/02/2023

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sam	nle	Pre	nared	bν	M	ethod	1:	EPA	5030B	

CAS No	o. Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference	Date/Time Method Prepared	Date/Time Analyzed	Analyst
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 NELAC-NY10854,NELAC-NY		SMA
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
108-87-2	Methylcyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 NELAC-NY10854,NELAC-NY		SMA
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,PADEP
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,PADEP
99-87-6	p-Isopropyltoluene	0.34	J	ug/L	0.20	0.50	1	EPA 8260D	08/08/2023 12:30		SMA
125.00.0	5.1	1.75			0.20	0.50		Certifications:	CTDOH-PH-0723,NELAC-NY		
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
75-65-0	tert-Butyl alcohol (TBA)	ND		ug/L	0.50	1.0	1	EPA 8260D Certifications:	08/08/2023 12:30 NELAC-NY10854,NELAC-NY		SMA
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
127-18-4	Tetrachloroethylene	ND	ICVE, QL-02	ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PA1
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
110-57-6	trans-1,4-dichloro-2-butene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY		SMA 58,NJDEP,PAI
1330-20-7	Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260D Certifications:	08/08/2023 12:30 CTDOH-PH-0723,NELAC-NY	08/09/2023 05:37	SMA
	Surrogate Recoveries	Result		Acce	ptance Rang	e					

120 RESEARCH DRIVE
www.YORKLAB.com

STRATFORD, CT 06615

(203) 325-1371

132-02 89th AVENUE

FAX (203) 357-0166

RICHMOND HILL, NY 11418

ClientServices@ Page 6 of 42



Client Sample ID: IV5-IDW-WC-01 **York Sample ID:** 23H0121-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23H0121

2222335 IV5-Newburgh Warehouse

Ground Water

July 31, 2023 2:15 pm

08/02/2023

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS N	o. Parameter	Result	Flag	Units	Reported to LOD/MDL LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	102 %			69-130					
2037-26-5	Surrogate: SURR: Toluene-d8	99.8 %			81-117					
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	101 %			79-122					

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes: EXT-EM

Sample Prep	ared by M	1ethod:	EPA 35	10C

CAS No	o. Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference	e Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	1,1-Biphenyl	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	NELAC-NY	08/08/2023 08:33 10854,NJDEP,PADEP	08/09/2023 18:31	КН
95-94-3	1,2,4,5-Tetrachlorobenzene	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	NELAC-NY	08/08/2023 08:33 10854,NJDEP,PADEP	08/09/2023 18:31	KH
120-82-1	1,2,4-Trichlorobenzene	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	СТДОН-РН-	08/08/2023 08:33 -0723,NELAC-NY108	08/09/2023 18:31 354,NJDEP,PADEP	KH
95-50-1	1,2-Dichlorobenzene	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	NELAC-NY	08/08/2023 08:33 10854,PADEP	08/09/2023 18:31	KH
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	NELAC-NY	08/08/2023 08:33 10854,NJDEP,PADEP	08/09/2023 18:31	KH
541-73-1	1,3-Dichlorobenzene	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	NELAC-NY	08/08/2023 08:33 10854,PADEP	08/09/2023 18:31	KH
106-46-7	1,4-Dichlorobenzene	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	NELAC-NY	08/08/2023 08:33 10854,PADEP	08/09/2023 18:31	KH
58-90-2	2,3,4,6-Tetrachlorophenol	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	NELAC-NY	08/08/2023 08:33 10854,NJDEP,PADEP	08/09/2023 18:31	KH
95-95-4	2,4,5-Trichlorophenol	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	CTDOH-PH-	08/08/2023 08:33 -0723,NELAC-NY108	08/09/2023 18:31 854,NJDEP,PADEP	KH
88-06-2	2,4,6-Trichlorophenol	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	CTDOH-PH-	08/08/2023 08:33 -0723,NELAC-NY108	08/09/2023 18:31 354,NJDEP,PADEP	KH
120-83-2	2,4-Dichlorophenol	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	СТДОН-РН-	08/08/2023 08:33 -0723,NELAC-NY108	08/09/2023 18:31 354,NJDEP,PADEP	KH
105-67-9	2,4-Dimethylphenol	ND	CAL-E, CCVE, HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	СТDOH-PH-	08/08/2023 08:33 -0723,NELAC-NY108	08/09/2023 18:31 354,NJDEP,PADEP	КН
51-28-5	2,4-Dinitrophenol	ND	CAL-E, HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	СТДОН-РН-	08/08/2023 08:33 -0723,NELAC-NY108	08/09/2023 18:31 354,NJDEP,PADEP	KH
121-14-2	2,4-Dinitrotoluene	ND	CAL-E, HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	СТДОН-РН-	08/08/2023 08:33 -0723,NELAC-NY108	08/09/2023 18:31 354,NJDEP,PADEP	KH
606-20-2	2,6-Dinitrotoluene	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	СТДОН-РН-	08/08/2023 08:33 -0723,NELAC-NY108	08/09/2023 18:31 354,NJDEP,PADEP	KH
91-58-7	2-Chloronaphthalene	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	СТДОН-РН-	08/08/2023 08:33 -0723,NELAC-NY108	08/09/2023 18:31 854,NJDEP,PADEP	KH
95-57-8	2-Chlorophenol	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	СТDOH-PH-	08/08/2023 08:33 -0723,NELAC-NY108	08/09/2023 18:31 854,NJDEP,PADEP	КН

120 RESEARCH DRIVE STRATFORD, CT 06615 www.YORKLAB.com (203) 325-1371

132-02 89th AVENUE FAX (203) 357-0166

RICHMOND HILL, NY 11418

ClientServices@ Page 7 of 42



Client Sample ID: IV5-IDW-WC-01

York Sample ID: 23H0121-01

Date/Time Analyzed

York Project (SDG) No. 23H0121

<u>Client Project ID</u> 2222335 IV5-Newburgh Warehouse Matrix Ground Water Collection Date/Time
July 31, 2023 2:15 pm

Date Received 08/02/2023

Analyst

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes: EXT-EM

Sample Prepar	ed by Method: EPA 3510C									
CAS N	o. Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference M	Method	Date/Time Prepared
91-57-6	2-Methylnaphthalene	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications: 0		08/08/2023 08:33 0723.NELAC-NY1

91-57-6	2-Methylnaphthalene	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33 08/09/2023 18:31 CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	KH
95-48-7	2-Methylphenol	ND	CCVE, ug/L HT-PR	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
88-74-4	2-Nitroaniline	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
88-75-5	2-Nitrophenol	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
65794-96-9	3- & 4-Methylphenols	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
91-94-1	3,3-Dichlorobenzidine	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
99-09-2	3-Nitroaniline	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E, ug/L HT-PR	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
101-55-3	4-Bromophenyl phenyl ether	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
59-50-7	4-Chloro-3-methylphenol	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
106-47-8	4-Chloroaniline	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
7005-72-3	4-Chlorophenyl phenyl ether	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
100-01-6	4-Nitroaniline	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
100-02-7	4-Nitrophenol	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
83-32-9	Acenaphthene	ND	HT-PR ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
208-96-8	Acenaphthylene	ND	HT-PR ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
98-86-2	Acetophenone	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
62-53-3	Aniline	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
120-12-7	Anthracene	ND	HT-PR ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
1912-24-9	Atrazine	ND	HT-PR ug/L	0.500	0.500	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
100-52-7	Benzaldehyde	ND	HT-PR ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33	KH
92-87-5	Benzidine	ND	CCVE, ug/L HT-PR	10.0	20.0	1	EPA 8270D Certifications:	08/08/2023 08:33	КН
56-55-3	Benzo(a)anthracene	ND	HT-PR ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	08/08/2023 08:33	КН

120 RESEARCH DRIVE STRATFORD, CT 06615 ■ 132-02 89th AVENUE RICHMOND HILL, NY 11418

FAX (203) 357-0166

ClientServices@

Page 8 of 42

www.YORKLAB.com (203) 325-1371



Client Sample ID: IV5-IDW-WC-01

York Sample ID: 23H0121-01

<u>York Project (SDG) No.</u> 23H0121 2222335

<u>Client Project ID</u> 2222335 IV5-Newburgh Warehouse Matrix Ground Water Collection Date/Time
July 31, 2023 2:15 pm

Date Received 08/02/2023

Semi-Volatiles, 8270 - Comprehensive

Sample Prepared by Method: EPA 3510C

Log-in Notes:

Sample Notes: EXT-EM

CAS No	o. Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference	Date/Time e Method Prepared	Date/Time Analyzed	Analyst
50-32-8	Benzo(a)pyrene	ND	HT-PR	ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31 854,NJDEP,PADEP	KH
205-99-2	Benzo(b)fluoranthene	ND	HT-PR	ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31 854,NJDEP,PADEP	КН
191-24-2	Benzo(g,h,i)perylene	ND	HT-PR	ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31 854,NJDEP,PADEP	КН
207-08-9	Benzo(k)fluoranthene	ND	HT-PR	ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	КН
65-85-0	Benzoic acid	ND	HT-PR	ug/L	25.0	50.0	1	EPA 8270D Certifications:	08/08/2023 08:33 NELAC-NY10854,NJDEP,PADEF	08/09/2023 18:31	КН
100-51-6	Benzyl alcohol	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33 NELAC-NY10854,NJDEP,PADER	08/09/2023 18:31	KH
85-68-7	Benzyl butyl phthalate	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	KH
111-91-1	Bis(2-chloroethoxy)methane	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	KH
111-44-4	Bis(2-chloroethyl)ether	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	КН
108-60-1	Bis(2-chloroisopropyl)ether	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	KH
117-81-7	Bis(2-ethylhexyl)phthalate	ND	HT-PR	ug/L	0.500	0.500	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	КН
105-60-2	Caprolactam	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33 NELAC-NY10854,NJDEP,PADEF	08/09/2023 18:31	КН
86-74-8	Carbazole	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	KH
218-01-9	Chrysene	ND	HT-PR	ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	KH
53-70-3	Dibenzo(a,h)anthracene	ND	HT-PR	ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	KH
132-64-9	Dibenzofuran	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	КН
84-66-2	Diethyl phthalate	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D	08/08/2023 08:33	08/09/2023 18:31	КН
131-11-3	Dimethyl phthalate	ND	HT-PR	ug/L	2.50	5.00	1	Certifications: EPA 8270D Certifications:	08/08/2023 08:33	08/09/2023 18:31	КН
84-74-2	Di-n-butyl phthalate	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D	CTDOH-PH-0723,NELAC-NY10 08/08/2023 08:33 CTDOH-PH-0723,NELAC-NY10	08/09/2023 18:31	КН
117-84-0	Di-n-octyl phthalate	ND	HT-PR	ug/L	2.50	5.00	1	Certifications: EPA 8270D	08/08/2023 08:33	08/09/2023 18:31	КН
122-39-4	* Diphenylamine	ND	HT-PR	ug/L	2.50	5.00	1	Certifications: EPA 8270D Certifications:	08/08/2023 08:33	08/09/2023 18:31	КН
206-44-0	Fluoranthene	ND	HT-PR	ug/L	0.0500	0.0500	1	Certifications:	08/08/2023 08:33	08/09/2023 18:31	KH
86-73-7	Fluorene	ND	HT-PR	ug/L	0.0500	0.0500	1	Certifications:	08/08/2023 08:33	08/09/2023 18:31	КН
								Certifications:	NELAC-NY10854,NJDEP,PADEF		

120 RESEARCH DRIVE www.YORKLAB.com

STRATFORD, CT 06615 (203) 325-1371 132-02 89th AVENUE

FAX (203) 357-0166

RICHMOND HILL, NY 11418

ClientServices@ Page 9 of 42



Log-in Notes:

Client Sample ID: IV5-IDW-WC-01 **York Sample ID:** 23H0121-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23H0121

2222335 IV5-Newburgh Warehouse

Ground Water

July 31, 2023 2:15 pm

Sample Notes: EXT-EM

08/02/2023

Semi-Volatiles, 8270 - Comprehensive

Sample Prepare	ed by Method: EPA 3510C											
CAS No	o. Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference	Method	Date/Time Prepared	Date/Time Analyzed	Analyst
118-74-1	Hexachlorobenzene	ND	HT-PR	ug/L	0.0200	0.0200	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 0854,NJDEP,PADEP	KH
87-68-3	Hexachlorobutadiene	ND	HT-PR	ug/L	0.500	0.500	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 0854,NJDEP,PADEP	KH
77-47-4	Hexachlorocyclopentadiene	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 0854,NJDEP,PADEP	KH
67-72-1	Hexachloroethane	ND	HT-PR	ug/L	0.500	0.500	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 0854,NJDEP,PADEP	KH
193-39-5	Indeno(1,2,3-cd)pyrene	ND	HT-PR	ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 0854,NJDEP,PADEP	KH
78-59-1	Isophorone	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 854,NJDEP,PADEP	KH
91-20-3	Naphthalene	ND	HT-PR	ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 854,NJDEP,PADEP	KH
98-95-3	Nitrobenzene	ND	HT-PR	ug/L	0.250	0.250	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 854,NJDEP,PADEP	KH
62-75-9	N-Nitrosodimethylamine	ND	HT-PR	ug/L	0.500	0.500	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 854,NJDEP,PADEP	KH
621-64-7	N-nitroso-di-n-propylamine	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 854,NJDEP,PADEP	KH
86-30-6	N-Nitrosodiphenylamine	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 0854,NJDEP,PADEP	KH
87-86-5	Pentachlorophenol	ND	CAL-E, HT-PR		0.250	0.250	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 0854,NJDEP,PADEP	KH
85-01-8	Phenanthrene	ND	HT-PR	ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 0854,NJDEP,PADEP	КН
108-95-2	Phenol	ND	HT-PR	ug/L	2.50	5.00	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 0854,NJDEP,PADEP	KH
129-00-0	Pyrene	ND	HT-PR	ug/L	0.0500	0.0500	1	EPA 8270D Certifications:	CTDOH-PI	08/08/2023 08:33 H-0723,NELAC-NY10	08/09/2023 18:31 0854,NJDEP,PADEP	КН
	Surrogate Recoveries	Result		Acc	eptance Rang	e						
367-12-4	Surrogate: SURR: 2-Fluorophenol	22.8 %	HT-PR		19.7-63.1							
13127-88-3	Surrogate: SURR: Phenol-d6	11.2 %	HT-PR		10.1-41.7							
4165-60-0	Surrogate: SURR: Nitrobenzene-d5	67.8 %	HT-PR		50.2-113							
321-60-8	Surrogate: SURR: 2-Fluorobiphenyl	57.2 %	HT-PR		39.9-105							
118-79-6	Surrogate: SURR: 2,4,6-Tribromophenol	82.7 %	HT-PR		39.3-151							
1718-51-0	Surrogate: SURR: Terphenyl-d14	67.0 %	HT-PR		30.7-106							

PFAS, NYSDEC Target List

Sample Prepared by Method: SPE Ext-PFAS-EPA 537.1M

Log-in Notes:

Sample Notes:

	CAS No.	Parameter	Result	Flag	Units		Reported to	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
37:		Perfluorobutanesulfonic acid PFBS)	2.33	PF-CCV -L	ng/L		0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
	120 RESEA	ARCH DRIVE	STRATFORD, (CT 06615		•	132	-02 89th A	VENUE	RICHMOND HIL	L, NY 11418	

www.YORKLAB.com (203) 325-1371 FAX (203) 357-0166 ClientServices@ Page 10 of 42



Client Sample ID: IV5-IDW-WC-01

York Sample ID:

23H0121-01

York Project (SDG) No. 23H0121

<u>Client Project ID</u> 2222335 IV5-Newburgh Warehouse Matrix Ground Water Collection Date/Time
July 31, 2023 2:15 pm

Date Received 08/02/2023

PFAS, NYSDEC Target List

Sample Prepared by Method: SPE Ext-PFAS-EPA 537.1M

-		TA T	
	og-in	N	Otes.

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	o Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
307-24-4	* Perfluorohexanoic acid (PFHxA)	2.63		ng/L	0.893	1	EPA 537m	08/09/2023 09:02	08/09/2023 18:09	WEL
							Certifications:			
75-85-9	* Perfluoroheptanoic acid (PFHpA)	1.68		ng/L	0.893	1	EPA 537m	08/09/2023 09:02	08/09/2023 18:09	WEL
							Certifications:			
355-46-4	* Perfluorohexanesulfonic acid (PFHxS)	ND	PF-CCV -L	ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
35-67-1	* Perfluorooctanoic acid (PFOA)	5.16		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
763-23-1	* Perfluorooctanesulfonic acid	3.52		ng/L	0.893	1	EPA 537m	08/09/2023 09:02	08/09/2023 18:09	WEL
	(PFOS)						Certifications:			
375-95-1	* Perfluorononanoic acid (PFNA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
35-76-2	* Perfluorodecanoic acid (PFDA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
2058-94-8	* Perfluoroundecanoic acid (PFUnA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
807-55-1	* Perfluorododecanoic acid (PFDoA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
72629-94-8	* Perfluorotridecanoic acid (PFTrDA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
376-06-7	* Perfluorotetradecanoic acid (PFTA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
2355-31-9	* N-MeFOSAA	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
2991-50-6	* N-EtFOSAA	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
706-90-3	* Perfluoropentanoic acid (PFPeA)	5.45		ng/L	0.893	1	EPA 537m	08/09/2023 09:02	08/09/2023 18:09	WEL
							Certifications:			
754-91-6	* Perfluoro-1-octanesulfonamide (FOSA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
375-92-8	* Perfluoro-1-heptanesulfonic acid (PFHpS)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
335-77-3	* Perfluoro-1-decanesulfonic acid (PFDS)	ND	PF-CCV -L	ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
27619-97-2	* 1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	ND		ng/L	2.23	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
9108-34-4	*	ND		ng/L	0.893	1	EPA 537m	08/09/2023 09:02	08/09/2023 18:09	WEL
	1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)						Certifications:			
75-22-4	* Perfluoro-n-butanoic acid (PFBA)	3.29	PF-CCV -L	ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:09	WEL
	Surrogate Recoveries	Result		Accepta	ince Range					
	Surrogate: M3PFBS	56.5 %		•	5-150					
	Surrogate: M5PFHxA	53.1 %			5-150					
	Surrogate: M4PFHpA	60.7 %			5-150					

120 RESEARCH DRIVE

STRATFORD, CT 06615

(203) 325-1371

132-02 89th AVENUE

RICHMOND HILL, NY 11418

FAX (203) 357-0166

ClientServices@ Page 11 of 42



Client Sample ID: IV5-IDW-WC-01 **York Sample ID:**

23H0121-01

York Project (SDG) No. 23H0121

Client Project ID 2222335 IV5-Newburgh Warehouse

Matrix Ground Water

Collection Date/Time July 31, 2023 2:15 pm Date Received 08/02/2023

PFAS, NYSDEC Target List

Sample Prepared by Method: SPE Ext-PFAS-EPA 537.1M

Log-in Notes:

Sample Notes:

CAS No	o. Parameter	Result	Flag	Units		Reported to	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	Surrogate: M3PFHxS	65.7 %			25-150						
	Surrogate: Perfluoro-n-[13C8]octanoic acid (M8PFOA)	79.4 %			25-150						
	Surrogate: M6PFDA	93.5 %			25-150						
	Surrogate: M7PFUdA	97.4 %			25-150						
	Surrogate: Perfluoro-n- [1,2-13C2]dodecanoic acid (MPFDoA)	93.2 %			25-150						
	Surrogate: M2PFTeDA	76.3 %			10-150						
	Surrogate: Perfluoro-n- [13C4]butanoic acid (MPFBA)	65.3 %			25-150						
	Surrogate: Perfluoro-1- [13C8]octanesulfonic acid (M8PFOS)	78.1 %			25-150						
	Surrogate: Perfluoro-n- [13C5]pentanoic acid (M5PFPeA)	65.7 %			25-150						
	Surrogate: Perfluoro-1- [13C8]octanesulfonamide (M8FOSA)	41.1 %			10-150						
	Surrogate: d3-N-MeFOSAA	116 %			25-150						
	Surrogate: d5-N-EtFOSAA	124 %			25-150						
	Surrogate: M2-6:2 FTS	323 %	PFSu-F	I	25-200						
	Surrogate: M2-8:2 FTS	279 %	PFSu-F	I	25-200						
	Surrogate: M9PFNA	94.2 %			25-150						

Pesticides, 8081 target list

Sample Prepared by Method: EPA 3510C

Log-in Notes:

Sample Notes:

CAS No	o. Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference M	Date/Time ethod Prepared	Date/Time Analyzed	Analyst
72-54-8	4,4'-DDD	ND		ug/L	0.00400	1	EPA 8081B Certifications: CT	08/04/2023 13:20 TDOH-PH-0723,NELAC-NY108	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
72-55-9	4,4'-DDE	ND		ug/L	0.00400	1	EPA 8081B Certifications: C1	08/04/2023 13:20 TDOH-PH-0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
50-29-3	4,4'-DDT	ND		ug/L	0.00400	1	EPA 8081B Certifications: C1	08/04/2023 13:20 TDOH-PH-0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
309-00-2	Aldrin	ND		ug/L	0.00400	1	EPA 8081B Certifications: C1	08/04/2023 13:20 TDOH-PH-0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	BCJ
319-84-6	alpha-BHC	ND		ug/L	0.00400	1	EPA 8081B Certifications: C1	08/04/2023 13:20 TDOH-PH-0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	BCJ
5103-71-9	alpha-Chlordane	ND		ug/L	0.00400	1	EPA 8081B Certifications: C1	08/04/2023 13:20 TDOH-PH-0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	BCJ
319-85-7	beta-BHC	ND		ug/L	0.00400	1	EPA 8081B Certifications: C1	08/04/2023 13:20 TDOH-PH-0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	BCJ
57-74-9	Chlordane, total	ND		ug/L	0.0200	1	EPA 8081B Certifications: C1	08/04/2023 13:20 TDOH-PH-0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
319-86-8	delta-BHC	ND	P	ug/L	0.00400	1	EPA 8081B Certifications: CT	08/04/2023 13:20 TDOH-PH-0723,NELAC-NY10	08/07/2023 13:16 354,NJDEP,PADEP	BCJ

120 RESEARCH DRIVE www.YORKLAB.com

STRATFORD, CT 06615 (203) 325-1371

132-02 89th AVENUE FAX (203) 357-0166

RICHMOND HILL, NY 11418

ClientServices@

Page 12 of 42



Client Sample ID: IV5-IDW-WC-01

York Sample ID: 23H0121-01

York Project (SDG) No. 23H0121

<u>Client Project ID</u> 2222335 IV5-Newburgh Warehouse Matrix Ground Water Collection Date/Time
July 31, 2023 2:15 pm

Date Received 08/02/2023

Pesticides, 8081 target list

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS N	o. Parameter	Result	Flag	Units	Reported to	Dilution	Reference	e Method	Date/Time Prepared	Date/Time Analyzed	Analyst
60-57-1	Dieldrin	ND	P	ug/L	0.00200	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	BCJ
959-98-8	Endosulfan I	ND		ug/L	0.00400	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
33213-65-9	Endosulfan II	ND		ug/L	0.00400	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
1031-07-8	Endosulfan sulfate	ND		ug/L	0.00400	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
72-20-8	Endrin	ND		ug/L	0.00400	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	BCJ
7421-93-4	Endrin aldehyde	ND		ug/L	0.0100	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
53494-70-5	Endrin ketone	ND		ug/L	0.0100	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
58-89-9	gamma-BHC (Lindane)	ND		ug/L	0.00400	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
5566-34-7	gamma-Chlordane	ND	P	ug/L	0.0100	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	BCJ
76-44-8	Heptachlor	ND		ug/L	0.00400	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	BCJ
1024-57-3	Heptachlor epoxide	ND		ug/L	0.00400	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	BCJ
72-43-5	Methoxychlor	ND		ug/L	0.00400	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	ВСЈ
8001-35-2	Toxaphene	ND		ug/L	0.100	1	EPA 8081B Certifications:	CTDOH-PH-	08/04/2023 13:20 -0723,NELAC-NY10	08/07/2023 13:16 854,NJDEP,PADEP	BCJ
	Surrogate Recoveries	Result		Acce	eptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	50.6 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	35.4 %			30-150						

Polychlorinated Biphenyls (PCB)

Sample Prepared by Method: EPA 3510C

Log-in Notes:

Sample Notes:

CAS N	o. Para	meter Result	Flag Units	Reported to LOQ [Dilution	Reference	Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND	ug/L	0.0500	1	EPA 8082A Certifications:	NELAC-NY	08/04/2023 13:20 /10854,CTDOH-PH-0	08/07/2023 15:03 723,NJDEP,PADEP	ВСЈ
11104-28-2	Aroclor 1221	ND	ug/L	0.0500	1	EPA 8082A Certifications:	NELAC-NY	08/04/2023 13:20 /10854,CTDOH-PH-0	08/07/2023 15:03 723,NJDEP,PADEP	BCJ
11141-16-5	Aroclor 1232	ND	ug/L	0.0500	1	EPA 8082A Certifications:	NELAC-NY	08/04/2023 13:20 /10854,CTDOH-PH-0	08/07/2023 15:03 723,NJDEP,PADEP	ВСЈ
53469-21-9	Aroclor 1242	ND	ug/L	0.0500	1	EPA 8082A Certifications:	NELAC-NY	08/04/2023 13:20 /10854,CTDOH-PH-0	08/07/2023 15:03 723,NJDEP,PADEP	BCJ
12672-29-6	Aroclor 1248	ND	ug/L	0.0500	1	EPA 8082A Certifications:	NELAC-NY	08/04/2023 13:20 /10854,CTDOH-PH-0	08/07/2023 15:03 723,NJDEP,PADEP	BCJ

120 RESEARCH DRIVE www.YORKLAB.com

STRATFORD, CT 06615

(203) 325-1371

132-02 89th AVENUE

RICHMOND HILL, NY 11418



Client Sample ID: IV5-IDW-WC-01

York Sample ID:

23H0121-01

York Project (SDG) No. 23H0121

<u>Client Project ID</u> 2222335 IV5-Newburgh Warehouse Matrix Ground Water <u>Collection Date/Time</u> July 31, 2023 2:15 pm Date Received 08/02/2023

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS N	o. Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference	Method	Date/Time Prepared	Date/Time Analyzed	Analyst
11097-69-1	Aroclor 1254	ND		ug/L	0.0500	1	EPA 8082A Certifications:	NELAC-NY	08/04/2023 13:20 /10854,CTDOH-PH-0	08/07/2023 15:03 723,NJDEP,PADEP	ВСЈ
11096-82-5	Aroclor 1260	ND		ug/L	0.0500	1	EPA 8082A Certifications:	NELAC-NY	08/04/2023 13:20 /10854,CTDOH-PH-0	08/07/2023 15:03 723,NJDEP,PADEP	BCJ
1336-36-3	* Total PCBs	ND		ug/L	0.0500	1	EPA 8082A Certifications:		08/04/2023 13:20	08/07/2023 15:03	BCJ
	Surrogate Recoveries	Result		Accepta	nce Range						
877-09-8	Surrogate: Tetrachloro-m-xylene	47.0 %		30	0-120						
2051-24-3	Surrogate: Decachlorobiphenyl	45.0 %		30	0-120						

Metals, RCRA

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3015A

CAS	No.	Parameter	Result	Flag U	nits	Reported to LOQ	Dilution	Reference	Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-38-2	Arsenic		ND	mį	g/L	0.017	1	EPA 6010D Certifications:	CTDOH-PH	08/08/2023 08:49 H-0723,NELAC-NY10	08/09/2023 21:12 854,NJDEP,PADEP	CEG
7440-39-3	Barium		ND	mį	g/L	0.028	1	EPA 6010D Certifications:	CTDOH-PH	08/08/2023 08:49 H-0723,NELAC-NY10	08/09/2023 21:12 854,NJDEP,PADEP	CEG
7440-43-9	Cadmium		ND	mį	g/L	0.003	1	EPA 6010D Certifications:	CTDOH-PH	08/08/2023 08:49 H-0723,NELAC-NY10	08/09/2023 21:12 854,NJDEP,PADEP	CEG
7440-47-3	Chromium		ND	mį	g/L	0.006	1	EPA 6010D Certifications:	CTDOH-PH	08/08/2023 08:49 H-0723,NELAC-NY10	08/09/2023 21:12 854,NJDEP,PADEP	CEG
7439-92-1	Lead		ND	mį	g/L	0.006	1	EPA 6010D Certifications:	CTDOH-PH	08/08/2023 08:49 H-0723,NELAC-NY10	08/09/2023 21:12 854,NJDEP,PADEP	CEG
7782-49-2	Selenium		ND	M-BS mg	g/L	0.028	1	EPA 6010D Certifications:	CTDOH-PH	08/08/2023 08:49 H-0723,NELAC-NY10	08/09/2023 21:12 854,NJDEP	CEG
7440-22-4	Silver		ND	mį	g/L	0.006	1	EPA 6010D	СТДОН-РЕ	08/08/2023 08:49 H-0723 NELAC-NY10	08/09/2023 21:12	CEG

Mercury by 7470/7471

120 RESEARCH DRIVE

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470A

CAS N	lo.	Parameter	Result	Flag	Units	Reported LOQ	° Dilutio	n Referenc	e Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury		ND		mg/L	0.0002	1	EPA 7470		08/09/2023 08:41	08/09/2023 08:41	PA
								Certifications:	CTDOH-PH	I-0723,NELAC-NY10	854,NJDEP,PADEP	

Sample Information

Client Sample ID:	Field Blank			York Sample ID:	23H0121-02
W 1 D : ((CDC))	N.Y.	CII. I P. I I I I I I I I I I I I I I I I	36.4	G 11 B . //E:	D (D) 1

York Project (SDG) No.Client Project IDMatrixCollection Date/TimeDate Received23H01212222335 IV5-Newburgh WarehouseWaterJuly 31, 2023 2:25 pm08/02/2023

www.YORKLAB.com (203) 325-1371

STRATFORD, CT 06615

132-02 89th AVENUE

RICHMOND HILL, NY 11418

ClientServices@ Page 14 of 42

FAX (203) 357-0166



Client Sample ID: Field Blank

York Sample ID: 23H0121-02

York Project (SDG) No. 23H0121

<u>Client Project ID</u> 2222335 IV5-Newburgh Warehouse Matrix Water Collection Date/Time
July 31, 2023 2:25 pm

Date Received 08/02/2023

PFAS, NYSDEC Target List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: SPE Ext-PFAS-EPA 537.1M

CAS No	. Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
375-73-5	* Perfluorobutanesulfonic acid (PFBS)	ND	PF-CCV -L	ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
307-24-4	* Perfluorohexanoic acid (PFHxA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
375-85-9	* Perfluoroheptanoic acid (PFHpA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
355-46-4	* Perfluorohexanesulfonic acid (PFHxS)	ND	PF-CCV -L	ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
335-67-1	* Perfluorooctanoic acid (PFOA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
1763-23-1	* Perfluorooctanesulfonic acid (PFOS)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
375-95-1	* Perfluorononanoic acid (PFNA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
335-76-2	* Perfluorodecanoic acid (PFDA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
2058-94-8	* Perfluoroundecanoic acid (PFUnA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
307-55-1	* Perfluorododecanoic acid (PFDoA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
72629-94-8	* Perfluorotridecanoic acid (PFTrDA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
376-06-7	* Perfluorotetradecanoic acid (PFTA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
2355-31-9	* N-MeFOSAA	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
2991-50-6	* N-EtFOSAA	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
2706-90-3	* Perfluoropentanoic acid (PFPeA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
754-91-6	* Perfluoro-1-octanesulfonamide (FOSA)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
375-92-8	* Perfluoro-1-heptanesulfonic acid (PFHpS)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
335-77-3	* Perfluoro-1-decanesulfonic acid (PFDS)	ND	PF-CCV -L	ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
27619-97-2	* 1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	ND		ng/L	2.23	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
39108-34-4	* 1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	ND		ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
375-22-4	* Perfluoro-n-butanoic acid (PFBA)	ND	PF-CCV -L	ng/L	0.893	1	EPA 537m Certifications:	08/09/2023 09:02	08/09/2023 18:35	WEL
	Surrogate Recoveries	Result		Acceptan	ce Range					
	Surrogate: M3PFBS	80.4 %		25-	150					

120 RESEARCH DRIVE

STRATFORD, CT 06615

132-02 89th AVENUE

RICHMOND HILL, NY 11418

ClientServices@ Page 15 of 42

www.YORKLAB.com (203) 325-1371

FAX (203) 357-0166



Client Sample ID: Field Blank

York Sample ID: 23

23Н0121-02

York Project (SDG) No. 23H0121

<u>Client Project ID</u> 2222335 IV5-Newburgh Warehouse Matrix Water Collection Date/Time
July 31, 2023 2:25 pm

Date Received 08/02/2023

PFAS, NYSDEC Target List

Sample Prepared by Method: SPE Ext-PFAS-EPA 537.1M

Log-in Notes:	Sample Notes:
---------------	---------------

CAS No.	Parameter	Result	Flag	Units		Reported to	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
Surrogat	e: M5PFHxA	91.1 %			25-150						
Surrogat	e: M4PFHpA	105 %			25-150						
Surrogat	e: M3PFHxS	71.9 %			25-150						
	e: Perfluoro-n- ctanoic acid (M8PFOA)	104 %			25-150						
Surrogat	e: M6PFDA	105 %			25-150						
Surrogat	e: M7PFUdA	115 %			25-150						
0	e: Perfluoro-n- '2]dodecanoic acid A)	104 %			25-150						
Surrogat	e: M2PFTeDA	107 %			10-150						
0	e: Perfluoro-n- utanoic acid (MPFBA)	88.9 %			25-150						
0	e: Perfluoro-I- ctanesulfonic acid (M8PFOS)	84.6 %			25-150						
U	e: Perfluoro-n- entanoic acid (M5PFPeA)	89.9 %			25-150						
U	e: Perfluoro-1- ctanesulfonamide (M8FOSA)	75.8 %			10-150						
Surrogat	e: d3-N-MeFOSAA	110 %			25-150						
Surrogat	e: d5-N-EtFOSAA	135 %			25-150						
Surrogat	e: M2-6:2 FTS	164 %			25-200						
Surrogat	e: M2-8:2 FTS	152 %			25-200						
Surrogat	e: M9PFNA	104 %			25-150						

120 RESEARCH DRIVE STRATFORD, CT 06615 www.YORKLAB.com (203) 325-1371



Analytical Batch Summary

Batch ID: BH30310	Preparation Method:	EPA 3510C	Prepared By:	SCC
YORK Sample ID	Client Sample ID	Preparation Date		
23H0121-01	IV5-IDW-WC-01	08/04/23		
23H0121-01	IV5-IDW-WC-01	08/04/23		
BH30310-BLK1	Blank	08/04/23		
BH30310-BLK2	Blank	08/04/23		
BH30310-BS1	LCS	08/04/23		
BH30310-BS2	LCS	08/04/23		
BH30310-BSD1	LCS Dup	08/04/23		
BH30310-BSD2	LCS Dup	08/04/23		
	Leo Dup	30.3		
Batch ID: BH30443	Preparation Method:	EPA 3510C	Prepared By:	SCB
YORK Sample ID	Client Sample ID	Preparation Date		
23H0121-01	IV5-IDW-WC-01	08/08/23		
BH30443-BLK1	Blank	08/08/23		
BH30443-BS1	LCS	08/08/23		
BH30443-BSD1	LCS Dup	08/08/23		
	200 2 up	30.0 -1		
Batch ID: BH30473	Preparation Method:	EPA 3015A	Prepared By:	AD2
YORK Sample ID	Client Sample ID	Preparation Date		
23H0121-01	IV5-IDW-WC-01	08/08/23		
BH30473-BLK1	Blank	08/08/23		
BH30473-BS1	LCS	08/08/23		
BH30473-DUP1	Duplicate	08/08/23		
BH30473-MS1	Matrix Spike	08/08/23		
BH30473-PS1	Post Spike	08/08/23		
DIIJUT/J I J.	i usi spike	00/00/20		
Batch ID: BH30526	Preparation Method:	EPA 5030B	Prepared By:	SMA
YORK Sample ID	Client Sample ID	Preparation Date		
23Н0121-01	IV5-IDW-WC-01	08/08/23		
BH30526-BLK1	Blank	08/08/23		
BH30526-BS1	LCS	08/08/23		
BH30526-BSD1	LCS Dup	08/08/23		
DIMAG(A)	5			
Batch ID: BH30569	Preparation Method:	EPA SW846-7470A	Prepared By:	PFA
YORK Sample ID	Client Sample ID	Preparation Date		
23H0121-01	IV5-IDW-WC-01	08/09/23		
BH30569-BLK1	Blank	08/09/23		
BH30569-BLK2	Blank	08/09/23		
BH30569-BS1	LCS	08/09/23		
BH30569-BS2	LCS	08/09/23		
120 RESEARCH DRIVE	STRATFORD, CT 06615	■ 132-02 89th AVENUE	RICHMO	ND HILL, NY 11418
www.YORKLAB.com	(203) 325-1371	FAX (203) 357-0166	ClientSei	vices@ Page 17 of 42
	• •			73



Preparation Method: SPE Ext-PFAS-EPA 537.1M Batch ID: BH30573 Prepared By: ER

YORK Sample ID	Client Sample ID	Preparation Date
23H0121-01	IV5-IDW-WC-01	08/09/23
23H0121-02	Field Blank	08/09/23
BH30573-BLK1	Blank	08/09/23
BH30573-BS1	LCS	08/09/23
BH30573-BSD1	LCS Dup	08/09/23



York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

Analyte	Result	Limit	Units	Level	Result	%KEC	Limits	riag	KFD	Liiiit	riag
Batch BH30526 - EPA 5030B											
Blank (BH30526-BLK1)							Prep	ared & Anal	yzed: 08/08/	2023	
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon	ND	0.50	"								
113)											
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,2,3-Trichlorobenzene	ND	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	ND	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50									
1,3-Dichlorobenzene	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
1,4-Dioxane	ND	40	"								
2-Butanone	ND	0.50									
2-Hexanone	ND	0.50	"								
4-Methyl-2-pentanone	ND	0.50	,,								
Acetone	ND	2.0	,,								
Acrolein	ND	0.50	,,								
Acrylonitrile	ND	0.50	,,								
Benzene	ND	0.50	,,								
Bromochloromethane Bromodichloromethane	ND	0.50	,,								
Bromoform	ND	0.50	,,								
Bromomethane	ND	0.50	,,								
Carbon disulfide	ND	0.50	,,								
Carbon distillae Carbon tetrachloride	ND	0.50	,,								
Chlorobenzene	ND	0.50	,,								
Chloroethane	ND ND	0.50	,,								
Chloroform	ND ND	0.50 0.50	,,								
Chloromethane	ND ND	0.50	,,								
cis-1,2-Dichloroethylene	ND ND	0.50	,,								
cis-1,3-Dichloropropylene	ND	0.50	,,								
Cyclohexane	ND ND	0.50	,,								
Dibromochloromethane	ND	0.50	,,								
Dibromomethane	ND ND	0.50	,,								
Dichlorodifluoromethane	ND ND	0.50	.,								
Ethyl Benzene	ND ND	0.50	.,								
Hexachlorobutadiene	ND ND	0.50	.,								
Isopropylbenzene	ND ND	0.50	,,								
Methyl acetate	ND ND	0.50	,,								
Methyl tert-butyl ether (MTBE)	ND ND	0.50	.,								
Methylcyclohexane	ND ND	0.50	.,								
monty to you one came	ND	0.50									

 120 RESEARCH DRIVE
 STRATFORD, CT 06615
 ■ 132-02 89th AVENUE
 RICHMOND HILL, NY 11418

 www.YORKLAB.com
 (203) 325-1371
 FAX (203) 357-0166
 ClientServices@
 Page 19 of 42



York Analytical Laboratories, Inc. - Stratford

										RPD	
Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	Limit	Flag
Batch BH30526 - EPA 5030B											
Blank (BH30526-BLK1)							Prep	ared & Anal	yzed: 08/08/	/2023	
Methylene chloride	ND	2.0	ug/L						-		
n-Butylbenzene	ND	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								
p- & m- Xylenes	ND	1.0	"								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butyl alcohol (TBA)	ND	1.0	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50									
trans-1,3-Dichloropropylene	ND	0.50	"								
trans-1,4-dichloro-2-butene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	,,								
		1.3	"								
Surrogate: SURR: 1,2-Dichloroethane-d4	10.2		"	10.0		102	69-130				
Surrogate: SURR: Toluene-d8	10.0			10.0		100	81-117				
Surrogate: SURR: p-Bromofluorobenzene	10.0		"	10.0		100	79-122				
LCS (BH30526-BS1)							Prep	ared & Anal	yzed: 08/08/	2023	
1,1,1,2-Tetrachloroethane	9.7		ug/L	10.0		97.2	82-126				
1,1,1-Trichloroethane	9.9		"	10.0		99.3	78-136				
1,1,2,2-Tetrachloroethane	11		"	10.0		111	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon	9.6		"	10.0		96.0	54-165				
113) 1,1,2-Trichloroethane	0.7		,,	10.0		07.4	02 122				
1,1-Dichloroethane	9.7		,,	10.0		97.4	82-123				
	9.2		,,	10.0		91.5	82-129				
1,1-Dichloroethylene 1,2,3-Trichlorobenzene	9.0		,,	10.0 10.0		90.3	68-138				
1,2,3-Trichloropropane	9.6 10		,,	10.0		96.0	40-130				
1,2,4-Trichlorobenzene			,,			102	77-128				
1,2,4-Trimethylbenzene	9.6		,,	10.0		95.6	65-137				
1,2-Dibromo-3-chloropropane	9.7		,,	10.0		96.7	82-132				
1,2-Dibromoethane	10 10		,,	10.0 10.0		100 100	45-147 83-124				
1,2-Dichlorobenzene	9.7		,,	10.0		97.4	79-123				
1,2-Dichloroethane			,,								
1,2-Dichloropropane	9.8 9.7		,,	10.0 10.0		98.0 97.1	73-132 78-126				
1,3,5-Trimethylbenzene	9.7 9.5		,,	10.0		97.1 94.8	/8-126 80-131				
1,3-Dichlorobenzene	9.5 9.6		,,	10.0		94.8 96.0	80-131 86-130				
1,4-Dichlorobenzene	9.6 9.5		,,	10.0		96.0 95.1	85-130 85-130				
1,4-Dioxane	9.5 510		,,	210			10-349				
2-Butanone	9.7		,,			245					
2-Hexanone			,,	10.0		96.7	49-152				
4-Methyl-2-pentanone	9.0 9.7		,,	10.0 10.0		90.4 97.3	51-146 57-145				
i weary 1-2-pentatione	9.1			10.0		71.3	37-143				

120 RESEARCH DRIVE www.YORKLAB.com

Acetone

Acrolein

Acrylonitrile

STRATFORD, CT 06615

(203) 325-1371

6.7

6.5

9.8

132-02 89th AVENUE

10.0

25.0

10.0

RICHMOND HILL, NY 11418

14-150

10-153

51-150

67.1

26.1

FAX (203) 357-0166

ClientServices@ Page 20 of 42



York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

LCS (BH30526-BS1)					Prepared & Analyzed: 08/08/20
Benzene	9.8	ug/L	10.0	97.9	85-126
Bromochloromethane	9.7	"	10.0	97.3	77-128
Bromodichloromethane	9.6	"	10.0	95.5	79-128
Bromoform	9.9	"	10.0	98.8	78-133
Bromomethane	6.6	"	10.0	66.3	43-168
Carbon disulfide	8.7	"	10.0	87.3	68-146
Carbon tetrachloride	9.9	"	10.0	98.6	77-141
Chlorobenzene	10	"	10.0	102	88-120
Chloroethane	8.9	"	10.0	89.2	65-136
Chloroform	9.6	"	10.0	96.2	82-128
Chloromethane	7.9	"	10.0	79.4	43-155
cis-1,2-Dichloroethylene	9.4	"	10.0	93.8	83-129
eis-1,3-Dichloropropylene	9.3	"	10.0	93.3	80-131
Cyclohexane	9.6	"	10.0	96.2	63-149
Dibromochloromethane	9.8	"	10.0	97.8	80-130
Dibromomethane	9.7	"	10.0	97.1	72-134
Dichlorodifluoromethane	6.4	"	10.0	64.3	44-144
Ethyl Benzene	9.8	"	10.0	98.4	80-131
Hexachlorobutadiene	9.5	"	10.0	94.9	67-146
sopropylbenzene	9.9	"	10.0	99.2	76-140
Methyl acetate	8.4	"	10.0	84.2	51-139
Methyl tert-butyl ether (MTBE)	9.6	"	10.0	95.6	76-135
Methylcyclohexane	9.6	"	10.0	95.6	72-143
Methylene chloride	8.2	"	10.0	82.0	55-137
n-Butylbenzene	8.6	"	10.0	86.5	79-132
n-Propylbenzene	9.8	"	10.0	97.9	78-133
o-Xylene	9.8	"	10.0	98.2	78-130
o- & m- Xylenes	20	"	20.0	100	77-133
p-Isopropyltoluene	9.7	"	10.0	96.8	81-136
sec-Butylbenzene	9.8	"	10.0	98.2	79-137
Styrene	10	"	10.0	99.8	67-132
tert-Butyl alcohol (TBA)	49	"	50.0	97.9	25-162
ert-Butylbenzene	9.8	"	10.0	97.7	77-138
Tetrachloroethylene	5.2	"	10.0	52.2	82-131 Low Bias
Toluene	9.7	"	10.0	97.2	80-127
trans-1,2-Dichloroethylene	9.3	"	10.0	93.1	80-132
trans-1,3-Dichloropropylene	9.4	"	10.0	93.8	78-131
rans-1,4-dichloro-2-butene	9.4	"	10.0	94.1	63-141
Trichloroethylene	8.9	"	10.0	88.7	82-128
				'	

120 RESEARCH DRIVE STRATFORD, CT 06615 • 132-02 89th AVENUE RICHMOND HILL, NY 11418

10.0

10.0

10.0

10.0

10.0

9.5

8.6

10.1

9.92

9.93

Trichlorofluoromethane

Surrogate: SURR: Toluene-d8

Surrogate: SURR: 1,2-Dichloroethane-d4

 $Surrogate: SURR: p\hbox{-} Bromofluor obenzene$

Vinyl Chloride

95.4

85.6

101

99.2

99.3

67-139

58-145

69-130

81-117

79-122



York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

CS Dup (BH30526-BSD1)					Prepared &	k Analyzed: 08/08/2	2023
,1,2-Tetrachloroethane	9.6	ug/L	10.0	95.6	82-126	1.66	30
,1-Trichloroethane	9.5	"	10.0	95.0	78-136	4.43	30
,2,2-Tetrachloroethane	11	"	10.0	110	76-129	0.361	30
,2-Trichloro-1,2,2-trifluoroethane (Freon	9.3	"	10.0	92.9	54-165	3.28	30
,2-Trichloroethane	9.6	"	10.0	96.2	82-123	1.24	30
-Dichloroethane	8.8	"	10.0	87.9	82-129	4.01	30
-Dichloroethylene	8.6	"	10.0	85.5	68-138	5.46	30
,3-Trichlorobenzene	9.4	"	10.0	94.3	40-130	1.79	30
,3-Trichloropropane	10	"	10.0	101	77-128	1.57	30
,4-Trichlorobenzene	9.3	"	10.0	93.0	65-137	2.76	30
,4-Trimethylbenzene	9.3	"	10.0	93.0	82-132	3.90	30
-Dibromo-3-chloropropane	9.9	"	10.0	99.3	45-147	0.802	30
-Dibromoethane	9.9	"	10.0	99.1	83-124	1.30	30
-Dichlorobenzene	9.5	"	10.0	94.8	79-123	2.71	30
-Dichloroethane	9.6	"	10.0	96.1	73-132	1.96	30
2-Dichloropropane	9.5	"	10.0	94.7	78-126	2.50	30
5,5-Trimethylbenzene	9.1	"	10.0	91.1	80-131	3.98	30
-Dichlorobenzene	9.3	"	10.0	92.8	86-130	3.39	30
-Dichlorobenzene	9.2	"	10.0	92.3	85-130	2.99	30
-Dioxane	510	"	210	243	10-349	0.674	30
Butanone	9.3	"	10.0	93.3	49-152	3.58	30
Hexanone	9.1	"	10.0	91.3	51-146	0.991	30
Methyl-2-pentanone	9.7	"	10.0	97.2	57-145	0.103	30
etone	6.8	"	10.0	68.1	14-150	1.48	30
olein	6.4	"	25.0	25.5	10-153	2.17	30
ylonitrile	9.7	"	10.0	97.1	51-150	1.33	30
nzene	9.4	"	10.0	93.6	85-126	4.49	30
omochloromethane	9.5	"	10.0	95.1	77-128	2.29	30
omodichloromethane	9.3	"	10.0	93.4	79-128	2.22	30
omoform	9.7	"	10.0	97.0	78-133	1.84	30
omomethane	6.7	"	10.0	67.2	43-168	1.35	30
rbon disulfide	8.2	"	10.0	82.5	68-146	5.65	30
rbon tetrachloride	9.4	"	10.0	94.1	77-141	4.67	30
lorobenzene	9.9	"	10.0	99.0	88-120	3.18	30
loroethane	8.5	"	10.0	85.0	65-136	4.82	30
loroform	9.3	"	10.0	92.8	82-128	3.60	30
loromethane	7.5	"	10.0	75.3	43-155	5.30	30
-1,2-Dichloroethylene	9.0	"	10.0	90.3	83-129	3.80	30
-1,3-Dichloropropylene	9.2	"	10.0	91.8	80-131	1.62	30
clohexane	9.1	"	10.0	90.9	63-149	5.67	30
promochloromethane	9.6	"	10.0	96.5	80-130	1.34	30
promomethane	9.6	"	10.0	95.8	72-134	1.35	30
hlorodifluoromethane	6.0	"	10.0	60.4	44-144	6.26	30
yl Benzene	9.5	"	10.0	94.9	80-131	3.62	30
xachlorobutadiene	9.1	"	10.0	91.4	67-146	3.76	30
propylbenzene	9.5	"	10.0	94.7	76-140	4.64	30
thyl acetate	8.3	"	10.0	82.8	51-139	1.68	30
othyl tert-butyl ether (MTBE)	9.4	"	10.0	94.1	76-135	1.58	30
thylcyclohexane	9.4	"	10.0	94.1	70-133	5.81	30
ethylene chloride	8.0	,,	10.0	80.0	55-137	2.47	30

 120 RESEARCH DRIVE
 STRATFORD, CT 06615
 ■ 132-02 89th AVENUE
 RICHMOND HILL, NY 11418

 www.YORKLAB.com
 (203) 325-1371
 FAX (203) 357-0166
 ClientServices@
 Page 22 of 42



York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag
Batch BH30526 - EPA 5030B											
LCS Dup (BH30526-BSD1)							Prep	oared & Analyz	zed: 08/08/	2023	
n-Butylbenzene	8.1		ug/L	10.0		81.2	79-132		6.32	30	
n-Propylbenzene	9.3		"	10.0		93.4	78-133		4.70	30	
o-Xylene	9.5		"	10.0		95.2	78-130		3.10	30	
p- & m- Xylenes	19		"	20.0		97.0	77-133		3.60	30	
p-Isopropyltoluene	9.2		"	10.0		91.9	81-136		5.19	30	
sec-Butylbenzene	9.3		"	10.0		93.0	79-137		5.44	30	
Styrene	9.7		"	10.0		97.1	67-132		2.74	30	
tert-Butyl alcohol (TBA)	48		"	50.0		95.6	25-162		2.32	30	
tert-Butylbenzene	9.3		"	10.0		93.3	77-138		4.61	30	
Tetrachloroethylene	5.0		"	10.0		49.9	82-131	Low Bias	4.51	30	
Toluene	9.4		"	10.0		93.9	80-127		3.45	30	
trans-1,2-Dichloroethylene	8.9		"	10.0		89.1	80-132		4.39	30	
trans-1,3-Dichloropropylene	9.2		"	10.0		92.3	78-131		1.61	30	

10.0

10.0

10.0

91.4

85.9

90.3

63-141

82-128

67-139

2.91

3.21

5.49

6.27

30

30

30

30

Vinyl Chloride	8.0	"	10.0	80.4	58-145
Surrogate: SURR: 1,2-Dichloroethane-d4	10.0	"	10.0	100	69-130
Surrogate: SURR: Toluene-d8	10.0	"	10.0	100	81-117
Surrogate: SURR: p-Bromofluorobenzene	9.93	"	10.0	99.3	79-122

9.1

8.6

9.0

trans-1,4-dichloro-2-butene

Trichlorofluoromethane

Trichloroethylene

 120 RESEARCH DRIVE
 STRATFORD, CT 06615
 ■ 132-02 89th AVENUE
 RICHMOND HILL, NY 11418

 www.YORKLAB.com
 (203) 325-1371
 FAX (203) 357-0166
 ClientServices@
 Page 23 of 42



York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag
Batch BH30443 - EPA 3510C											
Blank (BH30443-BLK1)							Prepa	ared: 08/08/2	2023 Analyz	ed: 08/09/2	2023
1,1-Biphenyl	ND	5.00	ug/L								
1,2,4,5-Tetrachlorobenzene	ND	5.00	"								
1,2,4-Trichlorobenzene	ND	5.00	"								
1,2-Dichlorobenzene	ND	5.00	"								
1,2-Diphenylhydrazine (as Azobenzene)	ND	5.00	"								
1,3-Dichlorobenzene	ND	5.00	"								
1,4-Dichlorobenzene	ND	5.00	"								
2,3,4,6-Tetrachlorophenol	ND	5.00	"								
2,4,5-Trichlorophenol	ND	5.00	"								
2,4,6-Trichlorophenol	ND	5.00	"								
2,4-Dichlorophenol	ND	5.00	"								
2,4-Dimethylphenol	ND	5.00	"								
2,4-Dinitrophenol	ND	5.00	"								
2,4-Dinitrotoluene	ND	5.00	"								
2,6-Dinitrotoluene	ND	5.00	"								
2-Chloronaphthalene	ND	5.00	"								
2-Chlorophenol	ND	5.00	"								
2-Methylnaphthalene	ND	5.00	"								
2-Methylphenol	ND	5.00	"								
2-Nitroaniline	ND	5.00	"								
2-Nitrophenol	ND	5.00	"								
3- & 4-Methylphenols	ND	5.00	"								
3,3-Dichlorobenzidine	ND	5.00	"								
3-Nitroaniline	ND	5.00	"								
4,6-Dinitro-2-methylphenol	ND	5.00	"								
4-Bromophenyl phenyl ether	ND	5.00	"								
4-Chloro-3-methylphenol	ND	5.00	"								
4-Chloroaniline	ND	5.00	"								
4-Chlorophenyl phenyl ether	ND	5.00	"								
4-Nitroaniline	ND	5.00	"								
4-Nitrophenol	ND	5.00	"								
Acenaphthene	ND	0.0500	"								
Acenaphthylene	ND	0.0500	"								
Acetophenone	ND	5.00	"								
Aniline	ND	5.00	"								
Anthracene	ND	0.0500	"								
Atrazine	ND	0.500	"								
Benzaldehyde	ND	5.00	"								
Benzidine	ND	20.0	"								
Benzo(a)anthracene	ND	0.0500	"								
Benzo(a)pyrene	ND	0.0500	"								
Benzo(b)fluoranthene	ND	0.0500	"								
Benzo(g,h,i)perylene	ND	0.0500	"								
Benzo(k)fluoranthene	ND	0.0500	"								
Benzoic acid	ND	50.0	"								
Benzyl alcohol	ND	5.00	"								
Benzyl butyl phthalate	ND	5.00	"								
Bis(2-chloroethoxy)methane	ND	5.00	"								
Bis(2-chloroethyl)ether	ND	5.00	"								
Bis(2-chloroisopropyl)ether	ND	5.00	"								
Bis(2-ethylhexyl)phthalate	0.920	0.500	"								

www.YORKLAB.com (203) 325-1371 FAX (203) 357-0166 ClientServices@ Page 24 of 42

132-02 89th AVENUE

RICHMOND HILL, NY 11418

STRATFORD, CT 06615

120 RESEARCH DRIVE



York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

Blank (BH30443-BLK1)						Prepared: 08/08/2023 Analyzed: 08/09/202
Caprolactam	ND	5.00	ug/L			
Carbazole	ND	5.00	"			
Chrysene	ND	0.0500	"			
Dibenzo(a,h)anthracene	ND	0.0500	"			
Dibenzofuran	ND	5.00	"			
Diethyl phthalate	ND	5.00	"			
Dimethyl phthalate	ND	5.00	"			
Di-n-butyl phthalate	ND	5.00	"			
Di-n-octyl phthalate	ND	5.00	"			
Diphenylamine	ND	5.00	"			
Fluoranthene	ND	0.0500	"			
Fluorene	ND	0.0500	"			
Hexachlorobenzene	ND	0.0200	"			
Hexachlorobutadiene	ND	0.500	"			
Iexachlorocyclopentadiene	ND	5.00	"			
Iexachloroethane	ND	0.500	"			
ndeno(1,2,3-cd)pyrene	ND	0.0500	"			
sophorone	ND	5.00	"			
Naphthalene	ND	0.0500	"			
Vitrobenzene	ND	0.250	"			
N-Nitrosodimethylamine	ND	0.500	"			
N-nitroso-di-n-propylamine	ND	5.00	"			
N-Nitrosodiphenylamine	ND	5.00	"			
Pentachlorophenol	ND	0.250	"			
Phenanthrene	ND	0.0500	"			
Phenol	ND	5.00	"			
Pyrene	ND	0.0500	"			
Surrogate: SURR: 2-Fluorophenol	13.9		"	50.0	27.7	19.7-63.1
Surrogate: SURR: Phenol-d6	6.73		"	50.0	13.5	10.1-41.7
Surrogate: SURR: Nitrobenzene-d5	19.0		"	25.0	75.9	50.2-113
Surrogate: SURR: 2-Fluorobiphenyl	15.4		"	25.0	61.7	39.9-105
Surrogate: SURR: 2,4,6-Tribromophenol	37.2		"	50.0	74.5	39.3-151

22.7

120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE RICHMOND HILL, NY 11418 Page 25 of 42 (203) 325-1371 FAX (203) 357-0166 ClientServices@

25.0

90.8

30.7-106

www.YORKLAB.com

Surrogate: SURR: Terphenyl-d14



York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

LCS (BH30443-BS1)						Pre	pared: 08/08/2023 Analyzed: 08/09/20
1,1-Biphenyl	9.91	5.00	ug/L	25.0	39.6	21-102	
,2,4,5-Tetrachlorobenzene	11.6	5.00	"	25.0	46.4	28-105	
,2,4-Trichlorobenzene	8.81	5.00	"	25.0	35.2	35-91	
,2-Dichlorobenzene	7.15	5.00	"	25.0	28.6	42-85	Low Bias
,2-Diphenylhydrazine (as Azobenzene)	7.60	5.00	"	25.0	30.4	16-137	
,3-Dichlorobenzene	7.07	5.00	"	25.0	28.3	45-80	Low Bias
,4-Dichlorobenzene	6.96	5.00	"	25.0	27.8	42-82	Low Bias
2,3,4,6-Tetrachlorophenol	12.6	5.00	"	25.0	50.4	30-130	
,4,5-Trichlorophenol	10.8	5.00	"	25.0	43.3	36-112	
.,4,6-Trichlorophenol	11.0	5.00	"	25.0	44.2	41-107	
,4-Dichlorophenol	9.49	5.00	"	25.0	38.0	43-92	Low Bias
2,4-Dimethylphenol	7.54	5.00	"	25.0	30.2	25-92	
2,4-Dinitrophenol	17.9	5.00	"	25.0	71.5	10-149	
2,4-Dinitrotoluene	14.3	5.00	"	25.0	57.0	41-114	
2,6-Dinitrotoluene	13.0	5.00	"	25.0	51.8	49-106	
2-Chloronaphthalene	8.68	5.00	"	25.0	34.7	40-96	Low Bias
-Chlorophenol	7.19	5.00	"	25.0	28.8	35-84	Low Bias
-Methylnaphthalene	8.58	5.00	"	25.0	34.3	33-101	
-Methylphenol	5.62	5.00	"	25.0	22.5	10-90	
-Nitroaniline	11.6	5.00	"	25.0	46.3	31-122	
-Nitrophenol	12.1	5.00	"	25.0	48.6	37-97	
- & 4-Methylphenols	4.34	5.00	"	25.0	17.4	10-101	
,3-Dichlorobenzidine	7.20	5.00	"	25.0	28.8	25-155	
-Nitroaniline	8.07	5.00	"	25.0	32.3	29-128	
,6-Dinitro-2-methylphenol	16.6	5.00	"	25.0	66.5	10-135	
-Bromophenyl phenyl ether	9.27	5.00	"	25.0	37.1	38-116	Low Bias
-Chloro-3-methylphenol	9.62	5.00	"	25.0	38.5	28-101	
-Chloroaniline	4.46	5.00	"	25.0	17.8	10-154	
-Chlorophenyl phenyl ether	10.2	5.00	"	25.0	40.8	34-112	
-Nitroaniline	9.21	5.00	"	25.0	36.8	15-143	
-Nitrophenol	3.88	5.00	"	25.0	15.5	10-112	
Acenaphthene	9.17	0.0500	"	25.0	36.7	24-114	
Acenaphthylene	8.76	0.0500	"	25.0	35.0	26-112	
Acetophenone	8.57	5.00	"	25.0	34.3	47-92	Low Bias
Aniline	ND	5.00	"	25.0		10-107	Low Bias
anthracene	10.6	0.0500	"	25.0	42.3	35-114	
trazine	10.6	0.500	"	25.0	42.3	43-101	Low Bias
enzaldehyde	8.41	5.00	"	25.0	33.6	17-117	
Benzo(a)anthracene	11.3	0.0500	"	25.0	45.4	38-127	
Benzo(a)pyrene	9.80	0.0500	"	25.0	39.2	30-146	
enzo(b)fluoranthene	10.4	0.0500	"	25.0	41.4	36-145	
Benzo(g,h,i)perylene	10.4	0.0500	"	25.0	41.8	10-163	
Benzo(k)fluoranthene	9.93	0.0500	"	25.0	39.7	16-149	
Benzoic acid	ND	50.0	"	25.0		30-130	Low Bias
Domari alaahal	4.54	5.00	,,	25.0	10.2	10.75	

120 RESEARCH DRIVE STRATFORD, CT 06615

132-02 89th AVENUE RICHMOND HILL, NY 11418

25.0

25.0

25.0

25.0

25.0

25.0

25.0

18.2

56.4

32.2

29.2

24.2

51.0

18-75

28-129

27-112

24-114

21-124

10-171

10-29

Low Bias

ClientServices@

Page 26 of 42

5.00

5.00

5.00

5.00

5.00

0.500

5.00

www.YORKLAB.com (203) 325-1371 FAX (203) 357-0166

4.54

14.1

8.05

7.31

6.06

12.7

ND

Benzyl alcohol

Caprolactam

Benzyl butyl phthalate

Bis(2-chloroethyl)ether

Bis(2-chloroethoxy)methane

Bis(2-chloroisopropyl)ether

Bis (2-ethylhexyl) phthalate



York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

Rate	ch F	2H3	0443.	- EPA	3510	C

LCS (BH30443-BS1)						Prep	pared: 08/08/2023 Analyzed: 08/09/2023
Carbazole	11.5	5.00	ug/L	25.0	46.0	49-116	Low Bias
Chrysene	10.6	0.0500	"	25.0	42.4	33-120	
Dibenzo(a,h)anthracene	11.2	0.0500	"	25.0	44.8	10-149	
Dibenzofuran	9.40	5.00	"	25.0	37.6	42-105	Low Bias
Diethyl phthalate	11.0	5.00	"	25.0	44.1	38-112	
Dimethyl phthalate	10.6	5.00	"	25.0	42.5	49-106	Low Bias
Di-n-butyl phthalate	12.7	5.00	"	25.0	50.9	36-110	
Di-n-octyl phthalate	14.1	5.00	"	25.0	56.3	12-149	
Diphenylamine	9.56	5.00	"	25.0	38.2	40-140	Low Bias
Fluoranthene	11.2	0.0500	"	25.0	44.8	33-126	
Fluorene	9.78	0.0500	"	25.0	39.1	28-117	
Hexachlorobenzene	9.62	0.0200	"	25.0	38.5	27-120	
Hexachlorobutadiene	8.66	0.500	"	25.0	34.6	25-106	
Hexachlorocyclopentadiene	ND	5.00	"	25.0		10-99	Low Bias
Hexachloroethane	6.96	0.500	"	25.0	27.8	33-84	Low Bias
Indeno(1,2,3-cd)pyrene	11.1	0.0500	"	25.0	44.5	10-150	
Isophorone	9.08	5.00	"	25.0	36.3	29-115	
Naphthalene	8.49	0.0500	"	25.0	34.0	30-99	
Nitrobenzene	10.1	0.250	"	25.0	40.4	32-113	
N-Nitrosodimethylamine	3.23	0.500	"	25.0	12.9	10-63	
N-nitroso-di-n-propylamine	7.72	5.00	"	25.0	30.9	36-118	Low Bias
N-Nitrosodiphenylamine	9.19	5.00	"	25.0	36.8	27-145	
Pentachlorophenol	8.01	0.250	"	25.0	32.0	19-127	
Phenanthrene	10.3	0.0500	"	25.0	41.1	31-112	
Phenol	ND	5.00	"	25.0		10-37	Low Bias
Pyrene	11.7	0.0500	"	25.0	46.9	42-125	
Surrogate: SURR: 2-Fluorophenol	10.6		"	50.0	21.1	19.7-63.1	
Surrogate: SURR: Phenol-d6	5.65		"	50.0	11.3	10.1-41.7	
Surrogate: SURR: Nitrobenzene-d5	14.8		"	25.0	59.4	50.2-113	
Surrogate: SURR: 2-Fluorobiphenyl	12.1		"	25.0	48.3	39.9-105	
Surrogate: SURR: 2,4,6-Tribromophenol	27.8		"	50.0	55.6	39.3-151	
Surrogate: SURR: Terphenyl-d14	15.0		"	25.0	60.0	30.7-106	

120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE RICHMOND HILL, NY 11418 Page 27 of 42 FAX (203) 357-0166 ClientServices@

www.YORKLAB.com (203) 325-1371



York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag
Batch BH30443 - EPA 3510C											
LCS Dup (BH30443-BSD1)							Pre	pared: 08/08/20	023 Analyz	zed: 08/09/	/2023
1,1-Biphenyl	10.1	5.00	ug/L	25.0		40.5	21-102	·	2.20	20	
1,2,4,5-Tetrachlorobenzene	15.0	5.00	"	25.0		60.0	28-105		25.7	20	Non-dir.
1,2,4-Trichlorobenzene	10.8	5.00	"	25.0		43.3	35-91		20.6	20	Non-dir.
1,2-Dichlorobenzene	9.03	5.00	"	25.0		36.1	42-85	Low Bias	23.2	20	Non-dir.
1,2-Diphenylhydrazine (as Azobenzene)	10.2	5.00	"	25.0		40.7	16-137		28.9	20	Non-dir.
1,3-Dichlorobenzene	8.56	5.00	"	25.0		34.2	45-80	Low Bias	19.1	20	
1,4-Dichlorobenzene	9.00	5.00	"	25.0		36.0	42-82	Low Bias	25.6	20	Non-dir.
2,3,4,6-Tetrachlorophenol	16.5	5.00	"	25.0		65.9	30-130		26.7	20	Non-dir.
2,4,5-Trichlorophenol	14.9	5.00	"	25.0		59.7	36-112		31.8	20	Non-dir.
2,4,6-Trichlorophenol	15.2	5.00	"	25.0		60.9	41-107		31.8	20	Non-dir.
2,4-Dichlorophenol	12.0	5.00	"	25.0		48.2	43-92		23.8	20	Non-dir.
2,4-Dimethylphenol	9.53	5.00	"	25.0		38.1	25-92		23.3	20	Non-dir.
2,4-Dinitrophenol	29.0	5.00	"	25.0		116	10-149		47.5	20	Non-dir.
2,4-Dinitrotoluene	20.0	5.00	"	25.0		80.2	41-114		33.7	20	Non-dir.
2,6-Dinitrotoluene	18.8	5.00	"	25.0		75.2	49-106		36.8	20	Non-dir.
2-Chloronaphthalene	11.4	5.00	"	25.0		45.8	40-96		27.5	20	Non-dir.
2-Chlorophenol	9.44	5.00	"	25.0		37.8	35-84		27.1	20	Non-dir.
2-Methylnaphthalene	10.6	5.00	"	25.0		42.5	33-101		21.3	20	Non-dir.
2-Methylphenol	7.63	5.00	"	25.0		30.5	10-90		30.3	20	Non-dir.
2-Nitroaniline	16.9	5.00	"	25.0		67.6	31-122		37.3	20	Non-dir.
2-Nitrophenol	14.5	5.00	"	25.0		58.1	37-97		17.9	20	
3- & 4-Methylphenols	5.71	5.00	"	25.0		22.8	10-101		27.3	20	Non-dir.
3,3-Dichlorobenzidine	10.7	5.00	"	25.0		42.8	25-155		39.0	20	Non-dir.
3-Nitroaniline	11.8	5.00	"	25.0		47.0	29-128		37.2	20	Non-dir.
4,6-Dinitro-2-methylphenol	23.6	5.00	"	25.0		94.2	10-135		34.5	20	Non-dir.
4-Bromophenyl phenyl ether	13.3	5.00	"	25.0		53.1	38-116		35.5	20	Non-dir.
4-Chloro-3-methylphenol	12.9	5.00	"	25.0		51.8	28-101		29.4	20	Non-dir.
4-Chloroaniline	6.03	5.00	"	25.0		24.1	10-154		29.9	20	Non-dir.
4-Chlorophenyl phenyl ether	14.2	5.00	"	25.0		56.7	34-112		32.6	20	Non-dir.
4-Nitroaniline	13.8	5.00	"	25.0		55.4	15-143		40.2	20	Non-dir.
4-Nitrophenol	6.53	5.00	"	25.0		26.1	10-112		50.9	20	Non-dir.
Acenaphthene	12.3	0.0500	"	25.0		49.0	24-114		28.8	20	Non-dir.
Acenaphthylene	11.5	0.0500	"	25.0		45.8	26-112		26.7	20	Non-dir.
Acetophenone	7.96	5.00	"	25.0		31.8	47-92	Low Bias	7.38	20	
Aniline	ND	5.00	"	25.0			10-107	Low Bias		20	
Anthracene	14.8	0.0500	"	25.0		59.2	35-114		33.3	20	Non-dir.
Atrazine	11.2	0.500	"	25.0		44.7	43-101		5.61	20	
Benzaldehyde	8.30	5.00	"	25.0		33.2	17-117		1.32	20	
Benzo(a)anthracene	16.1	0.0500	"	25.0		64.4	38-127		34.6	20	Non-dir.
Benzo(a)pyrene	14.6	0.0500	"	25.0		58.3	30-146		39.1	20	Non-dir.
Benzo(b)fluoranthene	15.2	0.0500	"	25.0		60.8	36-145		37.9	20	Non-dir.
Benzo(g,h,i)perylene	14.9	0.0500	"	25.0		59.8	10-163		35.4	20	Non-dir.
Benzo(k)fluoranthene	14.3	0.0500	"	25.0		57.3	16-149		36.2	20	Non-dir.
Benzoic acid	ND	50.0	"	25.0			30-130	Low Bias		20	
Benzyl alcohol	6.15	5.00	"	25.0		24.6	18-75		30.1	20	Non-dir.
Benzyl butyl phthalate	19.9	5.00	"	25.0		79.4	28-129		33.9	20	Non-dir.
Bis(2-chloroethoxy)methane	10.1	5.00	"	25.0		40.4	27-112		22.6	20	Non-dir.
Bis(2-chloroethyl)ether	9.66	5.00	"	25.0		38.6	24-114		27.7	20	Non-dir.
Bis(2-chloroisopropyl)ether	7.32	5.00	"	25.0		29.3	21-124		18.8	20	
Bis(2-ethylhexyl)phthalate	18.2	0.500	"	25.0		73.0	10-171		35.5	20	Non-dir.
Caprolactam	ND	5.00	"	25.0			10-29	Low Bias		20	

RICHMOND HILL, NY 11418 120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE Page 28 of 42 www.YORKLAB.com (203) 325-1371 FAX (203) 357-0166 ClientServices@



York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

D - 4 -	L D	TT20	442	EDA	3510C
Rate	nк	H 40	444 -	нРА	351111

LCS Dup (BH30443-BSD1)						Prep	pared: 08/08/2023 Analyze	d: 08/09	/2023
Carbazole	16.2	5.00	ug/L	25.0	64.6	49-116	33.6	20	Non-dir.
Chrysene	14.8	0.0500	"	25.0	59.4	33-120	33.3	20	Non-dir.
Dibenzo(a,h)anthracene	15.9	0.0500	"	25.0	63.4	10-149	34.4	20	Non-dir.
Dibenzofuran	13.2	5.00	"	25.0	52.9	42-105	33.8	20	Non-dir.
Diethyl phthalate	15.8	5.00	"	25.0	63.0	38-112	35.4	20	Non-dir.
Dimethyl phthalate	15.4	5.00	"	25.0	61.4	49-106	36.3	20	Non-dir.
Di-n-butyl phthalate	18.5	5.00	"	25.0	74.1	36-110	37.2	20	Non-dir.
Di-n-octyl phthalate	20.6	5.00	"	25.0	82.6	12-149	37.8	20	Non-dir.
Diphenylamine	14.0	5.00	"	25.0	56.0	40-140	37.6	20	Non-dir.
Fluoranthene	16.2	0.0500	"	25.0	64.6	33-126	36.3	20	Non-dir.
Fluorene	13.4	0.0500	"	25.0	53.6	28-117	31.2	20	Non-dir.
Hexachlorobenzene	13.4	0.0200	"	25.0	53.8	27-120	33.2	20	Non-dir.
Hexachlorobutadiene	11.8	0.500	"	25.0	47.0	25-106	30.4	20	Non-dir.
Hexachlorocyclopentadiene	ND	5.00	"	25.0		10-99	Low Bias	20	
Hexachloroethane	8.61	0.500	"	25.0	34.4	33-84	21.2	20	Non-dir.
Indeno(1,2,3-cd)pyrene	16.5	0.0500	"	25.0	65.8	10-150	38.6	20	Non-dir.
Isophorone	11.6	5.00	"	25.0	46.2	29-115	23.9	20	Non-dir.
Naphthalene	10.2	0.0500	"	25.0	40.9	30-99	18.6	20	
Nitrobenzene	12.4	0.250	"	25.0	49.5	32-113	20.2	20	Non-dir.
N-Nitrosodimethylamine	3.93	0.500	"	25.0	15.7	10-63	19.6	20	
N-nitroso-di-n-propylamine	9.57	5.00	"	25.0	38.3	36-118	21.4	20	Non-dir.
N-Nitrosodiphenylamine	13.5	5.00	"	25.0	53.9	27-145	37.8	20	Non-dir.
Pentachlorophenol	11.5	0.250	"	25.0	46.2	19-127	36.1	20	Non-dir.
Phenanthrene	14.6	0.0500	"	25.0	58.6	31-112	35.2	20	Non-dir.
Phenol	2.75	5.00	"	25.0	11.0	10-37	28.2	20	Non-dir.
Pyrene	15.8	0.0500	"	25.0	63.4	42-125	29.9	20	Non-dir.
Surrogate: SURR: 2-Fluorophenol	12.2		"	50.0	24.5	19.7-63.1			
Surrogate: SURR: Phenol-d6	0.530		"	50.0	1.06	10.1-41.7			
Surrogate: SURR: Nitrobenzene-d5	15.9		"	25.0	63.6	50.2-113			
Surrogate: SURR: 2-Fluorobiphenyl	14.2		"	25.0	57.0	39.9-105			
Surrogate: SURR: 2,4,6-Tribromophenol	35.9		"	50.0	71.9	39.3-151			
Surrogate: SURR: Terphenyl-d14	18.9		"	25.0	75.6	30.7-106			

120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE RICHMOND HILL, NY 11418 Page 29 of 42 (203) 325-1371 FAX (203) 357-0166 ClientServices@

www.YORKLAB.com



PFAS Target compounds by LC/MS-MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

Blank (BH30573-BLK1)						Prepared & Analyzed: 08/09/2023
Perfluorobutanesulfonic acid (PFBS)	ND	2.00	ng/L			
Perfluorohexanoic acid (PFHxA)	ND	2.00	"			
Perfluoroheptanoic acid (PFHpA)	ND	2.00	"			
Perfluorohexanesulfonic acid (PFHxS)	ND	2.00	"			
Perfluorooctanoic acid (PFOA)	ND	2.00	"			
Perfluorooctanesulfonic acid (PFOS)	ND	2.00	"			
Perfluorononanoic acid (PFNA)	ND	2.00	"			
erfluorodecanoic acid (PFDA)	ND	2.00	"			
erfluoroundecanoic acid (PFUnA)	ND	2.00	"			
erfluorododecanoic acid (PFDoA)	ND	2.00	"			
erfluorotridecanoic acid (PFTrDA)	ND	2.00	"			
Perfluorotetradecanoic acid (PFTA)	ND	2.00	"			
N-MeFOSAA	ND	2.00	"			
N-EtFOSAA	ND	2.00	"			
Perfluoropentanoic acid (PFPeA)	ND	2.00	"			
Perfluoro-1-octanesulfonamide (FOSA)	ND	2.00	"			
erfluoro-1-heptanesulfonic acid (PFHpS)	ND	2.00	"			
erfluoro-1-decanesulfonic acid (PFDS)	ND	2.00	"			
H,1H,2H,2H-Perfluorooctanesulfonic acid 5:2 FTS)	ND	5.00	"			
H,1H,2H,2H-Perfluorodecanesulfonic acid 8:2 FTS)	ND	2.00	"			
erfluoro-n-butanoic acid (PFBA)	ND	2.00	"			
urrogate: M3PFBS	54.5		"	74.3	73.3	25-150
urrogate: M5PFHxA	63.4		"	80.0	79.2	25-150
urrogate: M4PFHpA	76.1		"	80.0	95.1	25-150
urrogate: M3PFHxS	41.9		"	75.7	55.4	25-150
urrogate: Perfluoro-n-[13C8]octanoic cid (M8PFOA)	66.7		"	80.0	83.3	25-150
urrogate: M6PFDA	76.1		"	80.0	95.2	25-150
urrogate: M7PFUdA	79.8		"	80.0	99.7	25-150
Surrogate: Perfluoro-n- [1,2-13C2]dodecanoic acid (MPFDoA)	74.2		"	80.0	92.8	25-150
Surrogate: M2PFTeDA	78.5		"	80.0	98.2	10-150
Surrogate: Perfluoro-n-[13C4]butanoic acid (MPFBA)	58.3		"	80.0	72.9	25-150
'urrogate: Perfluoro-1- l 3C8]octanesulfonic acid (M8PFOS)	55.4		"	76.6	72.3	25-150
urrogate: Perfluoro-n-[13C5]pentanoic cid (M5PFPeA)	65.1		"	80.0	81.4	25-150
urrogate: Perfluoro-1- 13C8Joctanesulfonamide (M8FOSA)	61.0		"	80.0	76.3	10-150
urrogate: d3-N-MeFOSAA	74.0		"	80.0	92.5	25-150
urrogate: d5-N-EtFOSAA	84.7		"	80.0	106	25-150
urrogate: M2-6:2 FTS	75.1		"	75.9	99.0	25-200
urrogate: M2-8:2 FTS	89.2		"	76.6	116	25-200

120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE RICHMOND HILL, NY 11418 Page 30 of 42 (203) 325-1371 FAX (203) 357-0166 ClientServices@

80.0

90.5

25-150

72.4

www.YORKLAB.com

Surrogate: M9PFNA



PFAS Target compounds by LC/MS-MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

LCS (BH30573-BS1)						Pre	pared & Analyzed: 08/09/2023
Perfluorobutanesulfonic acid (PFBS)	72.8	2.00	ng/L	70.8	103	50-130	
Perfluorohexanoic acid (PFHxA)	83.9	2.00	"	80.0	105	50-130	
Perfluoroheptanoic acid (PFHpA)	72.3	2.00	"	80.0	90.4	50-130	
Perfluorohexanesulfonic acid (PFHxS)	86.8	2.00	"	72.8	119	50-130	
Perfluorooctanoic acid (PFOA)	81.0	2.00	"	80.0	101	50-130	
Perfluorooctanesulfonic acid (PFOS)	69.1	2.00	"	74.0	93.4	50-130	
Perfluorononanoic acid (PFNA)	81.3	2.00	"	80.0	102	50-130	
Perfluorodecanoic acid (PFDA)	84.6	2.00	"	80.0	106	50-130	
Perfluoroundecanoic acid (PFUnA)	75.9	2.00	"	80.0	94.8	50-130	
Perfluorododecanoic acid (PFDoA)	79.8	2.00	"	80.0	99.8	50-130	
Perfluorotridecanoic acid (PFTrDA)	125	2.00	"	80.0	156	50-130	High Bias
Perfluorotetradecanoic acid (PFTA)	78.3	2.00	"	80.0	97.9	50-130	
N-MeFOSAA	78.0	2.00	"	80.0	97.6	50-130	
N-EtFOSAA	101	2.00	"	80.0	127	50-130	
Perfluoropentanoic acid (PFPeA)	81.1	2.00	"	80.0	101	50-130	
Perfluoro-1-octanesulfonamide (FOSA)	86.9	2.00	"	80.0	109	50-130	
Perfluoro-1-heptanesulfonic acid (PFHpS)	88.9	2.00	"	76.4	116	50-130	
Perfluoro-1-decanesulfonic acid (PFDS)	60.0	2.00	"	77.2	77.8	50-130	
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	77.3	5.00	"	76.0	102	50-175	
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	83.4	2.00	"	76.8	109	50-175	
Perfluoro-n-butanoic acid (PFBA)	82.1	2.00	"	80.0	103	50-130	
Surrogate: M3PFBS	63.8		"	74.3	85.8	25-150	
Surrogate: M5PFHxA	80.4		"	80.0	101	25-150	
Surrogate: M4PFHpA	90.5		"	80.0	113	25-150	
Surrogate: M3PFHxS	55.7		"	75.7	73.6	25-150	
Surrogate: Perfluoro-n-[13C8]octanoic acid (M8PFOA)	84.7		"	80.0	106	25-150	
Surrogate: M6PFDA	86.9		"	80.0	109	25-150	

Surrogate: M4PFHpA	90.5	"	80.0	113	25-150
Surrogate: M3PFHxS	55.7	"	75.7	73.6	25-150
Surrogate: Perfluoro-n-[13C8]octanoic acid (M8PFOA)	84.7	"	80.0	106	25-150
Surrogate: M6PFDA	86.9	"	80.0	109	25-150
Surrogate: M7PFUdA	92.6	"	80.0	116	25-150
Surrogate: Perfluoro-n- [1,2-13C2]dodecanoic acid (MPFDoA)	88.2	"	80.0	110	25-150
Surrogate: M2PFTeDA	78.5	"	80.0	98.2	10-150
Surrogate: Perfluoro-n-[13C4]butanoic acid (MPFBA)	77.4	"	80.0	96.8	25-150
Surrogate: Perfluoro-1- [13C8]octanesulfonic acid (M8PFOS)	67.3	"	76.6	87.9	25-150
Surrogate: Perfluoro-n-[13C5]pentanoic acid (M5PFPeA)	80.7	"	80.0	101	25-150
Surrogate: Perfluoro-1- [13C8]octanesulfonamide (M8FOSA)	75.4	"	80.0	94.2	10-150
Surrogate: d3-N-MeFOSAA	99.4	"	80.0	124	25-150
Surrogate: d5-N-EtFOSAA	90.6	"	80.0	113	25-150
Surrogate: M2-6:2 FTS	99.7	"	75.9	131	25-200
Surrogate: M2-8:2 FTS	95.4	"	76.6	124	25-200

85.9

120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE RICHMOND HILL, NY 11418 (203) 325-1371 FAX (203) 357-0166 ClientServices@ Page 31 of 42

80.0

107

25-150

www.YORKLAB.com

Surrogate: M9PFNA

Batch BH30573 - SPE Ext-PFAS-EPA 537.1M



PFAS Target compounds by LC/MS-MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD		1
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag	

J	Batch	RH3	0573	- SPE	Ext-P	FAS-EP	A 537.1M

LCS Dup (BH30573-BSD1)						Prepared & Analyzed: 08/09/2023				
Perfluorobutanesulfonic acid (PFBS)	76.3	2.00	ng/L	70.8	108	50-130		4.76	30	
Perfluorohexanoic acid (PFHxA)	83.4	2.00	"	80.0	104	50-130		0.651	30	
Perfluoroheptanoic acid (PFHpA)	79.9	2.00	"	80.0	99.8	50-130		9.98	30	
Perfluorohexanesulfonic acid (PFHxS)	94.7	2.00	"	72.8	130	50-130		8.69	30	
Perfluorooctanoic acid (PFOA)	79.8	2.00	"	80.0	99.8	50-130		1.47	30	
Perfluorooctanesulfonic acid (PFOS)	76.0	2.00	"	74.0	103	50-130		9.45	30	
Perfluorononanoic acid (PFNA)	84.3	2.00	"	80.0	105	50-130		3.58	30	
Perfluorodecanoic acid (PFDA)	94.2	2.00	"	80.0	118	50-130		10.7	30	
Perfluoroundecanoic acid (PFUnA)	79.6	2.00	"	80.0	99.5	50-130		4.82	30	
erfluorododecanoic acid (PFDoA)	81.0	2.00	"	80.0	101	50-130		1.49	30	
Perfluorotridecanoic acid (PFTrDA)	139	2.00	"	80.0	174	50-130	High Bias	11.0	30	
Perfluorotetradecanoic acid (PFTA)	83.2	2.00	"	80.0	104	50-130		6.06	30	
J-MeFOSAA	82.5	2.00	"	80.0	103	50-130		5.58	30	
I-EtFOSAA	85.6	2.00	"	80.0	107	50-130		16.9	30	
Perfluoropentanoic acid (PFPeA)	83.5	2.00	"	80.0	104	50-130		2.96	30	
Perfluoro-1-octanesulfonamide (FOSA)	90.3	2.00	"	80.0	113	50-130		3.80	30	
erfluoro-1-heptanesulfonic acid (PFHpS)	86.7	2.00	"	76.4	113	50-130		2.50	30	
Perfluoro-1-decanesulfonic acid (PFDS)	69.0	2.00	"	77.2	89.3	50-130		13.9	30	
H,1H,2H,2H-Perfluorooctanesulfonic acid 6:2 FTS)	87.2	5.00	"	76.0	115	50-175		12.1	30	
H,1H,2H,2H-Perfluorodecanesulfonic acid ::2 FTS)	83.0	2.00	"	76.8	108	50-175		0.446	30	
erfluoro-n-butanoic acid (PFBA)	86.7	2.00	"	80.0	108	50-130		5.48	30	
urrogate: M3PFBS	54.1		"	74.3	72.7	25-150				
urrogate: M5PFHxA	68.5		"	80.0	85.7	25-150				
'urrogate: M4PFHpA	73.7		"	80.0	92.1	25-150				
'urrogate: M3PFHxS	41.6		"	75.7	55.0	25-150				
Surrogate: Perfluoro-n-[13C8]octanoic scid (M8PFOA)	70.4		"	80.0	88.0	25-150				
'urrogate: M6PFDA	68.7		"	80.0	85.9	25-150				
'urrogate: M7PFUdA	75.1		"	80.0	93.9	25-150				
Surrogate: Perfluoro-n- [1,2-13C2]dodecanoic acid (MPFDoA)	73.9		"	80.0	92.4	25-150				
Surrogate: M2PFTeDA	74.4		"	80.0	93.0	10-150				
urrogate: Perfluoro-n-[13C4]butanoic cid (MPFBA)	64.6		"	80.0	80.7	25-150				
'urrogate: Perfluoro-1- 13C8]octanesulfonic acid (M8PFOS)	53.6		"	76.6	70.0	25-150				
'urrogate: Perfluoro-n-[13C5]pentanoic cid (M5PFPeA)	68.8		"	80.0	86.0	25-150				
'urrogate: Perfluoro-1- 13C8]octanesulfonamide (M8FOSA)	63.0		"	80.0	78.7	10-150				
urrogate: d3-N-MeFOSAA	79.6		"	80.0	99.5	25-150				
urrogate: d5-N-EtFOSAA	81.0		"	80.0	101	25-150				
Surrogate: M2-6:2 FTS	73.0		"	75.9	96.2	25-200				
furrogate: M2-8:2 FTS	74.4		"	76.6	97.1	25-200				
Surrogate: M9PFNA	71.7		"	80.0	89.6	25-150				

120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE RICHMOND HILL, NY 11418 Page 32 of 42 FAX (203) 357-0166 ClientServices@

www.YORKLAB.com (203) 325-1371



Organochlorine Pesticides by GC/ECD - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag
D-4-1 DH20210 ED4 2510C											
Batch BH30310 - EPA 3510C							_				
Blank (BH30310-BLK1)							Prep	ared: 08/04/	2023 Analyz	ed: 08/07/2	.023
4,4'-DDD	ND	0.00400	ug/L								
4,4'-DDE	ND	0.00400	"								
4,4'-DDT	ND	0.00400	"								
Aldrin	ND	0.00400	"								
alpha-BHC	ND	0.00400	"								
alpha-Chlordane	ND	0.00400	"								
beta-BHC	ND	0.00400	"								
Chlordane, total	ND	0.0200	"								
delta-BHC	ND	0.00400	"								
Dieldrin	ND	0.00200	"								
Endosulfan I	ND	0.00400	"								
Endosulfan II	ND	0.00400	"								
Endosulfan sulfate	ND	0.00400	"								
Endrin	ND	0.00400	"								
Endrin aldehyde	ND	0.0100	"								
Endrin ketone	ND	0.0100	"								
gamma-BHC (Lindane)	ND	0.00400	"								
gamma-Chlordane	ND	0.0100	"								
Heptachlor	ND	0.00400	"								
Heptachlor epoxide	ND	0.00400	"								
Methoxychlor	ND	0.00400	"								
Toxaphene	ND	0.100	"								
Surrogate: Decachlorobiphenyl	0.219		"	0.200		109	30-150				
Surrogate: Tetrachloro-m-xylene	0.117		"	0.200		58.7	30-150				
LCS (BH30310-BS1)							Prep	ared: 08/04/2	2023 Analyz	ed: 08/07/2	2023
4,4'-DDD	0.0707	0.00400	ug/L	0.100		70.7	40-140				
4,4'-DDE	0.0696	0.00400	"	0.100		69.6	40-140				
4,4'-DDT	0.0723	0.00400	"	0.100		72.3	40-140				
Aldrin	0.0545	0.00400	"	0.100		54.5	40-140				
alpha-BHC	0.0535	0.00400	"	0.100		53.5	40-140				
alpha-Chlordane	0.0627	0.00400	"	0.100		62.7	40-140				
beta-BHC	0.0605	0.00400	"	0.100		60.5	40-140				
delta-BHC	0.0565	0.00400	"	0.100		56.5	40-140				
Dieldrin	0.0651	0.00200	"	0.100		65.1	40-140				
Endosulfan I	0.0625	0.00400	"	0.100		62.5	40-140				
Endosulfan II	0.0697	0.00400	"	0.100		69.7	40-140				
Endosulfan sulfate	0.0696	0.00400	"	0.100		69.6	40-140				
Endrin	0.0665	0.00400	"	0.100		66.5	40-140				
Endrin aldehyde	0.0776	0.0100	"	0.100		77.6	40-140				
Endrin ketone	0.0714	0.0100	"	0.100		71.4	40-140				
gamma-BHC (Lindane)	0.0557	0.00400	"	0.100		55.7	40-140				
gamma-Chlordane	0.0626	0.0100	"	0.100		62.6	40-140				
Heptachlor	0.0625	0.00400	"	0.100		62.5	40-140				
Heptachlor epoxide	0.0632	0.00400	"	0.100		63.2	40-140				
Methoxychlor	0.0814	0.00400	"	0.100		81.4	40-140				

120 RESEARCH DRIVE www.YORKLAB.com

Surrogate: Decachlorobiphenyl

Surrogate: Tetrachloro-m-xylene

STRATFORD, CT 06615 (203) 325-1371

0.158

0.103

132-02 89th AVENUE FAX (203) 357-0166

79.0

51.7

30-150

30-150

0.200

0.200

RICHMOND HILL, NY 11418

ClientServices@ Page 33 of 42



Organochlorine Pesticides by GC/ECD - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BH30310 - EPA 3510C											
LCS Dup (BH30310-BSD1)							Prepa	ared: 08/04/20	023 Analyz	ed: 08/07/2	2023
4,4'-DDD	0.0734	0.00400	ug/L	0.100		73.4	40-140		3.70	20	
4,4'-DDE	0.0737	0.00400	"	0.100		73.7	40-140		5.77	20	
4,4'-DDT	0.0770	0.00400	"	0.100		77.0	40-140		6.28	20	
Aldrin	0.0546	0.00400	"	0.100		54.6	40-140		0.238	20	
alpha-BHC	0.0534	0.00400	"	0.100		53.4	40-140		0.170	20	
alpha-Chlordane	0.0660	0.00400	"	0.100		66.0	40-140		5.04	20	
beta-BHC	0.0598	0.00400	"	0.100		59.8	40-140		1.16	20	
delta-BHC	0.0569	0.00400	"	0.100		56.9	40-140		0.732	20	
Dieldrin	0.0668	0.00200	"	0.100		66.8	40-140		2.56	20	
Endosulfan I	0.0641	0.00400	"	0.100		64.1	40-140		2.47	20	
Endosulfan II	0.0711	0.00400	"	0.100		71.1	40-140		2.03	20	
Endosulfan sulfate	0.0699	0.00400	"	0.100		69.9	40-140		0.460	20	
Endrin	0.0682	0.00400	"	0.100		68.2	40-140		2.60	20	
Endrin aldehyde	0.0797	0.0100	"	0.100		79.7	40-140		2.67	20	
Endrin ketone	0.0743	0.0100	"	0.100		74.3	40-140		4.03	20	
gamma-BHC (Lindane)	0.0560	0.00400	"	0.100		56.0	40-140		0.514	20	
gamma-Chlordane	0.0636	0.0100	"	0.100		63.6	40-140		1.51	20	
Heptachlor	0.0629	0.00400	"	0.100		62.9	40-140		0.724	20	
Heptachlor epoxide	0.0622	0.00400	"	0.100		62.2	40-140		1.63	20	
Methoxychlor	0.0836	0.00400	"	0.100		83.6	40-140		2.67	20	

0.200

0.200

0.155

0.107

120 RESEARCH DRIVE STRATFORD, CT 06615 www.YORKLAB.com (203) 325-1371

Surrogate: Decachlorobiphenyl

Surrogate: Tetrachloro-m-xylene

132-02 89th AVENUE FAX (203) 357-0166

77.4

53.7

30-150

30-150

RICHMOND HILL, NY 11418

ClientServices@ Page 34 of 42



Polychlorinated Biphenyls by GC/ECD - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Spike

0.200

69.0

30-120

Source*

Reporting

0.138

 ${\it Surrogate: Decachlorobiphenyl}$

RPD

%REC

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag
Batch BH30310 - EPA 3510C											
Blank (BH30310-BLK2)							Prepa	ared: 08/04/2	2023 Analyz	ed: 08/07/2	2023
Aroclor 1016	ND	0.0500	ug/L								
Aroclor 1221	ND	0.0500	"								
Aroclor 1232	ND	0.0500	"								
Aroclor 1242	ND	0.0500	"								
Aroclor 1248	ND	0.0500	"								
Aroclor 1254	ND	0.0500	"								
Aroclor 1260	ND	0.0500	"								
Total PCBs	ND	0.0500	"								
Surrogate: Tetrachloro-m-xylene	0.106		"	0.200		53.0	30-120				
Surrogate: Decachlorobiphenyl	0.322		"	0.200		161	30-120				
LCS (BH30310-BS2)							Prepa	ared: 08/04/2	2023 Analyz	ed: 08/07/2	2023
Aroclor 1016	0.764	0.0500	ug/L	1.00		76.4	40-120				
Aroclor 1260	0.776	0.0500	"	1.00		77.6	40-120				
Surrogate: Tetrachloro-m-xylene	0.119		"	0.200		59.5	30-120				
Surrogate: Decachlorobiphenyl	0.115		"	0.200		57.5	30-120				
LCS Dup (BH30310-BSD2)							Prepa	ared: 08/04/2	2023 Analyz	ed: 08/07/2	2023
Aroclor 1016	0.702	0.0500	ug/L	1.00		70.2	40-120		8.43	30	
Aroclor 1260	0.741	0.0500	"	1.00		74.1	40-120		4.61	30	
Surrogate: Tetrachloro-m-xylene	0.115		"	0.200		57.5	30-120				

 120 RESEARCH DRIVE
 STRATFORD, CT 06615
 ■ 132-02 89th AVENUE
 RICHMOND HILL, NY 11418

 www.YORKLAB.com
 (203) 325-1371
 FAX (203) 357-0166
 ClientServices@
 Page 35 of 42



Metals by ICP - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Spike

Source*

Reporting

RPD

%REC

Analyta	Result	Limit	Unita	Loyal	Posult	%REC	Limita	Flag	RPD	Limit	F
nnalyte	Result	Limit	Units	Level	Result	70KEC	Limits	Flag	KLD	Liiiil	Г
atch BH30473 - EPA 3015A											
Blank (BH30473-BLK1)							Prep	pared: 08/08/2	023 Analyz	ed: 08/09/2	2023
Arsenic	ND	0.017	mg/L								
Barium	ND	0.028	"								
Cadmium	ND	0.003	"								
Chromium	ND	0.006	"								
ead	ND	0.006	"								
Selenium	ND	0.028	"								
ilver	ND	0.006	"								
LCS (BH30473-BS1)							Prep	pared: 08/08/2	023 Analyz	ed: 08/09/2	202:
Arsenic	2.13		mg/L	2.00		107	80-120				
Barium	2.20		"	2.00		110	80-120				
Cadmium	0.052		"	0.0500		105	80-120				
Chromium	0.206		"	0.200		103	80-120				
Lead	0.525		"	0.500		105	80-120				
Selenium	1.53		"	2.00		76.4	80-120	Low Bias			
Silver	0.050		"	0.0500		99.6	80-120				
Ouplicate (BH30473-DUP1)	*Source sample: 23	3H0152-08 (D	uplicate)				Prep	pared: 08/08/2	2023 Analyz	ed: 08/09/2	202
arsenic	ND	0.017	mg/L		ND					20	
Barium	44.0	0.028	"		44.1				0.0342	20	
Cadmium	ND	0.003	"		ND					20	
Chromium	ND	0.006	"		ND					20	
ead	ND	0.006	"		ND					20	
Selenium	0.211	0.028	"		0.204				3.21	20	
ilver	ND	0.006	"		ND					20	
Matrix Spike (BH30473-MS1)	*Source sample: 23	3H0152-08 (M	atrix Spike	:)			Prep	pared: 08/08/2	023 Analyz	ed: 08/09/2	202
Arsenic	2.40	0.017	mg/L	2.22	ND	108	75-125				
Barium	45.2	0.028	"	2.22	44.1	50.5	75-125	Low Bias			
Cadmium	0.053	0.003	"	0.0556	ND	95.7	75-125				
Chromium	0.204	0.006	"	0.222	ND	91.8	75-125				
ead	0.472	0.006	"	0.556	ND	85.0	75-125				
Selenium	1.95	0.028	"	2.22	0.204	78.8	75-125				
Silver	0.055	0.006		0.0556	ND	98.8	75-125				

120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE RICHMOND HILL, NY 11418 Page 36 of 42 FAX (203) 357-0166 ClientServices@

www.YORKLAB.com (203) 325-1371



Metals by ICP - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag

Batch	BH3	0473 -	EPA 30	015A
-------	-----	--------	--------	------

Post Spike (BH30473-PS1)	*Source sample: 23H0152	2-08 (Post Spike)				Prepared: 08/08/2023 Analyzed: 08/09	/2023
Arsenic	2.39	mg/L	2.00	-0.021	120	75-125	
Barium	41.8	"	2.00	39.7	108	75-125	
Cadmium	0.053	"	0.0500	0.002	103	75-125	
Chromium	0.196	"	0.200	0.005	95.6	75-125	
Lead	0.468	"	0.500	-0.023	93.7	75-125	
Selenium	1.93	"	2.00	0.184	87.5	75-125	
Silver	0.053	"	0.0500	-0.005	106	75-125	

120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE RICHMOND HILL, NY 11418 www.YORKLAB.com (203) 325-1371 FAX (203) 357-0166

ClientServices@ Page 37 of 42



Mercury by EPA 7000/200 Series Methods - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

		Reporting		Spike	Source*		%REC			RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	Flag	RPD	Limit	Flag
Batch BH30569 - EPA SW846-7470A											
Blank (BH30569-BLK1)							Prep	ared & Anal	yzed: 08/09/	2023	
Mercury	ND	0.0002	mg/L								
Blank (BH30569-BLK2)							Prep	ared & Anal	yzed: 08/09/	2023	
Mercury	ND	0.0002	mg/L								
LCS (BH30569-BS1)							Prep	ared & Anal	yzed: 08/09/	2023	
Mercury	0.0019321	0.0002	mg/L	0.00200		96.6	80-120				
LCS (BH30569-BS2)							Prep	ared & Anal	yzed: 08/09/	2023	
Mercury	0.0019573	0.0002	mg/L	0.00200		97.9	80-120				

 120 RESEARCH DRIVE
 STRATFORD, CT 06615

 www.YORKLAB.com
 (203) 325-1371

132-02 89th AVENUE RICH

FAX (203) 357-0166

RICHMOND HILL, NY 11418

ClientServices@ Page 38 of 42



Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
23H0121-01	IV5-IDW-WC-01	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C



Sample and Data Qualifiers Relating to This Work Order

S-GC Two surrogates are used for this analysis. One surrogate recovered within control limits therefore the analysis is acceptable. S-08 The recovery of this surrogate was outside of QC limits. QL-02 This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature. PFSu-H The isotopically labeled surrogate recovered above lab control limits due to a matrix effect. Isotope Dilution was applied. PF-CCV-L The CCV recovery was slightly below acceptable limits for the qualified compound. However, sample results are not biased low because results are corrected for isotope recovery. This qualifier indicates the compound detected exhibited greater than 40% between the quantitation and confirmatory columns. M-BS The recovery for this element in the batch blank spike recovered slightly outside of control limits Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration. **ICVE** The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 30% of expected value). HT-PR Sample was prepared outside of the recommended holding time. EXT-EM The sample exhibited emulsion formation during the extraction process. This may affect surrogate recoveries. CCVE The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit). CAL-E The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%) B Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. **Definitions and Other Explanations** Analyte is not certified or the state of the samples origination does not offer certification for the Analyte. ND NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL) RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve. LOO LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses. LOD LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846. MDL METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods. This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the Reported to LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only. Not reported NR RPD Relative Percent Difference Wet The data has been reported on an as-received (wet weight) basis Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note

120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE www YORKI AB com (203) 325-1371 FAX (203) 357-0166 ClientServices@ Page 40 of 42

RICHMOND HILL, NY 11418

that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias

conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.



High Bias

High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

Non-Dir.

Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

120 RESEARCH DRIVE STRATFORD, CT 06615 132-02 89th AVENUE **RICHMOND HILL, NY 11418** FAX (203) 357-0166 ClientServices@ Page 41 of 42

www.YORKLAB.com (203) 325-1371

York Analytical Laboratories, Inc.

120 Research Drive 132-02 89th Ave Stratford, CT 06615 Queens, NY 11418 clientservices@yorklab.com

Field Chain-of-Custody Record

NOTE: YORK's Standard Terms & Conditions are listed on the back side of this document. This document serves as your written authorization for YORK to proceed with the analyses requested below. Your signature binds you to YORK's Standard Terms & Conditions.

YORK Project No.

2340121

VOITE Information	Pond To.		Oval	Invoice To:	Invoice To: YOUR Project Number	Turn-Around Time
	Company:		Company:	- Boils	100000	RUSH - Next Day
Moreneco Bloc	Address:		Address:	×+ ×	0000150	RUSH - Two Day
				PayMeerpric, NY	YOUR Project Name	RUSH - Three Day
55	Phone.:		Phone.:		INS - Newborn (Novebusse	RUSH - Four Day
	Contact:		Contact: Accounts Payable	Parable.	,	Standard (5-7 Day)
E-mail: bheld a labellage com	E-mail: (r		E-mail: BO APPLE	p labellage,com	YOUR PO#: 3232 335	
Please print clearly and legibly. All information must be complete. Samples will not be logged in and the turn-around-time clock will not begin until any		Matrix Codes	Samples From	Report /	Report / EDD Type (circle selections)	YORK Reg. Comp.
questions by YORK are resolved. Fransch frelds		S - soil / solid GW - groundwater	New York New Jersey	Summary Report QA Report	CT RCP Standard Excel EDD CT RCP DQA/DUE EQuIS (Standard)	Compared to the following Regulation(s): (please fill in)
Samples Collected by: (parkyour name above and sign below)		DW - drinking water WW - wastewater O - Oil ; Other	Connecticut Pennsylvania Other	NY ASP A Package NY ASP B Package	NJDEP Reduced Deliverables NJDEP SRP HazSite NJDKQP Other:	
Sample Identification	Sam	Sample Matrix	Date/Time Sampled		Analysis Requested	Container Description
INS- IDW - WC-01		900	7/31/3301415	TEL VOCS, T	4 Webels	Hall 3+ 40 ml. 4 16.20
				5	EMS (537)	
Fred Blonk	9	Other	7/31/1326/435	PFAS (537)		1 x 250 4096
Comments:				Prese	Preservation: (check all that apply)	Special Instruction
				HCI MeOH HN Ascorbic Acid Other:	HNO3 K H2SO4 NaOH ZnAc	Field Filtered Lab to Filter
opies Relinquished by 1 Company Norwish Fields/ La Bella	Billog Billog Class	Samples Received by / Company	7. I.C.	Date/Time 8-2-23	Samples Relinquished by 1 Company Check York	Date: 2.23
ples Received by / Company	Date/Time Samples R	Samples Relinquished by / Company	pany	Date/Time	Samples Received by / Company	Date/Time
of 42	Date/Time Samples R	Samples Received by / Compar	A	Date/Time	Samples Received in LAB by DaterTime	Temp. Received at Lab
					-	Degrees C

NON-HAZARDOUS WASTE MANIFEST

ease	print or type (Form designed for use on eithe (12 pitch) typewriter)				
1	NON-HAZARDOUS WASTE MANIFEST 1. Generator's US EPA ID No.		Manifest Document No.	3-2053(a)	of /
ALC: NO	700 South ST. + Pierces TO Newburg	SOFICE		# 33600	59
	4. Generator's Phone (518) 824 - 1928	12550		1/1 0	
1	5. Transporter 1 Company Name 5VS TX 6. US EPA ID Number 1. OCT TODUSTRIAL CLOSUS NY NOOD 35 7. Transporter 2 Company Name US EPA ID Number 1. Transporter 2 Company Name	5168	A. State Transo B. Transporter 1		8 3950
1	7. Transporter 2 Comptany Name VCo in Es Technice / Solutions WJD 080671 9. Designated Facility Name and Site Address LLC 10. US EPA ID Number	317	C. State Transporter 2		
	Veolin ES Technical Solutions		E. State Facility's	s ID	
Y	MINDLESEY, NO 08846 NODOOZY	154544	F. Facility's Phor	32) 469	-5KC
	11. WASTE DESCRIPTION	12. Co No.		13. Total Quantity	14 Unit Wt./√ol.
A SECTION	DECON WATER) DON DOT BEGULARS	2	DM	500	P
GENER	ь				
A C	c .				
R	d.				
	G. Additional Descriptions for Materials Listed Above 1/9) WIP 1179024 MARCHASTER - N	H		In Page 1	
7 6 7 6	Lic. Plate # 24965NA (NY)				
	16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately de in proper condition for transport. The materials described on this manifest are not subject to lederal hazardous of the content of the	escribed and are in waste regulations.	all respects		Date
I	17 Transporter 1 Acknowledgement of Recorpt of Materials)/		Mooth	Duy Year 12 123 Date
はるというのは	18 Transporter 2 Acknowledgement of Receipt of Materials	1,1	<u>\</u>	Alcords /O	Day Year /2 23
EA	Printed Typed york - is Lewis Signature Ch	1		Apoin	72 55
FAC	19 Discrepancy Indication Space	. , . ,			
L	30 Facility Owner or Operator, Certification of receipt of the waste materials covered by this markest, except as no	oled in term 19.			Duta
Y	Printed/Typed Name Signature		•	Month	Day Year