



Division of Environmental Remediation
Inactive Hazardous Waste Site Operations and Maintenance Review Report

Form Date 96.10.01

Site Name: <u>Macbeth Kollmorgen</u>		Class: <u>4</u>	Number: <u>'336037</u>
O&M Funding Source: ☐ State Superfund ☐ Federal Superfund ☐ Municipal ☒ Responsible Party			
O&M information:		O&M Start: <u>3-95</u>	End: _____ Annual Cost: \$ ☐ Estimated
Interim Remedial Measures/Operable Units in O&M Phase:			
☐ Drum Removal ☒ Soil Removal ☐ Tank Removal ☐ Cap/Cover ☐ Containment Structure ☐ Fence/Security ☐ Groundwater Recovery/Treatment ☐ Leachate Collection/Treatment ☐ Vapor Extraction/Treatment ☐ Air Sparging/Stripper System ☐ Treatment/Filtration Plant/System ☒ Potable Water Supply/System ☐ Other: <u>Monitoring Wells</u>			
Institutional Controls: ☒ Deed Restriction ☐ Discharge Permit ☒ Department of Health Sampling ☐ Other: _____			
O&M Review Information:			
Reports: <u>Correspondence between NYSDEC and Macbeth Kollmorgen engineers/ reps</u>			
Inspection: <u>None</u>			
Sampling: <u>None</u>			
Other: _____			
Conclusions:			
Remedy Effective? ☐ Yes ☒ No: _____			
ROD Compliance? ☐ Yes ☒ No: <u>Unilaterally stopped testing of on-site monitoring wells</u>			
Consent Order Compliance? ☐ Yes ☒ No: _____			
Other: _____			
Recommendations:			
<u>Continue negotiations until:</u>			
<u>(a) Specific plan for monitoring of on-site MW's and homeowners wells</u>			
<u>(b) Develop O&M manual</u>			
<u>(c) Test all site wells before decommissioning</u>			
ROD/Consent Order Modifications? ☒ No ☐ Yes (per above) Reclassify the Site? ☒ No ☐ Yes → Class: _____			
Comments:			
<u>(a) It appears only one off-site well needs to be monitored at this point. Need to have NYSDOH check on this. Maybe one on-site well may have to include as well</u>			
Project Manager:		Reviewer:	
 Signature _____ Date <u>1-29-01</u> Name <u>Jim Schreyer</u> Region or Bureau <u>3</u> Telephone <u>545-256-3148</u>		 Signature _____ Date <u>2/8/01</u> Name <u>Ramanand</u> Region or Bureau <u>256-3148</u> Telephone <u>256-3148</u>	