

Table 1-5
Surface Water Screening Criteria
Consolidated Iron and Metal Superfund Site
Newburgh, New York

Contaminant	EPA Ambient Water Quality Criteria - Human Health - for Consumption of Organism Only (1,2)			EPA Ambient Water Quality Criteria - Aquatic Life - Chronic - Fresh water - CCC (1)			NY State Standards and Guidance Values for Class B Surface Water - Human (FC) (3)			NY State Standards and Guidance Values for Class B Surface Water - Aquatic Life(C) (3)			Lowest Surface Water Screening Criteria (3)		
	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G
VOCs															
1,1,1-Trichloroethane	NL			NL			NL			NL			NA		
1,1,2,2-Tetrachloroethane	4		G	NL			NL			NL			4		G
1,1,2-Trichloroethane	16		G	NL			NL			NL			16		G
1,1,2-Trichloro-1,2,2-trifluoroethane	NL			NL			NL			NL			NA		
1,1-Dichloroethane	NL			NL			NL			NL			NA		
1,1-Dichloroethene	3.2		G	NL			NL			NL			3.2		G
1,2,3-Trichlorobenzene	NL			NL			NL			5	D	S	5	D	S
1,2,4-Trichlorobenzene	NL			NL			NL			5	D	S	5	D	S
1,2-Dibromo-3-chloropropane	NL			NL			NL			NL			NA		
1,2-Dibromoethane	NL			NL			NL			NL			NA		
1,2-Dichlorobenzene	NL			NL			NL			5	I	S	5	I	S
1,2-Dichloroethane	37		G	NL			NL			NL			37		G
1,2-Dichloropropane	15		G	NL			NL			NL			15		G
1,3-Dichlorobenzene	NL			NL			NL			5	I	S	5	I	S
1,4-Dichlorobenzene	NL			NL			NL			5	I	S	5	I	S
2-Butanone	NL			NL			NL			NL			NA		
2-Hexanone	NL			NL			NL			NL			NA		
4-Methyl-2-pentanone	NL			NL			NL			NL			NA		
Acetone	NL			NL			NL			NL			NA		
Benzene	51		G	NL			10		S	210		G	10		S
Bromochloromethane	NL			NL			NL			NL			NA		
Bromodichloromethane	NL			NL			NL			NL			NA		
Bromoform	140		G	NL			NL			NL			140		G
Bromomethane	NL			NL			NL			NL			NA		
Carbon Disulfide	NL			NL			NL			NL			NA		
Carbon Tetrachloride	1.6		G	NL			NL			NL			1.6		G
Chlorobenzene	21,000		G	NL			400		S	5		S	5		S
Chloroethane	NL			NL			NL			NL			NA		
Chloroform	470		G	NL			NL			NL			470		G
Chloromethane	NL			NL			NL			NL			NA		
cis-1,2-Dichloroethene	NL			NL			NL			NL			NA		
cis-1,3-Dichloropropene	1,700		G	NL			NL			NL			1700		G
Cyclohexane	NL			NL			NL			NL			NA		
Dibromochloromethane	17		G	NL			NL			NL			17		G
Dichlorodifluoromethane	NL			NL			NL			NL			NA		
Ethylbenzene	29,000		G	NL			NL			17		G	17		G
Isopropylbenzene	NL			NL			NL			2.6		G	2.6		G
Methyl Acetate	NL			NL			NL			NL			NA		
Methyl Tert-Butyl Ether	NL			NL			NL			NL			NA		
Methylcyclohexane	NL			NL			NL			NL			NA		
Methylene Chloride	590		G	NL			200		S	NL			200		S
Styrene	NL			NL			NL			NL			NA		
Tetrachloroethene	3.3		G	NL			1		G	NL			1		G
Toluene	200,000		G	NL			6,000		S	100		G	100		G
trans-1,2-Dichloroethene	140,000		G	NL			NL			NL			140000		G
trans-1,3-Dichloropropene	NL			NL			NL			NL			NA		
Trichloroethene	30		G	NL			40		S	NL			30		G
Trichlorofluoromethane	NL			NL			NL			NL			NA		
Vinyl Chloride	530		G	NL			NL			NL			530		G
Xylenes (total)	NL			NL			NL			65		G	65		G
SVOCs															
1,1'-Biphenyl	NL			NL			NL			NL			NA		
1,2,4,5-Tetrachlorobenzene	NL			NL			NL			NL			NA		
2,2'-oxybis(1-Chloropropane)	NL			NL			NL			NL			NA		
2,4,5-Trichlorophenol	NL			NL			NL			NL			NA		
2,4,6-Trichlorophenol	NL			NL			NL			NL			NA		
2,4-Dichlorophenol	NL			NL			NL			NL			NA		
2,4-Dimethylphenol	NL			NL			1,000		S	NL			1000		S

Table 1-5
Surface Water Screening Criteria
Consolidated Iron and Metal Superfund Site
Newburgh, New York

Contaminant	EPA Ambient Water Quality Criteria - Human Health - for Consumption of Organism Only (1,2)			EPA Ambient Water Quality Criteria - Aquatic Life - Chronic - Fresh water - CCC (1)			NY State Standards and Guidance Values for Class B Surface Water - Human (FC) (3)			NY State Standards and Guidance Values for Class B Surface Water - Aquatic Life(C) (3)			Lowest Surface Water Screening Criteria (3)		
	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G
2,4-Dinitrophenol	NL			NL			400		S	NL			400		S
2,4-Dinitrotoluene	3.4		G	NL			NL			NL			3.4		G
2,6-Dinitrotoluene	NL			NL			NL			NL			NA		
2-Chloronaphthalene	1,600		G	NL			NL			NL			1600		G
2-Chlorophenol	NL			NL			NL			NL			NA		
2-Methylnaphthalene	NL			NL			4.7		G	NL			4.7		G
2-Methylphenol	NL			NL			NL			NL			NA		
2-Nitroaniline	NL			NL			NL			NL			NA		
2-Nitrophenol	NL			NL			NL			NL			NA		
3,3'-Dichlorobenzidine	0.028		G	NL			NL			NL			0.028		G
3-Nitroaniline	NL			NL			NL			NL			NA		
4,6-Dinitro-2-methylphenol	NL			NL			NL			NL			NA		
4-Bromophenyl-phenylether	NL			NL			NL			NL			NA		
4-Chloro-3-methylphenol	NL			NL			NL			NL			NA		
4-Chloroaniline	NL			NL			NL			NL			NA		
4-Chlorophenyl-phenylether	NL			NL			NL			NL			NA		
4-Methylphenol	NL			NL			NL			NL			NA		
4-Nitroaniline	NL			NL			NL			NL			NA		
4-Nitrophenol	NL			NL			NL			NL			NA		
Acenaphthene	990		G	NL			NL			5.3		G	5.3		G
Acenaphthylene	NL			NL			NL			NL			NA		
Acetophenone	NL			NL			NL			NL			NA		
Anthracene	40,000		G	NL			NL			3.8		G	3.8		G
Atrazine	NL			NL			NL			NL			NA		
Benzaldehyde	NL			NL			NL			NL			NA		
Benzo(a)anthracene	0.018		G	NL			NL			0.03		G	0.018		G
Benzo(a)pyrene	0.018		G	NL			0.0012		G	NL			0.0012		G
Benzo(b)fluoranthene	0.018		G	NL			NL			NL			0.018		G
Benzo(g,h,i)perylene	NL			NL			NL			NL			NA		
Benzo(k)fluoranthene	0.018		G	NL			NL			NL			0.018		G
bis(2-Chloroethoxy)methane	NL			NL			NL			NL			NA		
bis(2-Chloroethyl)ether	0.53		G	NL			NL			NL			0.53		G
bis-(2-Ethylhexyl)phthalate	2.2		G	NL			NL			0.6		S	0.6		S
Butylbenzylphthalate	1900		G	NL			NL			NL			1900		G
Caprolactam	NL			NL			NL			NL			NA		
Carbazole	NL			NL			NL			NL			NA		
Chrysene	0.018		G	NL			NL			NL			0.018		G
Dibenz(a,h)anthracene	0.018		G	NL			NL			NL			0.018		G
Dibenzofuran	NL			NL			NL			NL			NA		
Diethylphthalate	44,000		G	NL			NL			NL			44000		G
Dimethylphthalate	1,100,000		G	NL			NL			NL			1100000		G
Di-n-butylphthalate	4,500		G	NL			NL			NL			4500		G
Di-n-octyl phthalate	NL			NL			NL			NL			NA		
Fluoranthene	140		G	NL			NL			NL			140		G
Fluorene	5,300		G	NL			NL			0.54		G	0.54		G
Hexachlorobenzene	0.00029		G	NL			0.00003		S	NL			0.00003		S
Hexachlorobutadiene	18		G	NL			0.01		S	1		S	0.01		S
Hexachlorocyclopentadiene	17,000		G	NL			NL			0.45		S	0.45		S
Hexachloroethane	3.3		G	NL			0.6		S	NL			0.6		S
Indeno(1,2,3-cd)pyrene	0.018		G	NL			NL			NL			0.018		G
Isophorone	960		G	NL			NL			NL			960		G
Naphthalene	NL			NL			NL			13		G	13		G
Nitrobenzene	690		G	NL			NL			NL			690		G
N-Nitroso-di-n-propylamine	3		G	NL			NL			NL			3		G
N-Nitrosodiphenylamine	0.51		G	NL			NL			NL			0.51		G
Pentachlorophenol	3		G	0.01	p	G	NL			0.01	P	S	0.00589294	P	S
P/PCBs															
Phenanthrene	NL			NL			NL			5		G	5		G
Phenol	1,700,000		G	NL			NL			NL			1700000		G

Table 1-5
Surface Water Screening Criteria
Consolidated Iron and Metal Superfund Site
Newburgh, New York

Contaminant	EPA Ambient Water Quality Criteria - Human Health - for Consumption of Organism Only (1,2)			EPA Ambient Water Quality Criteria - Aquatic Life - Chronic - Fresh water - CCC (1)			NY State Standards and Guidance Values for Class B Surface Water - Human (FC) (3)			NY State Standards and Guidance Values for Class B Surface Water - Aquatic Life(C) (3)			Lowest Surface Water Screening Criteria (3)		
	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G
Pyrene	4,000		G	NL			NL			4.6		G	4.6		G
4,4'-DDD	0.00031		G	NL			0.00008		S	NL			0.00008		S
4,4'-DDE	0.00022		G	NL			0.000007		S	NL			0.000007		S
4,4'-DDT	0.00022		G	0.001		G	0.00001		S	NL			0.00001		S
Aldrin	0.00005		G	NL			0.001	A	S	NL			0.00005		G
alpha-BHC	0.0049		G	NL			0.002		S	NL			0.002		S
alpha-Chlordane	0.00081	F	G	0.0043	F	G	0.00002	F	S	NL			0.00002	F	S
Aroclor-1016	0.000064	C	G	0.014	C	G	NL			NL			0.000064	C	G
Aroclor-1221	0.000064	C	G	0.014	C	G	NL			NL			0.000064	C	G
Aroclor-1232	0.000064	C	G	0.014	C	G	NL			NL			0.000064	C	G
Aroclor-1242	0.000064	C	G	0.014	C	G	NL			NL			0.000064	C	G
Aroclor-1248	0.000064	C	G	0.014	C	G	NL			NL			0.000064	C	G
Aroclor-1254	0.000064	C	G	0.014	C	G	NL			NL			0.000064	C	G
Aroclor-1260	0.000064	C	G	0.014	C	G	NL			NL			0.000064	C	G
beta-BHC	0.017		G	NL			0.007		S	NL			0.007		S
delta-BHC	NL			NL			0.008		S	NL			0.008		S
Dieldrin	0.000054		G	0.056		G	0.0000006		S	0.056		S	0.0000006		S
Endosulfan I	89		G	0.056		G	NL			NL			0.056		G
Endosulfan II	89		G	0.056		G	NL			NL			0.056		G
Endosulfan sulfate	89		G	NL			NL			NL			89		G
Endrin	0.81		G	0.036		G	0.002		S	0.036		S	0.002		S
Endrin aldehyde	0.3		G	NL			NL			NL			0.3		G
Endrin ketone	NL			NL			NL			NL			NA		
gamma-BHC (Lindane)	0.063		G	NL			0.008		S	NL			0.008		S
gamma-Chlordane	0.00081	F	G	0.0043	F	G	0.00002	F	S	NL			0.00002	F	S
Heptachlor	0.000079		G	0.0038		G	0.0002		S	NL			0.000079		G
Heptachlor epoxide	0.000039		G	0.0038		G	0.0003		S	NL			0.000039		G
Methoxychlor	NL			0.03		G	NL			0.03		S	0.03		S
Toxaphene	0.00028		G	0.0002		G	0.000006		S	0.005		S	0.000006		S
Inorganics															
Aluminum	NL			87		G	NL			100		S	87		G
Arsenic	0.14		G	150		G	NL			150		S	0.14		G
Barium	NL			NL			NL			NL			NA		
Beryllium	NL			NL			NL			11	B	S	11	B	S
Cadmium	NL			2.5	H,K	G	NL			2.4	H	S	2.4	H	S
Calcium	NL			NL			NL			NL			NA		
Chromium	NL			84.9	H,K	G	NL			84.9	H	S	84.9	H	S
Chromium (hexavalent)	NL			10.6	K	G	NL			11		S	10.6	K	G
Cobalt	NL			NL			NL			5		S	5		S
Copper	NL			10.3	H,K	G	NL			10.3	H	S	10.3	H	S
Cyanide	220,000		G	5.2		G	9,000		S	5.2		S	5.2		S
Iron	NL			1,000		G	NL			300		S	300		S
Lead	NL			3.0	H,K	G	NL			4.5	H	S	3.0	H,K	G
Magnesium	NL			NL			NL			NL			NA		
Manganese	100		G	NL			NL			300			100		G
Mercury	NL			0.655		G	0.0007		S	0.77		S	0.0007		S
Nickel	4,600		G	59.8	H,K	G	NL			59.8	H	S	59.8	H	S
Potassium	NL			NL			NL			NL			NA		
Selenium	4,200		G	5		G	NL			4.6		S	4.6		S
Silver	NL			NL			NL			0.1		S	0.1		S
Sodium	NL			NL			NL			NL			NA		
Thallium	6.3		G	NL			NL			8		S	6.3		G
Vanadium	NL			NL			NL			14		S	14		S
Zinc	26,000		G	135.9	H,K	G	NL			95.1	H	S	95.1	H	S

Notes:

Site-specific screening criteria was approved by EPA during the March 18, 2005 conference call. Please see Section 4.1.1 for a discussion of the screening criteria selection process.

All VOC, SVOC, P/PCB and Inorganic values are in micrograms per liter (ug/L)

Table 1-5
Surface Water Screening Criteria
Consolidated Iron and Metal Superfund Site
Newburgh, New York

Contaminant	EPA Ambient Water Quality Criteria - Human Health - for Consumption of Organism Only (1,2)			EPA Ambient Water Quality Criteria - Aquatic Life - Chronic - Fresh water - CCC (1)			NY State Standards and Guidance Values for Class B Surface Water - Human (FC) (3)			NY State Standards and Guidance Values for Class B Surface Water - Aquatic Life(C) (3)			Lowest Surface Water Screening Criteria (3)		
	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G	Value	Note	S/G

CCC = Criterion Continuous Concentration

FC = food chain

NA = not available

NL = chemical name not listed or screening value of this type not listed for the chemical

ND = non-detect value

SSSWSC = site-specific surface water screening criteria

- (1) Source: EPA. November 2002. National Recommended Water Quality Criteria: 2002. EPA 822-R-02-047. November.
- (2) The Hudson River is a Class B fresh surface water. NY state regulations (6 NYCRR Part 701) define the best usage of class B waters as: primary and secondary contact recreation and fishing; suitable for fish propagation and survival. Class B waters are not used as a source of water supply for drinking, therefore the water quality criteria for ingestion of "organism only" apply.
- (3) Source: NYSDEC. June 1998. TOGS 1.1.1. Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. Includes April 2000 Addendum values. H(FC) is for human (fish consumption) and A(C) is for aquatic life (chronic).
- (4) Screening criteria is the lowest of listed EPA and NYSDEC screening values.
- (5) The site-specific background value for surface water is the lower of the calculated 95% UCL and the maximum detected sample result, as shown on Table 4-9. Back provided for comparison purposes only.

A - Value applies to the sum of Aldrin and Dieldrin

B - 11 ug/L when the hardness is less than or equal to 75 ppm; 1,100 ug/L when hardness is greater than 75 ppm

C - Value applies to the sum of the PCB compounds

D - Value applies to the sum of 1,2,3-, 1,2,4- and 1,3,5-trichlorobenzene

F - Value applies to the sum of alpha- and gamma-Chlordane

G - Guidance Value

I - Value applies to the sum of 1,2-, 1,3-, and 1,4-dichlorobenzene

J - Value applies to the sum of cis- and trans-1,3-dichloropropene

K - Value applies to the dissolved form of the metal (not Total)

p - pH-dependent : pH value used is mean of 14 surface water samples

S - Standard

p - pH-dependent

Surface water (CCC)

8.12 : pH assumed, based on site average pH in surface water (pH range: 7.715 to 8.23)

H - Hardness-dependent : Hardness (mg/L) value used for calculations is mean value of 21 samples

118 (range: 100 to 140 mg/L)

Cadmium (ness)-2.715)

Chromium (ness)+0.6848)

Copper (ness)-1.702)

Lead (ness)-4.297)

Nickel (ness)+0.0584)

Pentachlorophenol (ness)+0.5)

Zinc (ness)+5*(pH)-5.134)

Calculations for Aquatic Life, Chronic, Fresh water (CCC)

Cadmium (ness)-2.715)

Chromium (ness)+0.6848)

Copper (ness)-1.702)

Lead (ness)-4.705)

Nickel (ness)+0.0584)

Zinc (ness)+0.884)

Table 1-5
Surface Water Screening Criteria
Consolidated Iron and Metal Superfund Site
Newburgh, New York

[illegible]

Table 1-5
Surface Water Screening Criteria
Consolidated Iron and Metal Superfund Site
Newburgh, New York

CRQLs for Analytical Method (4)	Site-Specific Background Value	Site-Specific Surface Water Screening Criteria (SSWSC) (4)	Site-Specific Background Value - Surface Water (5)
Value	Value	Value	Value
#REF!	NL	#REF!	ND
#REF!	NL	3.4	ND
#REF!	NL	NA	ND
#REF!	NL	#REF!	ND
#REF!	NL	NA	ND
#REF!	NL	4.7	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	0.028	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	#REF!	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	3.8	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	0.018	ND
#REF!	NL	0.018	ND
#REF!	NL	0.018	ND
#REF!	NL	NA	ND
#REF!	NL	0.018	ND
#REF!	NL	NA	ND
#REF!	NL	0.53	ND
#REF!	NL	0.6	1
#REF!	NL	#REF!	ND
#REF!	NL	NA	ND
#REF!	NL	NA	ND
#REF!	NL	0.018	ND
#REF!	NL	0.018	ND
#REF!	NL	NA	ND
#REF!	NL	#REF!	ND
#REF!	NL	#REF!	ND
#REF!	NL	#REF!	ND
#REF!	NL	NA	ND
#REF!	NL	#REF!	ND
#REF!	NL	0.54	ND
#REF!	NL	0.00003	ND
#REF!	NL	0.01	ND
#REF!	NL	0.45	ND
#REF!	NL	0.6	ND
#REF!	NL	0.018	ND
#REF!	NL	#REF!	ND
#REF!	NL	#REF!	ND
#REF!	NL	#REF!	ND
#REF!	NL	3	ND
#REF!	NL	0.51	ND
#REF!	NL	0.01	ND
#REF!	NL	#REF!	ND
#REF!	NL	#REF!	ND

Table 1-5
Surface Water Screening Criteria
Consolidated Iron and Metal Superfund Site
Newburgh, New York

CRQLs for Analytical Method (4)	Site-Specific Background Value	Site-Specific Surface Water Screening Criteria (SSWSC) (4)	Site-Specific Background Value - Surface Water (5)
Value	Value	Value	Value
#REF!	NL	4.6	ND
#REF!	NL	0.00008	ND
#REF!	NL	0.000007	ND
#REF!	NL	0.00001	ND
#REF!	NL	0.00005	ND
#REF!	NL	0.002	ND
#REF!	NL	0.00002	ND
#REF!	NL	0.000064	ND
#REF!	NL	0.000064	ND
#REF!	NL	0.000064	ND
#REF!	NL	0.000064	ND
#REF!	NL	0.000064	ND
#REF!	NL	0.000064	ND
#REF!	NL	0.000064	ND
#REF!	NL	0.007	ND
#REF!	NL	0.008	ND
#REF!	NL	0.0000006	ND
#REF!	NL	0.056	ND
#REF!	NL	0.056	ND
#REF!	NL	89	ND
#REF!	NL	0.002	ND
#REF!	NL	0.3	ND
#REF!	NL	NA	ND
#REF!	NL	0.008	ND
#REF!	NL	0.00002	ND
#REF!	NL	0.000079	ND
#REF!	NL	0.000039	ND
#REF!	NL	0.03	ND
#REF!	NL	0.000006	ND
#REF!	NL	87	356.5
#REF!	NL	0.14	ND
#REF!	NL	NA	ND
#REF!	NL	11	ND
#REF!	NL	2.4	ND
#REF!	NL	NA	28,300.0
#REF!	NL	84.9	ND
#REF!	NL	10.6	ND
#REF!	NL	5	ND
#REF!	NL	10.3	ND
#REF!	NL	5.2	6.6
#REF!	NL	300	412.1
#REF!	NL	3	8.3
#REF!	NL	NA	5,461.6
#REF!	NL	100	42.5
#REF!	NL	0.0007	ND
#REF!	NL	59.8	ND
#REF!	NL	NA	ND
#REF!	NL	4.6	ND
#REF!	NL	0.1	ND
#REF!	NL	NA	650000.0
#REF!	NL	6.3	ND
#REF!	NL	14	ND
#REF!	NL	95.1	ND

Table 1-5
Surface Water Screening Criteria
Consolidated Iron and Metal Superfund Site
Newburgh, New York

CRQLs for Analytical Method (4)	Site-Specific Backgro und Value	Site-Specific Surface Water Screening Criteria (SSWSC) (4)	Site-Specific Background Value - Surface Water (5)
Value	Value	Value	Value

ground values are