



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

November 13, 2009

Carl Hoffman
NYS DEC
625 Broadway
Albany, NY 12233-7014

TEL: (518) 402-9813
FAX: (518) 402-9819

Work Order No: 091030023

PO#: C200302

Site# / Call Out# 340013 / 118512

RE: Mahopac Business District Wells
Rts 6 & 6N Carmel, Putnam Co

Dear Carl Hoffman:

Adirondack Environmental Services, Inc received 9 samples on 10/30/2009 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-2S
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-001
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Static Water Level	3.78			ft		10/29/2009
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5	S	µg/L	1	11/11/2009 12:39:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,1-Dichloroethene	< 0.5	0.5	S	µg/L	1	11/11/2009 12:39:00 PM
1,1-Dichloropropene	< 0.5	0.5	S	µg/L	1	11/11/2009 12:39:00 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,2,3-Trichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Bromobenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Bromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2009 12:39:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-2S
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-001
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
cis-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Dibromomethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	11/11/2009 12:39:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Naphthalene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM
Trichlorofluoromethane	< 0.5	0.5	S	µg/L	1	11/11/2009 12:39:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/11/2009 12:39:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-2I
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-002
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Static Water Level	4.26			ft		10/29/2009
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5	S	µg/L	1	11/11/2009 4:37:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,1-Dichloroethene	< 0.5	0.5	S	µg/L	1	11/11/2009 4:37:00 PM
1,1-Dichloropropene	< 0.5	0.5	S	µg/L	1	11/11/2009 4:37:00 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,2,3-Trichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Bromobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Bromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2009 4:37:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-2I
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-002
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
cis-1,2-Dichloroethene	2.8	0.5		µg/L	1	11/11/2009 4:37:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Dibromomethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Methyl tert-butyl ether	3.0	2.0		µg/L	1	11/11/2009 4:37:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Naphthalene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Tetrachloroethene	2.0	0.5		µg/L	1	11/11/2009 4:37:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM
Trichlorofluoromethane	< 0.5	0.5	S	µg/L	1	11/11/2009 4:37:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/11/2009 4:37:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-2D
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-003
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Static Water Level	5.50			ft		10/29/2009
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5	S	µg/L	1	11/11/2009 1:43:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,1-Dichloroethene	< 0.5	0.5	S	µg/L	1	11/11/2009 1:43:00 PM
1,1-Dichloropropene	< 0.5	0.5	S	µg/L	1	11/11/2009 1:43:00 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,2,3-Trichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Bromobenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Bromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2009 1:43:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-2D
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-003
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
cis-1,2-Dichloroethene	1.9	0.5		µg/L	1	11/11/2009 1:43:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Dibromomethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	11/11/2009 1:43:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Naphthalene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Tetrachloroethene	0.8	0.5		µg/L	1	11/11/2009 1:43:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM
Trichlorofluoromethane	< 0.5	0.5	S	µg/L	1	11/11/2009 1:43:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/11/2009 1:43:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-3I
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-004
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Static Water Level	3.61			ft		10/29/2009
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5	S	µg/L	1	11/11/2009 2:08:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,1-Dichloroethene	< 0.5	0.5	S	µg/L	1	11/11/2009 2:08:00 PM
1,1-Dichloropropene	< 0.5	0.5	S	µg/L	1	11/11/2009 2:08:00 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,2,3-Trichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Bromobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Bromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2009 2:08:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-3I
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-004
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
cis-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Dibromomethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	11/11/2009 2:08:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Naphthalene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM
Trichlorofluoromethane	< 0.5	0.5	S	µg/L	1	11/11/2009 2:08:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/11/2009 2:08:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-4S
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-005
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Static Water Level	9.94			ft		10/29/2009
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5	S	µg/L	1	11/11/2009 2:33:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,1-Dichloroethene	< 0.5	0.5	S	µg/L	1	11/11/2009 2:33:00 PM
1,1-Dichloropropene	< 0.5	0.5	S	µg/L	1	11/11/2009 2:33:00 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,2,3-Trichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Bromobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Bromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2009 2:33:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-4S
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-005
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
cis-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Dibromomethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	11/11/2009 2:33:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Naphthalene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM
Trichlorofluoromethane	< 0.5	0.5	S	µg/L	1	11/11/2009 2:33:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/11/2009 2:33:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT:	NYS DEC	Client Sample ID:	MW-6S
Work Order:	091030023	Collection Date:	10/29/2009
Reference:	Mahopac Business District Wells / Rts 6 & 6N C	Lab Sample ID:	091030023-006
PO#:	C200302	Matrix:	GROUNDWATER
Site# / Call Out# 340013 / 118512			

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD

Static Water Level	2.80			ft		10/29/2009
--------------------	------	--	--	----	--	------------

PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
---	--	--	--	--	--	-------------

1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5	S	µg/L	1	11/11/2009 2:59:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,1-Dichloroethene	< 0.5	0.5	S	µg/L	1	11/11/2009 2:59:00 PM
1,1-Dichloropropene	< 0.5	0.5	S	µg/L	1	11/11/2009 2:59:00 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,2,3-Trichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Bromobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Bromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2009 2:59:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT:	NYS DEC	Client Sample ID:	MW-6S
Work Order:	091030023	Collection Date:	10/29/2009
Reference:	Mahopac Business District Wells / Rts 6 & 6N C	Lab Sample ID:	091030023-006
PO#:	C200302	Matrix:	GROUNDWATER
Site# / Call Out# 340013 / 118512			

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
cis-1,2-Dichloroethene	3.0	0.5		µg/L	1	11/11/2009 2:59:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Dibromomethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	11/11/2009 2:59:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Naphthalene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Tetrachloroethene	4.3	0.5		µg/L	1	11/11/2009 2:59:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM
Trichloroethene	0.6	0.5		µg/L	1	11/11/2009 2:59:00 PM
Trichlorofluoromethane	< 0.5	0.5	S	µg/L	1	11/11/2009 2:59:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/11/2009 2:59:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** MW-6I
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-007
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Static Water Level	2.48			ft		10/29/2009
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5	S	µg/L	1	11/11/2009 3:23:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,1-Dichloroethene	< 0.5	0.5	S	µg/L	1	11/11/2009 3:23:00 PM
1,1-Dichloropropene	< 0.5	0.5	S	µg/L	1	11/11/2009 3:23:00 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,2,3-Trichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Bromobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Bromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2009 3:23:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT:	NYS DEC	Client Sample ID:	MW-6I
Work Order:	091030023	Collection Date:	10/29/2009
Reference:	Mahopac Business District Wells / Rts 6 & 6N C	Lab Sample ID:	091030023-007
PO#:	C200302	Matrix:	GROUNDWATER
Site# / Call Out# 340013 / 118512			

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
cis-1,2-Dichloroethene	0.9	0.5		µg/L	1	11/11/2009 3:23:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Dibromomethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	11/11/2009 3:23:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Naphthalene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Tetrachloroethene	0.8	0.5		µg/L	1	11/11/2009 3:23:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM
Trichlorofluoromethane	< 0.5	0.5	S	µg/L	1	11/11/2009 3:23:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/11/2009 3:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** GS-5
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-008
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Static Water Level	1.80			ft		10/29/2009
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5	S	µg/L	1	11/11/2009 3:48:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,1-Dichloroethene	< 0.5	0.5	S	µg/L	1	11/11/2009 3:48:00 PM
1,1-Dichloropropene	< 0.5	0.5	S	µg/L	1	11/11/2009 3:48:00 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,2,3-Trichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Bromobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Bromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2009 3:48:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** GS-5
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-008
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
cis-1,2-Dichloroethene	2.4	0.5		µg/L	1	11/11/2009 3:48:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Dibromomethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Methyl tert-butyl ether	4.6	2.0		µg/L	1	11/11/2009 3:48:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Naphthalene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM
Trichlorofluoromethane	< 0.5	0.5	S	µg/L	1	11/11/2009 3:48:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/11/2009 3:48:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** GS-6
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-009
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Static Water Level	1.60			ft		10/29/2009
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5	S	µg/L	1	11/11/2009 4:12:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,1-Dichloroethene	< 0.5	0.5	S	µg/L	1	11/11/2009 4:12:00 PM
1,1-Dichloropropene	< 0.5	0.5	S	µg/L	1	11/11/2009 4:12:00 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,2,3-Trichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Bromobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Bromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2009 4:12:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Nov-09

CLIENT: NYS DEC **Client Sample ID:** GS-6
Work Order: 091030023 **Collection Date:** 10/29/2009
Reference: Mahopac Business District Wells / Rts 6 & 6N C **Lab Sample ID:** 091030023-009
PO#: C200302 **Matrix:** GROUNDWATER
Site# / Call Out# 340013 / 118512

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS E524.2						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
cis-1,2-Dichloroethene	1.2	0.5		µg/L	1	11/11/2009 4:12:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Dibromomethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	11/11/2009 4:12:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Naphthalene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM
Trichlorofluoromethane	< 0.5	0.5	S	µg/L	1	11/11/2009 4:12:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/11/2009 4:12:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

AES Work Order #

091030023

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>NYSDC Central Office</i>		Address:						
Send Report To: <i>Carl Hoffman</i>		Project Name (Location): <i>Malheur Business District</i>			Samplers (Names): <i>M. Wilsey</i>			
Client Phone No:		Client Fax No:		PO Number:		Samplers (Signature): <i>[Signature]</i>		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix	Comp	Grab	Number of Cont's	Analysis Required
001	MW-2S	10/29/09	1150	A P GW		X	2	EPA 524 TEL + SWL
002	MW-2I	10/29/09	1205	A P GW		X	2	
003	MW-2D	10/29/09	137	A P GW		X	2	
004	MW-3I	10/29/09	1115	A P GW		X	2	
005	MW-4S	10/29/09	250	A P GW		X	2	
006	MW-6S	10/29/09	200	A P GW		X	2	
007	MW-6I	10/29/09	215	A P GW		X	2	
008	GS-5	10/29/09	235	A P GW		X	2	
009	GS-6	10/29/09	240	A P GW		X	2	
	Trip Blank Lot #208	10/29/09	-	A P WA		-	1	EPA 524 TEL
				A P				
				A P				
				A P				
				A P				
				A P				

Shipment Arrived Via: FedEx ☐ UPS ☒ Client ☒ AES Other: _____		CC Report To / Special Instructions/Remarks: <i>Site # 340013</i> <i>Callout ID 118512</i>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day			
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	
Relinquished by: (Signature)		Received for Laboratory by: <i>[Signature]</i>	
Date/Time		Date/Time <i>10/30/09 11:51 AM</i>	
TEMPERATURE Ambient or ☒ Chilled Notes: <i>4°C</i>		PROPERLY PRESERVED ☒ Y ☐ N Notes: _____	
RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N Notes: _____			

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.