



Elliott N. Duffney
Program Manager, Environmental Engineering

June 26, 2009

Mr. James Candiloro
NYS Department of Environmental Conservation
625 Broadway
Albany, New York 12233

Re: Update of Rebound Event
Former Xerox - Blauvelt, NY Facility
Site No.3-44-021

Dear Mr. Candiloro:

Attached is the third quarterly rebound update, prepared by Haley and Aldrich, for the April 2009 groundwater monitoring event during rebound conditions at the former Xerox - Blauvelt facility. The April sampling event showed continued increases in VOC concentrations in a few site monitoring wells are being observed as a result of the rebound event. Most notable of the wells impacted by the rebound event appear to be intermediate zone wells in the immediate area of the residual source area. Allowing for seasonal fluctuations, we believe the static groundwater levels are now at equilibrium conditions. These conditions are what could be expected for the site.

In a letter dated April 28, 2009, NYSDEC determined that the increases in VOC concentrations in the intermediate zone monitoring wells we were tracking were sufficient enough for to require the restart of the site groundwater recovery and treatment systems. Xerox took prompt action to initiate the restart of the groundwater recovery and treatment systems. However, due to issues with site utilities and the control equipment of the groundwater treatment plant, significant repairs were necessary to return these systems to operation. These required replacement parts have been received and the necessary repairs have been completed to resume full operation of the groundwater recovery and treatment systems on June 23, 2009.

Xerox will continue to monitor both future groundwater analytical results and the influent concentrations to the groundwater treatment plant to complete the assessment of the overall impacts of this rebound event. While source area migration control may currently be required and prudent for the site, we anticipate that the net remedial benefit of operating this remedial measure will again quickly become minimal. In that light, Xerox will likely evaluate alternatives, enhancements or adjustments to the current system to see what may be the best future course of action for the site. No changes will be made to the site remedial program without NYSDEC concurrence.


Xerox Corporation
800 Phillips Road - Bldg205-99F
Webster, New York 14580
Telephone 585.422.5825
Facsimile 585.422.7734

XEROX®

As with the past reports, analytical results are being attached to all copies of this submittal, but the supporting laboratory QA/QC documentation is being provided only with the original submittal. If the QA/QC data is desired, it will be provided on an as requested basis.

If there are any questions regarding this assessment report or comments regarding the report format, please call me at (585) 422-5825.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Elliott Duffney', with a long, sweeping horizontal stroke extending to the right.

Elliott Duffney
Program Manager, Environmental Remediation

c: Catherine Quinn, RCDOH
Rebecca Mitchell, NYSDOH
Mike Ryan, NYSDEC

Haley & Aldrich of New York
200 Town Centre Drive
Suite 2
Rochester, NY 14623-4264

**HALEY &
ALDRICH**

Tel: 585.359.9000
Fax: 585.359.4650
HaleyAldrich.com

24 June 2009
File No. 32077-101

RECEIVED
JUL 05 2009
Haley & Aldrich
Division of Environmental Remediation

Mr. Elliott Duffney
Program Manager, Environmental Engineering
Xerox Corporation
800 Phillips Road, Building 205-99F
Webster, New York 14580

Subject: Blauvelt Groundwater Rebound Test - Update Report #3
Former Xerox CRC Facility
Blauvelt, New York

Dear Mr. Duffney:

As part of the NYSDEC-approved groundwater rebound event at the former Xerox CRC Facility located in Blauvelt, New York, Haley & Aldrich is pleased to present data from the third quarterly groundwater sampling event since the system was shutdown on 1 August 2008. The samples were collected on 22 and 23 April 2009 by Groundwater Investigations Inc. and analyzed by Columbia Analytical Services under the direction of Xerox.

Table 1 presents the groundwater analytical data for the quarterly groundwater rebound and historical sampling events for the site. Table 2 presents the current and historical depth to water levels recorded in the groundwater monitoring wells. Figure 1 shows the location of the monitoring wells.

We suspect that groundwater levels have reached an equilibrium state, with changes from last quarter most likely due to seasonal impacts. As expected, there has been some rebound of contaminant concentrations. Total volatile organic compound (VOC) concentrations in on-site wells PW-2, MW-12 and OW-2 have increased compared to the previous quarter. Total VOC concentrations in wells PW-2, MW-12, MW-13 and OW-2 have followed a generally increasing trend since the start of the rebound event. In the off-site wells, total VOC concentrations have increased in wells OS-2R and OS-5R compared to the previous quarter. Total VOC concentrations in these two wells have steadily increased since the start of the rebound event.

In a letter dated 28 April 2009, NYSDEC requested that the treatment system be restarted to prevent the continued increase of VOCs in off-site wells. On 18 May 2009, an attempt was made to restart the groundwater treatment plant (GTP) and the groundwater recovery system. However a damaged transformer that supplies electrical power to the system and a subsequent failure of the GTP control system delayed the system restart. The control board for the GTP control system has been replaced and the operation of the GTP and recovery systems was restarted on 23 June 2009. We understand that Xerox has been in communication with Mr. James Candiloro of NYSDEC regarding the status of the groundwater treatment system operations and repairs, and has advised NYSDEC that the system was returned to service.


With the request from NYSDEC and the restart of the GTP and groundwater recovery system, the groundwater rebound event has effectively ended and future planned quarterly groundwater sampling and reporting is no longer required. Semi-annual groundwater sampling will continue under the current site sampling and analysis plan. The next semi-annual sampling event is scheduled for July 2009. Given the proximity of this sampling event to the end of the rebound event and restart of the groundwater recovery operations, any observances relating to the last quarter of the rebound event will be discussed in the next semi annual report following receipt of the analytical data.

We appreciate the opportunity to be involved in this project. Please feel free to contact us if you have any questions.

Sincerely yours,
HALEY & ALDRICH OF NEW YORK



Janice R. Szucs
Staff Engineer



Paul M. Tornatore, P.E.
Vice President

Attachments:

- Table 1 – Summary of Groundwater Analytical Data
- Table 2 – Summary of Depth to Water Levels
- Figure 1 – Monitoring Well Locations
- Appendix A – Columbia Analytical Services Analytical Data Reports

G:\Projects\32077\101_2009_Blv_GW_Rebound\Deliverables\Rebound Update 3\2009-0619-HANY-GWReboundUpdate3-F.doc

TABLE 1
SUMMARY OF GROUNDWATER ANALYTICAL DATA
TOTAL TARGET VOLATILE ORGANIC COMPOUNDS - METHOD 8021B
XEROX - BLAUVELT, NEW YORK

	1Q02	2Q02	3Q02	4Q02	1Q03	2Q03	3Q03	4Q03	1Q04	2Q04	3Q04	Jan-05	Sep-05	Feb-06	Jul-06	Feb-07	Aug-07	Jan-08	Jul-08	Oct-08	Jan-09	Apr-09
ON-SITE WELLS																						
W-2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	44.4	NS	NS	25.3	57	1.3	8.3	5.4	5.4	7.4	5.1	5.1
U-5D	ND	ND	ND	ND	ND	ND	1.3	1.6	ND	ND	ND	ND	4.7	1.7	1.6	ND	ND	ND	ND	ND	ND	ND
MW-12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1348	NS	NS	NS	NS	NS	759	2600	7490
MW-13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1556.4	2500	1854
PW-2	NS	NS	NS	NS	4020	4550	3900	NS	2960	3400	4167	3590	NS	2696	3310	2788	2660	2019	3409	3614	9700	12850
OW-1	ND	NS	1.1	NS	14.7	NS	9.7	NS	152.3	NS	1	100.5	355.3	59	41.3	30.7	17	155.2	112.8	71.9	670	134.3
OW-2	84.2	NS	61.9	NS	31.9	NS	17	NS	69.6	NS	73	65.9	74.3	169.3	240.1	224.8	106.8	100	318	879	560	1218
RI-6	5.5	NS	12	NS	ND	NS	ND	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
OFF-SITE WELLS																						
OS-2R	41.2	NS	38.6	NS	40.2	NS	29.4	NS	23.8	NS	27.6	22.5	25.6	42.3	22	23.2	15	23.3	17.4	54.7	98	148.6
OS-5R	49.1	NS	39.9	NS	3.4	NS	22.4	NS	18	NS	17.8	14.8	5.2	41.4	21.9	30	24.4	18.4	19.9	57.3	84	117
OS-5D	11.5	NS	9	NS	6.4	NS	22.7	NS	9.3	NS	6.8	16.2	6.5	25.4	13.2	14.5	11.4	10.4	8.1	17.8	8.1	5.6
OS-6	81.5	23.5	60.8	54.9	1.6	1.9	16.1	NS	19.1	3.7	21	2.1	30.7	5.8	15.1	20.1	21.3	22.2	21.9	19.3	12	13.6
OS-6R	242.8	187.8	166.8	174.1	222.9	160.9	193.5	NS	155.6	119.3	101.4	172.4	148.8	204.3	158.8	177.8	135.9	117.2	146.1	96.9	190	169.8
OS-7R	12	11.5	5.3	10.5	8.9	5.8	2.7	1.1	4.2	4.7	1.1	3.8	1.1	3.4	1.2	3.9	3.3	3.3	2.8	8.0	9.9	11.7
OS-7D	1.5	2	2	1.8	2.4	1.9	2.3	2.1	1.4	ND	ND	1.1	ND	1.3	1.3	1.2	ND	1.2	ND	ND	ND	ND
OS-9	18.1	NS	5.5	NS	3.4	NS	5.1	NS	1.5	NS	4.6	2	3.9	ND	ND	ND	ND	ND	ND	3.1	3.3	4.2
OS-9R	9	NS	8.3	NS	5.2	NS	6.7	NS	3.1	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.3	ND
OS-11R	72.4	87.1	73.1	ND	97.2	68	88.9	NS	45.8	49.5	49.4	55.8	NS	33	33.5	43.8	29.2	33.8	29.2	31.5	40	31.7
OS-11D	12.2	69.6	27.2	20.3	16.5	25.7	31.9	NS	21	12.4	11.2	43.8	28.5	78.8	51.9	20.2	23.1	16.6	18.4	17.3	13	27.7
OS-12R	11.5	NS	9.4	NS	6.2	NS	9	NS	9.9	NS	4.1	2.5	ND	3	5.7	2.9	3.8	4.6	1.0	ND	ND	ND
OS-15R	9.5	9.2	10.6	15.2	9.4	7.4	9.3	6.8	2.9	1.4	4.5	2.1	2.5	5.3	4.1	3.2	2.7	2.9	1.4	1.6	1.7	1.3
OS-15D	16.9	6.5	6.7	6.2	3.3	3.6	4.3	4	1.5	1.3	1.3	2.4	2	3.7	1.5	ND	ND	ND	ND	ND	1.1	ND

Notes:

1. Results are presented in ug/L
2. ND = Non-Detect
3. NS = Indicates not sampled
4. New SAP implemented 3Q04
5. Groundwater rebound event initiated 1 August 2008.

TABLE 2
SUMMARY OF DEPTH TO WATER LEVELS
XEROX - BLAUVELT, NEW YORK


	Jan-05	Sep-05	Feb-06	Jul-06	Feb-07	Aug-07	Jan-08	Jul-08	Oct-08	Jan-09	Apr-09
ON-SITE WELLS											
W-2	9.79	11.8	7.81	10.57	11.1	7.05	10.39	10.06	6.27	5.3	4.05
U-6D	4.67	8.77	6.26	5.67	6.66	6.76	6.67	6.66	6.82	5.22	5.45
MW-12	DRY	DRY	11.58	DRY	14.19 (DRY)	14.2 (DRY)	14.17 (DRY)	14.2 (DRY)	8.25	7.13	7.15
MW-13	DRY	DRY	BLOCKED	BLOCKED	BLOCKED	15.2 (DRY)	15.24 (DRY)	15.16 (DRY)	12.3	10.8	10.71
PW-2	15.68	DRY	13.18	17.2	17.68	18.3	19.35	18.48	10.11	8.88	8.76
OW-1	17.28	24.6	14.94	19.43	19.78	20.72	22.1	20.88	11.05	9.63	9.71
OW-2	15.15	22.02	12.55	17.07	17.42	18.29	19.81	18.6	9.61	8.38	8.43
RI-6	10.22	PAVED OVER	8.67	13.05	11.31	12.79	12.55	12.78	9.64	8	8.1
OFF-SITE WELLS											
OS-2R	14.18	22.54	14.29	17.26	19.94	18.74	17.51	18.5	16.49	15.34	15.17
OS-5R	8.38	14.49	7.05	12.88	13.14	12.29	11.8	11.43	10.22	8.91	8.86
OS-5D	11.62	17.82	11.87	18.21	15.4	17.26	14.95	16.85	14.6	16.91	14.23
OS-6	8.69	15.85	8.37	11.61	12.16	13.3	12.15	13.35	11.31	12.05	8.9
OS-6R	11.08	16.31	11.32	16.4	14.8	14.42	12.99	14.17	12.96	11.6	11.94
OS-7R	9.79	13	10.38	11.51	12.19	12.38	11.82	12.75	12.87	12.19	11.71
OS-7D	5.65	11.91	6.24	11.28	9.5	10.28	8.62	10.12	9.5	8.08	7.87
OS-9	2.28	4.28	2.5	3.26	3.66	3.76	3.46	4.06	4.18	3.76	3.37
OS-9R	3.42	3.97	2.99	4.89	3.5	5.42	4.9	4.82	13.76	13.26	15.57
OS-11R	19.4	24.41	19.52	21.89	22.15	23	22.35	22.89	24.73	21.16	21.02
OS-11D	18.09	23.5	18.9	20.7	20.74	22.02	20.77	21.93	20.8	19.58	19.52
OS-12R	10.25	9.92	10.08	9.23	9.02	9.19	9.30	9.28	9.81	11.94	9.37
OS-15R	14.52	16.64	14.7	15.3	15.21	15.71	15.51	16.6	16.87	16.18	16.12
OS-15D	11.47	13.14	11.5	11.8	12.1	12.24	12	12.76	12.92	12.35	12.08

Notes:

1. Results are presented in feet below ground surface.
2. Groundwater rebound event initiated 1 August 2008.



- LEGEND
- GROUNDWATER RECOVERY WELL R-3
 - ON-SITE SAP MONITORING WELL
 - OFF-SITE SAP MONITORING WELL
 - OFF-SITE MONITORING WELL (NOT PART OF SAP)



HALEY & ALDRICH

XEROX CORPORATION
BLAUVELT, NEW YORK
NYSDEC SITE NO. 3-044-021

MONITORING WELL LOCATIONS

SCALE: AS SHOWN
JUNE 2009

FIGURE 1

APPENDIX A

COLUMBIA ANALYTICAL SERVICES ANALYTICAL DATA REPORTS

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-2R
 Lab Code: R0901917-001

Service Request: R0901917
 Date Collected: 4/23/09 1200
 Date Received: 4/24/09
 Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Bromoform	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Bromomethane	2.0	U	2.0	1	NA	4/30/09 07:37		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Chloroethane	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Chloroform	3.1		1.0	1	NA	4/30/09 07:37		151777	
Chloromethane	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
1,1-Dichloroethane	1.5		1.0	1	NA	4/30/09 07:37		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
cis-1,2-Dichloroethene	110		1.0	1	NA	4/30/09 07:37		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Toluene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
1,1,1-Trichloroethane	3.8		1.0	1	NA	4/30/09 07:37		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Tetrachloroethene	24		1.0	1	NA	4/30/09 07:37		151777	
Trichloroethene	6.2		1.0	1	NA	4/30/09 07:37		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/30/09 07:37		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-2R
Lab Code: R0901917-001

Service Request: R0901917
Date Collected: 4/23/09 1200
Date Received: 4/24/09

Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/30/09 07:37		151777	
Total Target Volatiles (TTV)	148.6		1.0	1	NA	4/30/09 07:37		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	104	70-114	4/30/09 07:37		
1-Chloro-3-fluorobenzene	95	72-116	4/30/09 07:37		
3-Fluorochlorobenzene (PID)	101	77-113	4/30/09 07:37		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-5R
 Lab Code: R0901917-002

Service Request: R0901917
 Date Collected: 4/23/09 1225
 Date Received: 4/24/09
 Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Bromoform	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Bromomethane	2.0	U	2.0	1	NA	4/30/09 06:45		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Chloroethane	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Chloroform	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Chloromethane	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
1,1-Dichloroethane	1.9		1.0	1	NA	4/30/09 06:45		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
cis-1,2-Dichloroethene	88		1.0	1	NA	4/30/09 06:45		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Toluene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
1,1,1-Trichloroethane	4.2		1.0	1	NA	4/30/09 06:45		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Tetrachloroethene	18		1.0	1	NA	4/30/09 06:45		151777	
Trichloroethene	4.9		1.0	1	NA	4/30/09 06:45		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/30/09 06:45		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-5R
Lab Code: R0901917-002

Service Request: R0901917
Date Collected: 4/23/09 1225
Date Received: 4/24/09

Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/30/09 06:45		151777	
Total Target Volatiles (TTV)	117.0		1.0	1	NA	4/30/09 06:45		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	102	70-114	4/30/09 06:45		
1-Chloro-3-fluorobenzene	94	72-116	4/30/09 06:45		
3-Fluorochlorobenzene (PID)	103	77-113	4/30/09 06:45		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-5D
 Lab Code: R0901917-003

Service Request: R0901917
 Date Collected: 4/23/09 1315
 Date Received: 4/24/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Bromoform	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Bromomethane	2.0	U	2.0	1	NA	4/30/09 02:15		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Chloroethane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Chloroform	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Chloromethane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
cis-1,2-Dichloroethene	2.3		1.0	1	NA	4/30/09 02:15		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Toluene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Tetrachloroethene	2.2		1.0	1	NA	4/30/09 02:15		151777	
Trichloroethene	1.1		1.0	1	NA	4/30/09 02:15		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/30/09 02:15		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-5D
Lab Code: R0901917-003

Service Request: R0901917
Date Collected: 4/23/09 13:15
Date Received: 4/24/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/30/09 02:15		151777	
Total Target Volatiles (TTV)	5.6		1.0	1	NA	4/30/09 02:15		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	88	70-114	4/30/09 02:15		
1-Chloro-3-fluorobenzene	87	72-116	4/30/09 02:15		
3-Fluorochlorobenzene (PID)	94	77-113	4/30/09 02:15		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-6
 Lab Code: R0901917-004

Service Request: R0901917
 Date Collected: 4/23/09 1430
 Date Received: 4/24/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Bromoform	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Bromomethane	2.0	U	2.0	1	NA	4/30/09 04:04		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Chloroethane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Chloroform	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Chloromethane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
cis-1,2-Dichloroethene	6.2		1.0	1	NA	4/30/09 04:04		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Toluene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Tetrachloroethene	4.9		1.0	1	NA	4/30/09 04:04		151777	
Trichloroethene	2.5		1.0	1	NA	4/30/09 04:04		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/30/09 04:04		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-6
Lab Code: R0901917-004

Service Request: R0901917
Date Collected: 4/23/09 1430
Date Received: 4/24/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/30/09 04:04		151777	
Total Target Volatiles (TTV)	13.6		1.0	1	NA	4/30/09 04:04		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	92	70-114	4/30/09 04:04		
1-Chloro-3-fluorobenzene	91	72-116	4/30/09 04:04		
3-Fluorochlorobenzene (PID)	102	77-113	4/30/09 04:04		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water

Service Request: R0901917
 Date Collected: 4/23/09 1505
 Date Received: 4/24/09

Sample Name: OS-6R
 Lab Code: R0901917-005

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Bromodichloromethane	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Bromoform	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Bromomethane	2.0	U	2.0	1	NA	4/30/09 15:22		151948	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Chlorobenzene	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Chloroethane	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Chloroform	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Chloromethane	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Dibromochloromethane	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
1,1-Dichloroethane	1.8		1.0	1	NA	4/30/09 15:22		151948	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
1,1-Dichloroethene	9.2		1.0	1	NA	4/30/09 15:22		151948	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
cis-1,2-Dichloroethene	67		1.0	1	NA	4/30/09 15:22		151948	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Ethylbenzene	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Methylene Chloride	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Toluene	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
1,1,1-Trichloroethane	3.8		1.0	1	NA	4/30/09 15:22		151948	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Tetrachloroethene	47		1.0	1	NA	4/30/09 15:22		151948	
Trichloroethene	41		1.0	1	NA	4/30/09 15:22		151948	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Vinyl Chloride	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
m,p-Xylenes	2.0	U	2.0	1	NA	4/30/09 15:22		151948	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-6R
Lab Code: R0901917-005

Service Request: R0901917
Date Collected: 4/23/09 1505
Date Received: 4/24/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylenc	1.0	U	1.0	1	NA	4/30/09 15:22		151948	
Total Target Volatiles (TTV)	169.8		1.0	1	NA	4/30/09 15:22		151948	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	102	70-114	4/30/09 15:22		
1-Chloro-3-fluorobenzene	99	72-116	4/30/09 15:22		
3-Fluorochlorobenzene (PID)	105	77-113	4/30/09 15:22		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-7R
 Lab Code: R0901917-006

Service Request: R0901917
 Date Collected: 4/23/09 1045
 Date Received: 4/24/09
 Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Bromoform	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Bromomethane	2.0	U	2.0	1	NA	4/30/09 03:09		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Chloroethane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Chloroform	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Chloromethane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
cis-1,2-Dichloroethene	8.8		1.0	1	NA	4/30/09 03:09		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Toluene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Tetrachloroethene	2.9		1.0	1	NA	4/30/09 03:09		151777	
Trichloroethene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/30/09 03:09		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-7R
Lab Code: R0901917-006

Service Request: R0901917
Date Collected: 4/23/09 1045
Date Received: 4/24/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/30/09 03:09		151777	
Total Target Volatiles (TTV)	11.7		1.0	1	NA	4/30/09 03:09		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	95	70-114	4/30/09 03:09		
1-Chloro-3-fluorobenzene	91	72-116	4/30/09 03:09		
3-Fluorochlorobenzene (PID)	103	77-113	4/30/09 03:09		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-7D
 Lab Code: R0901917-007

Service Request: R0901917
 Date Collected: 4/23/09 1135
 Date Received: 4/24/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Bromoform	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Bromomethane	2.0	U	2.0	1	NA	4/29/09 20:36		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Chloroethane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Chloroform	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Chloromethane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
cis-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Toluene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Tetrachloroethene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Trichloroethene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/29/09 20:36		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-7D
Lab Code: R0901917-007

Service Request: R0901917
Date Collected: 4/23/09 1135
Date Received: 4/24/09

Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/29/09 20:36		151777	
Total Target Volatiles (TTV)	1.0	U	1.0	1	NA	4/29/09 20:36		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	95	70-114	4/29/09 20:36		
1-Chloro-3-fluorobenzene	92	72-116	4/29/09 20:36		
3-Fluorochlorobenzene (PID)	99	77-113	4/29/09 20:36		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-9
 Lab Code: R0901917-008

Service Request: R0901917
 Date Collected: 4/23/09 0915
 Date Received: 4/24/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Bromoform	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Bromomethane	2.0	U	2.0	1	NA	4/30/09 01:20		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Chloroethane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Chloroform	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Chloromethane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
cis-1,2-Dichloroethene	2.9		1.0	1	NA	4/30/09 01:20		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Toluene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Tetrachloroethene	1.3		1.0	1	NA	4/30/09 01:20		151777	
Trichloroethene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/30/09 01:20		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-9
Lab Code: R0901917-008

Service Request: R0901917
Date Collected: 4/23/09 0915
Date Received: 4/24/09

Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/30/09 01:20		151777	
Total Target Volatiles (TTV)	4.2		1.0	1	NA	4/30/09 01:20		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	91	70-114	4/30/09 01:20		
1-Chloro-3-fluorobenzene	88	72-116	4/30/09 01:20		
3-Fluorochlorobenzene (PID)	94	77-113	4/30/09 01:20		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-9R
 Lab Code: R0901917-009

Service Request: R0901917
 Date Collected: 4/23/09 0935
 Date Received: 4/24/09
 Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Bromoform	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Bromomethane	2.0	U	2.0	1	NA	4/30/09 00:25		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Chloroethane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Chloroform	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Chloromethane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
cis-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Toluene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Tetrachloroethene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Trichloroethene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/30/09 00:25		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-9R
Lab Code: R0901917-009

Service Request: R0901917
Date Collected: 4/23/09 0935
Date Received: 4/24/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/30/09 00:25		151777	
Total Target Volatiles (TTV)	1.0	U	1.0	1	NA	4/30/09 00:25		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	88	70-114	4/30/09 00:25		
1-Chloro-3-fluorobenzene	88	72-116	4/30/09 00:25		
3-Fluorochlorobenzene (PID)	91	77-113	4/30/09 00:25		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-11R
 Lab Code: R0901917-010

Service Request: R0901917
 Date Collected: 4/23/09 13:40
 Date Received: 4/24/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Bromoform	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Bromomethane	2.0	U	2.0	1	NA	4/30/09 05:51		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Chloroethane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Chloroform	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Chloromethane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
cis-1,2-Dichloroethene	10		1.0	1	NA	4/30/09 05:51		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Toluene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Tetrachloroethene	13		1.0	1	NA	4/30/09 05:51		151777	
Trichloroethene	8.7		1.0	1	NA	4/30/09 05:51		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/30/09 05:51		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-11R
Lab Code: R0901917-010

Service Request: R0901917
Date Collected: 4/23/09 1340
Date Received: 4/24/09

Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/30/09 05:51		151777	
Total Target Volatiles (TTV)	31.7		1.0	1	NA	4/30/09 05:51		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	93	70-114	4/30/09 05:51		
1-Chloro-3-fluorobenzene	95	72-116	4/30/09 05:51		
3-Fluorochlorobenzene (PID)	103	77-113	4/30/09 05:51		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-11D
 Lab Code: R0901917-011

Service Request: R0901917
 Date Collected: 4/23/09 1410
 Date Received: 4/24/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Bromoform	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Bromomethane	2.0	U	2.0	1	NA	4/30/09 04:58		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Chloroethane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Chloroform	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Chloromethane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
1,1-Dichloroethene	1.2		1.0	1	NA	4/30/09 04:58		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
cis-1,2-Dichloroethene	10		1.0	1	NA	4/30/09 04:58		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Toluene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Tetrachloroethene	9.7		1.0	1	NA	4/30/09 04:58		151777	
Trichloroethene	6.8		1.0	1	NA	4/30/09 04:58		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/30/09 04:58		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-11D
Lab Code: R0901917-011

Service Request: R0901917
Date Collected: 4/23/09 1410
Date Received: 4/24/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/30/09 04:58		151777	
Total Target Volatiles (TTV)	27.7		1.0	1	NA	4/30/09 04:58		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	92	70-114	4/30/09 04:58		
1-Chloro-3-fluorobenzene	91	72-116	4/30/09 04:58		
3-Fluorochlorobenzene (PID)	101	77-113	4/30/09 04:58		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-12R
 Lab Code: R0901917-012

Service Request: R0901917
 Date Collected: 4/23/09 1015
 Date Received: 4/24/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Bromodichloromethane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Bromoform	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Bromomethane	2.0	U	2.0	1	NA	4/29/09 21:37		151777	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Chlorobenzene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Chloroethane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Chloroform	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Chloromethane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Dibromochloromethane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
cis-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Ethylbenzene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Methylene Chloride	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Toluene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Tetrachloroethene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Trichloroethene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Vinyl Chloride	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
m,p-Xylenes	2.0	U	2.0	1	NA	4/29/09 21:37		151777	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-12R
Lab Code: R0901917-012

Service Request: R0901917
Date Collected: 4/23/09 1015
Date Received: 4/24/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/29/09 21:37		151777	
Total Target Volatiles (TTV)	1.0	U	1.0	1	NA	4/29/09 21:37		151777	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	88	70-114	4/29/09 21:37		
1-Chloro-3-fluorobenzene	88	72-116	4/29/09 21:37		
3-Fluorochlorobenzene (PID)	98	77-113	4/29/09 21:37		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-15R
 Lab Code: R0901917-013

Service Request: R0901917
 Date Collected: 4/22/09 1315
 Date Received: 4/23/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Bromodichloromethane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Bromoform	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Bromomethane	2.0	U	2.0	1	NA	4/27/09 18:35		151497	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Chlorobenzene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Chloroethane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Chloroform	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Chloromethane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Dibromochloromethane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
cis-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Ethylbenzene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Methylene Chloride	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Toluene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Tetrachloroethene	1.3		1.0	1	NA	4/27/09 18:35		151497	
Trichloroethene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Vinyl Chloride	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
m,p-Xylenes	2.0	U	2.0	1	NA	4/27/09 18:35		151497	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-15R
Lab Code: R0901917-013

Service Request: R0901917
Date Collected: 4/22/09 1315
Date Received: 4/23/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/27/09 18:35		151497	
Total Target Volatiles (TTV)	1.3		1.0	1	NA	4/27/09 18:35		151497	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	75	70-114	4/27/09 18:35		
1-Chloro-3-fluorobenzene	76	72-116	4/27/09 18:35		
3-Fluorochlorobenzene (PID)	92	77-113	4/27/09 18:35		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OffSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OS-15D
 Lab Code: R0901917-014

Service Request: R0901917
 Date Collected: 4/22/09 1335
 Date Received: 4/23/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Bromodichloromethane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Bromoform	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Bromomethane	2.0	U	2.0	1	NA	4/27/09 19:24		151497	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Chlorobenzene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Chloroethane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Chloroform	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Chloromethane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Dibromochloromethane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
cis-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Ethylbenzene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Methylene Chloride	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Toluene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Tetrachloroethene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Trichloroethene	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Vinyl Chloride	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
m,p-Xylenes	2.0	U	2.0	1	NA	4/27/09 19:24		151497	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blaauvelt OffSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OS-15D
Lab Code: R0901917-014

Service Request: R0901917
Date Collected: 4/22/09 1335
Date Received: 4/23/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylenc	1.0	U	1.0	1	NA	4/27/09 19:24		151497	
Total Target Volatiles (TTV)	1.0	U	1.0	1	NA	4/27/09 19:24		151497	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	79	70-114	4/27/09 19:24		
1-Chloro-3-fluorobenzene	82	72-116	4/27/09 19:24		
3-Fluorochlorobenzene (PID)	99	77-113	4/27/09 19:24		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: W-2
 Lab Code: R0901916-001

Service Request: R0901916
 Date Collected: 4/22/09 1115
 Date Received: 4/23/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Bromodichloromethane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Bromoform	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Bromomethane	2.0	U	2.0	1	NA	4/27/09 20:13		151497	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Chlorobenzene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Chloroethane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Chloroform	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Chloromethane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Dibromochloromethane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
cis-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Ethylbenzene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Methylene Chloride	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Toluene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Tetrachloroethene	5.1		1.0	1	NA	4/27/09 20:13		151497	
Trichloroethene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Vinyl Chloride	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
m,p-Xylenes	2.0	U	2.0	1	NA	4/27/09 20:13		151497	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: W-2
Lab Code: R0901916-001

Service Request: R0901916
Date Collected: 4/22/09 1115
Date Received: 4/23/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/27/09 20:13		151497	
Total Target Volatiles (TTV)	5.1		1.0	1	NA	4/27/09 20:13		151497	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	75	70-114	4/27/09 20:13		
1-Chloro-3-fluorobenzene	79	72-116	4/27/09 20:13		
3-Fluorochlorobenzene (PID)	95	77-113	4/27/09 20:13		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: W-2
Lab Code: R0901916-001

Service Request: R0901916
Date Collected: 4/22/09 1115
Date Received: 4/23/09
Units: µg/L
Basis: NA

Nonhalogenated Volatile Organics by GC - Unpreserved

Analytical Method: 8015B

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Mineral Spirits	100	U	100	1	NA	4/24/09 13:07		151275	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
1,4-Difluorobenzene	101	59-122	4/24/09 13:07		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: U-6D
Lab Code: R0901916-003

Service Request: R0901916
Date Collected: 4/22/09 0905
Date Received: 4/23/09

Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Bromodichloromethane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Bromoform	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Bromomethane	2.0	U	2.0	1	NA	4/28/09 19:22		151696	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Chlorobenzene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Chloroethane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Chloroform	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Chloromethane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Dibromochloromethane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
cis-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Ethylbenzene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Methylene Chloride	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Toluene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Tetrachloroethene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Trichloroethene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Vinyl Chloride	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
m,p-Xylenes	2.0	U	2.0	1	NA	4/28/09 19:22		151696	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: U-6D
Lab Code: R0901916-003

Service Request: R0901916
Date Collected: 4/22/09 0905
Date Received: 4/23/09

Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/28/09 19:22		151696	
Total Target Volatiles (TTV)	1.0	U	1.0	1	NA	4/28/09 19:22		151696	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	83	70-114	4/28/09 19:22		
1-Chloro-3-fluorobenzene	84	72-116	4/28/09 19:22		
3-Fluorochlorobenzene (PID)	102	77-113	4/28/09 19:22		

Comments:

Printed 5/6/09 15:22

Form 1A

\\nflow2\starlms\LimsReps\AnalyticalReport.rpt

SuperSet Reference: 09-0000102008 rev 00

000000

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: MW-12
Lab Code: R0901916-004

Service Request: R0901916
Date Collected: 4/22/09 1025
Date Received: 4/23/09

Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	50	U	50	50	NA	4/28/09 20:12		151696	
Bromodichloromethane	50	U	50	50	NA	4/28/09 20:12		151696	
Bromoform	50	U	50	50	NA	4/28/09 20:12		151696	
Bromomethane	100	U	100	50	NA	4/28/09 20:12		151696	
Carbon Tetrachloride	50	U	50	50	NA	4/28/09 20:12		151696	
Chlorobenzene	50	U	50	50	NA	4/28/09 20:12		151696	
Chloroethane	50	U	50	50	NA	4/28/09 20:12		151696	
2-Chloroethyl Vinyl Ether	50	U	50	50	NA	4/28/09 20:12		151696	
Chloroform	50	U	50	50	NA	4/28/09 20:12		151696	
Chloromethane	50	U	50	50	NA	4/28/09 20:12		151696	
Dibromochloromethane	50	U	50	50	NA	4/28/09 20:12		151696	
1,2-Dichlorobenzene	50	U	50	50	NA	4/28/09 20:12		151696	
1,3-Dichlorobenzene	50	U	50	50	NA	4/28/09 20:12		151696	
1,4-Dichlorobenzene	50	U	50	50	NA	4/28/09 20:12		151696	
1,1-Dichloroethane	50	U	50	50	NA	4/28/09 20:12		151696	
1,2-Dichloroethane	50	U	50	50	NA	4/28/09 20:12		151696	
1,1-Dichloroethene	50	U	50	50	NA	4/28/09 20:12		151696	
trans-1,2-Dichloroethene	50	U	50	50	NA	4/28/09 20:12		151696	
cis-1,2-Dichloroethene	7400		50	50	NA	4/28/09 20:12		151696	
1,2-Dichloropropane	50	U	50	50	NA	4/28/09 20:12		151696	
cis-1,3-Dichloropropene	50	U	50	50	NA	4/28/09 20:12		151696	
trans-1,3-Dichloropropene	50	U	50	50	NA	4/28/09 20:12		151696	
Ethylbenzene	50	U	50	50	NA	4/28/09 20:12		151696	
Methylene Chloride	50	U	50	50	NA	4/28/09 20:12		151696	
1,1,2,2-Tetrachloroethane	50	U	50	50	NA	4/28/09 20:12		151696	
Toluene	50	U	50	50	NA	4/28/09 20:12		151696	
1,1,1-Trichloroethane	50	U	50	50	NA	4/28/09 20:12		151696	
1,1,2-Trichloroethane	50	U	50	50	NA	4/28/09 20:12		151696	
Trichloroethene	50	U	50	50	NA	4/28/09 20:12		151696	
Tetrachloroethene	90		50	50	NA	4/28/09 20:12		151696	
Trichlorofluoromethane	50	U	50	50	NA	4/28/09 20:12		151696	
Vinyl Chloride	50	U	50	50	NA	4/28/09 20:12		151696	
m,p-Xylenes	100	U	100	50	NA	4/28/09 20:12		151696	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: MW-12
Lab Code: R0901916-004

Service Request: R0901916
Date Collected: 4/22/09 1025
Date Received: 4/23/09

Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	50	U	50	50	NA	4/28/09 20:12		151696	
Total Target Volatiles (TTV)	7490.0		50.0	50	NA	4/28/09 20:12		151696	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	100	70-114	4/28/09 20:12		
1-Chloro-3-fluorobenzene	88	72-116	4/28/09 20:12		
3-Fluorochlorobenzene (PID)	100	77-113	4/28/09 20:12		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: MW-12
Lab Code: R0901916-004

Service Request: R0901916
Date Collected: 4/22/09 1025
Date Received: 4/23/09

Units: µg/L
Basis: NA

Nonhalogenated Volatile Organics by GC - Unpreserved

Analytical Method: 8015B

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Mineral Spirits	100	U	100	1	NA	4/24/09 13:54		151275	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
1,4-Difluorobenzene	100	59-122	4/24/09 13:54		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: MW-13
 Lab Code: R0901916-005

Service Request: R0901916
 Date Collected: 4/22/09 1020
 Date Received: 4/23/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	10	U	10	10	NA	4/28/09 21:02		151696	
Bromodichloromethane	10	U	10	10	NA	4/28/09 21:02		151696	
Bromoform	10	U	10	10	NA	4/28/09 21:02		151696	
Bromomethane	20	U	20	10	NA	4/28/09 21:02		151696	
Carbon Tetrachloride	10	U	10	10	NA	4/28/09 21:02		151696	
Chlorobenzene	10	U	10	10	NA	4/28/09 21:02		151696	
Chloroethane	730		10	10	NA	4/28/09 21:02		151696	
2-Chloroethyl Vinyl Ether	10	U	10	10	NA	4/28/09 21:02		151696	
Chloroform	10	U	10	10	NA	4/28/09 21:02		151696	
Chloromethane	10	U	10	10	NA	4/28/09 21:02		151696	
Dibromochloromethane	10	U	10	10	NA	4/28/09 21:02		151696	
1,2-Dichlorobenzene	10	U	10	10	NA	4/28/09 21:02		151696	
1,3-Dichlorobenzene	10	U	10	10	NA	4/28/09 21:02		151696	
1,4-Dichlorobenzene	10	U	10	10	NA	4/28/09 21:02		151696	
1,1-Dichloroethane	630		10	10	NA	4/28/09 21:02		151696	
1,2-Dichloroethane	10	U	10	10	NA	4/28/09 21:02		151696	
1,1-Dichloroethene	10	U	10	10	NA	4/28/09 21:02		151696	
trans-1,2-Dichloroethene	10	U	10	10	NA	4/28/09 21:02		151696	
cis-1,2-Dichloroethene	280		10	10	NA	4/28/09 21:02		151696	
1,2-Dichloropropane	10	U	10	10	NA	4/28/09 21:02		151696	
cis-1,3-Dichloropropene	10	U	10	10	NA	4/28/09 21:02		151696	
trans-1,3-Dichloropropene	10	U	10	10	NA	4/28/09 21:02		151696	
Ethylbenzene	10	U	10	10	NA	4/28/09 21:02		151696	
Methylene Chloride	10	U	10	10	NA	4/28/09 21:02		151696	
1,1,2,2-Tetrachloroethane	10	U	10	10	NA	4/28/09 21:02		151696	
Toluene	14		10	10	NA	4/28/09 21:02		151696	
1,1,1-Trichloroethane	120		10	10	NA	4/28/09 21:02		151696	
1,1,2-Trichloroethane	10	U	10	10	NA	4/28/09 21:02		151696	
Tetrachloroethene	10	U	10	10	NA	4/28/09 21:02		151696	
Trichloroethene	10	U	10	10	NA	4/28/09 21:02		151696	
Trichlorofluoromethane	10	U	10	10	NA	4/28/09 21:02		151696	
Vinyl Chloride	63		10	10	NA	4/28/09 21:02		151696	
m,p-Xylenes	20	U	20	10	NA	4/28/09 21:02		151696	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: MW-13
Lab Code: R0901916-005

Service Request: R0901916
Date Collected: 4/22/09 1020
Date Received: 4/23/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	17		10	10	NA	4/28/09 21:02		151696	
Total Target Volatiles (TTV)	1854.0		10.0	10	NA	4/28/09 21:02		151696	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	90	70-114	4/28/09 21:02		
1-Chloro-3-fluorobenzene	88	72-116	4/28/09 21:02		
3-Fluorochlorobenzene (PID)	102	77-113	4/28/09 21:02		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blaauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: MW-13
Lab Code: R0901916-005

Service Request: R0901916
Date Collected: 4/22/09 1020
Date Received: 4/23/09
Units: µg/L
Basis: NA

Nonhalogenated Volatile Organics by GC - Unpreserved**Analytical Method:** 8015B

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Mineral Spirits	100	U	100	1	NA	4/24/09 14:41		151275	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
1,4-Difluorobenzene	98	59-122	4/24/09 14:41		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OW-1
 Lab Code: R0901916-006

Service Request: R0901916
 Date Collected: 4/22/09 1055
 Date Received: 4/23/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Bromodichloromethane	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Bromoform	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Bromomethane	2.0	U	2.0	1	NA	4/28/09 21:52		151696	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Chlorobenzene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Chloroethane	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Chloroform	2.7		1.0	1	NA	4/28/09 21:52		151696	
Chloromethane	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Dibromochloromethane	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
1,1-Dichloroethane	1.6		1.0	1	NA	4/28/09 21:52		151696	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
cis-1,2-Dichloroethene	97		1.0	1	NA	4/28/09 21:52		151696	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Ethylbenzene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Methylene Chloride	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Toluene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
1,1,1-Trichloroethane	9.6		1.0	1	NA	4/28/09 21:52		151696	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Tetrachloroethene	20		1.0	1	NA	4/28/09 21:52		151696	
Trichloroethene	3.4		1.0	1	NA	4/28/09 21:52		151696	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Vinyl Chloride	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
m,p-Xylenes	2.0	U	2.0	1	NA	4/28/09 21:52		151696	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OW-1
Lab Code: R0901916-006

Service Request: R0901916
Date Collected: 4/22/09 1055
Date Received: 4/23/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/28/09 21:52		151696	
Total Target Volatiles (TTV)	134.3		1.0	1	NA	4/28/09 21:52		151696	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	98	70-114	4/28/09 21:52		
1-Chloro-3-fluorobenzene	90	72-116	4/28/09 21:52		
3-Fluorochlorobenzene (PID)	102	77-113	4/28/09 21:52		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: OW-2
 Lab Code: R0901916-007

Service Request: R0901916
 Date Collected: 4/22/09 1145
 Date Received: 4/23/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	10	U	10	10	NA	4/28/09 22:41		151696	
Bromodichloromethane	10	U	10	10	NA	4/28/09 22:41		151696	
Bromoform	10	U	10	10	NA	4/28/09 22:41		151696	
Bromomethane	20	U	20	10	NA	4/28/09 22:41		151696	
Carbon Tetrachloride	10	U	10	10	NA	4/28/09 22:41		151696	
Chlorobenzene	10	U	10	10	NA	4/28/09 22:41		151696	
Chloroethane	10	U	10	10	NA	4/28/09 22:41		151696	
2-Chloroethyl Vinyl Ether	10	U	10	10	NA	4/28/09 22:41		151696	
Chloroform	10	U	10	10	NA	4/28/09 22:41		151696	
Chloromethane	10	U	10	10	NA	4/28/09 22:41		151696	
Dibromochloromethane	10	U	10	10	NA	4/28/09 22:41		151696	
1,2-Dichlorobenzene	10	U	10	10	NA	4/28/09 22:41		151696	
1,3-Dichlorobenzene	10	U	10	10	NA	4/28/09 22:41		151696	
1,4-Dichlorobenzene	10	U	10	10	NA	4/28/09 22:41		151696	
1,1-Dichloroethane	74		10	10	NA	4/28/09 22:41		151696	
1,2-Dichloroethane	10	U	10	10	NA	4/28/09 22:41		151696	
1,1-Dichloroethene	10	U	10	10	NA	4/28/09 22:41		151696	
trans-1,2-Dichloroethene	10	U	10	10	NA	4/28/09 22:41		151696	
cis-1,2-Dichloroethene	950		10	10	NA	4/28/09 22:41		151696	
1,2-Dichloropropane	10	U	10	10	NA	4/28/09 22:41		151696	
cis-1,3-Dichloropropene	10	U	10	10	NA	4/28/09 22:41		151696	
trans-1,3-Dichloropropene	10	U	10	10	NA	4/28/09 22:41		151696	
Ethylbenzene	10	U	10	10	NA	4/28/09 22:41		151696	
Methylene Chloride	10	U	10	10	NA	4/28/09 22:41		151696	
1,1,2,2-Tetrachloroethane	10	U	10	10	NA	4/28/09 22:41		151696	
Toluene	10	U	10	10	NA	4/28/09 22:41		151696	
1,1,1-Trichloroethane	120		10	10	NA	4/28/09 22:41		151696	
1,1,2-Trichloroethane	10	U	10	10	NA	4/28/09 22:41		151696	
Tetrachloroethene	62		10	10	NA	4/28/09 22:41		151696	
Trichloroethene	12		10	10	NA	4/28/09 22:41		151696	
Trichlorofluoromethane	10	U	10	10	NA	4/28/09 22:41		151696	
Vinyl Chloride	10	U	10	10	NA	4/28/09 22:41		151696	
m,p-Xylenes	20	U	20	10	NA	4/28/09 22:41		151696	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: OW-2
Lab Code: R0901916-007

Service Request: R0901916
Date Collected: 4/22/09 1145
Date Received: 4/23/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	10	U	10	10	NA	4/28/09 22:41		151696	
Total Target Volatiles (TTV)	1218.0		10.0	10	NA	4/28/09 22:41		151696	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	95	70-114	4/28/09 22:41		
1-Chloro-3-fluorobenzene	89	72-116	4/28/09 22:41		
3-Fluorochlorobenzene (PID)	103	77-113	4/28/09 22:41		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: PW-2
Lab Code: R0901916-008

Service Request: R0901916
Date Collected: 4/22/09 1215
Date Received: 4/23/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	100	U	100	100	NA	4/28/09 23:31		151696	
Bromodichloromethane	100	U	100	100	NA	4/28/09 23:31		151696	
Bromoform	100	U	100	100	NA	4/28/09 23:31		151696	
Bromomethane	200	U	200	100	NA	4/28/09 23:31		151696	
Carbon Tetrachloride	100	U	100	100	NA	4/28/09 23:31		151696	
Chlorobenzene	100	U	100	100	NA	4/28/09 23:31		151696	
Chloroethane	100	U	100	100	NA	4/28/09 23:31		151696	
2-Chloroethyl Vinyl Ether	100	U	100	100	NA	4/28/09 23:31		151696	
Chloroform	100	U	100	100	NA	4/28/09 23:31		151696	
Chloromethane	100	U	100	100	NA	4/28/09 23:31		151696	
Dibromochloromethane	100	U	100	100	NA	4/28/09 23:31		151696	
1,2-Dichlorobenzene	100	U	100	100	NA	4/28/09 23:31		151696	
1,3-Dichlorobenzene	100	U	100	100	NA	4/28/09 23:31		151696	
1,4-Dichlorobenzene	100	U	100	100	NA	4/28/09 23:31		151696	
1,1-Dichloroethane	100	U	100	100	NA	4/28/09 23:31		151696	
1,2-Dichloroethane	100	U	100	100	NA	4/28/09 23:31		151696	
1,1-Dichloroethene	100	U	100	100	NA	4/28/09 23:31		151696	
trans-1,2-Dichloroethene	100	U	100	100	NA	4/28/09 23:31		151696	
cis-1,2-Dichloroethene	12000		100	100	NA	4/28/09 23:31		151696	
1,2-Dichloropropane	100	U	100	100	NA	4/28/09 23:31		151696	
cis-1,3-Dichloropropene	100	U	100	100	NA	4/28/09 23:31		151696	
trans-1,3-Dichloropropene	100	U	100	100	NA	4/28/09 23:31		151696	
Ethylbenzene	100	U	100	100	NA	4/28/09 23:31		151696	
Methylene Chloride	100	U	100	100	NA	4/28/09 23:31		151696	
1,1,2,2-Tetrachloroethane	100	U	100	100	NA	4/28/09 23:31		151696	
Toluene	100	U	100	100	NA	4/28/09 23:31		151696	
1,1,1-Trichloroethane	100	U	100	100	NA	4/28/09 23:31		151696	
1,1,2-Trichloroethane	100	U	100	100	NA	4/28/09 23:31		151696	
Tetrachloroethene	220		100	100	NA	4/28/09 23:31		151696	
Trichloroethene	100	U	100	100	NA	4/28/09 23:31		151696	
Trichlorofluoromethane	100	U	100	100	NA	4/28/09 23:31		151696	
Vinyl Chloride	630		100	100	NA	4/28/09 23:31		151696	
m,p-Xylenes	200	U	200	100	NA	4/28/09 23:31		151696	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: PW-2
Lab Code: R0901916-008

Service Request: R0901916
Date Collected: 4/22/09 12:15
Date Received: 4/23/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	100	U	100	100	NA	4/28/09 23:31		151696	
Total Target Volatiles (TTV)	12850.0		100.0	100	NA	4/28/09 23:31		151696	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	99	70-114	4/28/09 23:31		
1-Chloro-3-fluorobenzene	91	72-116	4/28/09 23:31		
3-Fluorochlorobenzene (PID)	103	77-113	4/28/09 23:31		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: PW-2
Lab Code: R0901916-008

Service Request: R0901916
Date Collected: 4/22/09 1215
Date Received: 4/23/09
Units: µg/L
Basis: NA

Nonhalogenated Volatile Organics by GC - Unpreserved

Analytical Method: 8015B

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Mineral Spirits	100	U	100	1	NA	4/24/09 17:02		151275	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
1,4-Difluorobenzene	101	59-122	4/24/09 17:02		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
 Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
 Sample Matrix: Water
 Sample Name: RI-6
 Lab Code: R0901916-009

Service Request: R0901916
 Date Collected: 4/22/09 0935
 Date Received: 4/23/09

Units: µg/L
 Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
Benzene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Bromodichloromethane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Bromoform	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Bromomethane	2.0	U	2.0	1	NA	4/29/09 00:20		151696	
Carbon Tetrachloride	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Chlorobenzene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Chloroethane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
2-Chloroethyl Vinyl Ether	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Chloroform	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Chloromethane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Dibromochloromethane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
1,2-Dichlorobenzene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
1,3-Dichlorobenzene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
1,4-Dichlorobenzene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
1,1-Dichloroethane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
1,2-Dichloroethane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
1,1-Dichloroethene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
trans-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
cis-1,2-Dichloroethene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
1,2-Dichloropropane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
cis-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
trans-1,3-Dichloropropene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Ethylbenzene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Methylene Chloride	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Toluene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
1,1,1-Trichloroethane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
1,1,2-Trichloroethane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Tetrachloroethene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Trichloroethene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Trichlorofluoromethane	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Vinyl Chloride	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
m,p-Xylenes	2.0	U	2.0	1	NA	4/29/09 00:20		151696	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Xerox Corporation USA
Project: Blauvelt OnSite Wells/ 2nd Quarter 2009
Sample Matrix: Water
Sample Name: RI-6
Lab Code: R0901916-009

Service Request: R0901916
Date Collected: 4/22/09 0935
Date Received: 4/23/09
Units: µg/L
Basis: NA

Volatile Organic Compounds by GC

Analytical Method: 8021B Modified

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Analysis Lot	Note
o-Xylene	1.0	U	1.0	1	NA	4/29/09 00:20		151696	
Total Target Volatiles (TTV)	1.0	U	1.0	1	NA	4/29/09 00:20		151696	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Q	Note
Bromochloromethane	80	70-114	4/29/09 00:20		
1-Chloro-3-fluorobenzene	83	72-116	4/29/09 00:20		
3-Fluorochlorobenzene (PID)	103	77-113	4/29/09 00:20		

Comments: