## NEWYORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Environmental Remediation Operation Maintenance and Monitoring Review Report

Period covered by -- 2003

Site / Spill Number : 356	501 <b>I</b>	Si	te Name: Ferroxcube			Class: 04		
Program Lead: Hazardous	Waste Prog	gram	OM&M F	unding Source:	e: Reponsible Party			
Start Date : 10/01	/1994	ACT						
Annual IC/EC Certificati	on :			·····				
DEC Inspection Date:	01/16/20	03 Last I	Date of DEC Inspection					
Report Used for Evaluation	on: MWH Q	uarterly Reports up to 9/0	2					
ROD Compliance ? NO	)		Consent <b>order/D</b>	ecree Complia	nce? NC	)		
LongTerm Monitoring(effe	ectiveness of	f remedy): No	Frequency:		Act. Date:	11		
Treatment <b>System(Monitor</b>	<b>ing</b> perform	nance of remedy): No	Frequency:		Pln. Date:	//	#wells: 0	
PROBLEM STATUS : 9	99A	, ,, <del></del>			_ None			
Evaluation :								
The Remedy is performing p	roperly and	effectiveness will be evalu	lated					
The Remedy is performing pr Comments   <b>Changes</b> / Attac		effectiveness will be evalu	uated					
Comments1 Changes/ Attac	hments:			sampled addition	al homeow	ner wells in the	rea No	
Comments1 <b>Changes</b> / Attac. 2003: Effect of injection show	hments: ws some, bu	t limited, improvement at	homeowner wells. PRP					
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed	hments: ws some, bu ly effective	t limited, improvement at ness is unknown because p	homeowner wells. PRP permagnate & HRC inje	ction results rema	ain under rev	view. Recommer	dations:	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results for	hments: ws some, bu ly effective or permagna	t limited, improvement at ness is unknown because p ate and HRC injections and	homeowner wells. PRP permagnate & HRC inje d keep pump & treat and	ction results remained vapor extraction	ain under rev	view. Recommer	dations:	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results for be used again. (Note: P&T sy	hments: ws some, bu dy effectiver or permagna rtstem restar	t limited, improvement at ness is unknown because p ate and HRC injections and ted mid-march because of	homeowner wells. PRP permagnate & HRC inje d keep pump & treat and	ction results remained vapor extraction	ain under rev	view. Recommer	dations:	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results for be used again. (Note: P&T sy COD/Consent Order Modific	hments: ws some, bu dy effectiven or permagna vtstem restar ations?	t limited, improvement at ness is unknown because p ate and HRC injections and ted mid-march because of NO	homeowner wells. PRP permagnate & HRC inje d keep pump & treat and	ction results remained vapor extraction	ain under rev	view. Recommer	dations:	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results fib be used again. (Note: P&T sy <b>`D/Consent</b> Order Modific <b>Te</b> reclassification recomme	hments: ws some, bu dy effective or permagna /tstem restar ations? ended :	t limited, improvement at ness is unknown because p ate and HRC injections and ted mid-march because of NO None	homeowner wells. PRP permagnate & HRC inje d keep pump & treat and signs of spreading of co	ction results rema d vapor extraction ontamination.)	ain under rev	view. Recommer	dations:	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results for be used again. (Note: P&T sy OD/Consent Order Modific we reclassification recomme	hments: ws some, bu dy effective or permagna rtstem restar ations? ended : OU	t limited, improvement at ness is unknown because p ate and HRC injections and ted mid-march because of NO None Contaminent of c	homeowner wells. PRP permagnate & HRC inje d keep pump & treat and signs of spreading of co	ction results remained vapor extraction	ain under rev	view. Recommer	dations:	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results for be used again. (Note: P&T sy OD/Consent Order Modific we reclassification recomme	hments: ws some, bu dy effectiven or permagna rtstem restar ations? ended : OU 01	t limited, improvement at ness is unknown because p ate and HRC injections and ted mid-march because of NO None Contaminent of c FREON-113 (F002)	homeowner wells. PRP permagnate & HRC inje- d keep pump & treat and signs of spreading of co- concern Med	ction results rema d vapor extraction ontamination.)	ain under rev	view. Recommer	dations:	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results for be used again. (Note: P&T sy D/Consent Order Modific	hments: ws some, bu dy effectiven or permagna vtstem restar ations? ended : OU 01 01	t limited, improvement at ness is unknown because p ate and HRC injections and ted mid-march because of NO None Contaminent of c FREON-113 (F002) TRICHLOROETHEM	homeowner wells. PRP permagnate & HRC inje- d keep pump & treat and signs of spreading of co concern <b>Med</b> NE (TCE)	ction results rema d vapor extraction ontamination.)	ain under rev	view. Recommer	dations:	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results fib be used again. (Note: P&T sy <b>`D/Consent</b> Order Modific <b>Te</b> reclassification recomme	hments: ws some, bu dy effectiven or permagna rtstem restar ations? ended : OU 01 01 01	t limited, improvement at ness is unknown because p ate and HRC injections an ted mid-march because of NO None Contaminent of c FREON-113 (F002) TRICHLOROETHEN 1,1,1-TRICHLOROE	homeowner wells. PRP bermagnate & HRC inje d keep pump & treat and signs of spreading of co concern <b>Med</b> NE (TCE) ETHANE	ction results rema d vapor extraction ontamination.)	ain under rev	view. Recommer	dations:	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results for be used again. (Note: P&T sy <b>`D/Consent</b> Order Modific <b>Contaminent</b> of concern	hments: ws some, bu dy effectiven or permagna vtstem restar ations? ended : OU 01 01 01 01 01	t limited, improvement at ness is unknown because p ate and HRC injections and ted mid-march because of NO None Contaminent of c FREON-113 (F002) TRICHLOROETHEN 1,1,1-TRICHLOROET	homeowner wells. PRP permagnate & HRC inje- d keep pump & treat and signs of spreading of co concern <b>Med</b> NE (TCE) ETHANE HENE	ction results rema d vapor extraction ontamination.)	ain under rev	view. Recommer ready if it is det	dations: ermined it mus	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results for be used again. (Note: P&T sy <b>D/Consent</b> Order Modific <b>De</b> reclassification recomme	hments: ws some, bu dy effectiven or permagna rtstem restar ations? ended : OU 01 01 01	t limited, improvement at ness is unknown because p ate and HRC injections an ted mid-march because of NO None Contaminent of c FREON-113 (F002) TRICHLOROETHEN 1,1,1-TRICHLOROE	homeowner wells. PRP permagnate & HRC inje- d keep pump & treat and signs of spreading of co concern <b>Med</b> NE (TCE) ETHANE HENE	ction results rema d vapor extraction ontamination.)	ain under rev	view. Recommer	dations: ermined it mus	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results for be used again. (Note: P&T sy OD/Consent Order Modific The reclassification recomment Contaminent of concern	hments: ws some, bu dy effectiven or permagna vtstem restar ations? ended : OU 01 01 01 01 01	t limited, improvement at ness is unknown because p ate and HRC injections and ted mid-march because of NO None Contaminent of c FREON-113 (F002) TRICHLOROETHEN 1,1,1-TRICHLOROET	homeowner wells. PRP permagnate & HRC inje- d keep pump & treat and signs of spreading of co concern Med NE (TCE) ETHANE HENE Size o	ction results rema d vapor extraction ontamination.)	ain under rev	view. Recommer ready if it is det	dations: ermined it mus	
Comments1 <b>Changes</b> / Attac 2003: Effect of injection show comtamination found. Remed Continue to monitor results for be used again. (Note: P&T sy OD/Consent Order Modific the reclassification recomment Contaminent of concern	hments: ws some, bu dy effectiven or permagna vtstem restar ations? ended : OU 01 01 01 01 01 01	t limited, improvement at ness is unknown because p ate and HRC injections and ted mid-march because of NO None Contaminent of c FREON-113 (F002) TRICHLOROETHEN 1,1,1-TRICHLOROE TETRACHLOROET Remedies	homeowner wells. PRP permagnate & HRC inje- d keep pump & treat and signs of spreading of co concern Med NE (TCE) ETHANE HENE Size o	ction results rema d vapor extraction ontamination.)	ain under rev	view. Recommer ready if it is det Date ir Place	dations: ermined it mus Remedy Effective	

	03/31/2004		Priority: 0		
oject Manage	er		Reviewer: Perg	adia	
Signature	Date		Signature		Date
Name	Region or Bureau	Telephone	Name	Region or Bureau	Telephone
Report: Ommrpt1	b.frx		•		OM Certified All Data Entered