



DUNN GEOSCIENCE ENGINEERING COMPANY, P.C.

12 METRO PARK ROAD
ALBANY, NEW YORK 12205
(518) 458-1313
FAX (518) 458-2472

495 COMMERCE DRIVE
AMHERST, NEW YORK 14150
(716) 691-3866
FAX (716) 691-3884

**FINAL REMEDIATION REPORT
ARMONK PRIVATE WELLS SITE
COUNTRY CLEANERS SEPTIC TANK REMOVAL
SITE No. 3-60-005**

**Armonk, Town of North Castle
Westchester County, New York**

NYSDEC Work Assignment No. D002520-6

Prepared for:

**DIVISION OF HAZARDOUS WASTE REMEDIATION
NEW YORK STATE
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
50 Wolf Road
Albany, New York 12233-7010**

Prepared by:

**TAMS Consultants, Inc.
300 Broadacres Drive
Bloomfield, New Jersey 07003**

Under Subcontract To:

**DUNN GEOSCIENCE ENGINEERING COMPANY, P.C.
12 METRO PARK ROAD
ALBANY, NEW YORK 12205**

Date of Submittal:

September, 1991



**FINAL REMEDIATION REPORT
ARMONK PRIVATE WELLS SITE
COUNTRY CLEANERS SEPTIC TANK REMOVAL**

TABLE OF CONTENTS

	Page
1.0 GENERAL	1
1.1 Introduction	1
1.2 Site History	1
2.0 EXECUTION OF THE REMEDIAL WORK	2
2.1 Review of Project Plans	2
2.2 Removal Activities	2
2.3 Waste Classification	5
2.4 Transportation and Disposal	6
3.0 CONCLUSION	7

APPENDICES

Appendix

- A. Daily Field Summaries
- B. Temporary Use and Occupancy Agreements
- C. Surveying Records
- D. Pertinent Correspondence
- E. Analytical Results
- F. Waste Manifests and Material Profile Sheets

1.0 GENERAL

1.1 Introduction

This report was prepared for the New York State Department of Environmental Conservation (NYSDEC) by TAMS Consultants, Inc. (TAMS) under subcontract to Dunn Geoscience Engineering Co., P.C. (Dunn). This report is to fulfill Task 6 of New York State Superfund Standby Contract Work Assignment No. D002520-6 for the removal and disposal of the septic tank and contents of the Country Cleaners dry cleaning establishment in Armonk, New York. The NYSDEC Site Code is 3-60-005.

1.2 Site History

The Armonk Private Wells Site (AWS) is located in the hamlet of Armonk, Town of North Castle, Westchester County, New York. The site is approximately 34 acres in size and bounded by the Wampus River to the east, Bedford Road to the south, Route 128 (Main Street) to the west and the northern end of the A&P Shopping center to the north.

The groundwater in the vicinity of the AWS has been sampled in the past by the Westchester County Health Department and the New York State Department of Environmental Conservation and has been found to be contaminated. The primary contaminants found were tetrachloroethene (PCE), trichloroethene (TCE) and 1,2-dichloroethene (DCE). These contaminants are associated with dry cleaning establishments.

During a previous site investigation, the top of the septic tank at the Country Cleaners dry cleaning establishment on Maple Avenue collapsed. The tank was filled with two-inch crushed stone. As a result of this, an unknown portion of the tank contents were released into the surrounding soil.

2.0 EXECUTION OF THE REMEDIAL WORK

Task 2 of the Work Plan, Site Response Activities, included preparation of subcontractor specifications, solicitation and evaluation of bids, and submission of the evaluation to NYSDEC for final approval of subcontractor recommendations. TAMS solicited bids from eight companies specializing in the removal of hazardous waste. Five responsive bids were received. The bids were evaluated and the evaluation sent to NYSDEC via Dunn. NYSDEC selected Clean Venture, Inc. (CVI) as the subcontractor to perform the work.

2.1 Review of Project Plans

The Technical Specifications section of the removal subcontract contained an outline of the proposed sequence of removal work and a Draft Health and Safety Plan (HASP). CVI was required to submit a HASP and a proposed sequence of work for approval by TAMS. TAMS provided comments on both documents, which CVI addressed. The HASP and the proposed sequence of work were approved by TAMS on March 15, 1991.

As part of the removal subcontract, CVI was required to retain the services of an analytical laboratory; a transfer, storage, or disposal facility (TSDF); and a surveyor.

The firms retained by CVI are as follows:

Analytical Laboratory:	VERITECH 49 Carey Ave. Butler, NJ 07405
TSDF:	CYCLE CHEM 217 South First Street Elizabeth, NJ 07205
Surveyor:	BADEY & WATSON Surveying & Engineering, P.C. Route 9 Cold Spring, NY 10516

2.2 Removal Activities

Mobilization began on March 18, 1991. Field work for the removal operation continued for five days with demobilization on March 22, 1991. A daily field summary is contained in Appendix A.

The work of the Subcontractor was inspected by TAMS for conformance to the Technical Specifications and to the Health and Safety Plan. One or more representatives of the New York State Department of Environmental Conservation (NYSDEC) were present at the site for the first three days of construction activities. A representative from Dunn was at the site for the third day of construction activities.

Prior to the commencement of field work, a Temporary Use and Occupancy Agreement was signed by NYSDEC and Mr. Torlish, owner of the property adjacent to Country Cleaners. This agreement was required as CVI had to gain access to the septic tank via Torlish's driveway. A Temporary Use and Occupancy Agreement was also signed by NYSDEC and the fire department of the Town of North Castle. This agreement was required for temporary placement of a roll-off container in the fire station parking lot for storage of excavation spoils prior to disposal. Unsigned copies of the agreements are contained in Appendix B.

Subtask 2.2 of the Work Plan, Septic Tank Removal, outlines the proposed sequence of work. Variations from this sequence occurred as described below.

- (i) The Technical Specifications of the subcontract specified that a decontamination pad be built. It was agreed by TAMS that CVI would not build a decontamination pad as no Vactor truck was being brought on-site. The only items to be steam cleaned would be the buckets of the backhoe and miscellaneous hand tools. These would only need cleaning after the contents of the septic tank were removed and thus could be decontaminated using a steam cleaner over the septic tank with the washwater being contained in the tank.
- (ii) The septic tank was found to contain no liquid and very little sludge, contrary to expectation. The contents were found to be 3/4-inch crushed stone, common fill, and fragments of the concrete cover. It was agreed by TAMS' Inspector, Dunn's Project Manager, and the NYSDEC Project Manager to allow CVI to stockpile the septic tank contents in one stockpile. This is in contrast to the Work Plan, which states that the various components of the septic tank contents (i.e., liquid, sludge, stone, and concrete) should be staged separately after removal. The various components were to be sampled separately for analysis of RCRA hazardous characteristics and halogenated volatile organic compounds (HVOCs).

The quantity of 3/4-inch crushed stone was small and since no separate staging of the septic tank contents occurred, the stone could not be steam cleaned and reused as backfill as outlined in the Work Plan.

- (iii) The septic tank construction included a double wall. The walls were 0.4 feet in thickness. The inner wall contained some deteriorated concrete. Since the concrete was crumbling, it was decided to break the inner wall and to include the concrete with the septic tank contents for disposal. The outer wall appeared to be structurally intact.
- (iv) The front and rear buckets of the backhoe, and other miscellaneous hand tools were decontaminated by steam cleaning over the septic tank and the washwater was contained in the septic tank. The septic tank was steam cleaned. The washwater was pumped into a 55-gallon drum using a sump pump.
- (v) The septic tank appeared to be intact but since it did not contain any liquid, CVI was directed to break the outer wall of the septic tank in order to see if the soil adjacent to the septic tank exhibited a sludge-like character. Upon observation, the soil adjacent to the septic tank did not appear to be stained and there was no other visual evidence that septic tank contents had leaked into the adjacent soils.

Subtask 2.3 of the Work Plan, Backfill and Regrading, outlines the site restoration activities to be performed. Variations are outlined below.

- (i) The septic tank was surveyed after steam cleaning. As soil adjacent to the septic tank was not removed, additional surveying was not required. A survey map is included in Appendix C showing the septic tank location and volume calculations. The holding capacity of the tank was 5.94 cubic yards (1,200 gallons) and the overall tank volume including the concrete walls was 9.14 cubic yards.
- (ii) The backfill that CVI proposed to use was rejected by TAMS. However, sand had been brought to the site by CVI for the construction of the decontamination pad. Since the decontamination pad was not built, the NYSDEC Project Manager, Mr. Joseph Yavonditte, P.E., approved the sand for use as backfill in the septic tank excavation. The Work Plan specifies that the backfill be demonstrated clean fill acceptable to New York State Department of Transportation or the Westchester County Health Department. A letter from TAMS' Project Manager, dated March 26, 1991, to the NYSDEC Project Manager confirming the acceptance of the sand as demonstrated clean fill by NYSDEC is provided in Appendix D, Pertinent Correspondence.

Once the backfill was placed and compacted, CVI placed topsoil over the excavation area. The final grade is approximately the same as the original grade. The topsoil was limed, fertilized, seeded, and mulched as required by the Technical Specifications. The fence between the Country Cleaners and Torlish properties was replaced. The site was restored to a tidy condition and CVI removed its equipment off-site.

During the operation of the backhoe for the excavation of the septic tank contents, a piece of asphalt was broken on the Torlish property driveway.

Subtask 2.4 of the Work Plan, Staging and Packing of Wastes, outlines the activities to be performed. Variations are outlined below.

- (i) The septic tank contents were transferred immediately from the stockpile by a backhoe to a 30-cubic yard roll-off container. The Work Plan states that the various stockpiles would be left on-site and covered with plastic sheeting. After the waste classification had been received, the stockpiles were to have been transferred to roll-off containers and taken off-site. When the stockpile was transferred to the roll-off container, the roll-off container was staged in the parking lot behind the fire station on Maple Avenue.

2.3 Waste Classification

Subtask 2.1 of the Work Plan, Characterization of Septic Tank Contents, outlines the minimum sampling requirements for the various components of the septic tank waste. As outlined previously, two separate wastes were to be characterized. These are as follows:

- (i) The 30-cubic yard roll-off container containing 3/4-inch crushed stone, very little sludge, common fill, and concrete from the inner wall and from the broken top cover.
- (ii) The 55-gallon drum containing the washwater from the decontamination of the backhoe and the washwater from steam cleaning of the septic tank.

The sample of the septic tank contents from the roll-off container and the sample of the decontamination washwater were analyzed by VERITECH.

The following laboratory analyses were performed:

1. Toxicity characteristic leaching procedure (TCLP)

2. Ignitability
3. Corrosivity
4. Cyanide and sulfide reactivity
5. Halogenated Volatile Organic Compounds (HVOC)
6. Total Petroleum Hydrocarbons (TPHC)

The analytical results are contained in Appendix E.

The septic tank contents sample was not found to contain any significant levels of the contaminants that were expected, based on previous analysis of the septic tank (i.e., tetrachloroethene (PCE), trichloroethene (TCE), 1,2-dichloroethene (DCE), and vinyl chloride). These contaminants are associated with dry cleaning establishments. Analysis of the septic tank contents by VERITECH indicated the presence of xylenes (76 ppb) and petroleum hydrocarbons (380 ppm). The decontamination washwater contained xylenes (134 ppb), ethylbenzene (13 ppb), and toluene (13 ppb).

Based on the results of the analysis, the waste was classified by NYSDEC as non-hazardous. A copy of a letter from NYSDEC dated April 19, 1991, to TAMS outlining the classification of the septic tank waste is contained in Appendix D.

2.4 Transportation and Disposal

The septic tank contents were transported by CVI to CYCLE CHEM on May 1, 1991. CVI had to bring a second roll-off container on-site as the first roll-off container was overloaded. The transfer of material from one roll-off container to the other was performed under the inspection of TAMS. CYCLE CHEM disposed of 16.45 tons of non-hazardous waste at Browning Ferris Industry's (BFI) landfill in Atwater, Ohio.

The decontamination washwater was transported by CVI to CYCLE CHEM on May 17, 1991. Forty gallons of non-hazardous liquid was disposed of by CYCLE CHEM at Research Oil Company's facility in Cleveland, Ohio.

Copies of the waste manifests and material profile sheets are provided in Appendix F. A TAMS representative signed the manifests on behalf of NYSDEC.

The waste was packaged and prepared for transportation according to the Code of Federal Regulations, Title 4a, Subchapter C.

3.0 CONCLUSION

All site work related to this project has been completed to date. As a result of staging a rolloff container on Mr. Torbish's driveway, several sections of the driveway were resurfaced by CVI personnel to the satisfaction of Mr. Torbish.

APPENDIX A
Daily Field Summaries

DAILY FIELD SUMMARIES

CONSTRUCTION ACTIVITIES:

March 18, 1991

Key personnel:

TAMS:	John Egan	Project Engineer
	George Murray	Health and Safety Officer
NYSDEC:	Joseph Yavonditte	Project Manager
	William Zeppetelli	NYSDEC Representative
CVI:	Peter Hartten	Project Supervisor
	Tracy Estes	Health and Safety Officer

Mobilization began on Monday March 18, 1991. CVI brought the following equipment to the site:

- 1 Decon / Storage Trailer
- 1 Dump Truck and Trailer with the Backhoe
- 1 Rack Truck
- 1 Load of Sand
- 1 Generator
- 1 Air Compressor
- 1 Jack Hammer
- 1 Rivet Buster
- 1 Steam Cleaner
- 1 4 x 4 Pick - up Truck
- 1 Van

The Decon / Storage Trailer, Backhoe and Trailer, Generator, Air Compressor, Jack Hammer, Rivet Buster, and Steam Cleaner were parked in the parking lot adjacent to the fire

station.

The load of sand, for use in the construction of the decontamination pad, was staged in the Town of North Castle Highway Department storage area. The sand was purchased by CVI from Wascoe, Inc., 100 Hibernia Ave., Rockaway, New Jersey.

The fence between the Tartaglia (owner of Country Cleaners) and Torlish properties was removed. A snow fence was installed to delineate the work zones.

NYSDEC and Mr. Torlish signed a Temporary Use and Occupancy Agreement prior to the start of construction. This was required as CVI had to use Torlish's driveway in order to get access to the septic tank.

A Site Specific Health and Safety Meeting was conducted by CVI's Health and Safety Officer. A brief site history and the potential chemical hazards were outlined. The Health and Safety Plan was also discussed along with the proposed sequence of work. A route to hospital map was posted in the Decon / Storage trailer. Personnel from CVI, TAMS, and NYSDEC attended.

March 19, 1991:

Key personnel:

TAMS:	John Egan	Project Engineer
	George Murray	Health and Safety Officer
NYSDEC:	William Zeppetelli	NYSDEC Representative
CVI:	Peter Hartten	Project Supervisor
	Tracy Estes	Health and Safety Officer

It was agreed by TAMS that CVI would not build a decontamination pad as no Vactor truck was being brought on-site. The only items to be steam cleaned would be the buckets of the backhoe and miscellaneous hand tools. These would only need cleaning when the contents of the septic tank were removed and thus could be steam cleaned over the septic tank with the washwater being contained in the tank.

Excavation began in the area that Mr. Tartaglia had indicated the septic tank might be located. As excavation continued, a four inch diameter PVC sewer line was broken. A local

plumber, Jack Dilger, Plumbing and Heating Contractor, Inc. fixed the sewer line. CVI agreed to pay the plumber.

When the septic tank was located, the topsoil was removed and staged separately for reuse. The septic tank contents were then removed and staged on six mil plastic sheeting. The septic tank was found to contain no liquid and very little sludge, contrary to expectation. The actual contents were 3/4 inch crushed stone and common fill, in addition to fragments of the concrete tank top. For this reason, TAMS and NYSDEC representatives allowed combined staging of the septic tank contents. This differed from the requirements in the Technical Specifications; i.e., septic tank liquid, septic tank sludge, crushed stone in contact with the septic tank liquid, and crushed stone in contact with the septic tank sludge were to have been staged separately.

During the excavation of the septic tank, a car battery was located. The battery was containerized in a five gallon bucket. The battery was later taken by TAMS to an automobile junkyard for recycling. A copy of the receipt that TAMS obtained is included in Appendix F.

Throughout the excavation, air monitoring was conducted by TAMS and CVI personnel using an HNu photoionization detector, O2 / LEL meter, and Draeger tubes for vinyl chloride. No readings above background were detected. CVI and TAMS personnel were in Level C respiratory and dermal protection during the excavation. CVI personnel completed a confined space entry permit and upgraded to Level B respiratory protection prior to entering the septic tank. The remaining septic tank contents were removed by hand shovel.

Prior to the completion of the day's activities, the septic tank contents stockpile was covered with six mil plastic sheeting and the septic tank excavation was covered with sheets of plywood. The area was surrounded with snow fence.

March 20, 1991:

Key personnel:

TAMS:	John Egan	Project Engineer
	George Murray	Health and Safety Officer
DUNN:	Joseph Besca	Project Manager
NYSDEC:	Joseph Yavonditte	Project Manager

CVI: Peter Hartten Project Supervisor
Andrew Goodard Health and Safety Officer

A 30 cubic yard roll-off container was brought on-site by CVI. The septic tank contents stockpile was placed in the roll-off container using the backhoe. The roll-off container was sampled for RCRA hazardous characteristics by VERITECH Laboratories, Butler, New Jersey. The roll-off container was then placed on the paved lot behind the fire station as planned, pending receipt and approval of the waste profile. A second roll-off container was noted to be required as the 30 cubic yard roll-off container was overloaded.

NYSDEC approved the sand that CVI brought on-site for the construction of the decontamination pad as suitable backfill for the septic tank excavation.

March 21, 1991:

Key personnel:

TAMS: John Egan Project Engineer
George Murray Health and Safety Officer
CVI: Peter Hartten Project Supervisor
Andrew Goodard Health and Safety Officer

The front and rear buckets of the backhoe, and other miscellaneous hand tools were steam cleaned. The washwater was contained in the septic tank. The walls of the septic tank were then steam cleaned. The washwater was pumped into a 55 gallon drum using a sump pump. The hose pipe used to convey the washwater was containerized along with the personnel protective equipment used by TAMS and CVI in another drum to be disposed of with the septic tank contents. The bottom of the septic tank was then scrubbed clean using rags.

The excavation was surveyed by Badey & Watson, Surveying and Engineering P.C., a land surveyor registered in New York State retained by CVI. A survey map is provided in Appendix C showing the septic tank location and volume calculations. The holding capacity of the tank was measured as 5.94 cubic yards (1,200 gallons) and the overall tank volume including the concrete walls was found to be 9.14 cubic yards.

As the septic tank appeared structurally intact with no evidence of leaking, the concrete bottom and sides were cracked and dismantled using the backhoe. The concrete was broken

into small pieces by the backhoe and used as backfill.

The soil adjacent to the septic tank did not have any visual staining from contact with leaking septic tank contents. Therefore no additional soil was removed. The excavation was backfilled with the sand that was previously approved by NYSDEC. This was placed and compacted using the backhoe. The original topsoil was then placed, followed by imported topsoil.

The rack truck and the dump truck with the backhoe and trailer were taken off-site by CVI.

March 22, 1991:

Key personnel:

TAMS:	John Egan	Project Engineer
	George Murray	Health and Safety Officer
CVI:	Peter Hartten	Project Supervisor

The topsoil was limed, fertilized, seeded, and mulched using hay. The fence was replaced and the site restored.

The drum containing the decontamination washwater was sampled by CVI for RCRA hazardous characteristics. The samples were delivered by CVI to VERITECH Laboratories. The expected laboratory turn-around time was approximately three weeks.

CVI completed the demobilization and removed its equipment off-site.

May 1, 1991:

Key personnel:

TAMS:	George Murray	Health and Safety Officer
CVI:	Peter Hartten	Project Supervisor

CVI brought a second roll-off container on-site. Some of the septic tank contents from the overloaded roll-off container were transferred to the second roll-off container. A small trackhoe was brought on-site by CVI to perform this operation. This work was performed while a TAMS inspector was on-site. When the operation was completed, a TAMS

representative signed the Waste Manifests for both roll-off containers on behalf of NYSDEC. The roll-off containers were taken to CYCLE CHEM (transfer, storage, or disposal facility) for disposal.

May 17, 1991:

Key personnel:


TAMS: George Murray Health and Safety Officer

CVI: Roval Marquez CVI Representative

CVI personnel on-site for the removal of the 55 gallon drum containing the decontamination washwater. CVI transported the drum to CYCLE CHEM for disposal. A TAMS inspector was on-site during the removal of the drum. A TAMS representative signed the Waste Manifest on behalf of NYSDEC.

APPENDIX B
Temporary Use and Occupancy Agreements

New York State Department of Environmental Conservation
50 Wolf Road, Albany, New York 12233 7010



Thomas C. Jorling
Commissioner

DEC 11 1990

RECEIVED

DEC 17 1990

Mr. Thomas Torlish
Torlish Well Drilling
Maple Avenue
Armonk, New York 10504

Dear Mr. Torlish:

On December 5, 1990, Joe Yavonditte of this office inquired regarding the use of your firm's driveway for access to the rear of the Country Cleaners. This Department is contracting to remove the contents of the damaged septic tank which previously served the cleaners. The only viable access to the backyard of the Country Cleaners is across your driveway.

It was indicated that use of the driveway for access would be acceptable to your firm as long as access to the rear of your parcel was not obstructed, particularly during the early morning and late afternoon hours. We will direct our contractor to comply with this request.

It is expected that the on-site work will be performed during January 1991 and last for no longer than a week.

Enclosed is a standard Department temporary use agreement which is designed to protect you and the State. Please read through the document; and, if you have no questions, complete items (a), (b), (c) and sign on page 3. The document should also be notarized in the appropriate block on the last page. Once we receive the signed document, we will sign and return a copy to you.

We appreciate your cooperation in performing this work and regret any inconvenience it may cause you. If you have any questions, please contact Joe Yavonditte or me at (518) 457-9280.

Sincerely,

Robert C. Knizek, P.E.
Chief, Eastern Field Services Section
Bureau of Construction Services
Div. of Hazardous Waste Remediation

cc: J. Henkes
B. Fidler - TAMS

Project: Armonk Private Wells
Project ID No. 3-60-005
Located in: Armonk(V), Tn of New Cast.
Westchester County

New York State Department of Environmental Conservation

AGREEMENT
for
TEMPORARY USE AND OCCUPANCY OF PRIVATE PROPERTY
FOR PURPOSES PURSUANT TO ENVIRONMENTAL CONSERVATION LAW
ARTICLE 27

This agreement made this _____ day of December, 1990
between
hereinafter referred to as "owner", and the COMMISSIONER OF
THE DEPARTMENT OF ENVIRONMENTAL CONSERVATION FOR THE PEOPLE
OF THE STATE OF NEW YORK, hereinafter referred to as "the
Department," pursuant to the above cited law,

WITNESSETH:

WHEREAS, the owner represents as follows:

(a) That the owner owns the real property described
above and on the attached sketch map, or some right, title or
interest therein, which property is described briefly as
follows:

(b) That said ownership consists of the following
interest in said property

title to which was acquired by the owner at
the time and in the manner following:

(c) That said property is free and clear of all
leases, tenancies, easements, contracts of sale, (except)

WHEREAS said property was, or will be, entered upon and
occupied by the Department, its representatives, employees,

agents or contractors, for the performance of work thereon for one or more of the purposes set forth in Environmental Conservation Law Article 27, and particularly for the purpose of installing, operating, maintaining and monitoring groundwater monitoring wells, and for the sampling of soils, sediments, surface water and groundwater within the area covered by said entry,

NOW THEREFORE, the parties hereto agree as follows:

1. As consideration for this agreement, the Department will pay to owner one dollar (\$1.00), payment of which is waived.

2. The owner will permit entry on and use of the property by the Department, its agents, employees, contractors and representatives from the date hereof until 2 April 1991. Such right of entry includes the right to:

- a) operate a work area;
- b) remove therefrom any material excavated;
- c) placement of fencing to secure ;
- d) conduct air, water or soil samples or analyses;
- e) remove air, water or soil samples;
- f) carry on any activity necessary for the completion of septic tank removal together with the rights at all times during the duration of this agreement of ingress, egress and regress by the State of New York, its employees, agents, contractors and/or representatives for the purposes connected with the above work for access to the Country Cleaners property.

3. The Department covenants that all work to be performed hereunder will be done at no cost or expense to the owner; however, this does not constitute a waiver of any rights the Department may have to recover such cost from any responsible party, pursuant to Title 13 of Article 27 of the Environmental Conservation Law, or other relevant provisions of statutory or common law.

4. Prior to the termination of this agreement, the Department, at its cost and expense, will restore the property to its former condition, by reseeding and revegetating but not including replacement of large trees.

5. The Department's contractor has comprehensive general liability insurance for the activities conducted on

this site. The Department will cooperate with the owner in pursuing with the insurer any claim that may arise.

THIS AGREEMENT shall inure to the benefit of and bind the distributees, legal representatives, successors and assigns of the parties.

In witness whereof, this agreement has been executed on the day and date first above written.

Owner

New York State Department of
Environmental Conservation

by _____

its _____

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

(CORPORATE ACKNOWLEDGMENT)

STATE OF NEW YORK }
COUNTY OF _____ } ss.:

On the _____ day of _____ in the year Nineteen Hundred _____, before me personally came _____ to me known, who being duly sworn, did depose and say that he resides in the City of _____, New York; that he is _____ of _____ the corporation described in and which executed the above instrument; that he knows the seal of said corporation; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said corporation and that he signed his name thereto by like order.

Seal

Notary Public

(CO-PARTNERSHIP ACKNOWLEDGMENT)

STATE OF NEW YORK }
COUNTY OF _____ } ss.:

On the _____ day of _____ in the year Nineteen Hundred _____, before me personally came _____, to me known and known to me to be a member of _____, the firm described in and which executed the foregoing instrument, and he acknowledged to me that he subscribed the name of said firm thereto on behalf of said firm for the purpose therein mentioned.

Seal

Notary Public

(INDIVIDUAL ACKNOWLEDGMENT)

STATE OF NEW YORK }
COUNTY OF _____ } ss.:

On the _____ day of _____ in the year Nineteen Hundred _____, before me personally came _____ to me personally known, and known to me to be the individual described in, and who executed the foregoing instrument, and he duly acknowledged to me that he executed the same.

Seal

Notary Public

New York State Department of Environmental Conservation
50 Wolf Road, Albany, New York 12233



Thomas C. Jorling
Commissioner

DEC 11 1990

RECEIVED

DEC 17 1990

Mr. Woody Davis
Chairman, Board of Fire Commissioners
P.O. Box 188
Armonk, New York 10504

Dear Mr. Davis:

On December 5, 1990, Joe Yavonditte of my staff spoke with Mr. Robert Anderson regarding the temporary use of a section of the parking lot behind the fire house.

The Department is contracting to remove the contents of the damaged septic tank (and possibly the tank itself) from behind the Country Cleaners. The top of this tank was collapsed during our earlier investigation of the groundwater contamination in the area. The tank was filled with stone to stabilize the area. The tank sludge has previously been identified as containing potentially hazardous material, most notably vinyl chloride. The current state of contamination in the sludge and on the stone will not be known until the stone and sludge is removed and samples analyzed. Until sample results are received and a disposal site selected, the material cannot leave the village. We would like to stage the excavated material in a sealed/locked container at the rear of the fire district's parking lot. We expect that the container (a roll-off or sealand trailer) would be on the site for no more than two (2) months beginning in early January. This allows time for laboratory analysis (about five weeks) and selection of an appropriate disposal site. The contractor will be directed not to interfere in anyway with fire department activities.

Enclosed is a standard Department temporary use agreement which is designed to protect the fire district and the State. Please read through the document; and, if you and the other fire commissioners agree, complete items (a), (b), (c) and sign on page 3.

The document should also be notarized in the appropriate block on the last page. Once we receive the signed document, we will sign and return a copy to you.

We appreciate your cooperation in this work. If you have any questions, please contact Joe Yavonditte or me at (518) 457-9280.

Sincerely,

Robert C. Knizek, P.E.
Chief, Eastern Field Services Section
Bureau of Construction Services
Div. of Hazardous Waste Remediation

cc: J. Henkes
B. Fidler - TAMS
R. Anderson - c/o Winkler's Nursery

Project: Armonk Private Wells
Project ID No. 3-60-005
Located in: Armonk(V), Tn of New Cast
Westchester County

New York State Department of Environmental Conservation

AGREEMENT
for
TEMPORARY USE AND OCCUPANCY OF PRIVATE PROPERTY
FOR PURPOSES PURSUANT TO ENVIRONMENTAL CONSERVATION LAW
ARTICLE 27

This agreement made this _____ day of December, 1990
between
hereinafter referred to as "owner", and the COMMISSIONER OF
THE DEPARTMENT OF ENVIRONMENTAL CONSERVATION FOR THE PEOPLE
OF THE STATE OF NEW YORK, hereinafter referred to as "the
Department," pursuant to the above cited law,

WITNESSETH:

WHEREAS, the owner represents as follows:

(a) That the owner owns the real property described
above and on the attached sketch map, or some right, title or
interest therein, which property is described briefly as
follows:

(b) That said ownership consists of the following
interest in said property

title to which was acquired by the owner at
the time and in the manner following:

(c) That said property is free and clear of all
leases, tenancies, easements, contracts of sale, (except)

WHEREAS said property was, or will be, entered upon and
occupied by the Department, its representatives, employees,

agents or contractors, for the performance of work thereon for one or more of the purposes set forth in Environmental Conservation Law Article 27, and particularly for the purpose of installing, operating, maintaining and monitoring groundwater monitoring wells, and for the sampling of soils, sediments, surface water and groundwater within the area covered by said entry,

NOW THEREFORE, the parties hereto agree as follows:

1. As consideration for this agreement, the Department will pay to owner one dollar (\$1.00), payment of which is waived.

2. The owner will permit entry on and use of the property by the Department, its agents, employees, contractors and representatives from the date hereof until 2 April 1991. Such right of entry includes the right to:

- a) operate a work area;
- b) remove therefrom any material excavated;
- c) placement of fencing to secure ;
- d) conduct air, water or soil samples or analyses;
- e) remove air, water or soil samples;
- f) carry on any activity necessary for the completion of septic tank removal together with the rights at all times during the duration of this agreement of ingress, egress and regress by the State of New York, its employees, agents, contractors and/or representatives for the purposes connected with the above work for access to the Country Cleaners property

3. The Department covenants that all work to be performed hereunder will be done at no cost or expense to the owner; however, this does not constitute a waiver of any rights the Department may have to recover such cost from any responsible party, pursuant to Title 13 of Article 27 of the Environmental Conservation Law, or other relevant provisions of statutory or common law.

4. Prior to the termination of this agreement, the Department, at its cost and expense, will restore the property to its former condition, by reseeding and revegetating but not including replacement of large trees.

5. The Department's contractor has comprehensive general liability insurance for the activities conducted on

this site. The Department will cooperate with the owner in pursuing with the insurer any claim that may arise.

THIS AGREEMENT shall inure to the benefit of and bind the distributees, legal representatives, successors and assigns of the parties.

In witness whereof, this agreement has been executed on the day and date first above written.

Owner

New York State Department of
Environmental Conservation

by _____

its _____

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

(CORPORATE ACKNOWLEDGMENT)

STATE OF NEW YORK }
COUNTY OF _____ } ss.:

On the _____ day of _____ in the year Nineteen Hundred _____, before me personally came _____ to me known, who being duly sworn, did depose and say that he resides in the City of _____, New York; that he is _____ of _____ the corporation described in and which executed the above instrument; that he knows the seal of said corporation; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said corporation and that he signed his name thereto by like order.

Seal

Notary Public

(CO-PARTNERSHIP ACKNOWLEDGMENT)

STATE OF NEW YORK }
COUNTY OF _____ } ss.:

On the _____ day of _____ in the year Nineteen Hundred _____, before me personally came _____, to me known and known to me to be a member of _____, the firm described in and which executed the foregoing instrument, and he acknowledged to me that he subscribed the name of said firm thereto on behalf of said firm for the purpose therein mentioned.

Seal

Notary Public

(INDIVIDUAL ACKNOWLEDGMENT)

STATE OF NEW YORK }
COUNTY OF _____ } ss.:

On the _____ day of _____ in the year Nineteen Hundred _____, before me personally came _____ to me personally known, and known to me to be the individual described in, and who executed the foregoing instrument, and he duly acknowledged to me that he executed the same.

Seal

Notary Public

APPENDIX C
Surveying Records

APPENDIX D
Pertinent Correspondence

TAMS CONSULTANTS, Inc.

300 BROADACRES DRIVE, BLOOMFIELD, NEW JERSEY 07003 (201) 338-6680 FAX: (201) 338-1052

March 26, 1991

Mr. Joseph A. Yavonditte, P.E.
Bureau of Construction Services
Division of Hazardous Waste Management
New York State Department of Environmental Conservation
50 Wolf Road
Albany, New York 12233-7010

Re: Armonk Private Wells Site
Septic Tank Removal
Backfill - Demonstrated Clean Fill


Dear Mr. Yavonditte:

As you will recall, Subtask 2-3, Backfill and Regrading, of the Work Plan which was incorporated into the Technical Specifications of the Septic Tank Removal Subcontract stated that demonstrated clean fill was to be used as backfill for the excavation of the septic tank. Clean Venture, Inc. brought sand to the site for the construction of the decontamination pad. As the decontamination pad was not built, the sand was used as backfill for the excavation of the septic tank. This letter is to confirm the acceptance by New York State Department of Environmental Conservation of the sand as demonstrated clean fill, in accordance with your determination in the field.

If you have questions, or require further information, please do not hesitate to contact me.

Very truly yours,


TAMS Consultants, Inc.



R. Bruce Fidler, P.E.

cc: Joseph Besca (DUNN)

New York State Department of Environmental Conservation
50 Wolf Road, Albany, New York 12233 7010



Thomas C. Jorling
Commissioner

April 19, 1991

R. Bruce Fidler, P.E.
TAMS Consultants, Inc.
300 Broadacres Drive
Bloomfield, New Jersey 07003

Dear Mr. Fidler:

Re: Site No. 3-60-005
Armonk Village Wells

We have reviewed the analytical results of the sludge and decon water samples from the Armonk site provided by Clean Venture.

The results do not exhibit the characteristics expected in the waste stream of a dry cleaning establishment. Although both samples indicated the presence of tylenes and the decon water also indicated toluene and ethylbenzene, the results more closely resemble results that could be expected from a residential septic tank removal under similar conditions. The material should, therefore, be handled as non-hazardous.

If you have any questions, please contact Joe Yavonditte or me at (518) 457-9280.

Sincerely,

Robert C. Knizek, P.E.
Chief, Eastern Field Services Section
Bureau of Construction Services
Division of Hazardous Waste Remediation

cc: J. Besca - Dunn Geoscience
J. Henkes - BERA

RECEIVED

APR 24 1991

TAMS
BLOOMFIELD

APPENDIX E
Analytical Results

E-1

**Septic Tank Contents
Analytical Results**

From: Veritech NJDEP LAB NO.14822
47 Carey Avenue
Butler, NJ 07405
(201) 492-9744

April 10, 1991

To: CLEAN VENTURE
82 MIDLAND AVE.
SADDLE BROOK, NJ 07662

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

Sample I.D. AA01179 Deliverables: STANDARD
Client ID: CVS Sample Description: SEPTIC SLUDGE & SOIL
Project Account Code: ARMONK Sample collection date: 03/20/91
Laboratory submittal date: 03/21/91 Time: 08:50
Received by: SEG Validated by: SEG

Parameter: As (TCLP)
Method reference: EPA 206.2
Result: not detected
Date started: 03/22/91
Time started: 00:00

MDL: 0.2 ppm
Date finished: 03/22/91
Analyst: HM

Parameter: Ba (TCLP)
Method reference: EPA 208.1
Result: not detected
Date started: 03/22/91
Time started: 00:00

MDL: 0.1 ppm
Date finished: 03/22/91
Analyst: HM

Parameter: Cd (TCLP)
Method reference: EPA 213.1
Result: not detected
Date started: 03/22/91
Time started: 00:00

MDL: 0.01 ppm
Date finished: 03/22/91
Analyst: HM

Parameter: Cr (TCLP)
Method reference: EPA 218.1
Result: not detected
Date started: 03/22/91
Time started: 00:00

MDL: 0.1 ppm
Date finished: 03/22/91
Analyst: HM

CLEAN VENTURE
 Page: 2
 April 10, 1991

Sample I.D. AA01179 (continued)

Parameter: Hg (TCLP)
 Method reference: EPA 245.1
 Result: not detected
 Date started: 03/22/91
 Time started: 00:00

MDL: 0.0005 ppm
 Date finished: 03/22/91
 Analyst: HM

Parameter: Pb (TCLP)
 Method reference: EPA 239.1
 Result: not detected
 Date started: 03/22/91
 Time started: 00:00

MDL: 0.1 ppm
 Date finished: 03/22/91
 Analyst: HM

Parameter: Se (TCLP)
 Method reference: EPA 270.2
 Result: not detected
 Date started: 03/22/91
 Time started: 00:00

MDL: 0.1 ppm
 Date finished: 03/22/91
 Analyst: HM

Parameter: Ag (TCLP)
 Method reference: EPA 272.2
 Result: not detected
 Date started: 03/22/91
 Time started: 00:00

MDL: 0.03 ppm
 Date finished: 03/22/91
 Analyst: HM

Parameter: TCLP VOLATILES
 Method reference: SW-846
 Result: done
 Date started: 03/27/91
 Time started: 00:00

Date finished: 03/27/91
 Analyst: DM

Parameter: VOLATILE AROMATICS
 Method reference: EPA 602/8020
 Result: see appended report
 Date started: 03/26/91
 Time started: 00:00

Date finished: 03/26/91
 Analyst: AL

Parameter: VOLATILE HALOCARBONS
 Method reference: EPA 601/8010
 Result: see appended report
 Date started: 03/26/91
 Time started: 00:00

Date finished: 03/26/91
 Analyst: AL

Parameter: %SOLIDS
 Method reference: INTERNAL
 Result: 63 PERCENT
 Date started: 03/21/91
 Time started: 00:00

MDL or sensitivity:
 Date finished: 03/21/91
 Analyst: ET

CLEAN VENTURE
Page: 3
April 10, 1991

Sample I.D. AA01177 (continued)

Parameter: TOTAL PETROLEUM HYDROCARBONS
Method reference: EPA 418.1
Result: 380 ppm
Date started: 03/21/91
Time started: 00:00

MDL or sensitivity: 10
Date finished: 03/21/91
Analyst: ET

Parameter: REACTIVE CYANIDE
Method reference: SW-846 7.3
Result: 0.67 ppm
Date started: 03/21/91
Time started: 00:00

MDL or sensitivity: 0.04
Date finished: 03/21/91
Analyst: ET

Parameter: REACTIVE SULFIDE
Method reference: SW-846 7.3
Result: 4.0 ppm
Date started: 03/21/91
Time started: 00:00

MDL or sensitivity: 4.0
Date finished: 03/21/91
Analyst: ET

Data for VOLATILE AROMATICS ppb:

Component Name	Concentration	Component MDL
BENZENE	Not Det	37
TOLUENE	Not Det	37
CHLOROBENZENE	Not Det	37
ETHYLBENZENE	Not Det	37
1,3-DICHLOROBENZENE	Not Det	37
1,4-DICHLOROBENZENE	Not Det	37
1,2-DICHLOROBENZENE	Not Det	37
XYLENES	76	37

Data for VOLATILE HALOCARBONS ppb:

Component Name	Concentration	Component MDL
CHLOROMETHANE	Not Det	2.0
CHLOROETHANE	Not Det	2.0
VINYL CHLORIDE	Not Det	2.0
BROMOMETHANE	Not Det	2.0
FREON	Not Det	2.0
1,1-DICHLOROETHENE	Not Det	2.0
METHYLENE CHLORIDE	Not Det	2.0
TRANS-1,2-DICHLOROETHENE	Not Det	2.0
1,1-DICHLOROETHANE	Not Det	2.0
CHLOROFORM	Not Det	2.0
1,1,1-TRICHLOROETHANE	Not Det	2.0
CARBON TETRACHLORIDE	Not Det	2.0
1,2-DICHLOROETHANE	Not Det	2.0
TRICHLOROETHENE	Not Det	2.0
1,2-DICHLOROPROPANE	Not Det	2.0


CLEAN VENTURE
Page: 4
April 10, 1991

Sample I.D. AA01179 (continued)

Data for VOLATILE HALOCARBONS (continued):

Component Name	Concentration	Component MDL
DICHLOROBROMOMETHANE	Not Det	2.0
TRANS-1,3-DICHLOROPROPENE	Not Det	2.0
2-CHLOROETHYLVINYLETHER	Not Det	2.0
1,1,2-TRICHLOROETHANE	Not Det	2.0
TETRACHLOROETHENE	Not Det	2.0
CHLORODIBROMOMETHANE	Not Det	2.0
CHLOROBENZENE	Not Det	2.0
BROMOFORM	Not Det	2.0
1,1,2,2-TETRACHLOROETHANE	Not Det	2.0
1,3-DICHLOROBENZENE	Not Det	2.0
1,4-DICHLOROBENZENE	Not Det	2.0
1,2-DICHLOROBENZENE	Not Det	2.0

If there are any questions regarding this data, please call.



Stanley Gilewicz
Laboratory Director

FOUR VOLATILES ORGANIC COMPOUNDS REPORT

CLIENT NAME : CLEAN VENTURE
LAB SAMPLE NUMBER: AA1179
CLIENT SAMPLE ID : SEPTIC SLUDGE & SO

MATRIX : WATER (11)
DATE EXTRACTED: 3/22/91
DATE ANALYZED : 3/27/91

COMPOUNDS	RESULT MG/L	Regulatory Level (MG/L)

Benzene	ND	0.50
Carbon Tetrachloride	ND	0.50
Chlorobenzene	ND	100.00
Chloroform	ND	6.00
1,2-Dichloroethane	ND	0.50
1,1-Dichloroethylene	0.010	0.70
Methyl Ethyl Ketone	ND	200.00
Tetrachloroethylene	ND	0.70
Trichloroethylene	0.002	0.50
Vinyl Chloride	ND	0.20

SURROGATE RECOVERY

1,2-Dichloroethane-d4	51.98 %
Toluene-d8	59.36 %
Bromofluorobenzene	54.66 %

">" = Over Regulatory Limit.

E-2

**Septic Tank Decontamination Washwater
Analytical Results**

From: Veritech NJDEP LAB NO.14622
47 Carey Avenue
Butler, NJ 07405
(201) 492-8744

April 16, 1991

To: CLEAN VENTURE
82 MIDLAND AVE.
SADDLE BROOK, NJ 07662

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

Sample I.D. AA01233 Deliverables: STANDARD
Client ID: CVS Sample Description: DECON WASTEWATER
Project Account Code: ARMONK Sample collection date: 03/22/91
Laboratory submittal date: 03/22/91 Time: 16:29
Received by: SEG Validated by: SEG

Parameter: As (TCLP)
Method reference: EPA 206.2
Result: not detected
Date started: 03/26/91
Time started: 00:00

MDL: 0.2 ppm
Date finished: 03/26/91
Analyst: HM

Parameter: Ba (TCLP)
Method reference: EPA 208.1
Result: 4.9 ppm
Date started: 03/26/91
Time started: 00:00

MDL or sensitivity: 0.1
Date finished: 03/26/91
Analyst: HM

Parameter: Cd (TCLP)
Method reference: EPA 213.1
Result: not detected
Date started: 03/26/91
Time started: 00:00

MDL: 0.01 ppm
Date finished: 03/26/91
Analyst: HM

Parameter: Cr (TCLP)
Method reference: EPA 218.1
Result: not detected
Date started: 03/26/91
Time started: 00:00

MDL: 0.1 ppm
Date finished: 03/26/91
Analyst: HM

CLEAN VENTURE
Page: 2
April 16, 1991

Sample I.D. AA01233 (continued)

Parameter: Hg (TCLP)
Method reference: EPA 245.1
Result: not detected
Date started: 04/02/91
Time started: 00:00

MDL: 0.0005 ppm
Date finished: 04/02/91
Analyst: HM

Parameter: Pb (TCLP)
Method reference: EPA 239.1
Result: 1.2 ppm
Date started: 03/26/91
Time started: 00:00

MDL or sensitivity: 0.1
Date finished: 03/26/91
Analyst: HM

Parameter: Se (TCLP)
Method reference: EPA 270.2
Result: not detected
Date started: 03/26/91
Time started: 00:00

MDL: 0.1 ppm
Date finished: 03/26/91
Analyst: HM

Parameter: Ag (TCLP)
Method reference: EPA 272.2
Result: not detected
Date started: 03/26/91
Time started: 00:00

MDL: 0.03 ppm
Date finished: 03/26/91
Analyst: HM

Parameter: TCLP VOLATILES
Method reference: SW-846
Result: done
Date started: 04/12/91
Time started: 00:00

Date finished: 04/12/91
Analyst: DM

Parameter: REACTIVE CYANIDE
Method reference: SW-846 7.3
Result: not detected
Date started: 03/25/91
Time started: 00:00

MDL: 0.04 ppm
Date finished: 03/25/91
Analyst: ET

Parameter: REACTIVE SULFIDE
Method reference: SW-846 7.3
Result: 4.0 ppm
Date started: 03/25/91
Time started: 00:00

MDL or sensitivity: 4.0
Date finished: 03/25/91
Analyst: ET

Parameter: TOTAL PETROLEUM HYDROCARBONS
Method reference: EPA 418.1
Result: not detected
Date started: 03/25/91
Time started: 00:00

MDL: 10 ppm
Date finished: 03/25/91
Analyst: ET

CLEAN VENTURE
Page: 3
April 16, 1991

Sample I.D. AA01233 (continued)

Parameter: VOLATILE AROMATICS
Method reference: EPA 602/8020
Result: see appended report
Date started: 03/26/91
Time started: 00:00

Date finished: 03/26/91
Analyst: AL

Parameter: VOLATILE HALOCARBONS
Method reference: EPA 601/8010
Result: see appended report
Date started: 03/26/91
Time started: 00:00

Date finished: 03/26/91
Analyst: AL

Data for VOLATILE AROMATICS ppb:

Component Name	Concentration	Component MDL
BENZENE	Not Det	2.0
TOLUENE	13	2.0
CHLOROBENZENE	Not Det	2.0
ETHYLBENZENE	18	2.0
1,3-DICHLOROBENZENE	Not Det	2.0
1,4-DICHLOROBENZENE	Not Det	2.0
1,2-DICHLOROBENZENE	Not Det	2.0
XYLENES	134	2.0

Data for VOLATILE HALOCARBONS ppb:

Component Name	Concentration	Component MDL
CHLOROMETHANE	Not Det	2.0
CHLOROETHANE	Not Det	2.0
VINYL CHLORIDE	Not Det	2.0
BROMOMETHANE	Not Det	2.0
FREON	Not Det	2.0
1,1-DICHLOROETHENE	Not Det	2.0
METHYLENE CHLORIDE	Not Det	2.0
TRANS-1,2-DICHLOROETHENE	Not Det	2.0
1,1-DICHLOROETHANE	Not Det	2.0
CHLOROFORM	Not Det	2.0
1,1,1-TRICHLOROETHANE	Not Det	2.0
CARBON TETRACHLORIDE	Not Det	2.0
1,2-DICHLOROETHANE	Not Det	2.0
TRICHLOROETHENE	Not Det	2.0
1,2-DICHLOROPROPANE	Not Det	2.0
DICHLOROBROMOMETHANE	Not Det	2.0
TRANS-1,3-DICHLOROPROPENE	Not Det	2.0
2-CHLOROETHYLVINYLETHER	Not Det	2.0
1,1,2-TRICHLOROETHANE	Not Det	2.0
TETRACHLOROETHENE	Not Det	2.0
CHLORODIBROMOMETHANE	Not Det	2.0

CLEAN VENTURE
Page: 4
April 16, 1991

Sample I.D. AA01233 (continued)

Data for VOLATILE HALOCARBONS (continued):

Component Name	Concentration	Component MDL
CHLOROBENZENE	Not Det	2.0
BROMOFORM	Not Det	2.0
1,1,2,2-TETRACHLOROETHANE	Not Det	2.0
1,3-DICHLOROBENZENE	Not Det	2.0
1,4-DICHLOROBENZENE	Not Det	2.0
1,2-DICHLOROBENZENE	Not Det	2.0

If there are any questions regarding this data, please call.



Stanley Gilewicz
Laboratory Director

TCLP VOLATILES ORGANIC GC/MS REPORT

CLIENT NAME : CLEAN VENTURE
 LAB SAMPLE NUMBER: AA1233
 CLIENT SAMPLE ID : ARMONK DECON WASTE

MATRIX : WATER
 DATE EXTRACTED: 3/22/91
 DATE ANALYZED : 4/12/91

COMPOUNDS	RESULT MG/L	MDL MG/L	Regulatory Level (MG/L)
*****	*****	*****	*****
Benzene	ND	0.005	0.50
Carbon Tetrachloride	ND	0.005	0.50
Chlorobenzene	ND	0.005	100.00
Chloroform	ND	0.005	8.00
1,2-Dichloroethane	ND	0.005	0.50
1,1-Dichloroethylene	ND	0.005	0.70
Methyl Ethyl Ketone	ND	0.025	200.00
Tetrachloroethylene	0.011	0.005	0.70
Trichlorethylene	ND	0.005	0.50
Vinyl Chloride	ND	0.005	0.20

SURROGATE RECOVERY

 1,2-Dichloroethane-d4 59.32 %
 Toluene-d8 47.42 %
 Bromofluorobenzene 70.42 %

">" = Over Regulatory Limit.

APPENDIX F

Waste Manifests and Material Profile Sheets

F-1

**Septic Tank Contents
Waste Manifests
Roll-off Container #1**



State of New Jersey
 Department of Environmental Protection
 Division of Hazardous Waste Management
 Manifest Section
 CN 028, Trenton, NJ 08625

Please type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

In case of an emergency or spill immediately call the state the emergency occurred in and the N.J. Dept. of Environmental Protection. (609) 292-5590 (Day) (609) 292-7172 (Night)

UNIFORM HAZARDOUS WASTE MANIFEST		Generator's US EPA ID No. NJ0017155019	Manifest Document No. 1616815	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION 50 WILFORD ALBANY, NEW YORK 12207				A. State Manifest Document Number NJA 1019553		
4. Generator's Phone (518) 474-1000				B. State Generator's ID COUNTY CASADERS MADISON AVE. ORANGE, NEW YORK		
5. Transporter 1 Company Name VOC-CON		6. US EPA ID Number NJ0017155019		C. State Trans. ID NJDEP16377		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone (212) 868-2200		
9. Designated Facility Name and Site Address SOUTH FINE TANK 214 SOUTH FINE TANK ELIZABETH, N.J. 07208				E. State Trans. ID		
				F. Transporter's Phone ()		
				G. State Facility's ID		
				H. Facility's Phone (708) 535-5200		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) HM		12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.	
a. WHITE PETROLEUM MIXTURE AND SOLIDS MATERIALS IN DOT HAZARDOUS WASTE		1	15	Y	X, F, 2, 5	
b.						
c.						
d.						
14. Additional Descriptions for Materials Listed Above ST. CEMENT BAGS, 100 LB. CIVIL RIGHTS PARTY GROUT, DIRT CONTAINING GOLF BALLS				K. Handling Codes for Wastes Listed Above		
a.				c.		
b.				d.		
15. Special Handling Instructions and Additional Information # 202 # 404 # 215 FEDERAL # 1001-100-100-404						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name			Signature		Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name			Signature		Month Day Year	
					12/19/91	
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name			Signature		Month Day Year	
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.						
Printed/Typed Name			Signature		Month Day Year	



State of New Jersey
Department of Environmental Protection
Division of Hazardous Waste Management
Manifest Section

CN 028, Trenton, NJ 08625

Please type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

In case of an emergency or spill immediately call the state the emergency occurred in and the N.J. Dept. of Environmental Protection. (609) 292-5560 (Day) (609) 292-7172 (Night)

UNIFORM HAZARDOUS WASTE MANIFEST form with handwritten entries for generator, transporter, and facility information, including waste descriptions and signatures.



State of New Jersey
Department of Environmental Protection
Division of Hazardous Waste Management
Manifest Section
CN 028, Trenton, NJ 08625

Please type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

In case of an emergency or spill immediately call the state the emergency occurred in and the N.J. Dept. of Environmental Protection. (609) 292-5560 (Day) (609) 292-7172 (Night)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. NJ0110117-100117		Manifest Document No. 5		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.						
3. Generator's Name and Mailing Address N.E. ...						A. State Manifest Document Number NJA 1019553								
4. Generator's Phone () - () - () - () - () - ()						B. State Generator's ID VOLUNTARY CLEANERS 7 MARINE AVE JERSEY CITY, NJ 07310								
5. Transporter 1 Company Name VO (cri)			6. US EPA ID Number NAH 117-100117			C. State Trans. ID NSDF16577								
7. Transporter 2 Company Name						D. Transporter's Phone () - () - () - () - () - ()								
9. Designated Facility Name and Site Address						E. State Trans. ID								
10. US EPA ID Number M-T-G-X-X-2-8-9-9-4-6						F. Transporter's Phone () - () - () - () - () - ()								
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) HM						12. Containers		13. Total Quantity		14. Unit W/Vol		15. Waste No.		
a. ...						No. Type		Quantity		Unit W/Vol		Waste No.		
b. ...						1		100		Y		X, F, 2, 5		
c. ...														
d. ...														
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above								
a. ...						a. ...								
b. ...						b. ...								
c. ...						c. ...								
d. ...						d. ...								
15. Special Handling Instructions and Additional Information														
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.														
Printed/Typed Name					Signature					Month Day Year				
17. Transporter 1 Acknowledgement of Receipt of Materials														
Printed/Typed Name					Signature					Month Day Year				
18. Transporter 2 Acknowledgement of Receipt of Materials														
Printed/Typed Name					Signature					Month Day Year				
19. Discrepancy Indication Space														
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.														
Printed/Typed Name					Signature					Month Day Year				



CYCLE CHEM

RECYCLING TREATMENT & DISPOSAL OF HAZARDOUS WASTE

LAND DISPOSAL NOTIFICATION AND CERTIFICATION FORM

This form meets generator restricted waste notification to Cycle Chem as required by 40 CFR Part 268.7.

GENERATOR: NEW YORK STATE Dept. of ENVIRONMENTAL CONSERVATION

E.P.A. I.D. # NYD980780696

MANIFEST 1019553

Is Waste Analysis available? Y N If Yes, attach a copy per 40 CFR Part 268.7(a)(i)(iv).

A. F001, F002, F003, F004, F005 SOLVENT RESTRICTIONS

Product Code: _____

This shipment contains the EPA Hazardous Waste _____

This restricted waste category is banned from land disposal under 40 CFR 268.30 and is subject to one or more treatment standards under 40 CFR Subpart D. Complete the information below by circling the appropriate waste constituent and check the applicable notification statement below.

Constituent	Concentration Standard in Extract, mg/l	Constituent	Concentration Standard in Extract, mg/l	Constituent	Concentration Standard in Extract, mg/l
1. Acetone	0.59	10. Ethylbenzene	0.053	18. Pyridine	0.33
2. n-Butyl Alcohol	5.00	11. Ethyl ether	0.75	19. Tetrachloroethylene	0.05
3. Carbon Disulfide	4.81	12. Isobutanol	5.00	20. Toluene	0.33
4. Carbon Tetrachloride	0.96	13. Methanol	0.75	21. 1,1,1-Trichloroethane	0.41
5. Chlorobenzene	0.05	14. Methylene chloride	0.96	22. 1,1,2-Trichloro-1,2,2-Trifluoroethane	0.96
6. Cresols (and cresylic acid)	0.75	15. Methyl ethyl ketone	0.75	23. Trichloroethylene	0.091
7. Cyclohexanone	0.75	16. Methyl isobutyl ketone	0.33	24. Trichlorofluoromethane	0.96
8. 1,2-Dichlorobenzene	0.125	17. Nitrobenzene	0.125	25. Xylene	0.15
9. Ethyl acetate	0.75				

TREATMENT STANDARD — 40 CFR (See Table 1) 268.41(a) 268.42(a) 268.43(a)

B. CALIFORNIA LIST NOTIFICATION

Product Code: _____

This shipment contains the EPA Hazardous Waste _____

Additional notification is required under 40 CFR 268.32(j) to state specific characteristics for which land disposal is prohibited. If your waste contains any of these constituents or meets any of these properties, please check below.

- 1) PCB \geq 50 ppm
- 2) Halogenated organic carbon, (HOC's) \geq 1000 mg/l
- 3) Liquids or any free liquids associated with any solid or sludge, containing the following metals or compounds of these metals:
 Nickel (NI) \geq 134 mg/l Thallium (TI) \geq 130 mg/l

C. RESTRICTED WASTE NOTIFICATION

Certain waste streams have been restricted from land disposal effective May 8, 1990. Restricted wastes acceptable at Cycle Chem are listed in the attached Table 1. If your waste is classified as any of those listed in Table 1, write your product code(s); the waste code(s) and any applicable subcategories (e.g. Ignitable Liquids, D001, with TOC > 10%); check the corresponding treatment standard from Table 1 as referenced by the 40 CFR 268.41, 268.42, or 268.43 designation, check if the waste is a waste water (ww) or non waste water (nww), and check the notification statement below. For wastes listed in 268.42, a 5 letter treatment code must be listed (see Table 1).

Example:	Product Code:	Code(s):	5 letter treatment code	TREATMENT STANDARD - 40 CFR					applicable subcategory	
				268.41(a)	268.42(a)	268.43(a)	268	ww		nww
	10012-15	D001	FSVBS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Ignitable D001 Liquid with TOC > 10%
	Product Code:	Code(s):		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Product Code:	Code(s):		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Product Code:	Code(s):		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Product Code:	Code(s):		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

(✓) I notify that I personally examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 40 CFR 268, Subpart D, or RCRA Section 3004(d), and all applicable prohibitions set forth in appropriate regulatory treatment standards (to the appropriate treatment standard, if applicable) prior to land disposal.

D. NON/HAZARDOUS WASTE CERTIFICATION

If your waste does not fall into the categories listed above in Items A, B, or C, write in the Product Code(s) and the State Waste Code(s) and check the following notification statement.

Product Codes: BF001 Codes(s): _____ Product Codes: _____ Codes(s): _____
 Product Codes: _____ Codes(s): _____ Product Codes: _____ Codes(s): _____

(✓) I notify that I have personally examined and am familiar with the waste through analysis and testing or through notification that the waste is not restricted as specified in 40 CFR 268, Subpart D and all applicable prohibitions set forth in 268.32 or RCRA 3004(d).

E. CHANGE VERIFICATION

I authorize Cycle Chem to amend and/or correct any information on the LDR with the full understanding that if any amendment or correction is made I will be contacted as such to issue my approval. Initial: JM

Benny Murray on behalf of NY DEC
George Murray

Date: 5/1/91
 Title: Environment 55

PLEASE INCLUDE THIS NOTIFICATION WITH ORIGINAL SIGNATURE WITH YOUR MANIFEST

F-2

**Septic Tank Contents
Waste Manifest
Roll-off Container #2**



State of New Jersey
 Department of Environmental Protection
 Division of Hazardous Waste Management
 Manifest Section

CN 028, Trenton, NJ 08625

Please type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **NJD0918187B161916101819** Manifest No. **101819**

2. Page 1 of 1 information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSTRUCTION
SU WOLF ROAD
ALBANY, NEW YORK 12233

A. State Manifest Document Number
NJA 1019554

4. Generator's Phone (SIC) **(518) 457-9250** **JOE YANCHEWITZ**

B. State Generator's ID
COUNTRY CLEANERS
41 WINDUP AVE
ORANGETH, NEW YORK

5. Transporter 1 Company Name
PATRICK'S

C. State Trans ID
161277

6. US EPA ID Number
PA10K171151614

D. Transporter's Phone
(518) 865-5300

7. Transporter 2 Company Name

E. State Trans. ID

8. US EPA ID Number

F. Transporter's Phone ()

9. Designated Facility Name and Site Address
CYCLE-CHEM INC
217 SOUTH FIRST STREET
ELIZABETH, NEW JERSEY 07206

G. State Facility's ID

10. US EPA ID Number
NJD08121210101416

H. Facility's Phone ()
(908) 355-5300

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) HM	12. Containers		13. Total Quantity	14. Unit Wt/Vol	1. Waste No.
	No.	Type			
a. WASTE PETROLEUM MIXTURE SOLID N.O.S. NON FLAMMABLE LIQUID HAZARDOUS WASTE	1	CM	15	Y	X171215
b.					
c.					
d.					

J. Additional Descriptions for Materials Listed Above
AT CONCRETE WALKWAYS, BRICK
CONCRETE, PLASTER, GAUGES
WEIGHT 45 PNC 380 AMM

K. Handling Codes for Wastes Listed Above			
a.	b.	c.	d.

15. Special Handling Instructions and Additional Information
See manifest 101957
Box N 9512

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
 If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: _____ Signature: _____ Month Day Year: _____

17. Transporter 1 Acknowledgement of Receipt of Materials
 Printed/Typed Name: **Stacy L. Nies** Signature: _____ Month Day Year: **10/5/1991**

18. Transporter 2 Acknowledgement of Receipt of Materials
 Printed/Typed Name: _____ Signature: _____ Month Day Year: _____

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
 Printed/Typed Name: _____ Signature: _____ Month Day Year: _____

In case of an emergency or spill immediately call the state the emergency occurred in and the N.J. Dept. of Environmental Protection. (609) 292-5560 (Day) (609) 292-7172 (Night)



State of New Jersey
 Department of Environmental Protection
 Division of Hazardous Waste Management
 Manifest Section
 CN 028, Trenton, NJ 08625

Please type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MND11K12AFN1A21N1N1N1		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.						
3. Generator's Name and Mailing Address VEHICLE REPAIR CONTRACTOR OF ELIZABETH TOWNSHIP		6. US EPA ID Number		A. State Manifest Document Number NJA 1019554		B. State Generator's ID COUNTRY CHEMISTS 47 HIGHLAND AVE LITTLE ROCK NEW YORK		C. State Trans. ID						
4. Generator's Phone () 908-371-1270		7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone ()		E. State Trans. ID						
5. Transporter 1 Company Name		9. Designated Facility Name and Site Address COUNTRY CHEMISTS INC 217 SOUTH FIRST STREET LITTLE ROCK NEW YORK		10. US EPA ID Number		F. Transporter's Phone ()		G. State Facility's ID						
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) HM		12. Containers		13. Total Quantity		14. Unit Wt/Vol		1. Waste No.						
a. WASTE FROM REMOVAL OF PAINT FROM		No. Type		Quantity		Unit Wt/Vol		Waste No.						
b. WASTE FROM REMOVAL OF PAINT FROM		c. WASTE FROM REMOVAL OF PAINT FROM		d. WASTE FROM REMOVAL OF PAINT FROM		e. WASTE FROM REMOVAL OF PAINT FROM		f. WASTE FROM REMOVAL OF PAINT FROM						
J. Additional Descriptions for Materials Listed Above 3.7 LITERS OF PAINT REMOVAL SOLVENTS 9.5 LITERS OF PAINT REMOVAL SOLVENTS		K. Handling Codes for Wastes Listed Above		a.		c.		b.						
b.		d.		e.		f.		g.						
15. Special Handling Instructions and Additional Information SOL 10 9572														
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.														
Printed/Typed Name					Signature					Month Day Year				
17. Transporter 1 Acknowledgement of Receipt of Materials														
Printed/Typed Name					Signature					Month Day Year				
18. Transporter 2 Acknowledgement of Receipt of Materials														
Printed/Typed Name					Signature					Month Day Year				
19. Discrepancy Indication Space														
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.														
Printed/Typed Name					Signature					Month Day Year				

In case of an emergency or spill immediately call the state the emergency occurred in and the N.J. Dept. of Environmental Protection. (609) 292-5560 (Day) (609) 292-7172 (Night)



CYCLE CHEM

RECYCLING TREATMENT & DISPOSAL OF HAZARDOUS WASTE

LAND DISPOSAL NOTIFICATION AND CERTIFICATION FORM

This form meets generator restricted waste notification to Cycle Chem as required by 40 CFR Part 268.7.

GENERATOR: NY D.E.C.

E.P.A. I.D. # NYD98Q78Q696

MANIFEST 1019554

Is Waste Analysis available? Y N If Yes, attach a copy per 40 CFR Part 268.7(a)(i)(iv).

A. F001, F002, F003, F004, F005 SOLVENT RESTRICTIONS

Product Code: _____

This shipment contains the EPA Hazardous Waste _____

This restricted waste category is banned from land disposal under 40 CFR 268.30 and is subject to one or more treatment standards under 40 CFR Subpart D. Complete the information below by circling the appropriate waste constituent and check the applicable notification statement below.

Constituent	Concentration Standard in Extract, mg/l	Constituent	Concentration Standard in Extract, mg/l	Constituent	Concentration Standard in Extract, mg/l
1. Acetone	0.59	10. Ethylbenzene	0.053	18. Pyridine	0.33
2. n-Butyl Alcohol	5.00	11. Ethyl ether	0.75	19. Tetrachloroethylene	0.05
3. Carbon Disulfide	4.81	12. Isobutanol	5.00	20. Toluene	0.33
4. Carbon Tetrachloride	0.96	13. Methanol	0.75	21. 1,1,1-Trichloroethane	0.41
5. Chlorobenzene	0.05	14. Methylene chloride	0.96	22. 1,1,2-Trichloro-1,2,2-Trifluoroethane	0.96
6. Cresols (and cresylic acid)	0.75	15. Methyl ethyl ketone	0.75	23. Trichloroethylene	0.091
7. Cyclohexanone	0.75	16. Methyl isobutyl ketone	0.33	24. Trichlorofluoromethane	0.96
8. 1,2-Dichlorobenzene	0.125	17. Nitrobenzene	0.125	25. Xylene	0.15
9. Ethyl acetate	0.75				

TREATMENT STANDARD — 40 CFR (See Table 1) 268.41(a) 268.42(a) 268.43(a)

B. CALIFORNIA LIST NOTIFICATION

Product Code: _____

This shipment contains the EPA Hazardous Waste _____

Additional notification is required under 40 CFR 268.32(j) to state specific characteristics for which land disposal is prohibited. If your waste contains any of these constituents or meets any of these properties, please check below.

- 1) PCB \geq 50 ppm 2) Halogenated organic carbon, (HOC's) \geq 1000 mg/l
- 3) Liquids or any free liquids associated with any solid or sludge, containing the following metals or compounds of these metals:
 Nickel (Ni) \geq 134 mg/l Thallium (Tl) \geq 130 mg/l

C. RESTRICTED WASTE NOTIFICATION

Certain waste streams have been restricted from land disposal effective May 8, 1990. Restricted wastes acceptable at Cycle Chem are listed in the attached Table 1. If your waste is classified as any of those listed in Table 1, write your product code(s); the waste code(s) and any applicable subcategories (e.g. Ignitable Liquids, D001, with TOC > 10%); check the corresponding treatment standard from Table 1 as referenced by the 40 CFR 268.41, 268.42, or 268.43 designation, check if the waste is a waste water (ww) or non waste water (nww), and check the notification statement below. For wastes listed in 268.42, a 5 letter treatment code must be listed (see Table 1).

Example:	Product Code:	Code(s):	5 letter treatment code	TREATMENT STANDARD - 40 CFR					ww	nww	applicable subcategory
				268.41(a)	268.42(a)	268.43(a)	268	268			
	10012-15	D001	FSUBS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Ignitable D001 Liquid with TOC > 10%
	Product Code:	Code(s):		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Product Code:	Code(s):		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Product Code:	Code(s):		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Product Code:	Code(s):		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

I notify that I personally examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 40 CFR 268, Subpart D, or RCRA Section 3004(d), and all applicable prohibitions set forth in appropriate regulatory treatment standards (to the appropriate treatment standard, if applicable) prior to land disposal.

D. NON/HAZARDOUS WASTE CERTIFICATION

If your waste does not fall into the categories listed above in Items A, B, or C, write in the Product Code(s) and the State Waste Code(s) and check the following notification statement.

Product Codes: BFO01 Codes(s): _____ Product Codes: _____ Codes(s): _____

I notify that I have personally examined and am familiar with the waste through analysis and testing or through notification that the waste is not restricted as specified in 40 CFR 268, Subpart D and all applicable prohibitions set forth in 268.32 or RCRA 3004(d).

E. CHANGE VERIFICATION

I hereby authorize Cycle Chem to amend and/or correct any information on the LDR with the full understanding that if any amendment or correction is performed, I will be contacted as such to issue my approval.

Signature: George Mouray on behalf of NYDEC Date: 05/01/91
Print Name: George Mouray Title: 05/01/91

PLEASE INCLUDE THIS NOTIFICATION WITH ORIGINAL SIGNATURE WITH YOUR MANIFEST!

F-3

**Septic Tank Decontamination Washwater
Waste Manifest**



State of New Jersey
Department of Environmental Protection
Division of Hazardous Waste Management
Manifest Section
CN 028, Trenton, NJ 08625

Form Approved. OMB No. 2050-0039. Expires 9-30-91

please type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. 11111111111111111111		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address New York State Department of Environmental Conservation 50 Wolf Road Albany, New York 12213						A. State Manifest Document Number NJA 1168036							
4. Generator's Phone (518) 457-9200						B. State Generator's ID Country Cleaners Maple Ave, Armonk, New York							
5. Transporter 1 Company Name Clean Ventures Inc.						C. State Transporter ID 00000000000000000000							
6. US EPA ID Number						D. Transporter's Phone (908) 442-4500							
7. Transporter 2 Company Name						E. State Trans. ID							
8. US EPA ID Number						F. Transporter's Phone ()							
9. Designated Facility Name and Site Address Cycle Chex Inc. 217 South First Street Elizabeth, New Jersey 07206						G. State Facility's ID							
10. US EPA ID Number						H. Facility's Phone (908) 355-5800							
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) HM						12. Containers No. Type		13. Total Quantity		14. Unit W/Vol		15. Waste No.	
a. Waste Chemical Process Liquid HCS (NON DOT & NON RCRA Waste Material)						10 55		G		X1 S1 01 0			
b.													
c.													
d.													
J. Additional Descriptions for Materials Listed Above In Water 99% Silt (Dirt) 1%						K. Handling Codes for Wastes Listed Above a. S1 c.							
a.						b.							
b.						d.							
15. Special Handling Instructions and Additional Information Product code #						Emergency Phone Number 908-442-4500 NJ DEP 8 3811 (DECS!) (73803)							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name George M. ...						Signature [Signature]		Month Day Year 11/1/11					
17. Transporter 1 Acknowledgement of Receipt of Materials						Signature [Signature]		Month Day Year 11/1/11					
18. Transporter 2 Acknowledgement of Receipt of Materials						Signature [Signature]		Month Day Year 11/1/11					
19. Discrepancy Indication Space													

GENERATOR

TRANSPORTER

FACTORY



State of New Jersey
 Department of Environmental Protection
 Division of Hazardous Waste Management
 Manifest Section
 CN 028, Trenton, NJ 08625

Form Approved, OMB No. 2050-0039, Expires 9-30-91

Please type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. NJ 00000000000000000000		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address New York State Department of Environmental Conservation 50 Wolf Road Albany, New York 12211						A. State Manifest Document Number NJA 1168036							
4. Generator's Phone (518) 457-9200						B. State Generator's ID Country Cleaners Maple Ave, Armonk, New York							
5. Transporter 1 Company Name Clean Ventures Inc.				6. US EPA ID Number		C. State Transporter ID NJ0000000000							
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone (908) 442-4900							
9. Designated Facility Name and Site Address Cycle Chex Inc. 217 South First Street Elizabeth, New Jersey 07206				10. US EPA ID Number		E. State Trans. ID							
						F. Transporter's Phone ()							
						G. State Facility's ID							
						H. Facility's Phone (908) 355-5800							
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) HM						12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. Waste Chemical Process Liquor (05 (NON DOT & NON RCRA Waste Material)						1 1 6 1 5 4 4 4 4 5 1 5		C		X 1 9 0 0			
b.													
c.													
d.													
J. Additional Descriptions for Materials Listed Above Inj Water 99% Silt (Dirt) 1%						K. Handling Codes for Wastes Listed Above a. S1A1 b.							
a.						c.							
b.						d.							
15. Special Handling Instructions and Additional Information Product Code 5						Emergency Phone Number 908-442-4900 NJ DEP 9 3811 (DECS!) (73803)							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name George J. Long				Signature [Signature]				Month Day Year 10 1 77					
17. Transporter 1 Acknowledgement - Receipt of Materials													
Printed/Typed Name [Name]				Signature [Signature]				Month Day Year 10 1 77					
18. Transporter 2 Acknowledgement - Receipt of Materials													
Printed/Typed Name				Signature				Month Day Year					
19. Discrepancy Indication Space													
20. Facility Owner's Name, Address, and City, State, and ZIP Code													
Printed/Typed Name				Signature				Month Day Year					

GENERATOR

TRANSPORTER

FACILITY

F-5

**Septic Tank Decontamination Washwater
Material Profile Sheet**

F-6

Car Battery Recycling Receipt

TAMS' receipt from the automobile junkyard for recycling of the car battery found during the removal of the septic tank at the Armonk Private Wells Site, Armonk, New York.

(914) 725-3300

(212) 325-7200

PASCAP CO., INC.
4250 BOSTON RD., BRONX, NY 10475

NAME

J.

EGAN

ADDRESS

DATE

01 MAY 6 07 52

STAIN. STEEL			
STAIN. STEEL T.			
ALUMINUM			
ALUMINUM T. 100.00 #			NY 1080932
ALUMINUM			
BRASS Q. 100.00 #			NY 1080932
BRASS H.			
UNB. WIRE			
COPPER L. 100.00 #			NY 1080932
COPPER H.			
COPPER			
DIE CAST M.			
DIE CAST G.			
LEAD			
33 BATTERIES ①	02		66
MONEL			
NICKEL			
PEWTER			
ZINC			
RADIATORS			
SCREENS			
SOLDER			
BRASS ROD T.			
BRASS CLIPS			
BRASS ROD			
ELECTRIC MOTORS			

246011 #2

SIGNATURE

Ed