



1983 Marcus Ave., Suite 109
 Lake Success, New York 11042
 (516) 328-1194
 Fax (516) 328-1381

LETTER OF TRANSMITTAL

Date: 06/20/06	Job No. 26001
Attention: Mr. Carl Hoffman	
Re: Katonah Quarterly Water Monitoring	

TO:

NYSDEC
625 Broadway
Albany, NY 12233-7013

WE ARE SENDING YOU: Included Under separate cover via _____ the following items:

Shop Drawings Prints Plans Qualifications Specifications

Copy of Letter Report _____

COPIES	DATE	NO.	
1	6/20/06		<i>Katonah Quarterly Water Monitoring Report - 1st Quarter</i>

THESE ARE TRANSMITTED AS INDICATED BELOW:

- | | | |
|--|---|---|
| <input type="checkbox"/> For Approval | <input type="checkbox"/> Approved as submitted | <input type="checkbox"/> Resubmit _____ Copies for Approval |
| <input checked="" type="checkbox"/> For your use | <input type="checkbox"/> Approved as noted | <input type="checkbox"/> Submit _____ Copies for distribution |
| <input checked="" type="checkbox"/> As requested | <input type="checkbox"/> Returned for corrections | <input type="checkbox"/> Return _____ Corrected Prints |
| <input type="checkbox"/> For review & comment | | |

REMARKS

If there are any questions, please call me.

COPY TO File

SIGNED Camille Indal

James Hahn
James J. Hahn Engineering
Putnam Business Park
1689 Route 22
Brewster, NY 10509

June 13, 2006

Dear Mr. Hahn:

Enclosed please find the quarterly monitoring report for the end of the 1st quarter of 2006 for the Katonah Municipal Well, Town of Bedford, Westchester County, New York (NYSDEC Site ID # 3-60-007).

Please call me with any questions.

Sincerely,



Francesco Portelos
Project Engineer

cc: Kenneth Caffrey, PE, NYSDOH
Carl Hoffman, NYSDEC
William Nixon, Town of Bedford
Paul Kutzy, Westchester County DOH
Damian Duda, USEPA Region 2

**GROUNDWATER QUALITY MONITORING
QUARTERLY REPORT
MARCH 2006
KATONAH MUNICIPAL WELL
TOWN OF BEDFORD
WESTCHESTER, NEW YORK
NYSDEC Site ID # 3-60-007**

PREPARED FOR:

**James J. Hahn Engineering
Millbrook Office Center
Route 22 & Milltown Road
Brewster, New York 10509**

PREPARED BY:

**Environmental Planning & Management, Inc.
1983 Marcus Avenue, Suite 109
Lake Success, New York 11042**

TABLE OF CONTENTS

1.0	Introduction	1
2.0	Sample Collection	2
3.0	Findings	3
4.0	Future Actions	7

List of Tables

Table 1 - Summary of Laboratory Analysis Results.....	5
---	---

List of Figures

Figure 1 - Sampling Tap Location Schematic.....	4
Figure 2 - Influent Tetrachloroethene Levels	6

APPENDICES

Appendix A - Data Validation Groundwater Monitoring Quarterly Report

Appendix B - Laboratory Analysis Report

1.0 INTRODUCTION

This quarterly groundwater sampling and analysis report has been prepared for the Katonah Municipal Well Site in Katonah, Town of Bedford, New York. This submittal is in accordance with the groundwater monitoring requirements of the New York State Department of Health (NYSDOH) and the U.S. Environmental Protection Agency (USEPA). This report includes the data collection and analysis results of the remedial system operation, for the end of the 1st quarter of 2006. Sampling of the remedial system was conducted on March 24th, 2006.

2.0 SAMPLE COLLECTION

Environmental Planning & Management, Inc., collected samples on March 24th, 2006. Three sample sets were collected from sampling taps; the raw water sampling tap (RW), the stripper number two effluent sampling tap (STEFF), Monitoring wells 4 (W4) and 11 (W11), and the distribution sampling tap (DIST). One field duplicate sample (DUP) of was collected on March 24th, 2006 of the RW sampling tap. Sample locations are shown on Figure 1 - Sampling Tap Location Schematic. Sampling was conducted in accordance with the approved Project Operation Plan.

Samples were labeled at the field location and placed into transport coolers containing ice. A trip blank and chain-of-custody documentation accompanied the samples to the laboratory for analysis. The samples were analyzed by Chemtech, in accordance with CLP methods, for volatile organics (Principal Organic Contaminants), by method 524.2, revision number 3.

3.0 FINDINGS

Table 1 provides a summary of the analytical results for the quarterly water quality monitoring, as well as the applicable NYSDOH Drinking Water Standards and the U.S. EPA clean-up requirement for Tetrachloroethene. As indicated by the laboratory analysis, the treatment system effluent meets the NYSDOH drinking water standards and the USEPA clean-up level of less than one part per billion (ppb) (or non-detectable) for Tetrachloroethene and meets the levels of less than 100 parts per billion for Trihalomethanes.

Tetrachloroethene was detected in the raw water (untreated) sample, RW, at a concentration of 22ug/l (ppb), exceeding the NYSDOH drinking water standard for that compound.

No VOC's were detected in the treated (stripper number 2) water sample, STEFF.

Two VOC's, Dibromochloromethane and Bromodichloromethane were found in the distribution water sample, DIST, at concentrations of 3.3ppb and 1.2ppb respectively. These values are well below the NYSDOH drinking water standards.

No VOC's were detected in the trip blank water sample, TB.

No VOC's were detected in monitoring well 4 water sample, W4.

No VOC's were detected in monitoring well 11 water sample, W11.


Analytical results found in DUP, a duplicate sample of the Raw Water sample, RW, are similar.

Refer to Table 1 for a summary of the groundwater analysis results for volatile organic compounds (VOC's). Table 1 reflects the detectable concentration values which have been qualified as a result of data validation. Refer to Appendix A for the data validation report which details the changes in the detectable concentration values discussed above.

The PCE concentration in the Influent (raw water) has decreased over the last sampling event (see Figure 2). To date, the PCE level in the raw water samples is not of significant concern, since the treated water and distribution water samples continue to exhibit non-detectable or insignificant concentrations of PCE. However, changes in PCE levels will continue to be closely monitored

JAY STREET

SIDEWALK



LEGEND:

SAMPLING POINTS

- A- CHLORINATED TO DISTRIBUTION
- B- STRIPPER NO.2 EFFLUENT
- C- RAW WATER

GROUNDWATER MONITORING WELLS

- MW-4 6" WELL
- MW-11 2" WELL

CLIENT:

KATONAH MUNICIPAL WATER SYSTEM

TITLE: SIMPLIFIED SAMPLING LOCATION SCHEMATIC


PROJECT LOCATION:
KATONAH MUNICIPAL WATER SYSTEM
KATONAH, NEW YORK

DRAWING NO:

FIG. 1

**Table 1 - SUMMARY OF QUARTERLY ANALYTICAL RESULTS
KATONAH MUNICIPAL WELL
October 2005**

Date Collected	3/24/2006							
Sample Location	Raw Water (Influent)	RW DUP	STEFF (Treated Water)	W4 (Well 4)	W11 (Well 11)	DIST (Distribution Water)	TB (Trip Blank)	NYSDOH/USEPA Standard
<i>Volatile Organic Compounds (ppb)</i>								
Tetrachloroethene	22.00J	20.00	.16U	.5J	.3J	.16U	.16U	5/1*
Trichloroethene	.7J	.6J	.15U	.3J	.15U	.15U	.15U	5
cis-1,2-Dichloroethene	.6J	.6J	.12U	.7J	.12U	.12U	.12U	5
Methylene Chloride	.27U	.27U	.27U	.27U	.27U	.27U	.27U	5
Dibromochloromethane	.17U	.17U	.17U	.17U	.17U	3.30	.17U	50
Bromodichloromethane	.17U	.17U	.17U	.17U	.17U	1.20	.17U	50

- * 1 ppb is the USEPA cleanup standard for the site
- 1 - Determined undetect following data validation
-  Level exceeds the USEPA/NYSDOH standard
- U Denotes detection limit/not detected
- J Denotes an estimated value
- N Presumptive evidence of a compound
- R Determined unusable following data validation
- NS No standard
- B Denotes Detection in the Field Blank as well.

KATONAH MUNICIPAL WELL - PCE LEVELS

PCE LEVELS IN INFLUENT




FIGURE 2

ENVIRONMENTAL PLANNING AND MANAGEMENT, INC.

4.0 FUTURE ACTIONS

Water quality monitoring will continue to be conducted quarterly at the treatment system influent, stripper number 2 effluent, and distribution entry point. Groundwater monitoring well samples will be collected bi-annually. EPM will communicate with the Town of Bedford Water Department to schedule a date when all the taps are available for sampling.

The next sampling event, the end of the second quarterly event for year fifteen, is tentatively scheduled for the end of June 2006.

APPENDIX A

**Katonah Municipal Well Site
Data Validation
Groundwater Quality Monitoring
Quarterly Report - March 2006**

**Samples Collected by Environmental Planning & Management, Inc.
Samples Analyzed by Chemtech**

Data Validation Performed by:

**Julie Smith
Environmental Chemist**

Volatiles Method 524.2

Chemtech Project #X2117

Hold Time

Samples collected on 3/24/06 and analyzed on 4/05/06

Instrument Performance Check (BFB)

4/4/2006 11:25 AM Instr# MSVOAF
meets QC requirements initial calibration
4/5/2006 11:14 AM meets QC requirements sample analysis

Final Calibration

Compound	1 RRF	2 RRF	10 RRF	20 RRF	30 RRF	Mean	STDEV	%RSD
robenzene (IS)	195590	188013	197838	202509	201485	0.373	0.361	0.016
achloroethene	71424	131865	671267	1530174	2256010	0.378	0.130	0.010
moform	22622	46435	266642	565568	818694	0.140	0.389	0.017
chloroethene	78942	142966	716598	1615074	2411800	0.399	0.466	0.020
3	86191	85703	92888	99078	97617	0.484		

Control limit RSD < 20%

relation coefficient >0.990

Continuing Calibration

Compound	10 ppb ccc	4/5/2006 Instr# MSVOAF	% Difference	Status
robenzene (IS)	209116			
achloroethene	750945		0.6	ok
moform	268808		1.0	ok
chloroethene	793336		2.4	ok
3	94419		3.1	ok

Control limit D < 30%

Surrogate Recovery

Recoveries of surrogates: BFB and 1,2-dichloroethane -d4, fell within control limits for the reviewed samples.

Internal Standard Summary

Internal standard areas and retention times fell within control limits for the reviewed samples.

blanks	Conc.	Compound
LK01	5.4 ug/L	acetone
Blank	7.3 ug/L	acetone
Id Blank	5.6 ug/L	acetone

Sample	Sample RW	RW MS	%R	RW MSD	%R	RPD	QC limits		
							%R	RPD	
chloroethene	0.7	5.4	94	5.4	94	0	80-136	20	
trichloroethene	22	25	60	26	80	29	73-122	20	outside control limits
1,1-dichloromethane	ND	4.9	98	5	100	2	84-126	20	
1,2-dichloroethene	0.6	5.4	96	5.4	96	0	82-135	20	

Field Duplicate Results	RW	DUP	RPD
c-1,2-dichloroethene	0.6 J	0.6 J	0
trichloroethene	0.7 J	0.6 J	15
tetrachloroethene	22	20	9.5

Sample Results

$$\text{ug/L} = \frac{(\text{area of compound})(\text{amt of IS in nanograms})}{(\text{area of IS})(\text{RRT})}$$

Sample ID DIST	Lab ID X2117-04				Raw Result	Dilution	Reported Result
chloroform	27329	1		27329			
	187983	0.443	=	83276.47	=	0.3 ug/L	1
1,1-dichloromethane	75262	1		75262			
	187983	0.33	=	62034.39	=	1.2 ug/L	1
1,1,1-trichloroethane	144073	1		144073			
	187983	0.235	=	44176.01	=	3.3 ug/L	1
1,1,2-trichloroethane	84481	1		84481			
	187983	0.130	=	24437.79	=	3.5 ug/L	1
trichloroethene	1440352	1		1440352			
	183189	0.361	=	66174.77	=	21.8 ug/L	1
chloroethene	49318	1		49318			
	183189	0.389	=	71216.43	=	0.7 ug/L	1
1,2-dichloroethene	29927	1		29927			
	183189	0.276	=	50560.16	=	0.6 ug/L	1

PROJECT DESCRIPTION

Report Prepared by: Julie Smith, Environmental Chemist

Date of Validation Report: May 26, 2006

EPM Project Name/No. 26001-Katonah 1st Quarter

Laboratory: Chemtech

Laboratory Project Name: X2117

Deliverable Format: NYSDEC ASP B

Sample Date: March 24, 2006

Samples Validated:		EPM Sample ID	Laboratory Sample ID
		RW	X2117-01
		RW-MS	X2117-02
		RW-MSD	X2117-03
		DIST	X2117-04
		STEFF	X2117-05
		DUP	X2117-06
		TB	X2117-07
		FB	X2117-08
		W4	X2117-09
		W11	X2117-10

Validation Protocols/

References: U.S. Environmental Protection Agency (USEPA) Standard Operating Procedure for the Validation of Organic Data Acquired Using Method 524.2, October 2001.

U.S. Environmental Protection Agency (USEPA) Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Method 524.2, Methods for Chemical Analysis of Water and Wastes, 1995.

U.S. Environmental Protection Agency (USEPA) National Functional Guidelines for Organic Data Review, 1999.

Volatiles Method 524.2

Chemtech Project #X2117

Hold Time

Samples collected on 3/24/06 and analyzed on 4/05/06

Instrument Performance Check (BFB)

4/4/2006	11:25 AM	Instr# MSVOAF	meets QC requirements	initial calibration
4/5/2006	11:14 AM		meets QC requirements	sample analysis

Initial Calibration

4/4/2006

Instr# MSVOAF

Compound	1 RRF		2 RRF		10 RRF		20 RRF		30 RRF		Mean	STDEV	%RSD
Fluorobenzene (IS)	195590		188013		197838		202509		201485				
tetrachloroethene	71424	0.365	131865	0.351	671267	0.339	1530174	0.378	2256010	0.373	0.361	0.016	4.43
Bromoform	22622	0.116	46435	0.123	266642	0.135	565568	0.140	818694	0.135	0.130	0.010	7.64
Trichloroethene	78942	0.404	142966	0.380	716598	0.362	1615074	0.399	2411800	0.399	0.389	0.017	4.46
BFB	86191	0.441	85703	0.456	92888	0.459	99078	0.489	97617	0.484	0.466	0.020	4.40

control limit RSD < 20%

correlation coefficient >0.990

Continuing Calibration

10 ppb ccc

4/5/2006

Instr# MSVOAF

Compound	10 RRF	% Difference	Status
Fluorobenzene (IS)	209116		
tetrachloroethene	750945	0.3591	0.6 ok
Bromoform	268808	0.1285	1.0 ok
Trichloroethene	793336	0.3794	2.4 ok
BFB	94419	0.4515	3.1 ok

control limit D < 30%

Surrogate Recovery

Recoveries of surrogates, BFB and 1,2-dichloroethane -d4, fell within control limits for the reviewed samples.

Internal Standard Summary

Internal standard areas and retention times fell within control limits for the reviewed samples.

Blanks	Conc.	Compound
VBLK01	5.4 ug/L	acetone
Trip Blank	7.3 ug/L	acetone
Field Blank	5.6 ug/L	acetone

QC	Sample RW	RW MS	%R	RW MSD	%R	RPD	QC limits		
							%R	RPD	
Trichloroethene	0.7	5.4	94	5.4	94	0	80-136	20	
Tetrachloroethene	22	25	60	26	80	29	73-122	20	outside control limits
Bromodichloromethane	ND	4.9	98	5	100	2	84-126	20	
cis-1,2-dichloroethene	0.6	5.4	96	5.4	96	0	82-135	20	

Field Duplicate Results	RW	DUP	RPD
c-1,2-dichloroethene	0.6 J	0.6 J	0
trichloroethene	0.7 J	0.6 J	15
tetrachloroethene	22	20	9.5

Sample Results

$$\text{ug/L} = \frac{\text{area of compound}(\text{amt of IS in nanograms})}{\text{area of IS}(\text{RRT})}$$

Sample ID DIST	Lab ID X2117-04			Raw Result	Dilution	Reported Result
Chloroform	27329	1	27329			
	187983	0.443	=	83276.47	=	0.3 ug/L
Bromodichloromethane	75262	1	75262			
	187983	0.33	=	62034.39	=	1.2 ug/L
Dibromochloromethane	144073	1	144073			
	187983	0.235	=	44176.01	=	3.3 ug/L
Bromoform	84481	1	84481			
	187983	0.130	=	24437.79	=	3.5 ug/L
Sample ID RW	Lab ID X2117-01					
Tetrachloroethene	1440352	1	1440352			
	183189	0.361	=	66174.77	=	21.8 ug/L
Trichloroethene	49318	1	49318			
	183189	0.389	=	71216.43	=	0.7 ug/L
cis-1,2-dichloroethene	29927	1	29927			
	183189	0.276	=	50560.16	=	0.6 ug/L

Volatiles Method 524.2

Chemtech Project #X2117

Hold Time

Samples collected on 3/24/06 and analyzed on 4/05/06

Instrument Performance Check (BFB)

4/4/2006	11:25 AM
4/5/2006	11:14 AM

Instr# MSVOAF

meets QC requirements

initial calibration

meets QC requirements

sample analysis

Initial Calibration

4/4/2006

Instr# MSVOAF

Compound	1 RRF		2 RRF		10 RRF		20 RRF		30 RRF		Mean	STDEV	%RSD
Fluorobenzene (IS)	195590		188013		197838		202509		201485				
tetrachloroethene	71424	0.365	131865	0.351	671267	0.339	1530174	0.378	2256010	0.373	0.361	0.016	4.43
Bromoform	22622	0.116	46435	0.123	266642	0.135	565568	0.140	818694	0.135	0.130	0.010	7.64
Trichloroethene	78942	0.404	142966	0.380	716598	0.362	1615074	0.399	2411800	0.399	0.389	0.017	4.46
BFB	86191	0.441	85703	0.456	92888	0.459	99078	0.489	97617	0.484	0.466	0.020	4.40

control limit RSD < 20%

correlation coefficient >0.990

Continuing Calibration

10 ppb ccc

4/5/2006

Instr# MSVOAF

Compound	10 RRF	% Difference	Status
Fluorobenzene (IS)	209116		
tetrachloroethene	750945	0.3591	0.6 ok
Bromoform	268808	0.1285	1.0 ok
Trichloroethene	793336	0.3794	2.4 ok
BFB	94419	0.4515	3.1 ok

control limit D < 30%

Surrogate Recovery

Recoveries of surrogates, BFB and 1,2-dichloroethane -d4, fell within control limits for the reviewed samples.

Internal Standard Summary

Internal standard areas and retention times fell within control limits for the reviewed samples.

Blanks	Conc.	Compound
VBLK01	5.4 ug/L	acetone
Trip Blank	7.3 ug/L	acetone
Field Blank	5.6 ug/L	acetone

QC	Sample RW	RW MS	%R	RW MSD	%R	RPD	QC limits		
							%R	RPD	
Trichloroethene	0.7	5.4	94	5.4	94	0	80-136	20	
Tetrachloroethene	22	25	60	26	80	29	73-122	20	outside control limits
Bromodichloromethane	ND	4.9	98	5	100	2	84-126	20	
cis-1,2-dichloroethene	0.6	5.4	96	5.4	96	0	82-135	20	

Field Duplicate Results	RW	DUP	RPD
c-1,2-dichloroethene	0.6 J	0.6 J	0
trichloroethene	0.7 J	0.6 J	15
tetrachloroethene	22	20	9.5

Sample Results

$$\text{ug/L} = \frac{(\text{area of compound})(\text{amt of IS in nanograms})}{(\text{area of IS})(\text{RRT})}$$

Sample ID DIST	Lab ID X2117-04			Raw Result	Dilution	Reported Result
Chloroform	27329	1		27329		
	187983	0.443	=	83276.47	=	0.3 ug/L
Bromodichloromethane	75262	1		75262		
	187983	0.33	=	62034.39	=	1.2 ug/L
Dibromochloromethane	144073	1		144073		
	187983	0.235	=	44176.01	=	3.3 ug/L
Bromoform	84481	1		84481		
	187983	0.130	=	24437.79	=	3.5 ug/L
Sample ID RW	Lab ID X2117-01					
	1440352	1		1440352		
Tetrachloroethene	183189	0.361	=	66174.77	=	21.8 ug/L
Trichloroethene	49318	1		49318		
	183189	0.389	=	71216.43	=	0.7 ug/L
cis-1,2-dichloroethene	29927	1		29927		
	183189	0.276	=	50560.16	=	0.6 ug/L

INTRODUCTION

Data qualification provides guidance regarding data usability. As part of the environmental laboratory analytical reporting process under most environmental methods of analysis, the laboratory is required to append data qualifiers to reported analytical observations to account for minor, acceptable QC deficiencies that arise during the course of standard operations. As part of the analytical data validation process, additional data qualifiers may be applied. These qualifiers are applied for other QC deficiencies that impact data quality but that may not have been identified by the laboratory or that may not be part of the reporting requirement of the applied analytical method. In many cases, the laboratory may be compliant with the requirements of the applied analytical methods but may not be compliant with the data validation review protocols.

In general, the data qualifiers are intended to assist the data user with the overall data interpretation by serving as descriptive indicators of the data quality of the associated analytical observations. There are a number of other data qualifiers that describe the representativeness of the associated data and also serve to provide information about the quality of the associated control data.

- U** The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- UJ** The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- J** The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample. When data are qualified as estimated (qualified "J"), there generally is no information on the quantitative impact on the associated result although there may be useful information on the direction of bias of the result
- R** The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet QC criteria. The presence or absence of the analyte cannot be confirmed. In some cases, sample data are qualified as unusable and rejected (qualified "R") due to major method non-compliance or extreme deficiencies in associated QC data. In these cases, there is no information as to the presence or absence of the rejected analyte in the affected sample.

VALIDATION SUMMARY

The analytical data has been reviewed in accordance with the appropriate regulatory guidelines and/or associated analytical methodology. If required, the data has been qualified, negated, or rejected according to applicable validation protocols and professional judgment. The analytical validation was performed based upon the following parameters:

- * Completeness of data package
 - Blank Contamination
- * Hold Times
- * GC/MS Performance Check (Tuning) Summaries
- * System Monitoring Compound (Surrogate) Recoveries
- * Internal Standard Area Performance
- * Initial and Continuing Calibration Results
 - Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Summaries
- * Laboratory Control Sample
- * Target Compound Identification and Quantitation

* All criteria were met for this parameter

OVERALL DATA ASSESSMENT

The volatile organics data was validated for compliance with the requirements set forth in EPA Method 524.2 and as described by the Standard Operating Procedure for the Validation of Organic Data Acquired Using Method 524.2. Overall, the data quality is acceptable. The data validation review has identified aspects of the analytical data that require qualification. The laboratory analytical data contained herein are deemed usable and in compliance with the New York ASP B Deliverable Format requirements.

VOLATILE ORGANIC RESULTS

General Comments

Documentation as required by the project sample analyses was included in the data package. Additionally, there were no discrepancies found between the reviewed raw data and summary forms.

Blank Contamination

Laboratory method blanks (instrument blanks) are clean liquid matrix samples prepared by the laboratory and analyzed in the same manner as the investigative samples. Laboratory method blanks are used to identify whether investigative samples have been contaminated during the sample preparation, sample analysis or from a previous sample (instrument carry-over).

Trip-blanks are carbon-free deionized water samples that accompany volatile investigative samples during all stages of shipment, storage and analysis. The trip-blanks are used to assess the potential for artificial introduction of volatile compounds into the investigative samples during the transportation and sample handling processes.

- The VOA target compound, acetone, was detected in the method blank (5.4 µg/L), trip blank sample (7.3 µg/L) and field blank sample (5.6 µg/L). The positive acetone result in the associated project sample, DIST, is less than 10 times the concentration found in the aforementioned blanks. Therefore, the positive acetone result for the associated sample is qualitatively questionable and negated due to laboratory contamination.
- The following table summarizes the compounds qualified due to blank contamination:

Sample ID	VOA Compound	Sample Result (µg/L)	Highest Blank Conc (µg/L)	Final Sample Result (µg/L)
DIST	Acetone	2.4 B	7.3	2.4 U

Hold Times

Technical hold times were assessed by comparing the sample dates with that of the preparation dates and/or analysis dates.

- All volatile analyses performed on the associated project samples were within the required hold times. The sample cooler temperature (6.0°C) upon verified time of sample receipt (VTSR) in the laboratory fell within the 4°C (±2°C) requirement.

Internal Standard Area Performance

Internal standards are analytes that are added to the investigative samples prior to analysis to ensure that GC/MS sensitivity and responses remain stable. Internal standards are reported with the volatile analyses.

- The volatile internal standard area counts and retention times fell within control limits for the associated project samples. No qualifier is required.

Matrix Spike/Matrix Spike Duplicate

Matrix spikes are samples spiked with known concentrations of analytes of interest. The MS/MSD percent recoveries and duplicate results are used to assess extraction efficiencies, possible matrix effects, and overall analytical accuracy and precision.

- A matrix spike/matrix spike duplicate (MS/MSD) was performed on EPM Sample RW. The volatile percent recoveries (%R), fell within control limits in both the MS and MSD samples with the exception of acetone and tetrachloroethene. The MS/MSD recoveries for acetone fell outside control limits (low). The non-detected acetone results reported are regarded as estimated concentrations and are qualified (UJ). The MS recovery (low) for target compound, tetrachloroethene, fell outside control limits. Therefore, the positive tetrachloroethene results are regarded as estimated values and are flagged with a (J).
- The relative percent differences (RPD) fell within control limits with the exception of tetrachloroethene. No qualifier is required since tetrachloroethene has been qualified based on the matrix spike results.

Laboratory Control Sample

The laboratory control sample (LCS) and/or blank spike (BS) are blank samples fortified (spiked) with known concentrations of analytes of interest. The percent recoveries of the LCS and/or BS are used to assess overall analytical accuracy and precision.

- The volatile LCS results fell within acceptable control limits.

System Monitoring Compounds (Surrogates)

System monitoring compounds are those compounds that are not expected to be detected in the investigative samples but that are chemically similar to analytes of interest. Surrogate compound percent recoveries are used to assess extraction efficiencies, possible matrix effects and overall analytical accuracy.

- The recoveries of the volatile surrogates, 4-bromofluorobenzene (BFB) and 1,2-dichlorobenzene-d4 (DCB), fell within control limits for the reviewed project samples.

Initial Calibration and Continuing Calibration Results

Control limits for initial and continuing instrument calibrations are established to ensure that the instrument is capable of producing accurate quantitative data at the beginning and throughout each of the analyses.

- The volatile initial and continuing calibration response factors (RRF), percent relative standard deviations (%RSD), percent differences (%D) and/or correlation coefficients fell within acceptable control limits. No qualifier is required.

GC/MS Performance Check (Tuning) Summaries

Gas chromatograph/mass spectrometer (GC/MS) instrument tuning and performance checks are performed to ensure the instrument's ability to provide appropriate mass-resolution, identification and sensitivity.

- The bromofluorobenzene (BFB) tuning compound mass-ion abundance criteria for the volatile organic compound analyses were reported within control limits. The samples were analyzed within twelve hours of BFB injection. No qualifier is required.

Compound Identification and Quantitation

The laboratory calculations are verified and compound identifications are reviewed and assessed by the data reviewer.

- Sample DUP was collected and submitted as a blind field duplicate of project sample RW. The reproducibility of the associated analyses is good providing a positive indication of the accuracy and precision associated with these samples.

Tentatively Identified Compound

Area not examined, validation not requested.

APPENDIX B
LABORATORY ANALYSIS SUMMARY REPORT

**ANALYTICAL RESULTS
SUMMARY****PROJECT NAME: Katonah****EPM, INC.
1983 MARCUS AVENUE
SUITE 109
LAKE SUCCESS, NY 11042
5163281194****CHEMTECH PROJECT NO.
ATTENTION:****X2117
Francesco Portelos**

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	RW	SDG No.:	X2117
Lab Sample ID:	X2117-01	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001658.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.06	U	1.0	0.06	ug/L
74-87-3	Chloromethane	0.07	U	1.0	0.07	ug/L
75-01-4	Vinyl Chloride	0.07	U	1.0	0.07	ug/L
74-83-9	Bromomethane	0.23	U	1.0	0.23	ug/L
75-00-3	Chloroethane	0.17	U	1.0	0.17	ug/L
75-69-4	Trichlorofluoromethane	0.09	U	1.0	0.09	ug/L
75-65-0	tert-Butyl Alcohol	2.9	U	5.0	2.9	ug/L
60-29-7	Diethyl Ether	0.16	U	1.0	0.16	ug/L
75-35-4	1,1-Dichloroethene	0.14	U	1.0	0.14	ug/L
74-88-4	Iodomethane	0.08	U	1.0	0.08	ug/L
107-5-1	Allyl Chloride	0.15	U	1.0	0.15	ug/L
107-13-1	Acrylonitrile	0.46	U	1.0	0.46	ug/L
67-64-1	Acetone	1.1	U	5.0	1.1	ug/L
75-15-0	Carbon disulfide	0.14	U	1.0	0.14	ug/L
1634-04-4	Methyl tert-butyl Ether	0.15	U	1.0	0.15	ug/L
79-20-9	Methyl acrylate	0.16	U	1.0	0.16	ug/L
75-09-2	Methylene Chloride	0.27	U	1.0	0.27	ug/L
156-60-5	trans-1,2-Dichloroethene	0.14	U	1.0	0.14	ug/L
75-34-3	1,1-Dichloroethane	0.16	U	1.0	0.16	ug/L
78-93-3	2-Butanone	0.99	U	5.0	0.99	ug/L
56-23-5	Carbon Tetrachloride	0.15	U	1.0	0.15	ug/L
594-20-7	2,2-Dichloropropane	0.19	U	1.0	0.19	ug/L
156-59-2	cis-1,2-Dichloroethene	0.6	J	1.0	0.12	ug/L
67-66-3	Chloroform	0.16	U	1.0	0.16	ug/L
71-55-6	1,1,1-Trichloroethane	0.14	U	1.0	0.14	ug/L
110-57-6	t-1,4-Dichloro-2-butene	0.45	U	1.0	0.45	ug/L
563-58-6	1,1-Dichloropropene	0.16	U	1.0	0.16	ug/L
108-20-3	Isopropyl Ether	0.18	U	1.0	0.18	ug/L
107-12-0	Propionitrile	1.7	U	1.0	1.7	ug/L
71-43-2	Benzene	0.14	U	1.0	0.14	ug/L
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L
79-01-6	Trichloroethene	0.7	J	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	RW	SDG No.:	X2117
Lab Sample ID:	X2117-01	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001658.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
78-87-5	1,2-Dichloropropane	0.14	U	1.0	0.14	ug/L
126-98-7	Methacrylonitrile	0.62	U	1.0	0.62	ug/L
109-99-9	Tetrahydrofuran	0.45	U	1.0	0.45	ug/L
109-69-3	1-Chlorobutane	0.17	U	1.0	0.17	ug/L
74-95-3	Dibromomethane	0.19	U	1.0	0.19	ug/L
75-27-4	Bromodichloromethane	0.17	U	1.0	0.17	ug/L
108-10-1	4-Methyl-2-Pentanone	0.90	U	5.0	0.90	ug/L
80-62-6	Methyl methacrylate	0.32	U	1.0	0.32	ug/L
97-63-2	Ethyl methacrylate	0.16	U	1.0	0.16	ug/L
108-88-3	Toluene	0.13	U	1.0	0.13	ug/L
10061-02-6	t-1,3-Dichloropropene	0.14	U	1.0	0.14	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.13	U	1.0	0.13	ug/L
79-00-5	1,1,2-Trichloroethane	0.18	U	1.0	0.18	ug/L
142-28-9	1,3-Dichloropropane	0.14	U	1.0	0.14	ug/L
591-78-6	2-Hexanone	0.81	U	5.0	0.81	ug/L
124-48-1	Dibromochloromethane	0.17	U	1.0	0.17	ug/L
106-93-4	1,2-Dibromoethane	0.17	U	1.0	0.17	ug/L
127-18-4	Tetrachloroethene	22		1.0	0.16	ug/L
108-90-7	Chlorobenzene	0.13	U	1.0	0.13	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.17	U	1.0	0.17	ug/L
67-72-1	Hexachloroethane	0.17	U	1.0	0.17	ug/L
100-41-4	Ethyl Benzene	0.14	U	1.0	0.14	ug/L
126777-61-2	m/p-Xylenes	0.29	U	2.0	0.29	ug/L
95-47-6	o-Xylene	0.15	U	1.0	0.15	ug/L
100-42-5	Styrene	0.14	U	1.0	0.14	ug/L
75-25-2	Bromoform	0.17	U	1.0	0.17	ug/L
108-86-1	Bromobenzene	0.14	U	1.0	0.14	ug/L
98-82-8	Isopropylbenzene	0.14	U	1.0	0.14	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.18	U	1.0	0.18	ug/L
96-18-4	1,2,3-Trichloropropane	0.20	U	1.0	0.20	ug/L
103-65-1	N-propylbenzene	0.14	U	1.0	0.14	ug/L
95-49-8	2-Chlorotoluene	0.11	U	1.0	0.11	ug/L
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	RW	SDG No.:	X2117
Lab Sample ID:	X2117-01	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001658.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
106-43-4	4-Chlorotoluene	0.15	U	1.0	0.15	ug/L
98-06-6	tert-Butylbenzene	0.15	U	1.0	0.15	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.15	U	1.0	0.15	ug/L
135-98-8	Sec-butylbenzene	0.14	U	1.0	0.14	ug/L
99-87-6	p-Isopropyltoluene	0.14	U	1.0	0.14	ug/L
541-73-1	1,3-Dichlorobenzene	0.15	U	1.0	0.15	ug/L
106-46-7	1,4-Dichlorobenzene	0.17	U	1.0	0.17	ug/L
104-51-8	n-Butylbenzene	0.12	U	1.0	0.12	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	1.0	0.16	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.19	U	1.0	0.19	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.11	U	1.0	0.11	ug/L
87-68-3	Hexachlorobutadiene	0.13	U	1.0	0.13	ug/L
91-20-3	Naphthalene	0.14	U	1.0	0.14	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.16	U	1.0	0.16	ug/L
SURROGATES						
2199-69-1	1,2-Dichlorobenzene-d4	0.94	94 %	80 - 120		SPK: 1
460-00-4	4-Bromofluorobenzene	0.95	95 %	80 - 120		SPK: 1
INTERNAL STANDARDS						
462-06-6	Fluorobenzene	183189	9.03			

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	DIST	SDG No.:	X2117
Lab Sample ID:	X2117-04	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001659.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.06	U	1.0	0.06	ug/L
74-87-3	Chloromethane	0.07	U	1.0	0.07	ug/L
75-01-4	Vinyl Chloride	0.07	U	1.0	0.07	ug/L
74-83-9	Bromomethane	0.23	U	1.0	0.23	ug/L
75-00-3	Chloroethane	0.17	U	1.0	0.17	ug/L
75-69-4	Trichlorofluoromethane	0.09	U	1.0	0.09	ug/L
75-65-0	tert-Butyl Alcohol	2.9	U	5.0	2.9	ug/L
60-29-7	Diethyl Ether	0.16	U	1.0	0.16	ug/L
75-35-4	1,1-Dichloroethene	0.14	U	1.0	0.14	ug/L
74-88-4	Iodomethane	0.08	U	1.0	0.08	ug/L
107-5-1	Allyl Chloride	0.15	U	1.0	0.15	ug/L
107-13-1	Acrylonitrile	0.46	U	1.0	0.46	ug/L
67-64-1	Acetone	2.4	JB	5.0	1.1	ug/L
75-15-0	Carbon disulfide	0.14	U	1.0	0.14	ug/L
1634-04-4	Methyl tert-butyl Ether	0.15	U	1.0	0.15	ug/L
79-20-9	Methyl acrylate	0.16	U	1.0	0.16	ug/L
75-09-2	Methylene Chloride	0.27	U	1.0	0.27	ug/L
156-60-5	trans-1,2-Dichloroethene	0.14	U	1.0	0.14	ug/L
75-34-3	1,1-Dichloroethane	0.16	U	1.0	0.16	ug/L
78-93-3	2-Butanone	0.99	U	5.0	0.99	ug/L
56-23-5	Carbon Tetrachloride	0.15	U	1.0	0.15	ug/L
594-20-7	2,2-Dichloropropane	0.19	U	1.0	0.19	ug/L
156-59-2	cis-1,2-Dichloroethene	0.12	U	1.0	0.12	ug/L
67-66-3	Chloroform	0.3	J	1.0	0.16	ug/L
71-55-6	1,1,1-Trichloroethane	0.14	U	1.0	0.14	ug/L
110-57-6	t-1,4-Dichloro-2-butene	0.45	U	1.0	0.45	ug/L
563-58-6	1,1-Dichloropropene	0.16	U	1.0	0.16	ug/L
108-20-3	Isopropyl Ether	0.18	U	1.0	0.18	ug/L
107-12-0	Propionitrile	1.7	U	1.0	1.7	ug/L
71-43-2	Benzene	0.14	U	1.0	0.14	ug/L
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L
79-01-6	Trichloroethene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	DIST	SDG No.:	X2117
Lab Sample ID:	X2117-04	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001659.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
78-87-5	1,2-Dichloropropane	0.14	U	1.0	0.14	ug/L
126-98-7	Methacrylonitrile	0.62	U	1.0	0.62	ug/L
109-99-9	Tetrahydrofuran	0.45	U	1.0	0.45	ug/L
109-69-3	1-Chlorobutane	0.17	U	1.0	0.17	ug/L
74-95-3	Dibromomethane	0.19	U	1.0	0.19	ug/L
75-27-4	Bromodichloromethane	1.2		1.0	0.17	ug/L
108-10-1	4-Methyl-2-Pentanone	0.90	U	5.0	0.90	ug/L
80-62-6	Methyl methacrylate	0.32	U	1.0	0.32	ug/L
97-63-2	Ethyl methacrylate	0.16	U	1.0	0.16	ug/L
108-88-3	Toluene	0.13	U	1.0	0.13	ug/L
10061-02-6	t-1,3-Dichloropropene	0.14	U	1.0	0.14	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.13	U	1.0	0.13	ug/L
79-00-5	1,1,2-Trichloroethane	0.18	U	1.0	0.18	ug/L
142-28-9	1,3-Dichloropropane	0.14	U	1.0	0.14	ug/L
591-78-6	2-Hexanone	0.81	U	5.0	0.81	ug/L
124-48-1	Dibromochloromethane	3.3		1.0	0.17	ug/L
106-93-4	1,2-Dibromoethane	0.17	U	1.0	0.17	ug/L
127-18-4	Tetrachloroethene	0.16	U	1.0	0.16	ug/L
108-90-7	Chlorobenzene	0.13	U	1.0	0.13	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.17	U	1.0	0.17	ug/L
67-72-1	Hexachloroethane	0.17	U	1.0	0.17	ug/L
100-41-4	Ethyl Benzene	0.14	U	1.0	0.14	ug/L
126777-61-2	m/p-Xylenes	0.29	U	2.0	0.29	ug/L
95-47-6	o-Xylene	0.15	U	1.0	0.15	ug/L
100-42-5	Styrene	0.14	U	1.0	0.14	ug/L
75-25-2	Bromoform	3.5		1.0	0.17	ug/L
108-86-1	Bromobenzene	0.14	U	1.0	0.14	ug/L
98-82-8	Isopropylbenzene	0.14	U	1.0	0.14	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.18	U	1.0	0.18	ug/L
96-18-4	1,2,3-Trichloropropane	0.20	U	1.0	0.20	ug/L
103-65-1	N-propylbenzene	0.14	U	1.0	0.14	ug/L
95-49-8	2-Chlorotoluene	0.11	U	1.0	0.11	ug/L
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	DIST	SDG No.:	X2117
Lab Sample ID:	X2117-04	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001659.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
106-43-4	4-Chlorotoluene	0.15	U	1.0	0.15	ug/L
98-06-6	tert-Butylbenzene	0.15	U	1.0	0.15	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.15	U	1.0	0.15	ug/L
135-98-8	Sec-butylbenzene	0.14	U	1.0	0.14	ug/L
99-87-6	p-Isopropyltoluene	0.14	U	1.0	0.14	ug/L
541-73-1	1,3-Dichlorobenzene	0.15	U	1.0	0.15	ug/L
106-46-7	1,4-Dichlorobenzene	0.17	U	1.0	0.17	ug/L
104-51-8	n-Butylbenzene	0.12	U	1.0	0.12	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	1.0	0.16	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.19	U	1.0	0.19	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.11	U	1.0	0.11	ug/L
87-68-3	Hexachlorobutadiene	0.13	U	1.0	0.13	ug/L
91-20-3	Naphthalene	0.14	U	1.0	0.14	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.16	U	1.0	0.16	ug/L
SURROGATES						
2199-69-1	1,2-Dichlorobenzene-d4	1.04	104 %	80 - 120		SPK: 1
460-00-4	4-Bromofluorobenzene	1	100 %	80 - 120		SPK: 1
INTERNAL STANDARDS						
462-06-6	Fluorobenzene	187983	9.03			

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	STEFF	SDG No.:	X2117
Lab Sample ID:	X2117-05	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001660.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.06	U	1.0	0.06	ug/L
74-87-3	Chloromethane	0.07	U	1.0	0.07	ug/L
75-01-4	Vinyl Chloride	0.07	U	1.0	0.07	ug/L
74-83-9	Bromomethane	0.23	U	1.0	0.23	ug/L
75-00-3	Chloroethane	0.17	U	1.0	0.17	ug/L
75-69-4	Trichlorofluoromethane	0.09	U	1.0	0.09	ug/L
75-65-0	tert-Butyl Alcohol	2.9	U	5.0	2.9	ug/L
60-29-7	Diethyl Ether	0.16	U	1.0	0.16	ug/L
75-35-4	1,1-Dichloroethene	0.14	U	1.0	0.14	ug/L
74-88-4	Iodomethane	0.08	U	1.0	0.08	ug/L
107-5-1	Allyl Chloride	0.15	U	1.0	0.15	ug/L
107-13-1	Acrylonitrile	0.46	U	1.0	0.46	ug/L
67-64-1	Acetone	1.1	U	5.0	1.1	ug/L
75-15-0	Carbon disulfide	0.14	U	1.0	0.14	ug/L
1634-04-4	Methyl tert-butyl Ether	0.15	U	1.0	0.15	ug/L
79-20-9	Methyl acrylate	0.16	U	1.0	0.16	ug/L
75-09-2	Methylene Chloride	0.27	U	1.0	0.27	ug/L
156-60-5	trans-1,2-Dichloroethene	0.14	U	1.0	0.14	ug/L
75-34-3	1,1-Dichloroethane	0.16	U	1.0	0.16	ug/L
78-93-3	2-Butanone	0.99	U	5.0	0.99	ug/L
56-23-5	Carbon Tetrachloride	0.15	U	1.0	0.15	ug/L
594-20-7	2,2-Dichloropropane	0.19	U	1.0	0.19	ug/L
156-59-2	cis-1,2-Dichloroethene	0.12	U	1.0	0.12	ug/L
67-66-3	Chloroform	0.16	U	1.0	0.16	ug/L
71-55-6	1,1,1-Trichloroethane	0.14	U	1.0	0.14	ug/L
110-57-6	t-1,4-Dichloro-2-butene	0.45	U	1.0	0.45	ug/L
563-58-6	1,1-Dichloropropene	0.16	U	1.0	0.16	ug/L
108-20-3	Isopropyl Ether	0.18	U	1.0	0.18	ug/L
107-12-0	Propionitrile	1.7	U	1.0	1.7	ug/L
71-43-2	Benzene	0.14	U	1.0	0.14	ug/L
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L
79-01-6	Trichloroethene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	STEFF	SDG No.:	X2117
Lab Sample ID:	X2117-05	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001660.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
78-87-5	1,2-Dichloropropane	0.14	U	1.0	0.14	ug/L
126-98-7	Methacrylonitrile	0.62	U	1.0	0.62	ug/L
109-99-9	Tetrahydrofuran	0.45	U	1.0	0.45	ug/L
109-69-3	1-Chlorobutane	0.17	U	1.0	0.17	ug/L
74-95-3	Dibromomethane	0.19	U	1.0	0.19	ug/L
75-27-4	Bromodichloromethane	0.17	U	1.0	0.17	ug/L
108-10-1	4-Methyl-2-Pentanone	0.90	U	5.0	0.90	ug/L
80-62-6	Methyl methacrylate	0.32	U	1.0	0.32	ug/L
97-63-2	Ethyl methacrylate	0.16	U	1.0	0.16	ug/L
108-88-3	Toluene	0.13	U	1.0	0.13	ug/L
10061-02-6	t-1,3-Dichloropropene	0.14	U	1.0	0.14	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.13	U	1.0	0.13	ug/L
79-00-5	1,1,2-Trichloroethane	0.18	U	1.0	0.18	ug/L
142-28-9	1,3-Dichloropropane	0.14	U	1.0	0.14	ug/L
591-78-6	2-Hexanone	0.81	U	5.0	0.81	ug/L
124-48-1	Dibromochloromethane	0.17	U	1.0	0.17	ug/L
106-93-4	1,2-Dibromoethane	0.17	U	1.0	0.17	ug/L
127-18-4	Tetrachloroethene	0.16	U	1.0	0.16	ug/L
108-90-7	Chlorobenzene	0.13	U	1.0	0.13	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.17	U	1.0	0.17	ug/L
67-72-1	Hexachloroethane	0.17	U	1.0	0.17	ug/L
100-41-4	Ethyl Benzene	0.14	U	1.0	0.14	ug/L
126777-61-2	m/p-Xylenes	0.29	U	2.0	0.29	ug/L
95-47-6	o-Xylene	0.15	U	1.0	0.15	ug/L
100-42-5	Styrene	0.14	U	1.0	0.14	ug/L
75-25-2	Bromoform	0.17	U	1.0	0.17	ug/L
108-86-1	Bromobenzene	0.14	U	1.0	0.14	ug/L
98-82-8	Isopropylbenzene	0.14	U	1.0	0.14	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.18	U	1.0	0.18	ug/L
96-18-4	1,2,3-Trichloropropane	0.20	U	1.0	0.20	ug/L
103-65-1	N-propylbenzene	0.14	U	1.0	0.14	ug/L
95-49-8	2-Chlorotoluene	0.11	U	1.0	0.11	ug/L
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	STEFF	SDG No.:	X2117
Lab Sample ID:	X2117-05	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001660.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
106-43-4	4-Chlorotoluene	0.15	U	1.0	0.15	ug/L
98-06-6	tert-Butylbenzene	0.15	U	1.0	0.15	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.15	U	1.0	0.15	ug/L
135-98-8	Sec-butylbenzene	0.14	U	1.0	0.14	ug/L
99-87-6	p-Isopropyltoluene	0.14	U	1.0	0.14	ug/L
541-73-1	1,3-Dichlorobenzene	0.15	U	1.0	0.15	ug/L
106-46-7	1,4-Dichlorobenzene	0.17	U	1.0	0.17	ug/L
104-51-8	n-Butylbenzene	0.12	U	1.0	0.12	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	1.0	0.16	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.19	U	1.0	0.19	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.11	U	1.0	0.11	ug/L
87-68-3	Hexachlorobutadiene	0.13	U	1.0	0.13	ug/L
91-20-3	Naphthalene	0.14	U	1.0	0.14	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.16	U	1.0	0.16	ug/L
SURROGATES						
2199-69-1	1,2-Dichlorobenzene-d4	1	100 %	80 - 120		SPK: 1
460-00-4	4-Bromofluorobenzene	1	100 %	80 - 120		SPK: 1
INTERNAL STANDARDS						
462-06-6	Fluorobenzene	176141	9.03			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	DUP	SDG No.:	X2117
Lab Sample ID:	X2117-06	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001661.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.06	U	1.0	0.06	ug/L
74-87-3	Chloromethane	0.07	U	1.0	0.07	ug/L
75-01-4	Vinyl Chloride	0.07	U	1.0	0.07	ug/L
74-83-9	Bromomethane	0.23	U	1.0	0.23	ug/L
75-00-3	Chloroethane	0.17	U	1.0	0.17	ug/L
75-69-4	Trichlorofluoromethane	0.09	U	1.0	0.09	ug/L
75-65-0	tert-Butyl Alcohol	2.9	U	5.0	2.9	ug/L
60-29-7	Diethyl Ether	0.16	U	1.0	0.16	ug/L
75-35-4	1,1-Dichloroethene	0.14	U	1.0	0.14	ug/L
74-88-4	Iodomethane	0.08	U	1.0	0.08	ug/L
107-5-1	Allyl Chloride	0.15	U	1.0	0.15	ug/L
107-13-1	Acrylonitrile	0.46	U	1.0	0.46	ug/L
67-64-1	Acetone	1.1	U	5.0	1.1	ug/L
75-15-0	Carbon disulfide	0.14	U	1.0	0.14	ug/L
1634-04-4	Methyl tert-butyl Ether	0.15	U	1.0	0.15	ug/L
79-20-9	Methyl acrylate	0.16	U	1.0	0.16	ug/L
75-09-2	Methylene Chloride	0.27	U	1.0	0.27	ug/L
156-60-5	trans-1,2-Dichloroethene	0.14	U	1.0	0.14	ug/L
75-34-3	1,1-Dichloroethane	0.16	U	1.0	0.16	ug/L
78-93-3	2-Butanone	0.99	U	5.0	0.99	ug/L
56-23-5	Carbon Tetrachloride	0.15	U	1.0	0.15	ug/L
594-20-7	2,2-Dichloropropane	0.19	U	1.0	0.19	ug/L
156-59-2	cis-1,2-Dichloroethene	0.6	J	1.0	0.12	ug/L
67-66-3	Chloroform	0.16	U	1.0	0.16	ug/L
71-55-6	1,1,1-Trichloroethane	0.14	U	1.0	0.14	ug/L
110-57-6	t-1,4-Dichloro-2-butene	0.45	U	1.0	0.45	ug/L
563-58-6	1,1-Dichloropropene	0.16	U	1.0	0.16	ug/L
108-20-3	Isopropyl Ether	0.18	U	1.0	0.18	ug/L
107-12-0	Propionitrile	1.7	U	1.0	1.7	ug/L
71-43-2	Benzene	0.14	U	1.0	0.14	ug/L
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L
79-01-6	Trichloroethene	0.6	J	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	DUP	SDG No.:	X2117
Lab Sample ID:	X2117-06	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001661.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
78-87-5	1,2-Dichloropropane	0.14	U	1.0	0.14	ug/L
126-98-7	Methacrylonitrile	0.62	U	1.0	0.62	ug/L
109-99-9	Tetrahydrofuran	0.45	U	1.0	0.45	ug/L
109-69-3	1-Chlorobutane	0.17	U	1.0	0.17	ug/L
74-95-3	Dibromomethane	0.19	U	1.0	0.19	ug/L
75-27-4	Bromodichloromethane	0.17	U	1.0	0.17	ug/L
108-10-1	4-Methyl-2-Pentanone	0.90	U	5.0	0.90	ug/L
80-62-6	Methyl methacrylate	0.32	U	1.0	0.32	ug/L
97-63-2	Ethyl methacrylate	0.16	U	1.0	0.16	ug/L
108-88-3	Toluene	0.13	U	1.0	0.13	ug/L
10061-02-6	t-1,3-Dichloropropene	0.14	U	1.0	0.14	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.13	U	1.0	0.13	ug/L
79-00-5	1,1,2-Trichloroethane	0.18	U	1.0	0.18	ug/L
142-28-9	1,3-Dichloropropane	0.14	U	1.0	0.14	ug/L
591-78-6	2-Hexanone	0.81	U	5.0	0.81	ug/L
124-48-1	Dibromochloromethane	0.17	U	1.0	0.17	ug/L
106-93-4	1,2-Dibromoethane	0.17	U	1.0	0.17	ug/L
127-18-4	Tetrachloroethene	20		1.0	0.16	ug/L
108-90-7	Chlorobenzene	0.13	U	1.0	0.13	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.17	U	1.0	0.17	ug/L
67-72-1	Hexachloroethane	0.17	U	1.0	0.17	ug/L
100-41-4	Ethyl Benzene	0.14	U	1.0	0.14	ug/L
126777-61-2	m/p-Xylenes	0.29	U	2.0	0.29	ug/L
95-47-6	o-Xylene	0.15	U	1.0	0.15	ug/L
100-42-5	Styrene	0.14	U	1.0	0.14	ug/L
75-25-2	Bromoform	0.17	U	1.0	0.17	ug/L
108-86-1	Bromobenzene	0.14	U	1.0	0.14	ug/L
98-82-8	Isopropylbenzene	0.14	U	1.0	0.14	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.18	U	1.0	0.18	ug/L
96-18-4	1,2,3-Trichloropropane	0.20	U	1.0	0.20	ug/L
103-65-1	N-propylbenzene	0.14	U	1.0	0.14	ug/L
95-49-8	2-Chlorotoluene	0.11	U	1.0	0.11	ug/L
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	DUP	SDG No.:	X2117
Lab Sample ID:	X2117-06	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001661.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
106-43-4	4-Chlorotoluene	0.15	U	1.0	0.15	ug/L
98-06-6	tert-Butylbenzene	0.15	U	1.0	0.15	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.15	U	1.0	0.15	ug/L
135-98-8	Sec-butylbenzene	0.14	U	1.0	0.14	ug/L
99-87-6	p-Isopropyltoluene	0.14	U	1.0	0.14	ug/L
541-73-1	1,3-Dichlorobenzene	0.15	U	1.0	0.15	ug/L
106-46-7	1,4-Dichlorobenzene	0.17	U	1.0	0.17	ug/L
104-51-8	n-Butylbenzene	0.12	U	1.0	0.12	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	1.0	0.16	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.19	U	1.0	0.19	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.11	U	1.0	0.11	ug/L
87-68-3	Hexachlorobutadiene	0.13	U	1.0	0.13	ug/L
91-20-3	Naphthalene	0.14	U	1.0	0.14	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.16	U	1.0	0.16	ug/L

SURROGATES

2199-69-1	1,2-Dichlorobenzene-d4	0.95	95 %	80 - 120	SPK: 1
460-00-4	4-Bromofluorobenzene	0.99	99 %	80 - 120	SPK: 1

INTERNAL STANDARDS

462-06-6	Fluorobenzene	178000	9.02		
----------	---------------	--------	------	--	--

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	TB	SDG No.:	X2117
Lab Sample ID:	X2117-07	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001656.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.06	U	1.0	0.06	ug/L
74-87-3	Chloromethane	0.07	U	1.0	0.07	ug/L
75-01-4	Vinyl Chloride	0.07	U	1.0	0.07	ug/L
74-83-9	Bromomethane	0.23	U	1.0	0.23	ug/L
75-00-3	Chloroethane	0.17	U	1.0	0.17	ug/L
75-69-4	Trichlorofluoromethane	0.09	U	1.0	0.09	ug/L
75-65-0	tert-Butyl Alcohol	2.9	U	5.0	2.9	ug/L
60-29-7	Diethyl Ether	0.16	U	1.0	0.16	ug/L
75-35-4	1,1-Dichloroethene	0.14	U	1.0	0.14	ug/L
74-88-4	Iodomethane	0.08	U	1.0	0.08	ug/L
107-5-1	Allyl Chloride	0.15	U	1.0	0.15	ug/L
107-13-1	Acrylonitrile	0.46	U	1.0	0.46	ug/L
67-64-1	Acetone	7.3	B	5.0	1.1	ug/L
75-15-0	Carbon disulfide	0.14	U	1.0	0.14	ug/L
1634-04-4	Methyl tert-butyl Ether	0.15	U	1.0	0.15	ug/L
79-20-9	Methyl acrylate	0.16	U	1.0	0.16	ug/L
75-09-2	Methylene Chloride	0.27	U	1.0	0.27	ug/L
156-60-5	trans-1,2-Dichloroethene	0.14	U	1.0	0.14	ug/L
75-34-3	1,1-Dichloroethane	0.16	U	1.0	0.16	ug/L
78-93-3	2-Butanone	0.99	U	5.0	0.99	ug/L
56-23-5	Carbon Tetrachloride	0.15	U	1.0	0.15	ug/L
594-20-7	2,2-Dichloropropane	0.19	U	1.0	0.19	ug/L
156-59-2	cis-1,2-Dichloroethene	0.12	U	1.0	0.12	ug/L
67-66-3	Chloroform	0.16	U	1.0	0.16	ug/L
71-55-6	1,1,1-Trichloroethane	0.14	U	1.0	0.14	ug/L
110-57-6	t-1,4-Dichloro-2-butene	0.45	U	1.0	0.45	ug/L
563-58-6	1,1-Dichloropropene	0.16	U	1.0	0.16	ug/L
108-20-3	Isopropyl Ether	0.18	U	1.0	0.18	ug/L
107-12-0	Propionitrile	1.7	U	1.0	1.7	ug/L
71-43-2	Benzene	0.14	U	1.0	0.14	ug/L
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L
79-01-6	Trichloroethene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	TB	SDG No.:	X2117
Lab Sample ID:	X2117-07	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001656.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
78-87-5	1,2-Dichloropropane	0.14	U	1.0	0.14	ug/L
126-98-7	Methacrylonitrile	0.62	U	1.0	0.62	ug/L
109-99-9	Tetrahydrofuran	0.45	U	1.0	0.45	ug/L
109-69-3	1-Chlorobutane	0.17	U	1.0	0.17	ug/L
74-95-3	Dibromomethane	0.19	U	1.0	0.19	ug/L
75-27-4	Bromodichloromethane	0.17	U	1.0	0.17	ug/L
108-10-1	4-Methyl-2-Pentanone	0.90	U	5.0	0.90	ug/L
80-62-6	Methyl methacrylate	0.32	U	1.0	0.32	ug/L
97-63-2	Ethyl methacrylate	0.16	U	1.0	0.16	ug/L
108-88-3	Toluene	0.13	U	1.0	0.13	ug/L
10061-02-6	t-1,3-Dichloropropene	0.14	U	1.0	0.14	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.13	U	1.0	0.13	ug/L
79-00-5	1,1,2-Trichloroethane	0.18	U	1.0	0.18	ug/L
142-28-9	1,3-Dichloropropane	0.14	U	1.0	0.14	ug/L
591-78-6	2-Hexanone	0.81	U	5.0	0.81	ug/L
124-48-1	Dibromochloromethane	0.17	U	1.0	0.17	ug/L
106-93-4	1,2-Dibromoethane	0.17	U	1.0	0.17	ug/L
127-18-4	Tetrachloroethene	0.16	U	1.0	0.16	ug/L
108-90-7	Chlorobenzene	0.13	U	1.0	0.13	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.17	U	1.0	0.17	ug/L
67-72-1	Hexachloroethane	0.17	U	1.0	0.17	ug/L
100-41-4	Ethyl Benzene	0.14	U	1.0	0.14	ug/L
126777-61-2	m/p-Xylenes	0.29	U	2.0	0.29	ug/L
95-47-6	o-Xylene	0.15	U	1.0	0.15	ug/L
100-42-5	Styrene	0.14	U	1.0	0.14	ug/L
75-25-2	Bromoform	0.17	U	1.0	0.17	ug/L
108-86-1	Bromobenzene	0.14	U	1.0	0.14	ug/L
98-82-8	Isopropylbenzene	0.14	U	1.0	0.14	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.18	U	1.0	0.18	ug/L
96-18-4	1,2,3-Trichloropropane	0.20	U	1.0	0.20	ug/L
103-65-1	N-propylbenzene	0.14	U	1.0	0.14	ug/L
95-49-8	2-Chlorotoluene	0.11	U	1.0	0.11	ug/L
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	TB	SDG No.:	X2117
Lab Sample ID:	X2117-07	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001656.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
106-43-4	4-Chlorotoluene	0.15	U	1.0	0.15	ug/L
98-06-6	tert-Butylbenzene	0.15	U	1.0	0.15	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.15	U	1.0	0.15	ug/L
135-98-8	Sec-butylbenzene	0.14	U	1.0	0.14	ug/L
99-87-6	p-Isopropyltoluene	0.14	U	1.0	0.14	ug/L
541-73-1	1,3-Dichlorobenzene	0.15	U	1.0	0.15	ug/L
106-46-7	1,4-Dichlorobenzene	0.17	U	1.0	0.17	ug/L
104-51-8	n-Butylbenzene	0.12	U	1.0	0.12	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	1.0	0.16	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.19	U	1.0	0.19	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.11	U	1.0	0.11	ug/L
87-68-3	Hexachlorobutadiene	0.13	U	1.0	0.13	ug/L
91-20-3	Naphthalene	0.14	U	1.0	0.14	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.16	U	1.0	0.16	ug/L
SURROGATES						
2199-69-1	1,2-Dichlorobenzene-d4	1.02	102 %	80 - 120		SPK: 1
460-00-4	4-Bromofluorobenzene	0.99	99 %	80 - 120		SPK: 1
INTERNAL STANDARDS						
462-06-6	Fluorobenzene	194179	9.03			

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	FB	SDG No.:	X2117
Lab Sample ID:	X2117-08	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001657.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.06	U	1.0	0.06	ug/L
74-87-3	Chloromethane	0.07	U	1.0	0.07	ug/L
75-01-4	Vinyl Chloride	0.07	U	1.0	0.07	ug/L
74-83-9	Bromomethane	0.23	U	1.0	0.23	ug/L
75-00-3	Chloroethane	0.17	U	1.0	0.17	ug/L
75-69-4	Trichlorofluoromethane	0.09	U	1.0	0.09	ug/L
75-65-0	tert-Butyl Alcohol	2.9	U	5.0	2.9	ug/L
60-29-7	Diethyl Ether	0.16	U	1.0	0.16	ug/L
75-35-4	1,1-Dichloroethene	0.14	U	1.0	0.14	ug/L
74-88-4	Iodomethane	0.08	U	1.0	0.08	ug/L
107-5-1	Allyl Chloride	0.15	U	1.0	0.15	ug/L
107-13-1	Acrylonitrile	0.46	U	1.0	0.46	ug/L
67-64-1	Acetone	5.6	B	5.0	1.1	ug/L
75-15-0	Carbon disulfide	0.14	U	1.0	0.14	ug/L
1634-04-4	Methyl tert-butyl Ether	0.15	U	1.0	0.15	ug/L
79-20-9	Methyl acrylate	0.16	U	1.0	0.16	ug/L
75-09-2	Methylene Chloride	0.27	U	1.0	0.27	ug/L
156-60-5	trans-1,2-Dichloroethene	0.14	U	1.0	0.14	ug/L
75-34-3	1,1-Dichloroethane	0.16	U	1.0	0.16	ug/L
78-93-3	2-Butanone	0.99	U	5.0	0.99	ug/L
56-23-5	Carbon Tetrachloride	0.15	U	1.0	0.15	ug/L
594-20-7	2,2-Dichloropropane	0.19	U	1.0	0.19	ug/L
156-59-2	cis-1,2-Dichloroethene	0.12	U	1.0	0.12	ug/L
67-66-3	Chloroform	0.16	U	1.0	0.16	ug/L
71-55-6	1,1,1-Trichloroethane	0.14	U	1.0	0.14	ug/L
110-57-6	t-1,4-Dichloro-2-butene	0.45	U	1.0	0.45	ug/L
563-58-6	1,1-Dichloropropene	0.16	U	1.0	0.16	ug/L
108-20-3	Isopropyl Ether	0.18	U	1.0	0.18	ug/L
107-12-0	Propionitrile	1.7	U	1.0	1.7	ug/L
71-43-2	Benzene	0.14	U	1.0	0.14	ug/L
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L
79-01-6	Trichloroethene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	FB	SDG No.:	X2117
Lab Sample ID:	X2117-08	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001657.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
78-87-5	1,2-Dichloropropane	0.14	U	1.0	0.14	ug/L
126-98-7	Methacrylonitrile	0.62	U	1.0	0.62	ug/L
109-99-9	Tetrahydrofuran	0.45	U	1.0	0.45	ug/L
109-69-3	1-Chlorobutane	0.17	U	1.0	0.17	ug/L
74-95-3	Dibromomethane	0.19	U	1.0	0.19	ug/L
75-27-4	Bromodichloromethane	0.17	U	1.0	0.17	ug/L
108-10-1	4-Methyl-2-Pentanone	0.90	U	5.0	0.90	ug/L
80-62-6	Methyl methacrylate	0.32	U	1.0	0.32	ug/L
97-63-2	Ethyl methacrylate	0.16	U	1.0	0.16	ug/L
108-88-3	Toluene	0.13	U	1.0	0.13	ug/L
10061-02-6	t-1,3-Dichloropropene	0.14	U	1.0	0.14	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.13	U	1.0	0.13	ug/L
79-00-5	1,1,2-Trichloroethane	0.18	U	1.0	0.18	ug/L
142-28-9	1,3-Dichloropropane	0.14	U	1.0	0.14	ug/L
591-78-6	2-Hexanone	0.81	U	5.0	0.81	ug/L
124-48-1	Dibromochloromethane	0.17	U	1.0	0.17	ug/L
106-93-4	1,2-Dibromoethane	0.17	U	1.0	0.17	ug/L
127-18-4	Tetrachloroethene	0.16	U	1.0	0.16	ug/L
108-90-7	Chlorobenzene	0.13	U	1.0	0.13	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.17	U	1.0	0.17	ug/L
67-72-1	Hexachloroethane	0.17	U	1.0	0.17	ug/L
100-41-4	Ethyl Benzene	0.14	U	1.0	0.14	ug/L
126777-61-2	m/p-Xylenes	0.29	U	2.0	0.29	ug/L
95-47-6	o-Xylene	0.15	U	1.0	0.15	ug/L
100-42-5	Styrene	0.14	U	1.0	0.14	ug/L
75-25-2	Bromoform	0.17	U	1.0	0.17	ug/L
108-86-1	Bromobenzene	0.14	U	1.0	0.14	ug/L
98-82-8	Isopropylbenzene	0.14	U	1.0	0.14	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.18	U	1.0	0.18	ug/L
96-18-4	1,2,3-Trichloropropane	0.20	U	1.0	0.20	ug/L
103-65-1	N-propylbenzene	0.14	U	1.0	0.14	ug/L
95-49-8	2-Chlorotoluene	0.11	U	1.0	0.11	ug/L
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	FB	SDG No.:	X2117
Lab Sample ID:	X2117-08	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001657.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
106-43-4	4-Chlorotoluene	0.15	U	1.0	0.15	ug/L
98-06-6	tert-Butylbenzene	0.15	U	1.0	0.15	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.15	U	1.0	0.15	ug/L
135-98-8	Sec-butylbenzene	0.14	U	1.0	0.14	ug/L
99-87-6	p-Isopropyltoluene	0.14	U	1.0	0.14	ug/L
541-73-1	1,3-Dichlorobenzene	0.15	U	1.0	0.15	ug/L
106-46-7	1,4-Dichlorobenzene	0.17	U	1.0	0.17	ug/L
104-51-8	n-Butylbenzene	0.12	U	1.0	0.12	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	1.0	0.16	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.19	U	1.0	0.19	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.11	U	1.0	0.11	ug/L
87-68-3	Hexachlorobutadiene	0.13	U	1.0	0.13	ug/L
91-20-3	Naphthalene	0.14	U	1.0	0.14	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.16	U	1.0	0.16	ug/L
SURROGATES						
2199-69-1	1,2-Dichlorobenzene-d4	0.94	94 %	80 - 120		SPK: 1
460-00-4	4-Bromofluorobenzene	0.97	97 %	80 - 120		SPK: 1
INTERNAL STANDARDS						
462-06-6	Fluorobenzene	201264	9.02			

U = Not Detected
RL = Reporting Limit
MDL = Method Detection Limit
E = Value Exceeds Calibration Range

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	W4	SDG No.:	X2117
Lab Sample ID:	X2117-09	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001662.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.06	U	1.0	0.06	ug/L
74-87-3	Chloromethane	0.07	U	1.0	0.07	ug/L
75-01-4	Vinyl Chloride	0.07	U	1.0	0.07	ug/L
74-83-9	Bromomethane	0.23	U	1.0	0.23	ug/L
75-00-3	Chloroethane	0.17	U	1.0	0.17	ug/L
75-69-4	Trichlorofluoromethane	0.09	U	1.0	0.09	ug/L
75-65-0	tert-Butyl Alcohol	2.9	U	5.0	2.9	ug/L
60-29-7	Diethyl Ether	0.16	U	1.0	0.16	ug/L
75-35-4	1,1-Dichloroethene	0.14	U	1.0	0.14	ug/L
74-88-4	Iodomethane	0.08	U	1.0	0.08	ug/L
107-5-1	Allyl Chloride	0.15	U	1.0	0.15	ug/L
107-13-1	Acrylonitrile	0.46	U	1.0	0.46	ug/L
67-64-1	Acetone	1.1	U	5.0	1.1	ug/L
75-15-0	Carbon disulfide	0.14	U	1.0	0.14	ug/L
1634-04-4	Methyl tert-butyl Ether	0.15	U	1.0	0.15	ug/L
79-20-9	Methyl acrylate	0.16	U	1.0	0.16	ug/L
75-09-2	Methylene Chloride	0.27	U	1.0	0.27	ug/L
156-60-5	trans-1,2-Dichloroethene	0.14	U	1.0	0.14	ug/L
75-34-3	1,1-Dichloroethane	0.16	U	1.0	0.16	ug/L
78-93-3	2-Butanone	0.99	U	5.0	0.99	ug/L
56-23-5	Carbon Tetrachloride	0.15	U	1.0	0.15	ug/L
594-20-7	2,2-Dichloropropane	0.19	U	1.0	0.19	ug/L
156-59-2	cis-1,2-Dichloroethene	0.7	J	1.0	0.12	ug/L
67-66-3	Chloroform	0.16	U	1.0	0.16	ug/L
71-55-6	1,1,1-Trichloroethane	0.14	U	1.0	0.14	ug/L
110-57-6	t-1,4-Dichloro-2-butene	0.45	U	1.0	0.45	ug/L
563-58-6	1,1-Dichloropropene	0.16	U	1.0	0.16	ug/L
108-20-3	Isopropyl Ether	0.18	U	1.0	0.18	ug/L
107-12-0	Propionitrile	1.7	U	1.0	1.7	ug/L
71-43-2	Benzene	0.14	U	1.0	0.14	ug/L
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L
79-01-6	Trichloroethene	0.3	J	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	W4	SDG No.:	X2117
Lab Sample ID:	X2117-09	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001662.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
78-87-5	1,2-Dichloropropane	0.14	U	1.0	0.14	ug/L
126-98-7	Methacrylonitrile	0.62	U	1.0	0.62	ug/L
109-99-9	Tetrahydrofuran	0.45	U	1.0	0.45	ug/L
109-69-3	1-Chlorobutane	0.17	U	1.0	0.17	ug/L
74-95-3	Dibromomethane	0.19	U	1.0	0.19	ug/L
75-27-4	Bromodichloromethane	0.17	U	1.0	0.17	ug/L
108-10-1	4-Methyl-2-Pentanone	0.90	U	5.0	0.90	ug/L
80-62-6	Methyl methacrylate	0.32	U	1.0	0.32	ug/L
97-63-2	Ethyl methacrylate	0.16	U	1.0	0.16	ug/L
108-88-3	Toluene	0.13	U	1.0	0.13	ug/L
10061-02-6	t-1,3-Dichloropropene	0.14	U	1.0	0.14	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.13	U	1.0	0.13	ug/L
79-00-5	1,1,2-Trichloroethane	0.18	U	1.0	0.18	ug/L
142-28-9	1,3-Dichloropropane	0.14	U	1.0	0.14	ug/L
591-78-6	2-Hexanone	0.81	U	5.0	0.81	ug/L
124-48-1	Dibromochloromethane	0.17	U	1.0	0.17	ug/L
106-93-4	1,2-Dibromoethane	0.17	U	1.0	0.17	ug/L
127-18-4	Tetrachloroethene	0.5	J	1.0	0.16	ug/L
108-90-7	Chlorobenzene	0.13	U	1.0	0.13	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.17	U	1.0	0.17	ug/L
67-72-1	Hexachloroethane	0.17	U	1.0	0.17	ug/L
100-41-4	Ethyl Benzene	0.14	U	1.0	0.14	ug/L
126777-61-2	m/p-Xylenes	0.29	U	2.0	0.29	ug/L
95-47-6	o-Xylene	0.15	U	1.0	0.15	ug/L
100-42-5	Styrene	0.14	U	1.0	0.14	ug/L
75-25-2	Bromoform	0.17	U	1.0	0.17	ug/L
108-86-1	Bromobenzene	0.14	U	1.0	0.14	ug/L
98-82-8	Isopropylbenzene	0.14	U	1.0	0.14	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.18	U	1.0	0.18	ug/L
96-18-4	1,2,3-Trichloropropane	0.20	U	1.0	0.20	ug/L
103-65-1	N-propylbenzene	0.14	U	1.0	0.14	ug/L
95-49-8	2-Chlorotoluene	0.11	U	1.0	0.11	ug/L
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	W4	SDG No.:	X2117
Lab Sample ID:	X2117-09	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001662.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
106-43-4	4-Chlorotoluene	0.15	U	1.0	0.15	ug/L
98-06-6	tert-Butylbenzene	0.15	U	1.0	0.15	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.15	U	1.0	0.15	ug/L
135-98-8	Sec-butylbenzene	0.14	U	1.0	0.14	ug/L
99-87-6	p-Isopropyltoluene	0.14	U	1.0	0.14	ug/L
541-73-1	1,3-Dichlorobenzene	0.15	U	1.0	0.15	ug/L
106-46-7	1,4-Dichlorobenzene	0.17	U	1.0	0.17	ug/L
104-51-8	n-Butylbenzene	0.12	U	1.0	0.12	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	1.0	0.16	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.19	U	1.0	0.19	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.11	U	1.0	0.11	ug/L
87-68-3	Hexachlorobutadiene	0.13	U	1.0	0.13	ug/L
91-20-3	Naphthalene	0.14	U	1.0	0.14	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.16	U	1.0	0.16	ug/L
SURROGATES						
2199-69-1	1,2-Dichlorobenzene-d4	0.94	94 %	80 - 120		SPK: 1
460-00-4	4-Bromofluorobenzene	0.96	96 %	80 - 120		SPK: 1
INTERNAL STANDARDS						
462-06-6	Fluorobenzene	176326	9.02			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	W11	SDG No.:	X2117
Lab Sample ID:	X2117-10	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001663.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.06	U	1.0	0.06	ug/L
74-87-3	Chloromethane	0.07	U	1.0	0.07	ug/L
75-01-4	Vinyl Chloride	0.07	U	1.0	0.07	ug/L
74-83-9	Bromomethane	0.23	U	1.0	0.23	ug/L
75-00-3	Chloroethane	0.17	U	1.0	0.17	ug/L
75-69-4	Trichlorofluoromethane	0.09	U	1.0	0.09	ug/L
75-65-0	tert-Butyl Alcohol	2.9	U	5.0	2.9	ug/L
60-29-7	Diethyl Ether	0.16	U	1.0	0.16	ug/L
75-35-4	1,1-Dichloroethene	0.14	U	1.0	0.14	ug/L
74-88-4	Iodomethane	0.08	U	1.0	0.08	ug/L
107-5-1	Allyl Chloride	0.15	U	1.0	0.15	ug/L
107-13-1	Acrylonitrile	0.46	U	1.0	0.46	ug/L
67-64-1	Acetone	1.1	U	5.0	1.1	ug/L
75-15-0	Carbon disulfide	0.14	U	1.0	0.14	ug/L
1634-04-4	Methyl tert-butyl Ether	0.15	U	1.0	0.15	ug/L
79-20-9	Methyl acrylate	0.16	U	1.0	0.16	ug/L
75-09-2	Methylene Chloride	0.27	U	1.0	0.27	ug/L
156-60-5	trans-1,2-Dichloroethene	0.14	U	1.0	0.14	ug/L
75-34-3	1,1-Dichloroethane	0.16	U	1.0	0.16	ug/L
78-93-3	2-Butanone	0.99	U	5.0	0.99	ug/L
56-23-5	Carbon Tetrachloride	0.15	U	1.0	0.15	ug/L
594-20-7	2,2-Dichloropropane	0.19	U	1.0	0.19	ug/L
156-59-2	cis-1,2-Dichloroethene	0.12	U	1.0	0.12	ug/L
67-66-3	Chloroform	0.16	U	1.0	0.16	ug/L
71-55-6	1,1,1-Trichloroethane	0.14	U	1.0	0.14	ug/L
110-57-6	t-1,4-Dichloro-2-butene	0.45	U	1.0	0.45	ug/L
563-58-6	1,1-Dichloropropene	0.16	U	1.0	0.16	ug/L
108-20-3	Isopropyl Ether	0.18	U	1.0	0.18	ug/L
107-12-0	Propionitrile	1.7	U	1.0	1.7	ug/L
71-43-2	Benzene	0.14	U	1.0	0.14	ug/L
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L
79-01-6	Trichloroethene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	W11	SDG No.:	X2117
Lab Sample ID:	X2117-10	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Vol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001663.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
78-87-5	1,2-Dichloropropane	0.14	U	1.0	0.14	ug/L
126-98-7	Methacrylonitrile	0.62	U	1.0	0.62	ug/L
109-99-9	Tetrahydrofuran	0.45	U	1.0	0.45	ug/L
109-69-3	1-Chlorobutane	0.17	U	1.0	0.17	ug/L
74-95-3	Dibromomethane	0.19	U	1.0	0.19	ug/L
75-27-4	Bromodichloromethane	0.17	U	1.0	0.17	ug/L
108-10-1	4-Methyl-2-Pentanone	0.90	U	5.0	0.90	ug/L
80-62-6	Methyl methacrylate	0.32	U	1.0	0.32	ug/L
97-63-2	Ethyl methacrylate	0.16	U	1.0	0.16	ug/L
108-88-3	Toluene	0.13	U	1.0	0.13	ug/L
10061-02-6	t-1,3-Dichloropropene	0.14	U	1.0	0.14	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.13	U	1.0	0.13	ug/L
79-00-5	1,1,2-Trichloroethane	0.18	U	1.0	0.18	ug/L
142-28-9	1,3-Dichloropropane	0.14	U	1.0	0.14	ug/L
591-78-6	2-Hexanone	0.81	U	5.0	0.81	ug/L
124-48-1	Dibromochloromethane	0.17	U	1.0	0.17	ug/L
106-93-4	1,2-Dibromoethane	0.17	U	1.0	0.17	ug/L
127-18-4	Tetrachloroethene	0.3	J	1.0	0.16	ug/L
108-90-7	Chlorobenzene	0.13	U	1.0	0.13	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.17	U	1.0	0.17	ug/L
67-72-1	Hexachloroethane	0.17	U	1.0	0.17	ug/L
100-41-4	Ethyl Benzene	0.14	U	1.0	0.14	ug/L
126777-61-2	m/p-Xylenes	0.29	U	2.0	0.29	ug/L
95-47-6	o-Xylene	0.15	U	1.0	0.15	ug/L
100-42-5	Styrene	0.14	U	1.0	0.14	ug/L
75-25-2	Bromoform	0.17	U	1.0	0.17	ug/L
108-86-1	Bromobenzene	0.14	U	1.0	0.14	ug/L
98-82-8	Isopropylbenzene	0.14	U	1.0	0.14	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.18	U	1.0	0.18	ug/L
96-18-4	1,2,3-Trichloropropane	0.20	U	1.0	0.20	ug/L
103-65-1	N-propylbenzene	0.14	U	1.0	0.14	ug/L
95-49-8	2-Chlorotoluene	0.11	U	1.0	0.11	ug/L
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1.0	0.15	ug/L

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

Client:	EPM, INC.	Date Collected:	3/24/2006
Project:	Katonah	Date Received:	3/27/2006
Client Sample ID:	W11	SDG No.:	X2117
Lab Sample ID:	X2117-10	Matrix:	WATER
Analytical Method:	524.2 Rev3	% Moisture:	100
Sample Wt/Wol:	25.0 Units: mL	Soil Extract Vol:	uL
Soil Aliquot Vol:	uL		

File ID:	Dilution:	Date Analyzed	Analytical Batch ID
VF001663.D	1	4/5/2006	VF040406

CAS Number	Parameter	Conc.	Qualifier	RL	MDL	Units
106-43-4	4-Chlorotoluene	0.15	U	1.0	0.15	ug/L
98-06-6	tert-Butylbenzene	0.15	U	1.0	0.15	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.15	U	1.0	0.15	ug/L
135-98-8	Sec-butylbenzene	0.14	U	1.0	0.14	ug/L
99-87-6	p-Isopropyltoluene	0.14	U	1.0	0.14	ug/L
541-73-1	1,3-Dichlorobenzene	0.15	U	1.0	0.15	ug/L
106-46-7	1,4-Dichlorobenzene	0.17	U	1.0	0.17	ug/L
104-51-8	n-Butylbenzene	0.12	U	1.0	0.12	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	1.0	0.16	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.19	U	1.0	0.19	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.11	U	1.0	0.11	ug/L
87-68-3	Hexachlorobutadiene	0.13	U	1.0	0.13	ug/L
91-20-3	Naphthalene	0.14	U	1.0	0.14	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.16	U	1.0	0.16	ug/L

SURROGATES

2199-69-1	1,2-Dichlorobenzene-d4	0.99	99 %	80 - 120	SPK: 1
460-00-4	4-Bromofluorobenzene	1	100 %	80 - 120	SPK: 1

INTERNAL STANDARDS

462-06-6	Fluorobenzene	158394	9.03		
----------	---------------	--------	------	--	--

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound