



EMCON/OWT, Inc.


EMCON/OWT, Inc.

4 Commerce Drive South

Harriman, NY 10926

845.492.3100

Fax: 845.492.3101



July 26, 2004

Project 791158

Mr. James Schreyer
Project Manager
NYS Department of Environmental Conservation
Region 3
21 South Putt Corners Road
New Paltz, NY 12561

Re: June 2004 Semi-annual Monitoring Results
Taylor's Lane Compost Site, Mamaroneck, New York
NYSDEC Site Number 360021

Dear Mr. Schreyer:

EMCON/OWT personnel conducted a Semi-Annual Groundwater Sampling event at the Taylor's Lane Compost Site in Mamaroneck, New York on June 21, 2004. This June 2004 Semi-Annual Monitoring Report (Report) summarizes all activities performed and results obtained in association with the June 2004 groundwater sampling, gas vent, and soil gas migration monitoring.

Six groundwater monitoring wells (MW-1D, MW-1S, MW-2D, MW-2S, MW-3D and MW-3S), located along Taylor Lane were purged and sampled (the attached Drawing 1 depicts monitoring well locations) on June 21, 2004. The collected samples were shipped to Columbia Analytical Services and analyzed for metals (arsenic, cadmium, copper, lead, mercury and zinc), as well as for volatile organic compounds (VOCs) in MW-2S only.

In addition to the groundwater sampling, landfill gas vent monitoring was performed on June 21, 2004. Gas vents GV-1 through GV-8 were monitored for percent combustible gas and total organic vapors. Soil gas monitoring was also conducted at predetermined locations (BH-1 through BH13) along the perimeter of the landfill in order to detect any migrating gases. Both the groundwater and soil gas monitoring were performed in accordance with the Post Closure Operation and Maintenance Plan for the Taylor's Lane Compost Site prepared by EMCON/Wehran-New York, Inc. in February 1998.

GROUNDWATER MONITORING RESULTS

A review of the June 2004 groundwater analytical data indicated that no inorganic constituents were detected above the New York State Department of Conservation

(NYSDEC) Part 703 Groundwater Standards. Analytical laboratory data summary packages and the field data sheets for the groundwater samples collected in June are provided as respective Attachments A and B of this Report.

Results for the VOCs in MW-2S were analyzed twice, due to the concentration of methyl-tert-butyl-ether (MTBE) exceeding laboratory calibration range. Table 1 of this Report presents VOCs detected during the June 2004 sampling event when analyzed under two different analytical dilutions. Results for the VOCs are being reported as detected with a 1.00 analytical dilution with the exception of MTBE which is being reported as detected with a 20.00 analytical dilution. The analytical results for the VOCs in well MW-2S included MTBE, vinyl chloride, and tert-butyl-alcohol, which were detected at respective concentrations of 250 ug/l, 0.96 ug/l, and 90 ug/l. VOC analysis of the groundwater sample obtained from well MW-2S indicated elevated levels of MTBE, greater than the NYSDEC Part 703 groundwater guidance values of 10 ug/l. Monitoring of MW-2S will be continued to assess detection and trends in the concentration of VOCs.

Historical Summary Tables for Analytical Parameters and the Historical Groundwater Monitoring Graphs have been provided as respective Attachments C and D of this report. Historical summary tables for Field Parameters have also been included as Attachment E of this report.

GAS VENT MONITORING RESULTS

A MiniRae PID was utilized to monitor fugitive VOCs and a Landtec GEM-500 was utilized to monitor percent methane gas and percent Lower Explosive Limit (LEL) at gas vents GV-1 through GV-8 and bar holes BH-1 through BH-13. The gas vent locations are depicted on Drawing 1, included with the February 1998 Post Closure Operation and Maintenance Plan. Results for the June 2004 gas vent and bar hole monitoring are provided as respective Tables 2 and 3 of this report.

As evident from the photoionization detection (PID) readings, volatile organic vapors were not detected (ND, non-detect) in any of the gas vents or perimeter monitoring locations during the June 2004 sampling event. Methane gas was detected at GV-4 at concentrations of 3.9% methane gas and 74% LEL, GV-5 at concentrations of 14.6% methane gas and 292% LEL, and GV-8 at concentrations of 13.3% methane gas and 266% LEL. Historical summary tables for gas vent monitoring, and historical gas vent monitoring graphs have been provided as respective Attachments F and G of this report.

Based upon the monitoring results for the landfill gas vents and perimeter soil gas, monitoring will continue during the November 2004 sampling event.

Mr. George Momberger
July 26, 2004
Page 3

Project 791158

If you should have any questions regarding the above information, please do not hesitate to contact me at 845-492-3100.

Sincerely,

EMCON/OWT, Inc.

Michael Schumaci TBC

Michael Schumaci
Project Manager

Attachments: Attachment A - Laboratory Data Summary Package
Attachment B - Field Sampling Data Sheets
Attachment C – Historical Summary Tables for Analytical Parameters
Attachment D - Historical Groundwater Monitoring Graphs
Attachment E – Historical Summary Tables for Field Parameters
Attachment F – Historical Summary Tables for Gas Vent Monitoring
Attachment G - Historical Gas Vent Monitoring Graphs
Tables 1, 2, and 3
Drawing No. 1

cc: Leonard M. Verrastro – Village of Mamaroneck

Attachment A
Laboratory Data Summary Package

Attachment A

Laboratory Data Summary Package



A FULL SERVICE ENVIRONMENTAL LABORATORY

July 16, 2004

Mr. Brian Nichols
Shaw/Emcon/OWT
4 Commerce Dr. So.
Harriman, NY 10926

PROJECT:MAMARONECK-TAYLORS LANE 791158-01
Submission #:R2421848

Dear Mr. Nichols

Enclosed are the analytical results of the analyses requested. All data has been reviewed prior to report submission. Should you have any questions please contact me at (585) 288-5380.

Thank you for letting us provide this service.

Sincerely,

COLUMBIA ANALYTICAL SERVICES

A handwritten signature in black ink, appearing to read 'Mark Wilson', is written over the typed name.

Mark Wilson
Client Service Manager

Enc.



1 Mustard ST.
Suite 250
Rochester, NY 14609
(585) 288-5380

THIS IS AN ANALYTICAL TEST REPORT FOR:

Client : Shaw/Emcon/OWT
Project Reference: MAMARONECK-TAYLORS LANE 791158-01
Lab Submission # : R2421848
Project Manager : Mark Wilson
Reported : 07/16/04

Report Contains a total of 25 pages

The results reported herein relate only to the samples received by the laboratory. This report may not be reproduced except in full, without the approval of Columbia Analytical Services.

This package has been reviewed by Columbia Analytical Services' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. Michael E. Perry



CASE NARRATIVE

This report contains analytical results for the following samples:

Submission #: R2421848

<u>Lab ID</u>	<u>Client ID</u>
737341	MW-1S
737342	MW-1D
737343	MW-2D
737344	MW-2S
737345	MW-3D
737346	MW-3S

All samples were received in good condition unless otherwise noted on the cooler receipt and preservation check form located at the end of this report.

All samples were preserved in accordance with approved analytical methods.

All samples have been analyzed by the approved methods cited on the analytical results pages.

All holding times and associated QC were within limits.

No analytical or QC problems were encountered.

All sampling activities performed by CAS personnel have been in accordance with "CAS Field Procedures and Measurements Manual" or by client specifications.




ORGANIC QUALIFIERS

- U - Indicates compound was analyzed for but not detected. The sample quantitation limit must be corrected for dilution and for percent moisture.
- J - Indicates an estimated value. The flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.
- N - Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds, where the identification is based on a mass spectral library search.
- P - This flag is used for a pesticide/Aroclor target analyte when there is a greater than 25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form I and flagged with a "P".
- C - This flag applies to pesticide results where the identification has been confirmed by GC/MS.
- B - This flag is used when the analyte is found in the associated blank as well as in the sample.
- E - This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- D - This flag identifies all compounds identified in an analysis at a secondary dilution factor. If a sample or extract is re-analyzed at a higher dilution factor, as in the "E" flag above, the "DL" suffix is appended to the sample number on the Form I for the diluted sample, and ALL concentration values reported on that Form I are flagged with the "D" flag.
- A - This flag indicates that a TIC is a suspected aldol-condensation product.
- X - As specified in Case Narrative.
- * - This flag identifies compounds associated with a quality control parameter which exceeds laboratory limits.

CAS/Rochester Lab ID # for State Certifications

Army Corp of Engineers Validated
Delaware Accredited
Connecticut ID # PH0556
Florida ID # E87674
Massachusetts ID # M-NY032
Navy Facilities Engineering Service Center Approved
Nebraska Accredited

NELAP Accredited
New York ID # 10145
New Jersey ID # NY004
New Hampshire ID # 294100 A/B
Pennsylvania Registration 68-786
Rhode Island ID # 158
South Carolina ID #91012
West Virginia ID # 292



INORGANIC QUALIFIERS

C (Concentration) qualifier –

- B - if the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).
- U - if the analyte was analyzed for, but not detected

Q qualifier - Specified entries and their meanings are as follows:

- D - Spike was diluted out
- E - The reported value is estimated because of the presence of interference.
- J - Estimated Value
- M - Duplicate injection precision not met.
- N - Spiked sample recovery not within control limits.
- S - The reported value was determined by the Method of Standard Additions (MSA).
- W - Post-digestion spike for Furnace AA Analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
- * - Duplicate analysis not within control limits.
- + - Correlation coefficient for the MSA is less than 0.995.

M (Method) qualifier:

- "P" for ICP
- "A" for Flame AA
- "F" for Furnace AA
- "PM" for ICP when Microwave Digestion is used
- "AM" for Flame AA when Microwave Digestion is used
- "FM" for Furnace M when Microwave Digestion is used
- "CV" for Manual Cold Vapor AA
- "AV" for Automated Cold Vapor AA
- "CA" for Midi-Distillation Spectrophotometric
- "AS" for Semi-Automated Spectrophotometric
- "C" for Manual Spectrophotometric
- "T" for Titrimetric
- " " where no data has been entered
- "NR" if the analyte is not required to be analyzed.

CAS/Rochester Lab ID # for State Certifications

Army Corp of Engineers Validated
Delaware Accredited
Connecticut ID # PH0556
Florida ID # E87674
Massachusetts ID # M-NY032
Navy Facilities Engineering Service Center Approved
Nebraska Accredited
NELAP Accredited

New York ID # 10145
New Jersey ID # NY004
New Hampshire ID # 294100 A/B
Pennsylvania Registration 68-786
Rhode Island ID # 158
South Carolina ID #91012
West Virginia ID # 292

COLUMBIA ANALYTICAL SERVICES

Reported: 07/16/04

Shaw/Emcon/OWT

Project Reference: MAMARONECK-TAYLORS LANE 791158-01

Client Sample ID : MW-1S

Date Sampled : 06/21/04

Order #: 737341

Sample Matrix: WATER

Date Received: 06/22/04

Submission #: R2421848

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
ARSENIC	6010B	0.0100	0.0100 U	MG/L	06/29/04	1.0
CADMIUM	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	06/29/04	1.0
LEAD	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
MERCURY	7470A	0.000300	0.000300 U	MG/L	06/25/04	1.0
ZINC	6010B	0.0200	0.0210	MG/L	06/29/04	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 07/16/04

Shaw/Emcon/OWT

Project Reference: MAMARONECK-TAYLORS LANE 791158-01

Client Sample ID : MW-1D

Date Sampled : 06/21/04

Order #: 737342

Sample Matrix: WATER

Date Received: 06/22/04

Submission #: R2421848

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
ARSENIC	6010B	0.0100	0.0100 U	MG/L	06/29/04	1.0
CADMIUM	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	06/29/04	1.0
LEAD	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
MERCURY	7470A	0.000300	0.000300 U	MG/L	06/25/04	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	06/29/04	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 07/16/04

Shaw/Emcon/OWT

Project Reference: MAMARONECK-TAYLORS LANE 791158-01

Client Sample ID : MW-2D

Date Sampled : 06/21/04

Order #: 737343

Sample Matrix: WATER

Date Received: 06/22/04

Submission #: R2421848

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
ARSENIC	6010B	0.0100	0.0100 U	MG/L	06/29/04	1.0
CADMIUM	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	06/29/04	1.0
LEAD	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
MERCURY	7470A	0.000300	0.000300 U	MG/L	06/25/04	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	06/29/04	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 07/16/04

Shaw/Emcon/OWT

Project Reference: MAMARONECK-TAYLORS LANE 791158-01

Client Sample ID : MW-2S

Date Sampled : 06/21/04

Order #: 737344

Sample Matrix: WATER

Date Received: 06/22/04

Submission #: R2421848

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
ARSENIC	6010B	0.0100	0.0100 U	MG/L	06/29/04	1.0
CADMIUM	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	06/29/04	1.0
LEAD	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
MERCURY	7470A	0.000300	0.000300 U	MG/L	06/25/04	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	06/29/04	1.0

COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS

METHOD 524.2 DRINKING WATER VOLATIL

Reported: 07/16/04

Shaw/Emcon/OWT

Project Reference: MAMARONECK-TAYLORS LANE 791158-01

Client Sample ID : MW-2S

Date Sampled : 06/21/04

Order #: 737344

Sample Matrix: WATER

Date Received: 06/22/04

Submission #: R2421848

Analytical Run 106121

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED : 07/02/04			
ANALYTICAL DILUTION: 1.00			
BENZENE	0.50	0.50 U	UG/L
BROMOBENZENE	0.50	0.50 U	UG/L
BROMOCHLOROMETHANE	0.50	0.50 U	UG/L
BROMODICHLOROMETHANE	0.50	0.50 U	UG/L
BROMOFORM	0.50	0.50 U	UG/L
BROMOMETHANE	0.50	0.50 U	UG/L
TERT-BUTYL ALCOHOL	20	90	UG/L
METHYL-TERT-BUTYL ETHER	0.50	380 E	UG/L
TERT-BUTYLBENZENE	0.50	0.50 U	UG/L
SEC-BUTYLBENZENE	0.50	0.50 U	UG/L
N-BUTYLBENZENE	0.50	0.50 U	UG/L
CARBON TETRACHLORIDE	0.50	0.50 U	UG/L
CHLOROBENZENE	0.50	0.50 U	UG/L
CHLOROETHANE	0.50	0.50 U	UG/L
CHLOROFORM	0.50	0.50 U	UG/L
CHLOROMETHANE	0.50	0.50 U	UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.50	0.50 U	UG/L
2-CHLOROTOLUENE	0.50	0.50 U	UG/L
4-CHLOROTOLUENE	0.50	0.50 U	UG/L
DIBROMOCHLOROMETHANE	0.50	0.50 U	UG/L
1,2-DIBROMOETHANE	0.50	0.50 U	UG/L
DIBROMOMETHANE	0.50	0.50 U	UG/L
1,2-DICHLOROBENZENE	0.50	0.50 U	UG/L
1,4-DICHLOROBENZENE	0.50	0.50 U	UG/L
1,3-DICHLOROBENZENE	0.50	0.50 U	UG/L
DICHLORODIFLUOROMETHANE	0.50	0.50 U	UG/L
1,1-DICHLOROETHANE	0.50	0.50 U	UG/L
1,2-DICHLOROETHANE	0.50	0.50 U	UG/L
1,1-DICHLOROETHENE	0.50	0.50 U	UG/L
TRANS-1,2-DICHLOROETHENE	0.50	0.50 U	UG/L
CIS-1,2-DICHLOROETHENE	0.50	0.50 U	UG/L
2,2-DICHLOROPROPANE	0.50	0.50 U	UG/L
1,2-DICHLOROPROPANE	0.50	0.50 U	UG/L
1,3-DICHLOROPROPANE	0.50	0.50 U	UG/L
1,1-DICHLOROPROPENE	0.50	0.50 U	UG/L
TRANS-1,3-DICHLOROPROPENE	0.50	0.50 U	UG/L
CIS-1,3-DICHLOROPROPENE	0.50	0.50 U	UG/L
ETHYLBENZENE	0.50	0.50 U	UG/L
HEXACHLOROBUTADIENE	0.50	0.50 U	UG/L
ISOPROPYLBENZENE	0.50	0.50 U	UG/L
P-ISOPROPYLTOLUENE	0.50	0.50 U	UG/L
METHYLENE CHLORIDE	0.50	0.50 U	UG/L
NAPHTHALENE	0.50	0.50 U	UG/L
N-PROPYLBENZENE	0.50	0.50 U	UG/L

COLUMBIA ANALYTICAL SERVICES**VOLATILE ORGANICS**

METHOD 524.2 DRINKING WATER VOLATIL

Reported: 07/16/04

Shaw/Emcon/OWT

Project Reference: MAMARONECK-TAYLORS LANE 791158-01

Client Sample ID : MW-2S

Date Sampled : 06/21/04	Order #: 737344	Sample Matrix: WATER
Date Received: 06/22/04	Submission #: R2421848	Analytical Run 106121

ANALYTE	PQL	RESULT	UNITS
---------	-----	--------	-------

DATE ANALYZED	: 07/02/04
ANALYTICAL DILUTION:	1.00

STYRENE	0.50	0.50 U	UG/L
1,1,1,2-TETRACHLOROETHANE	0.50	0.50 U	UG/L
1,1,2,2-TETRACHLOROETHANE	0.50	0.50 U	UG/L
TETRACHLOROETHENE	0.50	0.50 U	UG/L
TOLUENE	0.50	0.50 U	UG/L
1,2,4-TRICHLOROBENZENE	0.50	0.50 U	UG/L
1,2,3-TRICHLOROBENZENE	0.50	0.50 U	UG/L
1,1,1-TRICHLOROETHANE	0.50	0.50 U	UG/L
1,1,2-TRICHLOROETHANE	0.50	0.50 U	UG/L
TRICHLOROETHENE	0.50	0.50 U	UG/L
TRICHLOROFLUOROMETHANE	0.50	0.50 U	UG/L
1,2,3-TRICHLOROPROPANE	0.50	0.50 U	UG/L
1,3,5-TRIMETHYLBENZENE	0.50	0.50 U	UG/L
1,2,4-TRIMETHYLBENZENE	0.50	0.50 U	UG/L
VINYL CHLORIDE	0.50	0.96	UG/L
M+P-XYLENE	0.50	0.50 U	UG/L
O-XYLENE	0.50	0.50 U	UG/L

SURROGATE RECOVERIESQC LIMITS

BROMOFLUOROBENZENE	(70 - 130 %)	113	%
1,2-DICHLOROBENZENE-D4	(70 - 130 %)	112	%

COLUMBIA ANALYTICAL SERVICES**VOLATILE ORGANICS**

METHOD 524.2 DRINKING WATER VOLATIL

Reported: 07/16/04

Shaw/Emcon/OWT

Project Reference: MAMARONECK-TAYLORS LANE 791158-01

Client Sample ID : MW-2S

Date Sampled : 06/21/04 Order #: 737344 Sample Matrix: WATER
Date Received: 06/22/04 Submission #: R2421848 Analytical Run 106121

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED	: 07/03/04		
ANALYTICAL DILUTION:	20.00		
BENZENE	0.50	10 U	UG/L
BROMOBENZENE	0.50	10 U	UG/L
BROMOCHLOROMETHANE	0.50	10 U	UG/L
BROMODICHLOROMETHANE	0.50	10 U	UG/L
BROMOFORM	0.50	10 U	UG/L
BROMOMETHANE	0.50	10 U	UG/L
TERT-BUTYL ALCOHOL	20	400 U	UG/L
METHYL-TERT-BUTYL ETHER	0.50	250	UG/L
TERT-BUTYLBENZENE	0.50	10 U	UG/L
SEC-BUTYLBENZENE	0.50	10 U	UG/L
N-BUTYLBENZENE	0.50	10 U	UG/L
CARBON TETRACHLORIDE	0.50	10 U	UG/L
CHLOROBENZENE	0.50	10 U	UG/L
CHLOROETHANE	0.50	10 U	UG/L
CHLOROFORM	0.50	10 U	UG/L
CHLOROMETHANE	0.50	10 U	UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.50	10 U	UG/L
2-CHLOROTOLUENE	0.50	10 U	UG/L
4-CHLOROTOLUENE	0.50	10 U	UG/L
DIBROMOCHLOROMETHANE	0.50	10 U	UG/L
1,2-DIBROMOETHANE	0.50	10 U	UG/L
DIBROMOMETHANE	0.50	10 U	UG/L
1,2-DICHLOROBENZENE	0.50	10 U	UG/L
1,4-DICHLOROBENZENE	0.50	10 U	UG/L
1,3-DICHLOROBENZENE	0.50	10 U	UG/L
DICHLORODIFLUOROMETHANE	0.50	10 U	UG/L
1,1-DICHLOROETHANE	0.50	10 U	UG/L
1,2-DICHLOROETHANE	0.50	10 U	UG/L
1,1-DICHLOROETHENE	0.50	10 U	UG/L
TRANS-1,2-DICHLOROETHENE	0.50	10 U	UG/L
CIS-1,2-DICHLOROETHENE	0.50	10 U	UG/L
2,2-DICHLOROPROPANE	0.50	10 U	UG/L
1,2-DICHLOROPROPANE	0.50	10 U	UG/L
1,3-DICHLOROPROPANE	0.50	10 U	UG/L
1,1-DICHLOROPROPENE	0.50	10 U	UG/L
TRANS-1,3-DICHLOROPROPENE	0.50	10 U	UG/L
CIS-1,3-DICHLOROPROPENE	0.50	10 U	UG/L
ETHYLBENZENE	0.50	10 U	UG/L
HEXACHLOROBUTADIENE	0.50	10 U	UG/L
ISOPROPYLBENZENE	0.50	10 U	UG/L
P-ISOPROPYLTOLUENE	0.50	10 U	UG/L
METHYLENE CHLORIDE	0.50	10 U	UG/L
NAPHTHALENE	0.50	10 U	UG/L
N-PROPYLBENZENE	0.50	10 U	UG/L

COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS

METHOD 524.2 DRINKING WATER VOLATIL

Reported: 07/16/04

Shaw/Emcon/OWT

Project Reference: MAMARONECK-TAYLORS LANE 791158-01

Client Sample ID : MW-2S

Date Sampled : 06/21/04 **Order #:** 737344 **Sample Matrix:** WATER
Date Received: 06/22/04 **Submission #:** R2421848 **Analytical Run** 106121

ANALYTE	PQL	RESULT	UNITS
---------	-----	--------	-------

DATE ANALYZED : 07/03/04
ANALYTICAL DILUTION: 20.00

STYRENE	0.50	10 U	UG/L
1,1,1,2-TETRACHLOROETHANE	0.50	10 U	UG/L
1,1,2,2-TETRACHLOROETHANE	0.50	10 U	UG/L
TETRACHLOROETHENE	0.50	10 U	UG/L
TOLUENE	0.50	10 U	UG/L
1,2,4-TRICHLOROBENZENE	0.50	10 U	UG/L
1,2,3-TRICHLOROBENZENE	0.50	10 U	UG/L
1,1,1-TRICHLOROETHANE	0.50	10 U	UG/L
1,1,2-TRICHLOROETHANE	0.50	10 U	UG/L
TRICHLOROETHENE	0.50	10 U	UG/L
TRICHLOROFLUOROMETHANE	0.50	10 U	UG/L
1,2,3-TRICHLOROPROPANE	0.50	10 U	UG/L
1,3,5-TRIMETHYLBENZENE	0.50	10 U	UG/L
1,2,4-TRIMETHYLBENZENE	0.50	10 U	UG/L
VINYL CHLORIDE	0.50	10 U	UG/L
M+P-XYLENE	0.50	10 U	UG/L
O-XYLENE	0.50	10 U	UG/L

SURROGATE RECOVERIES

QC LIMITS

BROMOFLUOROBENZENE	(70 - 130 %)	96	%
1,2-DICHLOROBENZENE-D4	(70 - 130 %)	96	%

COLUMBIA ANALYTICAL SERVICES

Reported: 07/16/04

Shaw/Emcon/OWT

Project Reference: MAMARONECK-TAYLORS LANE 791158-01

Client Sample ID : MW-3D

Date Sampled : 06/21/04

Order #: 737345

Sample Matrix: WATER

Date Received: 06/22/04

Submission #: R2421848

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
ARSENIC	6010B	0.0100	0.0100 U	MG/L	06/29/04	1.0
CADMIUM	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	06/29/04	1.0
LEAD	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
MERCURY	7470A	0.000300	0.000300 U	MG/L	06/25/04	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	06/29/04	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 07/16/04

Shaw/Emcon/OWT

Project Reference: MAMARONECK-TAYLORS LANE 791158-01

Client Sample ID : MW-3S

Date Sampled : 06/21/04

Order #: 737346

Sample Matrix: WATER

Date Received: 06/22/04

Submission #: R2421848

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
ARSENIC	6010B	0.0100	0.0100 U	MG/L	06/29/04	1.0
CADMIUM	6010B	0.00500	0.00500 U	MG/L	06/29/04	1.0
COPPER	6010B	0.0200	0.0274	MG/L	06/29/04	1.0
LEAD	6010B	0.00500	0.0178	MG/L	06/29/04	1.0
MERCURY	7470A	0.000300	0.000300 U	MG/L	06/25/04	1.0
ZINC	6010B	0.0200	0.0457	MG/L	06/29/04	1.0

COLUMBIA ANALYTICAL SERVICES

INORGANIC BLANK SPIKE SUMMARY

CAS Submission #: R2421848
Client: Shaw/Emcon/OWT
MAMARONECK-TAYLORS LANE 791158-01

BLANK SPIKES

	BLANK	FOUND	ADDED	% REC	LIMITS	RUN	UNITS
MERCURY	0.000300 U	0.00102	0.00100	102	80 - 120	105427	MG/L
ARSENIC	0.0100 U	0.0393	0.0400	98	80 - 120	105593	MG/L
CADMIUM	0.00500 U	0.0502	0.0500	100	80 - 120	105593	MG/L
COPPER	0.0200 U	0.265	0.250	106	80 - 120	105593	MG/L
LEAD	0.00500 U	0.534	0.500	107	80 - 120	105593	MG/L
ZINC	0.0200 U	0.526	0.500	105	80 - 120	105593	MG/L

COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS

METHOD: 524.2 DRINKING WATER VOLATILES

LABORATORY CONTROL SAMPLE SUMMARY

REFERENCE ORDER #: 743858

ANALYTICAL RUN #: 106121

ANALYTE	TRUE VALUE	% RECOVERY	QC LIMITS
DATE ANALYZED : 7/ 2/2004			
ANALYTICAL DILUTION: 1.0			
BENZENE	2.00	108	70 - 130
BROMOBENZENE	2.00	108	70 - 130
BROMOCHLOROMETHANE	2.00	99	70 - 130
BROMODICHLOROMETHANE	2.00	100	70 - 130
BROMOFORM	2.00	100	70 - 130
BROMOMETHANE	2.00	143 *	70 - 130
TERT-BUTYL ALCOHOL	40.0	95	70 - 130
METHYL-TERT-BUTYL ETHER	2.00	102	70 - 130
TERT-BUTYLBENZENE	2.00	102	70 - 130
SEC-BUTYLBENZENE	2.00	102	70 - 130
N-BUTYLBENZENE	2.00	99	70 - 130
CARBON TETRACHLORIDE	2.00	100	70 - 130
CHLOROBENZENE	2.00	108	70 - 130
CHLOROETHANE	2.00	104	70 - 130
CHLOROFORM	2.00	104	70 - 130
CHLOROMETHANE	2.00	119	70 - 130
1,2-DIBROMO-3-CHLOROPROPANE	2.00	91	70 - 130
2-CHLOROTOLUENE	2.00	109	70 - 130
4-CHLOROTOLUENE	2.00	105	70 - 130
DIBROMOCHLOROMETHANE	2.00	97	70 - 130
1,2-DIBROMOETHANE	2.00	105	70 - 130
DIBROMOMETHANE	2.00	97	70 - 130
1,2-DICHLOROBENZENE	2.00	101	70 - 130
1,4-DICHLOROBENZENE	2.00	104	70 - 130
1,3-DICHLOROBENZENE	2.00	100	70 - 130
DICHLORODIFLUOROMETHANE	2.00	98	70 - 130
1,1-DICHLOROETHANE	2.00	101	70 - 130
1,2-DICHLOROETHANE	2.00	98	70 - 130
1,1-DICHLOROETHENE	2.00	130	70 - 130
TRANS-1,2-DICHLOROETHENE	2.00	105	70 - 130
CIS-1,2-DICHLOROETHENE	2.00	110	70 - 130
2,2-DICHLOROPROPANE	2.00	109	70 - 130
1,2-DICHLOROPROPANE	2.00	99	70 - 130
1,3-DICHLOROPROPANE	2.00	99	70 - 130
1,1-DICHLOROPROPENE	2.00	104	70 - 130
TRANS-1,3-DICHLOROPROPENE	2.00	105	70 - 130
CIS-1,3-DICHLOROPROPENE	2.00	111	70 - 130
ETHYLBENZENE	2.00	108	70 - 130
HEXACHLOROBUTADIENE	2.00	114	70 - 130
ISOPROPYLBENZENE	2.00	102	70 - 130
P-ISOPROPYLTOLUENE	2.00	101	70 - 130

COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS

METHOD: 524.2 DRINKING WATER VOLATILES

LABORATORY CONTROL SAMPLE SUMMARY

REFERENCE ORDER #: 743858

ANALYTICAL RUN #: 106121

ANALYTE	TRUE VALUE	% RECOVERY	QC LIMITS
DATE ANALYZED : 7/ 2/2004			
ANALYTICAL DILUTION: 1.0			
METHYLENE CHLORIDE	2.00	104	70 - 130
NAPHTHALENE	2.00	100	70 - 130
N-PROPYLBENZENE	2.00	103	70 - 130
STYRENE	2.00	99	70 - 130
1,1,1,2-TETRACHLOROETHANE	2.00	97	70 - 130
1,1,2,2-TETRACHLOROETHANE	2.00	96	70 - 130
TETRACHLOROETHENE	2.00	105	70 - 130
TOLUENE	2.00	118	70 - 130
1,2,4-TRICHLOROBENZENE	2.00	91	70 - 130
1,2,3-TRICHLOROBENZENE	2.00	93	70 - 130
1,1,1-TRICHLOROETHANE	2.00	98	70 - 130
1,1,2-TRICHLOROETHANE	2.00	100	70 - 130
TRICHLOROETHENE	2.00	105	70 - 130
TRICHLOROFLUOROMETHANE	2.00	103	70 - 130
1,2,3-TRICHLOROPROPANE	2.00	104	70 - 130
1,3,5-TRIMETHYLBENZENE	2.00	103	70 - 130
1,2,4-TRIMETHYLBENZENE	2.00	103	70 - 130
VINYL CHLORIDE	2.00	104	70 - 130
M+P-XYLENE	4.00	107	70 - 130
O-XYLENE	2.00	103	70 - 130

COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS

METHOD: 524.2 DRINKING WATER VOLATILES

LABORATORY CONTROL SAMPLE SUMMARY

REFERENCE ORDER #: 743893

ANALYTICAL RUN #: 106121

ANALYTE	TRUE VALUE	% RECOVERY	QC LIMITS
DATE ANALYZED : 7/ 3/2004			
ANALYTICAL DILUTION: 1.0			
BENZENE	2.00	99	70 - 130
BROMOBENZENE	2.00	103	70 - 130
BROMOCHLOROMETHANE	2.00	101	70 - 130
BROMODICHLOROMETHANE	2.00	96	70 - 130
BROMOFORM	2.00	98	70 - 130
BROMOMETHANE	2.00	145 *	70 - 130
TERT-BUTYL ALCOHOL	40.0	84	70 - 130
METHYL-TERT-BUTYL ETHER	2.00	86	70 - 130
TERT-BUTYLBENZENE	2.00	93	70 - 130
SEC-BUTYLBENZENE	2.00	89	70 - 130
N-BUTYLBENZENE	2.00	90	70 - 130
CARBON TETRACHLORIDE	2.00	96	70 - 130
CHLOROBENZENE	2.00	100	70 - 130
CHLOROETHANE	2.00	103	70 - 130
CHLOROFORM	2.00	101	70 - 130
CHLOROMETHANE	2.00	108	70 - 130
1,2-DIBROMO-3-CHLOROPROPANE	2.00	85	70 - 130
2-CHLOROTOLUENE	2.00	103	70 - 130
4-CHLOROTOLUENE	2.00	98	70 - 130
DIBROMOCHLOROMETHANE	2.00	99	70 - 130
1,2-DIBROMOETHANE	2.00	98	70 - 130
DIBROMOMETHANE	2.00	93	70 - 130
1,2-DICHLOROBENZENE	2.00	98	70 - 130
1,4-DICHLOROBENZENE	2.00	96	70 - 130
1,3-DICHLOROBENZENE	2.00	97	70 - 130
DICHLORODIFLUOROMETHANE	2.00	92	70 - 130
1,1-DICHLOROETHANE	2.00	94	70 - 130
1,2-DICHLOROETHANE	2.00	94	70 - 130
1,1-DICHLOROETHENE	2.00	122	70 - 130
TRANS-1,2-DICHLOROETHENE	2.00	95	70 - 130
CIS-1,2-DICHLOROETHENE	2.00	103	70 - 130
2,2-DICHLOROPROPANE	2.00	95	70 - 130
1,2-DICHLOROPROPANE	2.00	92	70 - 130
1,3-DICHLOROPROPANE	2.00	96	70 - 130
1,1-DICHLOROPROPENE	2.00	92	70 - 130
TRANS-1,3-DICHLOROPROPENE	2.00	96	70 - 130
CIS-1,3-DICHLOROPROPENE	2.00	100	70 - 130
ETHYLBENZENE	2.00	99	70 - 130
HEXACHLOROBUTADIENE	2.00	102	70 - 130
ISOPROPYLBENZENE	2.00	93	70 - 130
P-ISOPROPYLTOLUENE	2.00	93	70 - 130

COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS
METHOD: 524.2 DRINKING WATER VOLATILES

LABORATORY CONTROL SAMPLE SUMMARY

REFERENCE ORDER #: 743893 ANALYTICAL RUN # : 106121

ANALYTE	TRUE VALUE	% RECOVERY	QC LIMITS
DATE ANALYZED : 7/ 3/2004			
ANALYTICAL DILUTION: 1.0			
METHYLENE CHLORIDE	2.00	96	70 - 130
NAPHTHALENE	2.00	80	70 - 130
N-PROPYLBENZENE	2.00	98	70 - 130
STYRENE	2.00	94	70 - 130
1,1,1,2-TETRACHLOROETHANE	2.00	99	70 - 130
1,1,2,2-TETRACHLOROETHANE	2.00	92	70 - 130
TETRACHLOROETHENE	2.00	99	70 - 130
TOLUENE	2.00	111	70 - 130
1,2,4-TRICHLOROBENZENE	2.00	78	70 - 130
1,2,3-TRICHLOROBENZENE	2.00	77	70 - 130
1,1,1-TRICHLOROETHANE	2.00	94	70 - 130
1,1,2-TRICHLOROETHANE	2.00	96	70 - 130
TRICHLOROETHENE	2.00	98	70 - 130
TRICHLOROFLUOROMETHANE	2.00	99	70 - 130
1,2,3-TRICHLOROPROPANE	2.00	104	70 - 130
1,3,5-TRIMETHYLBENZENE	2.00	99	70 - 130
1,2,4-TRIMETHYLBENZENE	2.00	95	70 - 130
VINYL CHLORIDE	2.00	103	70 - 130
M+P-XYLENE	4.00	99	70 - 130
O-XYLENE	2.00	95	70 - 130

COLUMBIA ANALYTICAL SERVICES**VOLATILE ORGANICS**

METHOD 524.2 DRINKING WATER VOLATIL

Reported: 07/16/04

Project Reference:

Client Sample ID : METHOD BLANK

Date Sampled :	Order #: 743857	Sample Matrix: WATER
Date Received:	Submission #:	Analytical Run 106121

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED : 07/02/04			
ANALYTICAL DILUTION: 1.00			
BENZENE	0.50	0.50 U	UG/L
BROMOBENZENE	0.50	0.50 U	UG/L
BROMOCHLOROMETHANE	0.50	0.50 U	UG/L
BROMODICHLOROMETHANE	0.50	0.50 U	UG/L
BROMOFORM	0.50	0.50 U	UG/L
BROMOMETHANE	0.50	0.50 U	UG/L
TERT-BUTYL ALCOHOL	20	20 U	UG/L
METHYL-TERT-BUTYL ETHER	0.50	0.50 U	UG/L
TERT-BUTYLBENZENE	0.50	0.50 U	UG/L
SEC-BUTYLBENZENE	0.50	0.50 U	UG/L
N-BUTYLBENZENE	0.50	0.50 U	UG/L
CARBON TETRACHLORIDE	0.50	0.50 U	UG/L
CHLOROBENZENE	0.50	0.50 U	UG/L
CHLOROETHANE	0.50	0.50 U	UG/L
CHLOROFORM	0.50	0.50 U	UG/L
CHLOROMETHANE	0.50	0.50 U	UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.50	0.50 U	UG/L
2-CHLOROTOLUENE	0.50	0.50 U	UG/L
4-CHLOROTOLUENE	0.50	0.50 U	UG/L
DIBROMOCHLOROMETHANE	0.50	0.50 U	UG/L
1,2-DIBROMOETHANE	0.50	0.50 U	UG/L
DIBROMOMETHANE	0.50	0.50 U	UG/L
1,2-DICHLOROBENZENE	0.50	0.50 U	UG/L
1,4-DICHLOROBENZENE	0.50	0.50 U	UG/L
1,3-DICHLOROBENZENE	0.50	0.50 U	UG/L
DICHLORODIFLUOROMETHANE	0.50	0.50 U	UG/L
1,1-DICHLOROETHANE	0.50	0.50 U	UG/L
1,2-DICHLOROETHANE	0.50	0.50 U	UG/L
1,1-DICHLOROETHENE	0.50	0.50 U	UG/L
TRANS-1,2-DICHLOROETHENE	0.50	0.50 U	UG/L
CIS-1,2-DICHLOROETHENE	0.50	0.50 U	UG/L
2,2-DICHLOROPROPANE	0.50	0.50 U	UG/L
1,2-DICHLOROPROPANE	0.50	0.50 U	UG/L
1,3-DICHLOROPROPANE	0.50	0.50 U	UG/L
1,1-DICHLOROPROPENE	0.50	0.50 U	UG/L
TRANS-1,3-DICHLOROPROPENE	0.50	0.50 U	UG/L
CIS-1,3-DICHLOROPROPENE	0.50	0.50 U	UG/L
ETHYLBENZENE	0.50	0.50 U	UG/L
HEXACHLOROBUTADIENE	0.50	0.50 U	UG/L
ISOPROPYLBENZENE	0.50	0.50 U	UG/L
P-ISOPROPYLTOLUENE	0.50	0.50 U	UG/L
METHYLENE CHLORIDE	0.50	0.50 U	UG/L
NAPHTHALENE	0.50	0.50 U	UG/L
N-PROPYLBENZENE	0.50	0.50 U	UG/L
STYRENE	0.50	0.50 U	UG/L

COLUMBIA ANALYTICAL SERVICES**VOLATILE ORGANICS**

METHOD 524.2 DRINKING WATER VOLATIL

Reported: 07/16/04

Project Reference:

Client Sample ID : METHOD BLANK

Date Sampled :	Order #: 743857	Sample Matrix: WATER
Date Received:	Submission #:	Analytical Run 106121

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED : 07/02/04			
ANALYTICAL DILUTION: 1.00			
1,1,1,2-TETRACHLOROETHANE	0.50	0.50 U	UG/L
1,1,2,2-TETRACHLOROETHANE	0.50	0.50 U	UG/L
TETRACHLOROETHENE	0.50	0.50 U	UG/L
TOLUENE	0.50	0.50 U	UG/L
1,2,4-TRICHLOROBENZENE	0.50	0.50 U	UG/L
1,2,3-TRICHLOROBENZENE	0.50	0.50 U	UG/L
1,1,1-TRICHLOROETHANE	0.50	0.50 U	UG/L
1,1,2-TRICHLOROETHANE	0.50	0.50 U	UG/L
TRICHLOROETHENE	0.50	0.50 U	UG/L
TRICHLOROFLUOROMETHANE	0.50	0.50 U	UG/L
1,2,3-TRICHLOROPROPANE	0.50	0.50 U	UG/L
1,3,5-TRIMETHYLBENZENE	0.50	0.50 U	UG/L
1,2,4-TRIMETHYLBENZENE	0.50	0.50 U	UG/L
VINYL CHLORIDE	0.50	0.50 U	UG/L
M+P-XYLENE	0.50	0.50 U	UG/L
O-XYLENE	0.50	0.50 U	UG/L

<u>SURROGATE RECOVERIES</u>	<u>QC LIMITS</u>		
BROMOFLUOROBENZENE	(70 - 130 %)	86	%
1,2-DICHLOROBENZENE-D4	(70 - 130 %)	81	%

COLUMBIA ANALYTICAL SERVICES**VOLATILE ORGANICS**

METHOD 524.2 DRINKING WATER VOLATIL

Reported: 07/16/04

Project Reference:

Client Sample ID : METHOD BLANK

Date Sampled :	Order #: 743892	Sample Matrix: WATER
Date Received:	Submission #:	Analytical Run 106121

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED : 07/03/04			
ANALYTICAL DILUTION: 1.00			
BENZENE	0.50	0.50 U	UG/L
BROMOBENZENE	0.50	0.50 U	UG/L
BROMOCHLOROMETHANE	0.50	0.50 U	UG/L
BROMODICHLOROMETHANE	0.50	0.50 U	UG/L
BROMOFORM	0.50	0.50 U	UG/L
BROMOMETHANE	0.50	0.50 U	UG/L
TERT-BUTYL ALCOHOL	20	20 U	UG/L
METHYL-TERT-BUTYL ETHER	0.50	0.50 U	UG/L
TERT-BUTYLBENZENE	0.50	0.50 U	UG/L
SEC-BUTYLBENZENE	0.50	0.50 U	UG/L
N-BUTYLBENZENE	0.50	0.50 U	UG/L
CARBON TETRACHLORIDE	0.50	0.50 U	UG/L
CHLOROBENZENE	0.50	0.50 U	UG/L
CHLOROETHANE	0.50	0.50 U	UG/L
CHLOROFORM	0.50	0.50 U	UG/L
CHLOROMETHANE	0.50	0.50 U	UG/L
1,2-DIBROMO-3-CHLOROPROPANE	0.50	0.50 U	UG/L
2-CHLOROTOLUENE	0.50	0.50 U	UG/L
4-CHLOROTOLUENE	0.50	0.50 U	UG/L
DIBROMOCHLOROMETHANE	0.50	0.50 U	UG/L
1,2-DIBROMOETHANE	0.50	0.50 U	UG/L
DIBROMOMETHANE	0.50	0.50 U	UG/L
1,2-DICHLOROBENZENE	0.50	0.50 U	UG/L
1,4-DICHLOROBENZENE	0.50	0.50 U	UG/L
1,3-DICHLOROBENZENE	0.50	0.50 U	UG/L
DICHLORODIFLUOROMETHANE	0.50	0.50 U	UG/L
1,1-DICHLOROETHANE	0.50	0.50 U	UG/L
1,2-DICHLOROETHANE	0.50	0.50 U	UG/L
1,1-DICHLOROETHENE	0.50	0.50 U	UG/L
TRANS-1,2-DICHLOROETHENE	0.50	0.50 U	UG/L
CIS-1,2-DICHLOROETHENE	0.50	0.50 U	UG/L
2,2-DICHLOROPROPANE	0.50	0.50 U	UG/L
1,2-DICHLOROPROPANE	0.50	0.50 U	UG/L
1,3-DICHLOROPROPANE	0.50	0.50 U	UG/L
1,1-DICHLOROPROPENE	0.50	0.50 U	UG/L
TRANS-1,3-DICHLOROPROPENE	0.50	0.50 U	UG/L
CIS-1,3-DICHLOROPROPENE	0.50	0.50 U	UG/L
ETHYLBENZENE	0.50	0.50 U	UG/L
HEXACHLOROBUTADIENE	0.50	0.50 U	UG/L
ISOPROPYLBENZENE	0.50	0.50 U	UG/L
P-ISOPROPYLTOLUENE	0.50	0.50 U	UG/L
METHYLENE CHLORIDE	0.50	0.50 U	UG/L
NAPHTHALENE	0.50	0.50 U	UG/L
N-PROPYLBENZENE	0.50	0.50 U	UG/L
STYRENE	0.50	0.50 U	UG/L

COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS

METHOD 524.2 DRINKING WATER VOLATIL

Reported: 07/16/04

Project Reference:

Client Sample ID : METHOD BLANK

Date Sampled :	Order #: 743892	Sample Matrix: WATER
Date Received:	Submission #:	Analytical Run 106121

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED : 07/03/04			
ANALYTICAL DILUTION: 1.00			
1,1,1,2-TETRACHLOROETHANE	0.50	0.50 U	UG/L
1,1,2,2-TETRACHLOROETHANE	0.50	0.50 U	UG/L
TETRACHLOROETHENE	0.50	0.50 U	UG/L
TOLUENE	0.50	0.50 U	UG/L
1,2,4-TRICHLOROBENZENE	0.50	0.50 U	UG/L
1,2,3-TRICHLOROBENZENE	0.50	0.50 U	UG/L
1,1,1-TRICHLOROETHANE	0.50	0.50 U	UG/L
1,1,2-TRICHLOROETHANE	0.50	0.50 U	UG/L
TRICHLOROETHENE	0.50	0.50 U	UG/L
TRICHLOROFLUOROMETHANE	0.50	0.50 U	UG/L
1,2,3-TRICHLOROPROPANE	0.50	0.50 U	UG/L
1,3,5-TRIMETHYLBENZENE	0.50	0.50 U	UG/L
1,2,4-TRIMETHYLBENZENE	0.50	0.50 U	UG/L
VINYL CHLORIDE	0.50	0.50 U	UG/L
M+P-XYLENE	0.50	0.50 U	UG/L
O-XYLENE	0.50	0.50 U	UG/L

<u>SURROGATE RECOVERIES</u>	<u>QC LIMITS</u>		
BROMOFLUOROBENZENE	(70 - 130 %)	105	%
1,2-DICHLOROBENZENE-D4	(70 - 130 %)	116	%



SR #

CAS Contact

PAGE

Distribution: White - Return to Originator; Yellow - Lab Copy; Pink - Retained by Client

Cooler Receipt And Preservation Check Form

Project/Client Shaw Submission Number _____

Cooler received on 6-22-04 by: cmk COURIER: CAS UPS FEDEX CD&L CLIENT

1. Were custody seals on outside of cooler? YES NO
2. Were custody papers properly filled out (ink, signed, etc.)? YES NO
3. Did all bottles arrive in good condition (unbroken)? YES NO
4. Did any VOA vials have significant air bubbles? YES NO N/A
5. Were Ice or Ice packs present? YES NO
6. Where did the bottles originate? CAS/ROC, CLIENT
7. Temperature of cooler(s) upon receipt: 60 _____

Is the temperature within 0° - 6° C?: Yes Yes Yes Yes Yes

If No, Explain Below No No No No No

Date/Time Temperatures Taken: 6-21-04 0935

Thermometer ID: 161 or IR GUN Reading From: Temp Blank or Sample Bottle

If out of Temperature, Client Approval to Run Samples _____

Cooler Breakdown: Date: 6-22-04 by: cmk

1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
2. Did all bottle labels and tags agree with custody papers? YES NO
3. Were correct containers used for the tests indicated? YES NO
4. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated N/A

Explain any discrepancies: _____

		YES	NO	Sample I.D.	Reagent	Vol. Added
pH	Reagent					
12	NaOH					
2	HNO ₃	☒				
2	H ₂ SO ₄					
Residual Chlorine (+/-)	for TCN & Phenol					
5-9**	P/PCBs (608 only)					

YES = All samples OK

NO = Samples were preserved at lab as listed

PC OK to adjust pH

**If pH adjustment is required, use NaOH and/or H₂SO₄

VOC Vial pH Verification (Tested after Analysis) Following Samples Exhibited pH > 2				

Other Comments:

Attachment B
Field Sampling Data Sheets



FIELD SAMPLING DATA SHEET

sample ID	<u>MW-1S</u>	sample date/time	<u>6/21/2004 8:58</u>
(lab) sample number	<u>Set #2</u>	field personnel	<u>Brian Nichols</u>
project	<u>Mamaroneck</u>		<u>Zohar Lavy</u>
project number	<u>791158-01000000</u>	observer	
weather conditions(estimate wind,cloud,precip,humidity,temp) <u>Sunny, warm, ~85 F</u>			

SAMPLE TYPE

☐ composite	☒ grab		
☒ groundwater	☐ surface water	☐ soil	☐ sediment
☐ leachate	☐ industrial	☐ storm sewer	☐ gas
☐ other			

MONITORING WELL DATA

casing diameter	<u>2"</u>	☐ PVC	☒ steel	☐ other
static water level	<u>2.11</u>	from ☒ well casing	from ☐ protective casing	
bottom depth	<u>19.66</u>	from ☒ well casing	from ☐ protective casing	
static water level indicator type	☐ steel tape	☒ electronic	☐ other	
linear conversion	<u>0.16</u>	water volume in well	<u>2.81</u>	<u>gallons</u>
well condition	<u>Good</u>			

MONITORING WELL PURGE DATA

☒ submersible pump	☐ PVC bailer	☐ suction pump	☐ teflon bailer
☐ poly bailer	☐ poly cup	☐ other	
dedicated purge equipment ?	☒ yes	☐ no	
pumping rate	<u>0.882353</u>	elapsed time	<u>17</u>
bail volume		number of bails	
volume purged	<u>15</u> gallons	well volumes	<u>5.34</u>
time purge complete	<u>8:57</u>	well evacuated ?	☐ yes ☒ no

SAMPLING DATA

☐ pump	☐ PVC bailer	☒ poly bailer	☐ teflon bailer
☐ stainless bucket	☐ poly cup	☐ tedlar bag	☐ direct
☐ hand corer	☐ hand auger	☐ stainless spoon	☐ split spoon
☐ other			
dedicated sampling equipment ?	☐ yes	☒ no	
metals field filtered ?	☐ yes	☒ no	
depth of sample	<u>~ 6'</u>		
sample containers	<u>One container</u>		

PHYSICAL AND CHEMICAL DATA

odor ?	☒ no	☐ yes	
sediment ?	☐ no	☐ yes	
color ?	☒ no	☐ yes	
☒ clear	☐ turbid	☐ sheen	☐ immiscible product
☐ other			
pH (SU)	<u>6.46</u>	temp (C)	<u>13.5</u>
ORP (mv)	<u>18.5</u>	turbidity (NTUs)	<u>2.95</u>
cond (omhos)	<u>866</u>	PID (ppm)	
comments/remarks			

**emcon****FIELD SAMPLING DATA SHEET**

sample ID	<u>MW-1D</u>	sample date/time	<u>6/21/2004</u> <u>9:58</u>
(lab) sample number	<u>Set #1</u>	field personnel	<u>Brian Nichols</u>
project	<u>Mamaroneck</u>		<u>Zohar Lavy</u>
project number	<u>791158-01000000</u>	observer	
weather conditions (estimate wind, cloud, precip, humidity, temp)			
<u>Sunny, warm, ~85 F</u>			

SAMPLE TYPE

☐ composite	☒ grab	☐ soil	☐ sediment
☒ groundwater	☐ surface water	☐ storm sewer	☐ gas
☐ leachate	☐ industrial		
☐ other			

MONITORING WELL DATA

casing diameter	<u>2"</u>	☐ PVC	☒ steel	☐ other
static water level	<u>0.99</u>	from ☒ well casing	from ☐ protective casing	
bottom depth	<u>66.55</u>	from ☒ well casing	from ☐ protective casing	
static water level indicator type	☐ steel tape	☒ electronic	☐ other	
linear conversion	<u>0.16</u>	water volume in well	<u>10.49</u> gallons	
well condition	<u>Good</u>			

MONITORING WELL PURGE DATA

☒ submersible pump	☐ PVC bailer	☐ suction pump	☐ teflon bailer
☐ poly bailer	☐ poly cup	☐ other	
dedicated purge equipment ?	☐ yes	☒ no	
pumping rate	<u>2.846154</u>	elapsed time	<u>13</u>
bail volume		number of bails	
volume purged	<u>37</u> gallons	well volumes	<u>3.53</u>
time purge complete	<u>9:53</u>	well evacuated ?	☐ yes ☒ no

SAMPLING DATA

☐ pump	☐ PVC bailer	☒ poly bailer	☐ teflon bailer
☐ stainless bucket	☐ poly cup	☐ tedlar bag	☐ direct
☐ hand corer	☐ hand auger	☐ stainless spoon	☐ split spoon
☐ other			
dedicated sampling equipment ?	☐ yes	☒ no	
metals field filtered ?	☐ yes	☒ no	
depth of sample	<u>~3'</u>		
sample containers	<u>One container</u>		

PHYSICAL AND CHEMICAL DATA

odor ?	☐ no ☐ yes		
sediment ?	☐ no ☐ yes		
color ?	☒ no ☐ yes		
☒ clear	☐ turbid	☐ sheen	☐ immiscible product
☐ other			
pH (SU)	<u>7.86</u>	temp (C)	<u>13.5</u>
ORP (mv)	<u>-48.1</u>	turbidity (NTUs)	<u>1.72</u>
		cond (omhos)	<u>513</u>
		PID (ppm)	
comments/remarks			

**emcon****FIELD SAMPLING DATA SHEET**

sample ID	<u>MW-2S</u>	sample date/time	<u>6/21/2004 10:06</u>
(lab) sample number	<u>Set #4</u>	field personnel	<u>Brian Nichols</u>
project	<u>Mamaroneck</u>		<u>Zohar Lavy</u>
project number	<u>791158-01000000</u>	observer	<u></u>
weather conditions(estimate wind,cloud,precip,humidity,temp) <u>Sunny, warm, ~85 F</u>			

SAMPLE TYPE

☐ composite	☒ grab	☐ soil	☐ sediment
☒ groundwater	☐ surface water	☐ storm sewer	☐ gas
☐ leachate	☐ industrial		
☐ other	<u></u>		

MONITORING WELL DATA

casing diameter	<u>2"</u>	☐ PVC	☒ steel	☐ other
static water level	<u>1.80</u>	from ☒ well casing	from ☐ protective casing	
bottom depth	<u>18.53</u>	from ☒ well casing	from ☐ protective casing	
static water level indicator type	☐ steel tape	☒ electronic	☐ other	
linear conversion	<u>0.16</u>	water volume in well	<u>2.68</u> gallons	
well condition	<u>Good</u>			

MONITORING WELL PURGE DATA

☒ submersible pump	☐ PVC bailer	☐ suction pump	☐ teflon bailer
☐ poly bailer	☐ poly cup	☐ other	<u></u>
dedicated purge equipment ?	☐ yes	☒ no	
pumping rate	<u>2.5</u>	elapsed time	<u>4</u>
bail volume	<u></u>	number of bails	<u></u>
volume purged	<u>10</u> gallons	well volumes	<u>3.74</u>
time purge complete	<u>10:04</u>	well evacuated ?	☐ yes ☒ no

SAMPLING DATA

☐ pump	☐ PVC bailer	☒ poly bailer	☐ teflon bailer
☐ stainless bucket	☐ poly cup	☐ tedlar bag	☐ direct
☐ hand corer	☐ hand auger	☐ stainless spoon	☐ split spoon
☐ other	<u></u>		
dedicated sampling equipment ?	☐ yes	☒ no	
metals field filtered ?	☐ yes	☒ no	
depth of sample	<u>~4'</u>		
sample containers	<u>One container and three VOA's</u>		

PHYSICAL AND CHEMICAL DATA

odor ?	☒ no	☐ yes	<u></u>
sediment ?	☐ no	☐ yes	<u></u>
color ?	☒ no	☐ yes	<u></u>
☒ clear	☐ turbid	☐ sheen	☐ immiscible product
☐ other	<u></u>		
pH (SU)	<u>7.33</u>	temp (C)	<u>13.4</u>
ORP (mv)	<u>-28.2</u>	turbidity (NTUs)	<u>1.92</u>
cond (omhos)	<u>762</u>	PID (ppm)	<u></u>
comments/remarks	<u></u>		

**emcon****FIELD SAMPLING DATA SHEET**

sample ID	<u>MW-2D</u>	sample date/time	<u>6/21/2004</u> <u>9:49</u>
(lab) sample number	<u>Set #3</u>	field personnel	<u>Brian Nichols</u>
project	<u>Mamaroneck</u>		<u>Zohar Lavy</u>
project number	<u>791158-01000000</u>	observer	
weather conditions(estimate wind,cloud,precip,humidity,temp)			
<u>Sunny, warm, ~85 F</u>			

SAMPLE TYPE

☐ composite	☒ grab	☐ soil	☐ sediment
☒ groundwater	☐ surface water	☐ storm sewer	☐ gas
☐ leachate	☐ industrial		
☐ other			

MONITORING WELL DATA

casing diameter	<u>2"</u>	☐ PVC	☒ steel	☐ other
static water level	<u>1.25</u>	from ☒ well casing	from ☐ protective casing	
bottom depth	<u>64.22</u>	from ☒ well casing	from ☐ protective casing	
static water level indicator type	☐ steel tape	☒ electronic	☐ other	
linear conversion	<u>0.16</u>	water volume in well	<u>10.08</u> gallons	
well condition	<u>Good</u>			

MONITORING WELL PURGE DATA

☒ submersible pump	☐ PVC bailer	☐ suction pump	☐ teflon bailer
☐ poly bailer	☐ poly cup	☐ other	
dedicated purge equipment ?	☐ yes	☒ no	
pumping rate	<u>3.181818</u>	elapsed time	<u>11</u>
bail volume		number of bails	
volume purged	<u>35</u> gallons	well volumes	<u>3.47</u>
time purge complete	<u>9:47</u>	well evacuated ?	☐ yes ☒ no

SAMPLING DATA

☐ pump	☐ PVC bailer	☒ poly bailer	☐ teflon bailer
☐ stainless bucket	☐ poly cup	☐ tedlar bag	☐ direct
☐ hand corer	☐ hand auger	☐ stainless spoon	☐ split spoon
☐ other			
dedicated sampling equipment ?	☐ yes	☒ no	
metals field filtered ?	☐ yes	☒ no	
depth of sample	<u>~ 4'</u>		
sample containers	<u>One container</u>		

PHYSICAL AND CHEMICAL DATA

odor ?	☐ no ☒ yes		
sediment ?	☐ no ☐ yes		
color ?	☒ no ☐ yes		
☐ clear	☒ turbid	☐ sheen	☐ immiscible product
☐ other			
pH (SU)	<u>7.77</u>	temp (C)	<u>12.1</u>
ORP (mv)	<u>-53.5</u>	turbidity (NTUs)	<u>58.6</u>
		cond (omhos)	<u>483</u>
		PID (ppm)	
comments/remarks			



FIELD SAMPLING DATA SHEET

sample ID <u>MW-3S</u>		sample date/time <u>6/21/2004 10:48</u>																	
(lab) sample number <u>Set #6</u>		field personnel <u>Brian Nichols</u>																	
project <u>Mamaroneck</u>		<u>Zohar Lavy</u>																	
project number <u>791158-01000000</u>		observer _____																	
weather conditions (estimate wind, cloud, precip, humidity, temp) <u>Sunny, warm, ~85 F</u>																			
SAMPLE TYPE																			
<table style="width: 100%;"><tr><td>☐ composite</td><td>☒ grab</td><td>☐ soil</td><td>☐ sediment</td></tr><tr><td>☒ groundwater</td><td>☐ surface water</td><td>☐ storm sewer</td><td>☐ gas</td></tr><tr><td>☐ leachate</td><td>☐ industrial</td><td colspan="2"></td></tr><tr><td>☐ other _____</td><td colspan="3"></td></tr></table>				☐ composite	☒ grab	☐ soil	☐ sediment	☒ groundwater	☐ surface water	☐ storm sewer	☐ gas	☐ leachate	☐ industrial			☐ other _____			
☐ composite	☒ grab	☐ soil	☐ sediment																
☒ groundwater	☐ surface water	☐ storm sewer	☐ gas																
☐ leachate	☐ industrial																		
☐ other _____																			
MONITORING WELL DATA																			
casing diameter <u>2"</u>	☐ PVC	☒ steel	☐ other																
static water level <u>2.19</u>	from ☒ well casing	from ☐ protective casing																	
bottom depth <u>20.08</u>	from ☒ well casing	from ☐ protective casing																	
static water level indicator type ☐ steel tape	☒ electronic	☐ other																	
linear conversion <u>0.16</u>	water volume in well <u>2.86</u> gallons																		
well condition <u>Good</u>																			
MONITORING WELL PURGE DATA																			
☒ submersible pump	☐ PVC bailer	☐ suction pump	☐ teflon bailer																
☐ poly bailer	☐ poly cup	☐ other _____																	
dedicated purge equipment ? ☒ yes		☐ no																	
pumping rate <u>1.428571</u>	elapsed time <u>7</u>																		
bail volume _____	number of bails _____																		
volume purged <u>10</u> gallons	well volumes <u>3.49</u>																		
time purge complete <u>10:47</u>	well evacuated ? ☐ yes ☒ no																		
SAMPLING DATA																			
☐ pump	☐ PVC bailer	☒ poly bailer	☐ teflon bailer																
☐ stainless bucket	☐ poly cup	☐ tedlar bag	☐ direct																
☐ hand corer	☐ hand auger	☐ stainless spoon	☐ split spoon																
☐ other _____																			
dedicated sampling equipment ? ☐ yes ☒ no																			
metals field filtered ? ☐ yes ☒ no																			
depth of sample <u>~ 5'</u>																			
sample containers <u>One container</u>																			
PHYSICAL AND CHEMICAL DATA																			
odor ? ☒ no ☐ yes	_____																		
sediment ? ☐ no ☐ yes	_____																		
color ? ☒ no ☐ yes	_____																		
☐ clear ☒ turbid	☐ sheen	☐ immiscible product																	
☐ other _____																			
pH (SU) <u>7.65</u>	temp (C) <u>13.1</u>	cond (omhos) <u>564</u>																	
ORP (mv) <u>56.4</u>	turbidity (NTUs) <u>296</u>	PID (ppm) _____																	
comments/remarks _____																			

**emcon****FIELD SAMPLING DATA SHEET**

sample ID	<u>MW-3D</u>	sample date/time	<u>6/21/2004 10:31</u>
(lab) sample number	<u>Set #6</u>	field personnel	<u>Brian Nichols</u>
project	<u>Mamaroneck</u>		<u>Zohar Lavy</u>
project number	<u>791158-01000000</u>	observer	<u></u>
weather conditions (estimate wind, cloud, precip, humidity, temp)			
<u>Sunny, warm, ~85 F</u>			

SAMPLE TYPE

☐ composite	☒ grab	☐ soil	☐ sediment
☒ groundwater	☐ surface water	☐ storm sewer	☐ gas
☐ leachate	☐ industrial		
☐ other	<u></u>		

MONITORING WELL DATA

casing diameter	<u>2"</u>	☐ PVC	☒ steel	☐ other
static water level	<u>1.61</u>	from ☒ well casing	from ☐ protective casing	
bottom depth	<u>33.50</u>	from ☒ well casing	from ☐ protective casing	
static water level indicator type	☐ steel tape	☒ electronic	☐ other	
linear conversion	<u>0.16</u>	water volume in well	<u>5.10</u>	<u>gallons</u>
well condition	<u>Good</u>			

MONITORING WELL PURGE DATA

☒ submersible pump	☐ PVC bailer	☐ suction pump	☐ teflon bailer
☐ poly bailer	☐ poly cup	☐ other	<u></u>
dedicated purge equipment ?	☐ yes	☒ no	
pumping rate	<u>2.222222</u>	elapsed time	<u>9</u>
bail volume	<u></u>	number of bails	<u></u>
volume purged	<u>20</u> gallons	well volumes	<u>3.92</u>
time purge complete	<u>10:30</u>	well evacuated ?	☐ yes ☒ no

SAMPLING DATA

☐ pump	☐ PVC bailer	☒ poly bailer	☐ teflon bailer
☐ stainless bucket	☐ poly cup	☐ tedlar bag	☐ direct
☐ hand corer	☐ hand auger	☐ stainless spoon	☐ split spoon
☐ other	<u></u>		
dedicated sampling equipment ?	☐ yes	☒ no	
metals field filtered ?	☐ yes	☒ no	
depth of sample	<u>~ 5'</u>		
sample containers	<u>One container</u>		

PHYSICAL AND CHEMICAL DATA

odor ?	☒ no	☐ yes	<u></u>
sediment ?	☐ no	☐ yes	<u></u>
color ?	☒ no	☐ yes	<u></u>
☒ clear	☐ turbid	☐ sheen	☐ immiscible product
☐ other	<u></u>		
pH (SU)	<u>7.46</u>	temp (C)	<u>11.9</u>
ORP (mv)	<u>-33.5</u>	turbidity (NTUs)	<u>0.81</u>
cond (omhos)	<u>729</u>	PID (ppm)	<u></u>
comments/remarks	<u></u>		

Attachment C

Historical Summary Tables for Analytical Parameters

**Village of Mamaroneck
Taylor Lane Compost Site
Summary of Analytical Parameters
(Concentrations in ug/l)**

Well Identification											
Analytical Parameter	Sampling Date	MW-1S		MW-1D		MW-2S		MW-2D		MW-3S	
Arsenic GW Standard 25.0 ug/L	5/22/1997	3.7	B	4.9	B	4.4	B	7.9	B	7.1	B
	11/14/1997	17.2		5.2	B	5.9	B	4.6	B	14.4	9.1 B
	5/19/1998	8.3	B	9.1	B	7.6	B	7.6	B	15.2	13.1
	11/5/1998	24.5		34.2		21.4		13.4		2.2	U
	5/25/1999	6.8	U	6.8	U	6.8	U	6.8	U	6.8	U
	11/18/1999	2.9	U	2.9	U	2.9	U	2.9	U	7.8	2.9 U
	6/28/2000	2.9	U	2.9	U	2.9	U	2.9	U	3.6	B
	11/15/2000	11.2		10	U	10	U	10	U	10	U
	6/20/2001	3.5	U	3.5	U	3.5	U	3.5	U	6.87	3.5 U
	11/29/2001	10	U	10	U	10	U	10	U	10	U
	6/26/2002	10	U	10	U	10	U	10	U	10	U
	11/19/2002	10	U	10	U	10	U	10	U	10	U
	6/24/2003	10	U	10	U	10	U	10	U	10	U
	11/17/2003	10	U	10	U	10	U	10	U	10	U
	6/21/2004	10	U	10	U	10	U	10	U	10	U

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

**Village of Mamaroneck
Taylor Lane Compost Site
Summary of Analytical Parameters
(Concentrations in ug/l)**

Well Identification											
Analytical Parameter	Sampling Date	MW-1S		MW-1D		MW-2S		MW-2D		MW-3S	
Cadmium GW Standard 5.0 ug/L	5/22/1997	0.3	U	0.3	U	0.3	U	0.3	U	0.3	U
	11/14/1997	3.3	B	0.6	U	1.2	B	0.85	B	2.8	B
	5/19/1998	0.81	B	0.2	B	0.67	B	0.36	B	1.3	B
	11/5/1998	1.1	B	0.75	U	0.87	B	1.2	B	4.2	B
	5/25/1999	1.4	B	0.57	U	0.57	U	0.57	U	0.57	U
	11/18/1999	2.8		0.34	U	2.1		0.34	U	4.8	
	6/28/2000	1.1	B	0.22	U	1.4	B	0.22	U	1.1	B
	11/15/2000	5	U	5	U	5	U	5	U	5	U
	6/20/2001	3.21		2.33		4		0.85	U	4.54	
	11/29/2001	5	U	5	U	5	U	5	U	5	U
	6/26/2002	5	U	5	U	5	U	5	U	5	U
	11/19/2002	5	U	5	U	5	U	5	U	5	U
	6/24/2003	5	U	5	U	5	U	5	U	5	U
	11/17/2003	5	U	5	U	5	U	5	U	5	U
	6/21/2004	5	U	5	U	5	U	5	U	5	U

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

**Village of Mamaroneck
Taylor Lane Compost Site
Summary of Analytical Parameters
(Concentrations in ug/l)**

Well Identification									
Analytical Parameter	Sampling Date	MW-1S		MW-1D		MW-2S		MW-2D	
		MW-3S		MW-3D					
Copper GW Standard 200 ug/L	5/22/1997	5.7	B	3.6	B	19.9	B	1.7	U
	11/14/1997	46.5		13.1	B	34.2		7.7	B
	5/19/1998	9.3	B	3.7	B	5.7	B	4.5	B
	11/5/1998	8.3	B	16.6	B	13.9	B	77.4	
	5/25/1999	6.8	B	21.4	B	7.2	B	18.5	B
	11/18/1999	21.8		23.1		103		7.6	
	6/28/2000	3.7	U	15	B	36		3.7	U
	11/15/2000	87		38.4		20	U	20	U
	6/20/2001	10.3		17.7		145		17.1	
	11/29/2001	20	U	20	U	25.9		20	U
	6/26/2002	20	U	23		20	U	20	U
	11/19/2002	20	U	40		47		20	U
	6/24/2003	20	U	20	U	20	U	20	U
	11/17/2003	20	U	20	U	20	U	20	U
	6/21/2004	20	U	20	U	20	U	27.4	

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

**Village of Mamaroneck
Taylor Lane Compost Site
Summary of Analytical Parameters
(Concentrations in ug/l)**

Well Identification									
Analytical Parameter	Sampling Date	MW-1S		MW-1D		MW-2S		MW-2D	
		MW-3S		MW-3D		MW-4S		MW-4D	
Lead GW Standard 25 ug/L	5/22/1997	1.1	U	1.1	U	4.4	1.1	U	12.7
	11/14/1997	2.4	B	0.7	U	2.9	0.7	U	36.1
	5/19/1998	1.4	B	0.7	U	0.81	0.7	U	14.6
	11/5/1998	1.8	U	1.8	U	1.8	1.8	U	6.1
	5/25/1999	1.8	U	1.8	U	1.8	1.8	U	13
	11/18/1999	0.99	U	0.99	U	21	0.99	U	68
	6/28/2000	2.3	U	44.4	7.2	2.3	U	98.5	17.5
	11/15/2000	5	U	91.8	8.05	5	U	22.5	19.6
	6/20/2001	1.69	37.9	45.2	5.13	62.3	7.28		
	11/29/2001	5	U	5	U	5	U	21.5	5
	6/26/2002	5	U	5	U	5.88	5	U	5
	11/19/2002	5	U	5.64	13.2	5	U	5.07	5
	6/24/2003	5	U	5	U	5	U	6.81	5
	11/17/2003	5	U	5	U	5	U	21.5	5
	6/21/2004	5	U	5	U	5	U	17.8	5

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

**Village of Mamaroneck
Taylor Lane Compost Site
Summary of Analytical Parameters
(Concentrations in ug/l)**

Well Identification											
Analytical Parameter	Sampling Date	MW-1S		MW-1D		MW-2S		MW-2D		MW-3S	
Mercury GW Standard 0.7 ug/L	5/22/1997	0.2	U	0.2	U	0.2	U	0.2	U	0.2	U
	11/14/1997	0.1	U	0.1	U	0.1	U	0.1	U	0.1	U
	5/19/1998	0.1	U	0.1	U	0.1	U	0.1	U	0.1	U
	11/5/1998	0.1	U	0.1	U	0.1	U	0.1	U	0.1	U
	5/25/1999	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
	11/18/1999	0.04	U	0.04	U	0.09		0.04	U	0.27	
	6/28/2000	0.05	B	0.01	U	0.02	B	0.01	U	0.34	
	11/15/2000	0.03	U	0.03	U	0.03	U	0.03	U	0.03	U
	6/20/2001	0.03	U	0.03	U	0.03	U	0.03	U	0.28	
	11/29/2001	0.3	U	0.3	U	0.3	U	0.3	U	0.3	U
	6/26/2002	0.3	U	0.3	U	0.3	U	0.3	U	0.3	U
	11/19/2002	0.3	U	0.3	U	0.3	U	0.3	U	0.3	U
	6/24/2003	0.3	U	0.3	U	0.3	U	0.3	U	0.3	U
	11/17/2003	0.3	U	0.3	U	0.3	U	0.3	U	0.3	U
	6/21/2004	0.3	U	0.3	U	0.3	U	0.3	U	0.3	U

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

**Village of Mamaroneck
Taylor Lane Compost Site
Summary of Analytical Parameters
(Concentrations in ug/l)**

Well Identification									
Analytical Parameter	Sampling Date	MW-1S	MW-1D	MW-2S	MW-2D	MW-3S	MW-3D		
Zinc GW Standard 300 ug/L	5/22/1997	20	17.2 B	31.3	12.6 B	83.7	931		
	11/14/1997	74.2	37	75	10.6 B	102	514		
	5/19/1998	130	12.7 B	23.7	10.6	48.7	806		
	11/5/1998	13.9 B	27.9	23.3	51.4	29.9	659		
	5/25/1999	15 B	36.7	16.2 B	8.8	21.8	558		
	11/18/1999	26.8	38	95.6	20.4	102	101		
	6/28/2000	7.9 B	104	202	21.3	432	941		
	11/15/2000	20 U	1650	52.8	26.8	122	2040		
	6/20/2001	25	630	274	72.6	314	246		
	11/29/2001	20 U	29.5	23.1	20 U	56.5	56.4		
	6/26/2002	20 U	28.2	76.8	20 U	20 U	20 U		
	11/19/2002	20 U	69.6	65.2	20 U	20 U	20 U		
	6/24/2003	20 U	20 U	20 U	42.9	20 U	20 U		
	11/17/2003	20 U	20 U	20 U	55.5	38.6	20 U		
	6/21/2004	21	20 U	20 U	55.5	45.7	20 U		

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

**Village of Mamaroneck
Taylor Lane Compost Site
Historically Detected
VOC Compounds
(concentration in ug/l)**

Sampling Date	Analytical Parameters				
	Vinyl Chloride		1, 2-Dichloroethene		Tert-Butyl-Alcohol
Standard	2.0		5.0		-
5/22/1997	4	J	2	J	-
11/14/1997	21		3	J	-
5/19/1998	17		3	J	-
11/5/1998	14		3	J	-
5/25/1999	13		2	J	-
11/18/1999	6	J	10	U	-
6/28/2000	7.8		1.6		-
11/15/2000	5	U	5	U	-
6/20/2001	7.6		1.2		-
11/29/2001	2.5	U	0.5	U	270
6/26/2002	1.6		1	U	130
11/19/2002	5	U	5	U	210
6/24/2003	3.3		0.5	U	0
11/17/2003	1.2		0.5	U	120
6/21/2004	0.96		0.5	U	90


U - Compound not detected

J - Estimated value, less than detection limit


Attachment D

Historical Groundwater Monitoring Graphs


Village of Mamaroneck, Taylor Lane
 Historical Groundwater Monitoring Graph
 Arsenic (ug/L)




Village of Mamaroneck, Taylor Lane
Historical Groundwater Monitoring Graph
Cadmium (ug/L)




Village of Mamaroneck, Taylor Lane Historical Groundwater Monitoring Graph




Village of Mamaroneck, Taylor Lane Historical Groundwater Monitoring Graph




Village of Mamaroneck, Taylor Lane Historical Groundwater Monitoring Graph



Village of Mamaroneck, Taylor Lane Historical Groundwater Monitoring Graph



Village of Mamaroneck, Taylor Lane Historical Groundwater Monitoring Results for VOC Compounds in MW-2S



Attachment E

Historical Summary Tables for Field Parameters

[illegible]

Village of Mamaroneck Taylor Lane Compost Site Summary of Field Parameters

[illegible]

Village of Mamaroneck Taylor Lane Compost Site Summary of Field Parameters

[illegible]

Village of Mamaroneck Taylor Lane Compost Site Summary of Field Parameters

[illegible]

[illegible]

Village of Mamaroneck Taylor Lane Compost Site Summary of Field Parameters

[illegible]

Attachment F

Historical Summary Tables for Gas Vent Monitoring

Village of Mamaroneck
Taylor Lane Compost Site
Historical Summary of Gas Vent Monitoring
GV-1

ID	Date	VOC's (ppm)	% CH4	%LEL
GV-1	12/4/1997	ND	ND	ND
	5/19/1998	ND	2.0	38.0
	11/5/1998	ND	ND	ND
	5/25/1999	ND	0.2	4.0
	11/18/1999	ND	ND	ND
	6/28/2000	ND	ND	ND
	11/27/2000	0.4	0.5	10.0
	6/20/2001	ND	ND	ND
	11/29/2002	ND	ND	ND
	6/26/2002	ND	ND	ND
	11/19/2002	ND	ND	ND
	6/24/2003	ND	0.2	4.0
	11/17/2003	ND	ND	ND
	6/21/2004	ND	ND	ND

Notes: ND = Not Detected

The value 101 is used for graphing purposes,
101 is the value greater than 100.

See Drawing entitled 'Record Plan' dated 1/98
for monitoring locations.

**Village of Mamaroneck
Taylor Lane Compost Site
Historical Summary of
Gas Vent Monitoring
GV-2**

ID	Date	VOC's (ppm)	% CH4	%LEL
GV-2	12/4/1997	ND	ND	ND
	5/19/1998	ND	2.0	12.0
	11/5/1998	24.9	3.2	64.0
	5/25/1999	2.4	ND	ND
	11/18/1999	ND	ND *	ND
	6/28/2000	ND	ND	ND
	11/27/2000	ND	ND	ND
	6/20/2001	ND	0.1	2.0
	11/29/2002	ND	ND	ND
	6/26/2002	ND	ND	ND
	11/19/2002	ND	ND	ND
	6/24/2003	ND	ND	ND
	11/17/2003	ND	ND	ND
	6/21/2004	ND	ND	ND

Notes: ND = Not Detected

The value 101 is used for graphing purposes,
101 is the value greater than 100.

See Drawing entitled 'Record Plan' dated 1/98
for monitoring locations.

**Village of Mamaroneck
Taylor Lane Compost Site
Historical Summary of
Gas Vent Monitoring
GV-3**

ID	Date	VOC's (ppm)	% CH4	%LEL
GV-3	12/4/1997	ND	ND	ND
	5/19/1998	ND	12.0	101.0
	11/5/1998	ND	ND	ND
	5/25/1999	ND	ND	ND
	11/18/1999	ND	ND	ND
	6/28/2000	ND	ND	ND
	11/27/2000	ND	ND	ND
	6/20/2001	ND	ND	ND
	11/29/2002	ND	ND	ND
	6/26/2002	ND	ND	ND
	11/19/2002	ND	ND	ND
	6/24/2003	ND	ND	ND
	11/17/2003	ND	ND	ND
	6/21/2004	ND	ND	ND

Notes: ND = Not Detected

The value 101 is used for graphing purposes,
101 is the value greater than 100.

See Drawing entitled 'Record Plan' dated 1/98
for monitoring locations.

**Village of Mamaroneck
Taylor Lane Compost Site
Historical Summary of
Gas Vent Monitoring
GV-4**

ID	Date	VOC's (ppm)	% CH4	%LEL
GV-4	12/4/1997	ND	ND	ND
	5/19/1998	ND	ND	ND
	11/5/1998	ND	ND	ND
	5/25/1999	ND	0.1	2.0
	11/18/1999	ND	ND	ND
	6/28/2000	ND	1.3	26.0
	11/27/2000	ND	ND	ND
	6/20/2001	ND	ND	ND
	11/29/2002	ND	ND	ND
	6/26/2002	ND	ND	ND
	11/19/2002	ND	ND	ND
	6/24/2003	ND	8.0	101.0
	11/17/2003	ND	2.7	54.0
	6/21/2004	ND	3.9	74.0

Notes: ND = Not Detected

The value 101 is used for graphing purposes,
101 is the value greater than 100.

See Drawing entitled 'Record Plan' dated 1/98
for monitoring locations.

**Village of Mamaroneck
Taylor Lane Compost Site
Historical Summary of
Gas Vent Monitoring
GV-5**

ID	Date	VOC's (ppm)	% CH4	%LEL
GV-5	12/4/1997	ND	12.0	101.0
	5/19/1998	0.2	22.0	101.0
	11/5/1998	ND	2.7	54.0
	5/25/1999	ND	ND	ND
	11/18/1999	ND	2.9	58.0
	6/28/2000	ND	26.5	101.0
	11/27/2000	ND	1.8	36.0
	6/20/2001	ND	ND	ND
	11/29/2002	ND	21.2	101.0
	6/26/2002	ND	ND	ND
	11/19/2002	ND	18.2	101.0
	6/24/2003	ND	ND	ND
	11/17/2003	ND	17.1	101.0
	6/21/2004	ND	14.6	292.0

Notes: ND = Not Detected

The value 101 is used for graphing purposes,
101 is the value greater than 100.

See Drawing entitled 'Record Plan' dated 1/98
for monitoring locations.

**Village of Mamaroneck
Taylor Lane Compost Site
Historical Summary of
Gas Vent Monitoring
GV-6**

ID	Date	VOC's (ppm)	% CH4	%LEL
GV-6	12/4/1997	ND	ND	ND
	5/19/1998	ND	ND	ND
	11/5/1998	ND	ND	ND
	5/25/1999	ND	ND	ND
	11/18/1999	ND	ND	ND
	6/28/2000	ND	ND	ND
	11/27/2000	ND	ND	ND
	6/20/2001	ND	ND	ND
	11/29/2001	ND	ND	ND
	6/26/2002	ND	ND	ND
	11/19/2002	ND	ND	ND
	6/24/2003	ND	ND	ND
	11/17/2003	ND	ND	ND
	6/21/2004	ND	ND	ND

Notes: ND = Not Detected

The value 101 is used for graphing purposes,
101 is the value greater than 100.

See Drawing entitled 'Record Plan' dated 1/98
for monitoring locations.

**Village of Mamaroneck
Taylor Lane Compost Site
Historical Summary of
Gas Vent Monitoring
GV-7**

ID	Date	VOC's (ppm)	% CH4	%LEL
GV-7	12/4/1997	ND	ND	ND
	5/19/1998	ND	ND	ND
	11/5/1998	ND	ND	ND
	5/25/1999	ND	ND	ND
	11/18/1999	ND	ND	ND
	6/28/2000	ND	ND	ND
	11/27/2000	ND	ND	ND
	6/20/2001	ND	ND	ND
	11/29/2001	ND	ND	ND
	6/26/2002	ND	ND	ND
	11/19/2002	ND	ND	ND
	6/24/2003	ND	ND	ND
	11/17/2003	ND	ND	ND
	6/21/2004	ND	ND	ND

Notes: ND = Not Detected

The value 101 is used for graphing purposes,
101 is the value greater than 100.

See Drawing entitled 'Record Plan' dated 1/98
for monitoring locations.

**Village of Mamaroneck
Taylor Lane Compost Site
Historical Summary of
Gas Vent Monitoring
GV-8**

ID	Date	VOC's (ppm)	% CH4	%LEL
GV-8	12/4/1997	ND	ND	ND
	5/19/1998	ND	ND	32.0
	11/5/1998	ND	ND	ND
	5/25/1999	5.3	4.4	88.0
	11/18/1999	ND	ND	ND
	6/28/2000	ND	ND	ND
	11/27/2000	ND	ND	ND
	6/20/2001	ND	10.9	101.0
	11/29/2001	8.5	ND	ND
	6/26/2002	ND	ND	ND
	11/19/2002	ND	ND	ND
	6/24/2003	ND	ND	ND
	11/17/2003	ND	ND	ND
	6/21/2004	ND	13.3	266.0

Notes: ND = Not Detected


The value 101 is used for graphing purposes,
101 is the value greater than 100.

See Drawing entitled 'Record Plan' dated 1/98
for monitoring locations.


Attachment G

Historical Gas Vent Monitoring Graphs


Village of Mamaroneck, Taylor Lane
 Historical Gas Vent Monitoring
 GV-1




Village of Mamaroneck, Taylor Lane
 Historical Gas Vent Monitoring
 GV-2




Village of Mamaroneck, Taylor Lane Historical Gas Vent Monitoring GV-3




Village of Mamaroneck, Taylor Lane
 Historical Gas Vent Monitoring
 GV-4




Village of Mamaroneck, Taylor Lane Historical Gas Vent Monitoring GV-5




Village of Mamaroneck, Taylor Lane
 Historical Gas Vent Monitoring
 GV-6



Village of Mamaroneck, Taylor Lane
 Historical Gas Vent Monitoring
 GV-7



Village of Mamaroneck, Taylor Lane
 Historical Gas Vent Monitoring
 GV-8



Tables

TABLE 1
Village of Mamaroneck
Taylor Lane Compost Site
MW-2S
Detected VOC Compounds *
(concentration in ug/l)

Date Sampled: 6/21/04

Analytical Dilution		Analytical Parameters					
		Vinyl Chloride		MTBE		Tert-Butyl-Alcohol	
	Standard	2.0		10.0		NA	
1.00		0.96		380	E	90	
20.00		10.0	U	250		400	U

Notes:

* - All other VOC compounds analyzed for during the June 2004 sampling event were not detected.

U - Compound not detected

E - Concentrations exceed the calibration range

TABLE 2
Village of Mamaroneck
GAS VENT MONITORING
June 21, 2004

<i>IDENTIFICATION</i>	<i>TIME</i>	<i>PID (ppm)</i>	<i>% CH4</i>	<i>% LEL</i>
GV-1	9:00	0	0	0.0
GV-2	9:18	0	0	0
GV-3	9:35	0	0	0
GV-4	9:45	0	3.9	74.0
GV-5	10:04	0	14.6	292
GV-6	10:30	0	0	0
GV-7	10:48	0	0	0
GV-8	11:15	0	13.3	266

Note: See drawing entitled 'Record Plan' dated 1/98
for monitoring locations.
ND = Not detected

TABLE 3
Village of Mamaroneck
BAR HOLE MONITORING
June 21, 2004

<i>IDENTIFICATION</i>	<i>TIME</i>	<i>PID (ppm)</i>	<i>% CH4</i>	<i>% LEL</i>
BH-1	9:22	0.0	0.0	0.0
BH-2	9:29	0.0	0.0	0.0
BH-3	9:38	0.0	0.0	0.0
BH-4	9:50	0.0	0.0	0.0
BH-5	9:55	0.0	0.0	0.0
BH-6	10:08	0.0	0.0	0.0
BH-7	10:20	0.0	0.0	0.0
BH-8	10:38	0.0	0.0	0.0
BH-9	10:55	0.0	0.0	0.0
BH-10	11:04	0.0	0.0	0.0
BH-11	11:20	0.0	0.0	0.0
BH-12	11:30	0.0	0.0	0.0
BH-13	9:12	0.0	0.0	0.0

Note: See drawing entitled 'Record Plan' dated 1/98
for monitoring locations.
ND = Not detected

Drawing