



Zion Environmental, LLC.

172 Excelsior Avenue

Middletown, NY 10940

845.649.9346

ZionEnvironmental@Gmail.com

www.ZionEnvironmental.com

“QUALITY SERVICE AT AN HONEST PRICE”

March 14, 2012
Project No. 14-PSA-001

Mr. Richard Slingerland
Village Manager
Village of Mamaroneck
Village Hall at The Regatta
123 Mamaroneck Avenue
Mamaroneck, New York 10543

Re: February 2012 Semi-Annual Monitoring Results
Taylor's Lane Compost Site, Mamaroneck, New York
NYSDEC Site Number 360021

Dear Mr. Slingerland:

Enclosed please find the monitoring data that was obtained during the semi-annual groundwater and soil gas sampling event performed on February 20, 2012 at the Taylor's Lane Compost Site. Monitoring was performed according to the Post-Closure Operation and Maintenance Plan for the site, prepared by EMCON/Wehran-New York in February 1998. The following information is enclosed:

- Letter report addressed to Mr. Edward Moore from the NYSDEC summarizing monitoring data that was obtained during the semi-annual event performed on February 20, 2012 at the Taylor's Lane Compost Site. Groundwater sampling results were compared with NYSDEC Part 703, Class GA Standards.
- Analytical laboratory data summary package from York Analytical Laboratories, historical groundwater monitoring tables, field sampling data tables, and gas vent / bar hole monitoring results.

If you should have any questions, please feel free to contact me at (845) 649-9346 or at ZionEnvironmental@Gmail.com.

Sincerely,

Zion Environmental, LLC.

Brian Nichols,
Vice President - CPM



Zion Environmental, LLC.

172 Excelsior Avenue

Middletown, NY 10940

845.649.9346

ZionEnvironmental@Gmail.com

www.ZionEnvironmental.com

“QUALITY SERVICE AT AN HONEST PRICE”

March 14, 2012
Project No. 14-PSA-001

Mr. Edward Moore, Project Manager
NYS Department of Environmental Conservation
Region 3
21 South Putt Corners Road
New Paltz, NY 12561.

Re: February 2012 Semi-Annual Monitoring Results
Taylor's Lane Compost Site, Mamaroneck, New York
NYSDEC Site Number 360021

Dear Mr. Moore:

Zion Environmental, LLC (Zion) personnel conducted the Semi-Annual Groundwater Sampling event at the Taylor's Lane Compost Site in Mamaroneck, New York on February 20, 2012. This Semi-Annual Monitoring Report summarizes all activities performed and results obtained in association with the groundwater sampling, gas vent, and soil gas migration monitoring. The monitoring was completed in accordance with the Post Closure Operation and Maintenance Plan for the Taylor Lane Compost Site prepared by EMCON/Wehran-New York, February 1998.

FIELD PROGRAM

Groundwater Monitoring

Six groundwater monitoring wells (MW-1S, MW-1D, MW-2S, MW-2D, MW-3S and MW-3D) were purged and sampled on February 20, 2012. Historically the six flush mount wells were located in Taylor Lane. However, because of periodic artesian conditions in several of the wells, the wellhead areas were often wet and the ponded water around the flush mount wellheads would freeze during the winter months. These wells were abandoned, and relocated off Taylor Lane and adjacent to the Landfill in March 2008.

Due to the high turbidity during the purging of the wells along Taylor Lane, wells MW-1S, MW-1D, MW-2S, MW-2D, MW-3S and MW-3D were re-developed and allowed to recharge prior to the sampling of the wells. The information during the process of re-development and the amount that was purged for each well can be found in the field data sheets provided in Attachment 5.

The collected samples were packed in ice, picked up by a York Laboratory courier and transported to the lab the day of the sampling event. The samples were analyzed for metals (arsenic, cadmium, copper, lead, mercury, and zinc), as well as for chlorinated volatile organic compounds (VOCs). In addition to laboratory groundwater analyses, the following field parameters were measured and recorded on-site: pH, temperature, conductivity, ORP, and turbidity. Field parameters pH, temperature, and ORP are measured utilizing an Oakton pH 310 Series waterproof meter. Conductivity was measured utilizing an Oakton con 400 Series waterproof meter. Turbidity was measured utilizing a LaMotte 2020 Turbidity meter.

Summary tables for the metal and VOC analytical results and field data are provided in Attachment 1, Tables 1-3. The laboratory report is included in Attachment 2. Drawing 1 depicts monitoring well locations and the groundwater contour map provided in Attachment 4.

Landfill Gas Vent and Bar Hole Monitoring

Landfill gas vent monitoring was also performed on February 20, 2012. Gas vents GV-1 through GV-8 were monitored for percent combustible gas and total organic vapors. Soil gas monitoring was also conducted at predetermined locations (BH-1 through BH13) along the perimeter of the landfill in order to detect any migrating gases. A MiniRae PID was utilized to monitor VOCs and a Landtec GEM-500 was utilized to monitor percent methane gas (CH_4), carbon dioxide (CO_2) and oxygen (O_2) at gas vents GV-1 through GV-8 and bar holes BH-1 through BH-13. Both the groundwater and soil gas monitoring were performed in accordance with the Post Closure Operation and Maintenance Plan for the Taylor Lane Compost Site prepared by EMCON/Wehran-New York, Inc. in February 1998. This data is summarized in Attachment 3, Table 4.

RESULTS

Groundwater Monitoring Results

A review of the February 2012 groundwater analytical data indicated that the inorganic constituent lead was detected at concentrations above the New York State Department of Conservation (NYSDEC) Part 703 Groundwater Standard in wells MW-1S at 483ug/l and MW-2S at 324ug/l. All other inorganic constituents were non-detect or below NYSDEC Part 703 Groundwater Standards. Summary tables for the inorganic analytical results are provided in Attachment 1, Table 1.

Methylene chloride was detected in MW-1S and MW-1D. Both were reported with J flag (Detected below the Reporting Limit but greater than or equal to the Method Detection Limit; therefore, the result is an estimated concentration). In August 2011, Methylene chloride was detected in all six wells and the lab trip blank. Because methylene chloride is a common laboratory contaminant, it is interpreted that the methylene chloride is not present in the

monitoring wells, but instead a laboratory artifact. A check of the methylene chloride concentrations in these two wells will be conducted for the August 2012 event.

Methyl tert-butyl ether (MTBE) was detected in the groundwater samples collected from MW-2S and MW-3S. MTBE was detected at concentrations below the NYSDEC Part 703 groundwater guidance value of 10 ug/l at wells MW-2S and MW-3S. MW-3S was reported with J flag (Detected below the Reporting Limit but greater than or equal to the Method Detection Limit; therefore, the result is an estimated concentration)

Tert-butyl alcohol was detected in the groundwater samples collected from MW-2S and MW-3S at concentrations below the NYSDEC Part 703 groundwater guidance value of 20 ug/l. MW-3S was reported with J flag (Detected below the Reporting Limit but greater than or equal to the Method Detection Limit; therefore, the result is an estimated concentration).

Tert-butyl benzene was detected in the groundwater sample collected from MW-1S at 0.55 ug/l at a concentration below the NYSDEC Part 703 groundwater guidance value of 5 ug/l, and was reported with J flag (Detected below the Reporting Limit but greater than or equal to the Method Detection Limit; therefore, the result is an estimated concentration).

MTBE, tert-butyl benzene and tert-butyl alcohol are components of petroleum products and their detection may be attributable to the upgradient gas station at the corner of Boston Post Road and Taylor Lane.

Vinyl chloride was detected in the groundwater sample collected from MW-2S at 4.5 ug/l and was reported with J flag (Detected below the Reporting Limit but greater than or equal to the Method Detection Limit; therefore, the result is an estimated concentration). This value for vinyl chloride is at a concentration greater than the NYSDEC Part 703 groundwater guidance value of 2ug/l.

Summary tables for the VOC analytical results are provided in Attachment 1, Table 2. Summary tables for the field data are provided in Attachment 1, Table 3. The laboratory report is included in Attachment 2.


Gas Vent and Bar Hole Monitoring Results

As shown in the photoionization detector (PID) readings, volatile organic vapors were not detected (non-detect) in any of the gas vents or perimeter bar hole monitoring location PID readings during the February 2012 sampling event. Methane was detected at GV-4 at concentrations of 7.6% methane gas, and GV-5 at concentrations of 21.3% methane gas.

Gas vent and bar hole locations are depicted on Drawing 1. Results for the February 2012 gas vent and bar hole monitoring are provided in Attachment 3, Table 4.

If you should have any questions regarding the above information, please do not hesitate to contact Mr. Nichols at 845-649-9346.

Sincerely,



Timothy S. Pagano, PG, CPG
Senior Hydrogeologist



Brian Nichols,
Vice President - CPM

Attachment 1 – Tables 1-3, Summary Tables for Analytical Parameters and Field Data

Attachment 2 – Laboratory Results

Attachment 3 – Table 4, Gas Vent and Bar Hole Monitoring Data

Attachment 4 – Field Data Sheets

Attachment 5 – Drawing No. 1

cc: Mr. Richard Slingerland, Village Manager, Village of Mamaroneck

cc: Mr. Hugh J. Greechan, P.E., Village of Mamaroneck Engineer

Attachment 1

Tables 1-3

Table – 1

Summary of Inorganic Parameters

ATTACHMENT 1
Table 1
Summary of Inorganic Parameters
Taylor's Lane Compost Site
Village of Mamaroneck

Analytical Parameter	Sampling Date	MW-1S	MW-1D	MW-2S	MW-2D	MW-3S	MW-3D
Arsenic ($\mu\text{g/L}$) GW Standard 25.0 $\mu\text{g/L}$	5/22/1997	3.7 J	4.9 J	4.4 J	7.9 J	7.1 J	7.2 J
	11/14/1997	17.2	5.2 J	5.9 J	4.6 J	14.4	9.1 J
	5/19/1998	8.3 J	9.1 J	7.6 J	7.6 J	15.2	13.1
	11/5/1998	24.5	34.2	21.4	13.4	2.2 U	2.2 U
	5/25/1999	6.8 U					
	11/18/1999	2.9 U	2.9 U	2.9 U	2.9 U	7.8	2.9 U
	6/28/2000	2.9 U	2.9 U	2.9 U	2.9 U	3.6 J	2.9 U
	11/15/2000	11.2	10 U				
	6/20/2001	3.5 U	3.5 U	3.5 U	3.5 U	6.87	3.5 U
	11/29/2001	10 U					
	6/26/2002	10 U					
	11/19/2002	10 U					
	6/24/2003	10 U					
	11/17/2003	10 U					
	6/21/2004	10 U					
	11/22/2004	10 U					
	6/22/2005	10 U					
	11/22/2005	10 U					
	7/5/2006	10 U					
	11/27/2006	10 U	10 U	10 U	10 U	22.6	10 U
	6/27/2007	10 U	21.9				
	1/9/2008	10 U					
	7/23/2008	19.9	10 U	10 U	10 U	11.6	10 U
	2/20/2009	12	10 U				
	8/27/2009	10 U					
	2/25/2010	16	10 U	10 U	10 U	11	10 U
	8/26/2010	10 U					
	2/23/2011	10 U					
	8/2/2011	19.8	10 U				
	2/20/2012	10 U					

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

ATTACHMENT 1
Table 1
Summary of Inorganic Parameters
Taylor's Lane Compost Site
Village of Mamaroneck

Analytical Parameter	Sampling Date	MW-1S	MW-1D	MW-2S	MW-2D	MW-3S	MW-3D
Cadmium ($\mu\text{g/L}$) GW Standard 5.0 $\mu\text{g/L}$	5/22/1997	0.3 U	0.3 U				
	11/14/1997	3.3 J	0.6 U	1.2 J	0.85 J	2.8 J	1.9 J
	5/19/1998	0.81 J	0.2 J	0.67 J	0.36 J	1.3 J	2.6 J
	11/5/1998	1.1 J	0.75 U	0.87 J	1.2 J	4.2 J	0.75 U
	5/25/1999	1.4 J	0.57 U	0.57 U	0.57 U	0.57 U	4.9 J
	11/18/1999	2.8	0.34 U	2.1	0.34 U	4.8	1.6
	6/28/2000	1.1 J	0.22 U	1.4 J	0.22 U	1.1 J	0.22 U
	11/15/2000	5 U	5 U	5 U	5 U	5 U	5.1
	6/20/2001	3.21	2.33	4	0.85 U	4.54	0.85 U
	11/29/2001	5 U	5 U	5 U	5 U	5 U	5 U
	6/26/2002	5 U	5 U	5 U	5 U	5 U	5 U
	11/19/2002	5 U	5 U	5 U	5 U	5 U	5 U
	6/24/2003	5 U	5 U	5 U	5 U	5 U	5 U
	11/17/2003	5 U	5 U	5 U	5 U	5 U	5 U
	6/21/2004	5 U	5 U	5 U	5 U	5 U	5 U
	11/22/2004	5 U	5 U	5 U	5 U	5 U	5 U
	6/22/2005	5 U	5 U	5 U	5 U	5 U	5 U
	11/22/2005	5 U	5 U	5 U	5 U	5 U	5 U
	7/5/2006	5 U	5 U	5 U	5 U	5 U	5 U
	11/27/2006	5 U	5 U	5 U	5 U	10.4	5 U
	6/27/2007	5 U	5 U	5 U	5 U	5 U	5 U
	1/9/2008	5 U	5 U	5 U	5 U	5 U	5 U
	7/23/2008	5 U	5 U	5 U	5 U	5 U	5 U
	2/20/2009	5 U	5 U	5 U	5 U	5 U	5 U
	8/27/2009	5 U	5 U	5 U	5 U	5 U	5 U
	2/25/2010	5 U	5 U	5 U	5 U	5 U	5 U
	8/26/2010	5 U	5 U	5 U	5 U	5 U	5 U
	2/23/2011	3 U	3 U	3 U	3 U	3 U	3 U
	8/2/2011	4.9	3 U	3 U	3 U	3 U	3 U
	2/20/2012	3 U	3 U	3 U	3 U	3 U	3 U

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

ATTACHMENT 1
Table 1
Summary of Inorganic Parameters
Taylor's Lane Compost Site
Village of Mamaroneck

Analytical Parameter	Sampling Date	MW-1S	MW-1D	MW-2S	MW-2D	MW-3S	MW-3D
Copper ($\mu\text{g/L}$) GW Standard 200.0 $\mu\text{g/L}$	5/22/1997	5.7 J	3.6 J	19.9 J	1.7 U	18.8 J	14.5 J
	11/14/1997	46.5	13.1 J	34.2	7.7 J	74.3	35.3
	5/19/1998	9.3 J	3.7 J	5.7 J	4.5 J	26.8	12.3 J
	11/5/1998	8.3 J	16.6 J	13.9 J	77.4	15.5 J	85.8
	5/25/1999	6.8 J	21.4 J	7.2 J	18.5 J	9.4 J	17.5 J
	11/18/1999	21.8	23.1	103	7.6	478	22.1
	6/28/2000	3.7 U	15 J	36	3.7 U	255	3.7 U
	11/15/2000	87	38.4	20 U	20 U	43.2	20 U
	6/20/2001	10.3	17.7	145	17.1	520	16
	11/29/2001	20 U	20 U	25.9	20 U	204	20 U
	6/26/2002	20 U	23	20 U	20 U	20 U	20 U
	11/19/2002	20 U	40	47	20 U	20 U	20 U
	6/24/2003	20 U	20 U	20 U	20 U	20 U	20 U
	11/17/2003	20 U	20 U	20 U	20 U	20 U	20 U
	6/21/2004	20 U	20 U	20 U	20 U	27.4	20 U
	11/22/2004	20 U	20 U	20 U	20 U	56	20 U
	6/22/2005	20 U	20 U	20 U	20 U	20 U	20 U
	11/22/2005	20 U	31.2	20 U	20 U	20 U	20 U
	7/5/2006	20 U	20 U	20 U	20 U	26	20 U
	11/27/2006	21.6	64.1	28.5	20 U	38.7	20 U
	6/27/2007	20 U	20 U	20 U	20 U	20 U	106
	1/9/2008	51.8	37.5	20 U	20 U	74.5	20 U
	7/23/2008	20 U	20 U	20 U	20 U	20 U	20 U
	2/20/2009	20 U	20 U	20 U	20 U	20 U	20 U
	8/27/2009	20 U	20 U	20 U	20 U	20 U	20 U
	2/25/2010	20 U	20 U	20 U	20 U	20 U	20 U
	8/26/2010	20 U	20 U	20 U	20 U	20 U	20 U
	2/23/2011	11.3	11.9	18.2	25.2	65.8	6.8
	8/2/2011	188	7.98	8.96	5.64	13.3	15.2
	2/20/2012	69.9	15.0	53.2	51.3	5.0 U	13.9

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

ATTACHMENT 1
Table 1
Summary of Inorganic Parameters
Taylor's Lane Compost Site
Village of Mamaroneck

Analytical Parameter	Sampling Date	MW-1S	MW-1D	MW-2S	MW-2D	MW-3S	MW-3D
Lead ($\mu\text{g/L}$) GW Standard 25.0 $\mu\text{g/L}$	5/22/1997	1.1 U	1.1 U	4.4	1.1 U	12.7	21.2
	11/14/1997	2.4 J	0.7 U	2.9 J	0.7 U	36.1	18.2
	5/19/1998	1.4 J	0.7 U	0.81 J	0.7 U	14.6	16.6
	11/5/1998	1.8 U	1.8 U	1.8 U	1.8 U	6.1	23.5
	5/25/1999	1.8 U	1.8 U	1.8 U	1.8 U	13	12.7
	11/18/1999	0.99 U	0.99 U	21	0.99 U	68	3.6
	6/28/2000	2.3 U	44.4	7.2	2.3 U	98.5	17.5
	11/15/2000	5 U	91.8	8.05	5 U	22.5	19.6
	6/20/2001	1.69	37.9	45.2	5.13	62.3	7.28
	11/29/2001	5 U	5 U	5 U	5 U	21.5	5 U
	6/26/2002	5 U	5 U	5.88	5 U	5 U	5 U
	11/19/2002	5 U	5.64	13.2	5 U	5.07	5 U
	6/24/2003	5 U	5 U	5 U	5 U	6.81	5 U
	11/17/2003	5 U	5 U	5 U	5 U	21.5	5 U
	6/21/2004	5 U	5 U	5 U	5 U	17.8	5 U
	11/22/2004	5 U	5 U	5 U	5 U	10.1	12.4
	6/22/2005	5 U	5 U	5 U	5 U	5 U	5 U
	11/22/2005	5 U	10.7	5 U	5 U	11.3	5.58
	7/5/2006	5 U	5 U	5 U	5 U	6	5 U
	11/27/2006	5 U	13.2	11.7	5 U	54.2	7.3
	6/27/2007	5 U	13.2	11.7	5 U	54.2	7.3
	1/9/2008	5 U	5 U	5 U	5 U	5 U	72.5
	7/23/2008	6.7	11	6.7	5 U	5.9	11.5
	2/20/2009	26.5	6.5	10.5	10.4	16.1	5 U
	2/20/2009	5.7	5 U	5 U	5 U	5 U	5 U
	8/27/2009	5 U	5 U	5 U	5 U	5 U	5 U
	2/25/2010	5.3	5 U	5 U	5 U	5 U	5 U
	8/26/2010	5 U	5 U	5 U	5 U	5 U	5 U
	2/23/2011	528	72.7	217	6.9	117	3 U
	8/2/2011	1,550	13.2	56.3	4.86	16.5	6.16
	2/20/2012	483	10.1	324	12.0	3.28	3 U

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

ATTACHMENT 1
Table 1
Summary of Inorganic Parameters
Taylor's Lane Compost Site
Village of Mamaroneck

Analytical Parameter	Sampling Date	MW-1S	MW-1D	MW-2S	MW-2D	MW-3S	MW-3D
Mercury ($\mu\text{g/L}$)	5/22/1997	0.2 U					
	11/14/1997	0.1 U					
	5/19/1998	0.1 U					
	11/5/1998	0.1 U					
	5/25/1999	0.05 U					
	11/18/1999	0.04 U	0.04 U	0.09	0.04 U	0.27	0.04 U
	6/28/2000	0.05 J	0.01 U	0.02 J	0.01 U	0.34	0.04 J
	11/15/2000	0.03 U					
	6/20/2001	0.03 U	0.03 U	0.03 U	0.03 U	0.28	0.03 U
	11/29/2001	0.3 U					
	6/26/2002	0.3 U					
	11/19/2002	0.3 U					
	6/24/2003	0.3 U					
	11/17/2003	0.3 U					
	6/21/2004	0.3 U					
	11/22/2004	0.3 U					
	6/22/2005	0.3 U					
	11/22/2005	0.3 U					
	7/5/2006	0.3 U					
	11/27/2006	0.3 U					
	6/27/2007	0.3 U					
	1/9/2008	0.3 U					
	7/23/2008	0.3 U					
	2/20/2009	0.3 U					
	8/27/2009	0.3 U					
	2/25/2010	0.3 U					
	8/26/2010	0.3 U					
	2/23/2011	0.2 U					
	8/2/2011	0.2 U	0.2 U	0.2 U	0.3	0.2 U	0.2 U
	2/20/2012	0.2 U					

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

ATTACHMENT 1
Table 1
Summary of Inorganic Parameters
Taylor's Lane Compost Site
Village of Mamaroneck

Analytical Parameter	Sampling Date	MW-1S	MW-1D	MW-2S	MW-2D	MW-3S	MW-3D
Zinc ($\mu\text{g/L}$) GW Standard 2,000 $\mu\text{g/L}$	5/22/1997	20	17.2 J	31.3	12.6 J	83.7	931
	11/14/1997	74.2	37	75	10.6 J	102	514
	5/19/1998	130	12.7 J	23.7	10.6	48.7	806
	11/5/1998	13.9 J	27.9	23.3	51.4	29.9	659
	5/25/1999	15 J	36.7	16.2 J	8.8	21.8	558
	11/18/1999	26.8	38	95.6	20.4	102	101
	6/28/2000	7.9 J	104	202	21.3	432	941
	11/15/2000	20 U	1650	52.8	26.8	122	2040
	6/20/2001	25	630	274	72.6	314	246
	11/29/2001	20 U	29.5	23.1	20 U	56.5	56.4
	6/26/2002	20 U	28.2	76.8	20 U	20 U	20 U
	11/19/2002	20 U	69.6	65.2	20 U	20 U	20 U
	6/24/2003	20 U	20 U	20 U	42.9	20 U	20 U
	11/17/2003	20 U	20 U	20 U	55.5	38.6	20 U
	6/21/2004	21	20 U	20 U	55.5	45.7	20 U
	11/22/2004	20 U	20 U	20 U	20 U	113	20 U
	6/22/2005	20 U	20 U	20 U	20 U	113	20 U
	11/22/2005	20.5	144	32.9	20 U	33.3	58.6
	7/5/2006	25	51	20 U	20 U	20 U	20 U
	11/27/2006	23.3	352	84.7	20 U	64.4	65.5
	6/27/2007	20 U	20 U	20 U	20 U	20 U	1150
	1/9/2008	138	343	31.7	20 U	45.6	148
	7/23/2008	38.9	20 U	29.7	20 U	69.5	61.4
	2/20/2009	20 U	20 U	20 U	20 U	45	44
	8/27/2009	20 U	20 U	20 U	20 U	28	38
	2/25/2010	20 U	20 U	20 U	20 U	62	42
	8/26/2010	20 U	20 U	20 U	20 U	30	37
	2/23/2011	949	88.9	231	58.2	140	53
	8/2/2011	1,690	25.9	75.6	30.7	47.7	47.0
	2/20/2012	712	34.5	414	66.4	49.0	52.5

U - Analyte was analyzed for, but not detected

B - The reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).

Table – 2

Summary of Volatile Organic Compounds

ATTACHMENT 1

Table 2
Summary of Volatile Organic Compounds
Taylor's Lane Compost Site
Village of Mamaroneck

Sampling Date	Analytical Parameters (µg/L)						
	Vinyl Chloride	1, 2-DCE	MTBE	Tert-Butyl-Alcohol	1,1,1-TCA	Tert-butyl benzene	Chlorobenzene
Standard	2.0	5.0	10.0	20.0	5.0	5.0	5.0
MW-1S							
8/26/2010	0.5 U	0.5 U	2.0	20 U	0.5 U	1.5	-
2/23/2011	5.0 U	5.0 U	0.81 J	N/A	5.0 U	N/A	5.0 U
8/2/2011	5.0 U	5.0 U	5.00 U	8.0 U	5.0 U	0.89 J	5.0 U
2/20/2012	5.0 U	5.0 U	5.0 U	8.0 U	5.0 U	0.55 J	5.0 U
MW-1D							
8/26/2010	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	-
2/23/2011	5.0 U	5.0 U	5.0 U	N/A	5.0 U	N/A	5.0 U
8/2/2011	5.0 U	5.0 U	5.0 U	8.0 U	5.0 U	5.0 U	5.0 U
2/20/2012	5.0 U	5.0 U	5.0 U	8.0 U	5.0 U	5.0 U	5.0 U
MW-2S							
5/22/1997	4.0 J	2.0 J	-	-	-	-	-
11/14/1997	21	3.0 J	-	-	-	-	-
5/19/1998	17	3.0 J	-	-	-	-	-
11/5/1998	14	3.0 J	-	-	-	-	-
5/25/1999	13	2.0 J	-	-	-	-	-
11/18/1999	6.0 J	10 U	-	-	-	-	-
6/28/2000	7.8	1.6	-	-	-	-	-
11/15/2000	5.0 U	5.0 U	-	-	-	-	-
6/20/2001	7.6	1.2	190	-	-	-	-
11/29/2001	2.5 U	0.5 U	82	270	-	-	-
6/26/2002	1.6	1.0 U	50	130	-	-	-
11/19/2002	5.0 U	5.0 U	56	210	-	-	-
6/24/2003	3.3	0.5 U	270	20 U	-	-	-
11/17/2003	1.2	0.5 U	250	120	-	-	-
6/21/2004	0.96	0.5 U	380	90	-	-	-
11/22/2004	0.64	0.5 U	380	200	-	-	-
6/22/2005	7.7	1.1	16	23	-	-	-
11/22/2005	4.1	0.5 U	61	90	-	-	-
7/5/2006	6.4	0.6	63	110	-	-	-
11/27/2006	4.0	0.5 U	70 E	110	-	-	-
6/27/2007	2.5	0.5 U	93 E	250	-	-	-
1/9/2008	2.2	0.5 U	74 E	350	-	-	-
7/23/2008	2.8	0.5 U	12	37	-	-	-
2/20/2009	1.3	0.5 U	16	43	-	-	-
8/27/2009	0.5 U	0.5 U	15	50	-	-	-
2/25/2010	0.5 U	0.5 U	24	65	0.6	-	-
8/26/2010	0.5 U	0.5 U	23	200	0.5 U	0.5 U	-
2/23/2011	5.0 U	5.0 U	22	N/A	5.0 U	N/A	5.0 U
8/2/2011	2.5 J	5.0 U	16	37	5.0 U	5.0 U	5.0 U
2/20/2012	4.5 J	5.0 U	9.4	18.0	5.0 U	5.0 U	5.0 U

ATTACHMENT 1

Table 2
Summary of Volatile Organic Compounds
Taylor's Lane Compost Site
Village of Mamaroneck

Sampling Date	Analytical Parameters (µg/L)						
	Vinyl Chloride	1, 2-DCE	MTBE	Tert-Butyl-Alcohol	1,1,1-TCA	Tert-butyl benzene	Chlorobenzene
Standard	2.0	5.0	10.0	20.0	5.0	5.0	5.0
MW-2D							
8/26/2010	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	-
2/23/2011	5.0 U	5.0 U	5.0 U	N/A	5.0 U	N/A	5.0 U
8/2/2011	5.0 U	5.0 U	0.47 J	8.0 U	5.0 U	5.0 U	5.0 U
2/20/2012	5.0 U	5.0 U	5.0 U	8.0 U	5.0 U	5.0 U	5.0 U
MW-3S							
8/26/2010	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	-
2/23/2011	5.0 U	5.0 U	5.0 U	N/A	5.0 U	N/A	5.0 U
8/2/2011	5.0 U	5.0 U	1.7 J	8.0 U	5.0 U	5.0 U	5.0 U
2/20/2012	5.0 U	5.0 U	1.5 J	7.1 J	5.0 U	5.0 U	5.0 U
MW-3D							
8/26/2010	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	-
2/23/2011	5.0 U	5.0 U	5.0 U	N/A	5.0 U	N/A	1.6 J
8/2/2011	5.0 U	5.0 U	5.0 U	8.0 U	5.0 U	5.0 U	5.0 U
2/20/2012	5.0 U	5.0 U	5.0 U	8.0 U	5.0 U	5.0 U	5.0 U

U - Compound not detected.

J - Estimated value, less than detection limit.

E - Concentrations exceed the calibration range.

µg/L - micrograms per liter.

1,2-DCE - 1,2-dichloroethene.

MTBE - methyl tert-butyl ether.

1,1,1-TCA - 1,1,1-trichloroethane.

N/A - Results not available during this analysis.

Table - 3

Summary of Field Parameters

ATTACHMENT 1

Table 3
Summary of Field Parameters
Village of Mamaroneck
Taylor's Lane Compost Site

Notes:

(μ S): Units of Conductivity (micro Siemens)

ATTACHMENT 1

Table 3
Summary of Field Parameters
Village of Mamaroneck
Taylor's Lane Compost Site

Notes:

(μ S): Units of Conductivity (micro Siemens)

ATTACHMENT 1

Table 3
Summary of Field Parameters
Village of Mamaroneck
Taylor's Lane Compost Site

Notes:

(μ S): Units of Conductivity (micro Siemens)

ATTACHMENT 1

Table 3
Summary of Field Parameters
Village of Mamaroneck
Taylor's Lane Compost Site

Notes:

(μ S): Units of Conductivity (micro Siemens)

ATTACHMENT 1

Table 3
Summary of Field Parameters
Village of Mamaroneck
Taylor's Lane Compost Site

Notes:

(μ S): Units of Conductivity (micro Siemens)

ATTACHMENT 1

Table 3
Summary of Field Parameters
Village of Mamaroneck
Taylor's Lane Compost Site

Notes:

(μ S): Units of Conductivity (micro Siemens)

Attachment 2

Laboratory Results

Technical Report

prepared for:

Zion Environmental, LLC
172 Excelsior Avenue
Middletown NY, 10940
Attention: Brian Nichols

Report Date: 02/28/2012

Client Project ID: Village of Mamaroneck
York Project (SDG) No.: 12B0707

CT License No. PH-0723

New Jersey License No. CT-005



New York License No. 10854

PA License No. 68-04440

Report Date: 02/28/2012
Client Project ID: Village of Mamaroneck
York Project (SDG) No.: 12B0707

Zion Environmental, LLC
172 Excelsior Avenue
Middletown NY, 10940
Attention: Brian Nichols

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on February 21, 2012 and listed below. The project was identified as your project: **Village of Mamaroneck**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
12B0707-01	MW-1S	Water	02/20/2012	02/21/2012
12B0707-02	MW-1D	Water	02/20/2012	02/21/2012
12B0707-03	MW-2S	Water	02/20/2012	02/21/2012
12B0707-04	MW-2D	Water	02/20/2012	02/21/2012
12B0707-05	MW-3S	Water	02/20/2012	02/21/2012
12B0707-06	MW-3D	Water	02/20/2012	02/21/2012
12B0707-07	Trip Blank	Water	02/20/2012	02/21/2012

General Notes for York Project (SDG) No.: 12B0707

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Date: 02/28/2012

Robert Q. Bradley
Executive Vice President / Laboratory Director



Sample Information**Client Sample ID:** MW-1S**York Sample ID:****12B0707-01**York Project (SDG) No.

12B0707

Client Project ID

Village of Mamaroneck

Matrix

Water

Collection Date/Time

February 20, 2012 12:46 pm

Date Received

02/21/2012

Volatile Organics, 8260 List**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.54	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.37	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	1.1	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.59	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.47	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
108-86-1	Bromobenzene	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
74-97-5	Bromochloromethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
67-66-3	Chloroform	ND		ug/L	0.36	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS

Sample Information**Client Sample ID:** MW-1S**York Sample ID:****12B0707-01**York Project (SDG) No.

12B0707

Client Project ID

Village of Mamaroneck

Matrix

Water

Collection Date/Time

February 20, 2012 12:46 pm

Date Received

02/21/2012

Volatile Organics, 8260 List**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
74-95-3	Dibromomethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
75-09-2	Methylene chloride	1.8	J	ug/L	1.1	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
98-06-6	tert-Butylbenzene	0.55	J	ug/L	0.46	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS

Volatile Organics, tert-Butyl Alcohol**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-65-0	tert-Butyl alcohol (TBA)	ND		ug/L	6.1	8.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 14:22	SS

Arsenic by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-38-2	Arsenic	ND		mg/L	0.00130	0.0100	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 21:57	MW

Cadmium by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-43-9	Cadmium	ND		mg/L	0.00100	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 21:57	MW

Copper by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-50-8	Copper	0.0699		mg/L	0.00160	0.00500	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 21:57	MW

Lead by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	0.483		mg/L	0.00120	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 21:57	MW

Sample Information**Client Sample ID:** MW-1S**York Sample ID:****12B0707-01**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 12:46 pmDate Received
02/21/2012**Zinc by EPA 6010****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-66-6	Zinc	0.712		mg/L	0.000900	0.0200	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 21:57	MW

Mercury by 7470/7471**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.00004	0.0002	1	EPA SW846-7470/EPA 245.1	02/24/2012 16:52	02/24/2012 16:52	AA

Sample Information**Client Sample ID:** MW-1D**York Sample ID:****12B0707-02**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 12:20 pmDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.54	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.37	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	1.1	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.59	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.47	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS

Sample Information

Client Sample ID: MW-1D

York Sample ID:

12B0707-02

York Project (SDG) No.
12B0707

Client Project ID
Village of Mamaroneck

Matrix
Water

Collection Date/Time
February 20, 2012 12:20 pm

Date Received
02/21/2012

Volatile Organics, 8260 List

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
108-86-1	Bromobenzene	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
74-97-5	Bromoform	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
67-66-3	Chloroform	ND		ug/L	0.36	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
74-95-3	Dibromomethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
75-09-2	Methylene chloride	1.8	J	ug/L	1.1	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.46	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS

Volatile Organics, tert-Butyl Alcohol

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-65-0	tert-Butyl alcohol (TBA)	ND		ug/L	6.1	8.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:06	SS

Sample Information**Client Sample ID:** MW-1D**York Sample ID:****12B0707-02**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 12:20 pmDate Received
02/21/2012**Arsenic by EPA 6010****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-38-2	Arsenic	ND		mg/L	0.00130	0.0100	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:02	MW

Cadmium by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-43-9	Cadmium	ND		mg/L	0.00100	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:02	MW

Copper by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-50-8	Copper	0.0150		mg/L	0.00160	0.00500	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:02	MW

Lead by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	0.0101		mg/L	0.00120	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:02	MW

Zinc by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-66-6	Zinc	0.0345		mg/L	0.000900	0.0200	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:02	MW

Mercury by 7470/7471**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.00004	0.0002	1	EPA SW846-7470/EPA 245.1	02/24/2012 16:52	02/24/2012 16:52	AA

Sample Information**Client Sample ID:** MW-2S**York Sample ID:****12B0707-03**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 11:15 amDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.54	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS

Sample Information**Client Sample ID:** MW-2S**York Sample ID:****12B0707-03**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 11:15 amDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.37	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	1.1	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.59	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.47	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
108-86-1	Bromobenzene	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
74-97-5	Bromochloromethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
67-66-3	Chloroform	ND		ug/L	0.36	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
74-95-3	Dibromomethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS

Sample Information**Client Sample ID:** MW-2S**York Sample ID:****12B0707-03**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 11:15 amDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
87-68-3	Hexachlorobutadiene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	9.4		ug/L	0.38	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
75-09-2	Methylene chloride	ND		ug/L	1.1	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.46	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS
75-01-4	Vinyl Chloride	4.5	J	ug/L	0.97	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS

Volatile Organics, tert-Butyl Alcohol**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-65-0	tert-Butyl alcohol (TBA)	18		ug/L	6.1	8.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 15:50	SS

Arsenic by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-38-2	Arsenic	ND		mg/L	0.00130	0.0100	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:07	MW

Cadmium by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-43-9	Cadmium	ND		mg/L	0.00100	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:07	MW

Copper by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-50-8	Copper	0.0532		mg/L	0.00160	0.00500	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:07	MW

Lead by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	0.324		mg/L	0.00120	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:07	MW

Zinc by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-66-6	Zinc	0.414		mg/L	0.000900	0.0200	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:07	MW

Sample Information**Client Sample ID:** MW-2S**York Sample ID:****12B0707-03**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 11:15 amDate Received
02/21/2012**Mercury by 7470/7471****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.00004	0.0002	1	EPA SW846-7470/EPA 245.1	02/24/2012 16:52	02/24/2012 16:52	AA

Sample Information**Client Sample ID:** MW-2D**York Sample ID:****12B0707-04**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 11:10 amDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.54	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.37	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	1.1	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.59	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.47	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
108-86-1	Bromobenzene	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
74-97-5	Bromochloromethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS

Sample Information**Client Sample ID:** MW-2D**York Sample ID:****12B0707-04**York Project (SDG) No.

12B0707

Client Project ID

Village of Mamaroneck

Matrix

Water

Collection Date/Time

February 20, 2012 11:10 am

Date Received

02/21/2012

Volatile Organics, 8260 List**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
67-66-3	Chloroform	ND		ug/L	0.36	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
74-95-3	Dibromomethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
75-09-2	Methylene chloride	ND		ug/L	1.1	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.46	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS

Volatile Organics, tert-Butyl Alcohol**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-65-0	tert-Butyl alcohol (TBA)	ND		ug/L	6.1	8.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 16:33	SS

Sample Information**Client Sample ID:** MW-2D**York Sample ID:****12B0707-04**York Project (SDG) No.

12B0707

Client Project ID

Village of Mamaroneck

Matrix

Water

Collection Date/Time

February 20, 2012 11:10 am

Date Received

02/21/2012

Arsenic by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-38-2	Arsenic	ND		mg/L	0.00130	0.0100	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:12	MW

Cadmium by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-43-9	Cadmium	ND		mg/L	0.00100	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:12	MW

Copper by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-50-8	Copper	0.0513		mg/L	0.00160	0.00500	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:12	MW

Lead by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	0.0120		mg/L	0.00120	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:12	MW

Zinc by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-66-6	Zinc	0.0664		mg/L	0.000900	0.0200	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:12	MW

Mercury by 7470/7471**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.00004	0.0002	1	EPA SW846-7470/EPA 245.1	02/24/2012 16:52	02/24/2012 16:52	AA

Sample Information**Client Sample ID:** MW-3S**York Sample ID:****12B0707-05**York Project (SDG) No.

12B0707

Client Project ID

Village of Mamaroneck

Matrix

Water

Collection Date/Time

February 20, 2012 10:15 am

Date Received

02/21/2012

Volatile Organics, 8260 List**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.54	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS

Sample Information**Client Sample ID:** MW-3S**York Sample ID:****12B0707-05**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 10:15 amDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.37	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	1.1	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.59	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.47	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
108-86-1	Bromobenzene	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
74-97-5	Bromochloromethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
67-66-3	Chloroform	ND		ug/L	0.36	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
74-95-3	Dibromomethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS

Sample Information**Client Sample ID:** MW-3S**York Sample ID:****12B0707-05**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 10:15 amDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
87-68-3	Hexachlorobutadiene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	1.5	J	ug/L	0.38	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
75-09-2	Methylene chloride	ND		ug/L	1.1	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.46	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS

Volatile Organics, tert-Butyl Alcohol**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-65-0	tert-Butyl alcohol (TBA)	7.1	J	ug/L	6.1	8.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 17:18	SS

Arsenic by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-38-2	Arsenic	ND		mg/L	0.00130	0.0100	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:17	MW

Cadmium by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-43-9	Cadmium	ND		mg/L	0.00100	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:17	MW

Copper by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-50-8	Copper	ND		mg/L	0.00160	0.00500	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:17	MW

Lead by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	0.00328		mg/L	0.00120	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:17	MW

Zinc by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst

Sample Information**Client Sample ID:** MW-3S**York Sample ID:****12B0707-05**York Project (SDG) No.

12B0707

Client Project ID

Village of Mamaroneck

Matrix

Water

Collection Date/Time

February 20, 2012 10:15 am

Date Received

02/21/2012

Zinc by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-66-6	Zinc	0.0490		mg/L	0.000900	0.0200	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:17	MW

Mercury by 7470/7471**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.00004	0.0002	1	EPA SW846-7470/EPA 245.1	02/24/2012 16:52	02/24/2012 16:52	AA

Sample Information**Client Sample ID:** MW-3D**York Sample ID:****12B0707-06**York Project (SDG) No.

12B0707

Client Project ID

Village of Mamaroneck

Matrix

Water

Collection Date/Time

February 20, 2012 10:10 am

Date Received

02/21/2012

Volatile Organics, 8260 List**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.54	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.37	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	1.1	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.59	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.47	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS

Sample Information**Client Sample ID:** MW-3D**York Sample ID:****12B0707-06**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 10:10 amDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-49-8	2-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
108-86-1	Bromobenzene	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
74-97-5	Bromochloromethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
67-66-3	Chloroform	ND		ug/L	0.36	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
74-95-3	Dibromomethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
75-09-2	Methylene chloride	ND		ug/L	1.1	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.46	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS

Volatile Organics, tert-Butyl Alcohol**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-65-0	tert-Butyl alcohol (TBA)	ND		ug/L	6.1	8.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:00	SS

Sample Information**Client Sample ID:** MW-3D**York Sample ID:****12B0707-06**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 10:10 amDate Received
02/21/2012**Arsenic by EPA 6010****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-38-2	Arsenic	ND		mg/L	0.00130	0.0100	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:34	MW

Cadmium by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-43-9	Cadmium	ND		mg/L	0.00100	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:34	MW

Copper by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-50-8	Copper	0.0139		mg/L	0.00160	0.00500	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:34	MW

Lead by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		mg/L	0.00120	0.00300	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:34	MW

Zinc by EPA 6010**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-66-6	Zinc	0.0525		mg/L	0.000900	0.0200	1	EPA SW846-6010B	02/22/2012 14:47	02/22/2012 22:34	MW

Mercury by 7470/7471**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.00004	0.0002	1	EPA SW846-7470/EPA 245.1	02/24/2012 16:52	02/24/2012 16:52	AA

Sample Information**Client Sample ID:** Trip Blank**York Sample ID:****12B0707-07**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 3:00 pmDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.54	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS

Sample Information**Client Sample ID:** Trip Blank**York Sample ID:****12B0707-07**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 3:00 pmDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.37	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
96-18-4	1,2,3-Trichloroproppane	ND		ug/L	1.1	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.59	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.47	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.49	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
108-86-1	Bromobenzene	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
74-97-5	Bromochloromethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
67-66-3	Chloroform	ND		ug/L	0.36	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
74-95-3	Dibromomethane	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS

Sample Information**Client Sample ID:** Trip Blank**York Sample ID:****12B0707-07**York Project (SDG) No.
12B0707Client Project ID
Village of MamaroneckMatrix
WaterCollection Date/Time
February 20, 2012 3:00 pmDate Received
02/21/2012**Volatile Organics, 8260 List****Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
87-68-3	Hexachlorobutadiene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
75-09-2	Methylene chloride	ND		ug/L	1.1	10	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.46	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS

Volatile Organics, tert-Butyl Alcohol**Log-in Notes:****Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-65-0	tert-Butyl alcohol (TBA)	ND		ug/L	6.1	8.0	1	EPA SW846-8260B	02/24/2012 14:17	02/24/2012 18:44	SS

Notes and Definitions

J Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.

ND Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.

RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.

MDL METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.

NR Not reported

RPD Relative Percent Difference

Wet The data has been reported on an as-received (wet weight) basis

Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

Non-Dir. Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

Corrective Action:

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

York Project No. 12 Bo 202

YOUR Information		Report To:	Invoice To:	YOUR Project ID	Turn-Around Time	Report Type
Company: <u>Zion Environment</u>	Address: <u>172 Excelsior Ave.</u>	Company: <u>Same</u>	Address: _____	RUSH - Same Day	Summary Report	
Phone No. <u>914-10940</u>	Phone No. _____	Phone No. _____	Phone No. _____	RUSH - Next Day	Summary w/ QA Summary	
Contact Person: <u>Brian Nichols</u>	Attention: <u>zionenvironment.com</u>	E-Mail Address: <u>gmai</u>	E-Mail Address: _____	RUSH - Two Day	CT RCP Package	
				RUSH - Three Day	CTRCP DQA/DUE Pkg	
				RUSH - Four Day	NY ASP A Package	
				NJDEP Red. Deliv.	NY ASP B Package	
				<i>Electronic Data Deliverables (EDD)</i>		
				Simple Excel		
				NYSDEC EQuIS		
				EQuIS (std)		
				EZ-EDD (EQuIS)		
				NJDEP SRP HazSite EDD		
				GISKEY (std)		
				Other		
				York Regulatory Comparison		
				Excel Spreadsheet		
				Compare to the following Regs. (please fill in):		
Print Clearly and Legibly. All Information must be complete.		Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.				
<u>Brian Nichols</u>		Samples Collected/Authorized By (Signature) <u>Brian Nichols</u> Name (printed)				
Sample Identification	Date Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below			
MW-1S	① 124C	2-20-12	GW			
MW-1D	② 1220	2-20-12	GW			
MW-2S	③ 1115	2-20-12	GW			
MW-2D	④ 1110	2-20-12	GW			
MW-3S	⑤ 1015	2-20-12	GW			
MW-3D	⑥ 1010	2-20-12	GW			
Trip Blank	—	—	Lab DT			
(MTBE, Tert-Butyl Alcohol and Tert-Butylbenzene)						
Comments	Preservation: <input checked="" type="checkbox"/> 4°C <input type="checkbox"/> Frozen <input type="checkbox"/> HCl <input type="checkbox"/> MeOH <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH Check those Applicable: <input checked="" type="checkbox"/> Special Instructions: <input type="checkbox"/> Field Filtered <input type="checkbox"/> Lab to Filter					
	Samples Relinquished By: <u>Brian Nichols</u> Date/Time: <u>2-20-12</u> Date/Time: <u>2-21-12</u> Temperature on Receipt: <u>4.4 °C</u> Samples Received in LAB by: <u>Jeanne</u> Date/Time: <u>2/21/12</u> Date/Time: <u>2/21/12</u> Temperature on Receipt: <u>4.4 °C</u>					

Attachment 3

Table 4

Table - 4

Gas Vent and Bar Hole Monitoring Data

ATTACHMENT 3

Table 4
Gas Vent & Bar Hole Monitoring Data
Village of Mamaroneck
Taylor's Lane Compost Site
February 20, 2012

GAS VENT MONITORING						Remarks
Gas Vent (GV) #	PID	CH4	CO2	O2	Balance	
	(ppm)	(%)	(%)	(%)	(%)	
1	0.0	0.0	0.8	14.1	85.1	
2	0.0	0.0	0.4	13.8	85.8	
3	0.0	0.0	0.9	13.2	85.9	
4	0.0	7.6	12.1	6.7	73.6	Bee's nest in vent
5	0.0	21.3	17.8	1.1	59.8	
6	0.0	0.0	0.3	13.7	86.0	
7	0.0	0.0	0.0	14.3	58.7	Bee's nest in vent
8	0.0	0.0	4.0	8.8	87.2	

BAR HOLE MONITORING						Remarks
Bar Hole (BH) #	PID	CH4	CO2	O2	Balance	
	(ppm)	(%)	(%)	(%)	(%)	
1	0.0	0.0	0.0	16.7	83.3	
2	0.0	0.0	0.1	16.2	83.7	
3	0.0	0.0	0.0	16.6	83.4	
4	0.0	0.0	0.2	16.4	83.4	
5	0.0	0.0	0.0	16.8	83.2	
6	0.0	0.0	0.1	16.4	83.5	
7	0.0	0.0	0.0	16.7	83.3	
8	0.0	0.0	0.6	16.0	83.4	
9	0.0	0.0	0.1	15.8	84.1	
10	0.0	0.0	0.4	16.1	83.5	
11	0.0	0.0	0.3	16.2	83.5	
12	0.0	0.0	0.0	16.2	83.2	
13	0.0	0.0	0.1	16.9	83.0	

Note: See drawing entitled "Drawing No. 1 - February 2012 Sampling Event" for monitoring locations.

Equipment used: GEM 500 and MiniRae PID



Attachment 4

Field Data Sheets

TAYLOR LANE, MAMARONECK - FIELD DATA - 02/20/2012

Groundwater Sampling Data

MW #	Well Survey Elevation	Well Size	Metal or PVC	TPVC (in ft) (Top of PVC)	TOC (in ft) (Top of Casing)	BPVC (in ft) (Bottom of PVC)	BOC (in ft) (Bottom of Casing)	Water Quality Parameters				
								Sampling Time	pH (SU)	Conductivity (mS/cm ²)	Temp. (oC)	ORP (mv)
1S		2"	PVC	2.91	3.19	19.17	19.44	1246	6.72	197	13.0	-12.2
1D		2"	PVC	3.58	3.83	65.52	65.78	1220	7.52	777	13.6	-54.0
2S		2"	PVC	2.25	2.59	16.30	16.65	1115	7.21	668	11.9	-34.9
2D		2"	PVC	1.89	2.17	68.06	68.34	1110	7.15	720	11.6	-30.7
3S		2"	PVC	3.07	3.40	21.08	21.41	1015	6.31	718	11.0	6.2
3D		2"	PVC	3.40	3.62	31.31	31.52	1010	6.62	884	10.6	5.5

ID	Elevation	Size	Type	TPVC	TOC	BPVC	BOC	ELEVATION
14D	16.75	2"	Metal	2.31	2.71	79.05	79.45	14.04 13.00 13.18
14S	16.52	2"	Metal	3.45	3.52	15.30	15.24	
14M	16.80	2"	Metal	3.62	3.62	30.05	30.22	
15D	19.17	2"	Metal	3.30	3.88	38.25	38.83	15.29
4D	18.47	2"	PVC	2.35	3.05	16.87	17.84	15.42
4S	17.57	2"	PVC	1.65	2.05	12.47	12.73	15.52
4M	20.49		Metal	3.45	4.25	18.49	19.27	16.24
9D	32.08	4"	Metal	12.22	12.98	69.41	70.18	19.10
9S	32.42	2"	Metal	11.15	11.31	18.49	18.69	21.11
#1		2"	PVC	4.48	4.64	15.27	15.42	
#2		2"	PVC	3.53	3.70	14.63	14.81	
#3		2"	PVC	3.37	3.48	10.27	10.37	
B-1		14"	Metal	-	4.61	-	16.55	
B-2		4"	PVC					Could not open

*PVC 0.07 ABOVE TOC



FIELD SAMPLING DATA SHEET



sample ID **MW-1S** sample date/time 2/20/2012 @ 1246
 (lab) sample number **MW-1S** field personnel Brian Nichols
 project Mamaroneck #
 project number 14-PSA-001 observer #
 weather conditions(estimate wind,cloud,precip,humidity,temp)
Sunny 43 degrees #

SAMPLE TYPE #

<input type="checkbox"/> composite	<input checked="" type="checkbox"/> grab	<input type="checkbox"/> soil	<input type="checkbox"/> sediment
<input checked="" type="checkbox"/> groundwater	<input type="checkbox"/> surface water	<input type="checkbox"/> storm sewer	<input type="checkbox"/> gas
<input type="checkbox"/> leachate	<input type="checkbox"/> industrial		
<input type="checkbox"/> other			

MONITORING WELL DATA

casing diameter <u>2"</u>	<input checked="" type="checkbox"/> PVC	<input type="checkbox"/> steel	<input type="checkbox"/> other
static water level (ft) <u>3.19</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing (Height - 2.64')	
bottom depth (ft) <u>19.44</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing	
static water level indicator type	<input type="checkbox"/> steel tape	<input checked="" type="checkbox"/> electronic	<input type="checkbox"/> other
linear conversion <u>0.16</u>	water volume in well <u>2.60</u> gallons		
well condition <u>New</u>	X's 3 well volumes	<u>7.80</u> gallons	

MONITORING WELL PURGE DATA

<input checked="" type="checkbox"/> submersible pump	<input type="checkbox"/> PVC bailer	<input type="checkbox"/> suction pump	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> poly bailer	<input type="checkbox"/> poly cup	<input type="checkbox"/> other	
dedicated purge equipment ? <input type="checkbox"/> yes		<input checked="" type="checkbox"/> no	
time purge began <u>1218</u>	pumping rate <u>2.2222</u> gallons per minute		
time purge complete <u>1236</u>	number of bails		
elapsed time <u>18</u> minutes	well volumes purged <u>15.38</u>		
volume purged <u>40</u> gallons	well evacuated ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no	

SAMPLING DATA

<input type="checkbox"/> pump	<input type="checkbox"/> PVC bailer	<input checked="" type="checkbox"/> poly bailer	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> stainless bucket	<input type="checkbox"/> poly cup	<input type="checkbox"/> ttedlar bag	<input type="checkbox"/> direct
<input type="checkbox"/> hand corer	<input type="checkbox"/> hand auger	<input type="checkbox"/> stainless spoon	<input type="checkbox"/> split spoon
<input type="checkbox"/> other			
dedicated sampling equipment ? <input checked="" type="checkbox"/> yes	<input type="checkbox"/> no		
metals field filtered ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no		
depth of sample <u>~ 5 feet</u>			
sample containers <u>1 Plastic / 2 Voa's</u>			

PHYSICAL AND CHEMICAL DATA

odor ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
sediment ? <input type="checkbox"/> no	<input checked="" type="checkbox"/> yes	Black Particles	
color ? <input type="checkbox"/> no	<input checked="" type="checkbox"/> yes	Grey	
<input type="checkbox"/> clear	<input checked="" type="checkbox"/> turbid	<input type="checkbox"/> sheen	<input type="checkbox"/> immiscible product
<input type="checkbox"/> other			
pH (SU) <u>6.72</u>	temp (°C) <u>13</u>	cond (mS/cm ²) <u>197</u>	
ORP (mv) <u>-12.2</u>	turbidity (NTUs) <u>673</u>		
comments/remarks <u>Turbid, black particles, no odors.</u>			

Well re-development notes:



FIELD SAMPLING DATA SHEET



sample ID **MW-1D** sample date/time 2/20/2012 @ 1220
 (lab) sample number **MW-1D** field personnel Brian Nichols
 project Mamaroneck #
 project number 14-PSA-001 observer #
 weather conditions(estimate wind,cloud,precip,humidity,temp)
Sunny 43 degrees #

SAMPLE TYPE #

<input type="checkbox"/> composite	<input checked="" type="checkbox"/> grab	<input type="checkbox"/> soil	<input type="checkbox"/> sediment
<input checked="" type="checkbox"/> groundwater	<input type="checkbox"/> surface water	<input type="checkbox"/> storm sewer	<input type="checkbox"/> gas
<input type="checkbox"/> leachate	<input type="checkbox"/> industrial		
<input type="checkbox"/> other			

MONITORING WELL DATA

casing diameter <u>2"</u>	<input checked="" type="checkbox"/> PVC	<input type="checkbox"/> steel	<input type="checkbox"/> other
static water level (ft) <u>3.83</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing (Height - 2.64')	
bottom depth (ft) <u>65.78</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing	
static water level indicator type	<input type="checkbox"/> steel tape	<input checked="" type="checkbox"/> electronic	<input type="checkbox"/> other
linear conversion <u>0.16</u>	water volume in well <u>9.91</u> gallons		
well condition <u>New</u>	X's 3 well volumes <u>29.74</u> gallons		

MONITORING WELL PURGE DATA

<input checked="" type="checkbox"/> submersible pump	<input type="checkbox"/> PVC bailer	<input type="checkbox"/> suction pump	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> poly bailer	<input type="checkbox"/> poly cup	<input type="checkbox"/> other	
dedicated purge equipment ? <input type="checkbox"/> yes		<input checked="" type="checkbox"/> no	
time purge began <u>1150</u>	pumping rate <u>1.00</u> gallons per minute		
time purge complete <u>1210</u>	number of bails		
elapsed time <u>30</u> minutes	well volumes purged <u>3.03</u>		
volume purged <u>30</u> gallons	well evacuated ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no	

SAMPLING DATA

<input type="checkbox"/> pump	<input type="checkbox"/> PVC bailer	<input checked="" type="checkbox"/> poly bailer	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> stainless bucket	<input type="checkbox"/> poly cup	<input type="checkbox"/> ttedlar bag	<input type="checkbox"/> direct
<input type="checkbox"/> hand corer	<input type="checkbox"/> hand auger	<input type="checkbox"/> stainless spoon	<input type="checkbox"/> split spoon
<input type="checkbox"/> other			
dedicated sampling equipment ? <input checked="" type="checkbox"/> yes	<input type="checkbox"/> no		
metals field filtered ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no		
depth of sample <u>~ 5 feet</u>			
sample containers <u>1 Plastic / 2 Voa's</u>			

PHYSICAL AND CHEMICAL DATA

odor ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
sediment ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
color ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
<input checked="" type="checkbox"/> clear	<input type="checkbox"/> turbid	<input type="checkbox"/> sheen	<input type="checkbox"/> immiscible product
<input type="checkbox"/> other			
pH (SU) <u>7.52</u>	temp (°C) <u>13.6</u>	cond (mS/cm ²) <u>777</u>	
ORP (mv) <u>-54.0</u>	turbidity (NTUs) <u>6</u>		
comments/remarks <u>Clear, no odors.</u>			

Well re-development notes:



FIELD SAMPLING DATA SHEET



sample ID MW-2S sample date/time 2/20/2012 @ 1115
 (lab) sample number MW-2S field personnel Brian Nichols
 project Mamaroneck #
 project number 14-PSA-001 observer #
 weather conditions(estimate wind,cloud,precip,humidity,temp)
Sunny 43 degrees #

SAMPLE TYPE #			
<input type="checkbox"/> composite	<input checked="" type="checkbox"/> grab	<input type="checkbox"/> soil	<input type="checkbox"/> sediment
<input checked="" type="checkbox"/> groundwater	<input type="checkbox"/> surface water	<input type="checkbox"/> storm sewer	<input type="checkbox"/> gas
<input type="checkbox"/> leachate	<input type="checkbox"/> industrial		
<input type="checkbox"/> other			

MONITORING WELL DATA			
casing diameter <u>2"</u>	<input checked="" type="checkbox"/> PVC	<input type="checkbox"/> steel	<input type="checkbox"/> other
static water level (ft) <u>2.59</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing (Height - 2.64")	
bottom depth (ft) <u>16.65</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing	
static water level indicator type	<input type="checkbox"/> steel tape	<input checked="" type="checkbox"/> electronic	<input type="checkbox"/> other
linear conversion <u>0.16</u>	water volume in well <u>2.25</u> gallons		
well condition <u>New</u>	X's 3 well volumes	<u>6.75</u>	gallons

MONITORING WELL PURGE DATA			
<input checked="" type="checkbox"/> submersible pump	<input type="checkbox"/> PVC bailer	<input type="checkbox"/> suction pump	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> poly bailer	<input type="checkbox"/> poly cup	<input type="checkbox"/> other	
dedicated purge equipment ? <input type="checkbox"/> yes		<input checked="" type="checkbox"/> no	
time purge began <u>1050</u>	pumping rate <u>2.00</u> gallons per minute		
time purge complete <u>1105</u>	number of bails		
elapsed time <u>15</u> minutes	well volumes purged <u>13.33</u>		
volume purged <u>30</u> gallons	well evacuated ? <input type="checkbox"/> yes <input checked="" type="checkbox"/> no		

SAMPLING DATA			
<input type="checkbox"/> pump	<input type="checkbox"/> PVC bailer	<input checked="" type="checkbox"/> poly bailer	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> stainless bucket	<input type="checkbox"/> poly cup	<input type="checkbox"/> ttedlar bag	<input type="checkbox"/> direct
<input type="checkbox"/> hand corer	<input type="checkbox"/> hand auger	<input type="checkbox"/> stainless spoon	<input type="checkbox"/> split spoon
<input type="checkbox"/> other			
dedicated sampling equipment ? <input checked="" type="checkbox"/> yes	<input type="checkbox"/> no		
metals field filtered ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no		
depth of sample <u>~ 5 feet</u>			
sample containers <u>1 Plastic / 2 Voa's</u>			

PHYSICAL AND CHEMICAL DATA			
odor ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
sediment ? <input type="checkbox"/> no	<input checked="" type="checkbox"/> yes	<u>Small Black Particles</u>	
color ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
<input type="checkbox"/> clear	<input type="checkbox"/> turbid	<input type="checkbox"/> sheen	<input type="checkbox"/> immiscible product
<input checked="" type="checkbox"/> other	<u>Slightly turbid</u>		
pH (SU) <u>7.21</u>	temp (°C) <u>11.9</u>	cond (mS/cm ²) <u>668</u>	
ORP (mv) <u>-34.9</u>	turbidity (NTUs) <u>3</u>		
comments/remarks <u>Slightly turbid with some small black particles, no odors.</u>			

Well re-development notes:



FIELD SAMPLING DATA SHEET



sample ID **MW-2D** sample date/time 2/20/2012 @ 1110
 (lab) sample number MW-2D field personnel Brian Nichols
 project Mamaroneck #
 project number 14-PSA-001 observer #
 weather conditions(estimate wind,cloud,precip,humidity,temp)
Sunny 43 degrees #

SAMPLE TYPE #

<input type="checkbox"/> composite	<input checked="" type="checkbox"/> grab	<input type="checkbox"/> soil	<input type="checkbox"/> sediment
<input checked="" type="checkbox"/> groundwater	<input type="checkbox"/> surface water	<input type="checkbox"/> storm sewer	<input type="checkbox"/> gas
<input type="checkbox"/> leachate	<input type="checkbox"/> industrial		
<input type="checkbox"/> other			

MONITORING WELL DATA

casing diameter <u>2"</u>	<input checked="" type="checkbox"/> PVC	<input type="checkbox"/> steel	<input type="checkbox"/> other
static water level (ft) <u>2.17</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing (Height - 2.64')	
bottom depth (ft) <u>68.34</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing	
static water level indicator type	<input type="checkbox"/> steel tape	<input checked="" type="checkbox"/> electronic	<input type="checkbox"/> other
linear conversion <u>0.16</u>	water volume in well <u>10.59</u> gallons		
well condition <u>New</u>	X's 3 well volumes	<u>31.76</u> gallons	

MONITORING WELL PURGE DATA

<input checked="" type="checkbox"/> submersible pump	<input type="checkbox"/> PVC bailer	<input type="checkbox"/> suction pump	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> poly bailer	<input type="checkbox"/> poly cup	<input type="checkbox"/> other	
dedicated purge equipment ? <input type="checkbox"/> yes		<input checked="" type="checkbox"/> no	
time purge began <u>1030</u>	pumping rate <u>2.6666</u> gallons per minute		
time purge complete <u>1045</u>	number of bails		
elapsed time <u>15</u> minutes	well volumes purged <u>3.77</u>		
volume purged <u>40</u> gallons	well evacuated ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no	

SAMPLING DATA

<input type="checkbox"/> pump	<input type="checkbox"/> PVC bailer	<input checked="" type="checkbox"/> poly bailer	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> stainless bucket	<input type="checkbox"/> poly cup	<input type="checkbox"/> ttedlar bag	<input type="checkbox"/> direct
<input type="checkbox"/> hand corer	<input type="checkbox"/> hand auger	<input type="checkbox"/> stainless spoon	<input type="checkbox"/> split spoon
<input type="checkbox"/> other			
dedicated sampling equipment ? <input checked="" type="checkbox"/> yes	<input type="checkbox"/> no		
metals field filtered ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no		
depth of sample <u>~ 5 feet</u>			
sample containers <u>1 Plastic / 2 Voa's</u>			

PHYSICAL AND CHEMICAL DATA

odor ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
sediment ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
color ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
<input checked="" type="checkbox"/> clear	<input type="checkbox"/> turbid	<input type="checkbox"/> sheen	<input type="checkbox"/> immiscible product
<input type="checkbox"/> other			
pH (SU) <u>7.15</u>	temp (°C) <u>11.6</u>	cond (mS/cm ²) <u>720</u>	
ORP (mv) <u>-30.7</u>	turbidity (NTUs) <u>1</u>		
comments/remarks <u>Clear, no odors.</u>			

Well re-development notes:



FIELD SAMPLING DATA SHEET



sample ID MW-3S sample date/time 2/20/2012 @ 1015
 (lab) sample number MW-3S field personnel Brian Nichols
 project Mamaroneck #
 project number 14-PSA-001 observer #
 weather conditions(estimate wind,cloud,precip,humidity,temp)
Sunny 43 degrees #

SAMPLE TYPE #

<input type="checkbox"/> composite	<input checked="" type="checkbox"/> grab	<input type="checkbox"/> soil	<input type="checkbox"/> sediment
<input checked="" type="checkbox"/> groundwater	<input type="checkbox"/> surface water	<input type="checkbox"/> storm sewer	<input type="checkbox"/> gas
<input type="checkbox"/> leachate	<input type="checkbox"/> industrial		
<input type="checkbox"/> other			

MONITORING WELL DATA

casing diameter <u>2"</u>	<input checked="" type="checkbox"/> PVC	<input type="checkbox"/> steel	<input type="checkbox"/> other
static water level (ft) <u>3.40</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing (Height - 2.64')	
bottom depth (ft) <u>21.41</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing	
static water level indicator type	<input type="checkbox"/> steel tape	<input checked="" type="checkbox"/> electronic	<input type="checkbox"/> other
linear conversion <u>0.16</u>	water volume in well <u>2.88</u> gallons		
well condition <u>New</u>	X's 3 well volumes	<u>8.64</u> gallons	

MONITORING WELL PURGE DATA

<input checked="" type="checkbox"/> submersible pump	<input type="checkbox"/> PVC bailer	<input type="checkbox"/> suction pump	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> poly bailer	<input type="checkbox"/> poly cup	<input type="checkbox"/> other	
dedicated purge equipment ? <input type="checkbox"/> yes		<input checked="" type="checkbox"/> no	
time purge began <u>944</u>	pumping rate <u>1.8421</u> gallons per minute		
time purge complete <u>1003</u>	number of bails		
elapsed time <u>19</u> minutes	well volumes purged <u>12.15</u>		
volume purged <u>35</u> gallons	well evacuated ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no	

SAMPLING DATA

<input type="checkbox"/> pump	<input type="checkbox"/> PVC bailer	<input checked="" type="checkbox"/> poly bailer	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> stainless bucket	<input type="checkbox"/> poly cup	<input type="checkbox"/> teflar bag	<input type="checkbox"/> direct
<input type="checkbox"/> hand corer	<input type="checkbox"/> hand auger	<input type="checkbox"/> stainless spoon	<input type="checkbox"/> split spoon
<input type="checkbox"/> other			
dedicated sampling equipment ? <input checked="" type="checkbox"/> yes	<input type="checkbox"/> no		
metals field filtered ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no		
depth of sample <u>~ 5 feet</u>			
sample containers <u>1 Plastic / 2 Voa's</u>			

PHYSICAL AND CHEMICAL DATA

odor ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
sediment ? <input type="checkbox"/> no	<input checked="" type="checkbox"/> yes	Small Orange Particles	
color ? <input type="checkbox"/> no	<input checked="" type="checkbox"/> yes	Orange tint	
<input checked="" type="checkbox"/> clear	<input type="checkbox"/> turbid	<input type="checkbox"/> sheen	<input type="checkbox"/> immiscible product
<input checked="" type="checkbox"/> other	<u>Slightly turbid</u>		
pH (SU) <u>6.31</u>	temp (°C) <u>11</u>	cond (mS/cm ²) <u>718</u>	
ORP (mv) <u>6.2</u>	turbidity (NTUs) <u>17</u>		
comments/remarks <u>Slightly turbid, some small orange particles, no odors.</u>			

Well re-development notes:



FIELD SAMPLING DATA SHEET



sample ID **MW-3D** sample date/time 2/20/2012 @ 1010
 (lab) sample number **MW-3D** field personnel Brian Nichols
 project Mamaroneck #
 project number 14-PSA-001 observer #
 weather conditions(estimate wind,cloud,precip,humidity,temp)
Sunny 43 degrees #

SAMPLE TYPE #

<input type="checkbox"/> composite	<input checked="" type="checkbox"/> grab	<input type="checkbox"/> soil	<input type="checkbox"/> sediment
<input checked="" type="checkbox"/> groundwater	<input type="checkbox"/> surface water	<input type="checkbox"/> storm sewer	<input type="checkbox"/> gas
<input type="checkbox"/> leachate	<input type="checkbox"/> industrial		
<input type="checkbox"/> other			

MONITORING WELL DATA

casing diameter <u>2"</u>	<input checked="" type="checkbox"/> PVC	<input type="checkbox"/> steel	<input type="checkbox"/> other
static water level (ft) <u>3.62</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing (Height - 2.64')	
bottom depth (ft) <u>31.52</u>	from <input type="checkbox"/> well casing	from <input checked="" type="checkbox"/> protective casing	
static water level indicator type	<input type="checkbox"/> steel tape	<input checked="" type="checkbox"/> electronic	<input type="checkbox"/> other
linear conversion <u>0.16</u>	water volume in well <u>4.46</u> gallons		
well condition <u>New</u>	X's 3 well volumes	<u>13.39</u> gallons	

MONITORING WELL PURGE DATA

<input checked="" type="checkbox"/> submersible pump	<input type="checkbox"/> PVC bailer	<input type="checkbox"/> suction pump	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> poly bailer	<input type="checkbox"/> poly cup	<input type="checkbox"/> other	
dedicated purge equipment ? <input type="checkbox"/> yes		<input checked="" type="checkbox"/> no	
time purge began <u>915</u>	pumping rate <u>1.5</u> gallons per minute		
time purge complete <u>935</u>	number of bails		
elapsed time <u>20</u> minutes	well volumes purged <u>6.73</u>		
volume purged <u>30</u> gallons	well evacuated ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no	

SAMPLING DATA

<input type="checkbox"/> pump	<input type="checkbox"/> PVC bailer	<input checked="" type="checkbox"/> poly bailer	<input type="checkbox"/> teflon bailer
<input type="checkbox"/> stainless bucket	<input type="checkbox"/> poly cup	<input type="checkbox"/> ttedlar bag	<input type="checkbox"/> direct
<input type="checkbox"/> hand corer	<input type="checkbox"/> hand auger	<input type="checkbox"/> stainless spoon	<input type="checkbox"/> split spoon
<input type="checkbox"/> other			
dedicated sampling equipment ? <input checked="" type="checkbox"/> yes	<input type="checkbox"/> no		
metals field filtered ? <input type="checkbox"/> yes	<input checked="" type="checkbox"/> no		
depth of sample <u>~ 5 feet</u>			
sample containers <u>1 Plastic / 2 Voa's</u>			


PHYSICAL AND CHEMICAL DATA

odor ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
sediment ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
color ? <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes		
<input type="checkbox"/> clear	<input type="checkbox"/> turbid	<input type="checkbox"/> sheen	<input type="checkbox"/> immiscible product
<input checked="" type="checkbox"/> other	<u>Slightly turbid</u>		
pH (SU) <u>6.62</u>	temp (°C) <u>10.6</u>	cond (mS/cm ²) <u>884</u>	
ORP (mv) <u>5.5</u>	turbidity (NTUs) <u>12</u>		
comments/remarks <u>Slightly turbid, no odors.</u>			

Well re-development notes:

Attachment 5

Drawing No. 1



LEGEND:

- SMH = SANITARY SEWER MANHOLE
- CB = CATCH BASIN
- FI = FLAT GRATE
- RCP = REINFORCED CONCRETE PIPE
- ACP = ASBESTOS CEMENT PIPE
- CMP = CORRUGATED METAL PIPE
- VCP = VITRIFIED CLAY PIPE
- SP = STEEL PIPE
- MW = MONITORING WELL
- S.W. = STONE WALL
- U.P. = UTILITY POLE
- P.L. = PROPERTY LINE
- 15 = SHALLOW GROUNDWATER CONTOUR
- GAS VENTING PIPE
- CONTOUR
- LIMIT OF FINAL COVER
- ◆ = GAS VENT
- ◆ = MONITORING WELL ABANDONED (TYP)
- = BAR HOLE PUNCH (TYP)
- = FENCE AROUND GAS/MONITORING WELL (TYP)
- = FINAL COVER AREA
- WALK TRAIL

- NOTES:**
1. NORTH REFERENCE IS BASED ON FILE MAP #3107.
 2. BOUNDARY INFORMATION SHOWN HEREON IS AS TAKEN FROM A FIELD SURVEY PERFORMED BY WEHRAN ENGINEERING IN APRIL OF 1994.
 3. TOPOGRAPHIC INFORMATION SHOWN HEREON IS BASED UPON A GRID SURVEY PERFORMED BY CONTRACTOR'S GRADE SOUTH OF BEDFORD HILLS NEW YORK, DATED OCT. 24, 1995 (REVISED MAY 6, 1996).
 4. VERTICAL DATUM BASED ON U.S.G.S. MEAN SEA LEVEL DATUM OF 1929.
 5. EASEMENTS OR RIGHT-OF-WAYS ON, OR UNDER THE LANDS, AND NOT VISIBLE, ARE NOT SHOWN.
 6. GRID COORDINATES SHOWN HEREON ARE BASED UPON NEW YORK STATE PLANE COORDINATE SYSTEM.
 7. FINAL COVER DRAINAGE PIPES LIE ALONG THE SAME ALIGNMENT AS THE TRIANGULAR DRAINAGE CHANNELS.
 8. DRAINAGE INFORMATION FOR WEINSTEIN PROPERTY OBTAINED FROM OWNER AND FIELD VERIFIED BY MEASUREMENTS FROM EXISTING FEATURES.

- MAP REFERENCE:**
1. "REVISED MAP OF FIRST ADDITION TO GREENHAVEN", AS FILED ON 2/5/27, IN WESTCHESTER COUNTY CLERK'S OFFICE AS MAP #3107.
 2. "MAP #4204", AS FILED ON 11/16/35, IN WESTCHESTER COUNTY CLERK'S OFFICE.

This drawing represents intellectual property of Zion Environmental, LLC of New York. Any modifications to the original by other than Zion Environmental, LLC of New York personnel, violates its original purpose and as such is rendered void. Zion Environmental, LLC of New York will not be held liable for any changes made to this document without express written consent of the originator. The main purpose of this document is to show groundwater flow contours within Taylor's Lane Compost Site only. This document should not be used for actual utility mark up locations. Consult your local utility companies for this information.

1	3/26/11	ADDED CONTOURS AND NEW BORDER	BN	BN	TP	AC
REV	DATE	DESCRIPTION	DWN BY	DES BY	CHK BY	APP BY
	3/27/2011					



VILLAGE OF MAMARONECK
TAYLOR'S LANE COMPOST SITE
TOWN OF RYE, WESTCHESTER, NEW YORK
SITE MAP WITH
SHALLOW GROUNDWATER FLOW CONTOURS
FEBRUARY 20, 2012

DRAWING NO.
1
PROJECT NO.
14-PSA-001