

January 19, 2009

Mr. Kevin Gregory
Acting Director, Consultant Management Bureau
NYS Dept. of Transportation
POD # 33
50 Wolf Road
Albany, NY 12232

Attention: Mr. Anjan Sen, P.E.


**Re: PIN 8807.31.101, Harrison Spill Site (NYSDEC #94-07349)
Harrison Sub-Residency, Westchester County, New York
Fifth Quarter Sampling Results, October 2008**

Dear Mr. Sen:

The following letter report summarizes the field investigative procedures and results of the sampling, conducted every fifth quarter, by HDR to assist the New York State Department of Transportation (NYSDOT) at the above referenced site (Figure 1). The sampling was conducted in accordance with our October 15, 2008 approved scope, which was developed in accordance with the *Operation and Maintenance Plan for the Harrison Sub-Residency, Landfill and Petroleum Spill Area, April 2008*. The spill (#94-07349) associated with this site was closed by the New York State Department of Environmental Conservation (NYSDEC) on October 10, 2002 when the air sparge/soil vapor extraction (AS/SVE) system was shut down. The AS/SVE system was in operation for a total of two years.


Field Investigative Procedures

Prior to commencement of sampling, a round of static water level measurements and total depth measurements were collected from all monitoring wells and field instrumentation were calibrated according to the respective manufacturer's standards. A number of the monitoring wells initially included in the sampling program were decommissioned by NYSDOT in May and June 2008 and two new wells (MW-12 and MW-13) were installed (in June 2008) and developed (in August 2008) by NYSDOT. The following wells, listed below, were proposed for sampling during the October 2008 sampling event and are shown on Figure 2 (Note that MW-1 is located upgradient of the petroleum plume and the remaining wells are located down/sidegradient of the plume.):



Name: GLENVILLE
Date: 1/23/2008
Scale: 1 inch equals 2000 feet

Location: 041° 04' 00.92" N 073° 42' 27.38" W NAD 27
Caption: Figure 1 - Site Location
Harrison Subresidency Site



LEGEND

● Monitoring well location

NOTE:

Monitoring Well PC-1 is located north of the site within the Landfill Area

Source: NYSDOT

0 60 ft
 APPROX. SCALE (ft)

\\MIGraphics\\HarrisonGarageFigure_Rev15Dec08.des



Henningson, Durham & Richardson
 Architecture and Engineering, P.C.
 One Blue Hill Plaza
 Pearl River, NY 10965

Spill Site Monitoring Well Locations

NYSDOT • Harrison, NY

Figure
 2

MW-1, MW-11, GP-1, GP-2, PC-1, MW-12 and MW-13

Upon commencement of groundwater sampling activities at the site, it was found that GP-1 and GP-2 were dry and therefore samples could not be collected from these locations. In addition, MW-13 contained insufficient volume and therefore only a subset of the total parameters to be analyzed could be collected. Each of the remaining wells were purged of three well volumes or until dryness using a Whale pump equipped with a Rheostat (for adjustable flow), in-line flow cell, and dedicated tubing, where possible. For those wells with insufficient volume, a dedicated bailer was used for purging. Field parameters of temperature, turbidity, dissolved oxygen (DO), pH, specific conductivity, and oxidation-reduction potential (Eh) were collected during purging and at the start of sampling at each well. The monitoring wells were sampled once they recovered to approximately 75% of their initial volume or within 2 hours, whichever came first. Groundwater samples were collected for contract laboratory analysis from each location using a dedicated bailer. Samples were transferred to clean, pre-preserved laboratory-supplied containers for analysis of BTEX (benzene, toluene, ethylbenzene and total xylenes) plus MTBE (methyl tertiary butyl ether), and the natural attenuation parameters: iron (dissolved, Fe-II), manganese (dissolved, Mn-II), bicarbonate alkalinity (as HCO_3), alkalinity (total), nitrate (NO_3), and sulfate (SO_4). Metals samples were filtered and preserved upon receipt at the laboratory. Due to insufficient volume, a sample for metals could not be collected from MW-13.

Results

Groundwater sampling results are summarized on Table 1. The results were compared to the New York State Department of Environmental Conservation (NYSDEC) Class GA standards or guidance values (GV). As mentioned above, many of the wells initially included in this sampling program have been removed. Additionally one well (MW-11) was installed in February 2006; therefore, only two rounds of historic data exist for this location. MW-12 and MW-13 are new to the sampling program this year and piezometers GP-1 and GP-2 were dry during the current sampling event and therefore samples were not collected from them. The data summarized in Table 1 includes results from the most recent sampling event only. A figure of the historic well locations and related data are included in Attachment A. Well sampling information is included on the sampling logs in Attachment B. Laboratory data packages associated with the October 2008 sampling are included as Attachment C. (Note that the Harrison Sub-Residency spill site was sampled concurrently with the landfill area; therefore, the data packages include results from both sample sites.)

As noted above and as pertains to the discussion of results, MW-1 is located upgradient of the plume and the remaining wells are located downgradient or sidegradient of the plume.

TABLE 1
GROUNDWATER DATA SUMMARY
Fifth Quarter Sampling - Harrison Spill Site
October 2008

PARAMETER	Upgradient MW-1 10/27/2008	Downgradient/Sidegradient*				TB 10/27/2008	TB-02 10/29/2008	NYSDEC Class GA Standards (a)
		MW-11 10/27/2008	MW-12 10/27/2008	MW-13** 10/29/2008	PC-1 10/29/2008			
Volatile Organic Compounds (ug/l)								
Benzene	ND	0.88	ND	ND	ND	ND	ND	1
Ethylbenzene	ND	13	23	ND	ND	ND	ND	5
Toluene	ND	1	ND	ND	ND	ND	ND	5
m&p-Xylenes	ND	3.8	ND	ND	ND	ND	ND	5
o-Xylenes	ND	1.6	ND	ND	ND	ND	ND	5
Total BTEX	ND	20.28	23	ND	ND	ND	ND	100
Methyl tert butyl ether (MTBE)	ND	ND	ND	ND	ND	ND	ND	50 GV
Filtered Metals (ug/l)								
Iron	ND	ND	650	♦**	ND	♦	♦	300
Manganese	27	660	11,000	♦**	1.6	♦	♦	300
Natural Attenuation Parameters (mg/l)								
Total Alkalinity	26	350	290	230	160	♦	♦	NS
Bicarbonate Alkalinity	26	350	290	230	160	♦	♦	NS
Nitrate	2.5	ND	ND	0.46	ND	♦	♦	10
Sulfate	17	19	5.6	13	34	♦	♦	250
Field Parameters								
Temperature (°C)	14.9	15.3	15.6	17.2	9.7	♦	♦	NS
pH	6	8.8	9.3	8.8	6.2	♦	♦	NS
Specific conductivity (mS)	0.197	0.992	1.205	0.92	0.404	♦	♦	NS
Oxidation-Reduction Potential (mV)	75	70	9.9	88	65	♦	♦	NS
Dissolved Oxygen (mg/l)	5.1	3.3	1.1	1.8	4.1	♦	♦	NS
Turbidity (NTUs)	19	341	115	200	60	♦	♦	NS

GV - Guidance value.

♦ - Not analyzed.

NS - No standard.

ND - Not detected.

Notes:

*Piezometers GP-1 and GP-2 were dry and therefore were not sampled.

**Well MW-13 contained insufficient volume therefore metals could not be sampled.

Wells MW-12 and MW-13 are new wells to the sampling program; historical data pertaining to the remaining three wells are included in Attach A.

Of the monitoring wells sampled, BTEX compounds were detected in the sample collected at MW-11 at concentrations of 0.88, 13, 1, 5.4 ug/l for benzene, toluene, ethylbenzene and xylenes, respectively, for a total BTEX concentration of 20.28 ug/l. Ethylbenzene only was detected in the sample collected from MW-12 at a concentration of 23 ug/l. Ethylbenzene concentrations at both of these wells exceed the Class GA standard of 5 ug/l. BTEX compounds were not detected at the remaining wells. MTBE was not detected in any of the wells sampled.

Dissolved iron and manganese were detected in one or more of the wells sampled. Dissolved iron was detected in the sample collected from MW-12 at a concentration of 650 ug/l. Dissolved manganese was detected in all of the wells sampled; concentrations detected at MW-11 and MW-12 were greater than the Class GA standard of 300 ug/l. (Note that as mentioned above a sample for dissolved metals could not be collected from MW-13 due to insufficient volume.)

Total alkalinity and bicarbonate alkalinity results were the same at each of the wells; the concentration at MW-1 was 26 mg/l and the concentrations at the remaining wells ranged from 160 to 350 mg/l. Nitrate was detected at MW-1 and MW-13 at concentrations of 2.5 and 0.46 mg/l, respectively. Sulfate was detected in the samples collected from all of the wells at concentrations ranging from 5.6 to 34 mg/l. Field parameters are discussed below in relation to the results and assessing the natural attenuation trends.

Discussion


As seen in the past, BTEX results obtained from the upgradient well, MW-1, and the downgradient well, PC-1, are non detect at the respective analytical reporting limits. Concentrations of BTEX compounds at MW-11 are comparable to what has been observed over the last two monitoring events. Since only three sets of data exist for this well, it is difficult to determine whether any significant trends exist at this time; however, the results appear to be stable and are not increasing. As mentioned previously, monitoring wells MW-12 and MW-13 were new to the sampling program for the October event. A relatively high concentration of ethylbenzene was obtained from the sample collected at MW-12; the remaining BTEX compounds were not detected at the respective analytical reporting limits at MW-12 and MW-13. MTBE was not detected at any of the wells.

Results obtained from the natural attenuation parameters analyzed suggest that natural biodegradation is occurring. Geochemical trends can be assessed based on the levels of electron acceptors (i.e., dissolved oxygen, nitrate, and sulfate), metabolic byproducts (dissolved

iron and dissolved manganese), and alkalinity. - Overall dissolved oxygen and oxidation-reduction potential levels indicate aerobic conditions; therefore, aerobic respiration is likely the dominant process in the natural biodegradation of the petroleum plume. The site upgradient well is characterized by somewhat higher concentrations of dissolved oxygen and nitrate and lower concentrations of dissolved iron, dissolved manganese, and alkalinity than the wells located just outside/downgradient of the initial plume. Sulfate levels were generally the same between the upgradient well and downgradient wells; therefore, sulfate reduction is not playing a role in the degradation process.

If you have any questions or need additional information, please do not hesitate to contact me.

Very truly yours,
Henningson, Durham & Richardson
Architecture and Engineering, P.C.
in association with HDR Engineering Inc.



Melissa E. LaMacchia
Project Manager

cc: J. Hewitt, NYSDOT ESB
G. Fitzgerald, NYSDOT Region 8

Attachments

ATTACHMENT A
HISTORICAL DATA SUMMARY



0 APPROX. SCALE (ft) 60 ft

Source: NYSDOT

M:\Graphics\HarrisonGarageAttachA_PetrolSpillAreaInspectFeats.des



Henningson, Durham & Richardson
Architecture and Engineering, P.C.
One Blue Hill Plaza
Pearl River, NY 10965

Petroleum Spill Area Historic Well Locations

NYSDOT • Harrison, NY

Attachment
A

ATTACHMENT A
MONITORING WELL HISTORICAL DATA SUMMARY
May 2000 to July 2007
(Page 1 of 9)
Harrison Subresidency Spill Site

WELL ID: MW 1	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	ND	54	ND	ND	ND	ND	ND	ND	ND	50
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
Ethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
m,p-Xylene	ND	ND	-	-	ND	ND	ND	ND	ND	-
O-Xylene	ND	ND	-	-	ND	ND	ND	ND	ND	-
Xylenes (total)	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
TOTAL BTEX	ND	ND	ND	ND	ND	ND	ND	ND	ND	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			ND	♦	♦	♦	♦	♦	♦	50
Naphthalene			ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	7,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	27,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	ND	♦	207	3,760	264	♦	♦	5810	4840	300
Iron (dissolved)	ND	♦	ND	298	35	85.1 B	56.5 B	58 B	96.1 B	300
Lead	ND	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	4,100	♦	11,000	3,000	7,700	6,200	6,800	6,200	6,900	10,000
Sulfate (ug/L)	15,000	♦	13,000	17,000	15,000	17,000	14,000	17,000	13,000	250,000
TOC (ug/L)	4,000	♦	9,000	8,000	ND	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	97,400	♦	59,000	42,000	30,000	16,000	45,000 H	56,000	73,000	N/A
Dissolved Oxygen (mg/L)	3.6	1.97	6.42	8.3	2.5	3.89	4.2	5.9	7.36	N/A

WELL ID: MW 2	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	5.5	15	ND	ND	ND	ND	ND	ND	ND	50
Benzene	2.1	ND	ND	ND	ND	ND	ND	ND	ND	-
Toluene	8.0	2	ND	ND	ND	ND	ND	ND	ND	-
Ethylbenzene	2.7	ND	ND	ND	ND	ND	ND	ND	ND	-
m,p-Xylene	ND	-	-	-	ND	ND	ND	ND	ND	-
O-Xylene	3.8	-	-	-	ND	ND	ND	ND	ND	-
Xylenes (total)	3.8	2	ND	ND	ND	ND	ND	ND	ND	-
TOTAL BTEX	16.6	4	ND	ND	ND	ND	ND	ND	ND	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			ND	♦	♦	♦	♦	♦	♦	50
Naphthalene			ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	10,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	22,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	6,330	75,600	10,400	♦	♦	3780	12,800	300
Iron (dissolved)	♦	♦	646	4,240	2,770	5,860	6,780	187	1,310	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND	ND *	81	58	70	230	87	10,000
Sulfate (ug/L)	♦	♦	14,000	150,000	25,000	15,000	15,000	26,000	9,700	250,000
TOC (ug/L)	♦	♦	17,000	18,000	ND	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	49,000	40,000	23,000	33,000	43,000 H	46,000	51,000	N/A
Dissolved Oxygen (mg/L)	2.6	3.08	4.23	3.6	1.5	1.07	1.3	1.7	3.03	N/A

ATTACHMENT A
MONITORING WELL HISTORICAL DATA SUMMARY
May 2000 to July 2007
(Page 2 of 9)
Harrison Subresidency Spill Site

WELL ID: MW 3	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	50	21	ND	ND	ND	ND	ND	ND	ND	50
Benzene	64	ND	2	3	ND	ND	ND	ND	ND	-
Toluene	21	ND	2	3	ND	ND	ND	ND	1J	-
Ethylbenzene	350	ND	ND	40	82	120	61	ND	82	-
m,p-Xylene	460	-	-	-	44	56	15	20	10	-
O-Xylene	65	-	-	-	6	5	1J	2J	ND	-
Xylenes (total)	525	2	170	110	50	61	16	22	10	-
TOTAL BTEX	960.0	2	174	156	132	181	77	22	93	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene	♦		ND	♦	♦	♦	♦	♦	♦	50
Naphthalene	160		4J	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	24,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	43,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	18,000	♦	8,880	35,100	14,400	♦	♦	20,800	17,200	300
Iron (dissolved)	ND	♦	2,410	4,000	7,250	6,870	7,030	5,260	4,610	300
Lead	8	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	ND	♦	ND	ND*	ND	ND	ND	32	ND	10,000
Sulfate (ug/L)	ND	♦	18,000	24,000	27,000	6,500	7,300	14,000	ND	250,000
TOC (ug/L)	10,000	♦	27,000	70,000	6,300	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	9,200	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	105,000	♦	48,000	70,000	45,000	84,000	51,000 H	61,000	65,000	N/A
Dissolved Oxygen (mg/L)	2.1	2.93	1.89	3.0	1.1	1.36	1.04	1.26	1.33	N/A

WELL ID: MW 4	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	13	3	ND	ND	ND	ND	ND	ND	ND	50
Benzene	4.4	ND	ND	ND	ND	ND	ND	ND	ND	-
Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
Ethylbenzene	22	2	2	ND	16	ND	1J	2J	ND	-
m,p-Xylene	♦	-	-	-	1	ND	ND	ND	ND	-
O-Xylene	♦	-	-	-	ND	ND	ND	ND	ND	-
Xylenes (total)	13	ND	1	ND	1	ND	ND	ND	ND	-
TOTAL BTEX	39.4	2	3	ND	17	ND	1	2	ND	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			ND	♦	♦	♦	♦	♦	♦	50
Naphthalene			ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	8,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	22,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	1,360	1,330	3,480	♦	♦	307	14,600	300
Iron (dissolved)	♦	♦	1,010	ND	2,740	61.0 B	635	55.1 B	199B	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND	3,200	ND	2400	530	450	960	10,000
Sulfate (ug/L)	♦	♦	15,000	22,000	21,000	18,000	13,000	13,000	13,000	250,000
TOC (ug/L)	♦	♦	14,000	13,000	44,000	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	55,000	40,000	55,000	21,000	65,000 H	98,000	91,000	N/A
Dissolved Oxygen (mg/L)	3.5	2.35	4.29	3.9	0.82	1.42	2	1.6	2.97	N/A

ATTACHMENT A
MONITORING WELL HISTORICAL DATA SUMMARY
May 2000 to July 2007
(Page 3 of 9)
Harrison Subresidency Spill Site

WELL ID: MW 5	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	150	ND	ND	ND	ND	ND	ND	ND	ND	50
Benzene	14	ND	1	ND	ND	ND	ND	ND	ND	-
Toluene	32	2	2	ND	2	ND	ND	1J	ND	-
Ethylbenzene	410	ND	ND	ND	150	ND	99	140	75	-
m,p-Xylene	♦	-	-	-	93	ND	42	46	12	-
O-Xylene	♦	-	-	-	5	ND	2J	3J	ND	-
Xylenes (total)	460	43	230	4	98	ND	44	49	12	-
TOTAL BTEX	916	45	233	4	250	ND	143	190	87	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			10	♦	♦	♦	♦	♦	♦	50
Naphthalene			ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	60,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	32,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	9,630	3,910	4,500	♦	♦	9770	9,830	300
Iron (dissolved)	♦	♦	2,930	1,820	1,240	7,070	4,560	6,100	4,690	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND	620	210	ND	ND	220	29	10,000
Sulfate (ug/L)	♦	♦	17,000	12,000	16,000	42,000	8,500	ND	ND	250,000
TOC (ug/L)	♦	♦	23,000	14,000	12,000	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	68,000	12,000	28,000	100,000	73,000 H	74,000	ND	N/A
Dissolved Oxygen (mg/L)	3.4	3.09	6.12	9.0	1.6	1.19	1.73	1.23	1.52	N/A

WELL ID: MW 6	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	73	20	ND	ND	ND	ND	ND	ND	ND	50
Benzene	7.9	ND	ND	ND	ND	ND	ND	ND	ND	-
Toluene	7	ND	ND	ND	ND	ND	ND	ND	ND	-
Ethylbenzene	98	ND	ND	3	61	ND	88	16	100	-
m,p-Xylene	♦	-	-	-	30	14	37	27	28	-
O-Xylene	♦	-	-	-	2	1	3J	4J	3J	-
Xylenes (total)	112	21	6	27	33	16	40	31	31	-
TOTAL BTEX	224.9	21	6	30	94	16	128	47	131	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			ND	♦	♦	♦	♦	♦	♦	50
Naphthalene			ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	40,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	33,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	1,720	2,410	2,750	♦	♦	4610	5,630	300
Iron (dissolved)	♦	♦	475	2,060	874	1,080	1,620	1,270	593	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND	ND	ND	ND	ND	ND	ND	10,000
Sulfate (ug/L)	♦	♦	17,000	19,000	22,000	10,000	7,400	7,200	ND	250,000
TOC (ug/L)	♦	♦	17,000	25,000	ND	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	60,000	32,000	27,000	33,000	48,000	45,000	49,000	N/A
Dissolved Oxygen (mg/L)	3.1	6.05	4.1	3.5	0.89	1.41	2.9	3.3	1.57	N/A

ATTACHMENT A
MONITORING WELL HISTORICAL DATA SUMMARY
May 2000 to July 2007
(Page 4 of 9)
Harrison Subresidency Spill Site

WELL ID: MW 7	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	16	38	17	ND	ND	ND	ND	ND	ND	50
Benzene	3.4	ND	ND	ND	ND	ND	ND	ND	ND	-
Toluene	4	ND	ND	ND	ND	ND	ND	ND	ND	-
Ethylbenzene	5.7	ND	ND	ND	ND	ND	ND	ND	ND	-
m,p-Xylene	♦	-	-	-	ND	ND	ND	ND	ND	-
O-Xylene	♦	-	-	-	ND	ND	ND	ND	ND	-
Xylenes (total)	4.8	ND	ND	ND	ND	ND	ND	ND	ND	-
TOTAL BTEX	17.9	ND	ND	ND	ND	ND	ND	ND	ND	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			ND	♦	♦	♦	♦	♦	♦	50
Napthalene			ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	40,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	35,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	2,700	30,000	3,080	♦	♦	3960	18,000	300
Iron (dissolved)	♦	♦	1,880	4,020	2,380	2,190	2,640	1,600	1658	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND	ND*	150	ND	160	330	ND	10,000
Sulfate (ug/L)	♦	♦	15,000	38,000	20,000	8,200	13,000	11,000	7,400	250,000
TOC (ug/L)	♦	♦	16,000	21,000	11,000	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	78,000	35,000	37,000	27,000	42,000	63,000	41,000	N/A
Dissolved Oxygen (mg/L)	3.2	3.12	4.43	3.4	1.0	2.2	1.8	2.0	2.66	N/A

WELL ID: MW 8	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	68	6	ND	ND	ND	ND	ND	ND	ND	50
Benzene	110	ND	ND	ND	ND	ND	ND	ND	ND	-
Toluene	26	ND	2	ND	ND	ND	2 J	ND	ND	-
Ethylbenzene	60	ND	ND	ND	2	1	41	2J	27	-
m,p-Xylene	160	-	-	-	1	ND	12	7	5	-
O-Xylene	40	-	-	-	ND	ND	2 J	2J	2J	-
Xylenes (total)	200	ND	34	7	1	ND	14	9	7	-
TOTAL BTEX	396	ND	36	7	3	1	57	11	34	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene	♦		ND	♦	♦	♦	♦	♦	♦	50
Napthalene	34		ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	5,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	63,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	8,600	♦	545	4,370	3,320	♦	♦	7160	4,070	300
Iron (dissolved)	230	♦	ND	48.7 B	ND	1,890	3,310	3,160	282	300
Lead	ND	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	33	♦	ND	ND*	190	ND	ND	120	28	10,000
Sulfate (ug/L)	ND	♦	31,000	ND	ND	ND	3,800	ND	ND	250,000
TOC (ug/L)	12,000	♦	21,000	25,000	ND	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	7,600	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	284,000	♦	37,000	22,000	19,000	30,000	56,000	55,000	42,000	N/A
Dissolved Oxygen (mg/L)	1.5	6.3	4.6	4.5	0.89	0.88	2.18	3.13	1.96	N/A

ATTACHMENT A
MONITORING WELL HISTORICAL DATA SUMMARY
May 2000 to July 2007
(Page 5 of 9)
Harrison Subresidency Spill Site

WELL ID: MW 9	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	ND	ND	ND	ND	ND	ND	ND	ND	ND	50
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
Ethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
m,p-Xylene	♦	-	-	-	ND	ND	ND	ND	ND	-
O-Xylene	♦	-	-	-	ND	ND	ND	ND	ND	-
Xylenes (total)	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
TOTAL BTEX	ND	ND	ND	ND	ND	ND	ND	ND	ND	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			2 J	♦	♦	♦	♦	♦	♦	50
Naphthalene			ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	260,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	160,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	4,570	7,870	12,600	♦	♦	232	16,000	300
Iron (dissolved)	♦	♦	ND	ND	ND	32.2 B	ND	44.9 B	450	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND	690	340	730	870	770	1,100	10,000
Sulfate (ug/L)	♦	♦	21,000	23,000	19,000	12,000	12,000	17,000	19,000	250,000
TOC (ug/L)	♦	♦	18,000	15,000	9,000	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	ND	ND *	ND	ND	ND	ND	ND	N/A
Dissolved Oxygen (mg/L)	3.3	7.5	5.49	12.3	6.30	3.65	7.60	8.20	6.65	N/A

WELL ID: MW 11								(Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE								ND	ND	50
Benzene								ND	ND	-
Toluene								1 J	ND	-
Ethylbenzene								10	3J	-
m,p-Xylene								7	ND	-
O-Xylene								ND	ND	-
Xylenes (total)								7	ND	-
TOTAL BTEX								18	3	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene								♦	♦	50
Naphthalene								♦	♦	25
Metals (ug/L)										
Chloride								♦	♦	250,000
Sodium								♦	♦	20,000
Iron (total)								174,000	23,400	300
Iron (dissolved)								1370	307	300
Lead								♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)								0.98	240	10,000
Sulfate (ug/L)								57,000	15,000	250,000
TOC (ug/L)								♦	♦	N/A
Petroleum Hydrocarbons (ug/L)								♦	♦	N/A
Carbon Dioxide (ug/L)								230,000	140,000	N/A
Dissolved Oxygen (mg/L)								3.70	5.45	N/A

ATTACHMENT A
MONITORING WELL HISTORICAL DATA SUMMARY
May 2000 to July 2007
(Page 6 of 9)
Harrison Subresidency Spill Site

WELL ID: SP 1	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	3.2	31	ND	ND	ND	♦	♦	♦	♦	50
Benzene	1.4	ND	ND	ND	ND	♦	♦	♦	♦	-
Toluene	3.7	ND	ND	ND	60	♦	♦	♦	♦	-
Ethylbenzene	4.0	ND	ND	2	22	♦	♦	♦	♦	-
m,p-Xylene	8.1	-	-	-	100	♦	♦	♦	♦	-
O-Xylene	2.9	-	-	-	42	♦	♦	♦	♦	-
Xylenes (total)	11.0	ND	ND	1	140	♦	♦	♦	♦	-
TOTAL BTEX	20.1	ND	ND	3	222	♦	♦	♦	♦	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			ND	♦	♦	♦	♦	♦	♦	50
Napthalene			ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	16,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	45,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	3,940	3,720	NA	♦	♦	♦	♦	300
Iron (dissolved)	♦	♦	52.1 B	68.0 B	NA	♦	♦	♦	♦	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND*	160	NA	♦	♦	♦	♦	10,000
Sulfate (ug/L)	♦	♦	48,000	46,000	NA	♦	♦	♦	♦	250,000
TOC (ug/L)	♦	♦	25,000	17,000	ND	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	NA	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	18,000	19,000	NA	♦	♦	♦	♦	N/A
Dissolved Oxygen (mg/L)	4.6	9.66	4.6	2.3	NA	♦	♦	♦	♦	N/A

WELL ID: MW 10 B	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	4.9	♦	ND	NA	ND	ND	ND	ND	ND	50
Benzene	2.1	♦	ND	NA	ND	ND	ND	ND	ND	-
Toluene	ND	♦	ND	NA	ND	ND	ND	ND	ND	-
Ethylbenzene	ND	♦	1	NA	9	23	8	ND	9	-
m,p-Xylene	3.5	♦	-	NA	2	15	2 J	ND	2J	-
O-Xylene	5.6	♦	-	NA	ND	ND	ND	ND	ND	-
Xylenes (total)	9.1	♦	ND	NA	2	15	2 J	ND	2	-
TOTAL BTEX	11.2	♦	1	NA	11	38	10	ND	11	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			ND	NA	♦	♦	♦	♦	♦	50
Napthalene			ND	NA	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	34,000	♦	♦	NA	♦	♦	♦	♦	♦	250,000
Sodium	27,000	♦	♦	NA	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	1,080	NA	1,190	♦	♦	1460	1,880	300
Iron (dissolved)	♦	♦	32.8 B	NA	462	644	592	456	343	300
Lead	♦	♦	♦	NA	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND*	NA	ND	ND	120	ND	120	10,000
Sulfate (ug/L)	♦	♦	27,000	NA	19,000	9,000	12,000	12,000	8,100	250,000
TOC (ug/L)	♦	♦	14,000	NA	9,400	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	NA	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	39,000	NA	39,000	25,000	32,000	25,000	14,000	N/A
Dissolved Oxygen (mg/L)	4.7		4.91	NA	2.0	2.9	2.4	1.1	5.35	N/A

ATTACHMENT A
MONITORING WELL HISTORICAL DATA SUMMARY
May 2000 to July 2007
(Page 7 of 9)
Harrison Subresidency Spill Site

WELL ID: SP 2	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	18	♦	14	ND	ND	ND	ND	♦	♦	50
Benzene	19	♦	ND	7	7	5	2 J	♦	♦	-
Toluene	25	♦	ND	6	2	2	4 J	♦	♦	-
Ethylbenzene	110	♦	1	42	ND	5	42	♦	♦	-
m,p-Xylene	52	♦	-	-	4	1	13	♦	♦	-
O-Xylene	11	♦	-	-	2	ND	ND	♦	♦	-
Xylenes (total)	63	♦	ND	3	6	1	13	♦	♦	-
TOTAL BTEX	217.0	♦	1	58	15	13	61	♦	♦	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			ND	♦	♦	♦	♦	♦	♦	50
Napthalene			ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	36,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	75,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	9,750	7,590	2,790	♦	♦	♦	♦	300
Iron (dissolved)	♦	♦	ND	126 B	ND	166 B	2,120	♦	♦	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND*	100	ND	37	ND	♦	♦	10,000
Sulfate (ug/L)	♦	♦	26,000	64,000	18,000	7,900	7,200	♦	♦	250,000
TOC (ug/L)	♦	♦	17,000	29,000	14,000	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	36,000	42,000	38,000	37,000	58,000	♦	♦	N/A
Dissolved Oxygen (mg/L)	2.5	♦	3.1	4.0	1.0	1.47	1.7	♦	♦	N/A

WELL ID: SP 3	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	38	♦	7	ND	ND	ND	ND	ND	ND	50
Benzene	110	♦	ND	ND	ND	ND	ND	ND	ND	-
Toluene	39	♦	1	ND	ND	ND	ND	ND	ND	-
Ethylbenzene	200	♦	ND	ND	ND	ND	ND	ND	31	-
m,p-Xylene	180	♦	-	-	ND	ND	ND	ND	4J	-
O-Xylene	57	♦	-	-	ND	ND	ND	ND	3J	-
Xylenes (total)	237	♦	15	ND	ND	ND	ND	ND	7	-
TOTAL BTEX	586.0	♦	16	ND	ND	ND	ND	ND	38	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene			ND	♦	♦	♦	♦	♦	♦	50
Napthalene			ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	6,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	38,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	2,970	1,080	133 B	♦	♦	3380	3,170	300
Iron (dissolved)	♦	♦	ND	ND	ND	116 B	384	891	572	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND*	100	ND	25	66	ND	ND	10,000
Sulfate (ug/L)	♦	♦	56,000	16,000	19,000	5,900	22,000	ND	ND	250,000
TOC (ug/L)	♦	♦	11,000	18,000	41,000	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	11,000	11,000	20,000	19,000	26,000	57,000	32,000	N/A
Dissolved Oxygen (mg/L)	3.4	♦	4.21	5.7	1.1	1.7	2.2	1.05	3.27	N/A

ATTACHMENT A
MONITORING WELL HISTORICAL DATA SUMMARY
May 2000 to July 2007
(Page 8 of 9)
Harrison Subresidency Spill Site

WELL ID: SP 4	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	24	♦	ND	ND	ND	ND	ND	ND	ND	50
Benzene	24	♦	ND	ND	ND	ND	ND	ND	ND	-
Toluene	3.8	♦	ND	ND	ND	ND	ND	ND	ND	-
Ethylbenzene	35	♦	ND	3	26	ND	ND	ND	ND	-
m,p-Xylene	9.5	♦	-	-	8	ND	ND	ND	ND	-
O-Xylene	2.4	♦	-	-	ND	ND	ND	ND	ND	-
Xylenes (total)	11.9	♦	ND	2	8	ND	ND	ND	ND	-
TOTAL BTEX	74.7	♦	ND	5	34	ND	ND	ND	ND	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene		♦	ND	♦	♦	♦	♦	♦	♦	50
Napthalene		♦	ND	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	16,000	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	24,000	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	3,790	5,350	2,490	♦	♦	10,400	25,400	300
Iron (dissolved)	♦	♦	602	1,810	1,810	2,460	44.5	953	326	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	ND*	ND*	ND	ND	150	200	ND	10,000
Sulfate (ug/L)	♦	♦	34,000	22,000	37,000	26,000	8,400	24,000	13,000	250,000
TOC (ug/L)	♦	♦	14,000	24,000	11,000	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	39,000	24,000	31,000	26,000	23,000	39,000	ND	N/A
Dissolved Oxygen (mg/L)	4.2	♦	6.89	4.2	2.4	6.2	3.4	3.8	5.6	N/A

WELL ID: GP 2	BASELINE (May 2000)	(Jan 2001)	(May 2001)	(Jan 2002)	(Jan 2003)	(Sept 2003)	(May 2004)	(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	♦	♦	♦	♦	3	ND	ND	♦	♦	50
Benzene	♦	♦	♦	♦	ND	ND	ND	♦	♦	-
Toluene	♦	♦	♦	♦	ND	ND	ND	♦	♦	-
Ethylbenzene	♦	♦	♦	♦	ND	ND	ND	♦	♦	-
m,p-Xylene	♦	♦	♦	♦	ND	ND	ND	♦	♦	-
O-Xylene	♦	♦	♦	♦	ND	ND	ND	♦	♦	-
Xylenes (total)	♦	♦	♦	♦	ND	ND	ND	♦	♦	-
TOTAL BTEX	♦	♦	♦	♦	3	ND	ND	♦	♦	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene	♦	♦	♦	♦	♦	♦	♦	♦	♦	50
Napthalene	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	♦	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	♦	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	♦	♦	♦	♦	♦	♦	♦	300
Iron (dissolved)	♦	♦	♦	♦	♦	♦	♦	♦	♦	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	10,000
Sulfate (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	250,000
TOC (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Dissolved Oxygen (mg/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A

ATTACHMENT A
MONITORING WELL HISTORICAL DATA SUMMARY
May 2000 to July 2007
(Page 9 of 9)
Harrison Subresidency Spill Site

WELL ID: PC-1								(Oct 2005)/ (Mar 2006)	(July 2007)	TARGET EFFLUENT CRITERIA
Volatile Organics (ug/L)										
MTBE	♦	♦	♦	♦	♦	♦	♦	ND	ND	50
Benzene	♦	♦	♦	♦	♦	♦	♦	ND	ND	-
Toluene	♦	♦	♦	♦	♦	♦	♦	ND	ND	-
Ethylbenzene	♦	♦	♦	♦	♦	♦	♦	ND	ND	-
m,p-Xylene	♦	♦	♦	♦	♦	♦	♦	ND	ND	-
O-Xylene	♦	♦	♦	♦	♦	♦	♦	ND	ND	-
Xylenes (total)	♦	♦	♦	♦	♦	♦	♦	ND	ND	-
TOTAL BTEX	♦	♦	♦	♦	♦	♦	♦	ND	ND	100
Semi-volatile Org.(ug/L)										
2-Methylnaphthalene	♦	♦	♦	♦	♦	♦	♦	♦	♦	50
Napthalene	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Metals (ug/L)										
Chloride	♦	♦	♦	♦	♦	♦	♦	♦	♦	250,000
Sodium	♦	♦	♦	♦	♦	♦	♦	♦	♦	20,000
Iron (total)	♦	♦	♦	♦	♦	♦	♦	599	952	300
Iron (dissolved)	♦	♦	♦	♦	♦	♦	♦	28.6 B	425	300
Lead	♦	♦	♦	♦	♦	♦	♦	♦	♦	25
Other										
Nitrogen, Nitrate (ug/L)	♦	♦	♦	♦	♦	♦	♦	50	ND*	10,000
Sulfate (ug/L)	♦	♦	♦	♦	♦	♦	♦	5000	37,000	250,000
TOC (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Petroleum Hydrocarbons (ug/L)	♦	♦	♦	♦	♦	♦	♦	♦	♦	N/A
Carbon Dioxide (ug/L)	♦	♦	♦	♦	♦	♦	♦	10,000	35,000	N/A
Dissolved Oxygen (mg/L)	♦	♦	♦	♦	♦	♦	♦	2.72	3.02	N/A
Notes: ND = Non Detect B = Concentration below the reporting limit equal to or above the detection limit. J = Concentration below the reporting limit. H = Analyzed outside of the holding time. * Nitrogen, Nitrate was analyzed outside the recommended holding time for this sample and therefore the analytical results may be biased low.										

ATTACHMENT B

SAMPLING LOGS

HDR / LMS well sampling log										
Date: 10/29/2008					Meters used					
Crew: DK AW					Temperature: YSI- 556-001					
Job No: 92733					pH: YSI- 556-001					
Project: Harrison Sub-Residency Landfill					Conductivity: YSI- 556-001					
					Orp YSI- 556-001					
					Dissolved Oxygen: YSI- 556-001					
Project Site: Harrison New York					Turbidity: Micro # 1					
WELL DATA: PURGE					WELL DATA: SAMPLING					
WELL ID no: PC-1					DTW Before Sampling: 4.4					
Well Condition: good					Sample Date/Time: 10/29/08 / 1345					
Well Depth/Diameter: 16.65 / 2					Sampling Method: bailer					
Well Casing Type: pvc					Sampling Depth(s): surface					
Screened Interval:					DTW After Sampling:					
Casing Ht./Lock No.:					Analytical Lab(s): Hampton / Clarke					
Reference Point: top of pvc					Sampling Observations: slightly turbid					
Depth to Water (DTW): 4.34										
Water Column Ht./Vol.: 12.31 / 2.1										
Purge Estimate: 2.1 x 3 = 6.3										
Purge Method(s): peristaltic pump					SAMPLE CHEMISTRIES					
Purge Date: 10/29/2008					Status	Temp. (°C)	pH	SPC@25	DO	turb - orp
Purge Time(s): 1250 - 1330					Start	9.7	6.2	0.404	4.1	60 65
Depth(s): surface - bottom					End					
Rates (gpm): 0.25										
Purged Volume: 6.5 gallons										
DTW After Purging: 4.9					Parameters	Inv. No.				
Yield Rate: high					see chain of custody					
Purge Observations: turbid to clear										
PURGE CHEMISTRIES										
Vol.	Temp (°C)	pH	SPC@25	DO	Orp	Turbidity (NTU)				
0	11.9	8	0.437	5.9	48	210				
1.5 gallons	10.1	6.7	0.408	5.5	37	111				
3 gallons	10.1	6.8	0.402	4.7	43	10				
4.5 gallons	10.1	6.3	0.403	3.9	32	11				
6 gallons	10.2	6.9	0.404	3.8	29	9				
Comments:										
LMW-7 was the blind duplicate sample					Air Temperature (°C): 5					
					Weather Conditions: partly sunny					
Crew Chief Signature: donald kassell					Date: 12/11/2008					

HDR / LMS well sampling log

Date:	10/27/2008	Meters used					
Crew:	DK AW	Temperature: YSI-556-001					
Job No:	92733	pH: YSI-556-001					
Project:	Harrison Sub-Residency Landfill	Conductivity: YSI-556-001					
		Orp YSI-556-001					
		Dissolved Oxygen: YSI-556-001					
Project Site:	Harrison New York	Turbidity: Micro lab #1					
WELL DATA: PURGE		WELL DATA: SAMPLING					
WELL ID no:	MW-1	DTW Before Sampling: 6					
Well Condition:	good	Sample Date/Time: 10/27/08 / 1120					
Well Depth/Diameter:	8.5 / 4	Sampling Method: bailer					
Well Casing Type:	pvc	Sampling Depth(s): surface					
Screened Interval:		DTW After Sampling:					
Casing Ht./Lock No.:	curb box	Analytical Lab(s): Hampton / Clarke					
Reference Point:	top of pvc						
Depth to Water (DTW):	5.8	Sampling Observations: clear					
Water Column Ht./Vol.:	2.7 / 1.8						
Purge Estimate:	1.8 x 3 = 5.4						
Purge Method(s):	Whale Pump	SAMPLE CHEMISTRIES					
Purge Date:	10/27/2008	Status	Temp. (°C)	pH	SPC@25	DO	turb - orp
Purge Time(s)	1044 - 1051	Start	14.9	6.0	0.197	5.1	19 75
Depth(s):	bottom	End					
Rates (gpm):	0.75						
Purged Volume:	5.5 gallons						
DTW After Purging:	7	Parameters	Inv. No.				
Yield Rate:	high	see chain of custody					
Purge Observations:	turbid to slightly turbid						
PURGE CHEMISTRIES							
Vol.	Temp (°C)	pH	SPC@25	DO	Orp	Turbidity (NTU)	
0	14.95	6.6	0.177	5.22	41	772	
2 gallons	14.5	5.8	0.172	3.55	59	23	
4 gallons	14.85	5.5	0.177	3.75	71	99	
5 gallons	15.3	5.5	0.176	6.19	93	110	
Comments:							
		Air Temperature (°C): 12					
		Weather Conditions: sunny					
Crew Chief Signature: DONALD KASSELL		Date: 10/27/2008					

HDR / LMS well sampling log

Date: 10/27/2008		Meters used	
Crew: DK AW		Temperature: YSI-556-001	
Job No: 92733		pH: YSI-556-001	
Project: Harrison Sub-Residency Landfill		Conductivity: YSI-556-001	
		Orp YSI-556-001	
		Dissolved Oxygen: YSI-556-001	
Project Site: Harrison New York		Turbidity: Micro lab #1	
WELL DATA: PURGE		WELL DATA: SAMPLING	
WELL ID no: MW-11		DTW Before Sampling: 11.45	
Well Condition: good		Sample Date/Time: 10/27/08 / 1300	
Well Depth/Diameter: 18 / 2		Sampling Method: bailer	
Well Casing Type: pvc		Sampling Depth(s): surface	
Screened Interval: 5 to 18 ft		DTW After Sampling:	
Casing Ht./Lock No.:		Analytical Lab(s): Hampton / Clarke	
Reference Point: top of pvc		Sampling Observations: turbid	
Depth to Water (DTW): 11.78			
Water Column Ht./Vol.: 6.22 / 1.06			
Purge Estimate: 1.06 x 3 = 3			
Purge Method(s): bailer		SAMPLE CHEMISTRIES	
Purge Date: 10/27/2008		Status	Temp. (°C)
Purge Time(s): 0940 - 0958		Start	15.3 8.8
Depth(s): surface		End	
Rates (gpm):			
Purged Volume: 2 gallons			
DTW After Purging: dry		Parameters	Inv. No.
Yield Rate: low		see chain of custody	
Purge Observations: turbid, sheen and slight petroleum odor			
PURGE CHEMISTRIES			
Vol.	Temp (°C)	pH	SPC@25
0	15.2	6.9	0.83
1 gallon	15	6.9	1.045
2 gallon	15	8.6	1.018
Comments:			
		Air Temperature (°C): 12	
		Weather Conditions: sunny	
Crew Chief Signature: DONALD KASSELL		Date: 10/30/2008	

HDR / LMS well sampling log

Date:	10/27/2008	Meters used	
Crew:	DK AW	Temperature:	YSI-556-001
Job No:	92733	pH:	YSI-556-001
Project:	Harrison Sub-Residency Landfill	Conductivity:	YSI-556-001
		Orp	YSI-556-001
		Dissoved Oxygen:	YSI-556-001
Project Site:	Harrison New York	Turbidity:	Micro lab #1
WELL DATA: PURGE		WELL DATA: SAMPLING	
WELL ID no:	MW-12	DTW Before Sampling:	10.45
Well Condition:	good	Sample Date/Time:	10/27/08 / 1230
Well Depth/Diameter:	18 / 2	Sampling Method:	bailer
Well Casing Type:	pvc	Sampling Depth(s):	surface
Screened Interval:		DTW After Sampling:	
Casing Ht./Lock No.:		Analytical Lab(s):	Hampton / Clarke
Reference Point:	top of pvc	Sampling Observations:	slightly turbid
Depth to Water (DTW):	10.3		
Water Column Ht./Vol.:	7.7 / 1.4		
Purge Estimate:	1.4 x 3 = 4.2		
Purge Method(s):	bailer	SAMPLE CHEMISTRIES	
Purge Date:	10/27/2008	Status	Temp. (°C)
Purge Time(s)	1005 - 1030	Start	15.64
Depth(s):	surface	End	
Rates (gpm):			
Purged Volume:	3 gallons		
DTW After Purging:	dry	Parameters	Inv. No.
Yield Rate:	low	see chain of custody	
Purge Observations:	turbid, sheen and slight petroleum odor		
PURGE CHEMISTRIES			
Vol.	Temp (°C)	pH	SPC@25
0	15.49	9.9	2.215
1.5 gallons	15.71	9.8	2.172
3 gallons	15.2	9.3	1.6
Comments:			
Air Temperature (°C): 12			
Weather Conditions: sunny			
Crew Chief Signature: DONALD KASSELL		Date: 10/27/2008	

HDR / LMS well sampling log

Date: 10/27/2008		Meters used	
Crew: DK AW		Temperature: YSI-556-001	
Job No: 92733		pH: YSI-556-001	
Project: Harrison Sub-Residency Landfill		Conductivity: YSI-556-001	
		Orp YSI-556-001	
		Dissoved Oxygen: YSI-556-001	
Project Site: Harrison New York		Turbidity: Micro lab #1	
WELL DATA: PURGE		WELL DATA: SAMPLING	
WELL ID no: MW - 13		DTW Before Sampling: 14.3	
Well Condition: good		Sample Date/Time: 10/27/08 / 1335	
Well Depth/Diameter: 15.45 / 2		Sampling Method: bailer	
Well Casing Type: pvc		Sampling Depth(s): surface	
Screened Interval:		DTW After Sampling:	
Casing Ht./Lock No.:		Analytical Lab(s): Hampton / Clarke	
Reference Point: top of pvc			
Depth to Water (DTW): 14.65		Sampling Observations: turbid	
Water Column Ht./Vol.: 00.80 / 0.136			
Purge Estimate: 0.136 X 3 = 0.408			
Purge Method(s): bailer		SAMPLE CHEMISTRIES	
Purge Date: 10/27/2008		Status	Temp. (°C)
Purge Time(s): 1000 - 1002		Start	17.2
Depth(s): surface		End	
Rates (gpm):			
Purged Volume: 1 liter			
DTW After Purging: dry		Parameters	Inv. No.
Yield Rate: low		see chain of custody	
Purge Observations: turbid			
PURGE CHEMISTRIES			
Vol.	Temp (°C)	pH	SPC@25
1 liter	16.6	8.9	0.948
Comments:			
		Air Temperature (°C): 12	
		Weather Conditions: sunny	
Crew Chief Signature: DONALD KASSELL		Date: 10/30/2008	

HDR / LMS well sampling log

Date: 10/27/2008		Meters used					
Crew: DK AW		Temperature: YSI-556-001					
Job No: 92733		pH: YSI-556-001					
Project: Harrison Sub-Residency Landfill		Conductivity: YSI-556-001					
		Orp YSI-556-001					
		Dissoved Oxygen: YSI-556-001					
Project Site: Harrison New York		Turbidity: Micro lab #1					
WELL DATA: PURGE		WELL DATA: SAMPLING					
WELL ID no: GP - 1		DTW Before Sampling:					
Well Condition: good		Sample Date/Time:					
Well Depth/Diameter: 6.28 / 2		Sampling Method:					
Well Casing Type: pvc		Sampling Depth(s):					
Screened Interval:		DTW After Sampling:					
Casing Ht./Lock No.:		Analytical Lab(s): Hampton / Clarke					
Reference Point:							
Depth to Water (DTW): DRY		Sampling Observations:					
Water Column Ht./Vol.:							
Purge Estimate:							
Purge Method(s):		SAMPLE CHEMISTRIES					
Purge Date:		Status	Temp. (°C)	pH	SPC@25	DO	turb - orp
Purge Time(s)		Start					
Depth(s):		End					
Rates (gpm):							
Purged Volume:							
DTW After Purging:		Parameters	Inv. No.				
Yield Rate:		well is dry; no sample					
Purge Observations:							
PURGE CHEMISTRIES							
Vol.	Temp (°C)	pH	SPC@25	DO	Orp	Turbidity (NTU)	
5 gallons							
Comments:							
		Air Temperature (°C): 12					
		Weather Conditions: sunny					
Crew Chief Signature: DONALD KASSELL		Date: 10/27/2008					

[illegible]

ATTACHMENT C

LABORATORY ANALYTICAL DATA PACKAGES

Project: Harrison Landfill

Client PO: Not Available

Report To: HDR/LMS
One Blue Hill Plaza
P.O. Box 1509
Pearl River, NY 10965

Attn: Melissa LaMacchia

Received Date: 10/28/2008

Report Date: 12/8/2008

Deliverables: NYDOH-CatA

Lab ID: AC40768

Lab Project No: 8102829

REVISED

This report is a true report of results obtained from our tests of this material. All results meet the requirements of the NELAC standards. In lieu of a formal contract document, the total aggregate liability of Veritech to all parties shall not exceed Veritech's total fee for analytical services rendered.


Jeri Rossi - Quality Assurance Director

OR

Stanley Gilewicz - Laboratory Director

**THIS CATEGORY "A" REPORT
IS NUMBERED FROM
1 to 53**

SDG Narrative

Client: HDR/LMS

Project: Harrison Landfill

Hampton-Clarke/Veritech (HC-V) received the following samples on October 28, 2008:

<u>Client ID</u>	<u>HCV Sample ID</u>	<u>Matrix</u>	<u>Analysis</u>
MW-1U	AC40768-001	Aqueous	VOBTX (624), Alkalinity Bicarbonate (2320B-97), Alkalinity (2320B-97), Nitrate (300.0 rev2.1), Sulfate (300.0 rev2.1)
MW-1F	AC40768-002	Aqueous	Dissolved Metals – Iron and Manganese (200.7)
MW-12 U	AC40768-003	Aqueous	VOBTX (624), Alkalinity Bicarbonate (2320B-97), Alkalinity (2320B-97), Nitrate (300.0 rev2.1), Sulfate (300.0 rev2.1)
MW-12 F	AC40768-004	Aqueous	Dissolved Metals – Iron and Manganese (200.7)
MW-11 U	AC40768-005	Aqueous	VOBTX (624), Alkalinity Bicarbonate (2320B-97), Alkalinity (2320B-97), Nitrate (300.0 rev2.1), Sulfate (300.0 rev2.1)
MW-11 F	AC40768-006	Aqueous	Dissolved Metals – Iron and Manganese (200.7)
MW-13	AC40768-007	Aqueous	VOBTX (624), Alkalinity Bicarbonate (2320B-97), Alkalinity (2320B-97), Nitrate (300.0 rev2.1), Sulfate (300.0 rev2.1)
LMW-2 U	AC40768-008	Aqueous	VO (624), BNA (625), Chloride (300.0 rev2.1), Cyanide (335.4)
LMW-2 F	AC40768-009	Aqueous	Dissolved Metals - TAL (200.7, 245.1 rev3.0)
PC-2 U	AC40768-010	Aqueous	VO (624), BNA (625), Chloride (300.0 rev2.1), Cyanide (335.4)
PC-2 F	AC40768-011	Aqueous	Dissolved Metals - TAL (200.7, 245.1 rev3.0)
TB	AC40768-012	Aqueous	VO (624)

Volatile Organic Analysis:

2-Chloroethylvinylether did not recover in the Matrix Spike and Matrix Spike Duplicate in batch 10301 due to acid preservation of sample. 2-Chloroethylvinylether readily decomposes under acidic conditions. The recovery of 2-Chloroethylvinylether is within QC limits in the Laboratory Control Sample (MBS).

The recoveries of Carbon Tetrachloride and Trichloroethene are biased low, outside QC limits in the Matrix Spike, Matrix Spike Duplicate in batch 10301. All QC criteria were met in the Laboratory Control Sample (MBS).

Base Neutral Acid Extractable Analysis:

Data conforms to method requirements.

Metals Analysis:


Samples AC40768-002, 004, 006, 009 and 011 were filtered and preserved in the laboratory per clients request.

Wet Chemistry Analysis:

Chloride did not recover in the Matrix Spike, Matrix Spike Duplicate in batch IC-W-214-CL due to high sample concentration. All QC criteria were met in the Laboratory Control Sample (LCS).

The recovery of Sulfate is biased high, outside QC limits in the Matrix Spike in batch IC-W-214-SO4. All QC criteria were met in the Laboratory Control Sample (LCS).


I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data has been authorized by the Laboratory Manager or his designee, as verified by the following signature.



Jeri Rossi
Quality Assurance Director

Or

Stanley Gilewicz
Laboratory Director



Date

INELAC/NI# 0707107069 CT# PH-0671 MA# NJ386 NY/ELAP# 11408/1939 PA# 68-463/68-04409 WV# 353 KY# 90124

3) Reporting Requirements (please circle)

Customer Information

1a) Customer: HDR
Address: Blue Hill Plaza, 12th Floor
Pack River NY 10965
1b) Email/Cell/Fax/Ph: melissa.lamachin@hdr.com
1c) Send Invoice To: Melissa Lamachin

Project Information

2a) Project: Harrison DOT Landfill
2b) Project Manager: Melissa Lamachin
2c) Location (City/State): Harrison, NY

Turnaround Time

24-Hour (100%)
48-Hour (75%)
72-Hour (50%)
4 Day (17PH)
1-Week (25%)
10 Days (10%)
Standard
Other: _____

Report type

Data Sum
Waste
Red-NUN/PA
CLP
FAC/BA/MS/11/2016
Data
Other: _____

Electronic Deliv

HazMat/Csv
Equis
Excel-NJCC
Excel-NJCC
Excel-PA/CLP
PDF
Other: _____

1d) Send Report To: 11

Expedited TAT Not always available (Please check with lab)

7) Analysis Request

Check if Contingent==>

<==Check if Contingent

FOR LAB USE ONLY

Batch#

AC40768

DW-Drinking Water
GW-Ground Water
WW-Waste WaterS-Soil
SL-Sludge
O-OilA-Air
Or-Other

Lab Sample#

4) Customer Sample ID

5) Matrix

6) Sample Date Time

Composite(C)
Grab(G)BTex + MTRs
Bicarbonate Alk.
Total Alkalinity
Nitrate, Sulfate
Fe, Mn Dissolved
VOL
BNA
TAL Metals EC
CYNone
MeOH
Encore
NaOH
HCl
H2SO4
HNO3
Other:

Of Bottles

8)

9) Methanol
Bottle Numbers
(if applicable)

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

-001/002 MW-1 U/F GW 10/27/08 1120

-003/004 MW-12 U/F GW 10/27/08 1230

-005/006 MW-11 U/F GW 10/27/08 1300

-007 MW-13 GW 10/27/08 1335

-008/009 LMW-2 U/F GW 10/27/08 1430

-010/011 PC-2 U/F GW 10/27/08 1500

-012 Tip Black DC 10/27/08 -

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

Comments

LMW-2 - EC-2, FILTERED METALS
ALSO DO CHLORIDE AND CYANIDE

CONDITION UPON RECEIPT

Batch Number AC40768

Entered By: children

Date Entered 10/29/2008 10:43:00 AM

-
- | | | |
|----|-----|--|
| 1 | Yes | Is there a corresponding COC included with the samples? |
| | | |
| 2 | Yes | Are the samples in a container such as a cooler or Ice chest? |
| | | |
| 3 | Yes | Are the COC seals intact? |
| | | |
| 4 | Yes | Please specify the Temperature inside the container (in degC) |
| | | |
| 5 | Yes | Are the samples refrigerated (where required)/have they arrived on ice? |
| | | |
| 6 | Yes | Are the samples within the holding times for the parameters listed on the COC? IF no, list parameters and samples: |
| | | |
| 7 | Yes | Are all of the sample bottles intact? If no, specify sample numbers broken/leaking |
| | | |
| 8 | Yes | Are all of the sample labels or numbers legible? If no specify: |
| | | |
| 9 | Yes | Do the contents match the COC? If no, specify |
| | | |
| 10 | Yes | Is there enough sample sent for the analyses listed on the COC? If no, specify: |
| | | |
| 11 | NO | Are samples preserved correctly? |
| | | |
| 12 | NA | Are all soils preserved in methanol accompanied by dry soil? |
| | | |
| 13 | NA | Other comments ...Specify |
| | | |
| 14 | YES | Corrective actions (Specify item number and corrective action taken).
LMW-2,PC-2 (CN) preserved at lab ph=14 10/28/08 AC |

PRESERVATION DOCUMENT

Batch Number AC40768

Entered By: children

Date Entered 10/29/2008 10:45:00 AM

Lab#:	Container Siz	Container Typ	Paramete	Preservative	PH
AC40768-001	40ML	G	VO+10	HCL	1
AC40768-002	NA	NA	NA	NA	NA
AC40768-003	40ML	G	VO+10	HCL	1
AC40768-004	NA	NA	NA	NA	NA
AC40768-005	40ML	G	VO+10	HCL	1
AC40768-006	NA	NA	NA	NA	NA
AC40768-007	40ML	G	VO+10	HCL	1
AC40768-008	40ML	G	VO+10	HCL	1
AC40768-008	500ML	G	CN	NaOH	7/14
AC40768-009	NA	NA	NA	NA	NA
AC40768-010	40ML	G	VO+10	HCL	1
AC40768-010	500ML	G	CN	NaOH	7/14
AC40768-011	NA	NA	NA	NA	NA
AC40768-012	40ML	G	VO+10	HCL	1

Lab#:	DateTime:	Loc or User	Bot Nu	A/M	Analysis
AC40768-001	10/28/08 17:25	CHILD	0	M	Received
AC40768-001	10/28/08 17:49	CHILD	0	M	Login
AC40768-001	10/28/08 17:54	NNM	1	A	IC
AC40768-001	10/28/08 18:10	R12	1	A	NONE
AC40768-001	10/29/08 10:27	R12	1	A	NONE
AC40768-001	10/30/08 07:31	R22	3	A	NONE
AC40768-001	10/30/08 10:59	SG	3	A	VOA
AC40768-001	10/30/08 07:31	R22	4	A	NONE
AC40768-001	10/29/08 10:27	R12	5	A	NONE
AC40768-001	11/05/08 09:12	PM	5	M	ALKALINITY
AC40768-001	11/05/08 09:32	R12	5	A	NONE
AC40768-001	11/06/08 06:19	R12	5	A	NONE
AC40768-001	10/29/08 10:27	R12	6	A	NONE
AC40768-001	11/05/08 09:12	PM	6	M	ALKALINITY
AC40768-001	11/05/08 09:32	R12	6	A	NONE
AC40768-001	11/06/08 06:19	R12	6	A	NONE
AC40768-002	10/28/08 17:25	CHILD	0	M	Received
AC40768-002	10/28/08 17:49	CHILD	0	M	Login
AC40768-002	10/29/08 10:27	R12	1	A	NONE
AC40768-002	10/30/08 14:36	MR	1	A	LAB FILTER
AC40768-002	10/30/08 15:15	R12	1	A	NONE
AC40768-002	11/06/08 09:33	SRB	1	A	TDSW
AC40768-002	11/06/08 17:26	R12	1	A	NONE
AC40768-003	10/28/08 17:25	CHILD	0	M	Received
AC40768-003	10/28/08 17:49	CHILD	0	M	Login
AC40768-003	10/28/08 17:54	NNM	1	A	IC
AC40768-003	10/28/08 18:10	R12	1	A	NONE
AC40768-003	10/29/08 10:27	R12	1	A	NONE
AC40768-003	10/30/08 07:31	R22	3	A	NONE
AC40768-003	10/30/08 10:59	SG	3	A	VOA
AC40768-003	10/30/08 07:31	R22	4	A	NONE
AC40768-003	10/29/08 10:27	R12	5	A	NONE
AC40768-003	11/05/08 09:12	PM	5	M	ALKALINITY
AC40768-003	11/05/08 09:32	R12	5	A	NONE
AC40768-003	11/06/08 06:19	R12	5	A	NONE
AC40768-003	10/29/08 10:27	R12	6	A	NONE
AC40768-003	11/06/08 06:19	R12	6	A	NONE
AC40768-004	10/28/08 17:25	CHILD	0	M	Received
AC40768-004	10/28/08 17:49	CHILD	0	M	Login
AC40768-004	10/29/08 10:27	R12	1	A	NONE
AC40768-004	10/30/08 14:36	MR	1	A	LAB FILTER
AC40768-004	10/30/08 15:15	R12	1	A	NONE
AC40768-004	11/06/08 09:33	SRB	1	A	TDSW
AC40768-004	11/06/08 17:26	R12	1	A	NONE
AC40768-005	10/28/08 17:25	CHILD	0	M	Received
AC40768-005	10/28/08 17:49	CHILD	0	M	Login
AC40768-005	10/28/08 17:54	NNM	1	A	IC
AC40768-005	10/28/08 18:10	R12	1	A	NONE
AC40768-005	10/29/08 10:27	R12	1	A	NONE
AC40768-005	10/30/08 07:31	R22	3	A	NONE
AC40768-005	10/30/08 10:59	SG	3	A	VOA
AC40768-005	10/30/08 07:31	R22	4	A	NONE
AC40768-005	10/29/08 10:27	R12	5	A	NONE
AC40768-005	11/06/08 06:19	R12	5	A	NONE
AC40768-005	10/29/08 10:27	R12	6	A	NONE
AC40768-005	11/05/08 09:12	PM	6	M	ALKALINITY
AC40768-005	11/05/08 09:32	R12	6	A	NONE
AC40768-005	11/06/08 06:19	R12	6	A	NONE
AC40768-006	10/28/08 17:25	CHILD	0	M	Received
AC40768-006	10/28/08 17:49	CHILD	0	M	Login
AC40768-006	10/29/08 10:27	R12	1	A	NONE
AC40768-006	10/30/08 14:36	MR	1	A	LAB FILTER
AC40768-006	10/30/08 15:15	R12	1	A	NONE
AC40768-006	11/06/08 09:33	SRB	1	A	TDSW
AC40768-006	11/06/08 17:26	R12	1	A	NONE
AC40768-007	10/28/08 17:25	CHILD	0	M	Received
AC40768-007	10/28/08 17:49	CHILD	0	M	Login
AC40768-007	10/28/08 17:54	NNM	1	A	IC
AC40768-007	10/28/08 18:10	R12	1	A	NONE
AC40768-007	10/29/08 10:27	R12	1	A	NONE
AC40768-007	10/30/08 07:31	R22	3	A	NONE
AC40768-007	10/30/08 10:59	SG	3	A	VOA
AC40768-007	10/30/08 07:31	R22	4	A	NONE
AC40768-007	10/29/08 10:27	R12	5	A	NONE
AC40768-007	11/06/08 06:19	R12	5	A	NONE

Lab#:	DateTime:	Loc or User	Bot Nu	A/M	Analysis
AC40768-007	10/29/08 10:27	R12	6	A	NONE
AC40768-007	11/05/08 09:12	PM	6	M	ALKALINITY
AC40768-007	11/05/08 09:32	R12	6	A	NONE
AC40768-007	11/06/08 06:19	R12	6	A	NONE
AC40768-008	10/28/08 17:25	CHILD	0	M	Received
AC40768-008	10/28/08 17:49	CHILD	0	M	Login
AC40768-008	10/30/08 07:31	R22	2	A	NONE
AC40768-008	10/30/08 07:31	R22	3	A	NONE
AC40768-008	10/30/08 10:59	SG	3	A	VOA
AC40768-008	10/29/08 10:27	R12	4	A	NONE
AC40768-008	10/29/08 10:27	R12	5	A	NONE
AC40768-008	10/31/08 09:00	JOLA	5	A	A,BN/BNA
AC40768-008	10/29/08 10:27	R12	6	A	NONE
AC40768-008	11/03/08 11:10	HS	6	A	cn-w
AC40768-008	11/03/08 14:30	R12	6	A	NONE
AC40768-008	10/29/08 10:27	R12	7	A	NONE
AC40768-008	10/31/08 10:30	NNM	7	M	IC
AC40768-008	10/31/08 16:30	R12	7	A	NONE
AC40768-009	10/28/08 17:25	CHILD	0	M	Received
AC40768-009	10/28/08 17:49	CHILD	0	M	Login
AC40768-009	10/29/08 10:27	R12	1	A	NONE
AC40768-009	10/31/08 11:43	SRB	1	A	FILTER
AC40768-009	10/31/08 12:18	R12	1	A	NONE
AC40768-009	11/06/08 09:33	SRB	1	A	TDSW-HG
AC40768-009	11/06/08 17:26	R12	1	A	NONE
AC40768-010	10/28/08 17:25	CHILD	0	M	Received
AC40768-010	10/28/08 17:49	CHILD	0	M	Login
AC40768-010	10/30/08 07:31	R22	2	A	NONE
AC40768-010	10/30/08 07:31	R22	3	A	NONE
AC40768-010	10/30/08 10:59	SG	3	A	VOA
AC40768-010	10/29/08 10:27	R12	4	A	NONE
AC40768-010	10/29/08 10:27	R12	5	A	NONE
AC40768-010	10/31/08 09:00	JOLA	5	A	A,BN/BNA
AC40768-010	10/29/08 10:27	R12	6	A	NONE
AC40768-010	11/03/08 11:10	HS	6	A	cn-w
AC40768-010	11/03/08 14:30	R12	6	A	NONE
AC40768-010	10/29/08 10:27	R12	7	A	NONE
AC40768-010	10/31/08 10:30	NNM	7	M	IC
AC40768-010	10/31/08 16:30	R12	7	A	NONE
AC40768-011	10/28/08 17:25	CHILD	0	M	Received
AC40768-011	10/28/08 17:49	CHILD	0	M	Login
AC40768-011	10/29/08 10:27	R12	1	A	NONE
AC40768-011	10/31/08 11:43	SRB	1	A	FILTER
AC40768-011	10/31/08 12:18	R12	1	A	NONE
AC40768-011	11/06/08 09:33	SRB	1	A	TDSW-HG
AC40768-011	11/06/08 17:26	R12	1	A	NONE
AC40768-012	10/28/08 17:25	CHILD	0	M	Received
AC40768-012	10/28/08 17:49	CHILD	0	M	Login
AC40768-012	10/30/08 07:31	R22	2	A	NONE
AC40768-012	10/30/08 07:31	R22	3	A	NONE
AC40768-012	10/30/08 10:59	SG	3	A	VOA

Samples marked as received are stored in coolers or refrigerator R12, R3, or R24 at 4 deg C until Login



REPORTING LIMIT DEFINITIONS

RL = Reporting Limit

PQL = Practical Quantitation Limit

MDL = Method Detection Limit

CRQL = Contract Required Quantitation Limit

For Clean Water Act and SW846 Organic methods, the RL = PQL. The PQL is determined by the concentration of the lowest standard in the calibration curve.

For Clean Water Act Metals method, the RL = PQL. The PQL is determined by the concentration of the lowest standard in the calibration curve.

For Clean Water Act and SW846 Wet Chemistry methods, the RL = PQL. The PQL is defined as a value 3 to 5 times the MDL.

CLP Organics and Inorganics reported to CRQL.

Veritech Report Of Analysis

0009

Lab#: AC40768-001		Collection Date: 10/27/2008		
Sample ID: MW-1 U				
TestGroup/Analyte	DF	Units	RL	Result

Alkalinity-Bicarbonate (SM2320B-97)

Alkalinity	1	hco3mg/l	10	26
------------	---	----------	----	----

Alkalinity-Total (SM2320B-97)

Alkalinity	1	mg caco3/l	10	26
------------	---	------------	----	----

BTEX (624)

:TotalVolatileTic	1	ug/l	NA	9.9J
Benzene	1	ug/l	0.50	ND
Ethylbenzene	1	ug/l	1.0	ND
M&p-Xylenes	1	ug/l	2.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
O-Xylene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND

Nitrate-N (Water) 300.0

Nitrate	1	mg/l	0.27	2.5
---------	---	------	------	-----

Sulfate (Water) 300.0

Sulfate	2	mg/l	4.6	17
---------	---	------	-----	----

Lab#: AC40768-002		Collection Date: 10/27/2008		
Sample ID: MW-1 F				
TestGroup/Analyte	DF	Units	RL	Result

Metals Pair 200.7/8

Iron	0.5	ug/l	47	ND
Manganese	0.5	ug/l	0.37	27

Lab#: AC40768-003		Collection Date: 10/27/2008		
Sample ID: MW-12 U				
TestGroup/Analyte	DF	Units	RL	Result

Alkalinity-Bicarbonate (SM2320B-97)

Alkalinity	1	hco3mg/l	10	290
------------	---	----------	----	-----

Alkalinity-Total (SM2320B-97)

Alkalinity	1	mg caco3/l	10	290
------------	---	------------	----	-----

BTEX (624)

Benzene	1	ug/l	0.50	ND
Ethylbenzene	1	ug/l	1.0	23
M&p-Xylenes	1	ug/l	2.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
O-Xylene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND

Nitrate-N (Water) 300.0

Nitrate	1	mg/l	0.27	ND
---------	---	------	------	----

Sulfate (Water) 300.0

Sulfate	1	mg/l	2.3	5.6
---------	---	------	-----	-----

Lab#: AC40768-004		Collection Date: 10/27/2008		
Sample ID: MW-12 F				
TestGroup/Analyte	DF	Units	RL	Result

Metals Pair 200.7/8

Iron	0.5	ug/l	47	650
Manganese	1	ug/l	0.75	11000

Lab#: AC40768-005		Collection Date: 10/27/2008		
Sample ID: MW-11 U				
TestGroup/Analyte	DF	Units	RL	Result

Alkalinity-Bicarbonate (SM2320B-97)

Alkalinity	1	hco3mg/l	10	350
------------	---	----------	----	-----

Alkalinity-Total (SM2320B-97)

Alkalinity	1	mg caco3/l	10	350
------------	---	------------	----	-----

BTEX (624)

Benzene	1	ug/l	0.50	0.88
Ethylbenzene	1	ug/l	1.0	13
M&p-Xylenes	1	ug/l	2.0	3.8
Methyl-t-butyl ether	1	ug/l	0.50	ND
O-Xylene	1	ug/l	1.0	1.6
Toluene	1	ug/l	1.0	1.0

Nitrate-N (Water) 300.0

Nitrate	1	mg/l	0.27	ND
---------	---	------	------	----

Sulfate (Water) 300.0

Sulfate	2	mg/l	4.6	19
---------	---	------	-----	----

Lab#: AC40768-006		Collection Date: 10/27/2008		
Sample ID: MW-11 F				
TestGroup/Analyte	DF	Units	RL	Result

Metals Pair 200.7/8

Iron	0.5	ug/l	47	ND
Manganese	0.5	ug/l	0.37	660

Lab#: AC40768-007		Collection Date: 10/27/2008		
Sample ID: MW-13				
TestGroup/Analyte	DF	Units	RL	Result

Alkalinity-Bicarbonate (SM2320B-97)

Alkalinity	1	hco3mg/l	10	230
------------	---	----------	----	-----

Alkalinity-Total (SM2320B-97)

Alkalinity	1	mg caco3/l	10	230
------------	---	------------	----	-----

BTEX (624)

Benzene	1	ug/l	0.50	ND
Ethylbenzene	1	ug/l	1.0	ND
M&p-Xylenes	1	ug/l	2.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
O-Xylene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND

Nitrate-N (Water) 300.0

Nitrate	1	mg/l	0.27	0.46
---------	---	------	------	------

Sulfate (Water) 300.0

Sulfate	2	mg/l	4.6	13
---------	---	------	-----	----

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 1 of 6
Project #: 8102829

Lab#: AC40768-008		Collection Date: 10/27/2008		
Sample ID: LMW-2 U				
TestGroup/Analyte	DF	Units	RL	Result

Chloride (Water) 300.0

Chloride	2	mg/l	3	15
----------	---	------	---	----

Cyanide (Water) EPA 335.4

Cyanide	1	mg/l	0.01	ND
---------	---	------	------	----

Lab#: AC40768-008	Collection Date: 10/27/2008			
Sample ID: LMW-2 U				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatle Organics + 25 (625)

:TotalSemiVolatileTic	1	ug/l	NA	2.7J
1,1'-Biphenyl	1	ug/l	1.3	ND
1,2,4-Trichlorobenzene	1	ug/l	1.3	ND
1,2-Diphenylhydrazine	1	ug/l	1.3	ND
2,4,5-Trichlorophenol	1	ug/l	1.3	ND
2,4,6-Trichlorophenol	1	ug/l	1.3	ND
2,4-Dichlorophenol	1	ug/l	1.3	ND
2,4-Dimethylphenol	1	ug/l	1.3	ND
2,4-Dinitrophenol	1	ug/l	6.5	ND
2,4-Dinitrotoluene	1	ug/l	1.3	ND
2,6-Dinitrotoluene	1	ug/l	1.3	ND
2-Chloronaphthalene	1	ug/l	1.3	ND
2-Chlorophenol	1	ug/l	1.3	ND
2-Methylnaphthalene	1	ug/l	1.3	ND
2-Methylphenol	1	ug/l	1.3	ND
2-Nitroaniline	1	ug/l	1.3	ND
2-Nitrophenol	1	ug/l	1.3	ND
3&4-Methylphenol	1	ug/l	1.3	ND
3,3'-Dichlorobenzidine	1	ug/l	1.3	ND
3-Nitroaniline	1	ug/l	1.3	ND
4,6-Dinitro-2-methylphenol	1	ug/l	6.5	ND
4-Bromophenyl-phenylether	1	ug/l	1.3	ND
4-Chloro-3-methylphenol	1	ug/l	1.3	ND
4-Chloroaniline	1	ug/l	1.3	ND
4-Chlorophenyl-phenylether	1	ug/l	1.3	ND
4-Nitroaniline	1	ug/l	1.3	ND
4-Nitrophenol	1	ug/l	1.3	ND
Acenaphthene	1	ug/l	1.3	ND
Acenaphthylene	1	ug/l	1.3	ND
Acetophenone	1	ug/l	1.3	ND
Anthracene	1	ug/l	1.3	ND
Atrazine	1	ug/l	1.3	ND
Benzaldehyde	1	ug/l	1.3	ND
Benzidine	1	ug/l	6.5	ND
Benzo[a]anthracene	1	ug/l	1.3	ND
Benzo[a]pyrene	1	ug/l	1.3	ND
Benzo[b]fluoranthene	1	ug/l	1.3	ND
Benzo[g,h,i]perylene	1	ug/l	1.3	ND
Benzo[k]fluoranthene	1	ug/l	1.3	ND
Bis(2-Chloroethoxy)methane	1	ug/l	1.3	ND
Bis(2-Chloroethyl)Ether	1	ug/l	1.3	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	1.3	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	1.3	ND
Butylbenzylphthalate	1	ug/l	1.3	ND
Caprolactam	1	ug/l	1.3	ND
Carbazole	1	ug/l	1.3	ND
Chrysene	1	ug/l	1.3	ND
Dibenzo[a,h]Anthracene	1	ug/l	1.3	ND
Dibenzofuran	1	ug/l	1.3	ND
Diethylphthalate	1	ug/l	1.3	ND
Dimethylphthalate	1	ug/l	1.3	ND
Di-n-butylphthalate	1	ug/l	1.3	ND
DI-n-octylphthalate	1	ug/l	1.3	ND
Fluoranthene	1	ug/l	1.3	ND
Fluorene	1	ug/l	1.3	ND
Hexachlorobenzene	1	ug/l	1.3	ND
Hexachlorobutadiene	1	ug/l	1.3	ND
Hexachlorocyclopentadiene	1	ug/l	1.3	ND
Hexachloroethane	1	ug/l	1.3	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	1.3	ND
Isophorone	1	ug/l	1.3	ND
Naphthalene	1	ug/l	1.3	ND
Nitrobenzene	1	ug/l	1.3	ND
N-Nitrosodimethylamine	1	ug/l	1.3	ND
N-Nitroso-Di-N-Propylamine	1	ug/l	1.3	ND
N-Nitrosodiphenylamine	1	ug/l	1.3	ND
Pentachlorophenol	1	ug/l	6.5	ND
Phenanthrene	1	ug/l	1.3	ND
Phenol	1	ug/l	1.3	ND
Pyrene	1	ug/l	1.3	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 2 of 6
Project #: 8102829

Lab#: AC40768-008	Collection Date: 10/27/2008			
Sample ID: LMW-2 U				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
Cis-1,2-Dichloroethene	1	ug/l	1.0	ND
Cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
M&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
N-Butylbenzene	1	ug/l	1.0	ND
N-Propylbenzene	1	ug/l	1.0	ND
O-Xylene	1	ug/l	1.0	ND
Sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
T-Butyl Alcohol	1	ug/l	5.0	ND
T-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
Trans-1,2-Dichloroethene	1	ug/l	1.0	ND
Trans-1,3-Dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

Lab#: AC40768-009	Collection Date: 10/27/2008			
Sample ID: LMW-2 F				
TestGroup/Analyte	DF	Units	RL	Result

Mercury (Water) 245.1

Mercury	1	ug/l	0.039	ND
TAL Metals 200.7/8				
Aluminum	0.5	ug/l	30	ND
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	140
Beryllium	0.5	ug/l	0.043	ND
Cadmium	0.5	ug/l	0.070	0.075
Calcium	0.5	ug/l	84	91000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	ND
Copper	0.5	ug/l	1.5	12
Iron	0.5	ug/l	47	ND
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	34000
Manganese	0.5	ug/l	0.37	230
Nickel	0.5	ug/l	0.31	6.5
Potassium	0.5	ug/l	55	4400
Selenium	0.5	ug/l	1.9	ND
Silver	0.5	ug/l	0.20	ND
Sodium	0.5	ug/l	87	39000
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	7.6
Zinc	0.5	ug/l	2.5	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Lab#: AC40768-010	Collection Date: 10/27/2008			
Sample ID: PC-2 U				
TestGroup/Analyte	DF	Units	RL	Result

Chloride (Water) 300.0

Chloride	5	mg/l	7.5	40
----------	---	------	-----	----

Cyanide (Water) EPA 335.4

Cyanide	1	mg/l	0.01	ND
---------	---	------	------	----

Lab#: AC40768-010	Collection Date: 10/27/2008			
Sample ID: PC-2 U				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatile Organics + 25 (625)

:TotalSemiVolatileTic	1	ug/l	NA	9.9J
1,1'-Biphenyl	1	ug/l	1.4	ND
1,2,4-Trichlorobenzene	1	ug/l	1.4	ND
1,2-Diphenylhydrazine	1	ug/l	1.4	ND
2,4,5-Trichlorophenol	1	ug/l	1.4	ND
2,4,6-Trichlorophenol	1	ug/l	1.4	ND
2,4-Dichlorophenol	1	ug/l	1.4	ND
2,4-Dimethylphenol	1	ug/l	1.4	ND
2,4-Dinitrophenol	1	ug/l	7.0	ND
2,4-Dinitrotoluene	1	ug/l	1.4	ND
2,6-Dinitrotoluene	1	ug/l	1.4	ND
2-Chloronaphthalene	1	ug/l	1.4	ND
2-Chlorophenol	1	ug/l	1.4	ND
2-Methylnaphthalene	1	ug/l	1.4	ND
2-Methylphenol	1	ug/l	1.4	ND
2-Nitroaniline	1	ug/l	1.4	ND
2-Nitrophenol	1	ug/l	1.4	ND
3&4-Methylphenol	1	ug/l	1.4	ND
3,3'-Dichlorobenzidine	1	ug/l	1.4	ND
3-Nitroaniline	1	ug/l	1.4	ND
4,6-Dinitro-2-methylphenol	1	ug/l	7.0	ND
4-Bromophenyl-phenylether	1	ug/l	1.4	ND
4-Chloro-3-methylphenol	1	ug/l	1.4	ND
4-Chloroaniline	1	ug/l	1.4	ND
4-Chlorophenyl-phenylether	1	ug/l	1.4	ND
4-Nitroaniline	1	ug/l	1.4	ND
4-Nitrophenol	1	ug/l	1.4	ND
Acenaphthene	1	ug/l	1.4	ND
Acenaphthylene	1	ug/l	1.4	ND
Acetophenone	1	ug/l	1.4	ND
Anthracene	1	ug/l	1.4	ND
Atrazine	1	ug/l	1.4	ND
Benzaldehyde	1	ug/l	1.4	ND
Benzidine	1	ug/l	7.0	ND
Benzo[a]Anthracene	1	ug/l	1.4	ND
Benzo[a]Pyrene	1	ug/l	1.4	ND
Benzo[b]Fluoranthene	1	ug/l	1.4	ND
Benzo[g,h,i]Perylene	1	ug/l	1.4	ND
Benzo[k]Fluoranthene	1	ug/l	1.4	ND
bis(2-Chloroethoxy)methane	1	ug/l	1.4	ND
Bis(2-Chloroethyl)Ether	1	ug/l	1.4	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	1.4	ND
bis(2-Ethylhexyl)phthalate	1	ug/l	1.4	ND
Butylbenzylphthalate	1	ug/l	1.4	ND
Caprolactam	1	ug/l	1.4	ND
Carbazole	1	ug/l	1.4	ND
Chrysene	1	ug/l	1.4	ND
Dibenzo[a,h]Anthracene	1	ug/l	1.4	ND
Dibenzofuran	1	ug/l	1.4	ND
Diethylphthalate	1	ug/l	1.4	ND
Dimethylphthalate	1	ug/l	1.4	ND
Di-n-Butylphthalate	1	ug/l	1.4	ND
Di-n-octylphthalate	1	ug/l	1.4	ND
Fluoranthene	1	ug/l	1.4	ND
Fluorene	1	ug/l	1.4	ND
Hexachlorobenzene	1	ug/l	1.4	ND
Hexachlorobutadiene	1	ug/l	1.4	ND
Hexachlorocyclopentadiene	1	ug/l	1.4	ND
Hexachloroethane	1	ug/l	1.4	ND
Indeno[1,2,3-cd]Pyrene	1	ug/l	1.4	ND
Isophorone	1	ug/l	1.4	ND
Naphthalene	1	ug/l	1.4	ND
Nitrobenzene	1	ug/l	1.4	ND
N-Nitrosodimethylamine	1	ug/l	1.4	ND
N-Nitroso-Di-n-propylamine	1	ug/l	1.4	ND
N-Nitrosodiphenylamine	1	ug/l	1.4	ND
Pentachlorophenol	1	ug/l	7.0	ND
Phenanthrene	1	ug/l	1.4	ND
Phenol	1	ug/l	1.4	ND
Pyrene	1	ug/l	1.4	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 4 of 6
Project #: 8102829

Lab#: AC40768-010 Collection Date: 10/27/2008
Sample ID: PC-2 U

TestGroup/Analyte	DF	Units	RL	Result
-------------------	----	-------	----	--------

Volatile Organics + 10 (624)

:TotalVolatileTic	1	ug/l	NA	4.9J
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

Lab#: AC40768-011 Collection Date: 10/27/2008
Sample ID: PC-2 F

TestGroup/Analyte	DF	Units	RL	Result
-------------------	----	-------	----	--------

Mercury (Water) 245.1

Mercury	1	ug/l	0.039	ND
TAL Metals 200.7/8				
Aluminum	0.5	ug/l	30	ND
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	130
Beryllium	0.5	ug/l	0.043	0.37
Cadmium	0.5	ug/l	0.070	ND
Calcium	0.5	ug/l	84	73000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	2.9
Copper	0.5	ug/l	1.5	8.4
Iron	0.5	ug/l	47	34000
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	21000
Manganese	1	ug/l	0.75	11000
Nickel	0.5	ug/l	0.31	1.8
Potassium	0.5	ug/l	55	5000
Selenium	0.5	ug/l	1.9	2.3
Silver	0.5	ug/l	0.20	0.97
Sodium	0.5	ug/l	87	51000
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	5.6
Zinc	0.5	ug/l	2.5	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 5 of 6
Project #: 8102829

Lab#: AC40768-012	Collection Date: 10/27/2008			
Sample ID: TB				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
Cis-1,2-Dichloroethene	1	ug/l	1.0	ND
Cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
M&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
N-Butylbenzene	1	ug/l	1.0	ND
N-Propylbenzene	1	ug/l	1.0	ND
O-Xylene	1	ug/l	1.0	ND
Sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
T-Butyl Alcohol	1	ug/l	5.0	ND
T-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
Trans-1,2-Dichloroethene	1	ug/l	1.0	ND
Trans-1,3-Dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 6 of 6
Project #: 8102829

Form1

ORGANICS VOLATILE REPORT

Sample Number: DAILY BLANK

Client Id:

Data File: 3M55249.D

Analysis Date: 10/30/08 07:09

Date Rec/Extracted:

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	1330-20-7	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99615

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40768-001

Client Id: MW-1 U

Data File: 3M55270.D

Analysis Date: 10/30/08 13:14

Date Rec/Extracted: 10/28/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-43-2	Benzene	0.50	U	1634-04-4	Methyl-t-butyl ether	0.50	U
100-41-4	Ethylbenzene	1.0	U	95-47-6	o-Xylene	1.0	U
1330-20-7	m&p-Xylenes	2.0	U	108-88-3	Toluene	1.0	U

Worksheet #: 99613

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40768-003

Client Id: MW-12 U

Data File: 3M55271.D

Analysis Date: 10/30/08 13:31

Date Rec/Extracted: 10/28/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-43-2	Benzene	0.50	U	1634-04-4	Methyl-t-butyl ether	0.50	U
100-41-4	Ethylbenzene	1.0	23	95-47-6	o-Xylene	1.0	U
1330-20-7	m&p-Xylenes	2.0	U	108-88-3	Toluene	1.0	U

Worksheet #: 99613

Total Target Concentration 23*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40768-005

Client Id: MW-11 U

Data File: 3M55272.D

Analysis Date: 10/30/08 13:48

Date Rec/Extracted: 10/28/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-43-2	Benzene	0.50	0.88	1634-04-4	Methyl-t-butyl ether	0.50	U
100-41-4	Ethylbenzene	1.0	13	95-47-6	o-Xylene	1.0	1.6
1330-20-7	m&p-Xylenes	2.0	3.8	108-88-3	Toluene	1.0	1.0

Worksheet #: 99614

Total Target Concentration 20.28*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40768-007

Client Id: MW-13

Data File: 3M55273.D

Analysis Date: 10/30/08 14:05

Date Rec/Extracted: 10/28/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-43-2	Benzene	0.50	U	1634-04-4	Methyl-t-butyl ether	0.50	U
100-41-4	Ethylbenzene	1.0	U	95-47-6	o-Xylene	1.0	U
1330-20-7	m&p-Xylenes	2.0	U	108-88-3	Toluene	1.0	U

Worksheet #: 99613

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40768-008

Client Id: LMW-2 U

Data File: 3M55274.D

Analysis Date: 10/30/08 14:22

Date Rec/Extracted: 10/28/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	1330-20-7	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99615

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40768-010

Client Id: PC-2 U

Data File: 3M55303.D

Analysis Date: 10/30/08 22:46

Date Rec/Extracted: 10/28/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	1330-20-7	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99615

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40768-012

Client Id: TB

Data File: 3M55264.D

Analysis Date: 10/30/08 11:31

Date Rec/Extracted: 10/28/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	1330-20-7	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99615

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

FORM2

Surrogate Recovery

Method: EPA 624

Dfile	Sample#	Matrix	Date/Time	Surr Dil	Dilute Out Flag	Column1 S1 Recov	Column1 S2 Recov	Column1 S3 Recov	Column1 S4 Recov	Column0 S5 Recov	Column0 S6 Recov
3M55183.D	DAILY BLANK	Aqueous	10/29/08 07:48	1		102	100	94	96		
3M55249.D	DAILY BLANK	Aqueous	10/30/08 07:09	1		102	99	97	97		
3M55270.D	AC40768-001	Aqueous	10/30/08 13:14	1		106	100	96	103		
3M55271.D	AC40768-003	Aqueous	10/30/08 13:31	1		104	101	100	96		
3M55272.D	AC40768-005	Aqueous	10/30/08 13:48	1		101	100	95	106		
3M55273.D	AC40768-007	Aqueous	10/30/08 14:05	1		104	98	103	100		
3M55228.D	AC40716-001	Aqueous	10/29/08 20:56	1		111	99	93	95		
3M55288.D	AC40716-001(	Aqueous	10/30/08 18:31	1		99	95	99	97		
3M55289.D	AC40716-001(	Aqueous	10/30/08 18:48	1		100	99	107	96		
3M55295.D	MBS10301	Aqueous	10/30/08 20:30	1		103	101	104	97		

Flags: SD=Surrogate diluted out

*=Surrogate out

Method: 624

Aqueous Limits

Compound	Spike Amt	Limits
S1=Dibromofluoromethane	30	74-137
S2=1,2-Dichloroethane-d4	30	78-128
S3=Toluene-d8	30	74-114
S4=Bromofluorobenzene	30	83-115

FORM2

Surrogate Recovery

Method: EPA 624

Dfile	Sample#	Matrix	Date/Time	Surr Dil	Dilute Out Flag	Column1	Column1	Column1	Column1	Column0	Column0
						S1 Recov	S2 Recov	S3 Recov	S4 Recov	S5 Recov	S6 Recov
3M55183.D	DAILY BLANK	Aqueous	10/29/08 07:48	1		102	100	94	96		
3M55249.D	DAILY BLANK	Aqueous	10/30/08 07:09	1		102	99	97	97		
3M55274.D	AC40768-008	Aqueous	10/30/08 14:22	1		102	95	94	97		
3M55303.D	AC40768-010	Aqueous	10/30/08 22:46	1		103	97	93	98		
3M55264.D	AC40768-012	Aqueous	10/30/08 11:31	1		102	98	94	95		
3M55228.D	AC40716-001	Aqueous	10/29/08 20:56	1		111	99	93	95		
3M55288.D	AC40716-001(	Aqueous	10/30/08 18:31	1		99	95	99	97		
3M55289.D	AC40716-001(	Aqueous	10/30/08 18:48	1		100	99	107	96		
3M55295.D	MBS10301	Aqueous	10/30/08 20:30	1		103	101	104	97		

Flags: SD=Surrogate diluted out

*=Surrogate out

Method: 624

Aqueous Limits

Compound	Spike Amt	Limits
S1=Dibromofluoromethane	30	74-137
S2=1,2-Dichloroethane-d4	30	78-128
S3=Toluene-d8	30	74-114
S4=Bromofluorobenzene	30	83-115

FORM 3
Spike Recovery

0025

Batch Number: MBS10301

Mbs File: 3M55295.D

Mbs Date: 10/30/08 20:30

Mbs Name: MBS10301

Non Spk'd File: 3M55228.D

Non Spk'd Date: 10/29/08 20:56

Ns Name: AC40716-001

Spike File: 3M55288.D

Spike Date : 10/30/08 18:31

Ms Name: AC40716-001(MS)

Spike Dup File: 3M55289.D

Spike Dup Date: 10/30/08 18:48

Msd Name: AC40716-001(MSD)

Matrix: Aqueous

Method: EPA 624

Compound	C#	Co	Mr	Conc Exp	Lo Lim	Hi Lim	Rpd Lim	Mbs Conc	Sample Conc	Spike Conc	Spike Dup Conc	Mbs Rec	MS Rec	Msd Rec	Rpd
Chloromethane	4	1	0	20	1	273	30	9.58	0.00	8.04	9.16	48	40	46	13
Bromomethane	5	1	0	20	1	242	38	9.37	0.00	6.84	8.10	47	34	41	17
Vinyl Chloride	6	1	0	20	1	251	30	10.70	0.00	8.30	9.12	53	42	46	9.4
Chloroethane	7	1	0	20	14	230	33	13.68	0.00	12.15	13.68	68	61	68	12
Trichlorofluoromethan	8	1	0	20	17	181	31	18.07	0.00	14.83	16.54	90	74	83	11
Methylene Chloride	10	1	0	20	1	221	27	14.20	0.00	12.94	14.05	71	65	70	8.2
1,1-Dichloroethene	19	1	0	20	1	234	29	15.34	0.00	13.06	14.59	77	65	73	11
1,1-Dichloroethane	22	1	0	20	59	155	25	13.55	0.00	12.39	13.57	68	62	68	9.1
trans-1,2-Dichloroeth	23	1	0	20	54	156	25	14.15	0.00	12.36	13.14	71	62	66	6.1
Chloroform	29	1	0	20	51	138	21	15.07	0.00	13.49	14.34	75	67	72	6.1
1,2-Dichloroethane	33	1	0	20	49	155	19	13.96	0.00	13.15	13.83	70	66	69	5
1,1,1-Trichloroethane	35	1	0	20	52	162	21	15.66	0.00	13.74	14.39	78	69	72	4.6
Carbon Tetrachloride	36	1	0	20	70	140	25	15.41	0.00	12.27	12.97	77	61 Mo	65 Mo	5.5
Bromodichloromethan	38	1	0	20	35	155	22	13.68	0.00	11.41	12.40	68	57	62	8.3
1,2-Dichloropropane	41	1	0	20	1	210	21	14.14	0.00	13.12	13.93	71	66	70	6
Trichloroethene	42	1	0	20	71	157	20	14.23	0.00	12.42	12.52	71	62 Mo	63 Mo	0.8
Benzene	43	1	0	20	37	151	19	13.80	0.00	12.85	13.61	69	64	68	5.7
Dibromochloromethan	46	1	0	20	53	149	20	13.87	0.00	10.94	12.91	69	55	65	17
2-Chloroethylvinylethe	47	1	0	20	1	305	40	11.55	0.00	0.00	0.00	58	0 Mo	0 Mo	NA^
cis-1,3-Dichloroprope	48	1	0	20	1	227	23	13.82	0.00	11.10	12.57	69	56	63	12
trans-1,3-Dichloropro	49	1	0	20	17	183	21	11.78	0.00	9.31	10.98	59	47	55	16
1,1,2-Trichloroethane	50	1	0	20	52	150	20	15.19	0.00	12.64	14.33	76	63	72	13
Tetrachloroethene	55	1	0	20	64	148	22	15.04	0.00	13.07	14.25	75	65	71	8.6
Toluene	57	1	0	20	47	150	21	15.44	0.00	12.75	14.72	77	64	74	14
Chlorobenzene	59	1	0	20	37	160	17	15.01	0.00	13.33	14.46	75	67	72	8.1
Bromoform	61	1	0	20	45	169	21	11.43	0.00	9.33	10.50	57	47	52	12
Ethylbenzene	62	1	0	20	37	162	27	15.12	0.00	13.14	14.62	76	66	73	11
1,1,2,2-Tetrachloroeth	63	1	0	20	46	157	21	13.03	0.00	12.29	13.18	65	61	66	7
1,3-Dichlorobenzene	69	1	0	20	59	156	19	14.17	0.00	12.54	13.82	71	63	69	9.7
1,4-Dichlorobenzene	70	1	0	20	18	190	18	14.06	0.00	12.53	13.25	70	63	66	5.6
1,2-Dichlorobenzene	71	1	0	20	18	190	18	14.48	0.00	12.30	13.71	72	62	69	11

Note:

Rp = Failed Rpd Criteria

Mo = Failed Recovery Criteria

^ - Both Ms and Msd Recoveries = 0 ... no valid information can be calculated

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: WMB3950

Client Id:

Data File: 5M46975.D

Analysis Date: 10/31/08 14:44

Date Rec/Extracted: NA-10/31/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 1000ml

Final Vol: 1ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
92-52-4	1,1'-Biphenyl	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
120-82-1	1,2,4-Trichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
105-67-9	2,4-Dimethylphenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	85-68-7	Butylbenzylphthalate	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	105-60-2	Caprolactam	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	86-74-8	Carbazole	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	218-01-9	Chrysene	2.0	U
95-57-8	2-Chlorophenol	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
88-74-4	2-Nitroaniline	2.0	U	131-11-3	Dimethylphthalate	2.0	U
88-75-5	2-Nitrophenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	117-84-0	Di-n-octylphthalate	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	206-44-0	Fluoranthene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	86-73-7	Fluorene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	118-74-1	Hexachlorobenzene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	67-72-1	Hexachloroethane	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	78-59-1	Isophorone	2.0	U
100-02-7	4-Nitrophenol	2.0	U	91-20-3	Naphthalene	2.0	U
83-32-9	Acenaphthene	2.0	U	98-95-3	Nitrobenzene	2.0	U
208-96-8	Acenaphthylene	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
98-86-2	Acetophenone	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
120-12-7	Anthracene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
1912-24-9	Atrazine	2.0	U	87-86-5	Pentachlorophenol	10	U
100-52-7	Benzaldehyde	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99596

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: WMB3950	Matrix: Aqueous
Client Id:	Initial Vol: 1000ml
Data File: 5M46975.D	Final Vol: 1ml
Analysis Date: 10/31/08 14:44	Dilution: 1
Date Rec/Extracted: NA-10/31/08	Solids: 0
	Method: EPA 625

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99596

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40768-008

Client Id: LMW-2 U

Data File: 5M46994.D

Analysis Date: 10/31/08 21:53

Date Rec/Extracted: 10/28/08-10/31/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 770ml

Final Vol: 0.5ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
92-52-4	1,1'-Biphenyl	1.3	U	205-99-2	Benzo[b]fluoranthene	1.3	U
120-82-1	1,2,4-Trichlorobenzene	1.3	U	191-24-2	Benzo[g,h,i]perylene	1.3	U
122-66-7	1,2-Diphenylhydrazine	1.3	U	207-08-9	Benzo[k]fluoranthene	1.3	U
95-95-4	2,4,5-Trichlorophenol	1.3	U	111-91-1	bis(2-Chloroethoxy)methan	1.3	U
88-06-2	2,4,6-Trichlorophenol	1.3	U	111-44-4	bis(2-Chloroethyl)ether	1.3	U
120-83-2	2,4-Dichlorophenol	1.3	U	108-60-1	bis(2-chloroisopropyl)ether	1.3	U
105-67-9	2,4-Dimethylphenol	1.3	U	117-81-7	bis(2-Ethylhexyl)phthalate	1.3	U
51-28-5	2,4-Dinitrophenol	6.5	U	85-68-7	Butylbenzylphthalate	1.3	U
121-14-2	2,4-Dinitrotoluene	1.3	U	105-60-2	Caprolactam	1.3	U
606-20-2	2,6-Dinitrotoluene	1.3	U	86-74-8	Carbazole	1.3	U
91-58-7	2-Chloronaphthalene	1.3	U	218-01-9	Chrysene	1.3	U
95-57-8	2-Chlorophenol	1.3	U	53-70-3	Dibenzo[a,h]anthracene	1.3	U
91-57-6	2-Methylnaphthalene	1.3	U	132-64-9	Dibenzofuran	1.3	U
95-48-7	2-Methylphenol	1.3	U	84-66-2	Diethylphthalate	1.3	U
88-74-4	2-Nitroaniline	1.3	U	131-11-3	Dimethylphthalate	1.3	U
88-75-5	2-Nitrophenol	1.3	U	84-74-2	Di-n-butylphthalate	1.3	U
106-44-5	3&4-Methylphenol	1.3	U	117-84-0	Di-n-octylphthalate	1.3	U
91-94-1	3,3'-Dichlorobenzidine	1.3	U	206-44-0	Fluoranthene	1.3	U
99-09-2	3-Nitroaniline	1.3	U	86-73-7	Fluorene	1.3	U
534-52-1	4,6-Dinitro-2-methylphenol	6.5	U	118-74-1	Hexachlorobenzene	1.3	U
101-55-3	4-Bromophenyl-phenylether	1.3	U	87-68-3	Hexachlorobutadiene	1.3	U
59-50-7	4-Chloro-3-methylphenol	1.3	U	77-47-4	Hexachlorocyclopentadiene	1.3	U
106-47-8	4-Chloroaniline	1.3	U	67-72-1	Hexachloroethane	1.3	U
7005-72-3	4-Chlorophenyl-phenylether	1.3	U	193-39-5	Indeno[1,2,3-cd]pyrene	1.3	U
100-01-6	4-Nitroaniline	1.3	U	78-59-1	Isophorone	1.3	U
100-02-7	4-Nitrophenol	1.3	U	91-20-3	Naphthalene	1.3	U
83-32-9	Acenaphthene	1.3	U	98-95-3	Nitrobenzene	1.3	U
208-96-8	Acenaphthylene	1.3	U	62-75-9	N-Nitrosodimethylamine	1.3	U
98-86-2	Acetophenone	1.3	U	621-64-7	N-Nitroso-di-n-propylamine	1.3	U
120-12-7	Anthracene	1.3	U	86-30-6	n-Nitrosodiphenylamine	1.3	U
1912-24-9	Atrazine	1.3	U	87-86-5	Pentachlorophenol	6.5	U
100-52-7	Benzaldehyde	1.3	U	85-01-8	Phenanthrene	1.3	U
92-87-5	Benzidine	6.5	U	108-95-2	Phenol	1.3	U
56-55-3	Benzo[a]anthracene	1.3	U	129-00-0	Pyrene	1.3	U
50-32-8	Benzo[a]pyrene	1.3	U				

Worksheet #: 99596

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.

E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40768-008	Matrix: Aqueous
Client Id: LMW-2 U	Initial Vol: 770ml
Data File: 5M46994.D	Final Vol: 0.5ml
Analysis Date: 10/31/08 21:53	Dilution: 1
Date Rec/Extracted: 10/28/08-10/31/08	Solids:
	Method: EPA 625

Units: ug/L

	Cas #	Compound	RT	Conc
1	112-34-5	Ethanol, 2-(2-butoxyethoxy)-	6.55	2.7 J

Worksheet #: 99596

Total Tentatively Identified Concentration 2.7*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40768-010

Client Id: PC-2 U

Data File: 5M46995.D

Analysis Date: 10/31/08 22:15

Date Rec/Extracted: 10/28/08-10/31/08

Column: DB-5MS 30M 0.25mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 710ml

Final Vol: 0.5ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
92-52-4	1,1'-Biphenyl	1.4	U	205-99-2	Benzo[b]fluoranthene	1.4	U
120-82-1	1,2,4-Trichlorobenzene	1.4	U	191-24-2	Benzo[g,h,i]perylene	1.4	U
122-66-7	1,2-Diphenylhydrazine	1.4	U	207-08-9	Benzo[k]fluoranthene	1.4	U
95-95-4	2,4,5-Trichlorophenol	1.4	U	111-91-1	bis(2-Chloroethoxy)methan	1.4	U
88-06-2	2,4,6-Trichlorophenol	1.4	U	111-44-4	bis(2-Chloroethyl)ether	1.4	U
120-83-2	2,4-Dichlorophenol	1.4	U	108-60-1	bis(2-chloroisopropyl)ether	1.4	U
105-67-9	2,4-Dimethylphenol	1.4	U	117-81-7	bis(2-Ethylhexyl)phthalate	1.4	U
51-28-5	2,4-Dinitrophenol	7.0	U	85-68-7	Butylbenzylphthalate	1.4	U
121-14-2	2,4-Dinitrotoluene	1.4	U	105-60-2	Caprolactam	1.4	U
606-20-2	2,6-Dinitrotoluene	1.4	U	86-74-8	Carbazole	1.4	U
91-58-7	2-Chloronaphthalene	1.4	U	218-01-9	Chrysene	1.4	U
95-57-8	2-Chlorophenol	1.4	U	53-70-3	Dibenzo[a,h]anthracene	1.4	U
91-57-6	2-Methylnaphthalene	1.4	U	132-64-9	Dibenzofuran	1.4	U
95-48-7	2-Methylphenol	1.4	U	84-66-2	Diethylphthalate	1.4	U
88-74-4	2-Nitroaniline	1.4	U	131-11-3	Dimethylphthalate	1.4	U
88-75-5	2-Nitrophenol	1.4	U	84-74-2	Di-n-butylphthalate	1.4	U
106-44-5	3&4-Methylphenol	1.4	U	117-84-0	Di-n-octylphthalate	1.4	U
91-94-1	3,3'-Dichlorobenzidine	1.4	U	206-44-0	Fluoranthene	1.4	U
99-09-2	3-Nitroaniline	1.4	U	86-73-7	Fluorene	1.4	U
534-52-1	4,6-Dinitro-2-methylphenol	7.0	U	118-74-1	Hexachlorobenzene	1.4	U
101-55-3	4-Bromophenyl-phenylether	1.4	U	87-68-3	Hexachlorobutadiene	1.4	U
59-50-7	4-Chloro-3-methylphenol	1.4	U	77-47-4	Hexachlorocyclopentadiene	1.4	U
106-47-8	4-Chloroaniline	1.4	U	67-72-1	Hexachloroethane	1.4	U
7005-72-3	4-Chlorophenyl-phenylether	1.4	U	193-39-5	Indeno[1,2,3-cd]pyrene	1.4	U
100-01-6	4-Nitroaniline	1.4	U	78-59-1	Isophorone	1.4	U
100-02-7	4-Nitrophenol	1.4	U	91-20-3	Naphthalene	1.4	U
83-32-9	Acenaphthene	1.4	U	98-95-3	Nitrobenzene	1.4	U
208-96-8	Acenaphthylene	1.4	U	62-75-9	N-Nitrosodimethylamine	1.4	U
98-86-2	Acetophenone	1.4	U	621-64-7	N-Nitroso-di-n-propylamine	1.4	U
120-12-7	Anthracene	1.4	U	86-30-6	n-Nitrosodiphenylamine	1.4	U
1912-24-9	Atrazine	1.4	U	87-86-5	Pentachlorophenol	7.0	U
100-52-7	Benzaldehyde	1.4	U	85-01-8	Phenanthrene	1.4	U
92-87-5	Benzidine	7.0	U	108-95-2	Phenol	1.4	U
56-55-3	Benzo[a]anthracene	1.4	U	129-00-0	Pyrene	1.4	U
50-32-8	Benzo[a]pyrene	1.4	U				

Worksheet #: 99596

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40768-010
Client Id: PC-2 U
Data File: 5M46995.D
Analysis Date: 10/31/08 22:15
Date Rec/Extracted: 10/28/08-10/31/08

Matrix: Aqueous
Initial Vol: 710ml
Final Vol: 0.5ml
Dilution: 1
Solids:
Method: EPA 625

Units: ug/L

	Cas #	Compound	RT	Conc
1	526-73-8	Benzene, 1,2,3-trimethyl-	5.45	2.9 J
2		unknown	14.73	4.4 J
3	112-34-5	Ethanol, 2-(2-butoxyethoxy)-	6.55	2.6 J

Worksheet #: 100039

Total Tentatively Identified Concentration 9.9*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

FORM2

Surrogate Recovery

Method: EPA 625

Dfile	Sample#	Matrix	Date/Time	Surr Dil	Dilute Out Flag	Column1 S1 Recov	Column1 S2 Recov	Column1 S3 Recov	Column1 S4 Recov	Column1 S5 Recov	Column1 S6 Recov
5M46975.D	WMB3950	Aqueous	10/31/08 14:44	1		65	49	94	101	109	105
7M37961.D	WMB3948	Aqueous	10/29/08 15:24	1		62	44	92	90	98	96
5M46994.D	AC40768-008	Aqueous	10/31/08 21:53	1		43	35	72	79	96	91
5M46995.D	AC40768-010	Aqueous	10/31/08 22:15	1		58	44	84	85	98	91
5M46974.D	WMB3950(MS	Aqueous	10/31/08 14:22	1		64	50	92	86	99	113
5M46976.D	AC40769-001(	Aqueous	10/31/08 15:07	1		77	69	97	92	100	108
5M46977.D	AC40769-001(	Aqueous	10/31/08 15:29	1		74	69	89	86	93	104
5M46982.D	AC40769-001	Aqueous	10/31/08 17:22	1		68	63	84	87	103	93
7M37960.D	WMB3948(MS	Aqueous	10/29/08 15:00	1		66	47	99	94	102	101
7M37962.D	AC40624-001	Aqueous	10/29/08 15:46	1		83	81	90	87	97	95
7M37963.D	AC40624-001(	Aqueous	10/29/08 16:09	1		80	81	86	76	99	98
7M37965.D	AC40624-001(	Aqueous	10/29/08 16:55	1		84	76	91	90	104	100

Flags: SD=Surrogate diluted out

*=Surrogate out

Method: 625

Aqueous Limits

Compound	Spike Amt	Limits
S1=2-Fluorophenol	100	22-101
S2=Phenol-d5	100	1-95
S3=Nitrobenzene-d5	50	50-128
S4=2-Fluorobiphenyl	50	48-123
S5=2,4,6-Tribromophenol	100	10-123
S6=Terphenyl-d14	50	44-132

FORM 3
Spike Recovery

0033

Batch Number: WMB3948

Mbs File: 7M37960.D

Mbs Date: 10/29/08 15:00

Mbs Name: WMB3948(MS)

Non Spk'd File: 7M37962.D

Non Spk'd Date: 10/29/08 15:46

Ns Name: AC40624-001

Spike File: 7M37963.D

Spike Date: 10/29/08 16:09

Ms Name: AC40624-001(MS)

Spike Dup File: 7M37965.D

Spike Dup Date: 10/29/08 16:55

Msd Name: AC40624-001(MSD)

Matrix: Aqueous

Method: EPA 625

Compound	C#	Co	Mr	Conc Exp	Lo Lim	Hi Lim	Rpd Lim	Mbs Conc	Sample Conc	Spike Conc	Spike Dup Conc	Mbs Rec	MS Rec	Msd Rec	Rpd
N-Nitrosodimethylami	3	1	0	100	40	109	19	65.56	0.00	88.44	94.28	66	88	94	6.4
bis(2-Chloroethyl)ethe	8	1	0	100	55	106	15	84.85	0.00	81.03	87.18	85	81	87	7.3
Phenol	10	1	0	100	14	95	25	44.78	0.00	77.77	82.58	45	78	83	6
2-Chlorophenol	11	1	0	100	67	104	23	86.76	0.00	86.07	93.72	87	86	94	8.5
bis(2-chloroisopropyl)	17	1	0	100	53	110	16	88.60	0.00	84.88	90.66	89	85	91	6.6
Hexachloroethane	20	1	0	100	46	114	40	87.80	0.00	80.58	88.34	88	81	88	9.2
N-Nitroso-di-n-propyla	21	1	0	100	53	105	15	91.78	0.00	91.19	96.64	92	91	97	5.8
Nitrobenzene	25	1	0	100	60	113	13	90.17	0.00	85.52	89.33	90	86	89	4.4
Isophorone	26	1	0	100	38	122	13	82.10	0.00	80.77	83.24	82	81	83	3
2-Nitrophenol	27	1	0	100	74	117	20	94.17	0.00	93.14	95.31	94	93	95	2.3
2,4-Dimethylphenol	28	1	0	100	59	116	19	86.31	0.00	86.42	89.70	86	86	90	3.7
bis(2-Chloroethoxy)m	30	1	0	100	60	113	12	88.30	0.00	84.27	87.40	88	84	87	3.6
2,4-Dichlorophenol	31	1	0	100	72	112	19	92.04	0.00	91.75	95.24	92	92	95	3.7
1,2,4-Trichlorobenzen	32	1	0	100	50	119	25	86.84	0.00	81.27	85.46	87	81	85	5
Naphthalene	33	1	0	100	64	115	22	85.64	0.00	81.07	85.69	86	81	86	5.5
Hexachlorobutadiene	35	1	0	100	53	118	37	85.17	0.00	77.19	83.36	85	77	83	7.7
4-Chloro-3-methylphe	37	1	0	100	72	115	23	91.16	0.00	93.23	95.96	91	93	96	2.9
2,4,6-Trichlorophenol	44	1	0	100	76	120	18	95.67	0.00	97.35	97.78	96	97	98	0.44
2-Chloronaphthalene	47	1	0	100	58	117	14	90.93	0.00	86.46	89.55	91	86	90	3.5
Acenaphthylene	52	1	0	100	69	109	13	90.65	0.00	87.60	90.15	91	88	90	2.9
Dimethylphthalate	53	1	0	100	60	120	14	91.69	0.00	89.48	91.98	92	89	92	2.8
2,6-Dinitrotoluene	54	1	0	100	57	119	13	96.88	0.00	94.28	97.00	97	94	97	2.8
Acenaphthene	55	1	0	100	76	111	13	87.24	0.00	83.98	86.84	87	84	87	3.3
2,4-Dinitrophenol	57	1	0	100	46	132	36	93.07	0.00	93.76	99.59	93	94	100	6
2,4-Dinitrotoluene	59	1	0	100	59	123	19	93.30	0.00	91.89	95.11	93	92	95	3.4
4-Nitrophenol	60	1	0	100	13	111	22	51.89	0.00	93.22	96.48	52	93	96	3.4
Fluorene	62	1	0	100	74	111	13	86.56	0.00	84.12	87.07	87	84	87	3.4
4-Chlorophenyl-pheny	63	1	0	100	56	121	12	87.61	0.00	86.00	87.70	88	86	88	2
Diethylphthalate	64	1	0	100	58	118	13	87.21	0.00	86.01	88.90	87	86	89	3.3
4,6-Dinitro-2-methylph	68	1	0	100	61	137	25	101.15	0.00	101.26	105.17	101	101	105	3.8
4-Bromophenyl-pheny	72	1	0	100	61	126	14	94.52	0.00	91.05	95.66	95	91	96	4.9
Hexachlorobenzene	73	1	0	100	63	117	13	89.07	0.00	85.20	88.58	89	85	89	3.9
Pentachlorophenol	75	1	0	100	74	136	23	102.81	0.00	103.93	108.63	103	104	109	4.4
Phenanthrene	76	1	0	100	77	112	13	91.77	0.00	88.21	92.48	92	88	92	4.7
Anthracene	77	1	0	100	74	107	12	87.06	0.00	84.25	86.95	87	84	87	3.2
Di-n-butylphthalate	79	1	0	100	61	120	12	95.25	0.00	92.86	96.92	95	93	97	4.3
Fluoranthene	80	1	0	100	75	113	13	94.30	0.00	92.53	96.39	94	93	96	4.1
Pyrene	82	1	0	100	76	121	13	87.59	0.00	85.97	87.90	88	86	88	2.2
Butylbenzylphthalate	88	1	0	100	61	127	16	96.78	0.00	94.95	97.65	97	95	98	2.8
3,3'-Dichlorobenzidine	92	1	0	100	14	216	55	128.14	0.00	82.77	99.15	128	83	99	18
Benzo[a]anthracene	93	1	0	100	76	112	12	88.34	0.00	84.97	86.80	88	85	87	2.1
Chrysene	94	1	0	100	75	109	13	89.64	0.00	86.11	88.01	90	86	88	2.2
bis(2-Ethylhexyl)phtha	95	1	0	100	61	128	13	98.73	0.00	95.44	96.60	99	95	97	1.2
Di-n-octylphthalate	97	1	0	100	54	143	15	92.98	0.00	91.21	94.47	93	91	94	3.5
Benzo[b]fluoranthene	98	1	0	100	71	112	15	87.79	0.00	81.15	84.51	88	81	85	4.1
Benzo[k]fluoranthene	99	1	0	100	73	118	15	90.81	0.00	90.13	92.47	91	90	92	2.6
Benzo[a]pyrene	100	1	0	100	77	119	12	93.05	0.00	89.45	92.41	93	89	92	3.3
Indeno[1,2,3-cd]pyren	101	1	0	100	76	122	14	95.97	0.00	90.34	93.43	96	90	93	3.4
Dibenzo[a,h]anthracene	102	1	0	100	73	118	14	96.82	0.00	91.58	94.22	97	92	94	2.8
Benzo[a,h,i]perylene	103	1	0	100	71	118	15	95.69	0.00	90.00	92.06	96	90	92	2.3

Note:

Rp = Failed Rpd Criteria

Mo = Failed Recovery Criteria

^ - Both Ms and Msd Recoveries = 0 ... no valid information can be calculated

FORM 3
Spike Recovery

0034

Batch Number: WMB3950

Mbs File: 5M46974.D

Mbs Date: 10/31/08 14:22

Mbs Name: WMB3950(MS)

Non Spk'd File: 5M46982.D

Non Spk'd Date: 10/31/08 17:22

Ns Name: AC40769-001

Spike File: 5M46976.D

Spike Date: 10/31/08 15:07

Ms Name: AC40769-001(MS)

Spike Dup File: 5M46977.D

Spike Dup Date: 10/31/08 15:29

Msd Name: AC40769-001(MSD)

Matrix: Aqueous

Method: EPA 625

Compound	C#	Co	Mr	Conc Exp	Lo Lim	Hi Lim	Rpd Lim	Mbs Conc	Sample Conc	Spike Conc	Spike Dup Conc	Mbs Rec	MS Rec	Msd Rec	Rpd
N-Nitrosodimethylami	3	1	0	100	40	109	19	54.87	0.00	75.30	74.02	55	75	74	1.7
bis(2-Chloroethyl)ethe	8	1	0	100	55	106	15	80.67	0.00	83.44	78.13	81	83	78	6.6
Phenol	10	1	0	100	14	95	25	47.96	0.00	64.84	65.15	48	65	65	0.48
2-Chlorophenol	11	1	0	100	67	104	23	82.48	0.00	86.63	82.84	82	87	83	4.5
bis(2-chloroisopropyl)	17	1	0	100	53	110	16	78.20	0.00	83.07	78.43	78	83	78	5.7
Hexachloroethane	20	1	0	100	46	114	40	77.29	0.00	82.02	77.34	77	82	77	5.9
N-Nitroso-di-n-propyla	21	1	0	100	53	105	15	82.92	0.00	86.93	81.35	83	87	81	6.6
Nitrobenzene	25	1	0	100	60	113	13	86.43	0.00	92.61	82.64	86	93	83	11
Isophorone	26	1	0	100	38	122	13	79.86	0.00	85.29	77.43	80	85	77	9.7
2-Nitrophenol	27	1	0	100	74	117	20	94.80	0.00	100.24	93.47	95	100	93	7
2,4-Dimethylphenol	28	1	0	100	59	116	19	84.35	0.00	89.28	85.12	84	89	85	4.8
bis(2-Chloroethoxy)m	30	1	0	100	60	113	12	87.14	0.00	90.22	82.67	87	90	83	8.7
2,4-Dichlorophenol	31	1	0	100	72	112	19	91.48	0.00	96.05	90.26	91	96	90	6.2
1,2,4-Trichlorobenzen	32	1	0	100	50	119	25	84.16	0.00	86.62	80.86	84	87	81	6.9
Naphthalene	33	1	0	100	64	115	22	82.10	0.00	85.34	79.83	82	85	80	6.7
Hexachlorobutadiene	35	1	0	100	53	118	37	80.56	0.00	86.13	77.17	81	86	77	11
4-Chloro-3-methylphe	37	1	0	100	72	115	23	95.65	0.00	100.62	94.68	96	101	95	6.1
2,4,6-Trichlorophenol	44	1	0	100	76	120	18	96.40	0.00	97.88	95.94	96	98	96	2
2-Chloronaphthalene	47	1	0	100	58	117	14	90.47	0.00	92.86	87.49	90	93	87	6
Acenaphthylene	52	1	0	100	69	109	13	87.56	0.00	89.99	83.72	88	90	84	7.2
Dimethylphthalate	53	1	0	100	60	120	14	92.29	0.00	92.39	87.88	92	92	88	5
2,6-Dinitrotoluene	54	1	0	100	57	119	13	92.63	0.00	94.70	90.10	93	95	90	5
Acenaphthene	55	1	0	100	76	111	13	85.91	0.00	86.89	81.18	86	87	81	6.8
2,4-Dinitrophenol	57	1	0	100	46	132	36	91.15	0.00	86.23	85.41	91	86	85	0.96
2,4-Dinitrotoluene	59	1	0	100	59	123	19	91.73	0.00	92.32	85.94	92	92	86	7.2
4-Nitrophenol	60	1	0	100	13	111	22	54.05	0.00	70.14	71.61	54	70	72	2.1
Fluorene	62	1	0	100	74	111	13	81.63	0.00	82.84	78.53	82	83	79	5.3
4-Chlorophenyl-pheny	63	1	0	100	56	121	12	86.21	0.00	88.16	83.45	86	88	83	5.5
Diethylphthalate	64	1	0	100	58	118	13	86.38	0.00	87.33	82.41	86	87	82	5.8
4,6-Dinitro-2-methylph	68	1	0	100	61	137	25	97.72	0.00	97.99	95.24	98	98	95	2.8
4-Bromophenyl-pheny	72	1	0	100	61	126	14	93.46	0.00	93.80	88.30	93	94	88	6
Hexachlorobenzene	73	1	0	100	63	117	13	85.52	0.00	87.65	81.53	86	88	82	7.2
Pentachlorophenol	75	1	0	100	74	136	23	96.83	0.00	93.13	90.93	97	93	91	2.4
Phenanthrene	76	1	0	100	77	112	13	88.47	0.00	90.63	85.25	88	91	85	6.1
Anthracene	77	1	0	100	74	107	12	82.94	0.00	83.50	79.04	83	83	79	5.5
Di-n-butylphthalate	79	1	0	100	61	120	12	92.40	0.00	93.47	89.16	92	93	89	4.7
Fluoranthene	80	1	0	100	75	113	13	87.70	0.00	91.08	85.06	88	91	85	6.8
Pyrene	82	1	0	100	76	121	13	95.24	0.00	92.71	88.72	95	93	89	4.4
Butylbenzylphthalate	88	1	0	100	61	127	16	104.72	0.00	105.31	99.67	105	105	100	5.5
3,3'-Dichlorobenzidine	92	1	0	100	14	216	55	135.99	0.00	130.95	124.29	136	131	124	5.2
Benzo[a]anthracene	93	1	0	100	76	112	12	89.26	0.00	89.82	84.38	89	90	84	6.2
Chrysene	94	1	0	100	75	109	13	91.69	0.00	91.08	85.17	92	91	85	6.7
bis(2-Ethylhexyl)phtha	95	1	0	100	61	128	13	101.89	0.00	98.90	93.98	102	99	94	5.1
Di-n-octylphthalate	97	1	0	100	54	143	15	103.36	0.00	111.40	103.00	103	111	103	7.8
Benzo[b]fluoranthene	98	1	0	100	71	112	15	82.24	0.00	87.96	80.92	82	88	81	8.3
Benzo[k]fluoranthene	99	1	0	100	73	118	15	91.76	0.00	94.94	87.62	92	95	88	8
Benzo[a]pyrene	100	1	0	100	77	119	12	86.66	0.00	90.03	85.42	87	90	85	5.3
Indeno[1,2,3-cd]pyren	101	1	0	100	76	122	14	89.58	0.00	89.96	84.21	90	90	84	6.6
Dibenzo[a,h]anthracene	102	1	0	100	73	118	14	89.97	0.00	90.55	84.66	90	91	85	6.7
Benzo[a,h,i]perylene	103	1	0	100	71	118	15	91.24	0.00	91.84	86.35	91	92	86	6.2

Note:

Rp = Failed Rpd Criteria

Mo = Failed Recovery Criteria

^ - Both Ms and Msd Recoveries = 0 ... no valid information can be calculated

Form1
Inorganic Analysis Data Sheet

Sample ID: AC40768-002
Client Id: MW-1 F
Matrix: AQUEOUS
Level: LOW

% Solid: 0
Units: UG/L
Date Rec: 10/29/2008

Lab Name: Veritech
Lab Code:
Contract:

Nras No:
Sdg No:
Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7439-89-6	Iron	47	ND	.5	11/11/08	9647	A9647D	22	P	PEICP1
7439-96-5	Manganese	0.37	27	.5	11/11/08	9647	A9647D	22	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit
P - ICP-AES
CV -ColdVapor
MS - ICP-MS

Form1
Inorganic Analysis Data Sheet

Sample ID: AC40768-004
Client Id: MW-12 F
Matrix: AQUEOUS
Level: LOW

% Solid: 0
Units: UG/L
Date Rec: 10/29/2008

Lab Name: Veritech
Lab Code:
Contract:

Nras No:
Sdg No:
Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7439-89-6	Iron	47	650	.5	11/11/08	9647	A9647D	23	P	PEICP1
7439-96-5	Manganese	0.75	11000	1	11/11/08	9647	A9647D	40	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV -ColdVapor

MS - ICP-MS

Form1
Inorganic Analysis Data Sheet

Sample ID: AC40768-006
Client Id: MW-11 F
Matrix: AQUEOUS
Level: LOW

% Solid: 0
Units: UG/L
Date Rec: 10/29/2008

Lab Name: Veritech
Lab Code:
Contract:

Nras No:
Sdg No:
Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7439-89-6	Iron	47	ND	.5	11/11/08	9647	A9647D	24	P	PEICP1
7439-96-5	Manganese	0.37	660	.5	11/11/08	9647	A9647D	24	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV -ColdVapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40768-009
 Client Id: LMW-2 F
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 10/29/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-39-3	Barium	0.075	140	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-41-7	Beryllium	0.043	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-43-9	Cadmium	0.070	0.075	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-70-2	Calcium	84	91000	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-48-4	Cobalt	0.20	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-50-8	Copper	1.5	12	.5	11/11/08	9647	A9647D	25	P	PEICP1
7439-89-6	Iron	47	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7439-95-4	Magnesium	39	34000	.5	11/11/08	9647	A9647D	25	P	PEICP1
7439-96-5	Manganese	0.37	230	.5	11/11/08	9647	A9647D	25	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	18	CV	HGCV2
7440-02-0	Nickel	0.31	6.5	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-09-7	Potassium	55	4400	0.5	11/11/08	9647	A9647C2	21	P	PEICPRAD2
7782-49-2	Selenium	1.9	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-22-4	Silver	0.20	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-23-5	Sodium	87	39000	0.5	11/11/08	9647	A9647C2	21	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-62-2	Vanadium	1.1	7.6	.5	11/11/08	9647	A9647D	25	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	25	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit
 P - ICP-AES
 CV -ColdVapor
 MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40768-011
 Client Id: PC-2 F
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 10/29/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	ND	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-39-3	Barium	0.075	130	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-41-7	Beryllium	0.043	0.37	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-43-9	Cadmium	0.070	ND	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-70-2	Calcium	84	73000	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-48-4	Cobalt	0.20	2.9	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-50-8	Copper	1.5	8.4	.5	11/11/08	9647	A9647D	26	P	PEICP1
7439-89-6	Iron	47	34000	.5	11/11/08	9647	A9647D	26	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	26	P	PEICP1
7439-95-4	Magnesium	39	21000	.5	11/11/08	9647	A9647D	26	P	PEICP1
7439-96-5	Manganese	0.75	11000	1	11/11/08	9647	A9647D	39	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	19	CV	HGCV2
7440-02-0	Nickel	0.31	1.8	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-09-7	Potassium	55	5000	0.5	11/11/08	9647	A9647C2	22	P	PEICPRAD2
7782-49-2	Selenium	1.9	2.3	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-22-4	Silver	0.20	0.97	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-23-5	Sodium	87	51000	0.5	11/11/08	9647	A9647C2	22	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-62-2	Vanadium	1.1	5.6	.5	11/11/08	9647	A9647D	26	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	26	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV -ColdVapor

MS - ICP-MS

FORM 3

(ICB/CCB/MB Summary)

Date Analyzed: 11/11/08

Data File: A9647D

Prep Batch: 9647

Reporting Limits Used: AQUEOUS,200.7(ICP)/200.8(ICPMS)/245.1(Hg)

Instrument: PEICP1

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Analyte	ICB V-55098-8	CCB-20	CCB-30	CCB-38	CCB-47	MB 9647 (0.5)-11		
Aluminum	.2 U	.2 U	.2 U	.2 U	.2 U	.1 U		
Antimony	.015 U	.015 U	.015 U	.015 U	.015 U	.0075 U		
Arsenic	.04 U	.04 U	.04 U	.04 U	.04 U	.02 U		
Barium	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Beryllium	.008 U	.008 U	.008 U	.008 U	.008 U	.004 U		
Cadmium	.004 U	.004 U	.004 U	.004 U	.004 U	.002 U		
Calcium	2 U	2 U	2 U	2 U	2 U	1 U		
Chromium	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Cobalt	.02 U	.02 U	.02 U	.02 U	.02 U	.01 U		
Copper	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Iron	.3 U	.3 U	.3 U	.3 U	.3 U	.15 U		
Lead	.01 U	.01 U	.01 U	.01 U	.01 U	.005 U		
Magnesium	2 U	2 U	2 U	2 U	2 U	1 U		
Manganese	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Molybdenum	.02 U	.02 U	.02 U	.02 U	.02 U	.01 U		
Nickel	.02 U	.02 U	.02 U	.02 U	.02 U	.01 U		
Selenium	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Silver	.02 U	.02 U	.02 U	.02 U	.02 U	.01 U		
Thallium	.01 U	.01 U	.01 U	.01 U	.01 U	.005 U		
Tin	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Titanium	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Vanadium	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Zinc	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 3

(ICB/CCB/MB Summary)

Date Analyzed: 11/11/08

Data File: A9647C2

Prep Batch: 9647

Reporting Limits Used: AQUEOUS,200.7(ICP)/200.8(ICPMS)/245.1(Hg)

Instrument: PEICPRAD2

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Analyte	ICB V-54581-7	CCB-17	CCB-29	CCB-39	MB 9647 (0.5)- 10			
Aluminum	1 U	1 U	1 U	1 U	.5 U			
Calcium	5 U	5 U	5 U	5 U	2.5 U			
Iron	1 U	1 U	1 U	1 U	.5 U			
Magnesium	5 U	5 U	5 U	5 U	2.5 U			
Potassium	5 U	5 U	5 U	5 U	2.5 U			
Sodium	5 U	5 U	5 U	5 U	2.5 U			

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 3 (ICB/CCB/MB Summary)

Date Analyzed: 11/11/08

Data File: H9647A

Prep Batch: 9647

Reporting Limits Used: AQUEOUS,200.7(ICP)/200.8(ICPMS)/245.1(Hg)

Instrument: HGCV2

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Analyte	ICB-10	CCB-22	CCB-32	MB 9647(1)-11				
Mercury	.2 U	.2 U	.2 U	.2 U				

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 5/FORM 7 SPIKE/LCS RECOVERY

Date Analyzed: 11/11/08

Data File: A9647D

Prep Batch: 9647

Analytical Method: 200.7(ICP)/200.8(ICPMS)/245.1(Hg)

Instrument: PEICP1

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Matrix: AQUEOUS

Level: Low

MATRIX SPIKE SOURCE: VHG LABS

Analyte	Spike Amts			LCS Rec Limits	Non Spike Conc AC40800- 001-14		%REC OR Conc	AC40800- 001-16-1X	%REC OR Conc	LCSW-12- 1X	%REC OR Conc	LCSW MR-13-1X	%REC OR Conc	%REC OR Conc
	MS-Tclp MS-Aq MS-soil	LCS Soil	LCS Aq											
Aluminum	5.000		5.000	85 - 115	0.2	U	5.23441	105	5.19838	104	4.87647	98	4.86391	97
Antimony	.5000		.5000	85 - 115	0.015	U	0.527899	106	0.52463	105	0.493795	99	0.500905	100
Arsenic	.5000		.5000	85 - 115	0.04	U	0.529097	106	0.526122	105	0.500203	100	0.510642	102
Barium	.5000		.5000	85 - 115	0.0588977		0.575883	103	0.570351	102	0.505738	101	0.504763	101
Beryllium	.5000		.5000	85 - 115	0.008	U	0.524136	105	0.51789	104	0.499152	100	0.499988	100
Cadmium	.5000		.5000	85 - 115	0.004	U	0.517924	104	0.511208	102	0.505064	101	0.509566	102
Calcium	50.000		50.000	85 - 115	65.9009		117.491	103	115.757	100	49.5546	99	49.6316	99
Chromium	.5000		.5000	85 - 115	0.05	U	0.504988	101	0.500556	100	0.495982	99	0.495846	99
Cobalt	.5000		.5000	85 - 115	0.02	U	0.507488	101	0.50313	101	0.497242	99	0.505211	101
Copper	.5000		.5000	85 - 115	0.05	U	0.506257	101	0.507557	102	0.49481	99	0.491365	98
Iron	5.000		5.000	85 - 115	1.01626		6.23623	104	6.09903	102	4.99337	100	4.99891	100
Lead	.5000		.5000	85 - 115	0.01	U	0.519724	104	0.512249	102	0.501437	100	0.509159	102
Magnesium	50.000		50.000	85 - 115	18.7559		70.662	104	69.3773	101	50.0033	100	50.1342	100
Manganese	.5000		.5000	85 - 115	1.0975		1.61129	103	1.58215	97	0.501172	100	0.500898	100
Molybdenu	.5000		.5000	85 - 115	0.02	U	0.515372	103	0.513654	103	0.497286	99	0.50518	101
Nickel	.5000		.5000	85 - 115	0.02	U	0.498673	100	0.493987	99	0.494775	99	0.501253	100
Selenium	.5000		.5000	85 - 115	0.05	U	0.529015	106	0.524982	105	0.511646	102	0.520825	104
Silver	.100		.1000	85 - 115	0.02	U	0.100889	101	0.100383	100	0.0987137	99	0.0976558	98
Thallium	.5000		.5000	85 - 115	0.01	U	0.534128	107	0.533188	107	0.528286	106	0.533772	107
Tin	.5000		.5000	85 - 115	0.05	U	0.575137	115	0.568737	114	0.543361	109	0.553763	111
Titanium	.5000		.5000	85 - 115	0.05	U	0.520772	104	0.516345	103	0.492591	99	0.491537	98
Vanadium	.5000		.5000	85 - 115	0.05	U	0.507395	101	0.503489	101	0.490403	98	0.488742	98
Zinc	.5000		.5000	85 - 115	0.05	U	0.522894	105	0.512274	102	0.500497	100	0.505403	101

MS Qc Limits:

EPA600:	SW846	CLP
MS: 70-130	MS TCLP: >50% MS soil/aqueous:75-125	MS:75-125

Flags:

U: Conc < Reporting Limit

a: Recovery Failed Specified Limit

b: Recovery Failed Specified Limit but Non Spike
concentration > 4* spike amount

Note: All Elements analyzed by ICP(P) or ICP-MS except Mercury(CV)

FORM 5/FORM 7

SPIKE/LCS RECOVERY

Date Analyzed: 11/11/08
 Data File: A9647C2
 Prep Batch: 9647
 Analytical Method: 200.7(ICP)/200.8(ICPMS)/245.1(Hg)
 Instrument: PEICPRAD2
 Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech
 Lab Code:
 Contract:
 Nras No:
 Sdg No:
 Case No:
 Matrix: AQUEOUS
 Level: Low

MATRIX SPIKE SOURCE: VHG LABS

Analyte	Spike Amts			LCS Rec Limits	Non Spike Conc AC40800- 001-13		%REC OR Conc	AC40800- 001-15-1X	%REC OR Conc	LCSW-11- 1X	%REC OR Conc	LCSW MR-12-1X	%REC OR Conc	%REC OR Conc
	MS-Tclp MS-Aq MS-soil	LCS Soil	LCS Aq											
Aluminum	5.000		5.000	85 - 115	1	U	5.09612	102	5.11167	102	4.83878	97	4.80742	96
Calcium	50.000		50.000	85 - 115	61.8563		113.324	103	112.011	100	48.6869	97	48.3468	97
Iron	5.000		5.000	85 - 115	1.02848		5.9292	98	5.90517	98	4.72611	95	4.70453	94
Magnesium	50.000		50.000	85 - 115	18.1299		68.0779	100	67.9688	100	49.0917	98	48.7896	98
Potassium	50.000		50.000	85 - 115	7.55205		56.8492	99	56.939	99	47.6699	95	47.2986	95
Sodium	50.000		50.000	85 - 115	15.9561		66.1679	100	66.0948	100	48.8762	98	48.3394	97

MS Qc Limits:

EPA600:	SW846	CLP
MS: 70-130	MS TCLP: >50% MS soil/aqueous: 75-125	MS: 75-125

Flags:

U: Conc < Reporting Limit
 a: Recovery Failed Specified Limit
 b: Recovery Failed Specified Limit but Non Spike
 concentration > 4* spike amount

Note: All Elements analyzed by ICP(P) or ICP-MS except Mercury(CV)

FORM 5/FORM 7 SPIKE/LCS RECOVERY

Date Analyzed: 11/11/08

Data File: H9647A

Prep Batch: 9647

Analytical Method: 200.7(ICP)/200.8(ICPMS)/245.1(Hg)

Instrument: HGCv2

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Matrix: AQUEOUS

Level: Low

MATRIX SPIKE SOURCE: VHG LABS

Analyte	Spike Amts			LCS Rec Limits	Non Spike Conc AC40800- 001-14	AC40800- 001-16-1X	%REC OR Conc	AC40800- 001-17-1X	%REC OR Conc	LCSW-12- 1X	%REC OR Conc	LCSW MR-13-1X	%REC OR Conc	%REC OR Conc
	MS-Tclp MS-Aq MS-soil	LCS Soil	LCS Aq											
Mercury	10		10	85 - 115	0.2 U	10.86	109	10.7	107	9.778	98	9.731	97	

MS Qc Limits:

EPA600:	SW846	CLP
MS: 70-130	MS TCLP: >50% MS soil/aqueous:75-125	MS:75-125

Flags:

U: Conc < Reporting Limit

a: Recovery Failed Specified Limit

b: Recovery Failed Specified Limit but Non Spike
concentration > 4* spike amount

Note: All Elements analyzed by ICP(P) or ICP-MS except Mercury(CV)

VERITECH Wet Chem Form1 Analysis Summary

Lab#: AC40768-001
Matrix Aqueous
Client SampleID: MW-1 U

Project Number: 8102829
Received Date: 10/28/2008
Collect Date: 10/27/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Alkalinity	ALKALIN-MUR	1	26	mg CaCO3/l	10	11/05/08	11/05/08
Alkalinity	ALK-BICARB	1	26	HCO3mg/l	10	11/05/08	11/05/08
Nitrate	NO3-ICW	1	2.5	mg/L	0.27	10/28/08	10/28/08
Sulfate	SO4-ICW	2	17	mg/L	4.6	10/28/08	11/02/08

Lab#: AC40768-003
Matrix Aqueous
Client SampleID: MW-12 U

Project Number: 8102829
Received Date: 10/28/2008
Collect Date: 10/27/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Alkalinity	ALKALIN-MUR	1	290	mg CaCO3/l	10	11/05/08	11/05/08
Alkalinity	ALK-BICARB	1	290	HCO3mg/l	10	11/05/08	11/05/08
Nitrate	NO3-ICW	1	ND	mg/L	0.27	10/28/08	10/28/08
Sulfate	SO4-ICW	1	5.6	mg/L	2.3	10/28/08	10/28/08

Lab#: AC40768-005
Matrix Aqueous
Client SampleID: MW-11 U

Project Number: 8102829
Received Date: 10/28/2008
Collect Date: 10/27/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Alkalinity	ALKALIN-MUR	1	350	mg CaCO3/l	10	11/05/08	11/05/08
Alkalinity	ALK-BICARB	1	350	HCO3mg/l	10	11/05/08	11/05/08
Nitrate	NO3-ICW	1	ND	mg/L	0.27	10/28/08	10/28/08
Sulfate	SO4-ICW	2	19	mg/L	4.6	10/28/08	11/02/08

Lab#: AC40768-007
Matrix Aqueous
Client SampleID: MW-13

Project Number: 8102829
Received Date: 10/28/2008
Collect Date: 10/27/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Alkalinity	ALKALIN-MUR	1	230	mg CaCO3/l	10	11/05/08	11/05/08
Alkalinity	ALK-BICARB	1	230	HCO3mg/l	10	11/05/08	11/05/08
Nitrate	NO3-ICW	1	0.46	mg/L	0.27	10/28/08	10/28/08
Sulfate	SO4-ICW	2	13	mg/L	4.6	10/28/08	11/02/08

Lab#: AC40768-008
Matrix Aqueous
Client SampleID: LMW-2 U

Project Number: 8102829
Received Date: 10/28/2008
Collect Date: 10/27/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	2	15	mg/L	3	10/31/08	11/02/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/03/08	11/03/08

Lab#: AC40768-010
Matrix Aqueous
Client SampleID: PC-2 U

Project Number: 8102829
Received Date: 10/28/2008
Collect Date: 10/27/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	5	40	mg/L	7.5	10/31/08	11/02/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/03/08	11/03/08

Batch Number: CN-W-27

Units: mg/l

Calibration Curve Information

Qc Summary Results

Qc Type	Qc Name	SpkAmt	Rec Lim	Rpd Lim	Raw Result	Recov	Rpd	Flags
CCV	CCV-3	0.4	90-110	NA	0.396211	99	NA	
CCV	CCV-2	0.4	90-110	NA	0.396021	99	NA	
CCV	CCV-1	0.4	90-110	NA	0.395906	99	NA	
DIIP	AC40626-005	0	NA	20	0	NA	NA	Nc
ICV	ICV-11/03/08	0.757	90-110	NA	0.78617	104	NA	
ICV	ICV-10/23/08	0.757	90-110	NA	0.782539	103	NA	
LCS	LCS-2	0.2	75-125	NA	0.197874	99	NA	
LCS	LCS-1	0.2	75-125	NA	0.189874	95	NA	
MSD-SAMP	AC40626-009	0.2	75-125	20	0.167248	84	6.9	
MS-SAMPL	AC40626-007	0.2	75-125	NA	0.179189	90	NA	

Analytical Method(s)

EPA 335.4,EPA 9012B

Sam #	Type	MB	Result	Mdl	Per Sol	Raw Result	Raw Result	SmpVol	DF	ScrubV ol	Prep Date	Prep By	Anal Date	Anal By
ICV-10/23/08	ICV		0.78	0.01	100	0.78254	0.782539	1	1	1		hs	10/23/08	hs
MB-1-10/23/08	MB	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
LCS-1	LCS	MB-1-10/23/08	0.19	0.01	100	0.18997	0.189974	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-001	Sample	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-003	Sample	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-005	DUP	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-005	NS-SAMP	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-007	MS-SAMP	MB-1-10/23/08	0.18	0.01	100	0.17919	0.179189	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-009	MSD-SA	MB-1-10/23/08	0.17	0.01	100	0.16725	0.167248	50	1	50	10/23/08	hs	10/23/08	hs
AC40533-003	Sample	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
AC40584-002	Sample	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
CCV-1	CCV	MB-1-10/23/08	0.4	0.01	100	0.39591	0.395906	1	1	1	10/23/08	hs	10/23/08	hs
ICV-11/03/08	ICV		0.79	0.01	100	0.78617	0.786170	1	1	1		hs	11/03/08	hs
MB-1-11/03/08	MB	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
LCS-2	LCS	MB-1-11/03/08	0.2	0.01	100	0.19787	0.197874	50	1	50	11/03/08	hs	11/03/08	hs
AC40768-008	Sample	MB-1-11/03/08	ND	0.01	100	0.000418	0.000418	50	1	50	11/03/08	hs	11/03/08	hs
AC40768-010	Sample	MB-1-11/03/08	ND	0.01	100	0.000263	0.000263	50	1	50	11/03/08	hs	11/03/08	hs
AC40790-003	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40790-004	Sample	MB-1-11/03/08	ND	0.01	100	0.000018	0.000018	50	1	50	11/03/08	hs	11/03/08	hs
AC40790-005	Sample	MB-1-11/03/08	ND	0.01	100	0.000097	0.000097	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-001	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-002	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-003	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
CCV-2	CCV	MB-1-11/03/08	0.4	0.01	100	0.39602	0.396021	1	1	1	11/03/08	hs	11/03/08	hs
AC40800-004	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-009	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-010	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-011	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
CCV-3	CCV	MB-1-11/03/08	0.4	0.01	100	0.39621	0.396211	1	1	1	11/03/08	hs	11/03/08	hs

11/3/08

Flag Codes: Ra - Recovery failed specified criteria (PVS/MBS/MS/MSD/ICV/CAL)

Rp - RPD failed specified criteria.

Na - Not Applicable

Nc - Not Checked ..either one or both values =ND

Chloride-Water

Sample ID	Amount	Dilution Factor	Actual Result (ppm)	Spike Amount (CCV + LCS)	% Recovery (CCV + LCS)	Aqueous RL	Date	QC Info QC Limits=10% For ICV, CCV, 20% And LCS. For MS And MSD.	
								Sample #	ac40520-001
0	0.008137	1	0.008137			1.5	10/9/08 15:58	Result	374
0.2	0.057983	1	0.057983			1.5	10/9/08 16:29	MS Result	360
0.6	0.111637	1	0.111637			1.5	10/9/08 16:59	MSD Result	365
1	0.17955	1	0.17955			1.5	10/9/08 17:29		
10	2.08422	1	2.08422			1.5	10/9/08 18:30	Spike Amt.	10
icv	0.991374	1	0.991374	1	99	1.5	10/9/08 19:01	LCS Recovery	100
icb	0.023411	1	0.023411			1.5	10/9/08 19:31	MS Recovery	-142
CCV	21.14087	1	21.14087	20	106	1.5	10/15/08 18:14	MSD Recovery	-94
CCB	0.018993	1	0.018993			1.5	10/15/08 18:44	RPD	1.33
mb	0	1	0			1.5	10/15/08 19:15		
lcs	9.958856	1	9.958856	10	100	1.5	10/15/08 19:45	Batch	214
CCV	21.2333	1	21.2333	20	106	1.5	10/16/08 0:19	Date Started	10/15/08
CCB	0	1	0			1.5	10/16/08 0:49	Analyst	nm
CCV	20.84078	1	20.84078	20	104	1.5	10/29/08 16:40		
CCB	0	1	0			1.5	10/29/08 17:11	R squared	0.999799862
ac40520-001 50x	7.489412	50	374.4706			75	10/29/08 21:14		
CCV	20.99789	1	20.99789	20	105	1.5	10/29/08 22:45		
CCB	0.001079	1	0.001079			1.5	10/29/08 23:16		
CCV	21.28944	1	21.28944	20	106	1.5	10/31/08 11:44		
CCB	0.025908	1	0.025908			1.5	10/31/08 12:15		
mb	0	1	0			1.5	10/31/08 16:28		
lcs	10.21732	1	10.21732	10	102	1.5	10/31/08 16:58		
CCV	21.33071	1	21.33071	20	107	1.5	10/31/08 18:30		
CCB	0.023831	1	0.023831			1.5	10/31/08 19:00		
CCV	21.39083	1	21.39083	20	107	1.5	11/1/08 0:04		
CCB	0.003348	1	0.003348			1.5	11/1/08 0:34		
CCV	20.82129	1	20.82129	20	104	1.5	11/2/08 9:55		
CCB	0.016306	1	0.016306			1.5	11/2/08 10:25		
ac40768-008 2x	7.318723	2	14.63745			3	11/2/08 13:58		
ac40768-010 5x	8.035043	5	40.17521			7.5	11/2/08 14:29		
CCV	20.99865	1	20.99865	20	105	1.5	11/2/08 16:00		
CCB	0.01368	1	0.01368			1.5	11/2/08 16:30		
CCV	21.225	1	21.225	20	106	1.5	11/3/08 15:52		
CCB	0.02306	1	0.02306			1.5	11/3/08 16:22		
ac40520-001 ms 50x	7.204677	50	360.2338			75	11/3/08 18:54		
ac40520-001 msd 50x	7.300977	50	365.0488			75	11/3/08 19:25		
CCV	21.36952	1	21.36952	20	107	1.5	11/3/08 21:57		
CCB	0	1	0			1.5	11/3/08 22:27		

11/15/08

Nitrate-Water

Sample ID	Amount	Dilution Factor	Actual Result (ppm)	Spike Amount (CCV + LCS)	% Recovery (CCV + LCS)	Aqueous RL	Date	QC Info QC Limits=10% For ICV, CCV, And LCS. 20% For MS And MSD.	
								Sample #	ac40520-001
0	0	1	0			0.27	10/9/08 15:58	Result	0
0.2	0.09056	1	0.09056			0.27	10/9/08 16:29	MS Result	9.536537507
0.6	0.283864	1	0.283864			0.27	10/9/08 16:59	MSD Result	8.803790462
1	0.461043	1	0.461043			0.27	10/9/08 17:29		
10	5.200699	1	5.200699			0.27	10/9/08 18:30	Spike Amt.	10
icv	1.006709	1	1.006709	1	101	0.27	10/9/08 19:01	LCS Recovery	100
icb	0	1	0			0.27	10/9/08 19:31	MS Recovery	95
CCV	21.63188	1	21.63188	20	108	0.27	10/15/08 18:14	MSD Recovery	88
CCB	0	1	0			0.27	10/15/08 18:44	RPD	7.99
mb	0	1	0			0.27	10/15/08 19:15		
lcs	10.02685	1	10.02685	10	100	0.27	10/15/08 19:45	Batch	214
ac40520-001	0	1	0			0.27	10/15/08 20:16	Date Started	10/15/08
ac40520-001 ms	9.536538	1	9.536538			0.27	10/15/08 20:46	Analyst	nmn
ac40520-001 msd	8.80379	1	8.80379			0.27	10/15/08 21:17		
ac40520-002	0	1	0			0.27	10/15/08 21:47	R squared	0.999947926
ac40520-003	0	1	0			0.27	10/15/08 22:17		
ac40520-004	0	1	0			0.27	10/15/08 22:48		
ac40520-005	0	1	0			0.27	10/15/08 23:18		
ac40520-006	0	1	0			0.27	10/15/08 23:49		
CCV	21.62925	1	21.62925	20	108	0.27	10/16/08 0:19		
CCB	0	1	0			0.27	10/16/08 0:49		
ac40521-001	0.225674	1	0.225674			0.27	10/16/08 1:20		
ac40521-003	0.072249	1	0.072249			0.27	10/16/08 1:50		
ac40521-005	0	1	0			0.27	10/16/08 2:21		
ac40521-007	0.033878	1	0.033878			0.27	10/16/08 2:51		
ac40521-009	0	1	0			0.27	10/16/08 3:21		
ac40521-011	2.365746	1	2.365746			0.27	10/16/08 3:52		
ac40521-013	1.30977	1	1.30977			0.27	10/16/08 4:22		
CCV	21.6505	1	21.6505	20	108	0.27	10/16/08 4:53		
CCB	0	1	0			0.27	10/16/08 5:23		
CCV	21.35826	1	21.35826	20	107	0.27	10/28/08 12:57		
CCB	0	1	0			0.27	10/28/08 13:28		
mb	0	1	0			0.27	10/28/08 16:48		
lcs	10.13793	1	10.13793	10	101	0.27	10/28/08 17:18		
ac40768-001	2.541703	1	2.541703			0.27	10/28/08 20:21		
ac40768-003	0.053645	1	0.053645			0.27	10/28/08 20:51		
ac40768-005	0.260793	1	0.260793			0.27	10/28/08 21:21		
CCV	21.71976	1	21.71976	20	109	0.27	10/28/08 21:52		
CCB	0	1	0			0.27	10/28/08 22:22		
ac40768-007	0.456981	1	0.456981			0.27	10/28/08 22:53		
CCV	21.77445	1	21.77445	20	109	0.27	10/28/08 23:23		
CCB	0	1	0			0.27	10/28/08 23:53		

Nov 11-3-08

Sulfate-Water

Sample ID	Amount	Dilution Factor	Actual Result (ppm)	Spike Amount (CCV + LCS)	% Recovery (CCV + LCS)	Aqueous RL	Date	QC Info QC Limits=10% For ICV, CCV, And LCS. 20% For MS And MSD.	
								Sample #	ac40520-001
0	0	1	0			2.3	10/9/08 15:58	Result	258.3654458
0.2	0.034443	1	0.034443			2.3	10/9/08 16:29	MS Result	277.9068936
0.6	0.086253	1	0.086253			2.3	10/9/08 16:59	MSD Result	267.1487016
1	0.130876	1	0.130876			2.3	10/9/08 17:29		
10	1.457362	1	1.457362			2.3	10/9/08 18:30	Spike Amt.	10
icv	1.054944	1	1.054944	1	105	2.3	10/9/08 19:01	LCS Recovery	99
icb	0	1	0			2.3	10/9/08 19:31	MS Recovery	195
CCV	19.53796	1	19.53796	20	98	2.3	10/15/08 18:14	MSD Recovery	88
CCB	0	1	0			2.3	10/15/08 18:44	RPD	3.95
mb	0	1	0			2.3	10/15/08 19:15		
lcs	9.938411	1	9.938411	10	99	2.3	10/15/08 19:45	Batch	214
CCV	19.90889	1	19.90889	20	100	2.3	10/16/08 0:19	Date Started	10/15/08
CCB	0	1	0			2.3	10/16/08 0:49	Analyst	nm
ac40521-001	37.28971	1	37.28971			2.3	10/16/08 1:20		
ac40521-003	36.63536	1	36.63536			2.3	10/16/08 1:50	R squared	0.999927961
ac40521-005	9.869413	1	9.869413			2.3	10/16/08 2:21		
ac40521-007	0.971372	1	0.971372			2.3	10/16/08 2:51		
ac40521-009	55.41104	1	55.41104			2.3	10/16/08 3:21		
ac40521-011	56.68773	1	56.68773			2.3	10/16/08 3:52		
ac40521-013	20.23732	1	20.23732			2.3	10/16/08 4:22		
CCV	19.6741	1	19.6741	20	98	2.3	10/16/08 4:53		
CCB	0	1	0			2.3	10/16/08 5:23		
CCV	19.46281	1	19.46281	20	97	2.3	10/29/08 16:40		
CCB	0	1	0			2.3	10/29/08 17:11		
ac40520-001 50x	5.167309	50	258.3654			115	10/29/08 21:14		
ac40520-001 ms 50x	5.558138	50	277.9069			115	10/29/08 21:44		
ac40520-001 msd 50x	5.342974	50	267.1487			115	10/29/08 22:15		
CCV	19.2095	1	19.2095	20	96	2.3	10/29/08 22:45		
CCB	0	1	0			2.3	10/29/08 23:16		
CCV	19.68467	1	19.68467	20	98	2.3	10/28/08 12:57		
CCB	0	1	0			2.3	10/28/08 13:28		
mb	0	1	0			2.3	10/28/08 16:48		
lcs	9.416541	1	9.416541	10	94	2.3	10/28/08 17:18		
ac40768-003	5.619264	1	5.619264			2.3	10/28/08 20:51		
CCV	19.98209	1	19.98209	20	100	2.3	10/28/08 21:52		
CCB	0	1	0			2.3	10/28/08 22:22		
CCV	20.03275	1	20.03275	20	100	2.3	10/28/08 23:23		
CCB	0	1	0			2.3	10/28/08 23:53		
CCV	19.24113	1	19.24113	20	96	2.3	11/2/08 9:55		
CCB	0	1	0			2.3	11/2/08 10:25		
ac40768-001 2x	8.566551	2	17.1331			4.6	11/2/08 14:59		
ac40768-005 2x	9.307047	2	18.61409			4.6	11/2/08 15:29		
CCV	19.56232	1	19.56232	20	98	2.3	11/2/08 16:00		
CCB	0	1	0			2.3	11/2/08 16:30		
ac40768-007 2x	6.462451	2	12.9249			4.6	11/2/08 17:01		
CCV	19.28174	1	19.28174	20	96	2.3	11/2/08 17:31		
CCB	0	1	0			2.3	11/2/08 18:01		

113-08

Batch Number: ALKAL-M-126

Units: mg CaCO3/l

Calibration Curve Information

Qc Summary Results

Qc Type	Qc Name	SpkAmt	Rec Lim	Rpd Lim	Raw Result	Recov	Rpd	Flags
NIIP	AC40768-001	0	NA	20	25.92589	NA	0	
LCS	LCS	100	75-125	NA	105.8641	106	NA	
LCSD	LCSD	100	75-125	20	105.8641	106	0	

Analytical Method(s)

SM2320B-97

Sam #	Type	MB	Result	RL	Per Sol	Raw ml Result	h2so4 h2so4	h2so4 (N)	Sam Vol (ml)	Prep Date	Prep By	Anal Date	Anal By
MB-1-11/05/08	MB	MB-1-11/05/08	ND	10	100	2.1605	0.1	0.021604	50	11/05/08	PM	11/05/08	PM
LCS	LCS	MB-1-11/05/08	110	10	100	105.86	4.9	0.021604	50	11/05/08	PM	11/05/08	PM
LCSD	LCSD	MB-1-11/05/08	110	10	100	105.86	4.9	0.021604	50	11/05/08	PM	11/05/08	PM
AC40768-001	DUP	MB-1-11/05/08	26	10	100	25.926	1.2	0.021604	50	11/05/08	PM	11/05/08	PM
AC40768-001	Sample	MB-1-11/05/08	26	10	100	25.926	1.2	0.021604	50	11/05/08	PM	11/05/08	PM
AC40768-003	Sample	MB-1-11/05/08	290	10	100	293.83	13.6	0.021604	50	11/05/08	PM	11/05/08	PM
AC40768-005	Sample	MB-1-11/05/08	350	10	100	345.68	16.0	0.021604	50	11/05/08	PM	11/05/08	PM
AC40768-007	Sample	MB-1-11/05/08	230	10	100	233.33	10.8	0.021604	50	11/05/08	PM	11/05/08	PM
AC40638-001	Sample	MB-1-11/05/08	340	10	100	339.2	15.7	0.021604	50	11/05/08	PM	11/05/08	PM
AC40638-002	Sample	MB-1-11/05/08	340	10	100	337.04	15.6	0.021604	50	11/05/08	PM	11/05/08	PM
AC40638-003	Sample	MB-1-11/05/08	360	10	100	362.96	16.8	0.021604	50	11/05/08	PM	11/05/08	PM
AC40638-004	Sample	MB-1-11/05/08	360	10	100	358.64	16.6	0.021604	50	11/05/08	PM	11/05/08	PM
AC40638-005	Sample	MB-1-11/05/08	440	10	100	438.58	20.3	0.021604	50	11/05/08	PM	11/05/08	PM
AC40673-001	Sample	MB-1-11/05/08	350	10	100	345.68	16.0	0.021604	50	11/05/08	PM	11/05/08	pm
AC40673-002	Sample	MB-1-11/05/08	330	10	100	334.88	15.5	0.021604	50	11/05/08	PM	11/05/08	pm
AC40673-004	Sample	MB-1-11/05/08	330	10	100	330.56	15.3	0.021604	50	11/05/08	PM	11/05/08	pm
AC40673-005	Sample	MB-1-11/05/08	330	10	100	326.23	15.1	0.021604	50	11/05/08	PM	11/05/08	pm
AC40673-007	Sample	MB-1-11/05/08	500	10	100	503.39	23.3	0.021604	50	11/05/08	PM	11/05/08	pm
AC40673-008	Sample	MB-1-11/05/08	1300	50	100	1328.7	12.3	0.021604	10	11/05/08	PM	11/05/08	pm
AC40751-001	Sample	MB-1-11/05/08	310	10	100	308.95	14.3	0.021604	50	11/05/08	PM	11/05/08	pm
AC40751-002	Sample	MB-1-11/05/08	310	10	100	308.95	14.3	0.021604	50	11/05/08	PM	11/05/08	pm
AC40751-004	Sample	MB-1-11/05/08	350	10	100	345.68	16.0	0.021604	50	11/05/08	PM	11/05/08	pm
AC40751-005	Sample	MB-1-11/05/08	320	10	100	317.59	14.7	0.021604	50	11/05/08	PM	11/05/08	pm
AC40751-007	Sample	MB-1-11/05/08	370	20	100	367.28	8.5	0.021604	25	11/05/08	PM	11/05/08	pm

8/11/6/08

Flag Codes: Ra - Recovery failed specified criteria (PVS/MBS/MS/MSD/ICV/CAL)

Rp - RPD failed specified criteria.

Na - Not Applicable

Nc - Not Checked ..either one or both values =ND

Carbonate / Bicarbonate

	Analysis	Carbonate / Bicarbonate			Q.C. DATA			
	Batch#	16						Limits
	Date	10/22/2008			LCS RPD			
	Analyst	pm			LCS	112.34	RPD	
					LCSD	112.34	0.00	20
					Carbonate RPD			
		Titrant Result	Carbonate	Bicarbonate	Sample	0.00	RPD	
		P = 0	0	M	Sample Dup	0.00	NA	20
		P < (1/2) M	2P	M-2P				
		P = (1/2) M	2P	0				
		P > (1/2) M	2 (M-P)	0	Bicarbonate RPD			
		P = M	0	0	Sample	341.34	RPD	
					Sample Dup	343.50	0.63080	20

	Samples #	M-Alkalinity	P-Alkalinity	Carbonate	Bicarbonate	MDL		% Recovery
		(Total)		CO3-2 as mg CaCO3/L	HCO3 as mg CaCO3/L			75-125%
	MB	0.00	0.00	0.00	0.00	10		
	LCS	0.00	112.34	0.00	0.00	10		112
	LCSD	0.00	112.34	0.00	0.00	10		112
	AC40504-006 Dup	343.50	0.00	0.00	343.50	10		
QC Sample	AC40504-006	341.34	0.00	0.00	341.34	10		
	AC40504-007	270.05	0.00	0.00	270.05	10		
	AC40521-001	326.22	0.00	0.00	326.22	10		
	AC40521-007	492.57	0.00	0.00	492.57	10		
	AC40521-013	97.22	0.00	0.00	97.22	10		
	MB -2	0.00	0.00	0.00	0.00	10		
	LCS-2	110.00	110.00	0.00	110.00	10		110
	AC40768-001	25.93	0.00	0.00	25.93	10		
	AC40768-003	293.83	0.00	0.00	293.83	10		
	AC40768-005	345.68	0.00	0.00	345.68	10		
	AC40768-007	233.33	0.00	0.00	233.33	10		

11/17/08

Project: Harrison Landfill

Client PO: Not Available

Report To: HDR/LMS
One Blue Hill Plaza
P.O. Box 1509
Pearl River, NY 10965

Attn: M.Lamacchia

Received Date: 10/30/2008

Report Date: 11/20/2008

Deliverables: NYDOH-CatA

Lab ID: AC40800

Lab Project No: 8103011

This report is a true report of results obtained from our tests of this material. All results meet the requirements of the NELAC standards. In lieu of a formal contract document, the total aggregate liability of Veritech to all parties shall not exceed Veritech's total fee for analytical services rendered.


Jeri Rossi - Quality Assurance Director

OR

Stanley Gilewicz - Laboratory Director

NJ (07071 and 07069) NY (ELAP11408 and 11939) CT (PH-0671)
PA (68-00463 and 68-04409) KY (90124) MA (NJ386)
WV (353) USACE



**THIS CATEGORY "A" REPORT
IS NUMBERED FROM
1 to 155**

SDG Narrative

Client: HDR/LMS

Project: Harrison Landfill

Hampton-Clarke/Veritech (HC-V) received the following samples on October 30, 2008:

<u>Client ID</u>	<u>HCV Sample ID</u>	<u>Matrix</u>	<u>Analysis</u>
SW-1	AC40800-001	Aqueous	VO (624), BNA (625), Metals (200.7/245.1), Chloride (300.0rev2.1), Cyanide (335.4)
SW-2	AC40800-002	Aqueous	VO (624), BNA (625), Metals (200.7/245.1), Chloride (300.0rev2.1), Cyanide (335.4)
SW-3	AC40800-003	Aqueous	VO (624), BNA (625), Metals (200.7/245.1), Chloride (300.0rev2.1), Cyanide (335.4)
SW-4	AC40800-004	Aqueous	VO (624), BNA (625), Metals (200.7/245.1), Chloride (300.0rev2.1), Cyanide (335.4)
SD-1	AC40800-005	Soil	VO (8260B), BNA (8270C), Metals (6010B/7471A), Chloride (9056), Cyanide (9012B)
SD-2	AC40800-006	Soil	VO (8260B), BNA (8270C), Metals (6010B/7471A), Chloride (9056), Cyanide (9012B)
SD-3	AC40800-007	Soil	VO (8260B), BNA (8270C), Metals (6010B/7471A), Chloride (9056), Cyanide (9012B)
SD-4	AC40800-008	Soil	VO (8260B), BNA (8270C), Metals (6010B/7471A), Chloride (9056), Cyanide (9012B)
SW-5	AC40800-009	Aqueous	VO (624), BNA (625), Metals (200.7/245.1), Chloride (300.0rev2.1), Cyanide (335.4)
FB-01	AC40800-010	Aqueous	VO (624), BNA (625), Metals (200.7/245.1), Chloride (300.0rev2.1), Cyanide (335.4)
PC-1 U	AC40800-011	Aqueous	VO (624), BNA (625), Metals (200.7/245.1), Chloride (300.0), Cyanide (335.4), Alkalinity Bicarbonate (2320B-97), m, p-Alkalinity (2320B-97), Nitrate (300.0rev2.1), Sulfate (300.0rev2.1)
PC-1 F	AC40800-012	Aqueous	Metals (200.7/245.1)
LMW-4	AC40800-013	Aqueous	VO (624), BNA (625), Metals (200.7/245.1), Chloride (300.0rev2.1), Cyanide (335.4)
PC-3	AC40800-014	Aqueous	VO (624), BNA (625), Metals (200.7/245.1), Chloride (300.0rev2.1), Cyanide (335.4)
LMW-7	AC40800-015	Aqueous	VO (624), BNA (625), Metals (200.7/245.1), Chloride (300.0rev2.1), Cyanide (335.4)
TB-02	AC40800-016	Aqueous	VO (624)
LMW-4 F	AC40800-017	Aqueous	Metals (200.7/245.1)
PC-3 F	AC40800-018	Aqueous	Metals (200.7/245.1)
LMW-7 F	AC40800-019	Aqueous	Metals (200.7/245.1)

Volatile Organic Analysis:

2-Chloroethylvinylether did not recover in the Matrix Spike and Matrix Spike Duplicate in batch 10307 due to acid preservation of sample. 2-Chloroethylvinylether readily decomposes under acidic conditions. The recovery of 2-Chloroethylvinylether is within QC limits in the Laboratory Control Sample (MBS).

The recoveries of 1,4-Dichlorobenzene and 1,2-Dichlorobenzene are biased low, outside QC limits in the Matrix Spike and Matrix Spike Duplicate in batch 10333. All QC criteria were met in the Laboratory Control Sample (MBS).

The recovery of Trichloroethene is biased low, outside QC limits in the Matrix Spike Duplicate in batch 10307. All QC criteria were met in the Laboratory Control Sample (MBS).

Base Neutral Acid Extractable Analysis:

Bis (2-Ethylhexyl) phthalate was recovered in Method Blank SMB3943 and in samples AC40800-005 and 007 suggesting laboratory contamination.

Metals Analysis:

The serial dilution for Vanadium is outside QC limits in batch 9654, suggesting matrix interference.

The recovery of Aluminum and Iron is biased high, outside QC limits in the Matrix Spike and Matrix Spike Duplicate in batch 9654. All QC criteria were met in the LCS and LCS MR.


The recovery of Manganese is biased high, outside QC limits in the Matrix Spike Duplicate in batch 9654. All QC criteria were met in the LCS and LCS MR.

Samples AC40800-002, 004, 006, 009, 011 and AC40800-012, 017-019 were filtered and preserved in the laboratory per clients request.

Wet Chemistry Analysis:

The recovery of Chloride is biased low, outside QC limits in the Matrix Spike and Matrix Spike Duplicate in batch 217. All QC criteria were met in the Laboratory Control Sample (LCS).

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data has been authorized by the Laboratory Manager or his designee, as verified by the following signature.


Jeri Rossi
Quality Assurance Director

Or

Stanley Gilewicz
Laboratory Director

11/21/08

Date

Customer Information

1a) Customer: HDR Inc
Address: Blue Hill Plaza 12th Floor
Pearl River NY 10945
1b) Email/Cell/Fax/Ph: Melissa Lamachia &hdrinc.com
1c) Send Invoice To: Melissa Lamachia (M.L.)
1d) Send Report To: M.L.

Project Information

2a) Project: Harrison DOT / Landfill
2b) Project Manager: M.L.
2c) Location (City/State): Harrison, NY
2d) Quote#/PO# (if Applicable):

3) Reporting Requirements (please circle)

Turnaround Time: 24-Hour (100%)
48-Hour (75%)
72-Hour (50%)
4 Day (TPH)
1-Week (25%)
10 Days (10%)
Standard
Other: _____
Report type: Data Sum
Waste
Red-N/UN/PA
CLP
Full Cat-B
Cal-A
Other: _____
Electronic Deliv: HazMat/Csv
Equis
Excel-NJCC
Excel-NYagm
Excel-PArcdli
PDF
Other: _____

Expedited TAT Not always available (Please check with lab!)

7) Analysis Request

FOR LAB USE ONLY			Check if Contingent==>										<===Check if Contingent																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Batch#	Matrix Codes:			Sample Type																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
DW-Drinking Water GW-Ground Water WW-Waste Water	S-Soil SL-Sludge O-Oil	A-Air OI-Other	SW-Surface Water	Composite (C)	Grab (G)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Lab Sample#	4) Customer Sample ID	5) Matrix	6) Sample Date	Time																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
AC40800																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
-001	SW-1	SW	10/24/08	0920	X	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

10) Relinquished By: _____ Accepted By: _____ Date: _____ Time: _____

Comments, Notes, Special Requirements, HAZARDS

Andrew Madden
HDR Inc
10/24/08 1700
10/30/08 10:30
10/30/08 12:00

11) Sampler: AF Date: 10/24/08

Please note NUMBERED items. If not completed your analytical work may be delayed.
A fee of \$5/sample will be assessed for storage should sample not be activated for any analysis

Cooler Temp

3.2

Customer Information
1a) Customer: HDR Inc.
Address: 1 Blue Hill Plaza, 12th Floor
Pearl River, NY 10965
1b) Email/Cell/Fax/Ph: inelac.lawrence@hdrinc.com
1c) Send Invoice To: M.L.
1d) Send Report To: M.L.

Project Information
2a) Project: Harrison DOT / Landfill
2b) Project Manager: M.L.
2c) Location (City/State): Harrison, NY
2d) Quote#/PO# (If Applicable):

3) Reporting Requirements (please circle)
Turnaround Time: 24-Hour (100%)
48-Hour (75%)
72-Hour (50%)
4 Day (1PH)
1-Week (25%)
10 Days (10%)
Standard Other:
Expedited TAT Not always available (Please check with lab)!

Electronic Delivery
Hazard/Csv
Excel-NJCC
Excel-NJADP
Excel-PAACIL
BDE
Other:

7) Analysis Request
Check if Contingent==>

FOR LAB USE ONLY
Batch#
AC40800
Matrix Codes:
DW-Drinking Water
GW-Ground Water
WW-Waste Water
S-Soil
SL-Sludge
O-Other
A-Air
O-Other

Lab Sample#	4) Customer Sample ID	5) Matrix	6) Sample Date	Sample Time	Composite (C) Grab (G)	VOC SVOC TAL Metals (DISS) CN + Cl- Total Alkalinity Bicarbonate Alk. NO3- SO4 Fe2+ Mn2+	8) # Of Bottles						9) Methanol Bottle Numbers (if applicable) Comments
							None	MeOH	Encore	NaOH	HCl	H2SO4	HNO3

-011/012	PC-1	U/F	GW	10/24/08	1345									
-017/-013	LMW-4	U/F	GW	10/24/08	1400									
-018/-014	PC-3	U/F	GW	10/24/08	1530									
-019/-015	LMW-7	U/F	GW	10/24/08	1400									
-016/-02	(Trip Blank)	OC	GW	10/23/08										

10) Relinquished By:	Accepted By:	Date:	Time:	Comments, Notes, Special Requirements, HAZARDS
----------------------	--------------	-------	-------	--

Andrew Madden
HDR Labs
10/24/08
1700
CN was to be preserved.

Dee Davis-Roh
RSC
10/30/08
12:00

11) Sampler: A. Madden
Date: 10/29/08
Cooler Temp: 3.8
Please note NUMBERED items. If not completed your analytical work may be delayed.
A fee of \$5/sample will be assessed for storage should sample not be activated for any analysis

CONDITION UPON RECEIPT

Batch Number AC40800

Entered By: Ricardo

Date Entered 10/30/2008 2:23:00 PM

-
- | | | |
|----|-----|---|
| 1 | Yes | Is there a corresponding COC included with the samples? |
| 2 | Yes | Are the samples in a container such as a cooler or Ice chest? |
| 3 | Yes | Are the COC seals intact? |
| 4 | Yes | Please specify the Temperature inside the container (in degC)
3.2C |
| 5 | Yes | Are the samples refrigerated (where required)/have they arrived on ice? |
| 6 | Yes | Are the samples within the holding times for the parameters listed on the COC? IF no, list parameters and samples: |
| 7 | Yes | Are all of the sample bottles intact? If no, specify sample numbers broken/leaking |
| 8 | Yes | Are all of the sample labels or numbers legible? If no specify: |
| 9 | Yes | Do the contents match the COC? If no, specify |
| 10 | NO | Is there enough sample sent for the analyses listed on the COC? If no, specify:
ONLY ONE LITER AMBER RECEIVED FOR LMW-7 SVOC. LIMITED VOLUME |
| 11 | NO | Are samples preserved correctly?
ALL CN ANALYSIS WAS PRESERVED AT LAB. |
| 12 | NA | Are all soils preserved in methanol accompanied by dry soil? |
| 13 | NA | Other comments ...Specify |
| 14 | NA | Corrective actions (Specify item number and corrective action taken). |

PRESERVATION DOCUMENT

Batch Number AC40800

Entered By: Ricardo

Date Entered 10/30/2008 2:32:00 PM

Lab#:	Container Siz	Container Typ	Paramete	Preservative	PH
AC40800-001	40ML	G	VO+10	HCL	1
AC40800-001	1L	P	METALS	HNO3	1
AC40800-001	500ML	G	CN	NAOH	14
AC40800-002	40ML	G	VO+10	HCL	1
AC40800-002	1L	P	METALS	HNO3	1
AC40800-002	500ML	G	CN	NAOH	14
AC40800-003	40ML	G	VO+10	HCL	1
AC40800-003	1L	P	METALS	HNO3	1
AC40800-003	500ML	G	CN	NAOH	14
AC40800-004	40ML	G	VO+10	HCL	1
AC40800-004	1L	P	METALS	HNO3	1
AC40800-004	500ML	G	CN	NAOH	14
AC40800-005	NA	NA	NA	NA	NA
AC40800-005	NA	NA	NA	NA	NA
AC40800-005	NA	NA	NA	NA	NA
AC40800-006	NA	NA	NA	NA	NA
AC40800-006	NA	NA	NA	NA	NA
AC40800-006	NA	NA	NA	NA	NA
AC40800-007	NA	NA	NA	NA	NA
AC40800-007	NA	NA	NA	NA	NA
AC40800-007	NA	NA	NA	NA	NA
AC40800-008	NA	NA	NA	NA	NA
AC40800-008	NA	NA	NA	NA	NA
AC40800-008	NA	NA	NA	NA	NA
AC40800-009	40ML	G	VO+10	HCL	4
AC40800-009	1L	P	METALS	HNO3	1
AC40800-009	500ML	G	CN	NAOH	14
AC40800-010	40ML	G	VO+10	HCL	1
AC40800-010	1L	P	METALS	HNO3	1
AC40800-010	500ML	G	CN	NAOH	14
AC40800-011	40ML	G	VO+10	HCL	1
AC40800-011	1L	P	METALS	HNO3	1
AC40800-011	500ML	G	CN	NAOH	14
AC40800-012	NA	NA	NA	NA	NA
AC40800-012	NA	NA	NA	NA	NA
AC40800-012	NA	NA	NA	NA	NA
AC40800-013	40ML	G	VO+10	HCL	4
AC40800-013	1L	P	METALS	HNO3	1
AC40800-013	500ML	G	CN	NAOH	14
AC40800-014	40ML	G	VO+10	HCL	1
AC40800-014	1L	P	METALS	HNO3	1
AC40800-014	500ML	G	CN	NAOH	14
AC40800-015	40ML	G	VO+10	HCL	1
AC40800-015	1L	P	METALS	HNO3	1
AC40800-015	500ML	G	CN	NAOH	14
AC40800-016	40ML	G	VO+10	HCL	1
AC40800-016	NA	NA	NA	NA	NA
AC40800-016	NA	NA	NA	NA	NA

Lab#:	DateTime:	Loc or User	Bot Nu	A/M	Analysis
AC40800-001	10/30/08 12:00	RICAR	0	M	Received
AC40800-001	10/30/08 14:23	RICAR	0	M	Login
AC40800-001	10/30/08 15:33	R12	1	A	NONE
AC40800-001	11/03/08 15:39	KALPE	1	A	A-BNA
AC40800-001	10/30/08 15:33	R12	2	A	NONE
AC40800-001	10/30/08 15:33	R12	3	A	NONE
AC40800-001	11/06/08 09:33	SRB	3	A	TDSW-HG
AC40800-001	11/06/08 17:26	R12	3	A	NONE
AC40800-001	10/30/08 15:33	R12	4	A	NONE
AC40800-001	10/31/08 10:30	NNM	4	M	IC
AC40800-001	10/31/08 16:30	R12	4	A	NONE
AC40800-001	10/30/08 15:33	R12	5	A	NONE
AC40800-001	11/03/08 11:10	HS	5	A	cn-w
AC40800-001	11/03/08 14:30	R12	5	A	NONE
AC40800-001	10/31/08 08:59	R22	7	A	NONE
AC40800-001	10/31/08 14:13	WP	7	M	VOA
AC40800-001	10/31/08 08:59	R22	8	A	NONE
AC40800-002	10/30/08 12:00	RICAR	0	M	Received
AC40800-002	10/30/08 14:23	RICAR	0	M	Login
AC40800-002	10/30/08 15:33	R12	1	A	NONE
AC40800-002	10/30/08 15:33	R12	2	A	NONE
AC40800-002	11/03/08 15:39	KALPE	2	A	A-BNA
AC40800-002	10/30/08 15:33	R12	3	A	NONE
AC40800-002	11/06/08 09:33	SRB	3	A	TDSW-HG
AC40800-002	11/06/08 17:26	R12	3	A	NONE
AC40800-002	10/30/08 15:33	R12	4	A	NONE
AC40800-002	10/31/08 10:30	NNM	4	M	IC
AC40800-002	10/31/08 16:30	R12	4	A	NONE
AC40800-002	10/30/08 15:33	R12	5	A	NONE
AC40800-002	11/03/08 11:10	HS	5	A	cn-w
AC40800-002	11/03/08 14:30	R12	5	A	NONE
AC40800-002	10/31/08 08:55	R22	7	A	NONE
AC40800-002	11/03/08 12:03	SG	7	A	VOA
AC40800-002	10/31/08 08:55	R22	8	A	NONE
AC40800-003	10/30/08 12:00	RICAR	0	M	Received
AC40800-003	10/30/08 14:23	RICAR	0	M	Login
AC40800-003	10/30/08 15:33	R12	1	A	NONE
AC40800-003	11/03/08 15:39	KALPE	1	A	A-BNA
AC40800-003	10/30/08 15:33	R12	2	A	NONE
AC40800-003	10/30/08 15:33	R12	3	A	NONE
AC40800-003	11/06/08 09:33	SRB	3	A	TDSW-HG
AC40800-003	11/06/08 17:26	R12	3	A	NONE
AC40800-003	10/30/08 15:33	R12	4	A	NONE
AC40800-003	10/31/08 10:30	NNM	4	M	IC
AC40800-003	10/31/08 16:30	R12	4	A	NONE
AC40800-003	10/30/08 15:33	R12	5	A	NONE
AC40800-003	11/03/08 11:10	HS	5	A	cn-w
AC40800-003	11/03/08 14:30	R12	5	A	NONE
AC40800-003	10/31/08 08:55	R22	7	A	NONE
AC40800-003	10/31/08 14:13	WP	7	M	VOA
AC40800-003	10/31/08 08:55	R22	8	A	NONE
AC40800-004	10/31/08 08:55	R22	8	A	NONE
AC40800-004	10/30/08 12:00	RICAR	0	M	Received
AC40800-004	10/30/08 14:23	RICAR	0	M	Login
AC40800-004	10/30/08 15:33	R12	1	A	NONE
AC40800-004	11/03/08 15:39	KALPE	1	A	A-BNA
AC40800-004	10/30/08 15:33	R12	2	A	NONE
AC40800-004	11/03/08 15:39	KALPE	2	A	A-BNA
AC40800-004	11/03/08 21:25	R12	2	A	NONE
AC40800-004	10/30/08 15:33	R12	3	A	NONE
AC40800-004	11/06/08 09:33	SRB	3	A	TDSW-HG
AC40800-004	11/06/08 17:26	R12	3	A	NONE
AC40800-004	10/30/08 15:33	R12	4	A	NONE
AC40800-004	10/31/08 10:30	NNM	4	M	IC
AC40800-004	10/31/08 16:30	R12	4	A	NONE
AC40800-004	10/30/08 15:33	R12	5	A	NONE
AC40800-004	11/03/08 11:10	HS	5	A	cn-w
AC40800-004	11/03/08 14:30	R12	5	A	NONE
AC40800-004	10/31/08 08:55	R22	7	A	NONE
AC40800-004	10/31/08 14:13	WP	7	M	VOA
AC40800-004	10/31/08 08:55	R22	8	A	NONE
AC40800-005	10/30/08 12:00	RICAR	0	M	Received
AC40800-005	10/30/08 14:23	RICAR	0	M	Login
AC40800-005	10/30/08 15:33	R12	1	A	NONE
AC40800-005	10/31/08 06:45	SDL	1	A	mixing
AC40800-005	10/31/08 10:03	MF	1	A	%solids

Lab#:	DateTime:	Loc or User	Bot Nu	A/M	Analysis
AC40800-005	10/31/08 12:49	R12	1	A	NONE
AC40800-005	11/02/08 08:46	NNM	1	A	IC
AC40800-005	11/02/08 09:51	R12	1	A	NONE
AC40800-005	11/02/08 13:16	HS	1	A	cn-s
AC40800-005	11/02/08 13:33	HS	1	A	cn-s
AC40800-005	11/03/08 14:07	MR	1	A	TDSI/HG
AC40800-005	11/03/08 16:08	R12	1	A	NONE
AC40800-005	11/05/08 15:45	NEHA	1	A	S-BNA
AC40800-005	11/05/08 20:27	R12	1	A	NONE
AC40800-005	10/31/08 09:31	R22	2	A	NONE
AC40800-005	10/31/08 09:32	R21	2	A	NONE
AC40800-005	10/31/08 18:30	WP	2	M	voa
AC40800-005	10/31/08 19:02	R21	2	A	NONE
AC40800-006	10/30/08 12:00	RICAR	0	M	Received
AC40800-006	10/30/08 14:23	RICAR	0	M	Login
AC40800-006	10/30/08 15:33	R12	1	A	NONE
AC40800-006	10/31/08 06:45	SDL	1	A	mixing
AC40800-006	10/31/08 10:03	MF	1	A	%solids
AC40800-006	10/31/08 12:49	R12	1	A	NONE
AC40800-006	11/02/08 08:46	NNM	1	A	IC
AC40800-006	11/02/08 09:51	R12	1	A	NONE
AC40800-006	11/02/08 13:16	HS	1	A	cn-s
AC40800-006	11/02/08 13:33	HS	1	A	cn-s
AC40800-006	11/03/08 14:07	MR	1	A	TDSI/HG
AC40800-006	11/03/08 16:08	R12	1	A	NONE
AC40800-006	11/05/08 15:45	NEHA	1	A	S-BNA
AC40800-006	11/05/08 20:27	R12	1	A	NONE
AC40800-006	10/31/08 09:31	R22	2	A	NONE
AC40800-006	10/31/08 09:32	R21	2	A	NONE
AC40800-006	10/31/08 18:30	WP	2	M	voa
AC40800-006	10/31/08 19:02	R21	2	A	NONE
AC40800-007	10/30/08 12:00	RICAR	0	M	Received
AC40800-007	10/30/08 14:23	RICAR	0	M	Login
AC40800-007	10/30/08 15:33	R12	1	A	NONE
AC40800-007	10/31/08 06:45	SDL	1	A	mixing
AC40800-007	10/31/08 10:03	MF	1	A	%solids
AC40800-007	10/31/08 12:49	R12	1	A	NONE
AC40800-007	11/02/08 08:46	NNM	1	A	IC
AC40800-007	11/02/08 09:51	R12	1	A	NONE
AC40800-007	11/03/08 11:10	HS	1	A	cn-s
AC40800-007	11/03/08 14:07	MR	1	A	TDSI/HG
AC40800-007	11/03/08 16:08	R12	1	A	NONE
AC40800-007	11/05/08 15:45	NEHA	1	A	S-BNA
AC40800-007	11/05/08 20:27	R12	1	A	NONE
AC40800-007	10/31/08 09:31	R22	2	A	NONE
AC40800-007	10/31/08 09:32	R21	2	A	NONE
AC40800-007	10/31/08 18:30	WP	2	M	voa
AC40800-007	10/31/08 19:02	R21	2	A	NONE
AC40800-008	10/30/08 12:00	RICAR	0	M	Received
AC40800-008	10/30/08 14:23	RICAR	0	M	Login
AC40800-008	10/30/08 15:33	R12	1	A	NONE
AC40800-008	10/31/08 06:45	SDL	1	A	mixing
AC40800-008	10/31/08 10:03	MF	1	A	%solids
AC40800-008	10/31/08 12:49	R12	1	A	NONE
AC40800-008	11/02/08 08:46	NNM	1	A	IC
AC40800-008	11/02/08 09:51	R12	1	A	NONE
AC40800-008	11/03/08 11:10	HS	1	A	cn-s
AC40800-008	11/03/08 14:07	MR	1	A	TDSI/HG
AC40800-008	11/03/08 16:08	R12	1	A	NONE
AC40800-008	11/05/08 15:45	NEHA	1	A	S-BNA
AC40800-008	11/05/08 20:27	R12	1	A	NONE
AC40800-008	10/31/08 09:31	R22	2	A	NONE
AC40800-008	10/31/08 09:32	R21	2	A	NONE
AC40800-008	10/31/08 18:30	WP	2	M	voa
AC40800-008	10/31/08 19:02	R21	2	A	NONE
AC40800-009	10/30/08 12:00	RICAR	0	M	Received
AC40800-009	10/30/08 14:23	RICAR	0	M	Login
AC40800-009	10/30/08 15:33	R12	1	A	NONE
AC40800-009	11/03/08 15:39	KALPE	1	A	A-BNA
AC40800-009	10/30/08 15:33	R12	2	A	NONE
AC40800-009	10/30/08 15:33	R12	3	A	NONE
AC40800-009	11/06/08 09:33	SRB	3	A	TDSW-HG
AC40800-009	11/06/08 17:26	R12	3	A	NONE
AC40800-009	10/30/08 15:33	R12	4	A	NONE
AC40800-009	10/31/08 10:30	NNM	4	M	IC

Samples marked as received are stored in coolers or refrigerator R12, R3, or R24 at 4 deg C until Login

Lab#:	DateTime:	Loc or User	Bot Nu	A/M	Analysis	Lab#:	DateTime:	Loc or User	Bot Nu	A/M	Analysis
AC40800-009	10/31/08 16:30	R12	4	A	NONE	AC40800-014	11/03/08 15:39	KALPE	2	A	A-BNA
AC40800-009	10/30/08 15:33	R12	5	A	NONE	AC40800-014	11/03/08 21:25	R12	2	A	NONE
AC40800-009	11/03/08 11:10	HS	5	A	cn-w	AC40800-014	10/30/08 15:33	R12	3	A	NONE
AC40800-009	11/03/08 14:30	R12	5	A	NONE	AC40800-014	10/30/08 15:33	R12	4	A	NONE
AC40800-009	10/31/08 08:55	R22	7	A	NONE	AC40800-014	10/31/08 10:30	NNM	4	M	IC
AC40800-009	10/31/08 10:15	WP	7	M	VOA	AC40800-014	10/31/08 16:30	R12	4	A	NONE
AC40800-009	10/31/08 08:55	R22	8	A	NONE	AC40800-014	10/30/08 15:33	R12	5	A	NONE
AC40800-010	10/30/08 12:00	RICAR	0	M	Received	AC40800-014	11/03/08 11:10	HS	5	A	cn-w
AC40800-010	10/30/08 14:23	RICAR	0	M	Login	AC40800-014	11/03/08 14:30	R12	5	A	NONE
AC40800-010	10/30/08 15:33	R12	1	A	NONE	AC40800-014	11/05/08 11:01	HS	5	A	CN-W
AC40800-010	10/30/08 15:33	R12	2	A	NONE	AC40800-014	11/05/08 16:09	R12	5	A	NONE
AC40800-010	11/03/08 15:39	KALPE	2	A	A-BNA	AC40800-014	10/31/08 08:55	R22	7	A	NONE
AC40800-010	10/30/08 15:33	R12	3	A	NONE	AC40800-014	10/31/08 14:13	WP	7	M	VOA
AC40800-010	11/06/08 09:33	SRB	3	A	TDSW-HG	AC40800-014	10/31/08 08:55	R22	8	A	NONE
AC40800-010	11/06/08 17:26	R12	3	A	NONE	AC40800-015	10/30/08 12:00	RICAR	0	M	Received
AC40800-010	10/30/08 15:33	R12	4	A	NONE	AC40800-015	10/30/08 14:23	RICAR	0	M	Login
AC40800-010	10/31/08 10:30	NNM	4	M	IC	AC40800-015	10/30/08 15:33	R12	1	A	NONE
AC40800-010	10/31/08 16:30	R12	4	A	NONE	AC40800-015	11/03/08 15:39	KALPE	1	A	A-BNA
AC40800-010	10/30/08 15:33	R12	5	A	NONE	AC40800-015	11/03/08 21:25	R12	1	A	NONE
AC40800-010	11/03/08 11:10	HS	5	A	cn-w	AC40800-015	10/30/08 15:33	R12	2	A	NONE
AC40800-010	11/03/08 14:30	R12	5	A	NONE	AC40800-015	10/30/08 15:33	R12	3	A	NONE
AC40800-010	10/31/08 08:59	R22	7	A	NONE	AC40800-015	10/31/08 10:30	NNM	3	M	IC
AC40800-010	10/31/08 14:13	WP	7	M	VOA	AC40800-015	10/31/08 16:30	R12	3	A	NONE
AC40800-010	10/31/08 08:59	R22	8	A	NONE	AC40800-015	10/30/08 15:33	R12	4	A	NONE
AC40800-011	10/30/08 12:00	RICAR	0	M	Received	AC40800-015	11/03/08 11:10	HS	4	A	cn-w
AC40800-011	10/30/08 14:23	RICAR	0	M	Login	AC40800-015	11/03/08 14:30	R12	4	A	NONE
AC40800-011	10/30/08 15:33	R12	1	A	NONE	AC40800-015	11/05/08 11:01	HS	4	A	CN-W
AC40800-011	11/03/08 15:39	KALPE	1	A	A-BNA	AC40800-015	11/05/08 16:09	R12	4	A	NONE
AC40800-011	10/30/08 15:33	R12	2	A	NONE	AC40800-015	10/31/08 08:55	R22	6	A	NONE
AC40800-011	10/30/08 15:33	R12	3	A	NONE	AC40800-015	10/31/08 08:55	R22	7	A	NONE
AC40800-011	10/30/08 15:33	R12	4	A	NONE	AC40800-015	10/31/08 14:13	WP	7	M	VOA
AC40800-011	10/30/08 15:33	R12	5	A	NONE	AC40800-016	10/30/08 12:00	RICAR	0	M	Received
AC40800-011	10/30/08 15:43	NNM	5	A	ic	AC40800-016	10/30/08 14:23	RICAR	0	M	Login
AC40800-011	10/30/08 18:26	R12	5	A	NONE	AC40800-016	10/31/08 08:59	R22	2	A	NONE
AC40800-011	10/30/08 15:33	R12	6	A	NONE	AC40800-016	10/31/08 08:59	R22	3	A	NONE
AC40800-011	11/03/08 11:10	HS	6	A	cn-w	AC40800-016	10/31/08 14:13	WP	3	M	VOA
AC40800-011	11/03/08 14:30	R12	6	A	NONE	AC40800-017	10/30/08 12:00	CHILD	0	M	Received
AC40800-011	10/31/08 08:55	R22	8	A	NONE	AC40800-017	11/03/08 10:18	CHILD	0	M	Login
AC40800-011	10/31/08 14:13	WP	8	M	VOA	AC40800-017	11/03/08 10:23	SRB	1	A	FILTER
AC40800-011	10/31/08 08:55	R22	9	A	NONE	AC40800-017	11/03/08 11:10	R12	1	A	NONE
AC40800-011	10/30/08 17:06	R12	10	A	NONE	AC40800-017	11/06/08 09:33	SRB	1	A	TDSW-HG
AC40800-011	11/12/08 13:10	NNM	10	A	ALKALINITY	AC40800-017	11/06/08 17:26	R12	1	A	NONE
AC40800-011	11/12/08 17:41	R12	10	A	NONE	AC40800-018	10/30/08 12:00	CHILD	0	M	Received
AC40800-011	10/30/08 17:06	R12	11	A	NONE	AC40800-018	11/03/08 10:18	CHILD	0	M	Login
AC40800-011	11/12/08 13:10	NNM	11	A	ALKALINITY	AC40800-018	11/03/08 10:23	SRB	1	A	FILTER
AC40800-011	11/12/08 17:41	R12	11	A	NONE	AC40800-018	11/03/08 11:10	R12	1	A	NONE
AC40800-012	10/30/08 12:00	RICAR	0	M	Received	AC40800-018	11/06/08 09:33	SRB	1	A	TDSW-HG
AC40800-012	10/30/08 14:23	RICAR	0	M	Login	AC40800-018	11/06/08 17:26	R12	1	A	NONE
AC40800-012	10/30/08 15:33	R12	1	A	NONE	AC40800-019	10/30/08 12:00	CHILD	0	M	Received
AC40800-012	10/31/08 11:43	SRB	1	A	FILTER	AC40800-019	11/03/08 10:18	CHILD	0	M	Login
AC40800-012	10/31/08 12:18	R12	1	A	NONE	AC40800-019	11/05/08 09:29	SRB	1	A	FILTER
AC40800-012	11/06/08 09:36	SRB	1	A	TDSW-HG	AC40800-019	11/05/08 11:56	R12	1	A	NONE
AC40800-012	11/06/08 17:26	R12	1	A	NONE	AC40800-019	11/06/08 09:33	SRB	1	A	TDSW-HG
AC40800-013	10/30/08 12:00	RICAR	0	M	Received	AC40800-019	11/06/08 17:26	R12	1	A	NONE
AC40800-013	10/30/08 14:23	RICAR	0	M	Login						
AC40800-013	10/30/08 15:33	R12	1	A	NONE						
AC40800-013	10/30/08 15:33	R12	2	A	NONE						
AC40800-013	11/03/08 15:39	KALPE	2	A	A-BNA						
AC40800-013	11/03/08 21:25	R12	2	A	NONE						
AC40800-013	10/30/08 15:33	R12	3	A	NONE						
AC40800-013	10/30/08 15:33	R12	4	A	NONE						
AC40800-013	10/31/08 10:30	NNM	4	M	IC						
AC40800-013	10/31/08 16:30	R12	4	A	NONE						
AC40800-013	10/30/08 15:33	R12	5	A	NONE						
AC40800-013	11/03/08 11:10	HS	5	A	cn-w						
AC40800-013	11/03/08 14:30	R12	5	A	NONE						
AC40800-013	11/05/08 11:01	HS	5	A	CN-W						
AC40800-013	11/05/08 16:09	R12	5	A	NONE						
AC40800-013	10/31/08 08:55	R22	7	A	NONE						
AC40800-013	10/31/08 10:15	WP	7	M	VOA						
AC40800-013	10/31/08 08:55	R22	8	A	NONE						
AC40800-014	10/30/08 12:00	RICAR	0	M	Received						
AC40800-014	10/30/08 14:23	RICAR	0	M	Login						
AC40800-014	10/30/08 15:33	R12	1	A	NONE						
AC40800-014	10/30/08 15:33	R12	2	A	NONE						

Samples marked as received are stored in coolers or refrigerator R12, R3, or R24 at 4 deg C until Login

REPORTING LIMIT DEFINITIONS

RL = Reporting Limit

PQL = Practical Quantitation Limit

MDL = Method Detection Limit

CRQL = Contract Required Quantitation Limit

For Clean Water Act and SW846 Organic methods, the RL = PQL. The PQL is determined by the concentration of the lowest standard in the calibration curve.

For Clean Water Act Metals method, the RL = PQL. The PQL is determined by the concentration of the lowest standard in the calibration curve.

For Clean Water Act and SW846 Wet Chemistry methods, the RL = PQL. The PQL is defined as a value 3 to 5 times the MDL.

CLP Organics and Inorganics reported to CRQL.

Veritech Report Of Analysis

0011

Lab#: AC40800-001		Collection Date: 10/29/2008		
Sample ID: SW-1				
TestGroup/Analyte	DF	Units	RL	Result
Chloride (Water) 300.0				
Chloride	1	mg/l	1.5	7.4
Cyanide (Water) EPA 335.4				
Cyanide	1	mg/l	0.01	ND
Mercury (Water) 245.1				
Mercury	1	ug/l	0.039	ND

Lab#: AC40800-001		Collection Date: 10/29/2008		
Sample ID: SW-1				
TestGroup/Analyte	DF	Units	RL	Result
Semivolatile Organics + 25 (625)				
:TotalSemiVolatileTic	1	ug/l	NA	6.3J
1,2,4-Trichlorobenzene	1	ug/l	2.0	ND
1,2-Dichlorobenzene	1	ug/l	2.0	ND
1,2-Diphenylhydrazine	1	ug/l	2.0	ND
1,3-Dichlorobenzene	1	ug/l	2.0	ND
1,4-Dichlorobenzene	1	ug/l	2.0	ND
2,4,5-Trichlorophenol	1	ug/l	2.0	ND
2,4,6-Trichlorophenol	1	ug/l	2.0	ND
2,4-Dichlorophenol	1	ug/l	2.0	ND
2,4-Dimethylphenol	1	ug/l	2.0	ND
2,4-Dinitrophenol	1	ug/l	10	ND
2,4-Dinitrotoluene	1	ug/l	2.0	ND
2,6-Dinitrotoluene	1	ug/l	2.0	ND
2-Chloronaphthalene	1	ug/l	2.0	ND
2-Chlorophenol	1	ug/l	2.0	ND
2-Methylnaphthalene	1	ug/l	2.0	ND
2-Methylphenol	1	ug/l	2.0	ND
2-Nitroaniline	1	ug/l	2.0	ND
2-Nitrophenol	1	ug/l	2.0	ND
3&4-Methylphenol	1	ug/l	2.0	ND
3,3'-Dichlorobenzidine	1	ug/l	2.0	ND
3-Nitroaniline	1	ug/l	2.0	ND
4,6-Dinitro-2-methylphenol	1	ug/l	10	ND
4-Bromophenyl-phenylether	1	ug/l	2.0	ND
4-Chloro-3-methylphenol	1	ug/l	2.0	ND
4-Chloroaniline	1	ug/l	2.0	ND
4-Chlorophenyl-phenylether	1	ug/l	2.0	ND
4-Nitroaniline	1	ug/l	2.0	ND
4-Nitrophenol	1	ug/l	2.0	ND
Acenaphthene	1	ug/l	2.0	ND
Acenaphthylene	1	ug/l	2.0	ND
Aniline	1	ug/l	2.0	ND
Anthracene	1	ug/l	2.0	ND
Benzidine	1	ug/l	10	ND
Benzo[a]anthracene	1	ug/l	2.0	ND
Benzo[a]pyrene	1	ug/l	2.0	ND
Benzo[b]fluoranthene	1	ug/l	2.0	ND
Benzo[g,h,i]perylene	1	ug/l	2.0	ND
Benzo[k]fluoranthene	1	ug/l	2.0	ND
Benzoic acid	1	ug/l	10	ND
Bis(2-Chloroethoxy)methane	1	ug/l	2.0	ND
Bis(2-Chloroethyl)ether	1	ug/l	2.0	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	2.0	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	2.0	ND
Butylbenzylphthalate	1	ug/l	2.0	ND
Carbazole	1	ug/l	2.0	ND
Chrysene	1	ug/l	2.0	ND
Dibenzo[a,h]anthracene	1	ug/l	2.0	ND
Dibenzofuran	1	ug/l	2.0	ND
Diethylphthalate	1	ug/l	2.0	ND
Dimethylphthalate	1	ug/l	2.0	ND
Di-n-butylphthalate	1	ug/l	2.0	ND
Di-n-octylphthalate	1	ug/l	2.0	ND
Fluoranthene	1	ug/l	2.0	ND
Fluorene	1	ug/l	2.0	ND
Hexachlorobenzene	1	ug/l	2.0	ND
Hexachlorobutadiene	1	ug/l	2.0	ND
Hexachlorocyclopentadiene	1	ug/l	2.0	ND
Hexachloroethane	1	ug/l	2.0	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	2.0	ND
Isophorone	1	ug/l	2.0	ND
Naphthalene	1	ug/l	2.0	ND
Nitrobenzene	1	ug/l	2.0	ND
N-Nitrosodimethylamine	1	ug/l	2.0	ND
N-Nitroso-di-n-propylamine	1	ug/l	2.0	ND
N-Nitrosodiphenylamine	1	ug/l	2.0	ND
Pentachlorophenol	1	ug/l	10	ND
Phenanthrene	1	ug/l	2.0	ND
Phenol	1	ug/l	2.0	ND
Pyrene	1	ug/l	2.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 1 of 28
Project #: 8103011

Lab#: AC40800-001		Collection Date: 10/29/2008		
Sample ID: SW-1				
TestGroup/Analyte	DF	Units	RL	Result

TAL Metals 200.7/8

Aluminum	0.5	ug/l	30	90
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	29
Beryllium	0.5	ug/l	0.043	ND
Cadmium	0.5	ug/l	0.070	0.098
Calcium	0.5	ug/l	84	33000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	ND
Copper	0.5	ug/l	1.5	12
Iron	0.5	ug/l	47	510
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	9400
Manganese	0.5	ug/l	0.37	550
Nickel	0.5	ug/l	0.31	0.66
Potassium	0.5	ug/l	55	3800
Selenium	0.5	ug/l	1.9	ND
Silver	0.5	ug/l	0.20	ND
Sodium	0.5	ug/l	87	8000
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	2.1
Zinc	0.5	ug/l	2.5	ND

Lab#: AC40800-001	Collection Date: 10/29/2008			
Sample ID: SW-1				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 2 of 28
Project #: 8103011

Lab#: AC40800-002		Collection Date: 10/29/2008		
Sample ID: SW-2				
TestGroup/Analyte	DF	Units	RL	Result

Chloride (Water) 300.0

Chloride	1	mg/l	1.5	7.5
----------	---	------	-----	-----

Cyanide (Water) EPA 335.4

Cyanide	1	mg/l	0.01	ND
---------	---	------	------	----

Mercury (Water) 245.1

Mercury	1	ug/l	0.039	ND
---------	---	------	-------	----

Lab#: AC40800-002	Collection Date: 10/29/2008			
Sample ID: SW-2				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatle Organics + 25 (625)

:TotalSemiVolatileTic	1	ug/l	NA	12.1J
1,2,4-Trichlorobenzene	1	ug/l	2.0	ND
1,2-Dichlorobenzene	1	ug/l	2.0	ND
1,2-Diphenylhydrazine	1	ug/l	2.0	ND
1,3-Dichlorobenzene	1	ug/l	2.0	ND
1,4-Dichlorobenzene	1	ug/l	2.0	ND
2,4,5-Trichlorophenol	1	ug/l	2.0	ND
2,4,6-Trichlorophenol	1	ug/l	2.0	ND
2,4-Dichlorophenol	1	ug/l	2.0	ND
2,4-Dimethylphenol	1	ug/l	2.0	ND
2,4-Dinitrophenol	1	ug/l	10	ND
2,4-Dinitrotoluene	1	ug/l	2.0	ND
2,6-Dinitrotoluene	1	ug/l	2.0	ND
2-Chloronaphthalene	1	ug/l	2.0	ND
2-Chlorophenol	1	ug/l	2.0	ND
2-Methylnaphthalene	1	ug/l	2.0	ND
2-Methylphenol	1	ug/l	2.0	ND
2-Nitroaniline	1	ug/l	2.0	ND
2-Nitrophenol	1	ug/l	2.0	ND
3&4-Methylphenol	1	ug/l	2.0	ND
3,3'-Dichlorobenzidine	1	ug/l	2.0	ND
3-Nitroaniline	1	ug/l	2.0	ND
4,6-Dinitro-2-methylphenol	1	ug/l	10	ND
4-Bromophenyl-phenylether	1	ug/l	2.0	ND
4-Chloro-3-methylphenol	1	ug/l	2.0	ND
4-Chloroaniline	1	ug/l	2.0	ND
4-Chlorophenyl-phenylether	1	ug/l	2.0	ND
4-Nitroaniline	1	ug/l	2.0	ND
4-Nitrophenol	1	ug/l	2.0	ND
Acenaphthene	1	ug/l	2.0	ND
Acenaphthylene	1	ug/l	2.0	ND
Aniline	1	ug/l	2.0	ND
Anthracene	1	ug/l	2.0	ND
Benzidine	1	ug/l	10	ND
Benzo[a]anthracene	1	ug/l	2.0	ND
Benzo[a]pyrene	1	ug/l	2.0	ND
Benzo[b]fluoranthene	1	ug/l	2.0	ND
Benzo[g,h,i]perylene	1	ug/l	2.0	ND
Benzo[k]fluoranthene	1	ug/l	2.0	ND
Benzoic acid	1	ug/l	10	ND
Bis(2-Chloroethoxy)methane	1	ug/l	2.0	ND
Bis(2-Chloroethyl)ether	1	ug/l	2.0	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	2.0	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	2.0	ND
Butylbenzylphthalate	1	ug/l	2.0	ND
Carbazole	1	ug/l	2.0	ND
Chrysene	1	ug/l	2.0	ND
Dibenzo[a,h]anthracene	1	ug/l	2.0	ND
Dibenzofuran	1	ug/l	2.0	ND
Diethylphthalate	1	ug/l	2.0	ND
Dimethylphthalate	1	ug/l	2.0	ND
Di-n-butylphthalate	1	ug/l	2.0	ND
Di-n-octylphthalate	1	ug/l	2.0	ND
Fluoranthene	1	ug/l	2.0	ND
Fluorene	1	ug/l	2.0	ND
Hexachlorobenzene	1	ug/l	2.0	ND
Hexachlorobutadiene	1	ug/l	2.0	ND
Hexachlorocyclopentadiene	1	ug/l	2.0	ND
Hexachloroethane	1	ug/l	2.0	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	2.0	ND
Isophorone	1	ug/l	2.0	ND
Naphthalene	1	ug/l	2.0	ND
Nitrobenzene	1	ug/l	2.0	ND
N-Nitrosodimethylamine	1	ug/l	2.0	ND
N-Nitroso-di-n-propylamine	1	ug/l	2.0	ND
N-Nitrosodiphenylamine	1	ug/l	2.0	ND
Pentachlorophenol	1	ug/l	10	ND
Phenanthrene	1	ug/l	2.0	ND
Phenol	1	ug/l	2.0	ND
Pyrene	1	ug/l	2.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 3 of 28
Project #: 8103011

Lab#: AC40800-002 Collection Date: 10/29/2008
Sample ID: SW-2

TestGroup/Analyte	DF	Units	RL	Result
TAL Metals 200.7/8				
Aluminum	0.5	ug/l	30	170
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	25
Beryllium	0.5	ug/l	0.043	ND
Cadmium	0.5	ug/l	0.070	ND
Calcium	0.5	ug/l	84	35000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	ND
Copper	0.5	ug/l	1.5	28
Iron	0.5	ug/l	47	440
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	10000
Manganese	0.5	ug/l	0.37	220
Nickel	0.5	ug/l	0.31	0.37
Potassium	0.5	ug/l	55	4000
Selenium	0.5	ug/l	1.9	ND
Silver	0.5	ug/l	0.20	ND
Sodium	0.5	ug/l	87	8000
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	2.1
Zinc	0.5	ug/l	2.5	ND

Lab#: AC40800-002 Collection Date: 10/29/2008
Sample ID: SW-2

TestGroup/Analyte	DF	Units	RL	Result
Volatile Organics + 10 (624)				
TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	50	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	5.0	ND
2-Hexanone	1	ug/l	5.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 4 of 28
Project #: 8103011

Lab#: AC40800-003		Collection Date: 10/29/2008		
Sample ID: SW-3				
TestGroup/Analyte	DF	Units	RL	Result

Chloride (Water) 300.0

Chloride	1	mg/l	1.5	8.4
----------	---	------	-----	-----

Cyanide (Water) EPA 335.4

Cyanide	1	mg/l	0.01	ND
---------	---	------	------	----

Mercury (Water) 245.1

Mercury	1	ug/l	0.039	ND
---------	---	------	-------	----

Lab#: AC40800-003	Collection Date: 10/29/2008			
Sample ID: SW-3				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatile Organics + 25 (625)

:TotalSemiVolatileTic	1	ug/l	NA	ND
1,2,4-Trichlorobenzene	1	ug/l	2.0	ND
1,2-Dichlorobenzene	1	ug/l	2.0	ND
1,2-Diphenylhydrazine	1	ug/l	2.0	ND
1,3-Dichlorobenzene	1	ug/l	2.0	ND
1,4-Dichlorobenzene	1	ug/l	2.0	ND
2,4,5-Trichlorophenol	1	ug/l	2.0	ND
2,4,6-Trichlorophenol	1	ug/l	2.0	ND
2,4-Dichlorophenol	1	ug/l	2.0	ND
2,4-Dimethylphenol	1	ug/l	2.0	ND
2,4-Dinitrophenol	1	ug/l	10	ND
2,4-Dinitrotoluene	1	ug/l	2.0	ND
2,6-Dinitrotoluene	1	ug/l	2.0	ND
2-Chloronaphthalene	1	ug/l	2.0	ND
2-Chlorophenol	1	ug/l	2.0	ND
2-Methylnaphthalene	1	ug/l	2.0	ND
2-Methylphenol	1	ug/l	2.0	ND
2-Nitroaniline	1	ug/l	2.0	ND
2-Nitrophenol	1	ug/l	2.0	ND
3&4-Methylphenol	1	ug/l	2.0	ND
3,3'-Dichlorobenzidine	1	ug/l	2.0	ND
3-Nitroaniline	1	ug/l	2.0	ND
4,6-Dinitro-2-methylphenol	1	ug/l	10	ND
4-Bromophenyl-phenylether	1	ug/l	2.0	ND
4-Chloro-3-methylphenol	1	ug/l	2.0	ND
4-Chloroaniline	1	ug/l	2.0	ND
4-Chlorophenyl-phenylether	1	ug/l	2.0	ND
4-Nitroaniline	1	ug/l	2.0	ND
4-Nitrophenol	1	ug/l	2.0	ND
Acenaphthene	1	ug/l	2.0	ND
Acenaphthylene	1	ug/l	2.0	ND
Aniline	1	ug/l	2.0	ND
Anthracene	1	ug/l	2.0	ND
Benzidine	1	ug/l	10	ND
Benzo[a]anthracene	1	ug/l	2.0	ND
Benzo[a]pyrene	1	ug/l	2.0	ND
Benzo[b]fluoranthene	1	ug/l	2.0	ND
Benzo[g,h,i]perylene	1	ug/l	2.0	ND
Benzo[k]fluoranthene	1	ug/l	2.0	ND
Benzoic acid	1	ug/l	10	ND
Bis(2-Chloroethoxy)methane	1	ug/l	2.0	ND
Bis(2-Chloroethyl)ether	1	ug/l	2.0	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	2.0	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	2.0	ND
Butylbenzylphthalate	1	ug/l	2.0	ND
Carbazole	1	ug/l	2.0	ND
Chrysene	1	ug/l	2.0	ND
Dibenzo[a,h]anthracene	1	ug/l	2.0	ND
Dibenzofuran	1	ug/l	2.0	ND
Diethylphthalate	1	ug/l	2.0	ND
Dimethylphthalate	1	ug/l	2.0	ND
Di-n-butylphthalate	1	ug/l	2.0	ND
Di-n-octylphthalate	1	ug/l	2.0	ND
Fluoranthene	1	ug/l	2.0	ND
Fluorene	1	ug/l	2.0	ND
Hexachlorobenzene	1	ug/l	2.0	ND
Hexachlorobutadiene	1	ug/l	2.0	ND
Hexachlorocyclopentadiene	1	ug/l	2.0	ND
Hexachloroethane	1	ug/l	2.0	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	2.0	ND
Isophorone	1	ug/l	2.0	ND
Naphthalene	1	ug/l	2.0	ND
Nitrobenzene	1	ug/l	2.0	ND
N-Nitrosodimethylamine	1	ug/l	2.0	ND
N-Nitroso-di-n-propylamine	1	ug/l	2.0	ND
N-Nitrosodiphenylamine	1	ug/l	2.0	ND
Pentachlorophenol	1	ug/l	10	ND
Phenanthrene	1	ug/l	2.0	ND
Phenol	1	ug/l	2.0	ND
Pyrene	1	ug/l	2.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 5 of 28
Project #: 8103011

Lab#: AC40800-003		Collection Date: 10/29/2008		
Sample ID: SW-3				
TestGroup/Analyte	DF	Units	RL	Result

TAL Metals 200.7/8

Aluminum	0.5	ug/l	30	230
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	1.6
Barium	0.5	ug/l	0.075	21
Beryllium	0.5	ug/l	0.043	ND
Cadmium	0.5	ug/l	0.070	0.18
Calcium	0.5	ug/l	84	32000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	ND
Copper	0.5	ug/l	1.5	14
Iron	0.5	ug/l	47	190
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	6200
Manganese	0.5	ug/l	0.37	21
Nickel	0.5	ug/l	0.31	0.54
Potassium	0.5	ug/l	55	8100
Selenium	0.5	ug/l	1.9	ND
Silver	0.5	ug/l	0.20	ND
Sodium	0.5	ug/l	87	6700
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	2.4
Zinc	0.5	ug/l	2.5	ND

Lab#: AC40800-003	Collection Date: 10/29/2008			
Sample ID: SW-3				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

:TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 6 of 28
Project #: 8103011

Lab#: AC40800-004		Collection Date: 10/29/2008		
Sample ID: SW-4				
TestGroup/Analyte	DF	Units	RL	Result

Chloride (Water) 300.0

Chloride	1	mg/l	1.5	15
----------	---	------	-----	----

Cyanide (Water) EPA 335.4

Cyanide	1	mg/l	0.01	ND
---------	---	------	------	----

Mercury (Water) 245.1

Mercury	1	ug/l	0.039	ND
---------	---	------	-------	----

Lab#: AC40800-004		Collection Date: 10/29/2008		
Sample ID: SW-4				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatle Organics + 25 (625)

:TotalSemiVolatileTic	1	ug/l	NA	18.2J
1,2,4-Trichlorobenzene	1	ug/l	2.0	ND
1,2-Dichlorobenzene	1	ug/l	2.0	ND
1,2-Diphenylhydrazine	1	ug/l	2.0	ND
1,3-Dichlorobenzene	1	ug/l	2.0	ND
1,4-Dichlorobenzene	1	ug/l	2.0	ND
2,4,5-Trichlorophenol	1	ug/l	2.0	ND
2,4,6-Trichlorophenol	1	ug/l	2.0	ND
2,4-Dichlorophenol	1	ug/l	2.0	ND
2,4-Dimethylphenol	1	ug/l	2.0	ND
2,4-Dinitrophenol	1	ug/l	10	ND
2,4-Dinitrotoluene	1	ug/l	2.0	ND
2,6-Dinitrotoluene	1	ug/l	2.0	ND
2-Chloronaphthalene	1	ug/l	2.0	ND
2-Chlorophenol	1	ug/l	2.0	ND
2-Methylnaphthalene	1	ug/l	2.0	ND
2-Methylphenol	1	ug/l	2.0	ND
2-Nitroaniline	1	ug/l	2.0	ND
2-Nitrophenol	1	ug/l	2.0	ND
3&4-Methylphenol	1	ug/l	2.0	ND
3,3'-Dichlorobenzidine	1	ug/l	2.0	ND
3-Nitroaniline	1	ug/l	2.0	ND
4,6-Dinitro-2-methylphenol	1	ug/l	10	ND
4-Bromophenyl-phenylether	1	ug/l	2.0	ND
4-Chloro-3-methylphenol	1	ug/l	2.0	ND
4-Chloroaniline	1	ug/l	2.0	ND
4-Chlorophenyl-phenylether	1	ug/l	2.0	ND
4-Nitroaniline	1	ug/l	2.0	ND
4-Nitrophenol	1	ug/l	2.0	ND
Acenaphthene	1	ug/l	2.0	ND
Acenaphthylene	1	ug/l	2.0	ND
Aniline	1	ug/l	2.0	ND
Anthracene	1	ug/l	2.0	ND
Benzidine	1	ug/l	10	ND
Benzo[a]anthracene	1	ug/l	2.0	ND
Benzo[a]pyrene	1	ug/l	2.0	ND
Benzo[b]fluoranthene	1	ug/l	2.0	ND
Benzo[g,h,i]perylene	1	ug/l	2.0	ND
Benzo[k]fluoranthene	1	ug/l	2.0	ND
Benzoic acid	1	ug/l	10	ND
Bis(2-Chloroethoxy)methane	1	ug/l	2.0	ND
Bis(2-Chloroethyl)ether	1	ug/l	2.0	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	2.0	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	2.0	ND
Butylbenzylphthalate	1	ug/l	2.0	ND
Carbazole	1	ug/l	2.0	ND
Chrysene	1	ug/l	2.0	ND
Dibenzo[a,h]anthracene	1	ug/l	2.0	ND
Dibenzofuran	1	ug/l	2.0	ND
Diethylphthalate	1	ug/l	2.0	ND
Dimethylphthalate	1	ug/l	2.0	ND
Di-n-butylphthalate	1	ug/l	2.0	2.4
Di-n-octylphthalate	1	ug/l	2.0	ND
Fluoranthene	1	ug/l	2.0	ND
Fluorene	1	ug/l	2.0	ND
Hexachlorobenzene	1	ug/l	2.0	ND
Hexachlorobutadiene	1	ug/l	2.0	ND
Hexachlorocyclopentadiene	1	ug/l	2.0	ND
Hexachloroethane	1	ug/l	2.0	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	2.0	ND
Isophorone	1	ug/l	2.0	ND
Naphthalene	1	ug/l	2.0	ND
Nitrobenzene	1	ug/l	2.0	ND
N-Nitrosodimethylamine	1	ug/l	2.0	ND
N-Nitroso-di-n-propylamine	1	ug/l	2.0	ND
N-Nitrosodiphenylamine	1	ug/l	2.0	ND
Pentachlorophenol	1	ug/l	10	ND
Phenanthrene	1	ug/l	2.0	ND
Phenol	1	ug/l	2.0	ND
Pyrene	1	ug/l	2.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 7 of 28
Project #: 8103011

Lab#: AC40800-004		Collection Date: 10/29/2008		
Sample ID: SW-4				
TestGroup/Analyte	DF	Units	RL	Result

TAL Metals 200.7/8

Aluminum	0.5	ug/l	30	97
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	38
Beryllium	0.5	ug/l	0.043	ND
Cadmium	0.5	ug/l	0.070	ND
Calcium	0.5	ug/l	84	54000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	ND
Copper	0.5	ug/l	1.5	12
Iron	0.5	ug/l	47	530
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	13000
Manganese	0.5	ug/l	0.37	180
Nickel	0.5	ug/l	0.31	0.66
Potassium	0.5	ug/l	55	4900
Selenium	0.5	ug/l	1.9	ND
Silver	0.5	ug/l	0.20	ND
Sodium	0.5	ug/l	87	13000
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	3.0
Zinc	0.5	ug/l	2.5	ND

Lab#: AC40800-004	Collection Date: 10/29/2008			
Sample ID: SW-4				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

Total Volatile Tic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 8 of 28
Project #: 8103011

Lab#: AC40800-005		Collection Date: 10/29/2008		
Sample ID: SD-1				
TestGroup/Analyte	DF	Units	RL	Result

% Solids SM2540G

% Solids	1	percent		18
----------	---	---------	--	----

Chloride (Soil) 9056

Chloride	1	mg/kg	830	890
----------	---	-------	-----	-----

Cyanide (Soil/Waste)

Cyanide	1	mg/kg	1.4	2
---------	---	-------	-----	---

Mercury (Soil/Waste) 7471A

Mercury	167	mg/kg	0.066	0.071
---------	-----	-------	-------	-------

Lab#: AC40800-005	Collection Date: 10/29/2008			
Sample ID: SD-1				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatile Organics + 25 (8270)

:TotalSemiVolatileTic	1	mg/kg	NA	1485.18J
1,2,4-Trichlorobenzene	1	mg/kg	0.37	ND
1,2-Dichlorobenzene	1	mg/kg	0.37	ND
1,2-Diphenylhydrazine	1	mg/kg	0.37	ND
1,3-Dichlorobenzene	1	mg/kg	0.37	ND
1,4-Dichlorobenzene	1	mg/kg	0.37	ND
2,4,5-Trichlorophenol	1	mg/kg	0.37	ND
2,4,6-Trichlorophenol	1	mg/kg	0.37	ND
2,4-Dichlorophenol	1	mg/kg	0.37	ND
2,4-Dimethylphenol	1	mg/kg	0.37	ND
2,4-Dinitrophenol	1	mg/kg	1.9	ND
2,4-Dinitrotoluene	1	mg/kg	0.37	ND
2,6-Dinitrotoluene	1	mg/kg	0.37	ND
2-Chloronaphthalene	1	mg/kg	0.37	ND
2-Chlorophenol	1	mg/kg	0.37	ND
2-Methylnaphthalene	1	mg/kg	0.37	ND
2-Methylphenol	1	mg/kg	0.37	ND
2-Nitroaniline	1	mg/kg	0.37	ND
2-Nitrophenol	1	mg/kg	0.37	ND
3&4-Methylphenol	1	mg/kg	0.37	ND
3,3'-Dichlorobenzidine	1	mg/kg	0.37	ND
3-Nitroaniline	1	mg/kg	0.37	ND
4,6-Dinitro-2-methylphenol	1	mg/kg	1.9	ND
4-Bromophenyl-phenylether	1	mg/kg	0.37	ND
4-Chloro-3-methylphenol	1	mg/kg	0.37	ND
4-Chloroaniline	1	mg/kg	0.37	ND
4-Chlorophenyl-phenylether	1	mg/kg	0.37	ND
4-Nitroaniline	1	mg/kg	0.37	ND
4-Nitrophenol	1	mg/kg	0.37	ND
Acenaphthene	1	mg/kg	0.37	ND
Acenaphthylene	1	mg/kg	0.37	ND
Aniline	1	mg/kg	0.37	ND
Anthracene	1	mg/kg	0.37	ND
Benzidine	1	mg/kg	1.9	ND
Benzo[a]anthracene	1	mg/kg	0.37	0.41
Benzo[a]pyrene	1	mg/kg	0.37	0.60
Benzo[b]fluoranthene	1	mg/kg	0.37	0.85
Benzo[g,h,i]perylene	1	mg/kg	0.37	0.60
Benzo[k]fluoranthene	1	mg/kg	0.37	ND
Benzoic acid	1	mg/kg	1.9	ND
Bis(2-Chloroethoxy)methane	1	mg/kg	0.37	ND
Bis(2-Chloroethyl)ether	1	mg/kg	0.37	ND
Bis(2-Chloroisopropyl)ether	1	mg/kg	0.37	ND
Bis(2-Ethylhexyl)phthalate	1	mg/kg	0.37	0.58B
Butylbenzylphthalate	1	mg/kg	0.37	ND
Carbazole	1	mg/kg	0.37	ND
Chrysene	1	mg/kg	0.37	0.53
Dibenzo[a,h]anthracene	1	mg/kg	0.37	ND
Dibenzofuran	1	mg/kg	0.37	ND
Diethylphthalate	1	mg/kg	0.37	ND
Dimethylphthalate	1	mg/kg	0.37	ND
Di-n-butylphthalate	1	mg/kg	0.37	ND
Di-n-octylphthalate	1	mg/kg	0.37	ND
Fluoranthene	1	mg/kg	0.37	0.64
Fluorene	1	mg/kg	0.37	ND
Hexachlorobenzene	1	mg/kg	0.37	ND
Hexachlorobutadiene	1	mg/kg	0.37	ND
Hexachlorocyclopentadiene	1	mg/kg	1.9	ND
Hexachloroethane	1	mg/kg	0.37	ND
Indeno[1,2,3-cd]pyrene	1	mg/kg	0.37	0.42
Isophorone	1	mg/kg	0.37	ND
Naphthalene	1	mg/kg	0.37	ND
Nitrobenzene	1	mg/kg	0.37	ND
N-Nitrosodimethylamine	1	mg/kg	0.37	ND
N-Nitroso-di-n-propylamine	1	mg/kg	0.37	ND
N-Nitrosodiphenylamine	1	mg/kg	0.37	ND
Pentachlorophenol	1	mg/kg	1.9	ND
Phenanthrene	1	mg/kg	0.37	ND
Phenol	1	mg/kg	0.37	ND
Pyrene	1	mg/kg	0.37	0.96

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 9 of 28
Project #: 8103011

Lab#: AC40800-005		Collection Date: 10/29/2008		
Sample ID: SD-1				
TestGroup/Analyte	DF	Units	RL	Result

TAL Metals 6010

Aluminum	100	mg/kg	26	17000
Antimony	100	mg/kg	1.5	ND
Arsenic	100	mg/kg	1.5	11
Barium	100	mg/kg	0.31	640
Beryllium	100	mg/kg	0.036	ND
Cadmium	100	mg/kg	0.056	0.53
Calcium	100	mg/kg	42	15000
Chromium	100	mg/kg	0.49	37
Cobalt	100	mg/kg	0.12	22
Copper	100	mg/kg	1.3	74
Iron	100	mg/kg	33	66000
Lead	100	mg/kg	1.0	87
Magnesium	100	mg/kg	59	7900
Manganese	200	mg/kg	0.99	20000
Nickel	100	mg/kg	0.43	33
Potassium	100	mg/kg	89	2800
Selenium	100	mg/kg	1.9	8.4
Silver	100	mg/kg	0.28	2.4
Sodium	100	mg/kg	24	330
Thallium	100	mg/kg	1.6	ND
Vanadium	100	mg/kg	0.19	60
Zinc	100	mg/kg	7.1	360

Lab#: AC40800-005	Collection Date: 10/29/2008			
Sample ID: SD-1				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (8260)

TotalVolatileTic	0.984	mg/kg	NA	ND
1,1,1-Trichloroethane	0.984	mg/kg	0.027	ND
1,1,2,2-Tetrachloroethane	0.984	mg/kg	0.027	ND
1,1,2-trichloro-1,2,2-trifluoroethane	0.984	mg/kg	0.027	ND
1,1,2-Trichloroethane	0.984	mg/kg	0.027	ND
1,1-Dichloroethane	0.984	mg/kg	0.027	ND
1,1-Dichloroethene	0.984	mg/kg	0.027	ND
1,2,3-Trichloropropane	0.984	mg/kg	0.027	ND
1,2,4-Trimethylbenzene	0.984	mg/kg	0.0055	ND
1,2-Dibromo-3-chloropropane	0.984	mg/kg	0.027	ND
1,2-Dibromoethane	0.984	mg/kg	0.027	ND
1,2-Dichlorobenzene	0.984	mg/kg	0.027	ND
1,2-Dichloroethane	0.984	mg/kg	0.027	ND
1,2-Dichloropropane	0.984	mg/kg	0.027	ND
1,3,5-Trimethylbenzene	0.984	mg/kg	0.0055	ND
1,3-Dichlorobenzene	0.984	mg/kg	0.027	ND
1,3-Dichloropropane	0.984	mg/kg	0.027	ND
1,4-Dichlorobenzene	0.984	mg/kg	0.027	ND
1,4-Dioxane	0.984	mg/kg	1.4	ND
2-Butanone	0.984	mg/kg	0.027	ND
2-Chloroethylvinylether	0.984	mg/kg	0.027	ND
2-Hexanone	0.984	mg/kg	0.027	ND
4-Isopropyltoluene	0.984	mg/kg	0.0055	ND
4-Methyl-2-Pentanone	0.984	mg/kg	0.027	ND
Acetone	0.984	mg/kg	0.14	ND
Benzene	0.984	mg/kg	0.0055	ND
Bromodichloromethane	0.984	mg/kg	0.027	ND
Bromoform	0.984	mg/kg	0.027	ND
Bromomethane	0.984	mg/kg	0.027	ND
Carbon disulfide	0.984	mg/kg	0.027	ND
Carbon tetrachloride	0.984	mg/kg	0.027	ND
Chlorobenzene	0.984	mg/kg	0.027	ND
Chloroethane	0.984	mg/kg	0.027	ND
Chloroform	0.984	mg/kg	0.027	ND
Chloromethane	0.984	mg/kg	0.027	ND
cis-1,2-Dichloroethene	0.984	mg/kg	0.027	ND
cis-1,3-Dichloropropene	0.984	mg/kg	0.027	ND
Cyclohexane	0.984	mg/kg	0.027	ND
Dibromochloromethane	0.984	mg/kg	0.027	ND
Dichlorodifluoromethane	0.984	mg/kg	0.027	ND
Ethylbenzene	0.984	mg/kg	0.0055	ND
Isopropylbenzene	0.984	mg/kg	0.0055	ND
m&p-Xylenes	0.984	mg/kg	0.011	ND
Methyl Acetate	0.984	mg/kg	0.027	ND
Methylcyclohexane	0.984	mg/kg	0.027	ND
Methylene chloride	0.984	mg/kg	0.027	ND
Methyl-t-butyl ether	0.984	mg/kg	0.0055	ND
n-Butylbenzene	0.984	mg/kg	0.0055	ND
n-Propylbenzene	0.984	mg/kg	0.0055	ND
o-Xylene	0.984	mg/kg	0.0055	ND
sec-Butylbenzene	0.984	mg/kg	0.0055	ND
Styrene	0.984	mg/kg	0.027	ND
t-Butyl Alcohol	0.984	mg/kg	0.14	ND
t-Butylbenzene	0.984	mg/kg	0.0055	ND
Tetrachloroethene	0.984	mg/kg	0.027	ND
Toluene	0.984	mg/kg	0.0055	ND
trans-1,2-Dichloroethene	0.984	mg/kg	0.027	ND
trans-1,3-dichloropropene	0.984	mg/kg	0.027	ND
Trichloroethene	0.984	mg/kg	0.027	ND
Trichlorofluoromethane	0.984	mg/kg	0.027	ND
Vinyl chloride	0.984	mg/kg	0.027	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 10 of 28
Project #: 8103011

Lab#: AC40800-006		Collection Date: 10/29/2008		
Sample ID: SD-2				
TestGroup/Analyte	DF	Units	RL	Result

% Solids SM2540G

% Solids	1	percent		15
----------	---	---------	--	----

Chloride (Soil) 9056

Chloride	1	mg/kg	1000	1100
----------	---	-------	------	------

Cyanide (Soil/Waste)

Cyanide	1	mg/kg	1.7	2.3
---------	---	-------	-----	-----

Mercury (Soil/Waste) 7471A

Mercury	167	mg/kg	0.079	ND
---------	-----	-------	-------	----

Lab#: AC40800-006		Collection Date: 10/29/2008		
Sample ID: SD-2				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatle Organics + 25 (8270)

:TotalSemiVolatileTic	1	mg/kg	NA	1035.02J
1,2,4-Trichlorobenzene	1	mg/kg	0.44	ND
1,2-Dichlorobenzene	1	mg/kg	0.44	ND
1,2-Diphenylhydrazine	1	mg/kg	0.44	ND
1,3-Dichlorobenzene	1	mg/kg	0.44	ND
1,4-Dichlorobenzene	1	mg/kg	0.44	ND
2,4,5-Trichlorophenol	1	mg/kg	0.44	ND
2,4,6-Trichlorophenol	1	mg/kg	0.44	ND
2,4-Dichlorophenol	1	mg/kg	0.44	ND
2,4-Dimethylphenol	1	mg/kg	0.44	ND
2,4-Dinitrophenol	1	mg/kg	2.2	ND
2,4-Dinitrotoluene	1	mg/kg	0.44	ND
2,6-Dinitrotoluene	1	mg/kg	0.44	ND
2-Chloronaphthalene	1	mg/kg	0.44	ND
2-Chlorophenol	1	mg/kg	0.44	ND
2-Methylnaphthalene	1	mg/kg	0.44	ND
2-Methylphenol	1	mg/kg	0.44	ND
2-Nitroaniline	1	mg/kg	0.44	ND
2-Nitrophenol	1	mg/kg	0.44	ND
3&4-Methylphenol	1	mg/kg	0.44	ND
3,3'-Dichlorobenzidine	1	mg/kg	0.44	ND
3-Nitroaniline	1	mg/kg	0.44	ND
4,6-Dinitro-2-methylphenol	1	mg/kg	2.2	ND
4-Bromophenyl-phenylether	1	mg/kg	0.44	ND
4-Chloro-3-methylphenol	1	mg/kg	0.44	ND
4-Chloroaniline	1	mg/kg	0.44	ND
4-Chlorophenyl-phenylether	1	mg/kg	0.44	ND
4-Nitroaniline	1	mg/kg	0.44	ND
4-Nitrophenol	1	mg/kg	0.44	ND
Acenaphthene	1	mg/kg	0.44	ND
Acenaphthylene	1	mg/kg	0.44	ND
Aniline	1	mg/kg	0.44	ND
Anthracene	1	mg/kg	0.44	ND
Benzidine	1	mg/kg	2.2	ND
Benzo[a]anthracene	1	mg/kg	0.44	ND
Benzo[a]pyrene	1	mg/kg	0.44	ND
Benzo[b]fluoranthene	1	mg/kg	0.44	ND
Benzo[g,h,i]perylene	1	mg/kg	0.44	ND
Benzo[k]fluoranthene	1	mg/kg	0.44	ND
Benzoic acid	1	mg/kg	2.2	ND
Bis(2-Chloroethoxy)methane	1	mg/kg	0.44	ND
Bis(2-Chloroethyl)ether	1	mg/kg	0.44	ND
Bis(2-Chloroisopropyl)ether	1	mg/kg	0.44	ND
Bis(2-Ethylhexyl)phthalate	1	mg/kg	0.44	ND
Butylbenzylphthalate	1	mg/kg	0.44	ND
Carbazole	1	mg/kg	0.44	ND
Chrysene	1	mg/kg	0.44	ND
Dibenzo[a,h]anthracene	1	mg/kg	0.44	ND
Dibenzofuran	1	mg/kg	0.44	ND
Diethylphthalate	1	mg/kg	0.44	ND
Dimethylphthalate	1	mg/kg	0.44	ND
Di-n-butylphthalate	1	mg/kg	0.44	ND
Di-n-octylphthalate	1	mg/kg	0.44	ND
Fluoranthene	1	mg/kg	0.44	ND
Fluorene	1	mg/kg	0.44	ND
Hexachlorobenzene	1	mg/kg	0.44	ND
Hexachlorobutadiene	1	mg/kg	0.44	ND
Hexachlorocyclopentadiene	1	mg/kg	2.2	ND
Hexachloroethane	1	mg/kg	0.44	ND
Indeno[1,2,3-cd]pyrene	1	mg/kg	0.44	ND
Isophorone	1	mg/kg	0.44	ND
Naphthalene	1	mg/kg	0.44	ND
Nitrobenzene	1	mg/kg	0.44	ND
N-Nitrosodimethylamine	1	mg/kg	0.44	ND
N-Nitroso-di-n-propylamine	1	mg/kg	0.44	ND
N-Nitrosodiphenylamine	1	mg/kg	0.44	ND
Pentachlorophenol	1	mg/kg	2.2	ND
Phenanthrene	1	mg/kg	0.44	ND
Phenol	1	mg/kg	0.44	ND
Pyrene	1	mg/kg	0.44	0.49

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 11 of 28
Project #: 8103011

Lab#: AC40800-006		Collection Date: 10/29/2008		
Sample ID: SD-2				
TestGroup/Analyte	DF	Units	RL	Result

TAL Metals 6010

Aluminum	100	mg/kg	31	19000
Antimony	100	mg/kg	1.9	ND
Arsenic	100	mg/kg	1.7	12
Barium	100	mg/kg	0.37	770
Beryllium	100	mg/kg	0.044	ND
Cadmium	100	mg/kg	0.067	0.36
Calcium	100	mg/kg	50	18000
Chromium	100	mg/kg	0.58	40
Cobalt	100	mg/kg	0.14	23
Copper	100	mg/kg	1.6	84
Iron	100	mg/kg	40	67000
Lead	100	mg/kg	1.3	100
Magnesium	100	mg/kg	71	9600
Manganese	200	mg/kg	1.2	25000
Nickel	100	mg/kg	0.51	43
Potassium	100	mg/kg	110	3800
Selenium	100	mg/kg	2.3	10
Silver	100	mg/kg	0.33	3.0
Sodium	100	mg/kg	29	400
Thallium	100	mg/kg	1.9	3.3
Vanadium	100	mg/kg	0.23	68
Zinc	100	mg/kg	8.5	360

Lab#: AC40800-006	Collection Date: 10/29/2008			
Sample ID: SD-2				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (8260)

TotalVolatileTic	0.829	mg/kg	NA	ND
1,1,1-Trichloroethane	0.829	mg/kg	0.028	ND
1,1,2,2-Tetrachloroethane	0.829	mg/kg	0.028	ND
1,1,2-trichloro-1,2,2-trifluoroethane	0.829	mg/kg	0.028	ND
1,1,2-Trichloroethane	0.829	mg/kg	0.028	ND
1,1-Dichloroethane	0.829	mg/kg	0.028	ND
1,1-Dichloroethene	0.829	mg/kg	0.028	ND
1,2,3-Trichloropropane	0.829	mg/kg	0.028	ND
1,2,4-Trimethylbenzene	0.829	mg/kg	0.0055	ND
1,2-Dibromo-3-chloropropane	0.829	mg/kg	0.028	ND
1,2-Dibromoethane	0.829	mg/kg	0.028	ND
1,2-Dichlorobenzene	0.829	mg/kg	0.028	ND
1,2-Dichloroethane	0.829	mg/kg	0.028	ND
1,2-Dichloropropane	0.829	mg/kg	0.028	ND
1,3,5-Trimethylbenzene	0.829	mg/kg	0.0055	ND
1,3-Dichlorobenzene	0.829	mg/kg	0.028	ND
1,3-Dichloropropane	0.829	mg/kg	0.028	ND
1,4-Dichlorobenzene	0.829	mg/kg	0.028	ND
1,4-Dioxane	0.829	mg/kg	1.4	ND
2-Butanone	0.829	mg/kg	0.028	ND
2-Chloroethylvinylether	0.829	mg/kg	0.028	ND
2-Hexanone	0.829	mg/kg	0.028	ND
4-Isopropyltoluene	0.829	mg/kg	0.0055	ND
4-Methyl-2-Pentanone	0.829	mg/kg	0.028	ND
Acetone	0.829	mg/kg	0.14	ND
Benzene	0.829	mg/kg	0.0055	ND
Bromodichloromethane	0.829	mg/kg	0.028	ND
Bromoform	0.829	mg/kg	0.028	ND
Bromomethane	0.829	mg/kg	0.028	ND
Carbon disulfide	0.829	mg/kg	0.028	ND
Carbon tetrachloride	0.829	mg/kg	0.028	ND
Chlorobenzene	0.829	mg/kg	0.028	ND
Chloroethane	0.829	mg/kg	0.028	ND
Chloroform	0.829	mg/kg	0.028	ND
Chloromethane	0.829	mg/kg	0.028	ND
cis-1,2-Dichloroethene	0.829	mg/kg	0.028	ND
cis-1,3-Dichloropropene	0.829	mg/kg	0.028	ND
Cyclohexane	0.829	mg/kg	0.028	ND
Dibromochloromethane	0.829	mg/kg	0.028	ND
Dichlorodifluoromethane	0.829	mg/kg	0.028	ND
Ethylbenzene	0.829	mg/kg	0.0055	ND
Isopropylbenzene	0.829	mg/kg	0.0055	ND
m&p-Xylenes	0.829	mg/kg	0.011	ND
Methyl Acetate	0.829	mg/kg	0.028	ND
Methylcyclohexane	0.829	mg/kg	0.028	ND
Methylene chloride	0.829	mg/kg	0.028	ND
Methyl-t-butyl ether	0.829	mg/kg	0.0055	ND
n-Butylbenzene	0.829	mg/kg	0.0055	ND
n-Propylbenzene	0.829	mg/kg	0.0055	ND
o-Xylene	0.829	mg/kg	0.0055	ND
sec-Butylbenzene	0.829	mg/kg	0.0055	ND
Styrene	0.829	mg/kg	0.028	ND
t-Butyl Alcohol	0.829	mg/kg	0.14	ND
t-Butylbenzene	0.829	mg/kg	0.0055	ND
Tetrachloroethene	0.829	mg/kg	0.028	ND
Toluene	0.829	mg/kg	0.0055	ND
trans-1,2-Dichloroethene	0.829	mg/kg	0.028	ND
trans-1,3-dichloropropene	0.829	mg/kg	0.028	ND
Trichloroethene	0.829	mg/kg	0.028	ND
Trichlorofluoromethane	0.829	mg/kg	0.028	ND
Vinyl chloride	0.829	mg/kg	0.028	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 12 of 28
Project #: 8103011

Lab#: AC40800-007		Collection Date: 10/29/2008		
Sample ID: SD-3				
TestGroup/Analyte	DF	Units	RL	Result

% Solids SM2540G

% Solids	1	percent		60
----------	---	---------	--	----

Chloride (Soil) 9056

Chloride	1	mg/kg	250	270
----------	---	-------	-----	-----

Cyanide (Soil/Waste)

Cyanide	1	mg/kg	0.41	ND
---------	---	-------	------	----

Mercury (Soil/Waste) 7471A

Mercury	167	mg/kg	0.020	0.031
---------	-----	-------	-------	-------

Lab#: AC40800-007		Collection Date: 10/29/2008		
Sample ID: SD-3				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatle Organics + 25 (8270)

:TotalSemiVolatileTic	1	mg/kg	NA	252.7J
1,2,4-Trichlorobenzene	1	mg/kg	0.11	ND
1,2-Dichlorobenzene	1	mg/kg	0.11	ND
1,2-Diphenylhydrazine	1	mg/kg	0.11	ND
1,3-Dichlorobenzene	1	mg/kg	0.11	ND
1,4-Dichlorobenzene	1	mg/kg	0.11	ND
2,4,5-Trichlorophenol	1	mg/kg	0.11	ND
2,4,6-Trichlorophenol	1	mg/kg	0.11	ND
2,4-Dichlorophenol	1	mg/kg	0.11	ND
2,4-Dimethylphenol	1	mg/kg	0.11	ND
2,4-Dinitrophenol	1	mg/kg	0.56	ND
2,4-Dinitrotoluene	1	mg/kg	0.11	ND
2,6-Dinitrotoluene	1	mg/kg	0.11	ND
2-Chloronaphthalene	1	mg/kg	0.11	ND
2-Chlorophenol	1	mg/kg	0.11	ND
2-Methylnaphthalene	1	mg/kg	0.11	ND
2-Methylphenol	1	mg/kg	0.11	ND
2-Nitroaniline	1	mg/kg	0.11	ND
2-Nitrophenol	1	mg/kg	0.11	ND
3&4-Methylphenol	1	mg/kg	0.11	ND
3,3'-Dichlorobenzidine	1	mg/kg	0.11	ND
3-Nitroaniline	1	mg/kg	0.11	ND
4,6-Dinitro-2-methylphenol	1	mg/kg	0.56	ND
4-Bromophenyl-phenylether	1	mg/kg	0.11	ND
4-Chloro-3-methylphenol	1	mg/kg	0.11	ND
4-Chloroaniline	1	mg/kg	0.11	ND
4-Chlorophenyl-phenylether	1	mg/kg	0.11	ND
4-Nitroaniline	1	mg/kg	0.11	ND
4-Nitrophenol	1	mg/kg	0.11	ND
Acenaphthene	1	mg/kg	0.11	ND
Acenaphthylene	1	mg/kg	0.11	ND
Aniline	1	mg/kg	0.11	ND
Anthracene	1	mg/kg	0.11	ND
Benzidine	1	mg/kg	0.56	ND
Benzo[a]anthracene	1	mg/kg	0.11	ND
Benzo[a]pyrene	1	mg/kg	0.11	ND
Benzo[b]fluoranthene	1	mg/kg	0.11	ND
Benzo[g,h,i]perylene	1	mg/kg	0.11	ND
Benzo[k]fluoranthene	1	mg/kg	0.11	ND
Benzoic acid	1	mg/kg	0.56	ND
Bis(2-Chloroethoxy)methane	1	mg/kg	0.11	ND
Bis(2-Chloroethyl)ether	1	mg/kg	0.11	ND
Bis(2-Chloroisopropyl)ether	1	mg/kg	0.11	ND
Bis(2-Ethylhexyl)phthalate	1	mg/kg	0.11	0.11B
Butylbenzylphthalate	1	mg/kg	0.11	ND
Carbazole	1	mg/kg	0.11	ND
Chrysene	1	mg/kg	0.11	ND
Dibenzo[a,h]anthracene	1	mg/kg	0.11	ND
Dibenzofuran	1	mg/kg	0.11	ND
Diethylphthalate	1	mg/kg	0.11	ND
Dimethylphthalate	1	mg/kg	0.11	ND
Di-n-butylphthalate	1	mg/kg	0.11	ND
Di-n-octylphthalate	1	mg/kg	0.11	ND
Fluoranthene	1	mg/kg	0.11	0.12
Fluorene	1	mg/kg	0.11	ND
Hexachlorobenzene	1	mg/kg	0.11	ND
Hexachlorobutadiene	1	mg/kg	0.11	ND
Hexachlorocyclopentadiene	1	mg/kg	0.56	ND
Hexachloroethane	1	mg/kg	0.11	ND
Indeno[1,2,3-cd]pyrene	1	mg/kg	0.11	ND
Isophorone	1	mg/kg	0.11	ND
Naphthalene	1	mg/kg	0.11	ND
Nitrobenzene	1	mg/kg	0.11	ND
N-Nitrosodimethylamine	1	mg/kg	0.11	ND
N-Nitroso-di-n-propylamine	1	mg/kg	0.11	ND
N-Nitrosodiphenylamine	1	mg/kg	0.11	ND
Pentachlorophenol	1	mg/kg	0.56	ND
Phenanthrene	1	mg/kg	0.11	ND
Phenol	1	mg/kg	0.11	ND
Pyrene	1	mg/kg	0.11	0.14

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 13 of 28
Project #: 8103011

Lab#: AC40800-007		Collection Date: 10/29/2008		
Sample ID: SD-3				
TestGroup/Analyte	DF	Units	RL	Result

TAL Metals 6010

Aluminum	100	mg/kg	7.8	12000
Antimony	100	mg/kg	0.46	ND
Arsenic	100	mg/kg	0.44	3.1
Barium	100	mg/kg	0.093	69
Beryllium	100	mg/kg	0.011	0.24
Cadmium	100	mg/kg	0.017	0.017
Calcium	100	mg/kg	13	14000
Chromium	100	mg/kg	0.15	18
Cobalt	100	mg/kg	0.036	7.3
Copper	100	mg/kg	0.39	21
Iron	100	mg/kg	10	16000
Lead	100	mg/kg	0.31	52
Magnesium	100	mg/kg	18	9800
Manganese	100	mg/kg	0.15	310
Nickel	100	mg/kg	0.13	15
Potassium	100	mg/kg	27	1300
Selenium	100	mg/kg	0.57	0.62
Silver	100	mg/kg	0.083	ND
Sodium	100	mg/kg	7.3	190
Thallium	100	mg/kg	0.47	ND
Vanadium	100	mg/kg	0.058	31
Zinc	100	mg/kg	2.1	60

Lab#: AC40800-007	Collection Date: 10/29/2008			
Sample ID: SD-3				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (8260)

:TotalVolatileTic	0.952	mg/kg	NA	ND
1,1,1-Trichloroethane	0.952	mg/kg	0.0079	ND
1,1,2,2-Tetrachloroethane	0.952	mg/kg	0.0079	ND
1,1,2-trichloro-1,2,2-trifluoroethane	0.952	mg/kg	0.0079	ND
1,1,2-Trichloroethane	0.952	mg/kg	0.0079	ND
1,1-Dichloroethane	0.952	mg/kg	0.0079	ND
1,1-Dichloroethene	0.952	mg/kg	0.0079	ND
1,2,3-Trichloropropane	0.952	mg/kg	0.0079	ND
1,2,4-Trimethylbenzene	0.952	mg/kg	0.0016	ND
1,2-Dibromo-3-chloropropane	0.952	mg/kg	0.0079	ND
1,2-Dibromoethane	0.952	mg/kg	0.0079	ND
1,2-Dichlorobenzene	0.952	mg/kg	0.0079	ND
1,2-Dichloroethane	0.952	mg/kg	0.0079	ND
1,2-Dichloropropane	0.952	mg/kg	0.0079	ND
1,3,5-Trimethylbenzene	0.952	mg/kg	0.0016	ND
1,3-Dichlorobenzene	0.952	mg/kg	0.0079	ND
1,3-Dichloropropane	0.952	mg/kg	0.0079	ND
1,4-Dichlorobenzene	0.952	mg/kg	0.0079	ND
1,4-Dioxane	0.952	mg/kg	0.40	ND
2-Butanone	0.952	mg/kg	0.0079	ND
2-Chloroethylvinylether	0.952	mg/kg	0.0079	ND
2-Hexanone	0.952	mg/kg	0.0079	ND
4-Isopropyltoluene	0.952	mg/kg	0.0016	ND
4-Methyl-2-Pentanone	0.952	mg/kg	0.0079	ND
Acetone	0.952	mg/kg	0.040	ND
Benzene	0.952	mg/kg	0.0016	ND
Bromodichloromethane	0.952	mg/kg	0.0079	ND
Bromoform	0.952	mg/kg	0.0079	ND
Bromomethane	0.952	mg/kg	0.0079	ND
Carbon disulfide	0.952	mg/kg	0.0079	ND
Carbon tetrachloride	0.952	mg/kg	0.0079	ND
Chlorobenzene	0.952	mg/kg	0.0079	ND
Chloroethane	0.952	mg/kg	0.0079	ND
Chloroform	0.952	mg/kg	0.0079	ND
Chloromethane	0.952	mg/kg	0.0079	ND
cis-1,2-Dichloroethene	0.952	mg/kg	0.0079	ND
cis-1,3-Dichloropropene	0.952	mg/kg	0.0079	ND
Cyclohexane	0.952	mg/kg	0.0079	ND
Dibromochloromethane	0.952	mg/kg	0.0079	ND
Dichlorodifluoromethane	0.952	mg/kg	0.0079	ND
Ethylbenzene	0.952	mg/kg	0.0016	ND
Isopropylbenzene	0.952	mg/kg	0.0016	ND
m&p-Xylenes	0.952	mg/kg	0.0032	ND
Methyl Acetate	0.952	mg/kg	0.0079	ND
Methylcyclohexane	0.952	mg/kg	0.0079	ND
Methylene chloride	0.952	mg/kg	0.0079	ND
Methyl-t-butyl ether	0.952	mg/kg	0.0016	ND
n-Butylbenzene	0.952	mg/kg	0.0016	ND
n-Propylbenzene	0.952	mg/kg	0.0016	ND
o-Xylene	0.952	mg/kg	0.0016	ND
sec-Butylbenzene	0.952	mg/kg	0.0016	ND
Styrene	0.952	mg/kg	0.0079	ND
t-Butyl Alcohol	0.952	mg/kg	0.040	ND
t-Butylbenzene	0.952	mg/kg	0.0016	ND
Tetrachloroethene	0.952	mg/kg	0.0079	ND
Toluene	0.952	mg/kg	0.0016	ND
trans-1,2-Dichloroethene	0.952	mg/kg	0.0079	ND
trans-1,3-dichloropropene	0.952	mg/kg	0.0079	ND
Trichloroethene	0.952	mg/kg	0.0079	ND
Trichlorofluoromethane	0.952	mg/kg	0.0079	ND
Vinyl chloride	0.952	mg/kg	0.0079	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 14 of 28
Project #: 8103011

Lab#: AC40800-008		Collection Date: 10/29/2008		
Sample ID: SD-4				
TestGroup/Analyte	DF	Units	RL	Result
% Solids SM2540G				
% Solids	1	percent		72
Chloride (Soil) 9056				
Chloride	1	mg/kg	210	220
Cyanide (Soil/Waste)				
Cyanide	1	mg/kg	0.35	ND
Mercury (Soil/Waste) 7471A				
Mercury	167	mg/kg	0.016	ND

0025

Lab#: AC40800-008		Collection Date: 10/29/2008		
Sample ID: SD-4				
TestGroup/Analyte	DF	Units	RL	Result
Semivolatile Organics + 25 (8270)				
:TotalSemiVolatileTic	1	mg/kg	NA	227.13J
1,2,4-Trichlorobenzene	1	mg/kg	0.093	ND
1,2-Dichlorobenzene	1	mg/kg	0.093	ND
1,2-Diphenylhydrazine	1	mg/kg	0.093	ND
1,3-Dichlorobenzene	1	mg/kg	0.093	ND
1,4-Dichlorobenzene	1	mg/kg	0.093	ND
2,4,5-Trichlorophenol	1	mg/kg	0.093	ND
2,4,6-Trichlorophenol	1	mg/kg	0.093	ND
2,4-Dichlorophenol	1	mg/kg	0.093	ND
2,4-Dimethylphenol	1	mg/kg	0.093	ND
2,4-Dinitrophenol	1	mg/kg	0.46	ND
2,4-Dinitrotoluene	1	mg/kg	0.093	ND
2,6-Dinitrotoluene	1	mg/kg	0.093	ND
2-Chloronaphthalene	1	mg/kg	0.093	ND
2-Chlorophenol	1	mg/kg	0.093	ND
2-Methylnaphthalene	1	mg/kg	0.093	ND
2-Methylphenol	1	mg/kg	0.093	ND
2-Nitroaniline	1	mg/kg	0.093	ND
2-Nitrophenol	1	mg/kg	0.093	ND
3&4-Methylphenol	1	mg/kg	0.093	ND
3,3'-Dichlorobenzidine	1	mg/kg	0.093	ND
3-Nitroaniline	1	mg/kg	0.093	ND
4,6-Dinitro-2-methylphenol	1	mg/kg	0.46	ND
4-Bromophenyl-phenylether	1	mg/kg	0.093	ND
4-Chloro-3-methylphenol	1	mg/kg	0.093	ND
4-Chloroaniline	1	mg/kg	0.093	ND
4-Chlorophenyl-phenylether	1	mg/kg	0.093	ND
4-Nitroaniline	1	mg/kg	0.093	ND
4-Nitrophenol	1	mg/kg	0.093	ND
Acenaphthene	1	mg/kg	0.093	ND
Acenaphthylene	1	mg/kg	0.093	ND
Aniline	1	mg/kg	0.093	ND
Anthracene	1	mg/kg	0.093	ND
Benzidine	1	mg/kg	0.46	ND
Benzo[a]anthracene	1	mg/kg	0.093	ND
Benzo[a]pyrene	1	mg/kg	0.093	ND
Benzo[b]fluoranthene	1	mg/kg	0.093	ND
Benzo[g,h,i]perylene	1	mg/kg	0.093	ND
Benzo[k]fluoranthene	1	mg/kg	0.093	ND
Benzoic acid	1	mg/kg	0.46	ND
Bis(2-Chloroethoxy)methane	1	mg/kg	0.093	ND
Bis(2-Chloroethyl)ether	1	mg/kg	0.093	ND
Bis(2-Chloroisopropyl)ether	1	mg/kg	0.093	ND
Bis(2-Ethylhexyl)phthalate	1	mg/kg	0.093	ND
Butylbenzylphthalate	1	mg/kg	0.093	ND
Carbazole	1	mg/kg	0.093	ND
Chrysene	1	mg/kg	0.093	ND
Dibenzo[a,h]anthracene	1	mg/kg	0.093	ND
Dibenzofuran	1	mg/kg	0.093	ND
Diethylphthalate	1	mg/kg	0.093	ND
Dimethylphthalate	1	mg/kg	0.093	ND
Di-n-butylphthalate	1	mg/kg	0.093	ND
Di-n-octylphthalate	1	mg/kg	0.093	ND
Fluoranthene	1	mg/kg	0.093	ND
Fluorene	1	mg/kg	0.093	ND
Hexachlorobenzene	1	mg/kg	0.093	ND
Hexachlorobutadiene	1	mg/kg	0.093	ND
Hexachlorocyclopentadiene	1	mg/kg	0.46	ND
Hexachloroethane	1	mg/kg	0.093	ND
Indeno[1,2,3-cd]pyrene	1	mg/kg	0.093	ND
Isophorone	1	mg/kg	0.093	ND
Naphthalene	1	mg/kg	0.093	ND
Nitrobenzene	1	mg/kg	0.093	ND
N-Nitrosodimethylamine	1	mg/kg	0.093	ND
N-Nitroso-di-n-propylamine	1	mg/kg	0.093	ND
N-Nitrosodiphenylamine	1	mg/kg	0.093	ND
Pentachlorophenol	1	mg/kg	0.46	ND
Phenanthrene	1	mg/kg	0.093	ND
Phenol	1	mg/kg	0.093	ND
Pyrene	1	mg/kg	0.093	0.11

Lab#: AC40800-008		Collection Date: 10/29/2008		
Sample ID: SD-4				
TestGroup/Analyte	DF	Units	RL	Result

TAL Metals 6010

Aluminum	100	mg/kg	6.5	5500
Antimony	100	mg/kg	0.39	ND
Arsenic	100	mg/kg	0.36	2.1
Barium	100	mg/kg	0.078	50
Beryllium	100	mg/kg	0.0091	ND
Cadmium	100	mg/kg	0.014	0.071
Calcium	100	mg/kg	10	29000
Chromium	100	mg/kg	0.12	12
Cobalt	100	mg/kg	0.030	4.7
Copper	100	mg/kg	0.33	11
Iron	100	mg/kg	8.3	16000
Lead	100	mg/kg	0.26	49
Magnesium	100	mg/kg	15	19000
Manganese	100	mg/kg	0.12	600
Nickel	100	mg/kg	0.11	11
Potassium	100	mg/kg	22	1300
Selenium	100	mg/kg	0.48	ND
Silver	100	mg/kg	0.070	ND
Sodium	100	mg/kg	6.1	75
Thallium	100	mg/kg	0.39	ND
Vanadium	100	mg/kg	0.048	18
Zinc	100	mg/kg	1.8	53

Lab#: AC40800-008	Collection Date: 10/29/2008			
Sample ID: SD-4				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (8260)

TotalVolatileTic	1.01	mg/kg	NA	ND
1,1,1-Trichloroethane	1.01	mg/kg	0.0070	ND
1,1,2,2-Tetrachloroethane	1.01	mg/kg	0.0070	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1.01	mg/kg	0.0070	ND
1,1,2-Trichloroethane	1.01	mg/kg	0.0070	ND
1,1-Dichloroethane	1.01	mg/kg	0.0070	ND
1,1-Dichloroethene	1.01	mg/kg	0.0070	ND
1,2,3-Trichloropropane	1.01	mg/kg	0.0070	ND
1,2,4-Trimethylbenzene	1.01	mg/kg	0.0014	ND
1,2-Dibromo-3-chloropropane	1.01	mg/kg	0.0070	ND
1,2-Dibromoethane	1.01	mg/kg	0.0070	ND
1,2-Dichlorobenzene	1.01	mg/kg	0.0070	ND
1,2-Dichloropropane	1.01	mg/kg	0.0070	ND
1,3,5-Trimethylbenzene	1.01	mg/kg	0.0014	ND
1,3-Dichlorobenzene	1.01	mg/kg	0.0070	ND
1,3-Dichloropropane	1.01	mg/kg	0.0070	ND
1,4-Dichlorobenzene	1.01	mg/kg	0.0070	ND
1,4-Dioxane	1.01	mg/kg	0.35	ND
2-Butanone	1.01	mg/kg	0.0070	ND
2-Chloroethylvinylether	1.01	mg/kg	0.0070	ND
2-Hexanone	1.01	mg/kg	0.0070	ND
4-Isopropyltoluene	1.01	mg/kg	0.0014	ND
4-Methyl-2-Pentanone	1.01	mg/kg	0.0070	ND
Acetone	1.01	mg/kg	0.035	0.042
Benzene	1.01	mg/kg	0.0014	ND
Bromodichloromethane	1.01	mg/kg	0.0070	ND
Bromoform	1.01	mg/kg	0.0070	ND
Bromomethane	1.01	mg/kg	0.0070	ND
Carbon disulfide	1.01	mg/kg	0.0070	ND
Carbon tetrachloride	1.01	mg/kg	0.0070	ND
Chlorobenzene	1.01	mg/kg	0.0070	ND
Chloroethane	1.01	mg/kg	0.0070	ND
Chloroform	1.01	mg/kg	0.0070	ND
Chloromethane	1.01	mg/kg	0.0070	ND
cis-1,2-Dichloroethene	1.01	mg/kg	0.0070	ND
cis-1,3-Dichloropropene	1.01	mg/kg	0.0070	ND
Cyclohexane	1.01	mg/kg	0.0070	ND
Dibromochloromethane	1.01	mg/kg	0.0070	ND
Dichlorodifluoromethane	1.01	mg/kg	0.0070	ND
Ethylbenzene	1.01	mg/kg	0.0014	ND
Isopropylbenzene	1.01	mg/kg	0.0014	ND
m&p-Xylenes	1.01	mg/kg	0.0028	ND
Methyl Acetate	1.01	mg/kg	0.0070	ND
Methylcyclohexane	1.01	mg/kg	0.0070	ND
Methylene chloride	1.01	mg/kg	0.0070	ND
Methyl-t-butyl ether	1.01	mg/kg	0.0014	ND
n-Butylbenzene	1.01	mg/kg	0.0014	ND
n-Propylbenzene	1.01	mg/kg	0.0014	ND
o-Xylene	1.01	mg/kg	0.0014	ND
sec-Butylbenzene	1.01	mg/kg	0.0014	ND
Styrene	1.01	mg/kg	0.0070	ND
t-Butyl Alcohol	1.01	mg/kg	0.035	ND
t-Butylbenzene	1.01	mg/kg	0.0014	ND
Tetrachloroethene	1.01	mg/kg	0.0070	ND
Toluene	1.01	mg/kg	0.0014	ND
trans-1,2-Dichloroethene	1.01	mg/kg	0.0070	ND
trans-1,3-dichloropropene	1.01	mg/kg	0.0070	ND
Trichloroethene	1.01	mg/kg	0.0070	ND
Trichlorofluoromethane	1.01	mg/kg	0.0070	ND
Vinyl chloride	1.01	mg/kg	0.0070	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 16 of 28
Project #: 8103011

Lab#: AC40800-009		Collection Date: 10/29/2008		
Sample ID: SW-5				
TestGroup/Analyte	DF	Units	RL	Result

Chloride (Water) 300.0

Chloride 1 mg/l 1.5 7.4

Cyanide (Water) EPA 335.4

Cyanide 1 mg/l 0.01 ND

Mercury (Water) 245.1

Mercury 1 ug/l 0.039 ND

Lab#: AC40800-009	Collection Date: 10/29/2008			
Sample ID: SW-5				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatile Organics + 25 (625)

:TotalSemiVolatileTic	1	ug/l	NA	8.8J
1,2,4-Trichlorobenzene	1	ug/l	2.1	ND
1,2-Dichlorobenzene	1	ug/l	2.1	ND
1,2-Diphenylhydrazine	1	ug/l	2.1	ND
1,3-Dichlorobenzene	1	ug/l	2.1	ND
1,4-Dichlorobenzene	1	ug/l	2.1	ND
2,4,5-Trichlorophenol	1	ug/l	2.1	ND
2,4,6-Trichlorophenol	1	ug/l	2.1	ND
2,4-Dichlorophenol	1	ug/l	2.1	ND
2,4-Dimethylphenol	1	ug/l	2.1	ND
2,4-Dinitrophenol	1	ug/l	10	ND
2,4-Dinitrotoluene	1	ug/l	2.1	ND
2,6-Dinitrotoluene	1	ug/l	2.1	ND
2-Chloronaphthalene	1	ug/l	2.1	ND
2-Chlorophenol	1	ug/l	2.1	ND
2-Methylnaphthalene	1	ug/l	2.1	ND
2-Methylphenol	1	ug/l	2.1	ND
2-Nitroaniline	1	ug/l	2.1	ND
2-Nitrophenol	1	ug/l	2.1	ND
3&4-Methylphenol	1	ug/l	2.1	ND
3,3'-Dichlorobenzidine	1	ug/l	2.1	ND
3-Nitroaniline	1	ug/l	2.1	ND
4,6-Dinitro-2-methylphenol	1	ug/l	10	ND
4-Bromophenyl-phenylether	1	ug/l	2.1	ND
4-Chloro-3-methylphenol	1	ug/l	2.1	ND
4-Chloroaniline	1	ug/l	2.1	ND
4-Chlorophenyl-phenylether	1	ug/l	2.1	ND
4-Nitroaniline	1	ug/l	2.1	ND
4-Nitrophenol	1	ug/l	2.1	ND
Acenaphthene	1	ug/l	2.1	ND
Acenaphthylene	1	ug/l	2.1	ND
Aniline	1	ug/l	2.1	ND
Anthracene	1	ug/l	2.1	ND
Benzidine	1	ug/l	10	ND
Benzo[a]anthracene	1	ug/l	2.1	ND
Benzo[a]pyrene	1	ug/l	2.1	ND
Benzo[b]fluoranthene	1	ug/l	2.1	ND
Benzo[g,h,i]perylene	1	ug/l	2.1	ND
Benzo[k]fluoranthene	1	ug/l	2.1	ND
Benzoic acid	1	ug/l	10	ND
Bis(2-Chloroethoxy)methane	1	ug/l	2.1	ND
Bis(2-Chloroethyl)ether	1	ug/l	2.1	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	2.1	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	2.1	ND
Butylbenzylphthalate	1	ug/l	2.1	ND
Carbazole	1	ug/l	2.1	ND
Chrysene	1	ug/l	2.1	ND
Dibenzo[a,h]anthracene	1	ug/l	2.1	ND
Dibenzofuran	1	ug/l	2.1	ND
Diethylphthalate	1	ug/l	2.1	ND
Dimethylphthalate	1	ug/l	2.1	ND
Di-n-butylphthalate	1	ug/l	2.1	ND
Di-n-octylphthalate	1	ug/l	2.1	ND
Fluoranthene	1	ug/l	2.1	ND
Fluorene	1	ug/l	2.1	ND
Hexachlorobenzene	1	ug/l	2.1	ND
Hexachlorobutadiene	1	ug/l	2.1	ND
Hexachlorocyclopentadiene	1	ug/l	2.1	ND
Hexachloroethane	1	ug/l	2.1	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	2.1	ND
Isophorone	1	ug/l	2.1	ND
Naphthalene	1	ug/l	2.1	ND
Nitrobenzene	1	ug/l	2.1	ND
N-Nitrosodimethylamine	1	ug/l	2.1	ND
N-Nitroso-di-n-propylamine	1	ug/l	2.1	ND
N-Nitrosodiphenylamine	1	ug/l	2.1	ND
Pentachlorophenol	1	ug/l	10	ND
Phenanthrene	1	ug/l	2.1	ND
Phenol	1	ug/l	2.1	ND
Pyrene	1	ug/l	2.1	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 17 of 28
Project #: 8103011

Lab#: AC40800-009		Collection Date: 10/29/2008		
Sample ID: SW-5				
TestGroup/Analyte	DF	Units	RL	Result

TAL Metals 200.7/8

Aluminum	0.5	ug/l	30	130
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	31
Beryllium	0.5	ug/l	0.043	ND
Cadmium	0.5	ug/l	0.070	ND
Calcium	0.5	ug/l	84	35000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	ND
Copper	0.5	ug/l	1.5	13
Iron	0.5	ug/l	47	520
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	10000
Manganese	0.5	ug/l	0.37	570
Nickel	0.5	ug/l	0.31	ND
Potassium	0.5	ug/l	55	3800
Selenium	0.5	ug/l	1.9	ND
Silver	0.5	ug/l	0.20	ND
Sodium	0.5	ug/l	87	8100
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	2.1
Zinc	0.5	ug/l	2.5	ND

Lab#: AC40800-009	Collection Date: 10/29/2008			
Sample ID: SW-5				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 18 of 28
Project #: 8103011

Lab#: AC40800-010		Collection Date: 10/29/2008		
Sample ID: FB-01				
TestGroup/Analyte	DF	Units	RL	Result

Chloride (Water) 300.0

Chloride	1	mg/l	1.5	1.6
----------	---	------	-----	-----

Cyanide (Water) EPA 335.4

Cyanide	1	mg/l	0.01	ND
---------	---	------	------	----

Mercury (Water) 245.1

Mercury	1	ug/l	0.039	ND
---------	---	------	-------	----

Lab#: AC40800-010		Collection Date: 10/29/2008		
Sample ID: FB-01				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatle Organics + 25 (625)

:TotalSemiVolatleTic	1	ug/l	NA	ND
1,2,4-Trichlorobenzene	1	ug/l	2.0	ND
1,2-Dichlorobenzene	1	ug/l	2.0	ND
1,2-Diphenylhydrazine	1	ug/l	2.0	ND
1,3-Dichlorobenzene	1	ug/l	2.0	ND
1,4-Dichlorobenzene	1	ug/l	2.0	ND
2,4,5-Trichlorophenol	1	ug/l	2.0	ND
2,4,6-Trichlorophenol	1	ug/l	2.0	ND
2,4-Dichlorophenol	1	ug/l	2.0	ND
2,4-Dimethylphenol	1	ug/l	2.0	ND
2,4-Dinitrophenol	1	ug/l	10	ND
2,4-Dinitrotoluene	1	ug/l	2.0	ND
2,6-Dinitrotoluene	1	ug/l	2.0	ND
2-Chloronaphthalene	1	ug/l	2.0	ND
2-Chlorophenol	1	ug/l	2.0	ND
2-Methylnaphthalene	1	ug/l	2.0	ND
2-Methylphenol	1	ug/l	2.0	ND
2-Nitroaniline	1	ug/l	2.0	ND
2-Nitrophenol	1	ug/l	2.0	ND
3&4-Methylphenol	1	ug/l	2.0	ND
3,3'-Dichlorobenzidine	1	ug/l	2.0	ND
3-Nitroaniline	1	ug/l	2.0	ND
4,6-Dinitro-2-methylphenol	1	ug/l	10	ND
4-Bromophenyl-phenylether	1	ug/l	2.0	ND
4-Chloro-3-methylphenol	1	ug/l	2.0	ND
4-Chloroaniline	1	ug/l	2.0	ND
4-Chlorophenyl-phenylether	1	ug/l	2.0	ND
4-Nitroaniline	1	ug/l	2.0	ND
4-Nitrophenol	1	ug/l	2.0	ND
Acenaphthene	1	ug/l	2.0	ND
Acenaphthylene	1	ug/l	2.0	ND
Aniline	1	ug/l	2.0	ND
Anthracene	1	ug/l	2.0	ND
Benzidine	1	ug/l	10	ND
Benzo[a]anthracene	1	ug/l	2.0	ND
Benzo[a]pyrene	1	ug/l	2.0	ND
Benzo[b]fluoranthene	1	ug/l	2.0	ND
Benzo[g,h,i]perylene	1	ug/l	2.0	ND
Benzo[k]fluoranthene	1	ug/l	2.0	ND
Benzoic acid	1	ug/l	10	ND
Bis(2-Chloroethoxy)methane	1	ug/l	2.0	ND
Bis(2-Chloroethyl)ether	1	ug/l	2.0	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	2.0	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	2.0	ND
Butylbenzylphthalate	1	ug/l	2.0	ND
Carbazole	1	ug/l	2.0	ND
Chrysene	1	ug/l	2.0	ND
Dibenzo[a,h]anthracene	1	ug/l	2.0	ND
Dibenzofuran	1	ug/l	2.0	ND
Diethylphthalate	1	ug/l	2.0	ND
Dimethylphthalate	1	ug/l	2.0	ND
Di-n-butylphthalate	1	ug/l	2.0	ND
Di-n-octylphthalate	1	ug/l	2.0	ND
Fluoranthene	1	ug/l	2.0	ND
Fluorene	1	ug/l	2.0	ND
Hexachlorobenzene	1	ug/l	2.0	ND
Hexachlorobutadiene	1	ug/l	2.0	ND
Hexachlorocyclopentadiene	1	ug/l	2.0	ND
Hexachloroethane	1	ug/l	2.0	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	2.0	ND
Isophorone	1	ug/l	2.0	ND
Naphthalene	1	ug/l	2.0	ND
Nitrobenzene	1	ug/l	2.0	ND
N-Nitrosodimethylamine	1	ug/l	2.0	ND
N-Nitroso-di-n-propylamine	1	ug/l	2.0	ND
N-Nitrosodiphenylamine	1	ug/l	2.0	ND
Pentachlorophenol	1	ug/l	10	ND
Phenanthrene	1	ug/l	2.0	ND
Phenol	1	ug/l	2.0	ND
Pyrene	1	ug/l	2.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 19 of 28
Project #: 8103011

Lab#: AC40800-010		Collection Date: 10/29/2008		
Sample ID: FB-01				
TestGroup/Analyte	DF	Units	RL	Result

TAL Metals 200.7/8

Aluminum	0.5	ug/l	30	ND
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	0.18
Beryllium	0.5	ug/l	0.043	ND
Cadmium	0.5	ug/l	0.070	ND
Calcium	0.5	ug/l	84	ND
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	ND
Copper	0.5	ug/l	1.5	9.4
Iron	0.5	ug/l	47	ND
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	ND
Manganese	0.5	ug/l	0.37	2.1
Nickel	0.5	ug/l	0.31	ND
Potassium	0.5	ug/l	55	ND
Selenium	0.5	ug/l	1.9	ND
Silver	0.5	ug/l	0.20	ND
Sodium	0.5	ug/l	87	240
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	ND
Zinc	0.5	ug/l	2.5	ND

Lab#: AC40800-010	Collection Date: 10/29/2008			
Sample ID: FB-01				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

Total Volatile	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	3.1
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 20 of 28
Project #: 8103011

Lab#: AC40800-011		Collection Date: 10/29/2008		
Sample ID: PC-1 U				
TestGroup/Analyte	DF	Units	RL	Result
Alkalinity-Bicarbonate (SM2320B-97)				
Alkalinity	1	mg/l hco3	10	160
Alkalinity-Total (SM2320B-97)				
Alkalinity	1	mg caco3/l	10	160
Chloride (Water) 300.0				
Chloride	1	mg/l	1.5	28
Cyanide (Water) EPA 335.4				
Cyanide	1	mg/l	0.01	ND
Nitrate-N (Water) 300.0				
Nitrate	1	mg/l	0.27	ND

0031

Lab#: AC40800-011		Collection Date: 10/29/2008		
Sample ID: PC-1 U				
TestGroup/Analyte	DF	Units	RL	Result
Semivolatile Organics + 25 (625)				
:TotalSemiVolatileTic	1	ug/l	NA	ND
1,2,4-Trichlorobenzene	1	ug/l	2.0	ND
1,2-Dichlorobenzene	1	ug/l	2.0	ND
1,2-Diphenylhydrazine	1	ug/l	2.0	ND
1,3-Dichlorobenzene	1	ug/l	2.0	ND
1,4-Dichlorobenzene	1	ug/l	2.0	ND
2,4,5-Trichlorophenol	1	ug/l	2.0	ND
2,4,6-Trichlorophenol	1	ug/l	2.0	ND
2,4-Dichlorophenol	1	ug/l	2.0	ND
2,4-Dimethylphenol	1	ug/l	2.0	ND
2,4-Dinitrophenol	1	ug/l	10	ND
2,4-Dinitrotoluene	1	ug/l	2.0	ND
2,6-Dinitrotoluene	1	ug/l	2.0	ND
2-Chloronaphthalene	1	ug/l	2.0	ND
2-Chlorophenol	1	ug/l	2.0	ND
2-Methylnaphthalene	1	ug/l	2.0	ND
2-Methylphenol	1	ug/l	2.0	ND
2-Nitroaniline	1	ug/l	2.0	ND
2-Nitrophenol	1	ug/l	2.0	ND
3&4-Methylphenol	1	ug/l	2.0	ND
3,3'-Dichlorobenzidine	1	ug/l	2.0	ND
3-Nitroaniline	1	ug/l	2.0	ND
4,6-Dinitro-2-methylphenol	1	ug/l	10	ND
4-Bromophenyl-phenylether	1	ug/l	2.0	ND
4-Chloro-3-methylphenol	1	ug/l	2.0	ND
4-Chloroaniline	1	ug/l	2.0	ND
4-Chlorophenyl-phenylether	1	ug/l	2.0	ND
4-Nitroaniline	1	ug/l	2.0	ND
4-Nitrophenol	1	ug/l	2.0	ND
Acenaphthene	1	ug/l	2.0	ND
Acenaphthylene	1	ug/l	2.0	ND
Aniline	1	ug/l	2.0	ND
Anthracene	1	ug/l	2.0	ND
Benzidine	1	ug/l	10	ND
Benzo[a]anthracene	1	ug/l	2.0	ND
Benzo[a]pyrene	1	ug/l	2.0	ND
Benzo[b]fluoranthene	1	ug/l	2.0	ND
Benzo[g,h,i]perylene	1	ug/l	2.0	ND
Benzo[k]fluoranthene	1	ug/l	2.0	ND
Benzoic acid	1	ug/l	10	ND
Bis(2-Chloroethoxy)methane	1	ug/l	2.0	ND
Bis(2-Chloroethyl)ether	1	ug/l	2.0	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	2.0	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	2.0	ND
Butylbenzylphthalate	1	ug/l	2.0	ND
Carbazole	1	ug/l	2.0	ND
Chrysene	1	ug/l	2.0	ND
Dibenzo[a,h]anthracene	1	ug/l	2.0	ND
Dibenzofuran	1	ug/l	2.0	ND
Diethylphthalate	1	ug/l	2.0	ND
Dimethylphthalate	1	ug/l	2.0	ND
Di-n-butylphthalate	1	ug/l	2.0	ND
Di-n-octylphthalate	1	ug/l	2.0	ND
Fluoranthene	1	ug/l	2.0	ND
Fluorene	1	ug/l	2.0	ND
Hexachlorobenzene	1	ug/l	2.0	ND
Hexachlorobutadiene	1	ug/l	2.0	ND
Hexachlorocyclopentadiene	1	ug/l	2.0	ND
Hexachloroethane	1	ug/l	2.0	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	2.0	ND
Isophorone	1	ug/l	2.0	ND
Naphthalene	1	ug/l	2.0	ND
Nitrobenzene	1	ug/l	2.0	ND
N-Nitrosodimethylamine	1	ug/l	2.0	ND
N-Nitroso-di-n-propylamine	1	ug/l	2.0	ND
N-Nitrosodiphenylamine	1	ug/l	2.0	ND
Pentachlorophenol	1	ug/l	10	ND
Phenanthrene	1	ug/l	2.0	ND
Phenol	1	ug/l	2.0	ND
Pyrene	1	ug/l	2.0	ND
Sulfate (Water) 300.0				
Sulfate	1	mg/l	2.3	34

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 21 of 28
Project #: 8103011

Lab#: AC40800-011		Collection Date: 10/29/2008		
Sample ID: PC-1 U				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

Lab#: AC40800-012	Collection Date: 10/29/2008			
Sample ID: PC-1 F				
TestGroup/Analyte	DF	Units	RL	Result

Mercury (Water) 245.1

Mercury	1	ug/l	0.039	ND
TAL Metals 200.7/8				
Aluminum	0.5	ug/l	30	52
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	41
Beryllium	0.5	ug/l	0.043	ND
Cadmium	0.5	ug/l	0.070	0.078
Calcium	0.5	ug/l	84	57000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	ND
Copper	0.5	ug/l	1.5	16
Iron	0.5	ug/l	47	ND
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	8300
Manganese	0.5	ug/l	0.37	1.6
Nickel	0.5	ug/l	0.31	ND
Potassium	0.5	ug/l	55	1300
Selenium	0.5	ug/l	1.9	ND
Silver	0.5	ug/l	0.20	ND
Sodium	0.5	ug/l	87	17000
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	2.0
Zinc	0.5	ug/l	2.5	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 22 of 28
Project #: 8103011

Lab#: AC40800-013		Collection Date: 10/29/2008		
Sample ID: LMW-4				
TestGroup/Analyte	DF	Units	RL	Result

Chloride (Water) 300.0

Chloride	1	mg/l	1.5	28
----------	---	------	-----	----

Cyanide (Water) EPA 335.4

Cyanide	1	mg/l	0.01	ND
---------	---	------	------	----

Lab#: AC40800-013	Collection Date: 10/29/2008			
Sample ID: LMW-4				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatle Organics + 25 (625)

:TotalSemiVolatileTic	1	ug/l	NA	17.8J
1,2,4-Trichlorobenzene	1	ug/l	2.0	ND
1,2-Dichlorobenzene	1	ug/l	2.0	ND
1,2-Diphenylhydrazine	1	ug/l	2.0	ND
1,3-Dichlorobenzene	1	ug/l	2.0	ND
1,4-Dichlorobenzene	1	ug/l	2.0	ND
2,4,5-Trichlorophenol	1	ug/l	2.0	ND
2,4,6-Trichlorophenol	1	ug/l	2.0	ND
2,4-Dichlorophenol	1	ug/l	2.0	ND
2,4-Dimethylphenol	1	ug/l	2.0	ND
2,4-Dinitrophenol	1	ug/l	10	ND
2,4-Dinitrotoluene	1	ug/l	2.0	ND
2,6-Dinitrotoluene	1	ug/l	2.0	ND
2-Chloronaphthalene	1	ug/l	2.0	ND
2-Chlorophenol	1	ug/l	2.0	ND
2-Methylnaphthalene	1	ug/l	2.0	ND
2-Methylphenol	1	ug/l	2.0	ND
2-Nitroaniline	1	ug/l	2.0	ND
2-Nitrophenol	1	ug/l	2.0	ND
3&4-Methylphenol	1	ug/l	2.0	ND
3,3'-Dichlorobenzidine	1	ug/l	2.0	ND
3-Nitroaniline	1	ug/l	2.0	ND
4,6-Dinitro-2-methylphenol	1	ug/l	10	ND
4-Bromophenyl-phenylether	1	ug/l	2.0	ND
4-Chloro-3-methylphenol	1	ug/l	2.0	ND
4-Chloroaniline	1	ug/l	2.0	ND
4-Chlorophenyl-phenylether	1	ug/l	2.0	ND
4-Nitroaniline	1	ug/l	2.0	ND
4-Nitrophenol	1	ug/l	2.0	ND
Acenaphthene	1	ug/l	2.0	ND
Acenaphthylene	1	ug/l	2.0	ND
Aniline	1	ug/l	2.0	ND
Anthracene	1	ug/l	2.0	ND
Benzidine	1	ug/l	10	ND
Benzo[a]anthracene	1	ug/l	2.0	ND
Benzo[a]pyrene	1	ug/l	2.0	ND
Benzo[b]fluoranthene	1	ug/l	2.0	ND
Benzo[g,h,i]perylene	1	ug/l	2.0	ND
Benzo[k]fluoranthene	1	ug/l	2.0	ND
Benzoic acid	1	ug/l	10	ND
Bis(2-Chloroethoxy)methane	1	ug/l	2.0	ND
Bis(2-Chloroethyl)ether	1	ug/l	2.0	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	2.0	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	2.0	ND
Butylbenzylphthalate	1	ug/l	2.0	ND
Carbazole	1	ug/l	2.0	ND
Chrysene	1	ug/l	2.0	ND
Dibenzo[a,h]anthracene	1	ug/l	2.0	ND
Dibenzofuran	1	ug/l	2.0	ND
Diethylphthalate	1	ug/l	2.0	ND
Dimethylphthalate	1	ug/l	2.0	ND
Di-n-butylphthalate	1	ug/l	2.0	ND
Di-n-octylphthalate	1	ug/l	2.0	ND
Fluoranthene	1	ug/l	2.0	ND
Fluorene	1	ug/l	2.0	ND
Hexachlorobenzene	1	ug/l	2.0	ND
Hexachlorobutadiene	1	ug/l	2.0	ND
Hexachlorocyclopentadiene	1	ug/l	2.0	ND
Hexachloroethane	1	ug/l	2.0	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	2.0	ND
Isophorone	1	ug/l	2.0	ND
Naphthalene	1	ug/l	2.0	ND
Nitrobenzene	1	ug/l	2.0	ND
N-Nitrosodimethylamine	1	ug/l	2.0	ND
N-Nitroso-di-n-propylamine	1	ug/l	2.0	ND
N-Nitrosodiphenylamine	1	ug/l	2.0	ND
Pentachlorophenol	1	ug/l	10	ND
Phenanthrene	1	ug/l	2.0	ND
Phenol	1	ug/l	2.0	ND
Pyrene	1	ug/l	2.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 23 of 28
Project #: 8103011

Lab#: AC40800-013	Collection Date: 10/29/2008			
Sample ID: LMW-4				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromofom	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

Lab#: AC40800-014	Collection Date: 10/29/2008			
Sample ID: PC-3				
TestGroup/Analyte	DF	Units	RL	Result

Chloride (Water) 300.0

Chloride	1	mg/l	1.5	37
----------	---	------	-----	----

Cyanide (Water) EPA 335.4

Cyanide	1	mg/l	0.01	ND
---------	---	------	------	----

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 24 of 28
Project #: 8103011

Lab#: AC40800-014		Collection Date: 10/29/2008		
Sample ID: PC-3				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatile Organics + 25 (625)

:TotalSemiVolatileTic	1	ug/l	NA	16.9J
1,2,4-Trichlorobenzene	1	ug/l	2.0	ND
1,2-Dichlorobenzene	1	ug/l	2.0	ND
1,2-Diphenylhydrazine	1	ug/l	2.0	ND
1,3-Dichlorobenzene	1	ug/l	2.0	ND
1,4-Dichlorobenzene	1	ug/l	2.0	ND
2,4,5-Trichlorophenol	1	ug/l	2.0	ND
2,4,6-Trichlorophenol	1	ug/l	2.0	ND
2,4-Dichlorophenol	1	ug/l	2.0	ND
2,4-Dimethylphenol	1	ug/l	2.0	ND
2,4-Dinitrophenol	1	ug/l	10	ND
2,4-Dinitrotoluene	1	ug/l	2.0	ND
2,6-Dinitrotoluene	1	ug/l	2.0	ND
2-Chloronaphthalene	1	ug/l	2.0	ND
2-Chlorophenol	1	ug/l	2.0	ND
2-Methylnaphthalene	1	ug/l	2.0	ND
2-Methylphenol	1	ug/l	2.0	ND
2-Nitroaniline	1	ug/l	2.0	ND
2-Nitrophenol	1	ug/l	2.0	ND
3&4-Methylphenol	1	ug/l	2.0	ND
3,3'-Dichlorobenzidine	1	ug/l	2.0	ND
3-Nitroaniline	1	ug/l	2.0	ND
4,6-Dinitro-2-methylphenol	1	ug/l	10	ND
4-Bromophenyl-phenylether	1	ug/l	2.0	ND
4-Chloro-3-methylphenol	1	ug/l	2.0	ND
4-Chloroaniline	1	ug/l	2.0	ND
4-Chlorophenyl-phenylether	1	ug/l	2.0	ND
4-Nitroaniline	1	ug/l	2.0	ND
4-Nitrophenol	1	ug/l	2.0	ND
Acenaphthene	1	ug/l	2.0	ND
Acenaphthylene	1	ug/l	2.0	ND
Aniline	1	ug/l	2.0	ND
Anthracene	1	ug/l	2.0	ND
Benzidine	1	ug/l	10	ND
Benzo[a]anthracene	1	ug/l	2.0	ND
Benzo[a]pyrene	1	ug/l	2.0	ND
Benzo[b]fluoranthene	1	ug/l	2.0	ND
Benzo[g,h,i]perylene	1	ug/l	2.0	ND
Benzo[k]fluoranthene	1	ug/l	2.0	ND
Benzoic acid	1	ug/l	10	ND
Bis(2-Chloroethoxy)methane	1	ug/l	2.0	ND
Bis(2-Chloroethyl)ether	1	ug/l	2.0	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	2.0	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	2.0	ND
Butylbenzylphthalate	1	ug/l	2.0	ND
Carbazole	1	ug/l	2.0	ND
Chrysene	1	ug/l	2.0	ND
Dibenzo[a,h]anthracene	1	ug/l	2.0	ND
Dibenzofuran	1	ug/l	2.0	ND
Diethylphthalate	1	ug/l	2.0	ND
Dimethylphthalate	1	ug/l	2.0	ND
Di-n-butylphthalate	1	ug/l	2.0	ND
Di-n-octylphthalate	1	ug/l	2.0	ND
Fluoranthene	1	ug/l	2.0	ND
Fluorene	1	ug/l	2.0	ND
Hexachlorobenzene	1	ug/l	2.0	ND
Hexachlorobutadiene	1	ug/l	2.0	ND
Hexachlorocyclopentadiene	1	ug/l	2.0	ND
Hexachloroethane	1	ug/l	2.0	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	2.0	ND
Isophorone	1	ug/l	2.0	ND
Naphthalene	1	ug/l	2.0	ND
Nitrobenzene	1	ug/l	2.0	ND
N-Nitrosodimethylamine	1	ug/l	2.0	ND
N-Nitroso-di-n-propylamine	1	ug/l	2.0	ND
N-Nitrosodiphenylamine	1	ug/l	2.0	ND
Pentachlorophenol	1	ug/l	10	ND
Phenanthrene	1	ug/l	2.0	ND
Phenol	1	ug/l	2.0	ND
Pyrene	1	ug/l	2.0	ND

Lab#: AC40800-014	Collection Date: 10/29/2008			
Sample ID: PC-3				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

:TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylethane	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 25 of 28
Project #: 8103011

Lab#: AC40800-015		Collection Date: 10/29/2008		
Sample ID: LMW-7				
TestGroup/Analyte	DF	Units	RL	Result

Chloride (Water) 300.0

Chloride	1	mg/l	1.5	28
----------	---	------	-----	----

Cyanide (Water) EPA 335.4

Cyanide	1	mg/l	0.01	ND
---------	---	------	------	----

Lab#: AC40800-015	Collection Date: 10/29/2008			
Sample ID: LMW-7				
TestGroup/Analyte	DF	Units	RL	Result

Semivolatile Organics + 25 (625)

:TotalSemiVolatileTic	1	ug/l	NA	27.6J
1,2,4-Trichlorobenzene	1	ug/l	2.0	ND
1,2-Dichlorobenzene	1	ug/l	2.0	ND
1,2-Diphenylhydrazine	1	ug/l	2.0	ND
1,3-Dichlorobenzene	1	ug/l	2.0	ND
1,4-Dichlorobenzene	1	ug/l	2.0	ND
2,4,5-Trichlorophenol	1	ug/l	2.0	ND
2,4,6-Trichlorophenol	1	ug/l	2.0	ND
2,4-Dichlorophenol	1	ug/l	2.0	ND
2,4-Dimethylphenol	1	ug/l	2.0	ND
2,4-Dinitrophenol	1	ug/l	10	ND
2,4-Dinitrotoluene	1	ug/l	2.0	ND
2,6-Dinitrotoluene	1	ug/l	2.0	ND
2-Chloronaphthalene	1	ug/l	2.0	ND
2-Chlorophenol	1	ug/l	2.0	ND
2-Methylnaphthalene	1	ug/l	2.0	ND
2-Methylphenol	1	ug/l	2.0	ND
2-Nitroaniline	1	ug/l	2.0	ND
2-Nitrophenol	1	ug/l	2.0	ND
3&4-Methylphenol	1	ug/l	2.0	ND
3,3'-Dichlorobenzidine	1	ug/l	2.0	ND
3-Nitroaniline	1	ug/l	2.0	ND
4,6-Dinitro-2-methylphenol	1	ug/l	10	ND
4-Bromophenyl-phenylether	1	ug/l	2.0	ND
4-Chloro-3-methylphenol	1	ug/l	2.0	ND
4-Chloroaniline	1	ug/l	2.0	ND
4-Chlorophenyl-phenylether	1	ug/l	2.0	ND
4-Nitroaniline	1	ug/l	2.0	ND
4-Nitrophenol	1	ug/l	2.0	ND
Acenaphthene	1	ug/l	2.0	ND
Acenaphthylene	1	ug/l	2.0	ND
Aniline	1	ug/l	2.0	ND
Anthracene	1	ug/l	2.0	ND
Benzidine	1	ug/l	10	ND
Benzo[a]anthracene	1	ug/l	2.0	ND
Benzo[a]pyrene	1	ug/l	2.0	ND
Benzo[b]fluoranthene	1	ug/l	2.0	ND
Benzo[g,h,i]perylene	1	ug/l	2.0	ND
Benzo[k]fluoranthene	1	ug/l	2.0	ND
Benzoic acid	1	ug/l	10	ND
Bis(2-Chloroethoxy)methane	1	ug/l	2.0	ND
Bis(2-Chloroethyl)ether	1	ug/l	2.0	ND
Bis(2-Chloroisopropyl)ether	1	ug/l	2.0	ND
Bis(2-Ethylhexyl)phthalate	1	ug/l	2.0	11
Butylbenzylphthalate	1	ug/l	2.0	ND
Carbazole	1	ug/l	2.0	ND
Chrysene	1	ug/l	2.0	ND
Dibenzo[a,h]anthracene	1	ug/l	2.0	ND
Dibenzofuran	1	ug/l	2.0	ND
Diethylphthalate	1	ug/l	2.0	ND
Dimethylphthalate	1	ug/l	2.0	ND
Di-n-butylphthalate	1	ug/l	2.0	ND
Di-n-octylphthalate	1	ug/l	2.0	51
Fluoranthene	1	ug/l	2.0	ND
Fluorene	1	ug/l	2.0	ND
Hexachlorobenzene	1	ug/l	2.0	ND
Hexachlorobutadiene	1	ug/l	2.0	ND
Hexachlorocyclopentadiene	1	ug/l	2.0	ND
Hexachloroethane	1	ug/l	2.0	ND
Indeno[1,2,3-cd]pyrene	1	ug/l	2.0	ND
Isophorone	1	ug/l	2.0	ND
Naphthalene	1	ug/l	2.0	ND
Nitrobenzene	1	ug/l	2.0	ND
N-Nitrosodimethylamine	1	ug/l	2.0	ND
N-Nitroso-di-n-propylamine	1	ug/l	2.0	ND
N-Nitrosodiphenylamine	1	ug/l	2.0	ND
Pentachlorophenol	1	ug/l	10	ND
Phenanthrene	1	ug/l	2.0	ND
Phenol	1	ug/l	2.0	ND
Pyrene	1	ug/l	2.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 26 of 28
Project #: 8103011

Lab#: AC40800-015		Collection Date: 10/29/2008		
Sample ID: LMW-7				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

Lab#: AC40800-016	Collection Date: 10/23/2008			
Sample ID: TB-02				
TestGroup/Analyte	DF	Units	RL	Result

Volatile Organics + 10 (624)

TotalVolatileTic	1	ug/l	NA	ND
1,1,1-Trichloroethane	1	ug/l	1.0	ND
1,1,2,2-Tetrachloroethane	1	ug/l	1.0	ND
1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/l	1.0	ND
1,1,2-Trichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethane	1	ug/l	1.0	ND
1,1-Dichloroethene	1	ug/l	1.0	ND
1,2,3-Trichloropropane	1	ug/l	1.0	ND
1,2,4-Trimethylbenzene	1	ug/l	1.0	ND
1,2-Dibromo-3-chloropropane	1	ug/l	1.0	ND
1,2-Dibromoethane	1	ug/l	1.0	ND
1,2-Dichlorobenzene	1	ug/l	1.0	ND
1,2-Dichloroethane	1	ug/l	0.50	ND
1,2-Dichloropropane	1	ug/l	1.0	ND
1,3,5-Trimethylbenzene	1	ug/l	1.0	ND
1,3-Dichlorobenzene	1	ug/l	1.0	ND
1,3-Dichloropropane	1	ug/l	1.0	ND
1,4-Dichlorobenzene	1	ug/l	1.0	ND
1,4-Dioxane	1	ug/l	250	ND
2-Butanone	1	ug/l	1.0	ND
2-Chloroethylvinylether	1	ug/l	1.0	ND
2-Hexanone	1	ug/l	1.0	ND
4-Isopropyltoluene	1	ug/l	1.0	ND
4-Methyl-2-Pentanone	1	ug/l	1.0	ND
Acetone	1	ug/l	5.0	ND
Benzene	1	ug/l	0.50	ND
Bromodichloromethane	1	ug/l	1.0	ND
Bromoform	1	ug/l	1.0	ND
Bromomethane	1	ug/l	1.0	ND
Carbon disulfide	1	ug/l	1.0	ND
Carbon tetrachloride	1	ug/l	1.0	ND
Chlorobenzene	1	ug/l	1.0	ND
Chloroethane	1	ug/l	1.0	ND
Chloroform	1	ug/l	1.0	ND
Chloromethane	1	ug/l	1.0	ND
cis-1,2-Dichloroethene	1	ug/l	1.0	ND
cis-1,3-Dichloropropene	1	ug/l	1.0	ND
Cyclohexane	1	ug/l	1.0	ND
Dibromochloromethane	1	ug/l	1.0	ND
Dichlorodifluoromethane	1	ug/l	1.0	ND
Ethylbenzene	1	ug/l	1.0	ND
Isopropylbenzene	1	ug/l	1.0	ND
m&p-Xylenes	1	ug/l	2.0	ND
Methyl Acetate	1	ug/l	1.0	ND
Methylcyclohexane	1	ug/l	1.0	ND
Methylene chloride	1	ug/l	1.0	ND
Methyl-t-butyl ether	1	ug/l	0.50	ND
n-Butylbenzene	1	ug/l	1.0	ND
n-Propylbenzene	1	ug/l	1.0	ND
o-Xylene	1	ug/l	1.0	ND
sec-Butylbenzene	1	ug/l	1.0	ND
Styrene	1	ug/l	1.0	ND
t-Butyl Alcohol	1	ug/l	5.0	ND
t-Butylbenzene	1	ug/l	1.0	ND
Tetrachloroethene	1	ug/l	1.0	ND
Toluene	1	ug/l	1.0	ND
trans-1,2-Dichloroethene	1	ug/l	1.0	ND
trans-1,3-dichloropropene	1	ug/l	1.0	ND
Trichloroethene	1	ug/l	1.0	ND
Trichlorofluoromethane	1	ug/l	1.0	ND
Vinyl chloride	1	ug/l	1.0	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 27 of 28
Project #: 8103011

Lab#: AC40800-017		Collection Date: 10/29/2008		
Sample ID: LMW-4 F				
TestGroup/Analyte	DF	Units	RL	Result

Mercury (Water) 245.1

Mercury	1	ug/l	0.039	ND
---------	---	------	-------	----

TAL Metals 200.7/8

Aluminum	0.5	ug/l	30	39
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	150
Beryllium	0.5	ug/l	0.043	0.74
Cadmium	0.5	ug/l	0.070	ND
Calcium	0.5	ug/l	84	58000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	23
Copper	0.5	ug/l	1.5	9.1
Iron	0.5	ug/l	47	67000
Lead	0.5	ug/l	1.2	2.9
Magnesium	0.5	ug/l	39	22000
Manganese	2	ug/l	1.5	24000
Nickel	0.5	ug/l	0.31	3.4
Potassium	0.5	ug/l	55	3200
Selenium	0.5	ug/l	1.9	7.4
Silver	0.5	ug/l	0.20	3.0
Sodium	0.5	ug/l	87	38000
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	6.0
Zinc	0.5	ug/l	2.5	ND

Lab#: AC40800-018		Collection Date: 10/29/2008		
Sample ID: PC-3 F				
TestGroup/Analyte	DF	Units	RL	Result

Mercury (Water) 245.1

Mercury	1	ug/l	0.039	ND
---------	---	------	-------	----

TAL Metals 200.7/8

Aluminum	0.5	ug/l	30	ND
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	75
Beryllium	0.5	ug/l	0.043	ND
Cadmium	0.5	ug/l	0.070	0.081
Calcium	0.5	ug/l	84	35000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	1.5
Copper	0.5	ug/l	1.5	13
Iron	0.5	ug/l	47	ND
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	10000
Manganese	0.5	ug/l	0.37	820
Nickel	0.5	ug/l	0.31	2.8
Potassium	0.5	ug/l	55	3900
Selenium	0.5	ug/l	1.9	ND
Silver	0.5	ug/l	0.20	ND
Sodium	0.5	ug/l	87	43000
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	2.1
Zinc	0.5	ug/l	2.5	ND

Lab#: AC40800-019		Collection Date: 10/29/2008		
Sample ID: LMW-7 F				
TestGroup/Analyte	DF	Units	RL	Result

Mercury (Water) 245.1

Mercury	1	ug/l	0.039	ND
---------	---	------	-------	----

TAL Metals 200.7/8

Aluminum	0.5	ug/l	30	75
Antimony	0.5	ug/l	1.4	ND
Arsenic	0.5	ug/l	1.3	ND
Barium	0.5	ug/l	0.075	42
Beryllium	0.5	ug/l	0.043	ND
Cadmium	0.5	ug/l	0.070	0.080
Calcium	0.5	ug/l	84	57000
Chromium	0.5	ug/l	0.33	ND
Cobalt	0.5	ug/l	0.20	ND
Copper	0.5	ug/l	1.5	19
Iron	0.5	ug/l	47	ND
Lead	0.5	ug/l	1.2	ND
Magnesium	0.5	ug/l	39	8500
Manganese	0.5	ug/l	0.37	2.0
Nickel	0.5	ug/l	0.31	ND
Potassium	0.5	ug/l	55	1300
Selenium	0.5	ug/l	1.9	ND
Silver	0.5	ug/l	0.20	ND
Sodium	0.5	ug/l	87	17000
Thallium	0.5	ug/l	1.2	ND
Vanadium	0.5	ug/l	1.1	2.3
Zinc	0.5	ug/l	2.5	ND

RL = Reporting Limit
ND = Not Detected

RL Definitions: SW846 Organics reported to PQL
SW846 Inorganics reported to PQL
Clean Water Act Organics reported to PQL

Clean Water Act Inorganics reported to PQL
CLP Organics reported to CRQL
CLP Inorganics reported to CRQL

Page 28 of 28
Project #: 8103011

Form1

ORGANICS VOLATILE REPORT

Sample Number: DAILY BLANK

Client Id:

Data File: 3M55313.D

Analysis Date: 10/31/08 08:47

Date Rec/Extracted:

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.

E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: DAILY BLANK	Matrix: Aqueous
Client Id:	Initial Vol: 5ml
Data File: 3M55313.D	Final Vol: NA
Analysis Date: 10/31/08 08:47	Dilution: 1.00
Date Rec/Extracted:	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: DAILY BLANK

Client Id:

Data File: 1M37914.D

Analysis Date: 10/31/08 16:53

Date Rec/Extracted:

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 8260B

Matrix: Soil

Initial Vol: 5g

Final Vol: NA

Dilution: 1.00

Solids: 100

Units: mg/Kg

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	0.0050	U	108-90-7	Chlorobenzene	0.0050	U
79-34-5	1,1,2,2-Tetrachloroethane	0.0050	U	75-00-3	Chloroethane	0.0050	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	0.0050	U	67-66-3	Chloroform	0.0050	U
79-00-5	1,1,2-Trichloroethane	0.0050	U	74-87-3	Chloromethane	0.0050	U
75-34-3	1,1-Dichloroethane	0.0050	U	156-59-2	cis-1,2-Dichloroethene	0.0050	U
75-35-4	1,1-Dichloroethene	0.0050	U	10061-01-5	cis-1,3-Dichloropropene	0.0050	U
96-18-4	1,2,3-Trichloropropane	0.0050	U	110-82-7	Cyclohexane	0.0050	U
95-63-6	1,2,4-Trimethylbenzene	0.0010	U	124-48-1	Dibromochloromethane	0.0050	U
96-12-8	1,2-Dibromo-3-Chloropropa	0.0050	U	75-71-8	Dichlorodifluoromethane	0.0050	U
106-93-4	1,2-Dibromoethane	0.0050	U	100-41-4	Ethylbenzene	0.0010	U
95-50-1	1,2-Dichlorobenzene	0.0050	U	98-82-8	Isopropylbenzene	0.0010	U
107-06-2	1,2-Dichloroethane	0.0050	U	1330-20-7	m&p-Xylenes	0.0020	U
78-87-5	1,2-Dichloropropane	0.0050	U	79-20-9	Methyl Acetate	0.0050	U
108-67-8	1,3,5-Trimethylbenzene	0.0010	U	108-87-2	Methylcyclohexane	0.0050	U
541-73-1	1,3-Dichlorobenzene	0.0050	U	75-09-2	Methylene Chloride	0.0050	U
142-28-9	1,3-Dichloropropane	0.0050	U	1634-04-4	Methyl-t-butyl ether	0.0010	U
106-46-7	1,4-Dichlorobenzene	0.0050	U	104-51-8	n-Butylbenzene	0.0010	U
123-91-1	1,4-Dioxane	0.25	U	103-65-1	n-Propylbenzene	0.0010	U
78-93-3	2-Butanone	0.0050	U	95-47-6	o-Xylene	0.0010	U
110-75-8	2-Chloroethylvinylether	0.0050	U	135-98-8	sec-Butylbenzene	0.0010	U
591-78-6	2-Hexanone	0.0050	U	100-42-5	Styrene	0.0050	U
99-87-6	4-Isopropyltoluene	0.0010	U	75-65-0	t-Butyl Alcohol	0.025	U
108-10-1	4-Methyl-2-Pentanone	0.0050	U	98-06-6	t-Butylbenzene	0.0010	U
67-64-1	Acetone	0.025	U	127-18-4	Tetrachloroethene	0.0050	U
71-43-2	Benzene	0.0010	U	108-88-3	Toluene	0.0010	U
75-27-4	Bromodichloromethane	0.0050	U	156-60-5	trans-1,2-Dichloroethene	0.0050	U
75-25-2	Bromoform	0.0050	U	10061-02-6	trans-1,3-Dichloropropene	0.0050	U
74-83-9	Bromomethane	0.0050	U	79-01-6	Trichloroethene	0.0050	U
75-15-0	Carbon Disulfide	0.0050	U	75-69-4	Trichlorofluoromethane	0.0050	U
56-23-5	Carbon Tetrachloride	0.0050	U	75-01-4	Vinyl Chloride	0.0050	U

Worksheet #: 99765

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.
 B - Indicates the analyte was found in the blank as well as in the sample.
 E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out
 J - Indicates an estimated value when a compound is detected at less than the specified detection limit.
 d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: DAILY BLANK	Matrix: Soil
Client Id:	Initial Vol: 5g
Data File: 1M37914.D	Final Vol: NA
Analysis Date: 10/31/08 16:53	Dilution: 1.00
Date Rec/Extracted:	Solids: 100
	Method: EPA 8260B

Units: mg/Kg

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99765

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: DAILY BLANK

Client Id:

Data File: 6M33835.D

Analysis Date: 11/03/08 09:02

Date Rec/Extracted:

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	50	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	5.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	5.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: DAILY BLANK	Matrix: Aqueous
Client Id:	Initial Vol: 5ml
Data File: 6M33835.D	Final Vol: NA
Analysis Date: 11/03/08 09:02	Dilution: 1.00
Date Rec/Extracted:	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0 J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-001

Client Id: SW-1

Data File: 3M55358.D

Analysis Date: 10/31/08 22:00

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-001	Matrix: Aqueous
Client Id: SW-1	Initial Vol: 5ml
Data File: 3M55358.D	Final Vol: NA
Analysis Date: 10/31/08 22:00	Dilution: 1.00
Date Rec/Extracted: 10/30/08-NA	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0 J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-002

Client Id: SW-2

Data File: 6M33896.D

Analysis Date: 11/04/08 01:40

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	50	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	5.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	5.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.
 B - Indicates the analyte was found in the blank as well as in the sample.
 E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out
 J - Indicates an estimated value when a compound is detected at less than the specified detection limit.
 d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-002	Matrix: Aqueous
Client Id: SW-2	Initial Vol: 5ml
Data File: 6M33896.D	Final Vol: NA
Analysis Date: 11/04/08 01:40	Dilution: 1.00
Date Rec/Extracted: 10/30/08-NA	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-003

Client Id: SW-3

Data File: 3M55359.D

Analysis Date: 10/31/08 22:17

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.

E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-003	Matrix: Aqueous
Client Id: SW-3	Initial Vol: 5ml
Data File: 3M55359.D	Final Vol: NA
Analysis Date: 10/31/08 22:17	Dilution: 1.00
Date Rec/Extracted: 10/30/08-NA	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0 J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1
ORGANICS VOLATILE REPORT

Sample Number: AC40800-004
Client Id: SW-4
Data File: 3M55360.D
Analysis Date: 10/31/08 22:34
Date Rec/Extracted: 10/30/08-NA
Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624
Matrix: Aqueous
Initial Vol: 5ml
Final Vol: NA
Dilution: 1.00
Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.
B - Indicates the analyte was found in the blank as well as in the sample.
E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out
J - Indicates an estimated value when a compound is detected at less than the specified detection limit.
d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-004	Matrix: Aqueous
Client Id: SW-4	Initial Vol: 5ml
Data File: 3M55360.D	Final Vol: NA
Analysis Date: 10/31/08 22:34	Dilution: 1.00
Date Rec/Extracted: 10/30/08-NA	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0 J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-005

Client Id: SD-1

Data File: 1M37926.D

Analysis Date: 10/31/08 20:24

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 8260B

Matrix: Soil

Initial Vol: 5.08g

Final Vol: NA

Dilution: 0.984

Solids: 18

Units: mg/Kg

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	0.027	U	108-90-7	Chlorobenzene	0.027	U
79-34-5	1,1,2,2-Tetrachloroethane	0.027	U	75-00-3	Chloroethane	0.027	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	0.027	U	67-66-3	Chloroform	0.027	U
79-00-5	1,1,2-Trichloroethane	0.027	U	74-87-3	Chloromethane	0.027	U
75-34-3	1,1-Dichloroethane	0.027	U	156-59-2	cis-1,2-Dichloroethene	0.027	U
75-35-4	1,1-Dichloroethene	0.027	U	10061-01-5	cis-1,3-Dichloropropene	0.027	U
96-18-4	1,2,3-Trichloropropane	0.027	U	110-82-7	Cyclohexane	0.027	U
95-63-6	1,2,4-Trimethylbenzene	0.0055	U	124-48-1	Dibromochloromethane	0.027	U
96-12-8	1,2-Dibromo-3-Chloropropa	0.027	U	75-71-8	Dichlorodifluoromethane	0.027	U
106-93-4	1,2-Dibromoethane	0.027	U	100-41-4	Ethylbenzene	0.0055	U
95-50-1	1,2-Dichlorobenzene	0.027	U	98-82-8	Isopropylbenzene	0.0055	U
107-06-2	1,2-Dichloroethane	0.027	U	1330-20-7	m&p-Xylenes	0.011	U
78-87-5	1,2-Dichloropropane	0.027	U	79-20-9	Methyl Acetate	0.027	U
108-67-8	1,3,5-Trimethylbenzene	0.0055	U	108-87-2	Methylcyclohexane	0.027	U
541-73-1	1,3-Dichlorobenzene	0.027	U	75-09-2	Methylene Chloride	0.027	U
142-28-9	1,3-Dichloropropane	0.027	U	1634-04-4	Methyl-t-butyl ether	0.0055	U
106-46-7	1,4-Dichlorobenzene	0.027	U	104-51-8	n-Butylbenzene	0.0055	U
123-91-1	1,4-Dioxane	1.4	U	103-65-1	n-Propylbenzene	0.0055	U
78-93-3	2-Butanone	0.027	U	95-47-6	o-Xylene	0.0055	U
110-75-8	2-Chloroethylvinylether	0.027	U	135-98-8	sec-Butylbenzene	0.0055	U
591-78-6	2-Hexanone	0.027	U	100-42-5	Styrene	0.027	U
99-87-6	4-Isopropyltoluene	0.0055	U	75-65-0	t-Butyl Alcohol	0.14	U
108-10-1	4-Methyl-2-Pentanone	0.027	U	98-06-6	t-Butylbenzene	0.0055	U
67-64-1	Acetone	0.14	U	127-18-4	Tetrachloroethene	0.027	U
71-43-2	Benzene	0.0055	U	108-88-3	Toluene	0.0055	U
75-27-4	Bromodichloromethane	0.027	U	156-60-5	trans-1,2-Dichloroethene	0.027	U
75-25-2	Bromoform	0.027	U	10061-02-6	trans-1,3-Dichloropropene	0.027	U
74-83-9	Bromomethane	0.027	U	79-01-6	Trichloroethene	0.027	U
75-15-0	Carbon Disulfide	0.027	U	75-69-4	Trichlorofluoromethane	0.027	U
56-23-5	Carbon Tetrachloride	0.027	U	75-01-4	Vinyl Chloride	0.027	U

Worksheet #: 99765

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-005
Client Id: SD-1
Data File: 1M37926.D
Analysis Date: 10/31/08 20:24
Date Rec/Extracted: 10/30/08-NA

Matrix: Soil
Initial Vol: 5.08g
Final Vol: NA
Dilution: 0.984
Solids: 18
Method: EPA 8260B

Units: mg/Kg

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99765

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-006

Client Id: SD-2

Data File: 1M37925.D

Analysis Date: 10/31/08 20:07

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 8260B

Matrix: Soil

Initial Vol: 6.03g

Final Vol: NA

Dilution: 0.829

Solids: 15

Units: mg/Kg

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	0.028	U	108-90-7	Chlorobenzene	0.028	U
79-34-5	1,1,2,2-Tetrachloroethane	0.028	U	75-00-3	Chloroethane	0.028	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	0.028	U	67-66-3	Chloroform	0.028	U
79-00-5	1,1,2-Trichloroethane	0.028	U	74-87-3	Chloromethane	0.028	U
75-34-3	1,1-Dichloroethane	0.028	U	156-59-2	cis-1,2-Dichloroethene	0.028	U
75-35-4	1,1-Dichloroethene	0.028	U	10061-01-5	cis-1,3-Dichloropropene	0.028	U
96-18-4	1,2,3-Trichloropropane	0.028	U	110-82-7	Cyclohexane	0.028	U
95-63-6	1,2,4-Trimethylbenzene	0.0055	U	124-48-1	Dibromochloromethane	0.028	U
96-12-8	1,2-Dibromo-3-Chloropropa	0.028	U	75-71-8	Dichlorodifluoromethane	0.028	U
106-93-4	1,2-Dibromoethane	0.028	U	100-41-4	Ethylbenzene	0.0055	U
95-50-1	1,2-Dichlorobenzene	0.028	U	98-82-8	Isopropylbenzene	0.0055	U
107-06-2	1,2-Dichloroethane	0.028	U	1330-20-7	m&p-Xylenes	0.011	U
78-87-5	1,2-Dichloropropane	0.028	U	79-20-9	Methyl Acetate	0.028	U
108-67-8	1,3,5-Trimethylbenzene	0.0055	U	108-87-2	Methylcyclohexane	0.028	U
541-73-1	1,3-Dichlorobenzene	0.028	U	75-09-2	Methylene Chloride	0.028	U
142-28-9	1,3-Dichloropropane	0.028	U	1634-04-4	Methyl-t-butyl ether	0.0055	U
106-46-7	1,4-Dichlorobenzene	0.028	U	104-51-8	n-Butylbenzene	0.0055	U
123-91-1	1,4-Dioxane	1.4	U	103-65-1	n-Propylbenzene	0.0055	U
78-93-3	2-Butanone	0.028	U	95-47-6	o-Xylene	0.0055	U
110-75-8	2-Chloroethylvinylether	0.028	U	135-98-8	sec-Butylbenzene	0.0055	U
591-78-6	2-Hexanone	0.028	U	100-42-5	Styrene	0.028	U
99-87-6	4-Isopropyltoluene	0.0055	U	75-65-0	t-Butyl Alcohol	0.14	U
108-10-1	4-Methyl-2-Pentanone	0.028	U	98-06-6	t-Butylbenzene	0.0055	U
67-64-1	Acetone	0.14	U	127-18-4	Tetrachloroethene	0.028	U
71-43-2	Benzene	0.0055	U	108-88-3	Toluene	0.0055	U
75-27-4	Bromodichloromethane	0.028	U	156-60-5	trans-1,2-Dichloroethene	0.028	U
75-25-2	Bromoform	0.028	U	10061-02-6	trans-1,3-Dichloropropene	0.028	U
74-83-9	Bromomethane	0.028	U	79-01-6	Trichloroethene	0.028	U
75-15-0	Carbon Disulfide	0.028	U	75-69-4	Trichlorofluoromethane	0.028	U
56-23-5	Carbon Tetrachloride	0.028	U	75-01-4	Vinyl Chloride	0.028	U

Worksheet #: 99765

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.
 B - Indicates the analyte was found in the blank as well as in the sample.
 E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out
 J - Indicates an estimated value when a compound is detected at less than the specified detection limit.
 d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-006	Matrix: Soil
Client Id: SD-2	Initial Vol: 6.03g
Data File: 1M37925.D	Final Vol: NA
Analysis Date: 10/31/08 20:07	Dilution: 0.829
Date Rec/Extracted: 10/30/08-NA	Solids: 15
	Method: EPA 8260B

Units: mg/Kg

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99765

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-007

Client Id: SD-3

Data File: 1M37923.D

Analysis Date: 10/31/08 19:34

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 8260B

Matrix: Soil

Initial Vol: 5.25g

Final Vol: NA

Dilution: 0.952

Solids: 60

Units: mg/Kg

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	0.0079	U	108-90-7	Chlorobenzene	0.0079	U
79-34-5	1,1,2,2-Tetrachloroethane	0.0079	U	75-00-3	Chloroethane	0.0079	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	0.0079	U	67-66-3	Chloroform	0.0079	U
79-00-5	1,1,2-Trichloroethane	0.0079	U	74-87-3	Chloromethane	0.0079	U
75-34-3	1,1-Dichloroethane	0.0079	U	156-59-2	cis-1,2-Dichloroethene	0.0079	U
75-35-4	1,1-Dichloroethene	0.0079	U	10061-01-5	cis-1,3-Dichloropropene	0.0079	U
96-18-4	1,2,3-Trichloropropane	0.0079	U	110-82-7	Cyclohexane	0.0079	U
95-63-6	1,2,4-Trimethylbenzene	0.0016	U	124-48-1	Dibromochloromethane	0.0079	U
96-12-8	1,2-Dibromo-3-Chloropropa	0.0079	U	75-71-8	Dichlorodifluoromethane	0.0079	U
106-93-4	1,2-Dibromoethane	0.0079	U	100-41-4	Ethylbenzene	0.0016	U
95-50-1	1,2-Dichlorobenzene	0.0079	U	98-82-8	Isopropylbenzene	0.0016	U
107-06-2	1,2-Dichloroethane	0.0079	U	1330-20-7	m&p-Xylenes	0.0032	U
78-87-5	1,2-Dichloropropane	0.0079	U	79-20-9	Methyl Acetate	0.0079	U
108-67-8	1,3,5-Trimethylbenzene	0.0016	U	108-87-2	Methylcyclohexane	0.0079	U
541-73-1	1,3-Dichlorobenzene	0.0079	U	75-09-2	Methylene Chloride	0.0079	U
142-28-9	1,3-Dichloropropane	0.0079	U	1634-04-4	Methyl-t-butyl ether	0.0016	U
106-46-7	1,4-Dichlorobenzene	0.0079	U	104-51-8	n-Butylbenzene	0.0016	U
123-91-1	1,4-Dioxane	0.40	U	103-65-1	n-Propylbenzene	0.0016	U
78-93-3	2-Butanone	0.0079	U	95-47-6	o-Xylene	0.0016	U
110-75-8	2-Chloroethylvinylether	0.0079	U	135-98-8	sec-Butylbenzene	0.0016	U
591-78-6	2-Hexanone	0.0079	U	100-42-5	Styrene	0.0079	U
99-87-6	4-Isopropyltoluene	0.0016	U	75-65-0	t-Butyl Alcohol	0.040	U
108-10-1	4-Methyl-2-Pentanone	0.0079	U	98-06-6	t-Butylbenzene	0.0016	U
67-64-1	Acetone	0.040	U	127-18-4	Tetrachloroethene	0.0079	U
71-43-2	Benzene	0.0016	U	108-88-3	Toluene	0.0016	U
75-27-4	Bromodichloromethane	0.0079	U	156-60-5	trans-1,2-Dichloroethene	0.0079	U
75-25-2	Bromoform	0.0079	U	10061-02-6	trans-1,3-Dichloropropene	0.0079	U
74-83-9	Bromomethane	0.0079	U	79-01-6	Trichloroethene	0.0079	U
75-15-0	Carbon Disulfide	0.0079	U	75-69-4	Trichlorofluoromethane	0.0079	U
56-23-5	Carbon Tetrachloride	0.0079	U	75-01-4	Vinyl Chloride	0.0079	U

Worksheet #: 99765

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.

E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-007	Matrix: Soil
Client Id: SD-3	Initial Vol: 5.25g
Data File: 1M37923.D	Final Vol: NA
Analysis Date: 10/31/08 19:34	Dilution: 0.952
Date Rec/Extracted: 10/30/08-NA	Solids: 60
	Method: EPA 8260B

Units: mg/Kg

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99765

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1
ORGANICS VOLATILE REPORT

Sample Number: AC40800-008

Client Id: SD-4

Data File: 1M37924.D

Analysis Date: 10/31/08 19:50

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 8260B

Matrix: Soil

Initial Vol: 4.93g

Final Vol: NA

Dilution: 1.01

Solids: 72

Units: mg/Kg

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	0.0070	U	108-90-7	Chlorobenzene	0.0070	U
79-34-5	1,1,2,2-Tetrachloroethane	0.0070	U	75-00-3	Chloroethane	0.0070	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	0.0070	U	67-66-3	Chloroform	0.0070	U
79-00-5	1,1,2-Trichloroethane	0.0070	U	74-87-3	Chloromethane	0.0070	U
75-34-3	1,1-Dichloroethane	0.0070	U	156-59-2	cis-1,2-Dichloroethene	0.0070	U
75-35-4	1,1-Dichloroethene	0.0070	U	10061-01-5	cis-1,3-Dichloropropene	0.0070	U
96-18-4	1,2,3-Trichloropropane	0.0070	U	110-82-7	Cyclohexane	0.0070	U
95-63-6	1,2,4-Trimethylbenzene	0.0014	U	124-48-1	Dibromochloromethane	0.0070	U
96-12-8	1,2-Dibromo-3-Chloropropa	0.0070	U	75-71-8	Dichlorodifluoromethane	0.0070	U
106-93-4	1,2-Dibromoethane	0.0070	U	100-41-4	Ethylbenzene	0.0014	U
95-50-1	1,2-Dichlorobenzene	0.0070	U	98-82-8	Isopropylbenzene	0.0014	U
107-06-2	1,2-Dichloroethane	0.0070	U	1330-20-7	m&p-Xylenes	0.0028	U
78-87-5	1,2-Dichloropropane	0.0070	U	79-20-9	Methyl Acetate	0.0070	U
108-67-8	1,3,5-Trimethylbenzene	0.0014	U	108-87-2	Methylcyclohexane	0.0070	U
541-73-1	1,3-Dichlorobenzene	0.0070	U	75-09-2	Methylene Chloride	0.0070	U
142-28-9	1,3-Dichloropropane	0.0070	U	1634-04-4	Methyl-t-butyl ether	0.0014	U
106-46-7	1,4-Dichlorobenzene	0.0070	U	104-51-8	n-Butylbenzene	0.0014	U
123-91-1	1,4-Dioxane	0.35	U	103-65-1	n-Propylbenzene	0.0014	U
78-93-3	2-Butanone	0.0070	U	95-47-6	o-Xylene	0.0014	U
110-75-8	2-Chloroethylvinylether	0.0070	U	135-98-8	sec-Butylbenzene	0.0014	U
591-78-6	2-Hexanone	0.0070	U	100-42-5	Styrene	0.0070	U
99-87-6	4-Isopropyltoluene	0.0014	U	75-65-0	t-Butyl Alcohol	0.035	U
108-10-1	4-Methyl-2-Pentanone	0.0070	U	98-06-6	t-Butylbenzene	0.0014	U
67-64-1	Acetone	0.035	0.042	127-18-4	Tetrachloroethene	0.0070	U
71-43-2	Benzene	0.0014	U	108-88-3	Toluene	0.0014	U
75-27-4	Bromodichloromethane	0.0070	U	156-60-5	trans-1,2-Dichloroethene	0.0070	U
75-25-2	Bromoform	0.0070	U	10061-02-6	trans-1,3-Dichloropropene	0.0070	U
74-83-9	Bromomethane	0.0070	U	79-01-6	Trichloroethene	0.0070	U
75-15-0	Carbon Disulfide	0.0070	U	75-69-4	Trichlorofluoromethane	0.0070	U
56-23-5	Carbon Tetrachloride	0.0070	U	75-01-4	Vinyl Chloride	0.0070	U

Worksheet #: 99765

Total Target Concentration 0.042

U - Indicates the compound was analyzed but not detected.
 B - Indicates the analyte was found in the blank as well as in the sample.
 E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out
 J - Indicates an estimated value when a compound is detected at less than the specified detection limit.
 d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-008
Client Id: SD-4
Data File: 1M37924.D
Analysis Date: 10/31/08 19:50
Date Rec/Extracted: 10/30/08-NA

Matrix: Soil
Initial Vol: 4.93g
Final Vol: NA
Dilution: 1.01
Solids: 72
Method: EPA 8260B

Units: mg/Kg

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99765

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-009

Client Id: SW-5

Data File: 3M55357.D

Analysis Date: 10/31/08 21:42

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.

E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-009
Client Id: SW-5
Data File: 3M55357.D
Analysis Date: 10/31/08 21:42
Date Rec/Extracted: 10/30/08-NA

Matrix: Aqueous
Initial Vol: 5ml
Final Vol: NA
Dilution: 1.00
Solids:
Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1
ORGANICS VOLATILE REPORT

Sample Number: AC40800-010
Client Id: FB-01
Data File: 3M55355.D
Analysis Date: 10/31/08 21:07
Date Rec/Extracted: 10/30/08-NA
Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624
Matrix: Aqueous
Initial Vol: 5ml
Final Vol: NA
Dilution: 1.00
Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2 Methylene Chloride		1.0	3.1
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 3.1

*U - Indicates the compound was analyzed but not detected.
B - Indicates the analyte was found in the blank as well as in the sample.
E - Indicates the analyte concentration exceeds the calibration range of the instrument.*

*R - Retention Time Out
J - Indicates an estimated value when a compound is detected at less than the specified detection limit.
d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-010	Matrix: Aqueous
Client Id: FB-01	Initial Vol: 5ml
Data File: 3M55355.D	Final Vol: NA
Analysis Date: 10/31/08 21:07	Dilution: 1.00
Date Rec/Extracted: 10/30/08-NA	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0 J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-011

Client Id: PC-1 U

Data File: 3M55361.D

Analysis Date: 10/31/08 22:52

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-011	Matrix: Aqueous
Client Id: PC-1 U	Initial Vol: 5ml
Data File: 3M55361.D	Final Vol: NA
Analysis Date: 10/31/08 22:52	Dilution: 1.00
Date Rec/Extracted: 10/30/08-NA	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-013

Client Id: LMW-4

Data File: 3M55364.D

Analysis Date: 10/31/08 23:43

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-013
Client Id: LMW-4
Data File: 3M55364.D
Analysis Date: 10/31/08 23:43
Date Rec/Extracted: 10/30/08-NA

Matrix: Aqueous
Initial Vol: 5ml
Final Vol: NA
Dilution: 1.00
Solids:
Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-014

Client Id: PC-3

Data File: 3M55362.D

Analysis Date: 10/31/08 23:09

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-014	Matrix: Aqueous
Client Id: PC-3	Initial Vol: 5ml
Data File: 3M55362.D	Final Vol: NA
Analysis Date: 10/31/08 23:09	Dilution: 1.00
Date Rec/Extracted: 10/30/08-NA	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0 J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-015

Client Id: LMW-7

Data File: 3M55363.D

Analysis Date: 10/31/08 23:26

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-015	Matrix: Aqueous
Client Id: LMW-7	Initial Vol: 5ml
Data File: 3M55363.D	Final Vol: NA
Analysis Date: 10/31/08 23:26	Dilution: 1.00
Date Rec/Extracted: 10/30/08-NA	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0 J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS VOLATILE REPORT

Sample Number: AC40800-016

Client Id: TB-02

Data File: 3M55356.D

Analysis Date: 10/31/08 21:24

Date Rec/Extracted: 10/30/08-NA

Column: DB-624 25M 0.200mm ID 1.12um film

Method: EPA 624

Matrix: Aqueous

Initial Vol: 5ml

Final Vol: NA

Dilution: 1.00

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
71-55-6	1,1,1-Trichloroethane	1.0	U	108-90-7	Chlorobenzene	1.0	U
79-34-5	1,1,2,2-Tetrachloroethane	1.0	U	75-00-3	Chloroethane	1.0	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluor	1.0	U	67-66-3	Chloroform	1.0	U
79-00-5	1,1,2-Trichloroethane	1.0	U	74-87-3	Chloromethane	1.0	U
75-34-3	1,1-Dichloroethane	1.0	U	156-59-2	cis-1,2-Dichloroethene	1.0	U
75-35-4	1,1-Dichloroethene	1.0	U	10061-01-5	cis-1,3-Dichloropropene	1.0	U
96-18-4	1,2,3-Trichloropropane	1.0	U	110-82-7	Cyclohexane	1.0	U
95-63-6	1,2,4-Trimethylbenzene	1.0	U	124-48-1	Dibromochloromethane	1.0	U
96-12-8	1,2-Dibromo-3-Chloropropa	1.0	U	75-71-8	Dichlorodifluoromethane	1.0	U
106-93-4	1,2-Dibromoethane	1.0	U	100-41-4	Ethylbenzene	1.0	U
95-50-1	1,2-Dichlorobenzene	1.0	U	98-82-8	Isopropylbenzene	1.0	U
107-06-2	1,2-Dichloroethane	0.50	U	136777612	m&p-Xylenes	2.0	U
78-87-5	1,2-Dichloropropane	1.0	U	79-20-9	Methyl Acetate	1.0	U
108-67-8	1,3,5-Trimethylbenzene	1.0	U	108-87-2	Methylcyclohexane	1.0	U
541-73-1	1,3-Dichlorobenzene	1.0	U	75-09-2	Methylene Chloride	1.0	U
142-28-9	1,3-Dichloropropane	1.0	U	1634-04-4	Methyl-t-butyl ether	0.50	U
106-46-7	1,4-Dichlorobenzene	1.0	U	104-51-8	n-Butylbenzene	1.0	U
123-91-1	1,4-Dioxane	250	U	103-65-1	n-Propylbenzene	1.0	U
78-93-3	2-Butanone	1.0	U	95-47-6	o-Xylene	1.0	U
110-75-8	2-Chloroethylvinylether	1.0	U	135-98-8	sec-Butylbenzene	1.0	U
591-78-6	2-Hexanone	1.0	U	100-42-5	Styrene	1.0	U
99-87-6	4-Isopropyltoluene	1.0	U	75-65-0	t-Butyl Alcohol	5.0	U
108-10-1	4-Methyl-2-Pentanone	1.0	U	98-06-6	t-Butylbenzene	1.0	U
67-64-1	Acetone	5.0	U	127-18-4	Tetrachloroethene	1.0	U
71-43-2	Benzene	0.50	U	108-88-3	Toluene	1.0	U
75-27-4	Bromodichloromethane	1.0	U	156-60-5	trans-1,2-Dichloroethene	1.0	U
75-25-2	Bromoform	1.0	U	10061-02-6	trans-1,3-Dichloropropene	1.0	U
74-83-9	Bromomethane	1.0	U	79-01-6	Trichloroethene	1.0	U
75-15-0	Carbon Disulfide	1.0	U	75-69-4	Trichlorofluoromethane	1.0	U
56-23-5	Carbon Tetrachloride	1.0	U	75-01-4	Vinyl Chloride	1.0	U

Worksheet #: 99871

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.

E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS VOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-016	Matrix: Aqueous
Client Id: TB-02	Initial Vol: 5ml
Data File: 3M55356.D	Final Vol: NA
Analysis Date: 10/31/08 21:24	Dilution: 1.00
Date Rec/Extracted: 10/30/08-NA	Solids:
	Method: EPA 624

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99871

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

FORM2

Surrogate Recovery

Method: EPA 624

Dfile	Sample#	Matrix	Date/Time	Surr Dil	Dilute Out Flag	Column1 S1 Recov	Column1 S2 Recov	Column1 S3 Recov	Column1 S4 Recov	Column0 S5 Recov	Column0 S6 Recov
3M55117.D	DAILY BLANK	Aqueous	10/28/08 12:46	1		97	90	95	93		
3M55313.D	DAILY BLANK	Aqueous	10/31/08 08:47	1		102	101	95	95		
6M33835.D	DAILY BLANK	Aqueous	11/03/08 09:02	1		90	89	95	102		
3M55358.D	AC40800-001	Aqueous	10/31/08 22:00	1		108	100	93	98		
6M33896.D	AC40800-002	Aqueous	11/04/08 01:40	1		98	92	94	102		
3M55359.D	AC40800-003	Aqueous	10/31/08 22:17	1		110	102	93	95		
3M55360.D	AC40800-004	Aqueous	10/31/08 22:34	1		109	103	91	95		
3M55357.D	AC40800-009	Aqueous	10/31/08 21:42	1		108	99	94	97		
3M55355.D	AC40800-010	Aqueous	10/31/08 21:07	1		108	101	95	97		
3M55361.D	AC40800-011	Aqueous	10/31/08 22:52	1		108	100	93	94		
3M55364.D	AC40800-013	Aqueous	10/31/08 23:43	1		109	102	93	97		
3M55362.D	AC40800-014	Aqueous	10/31/08 23:09	1		112	106	93	96		
3M55363.D	AC40800-015	Aqueous	10/31/08 23:26	1		109	98	92	98		
3M55356.D	AC40800-016	Aqueous	10/31/08 21:24	1		108	105	92	96		
3M55123.D	AC40729-001	Aqueous	10/28/08 14:30	1		103	97	95	97		
3M55315.D	MBS10307	Aqueous	10/31/08 09:21	1		101	100	97	96		
3M55342.D	AC40729-001(	Aqueous	10/31/08 17:23	1		107	101	96	98		
3M55343.D	AC40729-001(	Aqueous	10/31/08 17:40	1		103	102	96	96		

Flags: SD=Surrogate diluted out

*=Surrogate out

Method: 624

Aqueous Limits

Compound	Spike Amt	Limits
S1=Dibromofluoromethane	30	74-137
S2=1,2-Dichloroethane-d4	30	78-128
S3=Toluene-d8	30	74-114
S4=Bromofluorobenzene	30	83-115

FORM2

Surrogate Recovery

Method: EPA 8260B

Dfile	Sample#	Matrix	Date/Time	Surr Dil	Dilute Out Flag	Column1 S1 Recov	Column1 S2 Recov	Column1 S3 Recov	Column1 S4 Recov	Column0 S5 Recov	Column0 S6 Recov
1M37914.D	DAILY BLANK	Soil	10/31/08 16:53	1		109	99	99	99		
1M38024.D	DAILY BLANK	Soil	11/04/08 10:42	1		114	103	100	96		
1M37926.D	AC40800-005	Soil	10/31/08 20:24	1		120	110	100	101		
1M37925.D	AC40800-006	Soil	10/31/08 20:07	1		120	116	101	108		
1M37923.D	AC40800-007	Soil	10/31/08 19:34	1		111	104	98	98		
1M37924.D	AC40800-008	Soil	10/31/08 19:50	1		114	95	101	94		
1M38026.D	MBS10333	Soil	11/04/08 11:18	1		108	106	101	96		
1M38050.D	AC40791-015	Soil	11/04/08 18:09	1		116	92	99	98		
1M38051.D	AC40791-015(	Soil	11/04/08 18:26	1		110	115	98	105		
1M38052.D	AC40791-015(	Soil	11/04/08 18:43	1		107	104	99	103		

Flags: SD=Surrogate diluted out

*=Surrogate out

Method: 8260

Soil Limits

Compound	Spike Amt	Limits
S1=Dibromofluoromethane	30	58-133
S2=1,2-Dichloroethane-d4	30	68-124
S3=Toluene-d8	30	72-117
S4=Bromofluorobenzene	30	74-118

FORM 3
Spike Recovery

0077

Batch Number: MBS10307

Mbs File: 3M55315.D

Mbs Date: 10/31/08 09:21

Mbs Name: MBS10307

Non Spk'd File: 3M55123.D

Non Spk'd Date: 10/28/08 14:30

Ns Name: AC40729-001

Spike File: 3M55342.D

Spike Date : 10/31/08 17:23

Ms Name: AC40729-001(MS)

Spike Dup File: 3M55343.D

Spike Dup Date: 10/31/08 17:40

Msd Name: AC40729-001(MSD)

Matrix: Aqueous

Method: EPA 624

Compound	C#	Co	Mr	Conc Exp	Lo Lim	Hi Lim	Rpd Lim	Mbs Conc	Sample Conc	Spike Conc	Spike Dup Conc	Mbs Rec	MS Rec	Msd Rec	Rpd
Chloromethane	4	1	0	20	1	273	30	7.71	0.00	7.66	7.25	39	38	36	5.5
Bromomethane	5	1	0	20	1	242	38	7.68	0.00	8.09	7.91	38	40	40	2.3
Vinyl Chloride	6	1	0	20	1	251	30	8.57	0.00	8.72	8.04	43	44	40	8.1
Chloroethane	7	1	0	20	14	230	33	13.13	0.00	13.21	12.11	66	66	61	8.7
Trichlorofluoromethan	8	1	0	20	17	181	31	16.60	0.00	15.92	15.89	83	80	79	0.19
Methylene Chloride	10	1	0	20	1	221	27	13.72	0.00	13.57	12.93	69	68	65	4.8
1,1-Dichloroethene	19	1	0	20	1	234	29	14.70	0.00	13.77	12.74	74	69	64	7.8
1,1-Dichloroethane	22	1	0	20	59	155	25	13.91	0.00	13.51	13.15	70	68	66	2.7
trans-1,2-Dichloroeth	23	1	0	20	54	156	25	13.43	0.00	13.45	12.95	67	67	65	3.8
Chloroform	29	1	0	20	51	138	21	14.87	0.00	14.97	14.57	74	75	73	2.7
1,2-Dichloroethane	33	1	0	20	49	155	19	14.33	0.00	14.39	14.02	72	72	70	2.6
1,1,1-Trichloroethane	35	1	0	20	52	162	21	14.67	0.00	14.78	14.71	73	74	74	0.47
Carbon Tetrachloride	36	1	0	20	70	140	25	15.09	0.00	15.19	14.78	75	76	74	2.7
Bromodichloromethan	38	1	0	20	35	155	22	13.26	0.00	13.81	14.09	66	69	70	2
1,2-Dichloropropane	41	1	0	20	1	210	21	14.89	0.00	14.49	14.20	74	72	71	2
Trichloroethene	42	1	0	20	71	157	20	14.25	0.00	14.73	14.09	71	74	70 Mo	4.4
Benzene	43	1	0	20	37	151	19	13.96	0.00	13.78	13.30	70	69	67	3.5
Dibromochloromethan	46	1	0	20	53	149	20	13.17	0.00	13.83	13.82	66	69	69	0.07
2-Chloroethylvinylethe	47	1	0	20	1	305	40	10.67	0.00	0.00	0.00	53	0 Mo	0 Mo	NA^
cis-1,3-Dichloroprope	48	1	0	20	1	227	23	12.64	0.00	12.28	12.11	63	61	61	1.4
trans-1,3-Dichloropro	49	1	0	20	17	183	21	11.46	0.00	11.06	11.28	57	55	56	2
1,1,2-Trichloroethane	50	1	0	20	52	150	20	14.23	0.00	14.01	13.99	71	70	70	0.14
Tetrachloroethene	55	1	0	20	64	148	22	15.39	0.00	14.28	14.48	77	71	72	1.4
Toluene	57	1	0	20	47	150	21	14.48	0.00	13.72	13.59	72	69	68	0.95
Chlorobenzene	59	1	0	20	37	160	17	15.42	0.00	15.26	15.00	77	76	75	1.7
Bromoform	61	1	0	20	45	169	21	11.20	0.00	12.25	12.42	56	61	62	1.4
Ethylbenzene	62	1	0	20	37	162	27	15.85	0.00	15.08	13.23	79	75	66	13
1,1,2,2-Tetrachloroeth	63	1	0	20	46	157	21	13.48	0.00	13.78	13.86	67	69	69	0.58
1,3-Dichlorobenzene	69	1	0	20	59	156	19	14.85	0.00	14.35	14.26	74	72	71	0.63
1,4-Dichlorobenzene	70	1	0	20	18	190	18	14.79	0.00	14.45	14.38	74	72	72	0.49
1,2-Dichlorobenzene	71	1	0	20	18	190	18	14.66	0.00	15.01	14.66	73	75	73	2.4

Note:

Rp = Failed Rpd Criteria

Mo = Failed Recovery Criteria

^ - Both Ms and Msd Recoveries = 0 ... no valid information can be calculated

FORM 3
Spike Recovery

0078

Batch Number: MBS10333

Mbs File: 1M38026.D

Mbs Date: 11/04/08 11:18

Mbs Name: MBS10333

Non Spk'd File: 1M38050.D

Non Spk'd Date: 11/04/08 18:09

Ns Name: AC40791-015

Spike File: 1M38051.D

Spike Date: 11/04/08 18:26

Ms Name: AC40791-015(MS)

Spike Dup File: 1M38052.D

Spike Dup Date: 11/04/08 18:43

Msd Name: AC40791-015(MSD)

Matrix: Soil

Method: EPA 8260B

Compound	C#	Co	Mr	Conc Exp	Lo Lim	Hi Lim	Rpd Lim	Mbs Conc	Sample Conc	Spike Conc	Spike Dup Conc	Mbs Rec	MS Rec	Msd Rec	Rpd
Vinyl Chloride	5	1	0	50	6	117	48	27.68	0.00	24.04	22.54	55	48	45	6.4
1,1-Dichloroethene	18	1	0	50	8	114	47	39.10	0.00	30.37	26.32	78	61	53	14
1,1-Dichloroethane	21	1	0	50	14	127	45	42.96	0.00	35.25	34.11	86	70	68	3.3
Chloroform	28	1	0	50	26	119	49	44.62	0.00	34.99	33.67	89	70	67	3.8
1,2-Dichloroethane	32	1	0	50	18	130	46	49.54	0.00	42.25	40.13	99	85	80	5.1
2-Butanone	33	1	0	50	4	141	60	58.90	18.68	74.02	78.52	118	111	120	5.9
Carbon Tetrachloride	35	1	0	50	19	122	48	48.68	0.00	23.94	21.20	97	48	42	12
Trichloroethene	41	1	0	50	21	116	48	37.66	0.00	19.81	17.16	75	40	34	14
Benzene	42	1	0	50	21	122	42	52.43	0.00	35.47	34.52	105	71	69	2.7
Tetrachloroethene	53	1	0	50	18	116	49	38.47	0.00	11.39	9.24	77	23	18	21
Toluene	55	1	0	50	19	128	44	54.35	1.98	27.92	24.69	109	52	45	12
Chlorobenzene	57	1	0	50	21	117	48	40.63	0.00	16.72	14.18	81	33	28	16
1,4-Dichlorobenzene	68	1	0	50	20	110	65	39.66	0.00	8.35	6.61	79	17 Mo	13 Mo	23
1,2-Dichlorobenzene	69	1	0	50	19	113	66	40.05	0.00	7.74	6.55	80	15 Mo	13 Mo	17
n-Propylbenzene	74	1	0	50	16	122	65	46.60	0.00	10.13	8.63	93	20	17	16
sec-Butylbenzene	79	1	0	50	9	125	62	42.31	0.00	6.53	5.76	85	13	12	13

Note:

Rp = Failed Rpd Criteria

Mo = Failed Recovery Criteria

^ - Both Ms and Msd Recoveries = 0 ... no valid information can be calculated

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: WMB3951

Client Id:

Data File: 5M46998.D

Analysis Date: 11/04/08 08:55

Date Rec/Extracted: NA-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 1000ml

Final Vol: 1ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	U
105-67-9	2,4-Dimethylphenol	2.0	U	85-68-7	Butylbenzylphthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	218-01-9	Chrysene	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-57-8	2-Chlorophenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	131-11-3	Dimethylphthalate	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	U
88-74-4	2-Nitroaniline	2.0	U	117-84-0	Di-n-octylphthalate	2.0	U
88-75-5	2-Nitrophenol	2.0	U	206-44-0	Fluoranthene	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	86-73-7	Fluorene	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	118-74-1	Hexachlorobenzene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	67-72-1	Hexachloroethane	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	78-59-1	Isophorone	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	91-20-3	Naphthalene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	98-95-3	Nitrobenzene	2.0	U
100-02-7	4-Nitrophenol	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
83-32-9	Acenaphthene	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
208-96-8	Acenaphthylene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
62-53-3	Aniline	2.0	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99732

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.
E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: WMB3951	Matrix: Aqueous
Client Id:	Initial Vol: 1000ml
Data File: 5M46998.D	Final Vol: 1ml
Analysis Date: 11/04/08 08:55	Dilution: 1
Date Rec/Extracted: NA-11/03/08	Solids: 0
	Method: EPA 625

Units: ug/L

	Cas #	Compound	RT	Conc
1	4733-39-5	1,10-Phenanthroline, 2,9-dimethyl-4,7-di	15.47	5.0 J
2	112-34-5	Ethanol, 2-(2-butoxyethoxy)-	6.54	3.6 J

Worksheet #: 99732

Total Tentatively Identified Concentration 8.6*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: SMB3943

Client Id:

Data File: 10M01089.D

Analysis Date: 11/06/08 09:16

Date Rec/Extracted: NA-11/05/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 8270C

Matrix: Soil

Initial Vol: 30g

Final Vol: 1ml

Dilution: 1

Solids: 100

Units: mg/Kg

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	0.067	U	205-99-2	Benzo[b]fluoranthene	0.067	U
95-50-1	1,2-Dichlorobenzene	0.067	U	191-24-2	Benzo[g,h,i]perylene	0.067	U
122-66-7	1,2-Diphenylhydrazine	0.067	U	207-08-9	Benzo[k]fluoranthene	0.067	U
541-73-1	1,3-Dichlorobenzene	0.067	U	65-85-0	Benzoic Acid	0.33	U
106-46-7	1,4-Dichlorobenzene	0.067	U	111-91-1	bis(2-Chloroethoxy)methan	0.067	U
95-95-4	2,4,5-Trichlorophenol	0.067	U	111-44-4	bis(2-Chloroethyl)ether	0.067	U
88-06-2	2,4,6-Trichlorophenol	0.067	U	108-60-1	bis(2-chloroisopropyl)ether	0.067	U
120-83-2	2,4-Dichlorophenol	0.067	U	117-81-7	bis(2-Ethylhexyl)phthalate	0.067	0.19
105-67-9	2,4-Dimethylphenol	0.067	U	85-68-7	Butylbenzylphthalate	0.067	U
51-28-5	2,4-Dinitrophenol	0.33	U	86-74-8	Carbazole	0.067	U
121-14-2	2,4-Dinitrotoluene	0.067	U	218-01-9	Chrysene	0.067	U
606-20-2	2,6-Dinitrotoluene	0.067	U	53-70-3	Dibenzo[a,h]anthracene	0.067	U
91-58-7	2-Chloronaphthalene	0.067	U	132-64-9	Dibenzofuran	0.067	U
95-57-8	2-Chlorophenol	0.067	U	84-66-2	Diethylphthalate	0.067	U
91-57-6	2-Methylnaphthalene	0.067	U	131-11-3	Dimethylphthalate	0.067	U
95-48-7	2-Methylphenol	0.067	U	84-74-2	Di-n-butylphthalate	0.067	U
88-74-4	2-Nitroaniline	0.067	U	117-84-0	Di-n-octylphthalate	0.067	U
88-75-5	2-Nitrophenol	0.067	U	206-44-0	Fluoranthene	0.067	U
106-44-5	3&4-Methylphenol	0.067	U	86-73-7	Fluorene	0.067	U
91-94-1	3,3'-Dichlorobenzidine	0.067	U	118-74-1	Hexachlorobenzene	0.067	U
99-09-2	3-Nitroaniline	0.067	U	87-68-3	Hexachlorobutadiene	0.067	U
534-52-1	4,6-Dinitro-2-methylphenol	0.33	U	77-47-4	Hexachlorocyclopentadiene	0.33	U
101-55-3	4-Bromophenyl-phenylether	0.067	U	67-72-1	Hexachloroethane	0.067	U
59-50-7	4-Chloro-3-methylphenol	0.067	U	193-39-5	Indeno[1,2,3-cd]pyrene	0.067	U
106-47-8	4-Chloroaniline	0.067	U	78-59-1	Isophorone	0.067	U
7005-72-3	4-Chlorophenyl-phenylether	0.067	U	91-20-3	Naphthalene	0.067	U
100-01-6	4-Nitroaniline	0.067	U	98-95-3	Nitrobenzene	0.067	U
100-02-7	4-Nitrophenol	0.067	U	62-75-9	N-Nitrosodimethylamine	0.067	U
83-32-9	Acenaphthene	0.067	U	621-64-7	N-Nitroso-di-n-propylamine	0.067	U
208-96-8	Acenaphthylene	0.067	U	86-30-6	n-Nitrosodiphenylamine	0.067	U
62-53-3	Aniline	0.067	U	87-86-5	Pentachlorophenol	0.33	U
120-12-7	Anthracene	0.067	U	85-01-8	Phenanthrene	0.067	U
92-87-5	Benzidine	0.33	U	108-95-2	Phenol	0.067	U
56-55-3	Benzo[a]anthracene	0.067	U	129-00-0	Pyrene	0.067	U
50-32-8	Benzo[a]pyrene	0.067	U				

Worksheet #: 100213

Total Target Concentration 0.19

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.

E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: SMB3943	Matrix: Soil
Client Id:	Initial Vol: 30g
Data File: 10M01089.D	Final Vol: 1ml
Analysis Date: 11/06/08 09:16	Dilution: 1
Date Rec/Extracted: NA-11/05/08	Solids: 100
	Method: EPA 8270C

Units: mg/Kg

	Cas #	Compound	RT	Conc
1		unknown	3.30	0.49 J
2		unknown	3.34	1.0 J
3	123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	3.75	180 JA
4		unknown	4.46	0.56 J

Worksheet #: 100213

Total Tentatively Identified Concentration 182.05*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-001

Client Id: SW-1

Data File: 5M47004.D

Analysis Date: 11/04/08 11:10

Date Rec/Extracted: 10/30/08-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 980ml

Final Vol: 1ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	U
105-67-9	2,4-Dimethylphenol	2.0	U	85-68-7	Butylbenzylphthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	218-01-9	Chrysene	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-57-8	2-Chlorophenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	131-11-3	Dimethylphthalate	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	U
88-74-4	2-Nitroaniline	2.0	U	117-84-0	Di-n-octylphthalate	2.0	U
88-75-5	2-Nitrophenol	2.0	U	206-44-0	Fluoranthene	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	86-73-7	Fluorene	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	118-74-1	Hexachlorobenzene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	67-72-1	Hexachloroethane	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	78-59-1	Isophorone	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	91-20-3	Naphthalene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	98-95-3	Nitrobenzene	2.0	U
100-02-7	4-Nitrophenol	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
83-32-9	Acenaphthene	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
208-96-8	Acenaphthylene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
62-53-3	Aniline	2.0	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99699

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.
E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-001
Client Id: SW-1
Data File: 5M47004.D
Analysis Date: 11/04/08 11:10
Date Rec/Extracted: 10/30/08-11/03/08

Matrix: Aqueous
Initial Vol: 980ml
Final Vol: 1ml
Dilution: 1
Solids:
Method: EPA 625

Units: ug/L

	Cas #	Compound	RT	Conc
1	526-73-8	Benzene, 1,2,3-trimethyl-	5.44	6.3 J

Worksheet #: 99699

Total Tentatively Identified Concentration 6.3*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-002

Client Id: SW-2

Data File: 5M47005.D

Analysis Date: 11/04/08 11:32

Date Rec/Extracted: 10/30/08-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 980ml

Final Vol: 1ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	U
105-67-9	2,4-Dimethylphenol	2.0	U	85-68-7	Butylbenzylphthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	218-01-9	Chrysene	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-57-8	2-Chlorophenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	131-11-3	Dimethylphthalate	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	U
88-74-4	2-Nitroaniline	2.0	U	117-84-0	Di-n-octylphthalate	2.0	U
88-75-5	2-Nitrophenol	2.0	U	206-44-0	Fluoranthene	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	86-73-7	Fluorene	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	118-74-1	Hexachlorobenzene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	67-72-1	Hexachloroethane	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	78-59-1	Isophorone	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	91-20-3	Naphthalene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	98-95-3	Nitrobenzene	2.0	U
100-02-7	4-Nitrophenol	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
83-32-9	Acenaphthene	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
208-96-8	Acenaphthylene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
62-53-3	Aniline	2.0	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99699

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-002
Client Id: SW-2
Data File: 5M47005.D
Analysis Date: 11/04/08 11:32
Date Rec/Extracted: 10/30/08-11/03/08

Matrix: Aqueous
Initial Vol: 980ml
Final Vol: 1ml
Dilution: 1
Solids:
Method: EPA 625

Units: ug/L

	Cas #	Compound	RT	Conc
1	611-14-3	Benzene, 1-ethyl-2-methyl-	5.18	4.3 J
2	526-73-8	Benzene, 1,2,3-trimethyl-	5.44	7.8 J

Worksheet #: 99699

Total Tentatively Identified Concentration 12.1*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-003

Client Id: SW-3

Data File: 5M47006.D

Analysis Date: 11/04/08 11:54

Date Rec/Extracted: 10/30/08-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 980ml

Final Vol: 1ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	U
105-67-9	2,4-Dimethylphenol	2.0	U	85-68-7	Butylbenzylphthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	218-01-9	Chrysene	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-57-8	2-Chlorophenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	131-11-3	Dimethylphthalate	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	U
88-74-4	2-Nitroaniline	2.0	U	117-84-0	Di-n-octylphthalate	2.0	U
88-75-5	2-Nitrophenol	2.0	U	206-44-0	Fluoranthene	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	86-73-7	Fluorene	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	118-74-1	Hexachlorobenzene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	67-72-1	Hexachloroethane	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	78-59-1	Isophorone	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	91-20-3	Naphthalene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	98-95-3	Nitrobenzene	2.0	U
100-02-7	4-Nitrophenol	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
83-32-9	Acenaphthene	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
208-96-8	Acenaphthylene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
62-53-3	Aniline	2.0	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99699

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-003	Matrix: Aqueous
Client Id: SW-3	Initial Vol: 980ml
Data File: 5M47006.D	Final Vol: 1ml
Analysis Date: 11/04/08 11:54	Dilution: 1
Date Rec/Extracted: 10/30/08-11/03/08	Solids:
	Method: EPA 625

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99699

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-004

Client Id: SW-4

Data File: 5M47000.D

Analysis Date: 11/04/08 09:40

Date Rec/Extracted: 10/30/08-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 500ml

Final Vol: 0.5ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	U
105-67-9	2,4-Dimethylphenol	2.0	U	85-68-7	Butylbenzylphthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	218-01-9	Chrysene	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-57-8	2-Chlorophenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	131-11-3	Dimethylphthalate	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	2.4
88-74-4	2-Nitroaniline	2.0	U	117-84-0	Di-n-octylphthalate	2.0	U
88-75-5	2-Nitrophenol	2.0	U	206-44-0	Fluoranthene	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	86-73-7	Fluorene	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	118-74-1	Hexachlorobenzene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	67-72-1	Hexachloroethane	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	78-59-1	Isophorone	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	91-20-3	Naphthalene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	98-95-3	Nitrobenzene	2.0	U
100-02-7	4-Nitrophenol	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
83-32-9	Acenaphthene	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
208-96-8	Acenaphthylene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
62-53-3	Aniline	2.0	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99699

Total Target Concentration 2.4*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-004
Client Id: SW-4
Data File: 5M47000.D
Analysis Date: 11/04/08 09:40
Date Rec/Extracted: 10/30/08-11/03/08

Matrix: Aqueous
Initial Vol: 500ml
Final Vol: 0.5ml
Dilution: 1
Solids:
Method: EPA 625

Units: ug/L

	Cas #	Compound	RT	Conc
1	620-14-4	Benzene, 1-ethyl-3-methyl-	5.18	5.1 J
2	95-63-6	Benzene, 1,2,4-trimethyl-	5.44	9.2 J
3	112-34-5	Ethanol, 2-(2-butoxyethoxy)-	6.54	3.9 JB

Worksheet #: 100225

Total Tentatively Identified Concentration 18.2*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-005

Client Id: SD-1

Data File: 10M01099.D

Analysis Date: 11/06/08 13:02

Date Rec/Extracted: 10/30/08-11/05/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 8270C

Matrix: Soil

Initial Vol: 30g

Final Vol: 1ml

Dilution: 1

Solids: 18

Units: mg/Kg

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	0.37	U	205-99-2	Benzo[b]fluoranthene	0.37	0.85
95-50-1	1,2-Dichlorobenzene	0.37	U	191-24-2	Benzo[g,h,i]perylene	0.37	0.60
122-66-7	1,2-Diphenylhydrazine	0.37	U	207-08-9	Benzo[k]fluoranthene	0.37	U
541-73-1	1,3-Dichlorobenzene	0.37	U	65-85-0	Benzoic Acid	1.9	U
106-46-7	1,4-Dichlorobenzene	0.37	U	111-91-1	bis(2-Chloroethoxy)methan	0.37	U
95-95-4	2,4,5-Trichlorophenol	0.37	U	111-44-4	bis(2-Chloroethyl)ether	0.37	U
88-06-2	2,4,6-Trichlorophenol	0.37	U	108-60-1	bis(2-chloroisopropyl)ether	0.37	U
120-83-2	2,4-Dichlorophenol	0.37	U	117-81-7	bis(2-Ethylhexyl)phthalate	0.37	0.58 B
105-67-9	2,4-Dimethylphenol	0.37	U	85-68-7	Butylbenzylphthalate	0.37	U
51-28-5	2,4-Dinitrophenol	1.9	U	86-74-8	Carbazole	0.37	U
121-14-2	2,4-Dinitrotoluene	0.37	U	218-01-9	Chrysene	0.37	0.53
606-20-2	2,6-Dinitrotoluene	0.37	U	53-70-3	Dibenzo[a,h]anthracene	0.37	U
91-58-7	2-Chloronaphthalene	0.37	U	132-64-9	Dibenzofuran	0.37	U
95-57-8	2-Chlorophenol	0.37	U	84-66-2	Diethylphthalate	0.37	U
91-57-6	2-Methylnaphthalene	0.37	U	131-11-3	Dimethylphthalate	0.37	U
95-48-7	2-Methylphenol	0.37	U	84-74-2	Di-n-butylphthalate	0.37	U
88-74-4	2-Nitroaniline	0.37	U	117-84-0	Di-n-octylphthalate	0.37	U
88-75-5	2-Nitrophenol	0.37	U	206-44-0	Fluoranthene	0.37	0.64
106-44-5	3&4-Methylphenol	0.37	U	86-73-7	Fluorene	0.37	U
91-94-1	3,3'-Dichlorobenzidine	0.37	U	118-74-1	Hexachlorobenzene	0.37	U
99-09-2	3-Nitroaniline	0.37	U	87-68-3	Hexachlorobutadiene	0.37	U
534-52-1	4,6-Dinitro-2-methylphenol	1.9	U	77-47-4	Hexachlorocyclopentadiene	1.9	U
101-55-3	4-Bromophenyl-phenylether	0.37	U	67-72-1	Hexachloroethane	0.37	U
59-50-7	4-Chloro-3-methylphenol	0.37	U	193-39-5	Indeno[1,2,3-cd]pyrene	0.37	0.42
106-47-8	4-Chloroaniline	0.37	U	78-59-1	Isophorone	0.37	U
7005-72-3	4-Chlorophenyl-phenylether	0.37	U	91-20-3	Naphthalene	0.37	U
100-01-6	4-Nitroaniline	0.37	U	98-95-3	Nitrobenzene	0.37	U
100-02-7	4-Nitrophenol	0.37	U	62-75-9	N-Nitrosodimethylamine	0.37	U
83-32-9	Acenaphthene	0.37	U	621-64-7	N-Nitroso-di-n-propylamine	0.37	U
208-96-8	Acenaphthylene	0.37	U	86-30-6	n-Nitrosodiphenylamine	0.37	U
62-53-3	Aniline	0.37	U	87-86-5	Pentachlorophenol	1.9	U
120-12-7	Anthracene	0.37	U	85-01-8	Phenanthrene	0.37	U
92-87-5	Benzidine	1.9	U	108-95-2	Phenol	0.37	U
56-55-3	Benzo[a]anthracene	0.37	0.41	129-00-0	Pyrene	0.37	0.96
50-32-8	Benzo[a]pyrene	0.37	0.60				

Worksheet #: 100213

Total Target Concentration 5.59*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-005	Matrix: Soil
Client Id: SD-1	Initial Vol: 30g
Data File: 10M01099.D	Final Vol: 1ml
Analysis Date: 11/06/08 13:02	Dilution: 1
Date Rec/Extracted: 10/30/08-11/05/08	Solids: 18
	Method: EPA 8270C

Units: mg/Kg

	Cas #	Compound	RT	Conc
1		unknown	3.30	3.4 JB
2		unknown	3.38	7.6 JB
3	123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	3.78	1400 JAB
4	111-76-2	Ethanol, 2-butoxy-	4.35	0.92 J
5		unknown	4.47	4.3 JB
6		unknown	6.85	1.1 J
7	13151-92-3	7-CYCLOHEXYLTRIDECAENE	11.13	0.79 J
8	629-62-9	Pentadecane	11.16	0.76 J
9	638-66-4	Octadecanal	11.70	0.81 J
10	638-66-4	Octadecanal	12.50	1.5 J
11	646-31-1	Tetracosane	12.73	7.6 J
12	35387-63-4	1,5-Heptadiene, 3,3,6-trimethyl-	13.15	1.8 J
13	638-67-5	Tricosane	13.44	12 J
14	77899-10-6	(Z)14-TRICOSENYL FORMATE	13.92	3.0 J
15	629-97-0	Docosane	14.11	4.9 J
16	6971-40-0	17-Pentatriacontene	14.14	2.7 J
17	59-02-9	Vitamin E	14.26	2.9 J
18		unknown	14.31	2.3 J
19		unknown	14.83	4.0 J
20	26047-31-4	Ergost-7-en-3-ol, (3.beta.)-	15.09	15 J
21	1058-61-3	Stigmast-4-en-3-one	15.73	4.7 J
22	55334-22-0	Phenanthrene, 2-dodecyltetradecahydro	16.35	3.1 J

Worksheet #: 100213

Total Tentatively Identified Concentration 1485.18***A - Indicates an aldol condensate.******J - Indicates an estimated value.******B - Indicates the analyte was found in the blank as well as in the sample.***

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-006

Client Id: SD-2

Data File: 10M01090.D

Analysis Date: 11/06/08 09:39

Date Rec/Extracted: 10/30/08-11/05/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 8270C

Matrix: Soil

Initial Vol: 30g

Final Vol: 1ml

Dilution: 1

Solids: 15

Units: mg/Kg

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	0.44	U	205-99-2	Benzo[b]fluoranthene	0.44	U
95-50-1	1,2-Dichlorobenzene	0.44	U	191-24-2	Benzo[g,h,i]perylene	0.44	U
122-66-7	1,2-Diphenylhydrazine	0.44	U	207-08-9	Benzo[k]fluoranthene	0.44	U
541-73-1	1,3-Dichlorobenzene	0.44	U	65-85-0	Benzoic Acid	2.2	U
106-46-7	1,4-Dichlorobenzene	0.44	U	111-91-1	bis(2-Chloroethoxy)methan	0.44	U
95-95-4	2,4,5-Trichlorophenol	0.44	U	111-44-4	bis(2-Chloroethyl)ether	0.44	U
88-06-2	2,4,6-Trichlorophenol	0.44	U	108-60-1	bis(2-chloroisopropyl)ether	0.44	U
120-83-2	2,4-Dichlorophenol	0.44	U	117-81-7	bis(2-Ethylhexyl)phthalate	0.44	U
105-67-9	2,4-Dimethylphenol	0.44	U	85-68-7	Butylbenzylphthalate	0.44	U
51-28-5	2,4-Dinitrophenol	2.2	U	86-74-8	Carbazole	0.44	U
121-14-2	2,4-Dinitrotoluene	0.44	U	218-01-9	Chrysene	0.44	U
606-20-2	2,6-Dinitrotoluene	0.44	U	53-70-3	Dibenzo[a,h]anthracene	0.44	U
91-58-7	2-Chloronaphthalene	0.44	U	132-64-9	Dibenzofuran	0.44	U
95-57-8	2-Chlorophenol	0.44	U	84-66-2	Diethylphthalate	0.44	U
91-57-6	2-Methylnaphthalene	0.44	U	131-11-3	Dimethylphthalate	0.44	U
95-48-7	2-Methylphenol	0.44	U	84-74-2	Di-n-butylphthalate	0.44	U
88-74-4	2-Nitroaniline	0.44	U	117-84-0	Di-n-octylphthalate	0.44	U
88-75-5	2-Nitrophenol	0.44	U	206-44-0	Fluoranthene	0.44	U
106-44-5	3&4-Methylphenol	0.44	U	86-73-7	Fluorene	0.44	U
91-94-1	3,3'-Dichlorobenzidine	0.44	U	118-74-1	Hexachlorobenzene	0.44	U
99-09-2	3-Nitroaniline	0.44	U	87-68-3	Hexachlorobutadiene	0.44	U
534-52-1	4,6-Dinitro-2-methylphenol	2.2	U	77-47-4	Hexachlorocyclopentadiene	2.2	U
101-55-3	4-Bromophenyl-phenylether	0.44	U	67-72-1	Hexachloroethane	0.44	U
59-50-7	4-Chloro-3-methylphenol	0.44	U	193-39-5	Indeno[1,2,3-cd]pyrene	0.44	U
106-47-8	4-Chloroaniline	0.44	U	78-59-1	Isophorone	0.44	U
7005-72-3	4-Chlorophenyl-phenylether	0.44	U	91-20-3	Naphthalene	0.44	U
100-01-6	4-Nitroaniline	0.44	U	98-95-3	Nitrobenzene	0.44	U
100-02-7	4-Nitrophenol	0.44	U	62-75-9	N-Nitrosodimethylamine	0.44	U
83-32-9	Acenaphthene	0.44	U	621-64-7	N-Nitroso-di-n-propylamine	0.44	U
208-96-8	Acenaphthylene	0.44	U	86-30-6	n-Nitrosodiphenylamine	0.44	U
62-53-3	Aniline	0.44	U	87-86-5	Pentachlorophenol	2.2	U
120-12-7	Anthracene	0.44	U	85-01-8	Phenanthrene	0.44	U
92-87-5	Benzidine	2.2	U	108-95-2	Phenol	0.44	U
56-55-3	Benzo[a]anthracene	0.44	U	129-00-0	Pyrene	0.44	0.49
50-32-8	Benzo[a]pyrene	0.44	U				

Worksheet #: 100213

Total Target Concentration 0.49

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.
E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-006	Matrix: Soil
Client Id: SD-2	Initial Vol: 30g
Data File: 10M01090.D	Final Vol: 1ml
Analysis Date: 11/06/08 09:39	Dilution: 1
Date Rec/Extracted: 10/30/08-11/05/08	Solids: 15
	Method: EPA 8270C

Units: mg/Kg

	Cas #	Compound	RT	Conc
1		unknown	3.30	3.8 JB
2		unknown	3.33	5.1 JB
3	123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	3.73	980 JAB
4		unknown	4.46	3.0 JB
5		unknown	6.85	4.4 J
6	89-18-9	1,2-Benzenedicarboxylic acid, butyl 8-m	9.24	1.2 J
7	629-97-0	Docosane	11.97	1.5 J
8	112-95-8	Eicosane	12.73	4.1 J
9	7683-64-9	2,6,10,14,18,22-Tetracosahexaene, 2,6,	13.15	1.4 J
10	638-66-4	Octadecanal	13.23	1.3 J
11	544-76-3	Hexadecane	13.43	5.8 J
12	124-25-4	Tetradecanal	13.92	1.7 J
13	593-49-7	Heptacosane	14.10	2.3 J
14		unknown	14.13	1.2 J
15		unknown	14.26	0.92 J
16	57-88-5	Cholest-5-en-3-ol (3.beta.)-	14.32	2.6 J
17	638-66-4	Octadecanal	14.64	1.8 J
18	19044-06-5	24.XI.-ETHYLCHOLEST-5-EN-3.BETA.-	15.09	6.7 J
19	1058-61-3	(24R)-4-STIGMASTEN-3-ONE	15.72	2.0 J
20	559-74-0	D:A-Friedooleanan-3-one	16.34	4.2 J

Worksheet #: 100213

Total Tentatively Identified Concentration 1035.02*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-007

Client Id: SD-3

Data File: 10M01112.D

Analysis Date: 11/06/08 17:54

Date Rec/Extracted: 10/30/08-11/05/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 8270C

Matrix: Soil

Initial Vol: 30g

Final Vol: 1ml

Dilution: 1

Solids: 60

Units: mg/Kg

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	0.11	U	205-99-2	Benzo[b]fluoranthene	0.11	U
95-50-1	1,2-Dichlorobenzene	0.11	U	191-24-2	Benzo[g,h,i]perylene	0.11	U
122-66-7	1,2-Diphenylhydrazine	0.11	U	207-08-9	Benzo[k]fluoranthene	0.11	U
541-73-1	1,3-Dichlorobenzene	0.11	U	65-85-0	Benzoic Acid	0.56	U
106-46-7	1,4-Dichlorobenzene	0.11	U	111-91-1	bis(2-Chloroethoxy)methan	0.11	U
95-95-4	2,4,5-Trichlorophenol	0.11	U	111-44-4	bis(2-Chloroethyl)ether	0.11	U
88-06-2	2,4,6-Trichlorophenol	0.11	U	108-60-1	bis(2-chloroisopropyl)ether	0.11	U
120-83-2	2,4-Dichlorophenol	0.11	U	117-81-7	bis(2-Ethylhexyl)phthalate	0.11	0.11 B
105-67-9	2,4-Dimethylphenol	0.11	U	85-68-7	Butylbenzylphthalate	0.11	U
51-28-5	2,4-Dinitrophenol	0.56	U	86-74-8	Carbazole	0.11	U
121-14-2	2,4-Dinitrotoluene	0.11	U	218-01-9	Chrysene	0.11	U
606-20-2	2,6-Dinitrotoluene	0.11	U	53-70-3	Dibenzo[a,h]anthracene	0.11	U
91-58-7	2-Chloronaphthalene	0.11	U	132-64-9	Dibenzofuran	0.11	U
95-57-8	2-Chlorophenol	0.11	U	84-66-2	Diethylphthalate	0.11	U
91-57-6	2-Methylnaphthalene	0.11	U	131-11-3	Dimethylphthalate	0.11	U
95-48-7	2-Methylphenol	0.11	U	84-74-2	Di-n-butylphthalate	0.11	U
88-74-4	2-Nitroaniline	0.11	U	117-84-0	Di-n-octylphthalate	0.11	U
88-75-5	2-Nitrophenol	0.11	U	206-44-0	Fluoranthene	0.11	0.12
106-44-5	3,4-Methylphenol	0.11	U	86-73-7	Fluorene	0.11	U
91-94-1	3,3'-Dichlorobenzidine	0.11	U	118-74-1	Hexachlorobenzene	0.11	U
99-09-2	3-Nitroaniline	0.11	U	87-68-3	Hexachlorobutadiene	0.11	U
534-52-1	4,6-Dinitro-2-methylphenol	0.56	U	77-47-4	Hexachlorocyclopentadiene	0.56	U
101-55-3	4-Bromophenyl-phenylether	0.11	U	67-72-1	Hexachloroethane	0.11	U
59-50-7	4-Chloro-3-methylphenol	0.11	U	193-39-5	Indeno[1,2,3-cd]pyrene	0.11	U
106-47-8	4-Chloroaniline	0.11	U	78-59-1	Isophorone	0.11	U
7005-72-3	4-Chlorophenyl-phenylether	0.11	U	91-20-3	Naphthalene	0.11	U
100-01-6	4-Nitroaniline	0.11	U	98-95-3	Nitrobenzene	0.11	U
100-02-7	4-Nitrophenol	0.11	U	62-75-9	N-Nitrosodimethylamine	0.11	U
83-32-9	Acenaphthene	0.11	U	621-64-7	N-Nitroso-di-n-propylamine	0.11	U
208-96-8	Acenaphthylene	0.11	U	86-30-6	n-Nitrosodiphenylamine	0.11	U
62-53-3	Aniline	0.11	U	87-86-5	Pentachlorophenol	0.56	U
120-12-7	Anthracene	0.11	U	85-01-8	Phenanthrene	0.11	U
92-87-5	Benazidine	0.56	U	108-95-2	Phenol	0.11	U
56-55-3	Benzo[a]anthracene	0.11	U	129-00-0	Pyrene	0.11	0.14
50-32-8	Benzo[a]pyrene	0.11	U				

Worksheet #: 100213

Total Target Concentration 0.37*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-007	Matrix: Soil
Client Id: SD-3	Initial Vol: 30g
Data File: 10M01112.D	Final Vol: 1ml
Analysis Date: 11/06/08 17:54	Dilution: 1
Date Rec/Extracted: 10/30/08-11/05/08	Solids: 60
	Method: EPA 8270C

Units: mg/Kg

	Cas #	Compound	RT	Conc
1		unknown	3.30	0.70 JB
2	123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	3.74	250 JAB
3	111-76-2	Ethanol, 2-butoxy-	4.35	0.27 J
4		unknown	4.46	0.77 JB
5	118-93-4	Ethanone, 1-(2-hydroxyphenyl)-	7.37	0.47 J
6	593-45-3	Octadecane	13.43	0.26 J
7	593-49-7	Heptacosane	14.10	0.23 J

Worksheet #: 100213

Total Tentatively Identified Concentration 252.7*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-008

Client Id: SD-4

Data File: 10M01113.D

Analysis Date: 11/06/08 18:17

Date Rec/Extracted: 10/30/08-11/05/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 8270C

Matrix: Soil

Initial Vol: 30g

Final Vol: 1ml

Dilution: 1

Solids: 72

Units: mg/Kg

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	0.093	U	205-99-2	Benzo[b]fluoranthene	0.093	U
95-50-1	1,2-Dichlorobenzene	0.093	U	191-24-2	Benzo[g,h,i]perylene	0.093	U
122-66-7	1,2-Diphenylhydrazine	0.093	U	207-08-9	Benzo[k]fluoranthene	0.093	U
541-73-1	1,3-Dichlorobenzene	0.093	U	65-85-0	Benzoic Acid	0.46	U
106-46-7	1,4-Dichlorobenzene	0.093	U	111-91-1	bis(2-Chloroethoxy)methan	0.093	U
95-95-4	2,4,5-Trichlorophenol	0.093	U	111-44-4	bis(2-Chloroethyl)ether	0.093	U
88-06-2	2,4,6-Trichlorophenol	0.093	U	108-60-1	bis(2-chloroisopropyl)ether	0.093	U
120-83-2	2,4-Dichlorophenol	0.093	U	117-81-7	bis(2-Ethylhexyl)phthalate	0.093	U
105-67-9	2,4-Dimethylphenol	0.093	U	85-68-7	Butylbenzylphthalate	0.093	U
51-28-5	2,4-Dinitrophenol	0.46	U	86-74-8	Carbazole	0.093	U
121-14-2	2,4-Dinitrotoluene	0.093	U	218-01-9	Chrysene	0.093	U
606-20-2	2,6-Dinitrotoluene	0.093	U	53-70-3	Dibenzo[a,h]anthracene	0.093	U
91-58-7	2-Chloronaphthalene	0.093	U	132-64-9	Dibenzofuran	0.093	U
95-57-8	2-Chlorophenol	0.093	U	84-66-2	Diethylphthalate	0.093	U
91-57-6	2-Methylnaphthalene	0.093	U	131-11-3	Dimethylphthalate	0.093	U
95-48-7	2-Methylphenol	0.093	U	84-74-2	Di-n-butylphthalate	0.093	U
88-74-4	2-Nitroaniline	0.093	U	117-84-0	Di-n-octylphthalate	0.093	U
88-75-5	2-Nitrophenol	0.093	U	206-44-0	Fluoranthene	0.093	U
106-44-5	3&4-Methylphenol	0.093	U	86-73-7	Fluorene	0.093	U
91-94-1	3,3'-Dichlorobenzidine	0.093	U	118-74-1	Hexachlorobenzene	0.093	U
99-09-2	3-Nitroaniline	0.093	U	87-68-3	Hexachlorobutadiene	0.093	U
534-52-1	4,6-Dinitro-2-methylphenol	0.46	U	77-47-4	Hexachlorocyclopentadiene	0.46	U
101-55-3	4-Bromophenyl-phenylether	0.093	U	67-72-1	Hexachloroethane	0.093	U
59-50-7	4-Chloro-3-methylphenol	0.093	U	193-39-5	Indeno[1,2,3-cd]pyrene	0.093	U
106-47-8	4-Chloroaniline	0.093	U	78-59-1	Isophorone	0.093	U
7005-72-3	4-Chlorophenyl-phenylether	0.093	U	91-20-3	Naphthalene	0.093	U
100-01-6	4-Nitroaniline	0.093	U	98-95-3	Nitrobenzene	0.093	U
100-02-7	4-Nitrophenol	0.093	U	62-75-9	N-Nitrosodimethylamine	0.093	U
83-32-9	Acenaphthene	0.093	U	621-64-7	N-Nitroso-di-n-propylamine	0.093	U
208-96-8	Acenaphthylene	0.093	U	86-30-6	n-Nitrosodiphenylamine	0.093	U
62-53-3	Aniline	0.093	U	87-86-5	Pentachlorophenol	0.46	U
120-12-7	Anthracene	0.093	U	85-01-8	Phenanthrene	0.093	U
92-87-5	Benzidine	0.46	U	108-95-2	Phenol	0.093	U
56-55-3	Benzo[a]anthracene	0.093	U	129-00-0	Pyrene	0.093	0.11
50-32-8	Benzo[a]pyrene	0.093	U				

Worksheet #: 100213

Total Target Concentration 0.11*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-008	Matrix: Soil
Client Id: SD-4	Initial Vol: 30g
Data File: 10M01113.D	Final Vol: 1ml
Analysis Date: 11/06/08 18:17	Dilution: 1
Date Rec/Extracted: 10/30/08-11/05/08	Solids: 72
	Method: EPA 8270C

Units: mg/Kg

	Cas #	Compound	RT	Conc
1		unknown	3.32	2.4 JB
2	123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	3.73	220 JAB
3	111-76-2	Ethanol, 2-butoxy-	4.35	0.25 J
4		unknown	4.46	0.69 JB
5	54833-48-6	Heptadecane, 2,6,10,15-tetramethyl-	12.73	0.35 J
6	630-03-5	Nonacosane	13.43	0.63 J
7	552-02-3	VERIDIFLOROL	14.93	2.2 J
8	83-47-6	Stigmast-5-en-3-ol, (3.beta.,24S)-	15.09	0.61 J

Worksheet #: 100213

Total Tentatively Identified Concentration 227.13*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-009

Client Id: SW-5

Data File: 5M47007.D

Analysis Date: 11/04/08 12:17

Date Rec/Extracted: 10/30/08-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 960ml

Final Vol: 1ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.1	U	205-99-2	Benzo[b]fluoranthene	2.1	U
95-50-1	1,2-Dichlorobenzene	2.1	U	191-24-2	Benzo[g,h,i]perylene	2.1	U
122-66-7	1,2-Diphenylhydrazine	2.1	U	207-08-9	Benzo[k]fluoranthene	2.1	U
541-73-1	1,3-Dichlorobenzene	2.1	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.1	U	111-91-1	bis(2-Chloroethoxy)methan	2.1	U
95-95-4	2,4,5-Trichlorophenol	2.1	U	111-44-4	bis(2-Chloroethyl)ether	2.1	U
88-06-2	2,4,6-Trichlorophenol	2.1	U	108-60-1	bis(2-chloroisopropyl)ether	2.1	U
120-83-2	2,4-Dichlorophenol	2.1	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.1	U
105-67-9	2,4-Dimethylphenol	2.1	U	85-68-7	Butylbenzylphthalate	2.1	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.1	U
121-14-2	2,4-Dinitrotoluene	2.1	U	218-01-9	Chrysene	2.1	U
606-20-2	2,6-Dinitrotoluene	2.1	U	53-70-3	Dibenzo[a,h]anthracene	2.1	U
91-58-7	2-Chloronaphthalene	2.1	U	132-64-9	Dibenzofuran	2.1	U
95-57-8	2-Chlorophenol	2.1	U	84-66-2	Diethylphthalate	2.1	U
91-57-6	2-Methylnaphthalene	2.1	U	131-11-3	Dimethylphthalate	2.1	U
95-48-7	2-Methylphenol	2.1	U	84-74-2	Di-n-butylphthalate	2.1	U
88-74-4	2-Nitroaniline	2.1	U	117-84-0	Di-n-octylphthalate	2.1	U
88-75-5	2-Nitrophenol	2.1	U	206-44-0	Fluoranthene	2.1	U
106-44-5	3&4-Methylphenol	2.1	U	86-73-7	Fluorene	2.1	U
91-94-1	3,3'-Dichlorobenzidine	2.1	U	118-74-1	Hexachlorobenzene	2.1	U
99-09-2	3-Nitroaniline	2.1	U	87-68-3	Hexachlorobutadiene	2.1	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.1	U
101-55-3	4-Bromophenyl-phenylether	2.1	U	67-72-1	Hexachloroethane	2.1	U
59-50-7	4-Chloro-3-methylphenol	2.1	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.1	U
106-47-8	4-Chloroaniline	2.1	U	78-59-1	Isophorone	2.1	U
7005-72-3	4-Chlorophenyl-phenylether	2.1	U	91-20-3	Naphthalene	2.1	U
100-01-6	4-Nitroaniline	2.1	U	98-95-3	Nitrobenzene	2.1	U
100-02-7	4-Nitrophenol	2.1	U	62-75-9	N-Nitrosodimethylamine	2.1	U
83-32-9	Acenaphthene	2.1	U	621-64-7	N-Nitroso-di-n-propylamine	2.1	U
208-96-8	Acenaphthylene	2.1	U	86-30-6	n-Nitrosodiphenylamine	2.1	U
62-53-3	Aniline	2.1	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.1	U	85-01-8	Phenanthrene	2.1	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.1	U
56-55-3	Benzo[a]anthracene	2.1	U	129-00-0	Pyrene	2.1	U
50-32-8	Benzo[a]pyrene	2.1	U				

Worksheet #: 99732

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.
E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-009
Client Id: SW-5
Data File: 5M47007.D
Analysis Date: 11/04/08 12:17
Date Rec/Extracted: 10/30/08-11/03/08

Matrix: Aqueous
Initial Vol: 960ml
Final Vol: 1ml
Dilution: 1
Solids:
Method: EPA 625

Units: ug/L

	Cas #	Compound	RT	Conc
1	95-63-6	Benzene, 1,2,4-trimethyl-	5.44	4.4 J
2	112-34-5	Ethanol, 2-(2-butoxyethoxy)-	6.54	4.4 JB

Worksheet #: 99732

Total Tentatively Identified Concentration 8.8*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-010

Client Id: FB-01

Data File: 5M47008.D

Analysis Date: 11/04/08 12:39

Date Rec/Extracted: 10/30/08-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 980ml

Final Vol: 1ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	U
105-67-9	2,4-Dimethylphenol	2.0	U	85-68-7	Butylbenzylphthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	218-01-9	Chrysene	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-57-8	2-Chlorophenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	131-11-3	Dimethylphthalate	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	U
88-74-4	2-Nitroaniline	2.0	U	117-84-0	Di-n-octylphthalate	2.0	U
88-75-5	2-Nitrophenol	2.0	U	206-44-0	Fluoranthene	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	86-73-7	Fluorene	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	118-74-1	Hexachlorobenzene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	67-72-1	Hexachloroethane	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	78-59-1	Isophorone	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	91-20-3	Naphthalene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	98-95-3	Nitrobenzene	2.0	U
100-02-7	4-Nitrophenol	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
83-32-9	Acenaphthene	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
208-96-8	Acenaphthylene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
62-53-3	Aniline	2.0	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99699

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-010	Matrix: Aqueous
Client Id: FB-01	Initial Vol: 980ml
Data File: 5M47008.D	Final Vol: 1ml
Analysis Date: 11/04/08 12:39	Dilution: 1
Date Rec/Extracted: 10/30/08-11/03/08	Solids:
	Method: EPA 625

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0J

Worksheet #: 99699

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-011

Client Id: PC-1 U

Data File: 5M47010.D

Analysis Date: 11/04/08 13:24

Date Rec/Extracted: 10/30/08-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 980ml

Final Vol: 1ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	U
105-67-9	2,4-Dimethylphenol	2.0	U	85-68-7	Butylbenzylphthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	218-01-9	Chrysene	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-57-8	2-Chlorophenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	131-11-3	Dimethylphthalate	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	U
88-74-4	2-Nitroaniline	2.0	U	117-84-0	Di-n-octylphthalate	2.0	U
88-75-5	2-Nitrophenol	2.0	U	206-44-0	Fluoranthene	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	86-73-7	Fluorene	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	118-74-1	Hexachlorobenzene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	67-72-1	Hexachloroethane	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	78-59-1	Isophorone	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	91-20-3	Naphthalene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	98-95-3	Nitrobenzene	2.0	U
100-02-7	4-Nitrophenol	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
83-32-9	Acenaphthene	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
208-96-8	Acenaphthylene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
62-53-3	Aniline	2.0	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99699

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-011
Client Id: PC-1 U
Data File: 5M47010.D
Analysis Date: 11/04/08 13:24
Date Rec/Extracted: 10/30/08-11/03/08

Matrix: Aqueous
Initial Vol: 980ml
Final Vol: 1ml
Dilution: 1
Solids:
Method: EPA 625

Units: ug/L

Cas #	Compound	RT	Conc
1	No Unknown Compounds Detected	0.00	0 J

Worksheet #: 99699

Total Tentatively Identified Concentration 0*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-013

Client Id: LMW-4

Data File: 5M47020.D

Analysis Date: 11/04/08 17:10

Date Rec/Extracted: 10/30/08-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 500ml

Final Vol: 0.5ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	U
105-67-9	2,4-Dimethylphenol	2.0	U	85-68-7	Butylbenzylphthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	218-01-9	Chrysene	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-57-8	2-Chlorophenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	131-11-3	Dimethylphthalate	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	U
88-74-4	2-Nitroaniline	2.0	U	117-84-0	Di-n-octylphthalate	2.0	U
88-75-5	2-Nitrophenol	2.0	U	206-44-0	Fluoranthene	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	86-73-7	Fluorene	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	118-74-1	Hexachlorobenzene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	67-72-1	Hexachloroethane	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	78-59-1	Isophorone	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	91-20-3	Naphthalene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	98-95-3	Nitrobenzene	2.0	U
100-02-7	4-Nitrophenol	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
83-32-9	Acenaphthene	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
208-96-8	Acenaphthylene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
62-53-3	Aniline	2.0	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99699

Total Target Concentration 0*U - Indicates the compound was analyzed but not detected.**B - Indicates the analyte was found in the blank as well as in the sample.**E - Indicates the analyte concentration exceeds the calibration range of the instrument.**R - Retention Time Out**J - Indicates an estimated value when a compound is detected at less than the specified detection limit.**d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.*

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-013
Client Id: LMW-4
Data File: 5M47020.D
Analysis Date: 11/04/08 17:10
Date Rec/Extracted: 10/30/08-11/03/08

Matrix: Aqueous
Initial Vol: 500ml
Final Vol: 0.5ml
Dilution: 1
Solids:
Method: EPA 625

Units: ug/L

	Cas #	Compound	RT	Conc
1	111-76-2	Ethanol, 2-butoxy-	4.67	4.8 J
2	620-14-4	Benzene, 1-ethyl-3-methyl-	5.18	4.5 J
3	95-63-6	Benzene, 1,2,4-trimethyl-	5.44	8.5 J

Worksheet #: 99699

Total Tentatively Identified Concentration 17.8*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-014

Client Id: PC-3

Data File: 5M47019.D

Analysis Date: 11/04/08 16:47

Date Rec/Extracted: 10/30/08-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 500ml

Final Vol: 0.5ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	U
105-67-9	2,4-Dimethylphenol	2.0	U	85-68-7	Butylbenzylphthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	218-01-9	Chrysene	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-57-8	2-Chlorophenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	131-11-3	Dimethylphthalate	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	U
88-74-4	2-Nitroaniline	2.0	U	117-84-0	Di-n-octylphthalate	2.0	U
88-75-5	2-Nitrophenol	2.0	U	206-44-0	Fluoranthene	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	86-73-7	Fluorene	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	118-74-1	Hexachlorobenzene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	67-72-1	Hexachloroethane	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	78-59-1	Isophorone	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	91-20-3	Naphthalene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	98-95-3	Nitrobenzene	2.0	U
100-02-7	4-Nitrophenol	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
83-32-9	Acenaphthene	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
208-96-8	Acenaphthylene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
62-53-3	Aniline	2.0	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99699

Total Target Concentration 0

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.

E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-014
Client Id: PC-3
Data File: 5M47019.D
Analysis Date: 11/04/08 16:47
Date Rec/Extracted: 10/30/08-11/03/08

Matrix: Aqueous
Initial Vol: 500ml
Final Vol: 0.5ml
Dilution: 1
Solids:
Method: EPA 625

Units: ug/L

	Cas #	Compound	RT	Conc
1	111-76-2	Ethanol, 2-butoxy-	4.67	4.8 J
2	611-14-3	Benzene, 1-ethyl-2-methyl-	5.18	4.2 J
3	108-67-8	Benzene, 1,3,5-trimethyl-	5.44	7.9 J

Worksheet #: 99699

Total Tentatively Identified Concentration 16.9*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

Form1

ORGANICS SEMIVOLATILE REPORT

Sample Number: AC40800-015

Client Id: LMW-7

Data File: 5M47013.D

Analysis Date: 11/04/08 14:32

Date Rec/Extracted: 10/30/08-11/03/08

Column: DB-5MS 30M 0.250mm ID 0.25um film

Method: EPA 625

Matrix: Aqueous

Initial Vol: 500ml

Final Vol: 0.5ml

Dilution: 1

Solids: 0

Units: ug/L

Cas #	Compound	RL	Conc	Cas #	Compound	RL	Conc
120-82-1	1,2,4-Trichlorobenzene	2.0	U	205-99-2	Benzo[b]fluoranthene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U	191-24-2	Benzo[g,h,i]perylene	2.0	U
122-66-7	1,2-Diphenylhydrazine	2.0	U	207-08-9	Benzo[k]fluoranthene	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U	65-85-0	Benzoic Acid	10	U
106-46-7	1,4-Dichlorobenzene	2.0	U	111-91-1	bis(2-Chloroethoxy)methan	2.0	U
95-95-4	2,4,5-Trichlorophenol	2.0	U	111-44-4	bis(2-Chloroethyl)ether	2.0	U
88-06-2	2,4,6-Trichlorophenol	2.0	U	108-60-1	bis(2-chloroisopropyl)ether	2.0	U
120-83-2	2,4-Dichlorophenol	2.0	U	117-81-7	bis(2-Ethylhexyl)phthalate	2.0	11
105-67-9	2,4-Dimethylphenol	2.0	U	85-68-7	Butylbenzylphthalate	2.0	U
51-28-5	2,4-Dinitrophenol	10	U	86-74-8	Carbazole	2.0	U
121-14-2	2,4-Dinitrotoluene	2.0	U	218-01-9	Chrysene	2.0	U
606-20-2	2,6-Dinitrotoluene	2.0	U	53-70-3	Dibenzo[a,h]anthracene	2.0	U
91-58-7	2-Chloronaphthalene	2.0	U	132-64-9	Dibenzofuran	2.0	U
95-57-8	2-Chlorophenol	2.0	U	84-66-2	Diethylphthalate	2.0	U
91-57-6	2-Methylnaphthalene	2.0	U	131-11-3	Dimethylphthalate	2.0	U
95-48-7	2-Methylphenol	2.0	U	84-74-2	Di-n-butylphthalate	2.0	U
88-74-4	2-Nitroaniline	2.0	U	117-84-0	Di-n-octylphthalate	2.0	51
88-75-5	2-Nitrophenol	2.0	U	206-44-0	Fluoranthene	2.0	U
106-44-5	3&4-Methylphenol	2.0	U	86-73-7	Fluorene	2.0	U
91-94-1	3,3'-Dichlorobenzidine	2.0	U	118-74-1	Hexachlorobenzene	2.0	U
99-09-2	3-Nitroaniline	2.0	U	87-68-3	Hexachlorobutadiene	2.0	U
534-52-1	4,6-Dinitro-2-methylphenol	10	U	77-47-4	Hexachlorocyclopentadiene	2.0	U
101-55-3	4-Bromophenyl-phenylether	2.0	U	67-72-1	Hexachloroethane	2.0	U
59-50-7	4-Chloro-3-methylphenol	2.0	U	193-39-5	Indeno[1,2,3-cd]pyrene	2.0	U
106-47-8	4-Chloroaniline	2.0	U	78-59-1	Isophorone	2.0	U
7005-72-3	4-Chlorophenyl-phenylether	2.0	U	91-20-3	Naphthalene	2.0	U
100-01-6	4-Nitroaniline	2.0	U	98-95-3	Nitrobenzene	2.0	U
100-02-7	4-Nitrophenol	2.0	U	62-75-9	N-Nitrosodimethylamine	2.0	U
83-32-9	Acenaphthene	2.0	U	621-64-7	N-Nitroso-di-n-propylamine	2.0	U
208-96-8	Acenaphthylene	2.0	U	86-30-6	n-Nitrosodiphenylamine	2.0	U
62-53-3	Aniline	2.0	U	87-86-5	Pentachlorophenol	10	U
120-12-7	Anthracene	2.0	U	85-01-8	Phenanthrene	2.0	U
92-87-5	Benzidine	10	U	108-95-2	Phenol	2.0	U
56-55-3	Benzo[a]anthracene	2.0	U	129-00-0	Pyrene	2.0	U
50-32-8	Benzo[a]pyrene	2.0	U				

Worksheet #: 99699

Total Target Concentration 62

U - Indicates the compound was analyzed but not detected.

B - Indicates the analyte was found in the blank as well as in the sample.

E - Indicates the analyte concentration exceeds the calibration range of the instrument.

R - Retention Time Out

J - Indicates an estimated value when a compound is detected at less than the specified detection limit.

d - Pesticide %Diff>40% between columns due to coelution. Lower concentration used.

Form1eORGANICS SEMIVOLATILE REPORT
Tentatively Identified Compounds

Sample Number: AC40800-015
Client Id: LMW-7
Data File: 5M47013.D
Analysis Date: 11/04/08 14:32
Date Rec/Extracted: 10/30/08-11/03/08

Matrix: Aqueous
Initial Vol: 500ml
Final Vol: 0.5ml
Dilution: 1
Solids:
Method: EPA 625

Units: ug/L

	Cas #	Compound	RT	Conc
1	108-67-8	Benzene, 1,3,5-trimethyl-	5.44	7.2 J
2		unknown	10.86	5.4 J
3	89-18-9	1,2-Benzenedicarboxylic acid, butyl 8-m	12.20	4.0 J
4	146-50-9	1,2-Benzenedicarboxylic acid, bis(4-met	12.25	5.9 J
5	3648-21-3	1,2-Benzenedicarboxylic acid, diheptyl e	12.28	5.1 J

Worksheet #: 99699

Total Tentatively Identified Concentration 27.6*A - Indicates an aldol condensate.**J - Indicates an estimated value.**B - Indicates the analyte was found in the blank as well as in the sample.*

FORM2

Surrogate Recovery

Method: EPA 625

Dfile	Sample#	Matrix	Date/Time	Surr Dil	Dilute Out Flag	Column1	Column1	Column1	Column1	Column1	Column1
						S1 Recov	S2 Recov	S3 Recov	S4 Recov	S5 Recov	S6 Recov
5M46975.D	WMB3950	Aqueous	10/31/08 14:44	1		65	49	94	101	109	105
5M46998.D	WMB3951	Aqueous	11/04/08 08:55	1		59	40	92	98	102	93
5M47004.D	AC40800-001	Aqueous	11/04/08 11:10	1		58	39	99	97	108	96
5M47005.D	AC40800-002	Aqueous	11/04/08 11:32	1		52	35	95	97	104	94
5M47006.D	AC40800-003	Aqueous	11/04/08 11:54	1		58	40	96	98	109	94
5M47000.D	AC40800-004	Aqueous	11/04/08 09:40	1		78	58	99	101	109	98
5M47007.D	AC40800-009	Aqueous	11/04/08 12:17	1		56	40	97	97	106	98
5M47008.D	AC40800-010	Aqueous	11/04/08 12:39	1		57	39	91	95	104	94
5M47010.D	AC40800-011	Aqueous	11/04/08 13:24	1		53	37	94	96	102	93
5M47020.D	AC40800-013	Aqueous	11/04/08 17:10	1		74	64	88	93	105	90
5M47019.D	AC40800-014	Aqueous	11/04/08 16:47	1		71	63	93	94	102	90
5M47013.D	AC40800-015	Aqueous	11/04/08 14:32	1		69	57	87	90	102	96
5M46974.D	WMB3950(MS	Aqueous	10/31/08 14:22	1		64	50	92	86	99	113
5M46976.D	AC40769-001(	Aqueous	10/31/08 15:07	1		77	69	97	92	100	108
5M46977.D	AC40769-001(	Aqueous	10/31/08 15:29	1		74	69	89	86	93	104
5M46982.D	AC40769-001	Aqueous	10/31/08 17:22	1		68	63	84	87	103	93
5M46999.D	WMB3951(MS	Aqueous	11/04/08 09:17	1		62	43	98	90	96	103
5M47001.D	AC40800-004(	Aqueous	11/04/08 10:02	1		68	55	86	80	99	105
5M47002.D	AC40800-004(	Aqueous	11/04/08 10:25	1		76	61	97	91	101	109

Flags: SD=Surrogate diluted out

*=Surrogate out

Method: 625

Aqueous Limits

Compound	Spike Amt	Limits
S1=2-Fluorophenol	100	22-101
S2=Phenol-d5	100	1-95
S3=Nitrobenzene-d5	50	50-128
S4=2-Fluorobiphenyl	50	48-123
S5=2,4,6-Tribromophenol	100	10-123
S6=Terphenyl-d14	50	44-132

FORM2

Surrogate Recovery

Method: EPA 8270C

Dfile	Sample#	Matrix	Date/Time	Surr Dil	Dilute Out Flag	Column1 S1 Recov	Column1 S2 Recov	Column1 S3 Recov	Column1 S4 Recov	Column1 S5 Recov	Column1 S6 Recov
10M01089.D	SMB3943	Soil	11/06/08 09:16	1		92	92	85	82	75	89
5M47058.D	SMB3943	Soil	11/06/08 10:45	1		74	82	79	84	86	80
10M01099.D	AC40800-005	Soil	11/06/08 13:02	1		87	91	77	72	77	110
10M01090.D	AC40800-006	Soil	11/06/08 09:39	1		55	54	50	52	51	65
10M01112.D	AC40800-007	Soil	11/06/08 17:54	1		82	83	71	67	69	98
10M01113.D	AC40800-008	Soil	11/06/08 18:17	1		83	87	70	67	74	104
5M47057.D	SMB3943(MS)	Soil	11/06/08 10:23	1		76	83	83	80	88	76
5M47064.D	AC40813-004	Soil	11/06/08 13:00	1		72	76	85	81	89	84
5M47065.D	AC40813-004(	Soil	11/06/08 13:23	1		71	74	81	77	86	77
5M47066.D	AC40813-004(	Soil	11/06/08 13:45	1		68	73	81	74	82	74

Flags: SD=Surrogate diluted out

*=Surrogate out

Method: 8270

Soil Limits

Compound	Spike Amt	Limits
S1=2-Fluorophenol	100	36-114
S2=Phenol-d5	100	32-113
S3=Nitrobenzene-d5	50	37-116
S4=2-Fluorobiphenyl	50	47-113
S5=2,4,6-Tribromophenol	100	31-140
S6=Terphenyl-d14	50	41-152

FORM 3
Spike Recovery

0113

Batch Number: WMB3950

Mbs File: 5M46974.D

Mbs Date: 10/31/08 14:22

Mbs Name: WMB3950(MS)

Non Spk'd File: 5M46982.D

Non Spk'd Date: 10/31/08 17:22

Ns Name: AC40769-001

Spike File: 5M46976.D

Spike Date: 10/31/08 15:07

Ms Name: AC40769-001(MS)

Spike Dup File: 5M46977.D

Spike Dup Date: 10/31/08 15:29

Msd Name: AC40769-001(MSD)

Matrix: Aqueous

Method: EPA 625

Compound	C#	Co	Mr	Conc Exp	Lo Lim	Hi Lim	Rpd Lim	Mbs Conc	Sample Conc	Spike Conc	Spike Dup Conc	Mbs Rec	MS Rec	Msd Rec	Rpd
N-Nitrosodimethylami	3	1	0	100	40	109	19	54.87	0.00	75.30	74.02	55	75	74	1.7
bis(2-Chloroethyl)ethe	8	1	0	100	55	106	15	80.67	0.00	83.44	78.13	81	83	78	6.6
Phenol	10	1	0	100	14	95	25	47.96	0.00	64.84	65.15	48	65	65	0.48
2-Chlorophenol	11	1	0	100	67	104	23	82.48	0.00	86.63	82.84	82	87	83	4.5
bis(2-chloroisopropyl)	17	1	0	100	53	110	16	78.20	0.00	83.07	78.43	78	83	78	5.7
Hexachloroethane	20	1	0	100	46	114	40	77.29	0.00	82.02	77.34	77	82	77	5.9
N-Nitroso-di-n-propyla	21	1	0	100	53	105	15	82.92	0.00	86.93	81.35	83	87	81	6.6
Nitrobenzene	25	1	0	100	60	113	13	86.43	0.00	92.61	82.64	86	93	83	11
Isophorone	26	1	0	100	38	122	13	79.86	0.00	85.29	77.43	80	85	77	9.7
2-Nitrophenol	27	1	0	100	74	117	20	94.80	0.00	100.24	93.47	95	100	93	7
2,4-Dimethylphenol	28	1	0	100	59	116	19	84.35	0.00	89.28	85.12	84	89	85	4.8
bis(2-Chloroethoxy)m	30	1	0	100	60	113	12	87.14	0.00	90.22	82.67	87	90	83	8.7
2,4-Dichlorophenol	31	1	0	100	72	112	19	91.48	0.00	96.05	90.26	91	96	90	6.2
1,2,4-Trichlorobenzen	32	1	0	100	50	119	25	84.16	0.00	86.62	80.86	84	87	81	6.9
Naphthalene	33	1	0	100	64	115	22	82.10	0.00	85.34	79.83	82	85	80	6.7
Hexachlorobutadiene	35	1	0	100	53	118	37	80.56	0.00	86.13	77.17	81	86	77	11
4-Chloro-3-methylphe	37	1	0	100	72	115	23	95.65	0.00	100.62	94.68	96	101	95	6.1
2,4,6-Trichlorophenol	44	1	0	100	76	120	18	96.40	0.00	97.88	95.94	96	98	96	2
2-Chloronaphthalene	47	1	0	100	58	117	14	90.47	0.00	92.86	87.49	90	93	87	6
Acenaphthylene	52	1	0	100	69	109	13	87.56	0.00	89.99	83.72	88	90	84	7.2
Dimethylphthalate	53	1	0	100	60	120	14	92.29	0.00	92.39	87.88	92	92	88	5
2,6-Dinitrotoluene	54	1	0	100	57	119	13	92.63	0.00	94.70	90.10	93	95	90	5
Acenaphthene	55	1	0	100	76	111	13	85.91	0.00	86.89	81.18	86	87	81	6.8
2,4-Dinitrophenol	57	1	0	100	46	132	36	91.15	0.00	86.23	85.41	91	86	85	0.96
2,4-Dinitrotoluene	59	1	0	100	59	123	19	91.73	0.00	92.32	85.94	92	92	86	7.2
4-Nitrophenol	60	1	0	100	13	111	22	54.05	0.00	70.14	71.61	54	70	72	2.1
Fluorene	62	1	0	100	74	111	13	81.63	0.00	82.84	78.53	82	83	79	5.3
4-Chlorophenyl-pheny	63	1	0	100	56	121	12	86.21	0.00	88.16	83.45	86	88	83	5.5
Diethylphthalate	64	1	0	100	58	118	13	86.38	0.00	87.33	82.41	86	87	82	5.8
4,6-Dinitro-2-methylph	68	1	0	100	61	137	25	97.72	0.00	97.99	95.24	98	98	95	2.8
4-Bromophenyl-pheny	72	1	0	100	61	126	14	93.46	0.00	93.80	88.30	93	94	88	6
Hexachlorobenzene	73	1	0	100	63	117	13	85.52	0.00	87.65	81.53	86	88	82	7.2
Pentachlorophenol	75	1	0	100	74	136	23	96.83	0.00	93.13	90.93	97	93	91	2.4
Phenanthrene	76	1	0	100	77	112	13	88.47	0.00	90.63	85.25	88	91	85	6.1
Anthracene	77	1	0	100	74	107	12	82.94	0.00	83.50	79.04	83	83	79	5.5
Di-n-butylphthalate	79	1	0	100	61	120	12	92.40	0.00	93.47	89.16	92	93	89	4.7
Fluoranthene	80	1	0	100	75	113	13	87.70	0.00	91.08	85.06	88	91	85	6.8
Pvrene	82	1	0	100	76	121	13	95.24	0.00	92.71	88.72	95	93	89	4.4
Butylbenzylphthalate	88	1	0	100	61	127	16	104.72	0.00	105.31	99.67	105	105	100	5.5
3,3'-Dichlorobenzidine	92	1	0	100	14	216	55	135.99	0.00	130.95	124.29	136	131	124	5.2
Benzo[a]anthracene	93	1	0	100	76	112	12	89.26	0.00	89.82	84.38	89	90	84	6.2
Chrysene	94	1	0	100	75	109	13	91.69	0.00	91.08	85.17	92	91	85	6.7
bis(2-Ethylhexyl)phtha	95	1	0	100	61	128	13	101.89	0.00	98.90	93.98	102	99	94	5.1
Di-n-octylphthalate	97	1	0	100	54	143	15	103.36	0.00	111.40	103.00	103	111	103	7.8
Benzo[b]fluoranthene	98	1	0	100	71	112	15	82.24	0.00	87.96	80.92	82	88	81	8.3
Benzo[k]fluoranthene	99	1	0	100	73	118	15	91.76	0.00	94.94	87.62	92	95	88	8
Benzo[a]pyrene	100	1	0	100	77	119	12	86.66	0.00	90.03	85.42	87	90	85	5.3
Indeno[1,2,3-cd]pyren	101	1	0	100	76	122	14	89.58	0.00	89.96	84.21	90	90	84	6.6
Dibenzo[a,h]anthracene	102	1	0	100	73	118	14	89.97	0.00	90.55	84.66	90	91	85	6.7
Benzo[g,h,i]perylene	103	1	0	100	71	118	15	91.24	0.00	91.84	86.35	91	92	86	6.2

Note:

Rp = Failed Rpd Criteria

Mo = Failed Recovery Criteria

^ - Both Ms and Msd Recoveries = 0 ... no valid information can be calculated

FORM 3
Spike Recovery

0114

Batch Number: WMB3951

Mbs File: 5M46999.D

Mbs Date: 11/04/08 09:17

Mbs Name: WMB3951(MS)

Non Spk'd File: 5M47000.D

Non Spk'd Date: 11/04/08 09:40

Ns Name: AC40800-004

Spike File: 5M47001.D

Spike Date: 11/04/08 10:02

Ms Name: AC40800-004(MS)

Spike Dup File: 5M47002.D

Spike Dup Date: 11/04/08 10:25

Msd Name: AC40800-004(MSD)

Matrix: Aqueous

Method: EPA 625

Compound	C#	Co	Mr	Conc Exp	Lo Lim	Hi Lim	Rpd Lim	Mbs Conc	Sample Conc	Spike Conc	Spike Dup Conc	Mbs Rec	MS Rec	Msd Rec	Rpd
N-Nitrosodimethylami	3	1	0	100	40	109	19	67.66	0.00	79.49	83.52	68	79	84	4.9
bis(2-Chloroethyl)ethe	8	1	0	100	55	106	15	88.37	0.00	87.43	89.02	88	87	89	1.8
Phenol	10	1	0	100	14	95	25	40.33	0.00	55.12	56.55	40	55	57	2.6
2-Chlorophenol	11	1	0	100	67	104	23	85.77	0.00	85.19	86.97	86	85	87	2.1
bis(2-chloroisopropyl)	17	1	0	100	53	110	16	88.58	0.00	87.01	87.79	89	87	88	0.89
Hexachloroethane	20	1	0	100	46	114	40	85.61	0.00	84.33	87.24	86	84	87	3.4
N-Nitroso-di-n-propyla	21	1	0	100	53	105	15	88.27	0.00	89.59	89.76	88	90	90	0.19
Nitrobenzene	25	1	0	100	60	113	13	94.19	0.00	92.73	92.53	94	93	93	0.22
Isophorone	26	1	0	100	38	122	13	84.71	0.00	85.71	86.60	85	86	87	1
2-Nitrophenol	27	1	0	100	74	117	20	97.15	0.00	94.07	98.44	97	94	98	4.5
2,4-Dimethylphenol	28	1	0	100	59	116	19	83.70	0.00	85.34	88.31	84	85	88	3.4
bis(2-Chloroethoxy)m	30	1	0	100	60	113	12	90.87	0.00	90.89	90.74	91	91	91	0.17
2,4-Dichlorophenol	31	1	0	100	72	112	19	94.54	0.00	92.20	94.81	95	92	95	2.8
1,2,4-Trichlorobenzen	32	1	0	100	50	119	25	89.67	0.00	88.58	89.59	90	89	90	1.1
Naphthalene	33	1	0	100	64	115	22	86.64	0.00	85.97	87.86	87	86	88	2.2
Hexachlorobutadiene	35	1	0	100	53	118	37	85.94	0.00	84.85	86.97	86	85	87	2.5
4-Chloro-3-methylphe	37	1	0	100	72	115	23	94.27	0.00	95.89	96.75	94	96	97	0.89
2,4,6-Trichlorophenol	44	1	0	100	76	120	18	97.90	0.00	95.94	100.43	98	96	100	4.6
2-Chloronaphthalene	47	1	0	100	58	117	14	93.49	0.00	93.78	96.82	93	94	97	3.2
Acenaphthylene	52	1	0	100	69	109	13	88.09	0.00	88.81	89.13	88	89	89	0.36
Dimethylphthalate	53	1	0	100	60	120	14	93.03	0.00	93.17	95.80	93	93	96	2.8
2,6-Dinitrotoluene	54	1	0	100	57	119	13	92.22	0.00	95.89	96.14	92	96	96	0.26
Acenaphthene	55	1	0	100	76	111	13	86.01	0.00	86.57	87.10	86	87	87	0.61
2,4-Dinitrophenol	57	1	0	100	46	132	36	97.20	0.00	100.78	106.52	97	101	107	5.5
2,4-Dinitrotoluene	59	1	0	100	59	123	19	90.22	0.00	90.93	93.24	90	91	93	2.5
4-Nitrophenol	60	1	0	100	13	111	22	42.81	0.00	60.92	64.39	43	61	64	5.5
Fluorene	62	1	0	100	74	111	13	81.12	0.00	82.34	82.56	81	82	83	0.27
4-Chlorophenyl-pheny	63	1	0	100	56	121	12	85.18	0.00	87.63	87.72	85	88	88	0.1
Diethylphthalate	64	1	0	100	58	118	13	87.28	0.00	87.17	88.26	87	87	88	1.2
4,6-Dinitro-2-methylph	68	1	0	100	61	137	25	97.36	0.00	101.48	103.41	97	101	103	1.9
4-Bromophenyl-pheny	72	1	0	100	61	126	14	94.16	0.00	96.87	99.16	94	97	99	2.3
Hexachlorobenzene	73	1	0	100	63	117	13	86.30	0.00	89.73	89.06	86	90	89	0.75
Pentachlorophenol	75	1	0	100	74	136	23	104.49	0.00	106.96	113.47	104	107	113	5.9
Phenanthrene	76	1	0	100	77	112	13	89.25	0.00	92.66	92.84	89	93	93	0.19
Anthracene	77	1	0	100	74	107	12	83.27	0.00	85.62	85.57	83	86	86	0.06
Di-n-butylphthalate	79	1	0	100	61	120	12	92.54	2.38	96.39	97.48	93	94	95	1.1
Fluoranthene	80	1	0	100	75	113	13	87.82	0.00	92.16	92.25	88	92	92	0.1
Pyrene	82	1	0	100	76	121	13	92.74	0.00	93.26	96.96	93	93	97	3.9
Butylbenzylphthalate	88	1	0	100	61	127	16	102.94	0.00	104.03	108.54	103	104	109	4.2
3,3'-Dichlorobenzidine	92	1	0	100	14	216	55	143.44	0.00	130.82	132.00	143	131	132	0.9
Benzo[a]anthracene	93	1	0	100	76	112	12	89.66	0.00	90.95	92.99	90	91	93	2.2
Chrysene	94	1	0	100	75	109	13	90.22	0.00	93.04	93.81	90	93	94	0.82
bis(2-Ethylhexyl)phtha	95	1	0	100	61	128	13	94.33	0.00	97.44	99.60	94	97	100	2.2
Di-n-octylphthalate	97	1	0	100	54	143	15	99.69	0.00	101.66	103.63	100	102	104	1.9
Benzo[b]fluoranthene	98	1	0	100	71	112	15	85.29	0.00	83.99	92.18	85	84	92	9.3
Benzo[k]fluoranthene	99	1	0	100	73	118	15	94.60	0.00	93.97	88.98	95	94	89	5.5
Benzo[a]pyrene	100	1	0	100	77	119	12	89.60	0.00	91.04	92.94	90	91	93	2.1
Indeno[1,2,3-cd]pyren	101	1	0	100	76	122	14	91.70	0.00	96.06	95.95	92	96	96	0.11
Dibenzo[a,h]anthracene	102	1	0	100	73	118	14	91.60	0.00	95.32	93.66	92	95	94	1.8
Benzo[a,h,i]perylene	103	1	0	100	71	118	15	92.24	0.00	97.23	96.67	92	97	97	0.58

Note:

Rp = Failed Rpd Criteria

Mo = Failed Recovery Criteria

^ - Both Ms and Msd Recoveries = 0 ... no valid information can be calculated

FORM 3
Spike Recovery

0115

Batch Number: SMB3943

Mbs File: 5M47057.D

Mbs Date: 11/06/08 10:23

Mbs Name: SMB3943(MS)

Non Spk'd File: 5M47064.D

Non Spk'd Date: 11/06/08 13:00

Ns Name: AC40813-004

Spike File: 5M47065.D

Spike Date : 11/06/08 13:23

Ms Name: AC40813-004(MS)

Spike Dup File: 5M47066.D

Spike Dup Date: 11/06/08 13:45

Msd Name: AC40813-004(MSD)

Matrix: Soil

Method: EPA 8270C

Compound	C#	Co	Mr	Conc Exp	Lo Lim	Hi Lim	Rpd Lim	Mbs Conc	Sample Conc	Spike Conc	Spike Dup Conc	Mbs Rec	MS Rec	Msd Rec	Rpd
Phenol	10	1	0	100	31	133	34	75.72	0.00	68.95	66.47	76	69	66	3.7
2-Chlorophenol	11	1	0	100	36	138	31	79.22	0.00	75.02	71.73	79	75	72	4.5
1,4-Dichlorobenzene	14	1	0	50	44	119	11	38.84	0.00	37.69	35.75	78	75	71	5.3
2-Methylphenol	18	1	0	100	32	144	30	82.40	0.00	75.94	73.76	82	76	74	2.9
N-Nitroso-di-n-propyla	21	1	0	50	30	140	34	42.11	0.00	39.74	38.29	84	79	77	3.7
2,4-Dimethylphenol	28	1	0	100	35	142	29	85.29	0.00	81.31	75.79	85	81	76	7
1,2,4-Trichlorobenzen	32	1	0	50	45	126	34	40.56	0.00	40.23	38.37	81	80	77	4.7
Naphthalene	33	1	0	50	55	126	30	39.79	12.99	47.50	48.11	80	69	70	1.3
4-Chloro-3-methylphe	37	1	0	100	36	150	31	85.26	0.00	78.74	76.08	85	79	76	3.4
Acenaphthene	55	1	0	50	56	129	32	39.21	0.00	38.45	36.21	78	77	72	6
2,4-Dinitrotoluene	59	1	0	50	35	140	34	37.56	0.00	35.37	33.61	75	71	67	5.1
4-Nitrophenol	60	1	0	100	29	148	37	81.61	0.00	75.81	71.93	82	76	72	5.3
Fluorene	62	1	0	50	51	129	40	40.56	0.00	39.85	37.18	81	80	74	6.9
Pentachlorophenol	75	1	0	100	31	136	46	104.14	0.00	98.51	92.96	104	99	93	5.8
Pyrene	82	1	0	50	55	160	49	38.69	0.00	40.20	37.11	77	80	74	8
Butylbenzylphthalate	88	1	0	50	47	154	31	38.86	0.00	39.66	37.71	78	79	75	5

Note:

Rp = Failed Rpd Criteria

Mo = Failed Recovery Criteria

^ - Both Ms and Msd Recoveries = 0 ... no valid information can be calculated

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-001
 Client Id: SW-1
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 10/30/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	90	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-39-3	Barium	0.075	29	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-41-7	Beryllium	0.043	ND	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-43-9	Cadmium	0.070	0.098	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-70-2	Calcium	84	33000	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-48-4	Cobalt	0.20	ND	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-50-8	Copper	1.5	12	.5	11/11/08	9647	A9647D	14	P	PEICP1
7439-89-6	Iron	47	510	.5	11/11/08	9647	A9647D	14	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	14	P	PEICP1
7439-95-4	Magnesium	39	9400	.5	11/11/08	9647	A9647D	14	P	PEICP1
7439-96-5	Manganese	0.37	550	.5	11/11/08	9647	A9647D	14	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	14	CV	HGCV2
7440-02-0	Nickel	0.31	0.66	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-09-7	Potassium	55	3800	0.5	11/11/08	9647	A9647C2	13	P	PEICPRAD2
7782-49-2	Selenium	1.9	ND	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-22-4	Silver	0.20	ND	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-23-5	Sodium	87	8000	0.5	11/11/08	9647	A9647C2	13	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-62-2	Vanadium	1.1	2.1	.5	11/11/08	9647	A9647D	14	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	14	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV - Cold Vapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-002
 Client Id: SW-2
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 10/31/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	170	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-39-3	Barium	0.075	25	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-41-7	Beryllium	0.043	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-43-9	Cadmium	0.070	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-70-2	Calcium	84	35000	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-48-4	Cobalt	0.20	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-50-8	Copper	1.5	28	.5	11/11/08	9647	A9647D	43	P	PEICP1
7439-89-6	Iron	47	440	.5	11/11/08	9647	A9647D	43	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1
7439-95-4	Magnesium	39	10000	.5	11/11/08	9647	A9647D	43	P	PEICP1
7439-96-5	Manganese	0.37	220	.5	11/11/08	9647	A9647D	43	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	30	CV	HGCV2
7440-02-0	Nickel	0.31	0.37	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-09-7	Potassium	55	4000	0.5	11/11/08	9647	A9647C2	35	P	PEICPRAD2
7782-49-2	Selenium	1.9	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-22-4	Silver	0.20	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-23-5	Sodium	87	8000	0.5	11/11/08	9647	A9647C2	35	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-62-2	Vanadium	1.1	2.1	.5	11/11/08	9647	A9647D	43	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	43	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV -ColdVapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-003
 Client Id: SW-3
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 10/30/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	230	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-38-2	Arsenic	1.3	1.6	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-39-3	Barium	0.075	21	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-41-7	Beryllium	0.043	ND	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-43-9	Cadmium	0.070	0.18	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-70-2	Calcium	84	32000	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-48-4	Cobalt	0.20	ND	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-50-8	Copper	1.5	14	.5	11/11/08	9647	A9647D	31	P	PEICP1
7439-89-6	Iron	47	190	.5	11/11/08	9647	A9647D	31	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	31	P	PEICP1
7439-95-4	Magnesium	39	6200	.5	11/11/08	9647	A9647D	31	P	PEICP1
7439-96-5	Manganese	0.37	21	.5	11/11/08	9647	A9647D	31	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	20	CV	HGCV2
7440-02-0	Nickel	0.31	0.54	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-09-7	Potassium	55	8100	0.5	11/11/08	9647	A9647C2	23	P	PEICPRAD2
7782-49-2	Selenium	1.9	ND	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-22-4	Silver	0.20	ND	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-23-5	Sodium	87	6700	0.5	11/11/08	9647	A9647C2	23	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-62-2	Vanadium	1.1	2.4	.5	11/11/08	9647	A9647D	31	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	31	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit
 P - ICP-AES
 CV - Cold Vapor
 MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-004
 Client Id: SW-4
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 10/30/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	97	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-39-3	Barium	0.075	38	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-41-7	Beryllium	0.043	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-43-9	Cadmium	0.070	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-70-2	Calcium	84	54000	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-48-4	Cobalt	0.20	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-50-8	Copper	1.5	12	.5	11/11/08	9647	A9647D	32	P	PEICP1
7439-89-6	Iron	47	530	.5	11/11/08	9647	A9647D	32	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1
7439-95-4	Magnesium	39	13000	.5	11/11/08	9647	A9647D	32	P	PEICP1
7439-96-5	Manganese	0.37	180	.5	11/11/08	9647	A9647D	32	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	23	CV	HGCV2
7440-02-0	Nickel	0.31	0.66	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-09-7	Potassium	55	4900	0.5	11/11/08	9647	A9647C2	24	P	PEICPRAD2
7782-49-2	Selenium	1.9	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-22-4	Silver	0.20	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-23-5	Sodium	87	13000	0.5	11/11/08	9647	A9647C2	24	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-62-2	Vanadium	1.1	3.0	.5	11/11/08	9647	A9647D	32	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	32	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit
 P - ICP-AES
 CV - ColdVapor
 MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-005
 Client Id: SD-1
 Matrix: SOIL
 Level: LOW

% Solid: 18
 Units: MG/KG
 Date Rec: 10/30/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	26	17000	100	11/05/08	9654	S9654B	21	P	PEICPRAD1
7440-36-0	Antimony	1.5	ND	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-38-2	Arsenic	1.5	11	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-39-3	Barium	0.31	640	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-41-7	Beryllium	0.036	ND	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-43-9	Cadmium	0.056	0.53	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-70-2	Calcium	42	15000	100	11/05/08	9654	S9654B	21	P	PEICPRAD1
7440-47-3	Chromium	0.49	37	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-48-4	Cobalt	0.12	22	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-50-8	Copper	1.3	74	100	11/04/08	9654	S9654A	22	P	PEICP1
7439-89-6	Iron	33	66000	100	11/05/08	9654	S9654B	21	P	PEICPRAD1
7439-92-1	Lead	1.0	87	100	11/04/08	9654	S9654A	22	P	PEICP1
7439-95-4	Magnesium	59	7900	100	11/05/08	9654	S9654B	21	P	PEICPRAD1
7439-96-5	Manganese	0.99	20000	200	11/05/08	9654	S9654C	11	P	PEICP1
7439-97-6	Mercury	0.066	0.071	167	11/06/08	9654	H9654S	18	CV	HGCV2
7440-02-0	Nickel	0.43	33	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-09-7	Potassium	89	2800	100	11/05/08	9654	S9654B	21	P	PEICPRAD1
7782-49-2	Selenium	1.9	8.4	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-22-4	Silver	0.28	2.4	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-23-5	Sodium	24	330	100	11/05/08	9654	S9654B	21	P	PEICPRAD1
7440-28-0	Thallium	1.6	ND	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-62-2	Vanadium	0.19	60	100	11/04/08	9654	S9654A	22	P	PEICP1
7440-66-6	Zinc	7.1	360	100	11/04/08	9654	S9654A	22	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV -ColdVapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-006
 Client Id: SD-2
 Matrix: SOIL
 Level: LOW

% Solid: 15
 Units: MG/KG
 Date Rec: 10/30/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	31	19000	100	11/05/08	9654	S9654B	22	P	PEICPRAD1
7440-36-0	Antimony	1.9	ND	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-38-2	Arsenic	1.7	12	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-39-3	Barium	0.37	770	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-41-7	Beryllium	0.044	ND	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-43-9	Cadmium	0.067	0.36	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-70-2	Calcium	50	18000	100	11/05/08	9654	S9654B	22	P	PEICPRAD1
7440-47-3	Chromium	0.58	40	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-48-4	Cobalt	0.14	23	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-50-8	Copper	1.6	84	100	11/04/08	9654	S9654A	23	P	PEICP1
7439-89-6	Iron	40	67000	100	11/05/08	9654	S9654B	22	P	PEICPRAD1
7439-92-1	Lead	1.3	100	100	11/04/08	9654	S9654A	23	P	PEICP1
7439-95-4	Magnesium	71	9600	100	11/05/08	9654	S9654B	22	P	PEICPRAD1
7439-96-5	Manganese	1.2	25000	200	11/05/08	9654	S9654C	12	P	PEICP1
7439-97-6	Mercury	0.079	ND	167	11/06/08	9654	H9654S	19	CV	HGCV2
7440-02-0	Nickel	0.51	43	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-09-7	Potassium	110	3800	100	11/05/08	9654	S9654B	22	P	PEICPRAD1
7782-49-2	Selenium	2.3	10	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-22-4	Silver	0.33	3.0	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-23-5	Sodium	29	400	100	11/05/08	9654	S9654B	22	P	PEICPRAD1
7440-28-0	Thallium	1.9	3.3	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-62-2	Vanadium	0.23	68	100	11/04/08	9654	S9654A	23	P	PEICP1
7440-66-6	Zinc	8.5	360	100	11/04/08	9654	S9654A	23	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV -ColdVapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-007
 Client Id: SD-3
 Matrix: SOIL
 Level: LOW

% Solid: 60
 Units: MG/KG
 Date Rec: 10/30/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	7.8	12000	100	11/05/08	9654	S9654B	23	P	PEICPRAD1
7440-36-0	Antimony	0.46	ND	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-38-2	Arsenic	0.44	3.1	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-39-3	Barium	0.093	69	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-41-7	Beryllium	0.011	0.24	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-43-9	Cadmium	0.017	0.017	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-70-2	Calcium	13	14000	100	11/05/08	9654	S9654B	23	P	PEICPRAD1
7440-47-3	Chromium	0.15	18	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-48-4	Cobalt	0.036	7.3	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-50-8	Copper	0.39	21	100	11/04/08	9654	S9654A	24	P	PEICP1
7439-89-6	Iron	10	16000	100	11/05/08	9654	S9654B	23	P	PEICPRAD1
7439-92-1	Lead	0.31	52	100	11/04/08	9654	S9654A	24	P	PEICP1
7439-95-4	Magnesium	18	9800	100	11/05/08	9654	S9654B	23	P	PEICPRAD1
7439-96-5	Manganese	0.15	310	100	11/04/08	9654	S9654A	24	P	PEICP1
7439-97-6	Mercury	0.020	0.031	167	11/06/08	9654	H9654S	20	CV	HGCV2
7440-02-0	Nickel	0.13	15	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-09-7	Potassium	27	1300	100	11/05/08	9654	S9654B	23	P	PEICPRAD1
7782-49-2	Selenium	0.57	0.62	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-22-4	Silver	0.083	ND	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-23-5	Sodium	7.3	190	100	11/05/08	9654	S9654B	23	P	PEICPRAD1
7440-28-0	Thallium	0.47	ND	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-62-2	Vanadium	0.058	31	100	11/04/08	9654	S9654A	24	P	PEICP1
7440-66-6	Zinc	2.1	60	100	11/04/08	9654	S9654A	24	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV -ColdVapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-008
 Client Id: SD-4
 Matrix: SOIL
 Level: LOW

% Solid: 72
 Units: MG/KG
 Date Rec: 10/30/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	6.5	5500	100	11/05/08	9654	S9654B	24	P	PEICPRAD1
7440-36-0	Antimony	0.39	ND	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-38-2	Arsenic	0.36	2.1	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-39-3	Barium	0.078	50	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-41-7	Beryllium	0.0091	ND	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-43-9	Cadmium	0.014	0.071	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-70-2	Calcium	10	29000	100	11/05/08	9654	S9654B	24	P	PEICPRAD1
7440-47-3	Chromium	0.12	12	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-48-4	Cobalt	0.030	4.7	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-50-8	Copper	0.33	11	100	11/04/08	9654	S9654A	25	P	PEICP1
7439-89-6	Iron	8.3	16000	100	11/05/08	9654	S9654B	24	P	PEICPRAD1
7439-92-1	Lead	0.26	49	100	11/04/08	9654	S9654A	25	P	PEICP1
7439-95-4	Magnesium	15	19000	100	11/05/08	9654	S9654B	24	P	PEICPRAD1
7439-96-5	Manganese	0.12	600	100	11/04/08	9654	S9654A	25	P	PEICP1
7439-97-6	Mercury	0.016	ND	167	11/06/08	9654	H9654S	23	CV	HGCV2
7440-02-0	Nickel	0.11	11	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-09-7	Potassium	22	1300	100	11/05/08	9654	S9654B	24	P	PEICPRAD1
7782-49-2	Selenium	0.48	ND	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-22-4	Silver	0.070	ND	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-23-5	Sodium	6.1	75	100	11/05/08	9654	S9654B	24	P	PEICPRAD1
7440-28-0	Thallium	0.39	ND	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-62-2	Vanadium	0.048	18	100	11/04/08	9654	S9654A	25	P	PEICP1
7440-66-6	Zinc	1.8	53	100	11/04/08	9654	S9654A	25	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV - Cold Vapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-009
 Client Id: SW-5
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 10/30/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	130	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-39-3	Barium	0.075	31	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-41-7	Beryllium	0.043	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-43-9	Cadmium	0.070	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-70-2	Calcium	84	35000	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-48-4	Cobalt	0.20	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-50-8	Copper	1.5	13	.5	11/11/08	9647	A9647D	33	P	PEICP1
7439-89-6	Iron	47	520	.5	11/11/08	9647	A9647D	33	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7439-95-4	Magnesium	39	10000	.5	11/11/08	9647	A9647D	33	P	PEICP1
7439-96-5	Manganese	0.37	570	.5	11/11/08	9647	A9647D	33	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	24	CV	HGCV2
7440-02-0	Nickel	0.31	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-09-7	Potassium	55	3800	0.5	11/11/08	9647	A9647C2	25	P	PEICPRAD2
7782-49-2	Selenium	1.9	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-22-4	Silver	0.20	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-23-5	Sodium	87	8100	0.5	11/11/08	9647	A9647C2	25	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-62-2	Vanadium	1.1	2.1	.5	11/11/08	9647	A9647D	33	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	33	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV - ColdVapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-010
 Client Id: FB-01
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 10/30/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-39-3	Barium	0.075	0.18	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-41-7	Beryllium	0.043	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-43-9	Cadmium	0.070	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-70-2	Calcium	84	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-48-4	Cobalt	0.20	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-50-8	Copper	1.5	9.4	.5	11/11/08	9647	A9647D	34	P	PEICP1
7439-89-6	Iron	47	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7439-95-4	Magnesium	39	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7439-96-5	Manganese	0.37	2.1	.5	11/11/08	9647	A9647D	34	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	25	CV	HGCV2
7440-02-0	Nickel	0.31	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-09-7	Potassium	55	ND	0.5	11/11/08	9647	A9647C2	30	P	PEICPRAD2
7782-49-2	Selenium	1.9	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-22-4	Silver	0.20	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-23-5	Sodium	87	240	0.5	11/11/08	9647	A9647C2	30	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-62-2	Vanadium	1.1	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	34	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV -ColdVapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-012
 Client Id: PC-1 F
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 10/30/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	52	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-39-3	Barium	0.075	41	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-41-7	Beryllium	0.043	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-43-9	Cadmium	0.070	0.078	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-70-2	Calcium	84	57000	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-48-4	Cobalt	0.20	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-50-8	Copper	1.5	16	.5	11/11/08	9647	A9647D	42	P	PEICP1
7439-89-6	Iron	47	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7439-95-4	Magnesium	39	8300	.5	11/11/08	9647	A9647D	42	P	PEICP1
7439-96-5	Manganese	0.37	1.6	.5	11/11/08	9647	A9647D	42	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	29	CV	HGCV2
7440-02-0	Nickel	0.31	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-09-7	Potassium	55	1300	0.5	11/11/08	9647	A9647C2	34	P	PEICPRAD2
7782-49-2	Selenium	1.9	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-22-4	Silver	0.20	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-23-5	Sodium	87	17000	0.5	11/11/08	9647	A9647C2	34	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-62-2	Vanadium	1.1	2.0	.5	11/11/08	9647	A9647D	42	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	42	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV - ColdVapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-017
 Client Id: LMW-4 F
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 11/3/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	39	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-39-3	Barium	0.075	150	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-41-7	Beryllium	0.043	0.74	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-43-9	Cadmium	0.070	ND	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-70-2	Calcium	84	58000	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-48-4	Cobalt	0.20	23	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-50-8	Copper	1.5	9.1	.5	11/11/08	9647	A9647D	35	P	PEICP1
7439-89-6	Iron	47	67000	.5	11/11/08	9647	A9647D	35	P	PEICP1
7439-92-1	Lead	1.2	2.9	.5	11/11/08	9647	A9647D	35	P	PEICP1
7439-95-4	Magnesium	39	22000	.5	11/11/08	9647	A9647D	35	P	PEICP1
7439-96-5	Manganese	1.5	24000	2	11/13/08	9647	A9647E	16	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	26	CV	HGCV2
7440-02-0	Nickel	0.31	3.4	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-09-7	Potassium	55	3200	0.5	11/11/08	9647	A9647C2	31	P	PEICPRAD2
7782-49-2	Selenium	1.9	7.4	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-22-4	Silver	0.20	3.0	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-23-5	Sodium	87	38000	0.5	11/11/08	9647	A9647C2	31	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-62-2	Vanadium	1.1	6.0	.5	11/11/08	9647	A9647D	35	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	35	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV -ColdVapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-018
 Client Id: PC-3 F
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 11/3/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-39-3	Barium	0.075	75	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-41-7	Beryllium	0.043	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-43-9	Cadmium	0.070	0.081	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-70-2	Calcium	84	35000	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-48-4	Cobalt	0.20	1.5	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-50-8	Copper	1.5	13	.5	11/11/08	9647	A9647D	36	P	PEICP1
7439-89-6	Iron	47	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1
7439-95-4	Magnesium	39	10000	.5	11/11/08	9647	A9647D	36	P	PEICP1
7439-96-5	Manganese	0.37	820	.5	11/11/08	9647	A9647D	36	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	27	CV	HGCV2
7440-02-0	Nickel	0.31	2.8	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-09-7	Potassium	55	3900	0.5	11/11/08	9647	A9647C2	32	P	PEICPRAD2
7782-49-2	Selenium	1.9	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-22-4	Silver	0.20	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-23-5	Sodium	87	43000	0.5	11/11/08	9647	A9647C2	32	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-62-2	Vanadium	1.1	2.1	.5	11/11/08	9647	A9647D	36	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	36	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit

P - ICP-AES

CV -ColdVapor

MS - ICP-MS

Form1

Inorganic Analysis Data Sheet

Sample ID: AC40800-019
 Client Id: LMW-7 F
 Matrix: AQUEOUS
 Level: LOW

% Solid: 0
 Units: UG/L
 Date Rec: 11/3/2008

Lab Name: Veritech
 Lab Code:
 Contract:

Nras No:
 Sdg No:
 Case No:

Cas No.	Analyte	RL	Conc	Dil Fact	Analysis Date:	Prep Batch	File:	Seq Num:	M	Instr
7429-90-5	Aluminum	30	75	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-36-0	Antimony	1.4	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-38-2	Arsenic	1.3	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-39-3	Barium	0.075	42	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-41-7	Beryllium	0.043	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-43-9	Cadmium	0.070	0.080	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-70-2	Calcium	84	57000	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-47-3	Chromium	0.33	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-48-4	Cobalt	0.20	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-50-8	Copper	1.5	19	.5	11/11/08	9647	A9647D	41	P	PEICP1
7439-89-6	Iron	47	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7439-92-1	Lead	1.2	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7439-95-4	Magnesium	39	8500	.5	11/11/08	9647	A9647D	41	P	PEICP1
7439-96-5	Manganese	0.37	2.0	.5	11/11/08	9647	A9647D	41	P	PEICP1
7439-97-6	Mercury	0.039	ND	1	11/11/08	9647	H9647A	28	CV	HGCV2
7440-02-0	Nickel	0.31	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-09-7	Potassium	55	1300	0.5	11/11/08	9647	A9647C2	33	P	PEICPRAD2
7782-49-2	Selenium	1.9	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-22-4	Silver	0.20	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-23-5	Sodium	87	17000	0.5	11/11/08	9647	A9647C2	33	P	PEICPRAD2
7440-28-0	Thallium	1.2	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-62-2	Vanadium	1.1	2.3	.5	11/11/08	9647	A9647D	41	P	PEICP1
7440-66-6	Zinc	2.5	ND	.5	11/11/08	9647	A9647D	41	P	PEICP1

Comments: _____

Flag Codes:

U or ND - Indicates Compound was not found above the detection/reporting limit
 P - ICP-AES
 CV -ColdVapor
 MS - ICP-MS

FORM 3 (ICB/CCB/MB Summary)

Date Analyzed: 11/04/08

Data File: S9654A

Prep Batch: 9654

Reporting Limits Used: .6010B(ICP)/7470A,7471A(Hg)

Instrument: PEICP1

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Analyte	ICB V-55098-8	CCB-20	CCB-30	CCB-40	MB 9654 (100)- 11
Aluminum	2 U	2 U	2 U	2 U	200 U
Antimony	.02 U	.02 U	.02 U	.02 U	2 U
Arsenic	.02 U	.02 U	.02 U	.02 U	2 U
Barium	.1 U	.1 U	.1 U	.1 U	10 U
Beryllium	.006 U	.006 U	.006 U	.006 U	.6 U
Cadmium	.006 U	.006 U	.006 U	.006 U	.6 U
Calcium	10 U	10 U	10 U	10 U	1000 U
Chromium	.05 U	.05 U	.05 U	.05 U	5 U
Cobalt	.025 U	.025 U	.025 U	.025 U	2.5 U
Copper	.05 U	.05 U	.05 U	.05 U	5 U
Iron	2 U	2 U	2 U	2 U	200 U
Lead	.05 U	.05 U	.05 U	.05 U	5 U
Magnesium	5 U	5 U	5 U	5 U	500 U
Manganese	.1 U	.1 U	.1 U	.1 U	10 U
Molybdenum	.025 U	.025 U	.025 U	.025 U	2.5 U
Nickel	.05 U	.05 U	.05 U	.05 U	5 U
Selenium	.018 U	.018 U	.018 U	.018 U	1.8 U
Silver	.015 U	.015 U	.015 U	.015 U	1.5 U
Thallium	.012 U	.012 U	.012 U	.012 U	1.2 U
Tin	.057 U	.057 U	.057 U	.057 U	5.7 U
Titanium	.35 U	.35 U	.35 U	.35 U	35 U
Vanadium	.1 U	.1 U	.1 U	.1 U	10 U
Zinc	.1 U	.1 U	.1 U	.1 U	10 U

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 3 **(ICB/CCB/MB Summary)**

Date Analyzed: 11/05/08

Data File: S9654B

Prep Batch: 9654

Reporting Limits Used: SOIL,6010B(ICP)/7470A,7471A(Hg)

Instrument: PEICPRAD1

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Analyte	ICB V-55098-7	CCB-19	CCB-28	MB 9654 (100)- 10				
Aluminum	2 U	2 U	2 U	200 U				
Calcium	10 U	10 U	10 U	1000 U				
Iron	2 U	2 U	2 U	200 U				
Magnesium	5 U	5 U	5 U	500 U				
Manganese	.1 U	.1 U	.1 U	10 U				
Potassium	5 U	5 U	5 U	500 U				
Sodium	2.5 U	2.5 U	2.5 U	250 U				
Titanium	.1 U	.1 U	.1 U	10 U				

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 3 (ICB/CCB/MB Summary)

Date Analyzed: 11/05/08

Data File: S9654C

Prep Batch: 9654

Reporting Limits Used: SOIL,6010B(ICP)/7470A,7471A(Hg)

Instrument: PEICP1

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Analyte	ICB V-55098-8	CCB-17					
Aluminum	2 U	2 U					
Antimony	.02 U	.02 U					
Arsenic	.02 U	.02 U					
Barium	.1 U	.1 U					
Beryllium	.006 U	.006 U					
Cadmium	.006 U	.006 U					
Calcium	10 U	10 U					
Chromium	.05 U	.05 U					
Cobalt	.025 U	.025 U					
Copper	.05 U	.05 U					
Iron	2 U	2 U					
Lead	.05 U	.05 U					
Magnesium	5 U	5 U					
Manganese	.1 U	.1 U					
Molybdenum	.025 U	.025 U					
Nickel	.05 U	.05 U					
Selenium	.018 U	.018 U					
Silver	.015 U	.015 U					
Thallium	.012 U	.012 U					
Tin	.057 U	.057 U					
Titanium	.35 U	.35 U					
Vanadium	.1 U	.1 U					
Zinc	.1 U	.1 U					

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 3

(ICB/CCB/MB Summary)

Date Analyzed: 11/11/08

Data File: A9647D

Prep Batch: 9647

Reporting Limits Used: AQUEOUS,200.7(ICP)/200.8(ICPMS)/245.1(Hg)

Instrument: PEICP1

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Analyte	ICB V-55098-8	CCB-20	CCB-30	CCB-38	CCB-47	MB 9647 (0.5)- 11		
Aluminum	.2 U	.2 U	.2 U	.2 U	.2 U	.1 U		
Antimony	.015 U	.015 U	.015 U	.015 U	.015 U	.0075 U		
Arsenic	.04 U	.04 U	.04 U	.04 U	.04 U	.02 U		
Barium	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Beryllium	.008 U	.008 U	.008 U	.008 U	.008 U	.004 U		
Cadmium	.004 U	.004 U	.004 U	.004 U	.004 U	.002 U		
Calcium	2 U	2 U	2 U	2 U	2 U	1 U		
Chromium	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Cobalt	.02 U	.02 U	.02 U	.02 U	.02 U	.01 U		
Copper	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Iron	.3 U	.3 U	.3 U	.3 U	.3 U	.15 U		
Lead	.01 U	.01 U	.01 U	.01 U	.01 U	.005 U		
Magnesium	2 U	2 U	2 U	2 U	2 U	1 U		
Manganese	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Molybdenum	.02 U	.02 U	.02 U	.02 U	.02 U	.01 U		
Nickel	.02 U	.02 U	.02 U	.02 U	.02 U	.01 U		
Selenium	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Silver	.02 U	.02 U	.02 U	.02 U	.02 U	.01 U		
Thallium	.01 U	.01 U	.01 U	.01 U	.01 U	.005 U		
Tin	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Titanium	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Vanadium	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		
Zinc	.05 U	.05 U	.05 U	.05 U	.05 U	.025 U		

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 3
(ICB/CCB/MB Summary)

Date Analyzed: 11/11/08

Data File: A9647C2

Prep Batch: 9647

Reporting Limits Used: AQUEOUS,200.7(ICP)/200.8(ICPMS)/245.1(Hg)

Instrument: PEICPRAD2

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Analyte	ICB V-54581-7	CCB-17	CCB-29	CCB-39	MB 9647 (0.5)- 10			
Aluminum	1 U	1 U	1 U	1 U	.5 U			
Calcium	5 U	5 U	5 U	5 U	2.5 U			
Iron	1 U	1 U	1 U	1 U	.5 U			
Magnesium	5 U	5 U	5 U	5 U	2.5 U			
Potassium	5 U	5 U	5 U	5 U	2.5 U			
Sodium	5 U	5 U	5 U	5 U	2.5 U			

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 3 (ICB/CCB/MB Summary)

Date Analyzed: 11/13/08

Data File: A9647E

Prep Batch: 9647

Reporting Limits Used: AQUEOUS,200.7(ICP)/200.8(ICPMS)/245.1(Hg)

Instrument: PEICP1

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Analyte	ICB V-55098-8	CCB-15	CCB-20					
Aluminum	.2 U	.2 U	.2 U					
Antimony	.015 U	.015 U	.015 U					
Arsenic	.04 U	.04 U	.04 U					
Barium	.05 U	.05 U	.05 U					
Beryllium	.008 U	.008 U	.008 U					
Cadmium	.004 U	.004 U	.004 U					
Calcium	2 U	2 U	2 U					
Chromium	.05 U	.05 U	.05 U					
Cobalt	.02 U	.02 U	.02 U					
Copper	.05 U	.05 U	.05 U					
Iron	.3 U	.3 U	.3 U					
Lead	.01 U	.01 U	.01 U					
Magnesium	2 U	2 U	2 U					
Manganese	.05 U	.05 U	.05 U					
Molybdenum	.02 U	.02 U	.02 U					
Nickel	.02 U	.02 U	.02 U					
Selenium	.05 U	.05 U	.05 U					
Silver	.02 U	.02 U	.02 U					
Thallium	.01 U	.01 U	.01 U					
Tin	.05 U	.05 U	.05 U					
Titanium	.05 U	.05 U	.05 U					
Vanadium	.05 U	.05 U	.05 U					
Zinc	.05 U	.05 U	.05 U					

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 3
(ICB/CCB/MB Summary)

Date Analyzed: 11/06/08

Data File: H9654S

Prep Batch: 9654

Reporting Limits Used: SOIL,6010B(ICP)/7470A,7471A(Hg)

Instrument: HGCV2

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Analyte	ICB-10	CCB-22	CCB-34	MB 9654 (167)- 11				
Mercury	.5 U	.5 U	.5 U	84 U				

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 3
(ICB/CCB/MB Summary)

Date Analyzed: 11/11/08
Data File: H9647A
Prep Batch: 9647
Reporting Limits Used: AQUEOUS,200.7(ICP)/200.8(ICPMS)/245.1(Hg)
Instrument: HGCV2
Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech
Lab Code:
Contract:
Nras No:
Sdg No:
Case No:

Analyte	ICB-10	CCB-22	CCB-32	MB 9647(1)-11				
Mercury	.2 U	.2 U	.2 U	.2 U				

Notes: a-indicates absolute value of result found above the reporting limits in CCB/ICB or result found above reporting limit in the MB
u-indicates result below reporting limit

FORM 5/FORM 7 SPIKE/LCS RECOVERY

Date Analyzed: 11/04/08

Data File: S9654A

Prep Batch: 9654

Analytical Method: 6010B(ICP)/7470A,7471A(Hg)

Instrument: PEICP1

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Matrix:

Level: Low

MATRIX SPIKE SOURCE: VHG LABS

Analyte	Spike Amts			LCS Rec Limits	Non Spike Conc		%REC OR Conc	AC40791- 018-17-1X		%REC OR Conc	LCS-12-1X		%REC OR Conc	LCS MR- 13-1X		%REC OR Conc	%REC OR Conc
	MS-Tclp MS-Aq MS-soil	LCS Soil	LCS Aq		AC40791- 018-14	AC40791- 018-16-1X		AC40791- 018-16-1X	AC40791- 018-17-1X		AC40791- 018-17-1X	AC40791- 018-17-1X		AC40791- 018-17-1X	AC40791- 018-17-1X		
Aluminum	5.000	101		4.60 - 14	5.42686	16.2761	217 a	16.4131	220 a	68.7261	68.7	61.4542	61.5				
Antimony	.5000	1.01		167 - 1.8	0.02	U 0.470342	94	0.45885	92	0.989546	.99	0.900699	.901				
Arsenic	.5000	1.56		.24 - 1.8	0.02	U 0.493746	99	0.485583	97	1.64106	1.64	1.48398	1.48				
Barium	0.500	3.62		.99 - 4.2	0.1	U 0.568276	114	0.542055	108	3.59278	3.59	3.27071	3.27				
Beryllium	.5000	1.40		.15 - 1.6	0.006	U 0.485733	97	0.46818	94	1.43776	1.44	1.29993	1.3				
Cadmium	.5000	1.41		.14 - 1.6	0.006	U 0.49924	100	0.482489	96	1.47997	1.48	1.3221	1.32				
Calcium	50.000	97.7		.95 - 11	10	U 49.6126	99	49.2147	98	97.4206	97.4	89.2127	89.2				
Chromium	.5000	0.763		615 - 0.5	0.05	U 0.543737	109	0.501472	100	0.759068	.759	0.693117	.693				
Cobalt	.5000	0.839		.81 - 0.9	0.025	U 0.518576	104	0.496115	99	0.892127	.892	0.806076	.806				
Copper	.5000	0.772		.29 - 0.9	0.05	U 0.557462	111	0.525841	105	0.818448	.818	0.75628	.756				
Iron	5.000	178		90 - 266	10.2505	25.845	312 a	25.5359	306 a	149.716	150	134.753	135				
Lead	0.500	0.729		.65 - 0.8	0.05	U 0.525491	105	0.515456	103	0.740837	.741	0.694403	.694				
Magnesium	50.000	40.2		1.6 - 48	5	U 51.5972	103	53.8765	108	36.6066	36.6	33.1856	33.2				
Manganese	.5000	4.66		.79 - 5.5	0.1	U 0.592741	119	0.629212	126 a	4.67365	4.67	4.11932	4.12				
Molybdenum	.5000	1.70		.32 - 2.0	0.025	U 0.49886	100	0.488879	98	1.71258	1.71	1.59358	1.59				
Nickel	.5000	0.843		663 - 1.0	0.05	U 0.524577	105	0.512384	102	0.906074	.906	0.807765	.808				
Selenium	.5000	1.98		.52 - 2.4	0.018	U 0.480425	96	0.473863	95	2.08508	2.09	1.88589	1.89				
Silver	0.100	0.469		.111 - 0.6	0.015	U 0.0977152	98	0.0946399	95	0.505342	.505	0.44775	.448				
Thallium	.5000	2.18		.77 - 2.6	0.012	U 0.521748	104	0.516575	103	2.36319	2.36	2.14934	2.15				
Tin	.5000	1.42		.12 - 1.7	0.057	U 0.686951	137 a	0.53598	107	1.65335	1.65	1.52022	1.52				
Titanium	.5000	3.91		.24 - 6.5	0.35	U 0.821208	164 a	0.861184	172 a	3.09554	3.1	2.85531	2.86				
Vanadium	.5000	0.627		.59 - 0.7	0.1	U 0.518778	104	0.494549	99	0.572912	.573	0.5248	.525				
Zinc	.5000	2.04		.66 - 2.4	0.1	U 0.602823	121	0.581877	116	2.05797	2.06	2.02625	2.03				

MS Qc Limits:**EPA600:**

MS: 70-130

SW846

MS TCLP: >50%

MS soil/aqueous:75-125

CLP

MS:75-125

Flags:

U: Conc < Reporting Limit

a: Recovery Failed Specified Limit

b: Recovery Failed Specified Limit but Non Spike
concentration > 4* spike amount

Note: All Elements analyzed by ICP(P) or ICP-MS except Mercury(CV)

FORM 5/FORM 7 SPIKE/LCS RECOVERY

Date Analyzed: 11/05/08
 Data File: S9654B
 Prep Batch: 9654
 Analytical Method: 6010B(ICP)/7470A,7471A(Hg)
 Instrument: PEICPRAD1
 Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech
 Lab Code:
 Contract:
 Nras No:
 Sdg No:
 Case No:
 Matrix: SOIL
 Level: Low

MATRIX SPIKE SOURCE: VHGLABS

Analyte	Spike Amt		LCS Rec Limits	Non Spike Conc AC40791- 018-13		%REC OR Conc	AC40791- 018-15-1X	%REC OR Conc	AC40791- 018-16-1X	%REC OR Conc	LCS-11-1X	%REC OR Conc	LCS MR- 12-1X	%REC OR Conc	%REC OR Conc
	MS-Tclp MS-Aq MS-soil	LCS Soil Aq													
Aluminum	5.000	101	4.6 - 14:	6.02139		205 a	16.2677		16.8706	217 a	71.8722	71.9	62.8764	62.9	
Calcium	50.000	97.7	9.5 - 11:	10	U	48.7593	98	48.0669	96	97.8098	97.8	89.4971	89.5		
Iron	5.000	178	90 - 266	10.0659		310 a	25.5897		25.1305	301 a	155.552	156	136.673	137	
Magnesium	50.000	40.2	1.6 - 48:	5	U	51.4845	103	53.3495	107	37.1978	37.2	33.6114	33.6		
Manganese	5.000	4.66	.79 - 5.5	0.1	U	0.583022	117	0.635694	127 a	4.75375	4.75	4.14658	4.15		
Potassium	50	53.4	9.3 - 67:	5	U	48.5959	97	48.2252	96	49.4589	49.5	44.4381	44.4		
Sodium	50.00	7.06	.19 - 8.9	2.5	U	48.5082	97	47.688	95	7.25018	7.25	6.46155	6.46		
Titanium	5.000	3.91	.24 - 6.5	0.249447		112	0.809072		0.845245	119	3.1744	3.17	2.86062	2.86	

MS Qc Limits:

EPA600:

SW846

CLP

MS: 70-130

MS TCLP: >50%

MS:75-125

MS soil/aqueous:75-125

Flags:

U: Conc < Reporting Limit

a: Recovery Failed Specified Limit

b: Recovery Failed Specified Limit but Non Spike
concentration > 4* spike amount

Note: All Elements analyzed by ICP(P) or ICP-MS except Mercury(CV)

FORM 5/FORM 7 SPIKE/LCS RECOVERY

Date Analyzed: 11/11/08
 Data File: A9647D
 Prep Batch: 9647
 Analytical Method: 200.7(ICP)/200.8(ICPMS)/245.1(Hg)
 Instrument: PEICP1
 Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech
 Lab Code:
 Contract:
 Nras No:
 Sdg No:
 Case No:
 Matrix: AQUEOUS
 Level: Low

MATRIX SPIKE SOURCE: VHG LABS

Analyte	Spike Amts			LCS Rec Limits	Non Spike Conc AC40800- 001-14		AC40800- 001-16-1X	%REC OR Conc	AC40800- 001-17-1X	%REC OR Conc	LCSW-12- 1X	%REC OR Conc	LCSW MR-13-1X	%REC OR Conc	%REC OR Conc
	MS-Tclp MS-Aq MS-soil	LCS Soil	LCS Aq												
Aluminum	5.000		5.000	85 - 115	0.2	U	5.23441	105	5.19838	104	4.87647	98	4.86391	97	
Antimony	.5000		.5000	85 - 115	0.015	U	0.527899	106	0.52463	105	0.493795	99	0.500905	100	
Arsenic	.5000		.5000	85 - 115	0.04	U	0.529097	106	0.526122	105	0.500203	100	0.510642	102	
Barium	.5000		.5000	85 - 115	0.0588977		0.575883	103	0.570351	102	0.505738	101	0.504763	101	
Beryllium	.5000		.5000	85 - 115	0.008	U	0.524136	105	0.51789	104	0.499152	100	0.499988	100	
Cadmium	.5000		.5000	85 - 115	0.004	U	0.517924	104	0.511208	102	0.505064	101	0.509566	102	
Calcium	50.000		50.000	85 - 115	65.9009		117.491	103	115.757	100	49.5546	99	49.6316	99	
Chromium	.5000		.5000	85 - 115	0.05	U	0.504988	101	0.500556	100	0.495982	99	0.495846	99	
Cobalt	.5000		.5000	85 - 115	0.02	U	0.507488	101	0.50313	101	0.497242	99	0.505211	101	
Copper	.5000		.5000	85 - 115	0.05	U	0.506257	101	0.507557	102	0.49481	99	0.491365	98	
Iron	5.000		5.000	85 - 115	1.01626		6.23623	104	6.09903	102	4.99337	100	4.99891	100	
Lead	.5000		.5000	85 - 115	0.01	U	0.519724	104	0.512249	102	0.501437	100	0.509159	102	
Magnesium	50.000		50.000	85 - 115	18.7559		70.662	104	69.3773	101	50.0033	100	50.1342	100	
Manganese	.5000		.5000	85 - 115	1.0975		1.61129	103	1.58215	97	0.501172	100	0.500898	100	
Molybdenum	.5000		.5000	85 - 115	0.02	U	0.515372	103	0.513654	103	0.497286	99	0.50518	101	
Nickel	.5000		.5000	85 - 115	0.02	U	0.498673	100	0.493987	99	0.494775	99	0.501253	100	
Selenium	.5000		.5000	85 - 115	0.05	U	0.529015	106	0.524982	105	0.511646	102	0.520825	104	
Silver	.100		.1000	85 - 115	0.02	U	0.100889	101	0.100383	100	0.0987137	99	0.0976558	98	
Thallium	.5000		.5000	85 - 115	0.01	U	0.534128	107	0.533188	107	0.528286	106	0.533772	107	
Tin	.5000		.5000	85 - 115	0.05	U	0.575137	115	0.568737	114	0.543361	109	0.553763	111	
Titanium	.5000		.5000	85 - 115	0.05	U	0.520772	104	0.516345	103	0.492591	99	0.491537	98	
Vanadium	.5000		.5000	85 - 115	0.05	U	0.507395	101	0.503489	101	0.490403	98	0.488742	98	
Zinc	.5000		.5000	85 - 115	0.05	U	0.522894	105	0.512274	102	0.500497	100	0.505403	101	

MS Qc Limits:

EPA600:	SW846	CLP
MS: 70-130	MS TCLP: >50% MS soil/aqueous:75-125	MS:75-125

Flags:

U: Conc < Reporting Limit
 a: Recovery Failed Specified Limit
 b: Recovery Failed Specified Limit but Non Spike
 concentration > 4* spike amount

Note: All Elements analyzed by ICP(P) or ICP-MS except Mercury(CV)

FORM 5/FORM 7 SPIKE/LCS RECOVERY

Date Analyzed: 11/11/08
 Data File: A9647C2
 Prep Batch: 9647
 Analytical Method: 200.7(ICP)/200.8(ICPMS)/245.1(Hg)
 Instrument: PEICPRAD2
 Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech
 Lab Code:
 Contract:
 Nras No:
 Sdg No:
 Case No:
 Matrix: AQUEOUS
 Level: Low

MATRIX SPIKE SOURCE: VHG LABS

Analyte	Spike Amts			LCS Rec Limits	Non Spike Conc AC40800- 001-13	AC40800- 001-15-1X	%REC OR Conc	AC40800- 001-18-1X	%REC OR Conc	LCSW-11- 1X	%REC OR Conc	LCSW MR-12-1X	%REC OR Conc	%REC OR Conc
	MS-Tclp MS-Aq MS-soil	LCS Soil	LCS Aq											
Aluminum	5.000		5.000	85 - 115	1 U	5.09612	102	5.11167	102	4.83878	97	4.80742	96	
Calcium	50.000		50.000	85 - 115	61.8563	113.324	103	112.011	100	48.6869	97	48.3468	97	
Iron	5.000		5.000	85 - 115	1.02848	5.9292	98	5.90517	98	4.72611	95	4.70453	94	
Magnesium	50.000		50.000	85 - 115	18.1299	68.0779	100	67.9688	100	49.0917	98	48.7896	98	
Potassium	50.000		50.000	85 - 115	7.55205	56.8492	99	56.939	99	47.6699	95	47.2986	95	
Sodium	50.000		50.000	85 - 115	15.9561	66.1679	100	66.0948	100	48.8762	98	48.3394	97	

MS Qc Limits:

EPA600:	SW846	CLP
MS: 70-130	MS TCLP: >50% MS soil/aqueous: 75-125	MS: 75-125

Flags:

U: Conc < Reporting Limit
 a: Recovery Failed Specified Limit
 b: Recovery Failed Specified Limit but Non Spike
 concentration > 4* spike amount

Note: All Elements analyzed by ICP(P) or ICP-MS except Mercury(CV)

FORM 5/FORM 7 SPIKE/LCS RECOVERY

Date Analyzed: 11/11/08

Data File: H9647A

Prep Batch: 9647

Analytical Method: 200.7(ICP)/200.8(ICPMS)/245.1(Hg)

Instrument: HGCv2

Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech

Lab Code:

Contract:

Nras No:

Sdg No:

Case No:

Matrix: AQUEOUS

Level: Low

MATRIX SPIKE SOURCE: VHG LABS

Analyte	Spike Amts			LCS Rec Limits	Non Spike Conc AC40800- 001-14		%REC OR Conc	AC40800- 001-16-1X	%REC OR Conc	AC40800- 001-17-1X	%REC OR Conc	LCSW-12- 1X	%REC OR Conc	LCSW MR-13-1X	%REC OR Conc	%REC OR Conc
	MS-Tclp MS-Aq MS-soil	LCS Soil	LCS Aq													
Mercury	10		10	85 - 115	0.2	U	109	10.86	107	10.7	107	9.778	98	9.731	97	

MS Qc Limits:

EPA600:	SW846	CLP
MS: 70-130	MS TCLP: >50% MS soil/aqueous:75-125	MS:75-125

Flags:

U: Conc < Reporting Limit

a: Recovery Failed Specified Limit

b: Recovery Failed Specified Limit but Non Spike
concentration > 4* spike amount

Note: All Elements analyzed by ICP(P) or ICP-MS except Mercury(CV)

FORM6/FORM9 RPDS

Date Analyzed: 11/04/08
 Data File: S9654A
 Prep Batch: 9654
 Analytical Method: 6010B(ICP)/7470A,7471A(Hg)
 Instrument: PEICP1
 Units: All units in ppm except Hg and icp-ms in ppb

Lab Name: Veritech
 Lab Code:
 Contract:
 Nras No:
 Sdg No:
 Case No:

Analyte	Qc Limits		Sample			Method Rep			LCS			LCS MR			Sample			Serial Dil			%Diff
	LCS/MR	SD	AC40791-018-14	AC40791-018-15	RPD	AC40791-018-14	AC40791-018-15	RPD	LCS-12	LCS MR-13	RPD	AC40791-018-14	AC40791-018-21	RPD	AC40791-018-14	AC40791-018-21	RPD	AC40791-018-14	AC40791-018-21	RPD	
Aluminum	<=20	<=10	5.42686	5.22465	3.8										5.42686	5.33615		5.42686	5.33615		1.7
Antimony	<=20	<=10	0.02 U	0.02 U	---										0.00158 U	0.0079 U		0.00158 U	0.0079 U		---
Arsenic	<=20	<=10	0.02 U	0.02 U	---										0.0048115	0.0106 U		0.0048115	0.0106 U		---
Barium	<=20	<=10	0.1 U	0.1 U	---										0.0394465	0.0397765		0.0394465	0.0397765		0.84
Beryllium	<=20	<=10	0.006 U	0.006 U	---										0.0004994	0.0007075		0.0004994	0.0007075		42 Sb
Cadmium	<=20	<=10	0.006 U	0.006 U	---										0.0006855	0.00055 U		0.0006855	0.00055 U		---
Calcium	<=20	<=10	10 U	10 U	---										0.154965	0.077 U		0.154965	0.077 U		---
Chromium	<=20	<=10	0.05 U	0.05 U	---										0.0186226	0.018844		0.0186226	0.018844		1.2
Cobalt	<=20	<=10	0.025 U	0.025 U	---										0.0014697	0.00222 U		0.0014697	0.00222 U		---
Copper	<=20	<=10	0.05 U	0.05 U	---										0.0395941	0.062507		0.0395941	0.062507		58 Sb
Iron	<=20	<=10	10.2505	11.2438	9.2										10.2505	10.21125		10.2505	10.21125		0.38
Lead	<=20	<=10	0.050 U	0.050 U	---										0.0172835	0.0146455		0.0172835	0.0146455		15 Sb
Magnesium	<=20	<=10	5 U	5 U	---										1.44033	1.36637		1.44033	1.36637		5.1
Manganese	<=20	<=10	0.10 U	0.10 U	---										0.0737308	0.0729135		0.0737308	0.0729135		1.1
Molybdenum	<=20	<=10	0.025 U	0.025 U	---										0.0027009	0.00197 U		0.0027009	0.00197 U		---
Nickel	<=20	<=10	0.05 U	0.05 U	---										0.0095730	0.0116705		0.0095730	0.0116705		22 Sb
Selenium	<=20	<=10	0.018 U	0.018 U	---										0.00194 U	0.0097 U		0.00194 U	0.0097 U		---
Silver	<=20	<=10	0.015 U	0.015 U	---										0.000311 U	0.001555 U		0.000311 U	0.001555 U		---
Thallium	<=20	<=10	0.012 U	0.012 U	---										0.0020277	0.00835 U		0.0020277	0.00835 U		---
Tin	<=20	<=10	0.057 U	0.057 U	---										0.0115908	0.0068085		0.0115908	0.0068085		41 Sb
Titanium	<=20	<=10	0.35 U	0.35 U	---										0.243894	0.24283		0.243894	0.24283		0.44
Vanadium	<=20	<=10	0.1 U	0.1 U	---										0.0146679	0.01665		0.0146679	0.01665		14 Sa
Zinc	<=20	<=10	0.1 U	0.1 U	---										0.0683863	0.08285		0.0683863	0.08285		21 Sb

Flags:

Na::Method Rep outside of Qc Limits
 Nb :Method Rep out but concentrations < 5* Reporting Limits
 U: Conc < Reporting Limit (Method Rep) or < IDL (serial Dilution)
 Lm:Lcs Rpd Out

Sa:Serial Dilution outside of qc limits
 Sb: Serial dilution out but concentration < 10 * IDL
 E: Serial Dilution outside of qc limits CLP

VERITECH Wet Chem Form1 Analysis Summary

Lab#: AC40800-001 Matrix: Aqueous Client SampleID: SW-1	Project Number: 8103011 Received Date: 10/30/2008 Collect Date: 10/29/2008
--	---

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	1	7.4	mg/L	1.5	10/31/08	10/31/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/03/08	11/03/08

Lab#: AC40800-002 Matrix: Aqueous Client SampleID: SW-2	Project Number: 8103011 Received Date: 10/30/2008 Collect Date: 10/29/2008
--	---

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	1	7.5	mg/L	1.5	10/31/08	10/31/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/03/08	11/03/08

Lab#: AC40800-003 Matrix: Aqueous Client SampleID: SW-3	Project Number: 8103011 Received Date: 10/30/2008 Collect Date: 10/29/2008
--	---

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	1	8.4	mg/L	1.5	10/31/08	10/31/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/03/08	11/03/08

Lab#: AC40800-004 Matrix: Aqueous Client SampleID: SW-4	Project Number: 8103011 Received Date: 10/30/2008 Collect Date: 10/29/2008
--	---

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	1	15	mg/L	1.5	10/31/08	10/31/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/03/08	11/03/08

Lab#: AC40800-005 Matrix: Soil Client SampleID: SD-1	Project Number: 8103011 Received Date: 10/30/2008 Collect Date: 10/29/2008
---	---

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICS	1	890	mg/kg	830	11/02/08	11/02/08
Cyanide	CN-S-9012	1	2	mg/kg	1.4	11/02/08	11/02/08

Lab#: AC40800-006 Matrix: Soil Client SampleID: SD-2	Project Number: 8103011 Received Date: 10/30/2008 Collect Date: 10/29/2008
---	---

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICS	1	1100	mg/kg	1000	11/02/08	11/02/08
Cyanide	CN-S-9012	1	2.3	mg/kg	1.7	11/02/08	11/02/08

Lab#: AC40800-007 Matrix: Soil Client SampleID: SD-3	Project Number: 8103011 Received Date: 10/30/2008 Collect Date: 10/29/2008
---	---

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICS	1	270	mg/kg	250	11/02/08	11/02/08
Cyanide	CN-S-9012	1	ND	mg/kg	0.41	11/03/08	11/03/08

Lab#: AC40800-008 Matrix: Soil Client SampleID: SD-4	Project Number: 8103011 Received Date: 10/30/2008 Collect Date: 10/29/2008
---	---

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICS	1	220	mg/kg	210	11/02/08	11/02/08
Cyanide	CN-S-9012	1	ND	mg/kg	0.35	11/03/08	11/03/08

VERITECH Wet Chem Form1 Analysis Summary

Lab#: AC40800-009	Project Number: 8103011
Matrix Aqueous	Received Date: 10/30/2008
Client SampleID: SW-5	Collect Date: 10/29/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	1	7.4	mg/L	1.5	10/31/08	10/31/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/03/08	11/03/08

Lab#: AC40800-010	Project Number: 8103011
Matrix Aqueous	Received Date: 10/30/2008
Client SampleID: FB-01	Collect Date: 10/29/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	1	1.6	mg/L	1.5	10/31/08	10/31/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/03/08	11/03/08

Lab#: AC40800-011	Project Number: 8103011
Matrix Aqueous	Received Date: 10/30/2008
Client SampleID: PC-1 U	Collect Date: 10/29/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Alkalinity	ALKALIN-MUR	1	160	mg CaCO3/l	10	11/12/08	11/12/08
Alkalinity	ALK-BICARB	1	160	mg/L HCO3	10	11/12/08	11/12/08
Chloride	CHLORIDE-ICW	1	28	mg/L	1.5	10/30/08	10/30/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/03/08	11/03/08
Nitrate	NO3-ICW	1	ND	mg/L	0.27	10/30/08	10/30/08
Sulfate	SO4-ICW	1	34	mg/L	2.3	10/30/08	10/30/08

Lab#: AC40800-013	Project Number: 8103011
Matrix Aqueous	Received Date: 10/30/2008
Client SampleID: LMW-4	Collect Date: 10/29/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	1	28	mg/L	1.5	10/31/08	10/31/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/05/08	11/05/08

Lab#: AC40800-014	Project Number: 8103011
Matrix Aqueous	Received Date: 10/30/2008
Client SampleID: PC-3	Collect Date: 10/29/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	1	37	mg/L	1.5	10/31/08	10/31/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/05/08	11/05/08

Lab#: AC40800-015	Project Number: 8103011
Matrix Aqueous	Received Date: 10/30/2008
Client SampleID: LMW-7	Collect Date: 10/29/2008

Analysis	TestGroup	Dilution:	Result	Units:	PQL:	Prep Date:	Analysis Date:
Chloride	CHLORIDE-ICW	1	28	mg/L	1.5	10/31/08	10/31/08
Cyanide	CN-WATER-MUR	1	ND	mg/l	0.01	11/05/08	11/05/08

Batch Number: CN-S-56

Units: mg/kg

Calibration Curve Information

Qc Summary Results

Qc Type	Qc Name	SpkAmt	Rec Lim	Rpd Lim	Raw Result	Recov	Rpd	Flags
CCV	CCV-3	0.4	90-110	NA	0.397262	99	NA	
CCV	CCV-2	0.4	90-110	NA	0.401592	100	NA	
CCV	CCV-1	0.4	90-110	NA	0.400392	100	NA	
DUP	AC40829-004	0	NA	20	0.1877778	NA	NA	Nc
ICV	ICV-11/02/08	0.757	90-110	NA	0.780459	103	NA	
LCS	LCS-1	5	75-125	NA	4.8115	96	NA	
MS	AC40829-004	5.555555	75-125	NA	5.532028	100	NA	
MSD	AC40829-004	5.555555	75-125	20	5.581194	100	0.88	

Analytical Method(s)

EPA 9012B

Sam #	Type	MB	Result	RL	Per Sol	Raw Result	Raw Result	SmpWt	DF	ScrubV ol	Prep Date	Prep By	Anal Date	Anal By
ICV-11/02/08	ICV		0.78	0.25	100	0.78046	0.780459	1	1	1		hs	11/02/08	hs
MB-1-11/02/08	MB	MB-1-11/02/08	ND	0.25	100	0	0	2	1	50	11/02/08	hs	11/02/08	hs
LCS-1	LCS		4.8	0.25	100	4.8115	0.192460	2	1	50	11/02/08	hs	11/02/08	hs
AC40780-001	Sample	MB-1-11/02/08	2.1	0.55	45	2.1428	0.038571	2	1	50	11/02/08	hs	11/02/08	hs
AC40780-002	Sample	MB-1-11/02/08	1.5	0.51	49	1.5158	0.029710	2	1	50	11/02/08	hs	11/02/08	hs
AC40780-003	Sample	MB-1-11/02/08	1.9	0.58	43	1.8914	0.032532	2	1	50	11/02/08	hs	11/02/08	hs
AC40841-001	Sample	MB-1-11/02/08	0.42	0.29	85	0.42074	0.014305	2	1	50	11/02/08	hs	11/02/08	hs
AC40829-002	Sample	MB-1-11/02/08	ND	0.29	85	0.16362	0.005563	2	1	50	11/02/08	hs	11/02/08	hs
AC40829-004	DUP	MB-1-11/02/08	ND	0.28	90	0.18778	0.006760	2	1	50	11/02/08	hs	11/02/08	hs
AC40829-004	Sample	MB-1-11/02/08	ND	0.28	90	0.18694	0.006730	2	1	50	11/02/08	hs	11/02/08	hs
AC40829-004	MS	MB-1-11/02/08	5.5	0.28	90	5.532	0.199153	2	1	50	11/02/08	hs	11/02/08	hs
CCV-1	CCV	MB-1-11/02/08	0.4	0.25	100	0.40039	0.400392	1	1	1	11/02/08	hs	11/02/08	hs
AC40829-004	MSD	MB-1-11/02/08	5.6	0.28	90	5.5812	0.200923	2	1	50	11/02/08	hs	11/02/08	hs
AC40829-006	Sample	MB-1-11/02/08	ND	0.27	91	0.19893	0.007241	2	1	50	11/02/08	hs	11/02/08	hs
AC40829-008	Sample	MB-1-11/02/08	ND	0.27	91	0.13165	0.004792	2	1	50	11/02/08	hs	11/02/08	hs
AC40829-010	Sample	MB-1-11/02/08	ND	0.27	93	0.0080108	0.000298	2	1	50	11/02/08	hs	11/02/08	hs
AC40829-012	Sample	MB-1-11/02/08	ND	0.27	93	0.0043011	0.000160	2	1	50	11/02/08	hs	11/02/08	hs
AC40773-001	Sample	MB-1-11/02/08	ND	0.27	92	0	0	2	1	50	11/02/08	hs	11/02/08	hs
AC40773-002	Sample	MB-1-11/02/08	ND	0.34	73	0.15116	0.004414	2	1	50	11/02/08	hs	11/02/08	hs
AC40773-003	Sample	MB-1-11/02/08	ND	0.27	91	0.038544	0.001403	2	1	50	11/02/08	hs	11/02/08	hs
AC40773-004	Sample	MB-1-11/02/08	ND	0.27	92	0.14084	0.005183	2	1	50	11/02/08	hs	11/02/08	hs
AC40773-005	Sample	MB-1-11/02/08	ND	0.27	91	0.12973	0.004722	2	1	50	11/02/08	hs	11/02/08	hs
CCV-2	CCV	MB-1-11/02/08	0.4	0.25	100	0.40159	0.401592	1	1	1	11/02/08	hs	11/02/08	hs
AC40773-006	Sample	MB-1-11/02/08	ND	0.32	79	0.12269	0.003877	2	1	50	11/02/08	hs	11/02/08	hs
AC40773-007	Sample	MB-1-11/02/08	ND	0.27	91	0.13794	0.005021	2	1	50	11/02/08	hs	11/02/08	hs
AC40773-008	Sample	MB-1-11/02/08	ND	0.27	91	0.10363	0.003772	2	1	50	11/02/08	hs	11/02/08	hs
AC40800-005	Sample	MB-1-11/02/08	2	1.4	18	2.0399	0.014687	2	1	50	11/02/08	hs	11/02/08	hs
AC40800-006	Sample	MB-1-11/02/08	2.3	1.7	15	2.2863	0.013718	2	1	50	11/02/08	hs	11/02/08	hs
CCV-3	CCV	MB-1-11/02/08	0.4	0.25	100	0.39726	0.397262	1	1	1	11/02/08	hs	11/02/08	hs

8/11/6/08

Batch Number: CN-S-55

Units: mg/kg

Calibration Curve Information

Qc Summary Results

Qc Type	Qc Name	SpkAmt	Rec Lim	Rpd Lim	Raw Result	Recov	Rpd	Flags
CCV	CCV-3	0.4	90-110	NA	0.4056	101	NA	
CCV	CCV-2	0.4	90-110	NA	0.406334	102	NA	
CCV	CCV-1	0.4	90-110	NA	0.394379	99	NA	
CCV	CCV-4	0.4	90-110	NA	0.396211	99	NA	
DIIP	AC40639-001	0	NA	20	0.02075	NA	NA	Nc
ICV	ICV-11/03/08	0.757	90-110	NA	0.78617	104	NA	
ICV	ICV-10/27/08	0.757	90-110	NA	0.785903	104	NA	
ICV	ICV-10/23/08	0.757	90-110	NA	0.782765	103	NA	
LCS	LCS-3	5	75-125	NA	4.997225	100	NA	
LCS	LCS-2	5	75-125	NA	4.6743	93	NA	
LCS	LCS-1	5	75-125	NA	4.758775	95	NA	
MS	AC40639-001	5.555555	75-125	NA	5.443417	98	NA	
MSD	AC40639-001	5.555555	75-125	20	5.455333	98	0.22	

Analytical Method(s)

EPA 9012B

Sam #	Type	MB	Result	RL	Per Sol	Raw Result	Raw Result	SmpWt	DF	ScrubV ol	Prep Date	Prep By	Anal Date	Anal By
ICV-10/23/08	ICV		0.78	0.25	100	0.78276	0.782765	1	1	1		hs	10/23/08	hs
MB-1-10/23/08	MB	MB-1-10/23/08	ND	0.25	100	0	0	2	1	50	10/23/08	hs	10/23/08	hs
LSC-1	LCS	MB-1-10/23/08	4.8	0.25	100	4.7588	0.190351	2	1	50	10/23/08	hs	10/23/08	hs
AC40639-001	DUP	MB-1-10/23/08	ND	0.28	90	0.02075	0.000747	2	1	50	10/23/08	hs	10/23/08	hs
AC40639-001	Sample	MB-1-10/23/08	ND	0.28	90	0.017944	0.000646	2	1	50	10/23/08	hs	10/23/08	hs
AC40639-001	MS	MB-1-10/23/08	5.4	0.28	90	5.4434	0.195963	2	1	50	10/23/08	hs	10/23/08	hs
AC40639-001	MSD	MB-1-10/23/08	5.5	0.28	90	5.4553	0.196392	2	1	50	10/23/08	hs	10/23/08	hs
AC40639-002	Sample	MB-1-10/23/08	ND	0.29	87	0.071351	0.002483	2	1	50	10/23/08	hs	10/23/08	hs
AC40639-003	Sample	MB-1-10/23/08	ND	0.29	87	0.17468	0.006079	2	1	50	10/23/08	hs	10/23/08	hs
AC40639-004	Sample	MB-1-10/23/08	ND	0.29	87	0.042184	0.001468	2	1	50	10/23/08	hs	10/23/08	hs
CCV-1	CCV	MB-1-10/23/08	0.39	0.25	100	0.39438	0.394379	1	1	1	10/23/08	hs	10/23/08	hs
ICV-10/27/08	ICV		0.79	0.25	100	0.7859	0.785903	1	1	1		hs	10/27/08	hs
MB-1-10/27/08	MB	MB-1-10/27/08	ND	0.25	100	0	0	2	1	50	10/27/08	hs	10/27/08	hs
LCS-2	LCS	MB-1-10/27/08	4.7	0.25	100	4.6743	0.186972	2	1	50	10/27/08	hs	10/27/08	hs
AC40677-011	Sample	MB-1-10/27/08	ND	0.26	95	0	0	2	1	50	10/27/08	hs	10/27/08	hs
AC40677-012	Sample	MB-1-10/27/08	ND	0.26	95	0	0	2	1	50	10/27/08	hs	10/27/08	hs
AC40677-013	Sample	MB-1-10/27/08	ND	0.26	95	0	0	2	1	50	10/27/08	hs	10/27/08	hs
AC40677-014	Sample	MB-1-10/27/08	ND	0.26	94	0.0065957	0.000248	2	1	50	10/27/08	hs	10/27/08	hs
AC40677-015	Sample	MB-1-10/27/08	ND	0.26	94	0	0	2	1	50	10/27/08	hs	10/27/08	hs
AC40693-001	Sample	MB-1-10/27/08	3.6	0.34	73	3.6183	0.105654	2	1	50	10/27/08	hs	10/27/08	hs
CCV-2	CCV	MB-1-10/27/08	0.41	0.25	100	0.40633	0.406334	1	1	1	10/27/08	hs	10/27/08	hs
AC40690-001	Sample	MB-1-10/27/08	ND	0.29	87	0	0	2	1	50	10/27/08	hs	10/27/08	hs
AC40690-002	Sample	MB-1-10/27/08	ND	0.29	86	0.12855	0.004422	2	1	50	10/27/08	hs	10/27/08	hs
AC40690-003	Sample	MB-1-10/27/08	ND	0.29	85	0.058971	0.002005	2	1	50	10/27/08	hs	10/27/08	hs
AC40690-004	Sample	MB-1-10/27/08	ND	0.29	85	0.0090588	0.000308	2	1	50	10/27/08	hs	10/27/08	hs
CCV-3	CCV	MB-1-10/27/08	0.41	0.25	100	0.4056	0.405600	1	1	1	10/27/08	hs	10/27/08	hs
ICV-11/03/08	ICV		0.79	0.25	100	0.78617	0.786170	1	1	1		hs	11/03/08	hs
MB-1-11/03/08	MB	MB-1-11/03/08	ND	0.25	100	0	0	2	1	50	11/03/08	hs	11/03/08	hs
LCS-3	LCS	MB-1-11/03/08	5	0.25	100	4.9972	0.199889	2	1	50	11/03/08	hs	11/03/08	hs
AC40800-007	Sample	MB-1-11/03/08	ND	0.41	60	0.083875	0.002013	2	1	50	11/03/08	hs	11/03/08	hs
AC40800-008	Sample	MB-1-11/03/08	ND	0.35	72	0.049444	0.001424	2	1	50	11/03/08	hs	11/03/08	hs
CCV-4	CCV	MB-1-11/03/08	0.4	0.25	100	0.39621	0.396211	1	1	1	11/03/08	hs	11/03/08	hs

11/6/08

Flag Codes: Ra - Recovery failed specified criteria (PVS/MBS/MS/MSD/ICV/CAL)

Rp - RPD failed specified criteria.

Na - Not Applicable

Nc - Not Checked ..either one or both values =ND

Batch Number: CN-W-27

Units: mg/l

Calibration Curve Information

Qc Summary Results

Qc Type	Qc Name	SpkAmt	Rec Lim	Rpd Lim	Raw Result	Recov	Rpd	Flags
CCV	CCV-3	0.4	90-110	NA	0.396211	99	NA	
CCV	CCV-2	0.4	90-110	NA	0.396021	99	NA	
CCV	CCV-1	0.4	90-110	NA	0.395906	99	NA	
DUP	AC40626-005	0	NA	20	0	NA	NA	Nc
ICV	ICV-11/03/08	0.757	90-110	NA	0.78617	104	NA	
ICV	ICV-10/23/08	0.757	90-110	NA	0.782539	103	NA	
LCS	LCS-2	0.2	75-125	NA	0.197874	99	NA	
LCS	LCS-1	0.2	75-125	NA	0.189874	95	NA	
MSD-SAMP	AC40626-009	0.2	75-125	20	0.167248	84	6.9	
MS-SAMPL	AC40626-007	0.2	75-125	NA	0.179189	90	NA	

Analytical Method(s)

EPA 335.4,EPA 9012B

Sam #	Type	MB	Result	Mdl	Per Sol	Raw Result	Raw Result	SmpVol	DF	ScrubbV ol	Prep Date	Prep By	Anal Date	Anal By
ICV-10/23/08	ICV		0.78	0.01	100	0.78254	0.782539	1	1	1		hs	10/23/08	hs
MB-1-10/23/08	MB	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
LCS-1	LCS	MB-1-10/23/08	0.19	0.01	100	0.18997	0.189974	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-001	Sample	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-003	Sample	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-005	DUP	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-005	NS-SAMP	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-007	MS-SAMP	MB-1-10/23/08	0.18	0.01	100	0.17919	0.179189	50	1	50	10/23/08	hs	10/23/08	hs
AC40626-009	MSD-SA	MB-1-10/23/08	0.17	0.01	100	0.16725	0.167248	50	1	50	10/23/08	hs	10/23/08	hs
AC40533-003	Sample	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
AC40584-002	Sample	MB-1-10/23/08	ND	0.01	100	0	0	50	1	50	10/23/08	hs	10/23/08	hs
CCV-1	CCV	MB-1-10/23/08	0.4	0.01	100	0.39591	0.395906	1	1	1	10/23/08	hs	10/23/08	hs
ICV-11/03/08	ICV		0.79	0.01	100	0.78617	0.786170	1	1	1		hs	11/03/08	hs
MB-1-11/03/08	MB	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
LCS-2	LCS	MB-1-11/03/08	0.2	0.01	100	0.19787	0.197874	50	1	50	11/03/08	hs	11/03/08	hs
AC40768-008	Sample	MB-1-11/03/08	ND	0.01	100	0.000418	0.000418	50	1	50	11/03/08	hs	11/03/08	hs
AC40768-010	Sample	MB-1-11/03/08	ND	0.01	100	0.000263	0.000263	50	1	50	11/03/08	hs	11/03/08	hs
AC40790-003	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40790-004	Sample	MB-1-11/03/08	ND	0.01	100	0.000018	0.000018	50	1	50	11/03/08	hs	11/03/08	hs
AC40790-005	Sample	MB-1-11/03/08	ND	0.01	100	0.000097	0.000097	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-001	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-002	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-003	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
CCV-2	CCV	MB-1-11/03/08	0.4	0.01	100	0.39602	0.396021	1	1	1	11/03/08	hs	11/03/08	hs
AC40800-004	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-009	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-010	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
AC40800-011	Sample	MB-1-11/03/08	ND	0.01	100	0	0	50	1	50	11/03/08	hs	11/03/08	hs
CCV-3	CCV	MB-1-11/03/08	0.4	0.01	100	0.39621	0.396211	1	1	1	11/03/08	hs	11/03/08	hs

11/3/08

Batch Number: CN-W-29

Units: mg/l

Calibration Curve Information

Qc Summary Results

Qc Type	Qc Name	SpkAmt	Rec Lim	Rpd Lim	Raw Result	Recov	Rpd	Flags
CCV	CCV-3	0.4	90-110	NA	0.395378	99	NA	
CCV	CCV-2	0.4	90-110	NA	0.394004	99	NA	
CCV	CCV-1	0.4	90-110	NA	0.397528	99	NA	
DUP	AC40637-003	0	NA	20	0.003016	NA	NA	Nc
ICV	ICV-11/05/08	0.757	90-110	NA	0.738694	98	NA	
ICV	ICV-10/27/08	0.757	90-110	NA	0.769153	100	NA	
LCS	LCS-2	0.2	75-125	NA	0.178539	99	NA	
LCS	LCS-1	0.2	75-125	NA	0.18367	92	NA	
MS	AC40637-003	0.2	75-125	NA	0.190915	95	NA	
MSD	AC40637-003	0.2	75-125	20	0.19146	96	0.29	

Analytical Method(s)

EPA 335.4

Sam #	Type	MB	Result	RL	Per Sol	Raw Result	Raw Result	SmpVol	DF	ScrubV ol	Prep Date	Prep By	Anal Date	Anal By
ICV-10/27/08	ICV		0.77	0.01	100	0.76915	0.769153	1	1			hs	10/27/08	hs
MB-1-10/27/08	MB	MB-1-10/27/08	ND	0.01	100	0	0	50	1	50	10/27/08	hs	10/27/08	hs
LCS-1	LCS	MB-1-10/27/08	0.18	0.01	100	0.18367	0.183670	50	1	50	10/27/08	hs	10/27/08	hs
AC40550-006	Sample	MB-1-10/27/08	0.013	0.01	100	0.012977	0.012977	50	1	50	10/27/08	hs	10/27/08	hs
AC40635-001	Sample	MB-1-10/27/08	ND	0.01	100	0.003566	0.003566	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-001	Sample	MB-1-10/27/08	ND	0.01	100	0.001382	0.001382	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-002	Sample	MB-1-10/27/08	ND	0.01	100	0	0	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-003	DUP	MB-1-10/27/08	ND	0.01	100	0.003016	0.003016	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-003	Sample	MB-1-10/27/08	ND	0.01	100	0.002958	0.002958	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-003	MS	MB-1-10/27/08	0.19	0.01	100	0.19092	0.190915	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-003	MSD	MB-1-10/27/08	0.19	0.01	100	0.19146	0.191460	50	1	50	10/27/08	hs	10/27/08	hs
CCV-1	CCV	MB-1-10/27/08	0.4	0.01	100	0.39753	0.397528	1	1	1	10/27/08	hs	10/27/08	hs
AC40637-004	Sample	MB-1-10/27/08	ND	0.01	100	0.003634	0.003634	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-005	Sample	MB-1-10/27/08	0.014	0.01	100	0.014166	0.014166	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-006	Sample	MB-1-10/27/08	ND	0.01	100	0.001632	0.001632	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-008	Sample	MB-1-10/27/08	ND	0.01	100	0.006358	0.006358	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-009	Sample	MB-1-10/27/08	ND	0.01	100	0.001807	0.001807	50	1	50	10/27/08	hs	10/27/08	hs
AC40637-010	Sample	MB-1-10/27/08	ND	0.01	100	0.002517	0.002517	50	1	50	10/27/08	hs	10/27/08	hs
CCV-2	CCV	MB-1-10/27/08	0.39	0.01	100	0.394	0.394004	1	1	1	10/27/08	hs	10/27/08	hs
ICV-11/05/08	ICV		0.74	0.01	100	0.73869	0.738694	1	1	1		hs	11/05/08	hs
MB-1-11/05/08	MB	MB-1-11/05/08	ND	0.01	100	0	0	50	1	50	11/05/08	hs	11/05/08	hs
LCS-2	LCS	MB-1-11/05/08	0.18	0.01	100	0.17854	0.178539	50	1	50	11/05/08	hs	11/05/08	hs
AC40800-013	Sample	MB-1-11/05/08	ND	0.01	100	0.000992	0.000992	50	1	50	11/05/08	hs	11/05/08	hs
AC40800-014	Sample	MB-1-11/05/08	ND	0.01	100	0	0	50	1	50	11/05/08	hs	11/05/08	hs
AC40800-015	Sample	MB-1-11/05/08	ND	0.01	100	0	0	50	1	50	11/05/08	hs	11/05/08	hs
AC40865-001	Sample	MB-1-11/05/08	ND	0.01	100	0	0	50	1	50	11/05/08	hs	11/05/08	hs
AC40865-002	Sample	MB-1-11/05/08	ND	0.01	100	0	0	50	1	50	11/05/08	hs	11/05/08	hs
AC40865-003	Sample	MB-1-11/05/08	ND	0.01	100	0	0	50	1	50	11/05/08	hs	11/05/08	hs
AC40865-004	Sample	MB-1-11/05/08	ND	0.01	100	0	0	50	1	50	11/05/08	hs	11/05/08	hs
AC40865-005	Sample	MB-1-11/05/08	ND	0.01	100	0	0	50	1	50	11/05/08	hs	11/05/08	hs
CCV-3	CCV	MB-1-11/05/08	0.4	0.01	100	0.39538	0.395378	1	1	1	11/05/08	hs	11/05/08	hs

11/6/08

Flag Codes: Ra - Recovery failed specified criteria (PVS/MBS/MS/MSD/ICV/CAL)

Rp - RPD failed specified criteria.

Na - Not Applicable

Nc - Not Checked ..either one or both values =ND

Batch Number: ALKAL-M-127

Units: mg CaCO3/l

Calibration Curve Information

Qc Summary Results

Qc Type	Qc Name	SpkAmt	Rec Lim	Rpd Lim	Raw Result	Recov	Rpd	Flags
DIIP	AC40800-011	0	NA	20	166.3578	NA	1.3	
LCS	LCS-1	100	75-125	NA	112.3455	112	NA	
LCSD	LCSD	100	75-125	20	110.185	110	1.9	

Analytical Method(s)

SM2320B-97

Sam #	Type	MB	Result	RL	Per Sol	Raw ml Result	h2so4	h2so4 (N)	Sam Vol (ml)	Prep Date	Prep By	Anal Date	Anal By
MB-1-11/12/08	MB	MB-1-11/12/08	ND	10	100	2.1605	0.1	0.021604	50	11/12/08	nm	11/12/08	nm
LCS-1	LCS	MB-1-11/12/08	110	10	100	112.35	5.2	0.021604	50	11/12/08	nm	11/12/08	nm
LCSD	LCSD	MB-1-11/12/08	110	10	100	110.19	5.1	0.021604	50	11/12/08	nm	11/12/08	nm
AC40800-011	DUP	MB-1-11/12/08	170	10	100	166.36	7.7	0.021604	50	11/12/08	nm	11/12/08	nm
AC40775-001	Sample	MB-1-11/12/08	240	10	100	237.65	11.0	0.021604	50	11/12/08	nm	11/12/08	nm
AC40775-002	Sample	MB-1-11/12/08	240	10	100	241.97	11.2	0.021604	50	11/12/08	nm	11/12/08	nm
AC40775-004	Sample	MB-1-11/12/08	240	10	100	244.14	11.3	0.021604	50	11/12/08	nm	11/12/08	nm
AC40775-005	Sample	MB-1-11/12/08	240	10	100	237.65	11.0	0.021604	50	11/12/08	nm	11/12/08	nm
AC40775-007	Sample	MB-1-11/12/08	380	10	100	378.09	17.5	0.021604	50	11/12/08	nm	11/12/08	nm
AC40792-001	Sample	MB-1-11/12/08	260	10	100	257.1	11.9	0.021604	50	11/12/08	nm	11/12/08	nm
AC40792-002	Sample	MB-1-11/12/08	280	10	100	276.54	12.8	0.021604	50	11/12/08	nm	11/12/08	nm
AC40792-004	Sample	MB-1-11/12/08	270	10	100	270.06	12.5	0.021604	50	11/12/08	nm	11/12/08	nm
AC40792-005	Sample	MB-1-11/12/08	240	10	100	239.81	11.1	0.021604	50	11/12/08	nm	11/12/08	nm
AC40792-007	Sample	MB-1-11/12/08	460	10	100	464.51	21.5	0.021604	50	11/12/08	nm	11/12/08	nm
AC40800-011	Sample	MB-1-11/12/08	160	10	100	164.2	7.6	0.021604	50	11/12/08	nm	11/12/08	nm

11/17/08

Flag Codes: Ra - Recovery failed specified criteria (PVS/LCS/MS/MSD/ICV/CAL)

Na - Not Applicable

Rp - RPD failed specified criteria.

Nc - Not Checked ..either one or both values =ND

Carbonate / Bicarbonate

Analysis	Carbonate / Bicarbonate			Q.C. DATA			Limits
Batch#	16			LCS RPD			
Date	10/22/2008			LCS	112.34	RPD	
Analyst	pm			LCSD	112.34	0.00	20
				Carbonate RPD			
	Titrant Result	Carbonate	Bicarbonate	Sample	0.00	RPD	
	P = 0	0	M	Sample Dup	0.00	NA	20
	P < (1/2) M	2P	M-2P				
	P = (1/2) M	2P	0				
	P > (1/2) M	2 (M-P)	0	Bicarbonate RPD			
	P = M	0	0	Sample	341.34	RPD	
				Sample Dup	343.50	0.63080	20

Samples #	M-Alkalinity	P-Alkalinity	Carbonate	Bicarbonate	MDL	% Recovery	
	(Total)		CO3-2 as mg CaCO3/L	HCO3 as mg CaCO3/L		75-125%	
MB	0.00	0.00	0.00	0.00	10		
LCS	0.00	112.34	0.00	0.00	10	112	
LCSD	0.00	112.34	0.00	0.00	10	112	
AC40504-006 Dup	343.50	0.00	0.00	343.50	10		
QC Sample AC40504-006	341.34	0.00	0.00	341.34	10		
AC40504-007	270.05	0.00	0.00	270.05	10		
AC40521-001	326.22	0.00	0.00	326.22	10		
AC40521-007	492.57	0.00	0.00	492.57	10		
AC40521-013	97.22	0.00	0.00	97.22	10		
MB -2	0.00	0.00	0.00	0.00	10		
LCS-2	110.00	110.00	0.00	110.00	10	110	
AC40768-001	25.93	0.00	0.00	25.93	10		
AC40768-003	293.83	0.00	0.00	293.83	10		
AC40768-005	345.68	0.00	0.00	345.68	10		
AC40768-007	233.33	0.00	0.00	233.33	10		
MB-3	0.00	0.00	0.00	0.00	10		
LCS-3	112.35	0.00	0.00	112.35	10	112	
AC40800-011	164.20	0.00	0.00	164.20	10		


 11/18/08

Chloride-Water

Sample ID	Amount	Dilution Factor	Actual Result (ppm)	Spike Amount (CCV + LCS)	% Recovery (CCV + LCS)	Aqueous RL	Date	QC Info	
								QC Limits=10% For ICV, CCV, And LCS. 20% For MS And MSD.	
								Sample #	ac40792-001
0	0.008137	1	0.008137			1.5	10/9/08 15:58	Result	187
0.2	0.057983	1	0.057983			1.5	10/9/08 16:29	MS Result	192
0.6	0.111637	1	0.111637			1.5	10/9/08 16:59	MSD Result	194
1	0.17955	1	0.17955			1.5	10/9/08 17:29		
10	2.08422	1	2.08422			1.5	10/9/08 18:30	Spike Amt.	10
icv	0.991374	1	0.991374	1	99	1.5	10/9/08 19:01	LCS Recovery	101
icb	0.023411	1	0.023411			1.5	10/9/08 19:31	MS Recovery	50
CCV	21.10013	1	21.10013	20	106	1.5	10/30/08 16:39	MSD Recovery	75
CCB	0.031796	1	0.031796			1.5	10/30/08 17:10	RPD	1.33
mb	0.026266	1	0.026266			1.5	10/30/08 17:40		
lcs	10.10368	1	10.10368	10	101	1.5	10/30/08 18:10	Batch	217
ac40800-011	27.86058	1	27.86058			1.5	10/30/08 22:14	Date Started	10/30/08
CCV	21.30986	1	21.30986	20	107	1.5	10/30/08 22:44	Analyst	nm
CCB	0.015464	1	0.015464			1.5	10/30/08 23:14		
CCV	21.28944	1	21.28944	20	106	1.5	10/31/08 11:44	R squared	0.999799862
CCB	0.025908	1	0.025908			1.5	10/31/08 12:15		
mb	0	1	0			1.5	10/31/08 16:28		
lcs	10.21732	1	10.21732	10	102	1.5	10/31/08 16:58		
ac40800-001	7.44787	1	7.44787			1.5	10/31/08 17:29		
ac40800-002	7.46674	1	7.46674			1.5	10/31/08 17:59		
CCV	21.33071	1	21.33071	20	107	1.5	10/31/08 18:30		
CCB	0.023831	1	0.023831			1.5	10/31/08 19:00		
ac40800-003	8.427871	1	8.427871			1.5	10/31/08 19:30		
ac40800-004	15.39885	1	15.39885			1.5	10/31/08 20:01		
ac40800-009	7.399569	1	7.399569			1.5	10/31/08 20:31		
ac40800-010	1.557623	1	1.557623			1.5	10/31/08 21:02		
ac40800-013	27.84948	1	27.84948			1.5	10/31/08 21:32		
ac40800-014	36.90848	1	36.90848			1.5	10/31/08 22:02		
ac40800-015	27.64101	1	27.64101			1.5	10/31/08 22:33		
CCV	21.39083	1	21.39083	20	107	1.5	11/1/08 0:04		
CCB	0.003348	1	0.003348			1.5	11/1/08 0:34		
CCV	18.96885	1	18.96885	20	95	1.5	11/14/08 18:18		
CCB	0.072971	1	0.072971			1.5	11/14/08 18:48		
ac41048-001	0.235845	1	0.235845			1.5	11/14/08 20:19		
ac40792-001 25x	7.4712	25	186.78			37.5	11/14/08 20:50		
ac40792-001 ms 25x	7.67	25	191.75			37.5	11/14/08 21:20		
ac40792-001 msd 25x	7.7728	25	194.32			37.5	11/14/08 21:51		
CCV	19.10222	1	19.10222	20	96	1.5	11/14/08 22:21		
CCB	0.100168	1	0.100168			1.5	11/14/08 22:51		

Now 11-18-08

Nitrate-Water

Sample ID	Amount	Dilution Factor	Actual Result (ppm)	Spike Amount (CCV + LCS)	% Recovery (CCV + LCS)	Aqueous RL	Date	QC Info QC Limits=10% For ICV, CCV, And LCS. 20% For MS And MSD.	
								Sample #	ac40792-001
0	0	1	0			0.27	10/9/08 15:58	Result	0.050032907
0.2	0.09056	1	0.09056			0.27	10/9/08 16:29	MS Result	9.847816496
0.6	0.283864	1	0.283864			0.27	10/9/08 16:59	MSD Result	9.775711838
1	0.461043	1	0.461043			0.27	10/9/08 17:29		
10	5.200699	1	5.200699			0.27	10/9/08 18:30	Spike Amt.	10
icv	1.006709	1	1.006709	1	101	0.27	10/9/08 19:01	LCS Recovery	101
icb	0	1	0			0.27	10/9/08 19:31	MS Recovery	98
CCV	21.51376	1	21.51376	20	108	0.27	10/30/08 16:39	MSD Recovery	97
CCB	0	1	0			0.27	10/30/08 17:10	RPD	0.73
mb	0	1	0			0.27	10/30/08 17:40		
lcs	10.12157	1	10.12157	10	101	0.27	10/30/08 18:10	Batch	217
ac40792-001	0.050033	1	0.050033			0.27	10/30/08 18:41	Date Started	10/30/08
ac40792-001 ms	9.847816	1	9.847816			0.27	10/30/08 19:11	Analyst	nm
ac40792-001 msd	9.775712	1	9.775712			0.27	10/30/08 19:42		
ac40800-011	0.046958	1	0.046958			0.27	10/30/08 22:14	R squared	0.999947926
CCV	21.75767	1	21.75767	20	109	0.27	10/30/08 22:44		
CCB	0	1	0			0.27	10/30/08 23:14		

nm 11-18-08

Sulfate-Water

Sample ID	Amount	Dilution Factor	Actual Result (ppm)	Spike Amount (CCV + LCS)	% Recovery (CCV + LCS)	Aqueous RL	Date	QC Info	
								QC Limits=10% For ICV, CCV, And LCS. 20% For MS And MSD.	
								Sample #	ac40792-001
0	0	1	0			2.3	10/9/08 15:58	Result	85.55786745
0.2	0.034443	1	0.034443			2.3	10/9/08 16:29	MS Result	96.02060071
0.6	0.086253	1	0.086253			2.3	10/9/08 16:59	MSD Result	95.58194758
1	0.130876	1	0.130876			2.3	10/9/08 17:29		
10	1.457362	1	1.457362			2.3	10/9/08 18:30	Spike Amt.	10
icv	1.054944	1	1.054944	1	105	2.3	10/9/08 19:01	LCS Recovery	99
icb	0	1	0			2.3	10/9/08 19:31	MS Recovery	105
CCV	19.60361	1	19.60361	20	98	2.3	10/30/08 16:39	MSD Recovery	100
CCB	0	1	0			2.3	10/30/08 17:10	RPD	0.46
mb	0	1	0			2.3	10/30/08 17:40		
lcs	9.86885	1	9.86885	10	99	2.3	10/30/08 18:10	Batch	217
ac40792-001	85.55787	1	85.55787			2.3	10/30/08 18:41	Date Started	10/30/08
ac40792-001 ms	96.0206	1	96.0206			2.3	10/30/08 19:11	Analyst	nm
ac40792-001 msd	95.58195	1	95.58195			2.3	10/30/08 19:42		
ac40800-011	34.39507	1	34.39507			2.3	10/30/08 22:14	R squared	0.999927961
CCV	19.88573	1	19.88573	20	99	2.3	10/30/08 22:44		
CCB	0	1	0			2.3	10/30/08 23:14		

Nov 11-18-08

Chloride-Soil

Sample ID	Amount	Dilution Factor	Spike Amount (CCV + LCS)	% Recovery (CCV + LCS)	% Solids	Sample Wt (g)	Final Volume (mL)	Actual Result (mg/kg)	Soil RL	Date	QC Info QC Limits=10% for LCS 20% for MS/MSD 5% for CCV and ICV	
											Sample #	
0(Area)	0.008137	1			1	1	100	0.813732	150.00	10/9/08 15:58	ac40375-001	
0.2	0.057983	1			1	1	100	5.798281	150.00	10/9/08 16:29	Result	2.023264761
0.6	0.111637	1			1	1	100	11.16372	150.00	10/9/08 16:59	MS Result	12.34128932
1	0.17955	1			1	1	100	17.95501	150.00	10/9/08 17:29	MSD Result	12.04324165
10	2.08422	1			1	1	100	208.422	150.00	10/9/08 18:30	Spike Amt.	10
ICV	0.991374	1	1	99	1	1	100	99.13739	150.00	10/9/08 19:01	LCS Recovery	101
ICB	0.023411	1			1	1	100	2.341112	150.00	10/9/08 19:31	MS Recovery	103
CCV	20.99056	1	20	105	1	1	100	2099.056	150.00	10/11/08 10:17	MSD Recovery	100
CCB	0	1			1	1	100	0	150.00	10/11/08 10:48	RPD	2.44
mb	0	1			1	1	100	0	150.00	10/11/08 11:18		
LCS	10.09146	1	10	101	1	1	100	1009.146	150.00	10/11/08 11:49	Batch	90
ac40375-001	2.023265	1			0.92	1	100	219.9201	163.04	10/11/08 12:19	Date Started	10/11/08
ac40375-001 ms	12.34129	1			0.92	1	100	1341.444	163.04	10/11/08 12:49	Analyst	nm
ac40375-001 msd	12.04324	1			0.92	1	100	1309.048	163.04	10/11/08 13:20		
ac40375-002	1.843398	1			0.95	1	100	194.0419	157.89	10/11/08 13:50	R squared	0.999814081
ac40375-003	1.66755	1			0.93	1	100	179.3065	161.29	10/11/08 14:21		
CCV	20.66234	1	20	103	1	1	100	2066.234	150.00	10/11/08 16:22		
CCB	0.020827	1			1	1	100	2.082672	150.00	10/11/08 16:53		
CCV	20.8873	1	20	104	1	1	100	2088.73	150.00	10/22/08 21:45		
CCB	0	1			1	1	100	0	150.00	10/22/08 22:16		
mb	0	1			1	1	100	0	150.00	10/23/08 0:17		
lcs	10.02673	1	10	100	1	1	100	1002.673	150.00	10/23/08 0:48		
ac40639-001	2.573557	1			0.9	1	100	285.9508	166.67	10/23/08 1:18		
ac40639-002	2.723564	1			0.87	1	100	313.0533	172.41	10/23/08 1:49		
ac40639-003	2.895454	1			0.87	1	100	332.8108	172.41	10/23/08 2:19		
ac40639-004	2.003667	1			0.87	1	100	230.3066	172.41	10/23/08 2:49		
CCV	20.91313	1	20	105	1	1	100	2091.313	150.00	10/23/08 3:50		
CCB	0.018298	1			1	1	100	1.829837	150.00	10/23/08 4:21		
CCV	20.8893	1	20	104	1	1	100	2088.93	150.00	10/23/08 17:47		
CCB	0.032988	1			1	1	100	3.298787	150.00	10/23/08 18:17		
mb	0.020536	1			1	1	100	2.053591	150.00	10/23/08 22:51		
lcs	10.02158	1	10	100	1	1	100	1002.158	150.00	10/23/08 23:21		
CCV	20.98834	1	20	105	1	1	100	2098.834	150.00	10/23/08 23:52		
CCB	0.053885	1			1	1	100	5.388467	150.00	10/24/08 0:22		
ac40675-001	5.272642	1			0.88	1	100	599.1639	170.45	10/24/08 0:52		
ac40675-002	3.422404	1			0.88	1	100	388.9095	170.45	10/24/08 1:23		
CCV	20.95625	1	20	105	1	1	100	2095.625	150.00	10/24/08 1:53		
CCB	0.025198	1			1	1	100	2.519761	150.00	10/24/08 2:24		
CCV	20.27623	1	20	101	1	1	100	2027.623	150.00	10/24/08 8:06		
CCB	0	1			1	1	100	0	150.00	10/24/08 8:36		
mb	0	1			1	1	100	0	150.00	10/24/08 9:06		
lcs	9.780998	1	10	98	1	1	100	978.0998	150.00	10/24/08 9:37		
AC40690-001	2.988532	1			0.87	1	100	343.5094	172.41	10/24/08 10:07		
AC40690-002	2.54526	1			0.86	1	100	295.9605	174.42	10/24/08 10:38		
AC40690-003	1.566615	1			0.85	1	100	184.3076	176.47	10/24/08 11:08		
AC40690-004	1.577009	1			0.85	1	100	185.5305	176.47	10/24/08 11:38		
ac40666-001	1.525982	1			0.91	1	100	167.6903	164.84	10/24/08 15:48		
ac40666-002	1.586523	1			0.91	1	100	174.3432	164.84	10/24/08 16:18		
CCV	20.6306	1	20	103	1	1	100	2063.06	150.00	10/24/08 17:19		
CCB	0.02525	1			1	1	100	2.525034	150.00	10/24/08 17:49		
CCV	20.82129	1	20	104	1	1	100	2082.129	150.00	11/2/08 9:55		
CCB	0.016306	1			1	1	100	1.630571	150.00	11/2/08 10:25		
mb	0.009222	1			1	1	100	0.922198	150.00	11/2/08 10:56		
lcs	10.23208	1	10	102	1	1	100	1023.208	150.00	11/2/08 11:26		
ac40800-005	1.59491	1			0.18	1	100	886.0613	833.33	11/2/08 11:57		
ac40800-006	1.654448	1			0.15	1	100	1102.965	1000.00	11/2/08 12:27		
ac40800-007	1.625003	1			0.6	1	100	270.8338	250.00	11/2/08 12:57		
ac40800-008	1.601452	1			0.72	1	100	222.4238	208.33	11/2/08 13:28		
CCV	20.99865	1	20	105	1	1	100	2099.865	150.00	11/2/08 16:00		
CCB	0.01368	1			1	1	100	1.367997	150.00	11/2/08 16:30		

nm 11-18-08