



July 12, 2018

Pranavi Ghugare
Division of Environmental Remediation
New York State Department of Environmental Conservation
625 Broadway
Albany, New York 12233-7017

RE: Vatrano Road 2018 Annual Groundwater Monitoring Results

Dear Pranavi:

We are transmitting to you the results obtained during the annual monitoring event conducted at the Vatrano Road Site. The 2018 sampling event was completed on April 24th, 2018 and included monitoring wells MW-1, MW-2, MW-4, MW-7 and MW-9. It is noted that, based on a request made by CHA in their 2010 report, the NYSDEC has provided approval to discontinue sampling monitoring wells MW-3 and MW-8. In addition, based on a request made by CHA in their 2014 report, the NYSDEC has provided approval in their email dated September 15, 2014 to discontinue sampling monitoring wells MW-5 and MW-6.

All wells were sampled using low-flow sampling procedures and were analyzed for VOCs using Method 8260 and PCBs using Method 8082. MW-9 was also analyzed for lead using Method E200.7 and mercury using Method E245.1. Enclosed as Attachment A, please find a summary table of the analytical results. The complete laboratory analytical report has been included as Attachment B. The annual inspection checklist and field sampling forms are included as Attachment C.

Only monitoring well MW-2 contained VOCs exceeding standards, but the VOC concentrations in this wells continues to show stable or decreasing trends over time. No monitoring wells contained detectable PCB concentrations. MW-9 contained no detectable lead or mercury.

Please note that the data obtained during this monitoring period is currently being formatted in the New York State Department of Environmental Conservation's (NYSDEC) standardized electronic data deliverable (EDD) format to meet the guidelines specified by the NYSDEC and will be submitted electronically.

Also enclosed is the signed Site Management Periodic Review Report Certification Form. With the past annual status reports and signed certification form, Tetra Tech certifies that the site's fencing/access control and the PCB soil cover system are in place.

If you have any questions concerning this submission, please contact me at 262-792-1282. Your cooperation in this matter is greatly appreciated.

Sincerely,

Tetra Tech, Inc.

A handwritten signature in black ink, appearing to read "Michael Noel".

Michael R. Noel, PG
Vice President, Principal Hydrogeologist

Attachments

cc: Matt Calacone, GE

ATTACHMENT A

Summary Table Of Analytical Results

GROUNDWATER ANALYSIS SUMMARY TABLE - DETECTIONS ONLY
Contaminants of Concern
Vatrano Road
Albany, NY

Parameter (ug/l) [*]	WELL NUMBER									
Date Sampled	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10**
Total PCB's [0.09]										
Aug-91	ND	5.180	1.200	ND	ND	ND	ND	ND	ND	ND
Jul-97	NA	3.190	0.680	NA	NA	NA	ND	ND	ND	ND
Apr-98	ND	0.383	ND	ND	17.000	ND	ND	ND	ND	ND
Oct-98	ND	0.3 J	ND	ND	1.200	ND	ND	ND	ND	ND
Apr-99	ND	1.390	ND	ND	4.800	ND	ND	ND	ND	ND
Oct-99	ND	0.850	ND	ND	2.000	ND	ND	ND	ND	ND
Apr-00	ND	0.610	ND	ND	0.570	ND	ND	ND	ND	ND
Mar-01	ND	1.011	ND	ND	1.400	ND	ND	ND	ND	ND
Mar-02	ND	1.240	ND	ND	0.720	ND	ND	ND	ND	0.220
Mar-03	ND	1.820	ND	ND	6.270	ND	ND	ND	ND	10.300
Apr-04	ND	0.910	ND	ND	12.300	ND	ND	ND	ND	12.200
Apr-05	NA	0.530 E	ND	ND	0.138 E	0.103	ND	ND	ND	0.088 E
Apr-06	ND	0.341	ND	ND	ND	ND	ND	ND	ND	0.071
Apr-07	ND	0.066	ND	ND	0.68	ND	ND	ND	0.561	ND
Apr-08	ND	0.526	ND	ND	ND	ND	ND	ND	0.152	ND
Apr-09	ND	0.480	ND	ND	ND	ND	ND	ND	ND	ND
Apr-10	ND	0.518	ND	ND	ND	ND	ND	ND	ND	ND
Apr-11	0.055 J	0.860	NS†	ND	ND	ND	ND	NS†	ND	0.099 J
Apr-12	ND	0.36 J	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-13	ND	0.960	NS†	ND	ND	ND	ND	NS†	ND	ND
May-14	ND	0.650	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-15	ND	0.30 J	NS†	ND	NS†	NS†	ND	NS†	ND	0.27 J
Apr-16	0.818	0.456	NS†	0.1555	NS†	NS†	1.055	NS†	0.5205	0.5273
Jun-16	0.309	0.436	NS†	ND	NS†	NS†	ND	NS†	0.0767	NS
Apr-17	ND	ND	NS†	ND	NS†	NS†	ND	NS†	ND	ND
Apr-18	ND	ND	NS†	ND	NS†	NS†	ND	NS†	ND	NS
Trichloroethene [5]										
Aug-91	ND	24	ND	ND	ND	ND	ND	ND	ND	ND
Jul-97	NA	ND	ND	NA	NA	NA	ND	ND	ND	ND
Apr-98	ND	23	ND	ND	ND	ND	ND	ND	ND	ND
Oct-98	ND	89	ND	ND	ND	ND	3 J	ND	ND	ND
Apr-99	ND	47	ND	ND	ND	ND	ND	ND	ND	ND
Oct-99	ND	36	ND	ND	ND	ND	2 J	ND	ND	ND
Apr-00	ND	22	ND	ND	ND	ND	ND	ND	ND	ND
Mar-01	ND	17	ND	ND	ND	ND	ND	ND	ND	ND
Mar-02	ND	37	ND	ND	ND	ND	ND	ND	ND	ND
Mar-03	ND	20	ND	ND	ND	ND	ND	ND	ND	ND
Apr-04	ND	37	ND	ND	ND	ND	ND	ND	ND	ND
Apr-05	NA	22	ND	ND	ND	ND	ND	ND	ND	ND
Apr-06	ND	23	ND	ND	ND	ND	ND	ND	ND	ND
Apr-07	ND	18	ND	ND	ND	ND	ND	ND	ND	ND
Apr-08	ND	51	ND	ND	ND	ND	ND	ND	ND	ND
Apr-09	ND	55	ND	ND	ND	ND	ND	ND	ND	ND
Apr-10	ND	62	ND	ND	ND	ND	ND	ND	ND	ND
Apr-11	ND	54	NS†	ND	ND	ND	3 J	NS†	ND	ND
Apr-12	ND	69	NS†	ND	ND	ND	2.1	NS†	ND	ND
Apr-13	0.62 JB	44 B	NS†	0.85 JB	ND	ND	2.8	NS†	ND	ND
May-14	ND	45	NS†	ND	ND	ND	2.5	NS†	ND	ND
Apr-15	ND	32	NS†	ND	NS†	NS†	2.2	NS†	ND	34
Apr-16	ND	23	NS†	ND	NS†	NS†	2.6	NS†	ND	NS
Apr-17	ND	32.6	NS†	ND	NS†	NS†	2.7	NS†	ND	33
Apr-18	ND	25	NS†	ND	NS†	NS†	1.3	NS†	ND	NS

GROUNDWATER ANALYSIS SUMMARY TABLE - DETECTIONS ONLY

Contaminants of Concern

Vatrano Road
Albany, NY

Parameter (ug/l) [*]	WELL NUMBER									
Date Sampled	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10**
Tetrachloroethene [5]										
Aug-91	ND	56	ND	ND	ND	ND	ND	ND	ND	ND
Jul-97	NA	20	ND	NA	NA	NA	ND	ND	ND	ND
Apr-98	ND	270	ND	ND	ND	ND	ND	ND	ND	ND
Oct-98	ND	460	ND	ND	ND	ND	3 J	ND	ND	ND
Apr-99	ND	160	ND	ND	ND	ND	ND	ND	ND	ND
Oct-99	ND	150	ND	ND	ND	ND	ND	ND	ND	ND
Apr-00	ND	120	ND	ND	ND	ND	ND	ND	ND	ND
Mar-01	ND	140	ND	ND	ND	ND	5	ND	ND	ND
Mar-02	ND	220	ND	ND	ND	ND	ND	ND	ND	ND
Mar-03	ND	110	ND	ND	ND	ND	6.2	ND	ND	ND
Apr-04	ND	160	ND	ND	ND	ND	5.3	ND	ND	ND
Apr-05	NA	160	ND	ND	ND	ND	ND	ND	ND	ND
Apr-06	ND	170	ND	ND	ND	ND	ND	ND	ND	ND
Apr-07	ND	120	ND	ND	ND	ND	ND	ND	ND	ND
Apr-08	ND	180	ND	ND	ND	ND	ND	ND	ND	ND
Apr-09	ND	330	ND	ND	ND	ND	ND	ND	ND	ND
Apr-10	ND	320	ND	ND	ND	ND	ND	ND	ND	ND
Apr-11	ND	200 E	NS†	ND	ND	ND	8.9	NS†	ND	ND
Apr-12	ND	250	NS†	ND	ND	ND	7.6	NS†	ND	ND
Apr-13	ND	180	NS†	ND	ND	ND	6.7	NS†	ND	ND
May-14	ND	180	NS†	ND	ND	ND	8.8	NS†	ND	ND
Apr-15	ND	120	NS†	ND	NS†	NS†	8.6	NS†	ND	120
Apr-16	ND	99	NS†	ND	NS†	NS†	5.9	NS†	ND	NS
Apr-17	ND	95.6	NS†	ND	NS†	NS†	11.2	NS†	ND	91.2
Apr-18	ND	58.5	NS†	ND	NS†	NS†	2.4	NS†	2.1	NS
1,2 Dichloroethene [5]										
Aug-91	ND	74	4 J	7	ND	ND	2 J	ND	ND	ND
Jul-97	NA	ND	ND	NA	NA	NA	ND	ND	ND	ND
Apr-98	ND	78	ND	ND	ND	ND	ND	ND	ND	ND
Oct-98	ND	350	4 J	10	ND	ND	4 J	ND	ND	12
Apr-99	ND	230	ND	7	ND	ND	5	ND	ND	7
Oct-99	ND	130	5	8	ND	ND	5	ND	ND	9
Apr-00	ND	73	ND	5.1	ND	ND	6	ND	ND	5.3
Mar-01	ND	57	9	5	ND	ND	6	ND	ND	ND
Mar-02	ND	160	ND	ND	ND	ND	ND	ND	ND	ND
Mar-03	ND	62	7.5	ND	ND	ND	11	ND	ND	ND
Apr-04	ND	120	9.5	9.1	ND	ND	12	ND	ND	ND
Apr-05	NA	63	ND	5.4	ND	ND	6.3	ND	ND	ND
Apr-06	ND	ND	ND	5.3	ND	ND	5.6	ND	ND	ND
Apr-07	ND	64	ND	ND	ND	ND	6.6	ND	ND	ND
Apr-08	ND	130	ND	ND	ND	ND	5.5	ND	ND	ND
Apr-09	ND	180	ND	7.6	ND	ND	8.3	ND	ND	ND
Apr-10	ND	160	ND	ND	ND	ND	ND	ND	ND	ND
Apr-11	ND	110	NS†	3 J	ND	ND	13	NS†	ND	ND
Apr-12	ND	131.5	NS†	4	ND	ND	3.3	NS†	ND	ND
Apr-13	ND	100	NS†	3.4	ND	ND	10	NS†	ND	ND
May-14	ND	110	NS†	3.1	ND	ND	4.5	NS†	ND	ND
Apr-15	ND	79	NS†	2.4	NS†	NS†	6.5	NS†	ND	83.93
Apr-16	ND	47	NS†	2.9	NS†	NS†	5.2	NS†	ND	NS
Apr-17	ND	65.5	NS†	3.1	NS†	NS†	8.8	NS†	ND	68.5
Apr-18	ND	54.6	NS†	2.2	NS†	NS†	2.6	NS†	ND	NS

GROUNDWATER ANALYSIS SUMMARY TABLE - DETECTIONS ONLY

Contaminants of Concern

Vatrano Road
Albany, NY

Parameter (ug/l) [*]	WELL NUMBER									
Date Sampled	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10**
Chlorobenzene [5]										
Aug-91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Jul-97	NA	ND	ND	NA	NA	NA	ND	ND	ND	ND
Apr-98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Oct-98	ND	ND	ND	4 J	ND	ND	ND	ND	ND	4 J
Apr-99	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Oct-99	ND	2 J	ND	2 J	ND	ND	ND	ND	ND	3 J
Apr-00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mar-01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mar-02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mar-03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-05	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-11	ND	7.2	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-12	ND	3.9	NS†	2.8	ND	ND	ND	NS†	ND	ND
Apr-13	ND	ND	NS†	1.1	ND	ND	ND	NS†	ND	ND
May-14	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-15	ND	4.0	NS†	ND	NS‡	NS‡	ND	NS†	ND	4.1
Apr-16	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS
Apr-17	ND	1.7	NS†	ND	NS‡	NS‡	ND	NS†	ND	1.7
Apr-18	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS
Total Mercury [0.7]										
Aug-91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Jul-97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Apr-98	0.8	ND	5.5	ND	ND	ND	ND	ND	3.7	ND
Oct-98	ND	ND	ND	1.0	ND	ND	ND	ND	ND	ND
Apr-99	ND	ND	0.33	0.28	0.20	0.32	ND	ND	0.33	ND
Oct-99	0.20	0.19 B	0.16 B	0.09 B	0.18 B	0.19 B	0.17 B	0.17 B	0.21	0.20
Apr-00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mar-01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mar-02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mar-03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-05	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-09	NA	NA	NA	NA	NA	NA	NA	NA	ND	NA
Apr-10	NA	NA	NA	NA	NA	NA	NA	NA	ND	NA
Apr-11	NA	NA	NS†	NA	NA	NA	NA	NS†	ND	NA
Apr-12	NA	NA	NS†	NA	NA	NA	NA	NS†	ND	NA
Apr-13	NA	NA	NS†	NA	NA	NA	NA	NS†	ND	NA
May-14	NA	NA	NS†	NA	NA	NA	NA	NS†	ND	NA
Apr-15	NA	NA	NS†	NA	NS‡	NS‡	NA	NS†	ND	NA
Apr-16	NA	NA	NS†	NA	NS‡	NS‡	NA	NS†	ND	NA
Apr-17	NA	NA	NS†	NA	NS‡	NS‡	NA	NS†	ND	NA
Apr-18	NA	NA	NS†	NA	NS‡	NS‡	NA	NS†	ND	NA

GROUNDWATER ANALYSIS SUMMARY TABLE - DETECTIONS ONLY

Contaminants of Concern

Vatrano Road
Albany, NY

Parameter (ug/l) (*)	WELL NUMBER									
Date Sampled	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10**
Total Lead [25]										
Aug-91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Jul-97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Apr-98	ND	9	566	143	12	ND	ND	ND	ND	164
Oct-98	13	17	271	794	32.5	11.5	3.8	1.3	ND	20.5
Apr-99	ND	2.7 J	170	34.6 J	9.6 J	41 J	ND	ND	16.4 J	32.3 J
Oct-99	ND	ND	49.2	109	8.4	23.2	ND	ND	13.9	133
Apr-00	ND	ND	ND	21	ND	30	7	ND	ND	22
Mar-01	ND	ND	21	78	11	27	ND	ND	ND	ND
Mar-02	ND	ND	7	ND	ND	ND	ND	ND	ND	ND
Mar-03	ND	ND	ND	384 D	ND	ND	ND	ND	ND	ND
Apr-04	ND	ND	ND	21 D	7 D	9 D	ND	ND	ND	6 D
Apr-05	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-09	NA	NA	NA	NA	NA	NA	NA	NA	ND	NA
Apr-10	NA	NA	NA	NA	NA	NA	NA	NA	ND	NA
Apr-11	NA	NA	NS†	NA	NA	NA	NA	NS†	ND	NA
Apr-12	NA	NA	NS†	NA	NA	NA	NA	NS†	ND	NA
Apr-13	NA	NA	NS†	NA	NA	NA	NA	NS†	ND	NA
May-14	NA	NA	NS†	NA	NA	NA	NA	NS†	ND	NA
Apr-15	NA	NA	NS†	NA	NS†	NS†	NA	NS†	ND	NA
Apr-16	NA	NA	NS†	NA	NS†	NS†	NA	NS†	ND	NA
Apr-17	NA	NA	NS†	NA	NS†	NS†	NA	NS†	ND	NA
Apr-18	NA	NA	NS†	NA	NS†	NS†	NA	NS†	ND	NA
Vinyl Chloride [2]										
Apr-08	ND	33	ND	ND	ND	ND	ND	ND	ND	ND
Apr-09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-11	ND	27	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-12	ND	13	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-13	ND	11	NS†	ND	ND	ND	ND	NS†	ND	ND
May-14	ND	13	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-15	ND	10	NS†	ND	NS†	NS†	ND	NS†	ND	11
Apr-16	ND	1.9	NS†	ND	NS†	NS†	ND	NS†	ND	NS
Apr-17	ND	6.1	NS†	ND	NS†	NS†	ND	NS†	ND	6.4
Apr-18	ND	1.8	NS†	ND	NS†	NS†	ND	NS†	ND	NS
1,1-Dichloroethane [5]										
Apr-12	ND	1.2	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-13	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
May-14	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-15	ND	ND	NS†	ND	NS†	NS†	ND	NS†	ND	0.77 J
Apr-16	ND	ND	NS†	ND	NS†	NS†	ND	NS†	ND	NS
Apr-17	ND	ND	NS†	ND	NS†	NS†	ND	NS†	ND	ND
Apr-18	ND	ND	NS†	ND	NS†	NS†	ND	NS†	ND	NS
1,2-Dichlorobenzene [3]										
Apr-11	ND	3 J	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-12	ND	ND	NS†	0.98 J	ND	ND	ND	NS†	ND	ND
Apr-13	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
May-14	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-15	ND	ND	NS†	ND	NS†	NS†	ND	NS†	ND	ND
Apr-16	ND	ND	NS†	ND	NS†	NS†	ND	NS†	ND	NS
Apr-17	ND	ND	NS†	ND	NS†	NS†	ND	NS†	ND	ND
Apr-18	ND	ND	NS†	ND	NS†	NS†	ND	NS†	ND	NS
1,3-Dichlorobenzene [3]										
Apr-11	ND	5.7	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-12	ND	2.4	NS†	20	ND	ND	ND	NS†	ND	ND
Apr-13	ND	ND	NS†	6.7	ND	ND	ND	NS†	ND	ND
May-14	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-15	ND	ND	NS†	0.83 J	NS†	NS†	ND	NS†	ND	1.9
Apr-16	ND	ND	NS†	11	NS†	NS†	ND	NS†	ND	NS
Apr-17	ND	ND	NS†	2.5	NS†	NS†	ND	NS†	ND	ND
Apr-18	ND	ND	NS†	1.4	NS†	NS†	ND	NS†	ND	NS

GROUNDWATER ANALYSIS SUMMARY TABLE - DETECTIONS ONLY
Contaminants of Concern
 Vatrano Road
 Albany, NY

Parameter (ug/l) [*]	WELL NUMBER									
Date Sampled	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10**
1,4-Dichlorobenzene [3]										
Apr-11	ND	9.4	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-12	ND	3.7	NS†	12	ND	ND	ND	NS†	ND	ND
Apr-13	ND	ND	NS†	3.8	ND	ND	ND	NS†	ND	ND
May-14	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-15	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	2.9
Apr-16	ND	ND	NS†	5.2	NS‡	NS‡	ND	NS†	ND	NS
Apr-17	ND	ND	NS†	1.1	NS‡	NS‡	ND	NS†	ND	ND
Apr-18	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS
1,2,4-Trichlorobenzene [5]										
Apr-11	ND	5.3	NS†	3 J	ND	ND	ND	NS†	ND	ND
Apr-12	ND	3	NS†	20	0.61 J	ND	ND	NS†	ND	0.54 J
Apr-13	ND	ND	NS†	5.3	ND	ND	ND	NS†	ND	ND
May-14	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-15	ND	ND	NS†	0.49 J	NS‡	NS‡	ND	NS†	ND	1.6
Apr-16	ND	ND	NS†	6.8	NS‡	NS‡	ND	NS†	ND	NS
Apr-17	ND	ND	NS†	1.5	NS‡	NS‡	ND	NS†	ND	ND
Apr-18	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS
Benzene [1]										
Apr-11	ND	ND	NS†	ND	ND	ND	ND	NS†	5.5	ND
Apr-12	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-13	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
May-14	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND
Apr-15	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	ND
Apr-16	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS
Apr-17	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	ND
Apr-18	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS
Methylene Chloride [5]										
Apr-15	0.67 J	20	NS†	0.47 J	NS‡	NS‡	0.52 J	NS†	0.54 J	0.60 J
Apr-16	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS
Apr-17	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	ND
Apr-18	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS
1,1-Dichloroethene [5]										
Apr-15	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	0.30 J
Apr-16	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS
Apr-17	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	ND
Apr-18	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS
Acetone [50 guidance value]										
Apr-16	5.1	ND	NS†	1.6	NS‡	NS‡	ND	NS†	ND	NS
Apr-17	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	ND
Apr-18	ND	ND	NS†	ND	NS‡	NS‡	ND	NS†	ND	NS

Notes:

[*] Groundwater Standard Guidance Value

B = Less Than Contract Detection Limits

Shaded Values Are Above The Standard

D = Filtered sample was non-detect for lead

J = Semi-qualitative value, Conc. Below CRQCL

E = Filtered sample was non-detect for PCBs

ND = Below Detection Limits

NA = Not Analyzed, Per 3/26/09 conversation with NYSDEC (Gerry Pratt) CHA's request to eliminate this parameter from analysis was granted.

NS = Not Sampled

** Field Duplicate Sample (collected from MW-5 [August 1991 to May 2014], collected from MW-2 [April 2015 & April 2017])

† = Per NYSDEC's letter dated April 15, 2011, CHA's request to discontinue sampling monitoring wells MW-3 and MW-8 was approved.

‡ = Per NYSDEC's email dated September 15, 2014, CHA's request to discontinue sampling monitoring wells MW-5 and MW-6 was approved.

REVISED 5-16

ATTACHMENT B

Analytical Laboratory Report

May 09, 2018

Mike Noel
Tetra Tech
175 N Corporate Dr.
Suite 100
Brookfield, WI 53045


RE: Project: GE ALBANY VALTRANO 4/24
Pace Project No.: 7049729

Dear Mike Noel:

Enclosed are the analytical results for sample(s) received by the laboratory on April 25, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



John D. Stanton
john.stanton@pacelabs.com
(631)694-3040
Project Manager

Enclosures

cc: Ashley Weimer, Tetra Tech



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: GE ALBANY VALTRANO 4/24
Pace Project No.: 7049729

Long Island Certification IDs

575 Broad Hollow Rd, Melville, NY 11747
New York Certification #: 10478 Primary Accrediting Body
New Jersey Certification #: NY158
Pennsylvania Certification #: 68-00350
Connecticut Certification #: PH-0435

Maryland Certification #: 208
Rhode Island Certification #: LAO00340
Massachusetts Certification #: M-NY026
New Hampshire Certification #: 2987

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

Sample: MW-1		Lab ID: 7049729001		Collected: 04/24/18 12:45		Received: 04/25/18 10:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8082 GCS PCB		Analytical Method: EPA 8082A Preparation Method: EPA 3510C							
PCB-1016 (Aroclor 1016)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:23	12674-11-2		
PCB-1221 (Aroclor 1221)	<2.0	ug/L	2.0	1	05/03/18 12:31	05/04/18 13:23	11104-28-2		
PCB-1232 (Aroclor 1232)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:23	11141-16-5		
PCB-1242 (Aroclor 1242)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:23	53469-21-9		
PCB-1248 (Aroclor 1248)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:23	12672-29-6		
PCB-1254 (Aroclor 1254)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:23	11097-69-1		
PCB-1260 (Aroclor 1260)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:23	11096-82-5		
Surrogates									
Tetrachloro-m-xylene (S)	63	%	30-150	1	05/03/18 12:31	05/04/18 13:23	877-09-8		
Decachlorobiphenyl (S)	43	%	30-150	1	05/03/18 12:31	05/04/18 13:23	2051-24-3		
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Acetone	<5.0	ug/L	5.0	1		04/27/18 21:32	67-64-1		
Benzene	<1.0	ug/L	1.0	1		04/27/18 21:32	71-43-2		
Bromobenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	108-86-1		
Bromochloromethane	<1.0	ug/L	1.0	1		04/27/18 21:32	74-97-5	L1	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/27/18 21:32	75-27-4		
Bromoform	<1.0	ug/L	1.0	1		04/27/18 21:32	75-25-2		
Bromomethane	<1.0	ug/L	1.0	1		04/27/18 21:32	74-83-9		
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/27/18 21:32	78-93-3		
n-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	104-51-8		
sec-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	135-98-8		
tert-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	98-06-6		
Carbon disulfide	<1.0	ug/L	1.0	1		04/27/18 21:32	75-15-0		
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/27/18 21:32	56-23-5		
Chlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	108-90-7		
Chlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 21:32	75-45-6	N3	
Chloroethane	<1.0	ug/L	1.0	1		04/27/18 21:32	75-00-3		
Chloroform	<1.0	ug/L	1.0	1		04/27/18 21:32	67-66-3		
Chloromethane	<1.0	ug/L	1.0	1		04/27/18 21:32	74-87-3		
2-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 21:32	95-49-8		
4-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 21:32	106-43-4		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/27/18 21:32	124-48-1		
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/27/18 21:32	106-93-4		
Dibromomethane	<1.0	ug/L	1.0	1		04/27/18 21:32	74-95-3		
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	95-50-1		
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	541-73-1		
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	106-46-7		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/27/18 21:32	110-57-6		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 21:32	75-71-8		
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:32	75-34-3		
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:32	107-06-2		
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 21:32	75-35-4		
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 21:32	156-59-2		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 21:32	156-60-5		
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:32	78-87-5		
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:32	142-28-9		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

Sample: MW-1	Lab ID: 7049729001	Collected: 04/24/18 12:45	Received: 04/25/18 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:32	594-20-7	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 21:32	563-58-6	
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 21:32	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 21:32	10061-02-6	
1,4-Diethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	105-05-5	N3
Ethanol	<250	ug/L	250	1		04/27/18 21:32	64-17-5	
Ethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	100-41-4	
Hexachloro-1,3-butadiene	<1.0	ug/L	1.0	1		04/27/18 21:32	87-68-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/27/18 21:32	591-78-6	
Isopropylbenzene (Cumene)	<1.0	ug/L	1.0	1		04/27/18 21:32	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	1.0	1		04/27/18 21:32	99-87-6	L1
Methylene Chloride	<1.0	ug/L	1.0	1		04/27/18 21:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/27/18 21:32	108-10-1	
Methyl-tert-butyl ether	<1.0	ug/L	1.0	1		04/27/18 21:32	1634-04-4	
Naphthalene	<1.0	ug/L	1.0	1		04/27/18 21:32	91-20-3	
n-Propylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	103-65-1	
Styrene	<1.0	ug/L	1.0	1		04/27/18 21:32	100-42-5	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 21:32	630-20-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 21:32	79-34-5	
Tetrachloroethene	<1.0	ug/L	1.0	1		04/27/18 21:32	127-18-4	CL,IL
1,2,4,5-tetramethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	95-93-2	N3
Toluene	<1.0	ug/L	1.0	1		04/27/18 21:32	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	87-61-6	
1,2,4-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	120-82-1	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:32	71-55-6	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:32	79-00-5	
Trichloroethene	<1.0	ug/L	1.0	1		04/27/18 21:32	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/27/18 21:32	75-69-4	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:32	96-18-4	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/L	1.0	1		04/27/18 21:32	76-13-1	
1,2,4-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	95-63-6	
1,3,5-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:32	108-67-8	
Vinyl chloride	<1.0	ug/L	1.0	1		04/27/18 21:32	75-01-4	
Xylene (Total)	<3.0	ug/L	3.0	1		04/27/18 21:32	1330-20-7	
m&p-Xylene	<2.0	ug/L	2.0	1		04/27/18 21:32	179601-23-1	
o-Xylene	<1.0	ug/L	1.0	1		04/27/18 21:32	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	101	%	68-153	1		04/27/18 21:32	17060-07-0	
4-Bromofluorobenzene (S)	104	%	79-124	1		04/27/18 21:32	460-00-4	
Toluene-d8 (S)	91	%	69-124	1		04/27/18 21:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

Sample: MW-2		Lab ID: 7049729002	Collected: 04/23/18 12:45	Received: 04/25/18 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB		Analytical Method: EPA 8082A Preparation Method: EPA 3510C						
PCB-1016 (Aroclor 1016)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:36	12674-11-2	M1
PCB-1221 (Aroclor 1221)	<2.0	ug/L	2.0	1	05/03/18 12:31	05/04/18 13:36	11104-28-2	
PCB-1232 (Aroclor 1232)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:36	11141-16-5	
PCB-1242 (Aroclor 1242)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:36	53469-21-9	
PCB-1248 (Aroclor 1248)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:36	12672-29-6	
PCB-1254 (Aroclor 1254)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:36	11097-69-1	
PCB-1260 (Aroclor 1260)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 13:36	11096-82-5	
Surrogates								
Tetrachloro-m-xylene (S)	59	%	30-150	1	05/03/18 12:31	05/04/18 13:36	877-09-8	
Decachlorobiphenyl (S)	53	%	30-150	1	05/03/18 12:31	05/04/18 13:36	2051-24-3	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
Acetone	<5.0	ug/L	5.0	1		04/27/18 21:52	67-64-1	
Benzene	<1.0	ug/L	1.0	1		04/27/18 21:52	71-43-2	
Bromobenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	108-86-1	
Bromochloromethane	<1.0	ug/L	1.0	1		04/27/18 21:52	74-97-5	L1
Bromodichloromethane	<1.0	ug/L	1.0	1		04/27/18 21:52	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/27/18 21:52	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/27/18 21:52	74-83-9	CH
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/27/18 21:52	78-93-3	
n-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	104-51-8	
sec-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	135-98-8	
tert-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	98-06-6	
Carbon disulfide	<1.0	ug/L	1.0	1		04/27/18 21:52	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/27/18 21:52	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	108-90-7	
Chlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 21:52	75-45-6	N3
Chloroethane	<1.0	ug/L	1.0	1		04/27/18 21:52	75-00-3	
Chloroform	<1.0	ug/L	1.0	1		04/27/18 21:52	67-66-3	
Chloromethane	<1.0	ug/L	1.0	1		04/27/18 21:52	74-87-3	
2-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 21:52	95-49-8	
4-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 21:52	106-43-4	
Dibromochloromethane	<1.0	ug/L	1.0	1		04/27/18 21:52	124-48-1	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/27/18 21:52	106-93-4	
Dibromomethane	<1.0	ug/L	1.0	1		04/27/18 21:52	74-95-3	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	95-50-1	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	541-73-1	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	106-46-7	
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/27/18 21:52	110-57-6	
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 21:52	75-71-8	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:52	75-34-3	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:52	107-06-2	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 21:52	75-35-4	
cis-1,2-Dichloroethene	54.6	ug/L	1.0	1		04/27/18 21:52	156-59-2	
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 21:52	156-60-5	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:52	78-87-5	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:52	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

Sample: MW-2		Lab ID: 7049729002		Collected: 04/23/18 12:45		Received: 04/25/18 10:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:52	594-20-7		
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 21:52	563-58-6		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 21:52	10061-01-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 21:52	10061-02-6		
1,4-Diethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	105-05-5	N3	
Ethanol	<250	ug/L	250	1		04/27/18 21:52	64-17-5		
Ethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	100-41-4		
Hexachloro-1,3-butadiene	<1.0	ug/L	1.0	1		04/27/18 21:52	87-68-3		
2-Hexanone	<5.0	ug/L	5.0	1		04/27/18 21:52	591-78-6		
Isopropylbenzene (Cumene)	<1.0	ug/L	1.0	1		04/27/18 21:52	98-82-8		
p-Isopropyltoluene	<1.0	ug/L	1.0	1		04/27/18 21:52	99-87-6	L1,M0	
Methylene Chloride	<1.0	ug/L	1.0	1		04/27/18 21:52	75-09-2		
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/27/18 21:52	108-10-1		
Methyl-tert-butyl ether	<1.0	ug/L	1.0	1		04/27/18 21:52	1634-04-4		
Naphthalene	<1.0	ug/L	1.0	1		04/27/18 21:52	91-20-3		
n-Propylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	103-65-1		
Styrene	<1.0	ug/L	1.0	1		04/27/18 21:52	100-42-5		
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 21:52	630-20-6		
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 21:52	79-34-5		
Tetrachloroethene	58.5	ug/L	1.0	1		04/27/18 21:52	127-18-4	CL,IL,M1	
1,2,4,5-tetramethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	95-93-2	N3	
Toluene	<1.0	ug/L	1.0	1		04/27/18 21:52	108-88-3		
1,2,3-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	87-61-6		
1,2,4-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	120-82-1		
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:52	71-55-6		
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:52	79-00-5		
Trichloroethene	25.0	ug/L	1.0	1		04/27/18 21:52	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/27/18 21:52	75-69-4		
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:52	96-18-4	M1	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/L	1.0	1		04/27/18 21:52	76-13-1		
1,2,4-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	95-63-6		
1,3,5-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:52	108-67-8		
Vinyl chloride	1.8	ug/L	1.0	1		04/27/18 21:52	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/27/18 21:52	1330-20-7		
m&p-Xylene	<2.0	ug/L	2.0	1		04/27/18 21:52	179601-23-1		
o-Xylene	<1.0	ug/L	1.0	1		04/27/18 21:52	95-47-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	99	%	68-153	1		04/27/18 21:52	17060-07-0		
4-Bromofluorobenzene (S)	97	%	79-124	1		04/27/18 21:52	460-00-4		
Toluene-d8 (S)	89	%	69-124	1		04/27/18 21:52	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24
Pace Project No.: 7049729

Sample: MW-4		Lab ID: 7049729003		Collected: 04/23/18 11:40		Received: 04/25/18 10:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8082 GCS PCB		Analytical Method: EPA 8082A Preparation Method: EPA 3510C							
PCB-1016 (Aroclor 1016)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:01	12674-11-2		
PCB-1221 (Aroclor 1221)	<2.0	ug/L	2.0	1	05/03/18 12:31	05/04/18 14:01	11104-28-2		
PCB-1232 (Aroclor 1232)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:01	11141-16-5		
PCB-1242 (Aroclor 1242)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:01	53469-21-9		
PCB-1248 (Aroclor 1248)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:01	12672-29-6		
PCB-1254 (Aroclor 1254)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:01	11097-69-1		
PCB-1260 (Aroclor 1260)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:01	11096-82-5		
Surrogates									
Tetrachloro-m-xylene (S)	61	%	30-150	1	05/03/18 12:31	05/04/18 14:01	877-09-8		
Decachlorobiphenyl (S)	58	%	30-150	1	05/03/18 12:31	05/04/18 14:01	2051-24-3		
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Acetone	<5.0	ug/L	5.0	1		04/27/18 21:12	67-64-1		
Benzene	<1.0	ug/L	1.0	1		04/27/18 21:12	71-43-2		
Bromobenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	108-86-1		
Bromochloromethane	<1.0	ug/L	1.0	1		04/27/18 21:12	74-97-5	L1	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/27/18 21:12	75-27-4		
Bromoform	<1.0	ug/L	1.0	1		04/27/18 21:12	75-25-2		
Bromomethane	<1.0	ug/L	1.0	1		04/27/18 21:12	74-83-9		
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/27/18 21:12	78-93-3		
n-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	104-51-8		
sec-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	135-98-8		
tert-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	98-06-6		
Carbon disulfide	<1.0	ug/L	1.0	1		04/27/18 21:12	75-15-0		
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/27/18 21:12	56-23-5		
Chlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	108-90-7		
Chlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 21:12	75-45-6	N3	
Chloroethane	<1.0	ug/L	1.0	1		04/27/18 21:12	75-00-3		
Chloroform	<1.0	ug/L	1.0	1		04/27/18 21:12	67-66-3		
Chloromethane	<1.0	ug/L	1.0	1		04/27/18 21:12	74-87-3		
2-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 21:12	95-49-8		
4-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 21:12	106-43-4		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/27/18 21:12	124-48-1		
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/27/18 21:12	106-93-4		
Dibromomethane	<1.0	ug/L	1.0	1		04/27/18 21:12	74-95-3		
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	95-50-1		
1,3-Dichlorobenzene	1.4	ug/L	1.0	1		04/27/18 21:12	541-73-1		
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	106-46-7		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/27/18 21:12	110-57-6		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 21:12	75-71-8		
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:12	75-34-3		
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:12	107-06-2		
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 21:12	75-35-4		
cis-1,2-Dichloroethene	2.2	ug/L	1.0	1		04/27/18 21:12	156-59-2		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 21:12	156-60-5		
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:12	78-87-5		
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:12	142-28-9		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24
Pace Project No.: 7049729

Sample: MW-4		Lab ID: 7049729003	Collected: 04/23/18 11:40	Received: 04/25/18 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:12	594-20-7	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 21:12	563-58-6	
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 21:12	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 21:12	10061-02-6	
1,4-Diethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	105-05-5	N3
Ethanol	<250	ug/L	250	1		04/27/18 21:12	64-17-5	
Ethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	100-41-4	
Hexachloro-1,3-butadiene	<1.0	ug/L	1.0	1		04/27/18 21:12	87-68-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/27/18 21:12	591-78-6	
Isopropylbenzene (Cumene)	<1.0	ug/L	1.0	1		04/27/18 21:12	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	1.0	1		04/27/18 21:12	99-87-6	L1
Methylene Chloride	<1.0	ug/L	1.0	1		04/27/18 21:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/27/18 21:12	108-10-1	
Methyl-tert-butyl ether	<1.0	ug/L	1.0	1		04/27/18 21:12	1634-04-4	
Naphthalene	<1.0	ug/L	1.0	1		04/27/18 21:12	91-20-3	
n-Propylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	103-65-1	
Styrene	<1.0	ug/L	1.0	1		04/27/18 21:12	100-42-5	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 21:12	630-20-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 21:12	79-34-5	
Tetrachloroethene	<1.0	ug/L	1.0	1		04/27/18 21:12	127-18-4	CL,IL
1,2,4,5-tetramethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	95-93-2	N3
Toluene	<1.0	ug/L	1.0	1		04/27/18 21:12	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	87-61-6	
1,2,4-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	120-82-1	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:12	71-55-6	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 21:12	79-00-5	
Trichloroethene	<1.0	ug/L	1.0	1		04/27/18 21:12	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/27/18 21:12	75-69-4	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/27/18 21:12	96-18-4	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/L	1.0	1		04/27/18 21:12	76-13-1	
1,2,4-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	95-63-6	
1,3,5-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 21:12	108-67-8	
Vinyl chloride	<1.0	ug/L	1.0	1		04/27/18 21:12	75-01-4	
Xylene (Total)	<3.0	ug/L	3.0	1		04/27/18 21:12	1330-20-7	
m&p-Xylene	<2.0	ug/L	2.0	1		04/27/18 21:12	179601-23-1	
o-Xylene	<1.0	ug/L	1.0	1		04/27/18 21:12	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	97	%	68-153	1		04/27/18 21:12	17060-07-0	
4-Bromofluorobenzene (S)	101	%	79-124	1		04/27/18 21:12	460-00-4	
Toluene-d8 (S)	93	%	69-124	1		04/27/18 21:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

Sample: MW-7		Lab ID: 7049729004	Collected: 04/23/18 11:45	Received: 04/25/18 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB		Analytical Method: EPA 8082A Preparation Method: EPA 3510C						
PCB-1016 (Aroclor 1016)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<2.0	ug/L	2.0	1	05/03/18 12:31	05/04/18 14:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:14	53469-21-9	
PCB-1248 (Aroclor 1248)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:14	12672-29-6	
PCB-1254 (Aroclor 1254)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:14	11097-69-1	
PCB-1260 (Aroclor 1260)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:14	11096-82-5	
Surrogates								
Tetrachloro-m-xylene (S)	59	%	30-150	1	05/03/18 12:31	05/04/18 14:14	877-09-8	
Decachlorobiphenyl (S)	71	%	30-150	1	05/03/18 12:31	05/04/18 14:14	2051-24-3	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
Acetone	<5.0	ug/L	5.0	1		04/27/18 20:51	67-64-1	
Benzene	<1.0	ug/L	1.0	1		04/27/18 20:51	71-43-2	
Bromobenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	108-86-1	
Bromochloromethane	<1.0	ug/L	1.0	1		04/27/18 20:51	74-97-5	L1
Bromodichloromethane	<1.0	ug/L	1.0	1		04/27/18 20:51	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/27/18 20:51	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/27/18 20:51	74-83-9	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/27/18 20:51	78-93-3	
n-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	104-51-8	
sec-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	135-98-8	
tert-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	98-06-6	
Carbon disulfide	<1.0	ug/L	1.0	1		04/27/18 20:51	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/27/18 20:51	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	108-90-7	
Chlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 20:51	75-45-6	N3
Chloroethane	<1.0	ug/L	1.0	1		04/27/18 20:51	75-00-3	
Chloroform	<1.0	ug/L	1.0	1		04/27/18 20:51	67-66-3	
Chloromethane	<1.0	ug/L	1.0	1		04/27/18 20:51	74-87-3	
2-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 20:51	95-49-8	
4-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 20:51	106-43-4	
Dibromochloromethane	<1.0	ug/L	1.0	1		04/27/18 20:51	124-48-1	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/27/18 20:51	106-93-4	
Dibromomethane	<1.0	ug/L	1.0	1		04/27/18 20:51	74-95-3	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	95-50-1	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	541-73-1	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	106-46-7	
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/27/18 20:51	110-57-6	
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 20:51	75-71-8	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:51	75-34-3	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:51	107-06-2	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 20:51	75-35-4	
cis-1,2-Dichloroethene	2.6	ug/L	1.0	1		04/27/18 20:51	156-59-2	
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 20:51	156-60-5	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:51	78-87-5	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:51	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

Sample: MW-7		Lab ID: 7049729004		Collected: 04/23/18 11:45		Received: 04/25/18 10:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:51	594-20-7		
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 20:51	563-58-6		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 20:51	10061-01-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 20:51	10061-02-6		
1,4-Diethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	105-05-5	N3	
Ethanol	<250	ug/L	250	1		04/27/18 20:51	64-17-5		
Ethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	100-41-4		
Hexachloro-1,3-butadiene	<1.0	ug/L	1.0	1		04/27/18 20:51	87-68-3		
2-Hexanone	<5.0	ug/L	5.0	1		04/27/18 20:51	591-78-6		
Isopropylbenzene (Cumene)	<1.0	ug/L	1.0	1		04/27/18 20:51	98-82-8		
p-Isopropyltoluene	<1.0	ug/L	1.0	1		04/27/18 20:51	99-87-6	L1	
Methylene Chloride	<1.0	ug/L	1.0	1		04/27/18 20:51	75-09-2		
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/27/18 20:51	108-10-1		
Methyl-tert-butyl ether	<1.0	ug/L	1.0	1		04/27/18 20:51	1634-04-4		
Naphthalene	<1.0	ug/L	1.0	1		04/27/18 20:51	91-20-3		
n-Propylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	103-65-1		
Styrene	<1.0	ug/L	1.0	1		04/27/18 20:51	100-42-5		
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 20:51	630-20-6		
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 20:51	79-34-5		
Tetrachloroethene	2.4	ug/L	1.0	1		04/27/18 20:51	127-18-4	CL,IL	
1,2,4,5-tetramethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	95-93-2	N3	
Toluene	<1.0	ug/L	1.0	1		04/27/18 20:51	108-88-3		
1,2,3-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	87-61-6		
1,2,4-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	120-82-1		
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:51	71-55-6		
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:51	79-00-5		
Trichloroethene	1.3	ug/L	1.0	1		04/27/18 20:51	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/27/18 20:51	75-69-4		
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:51	96-18-4		
1,1,2-Trichlorotrifluoroethane	<1.0	ug/L	1.0	1		04/27/18 20:51	76-13-1		
1,2,4-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	95-63-6		
1,3,5-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:51	108-67-8		
Vinyl chloride	<1.0	ug/L	1.0	1		04/27/18 20:51	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/27/18 20:51	1330-20-7		
m&p-Xylene	<2.0	ug/L	2.0	1		04/27/18 20:51	179601-23-1		
o-Xylene	<1.0	ug/L	1.0	1		04/27/18 20:51	95-47-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	97	%	68-153	1		04/27/18 20:51	17060-07-0		
4-Bromofluorobenzene (S)	99	%	79-124	1		04/27/18 20:51	460-00-4		
Toluene-d8 (S)	92	%	69-124	1		04/27/18 20:51	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

Sample: MW-9		Lab ID: 7049729005	Collected: 04/23/18 12:45	Received: 04/25/18 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB		Analytical Method: EPA 8082A Preparation Method: EPA 3510C						
PCB-1016 (Aroclor 1016)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:27	12674-11-2	
PCB-1221 (Aroclor 1221)	<2.0	ug/L	2.0	1	05/03/18 12:31	05/04/18 14:27	11104-28-2	
PCB-1232 (Aroclor 1232)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:27	11141-16-5	
PCB-1242 (Aroclor 1242)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:27	53469-21-9	
PCB-1248 (Aroclor 1248)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:27	12672-29-6	
PCB-1254 (Aroclor 1254)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:27	11097-69-1	
PCB-1260 (Aroclor 1260)	<1.0	ug/L	1.0	1	05/03/18 12:31	05/04/18 14:27	11096-82-5	
Surrogates								
Tetrachloro-m-xylene (S)	64	%	30-150	1	05/03/18 12:31	05/04/18 14:27	877-09-8	
Decachlorobiphenyl (S)	65	%	30-150	1	05/03/18 12:31	05/04/18 14:27	2051-24-3	
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A						
Lead	<5.0	ug/L	5.0	1	04/28/18 10:02	05/01/18 00:13	7439-92-1	
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A						
Mercury	<0.20	ug/L	0.20	1	04/28/18 12:04	05/02/18 12:53	7439-97-6	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
Acetone	<5.0	ug/L	5.0	1		04/27/18 20:31	67-64-1	
Benzene	<1.0	ug/L	1.0	1		04/27/18 20:31	71-43-2	
Bromobenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	108-86-1	
Bromochloromethane	<1.0	ug/L	1.0	1		04/27/18 20:31	74-97-5	L1
Bromodichloromethane	<1.0	ug/L	1.0	1		04/27/18 20:31	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/27/18 20:31	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/27/18 20:31	74-83-9	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/27/18 20:31	78-93-3	
n-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	104-51-8	
sec-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	135-98-8	
tert-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	98-06-6	
Carbon disulfide	<1.0	ug/L	1.0	1		04/27/18 20:31	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/27/18 20:31	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	108-90-7	
Chlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 20:31	75-45-6	N3
Chloroethane	<1.0	ug/L	1.0	1		04/27/18 20:31	75-00-3	
Chloroform	<1.0	ug/L	1.0	1		04/27/18 20:31	67-66-3	
Chloromethane	<1.0	ug/L	1.0	1		04/27/18 20:31	74-87-3	
2-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 20:31	95-49-8	
4-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 20:31	106-43-4	
Dibromochloromethane	<1.0	ug/L	1.0	1		04/27/18 20:31	124-48-1	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/27/18 20:31	106-93-4	
Dibromomethane	<1.0	ug/L	1.0	1		04/27/18 20:31	74-95-3	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	95-50-1	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	541-73-1	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	106-46-7	
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/27/18 20:31	110-57-6	
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 20:31	75-71-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

Sample: MW-9		Lab ID: 7049729005	Collected: 04/23/18 12:45	Received: 04/25/18 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:31	75-34-3	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:31	107-06-2	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 20:31	75-35-4	
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 20:31	156-59-2	
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 20:31	156-60-5	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:31	78-87-5	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:31	142-28-9	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:31	594-20-7	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 20:31	563-58-6	
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 20:31	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 20:31	10061-02-6	
1,4-Diethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	105-05-5	N3
Ethanol	<250	ug/L	250	1		04/27/18 20:31	64-17-5	
Ethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	100-41-4	
Hexachloro-1,3-butadiene	<1.0	ug/L	1.0	1		04/27/18 20:31	87-68-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/27/18 20:31	591-78-6	
Isopropylbenzene (Cumene)	<1.0	ug/L	1.0	1		04/27/18 20:31	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	1.0	1		04/27/18 20:31	99-87-6	L1
Methylene Chloride	<1.0	ug/L	1.0	1		04/27/18 20:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/27/18 20:31	108-10-1	
Methyl-tert-butyl ether	<1.0	ug/L	1.0	1		04/27/18 20:31	1634-04-4	
Naphthalene	<1.0	ug/L	1.0	1		04/27/18 20:31	91-20-3	
n-Propylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	103-65-1	
Styrene	<1.0	ug/L	1.0	1		04/27/18 20:31	100-42-5	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 20:31	630-20-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 20:31	79-34-5	
Tetrachloroethene	2.1	ug/L	1.0	1		04/27/18 20:31	127-18-4	CL,IL
1,2,4,5-tetramethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	95-93-2	N3
Toluene	<1.0	ug/L	1.0	1		04/27/18 20:31	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	87-61-6	
1,2,4-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	120-82-1	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:31	71-55-6	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:31	79-00-5	
Trichloroethene	<1.0	ug/L	1.0	1		04/27/18 20:31	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/27/18 20:31	75-69-4	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:31	96-18-4	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/L	1.0	1		04/27/18 20:31	76-13-1	
1,2,4-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	95-63-6	
1,3,5-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:31	108-67-8	
Vinyl chloride	<1.0	ug/L	1.0	1		04/27/18 20:31	75-01-4	
Xylene (Total)	<3.0	ug/L	3.0	1		04/27/18 20:31	1330-20-7	
m&p-Xylene	<2.0	ug/L	2.0	1		04/27/18 20:31	179601-23-1	
o-Xylene	<1.0	ug/L	1.0	1		04/27/18 20:31	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	99	%	68-153	1		04/27/18 20:31	17060-07-0	
4-Bromofluorobenzene (S)	101	%	79-124	1		04/27/18 20:31	460-00-4	
Toluene-d8 (S)	94	%	69-124	1		04/27/18 20:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

Sample: TRIP BLANK		Lab ID: 7049729006	Collected: 04/23/18 00:00	Received: 04/25/18 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
Acetone	<5.0	ug/L	5.0	1		04/27/18 20:10	67-64-1	
Benzene	<1.0	ug/L	1.0	1		04/27/18 20:10	71-43-2	
Bromobenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	108-86-1	
Bromochloromethane	<1.0	ug/L	1.0	1		04/27/18 20:10	74-97-5	L1
Bromodichloromethane	<1.0	ug/L	1.0	1		04/27/18 20:10	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/27/18 20:10	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/27/18 20:10	74-83-9	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/27/18 20:10	78-93-3	
n-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	104-51-8	
sec-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	135-98-8	
tert-Butylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	98-06-6	
Carbon disulfide	<1.0	ug/L	1.0	1		04/27/18 20:10	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/27/18 20:10	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	108-90-7	
Chlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 20:10	75-45-6	N3
Chloroethane	<1.0	ug/L	1.0	1		04/27/18 20:10	75-00-3	
Chloroform	<1.0	ug/L	1.0	1		04/27/18 20:10	67-66-3	
Chloromethane	<1.0	ug/L	1.0	1		04/27/18 20:10	74-87-3	
2-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 20:10	95-49-8	
4-Chlorotoluene	<1.0	ug/L	1.0	1		04/27/18 20:10	106-43-4	
Dibromochloromethane	<1.0	ug/L	1.0	1		04/27/18 20:10	124-48-1	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/27/18 20:10	106-93-4	
Dibromomethane	<1.0	ug/L	1.0	1		04/27/18 20:10	74-95-3	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	95-50-1	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	541-73-1	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	106-46-7	
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/27/18 20:10	110-57-6	
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/27/18 20:10	75-71-8	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:10	75-34-3	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:10	107-06-2	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 20:10	75-35-4	
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 20:10	156-59-2	
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/27/18 20:10	156-60-5	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:10	78-87-5	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:10	142-28-9	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:10	594-20-7	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 20:10	563-58-6	
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 20:10	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/27/18 20:10	10061-02-6	
1,4-Diethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	105-05-5	N3
Ethanol	<250	ug/L	250	1		04/27/18 20:10	64-17-5	
Ethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	100-41-4	
Hexachloro-1,3-butadiene	<1.0	ug/L	1.0	1		04/27/18 20:10	87-68-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/27/18 20:10	591-78-6	
Isopropylbenzene (Cumene)	<1.0	ug/L	1.0	1		04/27/18 20:10	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	1.0	1		04/27/18 20:10	99-87-6	L1
Methylene Chloride	<1.0	ug/L	1.0	1		04/27/18 20:10	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

Sample: TRIP BLANK		Lab ID: 7049729006	Collected: 04/23/18 00:00	Received: 04/25/18 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/27/18 20:10	108-10-1	
Methyl-tert-butyl ether	<1.0	ug/L	1.0	1		04/27/18 20:10	1634-04-4	
Naphthalene	<1.0	ug/L	1.0	1		04/27/18 20:10	91-20-3	
n-Propylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	103-65-1	
Styrene	<1.0	ug/L	1.0	1		04/27/18 20:10	100-42-5	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 20:10	630-20-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/27/18 20:10	79-34-5	
Tetrachloroethene	<1.0	ug/L	1.0	1		04/27/18 20:10	127-18-4	CL,IL
1,2,4,5-tetramethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	95-93-2	N3
Toluene	<1.0	ug/L	1.0	1		04/27/18 20:10	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	87-61-6	
1,2,4-Trichlorobenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	120-82-1	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:10	71-55-6	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/27/18 20:10	79-00-5	
Trichloroethene	<1.0	ug/L	1.0	1		04/27/18 20:10	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/27/18 20:10	75-69-4	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/27/18 20:10	96-18-4	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/L	1.0	1		04/27/18 20:10	76-13-1	
1,2,4-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	95-63-6	
1,3,5-Trimethylbenzene	<1.0	ug/L	1.0	1		04/27/18 20:10	108-67-8	
Vinyl chloride	<1.0	ug/L	1.0	1		04/27/18 20:10	75-01-4	
Xylene (Total)	<3.0	ug/L	3.0	1		04/27/18 20:10	1330-20-7	
m&p-Xylene	<2.0	ug/L	2.0	1		04/27/18 20:10	179601-23-1	
o-Xylene	<1.0	ug/L	1.0	1		04/27/18 20:10	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	99	%	68-153	1		04/27/18 20:10	17060-07-0	
4-Bromofluorobenzene (S)	105	%	79-124	1		04/27/18 20:10	460-00-4	
Toluene-d8 (S)	97	%	69-124	1		04/27/18 20:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE ALBANY VALTRANO 4/24
Pace Project No.: 7049729

QC Batch: 65350	Analysis Method: EPA 7470A
QC Batch Method: EPA 7470A	Analysis Description: 7470 Mercury
Associated Lab Samples: 7049729005	

METHOD BLANK: 299652 Matrix: Water
Associated Lab Samples: 7049729005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.20	0.20	05/02/18 12:50	

LABORATORY CONTROL SAMPLE: 299653

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	1	1.1	110	80-120	

MATRIX SPIKE SAMPLE: 299654

Parameter	Units	7049729005 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	<0.20	1	1.1	109	75-125	

SAMPLE DUPLICATE: 299655

Parameter	Units	7049729005 Result	Dup Result	RPD	Qualifiers
Mercury	ug/L	<0.20	<0.20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

QC Batch:	65348	Analysis Method:	EPA 6010C
QC Batch Method:	EPA 3005A	Analysis Description:	6010 MET Water
Associated Lab Samples:	7049729005		

METHOD BLANK: 299644 Matrix: Water

Associated Lab Samples: 7049729005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<5.0	5.0	05/01/18 00:02	

LABORATORY CONTROL SAMPLE: 299645

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	500	509	102	80-120	

MATRIX SPIKE SAMPLE: 299647

Parameter	Units	7049729005 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<5.0	500	481	96	75-125	

SAMPLE DUPLICATE: 299646

Parameter	Units	7049729005 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<5.0	<5.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

QC Batch: 65391 Analysis Method: EPA 8260C/5030C
QC Batch Method: EPA 8260C/5030C Analysis Description: 8260 MSV
Associated Lab Samples: 7049729001, 7049729002, 7049729003, 7049729004, 7049729005, 7049729006

METHOD BLANK: 299801

Matrix: Water

Associated Lab Samples: 7049729001, 7049729002, 7049729003, 7049729004, 7049729005, 7049729006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<1.0	1.0	04/27/18 13:29	
1,1,1-Trichloroethane	ug/L	<1.0	1.0	04/27/18 13:29	
1,1,2,2-Tetrachloroethane	ug/L	<1.0	1.0	04/27/18 13:29	
1,1,2-Trichloroethane	ug/L	<1.0	1.0	04/27/18 13:29	
1,1,2-Trichlorotrifluoroethane	ug/L	<1.0	1.0	04/27/18 13:29	
1,1-Dichloroethane	ug/L	<1.0	1.0	04/27/18 13:29	
1,1-Dichloroethene	ug/L	<1.0	1.0	04/27/18 13:29	
1,1-Dichloropropene	ug/L	<1.0	1.0	04/27/18 13:29	
1,2,3-Trichlorobenzene	ug/L	<1.0	1.0	04/27/18 13:29	
1,2,3-Trichloropropane	ug/L	<1.0	1.0	04/27/18 13:29	
1,2,4,5-tetramethylbenzene	ug/L	<1.0	1.0	04/27/18 13:29	N3
1,2,4-Trichlorobenzene	ug/L	<1.0	1.0	04/27/18 13:29	
1,2,4-Trimethylbenzene	ug/L	<1.0	1.0	04/27/18 13:29	
1,2-Dibromoethane (EDB)	ug/L	<1.0	1.0	04/27/18 13:29	
1,2-Dichlorobenzene	ug/L	<1.0	1.0	04/27/18 13:29	
1,2-Dichloroethane	ug/L	<1.0	1.0	04/27/18 13:29	
1,2-Dichloropropane	ug/L	<1.0	1.0	04/27/18 13:29	
1,3,5-Trimethylbenzene	ug/L	<1.0	1.0	04/27/18 13:29	
1,3-Dichlorobenzene	ug/L	<1.0	1.0	04/27/18 13:29	
1,3-Dichloropropane	ug/L	<1.0	1.0	04/27/18 13:29	
1,4-Dichlorobenzene	ug/L	<1.0	1.0	04/27/18 13:29	
1,4-Diethylbenzene	ug/L	<1.0	1.0	04/27/18 13:29	N3
2,2-Dichloropropane	ug/L	<1.0	1.0	04/27/18 13:29	
2-Butanone (MEK)	ug/L	<5.0	5.0	04/27/18 13:29	
2-Chlorotoluene	ug/L	<1.0	1.0	04/27/18 13:29	
2-Hexanone	ug/L	<5.0	5.0	04/27/18 13:29	
4-Chlorotoluene	ug/L	<1.0	1.0	04/27/18 13:29	
4-Methyl-2-pentanone (MIBK)	ug/L	<5.0	5.0	04/27/18 13:29	
Acetone	ug/L	<5.0	5.0	04/27/18 13:29	
Benzene	ug/L	<1.0	1.0	04/27/18 13:29	
Bromobenzene	ug/L	<1.0	1.0	04/27/18 13:29	
Bromochloromethane	ug/L	<1.0	1.0	04/27/18 13:29	
Bromodichloromethane	ug/L	<1.0	1.0	04/27/18 13:29	
Bromoform	ug/L	<1.0	1.0	04/27/18 13:29	
Bromomethane	ug/L	<1.0	1.0	04/27/18 13:29	
Carbon disulfide	ug/L	<1.0	1.0	04/27/18 13:29	
Carbon tetrachloride	ug/L	<1.0	1.0	04/27/18 13:29	
Chlorobenzene	ug/L	<1.0	1.0	04/27/18 13:29	
Chlorodifluoromethane	ug/L	<1.0	1.0	04/27/18 13:29	N3
Chloroethane	ug/L	<1.0	1.0	04/27/18 13:29	
Chloroform	ug/L	<1.0	1.0	04/27/18 13:29	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

METHOD BLANK: 299801

Matrix: Water

Associated Lab Samples: 7049729001, 7049729002, 7049729003, 7049729004, 7049729005, 7049729006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloromethane	ug/L	<1.0	1.0	04/27/18 13:29	
cis-1,2-Dichloroethene	ug/L	<1.0	1.0	04/27/18 13:29	
cis-1,3-Dichloropropene	ug/L	<1.0	1.0	04/27/18 13:29	
Dibromochloromethane	ug/L	<1.0	1.0	04/27/18 13:29	
Dibromomethane	ug/L	<1.0	1.0	04/27/18 13:29	
Dichlorodifluoromethane	ug/L	<1.0	1.0	04/27/18 13:29	
Ethanol	ug/L	<250	250	04/27/18 13:29	
Ethylbenzene	ug/L	<1.0	1.0	04/27/18 13:29	
Hexachloro-1,3-butadiene	ug/L	<1.0	1.0	04/27/18 13:29	
Isopropylbenzene (Cumene)	ug/L	<1.0	1.0	04/27/18 13:29	
m&p-Xylene	ug/L	<2.0	2.0	04/27/18 13:29	
Methyl-tert-butyl ether	ug/L	<1.0	1.0	04/27/18 13:29	
Methylene Chloride	ug/L	<1.0	1.0	04/27/18 13:29	
n-Butylbenzene	ug/L	<1.0	1.0	04/27/18 13:29	
n-Propylbenzene	ug/L	<1.0	1.0	04/27/18 13:29	
Naphthalene	ug/L	<1.0	1.0	04/27/18 13:29	
o-Xylene	ug/L	<1.0	1.0	04/27/18 13:29	
p-Isopropyltoluene	ug/L	<1.0	1.0	04/27/18 13:29	
sec-Butylbenzene	ug/L	<1.0	1.0	04/27/18 13:29	
Styrene	ug/L	<1.0	1.0	04/27/18 13:29	
tert-Butylbenzene	ug/L	<1.0	1.0	04/27/18 13:29	
Tetrachloroethene	ug/L	<1.0	1.0	04/27/18 13:29	CL,IL
Toluene	ug/L	<1.0	1.0	04/27/18 13:29	
trans-1,2-Dichloroethene	ug/L	<1.0	1.0	04/27/18 13:29	
trans-1,3-Dichloropropene	ug/L	<1.0	1.0	04/27/18 13:29	
trans-1,4-Dichloro-2-butene	ug/L	<1.0	1.0	04/27/18 13:29	
Trichloroethene	ug/L	<1.0	1.0	04/27/18 13:29	
Trichlorofluoromethane	ug/L	<1.0	1.0	04/27/18 13:29	
Vinyl chloride	ug/L	<1.0	1.0	04/27/18 13:29	
Xylene (Total)	ug/L	<3.0	3.0	04/27/18 13:29	
1,2-Dichloroethane-d4 (S)	%	97	68-153	04/27/18 13:29	
4-Bromofluorobenzene (S)	%	103	79-124	04/27/18 13:29	
Toluene-d8 (S)	%	93	69-124	04/27/18 13:29	

LABORATORY CONTROL SAMPLE: 299802

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	53.1	106	74-113	
1,1,1-Trichloroethane	ug/L	50	48.4	97	65-118	
1,1,2,2-Tetrachloroethane	ug/L	50	49.5	99	74-121	
1,1,2-Trichloroethane	ug/L	50	53.8	108	80-117	
1,1,2-Trichlorotrifluoroethane	ug/L	50	56.2	112	60-140	
1,1-Dichloroethane	ug/L	50	55.8	112	83-151	
1,1-Dichloroethene	ug/L	50	55.2	110	45-146	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

LABORATORY CONTROL SAMPLE: 299802

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloropropene	ug/L	50	48.4	97	59-127	
1,2,3-Trichlorobenzene	ug/L	50	43.4	87	67-103	
1,2,3-Trichloropropane	ug/L	50	46.4	93	71-123	
1,2,4,5-tetramethylbenzene	ug/L	50	47.1	94	66-103	N3
1,2,4-Trichlorobenzene	ug/L	50	47.6	95	66-116	
1,2,4-Trimethylbenzene	ug/L	50	48.0	96	68-116	
1,2-Dibromoethane (EDB)	ug/L	50	53.6	107	83-115	
1,2-Dichlorobenzene	ug/L	50	47.9	96	74-113	
1,2-Dichloroethane	ug/L	50	57.0	114	74-129	
1,2-Dichloropropane	ug/L	50	51.5	103	75-117	
1,3,5-Trimethylbenzene	ug/L	50	49.7	99	67-116	
1,3-Dichlorobenzene	ug/L	50	47.9	96	71-112	
1,3-Dichloropropane	ug/L	50	51.1	102	74-112	
1,4-Dichlorobenzene	ug/L	50	48.0	96	71-113	
1,4-Diethylbenzene	ug/L	50	44.6	89	56-130	N3
2,2-Dichloropropane	ug/L	50	56.3	113	63-133	
2-Butanone (MEK)	ug/L	50	54.6	109	44-162	
2-Chlorotoluene	ug/L	50	47.9	96	74-101	
2-Hexanone	ug/L	50	50.8	102	32-183	
4-Chlorotoluene	ug/L	50	48.3	97	74-101	
4-Methyl-2-pentanone (MIBK)	ug/L	50	50.3	101	69-132	
Acetone	ug/L	50	58.2	116	23-188	
Benzene	ug/L	50	51.6	103	73-119	
Bromobenzene	ug/L	50	47.9	96	72-102	
Bromochloromethane	ug/L	50	58.6	117	81-116	L1
Bromodichloromethane	ug/L	50	54.7	109	78-117	
Bromoform	ug/L	50	56.6	113	65-122	
Bromomethane	ug/L	50	67.2	134	52-147	CH
Carbon disulfide	ug/L	50	57.4	115	41-144	
Carbon tetrachloride	ug/L	50	51.1	102	59-120	
Chlorobenzene	ug/L	50	50.2	100	75-113	
Chlorodifluoromethane	ug/L	50	47.6	95	43-140	N3
Chloroethane	ug/L	50	54.2	108	49-151	
Chloroform	ug/L	50	55.2	110	72-122	
Chloromethane	ug/L	50	43.8	88	46-144	
cis-1,2-Dichloroethene	ug/L	50	53.8	108	72-121	
cis-1,3-Dichloropropene	ug/L	50	56.4	113	78-116	
Dibromochloromethane	ug/L	50	55.0	110	70-120	
Dibromomethane	ug/L	50	53.6	107	75-125	
Dichlorodifluoromethane	ug/L	50	40.2	80	22-154	
Ethanol	ug/L	1250	1470	118	10-151	
Ethylbenzene	ug/L	50	49.5	99	70-113	
Hexachloro-1,3-butadiene	ug/L	50	51.1	102	59-121	
Isopropylbenzene (Cumene)	ug/L	50	46.8	94	67-115	
m&p-Xylene	ug/L	100	99.9	100	72-115	
Methyl-tert-butyl ether	ug/L	50	56.0	112	72-131	
Methylene Chloride	ug/L	50	60.5	121	61-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

LABORATORY CONTROL SAMPLE: 299802

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
n-Butylbenzene	ug/L	50	44.9	90	73-107	
n-Propylbenzene	ug/L	50	45.3	91	68-116	
Naphthalene	ug/L	50	44.2	88	70-118	
o-Xylene	ug/L	50	49.4	99	73-117	
p-Isopropyltoluene	ug/L	50	52.1	104	73-101	L1
sec-Butylbenzene	ug/L	50	46.8	94	72-103	
Styrene	ug/L	50	49.4	99	72-118	
tert-Butylbenzene	ug/L	50	47.7	95	68-100	
Tetrachloroethene	ug/L	50	47.3	95	60-128	CL,IL
Toluene	ug/L	50	50.3	101	72-119	
trans-1,2-Dichloroethene	ug/L	50	57.3	115	56-142	
trans-1,3-Dichloropropene	ug/L	50	52.8	106	79-116	
trans-1,4-Dichloro-2-butene	ug/L	50	48.3	97	71-121	
Trichloroethene	ug/L	50	50.0	100	69-117	
Trichlorofluoromethane	ug/L	50	48.6	97	27-173	
Vinyl chloride	ug/L	50	47.6	95	43-143	
Xylene (Total)	ug/L	150	149	100	71-109	
1,2-Dichloroethane-d4 (S)	%			103	68-153	
4-Bromofluorobenzene (S)	%			106	79-124	
Toluene-d8 (S)	%			97	69-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 299803 299804

Parameter	Units	7049729002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	<1.0	50	50	44.1	47.9	88	96	74-113	8	
1,1,1-Trichloroethane	ug/L	<1.0	50	50	45.4	49.2	91	98	65-118	8	
1,1,2,2-Tetrachloroethane	ug/L	<1.0	50	50	38.7	42.4	77	85	74-121	9	
1,1,2-Trichloroethane	ug/L	<1.0	50	50	44.5	48.9	89	98	80-117	9	
1,1,2-Trichlorotrifluoroethane	ug/L	<1.0	50	50	53.0	60.4	106	121	60-140	13	
1,1-Dichloroethane	ug/L	<1.0	50	50	52.3	56.2	103	111	83-151	7	
1,1-Dichloroethene	ug/L	<1.0	50	50	55.8	58.7	112	117	45-146	5	
1,1-Dichloropropene	ug/L	<1.0	50	50	47.0	53.0	94	106	59-127	12	
1,2,3-Trichlorobenzene	ug/L	<1.0	50	50	38.6	43.2	77	86	67-103	11	
1,2,3-Trichloropropane	ug/L	<1.0	50	50	35.2	38.5	70	77	71-123	9	M1
1,2,4,5-tetramethylbenzene	ug/L	<1.0	50	50	40.8	44.2	82	88	66-103	8	N3
1,2,4-Trichlorobenzene	ug/L	<1.0	50	50	39.9	43.8	80	88	66-116	9	
1,2,4-Trimethylbenzene	ug/L	<1.0	50	50	41.7	45.8	83	92	68-116	9	
1,2-Dibromoethane (EDB)	ug/L	<1.0	50	50	42.6	47.7	85	95	83-115	11	
1,2-Dichlorobenzene	ug/L	<1.0	50	50	41.4	44.3	83	89	74-113	7	
1,2-Dichloroethane	ug/L	<1.0	50	50	45.2	48.5	90	97	74-129	7	
1,2-Dichloropropane	ug/L	<1.0	50	50	42.5	46.8	85	94	75-117	10	
1,3,5-Trimethylbenzene	ug/L	<1.0	50	50	42.6	45.7	85	91	67-116	7	
1,3-Dichlorobenzene	ug/L	<1.0	50	50	41.6	45.6	83	91	71-112	9	
1,3-Dichloropropane	ug/L	<1.0	50	50	39.2	43.0	78	86	74-112	9	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 299803 299804											
Parameter	Units	7049729002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
1,4-Dichlorobenzene	ug/L	<1.0	50	50	41.7	45.0	83	90	71-113	8	
1,4-Diethylbenzene	ug/L	<1.0	50	50	41.0	45.0	82	90	56-130	9 N3	
2,2-Dichloropropane	ug/L	<1.0	50	50	49.6	56.8	99	114	63-133	13	
2-Butanone (MEK)	ug/L	<5.0	50	50	40.1	42.7	80	85	44-162	6	
2-Chlorotoluene	ug/L	<1.0	50	50	42.2	44.4	84	89	74-101	5	
2-Hexanone	ug/L	<5.0	50	50	34.5	39.9	69	80	32-183	15	
4-Chlorotoluene	ug/L	<1.0	50	50	41.2	46.1	82	92	74-101	11	
4-Methyl-2-pentanone (MIBK)	ug/L	<5.0	50	50	36.2	42.3	72	85	69-132	16	
Acetone	ug/L	<5.0	50	50	47.5	47.9	95	96	23-188	1	
Benzene	ug/L	<1.0	50	50	45.5	49.3	91	99	73-119	8	
Bromobenzene	ug/L	<1.0	50	50	40.2	43.9	80	88	72-102	9	
Bromochloromethane	ug/L	<1.0	50	50	49.8	51.7	100	103	81-116	4	
Bromodichloromethane	ug/L	<1.0	50	50	44.8	50.0	90	100	78-117	11	
Bromoform	ug/L	<1.0	50	50	43.4	46.2	87	92	65-122	6	
Bromomethane	ug/L	<1.0	50	50	55.2	64.8	110	130	52-147	16 CH	
Carbon disulfide	ug/L	<1.0	50	50	56.1	61.3	112	123	41-144	9	
Carbon tetrachloride	ug/L	<1.0	50	50	49.9	53.0	100	106	59-120	6	
Chlorobenzene	ug/L	<1.0	50	50	43.1	45.3	85	89	75-113	5	
Chlorodifluoromethane	ug/L	<1.0	50	50	45.2	49.8	90	100	43-140	10 N3	
Chloroethane	ug/L	<1.0	50	50	49.5	54.5	99	109	49-151	10	
Chloroform	ug/L	<1.0	50	50	48.1	51.8	96	104	72-122	7	
Chloromethane	ug/L	<1.0	50	50	36.4	41.1	73	82	46-144	12	
cis-1,2-Dichloroethene	ug/L	54.6	50	50	95.1	107	81	106	72-121	12	
cis-1,3-Dichloropropene	ug/L	<1.0	50	50	45.6	49.0	91	98	78-116	7	
Dibromochloromethane	ug/L	<1.0	50	50	43.5	46.6	87	93	70-120	7	
Dibromomethane	ug/L	<1.0	50	50	41.7	46.0	83	92	75-125	10	
Dichlorodifluoromethane	ug/L	<1.0	50	50	34.5	38.3	69	77	22-154	10	
Ethanol	ug/L	<250	1250	1250	1230	1460	99	117	10-151	17	
Ethylbenzene	ug/L	<1.0	50	50	43.6	47.3	87	95	70-113	8	
Hexachloro-1,3-butadiene	ug/L	<1.0	50	50	45.7	51.8	91	104	59-121	12	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	42.5	46.3	85	93	67-115	8	
m&p-Xylene	ug/L	<2.0	100	100	85.7	94.8	86	95	72-115	10	
Methyl-tert-butyl ether	ug/L	<1.0	50	50	47.2	50.7	94	101	72-131	7	
Methylene Chloride	ug/L	<1.0	50	50	52.3	56.3	105	113	61-142	7	
n-Butylbenzene	ug/L	<1.0	50	50	40.1	43.8	80	88	73-107	9	
n-Propylbenzene	ug/L	<1.0	50	50	42.1	45.0	84	90	68-116	7	
Naphthalene	ug/L	<1.0	50	50	35.6	40.7	71	81	70-118	13	
o-Xylene	ug/L	<1.0	50	50	41.2	45.9	82	92	73-117	11	
p-Isopropyltoluene	ug/L	<1.0	50	50	47.7	51.6	95	103	73-101	8 M0	
sec-Butylbenzene	ug/L	<1.0	50	50	43.6	46.3	87	93	72-103	6	
Styrene	ug/L	<1.0	50	50	39.8	44.6	80	89	72-118	11	
tert-Butylbenzene	ug/L	<1.0	50	50	42.7	47.4	85	95	68-100	11	
Tetrachloroethene	ug/L	58.5	50	50	81.5	89.0	46	61	60-128	9 CL,IL,M1	
Toluene	ug/L	<1.0	50	50	45.0	49.8	90	100	72-119	10	
trans-1,2-Dichloroethene	ug/L	<1.0	50	50	53.2	56.6	105	111	56-142	6	
trans-1,3-Dichloropropene	ug/L	<1.0	50	50	45.0	49.3	90	99	79-116	9	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE ALBANY VALTRANO 4/24

Pace Project No.: 7049729

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			299803		299804		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Parameter	Units	7049729002 Result													
trans-1,4-Dichloro-2-butene	ug/L	<1.0	50	50	38.6	45.6	77	91	71-121	17					
Trichloroethene	ug/L	25.0	50	50	64.1	73.4	78	97	69-117	14					
Trichlorofluoromethane	ug/L	<1.0	50	50	49.2	55.8	98	112	27-173	13					
Vinyl chloride	ug/L	1.8	50	50	48.9	54.0	94	104	43-143	10					
Xylene (Total)	ug/L	<3.0	150	150	127	141	85	94	71-109	10					
1,2-Dichloroethane-d4 (S)	%						99	103	68-153						
4-Bromofluorobenzene (S)	%						103	102	79-124						
Toluene-d8 (S)	%						90	94	69-124						

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE ALBANY VALTRANO 4/24
Pace Project No.: 7049729

QC Batch: 65982 Analysis Method: EPA 8082A
QC Batch Method: EPA 3510C Analysis Description: 8082 GCS PCB
Associated Lab Samples: 7049729001, 7049729002, 7049729003, 7049729004, 7049729005

METHOD BLANK: 302482 Matrix: Water
Associated Lab Samples: 7049729001, 7049729002, 7049729003, 7049729004, 7049729005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	<1.0	1.0	05/04/18 13:10	
PCB-1221 (Aroclor 1221)	ug/L	<2.0	2.0	05/04/18 13:10	
PCB-1232 (Aroclor 1232)	ug/L	<1.0	1.0	05/04/18 13:10	
PCB-1242 (Aroclor 1242)	ug/L	<1.0	1.0	05/04/18 13:10	
PCB-1248 (Aroclor 1248)	ug/L	<1.0	1.0	05/04/18 13:10	
PCB-1254 (Aroclor 1254)	ug/L	<1.0	1.0	05/04/18 13:10	
PCB-1260 (Aroclor 1260)	ug/L	<1.0	1.0	05/04/18 13:10	
Decachlorobiphenyl (S)	%	93	30-150	05/04/18 13:10	
Tetrachloro-m-xylene (S)	%	63	30-150	05/04/18 13:10	

LABORATORY CONTROL SAMPLE: 302483

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	.5	0.35	70	42-134	
PCB-1260 (Aroclor 1260)	ug/L	.5	0.45	90	34-146	
Decachlorobiphenyl (S)	%			47	30-150	
Tetrachloro-m-xylene (S)	%			30	30-150	

MATRIX SPIKE SAMPLE: 302484

Parameter	Units	7049729002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	<1.0	.5	<1.0	142	53-116	M1
PCB-1221 (Aroclor 1221)	ug/L	<2.0		<2.0			
PCB-1232 (Aroclor 1232)	ug/L	<1.0		<1.0			
PCB-1242 (Aroclor 1242)	ug/L	<1.0		<1.0			
PCB-1248 (Aroclor 1248)	ug/L	<1.0		<1.0			
PCB-1254 (Aroclor 1254)	ug/L	<1.0		<1.0			
PCB-1260 (Aroclor 1260)	ug/L	<1.0	.5	<1.0	101	46-126	
Decachlorobiphenyl (S)	%				64	30-150	
Tetrachloro-m-xylene (S)	%				61	30-150	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: GE ALBANY VALTRANO 4/24
Pace Project No.: 7049729

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

ANALYTE QUALIFIERS

CH	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
CL	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.
IL	This analyte exceeded secondary source verification criteria low for the initial calibration. The reported results should be considered an estimated value.
L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
N3	Accreditation is not offered by the relevant laboratory accrediting body for this parameter.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE ALBANY VALTRANO 4/24
Pace Project No.: 7049729

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7049729001	MW-1	EPA 3510C	65982	EPA 8082A	66051
7049729002	MW-2	EPA 3510C	65982	EPA 8082A	66051
7049729003	MW-4	EPA 3510C	65982	EPA 8082A	66051
7049729004	MW-7	EPA 3510C	65982	EPA 8082A	66051
7049729005	MW-9	EPA 3510C	65982	EPA 8082A	66051
7049729005	MW-9	EPA 3005A	65348	EPA 6010C	65353
7049729005	MW-9	EPA 7470A	65350	EPA 7470A	65356
7049729001	MW-1	EPA 8260C/5030C	65391		
7049729002	MW-2	EPA 8260C/5030C	65391		
7049729003	MW-4	EPA 8260C/5030C	65391		
7049729004	MW-7	EPA 8260C/5030C	65391		
7049729005	MW-9	EPA 8260C/5030C	65391		
7049729006	TRIP BLANK	EPA 8260C/5030C	65391		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Condition Upon Receipt

Client Name: _____

Project: _____

WO#: 7049729

PM: JDS Due Date: 05/09/18
CLIENT: TETRACourier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other

Tracking #: 40999471893

Custody Seal on Cooler/Box Present: ☒ Yes ☐ NoSeals intact: ☒ Yes ☐ NoPacking Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ Ziploc ☐ None ☐ Other

Thermometer Used: TH091

Correction Factor: 0

Cooler Temperature (°C): 5.6

Cooler Temperature Corrected (°C): 5.6

Temp should be above freezing to 6.0°C

USDA Regulated Soil (☒ N/A, water sample)

Date and Initials of person examining contents: 4/25/18

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ YES ☒ NODid samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume: (Triple volume provided for MS/MSD)	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
-Pace Containers Used:	☒ Yes ☐ No	10.
Containers Intact:	☒ Yes ☐ No	11.
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☒ N/A	Note if sediment is visible in the dissolved container.
Sample Labels match COC:	☒ Yes ☐ No	12.
-Includes date/time/ID/Analysis Matrix SL WT OIL		
All containers needing preservation have been checked	☒ Yes ☐ No ☒ N/A	13. ☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
pH paper Lot #		Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, NAOH > 12 Cyanide)	☐ Yes ☐ No ☒ N/A	Initial when completed: Lot # of added preservative: Date/Time preservative added
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination:	☐ Yes ☐ No ☒ N/A	14.
KI starch test strips Lot #		Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #		15.
Headspace in VOA Vials (>6mm):	☐ Yes ☒ No ☐ N/A	16.
Trip Blank Present:	☒ Yes ☐ No ☒ N/A	
Trip Blank Custody Seals Present	☒ Yes ☐ No ☒ N/A	
Pace Trip Blank Lot # (if applicable):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: _____

* PM (Project Manager) review is documented electronically in LIMS.

F-LI C-002-rev.02

ATTACHMENT C

Annual Inspection Checklist and Field Sampling Forms

**TETRA TECH****VATRANO ROAD SITE
ANNUAL INSPECTION CHECKLIST**

Date: 4/23/18 Time: 0920

Inspector: Max Stein

Project No.

People Accompanying Inspector: Paul Schuster

Weather: Sunny

Temp.: Hi 73 Low 58

SOIL COVER SYSTEM INSPECTION

ITEM/CONDITION	YES	NO	NA	COMMENTS
Evidence of erosion of cover soils from surface behind Buildings 10 through 16?	☐	☒	☐	
Evidence of cracks or depressions in cover soils?	☐	☒	☐	
Evidence of cracks or depressions in paved area between Buildings 14 and 16?	☐	☒	☐	

MONITORING WELL INSPECTION

ITEM/CONDITION	YES	NO	NA	INSPECTION NOTES/REPAIRS NEEDED
MW-1 is in satisfactory condition.	☒	☒	☐	Full of dirt at well cap (locking lid)
MW-2 is in satisfactory condition.	☒	☐	☐	
MW-3 is in satisfactory condition.	☒	☐	☐	
MW-4 is in satisfactory condition.	☒	☐	☐	
MW-5 is in satisfactory condition.	☒	☐	☐	
MW-6 is in satisfactory condition.	☒	☐	☐	
MW-7 is in satisfactory condition.	☒	☐	☐	
MW-8 is in satisfactory condition.	☒	☐	☐	
MW-9 is in satisfactory condition.	☒	☐	☐	
Are well caps installed on the wells?	☐	☒	☐	MW1 has no cap
Are locks present and secured?	☒	☐	☐	

FENCING INSPECTION

ITEM/CONDITION	YES	NO	NA	COMMENTS
Chain link fencing between Buildings 14 and 16 is present and in satisfactory condition.	☒	☐	☐	

ADDITIONAL NOTES & OBSERVATIONS

MW-1 note: Rubber plug in pipe to keep grout out because riser pipe in curb box too close to underside of lid for a cap or plug (gritter)

Signature: [Signature]

Date: 4/24/18



Project Name: Vatrano Road Site

Logged By: P. Sylvester

Project Location: Vatrano Road, Albany, NY

Date: 4/23/18 / 4/24/18

Project Number:

Instrument: hoc Tech Interface Probe

Comments:

 TETRA TECH	Well Sampling Log	Sample/Well Designation: <u>MW-1</u>								
Project Name: Vatrano Road Site		Logged By: <u>MAX STAN</u>								
Project Location: Vatrano Road, Albany, NY		Date: <u>04/24/18</u>								
Project Number:		Screen Interval: <u>N/A</u> ft. from TOC								
Purge Information:										
Depth to Water: <u>4.5</u> ft. from TOC <i>Depth 11.5</i>		Purging Water Level: <u>5.5</u> ft. from TOC								
Pumping Rate: <u>100</u> ml/min		Pump Placement: <u>10</u> ft. from TOC								
Method of Purging: ☐ WaTerra ☐ Bailer ☒ Submersible ☒ Other: <u>bladder</u>										
Stabilization Criteria: DO $\pm$ 0.3 mg/l Turb. $\pm$ 10% SEC $\pm$ 3% ORP $\pm$ 10 mv pH $\pm$ 0.1 unit										
Field Analysis:										
Volume Purged ^{ml} (gal.)	100	100	100	100	100	100	100	100	100	100
Time	12:00	12:05	12:10	12:15	12:20	12:25	12:30	12:35	12:40	12:45
ORP/EH (mV)	29	12	11	9	10	8	9	8	8	10
pH	7.10	7.14	7.10	7.10	7.08	7.10	7.10	7.09	7.10	7.08
Cond. (MS/CM)	2.41	2.18	2.04	1.91	1.87	1.85	1.85	1.87	1.87	1.85
Turbidity (NTU)	176	104	514	16	12	12.2	12.3	12.2	12.2	12
D.O. (mg/L)	0.00	1.86	1.35	0.00	0.00	0.0	0.0	0.0	0.0	0.0
Temperature (°C)	10.87	10.88	10.98	11.06	11.09	11.20	11.03	11.10	11.15	11.5
Total Volume Purged: <u>2.5</u> gal.		Total Purge Time: <u>45</u>								
Sampling Information:										
Sampling Method: <u>grab</u>						No. of Bottles: <u>3</u>				
Sampling Time: <u>12:45</u>										
Sample Analyses: <u>PCBS</u>										
Comments:										
<u>12:40 - Clear & odorless</u> <u>12:45 - perimeters stabilized, sample.</u>										



TETRA TECH

Well Sampling Log

Sample/Well Designation: MW-2nd day

Project Name: Vatrano Road Site

Logged By: Max Stein

Project Location: Vatrano Road, Albany, NY

Date: 4-23-18

Project Number:

Screen Interval: 10 ft. from TOC

Purge Information:

Depth to Water: 10'5" ft. from TOC Well Depth 20'6"Purging Water Level: 20 ft. from TOCPumping Rate: 1.00 ml/minPump Placement: 48 ft. from TOCMethod of Purging: ☐ WaTerra ☐ Bailer ☒ Submersible ☐ Other: bladder

Stabilization Criteria:

DO $\pm$ 0.3 mg/lTurb. $\pm$ 10%SEC $\pm$ 3%ORP $\pm$ 10 mvpH $\pm$ 0.1 unit

Field Analysis:

Volume Purged (gal.)	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>
Time	<u>12:00</u>	<u>12:05</u>	<u>12:10</u>	<u>12:15</u>	<u>12:20</u>	<u>12:25</u>	<u>12:30</u>	<u>12:35</u>	<u>12:40</u>	<u>12:45</u>
ORP/EH (mV)	<u>170</u>	<u>178</u>	<u>163</u>	<u>170</u>	<u>171</u>	<u>173</u>	<u>178</u>	<u>170</u>	<u>173</u>	<u>170</u>
pH	<u>6.94</u>	<u>6.94</u>	<u>6.94</u>	<u>6.94</u>	<u>6.94</u>	<u>6.94</u>	<u>6.94</u>	<u>6.94</u>	<u>6.94</u>	<u>6.94</u>
Cond. (MS/CM)	<u>.535</u>	<u>.546</u>	<u>.558</u>	<u>.540</u>	<u>.544</u>	<u>.546</u>	<u>.546</u>	<u>.545</u>	<u>.545</u>	<u>.545</u>
Turbidity (NTU)	<u>5.6</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>
D.O. (mg/L)	<u>2.80</u>	<u>2.37</u>	<u>2.40</u>	<u>2.32</u>	<u>2.35</u>	<u>2.37</u>	<u>2.37</u>	<u>2.40</u>	<u>2.38</u>	<u>2.38</u>
Temperature (°C)	<u>15.07</u>	<u>15.01</u>	<u>15.04</u>	<u>15.4</u>	<u>15.07</u>	<u>15.07</u>	<u>15.07</u>	<u>15.01</u>	<u>15.03</u>	<u>15.01</u>

Total Volume Purged: 2.5 gal.Total Purge Time: 45

Sampling Information:

Sampling Method: grabNo. of Bottles: 8Sampling Time: 12:45Sample Analyses: PCB's

Comments:

12:45 - parameters stabilized. Clear address.
 ↓ take samples

 TETRA TECH	Well Sampling Log	Sample/Well Designation: <u>MW-4</u>								
Project Name: Vatrano Road Site		Logged By: <u>MAX Stein</u>								
Project Location: Vatrano Road, Albany, NY		Date: <u>07/23/18</u>								
Project Number:		Screen Interval: <u>10</u> ft. from TOC								
Purge Information:										
Depth to Water: <u>8.8</u> ft. from TOC		Purging Water Level: <u>9.3</u> ft. from TOC								
Pumping Rate: <u>100</u> ml/min		Pump Placement: <u>12</u> ft. from TOC								
Method of Purging: ☐ WaTerra ☐ Bailer ☒ Submersible ☒ Other: <u>bladder</u>										
Stabilization Criteria: DO $\pm$ 0.3 mg/l Turb. $\pm$ 10% SEC $\pm$ 3% ORP $\pm$ 10 mv pH $\pm$ 0.1 unit										
Field Analysis:										
Volume Purged (gal.)	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>
Time	<u>11:00</u>	<u>11:05</u>	<u>11:10</u>	<u>11:15</u>	<u>11:20</u>	<u>11:25</u>	<u>11:30</u>	<u>11:35</u>	<u>11:40</u>	<u>11:45</u>
ORP/EH (mV)	<u>193</u>	<u>182</u>	<u>185</u>	<u>183</u>	<u>182</u>	<u>182</u>	<u>183</u>	<u>182</u>	<u>182</u>	
pH	<u>6.45</u>	<u>6.50</u>	<u>6.51</u>	<u>6.50</u>	<u>6.51</u>	<u>6.51</u>	<u>6.50</u>	<u>6.50</u>	<u>6.50</u>	
Cond. (MS/CM)	<u>.802</u>	<u>.802</u>	<u>.802</u>	<u>.802</u>	<u>.802</u>	<u>.802</u>	<u>.802</u>	<u>.802</u>	<u>.802</u>	
Turbidity (NTU)	<u>1.8</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	
D.O. (mg/L)	<u>9.24</u>	<u>8.25</u>	<u>8.27</u>	<u>8.25</u>	<u>8.25</u>	<u>8.25</u>	<u>8.25</u>	<u>8.24</u>	<u>8.24</u>	
Temperature (°C)	<u>11.85</u>	<u>11.71</u>	<u>11.71</u>	<u>11.70</u>	<u>11.71</u>	<u>11.72</u>	<u>11.70</u>	<u>11.78</u>	<u>11.70</u>	
Total Volume Purged: <u>2</u> gal.		Total Purge Time: <u>40 min</u>								
Sampling Information:										
Sampling Method: <u>grab</u>						No. of Bottles: <u>4</u>				
Sampling Time: <u>11:40</u>										
Sample Analyses: <u>PCB's</u>										
Comments:										
<u>11:40 - Water Sampled. Clear and odorless. parameters stabilized.</u>										

 TETRA TECH	Well Sampling Log	Sample/Well Designation: <u>MV-7</u>								
Project Name: <u>Vatrano Road Site</u>		Logged By: <u>Max Stein</u>								
Project Location: <u>Vatrano Road, Albany, NY</u>		Date: <u>4/24/18</u>								
Project Number: _____		Screen Interval: <u>10</u> ft. from TOC								
Purge Information: Depth to Water: <u>19'</u> ft. from TOC <u>Depth - 15.4 ft</u> Pumping Rate: <u>100</u> ml/min Purging Water Level: <u>6.7</u> ft. from TOC Pump Placement: <u>14</u> ft. from TOC Method of Purging: ☐ WaTerra ☐ Bailer ☒ Submersible ☒ Other: <u>Bladder</u>										
Stabilization Criteria: DO ± 0.3 mg/l Turb. $\pm 10\%$ SEC $\pm 3\%$ ORP ± 10 mv pH ± 0.1 unit										
Field Analysis:										
Volume Purged (gal.)	100	100	100	100	100	100	100	100	100	100
Time	11:00	11:05	11:10	11:15	11:20	11:25	11:30	11:35	11:40	11:45
ORP/EH (mV)	137	142	144	149	149	147	147	149	149	149
pH	7.17	7.03	6.97	6.95	6.96	6.95	6.97	6.97	6.95	6.97
Cond. (MS/CM)	.994	.991	.990	.973	.975	.970	.979	.973	.973	.974
Turbidity (NTU)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D.O. (mg/L)	0	0	0	0	0	0	0	0	0	0
Temperature (°C)	11.64	11	10.86	10.95	10.90	10.94	10.91	10.95	10.91	10.96
Total Volume Purged: <u>25</u> gal.		Total Purge Time: <u>45</u>								
Sampling Information:										
Sampling Method: <u>grab</u>						No. of Bottles: <u>24</u>				
Sampling Time: <u>11:45</u>										
Sample Analyses: <u>PCB's</u>										
Comments: 11:45 - Clear odorless. parameters stabilized. sample.										

 TETRATECH	Well Sampling Log	Sample/Well Designation: <u>MW-050029</u>								
Project Name: Vatrano Road Site		Logged By: <u>MAX SEN</u>								
Project Location: Vatrano Road, Albany, NY		Date: <u>04/23/18</u>								
Project Number:		Screen Interval: <u>10</u> ft. from TOC								
Purge Information:										
Depth to Water: <u>11.7'</u> ft. from TOC <u>well depth 53.7'</u>		Purging Water Level: <u>53</u> ft. from TOC								
Pumping Rate: _____ ml/min		Pump Placement: <u>45</u> ft. from TOC								
Method of Purging: ☐ WaTerra ☐ Bailer ☒ Submersible ☒ Other: <u>bladder</u>										
Stabilization Criteria: DO $\pm$ 0.3 mg/l Turb. $\pm$ 10% SEC $\pm$ 3% ORP $\pm$ 10 mv pH $\pm$ 0.1 unit										
Field Analysis:										
Volume Purged (gal.)	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>
Time	<u>13:00</u>	<u>13:05</u>	<u>13:10</u>	<u>13:15</u>	<u>13:20</u>	<u>13:25</u>	<u>13:30</u>	<u>13:35</u>	<u>13:40</u>	<u>13:45</u>
ORP/EH (mV)	<u>106</u>	<u>103</u>	<u>104</u>	<u>105</u>	<u>103</u>	<u>107</u>	<u>105</u>	<u>106</u>	<u>105</u>	<u>105</u>
pH	<u>7.76</u>	<u>8.04</u>	<u>8.03</u>	<u>8.05</u>	<u>8.04</u>	<u>8.05</u>	<u>8.04</u>	<u>8.05</u>	<u>8.05</u>	<u>8.05</u>
Cond. (MS/CM)	<u>350</u>	<u>341</u>	<u>343</u>	<u>341</u>	<u>341</u>	<u>341</u>	<u>343</u>	<u>342</u>	<u>342</u>	<u>341</u>
Turbidity (NTU)	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>
D.O. (mg/L)	<u>3.51</u>	<u>3.70</u>	<u>3.16</u>	<u>3.20</u>	<u>3.17</u>	<u>3.18</u>	<u>3.17</u>	<u>3.17</u>	<u>3.17</u>	<u>3.18</u>
Temperature (°C)	<u>13.97</u>	<u>13.80</u>	<u>13.74</u>	<u>13.70</u>	<u>13.86</u>	<u>13.71</u>	<u>13.74</u>	<u>13.81</u>	<u>13.70</u>	<u>13.71</u>
Total Volume Purged: <u>2.5</u> gal.		Total Purge Time: <u>45</u>								
Sampling Information:										
Sampling Method: <u>grab</u>						No. of Bottles: <u>5</u>				
Sampling Time: <u>13:45</u>										
Sample Analyses: <u>PCB's</u>										
Comments:										
<u>13:45 - Sample clear and odorless. parameters stabilized.</u>										

474 5945 434 5322

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately

New York Office,
2190 Technology Dr.
Schenectady, NY 12308
(518) 346-4592

Pace Analytical
www.pace-labs.com

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		REGULATORY AGENCY									
Company: Tetra Tech	Report To: Mike Noel	Company Name: Tetra Tech	Attention: Mike Noel	NPDES	GROUND WATER	DRINKING WATER									
Address: 175N Corporate Dr	Copy To:	Address: 175N Corporate Dr Brookfield, WI		UST	RCRA	OTHER									
Brookfield, WI															
Email To: mike.noel@tetratech.com	Purchase Order No.	Pace Quote Reference													
Phone:	Project Name: GE Albany Valtrano	Pace Project Manager: JOUNSTANTON@PACELABS.COM													
Fax:	Project Number:	Pace Profile #													
Requested Due Date/TAT:	standard														
Section D Required Client Information	Valid Matrix Codes	MATRIX CODE	SAMPLE TYPE	G-RAB C-COMP	COLLECTED		# OF CONTAINERS	PRESERVATIVES	ANALYSIS/TEST:	FILTERED (Y/N)	SITE LOCATION	TEMP IN °C	RECEIVED ON	CUSTODY SEALED	SAMPLES INTACT
					COMPOSITE START	COMPOSITE END/GRAB									
ITEM #					DATE	TIME	DATE	TIME							
1	MW-1	L G			4/24	12:45	4	1	Unpreserved						
2	MW-2	L G			4/23	12:45	8	2							
3	MW-4	L G			4/23	12:45	4	1							
4	MW-7	L G			4/24	12:45	4	1							
5	MW-9	L G			4/24	12:45	5	1							
6	TRIP BLANK	L TB					2								
7															
8															
9															
10															
11															
12															

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: *Paul Salvator*

SIGNATURE of SAMPLER: *[Signature]*

DATE Signed (MM/DD/YY)

4/24/18

ATTACHMENT D

Site Management Periodic Review Report Certification Form



Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form



Site Details		Box 1	
Site No.	401036		
Site Name Former G.E. Apparatus Repair Shop			
Site Address: Vatrano Road Zip Code: 12205			
City/Town: Albany			
County: Albany			
Site Acreage: 0.5			
Reporting Period: March 12, 1993 to June 30, 2018			
		YES	NO
1.	Is the information above correct?	☒	☐
If NO, include handwritten above or on a separate sheet.			
2.	Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	☐	☒
3.	Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?	☐	☒
4.	Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	☐	☒
If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.			
5.	Is the site currently undergoing development?	☐	☒

Box 2	
	YES NO
6.	Is the current site use consistent with the use(s) listed below? Commercial and Industrial
	☒ ☐
7.	Are all ICs/ECs in place and functioning as designed?
	☒ ☐

IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative	Date
---	------

SITE NO. 401036

Box 3

Description of Institutional Controls

Parcel

Owner

Institutional Control

53.58-2-3

Vatrano Realty Co., Inc.
(a.k.a. 16 Vatrano Road Inc)

Monitoring Plan
O&M Plan

Box 4

Description of Engineering Controls

Parcel

Engineering Control

53.58-2-3

Cover System
Fencing/Access Control

Cover System: PCB contaminated soil with concentrations greater than 10 ppm was left in three limited areas of the site due to structural limitations associated with existing buildings, railroad tracks and site utilities. These 3 areas have a cover placed over them to prevent exposure to contaminated soil.

Monitoring Well network

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒ ☐

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

IC CERTIFICATIONS
SITE NO. 401036

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Matt Calacone at 1 Plastics Avenue, Pittsfield, MA 01201,
print name print business address

am certifying as General Electric Company (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Matthew Calacone
Signature of Owner, Remedial Party, or Designated Representative
Rendering Certification

7/11/2018

Date

IC/EC CERTIFICATIONS

Box 7

Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Michael Noel at 175 N. Corporate Drive, Brookfield, WI 53045,
print name print business address

am certifying as a Qualified Environmental Professional for the General Electric Company
(Owner or Remedial Party)



Signature of Qualified Environmental Professional, for
the Owner or Remedial Party, Rendering Certification

Stamp
(Required for PE)

7/11/18
Date

