

**GROUNDWATER ANALYSIS SUMMARY TABLE - DETECTIONS ONLY**  
**Contaminants of Concern**  
 Vatrano Road  
 Albany, NY

Parameter (ug/l) [T]	Date Sampled	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10**
Total PCB's [0.09]											
Aug-91	ND	<b>5.180</b>	<b>1.200</b>	ND	ND	ND	ND	ND	ND	ND	ND
Jul-97	NA	<b>3.190</b>	<b>0.680</b>	NA	NA	NA	NA	NA	NA	ND	ND
Apr-98	ND	<b>0.383</b>	ND	ND	<b>17.000</b>	ND	ND	ND	ND	ND	ND
Oct-98	ND	<b>0.3 J</b>	ND	ND	<b>1.200</b>	ND	ND	ND	ND	ND	ND
Apr-99	ND	<b>1.390</b>	ND	ND	<b>4.800</b>	ND	ND	ND	ND	ND	ND
Oct-99	ND	<b>0.850</b>	ND	ND	<b>2.000</b>	ND	ND	ND	ND	ND	ND
Apr-00	ND	<b>0.610</b>	ND	ND	<b>0.570</b>	ND	ND	ND	ND	ND	ND
Mar-01	ND	<b>1.011</b>	ND	ND	<b>1.400</b>	ND	ND	ND	ND	ND	ND
Mar-02	ND	<b>1.240</b>	ND	ND	<b>0.720</b>	ND	ND	ND	ND	ND	<b>0.220</b>
Mar-03	ND	<b>1.820</b>	ND	ND	<b>6.270</b>	ND	ND	ND	ND	ND	<b>10.300</b>
Apr-04	ND	<b>0.910</b>	ND	ND	<b>12.300</b>	ND	ND	ND	ND	ND	<b>12.200</b>
Apr-05	NA	<b>0.530 E</b>	ND	ND	<b>0.138 E</b>	<b>0.103</b>	ND	ND	ND	ND	<b>0.088 E</b>
Apr-06	ND	<b>0.341</b>	ND	ND	ND	ND	ND	ND	ND	ND	<b>0.071</b>
Apr-07	ND	<b>0.066</b>	ND	ND	<b>0.68</b>	ND	ND	ND	<b>0.561</b>	ND	
Apr-08	ND	<b>0.526</b>	ND	ND	ND	ND	ND	ND	<b>0.152</b>	ND	
Apr-09	ND	<b>0.480</b>	ND	ND	ND	ND	ND	ND	ND	ND	
Apr-10	ND	<b>0.518</b>	ND	ND	ND	ND	ND	ND	ND	ND	
Apr-11	ND	<b>0.055 J</b>	<b>0.8860</b>	<b>NS†</b>	ND	ND	ND	ND	<b>0.099 J</b>	ND	
Apr-12	ND	<b>0.36 J</b>	<b>NS†</b>	ND	ND	ND	ND	<b>NS†</b>	ND	ND	
Apr-13	ND	<b>0.960</b>	<b>NS†</b>	ND	ND	ND	ND	<b>NS†</b>	ND	ND	
May-14	ND	<b>0.650</b>	<b>NS†</b>	ND	ND	ND	ND	<b>NS†</b>	ND	ND	
Trichloroethene [5]											
Aug-91	ND	<b>24</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Jul-97	NA	ND	ND	NA	NA	NA	NA	NA	NA	ND	ND
Apr-98	ND	<b>23</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Oct-98	ND	<b>89</b>	ND	ND	ND	ND	ND	ND	<b>3 J</b>	ND	ND
Apr-99	ND	<b>47</b>	ND	ND	ND	ND	ND	ND	<b>2 J</b>	ND	ND
Oct-99	ND	<b>36</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-00	ND	<b>22</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mar-01	ND	<b>17</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mar-02	ND	<b>37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mar-03	ND	<b>20</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-04	ND	<b>37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-05	NA	<b>22</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-06	ND	<b>23</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-07	ND	<b>18</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-08	ND	<b>51</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-09	ND	<b>55</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-10	ND	<b>62</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-11	ND	<b>54</b>	<b>NS†</b>	ND	ND	ND	ND	<b>3 J</b>	<b>NS†</b>	ND	
Apr-12	ND	<b>69</b>	<b>NS†</b>	ND	ND	ND	ND	<b>2.1</b>	<b>NS†</b>	ND	
Apr-13	ND	<b>44 B</b>	<b>NS†</b>	ND	<b>0.85 JB</b>	ND	ND	<b>2.8</b>	<b>NS†</b>	ND	
May-14	ND	<b>45</b>	<b>NS†</b>	ND	ND	ND	ND	<b>2.5</b>	ND	ND	
Tetrachloroethene [5]											
Aug-91	ND	<b>56</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Jul-97	NA	<b>20</b>	ND	NA	NA	NA	NA	NA	NA	ND	ND
Apr-98	ND	<b>270</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Oct-98	ND	<b>460</b>	ND	ND	ND	ND	ND	ND	<b>3 J</b>	ND	ND
Apr-99	ND	<b>160</b>	ND	ND	ND	ND	ND	ND	<b>ND</b>	ND	ND
Oct-99	ND	<b>150</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Apr-00	ND	<b>120</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND
Mar-01	ND	<b>140</b>	ND	ND	ND	ND	ND	ND	<b>5</b>	ND	ND
Mar-02	ND	<b>220</b>	ND	ND	ND	ND	ND	ND	<b>6.2</b>	ND	ND
Mar-03	ND	<b>110</b>	ND	ND	ND	ND	ND	ND	<b>5.3</b>	ND	ND
Apr-04	ND	<b>160</b>	ND	ND	ND	ND	ND	ND	<b>ND</b>	ND	ND
Apr-05	NA	<b>160</b>	ND	ND	ND	ND	ND	ND	<b>ND</b>	ND	
Apr-06	ND	<b>170</b>	ND	ND	ND	ND	ND	ND	<b>ND</b>	ND	
Apr-07	ND	<b>120</b>	ND	ND	ND	ND	ND	ND	<b>ND</b>	ND	
Apr-08	ND	<b>180</b>	ND	ND	ND	ND	ND	ND	<b>ND</b>	ND	
Apr-09	ND	<b>330</b>	ND	ND	ND	ND	ND	ND	<b>ND</b>	ND	
Apr-10	ND	<b>320</b>	ND	ND	ND	ND	ND	ND	<b>ND</b>	ND	
Apr-11	ND	<b>200 E</b>	<b>NS†</b>	ND	ND	ND	ND	<b>8.9</b>	<b>NS†</b>	ND	
Apr-12	ND	<b>250</b>	<b>NS†</b>	ND	ND	ND	ND	<b>7.6</b>	<b>NS†</b>	ND	
Apr-13	ND	<b>180</b>	<b>NS†</b>	ND	ND	ND	ND	<b>6.7</b>	<b>NS†</b>	ND	
May-14	ND	<b>180</b>	<b>NS†</b>	ND	ND	ND	ND	<b>8.8</b>	<b>NS†</b>	ND	
1,2 Dichloroethene [5]											
Aug-91	ND	<b>74</b>	<b>4 J</b>	<b>7</b>	ND	ND	ND	<b>2 J</b>	ND	ND	ND
Jul-97	NA	ND	NA	NA	NA	NA	NA	ND	ND	ND	ND
Apr-98	ND	<b>78</b>	ND	ND	ND	ND	ND	<b>4 J</b>	ND	ND	ND
Oct-98	ND	<b>350</b>	<b>4 J</b>	<b>10</b>	ND	ND	ND	<b>5</b>	ND	<b>12</b>	ND
Apr-99	ND	<b>230</b>	ND	<b>7</b>	ND	ND	ND	<b>5</b>	ND	<b>7</b>	ND
Oct-99	ND	<b>130</b>	<b>5</b>	<b>8</b>	ND	ND	ND	<b>6</b>	ND	<b>9</b>	ND
Apr-00	ND	<b>73</b>	ND	<b>5.1</b>	ND	ND	ND	<b>6</b>	ND	<b>5.3</b>	ND
Mar-01	ND	<b>57</b>	<b>9</b>	<b>5</b>	ND	ND	ND	<b>6</b>	ND	ND	ND
Mar-02	ND	<b>160</b>	ND	<b>7.5</b>	ND	ND	ND	<b>6</b>	ND	ND	ND
Mar-03	ND	<b>62</b>	<b>9.5</b>	<b>9.1</b>	ND	ND	ND	<b>11</b>	ND	ND	ND
Apr-04	ND	<b>120</b>	<b>4 J</b>	<b>10</b>	ND	ND	ND	<b>12</b>	ND	ND	ND
Apr-05	NA										

## GROUNDWATER ANALYSIS SUMMARY TABLE - DETECTIONS ONLY

**Contaminants of Concern**  
Vatrano Road  
Albany, NY

**GROUNDWATER ANALYSIS SUMMARY TABLE - DETECTIONS ONLY**  
**Contaminants of Concern**  
 Vatrano Road  
 Albany, NY

Parameter (ug/l) [†]		WELL NUMBER									
Date Sampled		MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10*
<b>1,4-Dichlorobenzene [3]</b>											
Apr-11	ND	<b>9.4</b>	NS†	ND	ND	ND	ND	NS†	ND	ND	ND
Apr-12	ND	<b>3.7</b>	NS†	<b>12</b>	ND	ND	ND	NS†	ND	ND	ND
Apr-13	ND	NS†	<b>3.8</b>	ND	ND	ND	ND	NS†	ND	ND	ND
<b>May-14</b>	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND	ND
<b>1,2,4-Trichlorobenzene [5]</b>											
Apr-11	ND	<b>5.3</b>	NS†	<b>3.3</b>	ND	ND	ND	NS†	ND	ND	ND
Apr-12	ND	<b>3</b>	NS†	<b>20</b>	<b>0.61 J</b>	ND	ND	NS†	ND	<b>0.54 J</b>	ND
Apr-13	ND	NS†	<b>5.3</b>	ND	ND	ND	ND	NS†	ND	ND	ND
<b>May-14</b>	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND	ND
<b>Benzene [1]</b>											
Apr-11	ND	ND	NS†	ND	ND	ND	ND	NS†	<b>5.5</b>	ND	ND
Apr-12	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND	ND
<b>Apr-13</b>	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND	ND
<b>May-14</b>	ND	ND	NS†	ND	ND	ND	ND	NS†	ND	ND	ND

[†] Groundwater Standard Guidance Value      Shaded Values Are Above The Standard

B = Less Than Contract Detection Limits

ND = Below Detection Limits    NA = Not Analyzed    J = Semi-qualitative value, Conc. Below CRQCL

D = Filtered sample was non-detect for lead

E = Filtered sample was non-detect for PCBs    NS = Not Sampled

\*\* Field Duplicate Sample

1 - Per 3/26/09 conversation with NYSDEC (Gerry Pratt) CHA's request to discontinue sampling monitoring wells MW-3 and MW-8 was approved.

† = Per NYSDEC's letter dated April 15, 2011, CHA's request to eliminate this parameter from analysis was granted.

REVISED 8-14