

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-N9

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-01

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		550	µg/Kg		106/18/2008 10:09	37119
Aroclor-1221	ND		550	µg/Kg		106/18/2008 10:09	37119
Aroclor-1232	ND		550	µg/Kg		106/18/2008 10:09	37119
Aroclor-1242	ND		550	µg/Kg		106/18/2008 10:09	37119
Aroclor-1248	ND		550	µg/Kg		106/18/2008 10:09	37119
Aroclor-1254	ND		550	µg/Kg		106/18/2008 10:09	37119
Aroclor-1260	ND		550	µg/Kg		106/18/2008 10:09	37119
Surrogate: Tetrachloro-m-xylene	89.7		27-120	%REC		106/18/2008 10:09	37119
Surrogate: Decachlorobiphenyl	99.9		60-125	%REC		106/18/2008 10:09	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

I - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services
 Client Sample ID: EP-O12
 Lab ID: G0924-02

Project: Bouchards, PCB EndPoint Samples
 Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		570	µg/Kg		1 06/18/2008 10:24	37119
Aroclor-1221	ND		570	µg/Kg		1 06/18/2008 10:24	37119
Aroclor-1232	ND		570	µg/Kg		1 06/18/2008 10:24	37119
Aroclor-1242	ND		570	µg/Kg		1 06/18/2008 10:24	37119
Aroclor-1248	ND		570	µg/Kg		1 06/18/2008 10:24	37119
Aroclor-1254	ND		570	µg/Kg		1 06/18/2008 10:24	37119
Aroclor-1260	ND		570	µg/Kg		1 06/18/2008 10:24	37119
Surrogate: Tetrachloro-m-xylene	89.3		27-120	%REC		1 06/18/2008 10:24	37119
Surrogate: Decachlorobiphenyl	96.2		60-125	%REC		1 06/18/2008 10:24	37119

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - Found outside accepted recovery limits
 B - Analyte detected in the associated Method Blank I - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-P12

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-03

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		610	µg/Kg		1 06/17/2008 20:20	37119
Aroclor-1221	ND		610	µg/Kg		1 06/17/2008 20:20	37119
Aroclor-1232	ND		610	µg/Kg		1 06/17/2008 20:20	37119
Aroclor-1242	ND		610	µg/Kg		1 06/17/2008 20:20	37119
Aroclor-1248	ND		610	µg/Kg		1 06/17/2008 20:20	37119
Aroclor-1254	ND		610	µg/Kg		1 06/17/2008 20:20	37119
Aroclor-1260	ND		610	µg/Kg		1 06/17/2008 20:20	37119
Surrogate: Tetrachloro-m-xylene	90.9		27-120	%REC		1 06/17/2008 20:20	37119
Surrogate: Decachlorobiphenyl	106		60-125	%REC		1 06/17/2008 20:20	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Value outside accepted recovery limits

I - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-Q12

Lab ID: G0924-04

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		660	µg/Kg		1 06/17/2008 20:05	37119
Aroclor-1221	ND		660	µg/Kg		1 06/17/2008 20:05	37119
Aroclor-1232	ND		660	µg/Kg		1 06/17/2008 20:05	37119
Aroclor-1242	ND		660	µg/Kg		1 06/17/2008 20:05	37119
Aroclor-1248	ND		660	µg/Kg		1 06/17/2008 20:05	37119
Aroclor-1254	ND		660	µg/Kg		1 06/17/2008 20:05	37119
Aroclor-1260	ND		660	µg/Kg		1 06/17/2008 20:05	37119
Surrogate: Tetrachloro-m-xylene	98.8		27-120	%REC		1 06/17/2008 20:05	37119
Surrogate: Decachlorobiphenyl	114		60-125	%REC		1 06/17/2008 20:05	37119

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - Found outside accepted recovery limits
 B - Analyte detected in unassociated Method Blank E - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-Q11

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-05

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		600	µg/Kg		1 06/17/2008 19:50	37119
Aroclor-1221	ND		600	µg/Kg		1 06/17/2008 19:50	37119
Aroclor-1232	ND		600	µg/Kg		1 06/17/2008 19:50	37119
Aroclor-1242	ND		600	µg/Kg		1 06/17/2008 19:50	37119
Aroclor-1248	ND		600	µg/Kg		1 06/17/2008 19:50	37119
Aroclor-1254	ND		600	µg/Kg		1 06/17/2008 19:50	37119
Aroclor-1260	ND		600	µg/Kg		1 06/17/2008 19:50	37119
Surrogate: Tetrachloro-m-xylene	92.0		27-120	%REC		1 06/17/2008 19:50	37119
Surrogate: Decachlorobiphenyl	107		60-125	%REC		1 06/17/2008 19:50	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Found outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-Q10

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-06

Collection Date: 06/17/08 0:00

Analyses	Result Qual	RL Units	DF Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD				SW8082_S
Aroclor-1016	ND	600 µg/Kg	1 06/17/2008 19:35	37119
Aroclor-1221	ND	600 µg/Kg	1 06/17/2008 19:35	37119
Aroclor-1232	ND	600 µg/Kg	1 06/17/2008 19:35	37119
Aroclor-1242	ND	600 µg/Kg	1 06/17/2008 19:35	37119
Aroclor-1248	ND	600 µg/Kg	1 06/17/2008 19:35	37119
Aroclor-1254	ND	600 µg/Kg	1 06/17/2008 19:35	37119
Aroclor-1260	ND	600 µg/Kg	1 06/17/2008 19:35	37119
Surrogate: Tetrachloro-m-xylene	88.6	27-120 %REC	1 06/17/2008 19:35	37119
Surrogate: Decachlorobiphenyl	101	60-125 %REC	1 06/17/2008 19:35	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Value outside accepted recovery limits

E - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-Q9

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-07

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		550	µg/Kg		1 06/17/2008 19:20	37119
Aroclor-1221	ND		550	µg/Kg		1 06/17/2008 19:20	37119
Aroclor-1232	ND		550	µg/Kg		1 06/17/2008 19:20	37119
Aroclor-1242	ND		550	µg/Kg		1 06/17/2008 19:20	37119
Aroclor-1248	ND		550	µg/Kg		1 06/17/2008 19:20	37119
Aroclor-1254	ND		550	µg/Kg		1 06/17/2008 19:20	37119
Aroclor-1260	26000		550	µg/Kg		1 06/17/2008 19:20	37119
Surrogate: Tetrachloro-m-xylene	90.2		27-120	%REC		1 06/17/2008 19:20	37119
Surrogate: Decachlorobiphenyl	94.4		60-125	%REC		1 06/17/2008 19:20	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

I - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-P9

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-08

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		620	µg/Kg		1 06/18/2008 12:23	37119
Aroclor-1221	ND		620	µg/Kg		1 06/18/2008 12:23	37119
Aroclor-1232	ND		620	µg/Kg		1 06/18/2008 12:23	37119
Aroclor-1242	ND		620	µg/Kg		1 06/18/2008 12:23	37119
Aroclor-1248	ND		620	µg/Kg		1 06/18/2008 12:23	37119
Aroclor-1254	ND		620	µg/Kg		1 06/18/2008 12:23	37119
Aroclor-1260	ND		620	µg/Kg		1 06/18/2008 12:23	37119
Surrogate: Tetrachloro-m-xylene	91.9		27-120	%REC		1 06/18/2008 12:23	37119
Surrogate: Decachlorobiphenyl	97.7		60-125	%REC		1 06/18/2008 12:23	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Found outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-O9

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-09

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		560	µg/Kg		1 06/18/2008 12:38	37119
Aroclor-1221	ND		560	µg/Kg		1 06/18/2008 12:38	37119
Aroclor-1232	ND		560	µg/Kg		1 06/18/2008 12:38	37119
Aroclor-1242	ND		560	µg/Kg		1 06/18/2008 12:38	37119
Aroclor-1248	ND		560	µg/Kg		1 06/18/2008 12:38	37119
Aroclor-1254	ND		560	µg/Kg		1 06/18/2008 12:38	37119
Aroclor-1260	ND		560	µg/Kg		1 06/18/2008 12:38	37119
Surrogate: Tetrachloro-m-xylene	91.2		27-120	%REC		1 06/18/2008 12:38	37119
Surrogate: Decachlorobiphenyl	97.6		60-125	%REC		1 06/18/2008 12:38	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

I - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitekem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-P11

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-10

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		620	µg/Kg		1 06/17/2008 21:04	37119
Aroclor-1221	ND		620	µg/Kg		1 06/17/2008 21:04	37119
Aroclor-1232	ND		620	µg/Kg		1 06/17/2008 21:04	37119
Aroclor-1242	ND		620	µg/Kg		1 06/17/2008 21:04	37119
Aroclor-1248	ND		620	µg/Kg		1 06/17/2008 21:04	37119
Aroclor-1254	ND		620	µg/Kg		1 06/17/2008 21:04	37119
Aroclor-1260	ND		620	µg/Kg		1 06/17/2008 21:04	37119
Surrogate: Tetrachloro-m-xylene	93.6		27-120	%REC		1 06/17/2008 21:04	37119
Surrogate: Decachlorobiphenyl	104		60-125	%REC		1 06/17/2008 21:04	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Found outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-H21(1)

Lab ID: G0924-11

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		550	µg/Kg		1 06/17/2008 20:49	37119
Aroclor-1221	ND		550	µg/Kg		1 06/17/2008 20:49	37119
Aroclor-1232	ND		550	µg/Kg		1 06/17/2008 20:49	37119
Aroclor-1242	ND		550	µg/Kg		1 06/17/2008 20:49	37119
Aroclor-1248	ND		550	µg/Kg		1 06/17/2008 20:49	37119
Aroclor-1254	ND		550	µg/Kg		1 06/17/2008 20:49	37119
Aroclor-1260	ND		550	µg/Kg		1 06/17/2008 20:49	37119
Surrogate: Tetrachloro-m-xylene	87.3		27-120	%REC		1 06/17/2008 20:49	37119
Surrogate: Decachlorobiphenyl	100		60-125	%REC		1 06/17/2008 20:49	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Found outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-M9

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-12

Collection Date: 06/17/08 0:00

Analyses	Result Qual	RL Units	DF Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD				SW8082_S
Aroclor-1016	ND	490 µg/Kg	1 06/17/2008 20:35	37119
Aroclor-1221	ND	490 µg/Kg	1 06/17/2008 20:35	37119
Aroclor-1232	ND	490 µg/Kg	1 06/17/2008 20:35	37119
Aroclor-1242	ND	490 µg/Kg	1 06/17/2008 20:35	37119
Aroclor-1248	ND	490 µg/Kg	1 06/17/2008 20:35	37119
Aroclor-1254	ND	490 µg/Kg	1 06/17/2008 20:35	37119
Aroclor-1260	ND	490 µg/Kg	1 06/17/2008 20:35	37119
Surrogate: Tetrachloro-m-xylene	86.9	27-120 %REC	1 06/17/2008 20:35	37119
Surrogate: Decachlorobiphenyl	98.6	60-125 %REC	1 06/17/2008 20:35	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in unassociated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-E22

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-13

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		520	µg/Kg		1 06/18/2008 12:53	37119
Aroclor-1221	ND		520	µg/Kg		1 06/18/2008 12:53	37119
Aroclor-1232	ND		520	µg/Kg		1 06/18/2008 12:53	37119
Aroclor-1242	ND		520	µg/Kg		1 06/18/2008 12:53	37119
Aroclor-1248	ND		520	µg/Kg		1 06/18/2008 12:53	37119
Aroclor-1254	ND		520	µg/Kg		1 06/18/2008 12:53	37119
Aroclor-1260	ND		520	µg/Kg		1 06/18/2008 12:53	37119
Surrogate: Tetrachloro-m-xylene	92.1		27-120	%REC		1 06/18/2008 12:53	37119
Surrogate: Decachlorobiphenyl	99.1		60-125	%REC		1 06/18/2008 12:53	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

I - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-PSW-01

Lab ID: G0924-14

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		680	µg/Kg		1 06/18/2008 13:08	37119
Aroclor-1221	ND		680	µg/Kg		1 06/18/2008 13:08	37119
Aroclor-1232	ND		680	µg/Kg		1 06/18/2008 13:08	37119
Aroclor-1242	ND		680	µg/Kg		1 06/18/2008 13:08	37119
Aroclor-1248	ND		680	µg/Kg		1 06/18/2008 13:08	37119
Aroclor-1254	ND		680	µg/Kg		1 06/18/2008 13:08	37119
Aroclor-1260	ND		680	µg/Kg		1 06/18/2008 13:08	37119
Surrogate: Tetrachloro-m-xylene	83.0		27-120	%REC		1 06/18/2008 13:08	37119
Surrogate: Decachlorobiphenyl	89.2		60-125	%REC		1 06/18/2008 13:08	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

I - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-PSW-02

Lab ID: G0924-15

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/17/08 0:00

Analyses	Result Qual	RL Units	DF Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD				SW8082_S
Aroclor-1016	ND	640 µg/Kg	1 06/18/2008 13:23	37119
Aroclor-1221	ND	640 µg/Kg	1 06/18/2008 13:23	37119
Aroclor-1232	ND	640 µg/Kg	1 06/18/2008 13:23	37119
Aroclor-1242	ND	640 µg/Kg	1 06/18/2008 13:23	37119
Aroclor-1248	ND	640 µg/Kg	1 06/18/2008 13:23	37119
Aroclor-1254	ND	640 µg/Kg	1 06/18/2008 13:23	37119
Aroclor-1260	ND	640 µg/Kg	1 06/18/2008 13:23	37119
Surrogate: Tetrachloro-m-xylene	45.7	27-120 %REC	1 06/18/2008 13:23	37119
Surrogate: Decachlorobiphenyl	50.5 S	60-125 %REC	1 06/18/2008 13:23	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in Unassociated Method Block

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

I - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-PSW-03

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0924-16

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		600	µg/Kg		1 06/18/2008 10:39	37119
Aroclor-1221	ND		600	µg/Kg		1 06/18/2008 10:39	37119
Aroclor-1232	ND		600	µg/Kg		1 06/18/2008 10:39	37119
Aroclor-1242	ND		600	µg/Kg		1 06/18/2008 10:39	37119
Aroclor-1248	ND		600	µg/Kg		1 06/18/2008 10:39	37119
Aroclor-1254	ND		600	µg/Kg		1 06/18/2008 10:39	37119
Aroclor-1260	590	J	600	µg/Kg		1 06/18/2008 10:39	37119
Surrogate: Tetrachloro-m-xylene	90.6		27-120	%REC		1 06/18/2008 10:39	37119
Surrogate: Decachlorobiphenyl	103		60-125	%REC		1 06/18/2008 10:39	37119

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in Unassociated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

I - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-PSW-04

Lab ID: G0924-17

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		680	µg/Kg		1 06/18/2008 10:54	37119
Aroclor-1221	ND		680	µg/Kg		1 06/18/2008 10:54	37119
Aroclor-1232	ND		680	µg/Kg		1 06/18/2008 10:54	37119
Aroclor-1242	ND		680	µg/Kg		1 06/18/2008 10:54	37119
Aroclor-1248	ND		680	µg/Kg		1 06/18/2008 10:54	37119
Aroclor-1254	ND		680	µg/Kg		1 06/18/2008 10:54	37119
Aroclor-1260	ND		680	µg/Kg		1 06/18/2008 10:54	37119
Surrogate: Tetrachloro-m-xylene	89.9		27-120	%REC		1 06/18/2008 10:54	37119
Surrogate: Decachlorobiphenyl	95.0		60-125	%REC		1 06/18/2008 10:54	37119

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - Not Detected outside accepted recovery limits
 B - Analyte detected in the associated Method Blank I - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-DUP-05

Lab ID: G0924-18

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		590	µg/Kg		1 06/18/2008 11:09	37119
Aroclor-1221	ND		590	µg/Kg		1 06/18/2008 11:09	37119
Aroclor-1232	ND		590	µg/Kg		1 06/18/2008 11:09	37119
Aroclor-1242	ND		590	µg/Kg		1 06/18/2008 11:09	37119
Aroclor-1248	ND		590	µg/Kg		1 06/18/2008 11:09	37119
Aroclor-1254	ND		590	µg/Kg		1 06/18/2008 11:09	37119
Aroclor-1260	ND		590	µg/Kg		1 06/18/2008 11:09	37119
Surrogate: Tetrachloro-m-xylene	86.7		27-120	%REC		1 06/18/2008 11:09	37119
Surrogate: Decachlorobiphenyl	83.7		60-125	%REC		1 06/18/2008 11:09	37119

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - Found outside accepted recovery limits
B - Analyte detected in the associated Method Blank E - Value above quantitation range
DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 18-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: RINSATE-04

Lab ID: G0924-19

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/17/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_W
Aroclor-1016	ND		1.0	µg/L		1 06/18/2008 11:24	37120
Aroclor-1221	ND		1.0	µg/L		1 06/18/2008 11:24	37120
Aroclor-1232	ND		1.0	µg/L		1 06/18/2008 11:24	37120
Aroclor-1242	ND		1.0	µg/L		1 06/18/2008 11:24	37120
Aroclor-1248	ND		1.0	µg/L		1 06/18/2008 11:24	37120
Aroclor-1254	ND		1.0	µg/L		1 06/18/2008 11:24	37120
Aroclor-1260	ND		1.0	µg/L		1 06/18/2008 11:24	37120
Surrogate: Tetrachloro-m-xylene	75.4		32-89	%REC		1 06/18/2008 11:24	37120
Surrogate: Decachlorobiphenyl	76.6		40-135	%REC		1 06/18/2008 11:24	37120

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in the associated Method Block I - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY