

Mitkem Laboratories

Date: 19-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-H11

Lab ID: G0936-01

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/18/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		620	µg/Kg		1 06/18/2008 18:44	37146
Aroclor-1221	ND		620	µg/Kg		1 06/18/2008 18:44	37146
Aroclor-1232	ND		620	µg/Kg		1 06/18/2008 18:44	37146
Aroclor-1242	ND		620	µg/Kg		1 06/18/2008 18:44	37146
Aroclor-1248	ND		620	µg/Kg		1 06/18/2008 18:44	37146
Aroclor-1254	ND		620	µg/Kg		1 06/18/2008 18:44	37146
Aroclor-1260	ND		620	µg/Kg		1 06/18/2008 18:44	37146
Surrogate: Tetrachloro-m-xylene	88.3		27-120	%REC		1 06/18/2008 18:44	37146
Surrogate: Decachlorobiphenyl	93.7		60-125	%REC		1 06/18/2008 18:44	37146

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in the associated Method Blank K - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 19-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-K10

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0936-02

Collection Date: 06/18/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		520	µg/Kg		1 06/18/2008 18:59	37146
Aroclor-1221	ND		520	µg/Kg		1 06/18/2008 18:59	37146
Aroclor-1232	ND		520	µg/Kg		1 06/18/2008 18:59	37146
Aroclor-1242	ND		520	µg/Kg		1 06/18/2008 18:59	37146
Aroclor-1248	ND		520	µg/Kg		1 06/18/2008 18:59	37146
Aroclor-1254	ND		520	µg/Kg		1 06/18/2008 18:59	37146
Aroclor-1260	ND		520	µg/Kg		1 06/18/2008 18:59	37146
Surrogate: Tetrachloro-m-xylene	90.0		27-120	%REC		1 06/18/2008 18:59	37146
Surrogate: Decachlorobiphenyl	96.9		60-125	%REC		1 06/18/2008 18:59	37146

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - Found outside accepted recovery limits
B - Analyte detected in the associated Method Blank F - Value above quantitation range
DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 19-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-M10

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0936-03

Collection Date: 06/18/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		530	µg/Kg		1 06/18/2008 19:14	37146
Aroclor-1221	ND		530	µg/Kg		1 06/18/2008 19:14	37146
Aroclor-1232	ND		530	µg/Kg		1 06/18/2008 19:14	37146
Aroclor-1242	ND		530	µg/Kg		1 06/18/2008 19:14	37146
Aroclor-1248	ND		530	µg/Kg		1 06/18/2008 19:14	37146
Aroclor-1254	ND		530	µg/Kg		1 06/18/2008 19:14	37146
Aroclor-1260	ND		530	µg/Kg		1 06/18/2008 19:14	37146
Surrogate: Tetrachloro-m-xylene	87.9		27-120	%REC		1 06/18/2008 19:14	37146
Surrogate: Decachlorobiphenyl	89.5		60-125	%REC		1 06/18/2008 19:14	37146

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - Found outside accepted recovery limits
 B - Analyte detected in unassociated Method Blank I - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 19-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-L9

Lab ID: G0936-04

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/18/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		540	µg/Kg		106/18/2008 19:29	37146
Aroclor-1221	ND		540	µg/Kg		106/18/2008 19:29	37146
Aroclor-1232	ND		540	µg/Kg		106/18/2008 19:29	37146
Aroclor-1242	ND		540	µg/Kg		106/18/2008 19:29	37146
Aroclor-1248	ND		540	µg/Kg		106/18/2008 19:29	37146
Aroclor-1254	ND		540	µg/Kg		106/18/2008 19:29	37146
Aroclor-1260	ND		540	µg/Kg		106/18/2008 19:29	37146
Surrogate: Tetrachloro-m-xylene	87.6		27-120	%REC		106/18/2008 19:29	37146
Surrogate: Decachlorobiphenyl	88.4		60-125	%REC		106/18/2008 19:29	37146

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
B - Analyte detected in unassociated Method Blank F - Value above quantitation range
DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 19-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-L10

Lab ID: G0936-05

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/18/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		590	µg/Kg		1 06/18/2008 19:44	37146
Aroclor-1221	ND		590	µg/Kg		1 06/18/2008 19:44	37146
Aroclor-1232	ND		590	µg/Kg		1 06/18/2008 19:44	37146
Aroclor-1242	ND		590	µg/Kg		1 06/18/2008 19:44	37146
Aroclor-1248	ND		590	µg/Kg		1 06/18/2008 19:44	37146
Aroclor-1254	ND		590	µg/Kg		1 06/18/2008 19:44	37146
Aroclor-1260	ND		590	µg/Kg		1 06/18/2008 19:44	37146
Surrogate: Tetrachloro-m-xylene	95.3		27-120	%REC		1 06/18/2008 19:44	37146
Surrogate: Decachlorobiphenyl	96.2		60-125	%REC		1 06/18/2008 19:44	37146

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in unassociated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Not Detected outside accepted recovery limits

I - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 19-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-J10

Lab ID: G0936-06

Project: Bouchards, PCB EndPoint Samples

Collection Date: 06/18/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		530	µg/Kg		1 06/18/2008 19:59	37146
Aroclor-1221	ND		530	µg/Kg		1 06/18/2008 19:59	37146
Aroclor-1232	ND		530	µg/Kg		1 06/18/2008 19:59	37146
Aroclor-1242	ND		530	µg/Kg		1 06/18/2008 19:59	37146
Aroclor-1248	ND		530	µg/Kg		1 06/18/2008 19:59	37146
Aroclor-1254	ND		530	µg/Kg		1 06/18/2008 19:59	37146
Aroclor-1260	ND		530	µg/Kg		1 06/18/2008 19:59	37146
Surrogate: Tetrachloro-m-xylene	86.7		27-120	%REC		1 06/18/2008 19:59	37146
Surrogate: Decachlorobiphenyl	90.5		60-125	%REC		1 06/18/2008 19:59	37146

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - Result outside accepted recovery limits
 B - Analyte detected in unassociated Method Blank E - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitekem Laboratories

Date: 19-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-I10

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0936-07

Collection Date: 06/18/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		530	µg/Kg		1 06/18/2008 20:14	37146
Aroclor-1221	ND		530	µg/Kg		1 06/18/2008 20:14	37146
Aroclor-1232	ND		530	µg/Kg		1 06/18/2008 20:14	37146
Aroclor-1242	ND		530	µg/Kg		1 06/18/2008 20:14	37146
Aroclor-1248	ND		530	µg/Kg		1 06/18/2008 20:14	37146
Aroclor-1254	ND		530	µg/Kg		1 06/18/2008 20:14	37146
Aroclor-1260	ND		530	µg/Kg		1 06/18/2008 20:14	37146
Surrogate: Tetrachloro-m-xylene	90.1		27-120	%REC		1 06/18/2008 20:14	37146
Surrogate: Decachlorobiphenyl	92.8		60-125	%REC		1 06/18/2008 20:14	37146

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Found outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 19-Jun-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-K9

Project: Bouchards, PCB EndPoint Samples

Lab ID: G0936-08

Collection Date: 06/18/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		530	µg/Kg		1 06/18/2008 20:29	37146
Aroclor-1221	ND		530	µg/Kg		1 06/18/2008 20:29	37146
Aroclor-1232	ND		530	µg/Kg		1 06/18/2008 20:29	37146
Aroclor-1242	ND		530	µg/Kg		1 06/18/2008 20:29	37146
Aroclor-1248	ND		530	µg/Kg		1 06/18/2008 20:29	37146
Aroclor-1254	ND		530	µg/Kg		1 06/18/2008 20:29	37146
Aroclor-1260	ND		530	µg/Kg		1 06/18/2008 20:29	37146
Surrogate: Tetrachloro-m-xylene	84.7		27-120	%REC		1 06/18/2008 20:29	37146
Surrogate: Decachlorobiphenyl	90.1		60-125	%REC		1 06/18/2008 20:29	37146

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - Found outside accepted recovery limits
 B - Analyte detected in the associated Method Block E - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY