

Mitkem Laboratories

Date: 15-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-L17

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1105-01

Collection Date: 07/14/08 0:00

| Analyses | Result | Qual | RL | Units | DF | Date Analyzed | Batch ID |
|------------------------------------|--------|------|--------|-------|----|------------------|-----------------|
| SW846 8082 -- PCB by GC-ECD | | | | | | | SW8082_S |
| Aroclor-1016 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:02 | 37597 |
| Aroclor-1221 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:02 | 37597 |
| Aroclor-1232 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:02 | 37597 |
| Aroclor-1242 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:02 | 37597 |
| Aroclor-1248 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:02 | 37597 |
| Aroclor-1254 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:02 | 37597 |
| Aroclor-1260 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:02 | 37597 |
| Surrogate: Tetrachloro-m-xylene | 87.6 | | 27-120 | %REC | 1 | 07/14/2008 21:02 | 37597 |
| Surrogate: Decachlorobiphenyl | 89.9 | | 60-125 | %REC | 1 | 07/14/2008 21:02 | 37597 |

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in unassociated Method Block

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Not Detected outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 15-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-K17

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1105-02

Collection Date: 07/14/08 0:00

| Analyses | Result | Qual | RL | Units | DF | Date Analyzed | Batch ID |
|------------------------------------|--------|------|--------|-------|----|------------------|-----------------|
| SW846 8082 -- PCB by GC-ECD | | | | | | | SW8082_S |
| Aroclor-1016 | ND | | 510 | µg/Kg | 1 | 07/14/2008 21:17 | 37597 |
| Aroclor-1221 | ND | | 510 | µg/Kg | 1 | 07/14/2008 21:17 | 37597 |
| Aroclor-1232 | ND | | 510 | µg/Kg | 1 | 07/14/2008 21:17 | 37597 |
| Aroclor-1242 | ND | | 510 | µg/Kg | 1 | 07/14/2008 21:17 | 37597 |
| Aroclor-1248 | ND | | 510 | µg/Kg | 1 | 07/14/2008 21:17 | 37597 |
| Aroclor-1254 | ND | | 510 | µg/Kg | 1 | 07/14/2008 21:17 | 37597 |
| Aroclor-1260 | ND | | 510 | µg/Kg | 1 | 07/14/2008 21:17 | 37597 |
| Surrogate: Tetrachloro-m-xylene | 89.7 | | 27-120 | %REC | 1 | 07/14/2008 21:17 | 37597 |
| Surrogate: Decachlorobiphenyl | 91.6 | | 60-125 | %REC | 1 | 07/14/2008 21:17 | 37597 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - Not Detected outside accepted recovery limits
B - Analyte detected in unassociated Method Block F - Value above quantitation range
DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 15-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-H17

Lab ID: G1105-03

Project: Bouchards, PCB EndPoint Samples

Collection Date: 07/14/08 0:00

| Analyses | Result | Qual | RL | Units | DF | Date Analyzed | Batch ID |
|------------------------------------|--------|------|--------|-------|----|------------------|-----------------|
| SW846 8082 -- PCB by GC-ECD | | | | | | | SW8082_S |
| Aroclor-1016 | ND | | 570 | µg/Kg | 1 | 07/14/2008 21:32 | 37597 |
| Aroclor-1221 | ND | | 570 | µg/Kg | 1 | 07/14/2008 21:32 | 37597 |
| Aroclor-1232 | ND | | 570 | µg/Kg | 1 | 07/14/2008 21:32 | 37597 |
| Aroclor-1242 | ND | | 570 | µg/Kg | 1 | 07/14/2008 21:32 | 37597 |
| Aroclor-1248 | ND | | 570 | µg/Kg | 1 | 07/14/2008 21:32 | 37597 |
| Aroclor-1254 | ND | | 570 | µg/Kg | 1 | 07/14/2008 21:32 | 37597 |
| Aroclor-1260 | 1900 | | 570 | µg/Kg | 1 | 07/14/2008 21:32 | 37597 |
| Surrogate: Tetrachloro-m-xylene | 91.6 | | 27-120 | %REC | 1 | 07/14/2008 21:32 | 37597 |
| Surrogate: Decachlorobiphenyl | 91.9 | | 60-125 | %REC | 1 | 07/14/2008 21:32 | 37597 |

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in unassociated Method Block

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Not Detected outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 15-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-G16

Lab ID: G1105-04

Project: Bouchards, PCB EndPoint Samples

Collection Date: 07/14/08 0:00

| Analyses | Result | Qual | RL | Units | DF | Date Analyzed | Batch ID |
|------------------------------------|--------|------|--------|-------|----|------------------|-----------------|
| SW846 8082 -- PCB by GC-ECD | | | | | | | SW8082_S |
| Aroclor-1016 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:47 | 37597 |
| Aroclor-1221 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:47 | 37597 |
| Aroclor-1232 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:47 | 37597 |
| Aroclor-1242 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:47 | 37597 |
| Aroclor-1248 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:47 | 37597 |
| Aroclor-1254 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:47 | 37597 |
| Aroclor-1260 | ND | | 500 | µg/Kg | 1 | 07/14/2008 21:47 | 37597 |
| Surrogate: Tetrachloro-m-xylene | 87.6 | | 27-120 | %REC | 1 | 07/14/2008 21:47 | 37597 |
| Surrogate: Decachlorobiphenyl | 87.3 | | 60-125 | %REC | 1 | 07/14/2008 21:47 | 37597 |

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in unassociated Method Block

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Analyte detected outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 15-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-G17

Lab ID: G1105-05

Project: Bouchards, PCB EndPoint Samples

Collection Date: 07/14/08 0:00

| Analyses | Result | Qual | RL | Units | DF | Date Analyzed | Batch ID |
|------------------------------------|--------|------|--------|-------|----|------------------|-----------------|
| SW846 8082 -- PCB by GC-ECD | | | | | | | SW8082_S |
| Aroclor-1016 | ND | | 540 | µg/Kg | 1 | 07/14/2008 22:02 | 37597 |
| Aroclor-1221 | ND | | 540 | µg/Kg | 1 | 07/14/2008 22:02 | 37597 |
| Aroclor-1232 | ND | | 540 | µg/Kg | 1 | 07/14/2008 22:02 | 37597 |
| Aroclor-1242 | ND | | 540 | µg/Kg | 1 | 07/14/2008 22:02 | 37597 |
| Aroclor-1248 | ND | | 540 | µg/Kg | 1 | 07/14/2008 22:02 | 37597 |
| Aroclor-1254 | ND | | 540 | µg/Kg | 1 | 07/14/2008 22:02 | 37597 |
| Aroclor-1260 | 1700 | | 540 | µg/Kg | 1 | 07/14/2008 22:02 | 37597 |
| Surrogate: Tetrachloro-m-xylene | 86.7 | | 27-120 | %REC | 1 | 07/14/2008 22:02 | 37597 |
| Surrogate: Decachlorobiphenyl | 88.2 | | 60-125 | %REC | 1 | 07/14/2008 22:02 | 37597 |

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in unassociated Method Block

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Not Detected outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 15-Jul-08

Client: D.A. Collins Environmental Services
Client Sample ID: EP-K19(18)
Lab ID: G1105-06

Project: Bouchards, PCB EndPoint Samples
Collection Date: 07/14/08 0:00

| Analyses | Result | Qual | RL | Units | DF | Date Analyzed | Batch ID |
|------------------------------------|--------|------|--------|-------|----|------------------|-----------------|
| SW846 8082 -- PCB by GC-ECD | | | | | | | SW8082_S |
| Aroclor-1016 | ND | | 500 | µg/Kg | 1 | 07/14/2008 22:46 | 37597 |
| Aroclor-1221 | ND | | 500 | µg/Kg | 1 | 07/14/2008 22:46 | 37597 |
| Aroclor-1232 | ND | | 500 | µg/Kg | 1 | 07/14/2008 22:46 | 37597 |
| Aroclor-1242 | ND | | 500 | µg/Kg | 1 | 07/14/2008 22:46 | 37597 |
| Aroclor-1248 | ND | | 500 | µg/Kg | 1 | 07/14/2008 22:46 | 37597 |
| Aroclor-1254 | ND | | 500 | µg/Kg | 1 | 07/14/2008 22:46 | 37597 |
| Aroclor-1260 | ND | | 500 | µg/Kg | 1 | 07/14/2008 22:46 | 37597 |
| Surrogate: Tetrachloro-m-xylene | 89.0 | | 27-120 | %REC | 1 | 07/14/2008 22:46 | 37597 |
| Surrogate: Decachlorobiphenyl | 87.9 | | 60-125 | %REC | 1 | 07/14/2008 22:46 | 37597 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - Not Detected outside accepted recovery limits
B - Analyte detected in unassociated Method Block F - Value above quantitation range
DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 15-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-N16-T3(1)

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1105-07

Collection Date: 07/14/08 0:00

| Analyses | Result | Qual | RL | Units | DF | Date Analyzed | Batch ID |
|------------------------------------|--------|------|--------|-------|----|------------------|-----------------|
| SW846 8082 -- PCB by GC-ECD | | | | | | | SW8082_S |
| Aroclor-1016 | ND | | 500 | µg/Kg | 1 | 07/14/2008 23:01 | 37597 |
| Aroclor-1221 | ND | | 500 | µg/Kg | 1 | 07/14/2008 23:01 | 37597 |
| Aroclor-1232 | ND | | 500 | µg/Kg | 1 | 07/14/2008 23:01 | 37597 |
| Aroclor-1242 | ND | | 500 | µg/Kg | 1 | 07/14/2008 23:01 | 37597 |
| Aroclor-1248 | ND | | 500 | µg/Kg | 1 | 07/14/2008 23:01 | 37597 |
| Aroclor-1254 | ND | | 500 | µg/Kg | 1 | 07/14/2008 23:01 | 37597 |
| Aroclor-1260 | 5300 | | 500 | µg/Kg | 1 | 07/14/2008 23:01 | 37597 |
| Surrogate: Tetrachloro-m-xylene | 86.3 | | 27-120 | %REC | 1 | 07/14/2008 23:01 | 37597 |
| Surrogate: Decachlorobiphenyl | 87.0 | | 60-125 | %REC | 1 | 07/14/2008 23:01 | 37597 |

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in unassociated Method Block

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Not Detected outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 15-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-N16-T3(2)

Lab ID: G1105-08

Project: Bouchards, PCB EndPoint Samples

Collection Date: 07/14/08 0:00

| Analyses | Result | Qual | RL | Units | DF | Date Analyzed | Batch ID |
|------------------------------------|--------|------|--------|-------|----|------------------|-----------------|
| SW846 8082 -- PCB by GC-ECD | | | | | | | SW8082_S |
| Aroclor-1016 | ND | | 550 | µg/Kg | 1 | 07/14/2008 23:16 | 37597 |
| Aroclor-1221 | ND | | 550 | µg/Kg | 1 | 07/14/2008 23:16 | 37597 |
| Aroclor-1232 | ND | | 550 | µg/Kg | 1 | 07/14/2008 23:16 | 37597 |
| Aroclor-1242 | ND | | 550 | µg/Kg | 1 | 07/14/2008 23:16 | 37597 |
| Aroclor-1248 | ND | | 550 | µg/Kg | 1 | 07/14/2008 23:16 | 37597 |
| Aroclor-1254 | ND | | 550 | µg/Kg | 1 | 07/14/2008 23:16 | 37597 |
| Aroclor-1260 | ND | | 550 | µg/Kg | 1 | 07/14/2008 23:16 | 37597 |
| Surrogate: Tetrachloro-m-xylene | 84.7 | | 27-120 | %REC | 1 | 07/14/2008 23:16 | 37597 |
| Surrogate: Decachlorobiphenyl | 85.2 | | 60-125 | %REC | 1 | 07/14/2008 23:16 | 37597 |

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in unassociated Method Block

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Not Detected outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 15-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-DUP-12

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1105-10

Collection Date: 07/14/08 0:00

| Analyses | Result | Qual | RL | Units | DF | Date Analyzed | Batch ID |
|------------------------------------|--------|------|--------|-------|----|------------------|-----------------|
| SW846 8082 -- PCB by GC-ECD | | | | | | | SW8082_S |
| Aroclor-1016 | ND | | 520 | µg/Kg | 1 | 07/14/2008 23:31 | 37597 |
| Aroclor-1221 | ND | | 520 | µg/Kg | 1 | 07/14/2008 23:31 | 37597 |
| Aroclor-1232 | ND | | 520 | µg/Kg | 1 | 07/14/2008 23:31 | 37597 |
| Aroclor-1242 | ND | | 520 | µg/Kg | 1 | 07/14/2008 23:31 | 37597 |
| Aroclor-1248 | ND | | 520 | µg/Kg | 1 | 07/14/2008 23:31 | 37597 |
| Aroclor-1254 | ND | | 520 | µg/Kg | 1 | 07/14/2008 23:31 | 37597 |
| Aroclor-1260 | ND | | 520 | µg/Kg | 1 | 07/14/2008 23:31 | 37597 |
| Surrogate: Tetrachloro-m-xylene | 86.6 | | 27-120 | %REC | 1 | 07/14/2008 23:31 | 37597 |
| Surrogate: Decachlorobiphenyl | 81.8 | | 60-125 | %REC | 1 | 07/14/2008 23:31 | 37597 |

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in unassociated Method Block

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - Not Detected outside accepted recovery limits

F - Value above quantitation range

RL - Reporting Limit

PRELIMINARY