

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-G17 (1)

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-01

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		590	µg/Kg		1 07/17/2008 11:34	37633
Aroclor-1221	ND		590	µg/Kg		1 07/17/2008 11:34	37633
Aroclor-1232	ND		590	µg/Kg		1 07/17/2008 11:34	37633
Aroclor-1242	ND		590	µg/Kg		1 07/17/2008 11:34	37633
Aroclor-1248	ND		590	µg/Kg		1 07/17/2008 11:34	37633
Aroclor-1254	ND		590	µg/Kg		1 07/17/2008 11:34	37633
Aroclor-1260	ND		590	µg/Kg		1 07/17/2008 11:34	37633
Surrogate: Tetrachloro-m-xylene	99.2		27-120	%REC		1 07/17/2008 11:34	37633
Surrogate: Decachlorobiphenyl	115		60-125	%REC		1 07/17/2008 11:34	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in the associated Method Blank I - Value above quantitation range
 DF - Dilution Factor RI - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-G17 (2)

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-02

Collection Date: 07/16/08 0:00

Analyses	Result Qual	RL Units	DF Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD				SW8082_S
Aroclor-1016	ND	610 µg/Kg	1 07/17/2008 11:50	37633
Aroclor-1221	ND	610 µg/Kg	1 07/17/2008 11:50	37633
Aroclor-1232	ND	610 µg/Kg	1 07/17/2008 11:50	37633
Aroclor-1242	ND	610 µg/Kg	1 07/17/2008 11:50	37633
Aroclor-1248	ND	610 µg/Kg	1 07/17/2008 11:50	37633
Aroclor-1254	ND	610 µg/Kg	1 07/17/2008 11:50	37633
Aroclor-1260	ND	610 µg/Kg	1 07/17/2008 11:50	37633
Surrogate: Tetrachloro-m-xylene	96.6	27-120 %REC	1 07/17/2008 11:50	37633
Surrogate: Decachlorobiphenyl	112	60-125 %REC	1 07/17/2008 11:50	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - Found outside accepted recovery limits
 B - Analyte detected in unassociated Method Blank E - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-G17 (3)

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-03

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		560	µg/Kg		1 07/17/2008 12:05	37633
Aroclor-1221	ND		560	µg/Kg		1 07/17/2008 12:05	37633
Aroclor-1232	ND		560	µg/Kg		1 07/17/2008 12:05	37633
Aroclor-1242	ND		560	µg/Kg		1 07/17/2008 12:05	37633
Aroclor-1248	ND		560	µg/Kg		1 07/17/2008 12:05	37633
Aroclor-1254	ND		560	µg/Kg		1 07/17/2008 12:05	37633
Aroclor-1260	ND		560	µg/Kg		1 07/17/2008 12:05	37633
Surrogate: Tetrachloro-m-xylene	96.0		27-120	%REC		1 07/17/2008 12:05	37633
Surrogate: Decachlorobiphenyl	111		60-125	%REC		1 07/17/2008 12:05	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in the associated Method Blank E - Value above quantitation range
 DF - Dilution Factor RI - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A Collins Environmental Services

Client Sample ID: EP-G17 (4)

Lab ID: G1133-04

Project: Bouchards, PCB EndPoint Samples

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		550	µg/Kg		1 07/17/2008 12:21	37633
Aroclor-1221	ND		550	µg/Kg		1 07/17/2008 12:21	37633
Aroclor-1232	ND		550	µg/Kg		1 07/17/2008 12:21	37633
Aroclor-1242	ND		550	µg/Kg		1 07/17/2008 12:21	37633
Aroclor-1248	ND		550	µg/Kg		1 07/17/2008 12:21	37633
Aroclor-1254	ND		550	µg/Kg		1 07/17/2008 12:21	37633
Aroclor-1260	1400		550	µg/Kg		1 07/17/2008 12:21	37633
Surrogate: Tetrachloro-m-xylene	102		27-120	%REC		1 07/17/2008 12:21	37633
Surrogate: Decachlorobiphenyl	117		60-125	%REC		1 07/17/2008 12:21	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in the associated Method Blank E - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A Collins Environmental Services

Client Sample ID: EP-H17 (1)

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-05

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		630	µg/Kg	1	07/17/2008 12:37	37633
Aroclor-1221	ND		630	µg/Kg	1	07/17/2008 12:37	37633
Aroclor-1232	ND		630	µg/Kg	1	07/17/2008 12:37	37633
Aroclor-1242	ND		630	µg/Kg	1	07/17/2008 12:37	37633
Aroclor-1248	ND		630	µg/Kg	1	07/17/2008 12:37	37633
Aroclor-1254	ND		630	µg/Kg	1	07/17/2008 12:37	37633
Aroclor-1260	1800		630	µg/Kg	1	07/17/2008 12:37	37633
Surrogate: Tetrachloro-m-xylene	96.7		27-120	%REC	1	07/17/2008 12:37	37633
Surrogate: Decachlorobiphenyl	112		60-125	%REC	1	07/17/2008 12:37	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in unassociated Method Block E - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-H17 (2)

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-06

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		570	µg/Kg		1 07/17/2008 12:53	37633
Aroclor-1221	ND		570	µg/Kg		1 07/17/2008 12:53	37633
Aroclor-1232	ND		570	µg/Kg		1 07/17/2008 12:53	37633
Aroclor-1242	ND		570	µg/Kg		1 07/17/2008 12:53	37633
Aroclor-1248	ND		570	µg/Kg		1 07/17/2008 12:53	37633
Aroclor-1254	ND		570	µg/Kg		1 07/17/2008 12:53	37633
Aroclor-1260	880		570	µg/Kg		1 07/17/2008 12:53	37633
Surrogate: Tetrachloro-m-xylene	99.9		27-120	%REC		1 07/17/2008 12:53	37633
Surrogate: Decachlorobiphenyl	116		60-125	%REC		1 07/17/2008 12:53	37633

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

E - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-H17 (3)

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-07

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		700	µg/Kg		1 07/17/2008 13:09	37633
Aroclor-1221	ND		700	µg/Kg		1 07/17/2008 13:09	37633
Aroclor-1232	ND		700	µg/Kg		1 07/17/2008 13:09	37633
Aroclor-1242	ND		700	µg/Kg		1 07/17/2008 13:09	37633
Aroclor-1248	ND		700	µg/Kg		1 07/17/2008 13:09	37633
Aroclor-1254	ND		700	µg/Kg		1 07/17/2008 13:09	37633
Aroclor-1260	ND		700	µg/Kg		1 07/17/2008 13:09	37633
Surrogate: Tetrachloro-m-xylene	99.6		27-120	%REC		1 07/17/2008 13:09	37633
Surrogate: Decachlorobiphenyl	112		60-125	%REC		1 07/17/2008 13:09	37633

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in unassociated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

E - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-H17 (4)

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-08

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		570	µg/Kg		1 07/17/2008 13:25	37633
Aroclor-1221	ND		570	µg/Kg		1 07/17/2008 13:25	37633
Aroclor-1232	ND		570	µg/Kg		1 07/17/2008 13:25	37633
Aroclor-1242	ND		570	µg/Kg		1 07/17/2008 13:25	37633
Aroclor-1248	ND		570	µg/Kg		1 07/17/2008 13:25	37633
Aroclor-1254	ND		570	µg/Kg		1 07/17/2008 13:25	37633
Aroclor-1260	1200		570	µg/Kg		1 07/17/2008 13:25	37633
Surrogate: Tetrachloro-m-xylene	144	S	27-120	%REC		1 07/17/2008 13:25	37633
Surrogate: Decachlorobiphenyl	162	S	60-125	%REC		1 07/17/2008 13:25	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in unassociated Method Blank E - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-II-I17

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-09

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		550	µg/Kg	1	07/17/2008 14:12	37633
Aroclor-1221	ND		550	µg/Kg	1	07/17/2008 14:12	37633
Aroclor-1232	ND		550	µg/Kg	1	07/17/2008 14:12	37633
Aroclor-1242	ND		550	µg/Kg	1	07/17/2008 14:12	37633
Aroclor-1248	ND		550	µg/Kg	1	07/17/2008 14:12	37633
Aroclor-1254	ND		550	µg/Kg	1	07/17/2008 14:12	37633
Aroclor-1260	ND		550	µg/Kg	1	07/17/2008 14:12	37633
Surrogate: Tetrachloro-m-xylene	99.8		27-120	%REC	1	07/17/2008 14:12	37633
Surrogate: Decachlorobiphenyl	114		60-125	%REC	1	07/17/2008 14:12	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in unassociated Method Block E - Value above quantitation range
 DF - Dilution Factor RI - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D A Collins Environmental Services
 Client Sample ID: EP-DUP-13
 Lab ID: G1133-10

Project: Bouchards, PCB EndPoint Samples
 Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		620	µg/Kg		1 07/17/2008 14:28	37633
Aroclor-1221	ND		620	µg/Kg		1 07/17/2008 14:28	37633
Aroclor-1232	ND		620	µg/Kg		1 07/17/2008 14:28	37633
Aroclor-1242	ND		620	µg/Kg		1 07/17/2008 14:28	37633
Aroclor-1248	ND		620	µg/Kg		1 07/17/2008 14:28	37633
Aroclor-1254	ND		620	µg/Kg		1 07/17/2008 14:28	37633
Aroclor-1260	3900		620	µg/Kg		1 07/17/2008 14:28	37633
Surrogate: Tetrachloro-m-xylene	99.5		27-120	%REC		1 07/17/2008 14:28	37633
Surrogate: Decachlorobiphenyl	115		60-125	%REC		1 07/17/2008 14:28	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 I - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in the associated Method Blank F - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-L16

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-11

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		590	µg/Kg	1	07/17/2008 14:44	37633
Aroclor-1221	ND		590	µg/Kg	1	07/17/2008 14:44	37633
Aroclor-1232	ND		590	µg/Kg	1	07/17/2008 14:44	37633
Aroclor-1242	ND		590	µg/Kg	1	07/17/2008 14:44	37633
Aroclor-1248	ND		590	µg/Kg	1	07/17/2008 14:44	37633
Aroclor-1254	ND		590	µg/Kg	1	07/17/2008 14:44	37633
Aroclor-1260	ND		590	µg/Kg	1	07/17/2008 14:44	37633
Surrogate: Tetrachloro-m-xylene	95.4		27-120	%REC	1	07/17/2008 14:44	37633
Surrogate: Decachlorobiphenyl	107		60-125	%REC	1	07/17/2008 14:44	37633

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DF - Dilution Factor

S - Spike Recovery outside accepted recovery limits

R - ND outside accepted recovery limits

E - Value above quantitation range

RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-H16

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-13

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		640	µg/Kg		1 07/17/2008 15:00	37633
Aroclor-1221	ND		640	µg/Kg		1 07/17/2008 15:00	37633
Aroclor-1232	ND		640	µg/Kg		1 07/17/2008 15:00	37633
Aroclor-1242	ND		640	µg/Kg		1 07/17/2008 15:00	37633
Aroclor-1248	ND		640	µg/Kg		1 07/17/2008 15:00	37633
Aroclor-1254	ND		640	µg/Kg		1 07/17/2008 15:00	37633
Aroclor-1260	7300		640	µg/Kg		1 07/17/2008 15:00	37633
Surrogate: Tetrachloro-m-xylene	98.8		27-120	%REC		1 07/17/2008 15:00	37633
Surrogate: Decachlorobiphenyl	115		60-125	%REC		1 07/17/2008 15:00	37633

PRELIMINARY

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in the associated Method Blank E - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-J16

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-14

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		630	µg/Kg		1 07/17/2008 15:16	37633
Aroclor-1221	ND		630	µg/Kg		1 07/17/2008 15:16	37633
Aroclor-1232	ND		630	µg/Kg		1 07/17/2008 15:16	37633
Aroclor-1242	ND		630	µg/Kg		1 07/17/2008 15:16	37633
Aroclor-1248	ND		630	µg/Kg		1 07/17/2008 15:16	37633
Aroclor-1254	ND		630	µg/Kg		1 07/17/2008 15:16	37633
Aroclor-1260	ND		630	µg/Kg		1 07/17/2008 15:16	37633
Surrogate: Tetrachloro-m-xylene	97.4		27-120	%REC		1 07/17/2008 15:16	37633
Surrogate: Decachlorobiphenyl	114		60-125	%REC		1 07/17/2008 15:16	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 I - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in the associated Method Blank E - Value above quantitation range
 DF - Dilution Factor RL - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D A Collins Environmental Services

Client Sample ID: EP-K16

Lab ID: G1133-15

Project: Bouchards, PCB EndPoint Samples

Collection Date: 07/16/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		540	µg/Kg	1	07/17/2008 15:32	37633
Aroclor-1221	ND		540	µg/Kg	1	07/17/2008 15:32	37633
Aroclor-1232	ND		540	µg/Kg	1	07/17/2008 15:32	37633
Aroclor-1242	ND		540	µg/Kg	1	07/17/2008 15:32	37633
Aroclor-1248	ND		540	µg/Kg	1	07/17/2008 15:32	37633
Aroclor-1254	ND		540	µg/Kg	1	07/17/2008 15:32	37633
Aroclor-1260	ND		540	µg/Kg	1	07/17/2008 15:32	37633
Surrogate: Tetrachloro-m-xylene	95.7		27-120	%REC	1	07/17/2008 15:32	37633
Surrogate: Decachlorobiphenyl	111		60-125	%REC	1	07/17/2008 15:32	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 I - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in the associated Method Block E - Value above quantitation range
 DF - Dilution Factor RI - Reporting Limit

PRELIMINARY

Mitkem Laboratories

Date: 17-Jul-08

Client: D.A. Collins Environmental Services

Client Sample ID: EP-DUP-14

Project: Bouchards, PCB EndPoint Samples

Lab ID: G1133-16

Collection Date: 07/15/08 0:00

Analyses	Result	Qual	RL	Units	DF	Date Analyzed	Batch ID
SW846 8082 -- PCB by GC-ECD							SW8082_S
Aroclor-1016	ND		560	µg/Kg		1 07/17/2008 15:48	37633
Aroclor-1221	ND		560	µg/Kg		1 07/17/2008 15:48	37633
Aroclor-1232	ND		560	µg/Kg		1 07/17/2008 15:48	37633
Aroclor-1242	ND		560	µg/Kg		1 07/17/2008 15:48	37633
Aroclor-1248	ND		560	µg/Kg		1 07/17/2008 15:48	37633
Aroclor-1254	ND		560	µg/Kg		1 07/17/2008 15:48	37633
Aroclor-1260	1100		560	µg/Kg		1 07/17/2008 15:48	37633
Surrogate: Tetrachloro-m-xylene	144	S	27-120	%REC		1 07/17/2008 15:48	37633
Surrogate: Decachlorobiphenyl	166	S	60-125	%REC		1 07/17/2008 15:48	37633

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - ND outside accepted recovery limits
 B - Analyte detected in associated Method Blank E - Value above quantitation range
 DF - Dilution Factor RI - Reporting Limit

PRELIMINARY