



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>STM Assoc</i>		Address:						
Send Report To: <i>Jim Michem</i>		Project Name (Location): <i>CHL Maintenance</i>		Samplers: (Names) <i>Michael Wilcox</i>				
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature) <i>[Signature]</i>		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
001	XRH - 10DX - 0801 - XX	3/19/08	5:19	A P	GO		X 11	PCB (EPA 8082) + Field
				A P				TEL EPA 8260
				A P				BOD, COD, TOC,
				A P				Nitrate, Sulfate,
				A P				Chloride, Fe, Mn, Mg,
				A P				Ca, K, Na, Diss Mg,
				A P				Alkalinity, CO ₂ ,
				A P				METHANE, ETHANE, ETHYLENE
002	FIELD BLANK	3/20/08	8:50	A P	GO		X 11	
003	XRH - 11DX - 0801 - XX	3/20/08	3:41	A P	GO		X 11	
004	XRH - 09DX - 0801 - XX	3/20/08	6:3	A P	GO		X 11	
005	XMW - 12SX - 0801 - XX	3/20/08	4:52	A P	GO		X 11	
006	XMW - 12DX - 0801 - XX	3/20/08	6:05	A P	GO		X 11	
007	XMW - 12DD - 0801 - XX	3/21/08	9:32	A P	GO		X 3	PCB(8082) TEL(8260) + Field
AES Work Order #: <i>080321 056</i>		CC Report To / Special Instructions/Remarks: <i>Field Parameters: pH, Temp, Spec Cond, ORP, D.C. Turbidity, SOL CLP/EDD (EXCEL) EDD AVAILABLE 10 BUSINESS DAYS</i>						
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <i>CU</i>								
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)				Date/Time		
Relinquished by: (Signature)		Received by: (Signature)				Date/Time		
Relinquished by: (Signature)		Received for Laboratory by: <i>A. Makarewicz</i>				Date/Time <i>3/21/08 2:56</i>		
TEMPERATURE Ambient or <i>Chilled</i> Notes: <i>10°C</i>		PROPERLY PRESERVED <i>Y</i> N		RECEIVED WITHIN HOLDING TIMES <i>Y</i> N				

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

AES Work Order #

080321056

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>JTM Assoc.</u>		Address:	
Send Report To: <u>Jim Mickelson</u>		Project Name (Location): <u>RHEC Monitoring</u>	Samplers: (Names): <u>Michael Wilsey</u>
Client Phone No:	Client Fax No:	PO Number:	Samplers: (Signature): <u>[Signature]</u>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
008	XRH-01XX-0801-XX	3/21/08	1120	(A) G		X	11	PCB (EPA 8082)
				A				TCL EPA 8260
				P				Field, BOD, COD,
				A				TOC, Nitrate, Sulfate
				P				Chloride, Fe, Mn, Mg,
				A				Ca, K, Na, Diss Mg,
				P				Alkalinity, CO ₂ ,
				A				METHANE, ETHANE,
				P				ETHENE
009	Trip Blank Lot # C08A13	3/15/08	-	(A) WA	-	-	1	TCL EPA 8260
				A				
				P				
				A				
				P				
				A				
				P				


Shipment Arrived Via: FedEx UPS Client ☒ AES Other: _____		CC Report To / Special Instructions/Remarks:	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <u>EXP</u>			
Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature)	Date/Time	
Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received for Laboratory by: <u>A. Nakasch</u>	Date/Time <u>3/21/08 2:56</u>	
TEMPERATURE Ambient or ☒ Chilled Notes: <u>10C</u>	PROPERLY PRESERVED ☒ Y ☐ N Notes: _____	RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N Notes: _____	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 23, 2008

Jim Mickam
JTM Associates
290 Elwood Davis Drive
Liverpool, NY 13088

Work Order No: 080321056

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: RHRL Monitoring

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 9 samples on 3/21/2008 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

CASE NARRATIVE

CLIENT: JTM Associates
Project: RHRL Monitoring
Lab Order: 080321056

Date: 23-Apr-08

This is a re-issued report. April 23, 2008 to add Ferrous Iron to sample 004.

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-10DX-0801-XX
Collection Date: 3/19/2008 5:19:00 PM
Lab Sample ID: 080321056-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	175	1.0		umhos/cm		3/19/2008 5:19:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/19/2008 5:19:00 PM
eH	-311.2			mV		3/19/2008 5:19:00 PM
Ferrous Iron, Filtered	< 0.2			mg/L		3/19/2008 5:19:00 PM
pH	9.5			S.U.		3/19/2008 5:19:00 PM
Static Water Level	1.53			ft		3/19/2008 5:19:00 PM
Temperature	9			deg C		3/19/2008 5:19:00 PM
Turbidity	526	1.0		NTU		3/19/2008 5:19:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/24/2008)

Analyst: KF

Aroclor 1016	< 0.052	0.052		µg/L	1	3/25/2008 11:10:07 AM
Aroclor 1221	< 0.052	0.052		µg/L	1	3/25/2008 11:10:07 AM
Aroclor 1232	< 0.052	0.052		µg/L	1	3/25/2008 11:10:07 AM
Aroclor 1242	< 0.052	0.052		µg/L	1	3/25/2008 11:10:07 AM
Aroclor 1248	< 0.052	0.052		µg/L	1	3/25/2008 11:10:07 AM
Aroclor 1254	< 0.052	0.052		µg/L	1	3/25/2008 11:10:07 AM
Aroclor 1260	< 0.052	0.052		µg/L	1	3/25/2008 11:10:07 AM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/24/2008
Ethene	< 1	1		mg/L	1	3/24/2008
Methane	< 1	1		mg/L	1	3/24/2008

ICP METALS E200.7

Analyst: SM

(Prep: SW3010A - 3/26/2008)

Calcium	27.2	0.050		mg/L	1	4/7/2008 11:57:00 AM
Iron	13.4	0.050		mg/L	1	4/7/2008 11:57:00 AM
Magnesium	6.58	0.050		mg/L	1	4/7/2008 11:57:00 AM
Manganese	0.334	0.020		mg/L	1	4/7/2008 11:57:00 AM
Potassium	3.45	0.050		mg/L	1	4/7/2008 11:57:00 AM
Sodium	8.01	0.050		mg/L	1	4/7/2008 11:57:00 AM

ICP DISSOLVED METAL E200.7F

Analyst: SM

(Prep: SW3005A - 3/26/2008)

Manganese, Dissolved	0.011	0.020	J	mg/L	1	4/7/2008 12:03:00 PM
----------------------	-------	-------	---	------	---	----------------------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-10DX-0801-XX
Collection Date: 3/19/2008 5:19:00 PM
Lab Sample ID: 080321056-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	3	1		mg/L	1	3/28/2008
SULFATE E300						Analyst: SH
Sulfate	11.0	2.0		mg/L	1	3/28/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Bromomethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Chloroethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Methylene chloride	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Acetone	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Carbon disulfide	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,1-Dichloroethene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,1-Dichloroethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Chloroform	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,2-Dichloroethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
2-Butanone	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Carbon tetrachloride	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Bromodichloromethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,2-Dichloropropane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Trichloroethene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Dibromochloromethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Benzene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Bromoform	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
2-Hexanone	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Tetrachloroethene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-10DX-0801-XX
Collection Date: 3/19/2008 5:19:00 PM
Lab Sample ID: 080321056-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Chlorobenzene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Ethylbenzene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Styrene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
m,p-Xylene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
o-Xylene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Methyl Acetate	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Cyclohexane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Trichlorofluoromethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,2-Dibromoethane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
Isopropylbenzene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/25/2008 11:45:00 AM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	85	1		mg/L	1	3/26/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	4	2		mg/L	1	3/21/2008 4:20:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	< 0.5	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/31/2008

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-10DX-0801-XX
Collection Date: 3/19/2008 5:19:00 PM
Lab Sample ID: 080321056-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	125	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	1.7	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
 Work Order: 080321056
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: FIELD BLANK
 Collection Date: 3/20/2008 8:50:00 AM
 Lab Sample ID: 080321056-002
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/24/2008)						
Aroclor 1016	< 0.050	0.050		µg/L	1	3/25/2008 11:43:26 AM
Aroclor 1221	< 0.050	0.050		µg/L	1	3/25/2008 11:43:26 AM
Aroclor 1232	< 0.050	0.050		µg/L	1	3/25/2008 11:43:26 AM
Aroclor 1242	< 0.050	0.050		µg/L	1	3/25/2008 11:43:26 AM
Aroclor 1248	< 0.050	0.050		µg/L	1	3/25/2008 11:43:26 AM
Aroclor 1254	< 0.050	0.050		µg/L	1	3/25/2008 11:43:26 AM
Aroclor 1260	< 0.050	0.050		µg/L	1	3/25/2008 11:43:26 AM
GASES BY GC EPA-8015GASES						Analyst: TN
Ethane	< 1	1		mg/L	1	3/24/2008
Ethene	< 1	1		mg/L	1	3/24/2008
Methane	< 1	1		mg/L	1	3/24/2008
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 3/26/2008)						
Calcium	0.411	0.050		mg/L	1	4/7/2008 12:07:00 PM
Iron	0.033	0.050	J	mg/L	1	4/7/2008 12:07:00 PM
Magnesium	0.024	0.050	J	mg/L	1	4/7/2008 12:07:00 PM
Manganese	0.001	0.020	J	mg/L	1	4/7/2008 12:07:00 PM
Potassium	0.022	0.050	J	mg/L	1	4/7/2008 12:07:00 PM
Sodium	0.074	0.050		mg/L	1	4/7/2008 12:07:00 PM
ICP DISSOLVED METAL E200.7F						Analyst: SM
(Prep: SW3005A - 3/26/2008)						
Manganese, Dissolved	0.0006	0.020	J	mg/L	1	4/7/2008 12:15:00 PM
CHLORIDE E300						Analyst: SH
Chloride	1	1		mg/L	1	3/28/2008
SULFATE E300						Analyst: SH
Sulfate	< 2.0	2.0		mg/L	1	3/28/2008
VOLATILE ORGANICS SW8260B						Analyst: ML

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: FIELD BLANK
Collection Date: 3/20/2008 8:50:00 AM
Lab Sample ID: 080321056-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Bromomethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Chloroethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Methylene chloride	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Acetone	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Carbon disulfide	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,1-Dichloroethene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,1-Dichloroethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Chloroform	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,2-Dichloroethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
2-Butanone	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Carbon tetrachloride	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Bromodichloromethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,2-Dichloropropane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Trichloroethene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Dibromochloromethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Benzene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Bromoform	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
2-Hexanone	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Tetrachloroethene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Toluene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Chlorobenzene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Ethylbenzene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Styrene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
m,p-Xylene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
o-Xylene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: FIELD BLANK
Collection Date: 3/20/2008 8:50:00 AM
Lab Sample ID: 080321056-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methyl Acetate	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Cyclohexane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Trichlorofluoromethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,2-Dibromoethane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
Isopropylbenzene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/25/2008 10:58:00 AM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	3	1		mg/L	1	3/26/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	13	2		mg/L	1	3/21/2008 4:20:00 PM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	162	5		mg/L	1	3/31/2008
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	167	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	42.3	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-11DX-0801-XX
Collection Date: 3/20/2008 9:44:00 AM
Lab Sample ID: 080321056-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	84	1.0		umhos/cm		3/20/2008 9:44:00 AM
Dissolved Oxygen	6.0	0.10		mg/L		3/20/2008 9:44:00 AM
eH	157.5			mV		3/20/2008 9:44:00 AM
Ferrous Iron, Filtered	< 0.2			mg/L		3/20/2008 9:44:00 AM
pH	6.0			S.U.		3/20/2008 9:44:00 AM
Static Water Level	27.10			ft		3/20/2008 9:44:00 AM
Temperature	11			deg C		3/20/2008 9:44:00 AM
Turbidity	6	1.0		NTU		3/20/2008 9:44:00 AM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/24/2008)

Analyst: KF

Aroclor 1016	< 0.045	0.045		µg/L	1	3/25/2008 12:16:41 PM
Aroclor 1221	< 0.045	0.045		µg/L	1	3/25/2008 12:16:41 PM
Aroclor 1232	< 0.045	0.045		µg/L	1	3/25/2008 12:16:41 PM
Aroclor 1242	< 0.045	0.045		µg/L	1	3/25/2008 12:16:41 PM
Aroclor 1248	< 0.045	0.045		µg/L	1	3/25/2008 12:16:41 PM
Aroclor 1254	< 0.045	0.045		µg/L	1	3/25/2008 12:16:41 PM
Aroclor 1260	< 0.045	0.045		µg/L	1	3/25/2008 12:16:41 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/24/2008
Ethene	< 1	1		mg/L	1	3/24/2008
Methane	< 1	1		mg/L	1	3/24/2008

ICP METALS E200.7 (Prep: SW3010A - 3/26/2008)

Analyst: SM

Calcium	7.19	0.050		mg/L	1	4/7/2008 12:23:00 PM
Iron	0.216	0.050		mg/L	1	4/7/2008 12:23:00 PM
Magnesium	2.55	0.050		mg/L	1	4/7/2008 12:23:00 PM
Manganese	0.015	0.020	J	mg/L	1	4/7/2008 12:23:00 PM
Potassium	0.384	0.050		mg/L	1	4/7/2008 12:23:00 PM
Sodium	3.56	0.050		mg/L	1	4/7/2008 12:23:00 PM

ICP DISSOLVED METAL E200.7F (Prep: SW3005A - 3/26/2008)

Analyst: SM

Manganese, Dissolved	0.012	0.020	J	mg/L	1	4/7/2008 12:37:00 PM
----------------------	-------	-------	---	------	---	----------------------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-11DX-0801-XX
Collection Date: 3/20/2008 9:44:00 AM
Lab Sample ID: 080321056-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	6	1		mg/L	1	3/28/2008
SULFATE E300						Analyst: SH
Sulfate	6.4	2.0		mg/L	1	3/28/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Bromomethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Chloroethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Methylene chloride	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Acetone	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Chloroform	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
2-Butanone	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Trichloroethene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Benzene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Bromoform	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
2-Hexanone	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-11DX-0801-XX
Collection Date: 3/20/2008 9:44:00 AM
Lab Sample ID: 080321056-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Styrene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
o-Xylene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Cyclohexane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:09:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	20	1		mg/L	1	3/26/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/21/2008 4:20:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	40.0	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/31/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-11DX-0801-XX
Collection Date: 3/20/2008 9:44:00 AM
Lab Sample ID: 080321056-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	1.11	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	52	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	< 1.0	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-09DX-0801-XX
Collection Date: 3/20/2008 1:53:00 PM
Lab Sample ID: 080321056-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	164	1.0		umhos/cm		3/20/2008 1:53:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/20/2008 1:53:00 PM
eH	65.4			mV		3/20/2008 1:53:00 PM
Ferrous Iron, Filtered	< 0.2			mg/L		3/20/2008 1:53:00 PM
pH	9.6			S.U.		3/20/2008 1:53:00 PM
Static Water Level	7.02			ft		3/20/2008 1:53:00 PM
Temperature	10			deg C		3/20/2008 1:53:00 PM
Turbidity	> 999	1.0		NTU		3/20/2008 1:53:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/24/2008)

Analyst: KF

Aroclor 1016	< 0.052	0.052		µg/L	1	3/25/2008 12:49:58 PM
Aroclor 1221	< 0.052	0.052		µg/L	1	3/25/2008 12:49:58 PM
Aroclor 1232	< 0.052	0.052		µg/L	1	3/25/2008 12:49:58 PM
Aroclor 1242	< 0.052	0.052		µg/L	1	3/25/2008 12:49:58 PM
Aroclor 1248	< 0.052	0.052		µg/L	1	3/25/2008 12:49:58 PM
Aroclor 1254	< 0.052	0.052		µg/L	1	3/25/2008 12:49:58 PM
Aroclor 1260	< 0.052	0.052		µg/L	1	3/25/2008 12:49:58 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/24/2008
Ethene	< 1	1		mg/L	1	3/24/2008
Methane	< 1	1		mg/L	1	3/24/2008

ICP METALS E200.7

Analyst: SM

(Prep: SW3010A - 3/26/2008)

Calcium	61.1	0.050		mg/L	1	4/7/2008 12:42:00 PM
Iron	56.3	0.050		mg/L	1	4/7/2008 12:42:00 PM
Magnesium	18.7	0.050		mg/L	1	4/7/2008 12:42:00 PM
Manganese	3.10	0.020		mg/L	1	4/7/2008 12:42:00 PM
Potassium	5.76	0.050		mg/L	1	4/7/2008 12:42:00 PM
Sodium	6.84	0.050		mg/L	1	4/7/2008 12:42:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: SM

(Prep: SW3005A - 3/26/2008)

Manganese, Dissolved	0.011	0.020	J	mg/L	1	4/7/2008 12:48:00 PM
----------------------	-------	-------	---	------	---	----------------------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-09DX-0801-XX
Collection Date: 3/20/2008 1:53:00 PM
Lab Sample ID: 080321056-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	1	1		mg/L	1	4/1/2008
SULFATE E300						Analyst: SH
Sulfate	8.9	2.0		mg/L	1	4/1/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Bromomethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Chloroethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Methylene chloride	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Acetone	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Chloroform	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
2-Butanone	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Trichloroethene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Benzene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Bromoform	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
2-Hexanone	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-09DX-0801-XX
Collection Date: 3/20/2008 1:53:00 PM
Lab Sample ID: 080321056-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Styrene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
o-Xylene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Cyclohexane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:33:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	125	1		mg/L	1	3/26/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/21/2008 4:20:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	< 0.5	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	4/2/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-09DX-0801-XX
Collection Date: 3/20/2008 1:53:00 PM
Lab Sample ID: 080321056-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	105	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	< 1.0	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XMW-12SX-0801-XX
Collection Date: 3/20/2008 4:52:00 PM
Lab Sample ID: 080321056-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	49	1.0		umhos/cm		3/20/2008 4:52:00 PM
Dissolved Oxygen	7.5	0.10		mg/L		3/20/2008 4:52:00 PM
eH	139.7			mV		3/20/2008 4:52:00 PM
Ferrous Iron, Filtered	< 0.2			mg/L		3/20/2008 4:52:00 PM
pH	5.8			S.U.		3/20/2008 4:52:00 PM
Static Water Level	15.34			ft		3/20/2008 4:52:00 PM
Temperature	10			deg C		3/20/2008 4:52:00 PM
Turbidity	6	1.0		NTU		3/20/2008 4:52:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/24/2008)

Analyst: KF

Aroclor 1016	< 0.049	0.049		µg/L	1	3/25/2008 1:23:27 PM
Aroclor 1221	< 0.049	0.049		µg/L	1	3/25/2008 1:23:27 PM
Aroclor 1232	< 0.049	0.049		µg/L	1	3/25/2008 1:23:27 PM
Aroclor 1242	< 0.049	0.049		µg/L	1	3/25/2008 1:23:27 PM
Aroclor 1248	< 0.049	0.049		µg/L	1	3/25/2008 1:23:27 PM
Aroclor 1254	< 0.049	0.049		µg/L	1	3/25/2008 1:23:27 PM
Aroclor 1260	< 0.049	0.049		µg/L	1	3/25/2008 1:23:27 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/24/2008
Ethene	< 1	1		mg/L	1	3/24/2008
Methane	< 1	1		mg/L	1	3/24/2008

ICP METALS E200.7

Analyst: SM

(Prep: SW3010A - 3/26/2008)

Calcium	2.56	0.050		mg/L	1	4/7/2008 12:59:00 PM
Iron	0.071	0.050		mg/L	1	4/7/2008 12:59:00 PM
Magnesium	1.03	0.050		mg/L	1	4/7/2008 12:59:00 PM
Manganese	0.001	0.020	J	mg/L	1	4/7/2008 12:59:00 PM
Potassium	0.237	0.050		mg/L	1	4/7/2008 12:59:00 PM
Sodium	0.802	0.050		mg/L	1	4/7/2008 12:59:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: SM

(Prep: SW3005A - 3/26/2008)

Manganese, Dissolved	< 0.020	0.020		mg/L	1	4/7/2008 1:02:00 PM
----------------------	---------	-------	--	------	---	---------------------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc
Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XMW-12SX-0801-XX
Collection Date: 3/20/2008 4:52:00 PM
Lab Sample ID: 080321056-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	< 1	1		mg/L	1	4/1/2008
SULFATE E300						Analyst: SH
Sulfate	5.5	2.0		mg/L	1	4/1/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Bromomethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Chloroethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Methylene chloride	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Acetone	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Chloroform	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
2-Butanone	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Trichloroethene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Benzene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Bromoform	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
2-Hexanone	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XMW-12SX-0801-XX
Collection Date: 3/20/2008 4:52:00 PM
Lab Sample ID: 080321056-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Styrene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
o-Xylene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Cyclohexane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/25/2008 12:56:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	8	1		mg/L	1	3/26/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/21/2008 4:20:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	25.4	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	4/2/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XMW-12SX-0801-XX
Collection Date: 3/20/2008 4:52:00 PM
Lab Sample ID: 080321056-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	30	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	< 1.0	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XMW-12DX-0801-XX
Collection Date: 3/20/2008 6:05:00 PM
Lab Sample ID: 080321056-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	206	1.0		umhos/cm		3/20/2008 6:05:00 PM
Dissolved Oxygen	1.2	0.10		mg/L		3/20/2008 6:05:00 PM
eH	141.6			mV		3/20/2008 6:05:00 PM
Ferrous Iron, Filtered	< 0.2			mg/L		3/20/2008 6:05:00 PM
pH	8.2			S.U.		3/20/2008 6:05:00 PM
Static Water Level	21.10			ft		3/20/2008 6:05:00 PM
Temperature	10			deg C		3/20/2008 6:05:00 PM
Turbidity	7	1.0		NTU		3/20/2008 6:05:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/24/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	3/25/2008 1:56:46 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	3/25/2008 1:56:46 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	3/25/2008 1:56:46 PM
Aroclor 1242	< 0.050	0.050		µg/L	1	3/25/2008 1:56:46 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	3/25/2008 1:56:46 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	3/25/2008 1:56:46 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	3/25/2008 1:56:46 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/24/2008
Ethene	< 1	1		mg/L	1	3/24/2008
Methane	< 1	1		mg/L	1	3/24/2008

ICP METALS E200.7

(Prep: SW3010A - 3/26/2008)

Analyst: SM

Calcium	25.1	0.050		mg/L	1	4/7/2008 1:12:00 PM
Iron	0.480	0.050		mg/L	1	4/7/2008 1:12:00 PM
Magnesium	6.54	0.050		mg/L	1	4/7/2008 1:12:00 PM
Manganese	0.036	0.020		mg/L	1	4/7/2008 1:12:00 PM
Potassium	0.974	0.050		mg/L	1	4/7/2008 1:12:00 PM
Sodium	4.84	0.050		mg/L	1	4/7/2008 1:12:00 PM

ICP DISSOLVED METAL E200.7F

(Prep: SW3005A - 3/26/2008)

Analyst: SM

Manganese, Dissolved	0.008	0.020	J	mg/L	1	4/7/2008 1:15:00 PM
----------------------	-------	-------	---	------	---	---------------------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XMW-12DX-0801-XX
Collection Date: 3/20/2008 6:05:00 PM
Lab Sample ID: 080321056-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	2	1		mg/L	1	4/8/2008
SULFATE E300						Analyst: SH
Sulfate	9.0	2.0		mg/L	1	4/8/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Bromomethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Chloroethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Methylene chloride	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Acetone	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
cis-1,2-Dichloroethene	150	10		µg/L	1	3/25/2008 1:20:00 PM
Chloroform	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
2-Butanone	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Trichloroethene	10	10	J	µg/L	1	3/25/2008 1:20:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Benzene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Bromoform	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
2-Hexanone	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XMW-12DX-0801-XX
Collection Date: 3/20/2008 6:05:00 PM
Lab Sample ID: 080321056-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Styrene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
o-Xylene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Cyclohexane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/25/2008 1:20:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	96	1		mg/L	1	3/26/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/21/2008 4:20:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	1.2	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	4/2/2008

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XMW-12DX-0801-XX
Collection Date: 3/20/2008 6:05:00 PM
Lab Sample ID: 080321056-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	112	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	< 1.0	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XMW-12DD-0801-XX
Collection Date: 3/20/2008 9:32:00 AM
Lab Sample ID: 080321056-007
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	266	1.0		umhos/cm		3/20/2008 9:32:00 AM
Dissolved Oxygen	< 1	0.10		mg/L		3/20/2008 9:32:00 AM
eH	16.4			mV		3/20/2008 9:32:00 AM
pH	8.9			S.U.		3/20/2008 9:32:00 AM
Static Water Level	60.84			ft		3/20/2008 9:32:00 AM
Temperature	10			deg C		3/20/2008 9:32:00 AM
Turbidity	45	1.0		NTU		3/20/2008 9:32:00 AM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/24/2008)

Analyst: KF

Aroclor 1016	< 0.052	0.052		µg/L	1	3/25/2008 2:30:02 PM
Aroclor 1221	< 0.052	0.052		µg/L	1	3/25/2008 2:30:02 PM
Aroclor 1232	< 0.052	0.052		µg/L	1	3/25/2008 2:30:02 PM
Aroclor 1242	< 0.052	0.052		µg/L	1	3/25/2008 2:30:02 PM
Aroclor 1248	< 0.052	0.052		µg/L	1	3/25/2008 2:30:02 PM
Aroclor 1254	< 0.052	0.052		µg/L	1	3/25/2008 2:30:02 PM
Aroclor 1260	< 0.052	0.052		µg/L	1	3/25/2008 2:30:02 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Bromomethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Chloroethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Methylene chloride	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Acetone	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Chloroform	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
2-Butanone	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XMW-12DD-0801-XX
Collection Date: 3/20/2008 9:32:00 AM
Lab Sample ID: 080321056-007
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Trichloroethene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Benzene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Bromoform	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
2-Hexanone	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Toluene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Styrene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
o-Xylene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Cyclohexane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/25/2008 1:44:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/25/2008 1:44:00 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-01XX-0801-XX
Collection Date: 3/21/2008 11:20:00 AM
Lab Sample ID: 080321056-008
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	118	1.0		umhos/cm		3/21/2008 11:20:00 AM
Dissolved Oxygen	3.2	0.10		mg/L		3/21/2008 11:20:00 AM
eH	34.1			mV		3/21/2008 11:20:00 AM
Ferrous Iron, Filtered	< 0.2			mg/L		3/21/2008 11:20:00 AM
pH	6.4			S.U.		3/21/2008 11:20:00 AM
Static Water Level	19.90			ft		3/21/2008 11:20:00 AM
Temperature	11			deg C		3/21/2008 11:20:00 AM
Turbidity	35	1.0		NTU		3/21/2008 11:20:00 AM

POLYCHLORINATED BIPHENYLS SW8082
 (Prep: E608 - 3/24/2008)

Analyst: KF

Aroclor 1016	< 0.052	0.052		µg/L	1	3/25/2008 3:03:18 PM
Aroclor 1221	< 0.052	0.052		µg/L	1	3/25/2008 3:03:18 PM
Aroclor 1232	< 0.052	0.052		µg/L	1	3/25/2008 3:03:18 PM
Aroclor 1242	< 0.052	0.052		µg/L	1	3/25/2008 3:03:18 PM
Aroclor 1248	< 0.052	0.052		µg/L	1	3/25/2008 3:03:18 PM
Aroclor 1254	< 0.052	0.052		µg/L	1	3/25/2008 3:03:18 PM
Aroclor 1260	< 0.052	0.052		µg/L	1	3/25/2008 3:03:18 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/24/2008
Ethene	< 1	1		mg/L	1	3/24/2008
Methane	< 1	1		mg/L	1	3/24/2008

ICP METALS E200.7

Analyst: SM

(Prep: SW3010A - 3/26/2008)

Calcium	11.3	0.050		mg/L	1	4/7/2008 1:24:00 PM
Iron	1.21	0.050		mg/L	1	4/7/2008 1:24:00 PM
Magnesium	3.96	0.050		mg/L	1	4/7/2008 1:24:00 PM
Manganese	0.082	0.020		mg/L	1	4/7/2008 1:24:00 PM
Potassium	0.508	0.050		mg/L	1	4/7/2008 1:24:00 PM
Sodium	3.28	0.050		mg/L	1	4/7/2008 1:24:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: SM

(Prep: SW3005A - 3/26/2008)

Manganese, Dissolved	0.039	0.020		mg/L	1	4/7/2008 1:32:00 PM
----------------------	-------	-------	--	------	---	---------------------

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-01XX-0801-XX
Collection Date: 3/21/2008 11:20:00 AM
Lab Sample ID: 080321056-008
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	4	1		mg/L	1	4/8/2008
SULFATE E300						Analyst: SH
Sulfate	5.8	2.0		mg/L	1	4/8/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Bromomethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Chloroethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Methylene chloride	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Acetone	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
cis-1,2-Dichloroethene	160	10		µg/L	1	3/25/2008 2:07:00 PM
Chloroform	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
2-Butanone	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Trichloroethene	18	10		µg/L	1	3/25/2008 2:07:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Benzene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Bromoform	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
2-Hexanone	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
 Work Order: 080321056
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: XRH-01XX-0801-XX
 Collection Date: 3/21/2008 11:20:00 AM
 Lab Sample ID: 080321056-008
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Styrene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
o-Xylene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Cyclohexane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/25/2008 2:07:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	40	1		mg/L	1	3/26/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/21/2008 4:20:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	31.8	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	4/2/2008

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-01XX-0801-XX
Collection Date: 3/21/2008 11:20:00 AM
Lab Sample ID: 080321056-008
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	0.03	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	72	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	< 1.0	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/19/2008
Lab Sample ID: 080321056-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Bromomethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Chloroethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Methylene chloride	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Acetone	19	10		µg/L	1	3/25/2008 11:21:00 AM
Carbon disulfide	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,1-Dichloroethene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,1-Dichloroethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Chloroform	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,2-Dichloroethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
2-Butanone	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Carbon tetrachloride	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Bromodichloromethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,2-Dichloropropane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Trichloroethene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Dibromochloromethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Benzene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Bromoform	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
2-Hexanone	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Tetrachloroethene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Toluene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Chlorobenzene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Ethylbenzene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Styrene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
m,p-Xylene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
o-Xylene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08


CLIENT: JTM Associates
Work Order: 080321056
Reference: RHRL Monitoring /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/19/2008
Lab Sample ID: 080321056-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methyl Acetate	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Cyclohexane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Trichlorofluoromethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,2-Dibromoethane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
Isopropylbenzene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/25/2008 11:21:00 AM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/25/2008 11:21:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range



CHAIN OF CUSTODY RECORD

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>STM Assoc.</i>		Address:	
Send Report To: <i>Jim Mickum</i>		Project Name (Location): <i>CHL Monitoring</i>	Samplers: (Names): <i>Michael Wilson</i>
Client Phone No:	Client Fax No:	PO Number: <i>1000</i>	Samplers: (Signature): <i>[Signature]</i>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix	Comp	Grab	Number of Cont's	Analysis Required
001	XRH - 10DX - 0801-XX	3/19/08	575	(A) (P) GJ		X	11	PCB (EPA 8082) + Field
				A				TCL EPA 8260
				P				BOD, COD, TOC,
				A				Nitrate, Sulfate,
				P				Chloride, Fe, Mn, Mg,
				A				Cu, K, Na, Diss Mg,
				P				Alkalinity, CO ₂ ,
				A				Methane, Ethane, Ethanol
002	FIELD BLANK	3/20/08	850	(A) (P) GJ		X	11	
003	XRH - 11DX - 0801-XX	3/20/08	744	(A) (P) GJ		X	11	
004	XRH - 09DX - 0801-XX	3/20/08	653	(A) (P) GJ		X	11	
005	XMW - 12SX - 0801-XX	3/20/08	452	(A) (P) GJ		X	11	
006	XMW - 12DX - 0801-XX	3/20/08	605	(A) (P) GJ		X	11	
007	XMW - 12DD - 0801-XX	3/21/08	932	(A) (P) GJ		X	3	PCB(8082) TCL(8260) + Field

AES Work Order #: 080321 056		CC Report To / Special Instructions/Remarks: Field Parameters: pH, Temp, Spec Cond, ORP, D.C. Trending, SCL CLP/EDD (EXCEL) EDD AVAILABLE 10 BUSINESS DAYS	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day CU			
Relinquished by: (Signature) [Signature]		Received by: (Signature) _____ Date/Time _____	
Relinquished by: (Signature) _____		Received by: (Signature) _____ Date/Time _____	
Relinquished by: (Signature) _____		Received for Laboratory by: A. Mak... Date/Time 3/21/08 2:56	
TEMPERATURE Ambient or Chilled		PROPERLY PRESERVED Y N	
Notes: 1000		Notes: _____	
		RECEIVED WITHIN HOLDING TIMES Y N	
		Notes: _____	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

AES Work Order #

080321056

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>JTM Assoc.</u>		Address:						
Send Report To: <u>Jim Mickelson</u>		Project Name (Location): <u>REEL Monitoring</u>			Samplers: (Names): <u>Michael Wilsey</u>			
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature): <u>[Signature]</u>		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix Comp Grab			Number of Cont's	Analysis Required
008	XRH-01XX-0801-XX	3/21/08	1120	(A) P	60		X 11	PCB (EPA 8082)
				A				TCL EPA 8260
				P				Field, BOD, COD,
				A				TOC, Nitrate, Sulfate
				P				Chloride, Fe, Mn, Mg,
				A				Ca, K, Na, Diss Mg,
				P				Alkalinity, CO ₂ ,
				A				METHANE, ETHANE,
				P				ETHENE
009	Tap Blank Lot # C08A13	3/11/08	-	A	WA	-	1	TCL EPA 8260
				P				
				A				
				P				
				A				
				P				
				A				
				P				

Shipment Arrived Via: FedEx UPS Client <u>(AES)</u> Other: _____		CC Report To / Special Instructions/Remarks:	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <u>EXP</u>			
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature)	Date/Time
Relinquished by: (Signature)		Received by: (Signature)	Date/Time
Relinquished by: (Signature)		Received for Laboratory by: <u>A. Nakasch</u>	Date/Time <u>3/21/08 2:56</u>
TEMPERATURE Ambient or <u>Chilled</u> Notes: <u>10C</u>	PROPERLY PRESERVED <u>(Y)</u> N Notes: _____	RECEIVED WITHIN HOLDING TIMES <u>(Y)</u> N Notes: _____	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 23, 2008

Jim Mickam
JTM Associates
290 Elwood Davis Drive
Liverpool, NY 13088

Work Order No: 080325040

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: Richardson Hill

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 13 samples on 3/25/2008 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

OBG - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

CASE NARRATIVE

CLIENT: JTM Associates

Date: 23-Apr-08

Project: Richardson Hill

Lab Order: 080325040

This is a re-issued report to add chloride (April 22, 2008.)

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-02XX-0801-XX
Collection Date: 3/24/2008 12:56:00 PM
Lab Sample ID: 080325040-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	139	1.0		umhos/cm		3/24/2008 12:56:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/24/2008 12:56:00 PM
eH	114.0			mV		3/24/2008 12:56:00 PM
Ferrous Iron, Filtered	< 0.2			mg/L		3/24/2008 12:56:00 PM
pH	6.3			S.U.		3/24/2008 12:56:00 PM
Static Water Level	16.37			ft		3/24/2008 12:56:00 PM
Temperature	11			deg C		3/24/2008 12:56:00 PM
Turbidity	9	1.0		NTU		3/24/2008 12:56:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/27/2008)

Analyst: KF

Aroclor 1016	< 0.049	0.049		µg/L	1	3/27/2008 2:01:48 PM
Aroclor 1221	< 0.049	0.049		µg/L	1	3/27/2008 2:01:48 PM
Aroclor 1232	< 0.049	0.049		µg/L	1	3/27/2008 2:01:48 PM
Aroclor 1242	< 0.049	0.049		µg/L	1	3/27/2008 2:01:48 PM
Aroclor 1248	< 0.049	0.049		µg/L	1	3/27/2008 2:01:48 PM
Aroclor 1254	< 0.049	0.049		µg/L	1	3/27/2008 2:01:48 PM
Aroclor 1260	< 0.049	0.049		µg/L	1	3/27/2008 2:01:48 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/26/2008
Ethene	< 1	1		mg/L	1	3/26/2008
Methane	< 1	1		mg/L	1	3/26/2008

ICP METALS E200.7

Analyst: KH

(Prep: SW3010A - 3/26/2008)

Calcium	11.1	0.050		mg/L	1	3/27/2008 1:38:00 PM
Iron	0.141	0.050		mg/L	1	3/27/2008 1:38:00 PM
Magnesium	4.72	0.050		mg/L	1	3/27/2008 1:38:00 PM
Manganese	0.009	0.020	J	mg/L	1	3/27/2008 1:38:00 PM
Potassium	1.10	0.050		mg/L	1	3/27/2008 1:38:00 PM
Sodium	4.05	0.050		mg/L	1	3/27/2008 1:38:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: KH

(Prep: SW3005A - 3/26/2008)

Manganese, Dissolved	0.004	0.020	J	mg/L	1	3/27/2008 1:46:00 PM
----------------------	-------	-------	---	------	---	----------------------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-02XX-0801-XX
Collection Date: 3/24/2008 12:56:00 PM
Lab Sample ID: 080325040-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	6	1		mg/L	1	3/27/2008
SULFATE E300						Analyst: SH
Sulfate	3.8	2.0		mg/L	1	3/27/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Bromomethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Vinyl chloride	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Chloroethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Methylene chloride	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Acetone	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Carbon disulfide	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,1-Dichloroethene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,1-Dichloroethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
trans-1,2-Dichloroethene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
cis-1,2-Dichloroethene	670	50		µg/L	5	3/27/2008 3:20:00 PM
Chloroform	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,2-Dichloroethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
2-Butanone	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,1,1-Trichloroethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Carbon tetrachloride	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Bromodichloromethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,2-Dichloropropane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
cis-1,3-Dichloropropene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Trichloroethene	55	50		µg/L	5	3/27/2008 3:20:00 PM
Dibromochloromethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,1,2-Trichloroethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Benzene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
trans-1,3-Dichloropropene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Bromoform	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
4-Methyl-2-pentanone	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
2-Hexanone	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Tetrachloroethene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,1,2,2-Tetrachloroethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-02XX-0801-XX
Collection Date: 3/24/2008 12:56:00 PM
Lab Sample ID: 080325040-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Chlorobenzene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Ethylbenzene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Styrene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
m,p-Xylene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
o-Xylene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Methyl tert-butyl ether	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Dichlorodifluoromethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Methyl Acetate	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Cyclohexane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Trichlorofluoromethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,2-Dibromoethane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,3-Dichlorobenzene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
Isopropylbenzene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,2-Dichlorobenzene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,4-Dichlorobenzene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,2-Dibromo-3-chloropropane	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
1,2,4-Trichlorobenzene	< 50	50		µg/L	5	3/27/2008 3:20:00 PM
ALKALINITY E310.1						Analyst: VZ
Alkalinity, Total (As CaCO3)	45	1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/26/2008 11:45:00 AM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	45.1	0.5		mg/L	1	4/1/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: PL
Chemical Oxygen Demand	9	5		mg/L	1	3/27/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-02XX-0801-XX
Collection Date: 3/24/2008 12:56:00 PM
Lab Sample ID: 080325040-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	82	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	< 1.0	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-03XX-0801-XX
Collection Date: 3/24/2008 2:30:00 PM
Lab Sample ID: 080325040-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	191	1.0		umhos/cm		3/24/2008 2:30:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/24/2008 2:30:00 PM
eH	79.6			mV		3/24/2008 2:30:00 PM
Ferrous Iron, Filtered	< 0.2			mg/L		3/24/2008 2:30:00 PM
pH	6.5			S.U.		3/24/2008 2:30:00 PM
Static Water Level	14.10			ft		3/24/2008 2:30:00 PM
Temperature	12			deg C		3/24/2008 2:30:00 PM
Turbidity	46	1.0		NTU		3/24/2008 2:30:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/27/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	3/27/2008 2:35:06 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	3/27/2008 2:35:06 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	3/27/2008 2:35:06 PM
Aroclor 1242	0.03	0.050	J	µg/L	1	3/27/2008 2:35:06 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	3/27/2008 2:35:06 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	3/27/2008 2:35:06 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	3/27/2008 2:35:06 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/26/2008
Ethene	< 1	1		mg/L	1	3/26/2008
Methane	< 1	1		mg/L	1	3/26/2008

ICP METALS E200.7

Analyst: KH

(Prep: SW3010A - 3/26/2008)

Calcium	17.0	0.050		mg/L	1	3/27/2008 1:51:00 PM
Iron	0.612	0.050		mg/L	1	3/27/2008 1:51:00 PM
Magnesium	6.42	0.050		mg/L	1	3/27/2008 1:51:00 PM
Manganese	0.413	0.020		mg/L	1	3/27/2008 1:51:00 PM
Potassium	1.04	0.050		mg/L	1	3/27/2008 1:51:00 PM
Sodium	5.57	0.050		mg/L	1	3/27/2008 1:51:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: KH

(Prep: SW3005A - 3/26/2008)

Manganese, Dissolved	0.368	0.020		mg/L	1	3/27/2008 1:59:00 PM
----------------------	-------	-------	--	------	---	----------------------

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-03XX-0801-XX
Collection Date: 3/24/2008 2:30:00 PM
Lab Sample ID: 080325040-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	7	1		mg/L	1	3/27/2008
SULFATE E300						Analyst: SH
Sulfate	6.6	2.0		mg/L	1	3/27/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Bromomethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Vinyl chloride	64	50		µg/L	5	3/27/2008 3:46:00 PM
Chloroethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Methylene chloride	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Acetone	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Carbon disulfide	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,1-Dichloroethene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,1-Dichloroethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
trans-1,2-Dichloroethene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
cis-1,2-Dichloroethene	490	50		µg/L	5	3/27/2008 3:46:00 PM
Chloroform	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,2-Dichloroethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
2-Butanone	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,1,1-Trichloroethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Carbon tetrachloride	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Bromodichloromethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,2-Dichloropropane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
cis-1,3-Dichloropropene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Trichloroethene	30	50	J	µg/L	5	3/27/2008 3:46:00 PM
Dibromochloromethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,1,2-Trichloroethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Benzene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
trans-1,3-Dichloropropene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Bromoform	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
4-Methyl-2-pentanone	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
2-Hexanone	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Tetrachloroethene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,1,2,2-Tetrachloroethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-03XX-0801-XX
Collection Date: 3/24/2008 2:30:00 PM
Lab Sample ID: 080325040-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Chlorobenzene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Ethylbenzene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Styrene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
m,p-Xylene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
o-Xylene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Methyl tert-butyl ether	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Dichlorodifluoromethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Methyl Acetate	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Cyclohexane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Trichlorofluoromethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,2-Dibromoethane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,3-Dichlorobenzene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
Isopropylbenzene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,2-Dichlorobenzene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,4-Dichlorobenzene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,2-Dibromo-3-chloropropane	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
1,2,4-Trichlorobenzene	< 50	50		µg/L	5	3/27/2008 3:46:00 PM
ALKALINITY E310.1						Analyst: VZ
Alkalinity, Total (As CaCO3)	67	1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/26/2008 11:45:00 AM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	42.2	0.5		mg/L	1	4/1/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: PL
Chemical Oxygen Demand	9	5		mg/L	1	3/27/2008

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-03XX-0801-XX
Collection Date: 3/24/2008 2:30:00 PM
Lab Sample ID: 080325040-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	107	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	< 1.0	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-04SX-0801-XX
Collection Date: 3/24/2008 3:50:00 PM
Lab Sample ID: 080325040-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	214	1.0		umhos/cm		3/24/2008 3:50:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/24/2008 3:50:00 PM
eH	56.8			mV		3/24/2008 3:50:00 PM
Ferrous Iron, Filtered	0.2			mg/L		3/24/2008 3:50:00 PM
pH	6.8			S.U.		3/24/2008 3:50:00 PM
Static Water Level	9.47			ft		3/24/2008 3:50:00 PM
Temperature	9			deg C		3/24/2008 3:50:00 PM
Turbidity	3	1.0		NTU		3/24/2008 3:50:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/27/2008)

Analyst: KF

Aroclor 1016	< 0.049	0.049		µg/L	1	3/27/2008 3:08:22 PM
Aroclor 1221	< 0.049	0.049		µg/L	1	3/27/2008 3:08:22 PM
Aroclor 1232	< 0.049	0.049		µg/L	1	3/27/2008 3:08:22 PM
Aroclor 1242	< 0.049	0.049		µg/L	1	3/27/2008 3:08:22 PM
Aroclor 1248	< 0.049	0.049		µg/L	1	3/27/2008 3:08:22 PM
Aroclor 1254	< 0.049	0.049		µg/L	1	3/27/2008 3:08:22 PM
Aroclor 1260	< 0.049	0.049		µg/L	1	3/27/2008 3:08:22 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/26/2008
Ethene	< 1	1		mg/L	1	3/26/2008
Methane	< 1	1		mg/L	1	3/26/2008

ICP METALS E200.7

Analyst: KH

(Prep: SW3010A - 3/26/2008)

Calcium	18.8	0.050		mg/L	1	3/27/2008 2:03:00 PM
Iron	0.297	0.050		mg/L	1	3/27/2008 2:03:00 PM
Magnesium	7.56	0.050		mg/L	1	3/27/2008 2:03:00 PM
Manganese	2.10	0.020		mg/L	1	3/27/2008 2:03:00 PM
Potassium	1.02	0.050		mg/L	1	3/27/2008 2:03:00 PM
Sodium	4.20	0.050		mg/L	1	3/27/2008 2:03:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: KH

(Prep: SW3005A - 3/26/2008)

Manganese, Dissolved	2.13	0.020		mg/L	1	3/27/2008 2:08:00 PM
----------------------	------	-------	--	------	---	----------------------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-04SX-0801-XX
Collection Date: 3/24/2008 3:50:00 PM
Lab Sample ID: 080325040-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	3	1		mg/L	1	3/27/2008
SULFATE E300						Analyst: SH
Sulfate	8.0	2.0		mg/L	1	3/27/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Bromomethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Chloroethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Methylene chloride	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Acetone	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Chloroform	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
2-Butanone	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Trichloroethene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Benzene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Bromoform	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
2-Hexanone	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-04SX-0801-XX
Collection Date: 3/24/2008 3:50:00 PM
Lab Sample ID: 080325040-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Styrene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
o-Xylene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Cyclohexane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/27/2008 12:52:00 PM
ALKALINITY E310.1						Analyst: VZ
Alkalinity, Total (As CaCO3)	80	1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/26/2008 11:45:00 AM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	25.3	0.5		mg/L	1	4/1/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: PL
Chemical Oxygen Demand	9	5		mg/L	1	3/27/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-04SX-0801-XX
Collection Date: 3/24/2008 3:50:00 PM
Lab Sample ID: 080325040-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	112	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	< 1.0	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-04DX-0801-XX
Collection Date: 3/24/2008 5:50:00 PM
Lab Sample ID: 080325040-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	184	1.0		umhos/cm		3/24/2008 5:50:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/24/2008 5:50:00 PM
eH	108.7			mV		3/24/2008 5:50:00 PM
Ferrous Iron, Filtered	< 0.2			mg/L		3/24/2008 5:50:00 PM
pH	6.5			S.U.		3/24/2008 5:50:00 PM
Static Water Level	9.15			ft		3/24/2008 5:50:00 PM
Temperature	11			deg C		3/24/2008 5:50:00 PM
Turbidity	73	1.0		NTU		3/24/2008 5:50:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/27/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	3/27/2008 4:14:58 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	3/27/2008 4:14:58 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	3/27/2008 4:14:58 PM
Aroclor 1242	0.083	0.050		µg/L	1	3/27/2008 4:14:58 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	3/27/2008 4:14:58 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	3/27/2008 4:14:58 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	3/27/2008 4:14:58 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/26/2008
Ethene	< 1	1		mg/L	1	3/26/2008
Methane	< 1	1		mg/L	1	3/26/2008

ICP METALS E200.7

Analyst: KH

(Prep: SW3010A - 3/26/2008)

Calcium	16.2	0.050		mg/L	1	3/27/2008 2:12:00 PM
Iron	1.64	0.050		mg/L	1	3/27/2008 2:12:00 PM
Magnesium	6.52	0.050		mg/L	1	3/27/2008 2:12:00 PM
Manganese	1.10	0.020		mg/L	1	3/27/2008 2:12:00 PM
Potassium	1.01	0.050		mg/L	1	3/27/2008 2:12:00 PM
Sodium	4.66	0.050		mg/L	1	3/27/2008 2:12:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: KH

(Prep: SW3005A - 3/26/2008)

Manganese, Dissolved	1.00	0.020		mg/L	1	3/27/2008 2:18:00 PM
----------------------	------	-------	--	------	---	----------------------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-04DX-0801-XX
Collection Date: 3/24/2008 5:50:00 PM
Lab Sample ID: 080325040-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	3	1		mg/L	1	3/27/2008
SULFATE E300						Analyst: SH
Sulfate	6.8	2.0		mg/L	1	3/27/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Bromomethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Vinyl chloride	30	10		µg/L	1	3/27/2008 1:16:00 PM
Chloroethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Methylene chloride	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Acetone	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
cis-1,2-Dichloroethene	200	10		µg/L	1	3/27/2008 1:16:00 PM
Chloroform	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
2-Butanone	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Trichloroethene	18	10		µg/L	1	3/27/2008 1:16:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Benzene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Bromoform	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
2-Hexanone	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc
Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-04DX-0801-XX
Collection Date: 3/24/2008 5:50:00 PM
Lab Sample ID: 080325040-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Styrene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
o-Xylene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Cyclohexane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/27/2008 1:16:00 PM
ALKALINITY E310.1						Analyst: VZ
Alkalinity, Total (As CaCO3)	63	1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/26/2008 11:45:00 AM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	40.0	0.5		mg/L	1	4/1/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: PL
Chemical Oxygen Demand	< 5	5		mg/L	1	3/27/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-04DX-0801-XX
Collection Date: 3/24/2008 5:50:00 PM
Lab Sample ID: 080325040-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	0.03	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	105	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	1.1	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: TMW-07XX-0801-XX
Collection Date: 3/25/2008 8:52:00 AM
Lab Sample ID: 080325040-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	318	1.0		umhos/cm		3/25/2008 8:52:00 AM
Dissolved Oxygen	< 1	0.10		mg/L		3/25/2008 8:52:00 AM
Ferrous Iron, Filtered	< 0.2			mg/L		3/25/2008 8:52:00 AM
pH	7.1			S.U.		3/25/2008 8:52:00 AM
Static Water Level	9.65			ft		3/25/2008 8:52:00 AM
Temperature	8			deg C		3/25/2008 8:52:00 AM
Turbidity	4	1.0		NTU		3/25/2008 8:52:00 AM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/27/2008)

Analyst: KF

Aroclor 1016	< 0.049	0.049		µg/L	1	3/27/2008 4:51:25 PM
Aroclor 1221	< 0.049	0.049		µg/L	1	3/27/2008 4:51:25 PM
Aroclor 1232	< 0.049	0.049		µg/L	1	3/27/2008 4:51:25 PM
Aroclor 1242	< 0.049	0.049		µg/L	1	3/27/2008 4:51:25 PM
Aroclor 1248	< 0.049	0.049		µg/L	1	3/27/2008 4:51:25 PM
Aroclor 1254	< 0.049	0.049		µg/L	1	3/27/2008 4:51:25 PM
Aroclor 1260	< 0.049	0.049		µg/L	1	3/27/2008 4:51:25 PM

HARDNESS SM 2340B

Analyst: SM

(Prep: SW3010A - 3/26/2008)

Total Hardness (As CaCO3)	145	5		mg/L	1	3/27/2008
---------------------------	-----	---	--	------	---	-----------

ICP METALS E200.7

Analyst: SM

(Prep: SW3010A - 3/26/2008)

Cadmium	0.0005	0.005	J	mg/L	1	3/27/2008 1:41:00 PM
Calcium	48.6	0.050		mg/L	1	3/27/2008 1:41:00 PM
Iron	0.322	0.050		mg/L	1	3/27/2008 1:41:00 PM
Lead	0.005	0.005	J	mg/L	1	3/27/2008 1:41:00 PM
Magnesium	5.80	0.050		mg/L	1	3/27/2008 1:41:00 PM
Manganese	1.28	0.020		mg/L	1	3/27/2008 1:41:00 PM
Potassium	1.12	0.050		mg/L	1	3/27/2008 1:41:00 PM
Sodium	3.96	0.050		mg/L	1	3/27/2008 1:41:00 PM

ANIONS BY ION CHROMATOGRAPHY E300

Analyst: SH

Chloride	2.50	1.00		mg/L	1	3/28/2008
Bromide	< 1.00	1.00		mg/L	1	3/28/2008

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: TMW-07XX-0801-XX
Collection Date: 3/25/2008 8:52:00 AM
Lab Sample ID: 080325040-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Sulfate	11.0	2.00		mg/L	1	3/28/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Bromomethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Chloroethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Methylene chloride	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Acetone	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
cis-1,2-Dichloroethene	15	10		µg/L	1	3/27/2008 1:39:00 PM
Chloroform	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
2-Butanone	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Trichloroethene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Benzene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Bromoform	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
2-Hexanone	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Toluene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Styrene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: TMW-07XX-0801-XX
Collection Date: 3/25/2008 8:52:00 AM
Lab Sample ID: 080325040-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
m,p-Xylene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
o-Xylene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Cyclohexane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/27/2008 1:39:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	145	1		mg/L	1	4/1/2008
AMMONIA E350.1						Analyst: PL
Nitrogen, Ammonia (As N)	< 0.1	0.1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/26/2008 11:45:00 AM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	0.05	0.02		mg/L	1	4/1/2008

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: TMW-07XX-0801-XX
Collection Date: 3/25/2008 8:52:00 AM
Lab Sample ID: 080325040-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PHENOLS, TOTAL E420.1						Analyst: LS
Phenolics, Total Recoverable	< 0.002	0.002		mg/L	1	4/3/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	185	5		mg/L	1	3/26/2008
TOTAL KJELDAHL NITROGEN E351.3						Analyst: LS
Nitrogen, Kjeldahl, Total	< 1.0	1.0		mg/L	1	4/2/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	1.2	1.0		mg/L	1	3/27/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: TMW-07XX-0801-XD
Collection Date: 3/25/2008 8:52:00 AM
Lab Sample ID: 080325040-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	318	1.0		umhos/cm		3/25/2008 8:52:00 AM
Dissolved Oxygen	< 1	0.10		mg/L		3/25/2008 8:52:00 AM
Ferrous Iron, Filtered	< 0.2			mg/L		3/25/2008 8:52:00 AM
pH	7.1			S.U.		3/25/2008 8:52:00 AM
Static Water Level	9.65			ft		3/25/2008 8:52:00 AM
Temperature	8			deg C		3/25/2008 8:52:00 AM
Turbidity	4	1.0		NTU		3/25/2008 8:52:00 AM
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/27/2008)						
Aroclor 1016	< 0.050	0.050		µg/L	1	3/27/2008 5:24:41 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	3/27/2008 5:24:41 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	3/27/2008 5:24:41 PM
Aroclor 1242	< 0.050	0.050		µg/L	1	3/27/2008 5:24:41 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	3/27/2008 5:24:41 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	3/27/2008 5:24:41 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	3/27/2008 5:24:41 PM
HARDNESS SM 2340B						Analyst: SM
(Prep: SW3010A - 3/26/2008)						
Total Hardness (As CaCO3)	141	5		mg/L	1	3/27/2008
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 3/26/2008)						
Cadmium	< 0.005	0.005		mg/L	1	3/27/2008 2:24:00 PM
Calcium	47.0	0.050		mg/L	1	3/27/2008 2:24:00 PM
Iron	0.295	0.050		mg/L	1	3/27/2008 2:24:00 PM
Lead	< 0.005	0.005		mg/L	1	3/27/2008 2:24:00 PM
Magnesium	5.62	0.050		mg/L	1	3/27/2008 2:24:00 PM
Manganese	1.23	0.020		mg/L	1	3/27/2008 2:24:00 PM
Potassium	0.924	0.050		mg/L	1	3/27/2008 2:24:00 PM
Sodium	3.61	0.050		mg/L	1	3/27/2008 2:24:00 PM
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Chloride	1.90	1.00		mg/L	1	3/28/2008
Bromide	< 1.00	1.00		mg/L	1	3/28/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: TMW-07XX-0801-XD
Collection Date: 3/25/2008 8:52:00 AM
Lab Sample ID: 080325040-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ANIONS BY ION CHROMATOGRAPHY E300 Analyst: **SH**

Sulfate	11.0	2.00		mg/L	1	3/28/2008
---------	------	------	--	------	---	-----------

VOLATILE ORGANICS SW8260B Analyst: **ML**

Chloromethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Bromomethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Vinyl chloride	5	10	J	µg/L	1	3/27/2008 2:03:00 PM
Chloroethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Methylene chloride	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Acetone	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
cis-1,2-Dichloroethene	17	10		µg/L	1	3/27/2008 2:03:00 PM
Chloroform	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
2-Butanone	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Trichloroethene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Benzene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Bromoform	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
2-Hexanone	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Toluene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Styrene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: TMW-07XX-0801-XD
Collection Date: 3/25/2008 8:52:00 AM
Lab Sample ID: 080325040-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
m,p-Xylene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
o-Xylene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Cyclohexane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/27/2008 2:03:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	140	1		mg/L	1	4/1/2008
AMMONIA E350.1						Analyst: PL
Nitrogen, Ammonia (As N)	< 0.1	0.1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/26/2008 11:45:00 AM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	0.06	0.02		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: TMW-07XX-0801-XD
Collection Date: 3/25/2008 8:52:00 AM
Lab Sample ID: 080325040-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PHENOLS, TOTAL E420.1						Analyst: LS
Phenolics, Total Recoverable	< 0.002	0.002		mg/L	1	4/3/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	212	5		mg/L	1	3/26/2008
TOTAL KJELDAHL NITROGEN E351.3						Analyst: LS
Nitrogen, Kjeldahl, Total	< 1.0	1.0		mg/L	1	4/2/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	1.5	1.0		mg/L	1	3/27/2008

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-08SX-0801-XX
Collection Date: 3/25/2008
Lab Sample ID: 080325040-007
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	460	1.0		umhos/cm		3/25/2008
Dissolved Oxygen	< 1	0.10		mg/L		3/25/2008
Ferrous Iron, Filtered	1.6			mg/L		3/25/2008
pH	6.6			S.U.		3/25/2008
Static Water Level	11.73			ft		3/25/2008
Temperature	10			deg C		3/25/2008
Turbidity	9	1.0		NTU		3/25/2008

POLYCHLORINATED BIPHENYLS SW8082

Analyst: KF

(Prep: E608 - 3/27/2008)

Aroclor 1016	< 0.049	0.049		µg/L	1	3/27/2008 5:57:58 PM
Aroclor 1221	< 0.049	0.049		µg/L	1	3/27/2008 5:57:58 PM
Aroclor 1232	< 0.049	0.049		µg/L	1	3/27/2008 5:57:58 PM
Aroclor 1242	< 0.049	0.049		µg/L	1	3/27/2008 5:57:58 PM
Aroclor 1248	< 0.049	0.049		µg/L	1	3/27/2008 5:57:58 PM
Aroclor 1254	< 0.049	0.049		µg/L	1	3/27/2008 5:57:58 PM
Aroclor 1260	< 0.049	0.049		µg/L	1	3/27/2008 5:57:58 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/26/2008
Ethene	< 1	1		mg/L	1	3/26/2008
Methane	< 1	1		mg/L	1	3/26/2008

ICP METALS E200.7

Analyst: KH

(Prep: SW3010A - 3/26/2008)

Calcium	43.8	0.050		mg/L	1	3/27/2008 2:48:00 PM
Iron	1.28	0.050		mg/L	1	3/27/2008 2:48:00 PM
Magnesium	14.9	0.050		mg/L	1	3/27/2008 2:48:00 PM
Manganese	16.9	0.200		mg/L	10	3/27/2008 2:53:00 PM
Potassium	2.04	0.050		mg/L	1	3/27/2008 2:48:00 PM
Sodium	9.80	0.050		mg/L	1	3/27/2008 2:48:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: KH

(Prep: SW3005A - 3/26/2008)

Manganese, Dissolved	16.6	0.200		mg/L	10	3/27/2008 3:03:00 PM
----------------------	------	-------	--	------	----	----------------------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-08SX-0801-XX
Collection Date: 3/25/2008
Lab Sample ID: 080325040-007
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	5	1		mg/L	1	3/27/2008
SULFATE E300						Analyst: SH
Sulfate	27.0	2.0		mg/L	1	3/27/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Bromomethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Vinyl chloride	13	10		µg/L	1	3/27/2008 2:27:00 PM
Chloroethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Methylene chloride	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Acetone	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
cis-1,2-Dichloroethene	17	10		µg/L	1	3/27/2008 2:27:00 PM
Chloroform	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
2-Butanone	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Trichloroethene	4	10	J	µg/L	1	3/27/2008 2:27:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Benzene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Bromoform	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
2-Hexanone	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-08SX-0801-XX
Collection Date: 3/25/2008
Lab Sample ID: 080325040-007
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Styrene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
o-Xylene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Cyclohexane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/27/2008 2:27:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	190	1		mg/L	1	4/1/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/26/2008 11:45:00 AM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	95.4	0.5		mg/L	1	4/1/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: PL
Chemical Oxygen Demand	13	5		mg/L	1	3/27/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-08SX-0801-XX
Collection Date: 3/25/2008
Lab Sample ID: 080325040-007
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	337	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	3.3	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-08DX-0801-XX
Collection Date: 3/25/2008 12:30:00 PM
Lab Sample ID: 080325040-008
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	291	1.0		umhos/cm		3/25/2008 12:30:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/25/2008 12:30:00 PM
Ferrous Iron, Filtered	1.6			mg/L		3/25/2008 12:30:00 PM
pH	6.3			S.U.		3/25/2008 12:30:00 PM
Static Water Level	13.00			ft		3/25/2008 12:30:00 PM
Temperature	11			deg C		3/25/2008 12:30:00 PM
Turbidity	7	1.0		NTU		3/25/2008 12:30:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/27/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	3/27/2008 6:31:26 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	3/27/2008 6:31:26 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	3/27/2008 6:31:26 PM
Aroclor 1242	0.03	0.050	J	µg/L	1	3/27/2008 6:31:26 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	3/27/2008 6:31:26 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	3/27/2008 6:31:26 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	3/27/2008 6:31:26 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	3/26/2008
Ethene	< 1	1		mg/L	1	3/26/2008
Methane	< 1	1		mg/L	1	3/26/2008

ICP METALS E200.7

Analyst: KH

(Prep: SW3010A - 3/26/2008)

Calcium	25.6	0.050		mg/L	1	3/27/2008 3:10:00 PM
Iron	1.44	0.050		mg/L	1	3/27/2008 3:10:00 PM
Magnesium	9.56	0.050		mg/L	1	3/27/2008 3:10:00 PM
Manganese	4.07	0.020		mg/L	1	3/27/2008 3:10:00 PM
Potassium	1.30	0.050		mg/L	1	3/27/2008 3:10:00 PM
Sodium	7.75	0.050		mg/L	1	3/27/2008 3:10:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: KH

(Prep: SW3005A - 3/26/2008)

Manganese, Dissolved	3.98	0.020		mg/L	1	3/27/2008 3:22:00 PM
----------------------	------	-------	--	------	---	----------------------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-08DX-0801-XX
Collection Date: 3/25/2008 12:30:00 PM
Lab Sample ID: 080325040-008
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORIDE E300						Analyst: SH
Chloride	4	1		mg/L	1	3/27/2008
SULFATE E300						Analyst: SH
Sulfate	17.0	2.0		mg/L	1	3/27/2008
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Bromomethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Vinyl chloride	40	50	J	µg/L	5	3/27/2008 2:53:00 PM
Chloroethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Methylene chloride	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Acetone	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Carbon disulfide	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,1-Dichloroethene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,1-Dichloroethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
trans-1,2-Dichloroethene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
cis-1,2-Dichloroethene	400	50		µg/L	5	3/27/2008 2:53:00 PM
Chloroform	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,2-Dichloroethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
2-Butanone	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,1,1-Trichloroethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Carbon tetrachloride	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Bromodichloromethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,2-Dichloropropane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
cis-1,3-Dichloropropene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Trichloroethene	63	50		µg/L	5	3/27/2008 2:53:00 PM
Dibromochloromethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,1,2-Trichloroethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Benzene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
trans-1,3-Dichloropropene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Bromoform	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
4-Methyl-2-pentanone	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
2-Hexanone	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Tetrachloroethene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,1,2,2-Tetrachloroethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
 Work Order: 080325040
 Reference: Richardson Hill /
 PO#:

Client Sample ID: XRH-08DX-0801-XX
 Collection Date: 3/25/2008 12:30:00 PM
 Lab Sample ID: 080325040-008
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Toluene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Chlorobenzene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Ethylbenzene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Styrene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
m,p-Xylene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
o-Xylene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Methyl tert-butyl ether	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Dichlorodifluoromethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Methyl Acetate	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Cyclohexane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Trichlorofluoromethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,2-Dibromoethane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,3-Dichlorobenzene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
Isopropylbenzene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,2-Dichlorobenzene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,4-Dichlorobenzene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,2-Dibromo-3-chloropropane	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
1,2,4-Trichlorobenzene	< 50	50		µg/L	5	3/27/2008 2:53:00 PM
ALKALINITY E310.1						Analyst: VZ
Alkalinity, Total (As CaCO3)	103	1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2		mg/L	1	3/26/2008 11:45:00 AM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	103	0.5		mg/L	1	4/1/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: PL
Chemical Oxygen Demand	9	5		mg/L	1	3/27/2008

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: XRH-08DX-0801-XX
Collection Date: 3/25/2008 12:30:00 PM
Lab Sample ID: 080325040-008
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	3/26/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	217	5		mg/L	1	3/26/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: PL
Total Organic Carbon	2.1	1.0		mg/L	1	3/26/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: Trip Blank Lot#7-338-002
Collection Date: 3/24/2008
Lab Sample ID: 080325040-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Bromomethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Chloroethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Methylene chloride	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Acetone	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Carbon disulfide	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,1-Dichloroethene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,1-Dichloroethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Chloroform	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,2-Dichloroethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
2-Butanone	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Carbon tetrachloride	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Bromodichloromethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,2-Dichloropropane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Trichloroethene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Dibromochloromethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Benzene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Bromoform	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
2-Hexanone	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Tetrachloroethene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Toluene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Chlorobenzene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Ethylbenzene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Styrene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
m,p-Xylene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
o-Xylene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: Trip Blank Lot#7-338-002
Collection Date: 3/24/2008
Lab Sample ID: 080325040-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methyl Acetate	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Cyclohexane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Trichlorofluoromethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,2-Dibromoethane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
Isopropylbenzene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/27/2008 11:18:00 AM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/27/2008 11:18:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: Dimatos
Collection Date: 3/24/2008 3:55:00 PM
Lab Sample ID: 080325040-010
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	8.7	0.5		µg/L	1	3/28/2008 1:55:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Acetone	5.4	5.0		µg/L	1	3/28/2008 1:55:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,1-Dichloroethane	0.6	0.5		µg/L	1	3/28/2008 1:55:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
cis-1,2-Dichloroethene	8.9	0.5		µg/L	1	3/28/2008 1:55:00 PM
Chloroform	26	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	3/28/2008 1:55:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Bromodichloromethane	0.7	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Trichloroethene	3.9	0.5		µg/L	1	3/28/2008 1:55:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Benzene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Bromoform	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	3/28/2008 1:55:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	3/28/2008 1:55:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Toluene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Styrene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: Dimatos
Collection Date: 3/24/2008 3:55:00 PM
Lab Sample ID: 080325040-010
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methyl Acetate	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 1:55:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: Haynes
Collection Date: 3/24/2008 4:05:00 PM
Lab Sample ID: 080325040-011
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	5.8	0.5		µg/L	1	3/28/2008 2:19:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Acetone	< 5.0	5.0		µg/L	1	3/28/2008 2:19:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
cis-1,2-Dichloroethene	2.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Chloroform	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	3/28/2008 2:19:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Trichloroethene	1.2	0.5		µg/L	1	3/28/2008 2:19:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Benzene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Bromoform	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	3/28/2008 2:19:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	3/28/2008 2:19:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Toluene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Styrene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: Haynes
Collection Date: 3/24/2008 4:05:00 PM
Lab Sample ID: 080325040-011
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methyl Acetate	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:19:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: Haynes Duplicate
Collection Date: 3/24/2008 4:05:00 PM
Lab Sample ID: 080325040-012
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	3.1	0.5		µg/L	1	3/28/2008 2:42:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Acetone	< 5.0	5.0		µg/L	1	3/28/2008 2:42:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
cis-1,2-Dichloroethene	2.2	0.5		µg/L	1	3/28/2008 2:42:00 PM
Chloroform	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	3/28/2008 2:42:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Trichloroethene	1.1	0.5		µg/L	1	3/28/2008 2:42:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Benzene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Bromoform	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	3/28/2008 2:42:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	3/28/2008 2:42:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Toluene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Styrene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: Haynes Duplicate
Collection Date: 3/24/2008 4:05:00 PM
Lab Sample ID: 080325040-012
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methyl Acetate	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 2:42:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: Trip Blank Lot#7-338-002
Collection Date: 3/24/2008
Lab Sample ID: 080325040-013
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Methylene chloride	0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Acetone	5	5.0	J	µg/L	1	3/28/2008 3:06:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
cis-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Chloroform	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	3/28/2008 3:06:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Benzene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Bromoform	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	3/28/2008 3:06:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	3/28/2008 3:06:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Toluene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Styrene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080325040
Reference: Richardson Hill /
PO#:

Client Sample ID: Trip Blank Lot#7-338-002
Collection Date: 3/24/2008
Lab Sample ID: 080325040-013
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methyl Acetate	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/28/2008 3:06:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>JTA Assoc.</i>		Address:							
Send Report To:		Project Name (Location) <i>RHEL Monitoring</i>				Samplers: (Names) <i>Michael Wilson</i>			
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature) <i>[Signature]</i>			
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required	
				Matrix	Comp	Grab			
001	XRH-02XX-0801-XX	3/24/08	1250	A	P	GW	X	11	PEB (EPA 8082)
				A					TEL EPA 8260
				P					BOD, COD, TOC,
				A					Nitrate, Sulfate, Fe,
				P					Mn, Mg, Ca, K, Na,
				A					Diss Mn, Alkalinity
				P					CO ₂ , Methane,
				A					Ethanol, Ethene, + Field
				P					
002	XRH-03XX-0801-XX	3/24/08	230	A	P	GW	X	11	
003	XRH-04XX-0801-XX	3/24/08	350	A	P	GW	X	11	
004	XRH-04DX-0801-XX	3/24/08	550	A	P	GW	X	11	
005	TMW-07XX-0801-XX	3/25/08	852	A	P	GW	X	9	PEB (EPA 8082) TEL 8260,
				A					Route 93 Scan + Field
				P					
006	TMW-07XX-0801-XX	3/25/08	852	A	P	GW	X	9	L

AES Work Order #: 080325040		CC Report To / Special Instructions/Remarks: <i>CC DAVID CARNALE EPO + Carner DJ@atg.com</i> <i>Field pH, Temp, SOL, Sp. Cond, ORP, Turbidity, D.O., Sol</i> <i>Ferrous Fe</i> <i>EXCEL FLEMAT 5 DAY TAT</i>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☒ 5 Day <i>CLP</i>		Received by: (Signature) <i>[Signature]</i> Date/Time 3-25-08 @ 1250	
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature) <i>[Signature]</i> Date/Time 3-25-08 @ 4:00 PM	
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by: <i>A. Maksuti</i> Date/Time 3/25/08 4:08 PM	
TEMPERATURE Ambient or Chilled Notes: 2°C (40°F)	PROPERLY PRESERVED (Y) N Notes:	RECEIVED WITHIN HOLDING TIMES (Y) N Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181

2/3



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>JTM Assoc.</u>		Address:						
Send Report To: <u>Jim Macken</u>		Project Name (Location): <u>PHL Monitoring</u>						
Client Phone No:		Client Fax No:						
PO Number:		Samplers: (Names) <u>Michael Wilsey</u>						
Samplers: (Signature) <u>[Signature]</u>								
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix	Comp	Grab	Number of Cont's	Analysis Required
007	XEH-08SX-0801-XX	3/25/08		A P BW		X	11	PCB (EPA 8282) TCL EPA 8260 BED, COD, TOL, Nitrate Sulfate, Fe, Mn, Mg, Co, K, Na, Diss Mn, Alkalinity, CO ₂ Methane, Ethane, Ethanol, Field
008	XEH-08DX-0801-XX	3/25/08	1230	A P WP		X	33	↓
009	Trip Bank Lot # 7-284-01 7-338-002 (RA)	3/24/08	-	A P WP		-	1	TCL EPA 8260
				A P				
				A P				
				A P				
				A P				
				A P				

AES Work Order #: <u>080325040</u>		CC Report To / Special Instructions/Remarks: <u>XEH-08DX-0801-XX EXTRA VOLUME INCLUDED FOR MS/MSD</u> <u>EDD 5 DAY ETEL FORMAT</u>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <u>air</u>			
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature) <u>[Signature]</u>	
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature) <u>[Signature]</u>	
Relinquished by: (Signature) <u>[Signature]</u>		Received for Laboratory by: <u>A. Majumdar</u>	
Date/Time <u>3-25-08@1250</u>		Date/Time <u>3-25-08@4:00pm</u>	
Date/Time <u>3/25/08 4:10pm</u>			
TEMPERATURE Ambient ☒ Chilled ☐ Notes: <u>2°C (RAD)</u>		PROPERLY PRESERVED ☒ Y ☐ N Notes: _____	
RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N Notes: _____			

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



Experience is the solution

314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>JTM Assoc.</i>		Address:						
Send Report To: <i>Jim Michem</i>		Project Name (Location): <i>RHRL Monitoring</i>			Samplers: (Names): <i>Michael Wilsey</i>			
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature): <i>[Signature]</i>		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix	Comp	Grab	Number of Cont's	Analysis Required
<i>010</i>	<i>Dimatos</i>	<i>8/24/08</i>	<i>3:55</i>	<i>A</i>		<i>X</i>	<i>6</i>	<i>TELEPA 8260</i>
<i>011</i>	<i>Haynes</i>	<i>8/24/08</i>	<i>4:25</i>	<i>A</i>		<i>X</i>	<i>2</i>	
<i>012</i>	<i>Haynes Duplicate</i>	<i>8/24/08</i>	<i>4:25</i>	<i>A</i>		<i>X</i>	<i>2</i>	
<i>013</i>	<i>Trip Blank Lot # 7-284-01</i>	<i>8/24/08</i>	<i>—</i>	<i>A</i>		<i>X</i>	<i>1</i>	
	<i>7-338-002</i>			<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				

AES Work Order #: <i>080325040</i>		CC Report To / Special Instructions/Remarks: <i>Report to drinking water detection limits.</i>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <i>CLP</i>		<i>EDD EXCEL FORMAT 5 DAY TAT CC DATA CAPTURE (CBE)</i> <i>Dimatos includes volume for MS/MSD</i>	
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature) <i>Bob Gant</i>	Date/Time <i>3-25-08 @ 1250</i>
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date/Time <i>3-25-08 @ 400 PM</i>
Relinquished by: (Signature)		Received for Laboratory by: <i>A. Nelson</i>	Date/Time <i>3/25/08 4:07 PM</i>
TEMPERATURE Ambient or Chilled <i>20C</i>		PROPERLY PRESERVED ☒ Y ☐ N	
Notes:		Notes:	
RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N		Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 16, 2008

Jim Mickam
JTM Associates
290 Elwood Davis Drive
Liverpool, NY 13088

Work Order No: 080327043

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: RHRL Monitoring MNA

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 3 samples on 3/27/2008 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

CC:

Dave Carnavale/OBG

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

CASE NARRATIVE

CLIENT: JTM Associates
Project: RHRL Monitoring MNA
Lab Order: 080327043

Date: 16-Apr-08

This is a re-issued report. To add Field Ferrous Iron. April 10, 2008.

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Apr-08

CLIENT: JTM Associates
 Work Order: 080327043
 Reference: RHRL Monitoring MNA /
 PO#:

Client Sample ID: XRH-06SX-0801-XX
 Collection Date: 3/26/2008 2:35:00 PM
 Lab Sample ID: 080327043-001
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	347	1.0		umhos/cm		3/26/2008 2:35:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/26/2008 2:35:00 PM
eH	24.9			mV		3/26/2008 2:35:00 PM
Ferrous Iron, Filtered	1.6			mg/L		3/26/2008 2:35:00 PM
pH	6.8			S.U.		3/26/2008 2:35:00 PM
Static Water Level	16.11			ft		3/26/2008 2:35:00 PM
Temperature	11			deg C		3/26/2008 2:35:00 PM
Turbidity	9	1.0		NTU		3/26/2008 2:35:00 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	4/1/2008
Ethene	< 1	1		mg/L	1	4/1/2008
Methane	< 1	1		mg/L	1	4/1/2008

ICP METALS E200.7

Analyst: KH

(Prep: SW3010A - 3/28/2008)

Calcium	27.5	0.050		mg/L	1	4/1/2008 12:34:00 PM
Iron	1.28	0.050		mg/L	1	4/1/2008 12:34:00 PM
Magnesium	11.4	0.050		mg/L	1	4/1/2008 12:34:00 PM
Manganese	7.26	0.020		mg/L	1	4/1/2008 12:34:00 PM
Potassium	0.950	0.050		mg/L	1	4/1/2008 12:34:00 PM
Sodium	7.03	0.050		mg/L	1	4/1/2008 12:34:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: KH

(Prep: SW3005A - 3/28/2008)

Manganese, Dissolved	7.50	0.020		mg/L	1	4/1/2008 1:13:00 PM
----------------------	------	-------	--	------	---	---------------------

CHLORIDE E300

Analyst: SH

Chloride	5	1		mg/L	1	4/1/2008
----------	---	---	--	------	---	----------

SULFATE E300

Analyst: SH

Sulfate	6.3	2.0		mg/L	1	4/1/2008
---------	-----	-----	--	------	---	----------

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Apr-08

CLIENT: JTM Associates
Work Order: 080327043
Reference: RHRL Monitoring MNA /
PO#:

Client Sample ID: XRH-06SX-0801-XX
Collection Date: 3/26/2008 2:35:00 PM
Lab Sample ID: 080327043-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ALKALINITY E310.1						Analyst: VZ
Alkalinity, Total (As CaCO3)	147	1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 1:50:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	46.6	0.5		mg/L	1	4/3/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	4/3/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	1.6	1.0		mg/L	1	4/1/2008

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Apr-08

CLIENT: JTM Associates
 Work Order: 080327043
 Reference: RHRL Monitoring MNA /
 PO#:

Client Sample ID: XRH-06SX-0801-XD
 Collection Date: 3/26/2008 2:35:00 PM
 Lab Sample ID: 080327043-002
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ALKALINITY E310.1						Analyst: VZ
Alkalinity, Total (As CaCO3)	143	1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 1:50:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	45.3	0.5		mg/L	1	4/3/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	4/3/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	1.6	1.0		mg/L	1	4/1/2008

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Apr-08

CLIENT: JTM Associates
Work Order: 080327043
Reference: RHRL Monitoring MNA /
PO#:

Client Sample ID: XRH-06SX-0801-XX
Collection Date: 3/26/2008 2:35:00 PM
Lab Sample ID: 080327043-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ALKALINITY E310.1						Analyst: VZ
Alkalinity, Total (As CaCO ₃)	147	1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 1:50:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	46.6	0.5		mg/L	1	4/3/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	4/3/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	1.6	1.0		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Apr-08

CLIENT: JTM Associates
 Work Order: 080327043
 Reference: RHRL Monitoring MNA /
 PO#:

Client Sample ID: XRH-06SX-0801-XD
 Collection Date: 3/26/2008 2:35:00 PM
 Lab Sample ID: 080327043-002
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						
						Analyst: FLD
Conductivity	347	1.0		umhos/cm		3/26/2008 2:35:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/26/2008 2:35:00 PM
eH	24.9			mV		3/26/2008 2:35:00 PM
Ferrous Iron, Filtered	0.6			mg/L		3/26/2008 2:35:00 PM
pH	6.8			S.U.		3/26/2008 2:35:00 PM
Static Water Level	16.11			ft		3/26/2008 2:35:00 PM
Temperature	11			deg C		3/26/2008 2:35:00 PM
Turbidity	9	1.0		NTU		3/26/2008 2:35:00 PM
GASES BY GC EPA-8015GASES						
						Analyst: TN
Ethane	< 1	1		mg/L	1	4/1/2008
Ethene	< 1	1		mg/L	1	4/1/2008
Methane	< 1	1		mg/L	1	4/1/2008
ICP METALS E200.7						
(Prep: SW3010A - 3/28/2008)						Analyst: KH
Calcium	28.5	0.050		mg/L	1	4/1/2008 12:59:00 PM
Iron	1.31	0.050		mg/L	1	4/1/2008 12:59:00 PM
Magnesium	11.8	0.050		mg/L	1	4/1/2008 12:59:00 PM
Manganese	7.53	0.020		mg/L	1	4/1/2008 12:59:00 PM
Potassium	0.989	0.050		mg/L	1	4/1/2008 12:59:00 PM
Sodium	7.27	0.050		mg/L	1	4/1/2008 12:59:00 PM
ICP DISSOLVED METAL E200.7F						
(Prep: SW3005A - 3/28/2008)						Analyst: KH
Manganese, Dissolved	7.56	0.020		mg/L	1	4/1/2008 1:17:00 PM
CHLORIDE E300						
						Analyst: SH
Chloride	5	1		mg/L	1	4/1/2008
SULFATE E300						
						Analyst: SH
Sulfate	6.2	2.0		mg/L	1	4/1/2008

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Apr-08

CLIENT: JTM Associates
Work Order: 080327043
Reference: RHRL Monitoring MNA /
PO#:

Client Sample ID: XRH-06SX-0801-XD
Collection Date: 3/26/2008 2:35:00 PM
Lab Sample ID: 080327043-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ALKALINITY E310.1						Analyst: VZ
Alkalinity, Total (As CaCO3)	143	1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 1:50:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	45.3	0.5		mg/L	1	4/3/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	4/3/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	1.6	1.0		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Apr-08

CLIENT: JTM Associates
 Work Order: 080327043
 Reference: RHRL Monitoring MNA /
 PO#:

Client Sample ID: XRH-06DX-0801-XX
 Collection Date: 3/26/2008 1:27:00 PM
 Lab Sample ID: 080327043-003
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	155	1.0		umhos/cm		3/26/2008 1:27:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/26/2008 1:27:00 PM
eH	32.9			mV		3/26/2008 1:27:00 PM
pH	6.8			S.U.		3/26/2008 1:27:00 PM
Static Water Level	16.23			ft		3/26/2008 1:27:00 PM
Temperature	12			deg C		3/26/2008 1:27:00 PM
Turbidity	44	1.0		NTU		3/26/2008 1:27:00 PM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	4/1/2008
Ethene	< 1	1		mg/L	1	4/1/2008
Methane	< 1	1		mg/L	1	4/1/2008

ICP METALS E200.7

Analyst: KH

(Prep: SW3010A - 3/28/2008)

Calcium	11.4	0.050		mg/L	1	4/1/2008 1:05:00 PM
Iron	1.07	0.050		mg/L	1	4/1/2008 1:05:00 PM
Magnesium	4.54	0.050		mg/L	1	4/1/2008 1:05:00 PM
Manganese	2.64	0.020		mg/L	1	4/1/2008 1:05:00 PM
Potassium	0.628	0.050		mg/L	1	4/1/2008 1:05:00 PM
Sodium	2.99	0.050		mg/L	1	4/1/2008 1:05:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: KH

(Prep: SW3005A - 3/28/2008)

Manganese, Dissolved	2.57	0.020		mg/L	1	4/1/2008 1:21:00 PM
----------------------	------	-------	--	------	---	---------------------

CHLORIDE E300

Analyst: SH

Chloride	2	1		mg/L	1	4/1/2008
----------	---	---	--	------	---	----------

SULFATE E300

Analyst: SH

Sulfate	7.0	2.0		mg/L	1	4/1/2008
---------	-----	-----	--	------	---	----------

ALKALINITY E310.1

Analyst: VZ

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 16-Apr-08

CLIENT: JTM Associates
Work Order: 080327043
Reference: RHRL Monitoring MNA /
PO#:

Client Sample ID: XRH-06DX-0801-XX
Collection Date: 3/26/2008 1:27:00 PM
Lab Sample ID: 080327043-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ALKALINITY E310.1						Analyst: VZ
Alkalinity, Total (As CaCO3)	50	1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 1:15:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	15.8	0.5		mg/L	1	4/3/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
NITRATE E353.1						Analyst: PL
Nitrogen, Nitrate (As N)	< 0.02	0.02		mg/L	1	4/3/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	< 1.0	1.0		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>JIM ASSOL</u>		Address:						
Send Report To: <u>Jim Micken</u>		Project Name (Location): <u>RHRL Monitoring MDA</u>			Samplers: (Names) <u>Michael Wilsey</u>			
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature) <u>[Signature]</u>		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix	Comp	Grab	Number of Cont's	Analysis Required
001	XRH-06SX-0801-XX	3/26/08	235	A C		X	8	BOD, COD, TOC, Nitrate, Sulfate, Fe, Mn, Mg, Co, K, Na, Diss Mn, Alkalinity, CO ₂ , Methan, Ethanol, Ethyl
002	XRH-06SX-0801-XX	3/26/08	235	A C		X	8	
003	XRH-06DX-0801-XX	3/26/08	127	A C		X	8	
	XRH-06SX-0801-XX	3/25/08	1010	A C		X	8	ROA
	XRH-06DX-0801-XX	3/25/08	1210	A C		X	8	ROA

AES Work Order #: <u>080327043</u>		CC Report To / Special Instructions/Remarks: <u>NOT CLP</u> <u>EDD EXCEL FORMAT 5 DAY TAT</u> <u>CC DAVE CARNAVALE (ORC)</u>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ 5 Day ☒ Normal			
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature) <u>[Signature]</u>	
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature) <u>[Signature]</u>	
Relinquished by: (Signature) <u>[Signature]</u>		Received for Laboratory by: <u>[Signature]</u>	
TEMPERATURE Ambient or <u>Chilled</u>		PROPERLY PRESERVED Y N	
RECEIVED WITHIN HOLDING TIMES Y N			
Notes: <u>2</u>		Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 10, 2008

Jim Mickam
JTM Associates
290 Elwood Davis Drive
Liverpool, NY 13088

Work Order No: 080327050

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: RHRL Monitoring

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 11 samples on 3/27/2008 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709

AIHA#: 100307

CC:

Dave Carnavale/OBG

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

CASE NARRATIVE

CLIENT: JTM Associates

Date: 10-Apr-08

Project: RHRL Monitoring

Lab Order: 080327050

This is a re-issued report. To add "J" notation. April 10, 2008.

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-06XX-0801-XX
Collection Date: 3/26/2008 8:15:00 AM
Lab Sample ID: 080327050-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	618	1.0		umhos/cm		3/26/2008 8:15:00 AM
Dissolved Oxygen	1.1	0.10		mg/L		3/26/2008 8:15:00 AM
eH	126.4			mV		3/26/2008 8:15:00 AM
pH	6.7			S.U.		3/26/2008 8:15:00 AM
Static Water Level	12.27			ft		3/26/2008 8:15:00 AM
Temperature	7			deg C		3/26/2008 8:15:00 AM
Turbidity	850	1.0		NTU		3/26/2008 8:15:00 AM
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/28/2008)						
Aroclor 1016	< 0.052	0.052		µg/L	1	3/31/2008 5:40:43 PM
Aroclor 1221	< 0.052	0.052		µg/L	1	3/31/2008 5:40:43 PM
Aroclor 1232	< 0.052	0.052		µg/L	1	3/31/2008 5:40:43 PM
Aroclor 1242	< 0.052	0.052		µg/L	1	3/31/2008 5:40:43 PM
Aroclor 1248	< 0.052	0.052		µg/L	1	3/31/2008 5:40:43 PM
Aroclor 1254	< 0.052	0.052		µg/L	1	3/31/2008 5:40:43 PM
Aroclor 1260	< 0.052	0.052		µg/L	1	3/31/2008 5:40:43 PM
HARDNESS SM 2340B						Analyst: SM
(Prep: SW3010A - 4/1/2008)						
Total Hardness (As CaCO3)	193	5		mg/L	1	4/1/2008
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 4/1/2008)						
Cadmium	0.003	0.005	J	mg/L	1	4/1/2008 2:35:00 PM
Calcium	42.3	0.050		mg/L	1	4/1/2008 2:35:00 PM
Iron	28.1	0.050		mg/L	1	4/1/2008 2:35:00 PM
Lead	0.005	0.005	J	mg/L	1	4/1/2008 2:35:00 PM
Magnesium	21.2	0.050		mg/L	1	4/1/2008 2:35:00 PM
Manganese	11.4	0.020		mg/L	1	4/1/2008 2:35:00 PM
Potassium	8.53	0.050		mg/L	1	4/1/2008 2:35:00 PM
Sodium	38.1	0.050		mg/L	1	4/1/2008 2:35:00 PM
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Chloride	7.90	1.00		mg/L	1	3/28/2008 11:35:00 AM
Bromide	< 1.00	1.00		mg/L	1	3/28/2008 11:35:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-06XX-0801-XX
Collection Date: 3/26/2008 8:15:00 AM
Lab Sample ID: 080327050-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Nitrate, Nitrogen (As N)	0.10	0.02		mg/L	1	3/28/2008 11:35:00 AM
Sulfate	79.0	2.00		mg/L	1	3/28/2008 11:35:00 AM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Bromomethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Chloroethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Methylene chloride	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Acetone	120	10		µg/L	1	3/31/2008 1:00:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
cis-1,2-Dichloroethene	12	10		µg/L	1	3/31/2008 1:00:00 PM
Chloroform	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
2-Butanone	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Trichloroethene	9	10	J	µg/L	1	3/31/2008 1:00:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Benzene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Bromoform	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
2-Hexanone	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Toluene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-06XX-0801-XX
Collection Date: 3/26/2008 8:15:00 AM
Lab Sample ID: 080327050-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Styrene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
o-Xylene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Cyclohexane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:00:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	195		1	mg/L	1	4/1/2008
AMMONIA E350.1						Analyst: PL
Nitrogen, Ammonia (As N)	< 0.1	0.1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	3	2	S	mg/L	1	3/28/2008 1:50:00 PM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
PHENOLS, TOTAL E420.1						Analyst: LS
Phenolics, Total Recoverable	< 0.002	0.002		mg/L	1	4/3/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-06XX-0801-XX
Collection Date: 3/26/2008 8:15:00 AM
Lab Sample ID: 080327050-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	467	5		mg/L	1	3/31/2008
TOTAL KJELDAHL NITROGEN E351.3						Analyst: LS
Nitrogen, Kjeldahl, Total	2.5	1.0		mg/L	1	4/2/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	4.2	1.0		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-05XX-0801-XX
Collection Date: 3/26/2008 8:45:00 AM
Lab Sample ID: 080327050-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Observation	Inadequate Volume			NA		3/26/2008 8:45:00 AM
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/28/2008)						
Aroclor 1016	< 0.054	0.054		µg/L	1	3/31/2008 6:13:55 PM
Aroclor 1221	< 0.054	0.054		µg/L	1	3/31/2008 6:13:55 PM
Aroclor 1232	< 0.054	0.054		µg/L	1	3/31/2008 6:13:55 PM
Aroclor 1242	< 0.054	0.054		µg/L	1	3/31/2008 6:13:55 PM
Aroclor 1248	< 0.054	0.054		µg/L	1	3/31/2008 6:13:55 PM
Aroclor 1254	< 0.054	0.054		µg/L	1	3/31/2008 6:13:55 PM
Aroclor 1260	< 0.054	0.054		µg/L	1	3/31/2008 6:13:55 PM
HARDNESS SM 2340B						Analyst: SM
(Prep: SW3010A - 4/1/2008)						
Total Hardness (As CaCO3)	445	5		mg/L	1	4/1/2008
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 4/1/2008)						
Cadmium	0.005	0.005	J	mg/L	1	4/1/2008 2:39:00 PM
Calcium	54.5	0.050		mg/L	1	4/1/2008 2:39:00 PM
Iron	245	0.500		mg/L	10	4/1/2008 2:49:00 PM
Lead	0.181	0.005		mg/L	1	4/1/2008 2:39:00 PM
Magnesium	74.9	0.050		mg/L	1	4/1/2008 2:39:00 PM
Manganese	9.56	0.020		mg/L	1	4/1/2008 2:39:00 PM
Potassium	15.1	0.050		mg/L	1	4/1/2008 2:39:00 PM
Sodium	16.5	0.050		mg/L	1	4/1/2008 2:39:00 PM
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Chloride	4.80	1.00		mg/L	1	3/28/2008 11:50:00 AM
Bromide	< 1.00	1.00		mg/L	1	3/28/2008 11:50:00 AM
Nitrate, Nitrogen (As N)	0.03	0.02		mg/L	1	3/28/2008 11:50:00 AM
Sulfate	45.0	2.00		mg/L	1	3/28/2008 11:50:00 AM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080327050
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: TMW-05XX-0801-XX
 Collection Date: 3/26/2008 8:45:00 AM
 Lab Sample ID: 080327050-002
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Bromomethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Vinyl chloride	27	10		µg/L	1	3/31/2008 1:23:00 PM
Chloroethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Methylene chloride	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Acetone	61	10		µg/L	1	3/31/2008 1:23:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,1-Dichloroethane	10	10		µg/L	1	3/31/2008 1:23:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
cis-1,2-Dichloroethene	160	10		µg/L	1	3/31/2008 1:23:00 PM
Chloroform	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
2-Butanone	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Trichloroethene	28	10		µg/L	1	3/31/2008 1:23:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Benzene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Bromoform	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
2-Hexanone	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Toluene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Styrene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
o-Xylene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/31/2008 1:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-05XX-0801-XX
Collection Date: 3/26/2008 8:45:00 AM
Lab Sample ID: 080327050-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Cyclohexane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:23:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO ₃)	140		1	mg/L	1	4/1/2008
AMMONIA E350.1						Analyst: PL
Nitrogen, Ammonia (As N)	< 0.1	0.1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	4	2	S	mg/L	1	3/28/2008 1:50:00 PM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
PHENOLS, TOTAL E420.1						Analyst: LS
Phenolics, Total Recoverable	< 0.002	0.002		mg/L	1	4/3/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	237	5		mg/L	1	3/31/2008
TOTAL KJELDAHL NITROGEN E351.3						Analyst: LS

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-05XX-0801-XX
Collection Date: 3/26/2008 8:45:00 AM
Lab Sample ID: 080327050-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TOTAL KJELDAHL NITROGEN E351.3						Analyst: LS
Nitrogen, Kjeldahl, Total	13.4	1.0		mg/L	1	4/2/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	4.2	1.0		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-05SX-0801-XX
Collection Date: 3/26/2008 9:17:00 AM
Lab Sample ID: 080327050-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	540	1.0		umhos/cm		3/26/2008 9:17:00 AM
Dissolved Oxygen	< 1	0.10		mg/L		3/26/2008 9:17:00 AM
eH	127.3			mV		3/26/2008 9:17:00 AM
pH	6.0			S.U.		3/26/2008 9:17:00 AM
Static Water Level	15.05			ft		3/26/2008 9:17:00 AM
Temperature	7			deg C		3/26/2008 9:17:00 AM
Turbidity	13	1.0		NTU		3/26/2008 9:17:00 AM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/28/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	3/31/2008 6:47:09 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	3/31/2008 6:47:09 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	3/31/2008 6:47:09 PM
Aroclor 1242	< 0.050	0.050		µg/L	1	3/31/2008 6:47:09 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	3/31/2008 6:47:09 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	3/31/2008 6:47:09 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	3/31/2008 6:47:09 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Bromomethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Vinyl chloride	14	10		µg/L	1	3/31/2008 1:47:00 PM
Chloroethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Methylene chloride	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Acetone	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
cis-1,2-Dichloroethene	95	10		µg/L	1	3/31/2008 1:47:00 PM
Chloroform	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
2-Butanone	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-05SX-0801-XX
Collection Date: 3/26/2008 9:17:00 AM
Lab Sample ID: 080327050-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Trichloroethene	39	10		µg/L	1	3/31/2008 1:47:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Benzene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Bromoform	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
2-Hexanone	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Toluene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Styrene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
o-Xylene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Cyclohexane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/31/2008 1:47:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/31/2008 1:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-05DX-0801-XX
Collection Date: 3/25/2008 4:56:00 PM
Lab Sample ID: 080327050-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	290	1.0		umhos/cm		3/25/2008 4:56:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/25/2008 4:56:00 PM
eH	102.8			mV		3/25/2008 4:56:00 PM
pH	6.4			S.U.		3/25/2008 4:56:00 PM
Static Water Level	15.90			ft		3/25/2008 4:56:00 PM
Temperature	12			deg C		3/25/2008 4:56:00 PM
Turbidity	26	1.0		NTU		3/25/2008 4:56:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/28/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	3/31/2008 7:20:23 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	3/31/2008 7:20:23 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	3/31/2008 7:20:23 PM
Aroclor 1242	< 0.050	0.050		µg/L	1	3/31/2008 7:20:23 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	3/31/2008 7:20:23 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	3/31/2008 7:20:23 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	3/31/2008 7:20:23 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Bromomethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Vinyl chloride	120	50		µg/L	5	3/31/2008 5:24:00 PM
Chloroethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Methylene chloride	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Acetone	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Carbon disulfide	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,1-Dichloroethene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,1-Dichloroethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
trans-1,2-Dichloroethene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
cis-1,2-Dichloroethene	610	50		µg/L	5	3/31/2008 5:24:00 PM
Chloroform	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,2-Dichloroethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
2-Butanone	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,1,1-Trichloroethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Carbon tetrachloride	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Bromodichloromethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-05DX-0801-XX
Collection Date: 3/25/2008 4:56:00 PM
Lab Sample ID: 080327050-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
cis-1,3-Dichloropropene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Trichloroethene	130	50		µg/L	5	3/31/2008 5:24:00 PM
Dibromochloromethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,1,2-Trichloroethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Benzene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
trans-1,3-Dichloropropene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Bromoform	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
4-Methyl-2-pentanone	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
2-Hexanone	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Tetrachloroethene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,1,2,2-Tetrachloroethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Toluene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Chlorobenzene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Ethylbenzene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Styrene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
m,p-Xylene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
o-Xylene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Methyl tert-butyl ether	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Dichlorodifluoromethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Methyl Acetate	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Cyclohexane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Trichlorofluoromethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,2-Dibromoethane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,3-Dichlorobenzene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
Isopropylbenzene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,2-Dichlorobenzene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,4-Dichlorobenzene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,2-Dibromo-3-chloropropane	< 50	50		µg/L	5	3/31/2008 5:24:00 PM
1,2,4-Trichlorobenzene	< 50	50		µg/L	5	3/31/2008 5:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-04XX-0801-XX
Collection Date: 3/26/2008 11:44:00 AM
Lab Sample ID: 080327050-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	472	1.0		umhos/cm		3/26/2008 11:44:00 AM
Dissolved Oxygen	< 1	0.10		mg/L		3/26/2008 11:44:00 AM
eH	-52.3			mV		3/26/2008 11:44:00 AM
pH	6.8			S.U.		3/26/2008 11:44:00 AM
Static Water Level	16.20			ft		3/26/2008 11:44:00 AM
Temperature	11			deg C		3/26/2008 11:44:00 AM
Turbidity	630	1.0		NTU		3/26/2008 11:44:00 AM
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/28/2008)						
Aroclor 1016	< 0.052	0.052		µg/L	1	3/31/2008 7:53:40 PM
Aroclor 1221	< 0.052	0.052		µg/L	1	3/31/2008 7:53:40 PM
Aroclor 1232	< 0.052	0.052		µg/L	1	3/31/2008 7:53:40 PM
Aroclor 1242	0.36	0.052		µg/L	1	3/31/2008 7:53:40 PM
Aroclor 1248	< 0.052	0.052		µg/L	1	3/31/2008 7:53:40 PM
Aroclor 1254	< 0.052	0.052		µg/L	1	3/31/2008 7:53:40 PM
Aroclor 1260	< 0.052	0.052		µg/L	1	3/31/2008 7:53:40 PM
HARDNESS SM 2340B						Analyst: SM
(Prep: SW3010A - 4/1/2008)						
Total Hardness (As CaCO3)	194	5		mg/L	1	4/1/2008
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 4/1/2008)						
Cadmium	0	0.005	J	mg/L	1	4/1/2008 2:55:00 PM
Calcium	47.5	0.050		mg/L	1	4/1/2008 2:55:00 PM
Iron	28.4	0.050		mg/L	1	4/1/2008 2:55:00 PM
Lead	0.012	0.005		mg/L	1	4/1/2008 2:55:00 PM
Magnesium	18.2	0.050		mg/L	1	4/1/2008 2:55:00 PM
Manganese	6.68	0.020		mg/L	1	4/1/2008 2:55:00 PM
Potassium	5.09	0.050		mg/L	1	4/1/2008 2:55:00 PM
Sodium	16.4	0.050		mg/L	1	4/1/2008 2:55:00 PM
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Chloride	6.10	1.00		mg/L	1	3/28/2008 12:05:00 PM
Bromide	< 1.00	1.00		mg/L	1	3/28/2008 12:05:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080327050
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: TMW-04XX-0801-XX
 Collection Date: 3/26/2008 11:44:00 AM
 Lab Sample ID: 080327050-005
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Nitrate, Nitrogen (As N)	< 0.02	0.02		mg/L	1	3/28/2008 12:05:00 PM
Sulfate	14.0	2.00		mg/L	1	3/28/2008 12:05:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Bromomethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Vinyl chloride	520	50		µg/L	5	3/31/2008 5:51:00 PM
Chloroethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Methylene chloride	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Acetone	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Carbon disulfide	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,1-Dichloroethene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,1-Dichloroethane	40	50	J	µg/L	5	3/31/2008 5:51:00 PM
trans-1,2-Dichloroethene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
cis-1,2-Dichloroethene	850	50		µg/L	5	3/31/2008 5:51:00 PM
Chloroform	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,2-Dichloroethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
2-Butanone	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,1,1-Trichloroethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Carbon tetrachloride	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Bromodichloromethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,2-Dichloropropane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
cis-1,3-Dichloropropene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Trichloroethene	130	50		µg/L	5	3/31/2008 5:51:00 PM
Dibromochloromethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,1,2-Trichloroethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Benzene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
trans-1,3-Dichloropropene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Bromoform	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
4-Methyl-2-pentanone	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
2-Hexanone	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Tetrachloroethene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,1,2,2-Tetrachloroethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Toluene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Chlorobenzene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Ethylbenzene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-04XX-0801-XX
Collection Date: 3/26/2008 11:44:00 AM
Lab Sample ID: 080327050-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Styrene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
m,p-Xylene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
o-Xylene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Methyl tert-butyl ether	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Dichlorodifluoromethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Methyl Acetate	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Cyclohexane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Trichlorofluoromethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,2-Dibromoethane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,3-Dichlorobenzene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
Isopropylbenzene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,2-Dichlorobenzene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,4-Dichlorobenzene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,2-Dibromo-3-chloropropane	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
1,2,4-Trichlorobenzene	< 50	50		µg/L	5	3/31/2008 5:51:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	190	1		mg/L	1	4/1/2008
AMMONIA E350.1						Analyst: PL
Nitrogen, Ammonia (As N)	0.5	0.1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 1:50:00 PM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
PHENOLS, TOTAL E420.1						Analyst: LS
Phenolics, Total Recoverable	< 0.002	0.002		mg/L	1	4/3/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-04XX-0801-XX
Collection Date: 3/26/2008 11:44:00 AM
Lab Sample ID: 080327050-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	305	5		mg/L	1	3/31/2008
TOTAL KJELDAHL NITROGEN E351.3						Analyst: LS
Nitrogen, Kjeldahl, Total	2.5	1.0		mg/L	1	4/2/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	2.8	1.0		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080327050
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: XRH-06SX-0801-XX
 Collection Date: 3/26/2008 2:35:00 PM
 Lab Sample ID: 080327050-006
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	347	1.0		umhos/cm		3/26/2008 2:35:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/26/2008 2:35:00 PM
eH	24.9			mV		3/26/2008 2:35:00 PM
pH	6.8			S.U.		3/26/2008 2:35:00 PM
Static Water Level	16.11			ft		3/26/2008 2:35:00 PM
Temperature	11			deg C		3/26/2008 2:35:00 PM
Turbidity	9	1.0		NTU		3/26/2008 2:35:00 PM
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/28/2008)						
Aroclor 1016	< 0.20	0.20		µg/L	4	3/31/2008 8:26:53 PM
Aroclor 1221	< 0.20	0.20		µg/L	4	3/31/2008 8:26:53 PM
Aroclor 1232	< 0.20	0.20		µg/L	4	3/31/2008 8:26:53 PM
Aroclor 1242	1.1	0.20		µg/L	4	3/31/2008 8:26:53 PM
Aroclor 1248	< 0.20	0.20		µg/L	4	3/31/2008 8:26:53 PM
Aroclor 1254	< 0.20	0.20		µg/L	4	3/31/2008 8:26:53 PM
Aroclor 1260	< 0.20	0.20		µg/L	4	3/31/2008 8:26:53 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Bromomethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Vinyl chloride	300	200		µg/L	20	4/1/2008 12:38:00 PM
Chloroethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Methylene chloride	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Acetone	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Carbon disulfide	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,1-Dichloroethene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,1-Dichloroethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
trans-1,2-Dichloroethene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
cis-1,2-Dichloroethene	2800	200		µg/L	20	4/1/2008 12:38:00 PM
Chloroform	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,2-Dichloroethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
2-Butanone	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,1,1-Trichloroethane	80	200	J	µg/L	20	4/1/2008 12:38:00 PM
Carbon tetrachloride	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Bromodichloromethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-06SX-0801-XX
Collection Date: 3/26/2008 2:35:00 PM
Lab Sample ID: 080327050-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
cis-1,3-Dichloropropene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Trichloroethene	230	200		µg/L	20	4/1/2008 12:38:00 PM
Dibromochloromethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,1,2-Trichloroethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Benzene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
trans-1,3-Dichloropropene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Bromoform	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
4-Methyl-2-pentanone	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
2-Hexanone	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Tetrachloroethene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,1,2,2-Tetrachloroethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Toluene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Chlorobenzene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Ethylbenzene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Styrene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
m,p-Xylene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
o-Xylene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Methyl tert-butyl ether	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Dichlorodifluoromethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Methyl Acetate	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Cyclohexane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Trichlorofluoromethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,2-Dibromoethane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,3-Dichlorobenzene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
Isopropylbenzene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,2-Dichlorobenzene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,4-Dichlorobenzene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,2-Dibromo-3-chloropropane	< 200	200		µg/L	20	4/1/2008 12:38:00 PM
1,2,4-Trichlorobenzene	< 200	200		µg/L	20	4/1/2008 12:38:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-06SX-0801-XD
Collection Date: 3/26/2008 2:35:00 PM
Lab Sample ID: 080327050-007
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	347	1.0		umhos/cm		3/26/2008 2:35:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/26/2008 2:35:00 PM
eH	24.9			mV		3/26/2008 2:35:00 PM
pH	6.8			S.U.		3/26/2008 2:35:00 PM
Static Water Level	16.11			ft		3/26/2008 2:35:00 PM
Temperature	11			deg C		3/26/2008 2:35:00 PM
Turbidity	9	1.0		NTU		3/26/2008 2:35:00 PM

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/28/2008)

Analyst: KF

Aroclor 1016	< 0.20	0.20		µg/L	4	3/31/2008 9:00:19 PM
Aroclor 1221	< 0.20	0.20		µg/L	4	3/31/2008 9:00:19 PM
Aroclor 1232	< 0.20	0.20		µg/L	4	3/31/2008 9:00:19 PM
Aroclor 1242	1.3	0.20		µg/L	4	3/31/2008 9:00:19 PM
Aroclor 1248	< 0.20	0.20		µg/L	4	3/31/2008 9:00:19 PM
Aroclor 1254	< 0.20	0.20		µg/L	4	3/31/2008 9:00:19 PM
Aroclor 1260	< 0.20	0.20		µg/L	4	3/31/2008 9:00:19 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Bromomethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Vinyl chloride	360	200		µg/L	20	4/1/2008 1:05:00 PM
Chloroethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Methylene chloride	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Acetone	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Carbon disulfide	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,1-Dichloroethene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,1-Dichloroethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
trans-1,2-Dichloroethene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
cis-1,2-Dichloroethene	3500	200		µg/L	20	4/1/2008 1:05:00 PM
Chloroform	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,2-Dichloroethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
2-Butanone	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,1,1-Trichloroethane	100	200	J	µg/L	20	4/1/2008 1:05:00 PM
Carbon tetrachloride	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Bromodichloromethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080327050
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: XRH-06SX-0801-XD
 Collection Date: 3/26/2008 2:35:00 PM
 Lab Sample ID: 080327050-007
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
cis-1,3-Dichloropropene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Trichloroethene	310	200		µg/L	20	4/1/2008 1:05:00 PM
Dibromochloromethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,1,2-Trichloroethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Benzene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
trans-1,3-Dichloropropene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Bromoform	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
4-Methyl-2-pentanone	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
2-Hexanone	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Tetrachloroethene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,1,2,2-Tetrachloroethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Toluene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Chlorobenzene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Ethylbenzene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Styrene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
m,p-Xylene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
o-Xylene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Methyl tert-butyl ether	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Dichlorodifluoromethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Methyl Acetate	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Cyclohexane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Trichlorofluoromethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,2-Dibromoethane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,3-Dichlorobenzene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
Isopropylbenzene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,2-Dichlorobenzene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,4-Dichlorobenzene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,2-Dibromo-3-chloropropane	< 200	200		µg/L	20	4/1/2008 1:05:00 PM
1,2,4-Trichlorobenzene	< 200	200		µg/L	20	4/1/2008 1:05:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-06DX-0801-XX
Collection Date: 3/26/2008 1:27:00 PM
Lab Sample ID: 080327050-008
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	155	1.0		umhos/cm		3/26/2008 1:27:00 PM
Dissolved Oxygen	1	0.10		mg/L		3/26/2008 1:27:00 PM
eH	32.9			mV		3/26/2008 1:27:00 PM
pH	6.8			S.U.		3/26/2008 1:27:00 PM
Static Water Level	16.23			ft		3/26/2008 1:27:00 PM
Temperature	12			deg C		3/26/2008 1:27:00 PM
Turbidity	44	1.0		NTU		3/26/2008 1:27:00 PM
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/28/2008)						
Aroclor 1016	< 0.050	0.050		µg/L	1	3/31/2008 9:33:30 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	3/31/2008 9:33:30 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	3/31/2008 9:33:30 PM
Aroclor 1242	0.17	0.050		µg/L	1	3/31/2008 9:33:30 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	3/31/2008 9:33:30 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	3/31/2008 9:33:30 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	3/31/2008 9:33:30 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Bromomethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Vinyl chloride	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Chloroethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Methylene chloride	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Acetone	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Carbon disulfide	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,1-Dichloroethene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,1-Dichloroethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
trans-1,2-Dichloroethene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
cis-1,2-Dichloroethene	830	100		µg/L	10	3/31/2008 7:10:00 PM
Chloroform	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,2-Dichloroethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
2-Butanone	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,1,1-Trichloroethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Carbon tetrachloride	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Bromodichloromethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080327050
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: XRH-06DX-0801-XX
 Collection Date: 3/26/2008 1:27:00 PM
 Lab Sample ID: 080327050-008
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
cis-1,3-Dichloropropene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Trichloroethene	300	100		µg/L	10	3/31/2008 7:10:00 PM
Dibromochloromethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,1,2-Trichloroethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Benzene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
trans-1,3-Dichloropropene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Bromoform	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
4-Methyl-2-pentanone	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
2-Hexanone	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Tetrachloroethene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,1,2,2-Tetrachloroethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Toluene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Chlorobenzene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Ethylbenzene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Styrene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
m,p-Xylene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
o-Xylene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Methyl tert-butyl ether	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Dichlorodifluoromethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Methyl Acetate	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Cyclohexane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Trichlorofluoromethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,2-Dibromoethane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,3-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
Isopropylbenzene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,2-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,4-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,2-Dibromo-3-chloropropane	< 100	100		µg/L	10	3/31/2008 7:10:00 PM
1,2,4-Trichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:10:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-03XX-0801-XX
Collection Date: 3/26/2008 3:33:00 PM
Lab Sample ID: 080327050-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	195	1.0		umhos/cm		3/26/2008 3:33:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/26/2008 3:33:00 PM
eH	27.2			mV		3/26/2008 3:33:00 PM
pH	7.1			S.U.		3/26/2008 3:33:00 PM
Static Water Level	13.91			ft		3/26/2008 3:33:00 PM
Temperature	11			deg C		3/26/2008 3:33:00 PM
Turbidity	8	1.0		NTU		3/26/2008 3:33:00 PM
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/28/2008)						
Aroclor 1016	< 0.049	0.049		µg/L	1	3/31/2008 10:06:46 PM
Aroclor 1221	< 0.049	0.049		µg/L	1	3/31/2008 10:06:46 PM
Aroclor 1232	< 0.049	0.049		µg/L	1	3/31/2008 10:06:46 PM
Aroclor 1242	0.44	0.049		µg/L	1	3/31/2008 10:06:46 PM
Aroclor 1248	< 0.049	0.049		µg/L	1	3/31/2008 10:06:46 PM
Aroclor 1254	< 0.049	0.049		µg/L	1	3/31/2008 10:06:46 PM
Aroclor 1260	< 0.049	0.049		µg/L	1	3/31/2008 10:06:46 PM
HARDNESS SM 2340B						Analyst: SM
(Prep: SW3010A - 4/1/2008)						
Total Hardness (As CaCO3)	72	5		mg/L	1	4/1/2008
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 4/1/2008)						
Cadmium	0	0.005	J	mg/L	1	4/1/2008 3:01:00 PM
Calcium	19.0	0.050		mg/L	1	4/1/2008 3:01:00 PM
Iron	0.646	0.050		mg/L	1	4/1/2008 3:01:00 PM
Lead	< 0.005	0.005		mg/L	1	4/1/2008 3:01:00 PM
Magnesium	5.92	0.050		mg/L	1	4/1/2008 3:01:00 PM
Manganese	3.81	0.020		mg/L	1	4/1/2008 3:01:00 PM
Potassium	0.842	0.050		mg/L	1	4/1/2008 3:01:00 PM
Sodium	3.52	0.050		mg/L	1	4/1/2008 3:01:00 PM
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Chloride	2.60	1.00		mg/L	1	3/28/2008 12:20:00 PM
Bromide	< 1.00	1.00		mg/L	1	3/28/2008 12:20:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-03XX-0801-XX
Collection Date: 3/26/2008 3:33:00 PM
Lab Sample ID: 080327050-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Nitrate, Nitrogen (As N)	< 0.02	0.02		mg/L	1	3/28/2008 12:20:00 PM
Sulfate	6.20	2.00		mg/L	1	3/28/2008 12:20:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Bromomethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Vinyl chloride	100	100	J	µg/L	10	3/31/2008 7:36:00 PM
Chloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Methylene chloride	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Acetone	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Carbon disulfide	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1-Dichloroethene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1-Dichloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
trans-1,2-Dichloroethene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
cis-1,2-Dichloroethene	1100	100		µg/L	10	3/31/2008 7:36:00 PM
Chloroform	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dichloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
2-Butanone	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1,1-Trichloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Carbon tetrachloride	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Bromodichloromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dichloropropane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
cis-1,3-Dichloropropene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Trichloroethene	390	100		µg/L	10	3/31/2008 7:36:00 PM
Dibromochloromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1,2-Trichloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Benzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
trans-1,3-Dichloropropene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Bromoform	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
4-Methyl-2-pentanone	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
2-Hexanone	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Tetrachloroethene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1,2,2-Tetrachloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Toluene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Chlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Ethylbenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-03XX-0801-XX
Collection Date: 3/26/2008 3:33:00 PM
Lab Sample ID: 080327050-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Styrene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
m,p-Xylene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
o-Xylene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Methyl tert-butyl ether	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Dichlorodifluoromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Methyl Acetate	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Cyclohexane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Trichlorofluoromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dibromoethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,3-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Isopropylbenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,4-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dibromo-3-chloropropane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2,4-Trichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO ₃)	80		1	mg/L	1	4/1/2008
AMMONIA E350.1						Analyst: PL
Nitrogen, Ammonia (As N)	< 0.1		0.1	mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2		2 S	mg/L	1	3/28/2008 1:50:00 PM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5		5	mg/L	1	3/28/2008
PHENOLS, TOTAL E420.1						Analyst: LS
Phenolics, Total Recoverable	< 0.002		0.002	mg/L	1	4/3/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-03XX-0801-XX
Collection Date: 3/26/2008 3:33:00 PM
Lab Sample ID: 080327050-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Nitrate, Nitrogen (As N)	< 0.02	0.02		mg/L	1	3/28/2008 12:20:00 PM
Sulfate	6.20	2.00		mg/L	1	3/28/2008 12:20:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Bromomethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Vinyl chloride	100	100	J	µg/L	10	3/31/2008 7:36:00 PM
Chloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Methylene chloride	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Acetone	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Carbon disulfide	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1-Dichloroethene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1-Dichloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
trans-1,2-Dichloroethene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
cis-1,2-Dichloroethene	1100	100		µg/L	10	3/31/2008 7:36:00 PM
Chloroform	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dichloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
2-Butanone	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1,1-Trichloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Carbon tetrachloride	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Bromodichloromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dichloropropane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
cis-1,3-Dichloropropene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Trichloroethene	390	100		µg/L	10	3/31/2008 7:36:00 PM
Dibromochloromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1,2-Trichloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Benzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
trans-1,3-Dichloropropene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Bromoform	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
4-Methyl-2-pentanone	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
2-Hexanone	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Tetrachloroethene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1,2,2-Tetrachloroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Toluene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Chlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Ethylbenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080327050
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: TMW-03XX-0801-XX
 Collection Date: 3/26/2008 3:33:00 PM
 Lab Sample ID: 080327050-009
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Styrene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
m,p-Xylene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
o-Xylene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Methyl tert-butyl ether	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Dichlorodifluoromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Methyl Acetate	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Cyclohexane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Trichlorofluoromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dibromoethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,3-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Isopropylbenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,4-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dibromo-3-chloropropane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2,4-Trichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	80	1		mg/L	1	4/1/2008
AMMONIA E350.1						Analyst: PL
Nitrogen, Ammonia (As N)	< 0.1	0.1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 1:50:00 PM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
PHENOLS, TOTAL E420.1						Analyst: LS
Phenolics, Total Recoverable	< 0.002	0.002		mg/L	1	4/3/2008

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080327050
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: TMW-03XX-0801-XX
 Collection Date: 3/26/2008 3:33:00 PM
 Lab Sample ID: 080327050-009
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Styrene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
m,p-Xylene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
o-Xylene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Methyl tert-butyl ether	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Dichlorodifluoromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Methyl Acetate	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Cyclohexane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Trichlorofluoromethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dibromoethane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,3-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
Isopropylbenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,4-Dichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2-Dibromo-3-chloropropane	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
1,2,4-Trichlorobenzene	< 100	100		µg/L	10	3/31/2008 7:36:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	80	1		mg/L	1	4/1/2008
AMMONIA E350.1						Analyst: PL
Nitrogen, Ammonia (As N)	< 0.1	0.1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 1:50:00 PM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
PHENOLS, TOTAL E420.1						Analyst: LS
Phenolics, Total Recoverable	< 0.002	0.002		mg/L	1	4/3/2008

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-03XX-0801-XX
Collection Date: 3/26/2008 3:33:00 PM
Lab Sample ID: 080327050-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	98	5		mg/L	1	3/31/2008
TOTAL KJELDAHL NITROGEN E351.3						Analyst: LS
Nitrogen, Kjeldahl, Total	< 1.0	1.0		mg/L	1	4/2/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	< 1.0	1.0		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-02XX-0801
Collection Date: 3/26/2008 4:37:00 PM
Lab Sample ID: 080327050-010
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	170	1.0		umhos/cm		3/26/2008 4:37:00 PM
Dissolved Oxygen	< 1	0.10		mg/L		3/26/2008 4:37:00 PM
eH	144.8			mV		3/26/2008 4:37:00 PM
pH	6.3			S.U.		3/26/2008 4:37:00 PM
Static Water Level	10.59			ft		3/26/2008 4:37:00 PM
Temperature	10			deg C		3/26/2008 4:37:00 PM
Turbidity	8	1.0		NTU		3/26/2008 4:37:00 PM
POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/28/2008)						Analyst: KF
Aroclor 1016	< 0.050	0.050		µg/L	1	3/31/2008 10:40:00 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	3/31/2008 10:40:00 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	3/31/2008 10:40:00 PM
Aroclor 1242	< 0.050	0.050		µg/L	1	3/31/2008 10:40:00 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	3/31/2008 10:40:00 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	3/31/2008 10:40:00 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	3/31/2008 10:40:00 PM
HARDNESS SM 2340B (Prep: SW3010A - 4/1/2008)						Analyst: SM
Total Hardness (As CaCO3)	57	5		mg/L	1	4/1/2008
ICP METALS E200.7 (Prep: SW3010A - 4/1/2008)						Analyst: SM
Cadmium	0	0.005	J	mg/L	1	4/1/2008 3:11:00 PM
Calcium	16.0	0.050		mg/L	1	4/1/2008 3:11:00 PM
Iron	1.00	0.050		mg/L	1	4/1/2008 3:11:00 PM
Lead	< 0.005	0.005		mg/L	1	4/1/2008 3:11:00 PM
Magnesium	4.19	0.050		mg/L	1	4/1/2008 3:11:00 PM
Manganese	0.426	0.020		mg/L	1	4/1/2008 3:11:00 PM
Potassium	0.872	0.050		mg/L	1	4/1/2008 3:11:00 PM
Sodium	3.48	0.050		mg/L	1	4/1/2008 3:11:00 PM
ANIONS BY ION CHROMATOGRAPHY E300						Analyst: SH
Chloride	4.00	1.00		mg/L	1	3/28/2008 12:35:00 PM
Bromide	< 1.00	1.00		mg/L	1	3/28/2008 12:35:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-02XX-0801
Collection Date: 3/26/2008 4:37:00 PM
Lab Sample ID: 080327050-010
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ANIONS BY ION CHROMATOGRAPHY E300 Analyst: SH

Nitrate, Nitrogen (As N)	0.03	0.02		mg/L	1	3/28/2008 12:35:00 PM
Sulfate	11.0	2.00		mg/L	1	3/28/2008 12:35:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Bromomethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Chloroethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Methylene chloride	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Acetone	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
cis-1,2-Dichloroethene	45	10		µg/L	1	3/31/2008 4:35:00 PM
Chloroform	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
2-Butanone	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Trichloroethene	88	10		µg/L	1	3/31/2008 4:35:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Benzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Bromoform	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
2-Hexanone	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Toluene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080327050
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: TMW-02XX-0801
 Collection Date: 3/26/2008 4:37:00 PM
 Lab Sample ID: 080327050-010
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Styrene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
o-Xylene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Cyclohexane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	45	1		mg/L	1	4/1/2008
AMMONIA E350.1						Analyst: PL
Nitrogen, Ammonia (As N)	< 0.1	0.1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 1:50:00 PM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
PHENOLS, TOTAL E420.1						Analyst: LS
Phenolics, Total Recoverable	< 0.002	0.002		mg/L	1	4/3/2008

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

AES Work Order #

080327050

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>JTM Assoc.</i>		Address:	
Send Report To: <i>Jim Michem</i>		Project Name (Location): <i>PHRL Monitoring</i>	
Client Phone No:		Client Fax No:	
PO Number:		Samplers: (Names): <i>Michael Wilkey</i>	
Samplers: (Signature): <i>[Signature]</i>			

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
001	TMW-06XX-0801-XX	3/26/08	815	(A) P GW		X	9	Route '93 Screen PCB by EPA 8082 TCL EPA 8260 + Field
002	TMW-05XX-0801-XX	3/26/08	915	(A) P GW		X	9	↓
003	XRH-05SX-0801-XX	3/26/08	917	(A) P GW		X	3	PCB(8082) TCL EPA 8260 + Field
004	XRH-05DX-0801-XX	3/25/08	454	(A) P GW		X	3	↓
005	TMW-04XX-0801-XX	3/26/08	1144	(A) P GW		X	9	Route '93 Screen PCB(8082) TCL EPA 8260 + Field
006	XRH-06SX-0801-XX	3/26/08	235	(A) P GW		X	3	PCB, TCL 8260, Field
007	XRH-06SX-0801-XX	3/26/08	235	(A) P GW		X	3	↓
008	XRH-06DX-0801-XX	3/26/08	127	(A) P GW		X	3	↓

Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____		CC Report To / Special Instructions/Remarks: <i>Field pH, Temp, Spec Cond, ORP, D.O., Turbidity, SWL</i>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day		→ 5 DAY EOD EXCEL FORMAT CC: DAVID CARNOVALE (OBC)	
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date/Time 3-27-08 @ 1253	
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date/Time 3-27 @ 4:30 PM	
Relinquished by: (Signature) <i>[Signature]</i>	Received for Laboratory by: <i>[Signature]</i>	Date/Time 3/27/08 4:45 PM	
TEMPERATURE Ambient or <u>Chilled</u> Notes: <u>2</u>	PROPERLY PRESERVED <u>Y</u> N Notes: _____	RECEIVED WITHIN HOLDING TIMES <u>Y</u> N Notes: _____	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181

2/2



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>Jim Assoc.</u>		Address:					
Send Report To: <u>Jim Mickem</u>		Project Name (Location): <u>RHL Monitoring</u>		Samplers: (Names) <u>Michael Wilson</u>			
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature) <u>[Signature]</u>	

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
009	TMD-03XX-0801-XX	3/26/08	333	A	GW	X	9	Routine 93 Scan
				A				PCB/TCL8260/Field
				P				
010	TMD-02XX-0801-XX	3/26/08	437	A	GW	X	27	↓
	XRH			A				
	TMD-085X-0801-XX	3/25/08	1010	P	GW	X	⊙	PCB/TCL8260/Field
				A				
	XRH-08DX-0801-XX	3/25/08	1200	P	GW	X	⊙	↓
				A				
011	Trip Blank Lot # 7-338-002	3/23/08	-	A	UA	-	1	TLL EPA 8260
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				

AES Work Order #: <u>080327050</u>		CC Report To / Special Instructions/Remarks: <u>TMD-02XX-0801-XX INCLUDED VOL FOR MS/MSD</u> <u>5 DAY EDD EXCEL</u> <u>CL DAVE CARNEVALE (OBC)</u>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <u>CLP</u>			
Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature) <u>Bob Gantz</u>	Date/Time <u>3-27-08 @ 1253</u>	
Relinquished by: (Signature) <u>Bob Gantz</u>	Received by: (Signature)	Date/Time <u>3-27-08 @ 4:30 PM</u>	
Relinquished by: (Signature)	Received for Laboratory by: <u>J. Michael</u>	Date/Time <u>3/27/08 4:45 PM</u>	
TEMPERATURE Ambient or <u>Chilled</u> <u>2</u>	PROPERLY PRESERVED <u>Y</u> N	RECEIVED WITHIN HOLDING TIMES <u>Y</u> N	
Notes:	Notes:	Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-02XX-0801
Collection Date: 3/26/2008 4:37:00 PM
Lab Sample ID: 080327050-010
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Styrene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
o-Xylene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Methyl Acetate	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Cyclohexane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:35:00 PM
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	45	1		mg/L	1	4/1/2008
AMMONIA E350.1						Analyst: PL
Nitrogen, Ammonia (As N)	< 0.1	0.1		mg/L	1	3/28/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 1:50:00 PM
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/28/2008
PHENOLS, TOTAL E420.1						Analyst: LS
Phenolics, Total Recoverable	< 0.002	0.002		mg/L	1	4/3/2008

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-02XX-0801
Collection Date: 3/26/2008 4:37:00 PM
Lab Sample ID: 080327050-010
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	100	5		mg/L	1	3/31/2008
TOTAL KJELDAHL NITROGEN E351.3						Analyst: LS
Nitrogen, Kjeldahl, Total	< 1.0	1.0		mg/L	1	4/2/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	1.2	1.0		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080327050
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: Trip Blank
 Collection Date: 3/25/2008
 Lab Sample ID: 080327050-011
 Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Bromomethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Vinyl chloride	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Chloroethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Methylene chloride	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Acetone	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Carbon disulfide	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Chloroform	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
2-Butanone	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Bromodichloromethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Trichloroethene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Dibromochloromethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Benzene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Bromoform	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
2-Hexanone	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Tetrachloroethene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Toluene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Chlorobenzene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Ethylbenzene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Styrene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
m,p-Xylene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
o-Xylene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080327050
Reference: RHRL Monitoring /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/25/2008
Lab Sample ID: 080327050-011
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methyl Acetate	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Cyclohexane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
Isopropylbenzene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/31/2008 4:58:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	3/31/2008 4:58:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

AES Work Order #

080327050

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>JTM Assoc.</i>		Address:	
Send Report To: <i>Jim Michem</i>		Project Name (Location): <i>RHRL Monitoring</i>	
Client Phone No:		Client Fax No:	
PO Number:		Samplers: (Names) <i>Michael Wilkey</i>	
		Samplers: (Signature) <i>[Signature]</i>	

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix	Comp	Grab	Number of Cont's	Analysis Required
001	TMW-06XX-0801-XX	3/26/08	815	A P GW		X	9	Routine '93 Scan PCB by EPA 8082 TCL EPA 8260 + Field
002	TMW-05XX-0801-XX	3/26/08	845	A P GW		X	9	↓
003	XRH-05SX-0801-XX	3/26/08	917	A P GW		X	3	PCB(8082) TCL EPA 8260 + Field
004	XRH-05DX-0801-XX	3/25/08	456	A P GW		X	3	↓
005	TMW-04XX-0801-XX	3/26/08	1144	A P GW		X	9	Routine '93 Scan PCB(8082) TCL EPA 8260 + Field
006	XRH-06SX-0801-XX	3/26/08	235	A P GW		X	3	PCB, TCL 8260, Field
007	XRH-06SX-0801-XX	3/26/08	235	A P GW		X	3	↓
008	XRH-06DX-0801-XX	3/26/08	127	A P GW		X	3	↓

Shipment Arrived Via: FedEx UPS Client ☒ AES Other: _____		CC Report To / Special Instructions/Remarks: <i>Field pH, Temp, Spec. Cond, ORP, D.O., Turbidity, SWL</i>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day		→ 5 DAY EOD EXCEL FORMAT CC: DAVE CARNOVALE (OBC)	
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature) <i>[Signature]</i>	
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature) <i>[Signature]</i>	
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by: <i>[Signature]</i>	
TEMPERATURE Ambient or ☒ Chilled		PROPERLY PRESERVED ☒ Y ☐ N	
Notes: <i>2</i>		RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N	
Notes:		Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

2/2

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>Jim Assoc.</u>		Address:	
Send Report To: <u>Jim Mickem</u>		Project Name (Location): <u>RHL Monitoring</u>	
Client Phone No:	Client Fax No:	PO Number:	Samplers: (Names) <u>Michael Wilsey</u>
			Samplers: (Signature) <u>[Signature]</u>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
009	TMD - 03XX - 0801-XX	3/26/08	333	GW		X	9	Route 93 Seon PCB/TCL8260/Field
010	TMD - 02XX - 0801-XX	3/26/08	437	GW		X	27	↓
010	XRH - 085X - 0801-XX	3/25/08	1010	GW		X	27	PCB/TCL8260/Field
011	XRH - 08DX - 0801-XX	3/25/08	120	GW		X	27	↓
011	Trip Blank Lot # 7-338-002	3/25/08	-	UA	-	-	1	TCL EPA 8260
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				


AES Work Order #: <u>080327050</u>		CC Report To / Special Instructions/Remarks: <u>TMD - 02XX - 0801-XX INCLUDED VOL FOR MS/MSD</u> <u>5 DAY EDD EXCEL</u> <u>CL DAVE CARNEVALE (OBC)</u>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <u>CLP</u>			
Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature) <u>[Signature]</u>	Date/Time <u>3-27-08 @ 12:53</u>	
Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature) <u>[Signature]</u>	Date/Time <u>3-27-08 @ 4:30 pm</u>	
Relinquished by: (Signature) <u>[Signature]</u>	Received for Laboratory by: <u>[Signature]</u>	Date/Time <u>3/27/08 4:45 pm</u>	
TEMPERATURE Ambient or <u>Chilled</u> <u>2</u>	PROPERLY PRESERVED <u>Y</u> N	RECEIVED WITHIN HOLDING TIMES <u>Y</u> N	
Notes:	Notes:	Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 10, 2008

Jim Mickam
JTM Associates
290 Elwood Davis Drive
Liverpool, NY 13088

Work Order No: 080328053

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: RHRL Monitoring MNA

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 5 samples on 3/28/2008 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709

AIHA#: 100307

CC:

Dave Carnavale/OBG

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

CASE NARRATIVE

CLIENT: JTM Associates
Project: RHRL Monitoring MNA
Lab Order: 080328053

Date: 10-Apr-08

This is a re-issued report. To add "J" notation. April 10, 2008.

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328053
 Reference: RHRL Monitoring MNA /
 PO#:

Client Sample ID: TMW-01XX-0801-XX
 Collection Date: 3/27/2008 11:35:00 AM
 Lab Sample ID: 080328053-001
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	119	1.0		umhos/cm		3/27/2008 11:35:00 AM
Dissolved Oxygen	3.6	0.10		mg/L		3/27/2008 11:35:00 AM
eH	143.1			mV		3/27/2008 11:35:00 AM
Ferrous Iron, Filtered	< 0.2			mg/L		3/27/2008 11:35:00 AM
pH	6.5			S.U.		3/27/2008 11:35:00 AM
Static Water Level	11.24			ft		3/27/2008 11:35:00 AM
Temperature	10			deg C		3/27/2008 11:35:00 AM
Turbidity	4	1.0		NTU		3/27/2008 11:35:00 AM

GASES BY GC EPA-8015GASES

Analyst: TN

Ethane	< 1	1		mg/L	1	4/1/2008
Ethene	< 1	1		mg/L	1	4/1/2008
Methane	< 1	1		mg/L	1	4/1/2008

ICP METALS E200.7

Analyst: KH

(Prep: SW3010A - 3/31/2008)

Calcium	9.29	0.050		mg/L	1	4/1/2008 3:37:00 PM
Iron	0.071	0.050		mg/L	1	4/1/2008 3:37:00 PM
Magnesium	3.31	0.050		mg/L	1	4/1/2008 3:37:00 PM
Manganese	0.050	0.020		mg/L	1	4/1/2008 3:37:00 PM
Potassium	0.482	0.050		mg/L	1	4/1/2008 3:37:00 PM
Sodium	2.39	0.050		mg/L	1	4/1/2008 3:37:00 PM

ICP DISSOLVED METAL E200.7F

Analyst: KH

(Prep: SW3005A - 3/31/2008)

Manganese, Dissolved	0.045	0.020		mg/L	1	4/1/2008 3:57:00 PM
----------------------	-------	-------	--	------	---	---------------------

CHLORIDE E300

Analyst: SH

Chloride	4	1		mg/L	1	3/28/2008
----------	---	---	--	------	---	-----------

NITRATE E300

Analyst: SH

Nitrate, Nitrogen (As N)	0.10	0.02		mg/L	1	3/28/2008 2:50:00 PM
--------------------------	------	------	--	------	---	----------------------

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328053
 Reference: RHRL Monitoring MNA /
 PO#:

Client Sample ID: TMW-01XX-0801-XX
 Collection Date: 3/27/2008 11:35:00 AM
 Lab Sample ID: 080328053-001
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SULFATE E300						Analyst: SH
Sulfate	11.0	2.0		mg/L	1	3/28/2008
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	40	1		mg/L	1	4/1/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 3:50:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	25.3	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/31/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	200	5		mg/L	1	3/31/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	< 1.0	1.0		mg/L	1	4/1/2008

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328053
 Reference: RHRL Monitoring MNA /
 PO#:

Client Sample ID: SSC-01XX-0801-XX
 Collection Date: 3/27/2008 2:20:00 PM
 Lab Sample ID: 080328053-002
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	147	1.0		umhos/cm		3/27/2008 2:20:00 PM
Dissolved Oxygen	2.7	0.10		mg/L		3/27/2008 2:20:00 PM
eH	85.6			mV		3/27/2008 2:20:00 PM
Ferrous Iron, Filtered	1.0			mg/L		3/27/2008 2:20:00 PM
pH	6.5			S.U.		3/27/2008 2:20:00 PM
Static Water Level	13.77			ft		3/27/2008 2:20:00 PM
Temperature	11			deg C		3/27/2008 2:20:00 PM
Turbidity	7	1.0		NTU		3/27/2008 2:20:00 PM
GASES BY GC EPA-8015GASES						Analyst: TN
Ethane	< 1	1		mg/L	1	4/1/2008
Ethene	< 1	1		mg/L	1	4/1/2008
Methane	< 1	1		mg/L	1	4/1/2008
ICP METALS E200.7						Analyst: KH
(Prep: SW3010A - 3/31/2008)						
Calcium	11.8	0.050		mg/L	1	4/1/2008 4:01:00 PM
Iron	1.15	0.050		mg/L	1	4/1/2008 4:01:00 PM
Magnesium	4.87	0.050		mg/L	1	4/1/2008 4:01:00 PM
Manganese	1.63	0.020		mg/L	1	4/1/2008 4:01:00 PM
Potassium	0.675	0.050		mg/L	1	4/1/2008 4:01:00 PM
Sodium	2.75	0.050		mg/L	1	4/1/2008 4:01:00 PM
ICP DISSOLVED METAL E200.7F						Analyst: KH
(Prep: SW3005A - 3/31/2008)						
Manganese, Dissolved	1.57	0.020		mg/L	1	4/1/2008 4:10:00 PM
CHLORIDE E300						Analyst: SH
Chloride	3	1		mg/L	1	3/28/2008
NITRATE E300						Analyst: SH
Nitrate, Nitrogen (As N)	0.07	0.02		mg/L	1	3/28/2008 3:05:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328053
 Reference: RHRL Monitoring MNA /
 PO#:

Client Sample ID: SSC-01XX-0801-XX
 Collection Date: 3/27/2008 2:20:00 PM
 Lab Sample ID: 080328053-002
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SULFATE E300						Analyst: SH
Sulfate	7.0	2.0		mg/L	1	3/28/2008
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	55	1		mg/L	1	4/1/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 3:50:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	34.8	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/31/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	80	5		mg/L	1	3/31/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	< 1.0	1.0		mg/L	1	4/1/2008

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328053
Reference: RHRL Monitoring MNA /
PO#:

Client Sample ID: SSC-03XX-0801-XX
Collection Date: 3/27/2008 3:00:00 PM
Lab Sample ID: 080328053-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	354	1.0		umhos/cm		3/27/2008 3:00:00 PM
Dissolved Oxygen	4.6	0.10		mg/L		3/27/2008 3:00:00 PM
eH	78.9			mV		3/27/2008 3:00:00 PM
Ferrous Iron, Filtered	< 0.2			mg/L		3/27/2008 3:00:00 PM
pH	6.9			S.U.		3/27/2008 3:00:00 PM
Static Water Level	14.63			ft		3/27/2008 3:00:00 PM
Temperature	9			deg C		3/27/2008 3:00:00 PM
Turbidity	7	1.0		NTU		3/27/2008 3:00:00 PM
GASES BY GC EPA-8015GASES						Analyst: TN
Ethane	< 1	1		mg/L	1	4/1/2008
Ethene	< 1	1		mg/L	1	4/1/2008
Methane	< 1	1		mg/L	1	4/1/2008
ICP METALS E200.7						Analyst: KH
(Prep: SW3010A - 3/31/2008)						
Calcium	46.5	0.050		mg/L	1	4/2/2008 12:18:00 PM
Iron	0.174	0.050		mg/L	1	4/2/2008 12:18:00 PM
Magnesium	8.19	0.050		mg/L	1	4/2/2008 12:18:00 PM
Manganese	0.204	0.020		mg/L	1	4/2/2008 12:18:00 PM
Potassium	1.81	0.050		mg/L	1	4/2/2008 12:18:00 PM
Sodium	4.59	0.050		mg/L	1	4/2/2008 12:18:00 PM
ICP DISSOLVED METAL E200.7F						Analyst: KH
(Prep: SW3005A - 3/31/2008)						
Manganese, Dissolved	0.190	0.020		mg/L	1	4/2/2008 12:23:00 PM
CHLORIDE E300						Analyst: SH
Chloride	4	1		mg/L	1	3/28/2008
NITRATE E300						Analyst: SH
Nitrate, Nitrogen (As N)	0.10	0.02		mg/L	1	3/28/2008 3:20:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328053
Reference: RHRL Monitoring MNA /
PO#:

Client Sample ID: SSC-03XX-0801-XX
Collection Date: 3/27/2008 3:00:00 PM
Lab Sample ID: 080328053-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SULFATE E300						Analyst: SH
Sulfate	15.0	2.0		mg/L	1	3/28/2008
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	145	1		mg/L	1	4/1/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	< 2	2	S	mg/L	1	3/28/2008 3:50:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	36.5	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/31/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	207	5		mg/L	1	3/31/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	1.1	1.0		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328053
 Reference: RHRL Monitoring MNA /
 PO#:

Client Sample ID: TMW-08XX-0801-XX
 Collection Date: 3/28/2008 10:34:00 AM
 Lab Sample ID: 080328053-004
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	281	1.0		umhos/cm		3/28/2008 10:34:00 AM
Dissolved Oxygen	< 1	0.10		mg/L		3/28/2008 10:34:00 AM
eH	-39.6			mV		3/28/2008 10:34:00 AM
Ferrous Iron, Filtered	0.06			mg/L		3/28/2008 10:34:00 AM
pH	6.7			S.U.		3/28/2008 10:34:00 AM
Static Water Level	9.46			ft		3/28/2008 10:34:00 AM
Temperature	9			deg C		3/28/2008 10:34:00 AM
Turbidity	16	1.0		NTU		3/28/2008 10:34:00 AM
GASES BY GC EPA-8015GASES						Analyst: TN
Ethane	< 1	1		mg/L	1	4/1/2008
Ethene	< 1	1		mg/L	1	4/1/2008
Methane	1	1		mg/L	1	4/1/2008
ICP METALS E200.7						Analyst: KH
(Prep: SW3010A - 3/31/2008)						
Calcium	30.9	0.050		mg/L	1	4/2/2008 12:27:00 PM
Iron	0.683	0.050		mg/L	1	4/2/2008 12:27:00 PM
Magnesium	7.02	0.050		mg/L	1	4/2/2008 12:27:00 PM
Manganese	2.74	0.020		mg/L	1	4/2/2008 12:27:00 PM
Potassium	1.17	0.050		mg/L	1	4/2/2008 12:27:00 PM
Sodium	5.49	0.050		mg/L	1	4/2/2008 12:27:00 PM
ICP DISSOLVED METAL E200.7F						Analyst: KH
(Prep: SW3005A - 3/31/2008)						
Manganese, Dissolved	2.77	0.020		mg/L	1	4/2/2008 12:31:00 PM
CHLORIDE E300						Analyst: SH
Chloride	2	1		mg/L	1	3/28/2008
NITRATE E300						Analyst: SH
Nitrate, Nitrogen (As N)	< 0.02	0.02		mg/L	1	3/28/2008 3:35:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328053
Reference: RHRL Monitoring MNA /
PO#:

Client Sample ID: TMW-08XX-0801-XX
Collection Date: 3/28/2008 10:34:00 AM
Lab Sample ID: 080328053-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SULFATE E300						Analyst: SH
Sulfate	8.2	2.0		mg/L	1	3/28/2008
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	125	1		mg/L	1	4/1/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	3	2	S	mg/L	1	3/28/2008 3:50:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	49.9	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/31/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	142	5		mg/L	1	3/31/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	< 1.0	1.0		mg/L	1	4/1/2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328053
Reference: RHRL Monitoring MNA /
PO#:

Client Sample ID: TMW-08XX-0801-XD
Collection Date: 3/28/2008 10:34:00 AM
Lab Sample ID: 080328053-005
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	281	1.0		umhos/cm		3/28/2008 10:34:00 AM
Dissolved Oxygen	< 1	0.10		mg/L		3/28/2008 10:34:00 AM
eH	-39.6			mV		3/28/2008 10:34:00 AM
Ferrous Iron, Filtered	0.06			mg/L		3/28/2008 10:34:00 AM
pH	6.7			S.U.		3/28/2008 10:34:00 AM
Static Water Level	9.46			ft		3/28/2008 10:34:00 AM
Temperature	9			deg C		3/28/2008 10:34:00 AM
Turbidity	16	1.0		NTU		3/28/2008 10:34:00 AM
GASES BY GC EPA-8015GASES						Analyst: TN
Ethane	< 1	1		mg/L	1	4/1/2008
Ethene	< 1	1		mg/L	1	4/1/2008
Methane	1	1		mg/L	1	4/1/2008
ICP METALS E200.7						Analyst: KH
(Prep: SW3010A - 3/31/2008)						
Calcium	30.6	0.050		mg/L	1	4/2/2008 1:07:00 PM
Iron	0.676	0.050		mg/L	1	4/2/2008 1:07:00 PM
Magnesium	6.94	0.050		mg/L	1	4/2/2008 1:07:00 PM
Manganese	2.69	0.020		mg/L	1	4/2/2008 1:07:00 PM
Potassium	1.15	0.050		mg/L	1	4/2/2008 1:07:00 PM
Sodium	5.45	0.050		mg/L	1	4/2/2008 1:07:00 PM
ICP DISSOLVED METAL E200.7F						Analyst: KH
(Prep: SW3005A - 3/31/2008)						
Manganese, Dissolved	2.74	0.020		mg/L	1	4/2/2008 1:12:00 PM
CHLORIDE E300						Analyst: SH
Chloride	2	1		mg/L	1	3/28/2008
NITRATE E300						Analyst: SH
Nitrate, Nitrogen (As N)	< 0.02	0.02		mg/L	1	3/28/2008 3:50:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328053
 Reference: RHRL Monitoring MNA /
 PO#:

Client Sample ID: TMW-08XX-0801-XD
 Collection Date: 3/28/2008 10:34:00 AM
 Lab Sample ID: 080328053-005
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SULFATE E300						Analyst: SH
Sulfate	8.3	2.0		mg/L	1	3/28/2008
ALKALINITY E310.1						Analyst: LS
Alkalinity, Total (As CaCO3)	130	1		mg/L	1	4/1/2008
BOD, 5 DAY, 20°C E405.1						Analyst: SH
Biochemical Oxygen Demand	3	2	S	mg/L	1	3/28/2008 3:50:00 PM
CARBON DIOXIDE, FREE SM 4500-CO2						Analyst: CMH
Carbon dioxide, Free	51.9	0.5		mg/L	1	4/2/2008
CHEMICAL OXYGEN DEMAND E410.4						Analyst: SH
Chemical Oxygen Demand	< 5	5		mg/L	1	3/31/2008
TOTAL DISSOLVED SOLIDS E160.1						Analyst: CJ
TDS (Residue, Filterable)	150	5		mg/L	1	3/31/2008
TOTAL ORGANIC CARBON SM 5310C						Analyst: VZ
Total Organic Carbon	< 1.0	1.0		mg/L	1	4/1/2008

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>Jim Assoc</i>		Address:	
Send Report To: <i>Jim Michen</i>		Project Name (Location): <i>ERL Monitoring MWA</i>	Samplers: (Names): <i>Michael Witek</i>
Client Phone No:	Client Fax No:	PO Number:	Samplers: (Signature): <i>[Signature]</i>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
001	TMW-01XX-0801-XX	3/27/08	1135 <i>1135</i>	<i>AW</i>		<i>X</i>	8	BOD, COD, TOC, Chloride, T. Fe, Mn, Mg, Ca, K, Na, Diss Mn, Nitrate, Sulfate, Alkalinity, CO ₂ , Methane, Ethane, Ethene + Field
002	SSC-01XX-0801-XX	3/27/08	200	<i>AW</i>				}
003	SSC-03XX-0801-XX	3/27/08	500	<i>AW</i>				
004	TMW-08XX-0801-XX	3/28/08	1034	<i>AW</i>				
005	TMW-08XX-0801-AD	3/28/08	1034	<i>AW</i>				
				<i>AW</i>				
				<i>AW</i>				
				<i>AW</i>				
				<i>AW</i>				
				<i>AW</i>				

AES Work Order #: <i>080328 053</i>		CC Report To / Special Instructions/Remarks: <i>Field, pH, Temp, SC, Turbidity, ORP, SOL, Fecal Fe, D.O. 5 DAY EDD EXCEL FORMAT CC DAVE CARNOVALS (ORC)</i>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☐ Normal ☐ 2 Day ☒ 5 Day			
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received for Laboratory by: <i>J. Michen</i>	Date/Time <i>3/28/08 2:34 PM</i>	
TEMPERATURE Ambient <i>or</i> Chilled Notes: <i>20C</i>	PROPERLY PRESERVED ☒ Y ☐ N Notes:	RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N Notes:	


WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

5018



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 10, 2008

Jim Mickam
JTM Associates
290 Elwood Davis Drive
Liverpool, NY 13088

Work Order No: 080328054

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: RHRL Monitoring

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 13 samples on 3/28/2008 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709

AIHA#: 100307

CC:

Dave Carnavale/OBG

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

CASE NARRATIVE

CLIENT: JTM Associates
Project: RHRL Monitoring
Lab Order: 080328054

Date: 10-Apr-08

This is a re-issued report. Add "J" notation. April 10, 2008

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-07SX-0801-XX
Collection Date: 3/27/2008
Lab Sample ID: 080328054-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	191	1.0		umhos/cm		3/27/2008
Dissolved Oxygen	< 1	0.10		mg/L		3/27/2008
eH	46.8			mV		3/27/2008
pH	6.4			S.U.		3/27/2008
Static Water Level	6.95			ft		3/27/2008
Temperature	9			deg C		3/27/2008
Turbidity	74	1.0		NTU		3/27/2008
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/31/2008)						
Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 4:12:14 AM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 4:12:14 AM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 4:12:14 AM
Aroclor 1242	< 0.050	0.050		µg/L	1	4/1/2008 4:12:14 AM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 4:12:14 AM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 4:12:14 AM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 4:12:14 AM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Bromomethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Vinyl chloride	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Chloroethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Methylene chloride	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Acetone	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Carbon disulfide	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Chloroform	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
2-Butanone	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Bromodichloromethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-07SX-0801-XX
Collection Date: 3/27/2008
Lab Sample ID: 080328054-001
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Trichloroethene	6	10	J	µg/L	1	4/1/2008 2:58:00 PM
Dibromochloromethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Benzene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Bromoform	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
2-Hexanone	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Tetrachloroethene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Toluene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Chlorobenzene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Ethylbenzene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Styrene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
m,p-Xylene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
o-Xylene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Methyl Acetate	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Cyclohexane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
Isopropylbenzene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/1/2008 2:58:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	4/1/2008 2:58:00 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: XRH-07DX-0801-XX
Collection Date: 3/28/2008
Lab Sample ID: 080328054-002
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	228	1.0		umhos/cm		3/28/2008
Dissolved Oxygen	1.5	0.10		mg/L		3/28/2008
eH	188.3			mV		3/28/2008
pH	7.6			S.U.		3/28/2008
Static Water Level	8.77			ft		3/28/2008
Temperature	8			deg C		3/28/2008
Turbidity	16	1.0		NTU		3/28/2008

POLYCHLORINATED BIPHENYLS SW8082

Analyst: KF

(Prep: E608 - 3/31/2008)

Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 4:45:28 AM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 4:45:28 AM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 4:45:28 AM
Aroclor 1242	< 0.050	0.050		µg/L	1	4/1/2008 4:45:28 AM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 4:45:28 AM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 4:45:28 AM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 4:45:28 AM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Bromomethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Vinyl chloride	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Chloroethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Methylene chloride	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Acetone	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Carbon disulfide	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Chloroform	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
2-Butanone	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Bromodichloromethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328054
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: XRH-07DX-0801-XX
 Collection Date: 3/28/2008
 Lab Sample ID: 080328054-002
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Trichloroethene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Dibromochloromethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Benzene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Bromoform	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
2-Hexanone	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Tetrachloroethene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Toluene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Chlorobenzene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Ethylbenzene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Styrene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
m,p-Xylene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
o-Xylene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Methyl Acetate	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Cyclohexane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
Isopropylbenzene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/1/2008 3:24:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	4/1/2008 3:24:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-01XX-0801-XX
Collection Date: 3/27/2008
Lab Sample ID: 080328054-003
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	119	1.0		umhos/cm		3/27/2008
Dissolved Oxygen	3.6	0.10		mg/L		3/27/2008
eH	143.1			mV		3/27/2008
pH	6.5			S.U.		3/27/2008
Static Water Level	11.24			ft		3/27/2008
Temperature	10			deg C		3/27/2008
Turbidity	4	1.0		NTU		3/27/2008

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/31/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 5:18:39 AM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 5:18:39 AM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 5:18:39 AM
Aroclor 1242	< 0.050	0.050		µg/L	1	4/1/2008 5:18:39 AM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 5:18:39 AM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 5:18:39 AM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 5:18:39 AM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Bromomethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Vinyl chloride	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Chloroethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Methylene chloride	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Acetone	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Carbon disulfide	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
cis-1,2-Dichloroethene	66	10		µg/L	1	4/1/2008 3:49:00 PM
Chloroform	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
2-Butanone	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Bromodichloromethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328054
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: TMW-01XX-0801-XX
 Collection Date: 3/27/2008
 Lab Sample ID: 080328054-003
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Trichloroethene	63	10		µg/L	1	4/1/2008 3:49:00 PM
Dibromochloromethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Benzene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Bromoform	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
2-Hexanone	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Tetrachloroethene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Toluene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Chlorobenzene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Ethylbenzene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Styrene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
m,p-Xylene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
o-Xylene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Methyl Acetate	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Cyclohexane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
Isopropylbenzene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/1/2008 3:49:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	4/1/2008 3:49:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc
Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: SSC-01XX-0801-XX
Collection Date: 3/27/2008
Lab Sample ID: 080328054-004
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	147	1.0		umhos/cm		3/27/2008
Dissolved Oxygen	2.7	0.10		mg/L		3/27/2008
eH	85.6			mV		3/27/2008
pH	6.5			S.U.		3/27/2008
Static Water Level	13.77			ft		3/27/2008
Temperature	11			deg C		3/27/2008
Turbidity	7	1.0		NTU		3/27/2008
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/31/2008)						
Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 5:51:51 AM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 5:51:51 AM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 5:51:51 AM
Aroclor 1242	0.24	0.050		µg/L	1	4/1/2008 5:51:51 AM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 5:51:51 AM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 5:51:51 AM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 5:51:51 AM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Bromomethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Vinyl chloride	100	100		µg/L	10	4/2/2008 11:52:00 AM
Chloroethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Methylene chloride	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Acetone	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Carbon disulfide	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,1-Dichloroethene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,1-Dichloroethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
trans-1,2-Dichloroethene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
cis-1,2-Dichloroethene	1900	100		µg/L	10	4/2/2008 11:52:00 AM
Chloroform	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,2-Dichloroethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
2-Butanone	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,1,1-Trichloroethane	70	100	J	µg/L	10	4/2/2008 11:52:00 AM
Carbon tetrachloride	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Bromodichloromethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328054
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: SSC-01XX-0801-XX
 Collection Date: 3/27/2008
 Lab Sample ID: 080328054-004
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
cis-1,3-Dichloropropene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Trichloroethene	180	100		µg/L	10	4/2/2008 11:52:00 AM
Dibromochloromethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,1,2-Trichloroethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Benzene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
trans-1,3-Dichloropropene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Bromoform	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
4-Methyl-2-pentanone	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
2-Hexanone	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Tetrachloroethene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,1,2,2-Tetrachloroethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Toluene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Chlorobenzene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Ethylbenzene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Styrene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
m,p-Xylene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
o-Xylene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Methyl tert-butyl ether	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Dichlorodifluoromethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Methyl Acetate	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Cyclohexane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Trichlorofluoromethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,2-Dibromoethane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,3-Dichlorobenzene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
Isopropylbenzene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,2-Dichlorobenzene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,4-Dichlorobenzene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,2-Dibromo-3-chloropropane	< 100	100		µg/L	10	4/2/2008 11:52:00 AM
1,2,4-Trichlorobenzene	< 100	100		µg/L	10	4/2/2008 11:52:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328054
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: SSC-02XX-0801-XX
 Collection Date: 3/27/2008
 Lab Sample ID: 080328054-005
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	251	1.0		umhos/cm		3/27/2008
Dissolved Oxygen	< 1	0.10		mg/L		3/27/2008
eH	43.3			mV		3/27/2008
pH	6.5			S.U.		3/27/2008
Static Water Level	16.85			ft		3/27/2008
Temperature	11			deg C		3/27/2008
Turbidity	18	1.0		NTU		3/27/2008

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/31/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 7:31:27 AM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 7:31:27 AM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 7:31:27 AM
Aroclor 1242	0.69	0.050		µg/L	1	4/1/2008 7:31:27 AM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 7:31:27 AM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 7:31:27 AM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 7:31:27 AM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Bromomethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Vinyl chloride	190	100		µg/L	10	4/2/2008 12:19:00 PM
Chloroethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Methylene chloride	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Acetone	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Carbon disulfide	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,1-Dichloroethene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,1-Dichloroethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
trans-1,2-Dichloroethene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
cis-1,2-Dichloroethene	1300	100		µg/L	10	4/2/2008 12:19:00 PM
Chloroform	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,2-Dichloroethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
2-Butanone	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,1,1-Trichloroethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Carbon tetrachloride	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Bromodichloromethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328054
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: SSC-02XX-0801-XX
 Collection Date: 3/27/2008
 Lab Sample ID: 080328054-005
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
cis-1,3-Dichloropropene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Trichloroethene	260	100		µg/L	10	4/2/2008 12:19:00 PM
Dibromochloromethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,1,2-Trichloroethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Benzene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
trans-1,3-Dichloropropene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Bromoform	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
4-Methyl-2-pentanone	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
2-Hexanone	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Tetrachloroethene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,1,2,2-Tetrachloroethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Toluene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Chlorobenzene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Ethylbenzene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Styrene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
m,p-Xylene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
o-Xylene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Methyl tert-butyl ether	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Dichlorodifluoromethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Methyl Acetate	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Cyclohexane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Trichlorofluoromethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,2-Dibromoethane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,3-Dichlorobenzene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
Isopropylbenzene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,2-Dichlorobenzene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,4-Dichlorobenzene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,2-Dibromo-3-chloropropane	< 100	100		µg/L	10	4/2/2008 12:19:00 PM
1,2,4-Trichlorobenzene	< 100	100		µg/L	10	4/2/2008 12:19:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: SSC-03XX-0801-XX
Collection Date: 3/27/2008
Lab Sample ID: 080328054-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	354	1.0		umhos/cm		3/27/2008
Dissolved Oxygen	4.6	0.10		mg/L		3/27/2008
eH	78.9			mV		3/27/2008
pH	6.9			S.U.		3/27/2008
Static Water Level	14.63			ft		3/27/2008
Temperature	9			deg C		3/27/2008
Turbidity	7	1.0		NTU		3/27/2008

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/31/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 8:04:39 AM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 8:04:39 AM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 8:04:39 AM
Aroclor 1242	0.05	0.050	J	µg/L	1	4/1/2008 8:04:39 AM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 8:04:39 AM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 8:04:39 AM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 8:04:39 AM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Bromomethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Vinyl chloride	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Chloroethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Methylene chloride	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Acetone	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Carbon disulfide	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,1-Dichloroethane	7	10	J	µg/L	1	4/1/2008 5:05:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
cis-1,2-Dichloroethene	61	10		µg/L	1	4/1/2008 5:05:00 PM
Chloroform	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
2-Butanone	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Bromodichloromethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: SSC-03XX-0801-XX
Collection Date: 3/27/2008
Lab Sample ID: 080328054-006
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Trichloroethene	8	10	J	µg/L	1	4/1/2008 5:05:00 PM
Dibromochloromethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Benzene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Bromoform	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
2-Hexanone	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Tetrachloroethene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Toluene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Chlorobenzene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Ethylbenzene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Styrene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
m,p-Xylene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
o-Xylene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Methyl Acetate	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Cyclohexane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
Isopropylbenzene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/1/2008 5:05:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	4/1/2008 5:05:00 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: SSC-04XX-0801-XX
Collection Date: 3/28/2008
Lab Sample ID: 080328054-007
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	388	1.0		umhos/cm		3/28/2008
Dissolved Oxygen	< 1	0.10		mg/L		3/28/2008
eH	124.0			mV		3/28/2008
pH	6.5			S.U.		3/28/2008
Static Water Level	11.95			ft		3/28/2008
Temperature	10			deg C		3/28/2008
Turbidity	7	1.0		NTU		3/28/2008

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/31/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 8:37:50 AM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 8:37:50 AM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 8:37:50 AM
Aroclor 1242	0.084	0.050		µg/L	1	4/1/2008 8:37:50 AM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 8:37:50 AM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 8:37:50 AM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 8:37:50 AM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Bromomethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Vinyl chloride	26	10		µg/L	1	4/1/2008 5:30:00 PM
Chloroethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Methylene chloride	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Acetone	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Carbon disulfide	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,1-Dichloroethane	5	10	J	µg/L	1	4/1/2008 5:30:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
cis-1,2-Dichloroethene	170	10		µg/L	1	4/1/2008 5:30:00 PM
Chloroform	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
2-Butanone	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Bromodichloromethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: SSC-04XX-0801-XX
Collection Date: 3/28/2008
Lab Sample ID: 080328054-007
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Trichloroethene	34	10		µg/L	1	4/1/2008 5:30:00 PM
Dibromochloromethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Benzene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Bromoform	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
2-Hexanone	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Tetrachloroethene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Toluene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Chlorobenzene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Ethylbenzene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Styrene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
m,p-Xylene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
o-Xylene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Methyl Acetate	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Cyclohexane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
Isopropylbenzene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/1/2008 5:30:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	4/1/2008 5:30:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-08XX-0801-XX
Collection Date: 3/28/2008
Lab Sample ID: 080328054-008
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	281	1.0		umhos/cm		3/28/2008
Dissolved Oxygen	< 1	0.10		mg/L		3/28/2008
eH	-39.6			mV		3/28/2008
pH	6.7			S.U.		3/28/2008
Static Water Level	9.46			ft		3/28/2008
Temperature	9			deg C		3/28/2008
Turbidity	16	1.0		NTU		3/28/2008

POLYCHLORINATED BIPHENYLS SW8082
 (Prep: E608 - 3/31/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 9:11:03 AM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 9:11:03 AM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 9:11:03 AM
Aroclor 1242	0.26	0.050		µg/L	1	4/1/2008 9:11:03 AM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 9:11:03 AM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 9:11:03 AM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 9:11:03 AM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Bromomethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Vinyl chloride	55	20		µg/L	2	4/2/2008 10:40:00 AM
Chloroethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Methylene chloride	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Acetone	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Carbon disulfide	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,1-Dichloroethene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,1-Dichloroethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
trans-1,2-Dichloroethene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
cis-1,2-Dichloroethene	280	20		µg/L	2	4/2/2008 10:40:00 AM
Chloroform	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,2-Dichloroethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
2-Butanone	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,1,1-Trichloroethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Carbon tetrachloride	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Bromodichloromethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-08XX-0801-XX
Collection Date: 3/28/2008
Lab Sample ID: 080328054-008
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
cis-1,3-Dichloropropene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Trichloroethene	22	20		µg/L	2	4/2/2008 10:40:00 AM
Dibromochloromethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,1,2-Trichloroethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Benzene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
trans-1,3-Dichloropropene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Bromoform	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
4-Methyl-2-pentanone	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
2-Hexanone	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Tetrachloroethene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,1,2,2-Tetrachloroethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Toluene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Chlorobenzene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Ethylbenzene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Styrene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
m,p-Xylene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
o-Xylene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Methyl tert-butyl ether	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Dichlorodifluoromethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Methyl Acetate	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Cyclohexane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Trichlorofluoromethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,2-Dibromoethane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,3-Dichlorobenzene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
Isopropylbenzene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,2-Dichlorobenzene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,4-Dichlorobenzene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,2-Dibromo-3-chloropropane	< 20	20		µg/L	2	4/2/2008 10:40:00 AM
1,2,4-Trichlorobenzene	< 20	20		µg/L	2	4/2/2008 10:40:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-08XX-0801-XD
Collection Date: 3/28/2008
Lab Sample ID: 080328054-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	281	1.0		umhos/cm		3/28/2008
Dissolved Oxygen	< 1	0.10		mg/L		3/28/2008
eH	-39.6			mV		3/28/2008
pH	6.7			S.U.		3/28/2008
Static Water Level	9.46			ft		3/28/2008
Temperature	9			deg C		3/28/2008
Turbidity	16	1.0		NTU		3/28/2008

POLYCHLORINATED BIPHENYLS SW8082 (Prep: E608 - 3/31/2008)

Analyst: KF

Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 9:44:16 AM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 9:44:16 AM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 9:44:16 AM
Aroclor 1242	0.37	0.050		µg/L	1	4/1/2008 9:44:16 AM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 9:44:16 AM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 9:44:16 AM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 9:44:16 AM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Bromomethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Vinyl chloride	71	20		µg/L	2	4/2/2008 11:03:00 AM
Chloroethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Methylene chloride	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Acetone	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Carbon disulfide	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,1-Dichloroethene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,1-Dichloroethane	9	20	J	µg/L	2	4/2/2008 11:03:00 AM
trans-1,2-Dichloroethene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
cis-1,2-Dichloroethene	370	20		µg/L	2	4/2/2008 11:03:00 AM
Chloroform	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,2-Dichloroethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
2-Butanone	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,1,1-Trichloroethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Carbon tetrachloride	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Bromodichloromethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: TMW-08XX-0801-XD
Collection Date: 3/28/2008
Lab Sample ID: 080328054-009
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
cis-1,3-Dichloropropene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Trichloroethene	26	20		µg/L	2	4/2/2008 11:03:00 AM
Dibromochloromethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,1,2-Trichloroethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Benzene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
trans-1,3-Dichloropropene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Bromoform	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
4-Methyl-2-pentanone	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
2-Hexanone	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Tetrachloroethene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,1,2,2-Tetrachloroethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Toluene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Chlorobenzene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Ethylbenzene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Styrene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
m,p-Xylene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
o-Xylene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Methyl tert-butyl ether	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Dichlorodifluoromethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Methyl Acetate	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Cyclohexane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Trichlorofluoromethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,2-Dibromoethane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,3-Dichlorobenzene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
Isopropylbenzene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,2-Dichlorobenzene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,4-Dichlorobenzene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,2-Dibromo-3-chloropropane	< 20	20		µg/L	2	4/2/2008 11:03:00 AM
1,2,4-Trichlorobenzene	< 20	20		µg/L	2	4/2/2008 11:03:00 AM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc
Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: SUMP 1
Collection Date: 3/28/2008
Lab Sample ID: 080328054-010
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/31/2008)						
Aroclor 1016	< 4.9	4.9		µg/L	100	4/1/2008 5:42:11 PM
Aroclor 1221	< 4.9	4.9		µg/L	100	4/1/2008 5:42:11 PM
Aroclor 1232	< 4.9	4.9		µg/L	100	4/1/2008 5:42:11 PM
Aroclor 1242	140	4.9		µg/L	100	4/1/2008 5:42:11 PM
Aroclor 1248	< 4.9	4.9		µg/L	100	4/1/2008 5:42:11 PM
Aroclor 1254	< 4.9	4.9		µg/L	100	4/1/2008 5:42:11 PM
Aroclor 1260	< 4.9	4.9		µg/L	100	4/1/2008 5:42:11 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Bromomethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Vinyl chloride	71	50		µg/L	5	4/2/2008 12:45:00 PM
Chloroethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Methylene chloride	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Acetone	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Carbon disulfide	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,1-Dichloroethene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,1-Dichloroethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
trans-1,2-Dichloroethene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
cis-1,2-Dichloroethene	680	50		µg/L	5	4/2/2008 12:45:00 PM
Chloroform	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,2-Dichloroethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
2-Butanone	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,1,1-Trichloroethane	20	50	J	µg/L	5	4/2/2008 12:45:00 PM
Carbon tetrachloride	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Bromodichloromethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,2-Dichloropropane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
cis-1,3-Dichloropropene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Trichloroethene	94	50		µg/L	5	4/2/2008 12:45:00 PM
Dibromochloromethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,1,2-Trichloroethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Benzene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
trans-1,3-Dichloropropene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Bromoform	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
4-Methyl-2-pentanone	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
2-Hexanone	< 50	50		µg/L	5	4/2/2008 12:45:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328054
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: SUMP 1
 Collection Date: 3/28/2008
 Lab Sample ID: 080328054-010
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Tetrachloroethene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,1,2,2-Tetrachloroethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Toluene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Chlorobenzene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Ethylbenzene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Styrene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
m,p-Xylene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
o-Xylene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Methyl tert-butyl ether	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Dichlorodifluoromethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Methyl Acetate	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Cyclohexane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Trichlorofluoromethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,2-Dibromoethane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,3-Dichlorobenzene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
Isopropylbenzene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,2-Dichlorobenzene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,4-Dichlorobenzene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,2-Dibromo-3-chloropropane	< 50	50		µg/L	5	4/2/2008 12:45:00 PM
1,2,4-Trichlorobenzene	< 50	50		µg/L	5	4/2/2008 12:45:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: SUMP 2
Collection Date: 3/28/2008
Lab Sample ID: 080328054-011
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/31/2008)						
Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 6:15:30 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 6:15:30 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 6:15:30 PM
Aroclor 1242	0.34	0.050		µg/L	1	4/1/2008 6:15:30 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 6:15:30 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 6:15:30 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 6:15:30 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Bromomethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Vinyl chloride	85	20		µg/L	2	4/2/2008 11:26:00 AM
Chloroethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Methylene chloride	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Acetone	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Carbon disulfide	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,1-Dichloroethene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,1-Dichloroethane	20	20	J	µg/L	2	4/2/2008 11:26:00 AM
trans-1,2-Dichloroethene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
cis-1,2-Dichloroethene	380	20		µg/L	2	4/2/2008 11:26:00 AM
Chloroform	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,2-Dichloroethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
2-Butanone	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,1,1-Trichloroethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Carbon tetrachloride	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Bromodichloromethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,2-Dichloropropane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
cis-1,3-Dichloropropene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Trichloroethene	73	20		µg/L	2	4/2/2008 11:26:00 AM
Dibromochloromethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,1,2-Trichloroethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Benzene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
trans-1,3-Dichloropropene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Bromoform	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
4-Methyl-2-pentanone	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
2-Hexanone	< 20	20		µg/L	2	4/2/2008 11:26:00 AM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: SUMP 2
Collection Date: 3/28/2008
Lab Sample ID: 080328054-011
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Tetrachloroethene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,1,2,2-Tetrachloroethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Toluene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Chlorobenzene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Ethylbenzene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Styrene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
m,p-Xylene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
o-Xylene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Methyl tert-butyl ether	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Dichlorodifluoromethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Methyl Acetate	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Cyclohexane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Trichlorofluoromethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,2-Dibromoethane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,3-Dichlorobenzene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
Isopropylbenzene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,2-Dichlorobenzene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,4-Dichlorobenzene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,2-Dibromo-3-chloropropane	< 20	20		µg/L	2	4/2/2008 11:26:00 AM
1,2,4-Trichlorobenzene	< 20	20		µg/L	2	4/2/2008 11:26:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
 Work Order: 080328054
 Reference: RHRL Monitoring /
 PO#:

Client Sample ID: SUMP 3
 Collection Date: 3/28/2008
 Lab Sample ID: 080328054-012
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/31/2008)						
Aroclor 1016	< 0.050	0.050		µg/L	1	4/1/2008 6:48:46 PM
Aroclor 1221	< 0.050	0.050		µg/L	1	4/1/2008 6:48:46 PM
Aroclor 1232	< 0.050	0.050		µg/L	1	4/1/2008 6:48:46 PM
Aroclor 1242	< 0.050	0.050		µg/L	1	4/1/2008 6:48:46 PM
Aroclor 1248	< 0.050	0.050		µg/L	1	4/1/2008 6:48:46 PM
Aroclor 1254	< 0.050	0.050		µg/L	1	4/1/2008 6:48:46 PM
Aroclor 1260	< 0.050	0.050		µg/L	1	4/1/2008 6:48:46 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Bromomethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Vinyl chloride	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Chloroethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Methylene chloride	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Acetone	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Carbon disulfide	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
cis-1,2-Dichloroethene	43	10		µg/L	1	4/1/2008 7:05:00 PM
Chloroform	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
2-Butanone	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Bromodichloromethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Trichloroethene	9	10	J	µg/L	1	4/1/2008 7:05:00 PM
Dibromochloromethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Benzene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Bromoform	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
2-Hexanone	< 10	10		µg/L	1	4/1/2008 7:05:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: SUMP 3
Collection Date: 3/28/2008
Lab Sample ID: 080328054-012
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Tetrachloroethene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Toluene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Chlorobenzene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Ethylbenzene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Styrene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
m,p-Xylene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
o-Xylene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Methyl Acetate	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Cyclohexane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
Isopropylbenzene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/1/2008 7:05:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	4/1/2008 7:05:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: Trip Blank Lot#C08A13
Collection Date: 3/27/2008
Lab Sample ID: 080328054-013
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Bromomethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Vinyl chloride	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Chloroethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Methylene chloride	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Acetone	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Carbon disulfide	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,1-Dichloroethene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,1-Dichloroethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
cis-1,2-Dichloroethene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Chloroform	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,2-Dichloroethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
2-Butanone	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Carbon tetrachloride	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Bromodichloromethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,2-Dichloropropane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Trichloroethene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Dibromochloromethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Benzene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Bromoform	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
2-Hexanone	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Tetrachloroethene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Toluene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Chlorobenzene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Ethylbenzene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Styrene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
m,p-Xylene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
o-Xylene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 10-Apr-08

CLIENT: JTM Associates
Work Order: 080328054
Reference: RHRL Monitoring /
PO#:

Client Sample ID: Trip Blank Lot#C08A13
Collection Date: 3/27/2008
Lab Sample ID: 080328054-013
Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methyl Acetate	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Cyclohexane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Trichlorofluoromethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,2-Dibromoethane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
Isopropylbenzene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/1/2008 7:29:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	1	4/1/2008 7:29:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>Jim Assoc</u>		Address:	
Send Report To: <u>Jim Michen</u>		Project Name (Location): <u>RHEL Monitoring</u>	Samplers: (Names): <u>Michael Wilsey</u>
Client Phone No:	Client Fax No:	PO Number:	Samplers: (Signature): <u>[Signature]</u>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
001	XRH-07SX-0801-XX	3/27/08	459	(A) P		X	3	(PCB(8082) TCL8260 Full
002	XRH-07DX-0801-XX	3/28/08	747	(A) P		X	3	
003	TMW-01XX-0801-XX	3/27/08	1135	(A) P		X	3	
004	SSC-01XX-0801-XX	3/27/08	220	(A) P		X	3	
005	SSC-02XX-0801-XX	3/27/08	244	(A) P		X	3	
006	SSC-03XX-0801-XX	3/27/08	500	(A) P		X	3	
007	SSC-04XX-0801-XX	3/28/08	909	(A) P		X	3	
008	TMW-08XX-0801-XX	3/28/08	1034	(A) P		X	3	
009	TMW-08XX-0801-XX	3/28/08	1034	(A) P		X	3	
010	Sump 1	3/28/08	1110	(A) P		X	3	PCB(8082) TCL8260
011	Sump 2	3/28/08	1102	(A) P		X	3	
012	Sump 3	3/28/08	1055	(A) P		X	3	
013	Trip Blank Lot # C08A13	3/27/08	-	(A) P	WA		1	TCL8260

AES Work Order #: <u>080328054</u>		CC Report To / Special Instructions/Remarks: <u>Field, pH, Temp, SOL, SC, D.O, ORP, Turbidity</u> <u>5 DAY EDD EXCEL FORMAT</u> <u>CC DATA CARTRIDGES (036)</u>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <u>CLD</u>			
Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature)	Date/Time	
Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received for Laboratory by: <u>J. Michael</u>	Date/Time <u>3/28/08 2:32 P.m.</u>	
TEMPERATURE Ambient <u>20C</u> or Chilled	PROPERLY PRESERVED ☒ Y ☐ N	RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N	
Notes:	Notes:	Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

July 21, 2008

Jim Mickam
JTM Associates
290 Elwood Davis Drive
Liverpool, NY 13088

Work Order No: 080721001

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: RHRL Monitoring

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 2 samples on 7/21/2008 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Jul-08

CLIENT: JTM Associates
Work Order: 080721001
Reference: RHRL Monitoring /
PO#:

Client Sample ID: New Dimatos Well
Collection Date: 7/17/2008
Lab Sample ID: 080721001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Bromomethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Vinyl chloride	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Chloroethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Methylene chloride	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Acetone	< 5.0	5.0		µg/L	1	7/21/2008 10:52:00 AM
Carbon disulfide	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
cis-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Chloroform	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
2-Butanone	< 5.0	5.0		µg/L	1	7/21/2008 10:52:00 AM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Bromodichloromethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Trichloroethene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Dibromochloromethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Benzene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Bromoform	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	7/21/2008 10:52:00 AM
2-Hexanone	< 5.0	5.0		µg/L	1	7/21/2008 10:52:00 AM
Tetrachloroethene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Toluene	3.2	0.5		µg/L	1	7/21/2008 10:52:00 AM
Chlorobenzene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Ethylbenzene	0.7	0.5		µg/L	1	7/21/2008 10:52:00 AM
Styrene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
m,p-Xylene	0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Methyl Acetate	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Jul-08

CLIENT: JTM Associates
Work Order: 080721001
Reference: RHRL Monitoring /
PO#:

Client Sample ID: New Dimatos Well
Collection Date: 7/17/2008
Lab Sample ID: 080721001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Cyclohexane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	7/21/2008 10:52:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Jul-08

CLIENT: JTM Associates
Work Order: 080721001
Reference: RHRL Monitoring /
PO#:

Client Sample ID: RH-10I
Collection Date: 7/18/2008
Lab Sample ID: 080721001-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Bromomethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Vinyl chloride	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Chloroethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Methylene chloride	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Acetone	< 5.0	5.0		µg/L	1	7/21/2008 11:17:00 AM
Carbon disulfide	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
cis-1,2-Dichloroethene	7.1	0.5		µg/L	1	7/21/2008 11:17:00 AM
Chloroform	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
2-Butanone	< 5.0	5.0		µg/L	1	7/21/2008 11:17:00 AM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Bromodichloromethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Trichloroethene	2.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Dibromochloromethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Benzene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Bromoform	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	7/21/2008 11:17:00 AM
2-Hexanone	< 5.0	5.0		µg/L	1	7/21/2008 11:17:00 AM
Tetrachloroethene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Toluene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Chlorobenzene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Ethylbenzene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Styrene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Methyl Acetate	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Jul-08

CLIENT: JTM Associates
Work Order: 080721001
Reference: RHRL Monitoring /
PO#:

Client Sample ID: RH-10I
Collection Date: 7/18/2008
Lab Sample ID: 080721001-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Cyclohexane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	7/21/2008 11:17:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

AES Work Order #

080721001

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>JTM Assoc</i>		Address:						
Send Report To:		Project Name (Location) <i>RHRL</i>			Samplers: (Names) <i>Nathan Krane</i>			
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature) <i>Nathan Krane</i>		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix	Comp	Grab	Number of Cont's	Analysis Required
001	NEW DIMATOS WELL	7/17/08	1340	A P Water		X	2	8260
002	RH-101	7/18/08	1305	A P Water		X	2	8260
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				

Shipment Arrived Via: ☒ FedEx ☐ UPS ☐ Client ☐ AES ☐ Other: _____		CC Report To / Special Instructions/Remarks: <i>EPA 8260 - Report to Drinking Water MCL</i>	
Turnaround Time Request: <i>SAME DAY</i> ☐ 1 Day ☐ 3 Day ☐ Normal ☐ 2 Day ☐ 5 Day			
Relinquished by: (Signature) <i>Nathan Krane</i>		Received by: (Signature) <i>J. Michael</i>	
Relinquished by: (Signature)		Received by: (Signature)	
Relinquished by: (Signature)		Received for Laboratory by:	
		Date/Time <i>7/18/08 1615</i>	
		Date/Time <i>7/21/08 7:54 AM</i>	
TEMPERATURE Ambient ☒ or ☒ Chilled		PROPERLY PRESERVED ☒ Y ☐ N	
Notes: _____		Notes: _____	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

August 01, 2008

Jim Mickam
JTM Associates
290 Elwood Davis Drive
Liverpool, NY 13088

Work Order No: 080730006

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: RHRL Monitoring

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 3 samples on 7/30/2008 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709

AIHA#: 100307

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Aug-08

CLIENT: JTM Associates
Work Order: 080730006
Reference: RHRL Monitoring /
PO#:

Client Sample ID: RH-12D
Collection Date: 7/29/2008
Lab Sample ID: 080730006-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	1.9	0.5		µg/L	1	7/31/2008 2:02:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Acetone	< 5.0	5.0		µg/L	1	7/31/2008 2:02:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
cis-1,2-Dichloroethene	6.2	0.5		µg/L	1	7/31/2008 2:02:00 PM
Chloroform	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	7/31/2008 2:02:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Trichloroethene	3.1	0.5		µg/L	1	7/31/2008 2:02:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Benzene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Bromoform	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	7/31/2008 2:02:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	7/31/2008 2:02:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Toluene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Styrene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Aug-08

CLIENT: JTM Associates
Work Order: 080730006
Reference: RHRL Monitoring /
PO#:

Client Sample ID: RH-12D
Collection Date: 7/29/2008
Lab Sample ID: 080730006-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	7/31/2008 2:02:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Aug-08

CLIENT: JTM Associates
Work Order: 080730006
Reference: RHRL Monitoring /
PO#:

Client Sample ID: RW-0S
Collection Date: 7/29/2008
Lab Sample ID: 080730006-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Bromomethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Vinyl chloride	31	10		µg/L	20	7/31/2008 3:14:00 PM
Chloroethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Methylene chloride	37	10		µg/L	20	7/31/2008 3:14:00 PM
Acetone	< 100	100		µg/L	20	7/31/2008 3:14:00 PM
Carbon disulfide	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,1-Dichloroethene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,1-Dichloroethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
cis-1,2-Dichloroethene	450	10		µg/L	20	7/31/2008 3:14:00 PM
Chloroform	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,2-Dichloroethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
2-Butanone	< 100	100		µg/L	20	7/31/2008 3:14:00 PM
1,1,1-Trichloroethane	11	10		µg/L	20	7/31/2008 3:14:00 PM
Carbon tetrachloride	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Bromodichloromethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,2-Dichloropropane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Trichloroethene	39	10		µg/L	20	7/31/2008 3:14:00 PM
Dibromochloromethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Benzene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Bromoform	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
4-Methyl-2-pentanone	< 100	100		µg/L	20	7/31/2008 3:14:00 PM
2-Hexanone	< 100	100		µg/L	20	7/31/2008 3:14:00 PM
Tetrachloroethene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Toluene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Chlorobenzene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Ethylbenzene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Styrene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
m,p-Xylene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
o-Xylene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Methyl Acetate	< 10	10		µg/L	20	7/31/2008 3:14:00 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Aug-08

CLIENT: JTM Associates
Work Order: 080730006
Reference: RHRL Monitoring /
PO#:

Client Sample ID: RW-0S
Collection Date: 7/29/2008
Lab Sample ID: 080730006-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Cyclohexane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Trichlorofluoromethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,2-Dibromoethane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
Isopropylbenzene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	20	7/31/2008 3:14:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	20	7/31/2008 3:14:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Aug-08

CLIENT: JTM Associates
Work Order: 080730006
Reference: RHRL Monitoring /
PO#:

Client Sample ID: Trip Blank
Collection Date: 7/29/2008
Lab Sample ID: 080730006-003
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Acetone	< 5.0	5.0		µg/L	1	7/31/2008 4:54:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
cis-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Chloroform	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	7/31/2008 4:54:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Benzene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Bromoform	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	7/31/2008 4:54:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	7/31/2008 4:54:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Toluene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Styrene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc
E - Value above quantitation range

Adirondack Environmental Services, Inc**Date:** 01-Aug-08

CLIENT: JTM Associates
Work Order: 080730006
Reference: RHRL Monitoring /
PO#:

Client Sample ID: Trip Blank
Collection Date: 7/29/2008
Lab Sample ID: 080730006-003
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	7/31/2008 4:54:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



CHAIN OF CUSTODY RECORD

AES Work Order #

ES Work Order # 080729004

A full service analytical research laboratory offering solutions to environmental concerns

[illegible]

Shipment Arrived Via: ☒ FedEx ☐ UPS ☐ Client ☐ AES Other: _____		CC Report To / Special Instructions/Remarks: Dave Carnevale (O'Brien & Gere) Det. Limit must be dw mcl	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☐ Normal ☐ 2 Day ☒ 5 Day			
Relinquished by: (Signature) 7-29-08/1500		Received by: (Signature) _____ Date/Time _____	
Relinquished by: (Signature) _____		Received by: (Signature) _____ Date/Time _____	
Relinquished by: (Signature) _____		Received for Laboratory by: J. Wheeler Date/Time 7/29/08 8:5	
TEMPERATURE Ambient or ☒ Chilled Notes:		PROPERLY PRESERVED ☒ Y ☐ N Notes: _____	
		RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N Notes: _____	

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.




314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.






CHAIN OF CUSTODY RECORD

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>ITC Assoc.</i>		Address:	
Send Report To:		Project Name (Location) <i>RHCL Monitoring</i>	Samplers: (Names) <i>Michael Wilson</i>
Client Phone No:	Client Fax No:	PO Number:	Samplers: (Signature) <i>[Signature]</i>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
001	XRH - 02XX - 0801 - XX	3/24/08	1250	(P) GW		X	11	PCB (EPA 8082)
				A				
				P				TEL EPA 8260
				A				
				P				BOD, COD, TOC,
				A				
				P				Nitrate, Sulfate, Fe,
				A				
				P				Mn, Mg, Ca, K, Na,
				A				
				P				Diss Mn, Alkalinity
				A				
				P				CO ₂ , Methane,
				A				
				P				Ethanol, Ether, + Field
002	XRH - 03XX - 0801 - XX	3/24/08	230	(P) GW		X	11	
				A				
003	XRH - 04XX - 0801 - XX	3/24/08	350	(P) GW		X	11	
				A				
004	XRH - 04DX - 0801 - XX	3/24/08	550	(P) GW		X	11	
				A				
005	TMW - 07XX - 0801 - XX	3/25/08	852	(P) GW		X	9	PCB (8082) TEL 8260,
				A				
				P				Route 93 Scan + Field
				A				
006	TMW - 07XX - 0801 - XD	3/25/08	852	(P) GW		X	9	
				A				
				P				

AES Work Order #: 080325040		CC Report To / Special Instructions/Remarks: CC DAVID CARNALLO EDD to CarnalDTEntg.com Field pH, Temp, Sal, Spec Cond, ORP, Turbidity, DO, Sil Ferrous Fe EDD EXCEL FORMAT 5 DAY TAT	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☒ 5 Day <i>CP</i> →			
Relinquished by: (Signature) 		Received by: (Signature) 	
		Date/Time 3-25-08@1250	
Relinquished by: (Signature) 		Received by: (Signature) 	
		Date/Time 3-25-08@4:00PM	
Relinquished by: (Signature) 		Received for Laboratory by: 	
		Date/Time 3/25/08 4:08PM	
TEMPERATURE Ambient or Chilled Notes: 20C (20)		PROPERLY PRESERVED (Y) N Notes:	
		RECEIVED WITHIN HOLDING TIMES (Y) N Notes:	

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181 ✓

2/3



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>JTM Assoc.</u>		Address:						
Send Report To: <u>Jim Michem</u>		Project Name (Location): <u>RHEL Monitoring</u>	Samplers: (Names): <u>Michael Wilsey</u>					
Client Phone No:	Client Fax No:	PO Number:	Samplers: (Signature): <u>[Signature]</u>					
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
007	XEH-08SX-0801-XX	3/25/08		A P	BC	X	11	PCB (EPA 8282) TCL EPA 8260 BOD, COD, TOC, Nitrate Sulfate, Fe, Mn, Mg, Co, K, Na, Diss Mn, Alkalinity, CO ₂ Methan, Ethanol, Ethanol, Field
008	XEH-08DX-0801-XX	3/25/08	1230	A P	KG	X	33	↓
009	Trip Bank Lot # 7-338-01 7-338-002 (RA)	3/24/08	-	A P	WA	-	1	TCL EPA 8260
				A P				
				A P				
				A P				
				A P				
				A P				

AES Work Order #: <u>080325040</u>		CC Report To / Special Instructions/Remarks: <u>XEH-08DX-0801-XX EXTRA VOLUME INCLUDED FOR MS/MSD</u> <u>EDD 5 DAY ETEL FORMAT</u>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <u>Ac</u>			
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature) <u>[Signature]</u>	Date/Time <u>3-25-08@1250</u>
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature)	Date/Time <u>3-25-08@4:00pm</u>
Relinquished by: (Signature)		Received for Laboratory by: <u>A. Mepster</u>	Date/Time <u>3/25/08 4:10pm</u>
TEMPERATURE Ambient ☒ Chilled ☐ Notes: <u>2°C (RA)</u>		PROPERLY PRESERVED ☒ Y ☐ N Notes:	
		RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



Experience is the solution

314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>JTM Assoc.</i>		Address:						
Send Report To: <i>Jim Mickem</i>		Project Name (Location): <i>RHRL Monitoring</i>			Samplers: (Names) <i>Michael Wilsey</i>			
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature) <i>[Signature]</i>		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A-a.m. P-p.m.	Sample Type Matrix	Comp	Grab	Number of Cont's	Analysis Required
<i>010</i>	<i>Dimatos</i>	<i>8/24/08</i>	<i>3:55</i>	<i>A</i>			<i>6</i>	<i>TELEPA 8260</i>
<i>011</i>	<i>Haynes</i>	<i>8/24/08</i>	<i>4:25</i>	<i>A</i>			<i>2</i>	
<i>012</i>	<i>Haynes Duplicate</i>	<i>8/24/08</i>	<i>4:25</i>	<i>A</i>			<i>2</i>	
<i>013</i>	<i>Trip Blank Lot # 7-284-01</i>	<i>8/24/08</i>	<i>—</i>	<i>A</i>			<i>1</i>	
	<i>7-338-002</i>			<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				


AES Work Order #: <i>080325040</i>		CC Report To / Special Instructions/Remarks: <i>Report to drinking water detection limits.</i>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal <i>CLP</i>		<i>EDD EXCEL FORMAT 5 DAY TAT CC DAVIS CEN-425 (080)</i> <i>Dimatos includes volume for MS/MSD</i>	
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>Bob Yantler</i>	Date/Time <i>3-25-08 @ 1250</i>	
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature)	Date/Time <i>3-25-08 @ 400 PM</i>	
Relinquished by: (Signature)	Received for Laboratory by: <i>A. Melsch</i>	Date/Time <i>3/25/08 4:07 PM</i>	
TEMPERATURE Ambient ☒ or Chilled ☐ Notes: <i>20°C</i>		PROPERLY PRESERVED ☒ Y ☐ N Notes:	
		RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>Jim Assoc</u>		Address:					
Send Report To: <u>Jim Michen</u>		Project Name (Location): <u>RHEL Monitoring</u>		Samplers: (Names) <u>Michael Wilsey</u>			
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature) <u>[Signature]</u>	

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required	
				Matrix	Comp	Grab			
001	XRH-07SX-0801-XX	3/27/08	459	A P	W	X	3	PCB(8082) TCL8260 Full	
002	XRH-07DX-0801-XX	3/28/08	747	A P	W	X	3	↓	
003	TMW-01XX-0801-XX	3/27/08	1135	A P	W	X	3		
004	SSC-01XX-0801-XX	3/27/08	1220	A P	W	X	3		
005	SSC-02XX-0801-XX	3/27/08	244	A P	W	X	3		
006	SSC-03XX-0801-XX	3/27/08	500	A P	W	X	3		
007	SSC-04XX-0801-XX	3/28/08	909	A P	W	X	3		
008	TMW-08XX-0801-XX	3/28/08	1034	A P	W	X	3		
009	TMW-08XX-0801-XX	3/28/08	1034	A P	W	X	3		
010	Sump 1	3/28/08	1110	A P	W	X	3		PCB(8082)/TCL8260
011	Sump 2	3/28/08	1102	A P	W	X	3		↓
012	Sump 3	3/28/08	1055	A P	W	X	3		
013	Trip Blank Lot # 008A13	3/27/08	-	A P	W	X	1		

AES Work Order #: <u>080328054</u>		CC Report To / Special Instructions/Remarks: <u>Field, pH, Temp, SOL, SC, D.O, ORP, Turbidity</u> <u>5 DAY EDD EXCEL FORMAT</u> <u>CC DATA CARTRIDGES (036)</u>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <u>CLD</u>			
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature) <u>[Signature]</u>	
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature) <u>[Signature]</u>	
Relinquished by: (Signature) <u>[Signature]</u>		Received for Laboratory by: <u>J. Michael</u>	
Date/Time <u>3/28/08 2:32 P.m.</u>			
TEMPERATURE Ambient or Chilled <u>20C</u>		PROPERLY PRESERVED ☒ Y ☐ N	
Notes:		RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N	
Notes:		Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>Jim Assoc</i>		Address:							
Send Report To: <i>Jim Michen</i>		Project Name (Location): <i>ERL Monday MWA</i>			Samplers: (Names): <i>Michael Witey</i>				
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature): <i>[Signature]</i>			
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required	
				Matrix	Comp	Grab			
001	TMW-01XX-0801-XX	3/27/08	1135	A			X	8	BoD, COD, TOC, Chloride, T. Fe, Mn, Mg, Ca, K, Na, Diss Mn, Nitrate, Sulfate, Alkalinity, CO ₂ , Muthen, Ethanol, Ethanol Field
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
002	SSC-01XX-0801-XX	3/27/08	200	P					
003	SSC-03XX-0801-XX	3/27/08	500	P					
004	TMW-08XX-0801-XX	3/28/08	1034	P					
005	TMW-08XX-0801-AD	3/28/08	1034	P					
				A					
				P					
				A					
				P					
				A					
				P					

AES Work Order #: <i>080328 053</i>		CC Report To / Special Instructions/Remarks: <i>Field, pH, Temp, SC, Turbidity, ORP, SOL, Ferric Fe, D.O. 5 DAY EDD EXCEL FORMAT CC DAVIS CARNOVALE (OBG)</i>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☐ Normal ☐ 2 Day ☒ 5 Day			
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature) <i>[Signature]</i>	
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature) <i>[Signature]</i>	
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by: <i>[Signature]</i>	
		Date/Time <i>3/28/08 2:34 PM</i>	
TEMPERATURE Ambient or Chilled Notes: <i>20C</i>		PROPERLY PRESERVED ☒ Y ☐ N Notes:	
		RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

5018



Experience is the solution

314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>JIM ASSOC</u>		Address:							
Send Report To: <u>Jim Micken</u>		Project Name (Location): <u>RHEL Monitoring MDA</u>			Samplers: (Names) <u>Michael Wilsey</u>				
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature) <u>[Signature]</u>			
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required	
				Matrix	Comp	Grab			
001	XRH-06SX-0801-XX	3/26/08	235	A	C		X	8	BOD, COD, TOC, Nitrate, ✓
				A					Sulfate, Fe, Mn, Mg, ✓
				P					Ca, K, Na, Diss Mn, ✓
				A					Alkalinity, CO ₂ , ✓
				P					Methan, Ethanol, Ethyl ✓
002	XRH-06SX-0801-XX	3/26/08	235	A	C		X	8	↓ ✓
003	XRH-06DX-0801-XX	3/26/08	127	A	C		X	8	↓ ✓
	XRH-06SX-0801-XX	3/25/08	1010	A	C		X	8	ROA ?
	XRH-06DX-0801-XX	3/23/08	1210	A	C		X	8	ROA ?
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					

AES Work Order #: <u>080327043</u>		CC Report To / Special Instructions/Remarks: <u>NOT CLP</u> <u>EDD EXCEL FORMAT 5 DAY TAT</u> <u>CC DAVE CARNAVALE (ORC)</u>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☒ 5 Day			
Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature) <u>[Signature]</u>	Date/Time <u>3-27-08 @ 1253</u>	
Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature) <u>[Signature]</u>	Date/Time <u>3-27 @ 4:30 PM</u>	
Relinquished by: (Signature) <u>[Signature]</u>	Received for Laboratory by: <u>[Signature]</u>	Date/Time <u>3/27/08 4:45 PM</u>	
TEMPERATURE Ambient or <u>Chilled</u>	PROPERLY PRESERVED Y N	RECEIVED WITHIN HOLDING TIMES Y N	
Notes: <u>2</u>	Notes:	Notes:	


WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

AES Work Order #

080327050

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>JTM Assoc.</i>		Address:	
Send Report To: <i>Jim Michem</i>		Project Name (Location): <i>PHRL Monitoring</i>	
Client Phone No:		Client Fax No:	
PO Number:		Samplers: (Names) <i>Michael Wilkey</i>	
Samplers: (Signature)			

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix	Grab	Number of Cont's	Analysis Required
001	TMW-06XX-0801-XX	3/26/08	815	A P GW	X	9	Routine '93 Scan PLB 64 EPA 8082 TCL EPA 8260 + Field
002	TMW-05XX-0801-XX	3/26/08	946	A P GW	X	9	↓
003	XRH-05SX-0801-XX	3/26/08	917	A P GW	X	3	PCB(8082) TCL EPA 8260 + Field
004	XRH-05DX-0801-XX	3/25/08	454	A P GW	X	3	↓
005	TMW-04XX-0801-XX	3/26/08	1144	A P GW	X	9	Routine '93 Scan PCB(8082) TCL EPA 8260 + Field
006	XRH-06SX-0801-XX	3/26/08	235	A P GW	X	3	PCB, TCL 8260, Field
007	XRH-06SX-0801-XX	3/26/08	235	A P GW	X	3	↓
008	XRH-06DX-0801-XX	3/26/08	127	A P GW	X	3	↓

Shipment Arrived Via: FedEx UPS Client ☒ AES Other:	CC Report To / Special Instructions/Remarks: <i>Field pH, Temp, Spec Cond, ORP, D.O., Turbidity, SWL</i>
---	---

Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day	<i>5 DAY EDD EXCEL FORMAT</i> <i>CC: DAVE CARBUALE (OBC)</i>
--	---

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date/Time <i>3-27-08 @ 1253</i>
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date/Time <i>3-27 @ 4:30 PM</i>
Relinquished by: (Signature)	Received for Laboratory by: <i>[Signature]</i>	Date/Time <i>3/27/08 4:45 PM</i>

TEMPERATURE Ambient or ☒ Chilled Notes: <i>2</i>	PROPERLY PRESERVED ☒ Y ☐ N Notes:	RECEIVED WITHIN HOLDING TIMES ☒ Y ☐ N Notes:
---	--	---

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

50181



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

2/2

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>Jim Assoc.</u>		Address:	
Send Report To: <u>Jim Mickem</u>		Project Name (Location): <u>RIEL Monitoring</u>	
Client Phone No:		Client Fax No:	
PO Number:		Samplers: (Names) <u>Michael Wilsey</u>	
Samplers: (Signature) <u>[Signature]</u>			

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
009	TMD-03XX-0801-XX	3/26/08	333	A	GW	X	9	Route 93 Sec
				A				PCB/TCL8240/Field
010	TMD-02XX-0801-XX	3/26/08	437	A	GW	X	27	↓
010	XRH-08SX-0801-XX	3/25/08	100	A	GW	X	27	PCB/TCL8240/Field
010	XRH-08DX-0801-XX	3/25/08	120	A	GW	X	27	↓
011	Trip Blank Lot #7-338-002	3/25/08	-	A	UA	-	1	TCL EPA 8260
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				

AES Work Order #: <u>080327050</u>		CC Report To / Special Instructions/Remarks: <u>TMD-02XX-0801-XX INCLUDED W/L FOR MS/MSD</u> <u>5 DAY EDD EXCEL</u> <u>CL DAVE CARNEVALE (OBC)</u>	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day <u>CLP</u>			
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature) <u>[Signature]</u>	
Relinquished by: (Signature) <u>[Signature]</u>		Received by: (Signature) <u>[Signature]</u>	
Relinquished by: (Signature)		Received for Laboratory by: <u>[Signature]</u>	
		Date/Time <u>3-27-08 @ 12:53</u>	
		Date/Time <u>3-27-08 @ 4:30 pm</u>	
		Date/Time <u>3/27/08 4:45 pm</u>	
TEMPERATURE Ambient or <u>Chilled</u> <u>2</u>		PROPERLY PRESERVED <u>Y</u> N	
RECEIVED WITHIN HOLDING TIMES <u>Y</u> N			
Notes:		Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.