

May 2, 2011

John Strang, P.E.
New York State Department of Environmental Conservation
Division of Environmental Remediation
1130 N. Westcott Road
Schenectady, New York 12306-2014

Re: Amphenol Corporation
Boiler Room Site

(413013)

Periodic Review Report

Dear Mr. Strang:

The materials provided herein are submitted in compliance with the request in your letter dated February 18, 2011 for a Periodic Review Report (PRR) for the reference site. More specifically, these materials include:

- Boiler Room site – 3rd Quarter 2009 Ground Water Monitoring Report
- Institutional and Engineering Control Certification Form

The included ground water monitoring report provides the information requested in the periodic review report guidelines provided with your request including a discussion of the site overview, the most recently semi-annual ground water monitoring data collected consistent with the approved ground water monitoring plan and an evaluation of the remedy performance. In addition to this report, monthly reports and quarterly reports, as required by the monitoring plan, are also routinely submitted which summarize remedial system operational data. In effect, we believe, these regular submittals provide frequent PRRs.

As requested, the Institutional and Engineer Control Certification Form has been executed and is enclosed. Amphenol self performs all operation and maintenance tasks given the remedial system is located on the Amphenol manufacturing facility property and is inspected daily.

Should additional information be necessary, please do not hesitate to contact me or Joe Bianchi at Amphenol Corporation

Respectfully,
JTM Associates, LLC

James T. Mickam, PG

Cc: Joseph M. Bianchi – Amphenol

Enclosures



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form



Site Details

Box 1

Site No. 413013

Site Name Boller Room Area (Amphenol)

Site Address: 40-60 Delaware Street Zip Code: 13838
City/Town: Sidney
County: Delaware
Site Acreage: 1.0

Reporting Period: August 16, 2008 to April 01, 2011

1. Is the information above correct?

YES NO



If NO, include handwritten above or on a separate sheet.

2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?



3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?



4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?



If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.

5. Is the site currently undergoing development?



Box 2

YES NO

6. Is the current site use consistent with the use(s) listed below?
Industrial

7. Are all ICs/ECs in place and functioning as designed?



IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and
DO NOT COMPLETE THE REST OF THIS FORM.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

4-29-11

SITE NO. 413013

Box 3

Description of Institutional Controls

Parcel

Owner

Institutional Control

Box 4

Description of Engineering Controls

Parcel

Engineering Control

115.15-8-2

Pump & Treat

Control Description for Site No. 413013

Parcel:

Parcel: 115.15-8-2

Based upon the results of the Remedial Investigation / Focused Feasibility Study for Boiler Room Area (Amphenol) and the criteria identified for evaluation of alternatives, the NYSDEC has selected No Further Action beyond the continued operation of the pump and treat system (Engineering Control). The components of the remedy are as follows:

- 1) Continued operation of the site groundwater removal and treatment system until groundwater standards in the aquifer are achieved.
- 2) Periodic monitoring, sampling, and inspection to ensure the continued effectiveness of the ongoing remedial action.

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

- a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;
- b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒ ☐

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:


- (a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;
- (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;
- (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;
- (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and
- (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and
DO NOT COMPLETE THE REST OF THIS FORM.**

A Corrective Measures Work Plan must be submitted along with this form to address these issues.



Signature of Owner, Remedial Party or Designated Representative

4-29-11

Date

IC CERTIFICATIONS
SITE NO. 413013

Box 6


SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 2 and/or 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I JOSEPH M. BIANCHI at AMPHENOL AEROSPACE
40-60 DELAWARE AVE
SIDNEY NY 13838
print name print business address

am certifying as AMPHENOL REPRESENTATIVE (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

 4-29-11
Signature of Owner or Remedial Party Rendering Certification Date

IC/EC CERTIFICATIONS

Box 7

Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I JAMES T. MICKAM at JTM ASSOCIATES LLC
290 ELWOOD DAVIS RD; SUITE 290
LIVERPOOL, NY 13088
print name print business address

am certifying as a Qualified Environmental Professional for the AMPHENOL AEROSPACE
(Owner or Remedial Party)

 4/29/11
Signature of Qualified Environmental Professional, for Stamp Date
the Owner or Remedial Party, Rendering Certification (Required for PE)

**Boiler Room Site
Ground Water Monitoring Report
3rd Quarter 2010**

**Amphenol Corporation
Sidney, New York**

April 29, 2011

Mr. Joseph Bianchi
Manager, Environmental
Amphenol Corporation
40-60 Delaware Avenue
Sidney, New York 13838-1395

Re: Boiler Room Site
3rd Quarter 2010 Monitoring Report

Dear Mr. Bianchi:


The attached materials present the third quarter 2010 ground water monitoring report for the Boiler Room site. More specifically the following is provided:

- Discussion regarding the ground water recovery operation and local ground water flow patterns.
- Tables summarizing recovery system operational data and ground water elevation data.
- Historical trend plots of remedial system performance data.
- Ground water flow direction map
- Semi-annual ground water quality sampling results

The remedial system continues to operate as designed, collecting contaminated ground water and mitigating off-site impacts.

Should questions arise regarding any of the enclosed materials, please do not hesitate to contact us.

Very truly yours,
JTM ASSOCIATES, LLC



James T. Mickam, PG
President

Introduction

Amphenol Corporation manufactures a variety of electrical connectors at its facility in Sidney, New York. Several different business entities have used this site for industrial manufacturing since the early 1900s.

In some areas of the site, chlorinated volatile organic compounds (VOCs), primarily Trichloroethylene, Tetrachloroethylene, and their associated degradation products, have affected the quality of the on-site shallow ground water. To mitigate these impacts, Amphenol operates two ground water recovery and treatment systems at the facility. One of these systems is located in an area of the plant referred to as the Boiler Room site. This report presents remedial system operational, ground water elevation and ground water analytical monitoring data collected in the third calendar quarter of 2010 for the Boiler Room site.

Background information

Figure 1 depicts the Boiler Room site area relative to the Amphenol plant. In November 1984, an underground storage tank located adjacent to the boiler room was removed. This tank had been used to contain waste oil from various manufacturing operations. During the tank removal, soil surrounding the tank was found to be contaminated. This prompted additional subsurface soil and ground water investigations in this area of the plant.

Between January 1985 and February 1995 several phases of remedial investigations were completed. The purpose of these studies was to evaluate the extent of ground water impacts along the northeast side of the plant and identify appropriate remedial measures to mitigate further off site transport of contaminated ground water. These objectives were defined in an Administrative

Order on Consent (AOC file #R-4-0539-88-02) executed between the New York State Department of Environmental Conservation (NYSDEC) and Amphenol.

In April 1996, as part of a pre-design study associated with a proposed interim remedial measure (IRM) for the Boiler Room site, a test ground water recovery well and treatment system was constructed. The recovery well, initially designated PRW-3 and now labeled RW-Center (Figure 1), was designed to capture shallow ground water and was located in the area where the highest concentrations of contaminants have been detected. This test recovery well was installed to evaluate the ability of a pump and treat system to minimize off site migration of contaminated ground water. The treatment system consisted of a shallow tray air stripper with its effluent discharged to an existing storm water outfall. This approach proved successful and subsequently, two additional recovery wells, designated RW-West and RW-East (Figure 1) were installed to improve the contaminant capture capability of the remedial system. These wells became operational in mid-February 1999.

Remedial system monitoring program

Consistent with the AOC, a variety of monitoring activities are completed routinely to evaluate the performance of the ground water remedial system and assess the improvement in the local ground water chemistry. Monitoring activities were initiated as an element of the IRMs that established the ground water remedial system.

In August 1999, Amphenol proposed a post IRM ground water monitoring program for the Boiler Room site. The proposed program included three primary elements as follows:

- Monthly sampling, analysis, and reporting of recovery well influent and

treatment system effluent chemistry, recovered ground water volume, and an estimation of the mass of volatile organic compounds (VOCs) recovered

- Quarterly reporting of ground water elevation measurements at select monitoring wells, an assessment of local ground water flow patterns, and a summary of remedial system operational data
- Annual ground water quality sampling and analysis of select monitoring wells and submittal of an annual summary report

The NYSDEC approved the proposed ground water monitoring program in correspondence dated September 9, 1999. The results of the monitoring program for the third calendar year quarter 2010 are discussed below.

Monitoring program results

Ground water collection and treatment system

Each recovery well is sampled monthly and analyzed for volatile organic compounds (VOCs) using U.S. EPA method 601 and 602. Additionally, the total discharge for each recovery well is recorded. Using the sum of the discharge from each recovery well and the arithmetic mean of the total VOCs concentrations reported for each recovery well influent, the total contaminant mass recovered by the ground water collection system has been estimated since remediation began. Beginning in January 2000, contaminant mass removal has also been estimated for each individual recovery well using their respective influent VOC concentrations and monthly flow. These values are then reported monthly to the NYSDEC.

On June 27 through June 30, 2006, severe flooding occurred throughout the Susquehanna River valley including the Village of Sidney. The flood event caused extensive damage to the Amphenol facility and, in turn, the Boiler Room

ground water remediation system. As a result, the ground water collection and treatment system was inoperable and required significant repairs. The repairs were completed in mid-August and the system was re-started in a manual operation mode around August 15, 2006. Between that time and the end of September 2006, several temporary shutdowns were necessary during periods when the system's instrumentation and controls were being replaced and upgraded.

Table 1 summarizes monthly flows, total contaminant mass removal, and contaminant removal rate since September 2006. Data collected earlier than this period are available in previously submitted quarterly reports. Data Plot 1 and 2 graphically illustrate the monthly and cumulative ground water recovery and contaminant mass removal for the last four years of system operation, respectively. Data Plot 3 depicts the contaminant mass removal rate for the same period. Data Plots 4 through 6 present histograms of three years of monthly total VOC concentration, total flow, and contaminant mass removals for the individual recovery wells. Data for individual recovery wells for periods earlier than September 2006 are presented in previously submitted quarterly reports.

Referring to Data Plot 1, in general, a direct relationship between the volume of ground water recovered and the mass of contaminants removed is apparent. That is, the larger (or smaller) the volume of ground water recovered, the more (or less) contaminant mass is removed. This is particularly well illustrated by the performance data for the period between December 2006 and June 2007.

Data Plot 2 depicts the cumulative contaminant mass removal and ground water recovered. Through September 2010, approximately 727 lbs. of volatile organic compounds (VOCs) have been removed from the nearly 155 million gallons of ground water recovered since the system began operation in August 1996.

Data Plot 3 trends the monthly contaminant removal rate per unit volume of ground water recovered. Since the system began operation, the removal rate has decreased from approximately 0.016 lbs. to between approximately 0.007 lbs. and 0.002 lbs. per 1000 gallons of ground water recovered. During the third quarter 2010, the mass removal rate averaged 0.0034 pounds per 1000 gallons. As illustrated in the data plot, this contaminant removal efficiency, which has averaged approximately 0.037 lbs. per 1000 gallons since the 2006 flood, is consistent with the system's performance the last several years.

Data Plots 4 through 6 graphically depict various data for the individual recovery wells. These plots are useful to assess the relative performance of each recovery well over time.

The concentration of total VOCs in the recovery well discharges is illustrated in Data Plot 4. During the third quarter 2010, the concentration of VOCs in the recovery wells was generally consistent with the historic trend. Concentrations of total VOCs (here defined as the sum of the concentrations of analytes detected using USEPA Methods 601 and 602) ranged between 465 ppb and 305 ppb. RW-East had the highest concentration of VOCs in July and August with RW-West being slightly greater in September.

Data Plots 5 and 6 illustrate the monthly discharge rate and contaminant mass removal of the individual recovery wells, respectively. Review of this chart indicates that beginning in early 2009, the east recovery well most often accounts for the majority of the total system flow and contaminant mass removal. This was also the case in all three months of the third quarter 2010.

Ground water flow patterns

Table 2 summarizes ground water elevation data collected since September 2007.

Data collected prior to this period is contained in previously submitted quarterly reports. Figure 1 illustrates a generalized ground water flow map of the area.

Ground water in the boiler room area occurs less than 20 feet below the ground surface under unconfined conditions. Ground water flow direction is due north toward the Susquehanna River, which serves as a regional ground water discharge boundary. The influencing hydraulic gradient when the ground water elevations were measured during the third quarter 2010 (September 22, 2010) was approximately 0.0008 ft/ft. This shallow gradient is reflective of the high permeability of the aquifer material and the efficient hydraulic connection between the Susquehanna and the shallow ground water.

Data plot 7 depicts a hydrograph for those wells where ground water elevations are recorded quarterly. In general, all wells fluctuate similarly from quarter to quarter suggesting ground water flow direction and hydraulic gradient varies little throughout the year. Ground water elevations in September 2010 were consistent with the historical trends.

Ground water contaminant distribution

In 2004, Amphenol voluntarily began to sample wells associated with the Boiler Room site twice annually instead of the annual frequency called for in the approved monitoring program. The additional sampling event was completed to compliment data being collected off-site to assess potential soil vapor intrusion issues off-site.

Table 3 summarizes VOC data for the wells included in the post IRM monitoring program. Figure 2 illustrates the total VOC concentration at the monitoring wells sampled during the 2010 semi-annual sampling event in September 2010. Data Plot 8 depicts the trend of total VOCs at several monitoring wells where historical

data are available.

Data Plot 8 illustrates the trend of total VOCs from shortly after the start of the system start to the September 2010 sampling. The concentrations reported for this sampling event were within the historic range of concentrations for all monitoring wells as reported for the previous sampling. Concentrations of TCE, PCE and Total VOCs at BR-20 continue to show the greatest variability from quarter to quarter. Concentrations of total VOCs at off-site monitoring wells BR-14 and BR-19 have a downward trend since about September 2005.

TABLES

Table 1
Amphenol Corporation
Boiler Room Remedial System
Mass Removal and Collection Volume Summary

Month	Mass Removed	Total Flow (gal)	Removal Rate (lbs/1000 gal)
Sep-06	1.24	419,869	0.0030
Oct-06	2.08	801,874	0.0026
Nov-06	2.80	864,382	0.0032
Dec-06	2.31	724,967	0.0032
Jan-07	7.25	1,841,256	0.0039
Feb-07	5.93	1,418,281	0.0042
Mar-07	7.15	1,569,634	0.0046
Apr-07	4.21	1,412,118	0.0030
May-07	2.61	1,279,315	0.0020
Jun-07	5.34	1,841,256	0.0029
Jul-07	5.05	1,164,591	0.0043
Aug-07	4.32	1,349,191	0.0032
Sep-07	3.35	1,222,215	0.0027
Oct-07	4.19	1,248,234	0.0034
Nov-07	7.56	1,140,236	0.0066
Dec-07	5.24	1,225,208	0.0043
Jan-08	7.00	1,248,477	0.0056
Feb-08	4.09	1,028,355	0.0040
Mar-08	3.40	1,133,600	0.0030
Apr-08	2.91	1,018,020	0.0029
May-08	3.19	803,139	0.0040
Jun-08	2.97	737,238	0.0040
Jul-08	3.53	759,085	0.0047
Aug-08	3.21	650,821	0.0049
Sep-08	2.70	516,176	0.0052
Oct-08	2.89	582,276	0.0050
Nov-08	2.81	481,513	0.0058
Dec-08	1.78	370,303	0.0048
Jan-09	4.29	861,088	0.0050
Feb-09	6.09	1,262,566	0.0048
Mar-09	8.96	1,795,793	0.0050
Apr-09	5.36	1,497,132	0.0036
May-09	5.54	1,704,493	0.0033
Jun-09	3.10	956,997	0.0032
Jul-09	3.94	1,390,773	0.0028
Aug-09	4.09	1,490,039	0.0027
Sep-09	4.63	1,594,249	0.0029
Oct-09	4.25	1,459,608	0.0029
Nov-09	5.43	1,618,761	0.0034
Dec-09	5.26	1,732,390	0.0030
Jan-10	3.32	1,051,899	0.0032
Feb-10	3.48	889,440	0.0039
Mar-10	2.11	604,499	0.0035
Apr-10	2.03	606,004	0.0033
May-10	2.42	720,598	0.0034
Jun-10	2.03	614,942	0.0033
Jul-10	1.89	574,746	0.0033
Aug-10	1.99	604,187	0.0033
Sep-10	2.08	571,439	0.0036

Table 2
Amphenol Corporation
Boiler Room Site
Ground Water Elevation Summary

Well ID	Sep-07	Nov-07	Mar-08	Jun-08	Sep-08	Dec-08	Mar-09	Jun-09	Sep-09	Dec-09	Mar-10	Jun-10	Sep-10
BR-3	971.29		977.07	972.06	971.24	971.24	974.61	973.40	972.32	972.55	972.71	972.39	971.50
BR-5		972.80	977.07		970.94			973.40	970.89	967.55	972.44	972.38	965.55
BR-11													
BR-12	970.41		976.56	971.14	970.53	971.08	974.34	972.95	971.58	972.25	973.02	971.80	970.81
BR-13	970.85	972.73	976.99	971.55	970.84	971.90	974.19	973.10	971.79	972.35	972.59	971.99	971.63
MW-4	970.63	972.67	976.95	971.31	970.58	971.89	973.90	972.98	971.58	972.19	972.50	971.79	970.98
BR-14	971.11	972.63	976.75	971.93	971.11	971.67	974.24	973.30	972.06	972.43	972.73	972.30	971.38
BR-15													
BR-17	969.70		976.70	970.40	969.84	971.91	973.15	972.54	970.80	971.64	972.44	971.07	970.17
BR-19	971.43	972.91	977.06	972.24	971.40	971.95	974.60	973.60	972.34	972.72	973.01	972.59	971.69
BR-20	971.34	972.75	976.74	972.21	971.40	971.95	974.48	973.73	971.07	972.64	973.01	972.72	971.69
BR-21													
GP-6													
GP-9		970.85	974.50	970.78	962.26			971.28	970.63			971.38	971.47
GP-15													

Table 3
Amphenol Corporation
Boiler Room Site
Ground Water Chemistry Summary

		Sample Location						
Parameter and Date		BR-3	BR-12	MW-4	BR-14	BR-17	BR-19	BR-20
Vinyl Chloride	Sep-99	<1	30	<1	<1	<1	<1	34
	Sep-00	<1	<10	<1	<5	<5	<1	<10
	Sep-01	12	<2	<1	<5	<1	<1	<10
	Sep-02	5	19	<1	<5	<1	<1	18
	Sep-03	6	12	<1	<5	<5	<1	<10
	Apr-04	2	13	<1	<5	<5	<1	33
	Oct-04	3	15	<1	<5	<5	<1	16
	Apr-05	<1	16	<1	<5	<5	<1	11
	Oct-05	5	12	<1	<5	<1	<5	<10
	Feb-06	1.7	<10	<1	<5	<5	<1	29
	Apr-06	5.1	16	<1	<5	<1	<5	<10
	Sep-06	1.1	<10	<1	<5	<1	<5	9.5
	Mar-07	<1	<10	<1	<5	<2	<5	<10
	Sep-07	<1	<10	<1	<5	<2	<5	<10
	Mar-08	<1	<10	<1	<2	<1	<2	<2
	Sep-08	<1	31	<1	<2	<1	<2	<10
	Dec-08	<1	17	<1	<2	<2	<2	<10
	Mar-09	<1	33	<1	<2	<2	<2	25
	Sep-09	<1	35	<1	<1	<1	<2	<10
	Mar-10	<1	26	<1	<2	<1	<2	<10
	Sep-10	<1	29	<1	<2	<1	<2	<10
1,1 Dichloroethene	Sep-99	<1	4	<1	<1	<1	<1	1
	Sep-00	<1	<10	<1	<5	<5	<1	<10
	Sep-01	<1	<2	<1	<5	<1	<1	<10
	Sep-02	<2	<5	<1	<5	<1	<1	<10
	Sep-03	<1	<10	<1	<5	<5	<1	<10
	Apr-04	<1	<10	<1	<5	<5	<1	<10
	Oct-04	<1	<10	<1	<5	<5	<1	<10
	Apr-05	<1	<10	<1	<5	<5	<1	<10
	Oct-05	<1	<10	<1	<5	<1	<5	<10
	Feb-06	<1	<10	<1	<5	<5	<1	<5
	Apr-06	<1	<10	<1	<5	<1	<5	<10
	Sep-06	<1	<10	<1	<5	<1	<5	<5
	Mar-07	<1	<10	<1	<5	<2	<5	<10
	Sep-07	<1	<10	<1	<5	<2	<5	<10
	Mar-08	<1	<10	<1	<2	<1	<2	<2
	Sep-08	<1	<10	<1	<2	<1	<2	<10
	Dec-08	<1	<10	<1	<2	<2	<2	<10
	Mar-09	<1	<10	<1	<2	<2	<2	<10
	Sep-09	<1	<10	<1	<1	<1	<2	<10
	Mar-10	<1	<10	<1	<2	<1	<2	<10
	Sep-10	<1	<10	<1	<2	<1	<2	<10

Table 3
Amphenol Corporation
Boiler Room Site
Ground Water Chemistry Summary

Sample Location							
Parameter and Date	BR-3	BR-12	MW-4	BR-14	BR-17	BR-19	BR-20
1,1 Dichloroethane							
Sep-99	<1	20	<1	<1	1	<1	4
Sep-00	<1	<10	<1	<5	<5	<1	<10
Sep-01	<1	3	<1	<5	<1	<1	<10
Sep-02	<2	11	<1	<5	<1	<1	<10
Sep-03	<1	<10	<1	<5	<5	<1	<10
Apr-04	<1	<10	<1	<5	<5	<1	<10
Oct-04	<1	<10	<1	<5	<5	<1	<10
Apr-05	<1	<10	<1	<5	<5	<1	<10
Oct-05	<1	<10	<1	<5	<1	<5	<10
Feb-06	<1	<10	<1	<5	<5	2.6	5.9
Apr-06	<1	<10	<1	<5	<1	<5	<10
Sep-06	<1	<10	<1	<5	<1	<5	<5
Mar-07	<1	19	<1	<5	<2	<5	<10
Sep-07	<1	<10	<1	<5	<2	<5	<10
Mar-08	<1	<10	<1	<2	<1	<2	<2
Sep-08	<1	10	<1	<2	<1	<2	<10
Dec-08	<1	<10	<1	<2	<2	<2	<10
Mar-09	<1	<10	<1	<2	<2	<2	<10
Sep-09	<1	<10	<1	<1	<1	<2	<10
Mar-10	<1	<10	<1	<2	<1	<2	<10
Sep-10	<1	<10	<1	<2	<1	<2	<10
Total 1,2 Dichloroethene							
Sep-99	27	230	19	44	110	16	540
Sep-00		260	5	140	84	20	470
Sep-01	130	140	22	330	<1	27	430
Sep-02	110	340	30	190	<1	28	380
Sep-03	61	320	22	180	50	8	336
Apr-04	27	410	16	200	46	5	530
Oct-04	33	330	15	170	49	40	500
Apr-05	11	300	6	181	56	11	230
Oct-05	58	260	23	220	41	140	140
Feb-06	33	390	14	160	38	120	570
Apr-06	46	300	24	150	37	54	150
Sep-06	22	340	14	180	51	70	310
Mar-07	6.8	420	39	100	38	42	620
Sep-07	<1	150	38	93	26	50	140
Mar-08	2.8	480	17	29	48	9.3	300
Sep-08	<1	<10	<1	<2	<1	<2	<10
Dec-08	2.3	380	41	53	30	40	790
Mar-09	1.1	450	17	130	30	6.1	490
Sep-09	2.1	410	34	110	34	35	320
Mar-10	2.4	410	28	170	31	28	310
Sep-10	2.3	380	39	130	35	28	360

Table 3
Amphenol Corporation
Boiler Room Site
Ground Water Chemistry Summary

Sample Location							
Parameter and Date	BR-3	BR-12	MW-4	BR-14	BR-17	BR-19	BR-20
1,1,1 Trichloroethane							
Sep-99	<1	<1	<1	<1	<1	1	7
Sep-00	<1	<10	<1	<5	<5	1	<10
Sep-01	<1	<2	<1	<5	<1	3	<10
Sep-02	<2	<5	<1	<5	<1	<1	<10
Sep-03	<1	<10	<1	<1	<5	1	<10
Apr-04	<1	<10	<1	<5	<5	1	<10
Oct-04	<1	<10	<1	<5	<5	8	11
Apr-05	<1	<10	<1	<5	<5	4	18
Oct-05	<1	<10	<1	<5	<1	22	<10
Feb-06	<1	<10	<1	<5	<5	17	18
Apr-06	<1	<10	<1	<5	<1	9.5	<10
Sep-06	<1	<10	<1	<5	<1	<5	<5
Mar-07	<1	<10	<1	<5	<2	<5	<10
Sep-07	<1	<10	<1	<5	<2	<5	<10
Mar-08	<1	<10	<1	<2	<1	<2	5
Sep-08	<1	<10	<1	<2	<1	<2	<10
Dec-08	1.1	<10	<1	<2	<2	<2	<10
Mar-09	<1	<10	<1	<2	<2	<2	<10
Sep-09	<1	<10	<1	<1	<1	3.1	<10
Mar-10	<1	<10	<1	<2	<1	2.8	<10
Sep-10	<1	<10	<1	<2	<1	2.2	<10
Trichloroethylene							
Sep-99	11	4	54	66	91	69	140
Sep-00	4	<10	19	130	75	41	<10
Sep-01	8	3	38	170	<1	49	130
Sep-02	4	5	41	170	<1	46	210
Sep-03	4	<10	38	160	64	29	350
Apr-04	4	<10	23	160	61	25	470
Oct-04	4	<10	23	130	74	66	500
Apr-05	3	<10	12	110	83	54	480
Oct-05	3	<10	40	150	68	240	160
Feb-06	3.8	<10	20	95	58	360	680
Apr-06	2.8	<10	33	110	58	180	160
Sep-06	2.4	<10	23	140	76	160	360
Mar-07	2.2	<10	39	74	59	110	790
Sep-07	5.1	<10	29	88	42	100	150
Mar-08	1.1	<10	22	15	60	32	380
Sep-08	3.3	<10	31	50	44	71	790
Dec-08	1.4	<10	39	22	48	97	710
Mar-09	1.1	<10	17	17	38	21	200
Sep-09	2.5	<10	25	23	38	85	100
Mar-10	2.8	<10	22	28	31	74	100
Sep-10	2	<10	24	22	33	66	81

Table 3
Amphenol Corporation
Boiler Room Site
Ground Water Chemistry Summary

Sample Location							
Parameter and Date	BR-3	BR-12	MW-4	BR-14	BR-17	BR-19	BR-20
Tetrachloroethylene							
Sep-99	<1	<1	8	21	10	18	55
Sep-00	<1	<10	2	38	5	9	31
Sep-01	<1	<2	6	42	<1	10	67
Sep-02	<2	<5	6	35	<1	6	32
Sep-03	<1	<10	7	37	8	7	17
Apr-04	<1	<10	4	34	7	4	17
Oct-04	<1	<10	4	31	9	8	28
Apr-05	<1	<10	2	20	9	3	16
Oct-05	<1	<10	6	25	8	9	57
Feb-06	<1	<10	3.9	17	6.4	8.5	35
Apr-06	<1	<10	5.4	17	7.1	6.5	44
Sep-06	<1	<10	3.6	15	8.6	6.5	52
Mar-07	<1	<10	4.8	6.2	6	5.5	66
Sep-07	<1	<10	7.8	9.2	9.5	11	69
Mar-08	<1	<10	2.9	<2	5.3	<2	19
Sep-08	<1	<10	5.3	4.6	5.8	7	80
Dec-08	<1	<10	5.6	2.3	5.5	8.7	76
Mar-09	<1	<10	2.8	<2	4.4	2	66
Sep-09	<1	<10	4.4	2.2	5	7.2	53
Mar-10	<1	<10	3.3	2.3	3.9	7.7	42
Sep-10	<1	<10	4.5	2.8	4.9	8.2	45
Total Volatile Organics							
Sep-99	38	288	81	131	212	104	781
Sep-00	4	260	26	308	164	71	501
Sep-01	150	146	66	542	0	89	627
Sep-02	119	375	77	395	0	80	640
Sep-03	71	332	67	377	122	45	703
Apr-04	33	423	43	394	114	35	1050
Oct-04	40	345	42	331	132	122	1055
Apr-05	14	316	20	311	148	72	755
Oct-05	66	272	69	395	117	411	357
Feb-06	38.5	390	37.9	272	102.4	508.1	1337.9
Apr-06	53.9	316	62.4	277	102.1	250	354
Sep-06	25.5	340	40.6	335	135.6	236.5	731.5
Mar-07	9	439	82.8	180.2	103	157.5	1476
Sep-07	5.1	150	74.8	190.2	77.5	161	359
Mar-08	3.9	480	41.9	44	113.3	41.3	704
Sep-08	3.3	41	36.3	54.6	49.8	78	870
Dec-08	4.8	397	85.6	77.3	83.5	145.7	1576
Mar-09	2.2	483	36.8	147	72.4	29.1	781
Sep-09	4.6	445	63.4	135.2	77	130.3	473
Mar-10	5.2	436	53.3	200.3	65.9	112.5	452
Sep-10	4.3	409	67.5	154.8	72.9	104.4	486

FIGURES

FIGURE 1
AMPHENOL CORPORATION
SIDNEY, NEW YORK

BOILER ROOM
GROUND WATER REMEDIAL SYSTEM

GROUND WATER ELEVATION MAP
SEPTEMBER 22, 2010

GRID NORTH
NY STATE PLANE SYSTEM
CENTRAL ZONE

LEGEND

- STB-7 DEEP STB-7 SHAL ● PIEZOMETER LOCATION
- STB-5 GRD ▲ SOIL BORING LOCATION
- I-46 ■ PRODUCTION WELL LOCATION
- S-2 ◆ VILLAGE OF SIDNEY TEST WELL
- WW-3 ● WEST WELL HOUSE MONITOR WELL
- MW2 ● ONEONTA OIL MONITOR WELL
- BR-13 ● BOILER ROOM MONITOR WELL
- WATER SUPPLY SYSTEM MONITOR WELL
- 971.50 GROUND WATER ELEVATION
- 971.5- GROUND WATER ELEVATION CONTOUR
- ← GROUND WATER FLOW DIRECTION

300 0 300
APPROX. SCALE IN FEET

ADAPTED FROM MAP SUPPLIED BY
MACK AND LOWES ASSOCIATED LAND
SURVEYORS SIDNEY, NEW YORK
MAP NO. 3552-22



FIGURE 2
AMPHENOL CORPORATION
SIDNEY, NEW YORK

BOILER ROOM
GROUND WATER REMEDIAL SYSTEM

TOTAL VOC DISTRIBUTION MAP
SEPTEMBER 2010

GRID NORTH
NY STATE PLANE SYSTEM

LEGEND

- STB-7 DEEP STB-7 SHAL ● PIEZOMETER LOCATION
- STB-5 GRD ▲ SOIL BORING LOCATION
- I-46 ■ PRODUCTION WELL LOCATION
- S-2 ◆ VILLAGE OF SIDNEY TEST WELL
- WW-3 ● WEST WELL HOUSE MONITOR WELL
- MW2 ● ONEONTA OIL MONITOR WELL
- BR-13 ● BOILER ROOM MONITOR WELL
- ◆ WATER SUPPLY SYSTEM MONITOR WELL
- 4 TOTAL VOCs ppb


300 0 300
APPROX. SCALE IN FEET




ADAPTED FROM MAP SUPPLIED BY
MACK AND LOWES ASSOCIATED LAND
SURVEYORS SIDNEY, NEW YORK
MAP NO. 3552-22

DATA TREND PLOTS


Data Plot 1
Amphenol Corporation
Boiler Room Remedial System
Monthly Contaminant Mass Removal and Ground Water Recovered




Data Plot 2
Amphenol Corporation
Boiler Room Remedial System
Cumulative Mass Removal and Ground Water Recovered




Data Plot 3
Amphenol Corporation
Boiler Room Ground Water Remediation System
Contaminant Removal Rate



Data Plot 4
Amphenol Corporation
Boiler Room Ground Water Remediation System
Recovery Well Total VOCs




Data Plot 5
Amphenol Corporation
Boiler Room Ground Water Remediation System
Recovery Well Discharge




Data Plot 6
Amphenol Corporation
Boiler Room Ground Water Remediation System
Recovery Well Mass Removal


■ RW-West ■ RW-Center ■ RW-East



Data Plot 7
Amphenol Corporation
Boiler Room Remedial System
Ground Water Elevation Trends



Plot 8
Amphenol Corporation
Boiler Room Site
Total VOC Trend



LABORATORY DATA



Experience is the solution
314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

October 15, 2010

Jim Mickam
JTM Associates
290 Elwood Davis Drive
Liverpool, NY 13088

Work Order No: 100924072

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: Boiler Room
Boiler Room Quarterly SWL's

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 14 samples on 9/23/2010 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met NELAC specifications, except if noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits, Estimated
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
H - Hold Time Exceeded

S - LCS Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
M - Matrix Spike recovery outside limit
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Oct-10

CLIENT: JTM Associates**LabWork Order:** 100924072**Project:** Boiler Room**PO#:**

Boiler Room Quarterly SWL's

Lab SampleID: 100924072-001**Collection Date:** 9/22/2010**Client Sample ID:** BR-3**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Elevation	971.59			ft		9/22/2010
Static Water Level	15.27			ft		9/22/2010

Lab SampleID: 100924072-002**Collection Date:** 9/22/2010**Client Sample ID:** BR-5**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Elevation	965.62			ft		9/22/2010
Static Water Level	18.84			ft		9/22/2010

Lab SampleID: 100924072-003**Collection Date:** 9/22/2010**Client Sample ID:** BR-12**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Elevation	970.81			ft		9/22/2010
Static Water Level	15.69			ft		9/22/2010

Lab SampleID: 100924072-004**Collection Date:** 9/22/2010**Client Sample ID:** BR-13**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Elevation	971.63			ft		9/22/2010
Static Water Level	13.27			ft		9/22/2010

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits, Estimated
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
H - Hold Time Exceeded

S - LCS Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
M - Matrix Spike recovery outside limit
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Oct-10

CLIENT: JTM Associates

LabWork Order: 100924072

Project: Boiler Room

PO#:

Boiler Room Quarterly SWL's

Lab SampleID: 100924072-005

Collection Date: 9/22/2010

Client Sample ID: BR-14

Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Elevation	971.38			ft		9/22/2010
Static Water Level	11.20			ft		9/22/2010

Lab SampleID: 100924072-006

Collection Date: 9/22/2010

Client Sample ID: BR-17

Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Elevation	970.20			ft		9/22/2010
Static Water Level	14.47			ft		9/22/2010

Lab SampleID: 100924072-007

Collection Date: 9/22/2010

Client Sample ID: BR-19

Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Elevation	971.69			ft		9/22/2010
Static Water Level	13.25			ft		9/22/2010

Lab SampleID: 100924072-008

Collection Date: 9/22/2010

Client Sample ID: BR-20

Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Elevation	971.69			ft		9/22/2010
Static Water Level	11.69			ft		9/22/2010

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits, Estimated
- B - Analyte detected in the associated Method Blank
- X - Value exceeds Maximum Contaminant Level
- H - Hold Time Exceeded

- S - LCS Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- T - Tentatively Identified Compound-Estimated Conc.
- M - Matrix Spike recovery outside limit
- E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Oct-10

CLIENT: JTM Associates
 Project: Boiler Room
 Boiler Room Quarterly SWL's

LabWork Order: 100924072
 PO#:

Lab SampleID: 100924072-009
 Client Sample ID: GP-9

Collection Date: 9/22/2010
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS Analyst: FLD

Elevation	971.47			ft		9/22/2010
Static Water Level	10.01			ft		9/22/2010

Lab SampleID: 100924072-010
 Client Sample ID: BR-22

Collection Date: 9/22/2010
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS Analyst: FLD

Elevation	NA			ft		9/22/2010
Static Water Level	9.72			ft		9/22/2010

Lab SampleID: 100924072-011
 Client Sample ID: BR-23

Collection Date: 9/22/2010
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS Analyst: FLD

Elevation	NA			ft		9/22/2010
Static Water Level	10.55			ft		9/22/2010

Lab SampleID: 100924072-012
 Client Sample ID: BR-24

Collection Date: 9/22/2010
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS Analyst: FLD

Elevation	NA			ft		9/22/2010
Static Water Level	11.82			ft		9/22/2010

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits, Estimated
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 H - Hold Time Exceeded

S - LCS Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 M - Matrix Spike recovery outside limit
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Oct-10

CLIENT: JTM Associates**Lab Work Order:** 100924072**Project:** Boiler Room**PO#:**

Boiler Room Quarterly SWL's

Lab SampleID: 100924072-013**Collection Date:** 9/22/2010**Client Sample ID:** BR-25**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Elevation	NA			ft		9/22/2010
Static Water Level	11.97			ft		9/22/2010

Lab SampleID: 100924072-014**Collection Date:** 9/22/2010**Client Sample ID:** MW-4**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Elevation	970.98			ft		9/22/2010
Static Water Level	18.33			ft		9/22/2010

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits, Estimated
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
H - Hold Time Exceeded

S - LCS Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
M - Matrix Spike recovery outside limit
E - Value above quantitation range



Experience is the solution

314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

AES Work Order #

100924072

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>JTM Assoc.</u>		Address:							
Send Report To:		Project Name (Location): <u>BR</u>	Samplers: (Names): <u>Sean Drozdzinski</u>						
Client Phone No:	Client Fax No:	PO Number:	Samplers: (Signature): <u>A. [Signature]</u>						
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required	
				Matrix	Comp	Grab			
001	BR-3	9/22/10	1040	Ⓐ P	GW		X	0	Field: SWL
002	BR-5		1037	Ⓐ P	GW		X	0	GW elevation
003	BR-12		1033	Ⓐ P	GW		X	0	
004	BR-13		943	Ⓐ P	GW		X	0	
005	BR-14		933	Ⓐ P	GW		X	0	
006	BR-17		900	Ⓐ P	GW		X	0	
007	BR-19		940	Ⓐ P	GW		X	0	
008	BR-20		1008	Ⓐ P	GW		X	0	
009	GP-9		1019	Ⓐ P	GW		X	0	
010	BR-22		1002	Ⓐ P	GW		X	0	
011	BR-23		1005	Ⓐ P	GW		X	0	
012	BR-24		1014	Ⓐ P	GW		X	0	
013	BR-25		1023	Ⓐ P	GW		X	0	
014	mw-L1		947	Ⓐ P	GW		X	0	

Shipment Arrived Via:

FedEx UPS Client ☒ AES Other: _____

Turnaround Time Request:

☐ 1 Day ☐ 3 Day ☐ Normal
☐ 2 Day ☐ 5 Day

CC Report To / Special Instructions/Remarks:

Relinquished by: (Signature)
A. [Signature]

Received by: (Signature)

Date/Time

Relinquished by: (Signature)

Received by: (Signature)

Date/Time

Relinquished by: (Signature)

Received for Laboratory by: [Signature]

Date/Time

9-23-10 2:52 PM

TEMPERATURE

Ambient or ☒ Chilled

Notes: _____

PROPERLY PRESERVED

☒ Y ☐ N

Notes: _____

RECEIVED WITHIN HOLDING TIMES

☒ Y ☐ N

Notes: _____

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

76035



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

October 14, 2010

Jim Mickam
JTM Associates
290 Elwood Davis Drive
Liverpool, NY 13088

Work Order No: 100923050

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: Boiler Room
Boiler Room Conventional SA

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 13 samples on 9/23/2010 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met NELAC specifications, except if noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: BR-3
 Work Order: 100923050 Collection Date: 9/23/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-001
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	921	1.0		umhos/cm		9/23/2010
Elevation	971.59			ft		9/23/2010
pH	4.7			S.U.		9/23/2010
Static Water Level	15.27			ft		9/23/2010
Temperature	15			deg C		9/23/2010
Turbidity	1	1.0		NTU		9/23/2010

VOLATILE ORGANIC COMPOUNDS SW8021B

Analyst: SO

Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Chloromethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Bromomethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Chloroethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Methylene chloride	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Methyl tert-butyl ether	8.8	1.0		µg/L	1	10/1/2010 12:13:51 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
cis-1,2-Dichloroethene	2.3	1.0		µg/L	1	10/1/2010 12:13:51 AM
Chloroform	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Benzene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Trichloroethene	2.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Toluene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Tetrachloroethene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 M - Matrix Spike recovery outside limit

S - LCS Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 H - Hold time Exceeded
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-3
Work Order:	100923050	Collection Date:	9/23/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-001
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
m,p-Xylene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
o-Xylene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	10/1/2010 12:13:51 AM
Surr: 4-Bromofluorobenzene-Hall	92.6	80-120		%REC	1	10/1/2010 12:13:51 AM
Surr: 4-Bromofluorobenzene-PID	87.5	80-120		%REC	1	10/1/2010 12:13:51 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: BR-12
 Work Order: 100923050 Collection Date: 9/23/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-002
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	1098	1.0		umhos/cm		9/23/2010
Elevation	970.81			ft		9/23/2010
pH	5.9			S.U.		9/23/2010
Static Water Level	15.69			ft		9/23/2010
Temperature	15			deg C		9/23/2010
Turbidity	6	1.0		NTU		9/23/2010

VOLATILE ORGANIC COMPOUNDS SW8021B

Analyst: SO

Dichlorodifluoromethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Chloromethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Vinyl chloride	29	10		µg/L	10	10/1/2010 1:12:21 AM
Bromomethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Chloroethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Trichlorofluoromethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,1-Dichloroethene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Methylene chloride	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Methyl tert-butyl ether	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
trans-1,2-Dichloroethene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,1-Dichloroethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
cis-1,2-Dichloroethene	380	10		µg/L	10	10/1/2010 1:12:21 AM
Chloroform	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,1,1-Trichloroethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Carbon tetrachloride	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,2-Dichloroethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Benzene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Trichloroethene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,2-Dichloropropane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Bromodichloromethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
cis-1,3-Dichloropropene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Toluene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
trans-1,3-Dichloropropene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,1,2-Trichloroethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Tetrachloroethene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Dibromochloromethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Chlorobenzene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

All results are wet weight unless otherwise noted

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-12
Work Order:	100923050	Collection Date:	9/23/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-002
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
m,p-Xylene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
o-Xylene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,3,5-Trimethylbenzene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,2,4-Trimethylbenzene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,3-Dichlorobenzene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,4-Dichlorobenzene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
1,2-Dichlorobenzene	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
2-Chloroethyl vinyl ether	< 10	10		µg/L	10	10/1/2010 1:12:21 AM
Surr: 4-Bromofluorobenzene-Hall	101	80-120		%REC	10	10/1/2010 1:12:21 AM
Surr: 4-Bromofluorobenzene-PID	98.7	80-120		%REC	10	10/1/2010 1:12:21 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: BR-12 Duplicate
 Work Order: 100923050 Collection Date: 9/23/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-003
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	1098	1.0		umhos/cm		9/23/2010
Elevation	970.81			ft		9/23/2010
pH	5.9			S.U.		9/23/2010
Static Water Level	15.69			ft		9/23/2010
Temperature	15			deg C		9/23/2010
Turbidity	6	1.0		NTU		9/23/2010
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Dichlorodifluoromethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Chloromethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Vinyl chloride	33	10		µg/L	10	10/1/2010 2:10:29 AM
Bromomethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Chloroethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Trichlorofluoromethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,1-Dichloroethene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Methylene chloride	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Methyl tert-butyl ether	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
trans-1,2-Dichloroethene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,1-Dichloroethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
cis-1,2-Dichloroethene	410	10		µg/L	10	10/1/2010 2:10:29 AM
Chloroform	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,1,1-Trichloroethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Carbon tetrachloride	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,2-Dichloroethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Benzene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Trichloroethene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,2-Dichloropropane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Bromodichloromethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
cis-1,3-Dichloropropene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Toluene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
trans-1,3-Dichloropropene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,1,2-Trichloroethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Tetrachloroethene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Dibromochloromethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Chlorobenzene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level H - Hold time Exceeded
 M - Matrix Spike recovery outside limit E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-12 Duplicate
Work Order:	100923050	Collection Date:	9/23/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-003
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
m,p-Xylene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
o-Xylene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,3,5-Trimethylbenzene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,2,4-Trimethylbenzene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,3-Dichlorobenzene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,4-Dichlorobenzene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
1,2-Dichlorobenzene	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
2-Chloroethyl vinyl ether	< 10	10		µg/L	10	10/1/2010 2:10:29 AM
Surr: 4-Bromofluorobenzene-Hall	99.9	80-120		%REC	10	10/1/2010 2:10:29 AM
Surr: 4-Bromofluorobenzene-PID	101	80-120		%REC	10	10/1/2010 2:10:29 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: BR-13
 Work Order: 100923050 Collection Date: 9/22/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-004
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	493	1.0		umhos/cm		9/22/2010
Elevation	971.63			ft		9/22/2010
pH	5.3			S.U.		9/22/2010
Static Water Level	13.72			ft		9/22/2010
Temperature	13			deg C		9/22/2010
Turbidity	7	1.0		NTU		9/22/2010

VOLATILE ORGANIC COMPOUNDS SW8021B

Analyst: SO

Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Chloromethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Bromomethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Chloroethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Methylene chloride	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
cis-1,2-Dichloroethene	55	1.0		µg/L	1	10/1/2010 3:08:52 AM
Chloroform	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Benzene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Trichloroethene	20	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Toluene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Tetrachloroethene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 M - Matrix Spike recovery outside limit

S - LCS Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 H - Hold time Exceeded
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-13
Work Order:	100923050	Collection Date:	9/22/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-004
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
m,p-Xylene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
o-Xylene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	10/1/2010 3:08:52 AM
Surr: 4-Bromofluorobenzene-Hall	96.4	80-120		%REC	1	10/1/2010 3:08:52 AM
Surr: 4-Bromofluorobenzene-PID	100	80-120		%REC	1	10/1/2010 3:08:52 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: BR-14
 Work Order: 100923050 Collection Date: 9/22/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-005
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	314	1.0		umhos/cm		9/22/2010
Elevation	971.38			ft		9/22/2010
pH	5.1			S.U.		9/22/2010
Static Water Level	11.20			ft		9/22/2010
Temperature	13			deg C		9/22/2010
Turbidity	3	1.0		NTU		9/22/2010
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Dichlorodifluoromethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Chloromethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Vinyl chloride	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Bromomethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Chloroethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Trichlorofluoromethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,1-Dichloroethene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Methylene chloride	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
trans-1,2-Dichloroethene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,1-Dichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
cis-1,2-Dichloroethene	130	2.0		µg/L	2	10/1/2010 5:05:51 AM
Chloroform	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,1,1-Trichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Carbon tetrachloride	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,2-Dichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Benzene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Trichloroethene	22	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,2-Dichloropropane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Bromodichloromethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
cis-1,3-Dichloropropene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Toluene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
trans-1,3-Dichloropropene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,1,2-Trichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Tetrachloroethene	2.8	2.0		µg/L	2	10/1/2010 5:05:51 AM
Dibromochloromethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Chlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level H - Hold time Exceeded
 M - Matrix Spike recovery outside limit E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates

Client Sample ID: BR-14

Work Order: 100923050

Collection Date: 9/22/2010

Reference: Boiler Room / Boiler Room Conventional SA

Lab Sample ID: 100923050-005

PO#:

Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
m,p-Xylene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
o-Xylene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,1,2,2-Tetrachloroethane	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,3,5-Trimethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,2,4-Trimethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,3-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,4-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
1,2-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
2-Chloroethyl vinyl ether	< 2.0	2.0		µg/L	2	10/1/2010 5:05:51 AM
Surr: 4-Bromofluorobenzene-Hall	104	80-120		%REC	2	10/1/2010 5:05:51 AM
Surr: 4-Bromofluorobenzene-PID	102	80-120		%REC	2	10/1/2010 5:05:51 AM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
M - Matrix Spike recovery outside limit

S - LCS Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
H - Hold time Exceeded
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: BR-17
 Work Order: 100923050 Collection Date: 9/22/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-006
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	557	1.0		umhos/cm		9/22/2010
Elevation	970.20			ft		9/22/2010
pH	5.1			S.U.		9/22/2010
Static Water Level	14.51			ft		9/22/2010
Temperature	13			deg C		9/22/2010
Turbidity	5	1.0		NTU		9/22/2010
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Chloromethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Vinyl chloride	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Bromomethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Methylene chloride	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
cis-1,2-Dichloroethene	35	1.0		µg/L	1	10/1/2010 2:56:00 PM
Chloroform	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Benzene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Trichloroethene	33	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Bromodichloromethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Toluene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Tetrachloroethene	4.9	1.0		µg/L	1	10/1/2010 2:56:00 PM
Dibromochloromethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Chlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level H - Hold time Exceeded
 M - Matrix Spike recovery outside limit E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-17
Work Order:	100923050	Collection Date:	9/22/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-006
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
m,p-Xylene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
o-Xylene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	10/1/2010 2:56:00 PM
Surr: 4-Bromofluorobenzene-Hall	97.2	80-120		%REC	1	10/1/2010 2:56:00 PM
Surr: 4-Bromofluorobenzene-PID	98.8	80-120		%REC	1	10/1/2010 2:56:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: BR-19
 Work Order: 100923050 Collection Date: 9/22/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-007
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	554	1.0		umhos/cm		9/22/2010
Elevation	971.69			ft		9/22/2010
pH	5.6			S.U.		9/22/2010
Static Water Level	13.25			ft		9/22/2010
Temperature	14			deg C		9/22/2010
Turbidity	5	1.0		NTU		9/22/2010

VOLATILE ORGANIC COMPOUNDS SW8021B

Analyst: SO

Dichlorodifluoromethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Chloromethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Vinyl chloride	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Bromomethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Chloroethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Trichlorofluoromethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,1-Dichloroethene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Methylene chloride	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
trans-1,2-Dichloroethene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,1-Dichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
cis-1,2-Dichloroethene	28	2.0		µg/L	2	10/1/2010 3:54:41 PM
Chloroform	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,1,1-Trichloroethane	2.2	2.0		µg/L	2	10/1/2010 3:54:41 PM
Carbon tetrachloride	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,2-Dichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Benzene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Trichloroethene	66	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,2-Dichloropropane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Bromodichloromethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
cis-1,3-Dichloropropene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Toluene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
trans-1,3-Dichloropropene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,1,2-Trichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Tetrachloroethene	8.2	2.0		µg/L	2	10/1/2010 3:54:41 PM
Dibromochloromethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Chlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level H - Hold time Exceeded
 M - Matrix Spike recovery outside limit E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-19
Work Order:	100923050	Collection Date:	9/22/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-007
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
m,p-Xylene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
o-Xylene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,1,2,2-Tetrachloroethane	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,3,5-Trimethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,2,4-Trimethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,3-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,4-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
1,2-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
2-Chloroethyl vinyl ether	< 2.0	2.0		µg/L	2	10/1/2010 3:54:41 PM
Surr: 4-Bromofluorobenzene-Hall	101	80-120		%REC	2	10/1/2010 3:54:41 PM
Surr: 4-Bromofluorobenzene-PID	102	80-120		%REC	2	10/1/2010 3:54:41 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-20
Work Order:	100923050	Collection Date:	9/23/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-008
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	955	1.0		umhos/cm		9/23/2010
Elevation	971.69			ft		9/23/2010
pH	6.0			S.U.		9/23/2010
Static Water Level	11.69			ft		9/23/2010
Temperature	20			deg C		9/23/2010
Turbidity	1	1.0		NTU		9/23/2010
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Dichlorodifluoromethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Chloromethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Vinyl chloride	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Bromomethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Chloroethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Trichlorofluoromethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,1-Dichloroethene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Methylene chloride	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Methyl tert-butyl ether	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
trans-1,2-Dichloroethene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,1-Dichloroethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
cis-1,2-Dichloroethene	360	10		µg/L	10	10/1/2010 4:53:02 PM
Chloroform	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,1,1-Trichloroethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Carbon tetrachloride	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,2-Dichloroethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Benzene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Trichloroethene	81	10		µg/L	10	10/1/2010 4:53:02 PM
1,2-Dichloropropane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Bromodichloromethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Toluene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,1,2-Trichloroethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Tetrachloroethene	45	10		µg/L	10	10/1/2010 4:53:02 PM
Dibromochloromethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Chlorobenzene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-20
Work Order:	100923050	Collection Date:	9/23/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-008
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
m,p-Xylene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
o-Xylene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,3,5-Trimethylbenzene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,2,4-Trimethylbenzene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,3-Dichlorobenzene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,4-Dichlorobenzene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
1,2-Dichlorobenzene	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
2-Chloroethyl vinyl ether	< 10	10		µg/L	10	10/1/2010 4:53:02 PM
Surr: 4-Bromofluorobenzene-Hall	99.7	80-120		%REC	10	10/1/2010 4:53:02 PM
Surr: 4-Bromofluorobenzene-PID	102	80-120		%REC	10	10/1/2010 4:53:02 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: BR-22
 Work Order: 100923050 Collection Date: 9/23/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-009
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	415	1.0		umhos/cm		9/23/2010
Elevation	NA			ft		9/23/2010
pH	6.1			S.U.		9/23/2010
Static Water Level	9.72			ft		9/23/2010
Temperature	15			deg C		9/23/2010
Turbidity	4	1.0		NTU		9/23/2010
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Dichlorodifluoromethane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Chloromethane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Vinyl chloride	10	2.0		µg/L	2	10/1/2010 5:51:11 PM
Bromomethane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Chloroethane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Trichlorofluoromethane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,1-Dichloroethene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Methylene chloride	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
trans-1,2-Dichloroethene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,1-Dichloroethane	8.3	2.0		µg/L	2	10/1/2010 5:51:11 PM
cis-1,2-Dichloroethene	99	2.0		µg/L	2	10/1/2010 5:51:11 PM
Chloroform	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,1,1-Trichloroethane	3.9	2.0		µg/L	2	10/1/2010 5:51:11 PM
Carbon tetrachloride	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,2-Dichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Benzene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Trichloroethene	59	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,2-Dichloropropane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Bromodichloromethane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
cis-1,3-Dichloropropene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Toluene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
trans-1,3-Dichloropropene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,1,2-Trichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Tetrachloroethene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Dibromochloromethane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Chlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level H - Hold time Exceeded
 M - Matrix Spike recovery outside limit E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-22
Work Order:	100923050	Collection Date:	9/23/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-009
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
m,p-Xylene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
o-Xylene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,1,2,2-Tetrachloroethane	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,3,5-Trimethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,2,4-Trimethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,3-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,4-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
1,2-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
2-Chloroethyl vinyl ether	< 2.0	2.0		µg/L	2	10/1/2010 5:51:11 PM
Surr: 4-Bromofluorobenzene-Hall	98.2	80-120		%REC	2	10/1/2010 5:51:11 PM
Surr: 4-Bromofluorobenzene-PID	101	80-120		%REC	2	10/1/2010 5:51:11 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-23
Work Order:	100923050	Collection Date:	9/23/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-010
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	831	1.0		umhos/cm		9/23/2010
Elevation	NA			ft		9/23/2010
pH	6.1			S.U.		9/23/2010
Static Water Level	10.55			ft		9/23/2010
Temperature	19			deg C		9/23/2010
Turbidity	3	1.0		NTU		9/23/2010

VOLATILE ORGANIC COMPOUNDS SW8021B

Analyst: SO

Dichlorodifluoromethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Chloromethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Vinyl chloride	4.6	2.0		µg/L	2	10/1/2010 6:49:04 PM
Bromomethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Chloroethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Trichlorofluoromethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,1-Dichloroethene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Methylene chloride	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Methyl tert-butyl ether	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
trans-1,2-Dichloroethene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,1-Dichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
cis-1,2-Dichloroethene	200	2.0		µg/L	2	10/1/2010 6:49:04 PM
Chloroform	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,1,1-Trichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Carbon tetrachloride	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,2-Dichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Benzene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Trichloroethene	32	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,2-Dichloropropane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Bromodichloromethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
cis-1,3-Dichloropropene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Toluene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
trans-1,3-Dichloropropene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,1,2-Trichloroethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Tetrachloroethene	3.6	2.0		µg/L	2	10/1/2010 6:49:04 PM
Dibromochloromethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Chlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-23
Work Order:	100923050	Collection Date:	9/23/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-010
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
m,p-Xylene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
o-Xylene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,1,2,2-Tetrachloroethane	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,3,5-Trimethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,2,4-Trimethylbenzene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,3-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,4-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
1,2-Dichlorobenzene	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
2-Chloroethyl vinyl ether	< 2.0	2.0		µg/L	2	10/1/2010 6:49:04 PM
Surr: 4-Bromofluorobenzene-Hall	103	80-120		%REC	2	10/1/2010 6:49:04 PM
Surr: 4-Bromofluorobenzene-PID	101	80-120		%REC	2	10/1/2010 6:49:04 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: BR-24
 Work Order: 100923050 Collection Date: 9/23/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-011
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	407	1.0		umhos/cm		9/23/2010
Elevation	NA			ft		9/23/2010
pH	5.5			S.U.		9/23/2010
Static Water Level	11.82			ft		9/23/2010
Temperature	17			deg C		9/23/2010
Turbidity	2	1.0		NTU		9/23/2010

VOLATILE ORGANIC COMPOUNDS SW8021B

Analyst: SO

Dichlorodifluoromethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Chloromethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Vinyl chloride	7.9	5.0		µg/L	5	10/1/2010 7:46:58 PM
Bromomethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Chloroethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Methylene chloride	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
cis-1,2-Dichloroethene	320	5.0		µg/L	5	10/1/2010 7:46:58 PM
Chloroform	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Benzene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Trichloroethene	290	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Bromodichloromethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Toluene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Tetrachloroethene	10	5.0		µg/L	5	10/1/2010 7:46:58 PM
Dibromochloromethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Chlorobenzene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level H - Hold time Exceeded
 M - Matrix Spike recovery outside limit E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	BR-24
Work Order:	100923050	Collection Date:	9/23/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-011
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
m,p-Xylene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
o-Xylene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,3,5-Trimethylbenzene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,2,4-Trimethylbenzene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
2-Chloroethyl vinyl ether	< 5.0	5.0		µg/L	5	10/1/2010 7:46:58 PM
Surr: 4-Bromofluorobenzene-Hall	97.8	80-120		%REC	5	10/1/2010 7:46:58 PM
Surr: 4-Bromofluorobenzene-PID	100	80-120		%REC	5	10/1/2010 7:46:58 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: BR-25
 Work Order: 100923050 Collection Date: 9/23/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-012
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						Analyst: FLD
Conductivity	624	1.0		umhos/cm		9/23/2010
Elevation	NA			ft		9/23/2010
pH	6.1			S.U.		9/23/2010
Static Water Level	11.97			ft		9/23/2010
Temperature	17			deg C		9/23/2010
Turbidity	3	1.0		NTU		9/23/2010
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Chloromethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Vinyl chloride	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Bromomethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Chloroethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Methylene chloride	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
cis-1,2-Dichloroethene	43	1.0		µg/L	1	10/1/2010 9:43:08 PM
Chloroform	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Benzene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Trichloroethene	22	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Bromodichloromethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Toluene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Tetrachloroethene	3.9	1.0		µg/L	1	10/1/2010 9:43:08 PM
Dibromochloromethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Chlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level H - Hold time Exceeded
 M - Matrix Spike recovery outside limit E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates

Client Sample ID: BR-25

Work Order: 100923050

Collection Date: 9/23/2010

Reference: Boiler Room / Boiler Room Conventional SA

Lab Sample ID: 100923050-012

PO#:

Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
m,p-Xylene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
o-Xylene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	10/1/2010 9:43:08 PM
Surr: 4-Bromofluorobenzene-Hall	101	80-120		%REC	1	10/1/2010 9:43:08 PM
Surr: 4-Bromofluorobenzene-PID	102	80-120		%REC	1	10/1/2010 9:43:08 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
M - Matrix Spike recovery outside limit

S - LCS Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
H - Hold time Exceeded
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT: JTM Associates Client Sample ID: MW-4
 Work Order: 100923050 Collection Date: 9/22/2010
 Reference: Boiler Room / Boiler Room Conventional SA Lab Sample ID: 100923050-013
 PO#: Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD PARAMETERS

Analyst: FLD

Conductivity	486	1.0		umhos/cm		9/22/2010
Elevation	970.98			ft		9/22/2010
pH	4.9			S.U.		9/22/2010
Static Water Level	18.33			ft		9/22/2010
Temperature	13			deg C		9/22/2010
Turbidity	2	1.0		NTU		9/22/2010

VOLATILE ORGANIC COMPOUNDS SW8021B

Analyst: SO

Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Chloromethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Vinyl chloride	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Bromomethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Chloroethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Methylene chloride	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Methyl tert-butyl ether	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
cis-1,2-Dichloroethene	39	1.0		µg/L	1	10/1/2010 10:41:24 PM
Chloroform	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Benzene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Trichloroethene	24	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Bromodichloromethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Toluene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Tetrachloroethene	4.5	1.0		µg/L	1	10/1/2010 10:41:24 PM
Dibromochloromethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Chlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level H - Hold time Exceeded
 M - Matrix Spike recovery outside limit E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Oct-10

CLIENT:	JTM Associates	Client Sample ID:	MW-4
Work Order:	100923050	Collection Date:	9/22/2010
Reference:	Boiler Room / Boiler Room Conventional SA	Lab Sample ID:	100923050-013
PO#:		Matrix:	GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS SW8021B						Analyst: SO
Ethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
m,p-Xylene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
o-Xylene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	10/1/2010 10:41:24 PM
Surr: 4-Bromofluorobenzene-Hall	105	80-120		%REC	1	10/1/2010 10:41:24 PM
Surr: 4-Bromofluorobenzene-PID	100	80-120		%REC	1	10/1/2010 10:41:24 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	H - Hold time Exceeded
	M - Matrix Spike recovery outside limit	E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

AES Work Order #

100923050

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: JTM Assoc.		Address:							
Send Report To:		Project Name (Location) Boiler Rm. Conventional SA			Samplers: (Names) Sean Drozdzinski				
Client Phone No:		Client Fax No:		PO Number:		Samplers: (Signature) A. P. J. M.			
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required	
				Matrix	Comp	Grab			
001	BR-3	9/23/10	145	A P	GW		X	2	EPA 8021,
002	BR-12	9/23/10	1038	A P	GW		X	2	Atrphenol List
003	BR-12 Dup	9/23/10	1038	A P	GW		X	2	Field: SWL, GW
004	BR-13	9/20/10	350	A P	GW		X	2	elevation, pH,
005	BR-14	9/20/10	206	A P	GW		X	2	Temp, S. cond,
006	BR-17	9/20/10	103	A P	GW		X	2	Turbidity
007	BR-19	9/20/10	300	A P	GW		X	2	
008	BR-20	9/23/10	147	A P	GW		X	2	
009	BR-22	9/23/10	834	A P	GW		X	2	
010	BR-23	9/23/10	834	A P	GW		X	2	
011	BR-24	9/23/10	1024	A P	GW		X	2	
012	BR-25	9/23/10	1058	A P	GW		X	2	
013	mw-41	9/20/10	430	A P	GW		X	2	
	Trip Blank Lot # 708			A P	WA			1	

Shipment Arrived Via:

FedEx UPS Client ☒ AES Other: _____

Turnaround Time Request:

☐ 1 Day ☐ 3 Day ☐ Normal
☐ 2 Day ☐ 5 Day

CC Report To / Special Instructions/Remarks:

Relinquished by: (Signature)

Received by: (Signature)

Date/Time

Relinquished by: (Signature)

Received by: (Signature)

Date/Time

Relinquished by: (Signature)

Received for Laboratory by:

Date/Time

TEMPERATURE
Ambient or ☒ Chilled
Notes: _____

PROPERLY PRESERVED
☒ Y ☐ N
Notes: _____

RECEIVED WITHIN HOLDING TIMES
☒ Y ☐ N
Notes: _____

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

76035



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.