

April 7, 2017

John Strang, P.E.  
New York State Department of Environmental Conservation  
Division of Environmental Remediation  
1130 N. Westcott Road  
Schenectady, New York 12306-2014

Re: Amphenol Corporation  
Boiler Room Site (413013)  
Periodic Review Report

Dear Mr. Strang:

The materials provided herein are submitted in compliance with the request in the Department's letter dated February 17, 2017 for a Periodic Review Report (PRR) for the reference site. More specifically, these materials include:

- Boiler Room Site – 2016 Annual Groundwater Monitoring Report
- Institutional and Engineering Control Certification Form

The included annual groundwater monitoring report provides the information requested in the periodic review report guidelines provided with the request including:


- discussion of the site overview
- description of the remedy
- historic and recent ground water monitoring data collected consistent with the approved ground water monitoring plan
- evaluation of the remedy performance.

In addition to this report, quarterly monitoring reports, as required by the monitoring plan, are also routinely submitted which summarize remedial system operational data. In effect, we believe, these regular submittals provide frequent PRRs.

As requested, the Institutional and Engineer Control Certification Form has been executed and is enclosed. Amphenol self performs all operation and maintenance tasks given the remedial system is located on the Amphenol manufacturing facility property and is inspected daily.

Should additional information be necessary, please do not hesitate to contact me or Joe Bianchi at Amphenol Corporation

Respectfully,  
JTM Associates, LLC



James T. Mickam, PG

Cc: Joseph M. Bianchi – Amphenol

Enclosures



Enclosure 2  
**NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION**  
 Site Management Periodic Review Report Notice  
 Institutional and Engineering Controls Certification Form



Site No. 413013

Site Details

Box 1

Site Name **Boiler Room Area (Amphenol)**

Site Address: 40-60 Delaware Street Zip Code: 13838  
 City/Town: Sidney  
 County: Delaware  
 Site Acreage: 1.0

Reporting Period: April 01, 2014 to April 01, 2017

- |   | YES                                 | NO                                  |
|---|-------------------------------------|-------------------------------------|
| 1. Is the information above correct?  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| If NO, include handwritten above or on a separate sheet.  |                                     |                                     |
| 2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?                       | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form. |                                     |                                     |
| 5. Is the site currently undergoing development?  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

Box 2

- |   | YES                                 | NO                       |
|---|-------------------------------------|--------------------------|
| 6. Is the current site use consistent with the use(s) listed below?<br>Industrial | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 7. Are all ICs/ECs in place and functioning as designed?                          | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
 Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
 Date

SITE NO. 413013

Box 3

**Description of Institutional Controls**

<u>Parcel</u>	<u>Owner</u>	<u>Institutional Control</u>
115.15-8-2	Amphenol	

Based upon the results of the Remedial Investigation / Focused Feasibility Study for Boiler Room Area (Amphenol) and the criteria identified for evaluation of alternatives, the NYSDEC has selected No Further Action beyond the continued operation of the pump and treat system (Engineering Control). The components of the remedy are as follows:

- 1) Continued operation of the site groundwater removal and treatment system until groundwater standards in the aquifer are achieved.
- 2) Periodic monitoring, sampling, and inspection to ensure the continued effectiveness of the ongoing remedial action.

Box 4

**Description of Engineering Controls**

<u>Parcel</u>	<u>Engineering Control</u>
115.15-8-2	Groundwater Treatment System

**Periodic Review Report (PRR) Certification Statements**

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES      NO

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES      NO

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and  
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
Date

IC CERTIFICATIONS  
SITE NO. 413013

Box 6

**SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE**

I certify that all information and statements in Boxes 1, 2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I JOSEPH M. BIANCHI at AMPHENOL AEROSPACE  
40-60 DELAWARE AVE  
SIDNEY, NY 13838  
print name print business address

am certifying as AMPHENOL REPRESENTATIVE (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

  
Signature of Owner, Remedial Party, or Designated Representative  
Rendering Certification

MAR 31, 2017  
Date

IC/EC CERTIFICATIONS

Qualified Environmental Professional Signature

Box 7

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I JAMES T. MICKAM at \_\_\_\_\_  
print name



PO Box 359

Bridgeport, New York 13030

am certifying as a Qualified Environmental Professional for the AMPHENOL AEROSPACE  
(Owner or Remedial Party)

James T. Mickam

APR 7, 2017

Signature of Qualified Environmental Professional, for the Owner or Remedial Party, Rendering Certification

Stamp (Required for PE)

Date

**Boiler Room Site (#413013)  
2016 Annual  
Groundwater Monitoring Report**

**Amphenol Corporation  
Sidney, New York**



April 4, 2017

John Strang, P.E.  
NYSDEC  
Region Four Headquarters  
1130 North Westcott Road  
Schenectady, NY 12306-2014

Re: Boiler Room Site - #413013  
2016 Annual Monitoring Report


Dear Mr. Strang:

On behalf of Amphenol Corporation, the attached materials present the 2016 annual groundwater monitoring report for the Boiler Room site. More specifically the following is provided:

- Discussion regarding the groundwater recovery operation, local groundwater flow patterns, and groundwater chemistry
- Tables summarizing recovery system operational data, groundwater elevation and groundwater chemistry data
- Maps illustrating the local groundwater flow pattern and groundwater contaminant distribution
- Historical trend plots of remedial system performance, groundwater elevation and groundwater chemistry data

Should questions arise regarding any of the enclosed materials, please do not hesitate to contact us.

Very truly yours,  
JTM ASSOCIATES, LLC



James T. Mickam, PG  
President

Cc: J. Bianchi – Amphenol



## ***Introduction***

Amphenol Corporation previously manufactured a variety of electrical connectors at its facility at 40 – 60 Delaware Avenue in Sidney, New York. Several different business entities have used this site for industrial manufacturing since the early 1900s.

In some areas of the site, chlorinated volatile organic compounds (VOCs), primarily Trichloroethylene, Tetrachloroethylene, and their associated degradation products, have affected the quality of the on-site groundwater. To mitigate these impacts, Amphenol operates two groundwater recovery and treatment systems at the facility. One of these systems is located in an area of the plant referred to as the Boiler Room site. This document presents the 2016 Annual Report, which provides fourth quarter 2016 operation data and an annual summary of remedial system operational, groundwater elevation, and groundwater chemistry monitoring data.

## ***Background information***

Figure 1 depicts the Boiler Room site area relative to the Amphenol plant. In November 1984, an underground storage tank located adjacent to the boiler room was removed. This tank had been used to contain waste oil from various manufacturing operations. During the tank removal, soils surrounding the tank were found to be contaminated. This prompted additional subsurface soil and groundwater investigations in this area of the plant.

Between January 1985 and February 1995 several phases of remedial investigations were completed. The purpose of these studies was to evaluate the extent of groundwater impacts along the northwest side of the plant and identify appropriate remedial measures to mitigate further off site transport of contaminated groundwater. These objectives were defined in an Administrative

Order on Consent (AOC file #R-4-0539-88-02) executed between the New York State Department of Environmental Conservation (NYSDEC) and Amphenol.

In April 1996, as part of a pre-design study associated with a proposed interim remedial measure (IRM) for the Boiler Room site, a test groundwater recovery well and treatment system was constructed. The recovery well, initially designated PRW-3 and now labeled RW-Center (Figure 1), was designed to capture shallow groundwater and was located in the area where the highest concentrations of contaminants were detected. This test recovery well was installed to evaluate the ability of a pump and treat system to reduce off site migration of contaminated groundwater. The treatment system consisted of a shallow tray air stripper with its effluent discharged to an existing storm water outfall. This approach proved successful and subsequently two additional recovery wells, designated RW-West and RW-East (Figure 1), were installed to improve the contaminant capture capability of the remedial system. These wells became operational in mid-February 1999.

### ***Remedial system monitoring program***

Consistent with the AOC and the Record of Decision (ROD) published by NYSDEC in February 1999, a variety of monitoring activities are completed routinely to evaluate the performance of the groundwater remedial system and assess the improvement in the local groundwater chemistry. Monitoring activities were initiated as an element of the IRMs that established the groundwater remedial system.

In August 1999, Amphenol proposed a post IRM groundwater monitoring program for the Boiler Room site. The proposed program included three primary elements as follows:

- Monthly sampling, analysis, and reporting of recovery well influent and

treatment system effluent chemistry, recovered groundwater volume, and an estimation of the mass of volatile organic compounds (VOCs) recovered

- Quarterly reporting of groundwater elevation measurements at select monitoring wells, an assessment of local groundwater flow patterns, and a summary of remedial system operational data
- Annual groundwater quality sampling and analysis of select monitoring wells and submittal of an annual summary report

The NYSDEC approved the proposed groundwater monitoring program in correspondence dated September 9, 1999.

### ***Monitoring program results***

#### Groundwater collection and treatment system

Each recovery well is sampled monthly and analyzed for volatile organic compounds (VOCs) using U.S. EPA method 8260. Additionally, the total discharge for each recovery well is recorded. Using the sum of the discharge from each recovery well and the arithmetic mean of the total VOCs concentrations reported for each recovery well influent, the total contaminant mass recovered by the groundwater collection system as a whole was estimated since remediation began until January 2000.

Beginning in January 2000, contaminant mass removal has been estimated for each individual recovery well using their respective influent VOC concentrations and monthly flow. Through the end of the third quarter 2012 (September 2012), these values were reported monthly to the NYSDEC. NYSDEC directed that, beginning with the October 2012 monthly sampling event, monthly data is to be reported in the regular quarterly reports. Therefore, beginning with the 2012 annual report, these data are provided in quarterly reports.

Fourth quarter 2016 (October through December) monthly data recovery well influent data are summarized in Tables 1 and 2. Complete monthly data sets for monthly influent and effluent are provided in the Laboratory Data section of this document.

Table 3 summarizes monthly flows, contaminant mass removal, and contaminant removal rate since December 2013. Data prior to this period are provided in previously submitted quarterly and annual reports.

Data Plot 1 and 2 graphically illustrate the monthly and cumulative groundwater recovery and contaminant mass removal, respectively. Data Plot 3 depicts the contaminant mass removal rate for the same period. Data Plots 4 through 6 present histograms of monthly total VOC concentration, total flow, and contaminant mass removals for the individual recovery wells since December 2013. Individual recovery well performance data for periods prior to December 2013 are provided in previously submitted quarterly and annual monitoring reports.

Referring to Data Plot 1, in general, a direct relationship between the volume of groundwater recovered and the mass of contaminants removed is apparent. That is, the larger (or smaller) the volume of groundwater recovered, the more (or less) contaminant mass is removed. This is well illustrated during the reporting period for this annual report; January 2016 through December 2016.

Data Plot 2 illustrates the cumulative contaminant mass removal and groundwater recovered. Through December 2016, approximately 970 lbs. of volatile organic compounds (VOCs) have been removed from the greater than 257 million gallons of groundwater recovered since the system began operation in August 1996.

Data Plot 3 trends the monthly contaminant removal rate (mass per unit volume of groundwater recovered). Since the system began operation, the removal rate has

ranged from approximately 0.016 lbs. per 1,000 gallons to 0.0015 lbs. per 1,000 gallons of groundwater recovered. In 2016 the monthly mass removal rate averaged 0.0017 pounds per 1000 gallons, lower than the average monthly removal rate of 0.0022 pounds per 1000 gallons reported for 2015. The total contaminant mass removed in 2016 was approximately 22 pounds, 7 pounds less than that in 2015.

Data Plots 4 through 6 graphically depict various data for the individual recovery wells. These plots are useful to assess the relative performance of each recovery well over time. In general, all wells functioned as designed during 2016 with the exception of outages for routine maintenance and periodic voltage surges. More specifically, during September 2016, periodic electrical current overloads began to be observed primarily at RW-Center. Following further diagnostic testing, the source of the current loads was found to be irregular high voltage surges coming from the electrical bus that provides power to the remedial system. These power surges are beyond the voltage regulation capabilities of the existing variable frequency drives that service the recovery wells. To address this issue, Amphenol intends on upgrading the remedial system power delivery components and control system in the first quarter 2017.

The concentration of total VOCs in recovery well discharge is illustrated in Data Plot 4. In 2016, the recovery well influent VOC concentrations were generally consistent with recent historic trends. It is common to observe relatively small (less than 100 ppb) fluctuations in the influent total VOC concentrations between recovery wells.

Data Plot 5 illustrates the monthly discharge rate of the individual recovery wells. Plot 6 depicts recovery well contaminant mass removal. During 2016 RW-East was responsible for approximately 48.8% of the treatment system influent flow and 49.9% of the contaminant mass removal. RW-Center's flow and mass removal contribution in 2016 was 23% and 24.1%, respectively. RW-West

provided 28.3% of the flow and 26.1% of the mass removal. Historically, the relative contribution of the respective recovery wells has been reasonably balanced although RW-East typically contributes the great flow and contaminant mass.

The remedial system's total groundwater recovery in 2016 was about 13.1 million gallons, nearly equal to the 13.4 million gallons that was recorded in 2015. The total VOC mass removed was 22.2 pounds in 2016 compared to 29.3 pounds in 2015.

#### Groundwater flow patterns

Table 4 summarizes groundwater elevation data collected since December 2013. Earlier data are provided in previously submitted monitoring reports. Figure 1 provides groundwater elevation values and shallow groundwater flow direction interpretation for the December 2016 monitoring period. Data plot 7 presents a hydrograph of those wells routinely monitored for groundwater elevation.

Groundwater in the boiler room area occurs less than 20 feet below the ground surface under unconfined conditions. As is typically the case, during the day when static water levels depicted on Figure 1 were measured (December 6, 2016), very little difference in groundwater elevation was observed across the study area. The very low hydraulic gradient, typically 0.002 ft/ft or less at the site, results in a relatively flat water table. Regionally, shallow groundwater flow direction is north to northwest, toward the Susquehanna River, which serves as a regional groundwater discharge boundary. The very shallow gradient is characteristic of high hydraulic conductivity aquifer material, the relatively flat topography in the flood plain and an efficient hydraulic connection between the Susquehanna and the shallow groundwater.

Groundwater elevations fluctuate fairly consistently from location to location

throughout the year (Data Plot 7). This suggests relatively stable flow direction and hydraulic gradient.

#### Groundwater contaminant distribution

In 2004, Amphenol voluntarily began to sample wells in the Boiler Room monitoring program twice annually instead of the annual frequency called for in the approved monitoring program. The additional sampling event was completed to compliment data being collected to assess potential soil vapor intrusion issues off-site. However, in 2011 the wells used to monitoring groundwater chemistry were only sampled once, due to the September flood resulting in the need to re-develop all monitoring wells. Twice annual sampling was re-started in 2012 beginning with the first quarter.

Table 5 summarizes VOC data for the wells included in the post IRM monitoring program. Figure 2 illustrates the total VOC concentration at the monitoring wells sampled during the March and September 2016 sampling events, the two most recent sampling events. Data Plot 8 depicts the trend of total VOCs at several monitoring wells where historical data are available.

The concentrations reported for the 2016 sampling events are within the historic range. Downward trends are apparent at BR-14, BR-17 and BR-19 (Data Plot 8) which are located down-gradient and off-site (Figure 2).

# TABLES



Table 1

Amphenol Corporation  
Sidney, New York  
Boiler Room - Site # 413013  
Fourth Quarter 2016 Influent Monitoring Data

Parameter	West Well			Center Well			East Well		
	Oct	Nov	Dec	Oct	Nov	Dec	Oct	Nov	Dec
Vinyl Chloride	31	<0.5	18	12	3	3	6	4	16
Total 1,2 Dichloroethene	97	121	64	151	110	141	161	161	75
1,1,1 Trichloroethane	2	2	2	1	<0.5	<0.5	<0.5	<0.5	2
Trichloroethylene	4	49	47	40	75	200	39	57	47
Tetrachloroethylene	4	11	6	5	7	9	5	5	8
BTEX	<0.5	6	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Total VOCs	137	189	138	208	195	353	211	227	147

## NOTE:

All Results in Parts Per Billion (ppb)

"Total VOCs" defined as the sum of the concentrations of parameters quantified above the detection limit using USEPA Method 8260C

Sample collection dates: 10/25/16, 11/16/16 and 12/21/16

NS = Not sampled due to pump outage at the time of the sampling event

Table 2

Amphenol Corporation  
 Sidney, New York  
 Boiler Room - Site # 413013  
 Fourth Quarter 2016 Monthly Flow, Total VOC and Contaminant Mass Removal Summary

Recovery Well	Monthly Flow (gals)			Total VOCs (ppb)			Monthly Mass (lbs.)		
	Oct	Nov	Dec	Oct	Nov	Dec	Oct	Nov	Dec
RW-West	327,846	261,623	122,154	137	189	138	0.38	0.41	0.14
RW-Center	51,721	256,847	99,219	208	195	353	0.09	0.42	0.29
RW-East	772,332	725,591	514,599	211	227	147	1.36	1.37	0.63
Monthly Total	1,151,899	1,244,061	735,972				1.82	2.21	1.07

"Total VOCs" defined as the sum of the concentrations of parameters quantified above the detection limit using USEPA Method 8260C

\* Estimated concentration; mean of July and August 2016 concentrations

**Table 3**  
 Amphenol Corporation  
 Boiler Room Remedial System  
 Mass Removal and Collection Volume Summary

<b>Month</b>	<b>Mass Removed</b>	<b>Total Flow (gal)</b>	<b>Removal Rate (lbs/1000 gal)</b>
Dec-13	0.01	8,529	0.0012
Jan-14	1.19	680,251	0.0017
Feb-14	2.10	1,096,459	0.0019
Mar-14	5.82	2,653,196	0.0022
Apr-14	4.89	2,539,838	0.0019
May-14	4.61	2,555,535	0.0018
Jun-14	4.25	2,439,459	0.0017
Jul-14	4.07	2,491,387	0.0016
Aug-14	3.75	2,168,056	0.0017
Sep-14	2.67	1,914,310	0.0014
Oct-14	2.47	1,473,276	0.0017
Nov-14	0.73	581,221	0.0013
Dec-14	2.88	1,499,802	0.0019
Jan-15	2.08	1,017,431	0.0020
Feb-15	1.84	738,679	0.0025
Mar-15	2.26	1,010,230	0.0022
Apr-15	3.13	1,183,645	0.0026
May-15	4.17	1,739,204	0.0024
Jun-15	3.57	1,722,336	0.0021
Jul-15	2.71	1,025,707	0.0026
Aug-15	2.66	1,256,885	0.0021
Sep-15	1.61	1,023,039	0.0016
Oct-15	1.36	848,988	0.0016
Nov-15	2.65	1,128,263	0.0023
Dec-15	1.28	745,273	0.0017
Jan-16	1.76	943,753	0.0019
Feb-16	2.11	1,139,273	0.0019
Mar-16	2.53	1,221,687	0.0021
Apr-16	2.56	1,473,961	0.0017
May-16	2.20	1,438,652	0.0015
Jun-16	2.23	1,310,485	0.0017
Jul-16	1.55	948,515	0.0016
Aug-16	0.44	347,187	0.0013
Sep-16	1.75	1,111,842	0.0016
Oct-16	1.82	1,151,899	0.0016
Nov-16	2.21	1,244,061	0.0018
Dec-16	1.07	735,972	0.0015

**Table 4**  
 Amphenol Corporation  
 Boiler Room Site  
 Ground Water Elevation Summary

Well ID	TOC Elev	Dec-13	Mar-14	Jun-14	Sep-14	Dec-14	Mar-15	Jun-15	Sep-15	Dec-15	Mar-16	Jun-16	Sep-16	Dec-16
BR-4 S	986.07	972.69	973.25	973.63	971.14	971.69	972.02	972.32	971.26	972.40	973.42	972.07	971.70	971.49
BR-11 D	984.21							971.01	969.70	970.81	972.03	970.32	970.34	970.94
BR-12 I	985.85	971.60	972.80	972.32	970.02	970.86	971.10	971.24	970.01	970.85	972.34	970.63	970.55	971.41
BR-13 S	984.50	972.19	972.85	972.98	970.69	971.35		971.98	971.36	971.85	973.06	971.51	971.10	971.31
MW-4 S	988.84	971.92	972.59	972.75	970.36	971.06	971.40	971.64	972.07	971.61	972.80	971.20	970.86	971.16
BR-14 S	982.15	972.65	973.12	973.43	970.99	972.49	971.76	972.04	971.12	972.42	973.32	972.06	971.57	971.31
BR-15 D	981.86	969.14	970.86	969.36	967.49	969.66	968.53	968.14			969.71	967.93	968.04	969.30
BR-17 S	984.11	971.01	972.09	971.64	969.26	972.38	970.56	970.87	970.89	970.51	971.95	969.53	969.91	970.75
BR-18 I	984.50													
BR-19 S	984.22	972.70	973.08	973.42	971.06	972.49		972.17	971.17	972.62	973.32	972.14	972.64	971.32
BR-19 I	984.10													
BR-19 D	984.09													
BR-20 S	982.80	972.95	973.13	973.37	971.27	972.72	971.84	972.16	971.26	973.14	973.56	972.30	971.90	971.42
BR-21 I	982.15				964.94			963.83					965.46	966.53

Table 5  
Boiler Room Site  
Summary of VOCs in Groundwater

Parameter and Date	BR-3 / BR-4 *	BR-12	BR-14	BR-17	BR-19 S	BR-20	MW-4
Vinyl Chloride							
Sep-07	<1	<10	<5	<2	<5	<10	<1
Mar-08	<1	<10	<2	<1	<2	<2	<1
Sep-08	<1	31	<2	<1	<2	<10	<1
Dec-08	<1	17	<2	<2	<2	<10	<1
Mar-09	<1	33	<2	<2	<2	25	<1
Sep-09	<1	35	<1	<1	<2	<10	<1
Mar-10	<1	26	<2	<1	<2	<10	<1
Sep-10	<1	29	<2	<1	<2	<10	<1
Mar-11	<1	34	<2	<1	<2	<10	<1
Sep-11	<1	53	<1	<1	<1		
Dec-11	<1	15	<1	<1	<1		
Mar-12	<1	32	<1	<1	<1	<5	<1
Sep-12	<1	25	<1	<1	<1	<5	<1
Jun-13	<0.5	36	<0.5	<0.5	<0.5	7.1	<0.5
Dec-13	NS	32	<1	<0.5	<1	<2.5	<0.5
Jun-14	<0.5	25	<1	<0.5	<0.5	0.6	<0.5
Dec-14	<0.5	30	0.5	<0.5	<0.5	0.9	<0.5
Jun-15	<0.5	30	<0.5	<0.5	<0.5	8.3	<0.5
Dec-15	1.4	19	<0.5	<0.5	<0.5	19	<0.5
Mar-16	2.1	27	<0.5	<0.5	<0.5	9.6	<0.5
Sep-16	<0.5	20	<0.5	<0.5	<0.5	13	<0.5
1,1 Dichloroethene							
Sep-07	<1	<10	<5	<2	<5	<10	<1
Mar-08	<1	<10	<2	<1	<2	<2	<1
Sep-08	<1	<10	<2	<1	<2	<10	<1
Dec-08	<1	<10	<2	<2	<2	<10	<1
Mar-09	<1	<10	<2	<2	<2	<10	<1
Sep-09	<1	<10	<1	<1	<2	<10	<1
Mar-10	<1	<10	<2	<1	<2	<10	<1
Sep-10	<1	<10	<2	<1	<2	<10	<1
Mar-11	<1	<10	<2	<1	<2	<10	<1
Sep-11	<1	<10	<1	<1	<1		
Dec-11	<1	<10	<1	<1	<1		
Mar-12	<1	<10	<1	<1	<1	<5	<1
Sep-12	<1	<10	<1	<1	<1	<5	<1
Jun-13	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5
Dec-13	NS	<5	<1	<0.5	<1	<2.5	<0.5
Jun-14	<0.5	5.3	<1	<0.5	<0.5	<0.5	<0.5
Dec-14	<0.5	2.4	<0.5	<0.5	<0.5	<0.5	<0.5
Jun-15	<0.5	2.8	<0.5	<0.5	<0.5	<0.5	<0.5
Dec-15	<0.5	1.8	<0.5	<0.5	<0.5	<0.5	<0.5
Mar-16	<0.5	2.5	<0.5	<0.5	<0.5	<0.5	<0.5
Sep-16	<0.5	1.8	<0.5	<0.5	<0.5	<0.5	<0.5

**Table 5**  
**Boiler Room Site**  
**Summary of VOCs in Groundwater**

<b>Parameter and Date</b>	<b>BR-3 / BR-4 *</b>	<b>BR-12</b>	<b>BR-14</b>	<b>BR-17</b>	<b>BR-19 S</b>	<b>BR-20</b>	<b>MW-4</b>
<b>1,1 Dichloroethane</b>							
Sep-07	<1	<10	<5	<2	<5	<10	<1
Mar-08	<1	<10	<2	<1	<2	<2	<1
Sep-08	<1	10	<2	<1	<2	<10	<1
Dec-08	<1	<10	<2	<2	<2	<10	<1
Mar-09	<1	<10	<2	<2	<2	<10	<1
Sep-09	<1	<10	<1	<1	<2	<10	<1
Mar-10	<1	<10	<2	<1	<2	<10	<1
Sep-10	<1	<10	<2	<1	<2	<10	<1
Mar-11	<1	<10	<2	<1	<2	<10	<1
Sep-11	<1	<10	<1	<1	<1		
Dec-11	<1	<10	<1	<1	<1		
Mar-12	<1	<10	<1	<1	<1	<5	<1
Sep-12	<1	11	<1	<1	<1	<5	<1
Jun-13	<0.5	6.8	0.8	<0.5	<0.5	0.9	<0.5
Dec-13	NS	7	1.8	<0.5	1.2	3.6	<0.5
Jun-14	<0.5	6.1	1.1	<0.5	<0.5	0.9	<0.5
Dec-14	<0.5	6.4	1.1	<0.5	<0.5	1.2	<0.5
Jun-15	<0.5	5.6	<0.5	<0.5	<0.5	1	<0.5
Dec-15	<0.5	7.7	3.2	<0.5	2.2	4.5	<0.5
Mar-16	<0.5	7	1.9	<0.5	1.4	1.4	<0.5
Sep-16	<0.5	5.6	1.2	<0.5	1.1	1.2	<0.5
<b>Total 1,2 Dichloroethene</b>							
Sep-07	<1	150	93	26	50	140	38
Mar-08	2.8	480	29	48	9.3	300	17
Sep-08	<1	<10	<2	<1	<2	<10	<1
Dec-08	2.3	380	53	30	40	790	41
Mar-09	1.1	450	130	30	6.1	490	17
Sep-09	2.1	410	110	34	35	320	34
Mar-10	2.4	410	170	31	28	310	28
Sep-10	2.3	380	130	35	28	360	39
Mar-11	2	420	42	29	34	440	27
Sep-11	3.8	390	93.1	34	18		
Dec-11	2.5	400	29	26	8.1		
Mar-12	<1	430	55	23	7.2	180	21
Sep-12	1.2	350	74	32	16	130	25
Jun-13	3.6	250	53	18	12	182	12
Dec-13	NS	280	89	30	42	91	29
Jun-14	2.8	310	76	23	13	78.7	17
Dec-14	2.4	282.1	62.7	29	12	110.8	27
Jun-15	3.1	242.1	34	21	8.3	131.1	18
Dec-15	11	291.9	88.6	36	49	100.7	25
Mar-16	13	271.7	68	30	29	121	18
Sep-16	8.4	211.4	65.7	29	33	110.8	24

Table 5  
Boiler Room Site  
Summary of VOCs in Groundwater

Parameter and Date	BR-3 / BR-4 *	BR-12	BR-14	BR-17	BR-19 S	BR-20	MW-4
1,1,1 Trichloroethane							
Sep-07	<1	<10	<5	<2	<5	<10	<1
Mar-08	<1	<10	<2	<1	<2	5	<1
Sep-08	<1	<10	<2	<1	<2	<10	<1
Dec-08	1.1	<10	<2	<2	<2	<10	<1
Mar-09	<1	<10	<2	<2	<2	<10	<1
Sep-09	<1	<10	<1	<1	3.1	<10	<1
Mar-10	<1	<10	<2	<1	2.8	<10	<1
Sep-10	<1	<10	<2	<1	2.2	<10	<1
Mar-11	<1	<10	<2	<1	2	<10	<1
Sep-11	<1	<10	<1	<1	<1		
Dec-11	<1	<10	<1	<1	<1		
Mar-12	<1	<10	<1	<1	<1	5.1	<1
Sep-12	<1	<10	<1	<1	1.8	9.2	<1
Jun-13	<0.5	<2.5	<0.5	<0.5	0.6	0.9	<0.5
Dec-13	NS	<5	<1	<0.5	4.1	<2.5	<0.5
Jun-14	<0.5	<5	<1	<0.5	1.5	2	<0.5
Dec-14	<0.5	<1.0	<0.5	<0.5	1.4	<0.5	<0.5
Jun-15	<0.5	<1	<0.5	<0.5	0.9	0.8	<0.5
Dec-15	<0.5	<1	<0.5	<0.5	2.7	2.5	<0.5
Mar-16	<0.5	<1	<0.5	<0.5	1.7	0.6	<0.5
Sep-16	<0.5	<1	<0.5	<0.5	1.8	0.6	<0.5
Trichloroethene							
Sep-07	5.1	<10	88	42	100	150	29
Mar-08	1.1	<10	15	60	32	380	22
Sep-08	3.3	<10	50	44	71	790	31
Dec-08	1.4	<10	22	48	97	710	39
Mar-09	1.1	<10	17	38	21	200	17
Sep-09	2.5	<10	23	38	85	100	25
Mar-10	2.8	<10	28	31	74	100	22
Sep-10	2	<10	22	33	66	81	24
Mar-11	1.3	<10	9.5	32	80	120	21
Sep-11	1.7	<10	14	35	42		
Dec-11	1.2	<10	7.9	29	23		
Mar-12	<1	<10	9.2	24	24	150	11
Sep-12	1.1	<10	12	27	41	160	15
Jun-13	1.6	6.2	14	26	37	77	12
Dec-13	NS	20	17	24	88	31	14
Jun-14	1.6	9.8	11	20	32	100	10
Dec-14	1.9	5.7	16	29	50	30	18
Jun-15	3.5	9.1	11	26	43	75	14
Dec-15	2.5	5.5	20	30	54	70	14
Mar-16	2.3	5.8	20	27	52	65	12
Sep-16	1.8	3.8	19	26	66	52	15

**Table 5**  
**Boiler Room Site**  
**Summary of VOCs in Groundwater**

<b>Parameter and Date</b>	<b>BR-3 / BR-4 *</b>	<b>BR-12</b>	<b>BR-14</b>	<b>BR-17</b>	<b>BR-19 S</b>	<b>BR-20</b>	<b>MW-4</b>
<b>Tetrachloroethylene</b>							
Sep-07	<1	<10	9.2	9.5	11	69	7.8
Mar-08	<1	<10	<2	5.3	<2	19	2.9
Sep-08	<1	<10	4.6	5.8	7	80	5.3
Dec-08	<1	<10	2.3	5.5	8.7	76	5.6
Mar-09	<1	<10	<2	4.4	2	66	2.8
Sep-09	<1	<10	2.2	5	7.2	53	4.4
Mar-10	<1	<10	2.3	3.9	7.7	42	3.3
Sep-10	<1	<10	2.8	4.9	8.2	45	4.5
Mar-11	<1	<10	<2	3.4	8.8	63	3
Sep-11	<1	<10	1.2	4.6	6.6		
Dec-11	<1	<10	<1	3.2	1.7		
Mar-12	<1	<10	1.1	3.2	1.9	37	2.5
Sep-12	<1	<10	1.2	3.5	4.8	20	3.2
Jun-13	<0.5	<2.5	1.6	4.1	5.4	14	2.8
Dec-13	NS	<5	3	3.7	4	3.1	3.1
Jun-14	<0.5	<5	<1	3.6	2.2	11	2.4
Dec-14	<0.5	<1.0	2.2	4	3.7	4.9	3.9
Jun-15	<0.5	<1	1.5	4	5	14	3
Dec-15	<0.5	<1	3.1	3.6	4.4	8	2.5
Mar-16	<0.5	<1	2.9	3.8	3.6	14	2.2
Sep-16	<0.5	<1	2.8	3.8	5.3	6.8	2.8
<b>Total Volatile Organics</b>							
Sep-07	5	150	190	78	161	359	75
Mar-08	4	480	44	113	41	704	42
Sep-08	3	41	55	50	78	870	36
Dec-08	5	397	77	84	146	1576	86
Mar-09	2	483	147	72	29	781	37
Sep-09	5	445	135	77	130	473	63
Mar-10	5	436	200	66	113	452	53
Sep-10	4	409	155	73	104	486	68
Mar-11	3	454	52	64	125	623	51
Sep-11	6	443	108	74	67		
Dec-11	4	415	37	58	33		
Mar-12	<1	462	65	50	33	372	35
Sep-12	2	386	87	63	64	319	43
Jun-13	5	299	69	48	55	282	27
Dec-13	0	339	111	58	139	129	46
Jun-14	4	356	88	47	49	193	29
Dec-14	4	327	83	62	67	148	49
Jun-15	7	290	47	51	57	230	35
Dec-15	15	326	115	70	112	205	42
Mar-16	17	314	93	61	88	212	32
Sep-16	10	243	89	59	107	184	42

\* BR-4 sampling begun June 2013 following the decommissioning of BR-3

\*\* BR-4 not sampled Dec 2013 due to inaccessibility. Total VOC value represents mean value reported since Dec 2008 sampling event and used for trend plotting purposes.



# FIGURES


DWG PATH: C:\DWGS\JTM-ASSOCIATES\AMPHENOL\BOILER-HOUSE\JTM\107.DWG  
(USES XREF BASE-300)

# FIGURE 1 AMPHENOL CORPORATION SIDNEY, NEW YORK

## BOILER ROOM GROUND WATER REMEDIAL SYSTEM

### SHALLOW ZONE GROUNDWATER ELEVATION MAP DECEMBER 6, 2016

GRID NORTH  
NY STATE PLANE SYSTEM  
CENTRAL ZONE



#### LEGEND

- STB-7 DEEP STB-7 SHAL      PIEZOMETER LOCATION
- ▲ STB-5 GRD      SOIL BORING LOCATION
- I-46      PRODUCTION WELL LOCATION
- ◆ S-2      VILLAGE OF SIDNEY TEST WELL
- ⊙ WW-3      WEST WELL MONITOR WELL
- ⊙ MW2      ONEONTA OIL MONITOR WELL
- ⊙ BR-13      BOILER ROOM MONITOR WELL
- 971.49      GROUNDWATER ELEVATION
- - - 971.0      GROUNDWATER ELEVATION CONTOUR
- ←      GROUNDWATER FLOW DIRECTION




ADAPTED FROM MAP SUPPLIED BY  
MACK AND LOWES ASSOCIATED LAND  
SURVEYORS SIDNEY, NEW YORK  
MAP NO. 3552-22

DWG PATH: C:\DWGS\JTM-ASSOCIATES\AMPHENOL\BOILER-HOUSE\JTM\108.DWG  
 (USES XREF BASE-300)  
 PLOT DATE: 03/20/2017


**FIGURE 2**  
**AMPHENOL CORPORATION**  
**SIDNEY, NEW YORK**

**BOILER ROOM**  
**GROUNDWATER REMEDIAL SYSTEM**  
**TOTAL VOC DISTRIBUTION MAP**  
**MARCH AND SEPTEMBER 2016**  
**SAMPLING EVENTS**




- LEGEND**
- STB-7 DEEP STB-7 SHAL: PIEZOMETER LOCATION
  - ▲ STB-5 GRD: SOIL BORING LOCATION
  - I-46: PRODUCTION WELL LOCATION
  - ◆ S-2: VILLAGE OF SIDNEY TEST WELL
  - WW-3: WEST WELL MONITOR WELL
  - MW2: ONEONTA OIL MONITOR WELL
  - BR-13: BOILER ROOM MONITOR WELL
  - 93 / 89: — MARCH 2016  
— SEPTEMBER 2016  
TOTAL VOCs ppb

ADAPTED FROM MAP SUPPLIED BY  
 MACK AND LOWES ASSOCIATED LAND  
 SURVEYORS SIDNEY, NEW YORK  
 MAP NO. 3552-22




# **DATA TREND PLOTS**


**Data Plot 1**  
**Amphenol Corporation**  
**Boiler Room Remedial System**  
**Monthly Contaminant Mass Removal and Groundwater Recovered**




**Data Plot 2**  
**Amphenol Corporation**  
**Boiler Room Remedial System**  
**Cumulative Mass Removal and Groundwater Recovered**



**Data Plot 3**  
**Amphenol Corporation**  
**Boiler Room Groundwater Remediation System**  
**Contaminant Removal Rate**





**Data Plot 4**  
**Amphenol Corporation**  
**Boiler Room Ground Water Remediation System**  
**Recovery Well Total VOCs**








**Data Plot 5**  
**Amphenol Corporation**  
**Boiler Room Ground Water Remediation System**  
**Recovery Well Total Flow**




**Data Plot 6**  
**Amphenol Corporation**  
**Boiler Room Ground Water Remediation System**  
**Recovery Well Mass Removal**



**Data Plot 7**  
**Amphenol Corporation**  
**Boiler Room Remedial System**  
**Shallow Groundwater Elevations**



**Data Plot 8**  
**Amphenol Corporation**  
**Boiler Room Area**  
**Total VOCs**



# **LABORATORY DATA**



**Experience is the solution**

314 North Pearl Street ♦ Albany, New York 12207  
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

November 09, 2016

Jim Mickam  
JTM Associates  
PO Box 359  
Bridgeport, NY 13030

Work Order No: 161027034

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: Amphenol-Boiler Room

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 4 samples on 10/27/2016 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read "Chris Hess", written over a white background.

Christopher Hess  
QA Manager

ELAP#: 10709

---

**CLIENT:** JTM Associates  
**Project:** Amphenol-Boiler Room  
**Lab Order:** 161027034

---

**Date:** 09-Nov-16

Sample containers were supplied by Adirondack Environmental Services.

---

**Qualifiers:** ND - Not Detected at reporting limit  
J - Analyte detected below quantitation limit  
B - Analyte detected in Blank  
X - Exceeds maximum contamination limit  
H - Hold time exceeded

C - Details are above in Case Narrative  
S - LCS Spike recovery outside acceptable limits(+ is over - is under)  
R - Duplication outside acceptable limits  
T - Tentatively Identified Compound-Estimated  
E -Above quantitation range-Estimated  
M - Matrix Spike outside acceptable limits(+ is over - is under)

**Note : All Results are reported as wet weight unless noted**

---

**The results relate only to the items tested. Information supplied by the client is assumed to be correct.**

---

# Adirondack Environmental Services, Inc

Date: 09-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161027034  
**Reference:** Amphenol-Boiler Room /  
**PO#:**

**Client Sample ID:** RW-East  
**Collection Date:** 10/25/2016  
**Lab Sample ID:** 161027034-001  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Vinyl chloride	6.2	0.5		µg/L	1	11/2/2016 10:18:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Acetone	< 5.0	5.0		µg/L	1	11/2/2016 10:18:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,1-Dichloroethane	0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
trans-1,2-Dichloroethene	0.9	0.5		µg/L	1	11/2/2016 10:18:00 PM
cis-1,2-Dichloroethene	160	0.5		µg/L	1	11/2/2016 10:18:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	11/2/2016 10:18:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Trichloroethene	39	0.5		µg/L	1	11/2/2016 10:18:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	11/2/2016 10:18:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	11/2/2016 10:18:00 PM
Tetrachloroethene	4.6	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM



**Adirondack Environmental Services, Inc**

Date: 09-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161027034  
**Reference:** Amphenol-Boiler Room /  
**PO#:**

**Client Sample ID:** RW-East  
**Collection Date:** 10/25/2016  
**Lab Sample ID:** 161027034-001  
**Matrix:** GROUNDWATER

---

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

---

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Cyclohexane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 10:18:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	11/2/2016 10:18:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	11/2/2016 10:18:00 PM
Surr: Toluene-d8	99.2	79.6-110		%REC	1	11/2/2016 10:18:00 PM

# Adirondack Environmental Services, Inc

Date: 09-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161027034  
**Reference:** Amphenol-Boiler Room /  
**PO#:**

**Client Sample ID:** RW-West  
**Collection Date:** 10/25/2016  
**Lab Sample ID:** 161027034-002  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Chloromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Vinyl chloride	31	0.5		µg/L	1	11/2/2016 9:57:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Acetone	< 5.0	5.0		µg/L	1	11/2/2016 9:57:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,1-Dichloroethane	3.4	0.5		µg/L	1	11/2/2016 9:57:00 PM
trans-1,2-Dichloroethene	0.6	0.5		µg/L	1	11/2/2016 9:57:00 PM
cis-1,2-Dichloroethene	96	0.5		µg/L	1	11/2/2016 9:57:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	11/2/2016 9:57:00 PM
1,1,1-Trichloroethane	2.2	0.5		µg/L	1	11/2/2016 9:57:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Trichloroethene	39	0.5		µg/L	1	11/2/2016 9:57:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	11/2/2016 9:57:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	11/2/2016 9:57:00 PM
Tetrachloroethene	3.7	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	1.8	0.5	S+	µg/L	1	11/2/2016 9:57:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM

# Adirondack Environmental Services, Inc

Date: 09-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161027034  
**Reference:** Amphenol-Boiler Room /  
**PO#:**

**Client Sample ID:** RW-West  
**Collection Date:** 10/25/2016  
**Lab Sample ID:** 161027034-002  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Cyclohexane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:57:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	11/2/2016 9:57:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	11/2/2016 9:57:00 PM
Surr: Toluene-d8	100	79.6-110		%REC	1	11/2/2016 9:57:00 PM

# Adirondack Environmental Services, Inc

Date: 09-Nov-16

CLIENT: JTM Associates  
 Work Order: 161027034  
 Reference: Amphenol-Boiler Room /  
 PO#:

Client Sample ID: RW-Center  
 Collection Date: 10/25/2016  
 Lab Sample ID: 161027034-003  
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: SMD
Chloromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Vinyl chloride	12	0.5		µg/L	1	11/2/2016 9:35:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Acetone	< 5.0	5.0		µg/L	1	11/2/2016 9:35:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,1-Dichloroethane	1.2	0.5		µg/L	1	11/2/2016 9:35:00 PM
trans-1,2-Dichloroethene	0.9	0.5		µg/L	1	11/2/2016 9:35:00 PM
cis-1,2-Dichloroethene	150	0.5		µg/L	1	11/2/2016 9:35:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	11/2/2016 9:35:00 PM
1,1,1-Trichloroethane	0.6	0.5		µg/L	1	11/2/2016 9:35:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Trichloroethene	40	0.5		µg/L	1	11/2/2016 9:35:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	11/2/2016 9:35:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	11/2/2016 9:35:00 PM
Tetrachloroethene	4.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	0.6	0.5	S+	µg/L	1	11/2/2016 9:35:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM

**Adirondack Environmental Services, Inc**

Date: 09-Nov-16

CLIENT: JTM Associates  
 Work Order: **161027034**  
 Reference: Amphenol-Boiler Room /  
 PO#:

Client Sample ID: RW-Center  
 Collection Date: 10/25/2016  
 Lab Sample ID: 161027034-003  
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Cyclohexane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:35:00 PM
Surr: 1,2-Dichloroethane-d4	<b>105</b>	80.3-122		%REC	1	11/2/2016 9:35:00 PM
Surr: 4-Bromofluorobenzene	<b>107</b>	74.1-124		%REC	1	11/2/2016 9:35:00 PM
Surr: Toluene-d8	<b>99.2</b>	79.6-110		%REC	1	11/2/2016 9:35:00 PM

# Adirondack Environmental Services, Inc

Date: 09-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161027034  
**Reference:** Amphenol-Boiler Room /  
**PO#:**

**Client Sample ID:** Effluent  
**Collection Date:** 10/25/2016  
**Lab Sample ID:** 161027034-004  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Chloromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Acetone	< 5.0	5.0		µg/L	1	11/2/2016 9:14:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
cis-1,2-Dichloroethene	11	0.5		µg/L	1	11/2/2016 9:14:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	11/2/2016 9:14:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Trichloroethene	1.3	0.5		µg/L	1	11/2/2016 9:14:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	11/2/2016 9:14:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	11/2/2016 9:14:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM

**Adirondack Environmental Services, Inc**

Date: 09-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161027034  
**Reference:** Amphenol-Boiler Room /  
**PO#:**

**Client Sample ID:** Effluent  
**Collection Date:** 10/25/2016  
**Lab Sample ID:** 161027034-004  
**Matrix:** GROUNDWATER

---

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

---

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Cyclohexane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	11/2/2016 9:14:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	11/2/2016 9:14:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	11/2/2016 9:14:00 PM
Surr: Toluene-d8	99.1	79.6-110		%REC	1	11/2/2016 9:14:00 PM



314 North Pearl Street  
Albany, New York 12207  
518-434-4546/434-0891 FAX

### CHAIN OF CUSTODY RECORD

AES Work Order # 161027034

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM ASSOCIATES LLC</b>		Address: <b>PO BOX 359 BRIDGEPORT NY 13030</b>	
Send Report To: <b>JIM MICKAM</b>		Project Name (Location): <b>AMPHENOL BOILER ROOM</b>	Samplers: (Names) <b>JIM MICKAM</b>
Client Phone No: <b>315.641.1216</b>	Client Email: <b>jmickam@JTMLLC.com</b>	PO Number:	Samplers: (Signature) <i>J. Mickam</i>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
001	RW-EAST	10/25/16	1349			X	2	8260
002	RW-WEST	10/25/16	1345			X	2	8260
003	RW-CENTER	10/25/16	1354			X	2	8260
004	EFFLUENT	10/25/16	1358			X	2	8260
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				

Shipment Arrived Via: FedEx UPS Client <input checked="" type="checkbox"/> AES Other: _____	CC Report To / Special Instructions/Remarks:
--	--

Turnaround Time Request:

1 Day     3 Day     Normal

2 Day     5 Day

Note: Samples received after 3:30 pm are considered next business day

Relinquished by: (Signature) <i>Paul Bost</i>	Received by: (Signature)	Date/Time 10/27/16 3:05
Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Relinquished by: (Signature)	Received for Laboratory by: <i>Candida...</i>	Date/Time 10/27/16 4:20pm

TEMPERATURE Ambient or <input checked="" type="checkbox"/> Chilled Notes: 4°C	AES Bottles Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	PROPERLY PRESERVED Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	RECEIVED WITHIN HOLDING TIMES Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
---	---	--	---

WHITE - Lab Copy

YELLOW - Sampler Copy



161027034





**Experience is the solution**

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

## TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.



**Experience is the solution**

314 North Pearl Street ♦ Albany, New York 12207  
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

November 29, 2016

Jim Mickam  
JTM Associates  
PO Box 359  
Bridgeport, NY 13030

Work Order No: 161116079

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: Boiler Room

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 4 samples on 11/16/2016 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read "K. Trafalski".

Krzysztof Trafalski  
Laboratory Manager

ELAP#: 10709

---

**CLIENT:** JTM Associates

**Date:** 29-Nov-16

**Project:** Boiler Room

**Lab Order:** 161116079

---

The sampling was performed in accordance with the AES field sampling procedures and/or the client specified sampling procedures. Sample containers were supplied by Adirondack Environmental Services.

---

**Qualifiers:** ND - Not Detected at reporting limit  
J - Analyte detected below quantitation limit  
B - Analyte detected in Blank  
X - Exceeds maximum contamination limit  
H - Hold time exceeded

C - Details are above in Case Narrative  
S - LCS Spike recovery outside acceptable limits(+ is over - is under)  
R - Duplication outside acceptable limits  
T - Tentatively Identified Compound-Estimated  
E -Above quantitation range-Estimated  
M - Matrix Spike outside acceptable limits(+ is over - is under)

**Note : All Results are reported as wet weight unless noted**

---

**The results relate only to the items tested. Information supplied by the client is assumed to be correct.**

---

# Adirondack Environmental Services, Inc

Date: 29-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161116079  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** West Well Influent  
**Collection Date:** 11/16/2016  
**Lab Sample ID:** 161116079-001  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Chloromethane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Acetone	< 5.0	5.0		µg/L	1	11/28/2016 5:56:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,1-Dichloroethane	3.2	0.5		µg/L	1	11/28/2016 5:56:00 PM
trans-1,2-Dichloroethene	0.7	0.5		µg/L	1	11/28/2016 5:56:00 PM
cis-1,2-Dichloroethene	120	0.5		µg/L	1	11/28/2016 5:56:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	11/28/2016 5:56:00 PM
1,1,1-Trichloroethane	2.3	0.5		µg/L	1	11/28/2016 5:56:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Trichloroethene	49	0.5		µg/L	1	11/28/2016 5:56:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	11/28/2016 5:56:00 PM
2-Hexanone	< 5.0	5.0	S-	µg/L	1	11/28/2016 5:56:00 PM
Tetrachloroethene	11	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Ethylbenzene	2.0	0.5		µg/L	1	11/28/2016 5:56:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
m,p-Xylene	3.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
o-Xylene	0.6	0.5		µg/L	1	11/28/2016 5:56:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	11/28/2016 5:56:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	3.1	0.5		µg/L	1	11/28/2016 5:56:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM

**Adirondack Environmental Services, Inc**

Date: 29-Nov-16

CLIENT: JTM Associates  
 Work Order: **161116079**  
 Reference: Boiler Room /  
 PO#:

Client Sample ID: West Well Influent  
 Collection Date: 11/16/2016  
 Lab Sample ID: 161116079-001  
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Cyclohexane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Methyl Cyclohexane	0.7	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
Isopropylbenzene	0.9	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 5:56:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-	µg/L	1	11/28/2016 5:56:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	11/28/2016 5:56:00 PM
Surr: 1,2-Dichloroethane-d4	97.0	80.3-122		%REC	1	11/28/2016 5:56:00 PM
Surr: 4-Bromofluorobenzene	122	74.1-124		%REC	1	11/28/2016 5:56:00 PM
Surr: Toluene-d8	103	79.6-110		%REC	1	11/28/2016 5:56:00 PM

# Adirondack Environmental Services, Inc

Date: 29-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161116079  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** Center Well Influent  
**Collection Date:** 11/16/2016  
**Lab Sample ID:** 161116079-002  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Chloromethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Vinyl chloride	3.2	0.5		µg/L	1	11/28/2016 6:18:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Acetone	< 5.0	5.0		µg/L	1	11/28/2016 6:18:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,1-Dichloroethane	0.9	0.5		µg/L	1	11/28/2016 6:18:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
cis-1,2-Dichloroethene	110	0.5		µg/L	1	11/28/2016 6:18:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	11/28/2016 6:18:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Trichloroethene	75	0.5		µg/L	1	11/28/2016 6:18:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	11/28/2016 6:18:00 PM
2-Hexanone	< 5.0	5.0	S-	µg/L	1	11/28/2016 6:18:00 PM
Tetrachloroethene	7.2	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	11/28/2016 6:18:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM

**Adirondack Environmental Services, Inc**

Date: 29-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161116079  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** Center Well Influent  
**Collection Date:** 11/16/2016  
**Lab Sample ID:** 161116079-002  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Cyclohexane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:18:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-	µg/L	1	11/28/2016 6:18:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	11/28/2016 6:18:00 PM
Surr: 1,2-Dichloroethane-d4	97.4	80.3-122		%REC	1	11/28/2016 6:18:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	11/28/2016 6:18:00 PM
Surr: Toluene-d8	98.1	79.6-110		%REC	1	11/28/2016 6:18:00 PM

# Adirondack Environmental Services, Inc

Date: 29-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161116079  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** East Well Influent  
**Collection Date:** 11/16/2016  
**Lab Sample ID:** 161116079-003  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Chloromethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Vinyl chloride	4.0	0.5		µg/L	1	11/28/2016 6:39:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Acetone	< 5.0	5.0		µg/L	1	11/28/2016 6:39:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
trans-1,2-Dichloroethene	1.1	0.5		µg/L	1	11/28/2016 6:39:00 PM
cis-1,2-Dichloroethene	160	0.5		µg/L	1	11/28/2016 6:39:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	11/28/2016 6:39:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Trichloroethene	57	0.5		µg/L	1	11/28/2016 6:39:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	11/28/2016 6:39:00 PM
2-Hexanone	< 5.0	5.0	S-	µg/L	1	11/28/2016 6:39:00 PM
Tetrachloroethene	4.7	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	11/28/2016 6:39:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM



**Adirondack Environmental Services, Inc**

Date: 29-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161116079  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** East Well Influent  
**Collection Date:** 11/16/2016  
**Lab Sample ID:** 161116079-003  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Cyclohexane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 6:39:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-	µg/L	1	11/28/2016 6:39:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	11/28/2016 6:39:00 PM
Surr: 1,2-Dichloroethane-d4	97.9	80.3-122		%REC	1	11/28/2016 6:39:00 PM
Surr: 4-Bromofluorobenzene	120	74.1-124		%REC	1	11/28/2016 6:39:00 PM
Surr: Toluene-d8	102	79.6-110		%REC	1	11/28/2016 6:39:00 PM

# Adirondack Environmental Services, Inc

Date: 29-Nov-16

**CLIENT:** JTM Associates  
**Work Order:** 161116079  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** Effluent  
**Collection Date:** 11/16/2016  
**Lab Sample ID:** 161116079-004  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Acetone	< 5.0	5.0		µg/L	1	11/28/2016 5:13:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
cis-1,2-Dichloroethene	7.1	0.5		µg/L	1	11/28/2016 5:13:00 PM
Chloroform	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	11/28/2016 5:13:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Trichloroethene	1.2	0.5		µg/L	1	11/28/2016 5:13:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Benzene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Bromoform	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	11/28/2016 5:13:00 PM
2-Hexanone	< 5.0	5.0	S-	µg/L	1	11/28/2016 5:13:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Toluene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Styrene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	11/28/2016 5:13:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM

# Adirondack Environmental Services, Inc

Date: 29-Nov-16

CLIENT: JTM Associates  
 Work Order: **161116079**  
 Reference: Boiler Room /  
 PO#:

Client Sample ID: Effluent  
 Collection Date: 11/16/2016  
 Lab Sample ID: 161116079-004  
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Cyclohexane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	11/28/2016 5:13:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-	µg/L	1	11/28/2016 5:13:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	11/28/2016 5:13:00 PM
Surr: 1,2-Dichloroethane-d4	<b>97.6</b>	80.3-122		%REC	1	11/28/2016 5:13:00 PM
Surr: 4-Bromofluorobenzene	<b>115</b>	74.1-124		%REC	1	11/28/2016 5:13:00 PM
Surr: Toluene-d8	<b>102</b>	79.6-110		%REC	1	11/28/2016 5:13:00 PM



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#:

16116079

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM Associates</b>		Address: 40-60 Delaware Ave., Sidney, NY 13838-1395							
Send Report to: Jim Mickam		Project Name (Location): Boiler Room				Samplers Name: <i>Nick Harmon</i>			
Client Phone No:		PO #:				Samplers Signature: <i>Nick Harmon</i>			
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
001	West Well Influent	11/16/16	1:21	A P	GW		G	2	EPA 601/602
002	Center Well Influent	11/16/16	1:23	A P	GW		G	2	EPA 601/602
003	East Well Influent	11/16/16	1:20	A P	GW		G	2	EPA 601/602
004	Effluent	11/16/16	1:19	A P	GW		G	2	EPA 601/602
				A P					
	Trip Blank Lot# <u>VOA-68</u>			A P	WA			1	EPA 601/602
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
<b>Shipment Arrived Via:</b> FedEx UPS Client <u>AES</u> Other: _____				Special Instructions/Remarks: <p style="text-align: center;">Normal TAT</p>					
<b>Turnaround Time Requested:</b> <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input checked="" type="checkbox"/> Normal <input type="checkbox"/> 2 -Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
<i>Nick Harmon</i>		11/16/16	5:22 pm	<i>Nick Harmon</i>					
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:			Date	Time	
				<i>Cecily Harmon</i>			11/16	5:26 pm	
Sample Temperature Ambient <u>Chilled</u> Chilling Process begun Notes: <u>3°C</u>		Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N Notes: _____			Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N Notes: _____				



161116079



**Experience is the solution**

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

## TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.



**Experience is the solution**

314 North Pearl Street ♦ Albany, New York 12207  
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

December 28, 2016

Jim Mickam  
JTM Associates  
PO Box 359  
Bridgeport, NY 13030

Work Order No: 161221062

TEL: (315) 641-1216  
FAX: (315) 461-4713

RE: Boiler Room

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 4 samples on 12/21/2016 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read "K. Trafalski", is written over a horizontal line.

Krzysztof Trafalski  
Laboratory Manager

ELAP#: 10709

---

**CLIENT:** JTM Associates  
**Project:** Boiler Room  
**Lab Order:** 161221062

---

**Date:** 28-Dec-16

The sampling was performed in accordance with the AES field sampling procedures and/or the client specified sampling procedures. Sample containers were supplied by Adirondack Environmental Services.

---

**Qualifiers:** ND - Not Detected at reporting limit  
J - Analyte detected below quantitation limit  
B - Analyte detected in Blank  
X - Exceeds maximum contamination limit  
H - Hold time exceeded

C - Details are above in Case Narrative  
S - LCS Spike recovery outside acceptable limits(+ is over - is under)  
R - Duplication outside acceptable limits  
T - Tentatively Identified Compound-Estimated  
E -Above quantitation range-Estimated  
M - Matrix Spike outside acceptable limits(+ is over - is under)

**Note : All Results are reported as wet weight unless noted**

---

**The results relate only to the items tested. Information supplied by the client is assumed to be correct.**

---

# Adirondack Environmental Services, Inc

Date: 28-Dec-16

**CLIENT:** JTM Associates  
**Work Order:** 161221062  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** West Well Influent  
**Collection Date:** 12/21/2016  
**Lab Sample ID:** 161221062-001  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Chloromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Vinyl chloride	18	0.5		µg/L	1	12/27/2016 5:53:00 PM
Chloroethane	< 0.5	0.5	S-	µg/L	1	12/27/2016 5:53:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Acetone	< 5.0	5.0		µg/L	1	12/27/2016 5:53:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,1-Dichloroethane	2.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
cis-1,2-Dichloroethene	64	0.5		µg/L	1	12/27/2016 5:53:00 PM
Chloroform	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	12/27/2016 5:53:00 PM
1,1,1-Trichloroethane	2.1	0.5		µg/L	1	12/27/2016 5:53:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Trichloroethene	47	0.5		µg/L	1	12/27/2016 5:53:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Benzene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Bromoform	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	12/27/2016 5:53:00 PM
2-Hexanone	< 5.0	5.0	S-	µg/L	1	12/27/2016 5:53:00 PM
Tetrachloroethene	5.9	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Toluene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Styrene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
m,p-Xylene	0.8	0.5		µg/L	1	12/27/2016 5:53:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	2.9	0.5		µg/L	1	12/27/2016 5:53:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM



**Adirondack Environmental Services, Inc**

Date: 28-Dec-16

**CLIENT:** JTM Associates  
**Work Order:** 161221062  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** West Well Influent  
**Collection Date:** 12/21/2016  
**Lab Sample ID:** 161221062-001  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Cyclohexane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:53:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-	µg/L	1	12/27/2016 5:53:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	12/27/2016 5:53:00 PM
Surr: 1,2-Dichloroethane-d4	92.3	80.3-122		%REC	1	12/27/2016 5:53:00 PM
Surr: 4-Bromofluorobenzene	120	74.1-124		%REC	1	12/27/2016 5:53:00 PM
Surr: Toluene-d8	101	79.6-110		%REC	1	12/27/2016 5:53:00 PM

# Adirondack Environmental Services, Inc

Date: 28-Dec-16

**CLIENT:** JTM Associates  
**Work Order:** 161221062  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** Center Well Influent  
**Collection Date:** 12/21/2016  
**Lab Sample ID:** 161221062-002  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Chloromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Vinyl chloride	3.3	0.5		µg/L	1	12/27/2016 5:31:00 PM
Chloroethane	< 0.5	0.5	S-	µg/L	1	12/27/2016 5:31:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Acetone	< 5.0	5.0		µg/L	1	12/27/2016 5:31:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,1-Dichloroethene	0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,1-Dichloroethane	0.6	0.5		µg/L	1	12/27/2016 5:31:00 PM
trans-1,2-Dichloroethene	0.8	0.5		µg/L	1	12/27/2016 5:31:00 PM
cis-1,2-Dichloroethene	140	0.5		µg/L	1	12/27/2016 5:31:00 PM
Chloroform	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	12/27/2016 5:31:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Trichloroethene	200	0.5		µg/L	1	12/27/2016 5:31:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Benzene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Bromoform	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	12/27/2016 5:31:00 PM
2-Hexanone	< 5.0	5.0	S-	µg/L	1	12/27/2016 5:31:00 PM
Tetrachloroethene	9.2	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Toluene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Styrene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM

# Adirondack Environmental Services, Inc

Date: 28-Dec-16

CLIENT: JTM Associates  
 Work Order: **161221062**  
 Reference: Boiler Room /  
 PO#:

Client Sample ID: Center Well Influent  
 Collection Date: 12/21/2016  
 Lab Sample ID: 161221062-002  
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Cyclohexane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:31:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-	µg/L	1	12/27/2016 5:31:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	12/27/2016 5:31:00 PM
Surr: 1,2-Dichloroethane-d4	<b>89.4</b>	80.3-122		%REC	1	12/27/2016 5:31:00 PM
Surr: 4-Bromofluorobenzene	<b>111</b>	74.1-124		%REC	1	12/27/2016 5:31:00 PM
Surr: Toluene-d8	<b>103</b>	79.6-110		%REC	1	12/27/2016 5:31:00 PM

# Adirondack Environmental Services, Inc

Date: 28-Dec-16

CLIENT: JTM Associates  
 Work Order: 161221062  
 Reference: Boiler Room /  
 PO#:

Client Sample ID: East Well Influent  
 Collection Date: 12/21/2016  
 Lab Sample ID: 161221062-003  
 Matrix: GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: SMD
Chloromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Vinyl chloride	16	0.5		µg/L	1	12/27/2016 5:10:00 PM
Chloroethane	< 0.5	0.5	S-	µg/L	1	12/27/2016 5:10:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Acetone	< 5.0	5.0		µg/L	1	12/27/2016 5:10:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,1-Dichloroethane	2.0	0.5		µg/L	1	12/27/2016 5:10:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
cis-1,2-Dichloroethene	75	0.5		µg/L	1	12/27/2016 5:10:00 PM
Chloroform	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	12/27/2016 5:10:00 PM
1,1,1-Trichloroethane	1.6	0.5		µg/L	1	12/27/2016 5:10:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Trichloroethene	47	0.5		µg/L	1	12/27/2016 5:10:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Benzene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Bromoform	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	12/27/2016 5:10:00 PM
2-Hexanone	< 5.0	5.0	S-	µg/L	1	12/27/2016 5:10:00 PM
Tetrachloroethene	7.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Toluene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Styrene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Methyl Acetate	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	2.0	0.5		µg/L	1	12/27/2016 5:10:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM

**Adirondack Environmental Services, Inc**

Date: 28-Dec-16

**CLIENT:** JTM Associates  
**Work Order:** 161221062  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** East Well Influent  
**Collection Date:** 12/21/2016  
**Lab Sample ID:** 161221062-003  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Cyclohexane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 5:10:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-	µg/L	1	12/27/2016 5:10:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	12/27/2016 5:10:00 PM
Surr: 1,2-Dichloroethane-d4	88.6	80.3-122		%REC	1	12/27/2016 5:10:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	12/27/2016 5:10:00 PM
Surr: Toluene-d8	99.2	79.6-110		%REC	1	12/27/2016 5:10:00 PM

**Adirondack Environmental Services, Inc**

Date: 28-Dec-16

**CLIENT:** JTM Associates  
**Work Order:** 161221062  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** Effluent  
**Collection Date:** 12/21/2016  
**Lab Sample ID:** 161221062-004  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Chloromethane	< 0.5	0.5	M-	µg/L	1	12/27/2016 4:48:00 PM
Bromomethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Chloroethane	< 0.5	0.5	S-	µg/L	1	12/27/2016 4:48:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Acetone	< 5.0	5.0		µg/L	1	12/27/2016 4:48:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
cis-1,2-Dichloroethene	1.8	0.5		µg/L	1	12/27/2016 4:48:00 PM
Chloroform	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
2-Butanone	< 5.0	5.0	M-	µg/L	1	12/27/2016 4:48:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Trichloroethene	0.9	0.5		µg/L	1	12/27/2016 4:48:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Benzene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Bromoform	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	12/27/2016 4:48:00 PM
2-Hexanone	< 5.0	5.0	S-M-	µg/L	1	12/27/2016 4:48:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Toluene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Styrene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Methyl Acetate	< 0.5	0.5	M-	µg/L	1	12/27/2016 4:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM

**Adirondack Environmental Services, Inc**

Date: 28-Dec-16

**CLIENT:** JTM Associates  
**Work Order:** 161221062  
**Reference:** Boiler Room /  
**PO#:**

**Client Sample ID:** Effluent  
**Collection Date:** 12/21/2016  
**Lab Sample ID:** 161221062-004  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Cyclohexane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	12/27/2016 4:48:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-M-	µg/L	1	12/27/2016 4:48:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-M-	µg/L	1	12/27/2016 4:48:00 PM
Surr: 1,2-Dichloroethane-d4	89.2	80.3-122		%REC	1	12/27/2016 4:48:00 PM
Surr: 4-Bromofluorobenzene	118	74.1-124		%REC	1	12/27/2016 4:48:00 PM
Surr: Toluene-d8	103	79.6-110		%REC	1	12/27/2016 4:48:00 PM



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#: 161221062

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM Associates</b>		Address: 40-60 Delaware Ave., Sidney, NY 13838-1395							
Send Report to: <b>Jim Mickam</b>		Project Name (Location): <b>Boiler Room</b>			Samplers Name: <i>Matthew Gattari</i>				
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>				
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
001	<b>West Well Influent</b>	12-20-16	11:10	<input checked="" type="checkbox"/> A <input type="checkbox"/> P	GW		G	2	<b>EPA 8260</b>
002	<b>Center Well Influent</b>	12-21-16	11:12	<input checked="" type="checkbox"/> A <input type="checkbox"/> P	GW		G	2	
003	<b>East Well Influent</b>	12-21-16	11:14	<input checked="" type="checkbox"/> A <input type="checkbox"/> P	GW		G	2	
004	<b>Effluent</b>	12-21-16	11:16	<input checked="" type="checkbox"/> A <input type="checkbox"/> P	GW		G	2	
	<b>Trip Blank Lot# 10A F20.1</b>			<input type="checkbox"/> A <input type="checkbox"/> P	WA			1	
				<input type="checkbox"/> A <input type="checkbox"/> P					
				<input type="checkbox"/> A <input type="checkbox"/> P					
				<input type="checkbox"/> A <input type="checkbox"/> P					
				<input type="checkbox"/> A <input type="checkbox"/> P					
				<input type="checkbox"/> A <input type="checkbox"/> P					
				<input type="checkbox"/> A <input type="checkbox"/> P					
				<input type="checkbox"/> A <input type="checkbox"/> P					
<b>Shipment Arrived Via:</b> FedEx UPS Client <input checked="" type="radio"/> AES Other: _____				Special Instructions/Remarks: <p style="text-align: center;">Normal TAT</p>					
<b>Turnaround Time Requested:</b> 1 Day    3 Day    Normal 2 -Day    5 Day									
Relinquished by: (Signature) <i>[Signature]</i>		Date 12/21/16	Time 3:20	Received by: (Signature) <i>[Signature]</i>			Date	Time	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: <i>Candida [Signature]</i>			Date 12/21	Time 3:31 pm	
Sample Temperature Ambient <input checked="" type="checkbox"/> Chilled Chilling Process begun Notes: <u>2°C</u>		Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N Notes: _____			Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N Notes: _____				



161221062





**Experience is the solution**

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

## TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.



**Experience is the solution**

314 North Pearl Street ♦ Albany, New York 12207  
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

January 03, 2017

Jim Mickam  
JTM Associates  
PO Box 359  
Bridgeport, NY 13030

Work Order No: 161209089

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: Boiler Room  
Quarterly SWL Readings

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 27 samples on 12/9/2016 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink that reads "Tara Daniels".

ELAP#: 10709

Tara Daniels  
Laboratory Director

---

**CLIENT:** JTM Associates  
**Project:** Boiler Room  
**Lab Order:** 161209089

---

**Date:** 03-Jan-17

The analysis was performed in the field by Adirondack Environmental Services field personnel.

---

**Qualifiers:** ND - Not Detected at reporting limit  
J - Analyte detected below quantitation limit  
B - Analyte detected in Blank  
X - Exceeds maximum contamination limit  
H - Hold time exceeded

C - Details are above in Case Narrative  
S - LCS Spike recovery outside acceptable limits(+ is over - is under)  
R - Duplication outside acceptable limits  
T - Tentatively Identified Compound-Estimated  
E -Above quantitation range-Estimated  
M - Matrix Spike outside acceptable limits(+ is over - is under)

**Note : All Results are reported as wet weight unless noted**

---

**The results relate only to the items tested. Information supplied by the client is assumed to be correct.**

---

**Adirondack Environmental Services, Inc**

Date: 03-Jan-17

**CLIENT:** JTM Associates  
**Project:** Boiler Room  
Quarterly SWL Readings

**LabWork Order: 161209089**  
**PO#:**

**Lab SampleID:** 161209089-001 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-12I **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Elevation **972.06** ft 12/6/2016  
Static Water Level **14.44** ft 12/6/2016

**Lab SampleID:** 161209089-002 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-13S **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Elevation **971.71** ft 12/6/2016  
Static Water Level **13.19** ft 12/6/2016

**Lab SampleID:** 161209089-003 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-14S **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Elevation **971.74** ft 12/6/2016  
Static Water Level **10.84** ft 12/6/2016

**Lab SampleID:** 161209089-004 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-17S **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Elevation **971.31** ft 12/6/2016  
Static Water Level **13.36** ft 12/6/2016

**Adirondack Environmental Services, Inc**

Date: 03-Jan-17

**CLIENT:** JTM Associates  
**Project:** Boiler Room  
Quarterly SWL Readings

**LabWork Order:** 161209089  
**PO#:**

**Lab SampleID:** 161209089-005 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-19S **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Elevation **972.04** ft 12/6/2016  
Static Water Level **12.90** ft 12/6/2016

**Lab SampleID:** 161209089-006 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-20S **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Elevation **972.00** ft 12/6/2016  
Static Water Level **11.38** ft 12/6/2016

**Lab SampleID:** 161209089-007 **Collection Date:** 12/6/2016  
**Client Sample ID:** MW-4S **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Elevation **971.63** ft 12/6/2016  
Static Water Level **17.68** ft 12/6/2016

**Lab SampleID:** 161209089-008 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-4S **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level **14.58** ft 12/6/2016

**Adirondack Environmental Services, Inc**

Date: 03-Jan-17

**CLIENT:** JTM Associates  
**Project:** Boiler Room  
Quarterly SWL Readings

**LabWork Order: 161209089**  
**PO#:**

**Lab SampleID:** 161209089-009 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-11D **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level **13.27** ft 12/6/2016

**Lab SampleID:** 161209089-010 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-15D **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level **12.56** ft 12/6/2016

**Lab SampleID:** 161209089-011 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-18I **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level **24.35** ft 12/6/2016

**Lab SampleID:** 161209089-012 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-19I **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level **15.48** ft 12/6/2016

**Lab SampleID:** 161209089-013 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-19D **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level **16.00** ft 12/6/2016

**Adirondack Environmental Services, Inc**

Date: 03-Jan-17

**CLIENT:** JTM Associates  
**Project:** Boiler Room  
Quarterly SWL Readings

**LabWork Order: 161209089**  
**PO#:**

**Lab SampleID:** 161209089-014      **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-21I      **Matrix:** GROUNDWATER

**Analyses**      **Result**      **PQL** **Qual** **Units**      **DF**      **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE      Analyst: **FLD**

Static Water Level      **15.62**      ft      12/6/2016

**Lab SampleID:** 161209089-015      **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-21D      **Matrix:** GROUNDWATER

**Analyses**      **Result**      **PQL** **Qual** **Units**      **DF**      **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE      Analyst: **FLD**

Static Water Level      **16.65**      ft      12/6/2016

**Lab SampleID:** 161209089-016      **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-22S      **Matrix:** GROUNDWATER

**Analyses**      **Result**      **PQL** **Qual** **Units**      **DF**      **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE      Analyst: **FLD**

Static Water Level      **9.34**      ft      12/6/2016

**Lab SampleID:** 161209089-017      **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-22I      **Matrix:** GROUNDWATER

**Analyses**      **Result**      **PQL** **Qual** **Units**      **DF**      **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE      Analyst: **FLD**

Static Water Level      **16.52**      ft      12/6/2016

**Lab SampleID:** 161209089-018      **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-23S      **Matrix:** GROUNDWATER

**Analyses**      **Result**      **PQL** **Qual** **Units**      **DF**      **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE      Analyst: **FLD**

Static Water Level      **Inaccessible**      12/6/2016

**Adirondack Environmental Services, Inc**

Date: 03-Jan-17

**CLIENT:** JTM Associates  
**Project:** Boiler Room  
 Quarterly SWL Readings

**LabWork Order: 161209089**  
**PO#:**

**Lab SampleID:** 161209089-019      **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-24S      **Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level	11.40			ft		12/6/2016
--------------------	-------	--	--	----	--	-----------

**Lab SampleID:** 161209089-020      **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-25S      **Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level	Obstructed					12/6/2016
--------------------	------------	--	--	--	--	-----------

**Lab SampleID:** 161209089-021      **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-26S      **Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level	9.43			ft		12/6/2016
--------------------	------	--	--	----	--	-----------

**Lab SampleID:** 161209089-022      **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-26I      **Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level	20.51			ft		12/6/2016
--------------------	-------	--	--	----	--	-----------

**Lab SampleID:** 161209089-023      **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-27S      **Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level	12.57			ft		12/6/2016
--------------------	-------	--	--	----	--	-----------



**Adirondack Environmental Services, Inc**

Date: 03-Jan-17

**CLIENT:** JTM Associates  
**Project:** Boiler Room  
Quarterly SWL Readings

**LabWork Order: 161209089**  
**PO#:**

**Lab SampleID:** 161209089-024 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-27D **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level **12.98** ft 12/6/2016

**Lab SampleID:** 161209089-025 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-28I **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level **15.15** ft 12/6/2016

**Lab SampleID:** 161209089-026 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-29I **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level **16.50** ft 12/6/2016

**Lab SampleID:** 161209089-027 **Collection Date:** 12/6/2016  
**Client Sample ID:** BR-30I **Matrix:** GROUNDWATER

**Analyses** **Result** **PQL** **Qual** **Units** **DF** **Date Analyzed**

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Static Water Level **17.78** ft 12/6/2016



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#:

161209089

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM Associates</b>		Address:							
Send Report to: <b>Jim Mickam (.pdf file)</b>		Project Name (Location): <b>Boiler Room Quarterly SWLs</b>				Samplers Name: <i>Paul Bist</i>			
Client Phone No:		PO #:				Samplers Signature: <i>Paul Bist</i>			
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
001	BR-12I	12/6/16		A P	GW		G	0	Static Water Level, Elevation
002	BR-13S	↓		A P	GW		G	0	"
003	BR-14S		A P	GW		G	0	"	
004	BR-17S		A P	GW		G	0	"	
005	BR-19S		A P	GW		G	0	"	
006	BR-20S		A P	GW		G	0	"	
007	MW-4S		A P	GW		G	0	"	
008	BR-4S		A P	GW		G	0	Static Water Level Only	
009	BR-11D		A P	GW		G	0	"	
010	BR-15D		A P	GW		G	0	"	
011	BR-18I		A P	GW		G	0	"	
012	BR-19I		A P	GW		G	0	"	
Shipment Arrived Via: FedEx UPS Client <input checked="" type="radio"/> AES Other: _____				Special Instructions/Remarks: Normal TAT Page 1 of 3					
Turnaround Time Requested: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 -Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature) <i>Paul Bist</i>		Date 12/9/16	Time 4:10	Received by: (Signature) <i>Caudygnon</i>			Date 12/9	Time 4:19pm	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:			Date	Time	
Sample Temperature Ambient Chilled Chilling Process begun		Properly Preserved Y N			Received Within Holding Times Y N				
Notes: _____		Notes: _____			Notes: _____				



161209089



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#:

161209089

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM Associates</b>		Address:							
Send Report to: Jim Mickam (.pdf file)		Project Name (Location): Boiler Room Quarterly SWLs				Samplers Name: Paul Dist			
Client Phone No:		PO #:				Samplers Signature: <i>Paul Dist</i>			
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
013	BR-19D	12/6/16		A P	GW		G	0	Static Water Level Only
014	BR-21I	↓		A P	GW		G	0	"
015	BR-21D		A P	GW		G	0	"	
016	BR-22S		A P	GW		G	0	"	
017	BR-22I		A P	GW		G	0	"	
018	BR-23S		A P	GW		G	0	"	
019	BR-24S		A P	GW		G	0	"	
020	BR-25S		A P	GW		G	0	"	
021	BR-26S		A P	GW		G	0	"	
022	BR-26I		A P	GW		G	0	"	
023	BR-27S		A P	GW		G	0	"	
024	BR-27D	A P	GW		G	0	"		
<b>Shipment Arrived Via:</b> FedEx UPS Client <input checked="" type="checkbox"/> AES Other: _____				Special Instructions/Remarks: Normal TAT Page 2 of 3					
<b>Turnaround Time Requested:</b> <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 -Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature) <i>Paul Dist</i>		Date 12/7/16	Time 4:10	Received by: (Signature) <i>Carly Johnson</i>			Date 12/9	Time 4:20pm	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:			Date	Time	
Sample Temperature Ambient Chilled Chilling Process begun		Properly Preserved Y N			Received Within Holding Times Y N				
Notes: _____		Notes: _____			Notes: _____				



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#:

161209089

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM Associates</b>		Address:							
Send Report to: <b>Jim Mickam (.pdf file)</b>		Project Name (Location): <b>Boiler Room Quarterly SWLs</b>				Samplers Name: <i>Paul Burt</i>			
Client Phone No:		PO #:				Samplers Signature: <i>Paul Burt</i>			
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
025	BR-28I	12/6/16		A P	GW		G	0	Static Water Level Only
026	BR-29I	12/6/16		A P	GW		G	0	"
027	BR-30I	12/6/16		A P	GW		G	0	"
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
<b>Shipment Arrived Via:</b> FedEx UPS Client <input checked="" type="radio"/> AES Other: _____				Special Instructions/Remarks: Normal TAT Page 3 of 3					
<b>Turnaround Time Requested:</b> <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 -Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature) <i>Paul Burt</i>		Date 12/9/16	Time 4:10	Received by: (Signature) <i>Candida Hgner</i>			Date 12/9	Time 4:20pm	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:			Date	Time	
Sample Temperature Ambient Chilled Chilling Process begun		Properly Preserved Y N			Received Within Holding Times Y N				
Notes: _____		Notes: _____			Notes: _____				



**Experience is the solution**

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

## TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.



**Experience is the solution**  
314 North Pearl Street ♦ Albany, New York 12207  
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

March 25, 2016

Jim Mickam  
JTM Associates  
PO Box 359  
Bridgeport, NY 13030

Work Order No: 160311075

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: Boiler Room  
SA+Additional

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 25 samples on 3/11/2016 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink that reads "Tara Daniels".

Tara Daniels  
Laboratory Manager

ELAP#: 10709

---

**CLIENT:** JTM Associates  
**Project:** Boiler Room  
**Lab Order:** 160311075

---

**Date:** 25-Mar-16

The sampling was performed in accordance with the AES field sampling procedures and/or the client specified sampling procedures. Sample containers were supplied by Adirondack Environmental Services.

---

**Qualifiers:** ND - Not Detected at reporting limit  
J - Analyte detected below quantitation limit  
B - Analyte detected in Blank  
X - Exceeds maximum contamination limit  
H - Hold time exceeded

C - Details are above in Case Narrative  
S - LCS Spike recovery outside acceptable limits(+ is over - is under)  
R - Duplication outside acceptable limits  
T - Tentatively Identified Compound-Estimated  
E -Above quantitation range-Estimated  
M - Matrix Spike outside acceptable limits(+ is over - is under)

**Note : All Results are reported as wet weight unless noted**  
**The results relate only to the items tested. Information supplied by the client is assumed to be correct.**

---

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** MW-4S  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-001  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1323</b>	1.0		umhos/cm		3/10/2016
pH	<b>5.1</b>			S.U.		3/10/2016
Static Water Level	<b>16.04</b>			ft		3/10/2016
Temperature	<b>12</b>			deg C		3/10/2016
Turbidity	<b>7</b>	1.0		NTU		3/10/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Vinyl chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 11:53:00 PM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,1-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
cis-1,2-Dichloroethene	<b>18</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 11:53:00 PM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Trichloroethene	<b>12</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 11:53:00 PM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 11:53:00 PM
Tetrachloroethene	<b>2.2</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 11:53:00 PM



# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** MW-4S  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-001  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/16/2016 11:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 11:53:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 11:53:00 PM
Surr: 1,2-Dichloroethane-d4	<b>104</b>	80.3-122		%REC	1	3/16/2016 11:53:00 PM
Surr: 4-Bromofluorobenzene	<b>99.0</b>	74.1-124		%REC	1	3/16/2016 11:53:00 PM
Surr: Toluene-d8	<b>95.6</b>	79.6-110		%REC	1	3/16/2016 11:53:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-4S  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-002  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1389</b>	1.0		umhos/cm		3/8/2016
pH	<b>6.6</b>			S.U.		3/8/2016
Static Water Level	<b>12.65</b>			ft		3/8/2016
Temperature	<b>16</b>			deg C		3/8/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		3/8/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Vinyl chloride	<b>2.1</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 9:44:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
cis-1,2-Dichloroethene	<b>13</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 9:44:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Trichloroethene	<b>2.3</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 9:44:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 9:44:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:44:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-4S  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-002  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/16/2016 9:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 9:44:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:44:00 PM
Surr: 1,2-Dichloroethane-d4	<b>99.8</b>	80.3-122		%REC	1	3/16/2016 9:44:00 PM
Surr: 4-Bromofluorobenzene	<b>92.6</b>	74.1-124		%REC	1	3/16/2016 9:44:00 PM
Surr: Toluene-d8	<b>94.4</b>	79.6-110		%REC	1	3/16/2016 9:44:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-12I  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-003  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: FLD

Conductivity	<b>1222</b>	1.0		umhos/cm		3/8/2016
pH	<b>6.1</b>			S.U.		3/8/2016
Static Water Level	<b>13.51</b>			ft		3/8/2016
Temperature	<b>16</b>			deg C		3/8/2016
Turbidity	<b>11</b>	1.0		NTU		3/8/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Chloromethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Bromomethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Vinyl chloride	<b>27</b>	1.0		µg/L	2	3/17/2016 2:04:00 AM
Chloroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Methylene chloride	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Acetone	< 10	10		µg/L	2	3/17/2016 2:04:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,1-Dichloroethene	<b>2.5</b>	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,1-Dichloroethane	<b>7.0</b>	1.0		µg/L	2	3/17/2016 2:04:00 AM
trans-1,2-Dichloroethene	<b>1.7</b>	1.0		µg/L	2	3/17/2016 2:04:00 AM
cis-1,2-Dichloroethene	<b>270</b>	1.0		µg/L	2	3/17/2016 2:04:00 AM
Chloroform	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
2-Butanone	< 10	10		µg/L	2	3/17/2016 2:04:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Trichloroethene	<b>5.8</b>	1.0		µg/L	2	3/17/2016 2:04:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Benzene	<b>11</b>	1.0		µg/L	2	3/17/2016 2:04:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Bromoform	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	2	3/17/2016 2:04:00 AM
2-Hexanone	< 10	10		µg/L	2	3/17/2016 2:04:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Toluene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-12I  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-003  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
m,p-Xylene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
o-Xylene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Methyl tert-butyl ether	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Methyl Acetate	< 1.0	1.0	S-	µg/L	2	3/17/2016 2:04:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Cyclohexane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Methyl Cyclohexane	< 1.0	1.0	S-	µg/L	2	3/17/2016 2:04:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:04:00 AM
Surr: 1,2-Dichloroethane-d4	<b>104</b>	80.3-122		%REC	2	3/17/2016 2:04:00 AM
Surr: 4-Bromofluorobenzene	<b>95.5</b>	74.1-124		%REC	2	3/17/2016 2:04:00 AM
Surr: Toluene-d8	<b>95.6</b>	79.6-110		%REC	2	3/17/2016 2:04:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-13S  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-004  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1248</b>	1.0		umhos/cm		3/10/2016
pH	<b>5.6</b>			S.U.		3/10/2016
Static Water Level	<b>11.44</b>			ft		3/10/2016
Temperature	<b>13</b>			deg C		3/10/2016
Turbidity	<b>875</b>	1.0		NTU		3/10/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Vinyl chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:14:00 AM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,1-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
cis-1,2-Dichloroethene	<b>20</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:14:00 AM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Trichloroethene	<b>15</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:14:00 AM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:14:00 AM
Tetrachloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:14:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-13S  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-004  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/17/2016 12:14:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
Cyclohexane	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/17/2016 12:14:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:14:00 AM
Surr: 1,2-Dichloroethane-d4	<b>102</b>	80.3-122		%REC	1	3/17/2016 12:14:00 AM
Surr: 4-Bromofluorobenzene	<b>93.4</b>	74.1-124		%REC	1	3/17/2016 12:14:00 AM
Surr: Toluene-d8	<b>92.0</b>	79.6-110		%REC	1	3/17/2016 12:14:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-14S  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-005  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Conductivity	<b>982</b>	1.0		umhos/cm		3/10/2016
pH	<b>5.6</b>			S.U.		3/10/2016
Static Water Level	<b>8.83</b>			ft		3/10/2016
Temperature	<b>12</b>			deg C		3/10/2016
Turbidity	<b>51</b>	1.0		NTU		3/10/2016

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: SMD

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Vinyl chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:36:00 AM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,1-Dichloroethane	<b>1.9</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
cis-1,2-Dichloroethene	<b>68</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:36:00 AM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Trichloroethene	<b>20</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:36:00 AM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:36:00 AM
Tetrachloroethene	<b>2.9</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:36:00 AM



# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-14S  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-005  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/17/2016 12:36:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
Cyclohexane	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/17/2016 12:36:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:36:00 AM
Surr: 1,2-Dichloroethane-d4	<b>103</b>	80.3-122		%REC	1	3/17/2016 12:36:00 AM
Surr: 4-Bromofluorobenzene	<b>93.3</b>	74.1-124		%REC	1	3/17/2016 12:36:00 AM
Surr: Toluene-d8	<b>92.7</b>	79.6-110		%REC	1	3/17/2016 12:36:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-15D  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-006  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1039</b>	1.0		umhos/cm		3/10/2016
pH	<b>7.1</b>			S.U.		3/10/2016
Static Water Level	<b>12.15</b>			ft		3/10/2016
Temperature	<b>12</b>			deg C		3/10/2016
Turbidity	<b>10</b>	1.0		NTU		3/10/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Vinyl chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 9:23:00 PM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,1-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
cis-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 9:23:00 PM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Trichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 9:23:00 PM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 9:23:00 PM
Tetrachloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 9:23:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-15D  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-006  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/16/2016 9:23:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 9:23:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:23:00 PM
Surr: 1,2-Dichloroethane-d4	<b>104</b>	80.3-122		%REC	1	3/16/2016 9:23:00 PM
Surr: 4-Bromofluorobenzene	<b>93.6</b>	74.1-124		%REC	1	3/16/2016 9:23:00 PM
Surr: Toluene-d8	<b>95.4</b>	79.6-110		%REC	1	3/16/2016 9:23:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-17S  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-007  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1088</b>	1.0		umhos/cm		3/10/2016
pH	<b>5.3</b>			S.U.		3/10/2016
Static Water Level	<b>12.16</b>			ft		3/10/2016
Temperature	<b>12</b>			deg C		3/10/2016
Turbidity	<b>560</b>	1.0		NTU		3/10/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Vinyl chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 10:06:00 PM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,1-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
cis-1,2-Dichloroethene	<b>30</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 10:06:00 PM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Trichloroethene	<b>27</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 10:06:00 PM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 10:06:00 PM
Tetrachloroethene	<b>3.8</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:06:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-17S  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-007  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/16/2016 10:06:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 10:06:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:06:00 PM
Surr: 1,2-Dichloroethane-d4	<b>101</b>	80.3-122		%REC	1	3/16/2016 10:06:00 PM
Surr: 4-Bromofluorobenzene	<b>94.3</b>	74.1-124		%REC	1	3/16/2016 10:06:00 PM
Surr: Toluene-d8	<b>95.2</b>	79.6-110		%REC	1	3/16/2016 10:06:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-181  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-008  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>729</b>	1.0		umhos/cm		3/10/2016
pH	<b>6.7</b>			S.U.		3/10/2016
Static Water Level	<b>20.77</b>			ft		3/10/2016
Temperature	<b>12</b>			deg C		3/10/2016
Turbidity	<b>24</b>	1.0		NTU		3/10/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Vinyl chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 8:19:00 PM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,1-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
cis-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 8:19:00 PM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Trichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 8:19:00 PM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 8:19:00 PM
Tetrachloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:19:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-181  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-008  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/16/2016 8:19:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 8:19:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 8:19:00 PM
Surr: 1,2-Dichloroethane-d4	<b>102</b>	80.3-122		%REC	1	3/16/2016 8:19:00 PM
Surr: 4-Bromofluorobenzene	<b>93.4</b>	74.1-124		%REC	1	3/16/2016 8:19:00 PM
Surr: Toluene-d8	<b>92.8</b>	79.6-110		%REC	1	3/16/2016 8:19:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-19S  
**Collection Date:** 3/11/2016  
**Lab Sample ID:** 160311075-009  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Conductivity	<b>740</b>	1.0		umhos/cm		3/11/2016
pH	<b>6.0</b>			S.U.		3/11/2016
Static Water Level	<b>10.90</b>			ft		3/11/2016
Temperature	<b>9</b>			deg C		3/11/2016
Turbidity	<b>81</b>	1.0		NTU		3/11/2016

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: SMD

Chloromethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Bromomethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Vinyl chloride	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Chloroethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Methylene chloride	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Acetone	< 5.0	5.0		µg/L	1	3/17/2016 1:18:00 AM
Carbon disulfide	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,1-Dichloroethane	<b>1.4</b>	0.5		µg/L	1	3/17/2016 1:18:00 AM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
cis-1,2-Dichloroethene	<b>29</b>	0.5		µg/L	1	3/17/2016 1:18:00 AM
Chloroform	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
2-Butanone	< 5.0	5.0		µg/L	1	3/17/2016 1:18:00 AM
1,1,1-Trichloroethane	<b>1.7</b>	0.5		µg/L	1	3/17/2016 1:18:00 AM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Bromodichloromethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Trichloroethene	<b>52</b>	0.5		µg/L	1	3/17/2016 1:18:00 AM
Dibromochloromethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Benzene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Bromoform	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	3/17/2016 1:18:00 AM
2-Hexanone	< 5.0	5.0		µg/L	1	3/17/2016 1:18:00 AM
Tetrachloroethene	<b>3.6</b>	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Toluene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Chlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Ethylbenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM



# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-19S  
**Collection Date:** 3/11/2016  
**Lab Sample ID:** 160311075-009  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/17/2016 1:18:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	1.6	0.5		µg/L	1	3/17/2016 1:18:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Cyclohexane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/17/2016 1:18:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:18:00 AM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	3/17/2016 1:18:00 AM
Surr: 4-Bromofluorobenzene	94.2	74.1-124		%REC	1	3/17/2016 1:18:00 AM
Surr: Toluene-d8	93.0	79.6-110		%REC	1	3/17/2016 1:18:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-191  
**Collection Date:** 3/11/2016  
**Lab Sample ID:** 160311075-010  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>693</b>	1.0		umhos/cm		3/11/2016
pH	<b>6.7</b>			S.U.		3/11/2016
Static Water Level	<b>15.00</b>			ft		3/11/2016
Temperature	<b>11</b>			deg C		3/11/2016
Turbidity	<b>145</b>	1.0		NTU		3/11/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Bromomethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Vinyl chloride	<b>3.0</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Chloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Methylene chloride	<b>5.0</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Acetone	<b>&lt; 25</b>	25		µg/L	5	3/17/2016 3:41:00 AM
Carbon disulfide	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,1-Dichloroethene	<b>6.0</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,1-Dichloroethane	<b>17</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
trans-1,2-Dichloroethene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
cis-1,2-Dichloroethene	<b>320</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Chloroform	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,2-Dichloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
2-Butanone	<b>&lt; 25</b>	25		µg/L	5	3/17/2016 3:41:00 AM
1,1,1-Trichloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Carbon tetrachloride	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Bromodichloromethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,2-Dichloropropane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
cis-1,3-Dichloropropene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Trichloroethene	<b>520</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Dibromochloromethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,1,2-Trichloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Benzene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
trans-1,3-Dichloropropene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Bromoform	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
4-Methyl-2-pentanone	<b>&lt; 25</b>	25		µg/L	5	3/17/2016 3:41:00 AM
2-Hexanone	<b>&lt; 25</b>	25		µg/L	5	3/17/2016 3:41:00 AM
Tetrachloroethene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,1,2,2-Tetrachloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Toluene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Chlorobenzene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM
Ethylbenzene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 3:41:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-191  
**Collection Date:** 3/11/2016  
**Lab Sample ID:** 160311075-010  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
m,p-Xylene	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
o-Xylene	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
Methyl tert-butyl ether	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
Dichlorodifluoromethane	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
Methyl Acetate	< 2.5	2.5	S-	µg/L	5	3/17/2016 3:41:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
Trichlorofluoromethane	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
Cyclohexane	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
Methyl Cyclohexane	< 2.5	2.5	S-	µg/L	5	3/17/2016 3:41:00 AM
1,2-Dibromoethane	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,3-Dichlorobenzene	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
Isopropylbenzene	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,2-Dichlorobenzene	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,4-Dichlorobenzene	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,2-Dibromo-3-chloropropane	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
1,2,4-Trichlorobenzene	< 2.5	2.5		µg/L	5	3/17/2016 3:41:00 AM
Surr: 1,2-Dichloroethane-d4	<b>106</b>	80.3-122		%REC	5	3/17/2016 3:41:00 AM
Surr: 4-Bromofluorobenzene	<b>97.4</b>	74.1-124		%REC	5	3/17/2016 3:41:00 AM
Surr: Toluene-d8	<b>98.0</b>	79.6-110		%REC	5	3/17/2016 3:41:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-20S  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-011  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>850</b>	1.0		umhos/cm		3/9/2016
pH	<b>6.7</b>			S.U.		3/9/2016
Static Water Level	<b>9.24</b>			ft		3/9/2016
Temperature	<b>16</b>			deg C		3/9/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		3/9/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Vinyl chloride	<b>9.6</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 10:48:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,1-Dichloroethane	<b>1.4</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
trans-1,2-Dichloroethene	<b>1.0</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
cis-1,2-Dichloroethene	<b>120</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 10:48:00 PM
1,1,1-Trichloroethane	<b>0.6</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Trichloroethene	<b>65</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 10:48:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 10:48:00 PM
Tetrachloroethene	<b>14</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 10:48:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-20S  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-011  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/16/2016 10:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	1.1	0.5		µg/L	1	3/16/2016 10:48:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 10:48:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:48:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	3/16/2016 10:48:00 PM
Surr: 4-Bromofluorobenzene	94.3	74.1-124		%REC	1	3/16/2016 10:48:00 PM
Surr: Toluene-d8	92.9	79.6-110		%REC	1	3/16/2016 10:48:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-19D  
**Collection Date:** 3/11/2016  
**Lab Sample ID:** 160311075-012  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>742</b>	1.0		umhos/cm		3/11/2016
pH	<b>6.8</b>			S.U.		3/11/2016
Static Water Level	<b>15.95</b>			ft		3/11/2016
Temperature	<b>11</b>			deg C		3/11/2016
Turbidity	<b>5</b>	1.0		NTU		3/11/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Vinyl chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 11:10:00 PM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,1-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
cis-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 11:10:00 PM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Trichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 11:10:00 PM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 11:10:00 PM
Tetrachloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 11:10:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-19D  
**Collection Date:** 3/11/2016  
**Lab Sample ID:** 160311075-012  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
Methyl tert-butyl ether	0.8	0.5		µg/L	1	3/17/2016 11:10:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/17/2016 11:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/17/2016 11:10:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 11:10:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	3/17/2016 11:10:00 PM
Surr: 4-Bromofluorobenzene	93.4	74.1-124		%REC	1	3/17/2016 11:10:00 PM
Surr: Toluene-d8	93.9	79.6-110		%REC	1	3/17/2016 11:10:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-11D  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-013  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1285</b>	1.0		umhos/cm		3/8/2016
pH	<b>7.8</b>			S.U.		3/8/2016
Static Water Level	<b>12.18</b>			ft		3/8/2016
Temperature	<b>13</b>			deg C		3/8/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		3/8/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 7:57:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
cis-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 7:57:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Trichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 7:57:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 7:57:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 7:57:00 PM



# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-11D  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-013  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/16/2016 7:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 7:57:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 7:57:00 PM
Surr: 1,2-Dichloroethane-d4	<b>103</b>	80.3-122		%REC	1	3/16/2016 7:57:00 PM
Surr: 4-Bromofluorobenzene	<b>91.5</b>	74.1-124		%REC	1	3/16/2016 7:57:00 PM
Surr: Toluene-d8	<b>94.1</b>	79.6-110		%REC	1	3/16/2016 7:57:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-211  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-014  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>898</b>	1.0		umhos/cm		3/9/2016
pH	<b>6.9</b>			S.U.		3/9/2016
Static Water Level	<b>15.45</b>			ft		3/9/2016
Temperature	<b>16</b>			deg C		3/9/2016
Turbidity	<b>9</b>	1.0		NTU		3/9/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>25</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Bromomethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Vinyl chloride	<b>24</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Chloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Methylene chloride	<b>9.8</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Acetone	<b>&lt; 50</b>	50		µg/L	10	3/17/2016 4:29:00 AM
Carbon disulfide	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,1-Dichloroethene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,1-Dichloroethane	<b>26</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
trans-1,2-Dichloroethene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
cis-1,2-Dichloroethene	<b>310</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Chloroform	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,2-Dichloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
2-Butanone	<b>&lt; 50</b>	50		µg/L	10	3/17/2016 4:29:00 AM
1,1,1-Trichloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Carbon tetrachloride	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Bromodichloromethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,2-Dichloropropane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
cis-1,3-Dichloropropene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Trichloroethene	<b>1200</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Dibromochloromethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,1,2-Trichloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Benzene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
trans-1,3-Dichloropropene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Bromoform	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
4-Methyl-2-pentanone	<b>&lt; 50</b>	50		µg/L	10	3/17/2016 4:29:00 AM
2-Hexanone	<b>&lt; 50</b>	50		µg/L	10	3/17/2016 4:29:00 AM
Tetrachloroethene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,1,2,2-Tetrachloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Toluene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Chlorobenzene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM
Ethylbenzene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:29:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-211  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-014  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
o-Xylene	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
Dichlorodifluoromethane	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
Methyl Acetate	< 5.0	5.0	S-	µg/L	10	3/17/2016 4:29:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
Cyclohexane	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
Methyl Cyclohexane	< 5.0	5.0	S-	µg/L	10	3/17/2016 4:29:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,2-Dibromo-3-chloropropane	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	10	3/17/2016 4:29:00 AM
Surr: 1,2-Dichloroethane-d4	<b>104</b>	80.3-122		%REC	10	3/17/2016 4:29:00 AM
Surr: 4-Bromofluorobenzene	<b>99.1</b>	74.1-124		%REC	10	3/17/2016 4:29:00 AM
Surr: Toluene-d8	<b>96.8</b>	79.6-110		%REC	10	3/17/2016 4:29:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-21D  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-015  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1072</b>	1.0		umhos/cm		3/9/2016
pH	<b>7.1</b>			S.U.		3/9/2016
Static Water Level	<b>17.26</b>			ft		3/9/2016
Temperature	<b>18</b>			deg C		3/9/2016
Turbidity	<b>291</b>	1.0		NTU		3/9/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Vinyl chloride	<b>1.2</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 10:27:00 PM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,1-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
cis-1,2-Dichloroethene	<b>4.2</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 10:27:00 PM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Trichloroethene	<b>2.8</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 10:27:00 PM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 10:27:00 PM
Tetrachloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:27:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-21D  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-015  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
Methyl tert-butyl ether	38	0.5		µg/L	1	3/17/2016 10:27:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/17/2016 10:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/17/2016 10:27:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 10:27:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	3/17/2016 10:27:00 PM
Surr: 4-Bromofluorobenzene	95.8	74.1-124		%REC	1	3/17/2016 10:27:00 PM
Surr: Toluene-d8	93.6	79.6-110		%REC	1	3/17/2016 10:27:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-26S  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-016  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>574</b>	1.0		umhos/cm		3/9/2016
pH	<b>7.0</b>			S.U.		3/9/2016
Static Water Level	<b>7.40</b>			ft		3/9/2016
Temperature	<b>14</b>			deg C		3/9/2016
Turbidity	<b>510</b>	1.0		NTU		3/9/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Vinyl chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 10:49:00 PM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,1-Dichloroethane	<b>1.1</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
cis-1,2-Dichloroethene	<b>4.0</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 10:49:00 PM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Trichloroethene	<b>33</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 10:49:00 PM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 10:49:00 PM
Tetrachloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 10:49:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-26S  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-016  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/17/2016 10:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/17/2016 10:49:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 10:49:00 PM
Surr: 1,2-Dichloroethane-d4	<b>104</b>	80.3-122		%REC	1	3/17/2016 10:49:00 PM
Surr: 4-Bromofluorobenzene	<b>94.5</b>	74.1-124		%REC	1	3/17/2016 10:49:00 PM
Surr: Toluene-d8	<b>93.3</b>	79.6-110		%REC	1	3/17/2016 10:49:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-26I  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-017  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>750</b>	1.0		umhos/cm		3/9/2016
pH	<b>7.6</b>			S.U.		3/9/2016
Static Water Level	<b>23.40</b>			ft		3/9/2016
Temperature	<b>13</b>			deg C		3/9/2016
Turbidity	<b>161</b>	1.0		NTU		3/9/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Vinyl chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 8:40:00 PM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,1-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
cis-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 8:40:00 PM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Trichloroethene	<b>0.6</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 8:40:00 PM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 8:40:00 PM
Tetrachloroethene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 8:40:00 PM



# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-26I  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-017  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/16/2016 8:40:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 8:40:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 8:40:00 PM
Surr: 1,2-Dichloroethane-d4	<b>103</b>	80.3-122		%REC	1	3/16/2016 8:40:00 PM
Surr: 4-Bromofluorobenzene	<b>95.5</b>	74.1-124		%REC	1	3/16/2016 8:40:00 PM
Surr: Toluene-d8	<b>93.6</b>	79.6-110		%REC	1	3/16/2016 8:40:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-27S  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-018  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: FLD

Conductivity	<b>946</b>	1.0		umhos/cm		3/8/2016
pH	<b>6.0</b>			S.U.		3/8/2016
Static Water Level	<b>10.53</b>			ft		3/8/2016
Temperature	<b>17</b>			deg C		3/8/2016
Turbidity	<b>23</b>	1.0		NTU		3/8/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Chloromethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Bromomethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Vinyl chloride	<b>3.4</b>	1.0		µg/L	2	3/17/2016 2:28:00 AM
Chloroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Methylene chloride	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Acetone	< 10	10		µg/L	2	3/17/2016 2:28:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,1-Dichloroethane	<b>3.1</b>	1.0		µg/L	2	3/17/2016 2:28:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
cis-1,2-Dichloroethene	<b>150</b>	1.0		µg/L	2	3/17/2016 2:28:00 AM
Chloroform	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
2-Butanone	< 10	10		µg/L	2	3/17/2016 2:28:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Trichloroethene	<b>69</b>	1.0		µg/L	2	3/17/2016 2:28:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Benzene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Bromoform	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	2	3/17/2016 2:28:00 AM
2-Hexanone	< 10	10		µg/L	2	3/17/2016 2:28:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Toluene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-27S  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-018  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
m,p-Xylene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
o-Xylene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Methyl tert-butyl ether	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Methyl Acetate	< 1.0	1.0	S-	µg/L	2	3/17/2016 2:28:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Cyclohexane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Methyl Cyclohexane	< 1.0	1.0	S-	µg/L	2	3/17/2016 2:28:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	2	3/17/2016 2:28:00 AM
Surr: 1,2-Dichloroethane-d4	<b>102</b>	80.3-122		%REC	2	3/17/2016 2:28:00 AM
Surr: 4-Bromofluorobenzene	<b>93.6</b>	74.1-124		%REC	2	3/17/2016 2:28:00 AM
Surr: Toluene-d8	<b>95.2</b>	79.6-110		%REC	2	3/17/2016 2:28:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-271  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-019  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Conductivity	<b>1081</b>	1.0		umhos/cm		3/8/2016
pH	<b>6.9</b>			S.U.		3/8/2016
Static Water Level	<b>11.97</b>			ft		3/8/2016
Temperature	<b>16</b>			deg C		3/8/2016
Turbidity	<b>65</b>	1.0		NTU		3/8/2016

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: SMD

Chloromethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Bromomethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Vinyl chloride	<b>40</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Chloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Methylene chloride	<b>5.4</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Acetone	<b>&lt; 25</b>	25		µg/L	5	3/17/2016 2:52:00 AM
Carbon disulfide	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,1-Dichloroethene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,1-Dichloroethane	<b>120</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
trans-1,2-Dichloroethene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
cis-1,2-Dichloroethene	<b>490</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Chloroform	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,2-Dichloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
2-Butanone	<b>&lt; 25</b>	25		µg/L	5	3/17/2016 2:52:00 AM
1,1,1-Trichloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Carbon tetrachloride	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Bromodichloromethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,2-Dichloropropane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
cis-1,3-Dichloropropene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Trichloroethene	<b>2.6</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Dibromochloromethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,1,2-Trichloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Benzene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
trans-1,3-Dichloropropene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Bromoform	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
4-Methyl-2-pentanone	<b>&lt; 25</b>	25		µg/L	5	3/17/2016 2:52:00 AM
2-Hexanone	<b>&lt; 25</b>	25		µg/L	5	3/17/2016 2:52:00 AM
Tetrachloroethene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,1,2,2-Tetrachloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Toluene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Chlorobenzene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM
Ethylbenzene	<b>&lt; 2.5</b>	2.5		µg/L	5	3/17/2016 2:52:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-271  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-019  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
m,p-Xylene	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
o-Xylene	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
Methyl tert-butyl ether	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
Dichlorodifluoromethane	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
Methyl Acetate	< 2.5	2.5	S-	µg/L	5	3/17/2016 2:52:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
Trichlorofluoromethane	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
Cyclohexane	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
Methyl Cyclohexane	< 2.5	2.5	S-	µg/L	5	3/17/2016 2:52:00 AM
1,2-Dibromoethane	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,3-Dichlorobenzene	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
Isopropylbenzene	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,2-Dichlorobenzene	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,4-Dichlorobenzene	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,2-Dibromo-3-chloropropane	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
1,2,4-Trichlorobenzene	< 2.5	2.5		µg/L	5	3/17/2016 2:52:00 AM
Surr: 1,2-Dichloroethane-d4	<b>105</b>	80.3-122		%REC	5	3/17/2016 2:52:00 AM
Surr: 4-Bromofluorobenzene	<b>96.2</b>	74.1-124		%REC	5	3/17/2016 2:52:00 AM
Surr: Toluene-d8	<b>95.5</b>	79.6-110		%REC	5	3/17/2016 2:52:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-221  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-020  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1074</b>	1.0		umhos/cm		3/9/2016
pH	<b>7.0</b>			S.U.		3/9/2016
Static Water Level	<b>17.63</b>			ft		3/9/2016
Temperature	<b>17</b>			deg C		3/9/2016
Turbidity	<b>116</b>	1.0		NTU		3/9/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>20</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Bromomethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Vinyl chloride	<b>6.3</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Chloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Methylene chloride	<b>9.8</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Acetone	<b>&lt; 50</b>	50		µg/L	10	3/17/2016 4:05:00 AM
Carbon disulfide	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,1-Dichloroethene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,1-Dichloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
trans-1,2-Dichloroethene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
cis-1,2-Dichloroethene	<b>400</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Chloroform	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,2-Dichloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
2-Butanone	<b>&lt; 50</b>	50		µg/L	10	3/17/2016 4:05:00 AM
1,1,1-Trichloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Carbon tetrachloride	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Bromodichloromethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,2-Dichloropropane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
cis-1,3-Dichloropropene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Trichloroethene	<b>1200</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Dibromochloromethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,1,2-Trichloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Benzene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
trans-1,3-Dichloropropene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Bromoform	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
4-Methyl-2-pentanone	<b>&lt; 50</b>	50		µg/L	10	3/17/2016 4:05:00 AM
2-Hexanone	<b>&lt; 50</b>	50		µg/L	10	3/17/2016 4:05:00 AM
Tetrachloroethene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,1,2,2-Tetrachloroethane	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Toluene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Chlorobenzene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM
Ethylbenzene	<b>&lt; 5.0</b>	5.0		µg/L	10	3/17/2016 4:05:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-221  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-020  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
o-Xylene	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
Dichlorodifluoromethane	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
Methyl Acetate	< 5.0	5.0	S-	µg/L	10	3/17/2016 4:05:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
Cyclohexane	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
Methyl Cyclohexane	< 5.0	5.0	S-	µg/L	10	3/17/2016 4:05:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,2-Dibromo-3-chloropropane	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	10	3/17/2016 4:05:00 AM
Surr: 1,2-Dichloroethane-d4	<b>106</b>	80.3-122		%REC	10	3/17/2016 4:05:00 AM
Surr: 4-Bromofluorobenzene	<b>96.1</b>	74.1-124		%REC	10	3/17/2016 4:05:00 AM
Surr: Toluene-d8	<b>96.6</b>	79.6-110		%REC	10	3/17/2016 4:05:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-281  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-021  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1111</b>	1.0		umhos/cm		3/8/2016
pH	<b>6.7</b>			S.U.		3/8/2016
Static Water Level	<b>12.62</b>			ft		3/8/2016
Temperature	<b>17</b>			deg C		3/8/2016
Turbidity	<b>218</b>	1.0		NTU		3/8/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Vinyl chloride	<b>0.6</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 10:27:00 PM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,1-Dichloroethene	<b>0.9</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,1-Dichloroethane	<b>1.3</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
trans-1,2-Dichloroethene	<b>1.4</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
cis-1,2-Dichloroethene	<b>120</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 10:27:00 PM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Trichloroethene	<b>160</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 10:27:00 PM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/16/2016 10:27:00 PM
Tetrachloroethene	<b>27</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/16/2016 10:27:00 PM



# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-28I  
**Collection Date:** 3/8/2016  
**Lab Sample ID:** 160311075-021  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/16/2016 10:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 10:27:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 10:27:00 PM
Surr: 1,2-Dichloroethane-d4	<b>103</b>	80.3-122		%REC	1	3/16/2016 10:27:00 PM
Surr: 4-Bromofluorobenzene	<b>93.2</b>	74.1-124		%REC	1	3/16/2016 10:27:00 PM
Surr: Toluene-d8	<b>93.5</b>	79.6-110		%REC	1	3/16/2016 10:27:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-291  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-022  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>965</b>	1.0		umhos/cm		3/9/2016
pH	<b>6.6</b>			S.U.		3/9/2016
Static Water Level	<b>15.95</b>			ft		3/9/2016
Temperature	<b>17</b>			deg C		3/9/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		3/9/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Vinyl chloride	<b>1.0</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 9:01:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
cis-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 9:01:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Trichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 9:01:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 9:01:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 9:01:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-29I  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-022  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
Methyl tert-butyl ether	0.9	0.5		µg/L	1	3/16/2016 9:01:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
Methyl Acetate	< 0.5	0.5	S-M-	µg/L	1	3/16/2016 9:01:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 9:01:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 9:01:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	3/16/2016 9:01:00 PM
Surr: 4-Bromofluorobenzene	93.4	74.1-124		%REC	1	3/16/2016 9:01:00 PM
Surr: Toluene-d8	94.5	79.6-110		%REC	1	3/16/2016 9:01:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-301  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-023  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>701</b>	1.0		umhos/cm		3/9/2016
pH	<b>7.6</b>			S.U.		3/9/2016
Static Water Level	<b>20.55</b>			ft		3/9/2016
Temperature	<b>16</b>			deg C		3/9/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		3/9/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Vinyl chloride	<b>0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 11:31:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,1-Dichloroethene	<b>1.8</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,1-Dichloroethane	<b>3.2</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
trans-1,2-Dichloroethene	<b>0.6</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
cis-1,2-Dichloroethene	<b>120</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 11:31:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Trichloroethene	<b>27</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 11:31:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	3/16/2016 11:31:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	3/16/2016 11:31:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-30I  
**Collection Date:** 3/9/2016  
**Lab Sample ID:** 160311075-023  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
Methyl tert-butyl ether	0.6	0.5		µg/L	1	3/16/2016 11:31:00 PM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/16/2016 11:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/16/2016 11:31:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/16/2016 11:31:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	3/16/2016 11:31:00 PM
Surr: 4-Bromofluorobenzene	94.1	74.1-124		%REC	1	3/16/2016 11:31:00 PM
Surr: Toluene-d8	93.9	79.6-110		%REC	1	3/16/2016 11:31:00 PM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-22S  
**Collection Date:** 3/11/2016  
**Lab Sample ID:** 160311075-024  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: FLD

Conductivity	<b>613</b>	1.0		umhos/cm		3/11/2016
pH	<b>6.2</b>			S.U.		3/11/2016
Static Water Level	<b>7.36</b>			ft		3/11/2016
Temperature	<b>12</b>			deg C		3/11/2016
Turbidity	<b>43</b>	1.0		NTU		3/11/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Vinyl chloride	<b>8.3</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 1:40:00 AM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,1-Dichloroethane	<b>2.7</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
cis-1,2-Dichloroethene	<b>29</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 1:40:00 AM
1,1,1-Trichloroethane	<b>2.1</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Trichloroethene	<b>48</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 1:40:00 AM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 1:40:00 AM
Tetrachloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 1:40:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** BR-22S  
**Collection Date:** 3/11/2016  
**Lab Sample ID:** 160311075-024  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/17/2016 1:40:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	4.0	0.5		µg/L	1	3/17/2016 1:40:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
Cyclohexane	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/17/2016 1:40:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 1:40:00 AM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	1	3/17/2016 1:40:00 AM
Surr: 4-Bromofluorobenzene	93.3	74.1-124		%REC	1	3/17/2016 1:40:00 AM
Surr: Toluene-d8	93.5	79.6-110		%REC	1	3/17/2016 1:40:00 AM

# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** Duplicate MW-4  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-025  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE</b>						Analyst: <b>FLD</b>
Conductivity	<b>1323</b>	1.0		umhos/cm		3/10/2016
pH	<b>5.1</b>			S.U.		3/10/2016
Static Water Level	<b>16.04</b>			ft		3/10/2016
Temperature	<b>12</b>			deg C		3/10/2016
Turbidity	<b>7</b>	1.0		NTU		3/10/2016
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Chloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Bromomethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Vinyl chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Chloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Methylene chloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Acetone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:57:00 AM
Carbon disulfide	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,1-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,1-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
trans-1,2-Dichloroethene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
cis-1,2-Dichloroethene	<b>17</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Chloroform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,2-Dichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
2-Butanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:57:00 AM
1,1,1-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Carbon tetrachloride	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Bromodichloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,2-Dichloropropane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
cis-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Trichloroethene	<b>12</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Dibromochloromethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,1,2-Trichloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Benzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
trans-1,3-Dichloropropene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Bromoform	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
4-Methyl-2-pentanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:57:00 AM
2-Hexanone	< <b>5.0</b>	5.0		µg/L	1	3/17/2016 12:57:00 AM
Tetrachloroethene	<b>2.4</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,1,2,2-Tetrachloroethane	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Toluene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Chlorobenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM
Ethylbenzene	< <b>0.5</b>	0.5		µg/L	1	3/17/2016 12:57:00 AM



# Adirondack Environmental Services, Inc

Date: 25-Mar-16

**CLIENT:** JTM Associates  
**Work Order:** 160311075  
**Reference:** Boiler Room / SA+Additional  
**PO#:**

**Client Sample ID:** Duplicate MW-4  
**Collection Date:** 3/10/2016  
**Lab Sample ID:** 160311075-025  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANICS EPA 8260C (SW5030C PREP)</b>						Analyst: <b>SMD</b>
Styrene	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	3/17/2016 12:57:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
Cyclohexane	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	3/17/2016 12:57:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	3/17/2016 12:57:00 AM
Surr: 1,2-Dichloroethane-d4	<b>101</b>	80.3-122		%REC	1	3/17/2016 12:57:00 AM
Surr: 4-Bromofluorobenzene	<b>93.1</b>	74.1-124		%REC	1	3/17/2016 12:57:00 AM
Surr: Toluene-d8	<b>93.7</b>	79.6-110		%REC	1	3/17/2016 12:57:00 AM



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#: 160311075

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM ASSOC.</b>		Address:							
Send Report to: <b>Jim Mickam</b>		Project Name (Location): <b>Boiler Room GW Semi Annual</b>			Samplers Name: <b>Shaun Surani</b>				
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>				
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
001	MW-4S	3/10/16	11:45	(A) P	GW		G	2	EPA 8260,
002	BR-4S	3/8/16	1:50	(P)	GW		G	2	Field: SWL, pH, "
003	BR-12I	3/8/16	1:05	(A) (P)	GW		G	2	"Temp, Spec. Cond, Turbidity
004	BR-13S	3/10/16	12:20	(A) (P)	GW		G	2	"
005	BR-14S	3/10/16	1:05	(A) (P)	GW		G	2	"
006	BR-15D	3/10/16	2:00	(A) (P)	GW		G	2	"
007	BR-17 <del>15</del>	3/10/16	11:00	(A) P	GW		G	2	"
008	BR-18 <del>15</del>	3/10/16	10:15	(A) P	GW		G	2	"
009	BR-19S	3/11/16	10:40	(A) P	GW		G	2	"
010	BR-19I	3/11/16	12:20	(A) (P)	GW		G	2	"
011	BR-20S	3/9/16	12:50	(A) (P)	GW		G	2	"
012	BR-19D	3/11/16	11:30	(A) P	GW		G	2	"
Shipment Arrived Via: FedEx UPS Client <u>(AES)</u> Other: _____				Special Instructions/Remarks:					
Turnaround Time Requested: 1 Day    3 Day    Normal 2-Day    5 Day				Sampled in conjunction with the ART and Monthly programs PAGE 1 OF 3					
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time		
<i>[Signature]</i>		3/11/16	4:50						
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time		
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:		Date	Time		
				<i>[Signature]</i>		3/11/16	5:08pm		
Sample Temperature: Ambient <u>(Chilled)</u> Chilling Process begun Notes: <u>6°C</u>		Properly Preserved <u>(Y)</u> N			Received Within Holding Times <u>(Y)</u> N				
Notes: _____		Notes: _____			Notes: _____				



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#:

160311075

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM ASSOC.</b>		Address:							
Send Report to: <b>Jim Mickam</b>		Project Name (Location): <b>Boiler Room GW Semi Annual</b>			Samplers Name: <b>Shawn Surani</b>				
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>				
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
013	BR-11D	3/8/16	12:55	A P	GW		G	2	EPA 8260,
014	BR-21I	3/9/16	11:55	A P					Field: SWL,pH, "
015	BR-21D	3/9/16	1:00	A P					"Temp, Spec. Cond, Turbidity
016	BR-26S	3/9/16	2:45	A P	GW		G	2	"
017	BR-26I	3/9/16	3:35	A P	GW		G	2	"
018	BR-27S	3/8/16	2:20	A P	GW		G	2	"
019	BR-27I	3/8/16	3:30	A P	GW		G	2	"
020	BR-22I	3/9/16	2:05	A P	GW		G	2	"
021	BR-28I	3/8/16	3:10	A P	GW		G	2	"
022	BR-29I	3/9/16	11:45	A P	GW		G	2	"
023	BR-30I	3/9/16	2:00	A P	GW		G	2	"
				A P					
Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____				Special Instructions/Remarks: Sampled in conjunction with the ART and Monthly programs PAGE 2 OF 3					
Turnaround Time Requested: 1 Day 3 Day Normal 2 -Day 5 Day									
Relinquished by: (Signature) <i>[Signature]</i>		Date 3/11/16	Time 4:50	Received by: (Signature) <i>[Signature]</i>			Date	Time	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: <i>[Signature]</i>			Date 3/11/16	Time 5:08pm	
Sample Temperature Ambient <u>Chilled</u> Chilling Process begun Notes: <u>6°C</u>		Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N				
Notes: _____		Notes: _____			Notes: _____				



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#:

160311075

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM ASSOC.</b>		Address:							
Send Report to: <b>Jim Mickam</b>		Project Name (Location): <b>Boiler Room GW Semi Annual</b>			Samplers Name: <i>Shawn Surani</i>				
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>				
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
024	BR-22S	3/11/16	1:40	A P	GW		G	2	EPA 8260, Field: SWL,pH, " "Temp, Spec. Cond, Turbidity
025	Duplicate MW-4	3/10/16	11:45	A P	GW		G	2	"
	Trip Blank	3/8/16		A P	GW		G	2	"
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____				Special Instructions/Remarks: Sampled in conjunction with the ART and Monthly programs PAGE 3 OF 3					
Turnaround Time Requested: 1 Day - 3 Day Normal 2 -Day 5 Day									
Relinquished by: (Signature) <i>[Signature]</i>		Date 3/11/16	Time 4:50	Received by: (Signature) <i>[Signature]</i>			Date 3/11/16	Time 5:14pm	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: <i>[Signature]</i>			Date	Time	
Sample Temperature Ambient <u>Chilled</u> Chilling Process begun Notes: <u>6°C</u>		Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N				
Notes: _____		Notes: _____			Notes: _____				



**Experience is the solution**

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

## TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.



**Experience is the solution**

314 North Pearl Street ♦ Albany, New York 12207  
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

October 12, 2016

Jim Mickam  
JTM Associates  
PO Box 359  
Bridgeport, NY 13030

Work Order No: 160923009

TEL: (315) 641-1216

FAX: (315) 461-4713

RE: Boiler Room  
Semi Annual

Dear Jim Mickam:

Adirondack Environmental Services, Inc received 26 samples on 9/23/2016 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink that reads "Tara Daniels".

ELAP#: 10709

Tara Daniels  
Laboratory Director

---

**CLIENT:** JTM Associates

**Date:** 12-Oct-16

**Project:** Boiler Room

**Lab Order:** 160923009

---

The sampling was performed in accordance with the AES field sampling procedures and/or the client specified sampling procedures. Sample containers were supplied by Adirondack Environmental Services.

---

**Qualifiers:**

ND - Not Detected at reporting limit

J - Analyte detected below quantitation limit

B - Analyte detected in Blank

X - Exceeds maximum contamination limit

H - Hold time exceeded

C - Details are above in Case Narrative

S - LCS Spike recovery outside acceptable limits(+ is over - is under)

R - Duplication outside acceptable limits

T - Tentatively Identified Compound-Estimated

E -Above quantitation range-Estimated

M - Matrix Spike outside acceptable limits(+ is over - is under)

**Note : All Results are reported as wet weight unless noted**

---

**The results relate only to the items tested. Information supplied by the client is assumed to be correct.**

---

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** MW-4S

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-001

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1668</b>	1.0		umhos/cm		9/22/2016
pH	<b>4.7</b>			S.U.		9/22/2016
Static Water Level	<b>17.98</b>			ft		9/22/2016
Temperature	<b>15</b>			deg C		9/22/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		9/22/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 4:53:00 PM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 4:53:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
cis-1,2-Dichloroethene	<b>24</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 4:53:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Trichloroethene	<b>15</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 4:53:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 4:53:00 PM
Tetrachloroethene	<b>2.8</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:53:00 PM



# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** MW-4S

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-001

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 4:53:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 4:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 4:53:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 4:53:00 PM
Surr: 1,2-Dichloroethane-d4	94.5	80.3-122		%REC	1	10/3/2016 4:53:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	10/3/2016 4:53:00 PM
Surr: Toluene-d8	97.5	79.6-110		%REC	1	10/3/2016 4:53:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-4S

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-002

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	1475	1.0		umhos/cm		9/20/2016
pH	6.0			S.U.		9/20/2016
Static Water Level	14.37			ft		9/20/2016
Temperature	17			deg C		9/20/2016
Turbidity	41	1.0		NTU		9/20/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Bromomethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 4:31:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Acetone	< 5.0	5.0		µg/L	1	10/3/2016 4:31:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
cis-1,2-Dichloroethene	8.4	0.5		µg/L	1	10/3/2016 4:31:00 PM
Chloroform	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	10/3/2016 4:31:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Trichloroethene	1.8	0.5		µg/L	1	10/3/2016 4:31:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Benzene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Bromoform	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	10/3/2016 4:31:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	10/3/2016 4:31:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Toluene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-4S

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-002

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 4:31:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 4:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 4:31:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 4:31:00 PM
Surr: 1,2-Dichloroethane-d4	90.2	80.3-122		%REC	1	10/3/2016 4:31:00 PM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	1	10/3/2016 4:31:00 PM
Surr: Toluene-d8	101	79.6-110		%REC	1	10/3/2016 4:31:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-12I

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-003

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	1314	1.0		umhos/cm		9/20/2016
pH	5.8			S.U.		9/20/2016
Static Water Level	15.30			ft		9/20/2016
Temperature	16			deg C		9/20/2016
Turbidity	22	1.0		NTU		9/20/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Bromomethane	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:17:00 AM
Vinyl chloride	20	1.0		µg/L	2	10/4/2016 3:17:00 AM
Chloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Methylene chloride	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Acetone	< 10	10		µg/L	2	10/4/2016 3:17:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
1,1-Dichloroethene	1.8	1.0		µg/L	2	10/4/2016 3:17:00 AM
1,1-Dichloroethane	5.6	1.0		µg/L	2	10/4/2016 3:17:00 AM
trans-1,2-Dichloroethene	1.4	1.0		µg/L	2	10/4/2016 3:17:00 AM
cis-1,2-Dichloroethene	210	1.0		µg/L	2	10/4/2016 3:17:00 AM
Chloroform	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
2-Butanone	< 10	10		µg/L	2	10/4/2016 3:17:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Carbon tetrachloride	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:17:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Trichloroethene	3.8	1.0		µg/L	2	10/4/2016 3:17:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Benzene	10	1.0		µg/L	2	10/4/2016 3:17:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Bromoform	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
4-Methyl-2-pentanone	< 10	10	S-	µg/L	2	10/4/2016 3:17:00 AM
2-Hexanone	< 10	10	S-	µg/L	2	10/4/2016 3:17:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Toluene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-12I

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-003

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
m,p-Xylene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
o-Xylene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Methyl tert-butyl ether	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Dichlorodifluoromethane	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:17:00 AM
Methyl Acetate	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:17:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Cyclohexane	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:17:00 AM
Methyl Cyclohexane	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:17:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:17:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:17:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:17:00 AM
Surr: 1,2-Dichloroethane-d4	91.8	80.3-122		%REC	2	10/4/2016 3:17:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	2	10/4/2016 3:17:00 AM
Surr: Toluene-d8	105	79.6-110		%REC	2	10/4/2016 3:17:00 AM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-13S

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-004

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	1184	1.0		umhos/cm		9/22/2016
pH	6.2			S.U.		9/22/2016
Static Water Level	13.40			ft		9/22/2016
Temperature	15			deg C		9/22/2016
Turbidity	> 999	1.0		NTU		9/22/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Bromomethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 5:14:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Acetone	< 5.0	5.0		µg/L	1	10/3/2016 5:14:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
cis-1,2-Dichloroethene	13	0.5		µg/L	1	10/3/2016 5:14:00 PM
Chloroform	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	10/3/2016 5:14:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Trichloroethene	11	0.5		µg/L	1	10/3/2016 5:14:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Benzene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Bromoform	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	10/3/2016 5:14:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	10/3/2016 5:14:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Toluene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-13S

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-004

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 5:14:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 5:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 5:14:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 5:14:00 PM
Surr: 1,2-Dichloroethane-d4	92.7	80.3-122		%REC	1	10/3/2016 5:14:00 PM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	1	10/3/2016 5:14:00 PM
Surr: Toluene-d8	97.6	79.6-110		%REC	1	10/3/2016 5:14:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-14S

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-005

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1067</b>	1.0		umhos/cm		9/22/2016
pH	<b>4.9</b>			S.U.		9/22/2016
Static Water Level	<b>10.58</b>			ft		9/22/2016
Temperature	<b>15</b>			deg C		9/22/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		9/22/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/4/2016 1:25:00 AM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/4/2016 1:25:00 AM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
1,1-Dichloroethane	<b>1.2</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
trans-1,2-Dichloroethene	<b>0.7</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
cis-1,2-Dichloroethene	<b>65</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/4/2016 1:25:00 AM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5	S-M-	µg/L	1	10/4/2016 1:25:00 AM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Trichloroethene	<b>19</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0	S-	µg/L	1	10/4/2016 1:25:00 AM
2-Hexanone	<b>&lt; 5.0</b>	5.0	S-M-	µg/L	1	10/4/2016 1:25:00 AM
Tetrachloroethene	<b>2.8</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:25:00 AM



**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-14S

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-005

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
Dichlorodifluoromethane	< 0.5	0.5	S-M-	µg/L	1	10/4/2016 1:25:00 AM
Methyl Acetate	< 0.5	0.5	S-M-	µg/L	1	10/4/2016 1:25:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
Cyclohexane	< 0.5	0.5	S-	µg/L	1	10/4/2016 1:25:00 AM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	10/4/2016 1:25:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 1:25:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-M-	µg/L	1	10/4/2016 1:25:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-M-	µg/L	1	10/4/2016 1:25:00 AM
Surr: 1,2-Dichloroethane-d4	90.9	80.3-122		%REC	1	10/4/2016 1:25:00 AM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	10/4/2016 1:25:00 AM
Surr: Toluene-d8	99.3	79.6-110		%REC	1	10/4/2016 1:25:00 AM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-15D

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-006

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	1050	1.0		umhos/cm		9/22/2016
pH	6.6			S.U.		9/22/2016
Static Water Level	13.82			ft		9/22/2016
Temperature	12			deg C		9/22/2016
Turbidity	< 1	1.0		NTU		9/22/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Bromomethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 2:45:00 PM
Vinyl chloride	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Chloroethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Methylene chloride	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Acetone	< 5.0	5.0		µg/L	1	10/3/2016 2:45:00 PM
Carbon disulfide	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
cis-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Chloroform	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
2-Butanone	< 5.0	5.0		µg/L	1	10/3/2016 2:45:00 PM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Carbon tetrachloride	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Bromodichloromethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Trichloroethene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Dibromochloromethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Benzene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Bromoform	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
4-Methyl-2-pentanone	< 5.0	5.0		µg/L	1	10/3/2016 2:45:00 PM
2-Hexanone	< 5.0	5.0		µg/L	1	10/3/2016 2:45:00 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Toluene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-15D

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-006

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 2:45:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 2:45:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 2:45:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 2:45:00 PM
Surr: 1,2-Dichloroethane-d4	92.0	80.3-122		%REC	1	10/3/2016 2:45:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	10/3/2016 2:45:00 PM
Surr: Toluene-d8	99.7	79.6-110		%REC	1	10/3/2016 2:45:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-17S

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-007

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1018</b>	1.0		umhos/cm		9/22/2016
pH	<b>4.4</b>			S.U.		9/22/2016
Static Water Level	<b>14.20</b>			ft		9/22/2016
Temperature	<b>14</b>			deg C		9/22/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		9/22/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 5:36:00 PM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 5:36:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
cis-1,2-Dichloroethene	<b>29</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 5:36:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Trichloroethene	<b>26</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 5:36:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 5:36:00 PM
Tetrachloroethene	<b>3.8</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 5:36:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-17S

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-007

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 5:36:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 5:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 5:36:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 5:36:00 PM
Surr: 1,2-Dichloroethane-d4	91.8	80.3-122		%REC	1	10/3/2016 5:36:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	10/3/2016 5:36:00 PM
Surr: Toluene-d8	97.1	79.6-110		%REC	1	10/3/2016 5:36:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-18I

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-008

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>510</b>	1.0		umhos/cm		9/22/2016
pH	<b>5.1</b>			S.U.		9/22/2016
Static Water Level	<b>15.99</b>			ft		9/22/2016
Temperature	<b>13</b>			deg C		9/22/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		9/22/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 3:06:00 PM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 3:06:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
cis-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0	M-	µg/L	1	10/3/2016 3:06:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5	M-	µg/L	1	10/3/2016 3:06:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Trichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 3:06:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0	M-	µg/L	1	10/3/2016 3:06:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:06:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-18I

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-008

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-M-	µg/L	1	10/3/2016 3:06:00 PM
Methyl Acetate	< 0.5	0.5	S-M-	µg/L	1	10/3/2016 3:06:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:06:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	M-	µg/L	1	10/3/2016 3:06:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-M-	µg/L	1	10/3/2016 3:06:00 PM
Surr: 1,2-Dichloroethane-d4	92.9	80.3-122		%REC	1	10/3/2016 3:06:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	10/3/2016 3:06:00 PM
Surr: Toluene-d8	100	79.6-110		%REC	1	10/3/2016 3:06:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-19S

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-009

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>767</b>	1.0		umhos/cm		9/22/2016
pH	<b>6.0</b>			S.U.		9/22/2016
Static Water Level	<b>11.58</b>			ft		9/22/2016
Temperature	<b>15</b>			deg C		9/22/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		9/22/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 8:47:00 PM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 8:47:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,1-Dichloroethane	<b>1.1</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
cis-1,2-Dichloroethene	<b>33</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 8:47:00 PM
1,1,1-Trichloroethane	<b>1.8</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Trichloroethene	<b>66</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 8:47:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 8:47:00 PM
Tetrachloroethene	<b>5.3</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:47:00 PM



# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-19S

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-009

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 8:47:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 8:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	1.1	0.5		µg/L	1	10/3/2016 8:47:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 8:47:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 8:47:00 PM
Surr: 1,2-Dichloroethane-d4	92.0	80.3-122		%REC	1	10/3/2016 8:47:00 PM
Surr: 4-Bromofluorobenzene	113	74.1-124		%REC	1	10/3/2016 8:47:00 PM
Surr: Toluene-d8	100	79.6-110		%REC	1	10/3/2016 8:47:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-19I

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-010

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>729</b>	1.0		umhos/cm		9/22/2016
pH	<b>6.8</b>			S.U.		9/22/2016
Static Water Level	<b>16.61</b>			ft		9/22/2016
Temperature	<b>13</b>			deg C		9/22/2016
Turbidity	<b>197</b>	1.0		NTU		9/22/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>5.9</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Bromomethane	<b>&lt; 2.5</b>	2.5	S-	µg/L	5	10/4/2016 4:30:00 AM
Vinyl chloride	<b>2.8</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Chloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Methylene chloride	<b>6.1</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Acetone	<b>&lt; 25</b>	25		µg/L	5	10/4/2016 4:30:00 AM
Carbon disulfide	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
1,1-Dichloroethene	<b>5.6</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
1,1-Dichloroethane	<b>14</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
trans-1,2-Dichloroethene	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
cis-1,2-Dichloroethene	<b>230</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Chloroform	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
1,2-Dichloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
2-Butanone	<b>&lt; 25</b>	25		µg/L	5	10/4/2016 4:30:00 AM
1,1,1-Trichloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Carbon tetrachloride	<b>&lt; 2.5</b>	2.5	S-	µg/L	5	10/4/2016 4:30:00 AM
Bromodichloromethane	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
1,2-Dichloropropane	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
cis-1,3-Dichloropropene	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Trichloroethene	<b>480</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Dibromochloromethane	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
1,1,2-Trichloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Benzene	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
trans-1,3-Dichloropropene	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Bromoform	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
4-Methyl-2-pentanone	<b>&lt; 25</b>	25	S-	µg/L	5	10/4/2016 4:30:00 AM
2-Hexanone	<b>&lt; 25</b>	25	S-	µg/L	5	10/4/2016 4:30:00 AM
Tetrachloroethene	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
1,1,2,2-Tetrachloroethane	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Toluene	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Chlorobenzene	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM
Ethylbenzene	<b>&lt; 2.5</b>	2.5		µg/L	5	10/4/2016 4:30:00 AM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-19I

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-010

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Styrene	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
m,p-Xylene	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
o-Xylene	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
Methyl tert-butyl ether	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
Dichlorodifluoromethane	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:30:00 AM
Methyl Acetate	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:30:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
Trichlorofluoromethane	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
Cyclohexane	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:30:00 AM
Methyl Cyclohexane	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:30:00 AM
1,2-Dibromoethane	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
1,3-Dichlorobenzene	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
Isopropylbenzene	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
1,2-Dichlorobenzene	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
1,4-Dichlorobenzene	< 2.5	2.5		µg/L	5	10/4/2016 4:30:00 AM
1,2-Dibromo-3-chloropropane	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:30:00 AM
1,2,4-Trichlorobenzene	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:30:00 AM
Surr: 1,2-Dichloroethane-d4	96.0	80.3-122		%REC	5	10/4/2016 4:30:00 AM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	5	10/4/2016 4:30:00 AM
Surr: Toluene-d8	100	79.6-110		%REC	5	10/4/2016 4:30:00 AM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-19D

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-011

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>762</b>	1.0		umhos/cm		9/22/2016
pH	<b>5.5</b>			S.U.		9/22/2016
Static Water Level	<b>19.12</b>			ft		9/22/2016
Temperature	<b>12</b>			deg C		9/22/2016
Turbidity	<b>&lt; 1</b>	1.0		NTU		9/22/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 3:49:00 PM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 3:49:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
cis-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 3:49:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Trichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 3:49:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 3:49:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:49:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-19D

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-011

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 3:49:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 3:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 3:49:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 3:49:00 PM
Surr: 1,2-Dichloroethane-d4	91.9	80.3-122		%REC	1	10/3/2016 3:49:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	10/3/2016 3:49:00 PM
Surr: Toluene-d8	96.1	79.6-110		%REC	1	10/3/2016 3:49:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-20S

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-012

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>720</b>	1.0		umhos/cm		9/21/2016
pH	<b>5.7</b>			S.U.		9/21/2016
Static Water Level	<b>10.90</b>			ft		9/21/2016
Temperature	<b>17</b>			deg C		9/21/2016
Turbidity	<b>4</b>	1.0		NTU		9/21/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/4/2016 1:46:00 AM
Vinyl chloride	<b>13</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/4/2016 1:46:00 AM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
1,1-Dichloroethane	<b>1.2</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
trans-1,2-Dichloroethene	<b>0.8</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
cis-1,2-Dichloroethene	<b>110</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/4/2016 1:46:00 AM
1,1,1-Trichloroethane	<b>0.6</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/4/2016 1:46:00 AM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Trichloroethene	<b>52</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0	S-	µg/L	1	10/4/2016 1:46:00 AM
2-Hexanone	<b>&lt; 5.0</b>	5.0	S-	µg/L	1	10/4/2016 1:46:00 AM
Tetrachloroethene	<b>6.8</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 1:46:00 AM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-20S

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-012

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/4/2016 1:46:00 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/4/2016 1:46:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	10/4/2016 1:46:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/4/2016 1:46:00 AM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/4/2016 1:46:00 AM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/4/2016 1:46:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	0.6	0.5		µg/L	1	10/4/2016 1:46:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/4/2016 1:46:00 AM
Cyclohexane	< 0.5	0.5	S-	µg/L	1	10/4/2016 1:46:00 AM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	10/4/2016 1:46:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/4/2016 1:46:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 1:46:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/4/2016 1:46:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 1:46:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 1:46:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-	µg/L	1	10/4/2016 1:46:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/4/2016 1:46:00 AM
Surr: 1,2-Dichloroethane-d4	94.6	80.3-122		%REC	1	10/4/2016 1:46:00 AM
Surr: 4-Bromofluorobenzene	113	74.1-124		%REC	1	10/4/2016 1:46:00 AM
Surr: Toluene-d8	98.6	79.6-110		%REC	1	10/4/2016 1:46:00 AM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-11D

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-013

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1053</b>	1.0		umhos/cm		9/20/2016
pH	<b>7.3</b>			S.U.		9/20/2016
Static Water Level	<b>13.87</b>			ft		9/20/2016
Temperature	<b>13</b>			deg C		9/20/2016
Turbidity	<b>10</b>	1.0		NTU		9/20/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 2:02:00 PM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 2:02:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
cis-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 2:02:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Trichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 2:02:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 2:02:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:02:00 PM



**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-11D

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-013

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 2:02:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 2:02:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 2:02:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 2:02:00 PM
Surr: 1,2-Dichloroethane-d4	93.4	80.3-122		%REC	1	10/3/2016 2:02:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	10/3/2016 2:02:00 PM
Surr: Toluene-d8	99.3	79.6-110		%REC	1	10/3/2016 2:02:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-211

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-014

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>826</b>	1.0		umhos/cm		9/21/2016
pH	<b>6.5</b>			S.U.		9/21/2016
Static Water Level	<b>16.69</b>			ft		9/21/2016
Temperature	<b>15</b>			deg C		9/21/2016
Turbidity	<b>34</b>	1.0		NTU		9/21/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Bromomethane	< <b>5.0</b>	5.0	S-	µg/L	10	10/4/2016 5:42:00 AM
Vinyl chloride	<b>26</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Chloroethane	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Methylene chloride	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Acetone	< <b>50</b>	50		µg/L	10	10/4/2016 5:42:00 AM
Carbon disulfide	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
1,1-Dichloroethene	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
1,1-Dichloroethane	<b>20</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
trans-1,2-Dichloroethene	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
cis-1,2-Dichloroethene	<b>240</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Chloroform	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
1,2-Dichloroethane	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
2-Butanone	< <b>50</b>	50		µg/L	10	10/4/2016 5:42:00 AM
1,1,1-Trichloroethane	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Carbon tetrachloride	< <b>5.0</b>	5.0	S-	µg/L	10	10/4/2016 5:42:00 AM
Bromodichloromethane	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
1,2-Dichloropropane	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
cis-1,3-Dichloropropene	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Trichloroethene	<b>890</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Dibromochloromethane	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
1,1,2-Trichloroethane	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Benzene	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
trans-1,3-Dichloropropene	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Bromoform	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
4-Methyl-2-pentanone	< <b>50</b>	50	S-	µg/L	10	10/4/2016 5:42:00 AM
2-Hexanone	< <b>50</b>	50	S-	µg/L	10	10/4/2016 5:42:00 AM
Tetrachloroethene	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
1,1,2,2-Tetrachloroethane	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Toluene	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Chlorobenzene	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM
Ethylbenzene	< <b>5.0</b>	5.0		µg/L	10	10/4/2016 5:42:00 AM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-211

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-014

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
o-Xylene	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
Dichlorodifluoromethane	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
Methyl Acetate	< 5.0	5.0	S-	µg/L	10	10/4/2016 5:42:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
Cyclohexane	< 5.0	5.0	S-	µg/L	10	10/4/2016 5:42:00 AM
Methyl Cyclohexane	< 5.0	5.0	S-	µg/L	10	10/4/2016 5:42:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	10	10/4/2016 5:42:00 AM
1,2-Dibromo-3-chloropropane	< 5.0	5.0	S-	µg/L	10	10/4/2016 5:42:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0	S-	µg/L	10	10/4/2016 5:42:00 AM
Surr: 1,2-Dichloroethane-d4	98.1	80.3-122		%REC	10	10/4/2016 5:42:00 AM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	10	10/4/2016 5:42:00 AM
Surr: Toluene-d8	99.3	79.6-110		%REC	10	10/4/2016 5:42:00 AM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-21D

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-015

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>966</b>	1.0		umhos/cm		9/21/2016
pH	<b>6.2</b>			S.U.		9/21/2016
Static Water Level	<b>19.29</b>			ft		9/21/2016
Temperature	<b>15</b>			deg C		9/21/2016
Turbidity	<b>&gt; 999</b>	1.0		NTU		9/21/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 7:43:00 PM
Vinyl chloride	<b>1.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 7:43:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,1-Dichloroethane	<b>0.8</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
cis-1,2-Dichloroethene	<b>5.0</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 7:43:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Trichloroethene	<b>4.0</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 7:43:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 7:43:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 7:43:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-21D

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-015

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
Methyl tert-butyl ether	28	0.5		µg/L	1	10/3/2016 7:43:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 7:43:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 7:43:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 7:43:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 7:43:00 PM
Surr: 1,2-Dichloroethane-d4	96.8	80.3-122		%REC	1	10/3/2016 7:43:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	10/3/2016 7:43:00 PM
Surr: Toluene-d8	98.6	79.6-110		%REC	1	10/3/2016 7:43:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-26S

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-016

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>599</b>	1.0		umhos/cm		9/21/2016
pH	<b>5.5</b>			S.U.		9/21/2016
Static Water Level	<b>9.57</b>			ft		9/21/2016
Temperature	<b>17</b>			deg C		9/21/2016
Turbidity	<b>304</b>	1.0		NTU		9/21/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Bromomethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Vinyl chloride	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Chloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Methylene chloride	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Acetone	< 10	10		µg/L	2	10/4/2016 3:03:00 PM
Carbon disulfide	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,1-Dichloroethane	7.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
cis-1,2-Dichloroethene	25	1.0		µg/L	2	10/4/2016 3:03:00 PM
Chloroform	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
2-Butanone	< 10	10		µg/L	2	10/4/2016 3:03:00 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Bromodichloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Trichloroethene	220	1.0		µg/L	2	10/4/2016 3:03:00 PM
Dibromochloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Benzene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Bromoform	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	2	10/4/2016 3:03:00 PM
2-Hexanone	< 10	10		µg/L	2	10/4/2016 3:03:00 PM
Tetrachloroethene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Toluene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Chlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Ethylbenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-26S

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-016

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
m,p-Xylene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
o-Xylene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Methyl tert-butyl ether	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Methyl Acetate	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:03:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Cyclohexane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Methyl Cyclohexane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,2-Dibromoethane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
Isopropylbenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	2	10/4/2016 3:03:00 PM
1,2,4-Trichlorobenzene	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:03:00 PM
Surr: 1,2-Dichloroethane-d4	94.0	80.3-122		%REC	2	10/4/2016 3:03:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	2	10/4/2016 3:03:00 PM
Surr: Toluene-d8	101	79.6-110		%REC	2	10/4/2016 3:03:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-26I

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-017

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>775</b>	1.0		umhos/cm		9/22/2016
pH	<b>7.1</b>			S.U.		9/22/2016
Static Water Level	<b>22.12</b>			ft		9/22/2016
Temperature	<b>13</b>			deg C		9/22/2016
Turbidity	<b>115</b>	1.0		NTU		9/22/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 4:10:00 PM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 4:10:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
cis-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 4:10:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Trichloroethene	<b>0.6</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 4:10:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 4:10:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 4:10:00 PM



**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-26I

**Work Order:** 160923009

**Collection Date:** 9/22/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-017

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 4:10:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 4:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 4:10:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 4:10:00 PM
Surr: 1,2-Dichloroethane-d4	94.0	80.3-122		%REC	1	10/3/2016 4:10:00 PM
Surr: 4-Bromofluorobenzene	115	74.1-124		%REC	1	10/3/2016 4:10:00 PM
Surr: Toluene-d8	101	79.6-110		%REC	1	10/3/2016 4:10:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-27S

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-018

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>994</b>	1.0		umhos/cm		9/20/2016
pH	<b>6.0</b>			S.U.		9/20/2016
Static Water Level	<b>12.32</b>			ft		9/20/2016
Temperature	<b>17</b>			deg C		9/20/2016
Turbidity	<b>94</b>	1.0		NTU		9/20/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Bromomethane	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:41:00 AM
Vinyl chloride	<b>3.5</b>	1.0		µg/L	2	10/4/2016 3:41:00 AM
Chloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Methylene chloride	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Acetone	< 10	10		µg/L	2	10/4/2016 3:41:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
1,1-Dichloroethane	<b>3.2</b>	1.0		µg/L	2	10/4/2016 3:41:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
cis-1,2-Dichloroethene	<b>160</b>	1.0		µg/L	2	10/4/2016 3:41:00 AM
Chloroform	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
2-Butanone	< 10	10		µg/L	2	10/4/2016 3:41:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Carbon tetrachloride	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:41:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Trichloroethene	<b>60</b>	1.0		µg/L	2	10/4/2016 3:41:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Benzene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Bromoform	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
4-Methyl-2-pentanone	< 10	10	S-	µg/L	2	10/4/2016 3:41:00 AM
2-Hexanone	< 10	10	S-	µg/L	2	10/4/2016 3:41:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Toluene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-27S

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-018

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
m,p-Xylene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
o-Xylene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Methyl tert-butyl ether	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Dichlorodifluoromethane	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:41:00 AM
Methyl Acetate	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:41:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Cyclohexane	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:41:00 AM
Methyl Cyclohexane	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:41:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:41:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:41:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:41:00 AM
Surr: 1,2-Dichloroethane-d4	94.5	80.3-122		%REC	2	10/4/2016 3:41:00 AM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	2	10/4/2016 3:41:00 AM
Surr: Toluene-d8	102	79.6-110		%REC	2	10/4/2016 3:41:00 AM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-271

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-019

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1016</b>	1.0		umhos/cm		9/20/2016
pH	<b>6.7</b>			S.U.		9/20/2016
Static Water Level	<b>13.66</b>			ft		9/20/2016
Temperature	<b>17</b>			deg C		9/20/2016
Turbidity	<b>98</b>	1.0		NTU		9/20/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Bromomethane	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:06:00 AM
Vinyl chloride	<b>30</b>	2.5		µg/L	5	10/4/2016 4:06:00 AM
Chloroethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Methylene chloride	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Acetone	< 25	25		µg/L	5	10/4/2016 4:06:00 AM
Carbon disulfide	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
1,1-Dichloroethene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
1,1-Dichloroethane	<b>94</b>	2.5		µg/L	5	10/4/2016 4:06:00 AM
trans-1,2-Dichloroethene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
cis-1,2-Dichloroethene	<b>470</b>	2.5		µg/L	5	10/4/2016 4:06:00 AM
Chloroform	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
1,2-Dichloroethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
2-Butanone	< 25	25		µg/L	5	10/4/2016 4:06:00 AM
1,1,1-Trichloroethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Carbon tetrachloride	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:06:00 AM
Bromodichloromethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
1,2-Dichloropropane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
cis-1,3-Dichloropropene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Trichloroethene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Dibromochloromethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
1,1,2-Trichloroethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Benzene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
trans-1,3-Dichloropropene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Bromoform	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
4-Methyl-2-pentanone	< 25	25	S-	µg/L	5	10/4/2016 4:06:00 AM
2-Hexanone	< 25	25	S-	µg/L	5	10/4/2016 4:06:00 AM
Tetrachloroethene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
1,1,2,2-Tetrachloroethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Toluene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Chlorobenzene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Ethylbenzene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-271

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-019

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
m,p-Xylene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
o-Xylene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Methyl tert-butyl ether	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Dichlorodifluoromethane	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:06:00 AM
Methyl Acetate	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:06:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Trichlorofluoromethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Cyclohexane	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:06:00 AM
Methyl Cyclohexane	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:06:00 AM
1,2-Dibromoethane	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
1,3-Dichlorobenzene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
Isopropylbenzene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
1,2-Dichlorobenzene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
1,4-Dichlorobenzene	< 2.5	2.5		µg/L	5	10/4/2016 4:06:00 AM
1,2-Dibromo-3-chloropropane	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:06:00 AM
1,2,4-Trichlorobenzene	< 2.5	2.5	S-	µg/L	5	10/4/2016 4:06:00 AM
Surr: 1,2-Dichloroethane-d4	93.3	80.3-122		%REC	5	10/4/2016 4:06:00 AM
Surr: 4-Bromofluorobenzene	114	74.1-124		%REC	5	10/4/2016 4:06:00 AM
Surr: Toluene-d8	101	79.6-110		%REC	5	10/4/2016 4:06:00 AM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-22I

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-020

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	1020	1.0		umhos/cm		9/21/2016
pH	6.6			S.U.		9/21/2016
Static Water Level	18.62			ft		9/21/2016
Temperature	15			deg C		9/21/2016
Turbidity	25	1.0		NTU		9/21/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Bromomethane	< 5.0	5.0	S-	µg/L	10	10/4/2016 6:06:00 AM
Vinyl chloride	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Chloroethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Methylene chloride	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Acetone	< 50	50		µg/L	10	10/4/2016 6:06:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
cis-1,2-Dichloroethene	290	5.0		µg/L	10	10/4/2016 6:06:00 AM
Chloroform	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
2-Butanone	< 50	50		µg/L	10	10/4/2016 6:06:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Carbon tetrachloride	< 5.0	5.0	S-	µg/L	10	10/4/2016 6:06:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Trichloroethene	1100	5.0		µg/L	10	10/4/2016 6:06:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Benzene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Bromoform	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
4-Methyl-2-pentanone	< 50	50	S-	µg/L	10	10/4/2016 6:06:00 AM
2-Hexanone	< 50	50	S-	µg/L	10	10/4/2016 6:06:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Toluene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-22I

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-020

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
o-Xylene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Dichlorodifluoromethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Methyl Acetate	< 5.0	5.0	S-	µg/L	10	10/4/2016 6:06:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Cyclohexane	< 5.0	5.0	S-	µg/L	10	10/4/2016 6:06:00 AM
Methyl Cyclohexane	< 5.0	5.0	S-	µg/L	10	10/4/2016 6:06:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	10	10/4/2016 6:06:00 AM
1,2-Dibromo-3-chloropropane	< 5.0	5.0	S-	µg/L	10	10/4/2016 6:06:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0	S-	µg/L	10	10/4/2016 6:06:00 AM
Surr: 1,2-Dichloroethane-d4	99.3	80.3-122		%REC	10	10/4/2016 6:06:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	10	10/4/2016 6:06:00 AM
Surr: Toluene-d8	96.4	79.6-110		%REC	10	10/4/2016 6:06:00 AM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-28I

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-021

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	1160	1.0		umhos/cm		9/21/2016
pH	6.3			S.U.		9/21/2016
Static Water Level	13.99			ft		9/21/2016
Temperature	18			deg C		9/21/2016
Turbidity	15	1.0		NTU		9/21/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Bromomethane	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:07:00 AM
Vinyl chloride	0.7	0.5		µg/L	1	10/4/2016 2:07:00 AM
Chloroethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Methylene chloride	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Acetone	< 5.0	5.0		µg/L	1	10/4/2016 2:07:00 AM
Carbon disulfide	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
1,1-Dichloroethene	0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
1,1-Dichloroethane	1.2	0.5		µg/L	1	10/4/2016 2:07:00 AM
trans-1,2-Dichloroethene	1.0	0.5		µg/L	1	10/4/2016 2:07:00 AM
cis-1,2-Dichloroethene	89	0.5		µg/L	1	10/4/2016 2:07:00 AM
Chloroform	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
2-Butanone	< 5.0	5.0		µg/L	1	10/4/2016 2:07:00 AM
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Carbon tetrachloride	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:07:00 AM
Bromodichloromethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Trichloroethene	110	0.5		µg/L	1	10/4/2016 2:07:00 AM
Dibromochloromethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Benzene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Bromoform	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
4-Methyl-2-pentanone	< 5.0	5.0	S-	µg/L	1	10/4/2016 2:07:00 AM
2-Hexanone	< 5.0	5.0	S-	µg/L	1	10/4/2016 2:07:00 AM
Tetrachloroethene	18	0.5		µg/L	1	10/4/2016 2:07:00 AM
1,1,2,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Toluene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Chlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Ethylbenzene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM



**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-28I

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-021

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:07:00 AM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:07:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Cyclohexane	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:07:00 AM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:07:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 2:07:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:07:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:07:00 AM
Surr: 1,2-Dichloroethane-d4	97.5	80.3-122		%REC	1	10/4/2016 2:07:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	10/4/2016 2:07:00 AM
Surr: Toluene-d8	100	79.6-110		%REC	1	10/4/2016 2:07:00 AM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-291

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-022

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>893</b>	1.0		umhos/cm		9/21/2016
pH	<b>6.0</b>			S.U.		9/21/2016
Static Water Level	<b>18.20</b>			ft		9/21/2016
Temperature	<b>17</b>			deg C		9/21/2016
Turbidity	<b>14</b>	1.0		NTU		9/21/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 3:27:00 PM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 3:27:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
cis-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 3:27:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Trichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 3:27:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 3:27:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 3:27:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-29I

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-022

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 3:27:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 3:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 3:27:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 3:27:00 PM
Surr: 1,2-Dichloroethane-d4	93.5	80.3-122		%REC	1	10/3/2016 3:27:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	10/3/2016 3:27:00 PM
Surr: Toluene-d8	99.6	79.6-110		%REC	1	10/3/2016 3:27:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-30I

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-023

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>653</b>	1.0		umhos/cm		9/21/2016
pH	<b>6.1</b>			S.U.		9/21/2016
Static Water Level	<b>17.70</b>			ft		9/21/2016
Temperature	<b>17</b>			deg C		9/21/2016
Turbidity	<b>12</b>	1.0		NTU		9/21/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/4/2016 2:29:00 AM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/4/2016 2:29:00 AM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
1,1-Dichloroethene	<b>1.1</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
1,1-Dichloroethane	<b>2.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
cis-1,2-Dichloroethene	<b>81</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/4/2016 2:29:00 AM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/4/2016 2:29:00 AM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Trichloroethene	<b>22</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0	S-	µg/L	1	10/4/2016 2:29:00 AM
2-Hexanone	<b>&lt; 5.0</b>	5.0	S-	µg/L	1	10/4/2016 2:29:00 AM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/4/2016 2:29:00 AM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-30I

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-023

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
o-Xylene	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:29:00 AM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:29:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
Cyclohexane	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:29:00 AM
Methyl Cyclohexane	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:29:00 AM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/4/2016 2:29:00 AM
1,2-Dibromo-3-chloropropane	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:29:00 AM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/4/2016 2:29:00 AM
Surr: 1,2-Dichloroethane-d4	95.5	80.3-122		%REC	1	10/4/2016 2:29:00 AM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	10/4/2016 2:29:00 AM
Surr: Toluene-d8	102	79.6-110		%REC	1	10/4/2016 2:29:00 AM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-24S

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-024

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>612</b>	1.0		umhos/cm		9/21/2016
pH	<b>5.7</b>			S.U.		9/21/2016
Static Water Level	<b>11.07</b>			ft		9/21/2016
Temperature	<b>18</b>			deg C		9/21/2016
Turbidity	<b>13</b>	1.0		NTU		9/21/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Bromomethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Vinyl chloride	<b>13</b>	1.0		µg/L	2	10/4/2016 3:28:00 PM
Chloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Methylene chloride	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Acetone	< 10	10		µg/L	2	10/4/2016 3:28:00 PM
Carbon disulfide	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,1-Dichloroethane	<b>1.3</b>	1.0		µg/L	2	10/4/2016 3:28:00 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
cis-1,2-Dichloroethene	<b>140</b>	1.0		µg/L	2	10/4/2016 3:28:00 PM
Chloroform	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
2-Butanone	< 10	10		µg/L	2	10/4/2016 3:28:00 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Bromodichloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Trichloroethene	<b>230</b>	1.0		µg/L	2	10/4/2016 3:28:00 PM
Dibromochloromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Benzene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Bromoform	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	2	10/4/2016 3:28:00 PM
2-Hexanone	< 10	10		µg/L	2	10/4/2016 3:28:00 PM
Tetrachloroethene	<b>5.8</b>	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Toluene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Chlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Ethylbenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-24S

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-024

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
m,p-Xylene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
o-Xylene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Methyl tert-butyl ether	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Methyl Acetate	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:28:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Cyclohexane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Methyl Cyclohexane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,2-Dibromoethane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
Isopropylbenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	2	10/4/2016 3:28:00 PM
1,2,4-Trichlorobenzene	< 1.0	1.0	S-	µg/L	2	10/4/2016 3:28:00 PM
Surr: 1,2-Dichloroethane-d4	93.9	80.3-122		%REC	2	10/4/2016 3:28:00 PM
Surr: 4-Bromofluorobenzene	114	74.1-124		%REC	2	10/4/2016 3:28:00 PM
Surr: Toluene-d8	100	79.6-110		%REC	2	10/4/2016 3:28:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-22S

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-025

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>615</b>	1.0		umhos/cm		9/21/2016
pH	<b>6.0</b>			S.U.		9/21/2016
Static Water Level	<b>8.92</b>			ft		9/21/2016
Temperature	<b>14</b>			deg C		9/21/2016
Turbidity	<b>13</b>	1.0		NTU		9/21/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 8:26:00 PM
Vinyl chloride	<b>3.1</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 8:26:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,1-Dichloroethane	<b>2.4</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
cis-1,2-Dichloroethene	<b>19</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 8:26:00 PM
1,1,1-Trichloroethane	<b>1.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Trichloroethene	<b>36</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 8:26:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 8:26:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Toluene	<b>0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 8:26:00 PM



**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** BR-22S

**Work Order:** 160923009

**Collection Date:** 9/21/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-025

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 8:26:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 8:26:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	1.4	0.5		µg/L	1	10/3/2016 8:26:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 8:26:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 8:26:00 PM
Surr: 1,2-Dichloroethane-d4	93.5	80.3-122		%REC	1	10/3/2016 8:26:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	10/3/2016 8:26:00 PM
Surr: Toluene-d8	99.5	79.6-110		%REC	1	10/3/2016 8:26:00 PM

# Adirondack Environmental Services, Inc

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** Duplicate 11D

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-026

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE**

Analyst: **FLD**

Conductivity	<b>1053</b>	1.0		umhos/cm		9/20/2016
pH	<b>7.3</b>			S.U.		9/20/2016
Static Water Level	<b>13.87</b>			ft		9/20/2016
Temperature	<b>13</b>			deg C		9/20/2016
Turbidity	<b>10</b>	1.0		NTU		9/20/2016

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: **SMD**

Chloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Bromomethane	<b>&lt; 0.5</b>	0.5	S-	µg/L	1	10/3/2016 2:23:00 PM
Vinyl chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Chloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Methylene chloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Acetone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 2:23:00 PM
Carbon disulfide	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,1-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,1-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
trans-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
cis-1,2-Dichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Chloroform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,2-Dichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
2-Butanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 2:23:00 PM
1,1,1-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Carbon tetrachloride	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Bromodichloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,2-Dichloropropane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
cis-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Trichloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Dibromochloromethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,1,2-Trichloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Benzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
trans-1,3-Dichloropropene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Bromoform	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
4-Methyl-2-pentanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 2:23:00 PM
2-Hexanone	<b>&lt; 5.0</b>	5.0		µg/L	1	10/3/2016 2:23:00 PM
Tetrachloroethene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,1,2,2-Tetrachloroethane	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Toluene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Chlorobenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM
Ethylbenzene	<b>&lt; 0.5</b>	0.5		µg/L	1	10/3/2016 2:23:00 PM

**Adirondack Environmental Services, Inc**

Date: 12-Oct-16

**CLIENT:** JTM Associates

**Client Sample ID:** Duplicate 11D

**Work Order:** 160923009

**Collection Date:** 9/20/2016

**Reference:** Boiler Room / Semi Annual

**Lab Sample ID:** 160923009-026

**PO#:**

**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**VOLATILE ORGANICS EPA 8260C (SW5030C PREP)**

Analyst: SMD

Styrene	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
o-Xylene	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
Methyl tert-butyl ether	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
Dichlorodifluoromethane	< 0.5	0.5	S-	µg/L	1	10/3/2016 2:23:00 PM
Methyl Acetate	< 0.5	0.5	S-	µg/L	1	10/3/2016 2:23:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
Methyl Cyclohexane	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,2-Dibromo-3-chloropropane	< 0.5	0.5		µg/L	1	10/3/2016 2:23:00 PM
1,2,4-Trichlorobenzene	< 0.5	0.5	S-	µg/L	1	10/3/2016 2:23:00 PM
Surr: 1,2-Dichloroethane-d4	92.6	80.3-122		%REC	1	10/3/2016 2:23:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	10/3/2016 2:23:00 PM
Surr: Toluene-d8	102	79.6-110		%REC	1	10/3/2016 2:23:00 PM



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#:

160923009

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM ASSOC.</b>		Address:							
Send Report to: <b>Jim Mickam</b>		Project Name (Location): <b>Boiler Room GW Semi Annual</b>			Samplers Name: <b>Travis Minotley</b>				
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>				
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
001	MW-4S	9/22/16	3:50	A P	GW		G	2	EPA 8260, Field: SWL, pH, " Temp, Spec. Cond, Turbidity " " " " " " " " " " "
002	BR-4S	9/20/16	1:55	P	GW		G	2	
003	BR-12I	9/20/16	2:40	A P	GW		G	2	
004	BR-13S	9/22/16	3:35	A P	GW		G	2	
005	BR-14S	9/22/16	12:15	A P	GW		G	2	
006	BR-15D	9/22/16	12:15	A P	GW		G	2	
007	BR-17S	9/22/16	2:35	A P	GW		G	2	
008	BR-18I	9/22/16	3:05	A P	GW		G	2	
009	BR-19S	9/22/16	1:45	A P	GW		G	2	
010	BR-19I	9/22/16	1:20	A P	GW		G	2	
011	BR-19D	9/22/16	1:10	A P	GW		G	2	
012	BR-20S	9/21/16	2:15	A P	GW		G	2	
Shipment Arrived Via: FedEx UPS Client <b>AES</b> Other: _____				Special Instructions/Remarks: Sampled in conjunction with the ART and Monthly programs PAGE 1 OF 3					
Turnaround Time Requested: 1 Day 3 Day Normal 2 -Day 5 Day									
Relinquished by: (Signature) <i>[Signature]</i>		Date 9/23/16	Time 8:40	Received by: (Signature) <i>[Signature]</i>			Date 9/23	Time 10:06am	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: <i>[Signature]</i>			Date	Time	
Sample Temperature Ambient <input checked="" type="checkbox"/> Chilled Chilling Process begun Notes: <u>4°C</u>		Properly Preserved <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Notes: _____			Received Within Holding Times <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Notes: _____				



160923009



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#:

160923009

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM ASSOC.</b>		Address:							
Send Report to: <b>Jim Mickam</b>		Project Name (Location): <b>Boiler Room GW Semi Annual</b>				Samplers Name: <i>Travis Kinoley</i>			
Client Phone No:		PO #:				Samplers Signature: <i>[Signature]</i>			
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
013	BR - 11D	9/20/16	2:20	A Ⓟ	GW		G	2	EPA 8260, Field: SWL,pH, " "Temp, Spec. Cond, Turbidity
014	BR - 21I	9/21/16	2:10	Ⓟ					
015	BR - 21D	9/21/16	1:35	A Ⓟ					
016	BR - 26S	9/21/16	4:05	A Ⓟ	GW		G	2	"
017	BR - 26I	9/22/16	3:05	A Ⓟ	GW		G	2	"
018	BR - 27S	9/20/16	3:35	A Ⓟ	GW		G	2	"
019	BR - 27I	9/20/16	3:35	A Ⓟ	GW		G	2	"
020	BR - 22I	9/21/16	3:20	A Ⓟ	GW		G	2	"
021	BR - 28I	9/21/16	12:20	A Ⓟ	GW		G	2	"
022	BR - 29I	9/21/16	12:20	A Ⓟ	GW		G	2	"
023	BR - 30I	9/21/16	3:15	A Ⓟ	GW		G	2	"
024	BR - 24S	9/21/16	1:10	A Ⓟ	GW		G	2	"
Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____				Special Instructions/Remarks: Sampled in conjunction with the ART and Monthly programs PAGE 2 OF 3					
Turnaround Time Requested: 1 Day 3 Day Normal 2 -Day 5 Day									
Relinquished by: (Signature) <i>[Signature]</i>		Date 9/23/16	Time 8:40	Received by: (Signature) <i>[Signature]</i>			Date 9/23/16	Time 10:06am	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: <i>[Signature]</i>			Date 9/23/16	Time 10:06am	
Sample Temperature Ambient <u>Chilled</u> Chilling Process begun		Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N				
Notes: <u>4°C</u>		Notes: _____			Notes: _____				



314 North Pearl Street  
 Albany, New York 12207  
 518-434-4546 ♦ Fax: 518-434-0891

**CHAIN OF CUSTODY RECORD**

AES Work Order#:

160928009

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <b>JTM ASSOC.</b>		Address:							
Send Report to: <b>Jim Mickam</b>		Project Name (Location): <b>Boiler Room GW Semi Annual</b>				Samplers Name: <i>Travis Kinerley</i>			
Client Phone No:		PO #:				Samplers Signature: <i>[Signature]</i>			
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
025	BR-22S	9/21/16	4:05	A P	GW		G	2	EPA 8260, Field: SWL,pH, " "Temp, Spec. Cond, Turbidity
026	Duplicate 11D	9/20/16	2:20	A P	GW		G	2	"
	Trip Blank	9/20/16		A P	GW		G	2	"
	Trip Blank	9/22/16		A P A P A P A P A P A P					
Shipment Arrived Via: FedEx UPS Client <input checked="" type="radio"/> AES Other: _____				Special Instructions/Remarks: Sampled in conjunction with the ART and Monthly programs PAGE 3 OF 3					
Turnaround Time Requested: 1 Day 3 Day Normal 2 -Day 5 Day									
Relinquished by: (Signature) <i>[Signature]</i>		Date 9/23/16	Time 8:40	Received by: (Signature) <i>[Signature]</i>			Date 9/23	Time 10:06 am	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: <i>[Signature]</i>			Date 9/23	Time 10:06 am	
Sample Temperature Ambient <input checked="" type="radio"/> Chilled Chilling Process begun		Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N			Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N				
Notes: 4°C		Notes: _____			Notes: _____				



**Experience is the solution**

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

## TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.