

Groundwater Extraction and Treatment System Evaluation Report

NYSDEC Site No. 429004

Location:

Former Ward Products
61 Edson Street
Amsterdam, New York 12010

Prepared for:

61 Edson Street, LLC
336 Forest Avenue
Amsterdam, New York 12010

LaBella Project No. 2211929

January 30, 2024





CERTIFICATIONS

I, Fil L. Fina, certify that I am currently a NYS registered professional engineer, as defined in 6 NYCRR Part 375, and that this Groundwater Extraction and Treatment System Evaluation Report was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10) and that all activities were performed in full accordance with the DER-approved work plan and any DER-approved modifications.

Fil L. Fina III, P.E.

I, Randolph H. Hoose, certify that I am currently a Qualified Environmental Professional as defined in 6 NYCRR Part 375 and that this Groundwater Extraction and Treatment System Evaluation Report was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10) and, modifications agreed-to by NYSDEC staff.

Randolph H. Hoose P.G.



TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	SITE BACKGROUND AND HISTORY	1
1.2	SITE GEOLOGY AND GROUNDWATER QUALITY	2
1.3	GROUNDWATER EXTRACTION AND TREATMENT (GWE&T) SYSTEM	3
2.0	GWE&T SYSTEM EVALUATION	5
2.1	TESTING PROCEDURE AND RESULTS	6
2.1.1	RW-01 Test	7
2.1.2	RW-02 Test	10
2.1.3	Combined (RW-01/RW-02) Test	13
2.2	DISCUSSION	16
2.3	RECOMMENDATION	17

LIST OF FIGURES

Figure 1:	Site Location Map
Figure 2:	Site Map with Environmental Easement
Figure 3:	Distribution of Dissolved Total VOCs in Groundwater
Figure 4:	Wells Equipped with Pressure Transducers
Figure 5A:	Static Groundwater Contour Map – Bedrock – RW-01 Test - September 14, 2023
Figure 5B:	Observed Drawdown Map – Bedrock – RW-01 Test - September 18, 2023
Figure 5C:	End of Test Groundwater Contour Map – Bedrock – RW-01 Test - September 18, 2023
Figure 6A:	Static Groundwater Contour Map – Bedrock – RW-02 Test - September 20, 2023
Figure 6B:	Observed Drawdown Map – Bedrock – RW-02 Test - September 22, 2023
Figure 6C:	End of Test Groundwater Contour Map – Bedrock – RW-02 Test - September 22, 2023
Figure 7A:	Static Groundwater Contour Map – Bedrock – Combined Test - September 25, 2023
Figure 7B:	Observed Drawdown Map – Bedrock – Combined Test - September 27, 2023
Figure 7C:	End of Test Groundwater Contour Map – Bedrock – Combined Test - September 27, 2023

LIST OF TABLES

Table 1:	Monitoring and Recovery Well Specifications
Table 2:	Wells Equipped with Pressure Transducers
Table 3:	Static and End of RW-01 Test Water Level Measurements
Table 4:	Static and End of RW-02 Test Water Level Measurements
Table 5:	Static and End of Combined Test Water Level Measurements

ATTACHMENTS

ATTACHMENT A	FIGURES
ATTACHMENT B	DATA COLLECTED DURING GWE&T SYSTEM EVALUATION



1.0 INTRODUCTION

This document has been prepared in order to summarize the observations and findings of data collected during operation of the groundwater extraction and treatment (GWE&T) system at the former Ward Products Site, located at 61 Edson Street, Amsterdam, Montgomery County, New York (hereinafter referred to as the “Site”). The GWE&T system evaluation reported herein was conducted in accordance with the October 11, 2022 proposed Scope of Work submitted by LaBella Associates, D.P.C. (LaBella) to the New York State Department of Environmental Conservation (NYSDEC) Division of Environmental Remediation (DER). The Site is managed under the New York State (NYS) Superfund Program (Site ID No. 4-29-044) administered by the NYSDEC.

1.1 SITE BACKGROUND AND HISTORY

The Site is within the Edson Street Industrial Park located on the southeast side of the City of Amsterdam, Montgomery County, New York (**Figure 1**). The Site is bounded by various retail and manufacturing businesses to the east, west and south. These include Saratoga Horseworks (west), FGI Fibers, Inc. (east), Bush Products, Inc. and Town & Country Bridge & Rail (south). The northern side of the Site is bounded by vacant land.

The Site is located approximately 3,300 feet northeast of the Mohawk River and includes an approximately 69,500 square foot single story building, lawn areas, a paved parking lot and an undeveloped portion north of the Site building. A small, intermittent tributary begins uphill of the Site building and flows in a ditch on the eastern side of the property. Drainage via this feature is to the Mohawk River.

Various manufacturing processes have been conducted at the Site dating back to 1957, when the Gabriel Corporation began the manufacture of car antennas. Ward Products subsequently purchased the Site and operations from Gabriel Corporation in 1959. During the manufacturing processes employed at the Site, small metallic components were cleaned via a vapor degreasing prior to electroplating. During the time period between 1957 and 1973, untreated electroplating waste solutions that contained chromium (Cr), zinc (Zn), cadmium (Cd), nickel (Ni) and the degreasing solvent trichloroethene (TCE), were discharged to the nearby drainage ditch east of the Site building. In 1973, direct discharge to the drainage ditch ceased when a treatment process that included evaporating the spent plating solution/wastes (by natural and mechanical means) and disposing the remaining sludges off-Site. The Site was connected to City of Amsterdam’s sewer system in 1983. All electroplating operations were discontinued at the Site in 1985.

The Site was listed in the NYSDECs Registry of Inactive Hazardous Waste Disposal Sites in New York as Class 2a in 1985. Class 2a was a temporary classification assigned to Sites that had inadequate and/or insufficient data for inclusion in any of the other classifications. After various investigations were completed, NYSDEC re-listed the Site as a “Class 2” Site (a Site where hazardous waste is confirmed and determined to present a significant threat to the public health or the environment and action is required) in 1989. A Remedial Investigation (RI) was subsequently conducted (along with implementation of various remedial measures) and the Site was issued a Certificate of Completion in March, ~~2021~~.



The NYSDEC re-classified the Site from “Class 2” to “Class 4” at that time. The “Class 4” designation is assigned to Sites that have been properly closed but require continued Site management (consisting of operation, maintenance and/or monitoring).

1.2 SITE GEOLOGY AND GROUNDWATER QUALITY

The various soil boring programs conducted at the Site have identified soil at the Site to consist of glacial till overlying Chuctanunda Creek dolostone bedrock. The glacial till layer is thin (only about two (2.0) feet thick) near the north end of the Site building but, increases in thickness to over 50 feet toward the south. Previous investigations at the Site have found very little groundwater in the glacial till. As such, the primary water bearing zone beneath the Site is in the fractures, joints and bedding planes of the underlying dolostone bedrock. Historically, groundwater flow beneath the Site has generally ranged toward the west-southwest and south.

A total of 24 on-Site and off-Site monitoring wells have been installed over the course of investigations conducted at the Site. Additionally, there are two (2) groundwater extraction wells (RW-01 and RW-02) and three (3) application wells (IW-02, IW-03 and IW-04) that were used for previous applications of reagents associated with in-situ chemical oxidation (ISCO) via potassium permanganate. The locations of all current monitoring wells associated with the Site are included on **Figure 2**; well construction specifications are included below on **Table 1**.

Table 1 Monitoring and Recovery Well Specifications 61 Edson St., Amsterdam, NY				
Well ID	Well Depth	Screened Interval	Overburden Depth	Completion
RW-01	80'	20' – 80'	14'	Bedrock
RW-02*	50'	30' - 50'	30'	Bedrock
MW-1	8.0'	3' – 8'	6.5'	Overburden
MW-1R	19'	9.0' – 19'	4'	Bedrock
MW-2	12'	7' – 12'	11.5'	Overburden
MW-3	16'	6' – 16'	13'	Overburden
MW-4	15'	5.0' – 15'	10.5'	Overburden
MW-4R	35'	25' – 35'	10.5'	Bedrock
MW-5R	16.5'	6.5' – 16.5'	2.5'	Bedrock
MW-6	38'	23' – 38'	8'	Bedrock
MW-7	34'	19' – 34'	16'	Bedrock
MW-8	30.5'	15.5' – 30.5'	20.5'	Bedrock
MW-9	47'	32' – 47'	16'	Bedrock
MW-10	51'	36' – 51'	31.5'	Bedrock
MW-11	27'	17' – 27'	13.5'	Bedrock
MW-12	46'	36' – 46'	30'	Bedrock
MW-13	69'	54' – 69'	32.5'	Bedrock
MW-14	58.5'	44' – 58.50'	40.8'	Bedrock
MW-15	55'	40' – 55'	36.5'	Bedrock



Table 1 Monitoring and Recovery Well Specifications (continued)				
Well ID	Well Depth	Screened Interval	Overburden Depth	Formation
MW-16	67.5'	57.5' – 67.5'	50.1'	Bedrock
MW-17	66.5'	51.5' – 66.5'	46.5'	Bedrock
MW-18	66'	56.0' – 66.0'	52.8'	Bedrock
MW-19	70.9'	55.9' – 70.9'	52.5'	Bedrock
MW-20	60'	45' – 60'	39.3'	Bedrock
MW-22	50'	30' – 50'	Not Specified	Bedrock
MW-23	45'	30' – 45'	Not Specified	Bedrock
IW-02	80'	20' – 80'	13.5'	Bedrock
IW-03	80'	20' – 80'	11'	Bedrock
IW-04	80'	20' – 80'	13'	Bredrock
Notes: Well depth in feet below ground surface • RW-02 installed in previous location of application well IW-01.				

The current groundwater monitoring program for the Site includes annual sampling from monitoring wells MW-1R, MW-4, MW-4R, MW-10, MW-13, MW-16, MW-17, MW-22 and MW-23 and bi-ennial sampling (i.e. every two years) of monitoring wells MW-5R, MW-6, MW-7, MW-8, MW-9, and MW-12 during odd-numbered years, and, monitoring wells MW-14, MW-18, MW-19, and MW-20 during even numbered years. As such, the most recent groundwater sampling event, conducted August 22 through 24, 2023, included monitoring wells MW-1R, MW-4, MW-4R, MW-5R, MW-6, MW-7, MW-8, MW-9, MW-10, MW-12, MW-13, MW-16, MW-17, MW-22, and MW-23.

The analytical results for the August, 2023 groundwater monitoring event are summarized on the attached Distribution of Dissolved Total VOCs in Groundwater (**Figure 3**). As shown thereon, the highest concentrations of VOCs in groundwater are identified in bedrock well MW-4R. This well is located on the eastern side of the commercial building on the Site. Other monitoring wells exhibiting dissolved total VOC concentrations in excess of 100 micrograms per liter (ug/L) are monitoring wells MW-6 (459 ug/L) and MW-7 (133 ug/L), both located in the area east of the commercial building and, well MW-10 (408 ug/L) located in the area south of the commercial building.

1.3 GROUNDWATER EXTRACTION AND TREATMENT (GWE&T) SYSTEM

The current GWE&T system at the Site includes groundwater extraction via two (2) recovery wells (RW-01 and RW-02) followed by treatment of the extracted groundwater by air stripping. Well RW-01 is a 6.0-inch inside diameter (ID) well that is screened in bedrock with #10-slot PVC well screen from 20 feet to 80 feet below grade in an 8.25-inch diameter borehole. Well RW-01 is located off the east side of the Site building in proximity to well MW-4R, where the highest concentrations of VOCs in groundwater are typically identified. Well RW-02 is the location of a former “injection well” (well IW-01) that was previously used for application of potassium permanganate injections. A 6.0-inch diameter steel casing was



installed from grade to approximately 30-feet below grade (and grouted into place) for the original injection well IW-01. In 2012, the 2.0-inch ID well material was removed from the borehole and the borehole drilled out in order to accommodate installation of a 4.0-inch ID well screen so that groundwater extraction could be implemented via well RW-02. Well RW-02 is a 4.0-inch ID well completed at a depth of 50 feet below grade. Well RW-02 was constructed 20-feet of slotted well screen (from 30-feet to 50-feet below grade) and is located off the south side of the Site building.

Groundwater from the recovery wells is conveyed via underground piping to the treatment system shed, which is located in the area adjacent to the eastern side of the Site building. Inside the treatment system shed, a hardness inhibitor (Redux™ 390) is added to the extracted groundwater and the groundwater is filtered through a bag filter unit. After filtration, the extracted groundwater is temporarily held in a 100-gallon equalization tank then treated in batches via air stripping. The treated groundwater is temporarily stored in the sump tank at the base of the air stripper until a level switch is activated that initiates discharge of treated groundwater. Discharge is through below grade piping to the on-Site stormwater system. The on-Site stormwater system ultimately discharges to the municipal combined (stormwater/sanitary) system. Discharge of treated groundwater is regulated through an industrial wastewater permit with the City of Amsterdam, New York.



2.0 GWE&T SYSTEM EVALUATION

The goal of the GWE&T system evaluation was to collect observed drawdown data that would help to evaluate the performance of the GWE&T system, under its current operational configuration, so that adjustments can be made (if warranted). Specifically, the drawdown data collected would be used to evaluate how groundwater elevations within the bedrock respond to independently pumping wells RW-01 and RW-02 (and, pumping these wells simultaneously) and, to evaluate if there are portions of the Site where the effects of pumping are more (or less) prominent. This was accomplished by comparing the configuration of groundwater under static and pumping conditions.

The GWE&T system monitoring was conducted over a 17-day time period commencing with GWE&T system shutdown on September 11, 2023. Approximately 24 hours after shutdown, pressure transducers were installed in both recovery wells (RW-01 and RW-02) as well as 10 existing monitoring wells in proximity to the two (2) recovery wells. The pressure transducers were set in their respective well during static conditions and, were programmed to collect depth to groundwater measurements every 2.0 minutes for the duration of the testing.

As a general rule, the pressure transducers were set approximately 20-feet to 25-feet below the static water level within each well unless constraints (such as depth to water and/or total well depth) required a different specification. An additional pressure transducer was also set at the Site in order to record barometric pressure while the GWE&T system evaluation was underway. The locations of the monitoring wells equipped with pressure transducers are shown on **Figure 4**, the rationale for selecting transducer locations (and other information) is included on **Table 2** below. Manual depth to water (DTW) measurements were obtained from all other on-Site and off-Site wells during the GWE&T system evaluation.

Table 2 Wells Equipped with Pressure Transducers GWE&T System Evaluation					
Well ID	Well Depth	Depth to Water	XD Setting Depth	Approximate Water Column Above XD	Rationale
RW-01	80'	16.21'	41'	24.8'	Bedrock pumping well
RW-02	50'	19.12'	42'	22.9'	Bedrock pumping well
MW-1R	19'	2.89'	7.0'	4.1'	Bedrock; hydraulically upgradient
MW-2	12'	3.05'	11'	7.8'	Overburden, proximity to RW-01
MW-4R	35'	16.47'	32'	15.5'	Bedrock; proximity to RW-01
MW-6	38'	18.29'	36'	17.7'	Bedrock; proximity to pumping wells
MW-7	34'	15.50'	30'	14.5'	Bedrock; between pumping wells
MW-8	30.5'	13.12'	28'	14.9'	Bedrock, hydraulically downgradient
MW-9	47'	17.75'	43'	25.3'	Bedrock, hydraulically downgradient
MW-10	51'	18.80'	44'	25.2'	Bedrock, proximity to RW-02
MW-13	69'	15.44'	40'	24.6'	Bedrock, hydraulically downgradient
MW-16	67.5'	21.45'	45'	23.6'	Bedrock, hydraulically downgradient
<u>Notes:</u> Depth to water in feet on 9-12-2023 prior to transducer (XD) installation as measured from Top of well Casing (TOC)					



2.1 TESTING PROCEDURE AND RESULTS

The general approach to the GWE&T system evaluation was to evaluate the performance of the system under three (3) pumping scenarios. That is, with RW-01 operating independently; with RW-02 operating independently; and, with both RW-01 and RW-02 operating simultaneously. During the testing, each recovery well was operated under the previously established control configuration.

Well RW-01 is operated by an amperage control that senses the amperage drawn by the electric submersible pump when water is available to be drawn from the well. When the well is pumped-down to the pump intake (approximately 75 feet below grade), the low amperage drawn by the pump is sensed by the control and the pump operation is suspended for a period of 15 minutes. During this time period, the water level within the well recovers until the 15 minutes has elapsed and the pump is re-activated. Pump cycling continues indefinitely. Likewise, well RW-02 is also operated by an amperage control that follows the same principle as that of RW-01. The exception is that the pump operation is suspended for a period of 60 minutes once the control senses a low amperage draw and the well is drawn-down to the pump intake at approximately 42.5 feet below grade.

Operation of the GWE&T system was suspended on September 11, 2023 in order to establish static conditions for the testing. On September 12, 2023, pressure transducers were installed in the two (2) groundwater extraction wells and eight (8) groundwater monitoring wells. Once the pressure transducers were set in their respective well, a round of manual DTW measurements were obtained from the entire monitoring well network. This included all on-Site and off-Site monitoring wells. Based on similar testing conducted previously at another nearby Site in a similar geologic setting, a minimum of 24 hours was determined to be sufficient for static groundwater conditions to be established. A second complete round of static DTW measurements were obtained on September 14, 2023 prior to initiating the 1st pumping scenario (via RW-01). Testing of well RW-01 continued for approximately four (4) days (until September 18, 2023). Prior to shutdown, a complete round of manual DTW measurements were obtained from the entire monitoring well network to represent pumping conditions.


Once well RW-01 was shut-down, the GWE&T system operation remained suspended until September 20, 2023 so that static conditions could be re-established. Prior to resuming GWE&T system operation (via well RW-02 on September 20, 2023), a complete round of manual DTW measurements were obtained from the entire monitoring well network to represent static conditions. Well RW-02 was subsequently activated and allowed to operate for approximately two (2) days. On September 22, 2023, a complete round of manual DTW measurements were obtained from the entire monitoring well network to represent pumping conditions prior to shutdown.

Once well RW-02 was shut-down, the GWE&T system operation remained suspended until September 25, 2023 so that static conditions could be re-established. Prior to resuming GWE&T system operation (via both wells RW-01 and RW-02 on September 25, 2023), a complete round of manual DTW measurements were obtained from the entire monitoring



well network to represent static conditions. Both wells RW-01 and RW-02 were subsequently activated and allowed to operate for approximately two (2) days. On September 27, 2023, a complete round of manual DTW measurements were obtained from the entire monitoring well network to represent pumping conditions. Once that final round of DTW measurements were obtained, well RW-01 and RW-02 were left operational and the pressure transducers were removed from their respective monitoring wells. The data collected by the pressure transducers was subsequently downloaded.

Chart-1 (to the right) graphically depicts the beginning and end of each step of the GWE&T system evaluation. The date/time depicted by minute “zero” on Chart-1 correlates with Tuesday, September 12, 2023 at 8:00 a.m.



It should be noted that all of the pressure transducers utilized for the GWE&T system evaluation were designed for deployment no greater than 30-feet below groundwater levels. As such, the pressure transducer set in well RW-01 was placed at a depth that was approximately 25 feet below the static water level at the time of deployment. It was anticipated that the drawdown levels in RW-01 during the testing would, at times, be greater than 25 feet and leave the transducer above the water level. This is evidenced in the chart above by the “flat-line” portion of the plot for well RW-01 during those time periods when that pump is operating.

2.1.1 RW-01 Test

Testing via well RW-01 commenced on Thursday, September 14, 2023 at 9:34 a.m. The submersible pump operated for a duration of 6,316 minutes until its operation was suspended at 10:56 a.m. on September 18, 2023. 742 gallons of groundwater were pumped, treated and discharged to the municipal combined sewer system during the course of the RW-01 test. Once activated, the groundwater level in RW-01 was rapidly pumped down to the pump intake (within about 4.0 minutes of pump activation) and water level maintained below the pressure transducer for the duration of the RW-01 test until the well returned to static conditions.



Chart-2, shown to the right, combines the responses observed via monitoring wells MW-7, MW-6, MW-8, MW-4R and MW-9. Each of these wells are located within approximately 150-feet of RW-01, are completed in bedrock, and indicate a similar drawdown response to pumping via RW-01.






Chart-3, shown to the right, combines the responses observed via inactive recovery well RW-02 and bedrock monitoring wells MW-10 and MW-13, indicates an identical rising trend during the RW-01 step of the testing. It is interesting to note that while the water levels in each of these wells indicated an overall increase during the testing, each well displayed a similar initial decline when the pump for well RW-01 was activated and, when its operation was suspended four (4) days later.




The drawdown responses for wells MW-1 and MW-2 (shown in Chart-4 to the right), both completed within the glacial till overburden and uppermost portion of the bedrock, indicate a similar response to pumping via RW-01. Water levels in both wells appear to decline at a consistent rate while following a similar pattern during the RW-01 step of the testing.





In bedrock well MW-16, located approximately 350 feet south-southwest-of (and, hydraulically downgradient-of) well RW-01, water levels are noted to rise during this step of the testing, and demonstrate no correlation to groundwater removal via well RW-01 (Chart-5).



The static and end of test DTW measurements collected from the entire monitoring well network during the testing via well RW-01 were used to determine static groundwater elevations, total observed drawdown and end of test groundwater elevations. These measurements were used to prepare contour maps depicting static groundwater elevations (**Figure 5A**) total observed drawdown (**Figure 5B**) and end of test groundwater elevations (**Figure 5C**). Static and end of test DTW measurements, groundwater elevations and observed drawdown are also presented in **Table 3** below.

Well ID	TOC Elevation	RW-01 Test				
		Static		End of Test		Observed Drawdown
		DTW	GW Elev.	DTW	GW Elev.	
RW-01 (XD)	468.90	15.38	453.52	> 41.00	< 427.90	> 25.62
RW-02 (XD)	465.13	17.49	447.64	17.39	447.74	-0.10
MW-1 (XD)	470.85	2.86	467.99	3.41	467.44	0.55
MW-1R	471.22	3.07	468.15	3.61	467.61	0.54
MW-2 (XD)	470.51	3.15	467.36	3.79	466.72	0.64
MW-3	472.36	6.05	466.31	5.86	466.50	-0.19
MW-4	469.50	6.07	463.43	6.63	462.87	0.56
MW-4R (XD)	469.68	15.69	453.99	18.09	451.59	2.40
MW-5R	471.26	1.41	469.85	1.33	469.93	-0.08
MW-6 (XD)	470.39	17.56	452.83	18.28	452.11	0.72
MW-7 (XD)	468.46	14.42	454.04	16.54	451.92	2.12
MW-8 (XD)	466.69	12.28	454.41	14.00	452.69	1.72
MW-9 (XD)	464.71	15.38	449.33	15.71	449.00	0.33
MW-10 (XD)	466.09	17.33	448.76	17.23	448.86	-0.10
MW-11R	481.45	16.75	464.70	16.69	464.76	-0.06
MW-12	467.52	20.02	447.50	19.72	447.80	-0.30
MW-13 (XD)	461.44	13.80	447.64	13.67	447.77	-0.13
MW-14	452.75	11.45	441.30	11.39	441.36	-0.06
MW-15	444.58	9.10	435.48	8.81	435.77	-0.29



Table 3
Static and End of RW-01 Test Water Level Measurements
(continued)


Well ID	TOC Elevation	RW-01 Test				
		Static		End of Test		Observed Drawdown
		DTW	GW Elev.	DTW	GW Elev.	
MW-16 (XD)	448.75	20.70	428.05	20.07	428.68	-0.63
MW-17	450.09	7.20	442.89	7.19	442.90	-0.01
MW-18	462.98	21.85	441.13	21.62	441.36	-0.23
MW-19	440.97	27.72	413.25	27.24	413.73	-0.48
MW-20	441.99	NA	NA	NA	NA	NA
MW-22	471.27	21.21	450.06	19.85	451.42	-1.36
MW-23	472.35	20.21	452.14	19.95	452.40	-0.26
<u>Notes:</u> XD - Indicates measurements via pressure transducer; all other measurements collected manually RW-01 Test: Static @ 09:34 am on 9-14-2023; End of Test @ 10:56 am on 9-18-2023 > = Transducer in well RW-01 placed 41 feet from top of casing. RW-01 water level pumped below transducer depth during RW-01 test. NA indicates not accessible - Car parked over well.						

The static groundwater contour map presented for September 14, 2023 (Figure 5A) indicates groundwater flow that trends generally toward the southwest on the Site. Across Edson Street, groundwater flow diverts toward the south as governed by groundwater levels recorded in bedrock wells MW-16 and MW-19. At the end of the RW-01 test, an excess of 0.5 feet of drawdown is observed throughout most of the area east of the Site building (Figure 5B). This portion of the Site coincides with the environmental easement area and, the area where groundwater concentrations of dissolved VOCs have historically been at their highest. At the end of the RW-01 test (Figure 5C), groundwater in proximity to the active well appears to be within its capture zone.

2.1.2 RW-02 Test

Testing via well RW-02 commenced on Wednesday, September 20, 2023 at 9:00 a.m. The submersible pump operated for a duration of 2,870 minutes until its operation was suspended at 8:50 a.m. on September 22, 2023. 7,742 gallons of groundwater were pumped, treated and discharged to the municipal combined sewer system during the course of the RW-02 test.


Chart-6, shown to the right, combines the responses observed via monitoring wells MW-7, MW-6, MW-8, MW-4R and inactive recovery well RW-01. Each of these wells are located within the lawn area east of the Site building and are within approximately 200-feet of RW-02. Each is completed






within in bedrock and indicate a similar drawdown response to pumping via RW-02.


Chart-7, shown to the right, combines the responses observed via bedrock monitoring wells MW-9, MW-10 and MW-13, indicates an observed drawdown response to pumping via well RW-02 that closely mimics that observed in the pumping well. Observed drawdown responses in these wells are approximately 10-feet (or more).



The drawdown response via wells MW-1 and MW-2, shown on Chart-8 to the right, is similar to that observed via pumping of well RW-01. That is, that water levels in both wells appear to decline at a consistent rate while following a similar pattern during the RW-02 step of the testing.



In bedrock well MW-16 (Chart-9 shown to the right), located approximately 300 feet to the south of well RW-02, a distinct drawdown response, similar to that of wells MW-7, MW-6, MW-8, MW-4R and RW-01 (shown previously in Chart-6), is noted. The magnitude of the observed response (approximately 1.50 feet of drawdown), is comparable to those wells but, is a subdued reflection of the response recorded at those locations.



The static and end of test DTW measurements collected from the entire monitoring well



network during the testing via well RW-02 were used to determine static groundwater elevations, total observed drawdown and end of test groundwater elevations. These measurements were used to prepare contour maps depicting static groundwater elevations (**Figure 6A**) total observed drawdown (**Figure 6B**) and end of test groundwater elevations (**Figure 6C**). Static and end of test DTW measurements, groundwater elevations and observed drawdown are also presented in **Table 4** below.

Table 4 Static and End of RW-02 Test Water Level Measurements GWE&T System Evaluation						
Well ID	TOC Elevation	RW-02 Test				
		Static		End of Test		Observed Drawdown
		DTW	GW Elev.	DTW	GW Elev.	
RW-01 (XD)	468.90	15.01	453.89	16.13	452.77	1.12
RW-02 (XD)	465.13	17.07	448.06	33.46	431.67	16.39
MW-1 (XD)	470.85	3.58	467.27	3.88	466.97	0.30
MW-1R	471.22	3.75	467.47	4.11	467.11	0.36
MW-2 (XD)	470.51	4.17	466.34	4.38	466.13	0.21
MW-3	472.36	6.04	466.32	6.22	466.14	0.18
MW-4	469.50	6.39	463.11	6.86	462.64	0.47
MW-4R (XD)	469.68	15.44	454.24	16.60	453.08	1.16
MW-5R	471.26	1.45	469.81	1.52	469.74	0.07
MW-6 (XD)	470.39	16.99	453.40	17.98	452.41	0.99
MW-7 (XD)	468.46	14.31	454.15	15.72	452.74	1.41
MW-8 (XD)	466.69	12.05	454.64	13.17	453.52	1.12
MW-9 (XD)	464.71	14.99	449.72	24.69	440.02	9.70
MW-10 (XD)	466.09	16.98	449.11	27.23	438.86	10.25
MW-11R	481.45	16.72	464.73	16.94	464.51	0.22
MW-12	467.52	19.74	447.78	20.98	446.54	1.24
MW-13 (XD)	461.44	13.38	448.06	26.10	435.34	12.72
MW-14	452.75	11.56	441.19	12.10	440.65	0.54
MW-15	444.58	9.20	435.38	9.49	435.09	0.29
MW-16 (XD)	448.75	20.03	428.72	21.37	427.38	1.34
MW-17	450.09	7.10	442.99	12.81	437.28	5.71
MW-18	462.98	21.76	441.22	22.34	440.64	0.58
MW-19	440.97	27.18	413.79	27.35	413.62	0.17
MW-20	441.99	NA	NA	NA	NA	NA
MW-22	471.27	19.55	451.72	21.28	449.99	1.73
MW-23	472.35	19.56	452.79	20.38	451.97	0.82
Notes:						
XD - Indicates measurements via pressure transducer; all other measurements collected manually						
RW-02 Test: Static @ 09:00 am on 9-20-2023; End of Test @ 08:50 am on 9-22-2023						
NA indicates not accessible - Car parked over well.						

The static groundwater contour map presented for September 20, 2023 (Figure 6A) indicates a groundwater elevation contour configuration and flow pattern that trends generally toward the southwest on the Site. Across Edson Street, groundwater flow diverts



toward the south as governed by groundwater levels recorded in bedrock wells MW-16 and MW-19. At the end of the RW-02 test, an excess of 1.0 feet of drawdown is recorded throughout the entire southern half of the Site (extending to the eastern and western Site boundaries) as well as across Edson Street and beneath the property to the south. This includes 12.72 feet of drawdown in well MW-13, located approximately 250 feet west of well RW-02 and 5.71 feet of drawdown in well MW-17, located approximately 275 feet southwest of well RW-02, (Figure 6B). At the end of the RW-02 test (Figure 6C), The capture zone of well RW-02 appears to encompass the entirety of groundwater flowing beneath the Site.

2.1.3 Combined (RW-01/RW-02) Test

The combined testing, via simultaneous operation of recovery wells RW-01 and RW-02, commenced on Monday, September 25, 2023 at 8:58 a.m. Both recovery wells operated for a duration of 2,406 minutes until operation of well RW-02 was suspended via its amperage control at 1:14 a.m. on September 27, 2023. A total of 7,231 gallons of groundwater were pumped, treated and discharged to the municipal combined sewer system during the course of the combined test; 665 gallons via well RW-01 and 6,566 gallons via well RW-02.

Chart-10, shown to the right, combines the responses observed via monitoring wells MW-7, MW-6, MW-8 and MW-4R during the combined test. These wells are located within the lawn area east of the Site building and in proximity to both RW-01 and RW-02. Each is completed within in bedrock and indicate a similar drawdown response to pumping.





Chart-11, shown to the right, combines the responses observed via bedrock monitoring wells MW-9, MW-10 and MW-13 during the combined test. As with the RW-02 test, the observed drawdown response to pumping via wells RW-01 and RW-02 that closely mimics that observed in well RW-02. Observed drawdown responses in these wells are approximately 10-feet (or more).





The drawdown response via wells MW-1 and MW-2, shown on Chart-12 to the right, is similar to that observed via pumping of wells RW-01 (Chart-4) and RW-02 (Chart-8) independently. That is, that water levels in both wells appear to decline at a consistent rate while following a similar pattern.





Chart-16, shown to the right, for bedrock monitoring well MW-16 (approximately 300 feet to the south of well RW-02), indicates a distinct drawdown response, similar to that of wells MW-7, MW-6, MW-8, and MW-4R (Chart-10); the magnitude of the observed response is comparable to those wells.



The static and end of test DTW measurements collected from the entire monitoring well network during the combined testing via wells RW-01 and RW-02 were used to determine static groundwater elevations, total observed drawdown and end of test groundwater elevations. These measurements were used to prepare contour maps depicting static groundwater elevations (**Figure 7A**) total observed drawdown (**Figure 7B**) and end of test groundwater elevations (**Figure 7C**). Static and end of test DTW measurements, groundwater elevations and observed drawdown are also presented in **Table 5** below.

Table 5 Static and End of Combined Test Water Level Measurements GWE&T System Evaluation						
Well ID	TOC Elevation	Combined (RW-01/RW-02) Test				
		Static		End of Test		Observed Drawdown
		DTW	GW Elev.	DTW	GW Elev.	
RW-01 (XD)	468.90	14.92	453.98	> 41.00	< 427.90	> 26.08
RW-02 (XD)	465.13	17.03	448.10	32.00	433.13	14.97
MW-1 (XD)	470.85	3.91	466.94	4.05	466.80	0.14
MW-1R	471.22	4.08	467.14	4.21	467.01	0.13
MW-2 (XD)	470.51	4.57	465.94	4.71	465.80	0.14



Table 5 Static and End of Combined Test Water Level Measurements (continued)						
Well ID	TOC Elevation	Combined (RW-01/RW-02) Test				
		Static		End of Test		Observed Drawdown
		DTW	GW Elev.	DTW	GW Elev.	
MW-3	472.36	6.28	466.08	6.50	465.86	0.22
MW-4	469.50	7.09	462.41	7.36	462.14	0.27
MW-4R (XD)	469.68	15.41	454.27	19.32	450.36	3.91
MW-5R	471.26	1.47	469.79	1.56	469.70	0.09
MW-6 (XD)	470.39	16.83	453.56	19.29	451.10	2.46
MW-7 (XD)	468.46	14.35	454.11	18.20	450.26	3.85
MW-8 (XD)	466.69	12.13	454.56	15.34	451.35	3.21
MW-9 (XD)	464.71	14.98	449.73	25.35	439.36	10.37
MW-10 (XD)	466.09	16.86	449.23	27.47	438.62	10.61
MW-11R	481.45	16.83	464.62	17.16	464.29	0.33
MW-12	467.52	19.56	447.96	20.98	446.54	1.42
MW-13 (XD)	461.44	13.31	448.13	26.38	435.06	13.07
MW-14	452.75	11.73	441.02	12.20	440.55	0.47
MW-15	444.58	9.51	435.07	9.84	434.74	0.33
MW-16 (XD)	448.75	20.66	428.09	21.61	427.14	0.95
MW-17	450.09	7.24	442.85	11.19	438.90	3.95
MW-18	462.98	21.91	441.07	22.48	440.50	0.57
MW-19	440.97	27.41	413.56	27.58	413.39	0.17
MW-20	441.99	NA	NA	NA	NA	NA
MW-22	471.27	19.28	451.99	21.29	449.98	2.01
MW-23	472.35	19.28	453.07	20.79	451.56	1.51
Notes: XD - Indicates measurements via pressure transducer; all other measurements collected manually Combined Test: Static @ 08:58 am on 9-25-2023; End of Test @ 01:14 am on 9-27-2023. RW-02 pump shut down via amperage control. > = Transducer in well RW-01 placed 41 feet below top of casing. Water level pumped below transducer depth during combined Test. NA indicates not accessible - Car parked over well.						

The static groundwater contour map presented for September 25, 2023 (Figure 7A) indicates a groundwater elevation contour configuration and flow pattern similar to the static groundwater contour maps presented previously herein (Figure 5A and Figure 6A). That is, groundwater movement trends generally toward the southwest on the Site and across Edson Street, groundwater flow diverts toward the south. As with the RW-02 test, an excess of 1.0 feet of drawdown is recorded throughout the entire southern half of the Site and also extends to the northwestern side of the Site building as observed in bedrock monitoring well MW-23 (1.51 feet of observed drawdown). Observed drawdown in excess of 10 feet is also noted across Edson Street via well MW-13 (13.07 feet) and MW-17 (3.95 feet) beneath the property to the south (Figure 7B). At the end of the combined test (Figure 7C), The capture zone of both recovery wells operating simultaneously appears to encompass the entirety of groundwater flowing beneath the Site with well RW-01 focusing groundwater withdrawal in the area east of the Site building. This is the portion of the Site



where dissolved total VOC concentrations in groundwater have historically been at their highest.

2.2 DISCUSSION

The goal of the GWE&T system evaluation was to collect observed drawdown data that would help to evaluate the performance of the GWE&T system, under its current operational configuration. Specifically, the drawdown data collected would be used to evaluate how groundwater elevations within the bedrock respond to independently pumping wells RW-01 and RW-02 (and, pumping these wells simultaneously) and, to evaluate if there are portions of the Site where the effects of pumping are more (or less) prominent. This was accomplished by comparing the configuration of groundwater under static and pumping conditions.

The testing conducted via well RW-01 indicated an area of observed drawdown that was noted throughout most of the eastern Site of the Site building. This included approximately 2.0 feet (or more) of drawdown in bedrock wells MW-4R (2.40 feet) and MW-7 (2.12 feet) and 1.72 feet of drawdown in well MW-8 (Figure 5B). Although most of the area east of the Site building demonstrates observed drawdown, the capture area of well RW-01 pumping alone (see Figure 5C) appears to be of limited extent. It should be noted, however, that monitoring well MW-4R, where the highest concentrations of VOCs have been identified in Site groundwater (see Figure 3), is within the capture area for well RW-01.

The testing conducted via well RW-02 indicated an area of observed drawdown, in excess of 1.0 feet, encompassing the entirety of the southern half of the Site as well as extending to the south across Edson Street and onto the nearby properties (see Figure 6B). In fact, observed drawdown was noted in all of the on-Site and off-Site monitoring wells associated with the Edson Street Site. Observed drawdown exceeded 10 feet in wells MW-10 (10.25 feet) and MW-13 (12.72 feet). Well MW-9 indicated 9.70 feet of observed drawdown. It should be noted, however, that the maximum observed drawdown during the RW-02 test extends primarily toward the west from well RW-02; the extent of drawdown noted toward the east from RW-02 appears to be limited in that direction. The capture area of well RW-02 pumping alone (see Figure 6C) appears to encompass most of the groundwater flowing through the Site. It should be noted, however, that the capture area for well RW-02 (when pumping alone) may not include the southeastern portion of the Site in proximity to well MW-8.

The combined testing, conducted via wells RW-01 and RW-02, represents the GWE&T system operation under its historic (and current) configuration. That is, the pump in well RW-01 operates until groundwater is pumped down to the pump intake, then the amperage controller suspends pump operation so that the well can recharge for a 15-minute time period before pumping is resumed. Concurrently, the pump in well RW-02 operates until groundwater is pumped down to the pump intake, after which time the pump operation is suspended for 60 minutes while the well recharges.



Concurrent operation of RW-01 and RE-02 indicated an area of observed drawdown that is similar to that noted during the testing via well RW-02 alone with the exception that the area exhibiting drawdown in excess of 1.0 foot is expanded into the northwest corner of the Site (via well MW-23) and, is also enhanced in the eastern portion of the Site via wells MW-4R, MW-6, MW-7 and MW-8. As with the drawdown observed via well RW-02 alone, the extent of drawdown noted toward the east from RW-02 during the combined test appears to be limited in that direction. However, the addition of pumping via well RW-01 during the combined test helps to increase the drawdown observed in the lawn area east of the Site building. The capture area of wells RW-01 and RW-02 pumping concurrently (see Figure 7C) appears to encompass all of the Site.

It is also interesting to compare the volume of water generated by each well and observed drawdown noted during the various steps of the testing. Well RW-01 yielded volumes of 742 gallons and 665 gallons during the RW-01 and combined steps of the testing, respectively. By comparison, well RW-02 yielded volumes of 7,742 gallons and 6,566 gallons during the RW-02 and combined steps of the testing, respectively. As such, well RW-02 removed approximately an order of magnitude more groundwater than well RW-01 during each step of the testing. Additionally, comparing the observed drawdown noted during the individual testing of each well, a maximum drawdown of 2.40 feet (well MW-4R, approximately 25 feet east of well RW-01) was noted during the RW-01 test whereas, a maximum drawdown of 12.72 feet (well MW-13, approximately 250 feet west of well RW-02) was noted during the RW-02 test. LaBella believes that this difference in well yield, in combination with the difference in observed drawdown during the individual tests, suggests that the bedrock intercepted by well RW-01, on the eastern side of the Site building, is of lower permeability than the bedrock intercepted by the shallower well RW-02.

2.3 RECOMMENDATION

The information presented herein demonstrates that the GWE&T system, under its current configuration provides hydraulic control of the groundwater beneath the Site. As such, the GWE&T system under its current operational configuration is protective of human health and the environment and, is operating in a manner that is consistent with the goals of the March, 2007 Record of Decision for the Site. However, LaBella believes that operational adjustments can be made that will help the GWE&T system to operate at an increased efficiency while continuing to provide hydraulic control of the Site. As such, LaBella is recommending that the amperage controllers for both wells RW-01 and RW-02 be adjusted to allow the maximum recovery time of 120 minutes. The effects of this operational change will be evaluated via periodic complete rounds of DTW measurements with subsequent groundwater contour mapping. All on-Site and off-Site monitoring wells associated with 61 Edson Street will be included in those gauging events.



ATTACHMENT A

FIGURES








Figure 1
 Site Location Map
 61 Edson Street
 Amsterdam, NY
 NYSDEC Site No. 4-29-004

Source: Record of Decision (March, 2007)







LaBella
Powered by partnership

5 Mc-Crea Hill Road
Ballston Spa, NY 12020
518-885-5383
labellapc.com

C.A. NUMBER:
GEOLOGICAL: 018750
LAND SURVEYING: 017876
PROFESSIONAL ENGINEERING: 018281

It is a violation of New York Education Law Art. 145 Sec. 7209 & Art. 147 Sec. 7307, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.		
DRAWING NAME: Site Map with Environmental Easement		
PROJECT NAME: LANDS NOW OR FORMERLY OF 61 EDSON STREET, LLC 61 EDSON STREET, AMSTERDAM, NEW YORK 12010		

ISSUED FOR:		
DRAWN BY:	DATE: 09/02/2022	PROJECT NO.: 2211929
DRAWING NUMBER: Figure 2		



Explanation
Concentrations in micrograms per liter (ug/L)
PCE = Tetrachloroethene
TCE = Trichloroethene
DCE = Dichloroethene (total of all isomers)
VC = Vinyl Chloride
TOT = Total VOCs



LaBella
Powered by partnership

5 Mc-Crea Hill Road
Ballston Spa, NY 12020
518-885-5383
labellapc.com

C.A. NUMBER:
GEOLOGICAL: 018750
LAND SURVEYING: 017876
PROFESSIONAL ENGINEERING: 018281

It is a violation of New York Education Law Art. 145 Sec. 7209 & Art. 147 Sec. 7307, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.



DRAWING NAME:
**Distribution of Dissolved Total VOCs in Groundwater
August 22-24, 2023**

PROJECT NAME:
FORMER WARD PRODUCTS
61 EDSON STREET, AMSTERDAM, NEW YORK 12010

ISSUED FOR:

DRAWN BY:DATE:PROJECT NO.:
8/22/20232211929

DRAWING NUMBER:
Figure 3



- GWE Well with Transducer
- Monitoring Well with Transducer
- Manual Measurement



LaBella
Powered by partnership

5 Mc-Crea Hill Road
Ballston Spa, NY 12020
518-885-5383
labellapc.com

C.A. NUMBER:
GEOLOGICAL: 018750
LAND SURVEYING: 017876
PROFESSIONAL ENGINEERING: 018281



It is a violation of New York Education Law Art. 145 Sec. 7209 & Art. 147 Sec. 7307, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.

DRAWING NAME: **Wells Equipped with Pressue Transducers
GWE&T System Evaluation**

PROJECT NAME: **FORMER WARD PRODUCTS**
61 EDSON STREET, AMSTERDAM, NEW YORK 12010

ISSUED FOR:

DRAWN BY:	DATE: 09/02/2022	PROJECT NO.: 2211929
DRAWING NUMBER: Figure 4		



- 467.99 Groundwater Elevation - Well completed across overburden and shallow bedrock
- 468.15 Groundwater Elevation - Well completed in bedrock down to 45' below grade
- 453.52 Groundwater Elevation - Well completed in bedrock greater than 45' below grade



LaBella
Powered by partnership

5 Mc-Crea Hill Road
Ballston Spa, NY 12020
518-885-5383
labellapc.com

C.A. NUMBER:
GEOLOGICAL: 018750
LAND SURVEYING: 017876
PROFESSIONAL ENGINEERING: 018281


It is a violation of New York Education Law Art. 145 Sec. 7209 & Art. 147 Sec. 7307, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.

DRAWING NAME:
**Static Groundwater Contour Map - Bedrock - RW-01 Test
September 14, 2023**

PROJECT NAME:
FORMER WARD PRODUCTS
61 EDSON STREET, AMSTERDAM, NEW YORK 12010

ISSUED FOR:

DRAWN BY:	DATE: 9/14/2023	PROJECT NO.: 2211929
DRAWING NUMBER: Figure 5A		



NY NAD83 EAST

MW-18
(+) 0.23

MW-12
(+) 0.30

MW-22
(+) 1.36

MW-23
(+) 0.26

MW-14
(+) 0.06

SAM STRATTON ROAD

MW-13
(+) 0.13

MW-15
(+) 0.29

MW-17
(+) 0.01

MW-10
(+) 0.10

RW-2
(+) 0.10

MW-5R
(+) 0.08

ENVIRONMENTAL EASEMENT
PER MAP REF. 1
SEE EASEMENT REFERENCE

MULTIPLE STORY
COMMERCIAL BUILDING

APPROXIMATE
LOCATION OF
ASPHALT

MULTIPLE STORY
COMMERCIAL BUILDING

MW-16
(+) 0.63

EDSON STREET

MW-9
0.33

MW-7
2.12

MW-6
0.72

MW-2
0.64

MW-1
0.55
MW-1R
0.54

MW-11R
(+) 0.06

RW-1
> 25.62


MW-4
0.56

MW-4R
2.40

MW-3
(+) 0.19

MW-19
(+) 0.48

MULTIPLE STORY
COMMERCIAL BUILDING



LaBella
Powered by partnership

5 Mc-Crea Hill Road
Ballston Spa, NY 12020
518-885-5383
labellapc.com

C.A. NUMBER:
GEOLOGICAL: 018750
LAND SURVEYING: 017876
PROFESSIONAL ENGINEERING: 018281




It is a violation of New York Education Law Art. 145 Sec. 7209 & Art. 147 Sec. 7307, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.

DRAWING NAME:
**Observed Drawdown Map - Bedrock - RW-01 Test
September 18, 2023**

PROJECT NAME:
FORMER WARD PRODUCTS
61 EDSON STREET, AMSTERDAM, NEW YORK 12010

ISSUED FOR:		
DRAWN BY:	DATE: 9/18/2023	PROJECT NO.: 2211929
DRAWING NUMBER: Figure 5B		

0.55
0.54
(+) 0.10
(+)
Observed Drawdown - Well completed across overburden and shallow bedrock
Observed Drawdown - Well completed in bedrock down to 45' below grade
Observed Drawdown - Well completed in bedrock greater than 45' below grade
Indicates water levels rising during test





LaBella
Powered by partnership


5 Mc-Crea Hill Road
Ballston Spa, NY 12020
518-885-5383
labellapc.com

C.A. NUMBER:
GEOLOGICAL: 018750
LAND SURVEYING: 017876
PROFESSIONAL ENGINEERING: 018281




It is a violation of New York Education Law Art. 145 Sec. 7209 & Art. 147 Sec. 7307, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.				ISSUED FOR:	
DRAWING NAME: End of Test Groundwater Contour Map - Bedrock - RW-01 Test September 18, 2023		DRAWN BY:		DATE: 9/18/2023	PROJECT NO.: 2211929
PROJECT NAME: FORMER WARD PRODUCTS 61 EDSON STREET, AMSTERDAM, NEW YORK 12010		DRAWING NUMBER: Figure 5C			



467.27 Groundwater Elevation - Well completed across overburden and shallow bedrock
467.47 Groundwater Elevation - Well completed in bedrock down to 45' below grade
453.89 Groundwater Elevation - Well completed in bedrock greater than 45' below grade



 LaBella Powered by partnership 5 Mc-Crea Hill Road Ballston Spa, NY 12020 518-885-5383 labellapc.com C.A. NUMBER: GEOLOGICAL: 018750 LAND SURVEYING: 017876 PROFESSIONAL ENGINEERING: 018281	It is a violation of New York Education Law Art. 145 Sec. 7209 & Art. 147 Sec. 7307, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.			ISSUED FOR:	
	DRAWING NAME: Static Groundwater Contour Map - Bedrock - RW-02 Test September 20, 2023		DRAWN BY:	DATE: 9/20/2023	PROJECT NO.: 2211929
	PROJECT NAME: FORMER WARD PRODUCTS 61 EDSON STREET, AMSTERDAM, NEW YORK 12010		DRAWING NUMBER: Figure 6A		



5 Mc-Crea Hill Road
Ballston Spa, NY 12020
518-885-5383
labellapc.com

C.A. NUMBER:
GEOLOGICAL: 018750
LAND SURVEYING: 017876
PROFESSIONAL ENGINEERING: 018281

It is a violation of New York Education Law Art. 145 Sec. 7209 & Art. 147 Sec. 7307, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.




DRAWING NAME:
Observed Drawdown Map - Bedrock - RW-02 Test
September 22, 2023

PROJECT NAME:
FORMER WARD PRODUCTS
61 EDSON STREET, AMSTERDAM, NEW YORK 12010

ISSUED FOR:

DRAWN BY:	DATE: 9/22/2023	PROJECT NO.: 2211929
-----------	--------------------	-------------------------

DRAWING NUMBER:
Figure 6B






LaBella
Powered by partnership

5 Mc-Crea Hill Road
Ballston Spa, NY 12020
518-885-5383
labellapc.com

C.A. NUMBER:
GEOLOGICAL: 018750
LAND SURVEYING: 017876
PROFESSIONAL ENGINEERING: 018281

It is a violation of New York Education Law Art. 145 Sec. 7209 & Art. 147 Sec. 7307, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.		
DRAWING NAME: Static Groundwater Contour Map - Bedrock - Combined Test September 25, 2023	ISSUED FOR:	
PROJECT NAME: FORMER WARD PRODUCTS 61 EDSON STREET, AMSTERDAM, NEW YORK 12010	DRAWN BY:	DATE: 9/25/2023
	PROJECT NO.: 2211929	
	DRAWING NUMBER: Figure 7A	

- 466.94 Groundwater Elevation - Well completed across overburden and shallow bedrock
- 467.14 Groundwater Elevation - Well completed in bedrock down to 45' below grade
- 453.98 Groundwater Elevation - Well completed in bedrock greater than 45' below grade




LaBella
Powered by partnership

5 Mc-Crea Hill Road
Ballston Spa, NY 12020
518-885-5383
labellapc.com

C.A. NUMBER:
GEOLOGICAL: 018750
LAND SURVEYING: 017876
PROFESSIONAL ENGINEERING: 018281

It is a violation of New York Education Law Art. 145 Sec. 7209 & Art. 147 Sec. 7307, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.		
DRAWING NAME: Observed Drawdown Map - Bedrock - Combined Test September 27, 2023	PROJECT NAME: FORMER WARD PRODUCTS 61 EDSON STREET, AMSTERDAM, NEW YORK 12010	

ISSUED FOR:		
DRAWN BY:	DATE: 9/27/2023	PROJECT NO.: 2211929
DRAWING NUMBER: Figure 7B		






ATTACHMENT B

DATA COLLECTED DURING GWE&T SYSTEM EVALUATION

Chart 1
Data Collected During GWET System Evaluation
September 14, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004





RW-01 Test

Chart 2
Observed Drawdown During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004




Chart 3
Observed Drawdown During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004




Chart 4
Observed Drawdown During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004





Chart 5
Observed Drawdown During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004



RW-01: Static and End of Test Water Levels
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Well ID	TOC Elevation	RW-01 Test				
		Static		End of Test		Observed
		DTW	GW Elev.	DTW	GW Elev.	Drawdown
RW-01 (XD)	468.90	15.38	453.52	> 41.00	< 427.90	> 25.62
RW-02 (XD)	465.13	17.49	447.64	17.39	447.74	-0.10
MW-1 (XD)	470.85	2.86	467.99	3.41	467.44	0.55
MW-1R	471.22	3.07	468.15	3.61	467.61	0.54
MW-2 (XD)	470.51	3.15	467.36	3.79	466.72	0.64
MW-3	472.36	6.05	466.31	5.86	466.50	-0.19
MW-4	469.50	6.07	463.43	6.63	462.87	0.56
MW-4R (XD)	469.68	15.69	453.99	18.09	451.59	2.40
MW-5R	471.26	1.41	469.85	1.33	469.93	-0.08
MW-6 (XD)	470.39	17.56	452.83	18.28	452.11	0.72
MW-7 (XD)	468.46	14.42	454.04	16.54	451.92	2.12
MW-8 (XD)	466.69	12.28	454.41	14.00	452.69	1.72
MW-9 (XD)	464.71	15.38	449.33	15.71	449.00	0.33
MW-10 (XD)	466.09	17.33	448.76	17.23	448.86	-0.10
MW-11R	481.45	16.75	464.70	16.69	464.76	-0.06
MW-12	467.52	20.02	447.50	19.72	447.80	-0.30
MW-13 (XD)	461.44	13.80	447.64	13.67	447.77	-0.13
MW-14	452.75	11.45	441.30	11.39	441.36	-0.06
MW-15	444.58	9.10	435.48	8.81	435.77	-0.29
MW-16 (XD)	448.75	20.70	428.05	20.07	428.68	-0.63
MW-17	450.09	7.20	442.89	7.19	442.90	-0.01
MW-18	462.98	21.85	441.13	21.62	441.36	-0.23
MW-19	440.97	27.72	413.25	27.24	413.73	-0.48
MW-20	441.99	NA	NA	NA	NA	NA
MW-22	471.27	21.21	450.06	19.85	451.42	-1.36
MW-23	472.35	20.21	452.14	19.95	452.40	-0.26

Notes:

XD - Indicates measurements via pressure transducer; all other measurements collected manually

RW-01 Test: Static @ 09:34 am on 9-14-2023; End of Test @ 10:56 am on 9-18-2023

> = Transducer in well RW-01 placed 41 feet from top of casing. RW-01 water level pumped below transducer depth during RW-01 test.

NA indicates not accessible - Car parked over well.

Transducer Data Collected During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/14	01:40:00	2,500	0	20.81	0.11	13.88	0.08	14.72	0.30	17.67	0.11	6.05	-0.01	2.75	-0.11
2023/09/14	01:50:00	2,510	10	20.80	0.10	13.87	0.07	14.72	0.30	17.67	0.11	6.04	-0.02	2.75	-0.11
2023/09/14	02:00:00	2,520	20	20.80	0.10	13.87	0.07	14.71	0.29	17.66	0.10	6.04	-0.02	2.76	-0.10
2023/09/14	02:10:00	2,530	30	20.80	0.10	13.87	0.07	14.71	0.29	17.66	0.10	6.04	-0.02	2.76	-0.10
2023/09/14	02:20:00	2,540	40	20.80	0.10	13.86	0.06	14.71	0.29	17.66	0.10	6.03	-0.03	2.76	-0.10
2023/09/14	02:30:00	2,550	50	20.80	0.10	13.86	0.06	14.70	0.28	17.65	0.09	6.03	-0.03	2.76	-0.11
2023/09/14	02:40:00	2,560	60	20.79	0.09	13.85	0.05	14.70	0.28	17.65	0.09	6.04	-0.02	2.77	-0.09
2023/09/14	02:50:00	2,570	70	20.79	0.09	13.85	0.05	14.69	0.27	17.65	0.09	6.04	-0.02	2.77	-0.09
2023/09/14	03:00:00	2,580	80	20.79	0.09	13.85	0.05	14.69	0.27	17.64	0.08	6.03	-0.03	2.77	-0.09
2023/09/14	03:10:00	2,590	90	20.79	0.09	13.84	0.04	14.69	0.27	17.64	0.08	6.03	-0.03	2.77	-0.09
2023/09/14	03:20:00	2,600	100	20.78	0.07	13.84	0.04	14.68	0.26	17.64	0.08	6.03	-0.03	2.77	-0.09
2023/09/14	03:30:00	2,610	110	20.78	0.08	13.83	0.03	14.68	0.26	17.63	0.07	6.03	-0.03	2.77	-0.09
2023/09/14	03:40:00	2,620	120	20.78	0.08	13.83	0.03	14.68	0.26	17.63	0.07	6.03	-0.03	2.77	-0.09
2023/09/14	03:50:00	2,630	130	20.77	0.07	13.83	0.03	14.68	0.26	17.63	0.07	6.02	-0.04	2.78	-0.09
2023/09/14	04:00:00	2,640	140	20.77	0.07	13.83	0.03	14.68	0.26	17.63	0.07	6.03	-0.03	2.78	-0.08
2023/09/14	04:10:00	2,650	150	20.77	0.07	13.82	0.02	14.67	0.25	17.63	0.07	6.03	-0.03	2.78	-0.08
2023/09/14	04:20:00	2,660	160	20.77	0.07	13.82	0.02	14.67	0.25	17.62	0.06	6.02	-0.04	2.78	-0.08
2023/09/14	04:30:00	2,670	170	20.76	0.06	13.82	0.02	14.67	0.25	17.62	0.06	6.02	-0.04	2.78	-0.08
2023/09/14	04:40:00	2,680	180	20.76	0.06	13.82	0.01	14.67	0.24	17.62	0.06	6.02	-0.04	2.78	-0.08
2023/09/14	04:50:00	2,690	190	20.76	0.06	13.82	0.02	14.67	0.25	17.62	0.05	6.02	-0.04	2.78	-0.08
2023/09/14	05:00:00	2,700	200	20.76	0.06	13.81	0.01	14.67	0.25	17.62	0.06	6.03	-0.03	2.79	-0.07
2023/09/14	05:10:00	2,710	210	20.76	0.06	13.81	0.01	14.66	0.24	17.61	0.05	6.02	-0.04	2.79	-0.07
2023/09/14	05:20:00	2,720	220	20.75	0.05	13.81	0.00	14.67	0.25	17.61	0.05	6.02	-0.04	2.79	-0.07
2023/09/14	05:30:00	2,730	230	20.76	0.06	13.81	0.01	14.66	0.24	17.62	0.06	6.03	-0.03	2.80	-0.06
2023/09/14	05:40:00	2,740	240	20.75	0.05	13.81	0.01	14.66	0.24	17.61	0.05	6.03	-0.03	2.80	-0.06
2023/09/14	05:50:00	2,750	250	20.75	0.05	13.81	0.01	14.67	0.25	17.62	0.06	6.02	-0.04	2.81	-0.05
2023/09/14	06:00:00	2,760	260	20.75	0.05	13.81	0.01	14.66	0.24	17.61	0.05	6.03	-0.03	2.81	-0.05
2023/09/14	06:10:00	2,770	270	20.74	0.04	13.80	0.00	14.66	0.24	17.61	0.05	6.03	-0.03	2.81	-0.05
2023/09/14	06:20:00	2,780	280	20.74	0.04	13.81	0.01	14.66	0.24	17.62	0.05	6.02	-0.04	2.81	-0.05
2023/09/14	06:30:00	2,790	290	20.74	0.04	13.81	0.01	14.66	0.24	17.61	0.05	6.03	-0.03	2.81	-0.05
2023/09/14	06:40:00	2,800	300	20.74	0.04	13.80	0.00	14.66	0.24	17.61	0.05	6.03	-0.03	2.82	-0.04
2023/09/14	06:50:00	2,810	310	20.73	0.03	13.80	0.00	14.65	0.23	17.61	0.05	6.03	-0.03	2.82	-0.04
2023/09/14	07:00:00	2,820	320	20.73	0.03	13.81	0.01	14.66	0.24	17.60	0.04	6.03	-0.03	2.82	-0.04
2023/09/14	07:10:00	2,830	330	20.73	0.03	13.81	0.00	14.66	0.24	17.61	0.05	6.03	-0.03	2.83	-0.03
2023/09/14	07:20:00	2,840	340	20.73	0.03	13.80	0.00	14.65	0.23	17.61	0.05	6.04	-0.02	2.83	-0.03
2023/09/14	07:30:00	2,850	350	20.73	0.03	13.80	0.00	14.66	0.24	17.61	0.05	6.04	-0.02	2.84	-0.02
2023/09/14	07:40:00	2,860	360	20.72	0.02	13.80	0.00	14.65	0.23	17.61	0.05	6.04	-0.02	2.84	-0.02
2023/09/14	07:50:00	2,870	370	20.72	0.02	13.81	0.01	14.66	0.24	17.61	0.05	6.04	-0.02	2.84	-0.02
2023/09/14	08:00:00	2,880	380	20.72	0.02	13.80	0.00	14.66	0.24	17.61	0.05	6.05	-0.01	2.85	-0.01
2023/09/14	08:10:00	2,890	390	20.71	0.01	13.81	0.00	14.66	0.23	17.60	0.04	6.04	-0.02	2.85	-0.01
2023/09/14	08:20:00	2,900	400	20.72	0.02	13.81	0.01	14.65	0.23	17.60	0.04	6.05	-0.01	2.85	-0.01
2023/09/14	08:30:00	2,910	410	20.72	0.02	13.81	0.01	14.43	0.01	17.60	0.04	6.05	-0.01	2.85	-0.01
2023/09/14	08:40:00	2,920	420	20.71	0.01	13.81	0.00	14.43	0.01	17.57	0.01	6.05	-0.01	2.85	-0.01
2023/09/14	08:50:00	2,930	430	20.71	0.01	13.80	0.00	14.43	0.01	17.57	0.01	6.05	-0.01	2.85	-0.01
2023/09/14	09:00:00	2,940	440	20.71	0.01	13.81	0.01	14.42	0.00	17.57	0.01	6.05	-0.01	2.86	0.00
2023/09/14	09:10:00	2,950	450	20.70	0.00	13.80	0.00	14.43	0.01	17.57	0.01	6.06	0.00	2.86	0.00
2023/09/14	09:20:00	2,960	460	20.70	0.00	13.80	0.00	14.42	0.00	17.57	0.01	6.06	0.00	2.86	0.00
2023/09/14	09:30:00	2,970	470	20.71	0.01	13.80	0.00	14.42	0.00	17.56	0.00	6.06	0.00	2.86	0.00
2023/09/14	09:32:00	2,972	472	20.71	0.01	13.80	0.00	14.42	-0.01	17.56	0.00	6.06	0.00	2.86	0.00
2023/09/14	09:34:00	2,974	474	20.70	0.00	13.80	0.00	14.42	0.00	17.56	0.00	6.06	0.00	2.86	0.00
2023/09/14	09:36:00	2,976	476	20.70	0.00	13.80	0.00	14.55	0.13	17.58	0.02	6.06	0.00	2.86	0.00
2023/09/14	09:38:00	2,978	478	20.70	0.00	13.80	-0.01	14.82	0.40	17.66	0.10	6.06	0.00	2.86	0.00
2023/09/14	09:40:00	2,980	480	20.70	0.00	13.79	-0.01	14.94	0.52	17.74	0.18	6.06	0.00	2.86	0.00
2023/09/14	09:42:00	2,982	482	20.70	0.00	13.80	0.00	15.01	0.59	17.80	0.24	6.06	0.00	2.86	0.00
2023/09/14	09:44:00	2,984	484	20.70	0.00	13.80	0.00	15.07	0.65	17.84	0.28	6.06	0.00	2.86	0.00
2023/09/14	09:46:00	2,986	486	20.70	0.00	13.80	0.00	15.12	0.70	17.87	0.31	6.06	0.00	2.86	0.00
2023/09/14	09:48:00	2,988	488	20.70	0.00	13.80	0.00	15.15	0.73	17.90	0.34	6.06	0.00	2.86	0.00
2023/09/14	09:50:00	2,990	490	20.70	0.00	13.80	0.00	15.19	0.77	17.91	0.35	6.06	0.00	2.86	0.00
2023/09/14	09:52:00	2,992	492	20.70	0.00	13.80	0.00	15.22	0.80	17.93	0.37	6.07	0.01	2.87	0.01
2023/09/14	09:54:00	2,994	494	20.70	0.00	13.80	0.00	15.26	0.84	17.95	0.39	6.06	0.00	2.87	0.01
2023/09/14	09:56:00	2,996	496	20.71	0.01	13.80	0.00	15.29	0.87	17.97	0.41	6.06	0.00	2.86	0.00
2023/09/14	09:58:00	2,998	498	20.70	0.00	13.80	0.00	15.31	0.89	17.98	0.42	6.06	0.00	2.87	0.01
2023/09/14	10:00:00	3,000	500	20.7											

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/14	11:40:00	3,100	600	20.68	-0.02	13.82	0.02	15.91	1.49	18.30	0.74	6.08	0.02	2.89	0.02
2023/09/14	11:50:00	3,110	610	20.68	-0.02	13.82	0.02	15.95	1.53	18.31	0.75	6.07	0.01	2.89	0.02
2023/09/14	12:00:00	3,120	620	20.68	-0.02	13.82	0.02	15.98	1.56	18.33	0.77	6.08	0.02	2.89	0.03
2023/09/14	12:10:00	3,130	630	20.68	-0.02	13.82	0.02	16.00	1.58	18.34	0.78	6.07	0.01	2.89	0.02
2023/09/14	12:20:00	3,140	640	20.68	-0.02	13.83	0.03	16.03	1.61	18.34	0.78	6.07	0.01	2.89	0.03
2023/09/14	12:30:00	3,150	650	20.68	-0.02	13.83	0.03	16.05	1.63	18.35	0.79	6.08	0.02	2.89	0.03
2023/09/14	12:40:00	3,160	660	20.67	-0.03	13.82	0.02	16.06	1.64	18.36	0.80	6.08	0.02	2.89	0.03
2023/09/14	12:50:00	3,170	670	20.67	-0.03	13.83	0.03	16.08	1.66	18.37	0.81	6.07	0.01	2.89	0.02
2023/09/14	13:00:00	3,180	680	20.66	-0.04	13.83	0.02	16.09	1.67	18.37	0.81	6.08	0.02	2.89	0.03
2023/09/14	13:10:00	3,190	690	20.67	-0.03	13.82	0.02	16.11	1.69	18.37	0.81	6.08	0.02	2.89	0.03
2023/09/14	13:20:00	3,200	700	20.67	-0.03	13.82	0.02	16.12	1.70	18.37	0.81	6.08	0.02	2.88	0.02
2023/09/14	13:30:00	3,210	710	20.67	-0.03	13.82	0.02	16.14	1.72	18.38	0.82	6.09	0.03	2.89	0.03
2023/09/14	13:40:00	3,220	720	20.66	-0.04	13.82	0.02	16.14	1.72	18.38	0.82	6.08	0.02	2.89	0.03
2023/09/14	13:50:00	3,230	730	20.66	-0.04	13.81	0.01	16.16	1.74	18.39	0.83	6.08	0.02	2.89	0.03
2023/09/14	14:00:00	3,240	740	20.65	-0.05	13.81	0.01	16.17	1.75	18.40	0.84	6.08	0.02	2.89	0.03
2023/09/14	14:10:00	3,250	750	20.65	-0.05	13.82	0.01	16.18	1.76	18.40	0.84	6.08	0.02	2.90	0.04
2023/09/14	14:20:00	3,260	760	20.65	-0.05	13.82	0.02	16.20	1.78	18.41	0.85	6.08	0.02	2.90	0.04
2023/09/14	14:30:00	3,270	770	20.66	-0.04	13.82	0.02	16.20	1.78	18.40	0.84	6.09	0.03	2.89	0.03
2023/09/14	14:40:00	3,280	780	20.66	-0.04	13.82	0.02	16.21	1.79	18.41	0.85	6.08	0.02	2.90	0.04
2023/09/14	14:50:00	3,290	790	20.64	-0.06	13.81	0.01	16.22	1.80	18.41	0.85	6.08	0.02	2.90	0.04
2023/09/14	15:00:00	3,300	800	20.65	-0.05	13.81	0.01	16.23	1.81	18.42	0.86	6.08	0.02	2.90	0.04
2023/09/14	15:10:00	3,310	810	20.64	-0.06	13.81	0.01	16.23	1.81	18.42	0.86	6.08	0.02	2.91	0.05
2023/09/14	15:20:00	3,320	820	20.64	-0.06	13.81	0.01	16.24	1.82	18.42	0.86	6.08	0.02	2.91	0.05
2023/09/14	15:30:00	3,330	830	20.65	-0.05	13.82	0.02	16.25	1.83	18.42	0.86	6.08	0.02	2.91	0.05
2023/09/14	15:40:00	3,340	840	20.64	-0.06	13.81	0.01	16.26	1.84	18.43	0.87	6.08	0.02	2.91	0.05
2023/09/14	15:50:00	3,350	850	20.64	-0.06	13.81	0.01	16.26	1.84	18.43	0.87	6.09	0.03	2.92	0.06
2023/09/14	16:00:00	3,360	860	20.63	-0.07	13.81	0.01	16.27	1.85	18.43	0.87	6.08	0.02	2.92	0.06
2023/09/14	16:10:00	3,370	870	20.64	-0.06	13.81	0.01	16.27	1.85	18.43	0.87	6.08	0.02	2.92	0.06
2023/09/14	16:20:00	3,380	880	20.63	-0.07	13.81	0.01	16.28	1.86	18.44	0.88	6.09	0.03	2.92	0.06
2023/09/14	16:30:00	3,390	890	20.63	-0.07	13.82	0.01	16.29	1.87	18.44	0.88	6.08	0.02	2.93	0.07
2023/09/14	16:40:00	3,400	900	20.63	-0.07	13.82	0.02	16.29	1.87	18.44	0.88	6.08	0.02	2.93	0.07
2023/09/14	16:50:00	3,410	910	20.62	-0.08	13.81	0.01	16.30	1.88	18.44	0.88	6.08	0.02	2.93	0.07
2023/09/14	17:00:00	3,420	920	20.63	-0.07	13.82	0.02	16.30	1.88	18.44	0.88	6.09	0.03	2.93	0.07
2023/09/14	17:10:00	3,430	930	20.62	-0.09	13.82	0.02	16.31	1.89	18.45	0.89	6.08	0.02	2.94	0.08
2023/09/14	17:20:00	3,440	940	20.62	-0.08	13.82	0.02	16.32	1.90	18.46	0.90	6.09	0.03	2.95	0.09
2023/09/14	17:30:00	3,450	950	20.62	-0.08	13.82	0.02	16.32	1.90	18.46	0.90	6.09	0.03	2.95	0.09
2023/09/14	17:40:00	3,460	960	20.62	-0.08	13.82	0.02	16.32	1.90	18.46	0.90	6.10	0.04	2.95	0.09
2023/09/14	17:50:00	3,470	970	20.62	-0.08	13.83	0.03	16.33	1.91	18.46	0.90	6.10	0.04	2.95	0.09
2023/09/14	18:00:00	3,480	980	20.61	-0.09	13.82	0.02	16.34	1.92	18.47	0.91	6.10	0.04	2.97	0.11
2023/09/14	18:10:00	3,490	990	20.61	-0.09	13.83	0.03	16.35	1.93	18.47	0.91	6.10	0.04	2.97	0.11
2023/09/14	18:20:00	3,500	1,000	20.61	-0.09	13.83	0.03	16.35	1.93	18.47	0.91	6.11	0.05	2.97	0.11
2023/09/14	18:30:00	3,510	1,010	20.61	-0.09	13.84	0.04	16.35	1.93	18.48	0.92	6.10	0.04	2.97	0.11
2023/09/14	18:40:00	3,520	1,020	20.61	-0.09	13.84	0.04	16.35	1.93	18.48	0.92	6.10	0.04	2.97	0.11
2023/09/14	18:50:00	3,530	1,030	20.60	-0.10	13.84	0.04	16.35	1.93	18.48	0.92	6.11	0.05	2.97	0.11
2023/09/14	19:00:00	3,540	1,040	20.60	-0.10	13.84	0.04	16.37	1.95	18.49	0.93	6.12	0.06	2.98	0.12
2023/09/14	19:10:00	3,550	1,050	20.60	-0.11	13.84	0.04	16.37	1.95	18.49	0.93	6.12	0.06	2.99	0.13
2023/09/14	19:20:00	3,560	1,060	20.60	-0.10	13.84	0.04	16.38	1.96	18.50	0.94	6.12	0.06	3.00	0.14
2023/09/14	19:30:00	3,570	1,070	20.60	-0.10	13.85	0.05	16.38	1.96	18.50	0.94	6.12	0.06	3.00	0.14
2023/09/14	19:40:00	3,580	1,080	20.59	-0.11	13.85	0.05	16.38	1.96	18.50	0.94	6.13	0.07	3.00	0.14
2023/09/14	19:50:00	3,590	1,090	20.60	-0.10	13.86	0.06	16.39	1.97	18.51	0.95	6.13	0.07	3.01	0.15
2023/09/14	20:00:00	3,600	1,100	20.59	-0.11	13.86	0.06	16.39	1.97	18.51	0.95	6.13	0.07	3.01	0.15
2023/09/14	20:10:00	3,610	1,110	20.59	-0.11	13.86	0.06	16.40	1.98	18.52	0.96	6.14	0.08	3.02	0.16
2023/09/14	20:20:00	3,620	1,120	20.59	-0.11	13.87	0.07	16.40	1.98	18.52	0.96	6.15	0.09	3.02	0.16
2023/09/14	20:30:00	3,630	1,130	20.58	-0.12	13.87	0.07	16.41	1.99	18.53	0.97	6.15	0.09	3.03	0.17
2023/09/14	20:40:00	3,640	1,140	20.58	-0.12	13.87	0.07	16.41	1.99	18.54	0.98	6.15	0.09	3.04	0.18
2023/09/14	20:50:00	3,650	1,150	20.58	-0.12	13.88	0.08	16.42	2.00	18.54	0.98	6.16	0.10	3.04	0.18
2023/09/14	21:00:00	3,660	1,160	20.58	-0.12	13.88	0.08	16.43	2.01	18.54	0.98	6.16	0.10	3.04	0.18
2023/09/14	21:10:00	3,670	1,170	20.58	-0.12	13.88	0.08	16.43	2.01	18.54	0.98	6.16	0.10	3.04	0.18
2023/09/14	21:20:00	3,680	1,180	20.58	-0.12	13.89	0.09	16.43	2.01	18.54	0.98	6.16	0.10	3.04	0.18
2023/09/14	21:30:00	3,690	1,190	20.58	-0.12	13.90	0.10	16.43	2.01	18.54	0.98	6.17	0.11	3.04	0.18
2023/09/14	21:40:00	3,700	1,200	20.57	-0.13	13.89	0.09	16.43	2.01	18.55	0.99	6.18	0.12	3.05	0.19
2023/09/14	21:50:00	3,710	1,210	20.57	-0.13	13.90	0.10	16.44	2.02	18.55	0.99	6.18	0.12	3.05	0.19

Transducer Data Collected During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/15	05:00:00	4,140	1,640	20.51	-0.19	13.91	0.11	16.46	2.04	18.56	1.00	6.28	0.22	3.10	0.24
2023/09/15	05:10:00	4,150	1,650	20.51	-0.19	13.91	0.11	16.47	2.05	18.57	1.01	6.28	0.22	3.12	0.26
2023/09/15	05:20:00	4,160	1,660	20.51	-0.19	13.92	0.12	16.46	2.04	18.56	1.00	6.27	0.21	3.11	0.25
2023/09/15	05:30:00	4,170	1,670	20.51	-0.19	13.92	0.12	16.46	2.04	18.56	1.00	6.27	0.21	3.11	0.25
2023/09/15	05:40:00	4,180	1,680	20.51	-0.19	13.91	0.11	16.47	2.05	18.57	1.01	6.28	0.22	3.12	0.26
2023/09/15	05:50:00	4,190	1,690	20.51	-0.19	13.92	0.12	16.47	2.05	18.57	1.01	6.28	0.22	3.12	0.26
2023/09/15	06:00:00	4,200	1,700	20.50	-0.20	13.92	0.12	16.47	2.05	18.57	1.01	6.28	0.22	3.12	0.26
2023/09/15	06:10:00	4,210	1,710	20.50	-0.20	13.92	0.12	16.47	2.05	18.57	1.01	6.28	0.22	3.12	0.26
2023/09/15	06:20:00	4,220	1,720	20.50	-0.20	13.92	0.12	16.47	2.05	18.57	1.01	6.29	0.23	3.12	0.26
2023/09/15	06:30:00	4,230	1,730	20.50	-0.20	13.92	0.12	16.47	2.05	18.57	1.01	6.29	0.23	3.12	0.26
2023/09/15	06:40:00	4,240	1,740	20.50	-0.20	13.92	0.12	16.47	2.05	18.57	1.01	6.29	0.23	3.12	0.26
2023/09/15	06:50:00	4,250	1,750	20.50	-0.20	13.92	0.12	16.47	2.05	18.57	1.01	6.29	0.23	3.12	0.26
2023/09/15	07:00:00	4,260	1,760	20.50	-0.20	13.92	0.12	16.47	2.05	18.57	1.01	6.29	0.23	3.12	0.26
2023/09/15	07:10:00	4,270	1,770	20.50	-0.20	13.92	0.12	16.48	2.06	18.58	1.02	6.30	0.24	3.13	0.27
2023/09/15	07:20:00	4,280	1,780	20.49	-0.21	13.93	0.13	16.48	2.06	18.58	1.02	6.30	0.24	3.13	0.27
2023/09/15	07:30:00	4,290	1,790	20.49	-0.21	13.93	0.13	16.48	2.06	18.58	1.02	6.30	0.24	3.13	0.27
2023/09/15	07:40:00	4,300	1,800	20.49	-0.21	13.93	0.13	16.48	2.06	18.58	1.02	6.30	0.24	3.13	0.27
2023/09/15	07:50:00	4,310	1,810	20.49	-0.21	13.93	0.13	16.47	2.05	18.58	1.02	6.30	0.24	3.13	0.27
2023/09/15	08:00:00	4,320	1,820	20.49	-0.21	13.93	0.13	16.48	2.06	18.58	1.02	6.31	0.25	3.13	0.27
2023/09/15	08:10:00	4,330	1,830	20.49	-0.21	13.93	0.13	16.48	2.06	18.58	1.02	6.31	0.25	3.13	0.27
2023/09/15	08:20:00	4,340	1,840	20.48	-0.22	13.93	0.13	16.47	2.05	18.57	1.01	6.31	0.25	3.12	0.26
2023/09/15	08:30:00	4,350	1,850	20.48	-0.22	13.93	0.13	16.47	2.05	18.57	1.01	6.31	0.25	3.13	0.27
2023/09/15	08:40:00	4,360	1,860	20.48	-0.22	13.93	0.13	16.46	2.04	18.57	1.01	6.31	0.25	3.13	0.27
2023/09/15	08:50:00	4,370	1,870	20.49	-0.22	13.92	0.12	16.48	2.06	18.58	1.02	6.32	0.26	3.14	0.28
2023/09/15	09:00:00	4,380	1,880	20.49	-0.21	13.92	0.12	16.47	2.05	18.58	1.02	6.32	0.26	3.14	0.28
2023/09/15	09:10:00	4,390	1,890	20.48	-0.22	13.92	0.12	16.46	2.04	18.57	1.01	6.31	0.25	3.13	0.27
2023/09/15	09:20:00	4,400	1,900	20.48	-0.22	13.92	0.12	16.47	2.05	18.58	1.02	6.32	0.26	3.14	0.28
2023/09/15	09:30:00	4,410	1,910	20.48	-0.22	13.93	0.13	16.47	2.05	18.57	1.01	6.32	0.26	3.13	0.27
2023/09/15	09:40:00	4,420	1,920	20.48	-0.22	13.92	0.12	16.47	2.05	18.58	1.02	6.32	0.26	3.14	0.28
2023/09/15	09:50:00	4,430	1,930	20.48	-0.22	13.92	0.12	16.47	2.05	18.57	1.01	6.32	0.26	3.14	0.28
2023/09/15	10:00:00	4,440	1,940	20.47	-0.23	13.93	0.13	16.47	2.05	18.57	1.01	6.32	0.26	3.13	0.27
2023/09/15	10:10:00	4,450	1,950	20.48	-0.22	13.93	0.13	16.47	2.05	18.57	1.01	6.32	0.26	3.13	0.27
2023/09/15	10:20:00	4,460	1,960	20.47	-0.23	13.92	0.12	16.46	2.04	18.57	1.01	6.32	0.26	3.13	0.27
2023/09/15	10:30:00	4,470	1,970	20.47	-0.23	13.92	0.12	16.46	2.04	18.56	1.00	6.32	0.26	3.13	0.27
2023/09/15	10:40:00	4,480	1,980	20.47	-0.23	13.92	0.12	16.46	2.04	18.56	1.00	6.32	0.26	3.13	0.27
2023/09/15	10:50:00	4,490	1,990	20.47	-0.23	13.92	0.12	16.45	2.03	18.55	0.99	6.32	0.26	3.12	0.26
2023/09/15	11:00:00	4,500	2,000	20.47	-0.23	13.92	0.12	16.45	2.03	18.55	0.99	6.32	0.26	3.12	0.26
2023/09/15	11:10:00	4,510	2,010	20.46	-0.24	13.92	0.12	16.44	2.02	18.55	0.99	6.32	0.26	3.12	0.26
2023/09/15	11:20:00	4,520	2,020	20.47	-0.23	13.91	0.11	16.44	2.02	18.54	0.98	6.33	0.27	3.12	0.26
2023/09/15	11:30:00	4,530	2,030	20.46	-0.24	13.91	0.11	16.43	2.01	18.54	0.98	6.32	0.26	3.12	0.26
2023/09/15	11:40:00	4,540	2,040	20.47	-0.23	13.90	0.10	16.43	2.01	18.53	0.97	6.32	0.26	3.12	0.26
2023/09/15	11:50:00	4,550	2,050	20.46	-0.24	13.90	0.10	16.42	2.00	18.54	0.98	6.32	0.26	3.11	0.25
2023/09/15	12:00:00	4,560	2,060	20.46	-0.24	13.90	0.10	16.42	2.00	18.53	0.97	6.32	0.26	3.12	0.26
2023/09/15	12:10:00	4,570	2,070	20.46	-0.24	13.89	0.09	16.43	2.01	18.53	0.97	6.31	0.25	3.12	0.26
2023/09/15	12:20:00	4,580	2,080	20.46	-0.24	13.89	0.09	16.42	2.00	18.52	0.96	6.32	0.26	3.11	0.25
2023/09/15	12:30:00	4,590	2,090	20.46	-0.25	13.88	0.08	16.42	2.00	18.52	0.96	6.32	0.26	3.12	0.26
2023/09/15	12:40:00	4,600	2,100	20.46	-0.24	13.88	0.08	16.41	1.99	18.51	0.95	6.31	0.25	3.11	0.25
2023/09/15	12:50:00	4,610	2,110	20.46	-0.24	13.88	0.08	16.41	1.99	18.51	0.95	6.31	0.25	3.11	0.25
2023/09/15	13:00:00	4,620	2,120	20.45	-0.25	13.87	0.07	16.40	1.98	18.50	0.94	6.31	0.25	3.11	0.25
2023/09/15	13:10:00	4,630	2,130	20.46	-0.25	13.86	0.06	16.41	1.99	18.50	0.94	6.31	0.25	3.11	0.25
2023/09/15	13:20:00	4,640	2,140	20.46	-0.25	13.86	0.06	16.40	1.98	18.50	0.94	6.31	0.25	3.11	0.25
2023/09/15	13:30:00	4,650	2,150	20.45	-0.25	13.86	0.06	16.40	1.98	18.50	0.94	6.31	0.25	3.11	0.25
2023/09/15	13:40:00	4,660	2,160	20.45	-0.25	13.86	0.06	16.39	1.97	18.50	0.94	6.30	0.24	3.11	0.25
2023/09/15	13:50:00	4,670	2,170	20.45	-0.25	13.86	0.06	16.40	1.98	18.49	0.93	6.31	0.25	3.12	0.26
2023/09/15	14:00:00	4,680	2,180	20.45	-0.25	13.86	0.05	16.40	1.98	18.50	0.94	6.31	0.25	3.12	0.26
2023/09/15	14:10:00	4,690	2,190	20.45	-0.25	13.85	0.04	16.40	1.98	18.49	0.93	6.31	0.25	3.13	0.27
2023/09/15	14:20:00	4,700	2,200	20.45	-0.25	13.84	0.04	16.40	1.98	18.49	0.93	6.31	0.25	3.13	0.27
2023/09/15	14:30:00	4,710	2,210	20.44	-0.26	13.84	0.04	16.39	1.97	18.50	0.94	6.30	0.24	3.13	0.27
2023/09/15	14:40:00	4,720	2,220	20.44	-0.26	13.84	0.04	16.39	1.97	18.49	0.93	6.30	0.24	3.13	0.27
2023/09/15	14:50:00	4,730	2,230	20.44	-0.26	13.84	0.04	16.39	1.97	18.49	0.93	6.31	0.25	3.13	0.27
2023/09/15	15:00:00	4,740	2,240	20.45	-0.25	13.83	0.03	16.40	1.98	18.49	0.93	6.31	0.25	3.14	0.28
2023/09/15	15:10:00	4,750	2,250	20.44	-0.26	13.83	0.0								

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/15	22:20:00	5,180	2,680	20.38	-0.32	13.79	-0.02	16.39	1.97	18.45	0.89	6.34	0.28	3.18	0.32
2023/09/15	22:30:00	5,190	2,690	20.38	-0.32	13.78	-0.02	16.38	1.96	18.45	0.89	6.34	0.28	3.17	0.31
2023/09/15	22:40:00	5,200	2,700	20.38	-0.32	13.78	-0.02	16.39	1.97	18.45	0.89	6.35	0.29	3.19	0.33
2023/09/15	22:50:00	5,210	2,710	20.38	-0.32	13.79	-0.01	16.39	1.97	18.45	0.89	6.34	0.28	3.19	0.33
2023/09/15	23:00:00	5,220	2,720	20.38	-0.32	13.79	-0.01	16.39	1.97	18.46	0.90	6.35	0.29	3.19	0.33
2023/09/15	23:10:00	5,230	2,730	20.37	-0.33	13.79	-0.01	16.39	1.97	18.46	0.90	6.35	0.29	3.19	0.33
2023/09/15	23:20:00	5,240	2,740	20.38	-0.32	13.78	-0.02	16.39	1.97	18.46	0.90	6.35	0.29	3.18	0.32
2023/09/15	23:30:00	5,250	2,750	20.38	-0.32	13.78	-0.02	16.39	1.97	18.46	0.90	6.35	0.29	3.18	0.32
2023/09/15	23:40:00	5,260	2,760	20.37	-0.33	13.79	-0.01	16.38	1.96	18.45	0.89	6.35	0.29	3.19	0.33
2023/09/15	23:50:00	5,270	2,770	20.37	-0.33	13.78	-0.02	16.38	1.96	18.45	0.89	6.36	0.30	3.18	0.32
2023/09/16	00:00:00	5,280	2,780	20.37	-0.33	13.79	-0.01	16.38	1.96	18.44	0.88	6.35	0.29	3.18	0.32
2023/09/16	00:10:00	5,290	2,790	20.37	-0.33	13.78	-0.02	16.39	1.97	18.45	0.89	6.35	0.29	3.18	0.32
2023/09/16	00:20:00	5,300	2,800	20.37	-0.33	13.79	-0.02	16.38	1.96	18.44	0.88	6.36	0.30	3.19	0.33
2023/09/16	00:30:00	5,310	2,810	20.36	-0.34	13.78	-0.02	16.37	1.95	18.43	0.87	6.35	0.29	3.18	0.32
2023/09/16	00:40:00	5,320	2,820	20.37	-0.33	13.78	-0.03	16.37	1.95	18.43	0.87	6.36	0.30	3.18	0.32
2023/09/16	00:50:00	5,330	2,830	20.36	-0.34	13.77	-0.03	16.37	1.95	18.43	0.87	6.35	0.29	3.18	0.32
2023/09/16	01:00:00	5,340	2,840	20.36	-0.34	13.77	-0.03	16.36	1.94	18.43	0.87	6.35	0.29	3.18	0.32
2023/09/16	01:10:00	5,350	2,850	20.36	-0.34	13.77	-0.03	16.36	1.94	18.42	0.86	6.35	0.29	3.18	0.32
2023/09/16	01:20:00	5,360	2,860	20.36	-0.34	13.77	-0.03	16.37	1.95	18.43	0.87	6.36	0.30	3.18	0.32
2023/09/16	01:30:00	5,370	2,870	20.36	-0.34	13.76	-0.04	16.37	1.95	18.43	0.87	6.36	0.30	3.18	0.32
2023/09/16	01:40:00	5,380	2,880	20.36	-0.34	13.76	-0.04	16.36	1.94	18.43	0.87	6.35	0.29	3.18	0.32
2023/09/16	01:50:00	5,390	2,890	20.36	-0.34	13.76	-0.04	16.37	1.95	18.43	0.87	6.35	0.29	3.18	0.32
2023/09/16	02:00:00	5,400	2,900	20.35	-0.35	13.76	-0.04	16.36	1.94	18.42	0.86	6.36	0.30	3.18	0.32
2023/09/16	02:10:00	5,410	2,910	20.36	-0.34	13.75	-0.05	16.36	1.94	18.42	0.86	6.36	0.30	3.17	0.31
2023/09/16	02:20:00	5,420	2,920	20.35	-0.35	13.76	-0.04	16.35	1.93	18.41	0.85	6.36	0.30	3.18	0.32
2023/09/16	02:30:00	5,430	2,930	20.35	-0.35	13.75	-0.05	16.35	1.93	18.41	0.85	6.36	0.30	3.18	0.32
2023/09/16	02:40:00	5,440	2,940	20.35	-0.35	13.75	-0.06	16.36	1.94	18.41	0.85	6.36	0.30	3.18	0.32
2023/09/16	02:50:00	5,450	2,950	20.35	-0.35	13.75	-0.05	16.36	1.94	18.41	0.85	6.36	0.30	3.18	0.32
2023/09/16	03:00:00	5,460	2,960	20.35	-0.35	13.75	-0.06	16.36	1.94	18.41	0.85	6.36	0.30	3.19	0.33
2023/09/16	03:10:00	5,470	2,970	20.35	-0.35	13.75	-0.05	16.36	1.94	18.41	0.85	6.36	0.30	3.19	0.33
2023/09/16	03:20:00	5,480	2,980	20.34	-0.36	13.74	-0.06	16.36	1.94	18.41	0.85	6.36	0.30	3.19	0.33
2023/09/16	03:30:00	5,490	2,990	20.35	-0.35	13.75	-0.06	16.36	1.94	18.41	0.85	6.36	0.30	3.19	0.33
2023/09/16	03:40:00	5,500	3,000	20.34	-0.36	13.74	-0.06	16.36	1.94	18.41	0.85	6.36	0.30	3.19	0.33
2023/09/16	03:50:00	5,510	3,010	20.34	-0.36	13.75	-0.06	16.36	1.94	18.41	0.85	6.36	0.30	3.19	0.33
2023/09/16	04:00:00	5,520	3,020	20.34	-0.36	13.73	-0.07	16.36	1.94	18.41	0.85	6.36	0.30	3.19	0.33
2023/09/16	04:10:00	5,530	3,030	20.33	-0.37	13.73	-0.07	16.35	1.93	18.41	0.85	6.36	0.30	3.19	0.33
2023/09/16	04:20:00	5,540	3,040	20.33	-0.37	13.73	-0.07	16.36	1.94	18.40	0.84	6.36	0.30	3.19	0.33
2023/09/16	04:30:00	5,550	3,050	20.33	-0.37	13.73	-0.07	16.35	1.93	18.41	0.85	6.36	0.30	3.18	0.32
2023/09/16	04:40:00	5,560	3,060	20.33	-0.37	13.74	-0.06	16.35	1.93	18.40	0.84	6.36	0.30	3.19	0.33
2023/09/16	04:50:00	5,570	3,070	20.34	-0.36	13.74	-0.07	16.35	1.93	18.40	0.84	6.36	0.30	3.19	0.33
2023/09/16	05:00:00	5,580	3,080	20.33	-0.37	13.73	-0.07	16.34	1.92	18.40	0.84	6.36	0.30	3.18	0.32
2023/09/16	05:10:00	5,590	3,090	20.33	-0.37	13.73	-0.07	16.34	1.92	18.39	0.83	6.37	0.31	3.18	0.32
2023/09/16	05:20:00	5,600	3,100	20.33	-0.37	13.72	-0.08	16.34	1.92	18.39	0.83	6.36	0.30	3.19	0.33
2023/09/16	05:30:00	5,610	3,110	20.33	-0.37	13.72	-0.08	16.35	1.93	18.39	0.83	6.37	0.31	3.19	0.33
2023/09/16	05:40:00	5,620	3,120	20.33	-0.37	13.72	-0.08	16.35	1.93	18.39	0.83	6.37	0.31	3.19	0.33
2023/09/16	05:50:00	5,630	3,130	20.33	-0.38	13.72	-0.08	16.35	1.93	18.39	0.83	6.36	0.30	3.18	0.32
2023/09/16	06:00:00	5,640	3,140	20.32	-0.38	13.72	-0.08	16.34	1.92	18.38	0.82	6.37	0.31	3.19	0.33
2023/09/16	06:10:00	5,650	3,150	20.33	-0.37	13.71	-0.09	16.34	1.92	18.39	0.83	6.36	0.30	3.18	0.32
2023/09/16	06:20:00	5,660	3,160	20.32	-0.38	13.72	-0.08	16.34	1.92	18.39	0.83	6.37	0.31	3.19	0.33
2023/09/16	06:30:00	5,670	3,170	20.32	-0.38	13.72	-0.08	16.34	1.92	18.39	0.83	6.37	0.31	3.19	0.33
2023/09/16	06:40:00	5,680	3,180	20.32	-0.38	13.71	-0.09	16.34	1.92	18.39	0.83	6.37	0.31	3.20	0.34
2023/09/16	06:50:00	5,690	3,190	20.32	-0.38	13.71	-0.10	16.35	1.93	18.39	0.83	6.37	0.31	3.19	0.33
2023/09/16	07:00:00	5,700	3,200	20.32	-0.38	13.71	-0.09	16.35	1.93	18.39	0.83	6.37	0.31	3.20	0.34
2023/09/16	07:10:00	5,710	3,210	20.31	-0.39	13.71	-0.09	16.35	1.93	18.39	0.83	6.37	0.31	3.20	0.34
2023/09/16	07:20:00	5,720	3,220	20.32	-0.38	13.71	-0.09	16.35	1.93	18.39	0.83	6.37	0.31	3.20	0.34
2023/09/16	07:30:00	5,730	3,230	20.31	-0.39	13.71	-0.09	16.35	1.93	18.39	0.83	6.37	0.31	3.20	0.34
2023/09/16	07:40:00	5,740	3,240	20.31	-0.39	13.71	-0.09	16.35	1.93	18.39	0.83	6.38	0.32	3.21	0.35
2023/09/16	07:50:00	5,750	3,250	20.31	-0.39	13.71	-0.09	16.35	1.93	18.39	0.83	6.37	0.31	3.21	0.35
2023/09/16	08:00:00	5,760	3,260	20.31	-0.39	13.71	-0.09	16.36	1.94	18.40	0.84	6.37	0.31	3.21	0.35
2023/09/16	08:10:00	5,770	3,270	20.31	-0.40	13.71	-0.09	16.35	1.93	18.40	0.84	6.38	0.32	3.21	0.35
2023/09/16	08:20:00	5,780	3,280	20.31	-0.39	13.71	-0.09	16.36	1.94	18.40	0.84	6.38	0.32	3.21	0.35
2023/09/16	08:30:00	5,790	3,290	20.30	-0.40	13.71	-0.								

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/16	15:40:00	6,220	3,720	20.26	-0.44	13.65	-0.15	16.32	1.90	18.33	0.77	6.40	0.34	3.23	0.37
2023/09/16	15:50:00	6,230	3,730	20.26	-0.44	13.65	-0.15	16.32	1.90	18.33	0.77	6.40	0.34	3.23	0.37
2023/09/16	16:00:00	6,240	3,740	20.26	-0.44	13.65	-0.15	16.31	1.89	18.33	0.77	6.40	0.34	3.23	0.37
2023/09/16	16:10:00	6,250	3,750	20.26	-0.44	13.65	-0.15	16.31	1.89	18.33	0.77	6.40	0.34	3.24	0.38
2023/09/16	16:20:00	6,260	3,760	20.25	-0.45	13.66	-0.14	16.32	1.90	18.33	0.77	6.41	0.35	3.24	0.38
2023/09/16	16:30:00	6,270	3,770	20.25	-0.45	13.66	-0.14	16.32	1.90	18.33	0.77	6.41	0.35	3.24	0.38
2023/09/16	16:40:00	6,280	3,780	20.25	-0.45	13.66	-0.14	16.32	1.90	18.33	0.77	6.41	0.35	3.25	0.39
2023/09/16	16:50:00	6,290	3,790	20.25	-0.45	13.65	-0.15	16.33	1.91	18.33	0.77	6.41	0.35	3.25	0.39
2023/09/16	17:00:00	6,300	3,800	20.25	-0.45	13.66	-0.14	16.33	1.91	18.33	0.77	6.42	0.36	3.25	0.39
2023/09/16	17:10:00	6,310	3,810	20.25	-0.45	13.66	-0.14	16.33	1.91	18.33	0.77	6.42	0.36	3.25	0.39
2023/09/16	17:20:00	6,320	3,820	20.25	-0.45	13.66	-0.14	16.33	1.91	18.33	0.77	6.41	0.35	3.26	0.40
2023/09/16	17:30:00	6,330	3,830	20.24	-0.46	13.66	-0.14	16.33	1.91	18.34	0.78	6.42	0.36	3.26	0.40
2023/09/16	17:40:00	6,340	3,840	20.24	-0.46	13.65	-0.15	16.33	1.91	18.33	0.77	6.42	0.36	3.26	0.40
2023/09/16	17:50:00	6,350	3,850	20.24	-0.46	13.66	-0.14	16.33	1.91	18.34	0.78	6.42	0.36	3.27	0.41
2023/09/16	18:00:00	6,360	3,860	20.24	-0.46	13.66	-0.14	16.33	1.91	18.34	0.78	6.42	0.36	3.27	0.41
2023/09/16	18:10:00	6,370	3,870	20.24	-0.46	13.65	-0.15	16.34	1.92	18.35	0.79	6.42	0.36	3.28	0.42
2023/09/16	18:20:00	6,380	3,880	20.24	-0.46	13.66	-0.14	16.34	1.92	18.34	0.78	6.43	0.37	3.28	0.42
2023/09/16	18:30:00	6,390	3,890	20.23	-0.47	13.66	-0.14	16.34	1.92	18.34	0.78	6.43	0.37	3.27	0.41
2023/09/16	18:40:00	6,400	3,900	20.23	-0.47	13.66	-0.14	16.34	1.92	18.34	0.78	6.43	0.37	3.28	0.42
2023/09/16	18:50:00	6,410	3,910	20.23	-0.47	13.66	-0.14	16.34	1.92	18.34	0.78	6.44	0.38	3.28	0.42
2023/09/16	19:00:00	6,420	3,920	20.23	-0.47	13.66	-0.14	16.34	1.92	18.34	0.78	6.43	0.37	3.28	0.42
2023/09/16	19:10:00	6,430	3,930	20.23	-0.47	13.66	-0.14	16.34	1.92	18.34	0.78	6.43	0.37	3.28	0.42
2023/09/16	19:20:00	6,440	3,940	20.23	-0.47	13.66	-0.14	16.34	1.92	18.34	0.78	6.44	0.38	3.29	0.43
2023/09/16	19:30:00	6,450	3,950	20.23	-0.47	13.67	-0.14	16.35	1.93	18.35	0.79	6.44	0.38	3.29	0.43
2023/09/16	19:40:00	6,460	3,960	20.23	-0.47	13.66	-0.14	16.35	1.93	18.36	0.80	6.45	0.39	3.30	0.44
2023/09/16	19:50:00	6,470	3,970	20.23	-0.47	13.67	-0.13	16.36	1.94	18.36	0.80	6.45	0.39	3.30	0.44
2023/09/16	20:00:00	6,480	3,980	20.22	-0.48	13.67	-0.13	16.36	1.94	18.36	0.80	6.45	0.39	3.31	0.45
2023/09/16	20:10:00	6,490	3,990	20.23	-0.47	13.67	-0.13	16.37	1.95	18.37	0.81	6.45	0.39	3.31	0.45
2023/09/16	20:20:00	6,500	4,000	20.22	-0.48	13.68	-0.12	16.37	1.95	18.37	0.81	6.46	0.40	3.32	0.46
2023/09/16	20:30:00	6,510	4,010	20.23	-0.47	13.68	-0.12	16.37	1.95	18.38	0.82	6.46	0.40	3.32	0.46
2023/09/16	20:40:00	6,520	4,020	20.22	-0.48	13.69	-0.11	16.38	1.96	18.38	0.82	6.47	0.41	3.33	0.47
2023/09/16	20:50:00	6,530	4,030	20.23	-0.47	13.69	-0.11	16.38	1.96	18.39	0.83	6.47	0.41	3.33	0.47
2023/09/16	21:00:00	6,540	4,040	20.22	-0.48	13.70	-0.10	16.39	1.97	18.38	0.82	6.48	0.42	3.33	0.47
2023/09/16	21:10:00	6,550	4,050	20.22	-0.48	13.70	-0.10	16.39	1.97	18.39	0.83	6.48	0.42	3.34	0.48
2023/09/16	21:20:00	6,560	4,060	20.22	-0.48	13.70	-0.10	16.39	1.97	18.40	0.84	6.48	0.42	3.34	0.48
2023/09/16	21:30:00	6,570	4,070	20.22	-0.48	13.71	-0.09	16.40	1.98	18.39	0.83	6.48	0.42	3.34	0.48
2023/09/16	21:40:00	6,580	4,080	20.21	-0.49	13.71	-0.09	16.40	1.98	18.39	0.83	6.49	0.43	3.35	0.49
2023/09/16	21:50:00	6,590	4,090	20.21	-0.49	13.71	-0.09	16.40	1.98	18.40	0.84	6.50	0.44	3.35	0.49
2023/09/16	22:00:00	6,600	4,100	20.21	-0.49	13.72	-0.08	16.40	1.98	18.40	0.84	6.50	0.44	3.35	0.49
2023/09/16	22:10:00	6,610	4,110	20.22	-0.48	13.72	-0.08	16.40	1.98	18.41	0.85	6.50	0.44	3.35	0.49
2023/09/16	22:20:00	6,620	4,120	20.21	-0.49	13.72	-0.08	16.41	1.99	18.41	0.85	6.50	0.44	3.35	0.49
2023/09/16	22:30:00	6,630	4,130	20.21	-0.49	13.73	-0.07	16.41	1.99	18.40	0.84	6.51	0.45	3.36	0.50
2023/09/16	22:40:00	6,640	4,140	20.21	-0.49	13.73	-0.07	16.41	1.99	18.41	0.85	6.51	0.45	3.35	0.49
2023/09/16	22:50:00	6,650	4,150	20.21	-0.49	13.73	-0.07	16.40	1.98	18.41	0.85	6.51	0.45	3.35	0.49
2023/09/16	23:00:00	6,660	4,160	20.21	-0.49	13.73	-0.07	16.40	1.98	18.40	0.84	6.52	0.46	3.35	0.49
2023/09/16	23:10:00	6,670	4,170	20.21	-0.49	13.73	-0.07	16.40	1.98	18.40	0.84	6.52	0.46	3.36	0.50
2023/09/16	23:20:00	6,680	4,180	20.21	-0.49	13.73	-0.07	16.40	1.98	18.40	0.84	6.53	0.47	3.35	0.49
2023/09/16	23:30:00	6,690	4,190	20.21	-0.49	13.73	-0.07	16.40	1.98	18.40	0.84	6.53	0.47	3.36	0.50
2023/09/16	23:40:00	6,700	4,200	20.21	-0.49	13.74	-0.06	16.40	1.98	18.40	0.84	6.52	0.46	3.35	0.49
2023/09/16	23:50:00	6,710	4,210	20.20	-0.50	13.73	-0.07	16.40	1.98	18.40	0.84	6.53	0.47	3.36	0.50
2023/09/17	00:00:00	6,720	4,220	20.21	-0.49	13.73	-0.07	16.40	1.98	18.41	0.85	6.53	0.47	3.36	0.50
2023/09/17	00:10:00	6,730	4,230	20.21	-0.49	13.73	-0.07	16.40	1.98	18.41	0.85	6.53	0.47	3.36	0.50
2023/09/17	00:20:00	6,740	4,240	20.21	-0.49	13.73	-0.07	16.40	1.98	18.41	0.85	6.53	0.47	3.36	0.50
2023/09/17	00:30:00	6,750	4,250	20.21	-0.49	13.73	-0.07	16.40	1.98	18.41	0.85	6.54	0.48	3.36	0.50
2023/09/17	00:40:00	6,760	4,260	20.20	-0.50	13.74	-0.06	16.41	1.99	18.40	0.84	6.54	0.48	3.36	0.50
2023/09/17	00:50:00	6,770	4,270	20.20	-0.50	13.74	-0.06	16.41	1.99	18.40	0.84	6.54	0.48	3.36	0.50
2023/09/17	01:00:00	6,780	4,280	20.20	-0.50	13.74	-0.06	16.41	1.99	18.40	0.84	6.54	0.48	3.36	0.50
2023/09/17	01:10:00	6,790	4,290	20.20	-0.50	13.74	-0.06	16.41	1.99	18.40	0.84	6.55	0.49	3.36	0.50
2023/09/17	01:20:00	6,800	4,300	20.21	-0.49	13.73	-0.07	16.41	1.99	18.41	0.85	6.55	0.49	3.37	0.51
2023/09/17	01:30:00	6,810	4,310	20.20	-0.50	13.74	-0.06	16.41	1.99	18.40	0.84	6.55	0.49	3.37	0.51
2023/09/17	01:40:00	6,820	4,320	20.20	-0.50	13.74	-0.06	16.41	1.99	18.40	0.84	6.54	0.48	3.36	0.50
2023/09/17	01:50:00	6,830	4,330	20.20	-0.50	13.74	-0.0								

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/17	09:00:00	7,260	4,760	20.17	-0.53	13.76	-0.04	16.45	2.03	18.43	0.87	6.62	0.56	3.42	0.56
2023/09/17	09:10:00	7,270	4,770	20.17	-0.53	13.76	-0.04	16.46	2.04	18.45	0.89	6.62	0.56	3.44	0.58
2023/09/17	09:20:00	7,280	4,780	20.16	-0.54	13.77	-0.03	16.47	2.05	18.45	0.89	6.62	0.56	3.43	0.57
2023/09/17	09:30:00	7,290	4,790	20.17	-0.53	13.77	-0.03	16.46	2.04	18.45	0.89	6.63	0.57	3.42	0.56
2023/09/17	09:40:00	7,300	4,800	20.17	-0.54	13.77	-0.03	16.47	2.05	18.44	0.88	6.63	0.57	3.42	0.56
2023/09/17	09:50:00	7,310	4,810	20.16	-0.54	13.78	-0.02	16.46	2.04	18.44	0.88	6.63	0.57	3.41	0.55
2023/09/17	10:00:00	7,320	4,820	20.17	-0.53	13.78	-0.02	16.46	2.04	18.44	0.88	6.64	0.58	3.41	0.55
2023/09/17	10:10:00	7,330	4,830	20.16	-0.54	13.78	-0.02	16.46	2.04	18.44	0.88	6.63	0.57	3.41	0.55
2023/09/17	10:20:00	7,340	4,840	20.16	-0.54	13.77	-0.03	16.46	2.04	18.44	0.88	6.64	0.58	3.40	0.54
2023/09/17	10:30:00	7,350	4,850	20.17	-0.53	13.77	-0.03	16.45	2.03	18.44	0.88	6.64	0.58	3.41	0.55
2023/09/17	10:40:00	7,360	4,860	20.16	-0.54	13.77	-0.03	16.45	2.03	18.44	0.88	6.64	0.58	3.41	0.55
2023/09/17	10:50:00	7,370	4,870	20.17	-0.54	13.77	-0.03	16.45	2.03	18.43	0.87	6.64	0.58	3.41	0.55
2023/09/17	11:00:00	7,380	4,880	20.16	-0.54	13.77	-0.03	16.45	2.03	18.43	0.87	6.64	0.58	3.41	0.55
2023/09/17	11:10:00	7,390	4,890	20.17	-0.54	13.77	-0.03	16.45	2.03	18.43	0.87	6.64	0.58	3.41	0.55
2023/09/17	11:20:00	7,400	4,900	20.16	-0.54	13.77	-0.03	16.45	2.03	18.43	0.87	6.64	0.58	3.40	0.54
2023/09/17	11:30:00	7,410	4,910	20.16	-0.54	13.76	-0.04	16.45	2.03	18.43	0.87	6.64	0.58	3.40	0.54
2023/09/17	11:40:00	7,420	4,920	20.16	-0.54	13.77	-0.03	16.45	2.03	18.43	0.87	6.64	0.58	3.40	0.54
2023/09/17	11:50:00	7,430	4,930	20.16	-0.54	13.77	-0.03	16.45	2.03	18.44	0.88	6.65	0.59	3.42	0.56
2023/09/17	12:00:00	7,440	4,940	20.16	-0.54	13.77	-0.03	16.45	2.03	18.44	0.88	6.65	0.59	3.42	0.56
2023/09/17	12:10:00	7,450	4,950	20.16	-0.54	13.77	-0.03	16.45	2.03	18.43	0.87	6.64	0.58	3.42	0.56
2023/09/17	12:20:00	7,460	4,960	20.16	-0.54	13.76	-0.04	16.44	2.02	18.43	0.87	6.65	0.59	3.41	0.55
2023/09/17	12:30:00	7,470	4,970	20.16	-0.54	13.77	-0.04	16.45	2.03	18.43	0.87	6.65	0.59	3.41	0.55
2023/09/17	12:40:00	7,480	4,980	20.16	-0.54	13.76	-0.04	16.45	2.03	18.43	0.87	6.65	0.59	3.41	0.55
2023/09/17	12:50:00	7,490	4,990	20.16	-0.54	13.76	-0.04	16.44	2.02	18.43	0.87	6.65	0.59	3.41	0.55
2023/09/17	13:00:00	7,500	5,000	20.16	-0.54	13.76	-0.04	16.45	2.03	18.43	0.87	6.65	0.59	3.42	0.56
2023/09/17	13:10:00	7,510	5,010	20.15	-0.55	13.77	-0.03	16.45	2.03	18.42	0.86	6.65	0.59	3.41	0.55
2023/09/17	13:20:00	7,520	5,020	20.16	-0.54	13.76	-0.04	16.44	2.02	18.41	0.85	6.65	0.59	3.41	0.55
2023/09/17	13:30:00	7,530	5,030	20.16	-0.54	13.76	-0.04	16.44	2.02	18.41	0.85	6.65	0.59	3.41	0.55
2023/09/17	13:40:00	7,540	5,040	20.16	-0.54	13.76	-0.04	16.44	2.02	18.42	0.86	6.65	0.59	3.41	0.55
2023/09/17	13:50:00	7,550	5,050	20.16	-0.54	13.75	-0.05	16.45	2.03	18.42	0.86	6.65	0.59	3.42	0.56
2023/09/17	14:00:00	7,560	5,060	20.16	-0.54	13.76	-0.04	16.44	2.02	18.41	0.85	6.66	0.60	3.42	0.56
2023/09/17	14:10:00	7,570	5,070	20.16	-0.54	13.75	-0.05	16.44	2.02	18.42	0.86	6.65	0.59	3.42	0.56
2023/09/17	14:20:00	7,580	5,080	20.16	-0.54	13.75	-0.05	16.45	2.03	18.43	0.87	6.66	0.60	3.43	0.57
2023/09/17	14:30:00	7,590	5,090	20.15	-0.55	13.76	-0.04	16.44	2.02	18.42	0.86	6.65	0.59	3.41	0.55
2023/09/17	14:40:00	7,600	5,100	20.15	-0.55	13.76	-0.04	16.43	2.01	18.41	0.85	6.65	0.59	3.42	0.56
2023/09/17	14:50:00	7,610	5,110	20.15	-0.55	13.75	-0.05	16.43	2.01	18.41	0.85	6.66	0.60	3.42	0.56
2023/09/17	15:00:00	7,620	5,120	20.15	-0.55	13.75	-0.05	16.43	2.01	18.41	0.85	6.66	0.60	3.41	0.55
2023/09/17	15:10:00	7,630	5,130	20.16	-0.54	13.74	-0.06	16.43	2.01	18.41	0.85	6.66	0.60	3.41	0.55
2023/09/17	15:20:00	7,640	5,140	20.16	-0.54	13.74	-0.06	16.42	2.00	18.39	0.83	6.66	0.60	3.41	0.55
2023/09/17	15:30:00	7,650	5,150	20.16	-0.54	13.74	-0.06	16.42	2.00	18.39	0.83	6.65	0.59	3.41	0.55
2023/09/17	15:40:00	7,660	5,160	20.15	-0.55	13.73	-0.07	16.42	2.00	18.40	0.84	6.65	0.59	3.41	0.55
2023/09/17	15:50:00	7,670	5,170	20.15	-0.55	13.73	-0.07	16.43	2.01	18.40	0.84	6.65	0.59	3.41	0.55
2023/09/17	16:00:00	7,680	5,180	20.15	-0.55	13.73	-0.07	16.42	2.00	18.40	0.84	6.65	0.59	3.41	0.55
2023/09/17	16:10:00	7,690	5,190	20.15	-0.55	13.73	-0.07	16.43	2.01	18.40	0.84	6.65	0.59	3.42	0.56
2023/09/17	16:20:00	7,700	5,200	20.15	-0.55	13.73	-0.07	16.43	2.01	18.40	0.84	6.65	0.59	3.42	0.56
2023/09/17	16:30:00	7,710	5,210	20.15	-0.55	13.73	-0.07	16.42	2.00	18.40	0.84	6.65	0.59	3.42	0.56
2023/09/17	16:40:00	7,720	5,220	20.15	-0.55	13.73	-0.07	16.42	2.00	18.40	0.84	6.66	0.60	3.42	0.56
2023/09/17	16:50:00	7,730	5,230	20.14	-0.56	13.73	-0.07	16.43	2.01	18.39	0.83	6.65	0.59	3.41	0.55
2023/09/17	17:00:00	7,740	5,240	20.14	-0.56	13.73	-0.07	16.43	2.01	18.39	0.83	6.65	0.59	3.42	0.56
2023/09/17	17:10:00	7,750	5,250	20.15	-0.55	13.72	-0.08	16.42	2.00	18.40	0.84	6.66	0.60	3.42	0.56
2023/09/17	17:20:00	7,760	5,260	20.15	-0.55	13.72	-0.08	16.42	2.00	18.39	0.83	6.66	0.60	3.42	0.56
2023/09/17	17:30:00	7,770	5,270	20.14	-0.56	13.72	-0.08	16.43	2.01	18.39	0.83	6.65	0.59	3.42	0.56
2023/09/17	17:40:00	7,780	5,280	20.15	-0.55	13.72	-0.08	16.43	2.01	18.40	0.84	6.66	0.60	3.43	0.57
2023/09/17	17:50:00	7,790	5,290	20.15	-0.55	13.72	-0.08	16.43	2.01	18.40	0.84	6.66	0.60	3.44	0.58
2023/09/17	18:00:00	7,800	5,300	20.14	-0.56	13.72	-0.08	16.43	2.01	18.39	0.83	6.65	0.59	3.43	0.57
2023/09/17	18:10:00	7,810	5,310	20.14	-0.56	13.72	-0.08	16.43	2.01	18.39	0.83	6.66	0.60	3.43	0.57
2023/09/17	18:20:00	7,820	5,320	20.14	-0.56	13.72	-0.08	16.42	2.00	18.40	0.84	6.66	0.60	3.43	0.57
2023/09/17	18:30:00	7,830	5,330	20.14	-0.56	13.72	-0.09	16.43	2.01	18.40	0.84	6.66	0.60	3.43	0.57
2023/09/17	18:40:00	7,840	5,340	20.14	-0.56	13.72	-0.08	16.43	2.01	18.40	0.84	6.66	0.60	3.44	0.58
2023/09/17	18:50:00	7,850	5,350	20.14	-0.56	13.72	-0.08	16.43	2.01	18.40	0.84	6.67	0.61	3.45	0.59
2023/09/17	19:00:00	7,860	5,360	20.14	-0.56	13.72	-0.08	16.43	2.01	18.40	0.84	6.67	0.61	3.45	0.59
2023/09/17	19:10:00	7,870	5,370	20.14	-0.56	13.72	-0.08								

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/18	02:20:00	8,300	5,800	20.12	-0.58	13.70	-0.10	16.42	2.00	18.38	0.82	6.70	0.64	3.42	0.56
2023/09/18	02:30:00	8,310	5,810	20.12	-0.58	13.70	-0.10	16.43	2.01	18.37	0.81	6.70	0.64	3.42	0.56
2023/09/18	02:40:00	8,320	5,820	20.12	-0.58	13.70	-0.10	16.42	2.00	18.36	0.80	6.69	0.63	3.41	0.55
2023/09/18	02:50:00	8,330	5,830	20.12	-0.58	13.70	-0.11	16.42	2.00	18.36	0.80	6.69	0.63	3.41	0.55
2023/09/18	03:00:00	8,340	5,840	20.12	-0.58	13.69	-0.11	16.41	1.99	18.36	0.80	6.70	0.64	3.41	0.55
2023/09/18	03:10:00	8,350	5,850	20.11	-0.59	13.69	-0.11	16.41	1.99	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	03:20:00	8,360	5,860	20.12	-0.58	13.69	-0.12	16.41	1.99	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	03:30:00	8,370	5,870	20.12	-0.58	13.68	-0.12	16.40	1.98	18.36	0.80	6.70	0.64	3.40	0.54
2023/09/18	03:40:00	8,380	5,880	20.11	-0.59	13.68	-0.12	16.40	1.98	18.35	0.79	6.69	0.63	3.39	0.53
2023/09/18	03:50:00	8,390	5,890	20.11	-0.59	13.68	-0.12	16.41	1.99	18.34	0.78	6.69	0.63	3.39	0.53
2023/09/18	04:00:00	8,400	5,900	20.11	-0.59	13.68	-0.12	16.41	1.99	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	04:10:00	8,410	5,910	20.11	-0.59	13.67	-0.13	16.41	1.99	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	04:20:00	8,420	5,920	20.11	-0.59	13.67	-0.13	16.41	1.99	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	04:30:00	8,430	5,930	20.12	-0.58	13.67	-0.13	16.40	1.98	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	04:40:00	8,440	5,940	20.12	-0.58	13.67	-0.13	16.40	1.98	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	04:50:00	8,450	5,950	20.11	-0.59	13.67	-0.13	16.40	1.98	18.34	0.78	6.68	0.62	3.39	0.53
2023/09/18	05:00:00	8,460	5,960	20.11	-0.59	13.66	-0.14	16.40	1.98	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	05:10:00	8,470	5,970	20.11	-0.59	13.66	-0.14	16.40	1.98	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	05:20:00	8,480	5,980	20.11	-0.59	13.66	-0.14	16.40	1.98	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	05:30:00	8,490	5,990	20.11	-0.59	13.67	-0.14	16.40	1.98	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	05:40:00	8,500	6,000	20.11	-0.59	13.66	-0.14	16.40	1.98	18.35	0.79	6.69	0.63	3.40	0.54
2023/09/18	05:50:00	8,510	6,010	20.11	-0.59	13.66	-0.14	16.41	1.99	18.34	0.78	6.68	0.62	3.40	0.54
2023/09/18	06:00:00	8,520	6,020	20.11	-0.59	13.66	-0.14	16.41	1.99	18.34	0.78	6.68	0.62	3.40	0.54
2023/09/18	06:10:00	8,530	6,030	20.11	-0.59	13.66	-0.14	16.41	1.99	18.35	0.79	6.69	0.63	3.41	0.55
2023/09/18	06:20:00	8,540	6,040	20.11	-0.59	13.66	-0.14	16.41	1.99	18.34	0.78	6.68	0.62	3.40	0.54
2023/09/18	06:30:00	8,550	6,050	20.10	-0.60	13.66	-0.14	16.41	1.99	18.34	0.78	6.69	0.63	3.40	0.54
2023/09/18	06:40:00	8,560	6,060	20.11	-0.59	13.67	-0.14	16.42	2.00	18.35	0.79	6.69	0.63	3.41	0.55
2023/09/18	06:50:00	8,570	6,070	20.11	-0.59	13.66	-0.14	16.41	1.99	18.35	0.79	6.69	0.63	3.41	0.55
2023/09/18	07:00:00	8,580	6,080	20.10	-0.60	13.66	-0.14	16.42	2.00	18.35	0.79	6.69	0.63	3.41	0.55
2023/09/18	07:10:00	8,590	6,090	20.11	-0.59	13.66	-0.14	16.41	1.99	18.35	0.79	6.70	0.64	3.41	0.55
2023/09/18	07:20:00	8,600	6,100	20.11	-0.59	13.66	-0.14	16.41	1.99	18.35	0.79	6.69	0.63	3.41	0.55
2023/09/18	07:30:00	8,610	6,110	20.11	-0.59	13.66	-0.14	16.42	2.00	18.35	0.79	6.69	0.63	3.41	0.55
2023/09/18	07:40:00	8,620	6,120	20.10	-0.60	13.66	-0.14	16.42	2.00	18.36	0.80	6.70	0.64	3.42	0.56
2023/09/18	07:50:00	8,630	6,130	20.11	-0.59	13.67	-0.13	16.42	2.00	18.36	0.80	6.70	0.64	3.42	0.56
2023/09/18	08:00:00	8,640	6,140	20.10	-0.60	13.67	-0.13	16.42	2.00	18.35	0.79	6.70	0.64	3.42	0.56
2023/09/18	08:10:00	8,650	6,150	20.10	-0.60	13.66	-0.14	16.41	1.99	18.35	0.79	6.70	0.64	3.42	0.56
2023/09/18	08:20:00	8,660	6,160	20.10	-0.60	13.66	-0.14	16.41	1.99	18.35	0.79	6.70	0.64	3.42	0.56
2023/09/18	08:30:00	8,670	6,170	20.10	-0.60	13.67	-0.13	16.41	1.99	18.35	0.79	6.70	0.64	3.42	0.56
2023/09/18	08:40:00	8,680	6,180	20.10	-0.60	13.67	-0.13	16.42	2.00	18.35	0.79	6.70	0.64	3.41	0.55
2023/09/18	08:50:00	8,690	6,190	20.10	-0.60	13.66	-0.14	16.41	1.99	18.35	0.79	6.69	0.63	3.42	0.56
2023/09/18	09:00:00	8,700	6,200	20.10	-0.60	13.66	-0.14	16.41	1.99	18.35	0.79	6.69	0.63	3.42	0.56
2023/09/18	09:10:00	8,710	6,210	20.10	-0.61	13.67	-0.13	16.41	1.99	18.34	0.78	6.70	0.64	3.41	0.55
2023/09/18	09:20:00	8,720	6,220	20.10	-0.60	13.67	-0.13	16.41	1.99	18.35	0.79	6.70	0.64	3.42	0.56
2023/09/18	09:30:00	8,730	6,230	20.10	-0.60	13.67	-0.13	16.41	1.99	18.35	0.79	6.70	0.64	3.42	0.56
2023/09/18	09:40:00	8,740	6,240	20.10	-0.60	13.67	-0.14	16.54	2.12	18.35	0.79	6.69	0.63	3.42	0.56
2023/09/18	09:50:00	8,750	6,250	20.09	-0.61	13.67	-0.13	16.54	2.12	18.28	0.72	6.70	0.64	3.42	0.56
2023/09/18	10:00:00	8,760	6,260	20.09	-0.61	13.67	-0.13	16.54	2.12	18.28	0.72	6.69	0.63	3.42	0.56
2023/09/18	10:10:00	8,770	6,270	20.10	-0.60	13.67	-0.13	16.55	2.13	18.29	0.73	6.70	0.64	3.43	0.57
2023/09/18	10:20:00	8,780	6,280	20.09	-0.61	13.67	-0.13	16.55	2.13	18.29	0.73	6.70	0.64	3.42	0.56
2023/09/18	10:30:00	8,790	6,290	20.08	-0.62	13.67	-0.13	16.55	2.13	18.28	0.72	6.70	0.64	3.43	0.57
2023/09/18	10:40:00	8,800	6,300	20.08	-0.62	13.67	-0.13	16.54	2.12	18.29	0.73	6.70	0.64	3.42	0.56
2023/09/18	10:50:00	8,810	6,310	20.07	-0.63	13.66	-0.14	16.54	2.12	18.28	0.72	6.70	0.64	3.42	0.56
2023/09/18	10:52:00	8,812	6,312	20.08	-0.62	13.67	-0.13	16.55	2.13	18.28	0.72	6.70	0.64	3.42	0.56
2023/09/18	10:54:00	8,814	6,314	20.08	-0.62	13.67	-0.13	16.54	2.12	18.28	0.72	6.70	0.64	3.41	0.55
2023/09/18	10:56:00	8,816	6,316	20.07	-0.63	13.67	-0.13	16.54	2.12	18.28	0.72	6.70	0.64	3.41	0.55
2023/09/18	10:58:00	8,818	6,318	20.07	-0.63	13.67	-0.14	16.54	2.12	18.28	0.72	6.70	0.64	3.41	0.55
2023/09/18	11:00:00	8,820	6,320	20.07	-0.63	13.66	-0.14	16.54	2.12	18.28	0.72	6.70	0.64	3.41	0.55
2023/09/18	11:02:00	8,822	6,322	20.07	-0.63	13.66	-0.14	16.54	2.12	18.28	0.72	6.70	0.64	3.41	0.55
2023/09/18	11:04:00	8,824	6,324	20.07	-0.63	13.66	-0.14	16.54	2.12	18.28	0.72	6.70	0.64	3.41	0.55
2023/09/18	11:06:00	8,826	6,326	20.07	-0.63	13.67	-0.13	16.53	2.11	18.28	0.72	6.71	0.65	3.41	0.55
2023/09/18	11:08:00	8,828	6,328	20.08	-0.62	13.67	-0.13	16.53	2.11	18.28	0.72	6.71	0.65	3.41	0.55
2023/09/18	11:10:00	8,830	6,330	20.08	-0.62	13.67	-0.13	16.5							

Transducer Data Collected During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/18	12:36:00	8,916	6,416	20.07	-0.63	13.64	-0.16	15.42	1.00	17.73	0.17	6.70	0.64	3.41	0.55
2023/09/18	12:38:00	8,918	6,418	20.07	-0.63	13.64	-0.16	15.40	0.98	17.73	0.17	6.70	0.64	3.41	0.55
2023/09/18	12:40:00	8,920	6,420	20.07	-0.63	13.64	-0.16	15.39	0.97	17.72	0.16	6.71	0.65	3.41	0.55
2023/09/18	12:42:00	8,922	6,422	20.08	-0.63	13.65	-0.15	15.39	0.97	17.72	0.16	6.71	0.65	3.41	0.55
2023/09/18	12:44:00	8,924	6,424	20.07	-0.63	13.65	-0.15	15.38	0.96	17.72	0.16	6.71	0.65	3.41	0.55
2023/09/18	12:46:00	8,926	6,426	20.07	-0.63	13.65	-0.15	15.37	0.95	17.72	0.16	6.70	0.64	3.42	0.56
2023/09/18	12:48:00	8,928	6,428	20.07	-0.63	13.64	-0.16	15.36	0.94	17.71	0.15	6.70	0.64	3.42	0.56
2023/09/18	12:50:00	8,930	6,430	20.07	-0.63	13.64	-0.16	15.34	0.92	17.71	0.15	6.70	0.64	3.42	0.56
2023/09/18	12:52:00	8,932	6,432	20.07	-0.63	13.65	-0.15	15.33	0.91	17.70	0.14	6.71	0.65	3.42	0.56
2023/09/18	12:54:00	8,934	6,434	20.07	-0.63	13.65	-0.16	15.32	0.90	17.69	0.13	6.70	0.64	3.42	0.56
2023/09/18	12:56:00	8,936	6,436	20.07	-0.63	13.64	-0.16	15.32	0.90	17.68	0.12	6.71	0.65	3.42	0.56
2023/09/18	12:58:00	8,938	6,438	20.07	-0.63	13.64	-0.16	15.30	0.88	17.68	0.12	6.71	0.65	3.41	0.55
2023/09/18	13:00:00	8,940	6,440	20.07	-0.63	13.64	-0.16	15.28	0.86	17.67	0.11	6.71	0.65	3.41	0.55
2023/09/18	13:02:00	8,942	6,442	20.07	-0.63	13.64	-0.16	15.28	0.86	17.66	0.10	6.71	0.65	3.41	0.55
2023/09/18	13:04:00	8,944	6,444	20.07	-0.63	13.64	-0.16	15.28	0.86	17.66	0.10	6.71	0.65	3.41	0.55
2023/09/18	13:06:00	8,946	6,446	20.07	-0.63	13.64	-0.17	15.26	0.84	17.66	0.10	6.70	0.64	3.41	0.55
2023/09/18	13:08:00	8,948	6,448	20.07	-0.63	13.63	-0.17	15.25	0.83	17.66	0.10	6.70	0.64	3.41	0.55
2023/09/18	13:10:00	8,950	6,450	20.06	-0.64	13.64	-0.16	15.24	0.82	17.65	0.09	6.70	0.64	3.41	0.55
2023/09/18	13:12:00	8,952	6,452	20.07	-0.63	13.63	-0.17	15.24	0.82	17.64	0.08	6.71	0.65	3.42	0.56
2023/09/18	13:14:00	8,954	6,454	20.07	-0.63	13.63	-0.17	15.23	0.81	17.64	0.08	6.71	0.65	3.42	0.56
2023/09/18	13:16:00	8,956	6,456	20.07	-0.63	13.63	-0.17	15.22	0.80	17.63	0.07	6.71	0.65	3.41	0.55
2023/09/18	13:18:00	8,958	6,458	20.07	-0.63	13.64	-0.16	15.21	0.79	17.63	0.07	6.71	0.65	3.41	0.55
2023/09/18	13:20:00	8,960	6,460	20.07	-0.63	13.63	-0.17	15.21	0.79	17.62	0.06	6.71	0.65	3.41	0.55
2023/09/18	13:22:00	8,962	6,462	20.07	-0.63	13.63	-0.17	15.20	0.78	17.62	0.06	6.71	0.65	3.41	0.55
2023/09/18	13:24:00	8,964	6,464	20.07	-0.63	13.63	-0.17	15.19	0.77	17.61	0.05	6.71	0.65	3.41	0.55
2023/09/18	13:26:00	8,966	6,466	20.07	-0.63	13.63	-0.18	15.17	0.75	17.61	0.05	6.70	0.64	3.41	0.55
2023/09/18	13:28:00	8,968	6,468	20.07	-0.63	13.63	-0.17	15.17	0.75	17.61	0.05	6.71	0.65	3.41	0.55
2023/09/18	13:30:00	8,970	6,470	20.07	-0.63	13.63	-0.17	15.16	0.74	17.60	0.04	6.71	0.65	3.41	0.55
2023/09/18	13:32:00	8,972	6,472	20.07	-0.63	13.63	-0.17	15.15	0.73	17.59	0.03	6.71	0.65	3.40	0.54
2023/09/18	13:34:00	8,974	6,474	20.07	-0.63	13.62	-0.18	15.14	0.72	17.59	0.03	6.71	0.65	3.40	0.54
2023/09/18	13:36:00	8,976	6,476	20.06	-0.64	13.63	-0.17	15.13	0.71	17.59	0.03	6.71	0.65	3.40	0.54
2023/09/18	13:38:00	8,978	6,478	20.07	-0.63	13.63	-0.17	15.12	0.70	17.58	0.02	6.70	0.64	3.40	0.54
2023/09/18	13:40:00	8,980	6,480	20.06	-0.64	13.62	-0.18	15.12	0.70	17.58	0.02	6.71	0.65	3.40	0.54
2023/09/18	13:42:00	8,982	6,482	20.07	-0.63	13.62	-0.18	15.12	0.70	17.58	0.02	6.71	0.65	3.41	0.55
2023/09/18	13:44:00	8,984	6,484	20.06	-0.64	13.61	-0.19	15.11	0.69	17.58	0.02	6.70	0.64	3.41	0.55
2023/09/18	13:46:00	8,986	6,486	20.07	-0.63	13.61	-0.19	15.10	0.68	17.57	0.01	6.70	0.64	3.41	0.55
2023/09/18	13:48:00	8,988	6,488	20.07	-0.63	13.61	-0.19	15.10	0.68	17.57	0.01	6.71	0.65	3.41	0.55
2023/09/18	13:50:00	8,990	6,490	20.07	-0.63	13.62	-0.18	15.09	0.67	17.57	0.01	6.71	0.65	3.41	0.55
2023/09/18	13:52:00	8,992	6,492	20.06	-0.64	13.62	-0.18	15.09	0.67	17.56	0.00	6.71	0.65	3.40	0.54
2023/09/18	13:54:00	8,994	6,494	20.06	-0.64	13.62	-0.19	15.07	0.65	17.56	0.00	6.70	0.64	3.40	0.54
2023/09/18	13:56:00	8,996	6,496	20.07	-0.63	13.61	-0.19	15.06	0.64	17.55	-0.01	6.70	0.64	3.40	0.54
2023/09/18	13:58:00	8,998	6,498	20.07	-0.63	13.61	-0.19	15.06	0.64	17.55	-0.01	6.70	0.64	3.40	0.54
2023/09/18	14:00:00	9,000	6,500	20.07	-0.63	13.61	-0.19	15.05	0.63	17.55	-0.01	6.71	0.65	3.40	0.54
2023/09/18	14:10:00	9,010	6,510	20.07	-0.63	13.60	-0.20	15.02	0.60	17.53	-0.03	6.71	0.65	3.41	0.55
2023/09/18	14:20:00	9,020	6,520	20.06	-0.64	13.61	-0.20	14.98	0.56	17.51	-0.05	6.70	0.64	3.40	0.54
2023/09/18	14:30:00	9,030	6,530	20.06	-0.64	13.60	-0.20	14.97	0.55	17.49	-0.07	6.70	0.64	3.40	0.54
2023/09/18	14:40:00	9,040	6,540	20.06	-0.64	13.59	-0.21	14.94	0.52	17.48	-0.08	6.70	0.64	3.40	0.54
2023/09/18	14:50:00	9,050	6,550	20.07	-0.63	13.58	-0.22	14.91	0.49	17.47	-0.09	6.70	0.64	3.40	0.54
2023/09/18	15:00:00	9,060	6,560	20.07	-0.63	13.58	-0.22	14.89	0.47	17.46	-0.10	6.71	0.65	3.40	0.54
2023/09/18	15:10:00	9,070	6,570	20.06	-0.64	13.58	-0.22	14.87	0.45	17.44	-0.12	6.70	0.64	3.40	0.54
2023/09/18	15:20:00	9,080	6,580	20.06	-0.64	13.56	-0.24	14.85	0.43	17.43	-0.13	6.70	0.64	3.40	0.54
2023/09/18	15:30:00	9,090	6,590	20.06	-0.64	13.56	-0.24	14.82	0.40	17.41	-0.15	6.70	0.64	3.39	0.53
2023/09/18	15:40:00	9,100	6,600	20.06	-0.64	13.55	-0.25	14.80	0.38	17.40	-0.16	6.70	0.64	3.39	0.53
2023/09/18	15:50:00	9,110	6,610	20.06	-0.64	13.54	-0.26	14.79	0.37	17.39	-0.17	6.70	0.64	3.39	0.53
2023/09/18	16:00:00	9,120	6,620	20.06	-0.64	13.54	-0.26	14.76	0.34	17.38	-0.18	6.69	0.63	3.39	0.53
2023/09/18	16:10:00	9,130	6,630	20.06	-0.64	13.53	-0.27	14.74	0.32	17.37	-0.19	6.69	0.63	3.40	0.54
2023/09/18	16:20:00	9,140	6,640	20.05	-0.65	13.53	-0.27	14.73	0.31	17.37	-0.20	6.70	0.64	3.39	0.53
2023/09/18	16:30:00	9,150	6,650	20.06	-0.65	13.53	-0.27	14.71	0.29	17.36	-0.20	6.69	0.63	3.39	0.53
2023/09/18	16:40:00	9,160	6,660	20.06	-0.64	13.52	-0.28	14.70	0.28	17.34	-0.22	6.69	0.63	3.39	0.53
2023/09/18	16:50:00	9,170	6,670	20.06	-0.64	13.52	-0.29	14.69	0.27	17.33	-0.23	6.69	0.63	3.39	0.53
2023/09/18	17:00:00	9,180	6,680	20.06	-0.64	13.51	-0.29	14.68	0.26	17.33	-0.23	6.69	0.63	3.39	0.53
2023/09/18	17:10:00	9,190	6,690	20.06	-0.64	13.50	-0.30	14.6							

Transducer Data Collected During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/19	00:20:00	9,620	7,120	20.03	-0.67	13.41	-0.39	14.40	-0.02	17.14	-0.42	6.72	0.66	3.44	0.58
2023/09/19	00:30:00	9,630	7,130	20.03	-0.67	13.41	-0.39	14.39	-0.03	17.14	-0.42	6.72	0.66	3.44	0.58
2023/09/19	00:40:00	9,640	7,140	20.03	-0.67	13.40	-0.40	14.39	-0.03	17.13	-0.43	6.72	0.66	3.43	0.57
2023/09/19	00:50:00	9,650	7,150	20.03	-0.67	13.40	-0.40	14.39	-0.03	17.13	-0.43	6.72	0.66	3.44	0.58
2023/09/19	01:00:00	9,660	7,160	20.04	-0.66	13.40	-0.40	14.38	-0.04	17.13	-0.43	6.73	0.67	3.43	0.57
2023/09/19	01:10:00	9,670	7,170	20.03	-0.67	13.40	-0.40	14.37	-0.05	17.13	-0.43	6.72	0.66	3.43	0.57
2023/09/19	01:20:00	9,680	7,180	20.03	-0.67	13.39	-0.41	14.38	-0.04	17.12	-0.44	6.73	0.67	3.43	0.57
2023/09/19	01:30:00	9,690	7,190	20.03	-0.67	13.39	-0.41	14.37	-0.05	17.12	-0.44	6.72	0.66	3.43	0.57
2023/09/19	01:40:00	9,700	7,200	20.03	-0.67	13.39	-0.41	14.36	-0.06	17.11	-0.45	6.73	0.67	3.43	0.57
2023/09/19	01:50:00	9,710	7,210	20.03	-0.67	13.39	-0.41	14.37	-0.05	17.11	-0.45	6.72	0.66	3.43	0.57
2023/09/19	02:00:00	9,720	7,220	20.03	-0.67	13.38	-0.42	14.36	-0.06	17.11	-0.45	6.72	0.66	3.43	0.57
2023/09/19	02:10:00	9,730	7,230	20.03	-0.67	13.39	-0.42	14.36	-0.06	17.11	-0.45	6.73	0.67	3.44	0.58
2023/09/19	02:20:00	9,740	7,240	20.03	-0.67	13.37	-0.43	14.36	-0.06	17.10	-0.46	6.73	0.67	3.43	0.57
2023/09/19	02:30:00	9,750	7,250	20.03	-0.67	13.38	-0.43	14.35	-0.07	17.10	-0.46	6.73	0.67	3.44	0.58
2023/09/19	02:40:00	9,760	7,260	20.03	-0.67	13.38	-0.42	14.35	-0.07	17.11	-0.45	6.73	0.67	3.44	0.58
2023/09/19	02:50:00	9,770	7,270	20.02	-0.68	13.38	-0.42	14.36	-0.06	17.10	-0.46	6.73	0.67	3.44	0.58
2023/09/19	03:00:00	9,780	7,280	20.03	-0.67	13.37	-0.43	14.35	-0.07	17.10	-0.46	6.73	0.67	3.44	0.58
2023/09/19	03:10:00	9,790	7,290	20.03	-0.68	13.37	-0.43	14.36	-0.06	17.10	-0.46	6.74	0.68	3.45	0.59
2023/09/19	03:20:00	9,800	7,300	20.03	-0.67	13.37	-0.43	14.36	-0.06	17.10	-0.46	6.74	0.68	3.45	0.59
2023/09/19	03:30:00	9,810	7,310	20.03	-0.67	13.37	-0.43	14.35	-0.07	17.10	-0.46	6.74	0.68	3.45	0.59
2023/09/19	03:40:00	9,820	7,320	20.03	-0.67	13.37	-0.43	14.35	-0.07	17.10	-0.46	6.74	0.68	3.45	0.59
2023/09/19	03:50:00	9,830	7,330	20.03	-0.67	13.37	-0.43	14.35	-0.07	17.09	-0.47	6.74	0.68	3.45	0.59
2023/09/19	04:00:00	9,840	7,340	20.02	-0.68	13.37	-0.43	14.34	-0.08	17.10	-0.47	6.74	0.68	3.46	0.60
2023/09/19	04:10:00	9,850	7,350	20.02	-0.68	13.37	-0.43	14.35	-0.07	17.10	-0.46	6.74	0.68	3.47	0.61
2023/09/19	04:20:00	9,860	7,360	20.02	-0.68	13.37	-0.43	14.35	-0.07	17.10	-0.46	6.75	0.69	3.47	0.61
2023/09/19	04:30:00	9,870	7,370	20.02	-0.68	13.38	-0.42	14.34	-0.08	17.09	-0.47	6.75	0.69	3.47	0.61
2023/09/19	04:40:00	9,880	7,380	20.02	-0.68	13.37	-0.43	14.34	-0.08	17.10	-0.47	6.75	0.69	3.47	0.61
2023/09/19	04:50:00	9,890	7,390	20.02	-0.68	13.37	-0.43	14.35	-0.07	17.09	-0.47	6.75	0.69	3.47	0.61
2023/09/19	05:00:00	9,900	7,400	20.03	-0.67	13.37	-0.43	14.34	-0.08	17.09	-0.47	6.76	0.70	3.47	0.61
2023/09/19	05:10:00	9,910	7,410	20.03	-0.68	13.37	-0.43	14.34	-0.08	17.09	-0.47	6.76	0.70	3.47	0.61
2023/09/19	05:20:00	9,920	7,420	20.02	-0.68	13.37	-0.43	14.34	-0.08	17.09	-0.47	6.76	0.70	3.48	0.62
2023/09/19	05:30:00	9,930	7,430	20.02	-0.68	13.37	-0.43	14.34	-0.08	17.09	-0.47	6.76	0.70	3.48	0.62
2023/09/19	05:40:00	9,940	7,440	20.03	-0.67	13.37	-0.43	14.34	-0.08	17.09	-0.47	6.77	0.71	3.48	0.62
2023/09/19	05:50:00	9,950	7,450	20.02	-0.68	13.37	-0.43	14.34	-0.08	17.08	-0.48	6.77	0.71	3.49	0.63
2023/09/19	06:00:00	9,960	7,460	20.02	-0.68	13.37	-0.43	14.34	-0.08	17.08	-0.48	6.77	0.71	3.49	0.63
2023/09/19	06:10:00	9,970	7,470	20.02	-0.68	13.37	-0.43	14.34	-0.08	17.09	-0.47	6.77	0.71	3.49	0.63
2023/09/19	06:20:00	9,980	7,480	20.02	-0.68	13.37	-0.43	14.33	-0.09	17.09	-0.47	6.77	0.71	3.48	0.62
2023/09/19	06:30:00	9,990	7,490	20.02	-0.68	13.37	-0.43	14.34	-0.08	17.08	-0.48	6.77	0.71	3.48	0.62
2023/09/19	06:40:00	10,000	7,500	20.02	-0.68	13.36	-0.44	14.33	-0.09	17.08	-0.48	6.78	0.72	3.48	0.62

Transducer Data Collected During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water												RW-01	RW-02
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02			
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD		
2023/09/14	01:40:00	2,500	0	15.83	0.14	12.37	0.09	15.49	0.11	17.39	0.06	15.47	0.09	17.56	0.07		
2023/09/14	01:50:00	2,510	10	15.82	0.13	12.36	0.08	15.49	0.11	17.38	0.05	15.47	0.09	17.56	0.07		
2023/09/14	02:00:00	2,520	20	15.82	0.13	12.36	0.08	15.48	0.10	17.38	0.05	15.47	0.09	17.55	0.06		
2023/09/14	02:10:00	2,530	30	15.82	0.13	12.36	0.08	15.48	0.10	17.38	0.05	15.45	0.07	17.55	0.06		
2023/09/14	02:20:00	2,540	40	15.81	0.12	12.35	0.07	15.48	0.10	17.37	0.04	15.45	0.06	17.55	0.06		
2023/09/14	02:30:00	2,550	50	15.81	0.12	12.35	0.07	15.47	0.09	17.37	0.04	15.45	0.06	17.54	0.05		
2023/09/14	02:40:00	2,560	60	15.81	0.12	12.34	0.06	15.47	0.09	17.37	0.04	15.44	0.06	17.54	0.05		
2023/09/14	02:50:00	2,570	70	15.80	0.11	12.34	0.06	15.46	0.08	17.36	0.03	15.44	0.06	17.53	0.04		
2023/09/14	03:00:00	2,580	80	15.80	0.11	12.34	0.06	15.46	0.08	17.36	0.03	15.44	0.06	17.53	0.04		
2023/09/14	03:10:00	2,590	90	15.79	0.10	12.33	0.05	15.45	0.07	17.36	0.03	15.44	0.06	17.53	0.04		
2023/09/14	03:20:00	2,600	100	15.79	0.10	12.33	0.05	15.45	0.07	17.35	0.02	15.43	0.05	17.52	0.03		
2023/09/14	03:30:00	2,610	110	15.79	0.10	12.33	0.05	15.45	0.07	17.35	0.02	15.42	0.04	17.52	0.03		
2023/09/14	03:40:00	2,620	120	15.78	0.09	12.32	0.04	15.44	0.06	17.35	0.02	15.42	0.04	17.51	0.02		
2023/09/14	03:50:00	2,630	130	15.79	0.10	12.33	0.05	15.45	0.07	17.35	0.02	15.42	0.03	17.52	0.03		
2023/09/14	04:00:00	2,640	140	15.78	0.09	12.32	0.04	15.44	0.06	17.35	0.02	15.43	0.05	17.52	0.03		
2023/09/14	04:10:00	2,650	150	15.78	0.09	12.32	0.04	15.44	0.06	17.35	0.02	15.42	0.04	17.51	0.02		
2023/09/14	04:20:00	2,660	160	15.77	0.08	12.32	0.04	15.43	0.05	17.34	0.01	15.41	0.03	17.51	0.02		
2023/09/14	04:30:00	2,670	170	15.77	0.08	12.31	0.03	15.43	0.05	17.34	0.01	15.42	0.04	17.51	0.02		
2023/09/14	04:40:00	2,680	180	15.77	0.08	12.32	0.04	15.42	0.04	17.34	0.01	15.41	0.03	17.51	0.02		
2023/09/14	04:50:00	2,690	190	15.77	0.08	12.32	0.04	15.43	0.05	17.34	0.01	15.40	0.02	17.51	0.02		
2023/09/14	05:00:00	2,700	200	15.77	0.08	12.31	0.03	15.43	0.05	17.34	0.01	15.41	0.03	17.50	0.01		
2023/09/14	05:10:00	2,710	210	15.76	0.07	12.31	0.03	15.42	0.04	17.34	0.01	15.40	0.02	17.50	0.01		
2023/09/14	05:20:00	2,720	220	15.77	0.08	12.31	0.03	15.43	0.04	17.34	0.01	15.41	0.03	17.51	0.02		
2023/09/14	05:30:00	2,730	230	15.77	0.08	12.31	0.03	15.42	0.04	17.34	0.01	15.41	0.03	17.50	0.01		
2023/09/14	05:40:00	2,740	240	15.76	0.07	12.31	0.03	15.42	0.04	17.34	0.01	15.40	0.02	17.50	0.01		
2023/09/14	05:50:00	2,750	250	15.77	0.08	12.31	0.03	15.42	0.04	17.34	0.01	15.41	0.02	17.50	0.01		
2023/09/14	06:00:00	2,760	260	15.76	0.07	12.31	0.03	15.42	0.04	17.34	0.01	15.41	0.03	17.50	0.01		
2023/09/14	06:10:00	2,770	270	15.76	0.07	12.30	0.02	15.41	0.03	17.34	0.01	15.40	0.02	17.50	0.01		
2023/09/14	06:20:00	2,780	280	15.77	0.08	12.31	0.03	15.42	0.04	17.34	0.01	15.42	0.03	17.50	0.01		
2023/09/14	06:30:00	2,790	290	15.76	0.07	12.31	0.03	15.41	0.03	17.34	0.01	15.41	0.03	17.50	0.01		
2023/09/14	06:40:00	2,800	300	15.76	0.07	12.30	0.02	15.41	0.03	17.34	0.01	15.40	0.02	17.50	0.01		
2023/09/14	06:50:00	2,810	310	15.76	0.07	12.30	0.02	15.41	0.03	17.33	0.00	15.40	0.02	17.50	0.01		
2023/09/14	07:00:00	2,820	320	15.76	0.07	12.31	0.03	15.41	0.02	17.34	0.01	15.40	0.02	17.50	0.01		
2023/09/14	07:10:00	2,830	330	15.76	0.07	12.31	0.03	15.41	0.03	17.34	0.01	15.40	0.02	17.51	0.02		
2023/09/14	07:20:00	2,840	340	15.75	0.06	12.30	0.02	15.40	0.02	17.33	0.00	15.40	0.02	17.50	0.01		
2023/09/14	07:30:00	2,850	350	15.76	0.07	12.30	0.02	15.41	0.03	17.34	0.01	15.40	0.02	17.50	0.01		
2023/09/14	07:40:00	2,860	360	15.76	0.07	12.30	0.02	15.40	0.02	17.34	0.01	15.41	0.03	17.50	0.01		
2023/09/14	07:50:00	2,870	370	15.76	0.07	12.31	0.03	15.41	0.03	17.35	0.02	15.40	0.02	17.50	0.01		
2023/09/14	08:00:00	2,880	380	15.76	0.07	12.30	0.02	15.41	0.03	17.34	0.01	15.40	0.02	17.50	0.01		
2023/09/14	08:10:00	2,890	390	15.76	0.07	12.31	0.03	15.40	0.02	17.34	0.01	15.40	0.02	17.51	0.02		
2023/09/14	08:20:00	2,900	400	15.75	0.06	12.29	0.01	15.40	0.02	17.34	0.01	15.40	0.02	17.50	0.01		
2023/09/14	08:30:00	2,910	410	15.70	0.01	12.29	0.01	15.40	0.02	17.33	0.00	15.40	0.02	17.49	0.00		
2023/09/14	08:40:00	2,920	420	15.70	0.01	12.30	0.02	15.39	0.01	17.33	0.00	15.39	0.01	17.50	0.01		
2023/09/14	08:50:00	2,930	430	15.70	0.01	12.29	0.01	15.39	0.01	17.33	0.00	15.39	0.01	17.50	0.01		
2023/09/14	09:00:00	2,940	440	15.70	0.01	12.29	0.01	15.39	0.01	17.34	0.01	15.40	0.02	17.50	0.01		
2023/09/14	09:10:00	2,950	450	15.71	0.02	12.30	0.02	15.39	0.01	17.33	0.00	15.39	0.01	17.49	0.00		
2023/09/14	09:20:00	2,960	460	15.70	0.01	12.28	0.00	15.39	0.01	17.33	0.00	15.39	0.01	17.49	0.00		
2023/09/14	09:30:00	2,970	470	15.70	0.01	12.28	0.00	15.38	0.00	17.33	0.00	15.38	0.00	17.49	0.00		
2023/09/14	09:32:00	2,972	472	15.70	0.01	12.28	0.00	15.38	0.00	17.33	0.00	15.39	0.01	17.49	0.00		
2023/09/14	09:34:00	2,974	474	15.69	0.00	12.28	0.00	15.38	0.00	17.33	0.00	15.38	0.00	17.49	0.00		
2023/09/14	09:36:00	2,976	476	15.71	0.02	12.30	0.02	15.38	0.00	17.33	0.00	28.81	13.43	17.48	-0.01		
2023/09/14	09:38:00	2,978	478	15.80	0.11	12.35	0.07	15.39	0.00	17.34	0.01	36.61	21.23	17.49	0.00		
2023/09/14	09:40:00	2,980	480	15.88	0.19	12.39	0.11	15.38	0.00	17.33	0.00	42.19	26.81	17.50	0.01		
2023/09/14	09:42:00	2,982	482	15.98	0.29	12.43	0.15	15.38	0.00	17.33	0.00	42.19	26.81	17.49	0.00		
2023/09/14	09:44:00	2,984	484	16.07	0.38	12.47	0.19	15.38	0.00	17.33	0.00	42.19	26.81	17.49	0.00		
2023/09/14	09:46:00	2,986	486	16.17	0.48	12.50	0.22	15.38	0.00	17.33	0.00	42.19	26.81	17.49	0.00		
2023/09/14	09:48:00	2,988	488	16.24	0.55	12.53	0.25	15.38	0.00	17.33	0.00	42.19	26.81	17.49	0.00		
2023/09/14	09:50:00	2,990	490	16.32	0.63	12.56	0.28	15.38	0.00	17.33	0.00	42.20	26.82	17.49	0.00		
2023/09/14	09:52:00	2,992	492	16.41	0.72	12.59	0.31	15.38	0.00	17.33	0.00	42.20	26.82	17.49	0.00		
2023/09/14	09:54:00	2,994	494	16.49	0.80	12.61	0.33	15.38	0.00	17.33	0.00	42.20	26.82	17.50	0.01		
2023/09/14	09:56:00	2,996	496	16.54	0.85	12.64	0.36	15.39	0.01	17.33	0.00	42.20	26.82	17.50	0.01		
2023/09/14	09:58:00	2,998	498	16.59	0.90	12.66	0.38	15.									

Date	Time	XD Time	Test Time	Depth to Water												RW-01	RW-02
				MW-4R		MW-8		MW-9		MW-10		DTW	DD	DTW	DD		
				DTW	DD	DTW	DD	DTW	DD	DTW	DD						
2023/09/14	11:40:00	3,100	600	17.57	1.88	13.33	1.05	15.46	0.08	17.36	0.03	42.20	26.82	17.53	0.04		
2023/09/14	11:50:00	3,110	610	17.60	1.91	13.37	1.09	15.47	0.09	17.36	0.03	42.20	26.82	17.53	0.04		
2023/09/14	12:00:00	3,120	620	17.66	1.97	13.41	1.13	15.48	0.10	17.36	0.03	42.21	26.83	17.54	0.05		
2023/09/14	12:10:00	3,130	630	17.69	2.00	13.44	1.16	15.49	0.11	17.37	0.04	42.21	26.83	17.54	0.05		
2023/09/14	12:20:00	3,140	640	17.71	2.02	13.47	1.19	15.50	0.11	17.37	0.04	42.21	26.83	17.54	0.05		
2023/09/14	12:30:00	3,150	650	17.73	2.04	13.50	1.22	15.49	0.11	17.37	0.04	42.21	26.83	17.54	0.05		
2023/09/14	12:40:00	3,160	660	17.74	2.05	13.51	1.23	15.50	0.12	17.36	0.03	42.21	26.83	17.54	0.05		
2023/09/14	12:50:00	3,170	670	17.75	2.06	13.54	1.26	15.51	0.13	17.36	0.03	42.21	26.83	17.54	0.05		
2023/09/14	13:00:00	3,180	680	17.76	2.07	13.56	1.28	15.51	0.13	17.36	0.03	42.20	26.82	17.54	0.05		
2023/09/14	13:10:00	3,190	690	17.77	2.08	13.57	1.29	15.52	0.14	17.35	0.02	42.18	26.80	17.53	0.04		
2023/09/14	13:20:00	3,200	700	17.79	2.10	13.59	1.31	15.52	0.14	17.35	0.02	42.18	26.80	17.53	0.04		
2023/09/14	13:30:00	3,210	710	17.80	2.11	13.61	1.33	15.53	0.15	17.35	0.02	42.18	26.80	17.54	0.05		
2023/09/14	13:40:00	3,220	720	17.80	2.11	13.63	1.35	15.53	0.15	17.35	0.02	42.21	26.83	17.54	0.05		
2023/09/14	13:50:00	3,230	730	17.81	2.12	13.63	1.35	15.54	0.16	17.34	0.01	42.20	26.82	17.53	0.04		
2023/09/14	14:00:00	3,240	740	17.82	2.13	13.65	1.37	15.55	0.17	17.35	0.02	42.20	26.82	17.53	0.04		
2023/09/14	14:10:00	3,250	750	17.83	2.14	13.66	1.38	15.55	0.17	17.35	0.02	42.20	26.82	17.53	0.04		
2023/09/14	14:20:00	3,260	760	17.85	2.16	13.68	1.40	15.56	0.18	17.35	0.02	42.21	26.83	17.54	0.05		
2023/09/14	14:30:00	3,270	770	17.86	2.17	13.69	1.41	15.57	0.18	17.35	0.02	42.21	26.83	17.54	0.05		
2023/09/14	14:40:00	3,280	780	17.86	2.17	13.70	1.42	15.56	0.18	17.35	0.02	42.21	26.83	17.54	0.05		
2023/09/14	14:50:00	3,290	790	17.86	2.17	13.70	1.42	15.57	0.19	17.34	0.01	42.20	26.82	17.53	0.04		
2023/09/14	15:00:00	3,300	800	17.87	2.18	13.71	1.43	15.58	0.20	17.35	0.02	42.21	26.83	17.53	0.04		
2023/09/14	15:10:00	3,310	810	17.88	2.19	13.73	1.45	15.58	0.20	17.34	0.01	42.20	26.82	17.53	0.04		
2023/09/14	15:20:00	3,320	820	17.89	2.20	13.73	1.45	15.59	0.21	17.35	0.02	42.21	26.83	17.53	0.04		
2023/09/14	15:30:00	3,330	830	17.89	2.20	13.74	1.46	15.59	0.21	17.36	0.03	42.22	26.84	17.54	0.05		
2023/09/14	15:40:00	3,340	840	17.90	2.21	13.75	1.47	15.60	0.22	17.35	0.02	42.21	26.83	17.53	0.04		
2023/09/14	15:50:00	3,350	850	17.91	2.22	13.76	1.48	15.61	0.23	17.35	0.02	42.20	26.82	17.53	0.04		
2023/09/14	16:00:00	3,360	860	17.91	2.22	13.77	1.49	15.61	0.23	17.35	0.02	42.20	26.82	17.53	0.04		
2023/09/14	16:10:00	3,370	870	17.94	2.25	13.78	1.50	15.62	0.23	17.35	0.02	42.20	26.82	17.53	0.04		
2023/09/14	16:20:00	3,380	880	17.95	2.26	13.78	1.50	15.62	0.24	17.35	0.02	42.21	26.83	17.54	0.05		
2023/09/14	16:30:00	3,390	890	17.95	2.26	13.79	1.51	15.62	0.24	17.35	0.02	42.20	26.82	17.53	0.04		
2023/09/14	16:40:00	3,400	900	17.95	2.26	13.80	1.52	15.63	0.25	17.36	0.03	42.22	26.84	17.55	0.06		
2023/09/14	16:50:00	3,410	910	17.96	2.27	13.80	1.52	15.63	0.25	17.35	0.02	42.20	26.82	17.54	0.05		
2023/09/14	17:00:00	3,420	920	17.96	2.27	13.82	1.54	15.64	0.26	17.36	0.03	42.21	26.83	17.55	0.06		
2023/09/14	17:10:00	3,430	930	17.97	2.28	13.81	1.53	15.64	0.26	17.35	0.02	42.22	26.84	17.55	0.06		
2023/09/14	17:20:00	3,440	940	17.97	2.28	13.83	1.55	15.66	0.28	17.36	0.03	42.20	26.82	17.55	0.06		
2023/09/14	17:30:00	3,450	950	17.98	2.29	13.83	1.55	15.66	0.28	17.36	0.03	42.21	26.83	17.55	0.06		
2023/09/14	17:40:00	3,460	960	17.99	2.30	13.85	1.57	15.67	0.28	17.37	0.04	42.21	26.83	17.56	0.07		
2023/09/14	17:50:00	3,470	970	17.98	2.29	13.85	1.57	15.67	0.29	17.37	0.04	42.21	26.83	17.56	0.07		
2023/09/14	18:00:00	3,480	980	17.99	2.30	13.85	1.57	15.68	0.30	17.38	0.05	42.18	26.80	17.56	0.07		
2023/09/14	18:10:00	3,490	990	18.00	2.31	13.86	1.58	15.69	0.31	17.38	0.05	42.18	26.80	17.56	0.07		
2023/09/14	18:20:00	3,500	1,000	18.00	2.31	13.86	1.58	15.69	0.31	17.38	0.05	42.19	26.81	17.56	0.07		
2023/09/14	18:30:00	3,510	1,010	18.00	2.31	13.86	1.58	15.69	0.31	17.38	0.05	42.19	26.81	17.57	0.08		
2023/09/14	18:40:00	3,520	1,020	18.00	2.31	13.87	1.59	15.69	0.31	17.39	0.06	42.20	26.82	17.57	0.08		
2023/09/14	18:50:00	3,530	1,030	18.02	2.33	13.88	1.60	15.70	0.32	17.39	0.06	42.20	26.82	17.57	0.08		
2023/09/14	19:00:00	3,540	1,040	18.02	2.33	13.88	1.60	15.71	0.32	17.39	0.06	42.20	26.82	17.57	0.08		
2023/09/14	19:10:00	3,550	1,050	18.02	2.33	13.88	1.60	15.71	0.33	17.39	0.06	42.20	26.82	17.58	0.09		
2023/09/14	19:20:00	3,560	1,060	18.02	2.33	13.90	1.62	15.72	0.34	17.40	0.07	42.20	26.82	17.58	0.09		
2023/09/14	19:30:00	3,570	1,070	18.02	2.33	13.90	1.62	15.73	0.35	17.41	0.08	42.20	26.82	17.59	0.10		
2023/09/14	19:40:00	3,580	1,080	18.03	2.34	13.91	1.63	15.73	0.35	17.41	0.08	42.20	26.82	17.59	0.10		
2023/09/14	19:50:00	3,590	1,090	18.03	2.34	13.91	1.63	15.74	0.36	17.41	0.08	42.20	26.82	17.60	0.11		
2023/09/14	20:00:00	3,600	1,100	18.03	2.34	13.91	1.63	15.75	0.37	17.42	0.09	42.20	26.82	17.60	0.11		
2023/09/14	20:10:00	3,610	1,110	18.04	2.35	13.92	1.64	15.76	0.38	17.42	0.09	42.20	26.82	17.60	0.11		
2023/09/14	20:20:00	3,620	1,120	18.03	2.34	13.93	1.65	15.76	0.38	17.43	0.10	42.20	26.82	17.61	0.12		
2023/09/14	20:30:00	3,630	1,130	18.04	2.35	13.94	1.66	15.77	0.39	17.43	0.10	42.19	26.81	17.61	0.12		
2023/09/14	20:40:00	3,640	1,140	18.05	2.36	13.95	1.67	15.78	0.40	17.44	0.11	42.22	26.84	17.62	0.13		
2023/09/14	20:50:00	3,650	1,150	18.06	2.37	13.95	1.67	15.78	0.40	17.44	0.11	42.21	26.83	17.62	0.13		
2023/09/14	21:00:00	3,660	1,160	18.06	2.37	13.95	1.67	15.79	0.41	17.44	0.11	42.21	26.83	17.62	0.13		
2023/09/14	21:10:00	3,670	1,170	18.06	2.37	13.95	1.67	15.79	0.41	17.44	0.11	42.20	26.82	17.62	0.13		
2023/09/14	21:20:00	3,680	1,180	18.06	2.37	13.95	1.67	15.79	0.41	17.44	0.11	42.20	26.82	17.63	0.14		
2023/09/14	21:30:00	3,690	1,190	18.06	2.37	13.95	1.67	15.79	0.41	17.45	0.12	42.21	26.83	17.63	0.14		
2023/09/14	21:40:00	3,700	1,200	18.07	2.38	13.96	1.68	15.81	0.42	17.45	0.12	42.20	26.82	17.63	0.14		
2023/09/14	21:50:00</																

Transducer Data Collected During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/15	05:00:00	4,140	1,640	18.11	2.42	14.00	1.72	15.88	0.50	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	05:10:00	4,150	1,650	18.12	2.43	14.00	1.72	15.89	0.50	17.47	0.14	42.21	26.83	17.65	0.16
2023/09/15	05:20:00	4,160	1,660	18.11	2.42	13.99	1.71	15.88	0.50	17.47	0.14	42.21	26.83	17.65	0.16
2023/09/15	05:30:00	4,170	1,670	18.11	2.42	13.99	1.71	15.88	0.50	17.47	0.14	42.21	26.83	17.65	0.16
2023/09/15	05:40:00	4,180	1,680	18.12	2.43	14.00	1.72	15.89	0.51	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	05:50:00	4,190	1,690	18.12	2.43	14.00	1.72	15.89	0.51	17.48	0.15	42.20	26.82	17.65	0.16
2023/09/15	06:00:00	4,200	1,700	18.12	2.43	14.00	1.72	15.89	0.51	17.48	0.15	42.20	26.82	17.65	0.16
2023/09/15	06:10:00	4,210	1,710	18.12	2.43	14.00	1.72	15.89	0.51	17.48	0.15	42.20	26.82	17.65	0.16
2023/09/15	06:20:00	4,220	1,720	18.11	2.42	14.00	1.72	15.89	0.51	17.48	0.15	42.20	26.82	17.65	0.16
2023/09/15	06:30:00	4,230	1,730	18.12	2.43	14.00	1.72	15.89	0.51	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	06:40:00	4,240	1,740	18.12	2.43	14.00	1.72	15.89	0.51	17.47	0.14	42.21	26.83	17.65	0.16
2023/09/15	06:50:00	4,250	1,750	18.12	2.43	14.00	1.72	15.89	0.51	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	07:00:00	4,260	1,760	18.12	2.43	14.00	1.72	15.89	0.51	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	07:10:00	4,270	1,770	18.13	2.44	14.01	1.73	15.90	0.51	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	07:20:00	4,280	1,780	18.12	2.43	14.01	1.73	15.90	0.52	17.48	0.15	42.20	26.82	17.66	0.17
2023/09/15	07:30:00	4,290	1,790	18.12	2.43	14.01	1.73	15.90	0.52	17.48	0.15	42.20	26.82	17.66	0.17
2023/09/15	07:40:00	4,300	1,800	18.12	2.43	14.01	1.73	15.90	0.52	17.48	0.15	42.20	26.82	17.66	0.17
2023/09/15	07:50:00	4,310	1,810	18.12	2.43	14.01	1.73	15.90	0.52	17.48	0.15	42.20	26.82	17.66	0.17
2023/09/15	08:00:00	4,320	1,820	18.13	2.44	14.01	1.73	15.90	0.52	17.47	0.14	42.19	26.81	17.65	0.16
2023/09/15	08:10:00	4,330	1,830	18.13	2.44	14.01	1.73	15.90	0.51	17.47	0.14	42.19	26.81	17.65	0.16
2023/09/15	08:20:00	4,340	1,840	18.12	2.43	14.00	1.72	15.89	0.51	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	08:30:00	4,350	1,850	18.12	2.43	14.00	1.72	15.89	0.51	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	08:40:00	4,360	1,860	18.12	2.43	14.00	1.72	15.89	0.51	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	08:50:00	4,370	1,870	18.13	2.44	14.01	1.73	15.89	0.51	17.47	0.14	42.21	26.83	17.65	0.16
2023/09/15	09:00:00	4,380	1,880	18.13	2.44	14.01	1.73	15.90	0.52	17.47	0.14	42.19	26.81	17.65	0.16
2023/09/15	09:10:00	4,390	1,890	18.13	2.44	14.01	1.73	15.89	0.51	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	09:20:00	4,400	1,900	18.13	2.44	14.01	1.73	15.90	0.51	17.47	0.14	42.21	26.83	17.65	0.16
2023/09/15	09:30:00	4,410	1,910	18.12	2.43	14.00	1.72	15.89	0.51	17.48	0.15	42.20	26.82	17.65	0.16
2023/09/15	09:40:00	4,420	1,920	18.13	2.44	14.01	1.73	15.90	0.51	17.47	0.14	42.19	26.81	17.65	0.16
2023/09/15	09:50:00	4,430	1,930	18.13	2.44	14.01	1.73	15.90	0.52	17.47	0.14	42.21	26.83	17.65	0.16
2023/09/15	10:00:00	4,440	1,940	18.12	2.43	14.01	1.73	15.90	0.52	17.48	0.15	42.20	26.82	17.65	0.16
2023/09/15	10:10:00	4,450	1,950	18.12	2.43	14.00	1.72	15.90	0.52	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	10:20:00	4,460	1,960	18.12	2.43	14.00	1.72	15.89	0.51	17.46	0.13	42.20	26.82	17.64	0.15
2023/09/15	10:30:00	4,470	1,970	18.12	2.43	14.00	1.72	15.89	0.51	17.46	0.13	42.20	26.82	17.64	0.15
2023/09/15	10:40:00	4,480	1,980	18.11	2.42	13.99	1.71	15.89	0.51	17.47	0.14	42.20	26.82	17.65	0.16
2023/09/15	10:50:00	4,490	1,990	18.11	2.42	13.99	1.71	15.88	0.50	17.46	0.13	42.20	26.82	17.64	0.15
2023/09/15	11:00:00	4,500	2,000	18.11	2.42	13.98	1.70	15.88	0.50	17.46	0.13	42.21	26.83	17.64	0.15
2023/09/15	11:10:00	4,510	2,010	18.10	2.41	13.98	1.70	15.87	0.49	17.45	0.12	42.20	26.82	17.63	0.14
2023/09/15	11:20:00	4,520	2,020	18.10	2.41	13.97	1.69	15.87	0.48	17.44	0.11	42.20	26.82	17.62	0.13
2023/09/15	11:30:00	4,530	2,030	18.09	2.40	13.96	1.68	15.87	0.49	17.44	0.11	42.20	26.82	17.62	0.13
2023/09/15	11:40:00	4,540	2,040	18.10	2.41	13.96	1.68	15.87	0.49	17.43	0.10	42.20	26.82	17.61	0.12
2023/09/15	11:50:00	4,550	2,050	18.09	2.40	13.97	1.69	15.86	0.48	17.43	0.10	42.20	26.82	17.61	0.12
2023/09/15	12:00:00	4,560	2,060	18.08	2.39	13.96	1.68	15.86	0.48	17.43	0.10	42.20	26.82	17.61	0.12
2023/09/15	12:10:00	4,570	2,070	18.09	2.40	13.96	1.68	15.86	0.48	17.42	0.09	42.19	26.81	17.60	0.11
2023/09/15	12:20:00	4,580	2,080	18.08	2.39	13.95	1.67	15.85	0.47	17.42	0.09	42.20	26.82	17.60	0.11
2023/09/15	12:30:00	4,590	2,090	18.08	2.39	13.95	1.67	15.85	0.47	17.42	0.09	42.19	26.81	17.59	0.10
2023/09/15	12:40:00	4,600	2,100	18.07	2.38	13.94	1.66	15.84	0.46	17.42	0.09	42.20	26.82	17.59	0.10
2023/09/15	12:50:00	4,610	2,110	18.07	2.38	13.94	1.66	15.84	0.46	17.40	0.07	42.20	26.82	17.59	0.10
2023/09/15	13:00:00	4,620	2,120	18.07	2.38	13.93	1.65	15.83	0.45	17.40	0.07	42.20	26.82	17.58	0.09
2023/09/15	13:10:00	4,630	2,130	18.07	2.38	13.94	1.66	15.83	0.45	17.40	0.07	42.19	26.81	17.58	0.09
2023/09/15	13:20:00	4,640	2,140	18.07	2.38	13.94	1.66	15.83	0.44	17.40	0.07	42.20	26.82	17.57	0.08
2023/09/15	13:30:00	4,650	2,150	18.07	2.38	13.94	1.66	15.83	0.44	17.40	0.07	42.20	26.82	17.57	0.08
2023/09/15	13:40:00	4,660	2,160	18.06	2.37	13.94	1.66	15.82	0.44	17.39	0.06	42.20	26.82	17.57	0.08
2023/09/15	13:50:00	4,670	2,170	18.06	2.37	13.93	1.65	15.82	0.44	17.40	0.07	42.20	26.82	17.58	0.09
2023/09/15	14:00:00	4,680	2,180	18.06	2.37	13.93	1.65	15.82	0.44	17.39	0.06	42.20	26.82	17.57	0.08
2023/09/15	14:10:00	4,690	2,190	18.06	2.37	13.93	1.65	15.82	0.44	17.39	0.06	42.20	26.82	17.56	0.07
2023/09/15	14:20:00	4,700	2,200	18.06	2.37	13.93	1.65	15.82	0.44	17.39	0.06	42.19	26.81	17.56	0.07
2023/09/15	14:30:00	4,710	2,210	18.05	2.36	13.94	1.66	15.81	0.43	17.38	0.05	42.20	26.82	17.56	0.07
2023/09/15	14:40:00	4,720	2,220	18.05	2.36	13.94	1.66	15.81	0.43	17.38	0.05	42.20	26.82	17.56	0.07
2023/09/15	14:50:00	4,730	2,230	18.05	2.36	13.93	1.65	15.82	0.44	17.38	0.05	42.21	26.83	17.56	0.07
2023/09/15	15:00:00	4,740	2,240	18.06	2.3										

Transducer Data Collected During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/15	22:20:00	5,180	2,680	18.04	2.35	13.93	1.65	15.77	0.39	17.34	0.01	42.19	26.81	17.51	0.02
2023/09/15	22:30:00	5,190	2,690	18.04	2.35	13.93	1.65	15.78	0.40	17.34	0.01	42.20	26.82	17.51	0.02
2023/09/15	22:40:00	5,200	2,700	18.04	2.35	13.93	1.65	15.78	0.40	17.34	0.01	42.20	26.82	17.51	0.02
2023/09/15	22:50:00	5,210	2,710	18.04	2.35	13.93	1.65	15.78	0.40	17.35	0.02	42.21	26.83	17.51	0.02
2023/09/15	23:00:00	5,220	2,720	18.04	2.35	13.93	1.65	15.78	0.40	17.35	0.02	42.21	26.83	17.52	0.03
2023/09/15	23:10:00	5,230	2,730	18.05	2.36	13.94	1.66	15.78	0.40	17.35	0.02	42.21	26.83	17.52	0.03
2023/09/15	23:20:00	5,240	2,740	18.05	2.36	13.94	1.66	15.78	0.40	17.34	0.01	42.20	26.82	17.51	0.02
2023/09/15	23:30:00	5,250	2,750	18.05	2.36	13.94	1.66	15.78	0.40	17.34	0.01	42.20	26.82	17.51	0.02
2023/09/15	23:40:00	5,260	2,760	18.04	2.35	13.93	1.65	15.77	0.39	17.34	0.01	42.21	26.83	17.51	0.02
2023/09/15	23:50:00	5,270	2,770	18.04	2.35	13.93	1.65	15.77	0.39	17.33	0.00	42.20	26.82	17.50	0.01
2023/09/16	00:00:00	5,280	2,780	18.04	2.35	13.92	1.64	15.76	0.38	17.33	0.00	42.21	26.83	17.50	0.01
2023/09/16	00:10:00	5,290	2,790	18.04	2.35	13.93	1.65	15.77	0.39	17.33	0.00	42.20	26.82	17.50	0.01
2023/09/16	00:20:00	5,300	2,800	18.04	2.35	13.92	1.64	15.77	0.39	17.34	0.01	42.20	26.82	17.50	0.01
2023/09/16	00:30:00	5,310	2,810	18.03	2.34	13.92	1.64	15.76	0.38	17.33	0.00	42.21	26.83	17.50	0.01
2023/09/16	00:40:00	5,320	2,820	18.03	2.34	13.92	1.64	15.76	0.38	17.32	-0.01	42.20	26.82	17.50	0.01
2023/09/16	00:50:00	5,330	2,830	18.03	2.34	13.92	1.64	15.76	0.38	17.32	-0.01	42.20	26.82	17.49	0.00
2023/09/16	01:00:00	5,340	2,840	18.02	2.33	13.91	1.63	15.75	0.37	17.32	-0.01	42.20	26.82	17.49	0.00
2023/09/16	01:10:00	5,350	2,850	18.02	2.33	13.91	1.63	15.75	0.37	17.32	-0.01	42.21	26.83	17.49	0.00
2023/09/16	01:20:00	5,360	2,860	18.03	2.34	13.91	1.63	15.75	0.37	17.32	-0.01	42.21	26.83	17.49	0.00
2023/09/16	01:30:00	5,370	2,870	18.03	2.34	13.91	1.63	15.75	0.37	17.31	-0.02	42.20	26.82	17.49	0.00
2023/09/16	01:40:00	5,380	2,880	18.03	2.34	13.92	1.64	15.75	0.36	17.31	-0.02	42.20	26.82	17.48	-0.01
2023/09/16	01:50:00	5,390	2,890	18.03	2.34	13.92	1.64	15.75	0.37	17.31	-0.02	42.20	26.82	17.48	-0.01
2023/09/16	02:00:00	5,400	2,900	18.02	2.33	13.91	1.63	15.74	0.36	17.31	-0.02	42.21	26.83	17.48	-0.01
2023/09/16	02:10:00	5,410	2,910	18.02	2.33	13.91	1.63	15.74	0.36	17.30	-0.03	42.20	26.82	17.47	-0.02
2023/09/16	02:20:00	5,420	2,920	18.01	2.32	13.90	1.62	15.74	0.36	17.30	-0.03	42.20	26.82	17.47	-0.02
2023/09/16	02:30:00	5,430	2,930	18.01	2.32	13.90	1.62	15.74	0.36	17.30	-0.03	42.21	26.83	17.47	-0.02
2023/09/16	02:40:00	5,440	2,940	18.02	2.33	13.91	1.63	15.74	0.36	17.29	-0.04	42.20	26.82	17.47	-0.02
2023/09/16	02:50:00	5,450	2,950	18.01	2.32	13.91	1.63	15.74	0.36	17.30	-0.03	42.21	26.83	17.47	-0.02
2023/09/16	03:00:00	5,460	2,960	18.01	2.32	13.91	1.63	15.74	0.36	17.30	-0.03	42.20	26.82	17.47	-0.02
2023/09/16	03:10:00	5,470	2,970	18.01	2.32	13.91	1.63	15.74	0.36	17.30	-0.03	42.21	26.83	17.47	-0.02
2023/09/16	03:20:00	5,480	2,980	18.01	2.32	13.91	1.63	15.74	0.36	17.30	-0.03	42.20	26.82	17.47	-0.02
2023/09/16	03:30:00	5,490	2,990	18.02	2.33	13.91	1.63	15.74	0.36	17.29	-0.04	42.20	26.82	17.47	-0.02
2023/09/16	03:40:00	5,500	3,000	18.01	2.32	13.91	1.63	15.74	0.36	17.30	-0.03	42.21	26.83	17.47	-0.02
2023/09/16	03:50:00	5,510	3,010	18.02	2.33	13.91	1.63	15.74	0.36	17.30	-0.03	42.20	26.82	17.47	-0.02
2023/09/16	04:00:00	5,520	3,020	18.02	2.33	13.92	1.64	15.74	0.36	17.29	-0.04	42.20	26.82	17.46	-0.03
2023/09/16	04:10:00	5,530	3,030	18.02	2.33	13.92	1.64	15.73	0.35	17.30	-0.03	42.20	26.82	17.46	-0.03
2023/09/16	04:20:00	5,540	3,040	18.01	2.32	13.91	1.63	15.73	0.35	17.30	-0.03	42.21	26.83	17.46	-0.03
2023/09/16	04:30:00	5,550	3,050	18.02	2.33	13.91	1.63	15.73	0.34	17.29	-0.04	42.21	26.83	17.45	-0.04
2023/09/16	04:40:00	5,560	3,060	18.01	2.32	13.90	1.62	15.72	0.34	17.29	-0.04	42.21	26.83	17.45	-0.04
2023/09/16	04:50:00	5,570	3,070	18.01	2.32	13.90	1.62	15.73	0.35	17.28	-0.05	42.20	26.82	17.45	-0.04
2023/09/16	05:00:00	5,580	3,080	18.01	2.32	13.90	1.62	15.73	0.34	17.28	-0.05	42.21	26.83	17.44	-0.05
2023/09/16	05:10:00	5,590	3,090	18.00	2.31	13.90	1.62	15.72	0.34	17.28	-0.05	42.21	26.83	17.45	-0.04
2023/09/16	05:20:00	5,600	3,100	18.00	2.31	13.90	1.62	15.72	0.34	17.28	-0.05	42.21	26.83	17.44	-0.05
2023/09/16	05:30:00	5,610	3,110	18.00	2.31	13.90	1.62	15.72	0.34	17.28	-0.05	42.20	26.82	17.45	-0.04
2023/09/16	05:40:00	5,620	3,120	18.00	2.31	13.90	1.62	15.72	0.34	17.28	-0.05	42.20	26.82	17.45	-0.04
2023/09/16	05:50:00	5,630	3,130	18.01	2.32	13.90	1.62	15.72	0.34	17.27	-0.06	42.20	26.82	17.44	-0.05
2023/09/16	06:00:00	5,640	3,140	18.00	2.31	13.89	1.61	15.71	0.33	17.27	-0.06	42.21	26.83	17.44	-0.05
2023/09/16	06:10:00	5,650	3,150	18.00	2.31	13.90	1.62	15.71	0.33	17.26	-0.07	42.20	26.82	17.43	-0.06
2023/09/16	06:20:00	5,660	3,160	18.00	2.31	13.90	1.62	15.71	0.33	17.27	-0.06	42.20	26.82	17.44	-0.05
2023/09/16	06:30:00	5,670	3,170	18.00	2.31	13.90	1.62	15.71	0.33	17.27	-0.06	42.20	26.82	17.44	-0.05
2023/09/16	06:40:00	5,680	3,180	18.00	2.31	13.90	1.62	15.71	0.33	17.27	-0.06	42.20	26.82	17.44	-0.05
2023/09/16	06:50:00	5,690	3,190	18.00	2.31	13.90	1.62	15.71	0.33	17.27	-0.06	42.21	26.83	17.44	-0.05
2023/09/16	07:00:00	5,700	3,200	18.00	2.31	13.90	1.62	15.71	0.33	17.27	-0.06	42.21	26.83	17.44	-0.05
2023/09/16	07:10:00	5,710	3,210	18.00	2.31	13.90	1.62	15.71	0.33	17.27	-0.06	42.21	26.83	17.44	-0.05
2023/09/16	07:20:00	5,720	3,220	18.00	2.31	13.91	1.63	15.71	0.33	17.27	-0.06	42.21	26.83	17.44	-0.05
2023/09/16	07:30:00	5,730	3,230	18.00	2.31	13.91	1.63	15.71	0.33	17.27	-0.06	42.21	26.83	17.44	-0.05
2023/09/16	07:40:00	5,740	3,240	18.00	2.31	13.91	1.63	15.71	0.33	17.28	-0.05	42.21	26.83	17.44	-0.05
2023/09/16	07:50:00	5,750	3,250	18.00	2.31	13.91	1.63	15.71	0.33	17.27	-0.06	42.22	26.84	17.44	-0.05
2023/09/16	08:00:00	5,760	3,260	18.01	2.32	13.92	1.64	15.72	0.34	17.27	-0.06	42.21	26.83	17.44	-0.05
2023/09/16	08:10:00	5,770	3,270	18.00	2.31	13.91	1.63	15.73	0.34	17.28	-0.05	42.22	26.84	17.44	-0.05
2023/09/16	08:20:00	5,780	3,280	18.01	2.										

Transducer Data Collected During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water												RW-01	RW-02
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02			
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD		
2023/09/16	15:40:00	6,220	3,720	17.97	2.28	13.88	1.60	15.66	0.28	17.20	-0.13	42.21	26.83	17.39	-0.10		
2023/09/16	15:50:00	6,230	3,730	17.97	2.28	13.88	1.60	15.66	0.28	17.20	-0.13	42.23	26.85	17.37	-0.12		
2023/09/16	16:00:00	6,240	3,740	17.97	2.28	13.89	1.61	15.66	0.27	17.20	-0.13	42.20	26.82	17.37	-0.12		
2023/09/16	16:10:00	6,250	3,750	17.97	2.28	13.89	1.61	15.66	0.28	17.20	-0.13	42.20	26.82	17.38	-0.11		
2023/09/16	16:20:00	6,260	3,760	17.97	2.28	13.89	1.61	15.66	0.28	17.21	-0.13	42.21	26.83	17.38	-0.11		
2023/09/16	16:30:00	6,270	3,770	17.97	2.28	13.89	1.61	15.66	0.28	17.21	-0.13	42.20	26.82	17.38	-0.11		
2023/09/16	16:40:00	6,280	3,780	17.97	2.28	13.89	1.61	15.66	0.28	17.21	-0.12	42.20	26.82	17.39	-0.10		
2023/09/16	16:50:00	6,290	3,790	17.98	2.29	13.89	1.61	15.66	0.28	17.20	-0.13	42.20	26.82	17.38	-0.11		
2023/09/16	17:00:00	6,300	3,800	17.97	2.28	13.90	1.62	15.66	0.28	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/16	17:10:00	6,310	3,810	17.97	2.28	13.90	1.62	15.67	0.29	17.21	-0.13	42.20	26.82	17.38	-0.11		
2023/09/16	17:20:00	6,320	3,820	17.98	2.29	13.90	1.62	15.67	0.29	17.21	-0.13	42.20	26.82	17.39	-0.10		
2023/09/16	17:30:00	6,330	3,830	17.98	2.29	13.90	1.62	15.67	0.29	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/16	17:40:00	6,340	3,840	17.98	2.29	13.90	1.62	15.67	0.29	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/16	17:50:00	6,350	3,850	17.98	2.29	13.90	1.62	15.67	0.29	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/16	18:00:00	6,360	3,860	17.98	2.29	13.90	1.62	15.67	0.29	17.21	-0.12	42.20	26.82	17.39	-0.10		
2023/09/16	18:10:00	6,370	3,870	17.99	2.30	13.91	1.63	15.68	0.30	17.22	-0.11	42.22	26.84	17.39	-0.10		
2023/09/16	18:20:00	6,380	3,880	17.98	2.29	13.91	1.63	15.67	0.29	17.22	-0.11	42.22	26.84	17.39	-0.10		
2023/09/16	18:30:00	6,390	3,890	17.99	2.30	13.91	1.63	15.67	0.29	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/16	18:40:00	6,400	3,900	17.99	2.30	13.91	1.63	15.67	0.29	17.22	-0.11	42.22	26.84	17.39	-0.10		
2023/09/16	18:50:00	6,410	3,910	17.99	2.30	13.91	1.63	15.67	0.29	17.22	-0.11	42.21	26.83	17.39	-0.10		
2023/09/16	19:00:00	6,420	3,920	17.99	2.30	13.91	1.63	15.67	0.29	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/16	19:10:00	6,430	3,930	17.99	2.30	13.91	1.63	15.67	0.29	17.22	-0.11	42.21	26.83	17.39	-0.10		
2023/09/16	19:20:00	6,440	3,940	17.99	2.30	13.91	1.63	15.67	0.29	17.22	-0.11	42.22	26.84	17.39	-0.10		
2023/09/16	19:30:00	6,450	3,950	17.99	2.30	13.92	1.64	15.68	0.30	17.22	-0.11	42.21	26.83	17.40	-0.09		
2023/09/16	19:40:00	6,460	3,960	17.99	2.30	13.93	1.65	15.69	0.31	17.23	-0.10	42.21	26.83	17.40	-0.09		
2023/09/16	19:50:00	6,470	3,970	18.00	2.31	13.93	1.65	15.69	0.31	17.24	-0.09	42.22	26.84	17.41	-0.08		
2023/09/16	20:00:00	6,480	3,980	18.00	2.31	13.94	1.66	15.69	0.31	17.24	-0.09	42.22	26.84	17.41	-0.08		
2023/09/16	20:10:00	6,490	3,990	18.01	2.32	13.95	1.67	15.70	0.32	17.24	-0.09	42.21	26.83	17.41	-0.08		
2023/09/16	20:20:00	6,500	4,000	18.01	2.32	13.95	1.67	15.70	0.32	17.25	-0.08	42.22	26.84	17.42	-0.07		
2023/09/16	20:30:00	6,510	4,010	18.02	2.33	13.96	1.68	15.71	0.33	17.25	-0.08	42.21	26.83	17.42	-0.07		
2023/09/16	20:40:00	6,520	4,020	18.02	2.33	13.96	1.68	15.71	0.33	17.26	-0.07	42.21	26.83	17.43	-0.06		
2023/09/16	20:50:00	6,530	4,030	18.02	2.33	13.96	1.68	15.71	0.33	17.26	-0.07	42.21	26.83	17.43	-0.06		
2023/09/16	21:00:00	6,540	4,040	18.03	2.34	13.97	1.69	15.72	0.34	17.27	-0.06	42.21	26.83	17.44	-0.05		
2023/09/16	21:10:00	6,550	4,050	18.04	2.35	13.98	1.70	15.73	0.35	17.27	-0.06	42.20	26.82	17.44	-0.05		
2023/09/16	21:20:00	6,560	4,060	18.04	2.35	13.98	1.70	15.73	0.35	17.27	-0.06	42.21	26.83	17.44	-0.05		
2023/09/16	21:30:00	6,570	4,070	18.04	2.35	13.98	1.70	15.73	0.35	17.27	-0.06	42.21	26.83	17.45	-0.04		
2023/09/16	21:40:00	6,580	4,080	18.04	2.35	13.98	1.70	15.73	0.35	17.28	-0.05	42.21	26.83	17.45	-0.04		
2023/09/16	21:50:00	6,590	4,090	18.04	2.35	13.98	1.70	15.74	0.36	17.28	-0.05	42.22	26.84	17.45	-0.04		
2023/09/16	22:00:00	6,600	4,100	18.04	2.35	13.98	1.70	15.74	0.36	17.28	-0.05	42.22	26.84	17.45	-0.04		
2023/09/16	22:10:00	6,610	4,110	18.05	2.36	13.99	1.71	15.75	0.37	17.28	-0.05	42.22	26.84	17.45	-0.04		
2023/09/16	22:20:00	6,620	4,120	18.05	2.36	13.99	1.71	15.75	0.37	17.28	-0.05	42.20	26.82	17.46	-0.03		
2023/09/16	22:30:00	6,630	4,130	18.05	2.36	13.99	1.71	15.75	0.37	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/16	22:40:00	6,640	4,140	18.05	2.36	13.99	1.71	15.75	0.37	17.29	-0.04	42.20	26.82	17.47	-0.02		
2023/09/16	22:50:00	6,650	4,150	18.05	2.36	13.98	1.70	15.74	0.36	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/16	23:00:00	6,660	4,160	18.05	2.36	13.98	1.70	15.74	0.36	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/16	23:10:00	6,670	4,170	18.05	2.36	13.98	1.70	15.74	0.36	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/16	23:20:00	6,680	4,180	18.05	2.36	13.98	1.70	15.74	0.36	17.29	-0.04	42.20	26.82	17.46	-0.03		
2023/09/16	23:30:00	6,690	4,190	18.05	2.36	13.98	1.70	15.75	0.37	17.29	-0.04	42.22	26.84	17.46	-0.03		
2023/09/16	23:40:00	6,700	4,200	18.05	2.36	13.98	1.70	15.75	0.37	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/16	23:50:00	6,710	4,210	18.05	2.36	13.98	1.70	15.75	0.37	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/17	00:00:00	6,720	4,220	18.05	2.36	13.98	1.70	15.75	0.37	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/17	00:10:00	6,730	4,230	18.05	2.36	13.98	1.70	15.75	0.37	17.29	-0.04	42.20	26.82	17.46	-0.03		
2023/09/17	00:20:00	6,740	4,240	18.05	2.36	13.99	1.71	15.75	0.37	17.29	-0.04	42.20	26.82	17.46	-0.03		
2023/09/17	00:30:00	6,750	4,250	18.05	2.36	13.99	1.71	15.75	0.37	17.29	-0.04	42.20	26.82	17.46	-0.03		
2023/09/17	00:40:00	6,760	4,260	18.05	2.36	13.98	1.70	15.75	0.37	17.29	-0.04	42.20	26.82	17.46	-0.03		
2023/09/17	00:50:00	6,770	4,270	18.05	2.36	13.98	1.70	15.75	0.37	17.29	-0.04	42.21	26.83	17.47	-0.02		
2023/09/17	01:00:00	6,780	4,280	18.05	2.36	13.99	1.71	15.75	0.37	17.29	-0.04	42.21	26.83	17.47	-0.02		
2023/09/17	01:10:00	6,790	4,290	18.05	2.36	13.99	1.71	15.75	0.37	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/17	01:20:00	6,800	4,300	18.05	2.36	13.99	1.71	15.75	0.37	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/17	01:30:00	6,810	4,310	18.05	2.36	13.99	1.71	15.75	0.37	17.29	-0.04	42.21	26.83	17.47	-0.02		
2023/09/17	01:40:00	6,820	4,320	18.05	2.36												

Transducer Data Collected During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water												RW-01	RW-02
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02			
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD		
2023/09/17	09:00:00	7.260	4.760	18.10	2.41	14.04	1.76	15.80	0.42	17.33	0.00	42.22	26.84	17.50	0.01		
2023/09/17	09:10:00	7.270	4.770	18.10	2.41	14.05	1.77	15.80	0.41	17.33	0.00	42.21	26.83	17.50	0.01		
2023/09/17	09:20:00	7.280	4.780	18.10	2.41	14.06	1.78	15.82	0.44	17.35	0.02	42.21	26.83	17.51	0.02		
2023/09/17	09:30:00	7.290	4.790	18.10	2.41	14.05	1.77	15.81	0.43	17.34	0.01	42.21	26.83	17.51	0.02		
2023/09/17	09:40:00	7.300	4.800	18.10	2.41	14.05	1.77	15.81	0.43	17.34	0.01	42.21	26.83	17.51	0.02		
2023/09/17	09:50:00	7.310	4.810	18.11	2.42	14.05	1.77	15.81	0.43	17.34	0.01	42.20	26.82	17.51	0.02		
2023/09/17	10:00:00	7.320	4.820	18.10	2.41	14.04	1.76	15.80	0.42	17.33	0.00	42.20	26.82	17.50	0.01		
2023/09/17	10:10:00	7.330	4.830	18.10	2.41	14.04	1.76	15.80	0.42	17.33	0.00	42.22	26.84	17.50	0.01		
2023/09/17	10:20:00	7.340	4.840	18.10	2.41	14.05	1.77	15.80	0.42	17.33	0.00	42.20	26.82	17.49	0.00		
2023/09/17	10:30:00	7.350	4.850	18.09	2.40	14.04	1.76	15.79	0.41	17.33	0.00	42.20	26.82	17.50	0.01		
2023/09/17	10:40:00	7.360	4.860	18.10	2.41	14.04	1.76	15.79	0.41	17.33	0.00	42.20	26.82	17.49	0.00		
2023/09/17	10:50:00	7.370	4.870	18.09	2.40	14.04	1.76	15.80	0.42	17.33	0.00	42.21	26.83	17.50	0.01		
2023/09/17	11:00:00	7.380	4.880	18.09	2.40	14.04	1.76	15.80	0.42	17.33	0.00	42.21	26.83	17.50	0.01		
2023/09/17	11:10:00	7.390	4.890	18.09	2.40	14.04	1.76	15.80	0.42	17.33	0.00	42.20	26.82	17.49	0.00		
2023/09/17	11:20:00	7.400	4.900	18.09	2.40	14.04	1.76	15.80	0.42	17.33	0.00	42.22	26.84	17.50	0.01		
2023/09/17	11:30:00	7.410	4.910	18.10	2.41	14.04	1.76	15.80	0.42	17.32	-0.01	42.21	26.83	17.50	0.01		
2023/09/17	11:40:00	7.420	4.920	18.10	2.41	14.04	1.76	15.80	0.42	17.33	0.00	42.21	26.83	17.50	0.01		
2023/09/17	11:50:00	7.430	4.930	18.09	2.40	14.04	1.76	15.80	0.42	17.33	0.00	42.21	26.83	17.49	0.00		
2023/09/17	12:00:00	7.440	4.940	18.09	2.40	14.04	1.76	15.80	0.42	17.33	0.00	42.19	26.81	17.50	0.01		
2023/09/17	12:10:00	7.450	4.950	18.10	2.41	14.04	1.76	15.80	0.42	17.33	0.00	42.20	26.82	17.50	0.01		
2023/09/17	12:20:00	7.460	4.960	18.10	2.41	14.03	1.75	15.80	0.41	17.32	-0.01	42.21	26.83	17.49	0.00		
2023/09/17	12:30:00	7.470	4.970	18.10	2.41	14.04	1.76	15.80	0.42	17.32	-0.01	42.20	26.82	17.50	0.01		
2023/09/17	12:40:00	7.480	4.980	18.10	2.41	14.04	1.76	15.80	0.42	17.32	-0.01	42.21	26.83	17.50	0.01		
2023/09/17	12:50:00	7.490	4.990	18.09	2.40	14.03	1.75	15.79	0.41	17.32	-0.01	42.21	26.83	17.49	0.00		
2023/09/17	13:00:00	7.500	5.000	18.10	2.41	14.04	1.76	15.80	0.41	17.32	-0.01	42.21	26.83	17.49	0.00		
2023/09/17	13:10:00	7.510	5.010	18.09	2.40	14.03	1.75	15.79	0.41	17.32	-0.01	42.21	26.83	17.49	0.00		
2023/09/17	13:20:00	7.520	5.020	18.09	2.40	14.03	1.75	15.78	0.40	17.31	-0.02	42.22	26.84	17.48	-0.01		
2023/09/17	13:30:00	7.530	5.030	18.08	2.39	14.03	1.75	15.78	0.40	17.31	-0.02	42.21	26.83	17.48	-0.01		
2023/09/17	13:40:00	7.540	5.040	18.09	2.40	14.03	1.75	15.78	0.40	17.31	-0.02	42.20	26.82	17.48	-0.01		
2023/09/17	13:50:00	7.550	5.050	18.09	2.40	14.04	1.76	15.79	0.41	17.31	-0.02	42.20	26.82	17.48	-0.01		
2023/09/17	14:00:00	7.560	5.060	18.08	2.39	14.03	1.75	15.79	0.41	17.31	-0.02	42.21	26.83	17.48	-0.01		
2023/09/17	14:10:00	7.570	5.070	18.08	2.39	14.03	1.75	15.78	0.40	17.31	-0.02	42.19	26.81	17.48	-0.01		
2023/09/17	14:20:00	7.580	5.080	18.08	2.39	14.04	1.76	15.79	0.41	17.32	-0.01	42.21	26.83	17.49	0.00		
2023/09/17	14:30:00	7.590	5.090	18.08	2.39	14.03	1.75	15.79	0.41	17.31	-0.02	42.21	26.83	17.48	-0.01		
2023/09/17	14:40:00	7.600	5.100	18.07	2.38	14.02	1.74	15.78	0.40	17.30	-0.03	42.20	26.82	17.47	-0.02		
2023/09/17	14:50:00	7.610	5.110	18.07	2.38	14.03	1.75	15.78	0.40	17.30	-0.03	42.21	26.83	17.47	-0.02		
2023/09/17	15:00:00	7.620	5.120	18.06	2.37	14.02	1.74	15.77	0.39	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/17	15:10:00	7.630	5.130	18.06	2.37	14.02	1.74	15.77	0.39	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/17	15:20:00	7.640	5.140	18.06	2.37	14.01	1.73	15.76	0.38	17.28	-0.05	42.20	26.82	17.46	-0.03		
2023/09/17	15:30:00	7.650	5.150	18.06	2.37	14.01	1.73	15.76	0.38	17.28	-0.05	42.19	26.81	17.46	-0.03		
2023/09/17	15:40:00	7.660	5.160	18.06	2.37	14.01	1.73	15.76	0.38	17.28	-0.05	42.20	26.82	17.45	-0.04		
2023/09/17	15:50:00	7.670	5.170	18.06	2.37	14.02	1.74	15.77	0.39	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/17	16:00:00	7.680	5.180	18.07	2.38	14.02	1.74	15.77	0.39	17.28	-0.05	42.21	26.83	17.45	-0.04		
2023/09/17	16:10:00	7.690	5.190	18.06	2.37	14.02	1.74	15.77	0.39	17.29	-0.04	42.21	26.83	17.46	-0.03		
2023/09/17	16:20:00	7.700	5.200	18.07	2.38	14.02	1.74	15.77	0.39	17.28	-0.05	42.20	26.82	17.46	-0.04		
2023/09/17	16:30:00	7.710	5.210	18.06	2.37	14.02	1.74	15.76	0.38	17.28	-0.05	42.20	26.82	17.45	-0.04		
2023/09/17	16:40:00	7.720	5.220	18.06	2.37	14.02	1.74	15.76	0.38	17.28	-0.05	42.21	26.83	17.45	-0.04		
2023/09/17	16:50:00	7.730	5.230	18.06	2.37	14.02	1.74	15.76	0.38	17.28	-0.05	42.20	26.82	17.45	-0.04		
2023/09/17	17:00:00	7.740	5.240	18.06	2.37	14.02	1.74	15.76	0.38	17.27	-0.06	42.20	26.82	17.45	-0.04		
2023/09/17	17:10:00	7.750	5.250	18.06	2.37	14.01	1.73	15.76	0.38	17.27	-0.06	42.20	26.82	17.44	-0.05		
2023/09/17	17:20:00	7.760	5.260	18.06	2.37	14.01	1.73	15.75	0.37	17.27	-0.06	42.20	26.82	17.44	-0.05		
2023/09/17	17:30:00	7.770	5.270	18.06	2.37	14.02	1.74	15.76	0.38	17.28	-0.05	42.19	26.81	17.45	-0.04		
2023/09/17	17:40:00	7.780	5.280	18.06	2.37	14.02	1.74	15.76	0.38	17.28	-0.05	42.21	26.83	17.45	-0.04		
2023/09/17	17:50:00	7.790	5.290	18.06	2.37	14.03	1.75	15.76	0.38	17.28	-0.05	42.21	26.83	17.45	-0.04		
2023/09/17	18:00:00	7.800	5.300	18.07	2.38	14.03	1.75	15.76	0.38	17.28	-0.05	42.20	26.82	17.45	-0.04		
2023/09/17	18:10:00	7.810	5.310	18.07	2.38	14.03	1.75	15.76	0.38	17.28	-0.05	42.19	26.81	17.45	-0.04		
2023/09/17	18:20:00	7.820	5.320	18.07	2.38	14.02	1.74	15.77	0.39	17.27	-0.06	42.19	26.81	17.44	-0.05		
2023/09/17	18:30:00	7.830	5.330	18.07	2.38	14.03	1.75	15.76	0.38	17.27	-0.06	42.21	26.83	17.45	-0.04		
2023/09/17	18:40:00	7.840	5.340	18.07	2.38	14.03	1.75	15.77	0.39	17.28	-0.05	42.21	26.83	17.45	-0.04		
2023/09/17	18:50:00	7.850	5.350	18.07	2.38	14.03	1.75	15.76	0.38	17.28	-0.05	42.20	26.82	17.45	-0.04		
2023/09/17	19:00:00	7.860	5.360	18.07	2.38	14.03	1.75										

Transducer Data Collected During GWET System Evaluation: Well RW-01 Test
September 14, 2023 through September 18, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water												RW-01	RW-02
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02			
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD		
2023/09/18	02:20:00	8,300	5,800	18.07	2.38	14.03	1.75	15.74	0.36	17.25	-0.08	42.21	26.83	17.42	-0.07		
2023/09/18	02:30:00	8,310	5,810	18.07	2.38	14.03	1.75	15.74	0.36	17.24	-0.09	42.20	26.82	17.42	-0.07		
2023/09/18	02:40:00	8,320	5,820	18.06	2.37	14.02	1.74	15.73	0.35	17.25	-0.08	42.20	26.82	17.42	-0.07		
2023/09/18	02:50:00	8,330	5,830	18.06	2.37	14.02	1.74	15.73	0.35	17.24	-0.09	42.20	26.82	17.42	-0.07		
2023/09/18	03:00:00	8,340	5,840	18.06	2.37	14.02	1.74	15.73	0.35	17.23	-0.10	42.20	26.82	17.41	-0.08		
2023/09/18	03:10:00	8,350	5,850	18.06	2.37	14.01	1.73	15.73	0.35	17.24	-0.09	42.21	26.83	17.41	-0.08		
2023/09/18	03:20:00	8,360	5,860	18.06	2.37	14.02	1.74	15.73	0.35	17.24	-0.09	42.20	26.82	17.41	-0.08		
2023/09/18	03:30:00	8,370	5,870	18.05	2.36	14.01	1.73	15.72	0.34	17.23	-0.10	42.21	26.83	17.40	-0.09		
2023/09/18	03:40:00	8,380	5,880	18.05	2.36	14.01	1.73	15.72	0.34	17.23	-0.10	42.22	26.84	17.40	-0.09		
2023/09/18	03:50:00	8,390	5,890	18.05	2.36	14.00	1.72	15.72	0.34	17.23	-0.10	42.22	26.84	17.40	-0.09		
2023/09/18	04:00:00	8,400	5,900	18.05	2.36	14.01	1.73	15.72	0.34	17.23	-0.10	42.20	26.82	17.40	-0.09		
2023/09/18	04:10:00	8,410	5,910	18.05	2.36	14.01	1.73	15.72	0.34	17.23	-0.10	42.21	26.83	17.40	-0.09		
2023/09/18	04:20:00	8,420	5,920	18.05	2.36	14.01	1.73	15.72	0.34	17.23	-0.10	42.20	26.82	17.40	-0.09		
2023/09/18	04:30:00	8,430	5,930	18.05	2.36	14.01	1.73	15.72	0.33	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	04:40:00	8,440	5,940	18.05	2.36	14.01	1.73	15.71	0.33	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	04:50:00	8,450	5,950	18.05	2.36	14.01	1.73	15.71	0.33	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	05:00:00	8,460	5,960	18.05	2.36	14.01	1.73	15.72	0.33	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	05:10:00	8,470	5,970	18.05	2.36	14.01	1.73	15.72	0.33	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	05:20:00	8,480	5,980	18.06	2.37	14.01	1.73	15.72	0.33	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	05:30:00	8,490	5,990	18.06	2.37	14.01	1.73	15.72	0.34	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	05:40:00	8,500	6,000	18.05	2.36	14.01	1.73	15.72	0.33	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	05:50:00	8,510	6,010	18.05	2.36	14.01	1.73	15.71	0.33	17.22	-0.11	42.21	26.83	17.39	-0.10		
2023/09/18	06:00:00	8,520	6,020	18.05	2.36	14.01	1.73	15.71	0.33	17.22	-0.11	42.21	26.83	17.39	-0.10		
2023/09/18	06:10:00	8,530	6,030	18.05	2.36	14.01	1.73	15.71	0.33	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	06:20:00	8,540	6,040	18.05	2.36	14.01	1.73	15.71	0.33	17.22	-0.11	42.19	26.81	17.39	-0.10		
2023/09/18	06:30:00	8,550	6,050	18.06	2.37	14.02	1.74	15.71	0.33	17.22	-0.11	42.19	26.81	17.39	-0.10		
2023/09/18	06:40:00	8,560	6,060	18.06	2.37	14.03	1.75	15.72	0.34	17.22	-0.11	42.20	26.82	17.40	-0.09		
2023/09/18	06:50:00	8,570	6,070	18.05	2.36	14.02	1.74	15.72	0.33	17.22	-0.11	42.19	26.81	17.39	-0.10		
2023/09/18	07:00:00	8,580	6,080	18.06	2.37	14.02	1.74	15.72	0.34	17.23	-0.10	42.20	26.82	17.40	-0.09		
2023/09/18	07:10:00	8,590	6,090	18.06	2.37	14.02	1.74	15.73	0.34	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	07:20:00	8,600	6,100	18.06	2.37	14.02	1.74	15.71	0.33	17.22	-0.11	42.19	26.81	17.39	-0.10		
2023/09/18	07:30:00	8,610	6,110	18.07	2.38	14.03	1.75	15.72	0.34	17.23	-0.10	42.21	26.83	17.40	-0.09		
2023/09/18	07:40:00	8,620	6,120	18.08	2.39	14.02	1.74	15.73	0.34	17.23	-0.10	42.20	26.82	17.40	-0.09		
2023/09/18	07:50:00	8,630	6,130	18.07	2.38	14.03	1.75	15.72	0.34	17.23	-0.10	42.20	26.82	17.40	-0.09		
2023/09/18	08:00:00	8,640	6,140	18.07	2.38	14.02	1.74	15.73	0.35	17.23	-0.10	42.20	26.82	17.40	-0.09		
2023/09/18	08:10:00	8,650	6,150	18.07	2.38	14.01	1.73	15.73	0.34	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	08:20:00	8,660	6,160	18.07	2.38	14.01	1.73	15.73	0.34	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	08:30:00	8,670	6,170	18.07	2.38	14.02	1.74	15.72	0.34	17.22	-0.11	42.19	26.81	17.39	-0.10		
2023/09/18	08:40:00	8,680	6,180	18.07	2.38	14.01	1.73	15.72	0.34	17.23	-0.10	42.20	26.82	17.40	-0.09		
2023/09/18	08:50:00	8,690	6,190	18.07	2.38	14.01	1.73	15.72	0.34	17.22	-0.11	42.21	26.83	17.39	-0.10		
2023/09/18	09:00:00	8,700	6,200	18.07	2.38	14.02	1.74	15.72	0.34	17.22	-0.11	42.20	26.82	17.39	-0.10		
2023/09/18	09:10:00	8,710	6,210	18.07	2.38	14.01	1.73	15.72	0.34	17.23	-0.10	42.21	26.83	17.40	-0.09		
2023/09/18	09:20:00	8,720	6,220	18.07	2.38	14.02	1.74	15.72	0.34	17.23	-0.10	42.20	26.82	17.40	-0.09		
2023/09/18	09:30:00	8,730	6,230	18.07	2.38	14.02	1.74	15.72	0.34	17.23	-0.10	42.20	26.82	17.40	-0.09		
2023/09/18	09:40:00	8,740	6,240	18.08	2.39	14.03	1.75	15.71	0.33	17.24	-0.09	42.20	26.82	17.39	-0.10		
2023/09/18	09:50:00	8,750	6,250	18.09	2.40	14.01	1.73	15.71	0.33	17.24	-0.09	42.20	26.82	17.39	-0.10		
2023/09/18	10:00:00	8,760	6,260	18.09	2.40	14.01	1.73	15.71	0.33	17.24	-0.09	42.20	26.82	17.39	-0.10		
2023/09/18	10:10:00	8,770	6,270	18.10	2.41	14.01	1.73	15.72	0.34	17.25	-0.08	42.21	26.83	17.40	-0.09		
2023/09/18	10:20:00	8,780	6,280	18.09	2.40	14.01	1.73	15.72	0.34	17.24	-0.09	42.20	26.82	17.40	-0.09		
2023/09/18	10:30:00	8,790	6,290	18.10	2.41	14.02	1.74	15.72	0.34	17.25	-0.08	42.21	26.83	17.40	-0.09		
2023/09/18	10:40:00	8,800	6,300	18.10	2.41	14.01	1.73	15.71	0.33	17.24	-0.09	42.21	26.83	17.39	-0.10		
2023/09/18	10:50:00	8,810	6,310	18.09	2.40	14.01	1.73	15.71	0.33	17.24	-0.09	42.21	26.83	17.39	-0.10		
2023/09/18	10:52:00	8,812	6,312	18.10	2.41	14.01	1.73	15.71	0.33	17.24	-0.09	42.21	26.83	17.39	-0.10		
2023/09/18	10:54:00	8,814	6,314	18.09	2.40	14.00	1.72	15.71	0.33	17.23	-0.10	42.21	26.83	17.39	-0.10		
2023/09/18	10:56:00	8,816	6,316	18.09	2.40	14.00	1.72	15.71	0.33	17.23	-0.10	42.21	26.83	17.39	-0.10		
2023/09/18	10:58:00	8,818	6,318	18.09	2.40	14.00	1.72	15.71	0.33	17.23	-0.10	41.63	26.25	17.39	-0.10		
2023/09/18	11:00:00	8,820	6,320	18.09	2.40	14.00	1.72	15.71	0.33	17.23	-0.10	40.02	24.64	17.38	-0.11		
2023/09/18	11:02:00	8,822	6,322	18.09	2.40	14.00	1.72	15.71	0.33	17.23	-0.10	38.41	23.03	17.39	-0.10		
2023/09/18	11:04:00	8,824	6,324	18.09	2.40	14.00	1.72	15.71	0.33	17.23	-0.10	36.81	21.43	17.38	-0.11		
2023/09/18	11:06:00	8,826	6,326	18.09	2.40	14.00	1.72	15.71	0.33	17.23	-0.10	35.21	19.83	17.38	-0.11		
2023/09/18	11:08:00	8,828	6,328	18.09	2.40	14.0											

Date	Time	XD Time	Test Time	Depth to Water												RW-01	RW-02
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02			
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD		
2023/09/18	12:36:00	8,916	6,416	16.67	0.98	13.31	1.03	15.66	0.28	17.20	-0.13	16.00	0.62	17.35	-0.14		
2023/09/18	12:38:00	8,918	6,418	16.65	0.96	13.30	1.02	15.66	0.28	17.20	-0.13	15.98	0.60	17.34	-0.15		
2023/09/18	12:40:00	8,920	6,420	16.64	0.95	13.30	1.02	15.67	0.29	17.21	-0.12	15.98	0.59	17.35	-0.14		
2023/09/18	12:42:00	8,922	6,422	16.63	0.94	13.28	1.00	15.66	0.28	17.21	-0.12	15.96	0.58	17.35	-0.14		
2023/09/18	12:44:00	8,924	6,424	16.61	0.92	13.27	0.99	15.66	0.28	17.21	-0.12	15.95	0.57	17.36	-0.13		
2023/09/18	12:46:00	8,926	6,426	16.60	0.90	13.26	0.98	15.66	0.28	17.21	-0.12	15.95	0.57	17.35	-0.14		
2023/09/18	12:48:00	8,928	6,428	16.58	0.89	13.25	0.97	15.66	0.28	17.21	-0.12	15.94	0.56	17.35	-0.14		
2023/09/18	12:50:00	8,930	6,430	16.57	0.88	13.24	0.96	15.66	0.28	17.21	-0.12	15.93	0.55	17.35	-0.14		
2023/09/18	12:52:00	8,932	6,432	16.56	0.87	13.22	0.94	15.65	0.27	17.20	-0.13	15.92	0.54	17.34	-0.15		
2023/09/18	12:54:00	8,934	6,434	16.55	0.86	13.21	0.93	15.65	0.27	17.20	-0.13	15.91	0.53	17.35	-0.14		
2023/09/18	12:56:00	8,936	6,436	16.53	0.84	13.20	0.92	15.65	0.27	17.21	-0.12	15.91	0.52	17.35	-0.14		
2023/09/18	12:58:00	8,938	6,438	16.53	0.84	13.19	0.91	15.64	0.26	17.19	-0.14	15.89	0.51	17.35	-0.15		
2023/09/18	13:00:00	8,940	6,440	16.51	0.82	13.18	0.90	15.65	0.26	17.20	-0.13	15.89	0.50	17.34	-0.15		
2023/09/18	13:02:00	8,942	6,442	16.50	0.81	13.17	0.89	15.65	0.27	17.20	-0.13	15.88	0.50	17.34	-0.15		
2023/09/18	13:04:00	8,944	6,444	16.49	0.80	13.16	0.88	15.65	0.27	17.20	-0.13	15.87	0.48	17.34	-0.15		
2023/09/18	13:06:00	8,946	6,446	16.47	0.78	13.14	0.86	15.64	0.26	17.19	-0.14	15.86	0.48	17.33	-0.16		
2023/09/18	13:08:00	8,948	6,448	16.46	0.77	13.13	0.85	15.63	0.25	17.19	-0.14	15.85	0.47	17.33	-0.16		
2023/09/18	13:10:00	8,950	6,450	16.46	0.77	13.13	0.85	15.63	0.25	17.19	-0.14	15.84	0.46	17.33	-0.16		
2023/09/18	13:12:00	8,952	6,452	16.45	0.76	13.12	0.84	15.64	0.26	17.20	-0.13	15.84	0.46	17.34	-0.15		
2023/09/18	13:14:00	8,954	6,454	16.44	0.75	13.11	0.83	15.63	0.25	17.20	-0.13	15.83	0.45	17.34	-0.15		
2023/09/18	13:16:00	8,956	6,456	16.43	0.74	13.10	0.82	15.63	0.25	17.20	-0.13	15.83	0.45	17.34	-0.15		
2023/09/18	13:18:00	8,958	6,458	16.42	0.73	13.09	0.81	15.62	0.24	17.19	-0.14	15.81	0.43	17.33	-0.16		
2023/09/18	13:20:00	8,960	6,460	16.41	0.72	13.08	0.80	15.63	0.24	17.18	-0.15	15.82	0.43	17.33	-0.16		
2023/09/18	13:22:00	8,962	6,462	16.40	0.71	13.07	0.79	15.63	0.24	17.19	-0.15	15.81	0.43	17.33	-0.16		
2023/09/18	13:24:00	8,964	6,464	16.39	0.70	13.06	0.78	15.62	0.24	17.18	-0.15	15.80	0.41	17.33	-0.16		
2023/09/18	13:26:00	8,966	6,466	16.39	0.70	13.05	0.77	15.62	0.24	17.18	-0.15	15.79	0.41	17.32	-0.17		
2023/09/18	13:28:00	8,968	6,468	16.37	0.68	13.04	0.76	15.61	0.23	17.18	-0.15	15.78	0.40	17.32	-0.17		
2023/09/18	13:30:00	8,970	6,470	16.37	0.68	13.03	0.75	15.61	0.23	17.18	-0.15	15.78	0.40	17.32	-0.17		
2023/09/18	13:32:00	8,972	6,472	16.36	0.67	13.02	0.74	15.61	0.23	17.18	-0.15	15.77	0.39	17.32	-0.17		
2023/09/18	13:34:00	8,974	6,474	16.35	0.66	13.01	0.73	15.61	0.23	17.18	-0.15	15.77	0.39	17.32	-0.17		
2023/09/18	13:36:00	8,976	6,476	16.34	0.65	13.00	0.72	15.60	0.22	17.17	-0.16	15.76	0.38	17.31	-0.18		
2023/09/18	13:38:00	8,978	6,478	16.34	0.65	13.00	0.72	15.60	0.22	17.17	-0.16	15.75	0.37	17.31	-0.18		
2023/09/18	13:40:00	8,980	6,480	16.33	0.64	12.99	0.71	15.60	0.22	17.17	-0.16	15.75	0.37	17.32	-0.17		
2023/09/18	13:42:00	8,982	6,482	16.31	0.62	12.98	0.70	15.60	0.22	17.18	-0.15	15.74	0.36	17.31	-0.18		
2023/09/18	13:44:00	8,984	6,484	16.31	0.62	12.98	0.70	15.60	0.22	17.17	-0.16	15.73	0.35	17.31	-0.18		
2023/09/18	13:46:00	8,986	6,486	16.31	0.62	12.97	0.69	15.59	0.21	17.18	-0.15	15.73	0.35	17.31	-0.18		
2023/09/18	13:48:00	8,988	6,488	16.30	0.61	12.96	0.68	15.59	0.21	17.18	-0.15	15.72	0.34	17.31	-0.18		
2023/09/18	13:50:00	8,990	6,490	16.29	0.60	12.95	0.67	15.59	0.21	17.18	-0.15	15.72	0.34	17.31	-0.18		
2023/09/18	13:52:00	8,992	6,492	16.28	0.59	12.94	0.66	15.59	0.21	17.17	-0.16	15.72	0.34	17.31	-0.18		
2023/09/18	13:54:00	8,994	6,494	16.28	0.59	12.94	0.66	15.58	0.20	17.16	-0.17	15.70	0.32	17.30	-0.19		
2023/09/18	13:56:00	8,996	6,496	16.27	0.58	12.93	0.65	15.58	0.20	17.16	-0.17	15.70	0.32	17.30	-0.19		
2023/09/18	13:58:00	8,998	6,498	16.26	0.57	12.92	0.64	15.58	0.20	17.16	-0.17	15.69	0.31	17.30	-0.19		
2023/09/18	14:00:00	9,000	6,500	16.26	0.57	12.90	0.62	15.57	0.19	17.16	-0.17	15.69	0.31	17.30	-0.19		
2023/09/18	14:10:00	9,010	6,510	16.23	0.54	12.87	0.59	15.56	0.18	17.16	-0.17	15.66	0.28	17.29	-0.20		
2023/09/18	14:20:00	9,020	6,520	16.19	0.50	12.84	0.56	15.54	0.16	17.15	-0.18	15.63	0.25	17.29	-0.20		
2023/09/18	14:30:00	9,030	6,530	16.16	0.47	12.81	0.53	15.53	0.15	17.14	-0.19	15.62	0.24	17.28	-0.21		
2023/09/18	14:40:00	9,040	6,540	16.13	0.44	12.78	0.50	15.52	0.14	17.14	-0.19	15.60	0.22	17.28	-0.21		
2023/09/18	14:50:00	9,050	6,550	16.11	0.42	12.76	0.48	15.51	0.13	17.14	-0.19	15.57	0.19	17.27	-0.22		
2023/09/18	15:00:00	9,060	6,560	16.09	0.40	12.73	0.45	15.50	0.12	17.13	-0.20	15.55	0.17	17.27	-0.22		
2023/09/18	15:10:00	9,070	6,570	16.06	0.37	12.70	0.42	15.50	0.11	17.12	-0.21	15.54	0.16	17.25	-0.24		
2023/09/18	15:20:00	9,080	6,580	16.04	0.35	12.68	0.40	15.48	0.10	17.12	-0.21	15.52	0.13	17.25	-0.24		
2023/09/18	15:30:00	9,090	6,590	16.01	0.32	12.65	0.37	15.47	0.08	17.10	-0.23	15.50	0.12	17.24	-0.25		
2023/09/18	15:40:00	9,100	6,600	15.99	0.30	12.63	0.35	15.45	0.07	17.10	-0.23	15.48	0.09	17.23	-0.26		
2023/09/18	15:50:00	9,110	6,610	15.97	0.28	12.61	0.33	15.44	0.06	17.10	-0.23	15.47	0.09	17.23	-0.26		
2023/09/18	16:00:00	9,120	6,620	15.96	0.27	12.59	0.31	15.43	0.05	17.09	-0.24	15.44	0.06	17.22	-0.27		
2023/09/18	16:10:00	9,130	6,630	15.94	0.25	12.57	0.29	15.42	0.04	17.09	-0.24	15.43	0.05	17.22	-0.27		
2023/09/18	16:20:00	9,140	6,640	15.93	0.24	12.55	0.27	15.41	0.03	17.09	-0.24	15.42	0.04	17.22	-0.27		
2023/09/18	16:30:00	9,150	6,650	15.91	0.22	12.54	0.26	15.40	0.02	17.08	-0.25	15.40	0.02	17.21	-0.28		
2023/09/18	16:40:00	9,160	6,660	15.90	0.21	12.51	0.23	15.39	0.01	17.07	-0.26	15.39	0.01	17.20	-0.29		
2023/09/18	16:50:00	9,170	6,670	15.87	0.18	12.50	0.22	15.38	0.00	17.07	-0.26	15.38	0.00	17.20	-0.29		
2023/09/18	17:00:00	9,180	6,680	15.86	0.17	12.49	0.21	15.37	-0.01	17.06	-0.27	15.37	-0.01	17.19	-0		

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/19	00:20:00	9,620	7,120	15.59	-0.10	12.20	-0.08	15.11	-0.27	16.96	-0.37	15.13	-0.25	17.09	-0.40
2023/09/19	00:30:00	9,630	7,130	15.59	-0.10	12.19	-0.09	15.11	-0.27	16.96	-0.37	15.13	-0.25	17.08	-0.41
2023/09/19	00:40:00	9,640	7,140	15.57	-0.12	12.18	-0.10	15.11	-0.28	16.96	-0.37	15.13	-0.25	17.08	-0.41
2023/09/19	00:50:00	9,650	7,150	15.58	-0.12	12.18	-0.10	15.10	-0.28	16.96	-0.37	15.12	-0.26	17.08	-0.41
2023/09/19	01:00:00	9,660	7,160	15.57	-0.12	12.17	-0.11	15.09	-0.29	16.95	-0.38	15.12	-0.26	17.08	-0.41
2023/09/19	01:10:00	9,670	7,170	15.57	-0.12	12.17	-0.11	15.09	-0.29	16.94	-0.39	15.11	-0.27	17.08	-0.41
2023/09/19	01:20:00	9,680	7,180	15.56	-0.13	12.17	-0.11	15.08	-0.30	16.95	-0.38	15.11	-0.28	17.07	-0.42
2023/09/19	01:30:00	9,690	7,190	15.56	-0.13	12.16	-0.12	15.08	-0.30	16.95	-0.38	15.10	-0.28	17.07	-0.42
2023/09/19	01:40:00	9,700	7,200	15.56	-0.13	12.16	-0.12	15.08	-0.30	16.94	-0.39	15.10	-0.28	17.06	-0.43
2023/09/19	01:50:00	9,710	7,210	15.55	-0.14	12.16	-0.12	15.07	-0.31	16.95	-0.38	15.10	-0.28	17.07	-0.42
2023/09/19	02:00:00	9,720	7,220	15.55	-0.14	12.15	-0.13	15.07	-0.31	16.94	-0.39	15.09	-0.29	17.07	-0.42
2023/09/19	02:10:00	9,730	7,230	15.55	-0.14	12.16	-0.12	15.07	-0.31	16.94	-0.39	15.10	-0.28	17.06	-0.43
2023/09/19	02:20:00	9,740	7,240	15.55	-0.15	12.15	-0.13	15.07	-0.32	16.94	-0.39	15.10	-0.28	17.06	-0.43
2023/09/19	02:30:00	9,750	7,250	15.54	-0.15	12.15	-0.13	15.06	-0.32	16.94	-0.39	15.09	-0.29	17.06	-0.43
2023/09/19	02:40:00	9,760	7,260	15.54	-0.15	12.15	-0.13	15.06	-0.32	16.93	-0.40	15.09	-0.29	17.06	-0.43
2023/09/19	02:50:00	9,770	7,270	15.54	-0.15	12.15	-0.13	15.06	-0.32	16.94	-0.39	15.08	-0.30	17.07	-0.42
2023/09/19	03:00:00	9,780	7,280	15.54	-0.15	12.14	-0.14	15.06	-0.32	16.94	-0.39	15.09	-0.29	17.06	-0.43
2023/09/19	03:10:00	9,790	7,290	15.53	-0.16	12.15	-0.13	15.06	-0.32	16.94	-0.39	15.09	-0.29	17.07	-0.42
2023/09/19	03:20:00	9,800	7,300	15.53	-0.16	12.15	-0.13	15.06	-0.33	16.94	-0.39	15.09	-0.29	17.06	-0.43
2023/09/19	03:30:00	9,810	7,310	15.54	-0.15	12.14	-0.14	15.06	-0.32	16.94	-0.39	15.09	-0.29	17.06	-0.43
2023/09/19	03:40:00	9,820	7,320	15.53	-0.16	12.14	-0.14	15.05	-0.33	16.94	-0.39	15.09	-0.29	17.06	-0.43
2023/09/19	03:50:00	9,830	7,330	15.54	-0.15	12.14	-0.14	15.05	-0.33	16.93	-0.40	15.09	-0.29	17.06	-0.43
2023/09/19	04:00:00	9,840	7,340	15.53	-0.16	12.14	-0.14	15.05	-0.33	16.93	-0.40	15.08	-0.30	17.06	-0.43
2023/09/19	04:10:00	9,850	7,350	15.53	-0.16	12.14	-0.14	15.05	-0.33	16.94	-0.40	15.08	-0.30	17.06	-0.43
2023/09/19	04:20:00	9,860	7,360	15.53	-0.16	12.15	-0.13	15.05	-0.33	16.93	-0.40	15.08	-0.30	17.07	-0.42
2023/09/19	04:30:00	9,870	7,370	15.53	-0.16	12.15	-0.13	15.05	-0.33	16.93	-0.40	15.08	-0.30	17.06	-0.43
2023/09/19	04:40:00	9,880	7,380	15.53	-0.16	12.14	-0.14	15.04	-0.34	16.93	-0.40	15.08	-0.30	17.05	-0.44
2023/09/19	04:50:00	9,890	7,390	15.53	-0.16	12.14	-0.14	15.04	-0.34	16.93	-0.40	15.08	-0.30	17.06	-0.43
2023/09/19	05:00:00	9,900	7,400	15.52	-0.17	12.14	-0.14	15.04	-0.34	16.94	-0.39	15.08	-0.30	17.06	-0.43
2023/09/19	05:10:00	9,910	7,410	15.52	-0.17	12.13	-0.15	15.03	-0.35	16.93	-0.40	15.08	-0.30	17.06	-0.43
2023/09/19	05:20:00	9,920	7,420	15.53	-0.16	12.14	-0.14	15.04	-0.34	16.93	-0.40	15.07	-0.31	17.06	-0.43
2023/09/19	05:30:00	9,930	7,430	15.52	-0.17	12.14	-0.14	15.04	-0.34	16.94	-0.39	15.08	-0.31	17.06	-0.43
2023/09/19	05:40:00	9,940	7,440	15.52	-0.17	12.13	-0.15	15.04	-0.35	16.94	-0.39	15.08	-0.30	17.06	-0.43
2023/09/19	05:50:00	9,950	7,450	15.52	-0.17	12.14	-0.14	15.04	-0.34	16.93	-0.40	15.07	-0.31	17.06	-0.43
2023/09/19	06:00:00	9,960	7,460	15.52	-0.17	12.14	-0.14	15.04	-0.34	16.93	-0.40	15.08	-0.30	17.06	-0.43
2023/09/19	06:10:00	9,970	7,470	15.52	-0.17	12.13	-0.15	15.03	-0.35	16.94	-0.39	15.07	-0.31	17.06	-0.43
2023/09/19	06:20:00	9,980	7,480	15.52	-0.17	12.13	-0.15	15.03	-0.35	16.93	-0.40	15.07	-0.31	17.05	-0.44
2023/09/19	06:30:00	9,990	7,490	15.52	-0.17	12.13	-0.15	15.02	-0.36	16.93	-0.40	15.07	-0.31	17.06	-0.43
2023/09/19	06:40:00	10,000	7,500	15.52	-0.17	12.12	-0.16	15.03	-0.36	16.93	-0.40	15.07	-0.31	17.05	-0.44



RW-02 Test

Chart 6
Observed Drawdown During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004




Chart 7
Observed Drawdown During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004




Chart 8
Observed Drawdown During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004





Chart 9
Observed Drawdown During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004



RW-02: Static and End of Test Water Levels
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Well ID	TOC Elevation	RW-02 Test				
		Static		End of Test		Observed
		DTW	GW Elev.	DTW	GW Elev.	Drawdown
RW-01 (XD)	468.90	15.01	453.89	16.13	452.77	1.12
RW-02 (XD)	465.13	17.07	448.06	33.46	431.67	16.39
MW-1 (XD)	470.85	3.58	467.27	3.88	466.97	0.30
MW-1R	471.22	3.75	467.47	4.11	467.11	0.36
MW-2 (XD)	470.51	4.17	466.34	4.38	466.13	0.21
MW-3	472.36	6.04	466.32	6.22	466.14	0.18
MW-4	469.50	6.39	463.11	6.86	462.64	0.47
MW-4R (XD)	469.68	15.44	454.24	16.60	453.08	1.16
MW-5R	471.26	1.45	469.81	1.52	469.74	0.07
MW-6 (XD)	470.39	16.99	453.40	17.98	452.41	0.99
MW-7 (XD)	468.46	14.31	454.15	15.72	452.74	1.41
MW-8 (XD)	466.69	12.05	454.64	13.17	453.52	1.12
MW-9 (XD)	464.71	14.99	449.72	24.69	440.02	9.70
MW-10 (XD)	466.09	16.98	449.11	27.23	438.86	10.25
MW-11R	481.45	16.72	464.73	16.94	464.51	0.22
MW-12	467.52	19.74	447.78	20.98	446.54	1.24
MW-13 (XD)	461.44	13.38	448.06	26.10	435.34	12.72
MW-14	452.75	11.56	441.19	12.10	440.65	0.54
MW-15	444.58	9.20	435.38	9.49	435.09	0.29
MW-16 (XD)	448.75	20.03	428.72	21.37	427.38	1.34
MW-17	450.09	7.10	442.99	12.81	437.28	5.71
MW-18	462.98	21.76	441.22	22.34	440.64	0.58
MW-19	440.97	27.18	413.79	27.35	413.62	0.17
MW-20	441.99	NA	NA	NA	NA	NA
MW-22	471.27	19.55	451.72	21.28	449.99	1.73
MW-23	472.35	19.56	452.79	20.38	451.97	0.82
Notes:						
RW-02 Test: Static @ 09:00 am on 9-20-2023; End of Test @ 08:50 am on 9-22-2023						
XD - Indicates measurements via pressure transducer; all other measurements collected manually						
NA indicates not accessible - Car parked over well.						

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water													
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1			
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD		
2023/09/20	01:06:00	11,106	0	20.01	-0.02	13.42	0.04	14.28	-0.03	17.04	0.05	6.99	0.12	3.64	0.06		
2023/09/20	01:16:00	11,116	10	20.01	-0.02	13.42	0.04	14.29	-0.03	17.05	0.06	6.99	0.12	3.65	0.06		
2023/09/20	01:26:00	11,126	20	20.01	-0.02	13.41	0.03	14.29	-0.02	17.05	0.06	6.99	0.12	3.64	0.06		
2023/09/20	01:36:00	11,136	30	20.01	-0.02	13.41	0.03	14.29	-0.02	17.04	0.05	6.99	0.12	3.64	0.06		
2023/09/20	01:46:00	11,146	40	20.01	-0.02	13.41	0.03	14.28	-0.04	17.04	0.05	6.99	0.12	3.64	0.05		
2023/09/20	01:56:00	11,156	50	20.01	-0.02	13.41	0.03	14.28	-0.04	17.04	0.05	7.00	0.13	3.64	0.05		
2023/09/20	02:06:00	11,166	60	20.01	-0.02	13.41	0.03	14.28	-0.03	17.04	0.05	7.00	0.13	3.64	0.05		
2023/09/20	02:16:00	11,176	70	20.01	-0.02	13.41	0.03	14.28	-0.04	17.04	0.05	7.00	0.13	3.64	0.05		
2023/09/20	02:26:00	11,186	80	20.01	-0.02	13.41	0.03	14.27	-0.04	17.03	0.04	7.00	0.13	3.64	0.06		
2023/09/20	02:36:00	11,196	90	20.01	-0.02	13.40	0.02	14.27	-0.04	17.03	0.04	6.99	0.12	3.64	0.06		
2023/09/20	02:46:00	11,206	100	20.01	-0.02	13.41	0.03	14.28	-0.04	17.04	0.05	7.00	0.13	3.64	0.06		
2023/09/20	02:56:00	11,216	110	20.01	-0.02	13.41	0.03	14.28	-0.03	17.04	0.05	7.00	0.13	3.65	0.07		
2023/09/20	03:06:00	11,226	120	20.01	-0.02	13.40	0.02	14.27	-0.04	17.03	0.04	7.00	0.13	3.65	0.07		
2023/09/20	03:16:00	11,236	130	20.01	-0.02	13.40	0.02	14.27	-0.04	17.03	0.04	7.00	0.13	3.65	0.07		
2023/09/20	03:26:00	11,246	140	20.01	-0.02	13.40	0.02	14.27	-0.04	17.03	0.04	7.00	0.13	3.65	0.07		
2023/09/20	03:36:00	11,256	150	20.01	-0.02	13.40	0.02	14.27	-0.04	17.03	0.04	7.01	0.14	3.64	0.06		
2023/09/20	03:46:00	11,266	160	20.02	-0.02	13.40	0.02	14.26	-0.05	17.02	0.03	7.00	0.13	3.64	0.06		
2023/09/20	03:56:00	11,276	170	20.02	-0.01	13.39	0.01	14.26	-0.05	17.02	0.03	7.00	0.13	3.64	0.06		
2023/09/20	04:06:00	11,286	180	20.01	-0.02	13.40	0.02	14.27	-0.04	17.03	0.04	7.01	0.14	3.64	0.06		
2023/09/20	04:16:00	11,296	190	20.01	-0.02	13.40	0.02	14.26	-0.05	17.03	0.04	7.01	0.14	3.64	0.06		
2023/09/20	04:26:00	11,306	200	20.01	-0.02	13.40	0.02	14.26	-0.05	17.02	0.03	7.01	0.14	3.65	0.07		
2023/09/20	04:36:00	11,316	210	20.02	-0.02	13.39	0.01	14.26	-0.05	17.02	0.03	7.01	0.14	3.65	0.07		
2023/09/20	04:46:00	11,326	220	20.02	-0.01	13.40	0.01	14.26	-0.05	17.02	0.03	7.00	0.13	3.65	0.07		
2023/09/20	04:56:00	11,336	230	20.01	-0.02	13.40	0.02	14.27	-0.04	17.02	0.03	7.01	0.14	3.66	0.08		
2023/09/20	05:06:00	11,346	240	20.02	-0.01	13.39	0.01	14.26	-0.05	17.02	0.03	7.01	0.14	3.65	0.07		
2023/09/20	05:16:00	11,356	250	20.01	-0.02	13.39	0.01	14.27	-0.04	17.03	0.04	7.01	0.14	3.65	0.07		
2023/09/20	05:26:00	11,366	260	20.02	-0.01	13.40	0.02	14.26	-0.05	17.03	0.04	7.02	0.15	3.65	0.07		
2023/09/20	05:36:00	11,376	270	20.02	-0.01	13.40	0.02	14.27	-0.04	17.02	0.03	7.02	0.15	3.65	0.07		
2023/09/20	05:46:00	11,386	280	20.01	-0.02	13.39	0.01	14.26	-0.05	17.02	0.03	7.02	0.15	3.66	0.08		
2023/09/20	05:56:00	11,396	290	20.01	-0.02	13.39	0.01	14.26	-0.05	17.02	0.03	7.02	0.15	3.66	0.08		
2023/09/20	06:06:00	11,406	300	20.02	-0.01	13.39	0.01	14.26	-0.05	17.01	0.02	7.01	0.14	3.66	0.08		
2023/09/20	06:16:00	11,416	310	20.02	-0.01	13.39	0.01	14.27	-0.04	17.02	0.03	7.02	0.15	3.66	0.08		
2023/09/20	06:26:00	11,426	320	20.01	-0.02	13.39	0.01	14.26	-0.05	17.02	0.03	7.02	0.15	3.67	0.09		
2023/09/20	06:36:00	11,436	330	20.02	-0.01	13.39	0.01	14.26	-0.05	17.02	0.03	7.02	0.15	3.66	0.08		
2023/09/20	06:46:00	11,446	340	20.01	-0.02	13.39	0.01	14.27	-0.04	17.02	0.03	7.03	0.16	3.67	0.09		
2023/09/20	06:56:00	11,456	350	20.02	-0.02	13.39	0.01	14.27	-0.04	17.02	0.03	7.02	0.15	3.67	0.09		
2023/09/20	07:06:00	11,466	360	20.02	-0.01	13.40	0.01	14.26	-0.05	17.03	0.04	7.03	0.16	3.67	0.09		
2023/09/20	07:16:00	11,476	370	20.02	-0.01	13.39	0.01	14.27	-0.04	17.02	0.03	7.03	0.16	3.68	0.10		
2023/09/20	07:26:00	11,486	380	20.02	-0.02	13.39	0.01	14.27	-0.04	17.02	0.03	7.03	0.16	3.67	0.09		
2023/09/20	07:36:00	11,496	390	20.02	-0.01	13.39	0.01	14.26	-0.05	17.02	0.03	7.03	0.16	3.67	0.09		
2023/09/20	07:46:00	11,506	400	20.02	-0.01	13.39	0.01	14.26	-0.05	17.02	0.03	7.03	0.16	3.67	0.09		
2023/09/20	07:56:00	11,516	410	20.02	-0.01	13.40	0.02	14.27	-0.04	17.02	0.03	7.04	0.17	3.68	0.09		
2023/09/20	08:06:00	11,526	420	20.02	-0.01	13.39	0.01	14.27	-0.04	17.02	0.03	7.04	0.17	3.68	0.09		
2023/09/20	08:16:00	11,536	430	20.02	-0.01	13.39	0.01	14.31	0.00	17.02	0.03	7.04	0.17	3.68	0.09		
2023/09/20	08:26:00	11,546	440	20.02	-0.01	13.39	0.01	14.31	0.00	17.00	0.01	6.87	0.00	3.58	0.00		
2023/09/20	08:36:00	11,556	450	20.02	-0.01	13.39	0.01	14.31	0.00	17.00	0.01	6.87	0.00	3.58	0.00		
2023/09/20	08:46:00	11,566	460	20.02	-0.01	13.38	0.00	14.31	-0.01	17.00	0.01	6.87	0.00	3.58	0.00		
2023/09/20	08:56:00	11,576	470	20.03	0.00	13.38	0.00	14.30	-0.01	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	08:58:00	11,578	472	20.03	0.00	13.38	0.00	14.31	-0.01	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:00:00	11,580	474	20.03	0.00	13.38	0.00	14.31	-0.01	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:02:00	11,582	476	20.03	0.00	13.37	-0.01	14.31	-0.01	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:04:00	11,584	478	20.03	0.00	13.39	0.01	14.31	-0.01	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:06:00	11,586	480	20.03	0.00	13.41	0.03	14.32	0.00	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:08:00	11,588	482	20.03	0.00	13.45	0.07	14.32	0.01	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:10:00	11,590	484	20.03	0.00	13.50	0.12	14.33	0.02	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:12:00	11,592	486	20.03	0.00	13.56	0.18	14.33	0.02	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:14:00	11,594	488	20.04	0.00	13.62	0.24	14.33	0.02	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:16:00	11,596	490	20.03	0.00	13.69	0.31	14.34	0.03	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:18:00	11,598	492	20.03	0.00	13.76	0.38	14.34	0.03	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:20:00	11,600	494	20.03	0.00	13.84	0.46	14.35	0.04	16.99	0.00	6.87	0.00	3.58	0.00		
2023/09/20	09:22:00	11,602	496	20.03	0.00	13.91	0.53	14.35	0.04	17.00	0.01	6.87	0.00	3.59	0.00		
2023/09/20	09:24:00	11,604	498	20.03	0.00	13.99	0.61	14.36	0.05	17.00	0.01	6.87	0.00	3.59	0.00		
2023/09/20	09:26:0																

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/20	10:52:00	11,692	586	20.03	0.00	17.04	3.66	14.49	0.18	17.04	0.05	6.88	0.01	3.59	0.01
2023/09/20	10:54:00	11,694	588	20.03	0.00	17.10	3.72	14.50	0.19	17.04	0.05	6.88	0.01	3.59	0.01
2023/09/20	10:56:00	11,696	590	20.03	0.00	17.15	3.77	14.50	0.19	17.04	0.05	6.88	0.01	3.60	0.02
2023/09/20	10:58:00	11,698	592	20.03	0.00	17.20	3.82	14.50	0.18	17.05	0.06	6.88	0.01	3.60	0.02
2023/09/20	11:00:00	11,700	594	20.03	0.00	17.25	3.87	14.50	0.19	17.05	0.06	6.88	0.01	3.60	0.02
2023/09/20	11:02:00	11,702	596	20.04	0.01	17.30	3.92	14.50	0.19	17.05	0.06	6.88	0.01	3.60	0.02
2023/09/20	11:04:00	11,704	598	20.03	0.00	17.35	3.97	14.50	0.19	17.05	0.06	6.88	0.01	3.60	0.02
2023/09/20	11:06:00	11,706	600	20.04	0.01	17.40	4.02	14.50	0.19	17.05	0.06	6.88	0.01	3.60	0.02
2023/09/20	11:16:00	11,716	610	20.04	0.01	17.63	4.25	14.52	0.21	17.05	0.06	6.87	0.00	3.60	0.02
2023/09/20	11:26:00	11,726	620	20.04	0.01	17.86	4.48	14.53	0.22	17.05	0.06	6.88	0.01	3.60	0.02
2023/09/20	11:36:00	11,736	630	20.04	0.01	18.06	4.68	14.54	0.23	17.06	0.07	6.88	0.01	3.59	0.01
2023/09/20	11:46:00	11,746	640	20.04	0.01	18.25	4.87	14.54	0.23	17.06	0.07	6.88	0.01	3.60	0.02
2023/09/20	11:56:00	11,756	650	20.04	0.01	18.44	5.06	14.56	0.24	17.06	0.07	6.88	0.01	3.60	0.02
2023/09/20	12:06:00	11,766	660	20.05	0.02	18.62	5.24	14.57	0.26	17.07	0.08	6.88	0.01	3.60	0.02
2023/09/20	12:16:00	11,776	670	20.05	0.02	18.79	5.41	14.58	0.27	17.07	0.08	6.87	0.00	3.59	0.01
2023/09/20	12:26:00	11,786	680	20.05	0.02	18.96	5.58	14.59	0.28	17.07	0.08	6.87	0.00	3.59	0.01
2023/09/20	12:36:00	11,796	690	20.06	0.03	19.11	5.73	14.60	0.29	17.08	0.09	6.87	0.00	3.59	0.01
2023/09/20	12:46:00	11,806	700	20.06	0.02	19.26	5.88	14.61	0.30	17.08	0.09	6.88	0.01	3.60	0.02
2023/09/20	12:56:00	11,816	710	20.06	0.02	19.41	6.03	14.62	0.31	17.09	0.10	6.87	0.00	3.60	0.02
2023/09/20	13:06:00	11,826	720	20.06	0.03	19.55	6.17	14.63	0.32	17.09	0.10	6.87	0.00	3.60	0.02
2023/09/20	13:16:00	11,836	730	20.07	0.04	19.67	6.29	14.64	0.33	17.09	0.10	6.87	0.00	3.60	0.02
2023/09/20	13:26:00	11,846	740	20.06	0.03	19.81	6.43	14.64	0.33	17.10	0.11	6.88	0.01	3.60	0.02
2023/09/20	13:36:00	11,856	750	20.07	0.04	19.93	6.55	14.65	0.34	17.10	0.11	6.88	0.00	3.61	0.03
2023/09/20	13:46:00	11,866	760	20.07	0.04	20.05	6.67	14.66	0.34	17.10	0.11	6.87	0.00	3.60	0.02
2023/09/20	13:56:00	11,876	770	20.08	0.05	20.17	6.79	14.67	0.36	17.10	0.11	6.87	0.00	3.60	0.02
2023/09/20	14:06:00	11,886	780	20.08	0.05	20.28	6.90	14.68	0.37	17.11	0.12	6.87	0.00	3.60	0.02
2023/09/20	14:16:00	11,896	790	20.08	0.05	20.39	7.01	14.69	0.38	17.11	0.12	6.87	0.00	3.61	0.03
2023/09/20	14:26:00	11,906	800	20.09	0.06	20.50	7.12	14.70	0.39	17.12	0.13	6.87	0.00	3.61	0.03
2023/09/20	14:36:00	11,916	810	20.08	0.05	20.59	7.21	14.70	0.39	17.12	0.13	6.88	0.01	3.61	0.03
2023/09/20	14:46:00	11,926	820	20.09	0.06	20.69	7.31	14.70	0.39	17.12	0.13	6.87	0.00	3.61	0.02
2023/09/20	14:56:00	11,936	830	20.09	0.06	20.79	7.41	14.71	0.40	17.13	0.14	6.87	0.00	3.62	0.04
2023/09/20	15:06:00	11,946	840	20.10	0.07	20.89	7.51	14.72	0.41	17.13	0.14	6.88	0.00	3.62	0.04
2023/09/20	15:16:00	11,956	850	20.10	0.07	20.98	7.60	14.73	0.42	17.14	0.15	6.88	0.00	3.62	0.04
2023/09/20	15:26:00	11,966	860	20.11	0.08	21.06	7.68	14.74	0.43	17.13	0.14	6.87	0.00	3.62	0.04
2023/09/20	15:36:00	11,976	870	20.11	0.08	21.15	7.77	14.75	0.44	17.14	0.15	6.87	0.00	3.62	0.04
2023/09/20	15:46:00	11,986	880	20.11	0.08	21.24	7.86	14.75	0.44	17.14	0.15	6.87	0.00	3.62	0.04
2023/09/20	15:56:00	11,996	890	20.11	0.08	21.31	7.93	14.75	0.44	17.15	0.16	6.87	0.00	3.62	0.04
2023/09/20	16:06:00	12,006	900	20.12	0.09	21.39	8.01	14.76	0.45	17.14	0.15	6.86	-0.01	3.62	0.04
2023/09/20	16:16:00	12,016	910	20.13	0.10	21.47	8.09	14.77	0.46	17.15	0.16	6.87	0.00	3.62	0.04
2023/09/20	16:26:00	12,026	920	20.13	0.09	21.53	8.15	14.77	0.46	17.15	0.16	6.87	0.00	3.62	0.04
2023/09/20	16:36:00	12,036	930	20.12	0.09	21.61	8.23	14.77	0.46	17.15	0.16	6.87	0.00	3.62	0.04
2023/09/20	16:46:00	12,046	940	20.13	0.10	21.68	8.30	14.78	0.47	17.16	0.17	6.87	0.00	3.62	0.04
2023/09/20	16:56:00	12,056	950	20.13	0.10	21.75	8.37	14.79	0.48	17.16	0.17	6.87	0.00	3.62	0.04
2023/09/20	17:06:00	12,066	960	20.15	0.12	21.82	8.44	14.80	0.48	17.16	0.17	6.86	-0.01	3.63	0.05
2023/09/20	17:16:00	12,076	970	20.15	0.12	21.89	8.51	14.80	0.49	17.17	0.18	6.86	-0.01	3.63	0.05
2023/09/20	17:26:00	12,086	980	20.15	0.12	21.95	8.57	14.82	0.50	17.17	0.18	6.86	-0.01	3.63	0.05
2023/09/20	17:36:00	12,096	990	20.16	0.13	22.01	8.63	14.82	0.51	17.17	0.18	6.87	0.00	3.64	0.06
2023/09/20	17:46:00	12,106	1,000	20.16	0.13	22.08	8.70	14.83	0.52	17.19	0.20	6.87	0.00	3.64	0.06
2023/09/20	17:56:00	12,116	1,010	20.17	0.14	22.14	8.76	14.83	0.52	17.18	0.19	6.86	-0.01	3.64	0.06
2023/09/20	18:06:00	12,126	1,020	20.17	0.14	22.20	8.82	14.83	0.52	17.19	0.20	6.86	-0.01	3.64	0.06
2023/09/20	18:16:00	12,136	1,030	20.17	0.14	22.26	8.88	14.85	0.54	17.20	0.21	6.87	0.00	3.65	0.07
2023/09/20	18:26:00	12,146	1,040	20.18	0.15	22.31	8.93	14.86	0.55	17.20	0.21	6.87	0.00	3.65	0.07
2023/09/20	18:36:00	12,156	1,050	20.18	0.15	22.37	8.99	14.87	0.56	17.20	0.21	6.88	0.00	3.66	0.07
2023/09/20	18:46:00	12,166	1,060	20.18	0.15	22.43	9.05	14.88	0.57	17.22	0.23	6.87	0.00	3.66	0.08
2023/09/20	18:56:00	12,176	1,070	20.19	0.15	22.48	9.10	14.88	0.57	17.22	0.23	6.87	0.00	3.66	0.08
2023/09/20	19:06:00	12,186	1,080	20.20	0.17	22.53	9.15	14.90	0.59	17.22	0.23	6.88	0.01	3.67	0.09
2023/09/20	19:16:00	12,196	1,090	20.20	0.16	22.59	9.21	14.90	0.59	17.23	0.24	6.88	0.01	3.67	0.09
2023/09/20	19:26:00	12,206	1,100	20.20	0.17	22.64	9.26	14.92	0.61	17.24	0.25	6.88	0.00	3.68	0.09
2023/09/20	19:36:00	12,216	1,110	20.21	0.18	22.69	9.31	14.92	0.61	17.25	0.26	6.88	0.01	3.68	0.10
2023/09/20	19:46:00	12,226	1,120	20.22	0.19	22.74	9.36	14.93	0.62	17.25	0.26	6.88	0.01	3.68	0.10
2023/09/20	19:56:00	12,236	1,130	20.22	0.18	22.79	9.41	14.94	0.63	17.26	0.27	6.89	0.02	3.69	0.11
2023/09/20	20:06:00	12,246	1,140	20.22	0.19	22.84	9.46	14.96	0.65	17.27	0.28	6.89	0.02	3.70	0.12
2023/09/20	20:16:00	12,256	1,150	20.23	0.20	22.89	9.51	14.96	0.65	17.28	0.29	6.89	0.02	3.70	0.12
2023/09/20	20:26:00	12,266	1,160	20.23	0.20	22.93	9.55	14.98	0.67	17.29	0.30	6.90	0.03	3.71	0.13
2023/09/20	20:36:00	12,276	1,170	20.24	0.20	22.98	9.60	14.98	0.67	17.30	0.31	6.90	0.03	3.70	0.12
2023/09/20	20:46:00	12,286	1,180	20.24	0.21	23.03	9.65	14.99	0.67	17.30	0.31	6.91	0.04	3.71	0.13
2023/09/20	20:56:00	12,296	1,190	20.24	0.21	23.07	9.69	15.00	0.69	17.31	0.32	6.90	0.03	3.71	0.13
2023/09/20	21:06:00	12,306	1,200	20.25	0.22	23.11	9.73	15.00	0.69	17.31	0.32	6.91	0.04	3.72	0.14
2023/09/20	21:16:00	12,													

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/21	03:26:00	12,686	1,580	20.45	0.42	24.14	10.76	15.18	0.87	17.46	0.47	6.96	0.09	3.73	0.15
2023/09/21	03:36:00	12,696	1,590	20.47	0.44	24.16	10.78	15.18	0.87	17.47	0.48	6.97	0.10	3.74	0.16
2023/09/21	03:46:00	12,706	1,600	20.47	0.44	24.18	10.80	15.19	0.88	17.47	0.48	6.97	0.10	3.73	0.15
2023/09/21	03:56:00	12,716	1,610	20.47	0.44	24.19	10.81	15.20	0.89	17.47	0.48	6.97	0.10	3.73	0.15
2023/09/21	04:06:00	12,726	1,620	20.48	0.45	24.21	10.83	15.20	0.89	17.48	0.49	6.97	0.10	3.73	0.15
2023/09/21	04:16:00	12,736	1,630	20.48	0.45	24.23	10.85	15.20	0.89	17.48	0.49	6.96	0.09	3.74	0.16
2023/09/21	04:26:00	12,746	1,640	20.49	0.46	24.24	10.86	15.21	0.90	17.49	0.50	6.97	0.10	3.74	0.16
2023/09/21	04:36:00	12,756	1,650	20.50	0.47	24.26	10.88	15.22	0.91	17.50	0.51	6.97	0.10	3.74	0.16
2023/09/21	04:46:00	12,766	1,660	20.50	0.47	24.28	10.90	15.22	0.91	17.50	0.51	6.97	0.10	3.75	0.17
2023/09/21	04:56:00	12,776	1,670	20.51	0.48	24.29	10.91	15.22	0.91	17.50	0.51	6.98	0.11	3.75	0.17
2023/09/21	05:06:00	12,786	1,680	20.51	0.48	24.31	10.93	15.23	0.92	17.51	0.52	6.97	0.10	3.75	0.17
2023/09/21	05:16:00	12,796	1,690	20.52	0.49	24.33	10.95	15.24	0.92	17.51	0.52	6.98	0.11	3.75	0.17
2023/09/21	05:26:00	12,806	1,700	20.52	0.49	24.34	10.96	15.24	0.93	17.52	0.53	6.98	0.11	3.75	0.17
2023/09/21	05:36:00	12,816	1,710	20.53	0.50	24.36	10.98	15.25	0.94	17.53	0.54	6.98	0.11	3.75	0.17
2023/09/21	05:46:00	12,826	1,720	20.54	0.51	24.38	11.00	15.25	0.94	17.53	0.54	6.99	0.12	3.76	0.18
2023/09/21	05:56:00	12,836	1,730	20.54	0.51	24.40	11.02	15.26	0.95	17.53	0.54	6.98	0.11	3.76	0.18
2023/09/21	06:06:00	12,846	1,740	20.54	0.51	24.41	11.03	15.26	0.95	17.54	0.55	6.98	0.11	3.77	0.19
2023/09/21	06:16:00	12,856	1,750	20.55	0.52	24.42	11.04	15.27	0.96	17.54	0.55	6.98	0.11	3.77	0.19
2023/09/21	06:26:00	12,866	1,760	20.56	0.53	24.44	11.06	15.28	0.97	17.55	0.56	6.99	0.12	3.76	0.18
2023/09/21	06:36:00	12,876	1,770	20.56	0.53	24.46	11.08	15.28	0.97	17.55	0.56	6.99	0.12	3.77	0.19
2023/09/21	06:46:00	12,886	1,780	20.57	0.54	24.47	11.09	15.28	0.97	17.56	0.57	7.00	0.13	3.77	0.19
2023/09/21	06:56:00	12,896	1,790	20.57	0.54	24.49	11.11	15.29	0.98	17.56	0.57	6.99	0.12	3.78	0.20
2023/09/21	07:06:00	12,906	1,800	20.58	0.55	24.51	11.13	15.30	0.98	17.57	0.58	7.00	0.13	3.77	0.19
2023/09/21	07:16:00	12,916	1,810	20.58	0.55	24.53	11.15	15.30	0.99	17.58	0.59	7.00	0.13	3.77	0.19
2023/09/21	07:26:00	12,926	1,820	20.59	0.56	24.54	11.16	15.31	1.00	17.58	0.59	7.00	0.13	3.78	0.20
2023/09/21	07:36:00	12,936	1,830	20.60	0.56	24.55	11.17	15.31	1.00	17.58	0.59	7.01	0.14	3.78	0.20
2023/09/21	07:46:00	12,946	1,840	20.60	0.57	24.57	11.19	15.32	1.01	17.59	0.60	7.00	0.13	3.77	0.19
2023/09/21	07:56:00	12,956	1,850	20.60	0.57	24.59	11.21	15.32	1.01	17.59	0.60	7.01	0.14	3.78	0.20
2023/09/21	08:06:00	12,966	1,860	20.62	0.58	24.60	11.22	15.32	1.01	17.60	0.61	7.01	0.14	3.78	0.20
2023/09/21	08:16:00	12,976	1,870	20.62	0.59	24.62	11.24	15.32	1.01	17.60	0.61	7.01	0.14	3.78	0.20
2023/09/21	08:26:00	12,986	1,880	20.63	0.60	24.64	11.26	15.34	1.03	17.61	0.62	7.01	0.14	3.78	0.20
2023/09/21	08:36:00	12,996	1,890	20.63	0.60	24.65	11.27	15.34	1.03	17.61	0.62	7.01	0.14	3.78	0.20
2023/09/21	08:46:00	13,006	1,900	20.64	0.61	24.66	11.28	15.34	1.03	17.60	0.61	7.02	0.15	3.78	0.20
2023/09/21	08:56:00	13,016	1,910	20.65	0.61	24.68	11.30	15.33	1.02	17.60	0.61	7.02	0.15	3.78	0.20
2023/09/21	09:06:00	13,026	1,920	20.65	0.62	24.70	11.32	15.34	1.03	17.62	0.63	7.02	0.15	3.78	0.20
2023/09/21	09:16:00	13,036	1,930	20.65	0.62	24.71	11.33	15.34	1.03	17.62	0.63	7.02	0.15	3.78	0.20
2023/09/21	09:26:00	13,046	1,940	20.66	0.63	24.72	11.34	15.34	1.03	17.62	0.63	7.01	0.14	3.77	0.19
2023/09/21	09:36:00	13,056	1,950	20.66	0.63	24.73	11.35	15.34	1.03	17.62	0.63	7.02	0.15	3.78	0.20
2023/09/21	09:46:00	13,066	1,960	20.67	0.64	24.75	11.37	15.35	1.04	17.62	0.63	7.02	0.15	3.78	0.20
2023/09/21	09:56:00	13,076	1,970	20.67	0.64	24.76	11.38	15.35	1.04	17.62	0.63	7.02	0.15	3.78	0.20
2023/09/21	10:06:00	13,086	1,980	20.68	0.65	24.78	11.40	15.35	1.04	17.62	0.63	7.02	0.15	3.78	0.20
2023/09/21	10:16:00	13,096	1,990	20.68	0.65	24.79	11.41	15.35	1.04	17.63	0.64	7.03	0.16	3.78	0.20
2023/09/21	10:26:00	13,106	2,000	20.69	0.66	24.80	11.42	15.36	1.05	17.63	0.64	7.02	0.15	3.78	0.20
2023/09/21	10:36:00	13,116	2,010	20.70	0.67	24.81	11.43	15.36	1.05	17.64	0.65	7.02	0.15	3.78	0.20
2023/09/21	10:46:00	13,126	2,020	20.70	0.67	24.83	11.45	15.37	1.06	17.64	0.65	7.02	0.15	3.78	0.20
2023/09/21	10:56:00	13,136	2,030	20.71	0.68	24.84	11.46	15.37	1.06	17.64	0.65	7.02	0.15	3.78	0.20
2023/09/21	11:06:00	13,146	2,040	20.72	0.69	24.85	11.47	15.37	1.06	17.64	0.65	7.02	0.15	3.78	0.20
2023/09/21	11:16:00	13,156	2,050	20.72	0.69	24.86	11.48	15.36	1.05	17.64	0.65	7.03	0.16	3.78	0.20
2023/09/21	11:26:00	13,166	2,060	20.73	0.70	24.87	11.49	15.36	1.05	17.64	0.65	7.03	0.16	3.78	0.20
2023/09/21	11:36:00	13,176	2,070	20.73	0.70	24.89	11.51	15.37	1.06	17.64	0.65	7.03	0.16	3.78	0.20
2023/09/21	11:46:00	13,186	2,080	20.73	0.70	24.90	11.52	15.37	1.06	17.64	0.65	7.03	0.16	3.78	0.20
2023/09/21	11:56:00	13,196	2,090	20.74	0.71	24.91	11.53	15.37	1.06	17.65	0.66	7.02	0.15	3.77	0.19
2023/09/21	12:06:00	13,206	2,100	20.75	0.72	24.92	11.54	15.37	1.06	17.64	0.65	7.02	0.15	3.77	0.19
2023/09/21	12:16:00	13,216	2,110	20.76	0.73	24.93	11.55	15.37	1.06	17.64	0.65	7.03	0.16	3.77	0.19
2023/09/21	12:26:00	13,226	2,120	20.76	0.73	24.94	11.56	15.37	1.06	17.64	0.65	7.02	0.15	3.77	0.19
2023/09/21	12:36:00	13,236	2,130	20.76	0.73	24.95	11.57	15.37	1.06	17.64	0.65	7.03	0.16	3.77	0.19
2023/09/21	12:46:00	13,246	2,140	20.77	0.73	24.96	11.58	15.36	1.05	17.64	0.65	7.02	0.15	3.76	0.18
2023/09/21	12:56:00	13,256	2,150	20.77	0.74	24.97	11.59	15.36	1.05	17.64	0.65	7.03	0.16	3.76	0.18
2023/09/21	13:06:00	13,266	2,160	20.78	0.75	24.97	11.59	15.37	1.06	17.64	0.65	7.02	0.15	3.76	0.18
2023/09/21	13:16:00	13,276	2,170	20.79	0.76	24.99	11.61	15.37	1.06	17.63	0.64	7.02	0.15	3.76	0.18
2023/09/21	13:26:00	13,286	2,180	20.79	0.76	25.00	11.62	15.36	1.05	17.64	0.65	7.02	0.15	3.76	0.18
2023/09/21	13:36:00	13,296	2,190	20.79	0.76	25.01	11.63	15.36	1.05	17.64	0.65	7.02	0.15	3.76	0.18
2023/09/21	13:46:00	13,306	2,200	20.80	0.77	25.01	11.63	15.36	1.05	17.64	0.65	7.01	0.14	3.76	0.18
2023/09/21	13:56:00	13,316	2,210	20.81	0.78	25.02	11.64	15.37	1.06	17.64	0.65	7.01	0.14	3.75	0.17
2023/09/21	14:06:00	13,326	2,220	20.81	0.78	25.03	11.65	15.37	1.06	17.64	0.65	7.01	0.14	3.75	0.17
2023/09/21	14:16:00	13,336	2,230	20.81	0.78	25.04	11.66	15.36	1.05	17.64	0.65	7.02	0.15	3.76	0.18
2023/09/21	14:26:00	13,346	2,240	20.82	0.79	25.05	11.67	15.37	1.06	17.64	0.65	7.02	0.15	3.76	0.18
2023/09/21	14:36:00	13,356	2,250	20.83	0.80	25.06	11.68	15.37	1.06	17.64	0.65	7.01	0.14	3.75	0.17
2023/09/21	14:46:00	13,366	2,260	20.84	0.81	25.07	11.69	15.37	1.06	17.64	0.65	7.01	0.14	3.75	0.17
2023/09/21	14:56:00	13,376	2,270	20.84	0.81	25.07	11.69	15.36	1.05	17.64	0.65	7.01	0.14	3.75	0.17
2023/09/21	15:06:00	13,386	2,280	20.84	0.81	25.08	11.70	15.37	1.06	17.64	0.65	7.01	0.14	3.76	0.18

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/21	20:56:00	13,736	2,630	21.02	0.98	25.45	12.07	15.48	1.17	17.74	0.75	7.03	0.16	3.81	0.23
2023/09/21	21:06:00	13,746	2,640	21.02	0.99	25.46	12.08	15.48	1.17	17.74	0.75	7.03	0.16	3.82	0.24
2023/09/21	21:16:00	13,756	2,650	21.03	1.00	25.47	12.09	15.49	1.18	17.74	0.75	7.03	0.16	3.82	0.24
2023/09/21	21:26:00	13,766	2,660	21.03	1.00	25.48	12.10	15.49	1.18	17.75	0.76	7.04	0.17	3.82	0.24
2023/09/21	21:36:00	13,776	2,670	21.04	1.01	25.49	12.11	15.49	1.18	17.75	0.76	7.03	0.16	3.82	0.24
2023/09/21	21:46:00	13,786	2,680	21.04	1.01	25.50	12.12	15.49	1.18	17.75	0.76	7.04	0.17	3.82	0.24
2023/09/21	21:56:00	13,796	2,690	21.05	1.02	25.51	12.13	15.49	1.18	17.75	0.76	7.04	0.17	3.82	0.24
2023/09/21	22:06:00	13,806	2,700	21.05	1.02	25.52	12.14	15.49	1.18	17.75	0.76	7.04	0.17	3.82	0.24
2023/09/21	22:16:00	13,816	2,710	21.05	1.02	25.53	12.15	15.50	1.19	17.75	0.76	7.04	0.17	3.82	0.24
2023/09/21	22:26:00	13,826	2,720	21.06	1.03	25.54	12.16	15.51	1.20	17.76	0.77	7.04	0.17	3.83	0.25
2023/09/21	22:36:00	13,836	2,730	21.07	1.04	25.55	12.17	15.51	1.20	17.76	0.77	7.04	0.17	3.83	0.25
2023/09/21	22:46:00	13,846	2,740	21.07	1.04	25.56	12.18	15.51	1.20	17.77	0.78	7.04	0.17	3.83	0.25
2023/09/21	22:56:00	13,856	2,750	21.07	1.04	25.57	12.19	15.51	1.20	17.77	0.78	7.04	0.17	3.83	0.25
2023/09/21	23:06:00	13,866	2,760	21.08	1.05	25.58	12.20	15.52	1.21	17.77	0.78	7.04	0.17	3.83	0.25
2023/09/21	23:16:00	13,876	2,770	21.08	1.05	25.59	12.21	15.53	1.22	17.77	0.78	7.04	0.17	3.83	0.25
2023/09/21	23:26:00	13,886	2,780	21.09	1.06	25.61	12.23	15.53	1.22	17.78	0.79	7.04	0.17	3.84	0.26
2023/09/21	23:36:00	13,896	2,790	21.10	1.07	25.62	12.24	15.53	1.22	17.78	0.79	7.05	0.18	3.84	0.26
2023/09/21	23:46:00	13,906	2,800	21.10	1.07	25.62	12.24	15.53	1.22	17.79	0.80	7.05	0.18	3.84	0.26
2023/09/21	23:56:00	13,916	2,810	21.11	1.08	25.63	12.25	15.53	1.22	17.79	0.80	7.05	0.18	3.84	0.26
2023/09/22	00:06:00	13,926	2,820	21.11	1.08	25.64	12.26	15.53	1.22	17.79	0.80	7.05	0.18	3.84	0.26
2023/09/22	00:16:00	13,936	2,830	21.12	1.09	25.65	12.27	15.54	1.23	17.79	0.80	7.06	0.19	3.84	0.26
2023/09/22	00:26:00	13,946	2,840	21.12	1.09	25.66	12.28	15.54	1.23	17.79	0.80	7.06	0.19	3.84	0.26
2023/09/22	00:36:00	13,956	2,850	21.12	1.09	25.67	12.29	15.54	1.23	17.79	0.80	7.05	0.18	3.83	0.25
2023/09/22	00:46:00	13,966	2,860	21.13	1.10	25.68	12.30	15.54	1.23	17.80	0.81	7.05	0.18	3.83	0.25
2023/09/22	00:56:00	13,976	2,870	21.13	1.10	25.68	12.30	15.55	1.24	17.80	0.81	7.05	0.18	3.83	0.25
2023/09/22	01:06:00	13,986	2,880	21.14	1.11	25.69	12.31	15.55	1.24	17.81	0.82	7.06	0.19	3.84	0.26
2023/09/22	01:16:00	13,996	2,890	21.15	1.12	25.70	12.32	15.55	1.24	17.81	0.82	7.06	0.19	3.84	0.26
2023/09/22	01:26:00	14,006	2,900	21.15	1.12	25.70	12.32	15.56	1.25	17.81	0.82	7.06	0.19	3.84	0.26
2023/09/22	01:36:00	14,016	2,910	21.15	1.12	25.71	12.33	15.56	1.25	17.81	0.82	7.06	0.19	3.84	0.26
2023/09/22	01:46:00	14,026	2,920	21.16	1.13	25.71	12.33	15.56	1.25	17.81	0.82	7.06	0.19	3.84	0.26
2023/09/22	01:56:00	14,036	2,930	21.16	1.13	25.72	12.34	15.56	1.25	17.82	0.83	7.06	0.19	3.84	0.26
2023/09/22	02:06:00	14,046	2,940	21.16	1.13	25.72	12.34	15.57	1.26	17.83	0.84	7.06	0.19	3.85	0.27
2023/09/22	02:16:00	14,056	2,950	21.18	1.15	25.73	12.35	15.57	1.26	17.83	0.84	7.06	0.19	3.85	0.27
2023/09/22	02:26:00	14,066	2,960	21.18	1.15	25.74	12.36	15.57	1.26	17.83	0.84	7.07	0.20	3.85	0.27
2023/09/22	02:36:00	14,076	2,970	21.18	1.15	25.74	12.36	15.58	1.27	17.83	0.84	7.06	0.19	3.85	0.27
2023/09/22	02:46:00	14,086	2,980	21.19	1.16	25.75	12.37	15.58	1.27	17.83	0.84	7.07	0.20	3.85	0.27
2023/09/22	02:56:00	14,096	2,990	21.20	1.17	25.75	12.37	15.58	1.27	17.84	0.85	7.07	0.20	3.85	0.27
2023/09/22	03:06:00	14,106	3,000	21.20	1.17	25.76	12.38	15.58	1.27	17.84	0.85	7.07	0.20	3.85	0.27
2023/09/22	03:16:00	14,116	3,010	21.21	1.18	25.77	12.39	15.58	1.27	17.84	0.85	7.07	0.20	3.85	0.27
2023/09/22	03:26:00	14,126	3,020	21.21	1.18	25.78	12.40	15.58	1.27	17.84	0.85	7.07	0.20	3.85	0.27
2023/09/22	03:36:00	14,136	3,030	21.21	1.18	25.79	12.41	15.59	1.28	17.84	0.85	7.07	0.20	3.84	0.26
2023/09/22	03:46:00	14,146	3,040	21.21	1.18	25.79	12.41	15.60	1.29	17.85	0.86	7.07	0.20	3.85	0.27
2023/09/22	03:56:00	14,156	3,050	21.23	1.20	25.81	12.43	15.60	1.29	17.85	0.86	7.08	0.21	3.85	0.27
2023/09/22	04:06:00	14,166	3,060	21.23	1.20	25.82	12.44	15.60	1.29	17.85	0.86	7.08	0.21	3.85	0.27
2023/09/22	04:16:00	14,176	3,070	21.23	1.20	25.82	12.44	15.60	1.29	17.86	0.87	7.08	0.21	3.85	0.27
2023/09/22	04:26:00	14,186	3,080	21.24	1.21	25.83	12.45	15.60	1.29	17.86	0.87	7.08	0.21	3.85	0.27
2023/09/22	04:36:00	14,196	3,090	21.25	1.22	25.84	12.46	15.61	1.30	17.87	0.88	7.08	0.21	3.86	0.28
2023/09/22	04:46:00	14,206	3,100	21.25	1.22	25.85	12.47	15.61	1.30	17.87	0.88	7.08	0.21	3.86	0.28
2023/09/22	04:56:00	14,216	3,110	21.25	1.22	25.86	12.48	15.62	1.31	17.87	0.88	7.08	0.21	3.86	0.28
2023/09/22	05:06:00	14,226	3,120	21.26	1.23	25.87	12.49	15.62	1.31	17.87	0.88	7.08	0.21	3.86	0.28
2023/09/22	05:16:00	14,236	3,130	21.26	1.23	25.88	12.50	15.62	1.31	17.87	0.88	7.08	0.21	3.86	0.28
2023/09/22	05:26:00	14,246	3,140	21.27	1.24	25.89	12.51	15.62	1.31	17.88	0.89	7.08	0.21	3.86	0.28
2023/09/22	05:36:00	14,256	3,150	21.27	1.24	25.89	12.51	15.63	1.32	17.88	0.89	7.08	0.21	3.86	0.28
2023/09/22	05:46:00	14,266	3,160	21.28	1.25	25.90	12.52	15.63	1.32	17.89	0.90	7.09	0.22	3.86	0.28
2023/09/22	05:56:00	14,276	3,170	21.28	1.25	25.90	12.52	15.63	1.32	17.89	0.90	7.09	0.22	3.86	0.28
2023/09/22	06:06:00	14,286	3,180	21.28	1.25	25.92	12.54	15.63	1.32	17.89	0.90	7.09	0.22	3.86	0.28
2023/09/22	06:16:00	14,296	3,190	21.29	1.26	25.92	12.54	15.65	1.34	17.89	0.90	7.09	0.22	3.87	0.29
2023/09/22	06:26:00	14,306	3,200	21.29	1.26	25.93	12.55	15.65	1.34	17.90	0.91	7.09	0.22	3.87	0.29
2023/09/22	06:36:00	14,316	3,210	21.30	1.27	25.93	12.55	15.65	1.34	17.90	0.91	7.09	0.22	3.87	0.29
2023/09/22	06:46:00	14,326	3,220	21.30	1.27	25.94	12.56	15.66	1.35	17.91	0.92	7.10	0.23	3.88	0.30
2023/09/22	06:56:00	14,336	3,230	21.31	1.28	25.96	12.58	15.65	1.34	17.91	0.92	7.10	0.23	3.88	0.30
2023/09/22	07:06:00	14,346	3,240	21.31	1.28	25.96	12.58	15.67	1.36	17.91	0.92	7.10	0.23	3.88	0.30
2023/09/22	07:16:00	14,356	3,250	21.32	1.29	25.97	12.59	15.67	1.36	17.92	0.93	7.10	0.23	3.88	0.30
2023/09/22	07:26:00	14,366	3,260	21.32	1.29	25.98	12.60	15.67	1.36	17.93	0.94	7.10	0.23	3.88	0.30
2023/09/22	07:36:00	14,376	3,270	21.33	1.30	25.99	12.61	15.67	1.36	17.93	0.94	7.10	0.23	3.88	0.30
2023/09/22	07:46:00	14,386	3,280	21.33	1.30	25.99	12.61	15.67	1.36	17.93	0.94	7.10	0.23	3.89	0.31
2023/09/22	07:56:00	14,396	3,290	21.33	1.30	26.00	12.62	15.70	1.39	17.94	0.95	7.11	0.24	3.89	0.31
2023/09/22	08:06:00	14,406	3,300	21.34	1.31	26.00	12.62	15.71	1.40	17.96	0.97	7.11	0.24	3.89	0.31
2023/09/22	08:16:00	14,416	3,310	21.34	1.31	26.02	12.64	15.72	1.41	17.96	0.97	7.05	0.18	3.87	0.29
2023/09/22	08:26:00	14,426	3,320	21.35	1.32	26.02	12.64	15.71	1.40	17.96	0.97	7.05	0.18	3.88	0.30
2023/09/22	08:36:00	14,436	3,330	21.35	1.32	26.09	12.71	15.72	1.41	17.96	0.97	7.05	0.18	3.88	0.30
2023/09/22	08:46:00	14,446	3,340	21.36	1.33	26.10	12.72	15.72	1.41	17.98	0.99	7.05	0.18	3.88	0.30
2023/09/22	08:48:00	14,448	3,342	21.37	1.34	26.10	12.72	15.72							

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/22	09:54:00	14,514	3,408	21.42	1.39	24.38	11.00	15.65	1.34	17.97	0.98	7.06	0.19	3.91	0.33
2023/09/22	09:56:00	14,516	3,410	21.42	1.39	24.32	10.94	15.66	1.35	17.97	0.98	7.06	0.19	3.91	0.33
2023/09/22	09:58:00	14,518	3,412	21.43	1.40	24.27	10.89	15.65	1.34	17.96	0.97	7.06	0.19	3.91	0.33
2023/09/22	10:00:00	14,520	3,414	21.43	1.40	24.21	10.83	15.65	1.34	17.96	0.97	7.06	0.19	3.91	0.33
2023/09/22	10:02:00	14,522	3,416	21.43	1.40	24.16	10.78	15.65	1.34	17.96	0.97	7.06	0.19	3.91	0.33
2023/09/22	10:04:00	14,524	3,418	21.43	1.40	24.11	10.73	15.65	1.34	17.96	0.97	7.06	0.19	3.91	0.33
2023/09/22	10:06:00	14,526	3,420	21.43	1.40	24.06	10.68	15.65	1.34	17.96	0.97	7.06	0.19	3.91	0.33
2023/09/22	10:08:00	14,528	3,422	21.43	1.40	24.01	10.63	15.64	1.33	17.96	0.97	7.06	0.19	3.91	0.33
2023/09/22	10:10:00	14,530	3,424	21.43	1.40	23.97	10.59	15.64	1.33	17.96	0.97	7.06	0.19	3.91	0.33
2023/09/22	10:12:00	14,532	3,426	21.43	1.40	23.92	10.54	15.64	1.33	17.96	0.97	7.06	0.19	3.91	0.33
2023/09/22	10:14:00	14,534	3,428	21.43	1.40	23.87	10.49	15.64	1.33	17.96	0.97	7.06	0.19	3.92	0.34
2023/09/22	10:16:00	14,536	3,430	21.43	1.40	23.82	10.44	15.64	1.33	17.97	0.98	7.06	0.19	3.91	0.33
2023/09/22	10:18:00	14,538	3,432	21.43	1.40	23.77	10.39	15.63	1.32	17.96	0.97	7.06	0.19	3.92	0.34
2023/09/22	10:20:00	14,540	3,434	21.43	1.40	23.73	10.35	15.63	1.32	17.97	0.98	7.06	0.19	3.92	0.34
2023/09/22	10:22:00	14,542	3,436	21.43	1.40	23.68	10.30	15.63	1.32	17.97	0.98	7.06	0.19	3.92	0.34
2023/09/22	10:24:00	14,544	3,438	21.43	1.40	23.64	10.26	15.63	1.32	17.97	0.98	7.06	0.19	3.92	0.34
2023/09/22	10:26:00	14,546	3,440	21.43	1.40	23.59	10.21	15.63	1.32	17.97	0.98	7.06	0.19	3.92	0.34
2023/09/22	10:28:00	14,548	3,442	21.43	1.40	23.55	10.17	15.62	1.31	17.97	0.98	7.06	0.19	3.92	0.34
2023/09/22	10:30:00	14,550	3,444	21.44	1.41	23.52	10.14	15.62	1.31	17.96	0.97	7.06	0.19	3.92	0.34
2023/09/22	10:32:00	14,552	3,446	21.44	1.41	23.47	10.09	15.62	1.31	17.96	0.97	7.06	0.19	3.92	0.34
2023/09/22	10:34:00	14,554	3,448	21.44	1.41	23.42	10.04	15.62	1.31	17.96	0.97	7.06	0.19	3.92	0.34
2023/09/22	10:36:00	14,556	3,450	21.44	1.41	23.39	10.01	15.62	1.31	17.96	0.97	7.06	0.19	3.92	0.34
2023/09/22	10:38:00	14,558	3,452	21.44	1.41	23.35	9.97	15.62	1.31	17.96	0.97	7.06	0.19	3.92	0.34
2023/09/22	10:40:00	14,560	3,454	21.44	1.41	23.31	9.93	15.61	1.30	17.96	0.97	7.06	0.19	3.92	0.34
2023/09/22	10:42:00	14,562	3,456	21.44	1.41	23.27	9.89	15.61	1.30	17.96	0.97	7.06	0.19	3.92	0.34
2023/09/22	10:44:00	14,564	3,458	21.44	1.41	23.24	9.86	15.61	1.30	17.95	0.96	7.07	0.20	3.92	0.34
2023/09/22	10:46:00	14,566	3,460	21.44	1.41	23.20	9.82	15.61	1.30	17.95	0.96	7.07	0.20	3.92	0.34
2023/09/22	10:48:00	14,568	3,462	21.44	1.41	23.16	9.78	15.61	1.30	17.95	0.96	7.07	0.20	3.92	0.34
2023/09/22	10:50:00	14,570	3,464	21.44	1.41	23.12	9.74	15.61	1.30	17.95	0.96	7.07	0.20	3.92	0.34
2023/09/22	10:52:00	14,572	3,466	21.44	1.41	23.08	9.70	15.59	1.28	17.95	0.96	7.07	0.20	3.92	0.34
2023/09/22	10:54:00	14,574	3,468	21.44	1.41	23.05	9.67	15.59	1.28	17.95	0.96	7.07	0.20	3.92	0.34
2023/09/22	10:56:00	14,576	3,470	21.44	1.41	23.02	9.64	15.59	1.28	17.95	0.96	7.07	0.20	3.92	0.34
2023/09/22	10:58:00	14,578	3,472	21.44	1.41	22.98	9.60	15.59	1.28	17.95	0.96	7.07	0.20	3.91	0.33
2023/09/22	11:00:00	14,580	3,474	21.44	1.41	22.94	9.56	15.59	1.28	17.95	0.96	7.07	0.20	3.92	0.34
2023/09/22	11:02:00	14,582	3,476	21.45	1.42	22.91	9.53	15.58	1.27	17.95	0.96	7.07	0.20	3.91	0.33
2023/09/22	11:04:00	14,584	3,478	21.45	1.42	22.88	9.50	15.58	1.27	17.95	0.96	7.06	0.19	3.91	0.33
2023/09/22	11:06:00	14,586	3,480	21.45	1.42	22.83	9.45	15.58	1.27	17.94	0.95	7.06	0.19	3.91	0.33
2023/09/22	11:08:00	14,588	3,482	21.44	1.41	22.80	9.42	15.58	1.27	17.94	0.95	7.07	0.20	3.91	0.33
2023/09/22	11:10:00	14,590	3,484	21.45	1.42	22.77	9.39	15.58	1.27	17.94	0.95	7.07	0.20	3.91	0.33
2023/09/22	11:12:00	14,592	3,486	21.45	1.42	22.74	9.36	15.57	1.26	17.94	0.95	7.07	0.20	3.91	0.33
2023/09/22	11:14:00	14,594	3,488	21.45	1.42	22.70	9.32	15.56	1.25	17.93	0.94	7.07	0.20	3.91	0.33
2023/09/22	11:16:00	14,596	3,490	21.45	1.42	22.67	9.29	15.56	1.25	17.93	0.94	7.07	0.20	3.90	0.32
2023/09/22	11:18:00	14,598	3,492	21.45	1.42	22.64	9.26	15.57	1.26	17.93	0.94	7.07	0.20	3.91	0.33
2023/09/22	11:20:00	14,600	3,494	21.45	1.42	22.61	9.23	15.56	1.25	17.93	0.94	7.07	0.20	3.91	0.33
2023/09/22	11:22:00	14,602	3,496	21.45	1.42	22.58	9.20	15.56	1.25	17.93	0.94	7.07	0.20	3.92	0.34
2023/09/22	11:24:00	14,604	3,498	21.46	1.43	22.55	9.17	15.56	1.25	17.93	0.94	7.07	0.20	3.91	0.33
2023/09/22	11:26:00	14,606	3,500	21.46	1.43	22.51	9.13	15.55	1.24	17.93	0.94	7.06	0.19	3.91	0.33
2023/09/22	11:36:00	14,616	3,510	21.46	1.43	22.36	8.98	15.55	1.24	17.92	0.93	7.06	0.19	3.91	0.33
2023/09/22	11:46:00	14,626	3,520	21.46	1.43	22.23	8.85	15.53	1.22	17.92	0.93	7.06	0.19	3.90	0.32
2023/09/22	11:56:00	14,636	3,530	21.47	1.44	22.09	8.71	15.52	1.21	17.90	0.91	7.06	0.19	3.90	0.32
2023/09/22	12:06:00	14,646	3,540	21.46	1.43	21.95	8.57	15.51	1.20	17.90	0.91	7.06	0.19	3.90	0.32
2023/09/22	12:16:00	14,656	3,550	21.47	1.44	21.83	8.45	15.50	1.19	17.89	0.90	7.06	0.19	3.90	0.32
2023/09/22	12:26:00	14,666	3,560	21.47	1.44	21.70	8.32	15.48	1.17	17.88	0.89	7.05	0.18	3.89	0.31
2023/09/22	12:36:00	14,676	3,570	21.47	1.44	21.58	8.20	15.47	1.16	17.87	0.88	7.06	0.19	3.89	0.31
2023/09/22	12:46:00	14,686	3,580	21.48	1.45	21.47	8.09	15.46	1.15	17.87	0.88	7.05	0.18	3.89	0.31
2023/09/22	12:56:00	14,696	3,590	21.48	1.45	21.36	7.98	15.45	1.14	17.87	0.88	7.06	0.19	3.89	0.31
2023/09/22	13:06:00	14,706	3,600	21.49	1.46	21.24	7.86	15.45	1.14	17.86	0.87	7.06	0.19	3.90	0.32
2023/09/22	13:16:00	14,716	3,610	21.48	1.45	21.14	7.76	15.43	1.12	17.85	0.86	7.05	0.18	3.89	0.31
2023/09/22	13:26:00	14,726	3,620	21.49	1.46	21.04	7.66	15.43	1.12	17.85	0.86	7.05	0.18	3.89	0.31
2023/09/22	13:36:00	14,736	3,630	21.49	1.46	20.94	7.56	15.42	1.11	17.85	0.86	7.05	0.18	3.89	0.31
2023/09/22	13:46:00	14,746	3,640	21.50	1.47	20.83	7.45	15.40	1.09	17.83					

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/22	21:16:00	15,196	4,090	21.52	1.49	17.45	4.07	15.12	0.81	17.67	0.68	7.03	0.16	3.93	0.35
2023/09/22	21:26:00	15,206	4,100	21.52	1.49	17.40	4.02	15.11	0.80	17.66	0.67	7.04	0.17	3.93	0.35
2023/09/22	21:36:00	15,216	4,110	21.52	1.49	17.33	3.95	15.11	0.80	17.66	0.67	7.03	0.16	3.92	0.34
2023/09/22	21:46:00	15,226	4,120	21.52	1.49	17.28	3.90	15.10	0.79	17.65	0.66	7.03	0.16	3.92	0.34
2023/09/22	21:56:00	15,236	4,130	21.52	1.49	17.23	3.85	15.10	0.79	17.65	0.66	7.03	0.16	3.92	0.34
2023/09/22	22:06:00	15,246	4,140	21.52	1.49	17.18	3.80	15.09	0.78	17.66	0.67	7.04	0.17	3.93	0.35
2023/09/22	22:16:00	15,256	4,150	21.51	1.48	17.12	3.74	15.09	0.78	17.65	0.66	7.04	0.17	3.93	0.35
2023/09/22	22:26:00	15,266	4,160	21.52	1.49	17.08	3.70	15.09	0.78	17.65	0.66	7.04	0.17	3.93	0.35
2023/09/22	22:36:00	15,276	4,170	21.51	1.48	17.02	3.64	15.09	0.78	17.65	0.66	7.04	0.17	3.93	0.35
2023/09/22	22:46:00	15,286	4,180	21.52	1.49	16.98	3.60	15.08	0.77	17.64	0.65	7.04	0.17	3.93	0.35
2023/09/22	22:56:00	15,296	4,190	21.52	1.49	16.93	3.55	15.08	0.76	17.64	0.65	7.04	0.17	3.93	0.35
2023/09/22	23:06:00	15,306	4,200	21.51	1.48	16.88	3.50	15.07	0.76	17.63	0.64	7.05	0.18	3.93	0.35
2023/09/22	23:16:00	15,316	4,210	21.51	1.48	16.83	3.45	15.06	0.75	17.63	0.64	7.05	0.18	3.93	0.35
2023/09/22	23:26:00	15,326	4,220	21.51	1.48	16.79	3.41	15.06	0.75	17.62	0.63	7.05	0.18	3.93	0.35
2023/09/22	23:36:00	15,336	4,230	21.51	1.48	16.75	3.37	15.05	0.74	17.62	0.63	7.05	0.18	3.94	0.36
2023/09/22	23:46:00	15,346	4,240	21.51	1.48	16.70	3.32	15.05	0.74	17.62	0.63	7.05	0.18	3.93	0.35
2023/09/22	23:56:00	15,356	4,250	21.51	1.48	16.65	3.27	15.04	0.73	17.62	0.63	7.04	0.17	3.93	0.35
2023/09/23	00:06:00	15,366	4,260	21.51	1.48	16.61	3.23	15.04	0.73	17.61	0.62	7.05	0.18	3.93	0.35
2023/09/23	00:16:00	15,376	4,270	21.51	1.48	16.57	3.19	15.03	0.72	17.61	0.62	7.04	0.17	3.93	0.35
2023/09/23	00:26:00	15,386	4,280	21.51	1.48	16.52	3.14	15.03	0.72	17.61	0.62	7.05	0.18	3.93	0.35
2023/09/23	00:36:00	15,396	4,290	21.50	1.47	16.48	3.10	15.02	0.71	17.60	0.61	7.05	0.18	3.94	0.36
2023/09/23	00:46:00	15,406	4,300	21.50	1.47	16.44	3.06	15.02	0.71	17.60	0.61	7.05	0.18	3.93	0.35
2023/09/23	00:56:00	15,416	4,310	21.50	1.47	16.40	3.02	15.02	0.71	17.60	0.61	7.05	0.18	3.93	0.35
2023/09/23	01:06:00	15,426	4,320	21.50	1.47	16.36	2.98	15.01	0.70	17.59	0.60	7.05	0.18	3.93	0.35
2023/09/23	01:16:00	15,436	4,330	21.49	1.46	16.32	2.94	15.01	0.70	17.59	0.60	7.06	0.19	3.93	0.35
2023/09/23	01:26:00	15,446	4,340	21.49	1.46	16.28	2.90	15.00	0.69	17.59	0.60	7.06	0.19	3.93	0.35
2023/09/23	01:36:00	15,456	4,350	21.50	1.47	16.25	2.87	15.00	0.69	17.58	0.59	7.05	0.18	3.93	0.35
2023/09/23	01:46:00	15,466	4,360	21.49	1.46	16.21	2.83	14.99	0.68	17.58	0.59	7.05	0.18	3.93	0.35
2023/09/23	01:56:00	15,476	4,370	21.49	1.46	16.17	2.79	14.99	0.68	17.58	0.59	7.05	0.18	3.93	0.35
2023/09/23	02:06:00	15,486	4,380	21.49	1.46	16.13	2.75	14.99	0.68	17.58	0.59	7.05	0.18	3.93	0.35
2023/09/23	02:16:00	15,496	4,390	21.49	1.46	16.10	2.72	14.98	0.67	17.57	0.58	7.05	0.18	3.93	0.35
2023/09/23	02:26:00	15,506	4,400	21.48	1.45	16.06	2.68	14.97	0.66	17.57	0.58	7.06	0.19	3.93	0.35
2023/09/23	02:36:00	15,516	4,410	21.48	1.45	16.03	2.65	14.96	0.65	17.56	0.57	7.06	0.19	3.93	0.35
2023/09/23	02:46:00	15,526	4,420	21.49	1.46	15.99	2.61	14.96	0.65	17.56	0.57	7.05	0.18	3.93	0.35
2023/09/23	02:56:00	15,536	4,430	21.48	1.45	15.96	2.58	14.95	0.64	17.55	0.56	7.06	0.19	3.92	0.34
2023/09/23	03:06:00	15,546	4,440	21.48	1.45	15.91	2.53	14.95	0.64	17.54	0.55	7.05	0.18	3.92	0.34
2023/09/23	03:16:00	15,556	4,450	21.48	1.45	15.89	2.51	14.94	0.63	17.54	0.55	7.05	0.18	3.92	0.34
2023/09/23	03:26:00	15,566	4,460	21.48	1.45	15.84	2.46	14.94	0.63	17.54	0.55	7.05	0.18	3.92	0.34
2023/09/23	03:36:00	15,576	4,470	21.47	1.44	15.82	2.44	14.93	0.62	17.54	0.55	7.06	0.19	3.92	0.34
2023/09/23	03:46:00	15,586	4,480	21.47	1.44	15.78	2.40	14.93	0.62	17.53	0.54	7.05	0.18	3.92	0.34
2023/09/23	03:56:00	15,596	4,490	21.47	1.44	15.75	2.37	14.92	0.61	17.52	0.53	7.05	0.18	3.92	0.34
2023/09/23	04:06:00	15,606	4,500	21.47	1.44	15.72	2.34	14.92	0.61	17.52	0.53	7.05	0.18	3.92	0.34
2023/09/23	04:16:00	15,616	4,510	21.47	1.44	15.69	2.31	14.91	0.60	17.51	0.52	7.05	0.18	3.92	0.34
2023/09/23	04:26:00	15,626	4,520	21.46	1.43	15.66	2.28	14.91	0.60	17.51	0.52	7.05	0.18	3.92	0.34
2023/09/23	04:36:00	15,636	4,530	21.46	1.43	15.62	2.24	14.90	0.58	17.51	0.52	7.05	0.18	3.92	0.34
2023/09/23	04:46:00	15,646	4,540	21.46	1.43	15.59	2.21	14.90	0.59	17.50	0.51	7.05	0.18	3.92	0.34
2023/09/23	04:56:00	15,656	4,550	21.45	1.42	15.56	2.18	14.90	0.59	17.51	0.52	7.06	0.19	3.93	0.35
2023/09/23	05:06:00	15,666	4,560	21.46	1.43	15.54	2.16	14.89	0.58	17.50	0.51	7.05	0.18	3.92	0.34
2023/09/23	05:16:00	15,676	4,570	21.46	1.43	15.51	2.13	14.89	0.58	17.50	0.51	7.05	0.18	3.92	0.34
2023/09/23	05:26:00	15,686	4,580	21.45	1.42	15.48	2.10	14.89	0.58	17.50	0.51	7.05	0.18	3.92	0.34
2023/09/23	05:36:00	15,696	4,590	21.45	1.42	15.45	2.07	14.89	0.58	17.49	0.50	7.05	0.18	3.92	0.34
2023/09/23	05:46:00	15,706	4,600	21.45	1.42	15.43	2.05	14.88	0.57	17.49	0.50	7.05	0.18	3.93	0.35
2023/09/23	05:56:00	15,716	4,610	21.45	1.42	15.40	2.02	14.88	0.57	17.49	0.50	7.05	0.18	3.93	0.35
2023/09/23	06:06:00	15,726	4,620	21.44	1.41	15.38	2.00	14.88	0.57	17.48	0.49	7.05	0.18	3.93	0.35
2023/09/23	06:16:00	15,736	4,630	21.44	1.41	15.35	1.97	14.87	0.56	17.48	0.49	7.05	0.18	3.93	0.35
2023/09/23	06:26:00	15,746	4,640	21.44	1.41	15.33	1.95	14.87	0.56	17.48	0.49	7.04	0.17	3.93	0.35
2023/09/23	06:36:00	15,756	4,650	21.43	1.40	15.31	1.93	14.87	0.56	17.48	0.49	7.05	0.18	3.93	0.35
2023/09/23	06:46:00	15,766	4,660	21.43	1.40	15.28	1.90	14.86	0.55	17.47	0.48	7.05	0.18	3.93	0.35
2023/09/23	06:56:00	15,776	4,670	21.43	1.40	15.25	1.87	14.86	0.55	17.47	0.48	7.05	0.18	3.93	0.35
2023/09/23	07:06:00	15,786	4,680	21.43	1.40	15.23	1.85	14.86	0.55	17.47	0.48	7.05	0.18	3.93	0.35
2023/09/23	07:16:00	15,796	4,690	21.43	1.40	15.20	1.82	14.86	0.55	17.47	0.48	7.06	0.		

Date	Time	XD Time	Test Time	Depth to Water													
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1			
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD		
2023/09/23	14:46:00	16,246	5,140	21.30	1.27	14.38	1.00	14.68	0.37	17.29	0.30	7.04	0.17	3.91	0.33		
2023/09/23	14:56:00	16,256	5,150	21.31	1.28	14.38	1.00	14.67	0.36	17.28	0.29	7.05	0.18	3.91	0.33		
2023/09/23	15:06:00	16,266	5,160	21.31	1.28	14.36	0.98	14.66	0.35	17.28	0.29	7.05	0.18	3.91	0.33		
2023/09/23	15:16:00	16,276	5,170	21.30	1.27	14.35	0.97	14.66	0.35	17.28	0.29	7.04	0.17	3.90	0.32		
2023/09/23	15:26:00	16,286	5,180	21.30	1.27	14.33	0.95	14.65	0.34	17.27	0.28	7.05	0.18	3.91	0.33		
2023/09/23	15:36:00	16,296	5,190	21.29	1.26	14.32	0.94	14.65	0.34	17.27	0.28	7.05	0.18	3.90	0.32		
2023/09/23	15:46:00	16,306	5,200	21.29	1.26	14.30	0.92	14.65	0.34	17.26	0.27	7.05	0.18	3.90	0.32		
2023/09/23	15:56:00	16,316	5,210	21.28	1.25	14.29	0.91	14.65	0.34	17.26	0.27	7.04	0.17	3.90	0.32		
2023/09/23	16:06:00	16,326	5,220	21.28	1.25	14.28	0.90	14.64	0.33	17.25	0.26	7.04	0.17	3.91	0.33		
2023/09/23	16:16:00	16,336	5,230	21.28	1.25	14.27	0.89	14.63	0.32	17.26	0.27	7.04	0.17	3.91	0.33		
2023/09/23	16:26:00	16,346	5,240	21.28	1.25	14.25	0.87	14.64	0.33	17.25	0.26	7.04	0.17	3.91	0.33		
2023/09/23	16:36:00	16,356	5,250	21.27	1.24	14.25	0.86	14.64	0.33	17.25	0.26	7.04	0.17	3.91	0.33		
2023/09/23	16:46:00	16,366	5,260	21.27	1.24	14.24	0.85	14.64	0.33	17.25	0.26	7.04	0.17	3.91	0.33		
2023/09/23	16:56:00	16,376	5,270	21.27	1.24	14.22	0.84	14.63	0.32	17.25	0.26	7.04	0.17	3.91	0.33		
2023/09/23	17:06:00	16,386	5,280	21.27	1.24	14.21	0.83	14.63	0.32	17.24	0.25	7.04	0.17	3.91	0.33		
2023/09/23	17:16:00	16,396	5,290	21.27	1.24	14.20	0.82	14.63	0.32	17.23	0.24	7.04	0.17	3.92	0.34		
2023/09/23	17:26:00	16,406	5,300	21.26	1.23	14.19	0.81	14.63	0.32	17.23	0.24	7.04	0.17	3.92	0.34		
2023/09/23	17:36:00	16,416	5,310	21.25	1.22	14.18	0.80	14.62	0.31	17.23	0.24	7.04	0.17	3.91	0.33		
2023/09/23	17:46:00	16,426	5,320	21.25	1.22	14.17	0.79	14.62	0.31	17.23	0.24	7.03	0.16	3.91	0.33		
2023/09/23	17:56:00	16,436	5,330	21.25	1.22	14.16	0.78	14.61	0.30	17.23	0.24	7.04	0.17	3.91	0.33		
2023/09/23	18:06:00	16,446	5,340	21.25	1.22	14.15	0.77	14.61	0.30	17.22	0.23	7.04	0.17	3.92	0.34		
2023/09/23	18:16:00	16,456	5,350	21.24	1.21	14.14	0.76	14.61	0.30	17.22	0.23	7.03	0.16	3.91	0.33		
2023/09/23	18:26:00	16,466	5,360	21.24	1.21	14.13	0.74	14.61	0.30	17.22	0.23	7.03	0.16	3.91	0.33		
2023/09/23	18:36:00	16,476	5,370	21.24	1.21	14.12	0.74	14.61	0.30	17.21	0.22	7.04	0.17	3.92	0.34		
2023/09/23	18:46:00	16,486	5,380	21.24	1.21	14.11	0.73	14.61	0.30	17.21	0.22	7.04	0.17	3.92	0.34		
2023/09/23	18:56:00	16,496	5,390	21.23	1.20	14.10	0.72	14.60	0.29	17.20	0.21	7.04	0.17	3.92	0.34		
2023/09/23	19:06:00	16,506	5,400	21.23	1.20	14.09	0.71	14.60	0.29	17.21	0.22	7.04	0.17	3.93	0.35		
2023/09/23	19:16:00	16,516	5,410	21.23	1.20	14.08	0.70	14.60	0.29	17.21	0.22	7.04	0.17	3.93	0.35		
2023/09/23	19:26:00	16,526	5,420	21.22	1.19	14.07	0.69	14.61	0.30	17.20	0.21	7.04	0.17	3.93	0.35		
2023/09/23	19:36:00	16,536	5,430	21.22	1.19	14.06	0.68	14.60	0.29	17.21	0.22	7.04	0.17	3.93	0.35		
2023/09/23	19:46:00	16,546	5,440	21.22	1.19	14.06	0.68	14.60	0.29	17.20	0.21	7.04	0.17	3.92	0.34		
2023/09/23	19:56:00	16,556	5,450	21.22	1.19	14.05	0.67	14.60	0.29	17.20	0.21	7.05	0.18	3.92	0.34		
2023/09/23	20:06:00	16,566	5,460	21.21	1.18	14.04	0.66	14.60	0.29	17.20	0.21	7.04	0.17	3.93	0.35		
2023/09/23	20:16:00	16,576	5,470	21.21	1.18	14.03	0.65	14.59	0.28	17.19	0.20	7.04	0.17	3.93	0.35		
2023/09/23	20:26:00	16,586	5,480	21.20	1.17	14.02	0.64	14.59	0.28	17.19	0.20	7.04	0.17	3.93	0.35		
2023/09/23	20:36:00	16,596	5,490	21.20	1.17	14.02	0.64	14.59	0.28	17.19	0.20	7.05	0.18	3.92	0.34		
2023/09/23	20:46:00	16,606	5,500	21.20	1.17	14.01	0.63	14.59	0.28	17.18	0.19	7.05	0.18	3.93	0.35		
2023/09/23	20:56:00	16,616	5,510	21.20	1.17	14.00	0.62	14.59	0.28	17.19	0.20	7.05	0.18	3.93	0.35		
2023/09/23	21:06:00	16,626	5,520	21.19	1.16	14.00	0.62	14.59	0.28	17.18	0.19	7.05	0.18	3.93	0.35		
2023/09/23	21:16:00	16,636	5,530	21.19	1.16	14.00	0.62	14.59	0.28	17.18	0.19	7.04	0.17	3.92	0.34		
2023/09/23	21:26:00	16,646	5,540	21.19	1.16	13.98	0.60	14.58	0.27	17.17	0.18	7.05	0.18	3.92	0.34		
2023/09/23	21:36:00	16,656	5,550	21.19	1.16	13.98	0.60	14.58	0.27	17.17	0.18	7.05	0.18	3.92	0.34		
2023/09/23	21:46:00	16,666	5,560	21.18	1.15	13.97	0.59	14.57	0.26	17.16	0.17	7.05	0.18	3.91	0.33		
2023/09/23	21:56:00	16,676	5,570	21.18	1.15	13.96	0.58	14.57	0.26	17.16	0.17	7.05	0.18	3.92	0.34		
2023/09/23	22:06:00	16,686	5,580	21.18	1.15	13.95	0.57	14.57	0.26	17.16	0.17	7.05	0.18	3.92	0.34		
2023/09/23	22:16:00	16,696	5,590	21.18	1.15	13.95	0.57	14.57	0.26	17.16	0.17	7.05	0.18	3.92	0.34		
2023/09/23	22:26:00	16,706	5,600	21.17	1.14	13.94	0.56	14.57	0.26	17.15	0.16	7.05	0.18	3.92	0.34		
2023/09/23	22:36:00	16,716	5,610	21.17	1.14	13.93	0.55	14.57	0.26	17.15	0.16	7.05	0.18	3.92	0.34		
2023/09/23	22:46:00	16,726	5,620	21.16	1.13	13.92	0.54	14.57	0.26	17.15	0.16	7.05	0.18	3.92	0.34		
2023/09/23	22:56:00	16,736	5,630	21.16	1.13	13.92	0.54	14.57	0.26	17.16	0.17	7.05	0.18	3.92	0.34		
2023/09/23	23:06:00	16,746	5,640	21.16	1.13	13.91	0.53	14.56	0.25	17.15	0.16	7.05	0.18	3.92	0.34		
2023/09/23	23:16:00	16,756	5,650	21.16	1.13	13.91	0.53	14.56	0.25	17.15	0.16	7.06	0.19	3.92	0.34		
2023/09/23	23:26:00	16,766	5,660	21.15	1.12	13.90	0.52	14.56	0.25	17.14	0.15	7.06	0.19	3.92	0.34		
2023/09/23	23:36:00	16,776	5,670	21.14	1.11	13.90	0.52	14.56	0.25	17.14	0.15	7.05	0.18	3.91	0.33		
2023/09/23	23:46:00	16,786	5,680	21.14	1.11	13.89	0.51	14.56	0.25	17.14	0.15	7.05	0.18	3.91	0.33		
2023/09/23	23:56:00	16,796	5,690	21.14	1.11	13.88	0.50	14.56	0.25	17.14	0.15	7.05	0.18	3.91	0.33		
2023/09/24	00:06:00	16,806	5,700	21.15	1.12	13.88	0.50	14.56	0.25	17.14	0.15	7.05	0.18	3.91	0.33		
2023/09/24	00:16:00	16,816	5,710	21.13	1.10	13.87	0.49	14.56	0.24	17.14	0.15	7.06	0.19	3.91	0.33		
2023/09/24	00:26:00	16,826	5,720	21.13	1.10	13.87	0.48	14.55	0.23	17.13	0.14	7.06	0.19	3.91	0.33		
2023/09/24	00:36:00	16,836	5,730	21.13	1.10	13.86	0.48	14.54	0.23	17.12	0.13	7.06	0.19	3.91	0.33		
2023/09/24	00:46:00	16,846	5,740	21.13	1.10	13.85	0.47	14.54	0.23	17.12	0.13	7.06	0.19	3.90	0.32		
2023/09/24	00:56:00	16,856	5,750	21.13													

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/24	08:16:00	17,296	6,190	21.00	0.97	13.65	0.27	14.48	0.17	17.04	0.05	7.08	0.21	3.91	0.33
2023/09/24	08:26:00	17,306	6,200	21.00	0.97	13.65	0.27	14.47	0.16	17.04	0.05	7.08	0.21	3.92	0.34
2023/09/24	08:36:00	17,316	6,210	21.00	0.97	13.65	0.26	14.47	0.16	17.03	0.04	7.08	0.21	3.92	0.34
2023/09/24	08:46:00	17,326	6,220	21.00	0.97	13.64	0.26	14.48	0.16	17.04	0.05	7.08	0.21	3.92	0.34
2023/09/24	08:56:00	17,336	6,230	21.00	0.97	13.64	0.26	14.47	0.16	17.04	0.05	7.08	0.21	3.92	0.34
2023/09/24	09:06:00	17,346	6,240	21.00	0.97	13.64	0.26	14.47	0.16	17.03	0.04	7.09	0.22	3.92	0.34
2023/09/24	09:16:00	17,356	6,250	20.99	0.96	13.63	0.25	14.47	0.16	17.03	0.04	7.09	0.22	3.91	0.33
2023/09/24	09:26:00	17,366	6,260	20.99	0.96	13.63	0.25	14.47	0.16	17.03	0.04	7.08	0.21	3.91	0.33
2023/09/24	09:36:00	17,376	6,270	20.99	0.96	13.63	0.25	14.47	0.16	17.03	0.04	7.08	0.21	3.91	0.33
2023/09/24	09:46:00	17,386	6,280	20.98	0.95	13.63	0.25	14.46	0.15	17.03	0.04	7.09	0.22	3.91	0.33
2023/09/24	09:56:00	17,396	6,290	20.98	0.95	13.62	0.24	14.47	0.15	17.02	0.03	7.09	0.22	3.91	0.33
2023/09/24	10:06:00	17,406	6,300	20.98	0.95	13.62	0.24	14.46	0.15	17.02	0.03	7.09	0.22	3.91	0.33
2023/09/24	10:16:00	17,416	6,310	20.97	0.94	13.61	0.23	14.46	0.15	17.02	0.03	7.09	0.22	3.92	0.34
2023/09/24	10:26:00	17,426	6,320	20.98	0.95	13.62	0.23	14.45	0.14	17.01	0.02	7.09	0.22	3.91	0.33
2023/09/24	10:36:00	17,436	6,330	20.98	0.95	13.60	0.22	14.45	0.14	17.01	0.02	7.09	0.22	3.91	0.33
2023/09/24	10:46:00	17,446	6,340	20.97	0.94	13.60	0.22	14.45	0.14	17.01	0.02	7.09	0.22	3.91	0.33
2023/09/24	10:56:00	17,456	6,350	20.96	0.93	13.60	0.22	14.45	0.14	17.01	0.02	7.09	0.22	3.91	0.33
2023/09/24	11:06:00	17,466	6,360	20.96	0.93	13.60	0.22	14.44	0.13	17.00	0.01	7.09	0.22	3.91	0.33
2023/09/24	11:16:00	17,476	6,370	20.96	0.93	13.59	0.21	14.44	0.13	17.00	0.01	7.09	0.22	3.91	0.33
2023/09/24	11:26:00	17,486	6,380	20.96	0.93	13.59	0.21	14.44	0.13	17.00	0.01	7.09	0.22	3.91	0.33
2023/09/24	11:36:00	17,496	6,390	20.96	0.93	13.58	0.20	14.44	0.13	16.99	0.00	7.09	0.22	3.90	0.32
2023/09/24	11:46:00	17,506	6,400	20.95	0.92	13.58	0.20	14.44	0.13	16.99	0.00	7.09	0.22	3.91	0.33
2023/09/24	11:56:00	17,516	6,410	20.95	0.92	13.57	0.19	14.43	0.12	16.99	0.00	7.09	0.22	3.91	0.33
2023/09/24	12:06:00	17,526	6,420	20.95	0.92	13.57	0.19	14.42	0.11	16.99	0.00	7.09	0.22	3.91	0.33
2023/09/24	12:16:00	17,536	6,430	20.95	0.92	13.56	0.18	14.42	0.11	16.98	-0.01	7.09	0.22	3.90	0.32
2023/09/24	12:26:00	17,546	6,440	20.94	0.91	13.56	0.18	14.42	0.10	16.98	-0.01	7.09	0.22	3.90	0.32
2023/09/24	12:36:00	17,556	6,450	20.94	0.91	13.55	0.17	14.41	0.10	16.97	-0.02	7.09	0.22	3.89	0.31
2023/09/24	12:46:00	17,566	6,460	20.94	0.91	13.55	0.17	14.42	0.10	16.97	-0.02	7.09	0.22	3.90	0.32
2023/09/24	12:56:00	17,576	6,470	20.94	0.91	13.54	0.16	14.40	0.09	16.97	-0.02	7.09	0.22	3.90	0.32
2023/09/24	13:06:00	17,586	6,480	20.94	0.91	13.54	0.16	14.40	0.09	16.95	-0.04	7.09	0.22	3.90	0.32
2023/09/24	13:16:00	17,596	6,490	20.94	0.91	13.53	0.15	14.40	0.09	16.95	-0.04	7.08	0.21	3.89	0.31
2023/09/24	13:26:00	17,606	6,500	20.93	0.90	13.53	0.15	14.40	0.09	16.95	-0.04	7.08	0.21	3.89	0.31
2023/09/24	13:36:00	17,616	6,510	20.93	0.90	13.53	0.15	14.39	0.08	16.94	-0.05	7.09	0.22	3.89	0.31
2023/09/24	13:46:00	17,626	6,520	20.93	0.90	13.51	0.13	14.39	0.08	16.94	-0.05	7.08	0.21	3.89	0.31
2023/09/24	13:56:00	17,636	6,530	20.93	0.90	13.51	0.13	14.38	0.07	16.93	-0.06	7.09	0.22	3.88	0.30
2023/09/24	14:06:00	17,646	6,540	20.92	0.89	13.50	0.12	14.38	0.07	16.93	-0.06	7.08	0.21	3.88	0.30
2023/09/24	14:16:00	17,656	6,550	20.92	0.89	13.50	0.12	14.38	0.07	16.93	-0.06	7.08	0.21	3.88	0.30
2023/09/24	14:26:00	17,666	6,560	20.91	0.88	13.49	0.11	14.38	0.07	16.93	-0.06	7.08	0.21	3.89	0.31
2023/09/24	14:36:00	17,676	6,570	20.91	0.88	13.49	0.11	14.37	0.06	16.93	-0.06	7.08	0.21	3.89	0.31
2023/09/24	14:46:00	17,686	6,580	20.91	0.88	13.49	0.11	14.38	0.07	16.93	-0.06	7.08	0.21	3.90	0.32
2023/09/24	14:56:00	17,696	6,590	20.91	0.88	13.49	0.11	14.39	0.08	16.93	-0.06	7.08	0.21	3.90	0.32
2023/09/24	15:06:00	17,706	6,600	20.91	0.88	13.48	0.10	14.39	0.07	16.93	-0.06	7.08	0.21	3.90	0.32
2023/09/24	15:16:00	17,716	6,610	20.90	0.87	13.48	0.10	14.38	0.07	16.92	-0.07	7.08	0.21	3.89	0.31
2023/09/24	15:26:00	17,726	6,620	20.90	0.87	13.48	0.10	14.38	0.07	16.93	-0.06	7.08	0.21	3.90	0.32
2023/09/24	15:36:00	17,736	6,630	20.90	0.87	13.47	0.09	14.38	0.07	16.92	-0.07	7.08	0.21	3.89	0.31
2023/09/24	15:46:00	17,746	6,640	20.89	0.86	13.47	0.09	14.38	0.07	16.92	-0.07	7.08	0.21	3.90	0.32
2023/09/24	15:56:00	17,756	6,650	20.89	0.86	13.47	0.09	14.37	0.06	16.91	-0.08	7.08	0.21	3.89	0.31
2023/09/24	16:06:00	17,766	6,660	20.89	0.86	13.46	0.08	14.37	0.06	16.91	-0.08	7.08	0.21	3.90	0.32
2023/09/24	16:16:00	17,776	6,670	20.89	0.86	13.46	0.08	14.36	0.05	16.91	-0.08	7.08	0.21	3.90	0.32
2023/09/24	16:26:00	17,786	6,680	20.89	0.86	13.46	0.08	14.36	0.05	16.91	-0.08	7.08	0.21	3.89	0.31
2023/09/24	16:36:00	17,796	6,690	20.88	0.85	13.46	0.08	14.36	0.05	16.90	-0.09	7.07	0.20	3.90	0.32
2023/09/24	16:46:00	17,806	6,700	20.88	0.85	13.46	0.08	14.36	0.05	16.90	-0.09	7.08	0.21	3.90	0.32
2023/09/24	16:56:00	17,816	6,710	20.88	0.85	13.45	0.07	14.36	0.05	16.91	-0.08	7.08	0.21	3.91	0.33
2023/09/24	17:06:00	17,826	6,720	20.88	0.85	13.45	0.07	14.36	0.05	16.91	-0.08	7.08	0.21	3.91	0.33
2023/09/24	17:16:00	17,836	6,730	20.87	0.84	13.45	0.07	14.36	0.05	16.91	-0.08	7.08	0.21	3.91	0.33
2023/09/24	17:26:00	17,846	6,740	20.87	0.84	13.45	0.07	14.37	0.05	16.90	-0.09	7.08	0.21	3.92	0.34
2023/09/24	17:36:00	17,856	6,750	20.87	0.84	13.44	0.06	14.37	0.05	16.90	-0.09	7.09	0.22	3.92	0.34
2023/09/24	17:46:00	17,866	6,760	20.87	0.84	13.44	0.06	14.36	0.05	16.90	-0.09	7.09	0.22	3.92	0.34
2023/09/24	17:56:00	17,876	6,770	20.86	0.83	13.44	0.06	14.36	0.05	16.90	-0.09	7.09	0.22	3.91	0.33
2023/09/24	18:06:00	17,886	6,780	20.86	0.83	13.44	0.06	14.36	0.05	16.90	-0.09	7.09	0.22	3.92	0.34
2023/09/24	18:16:00	17,896	6,790	20.86	0.83	13.44	0.06	14.37	0.06	16.90	-0.09	7.09	0.		

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/25	01:46:00	18,346	7,240	20.77	0.74	13.36	-0.03	14.31	0.00	16.82	-0.17	7.11	0.24	3.90	0.32
2023/09/25	01:56:00	18,356	7,250	20.77	0.74	13.36	-0.03	14.31	0.00	16.82	-0.17	7.11	0.24	3.91	0.33
2023/09/25	02:06:00	18,366	7,260	20.76	0.73	13.35	-0.03	14.31	0.00	16.82	-0.17	7.11	0.24	3.91	0.33
2023/09/25	02:16:00	18,376	7,270	20.76	0.73	13.35	-0.03	14.30	-0.01	16.82	-0.17	7.11	0.24	3.91	0.33
2023/09/25	02:26:00	18,386	7,280	20.76	0.73	13.35	-0.03	14.30	-0.01	16.81	-0.18	7.11	0.24	3.90	0.32
2023/09/25	02:36:00	18,396	7,290	20.76	0.73	13.35	-0.03	14.30	-0.01	16.81	-0.18	7.11	0.24	3.90	0.32
2023/09/25	02:46:00	18,406	7,300	20.76	0.73	13.35	-0.03	14.30	-0.01	16.81	-0.18	7.11	0.24	3.90	0.32
2023/09/25	02:56:00	18,416	7,310	20.75	0.72	13.35	-0.04	14.30	-0.01	16.81	-0.18	7.11	0.24	3.90	0.32
2023/09/25	03:06:00	18,426	7,320	20.75	0.72	13.34	-0.04	14.30	-0.01	16.81	-0.18	7.11	0.24	3.90	0.32
2023/09/25	03:16:00	18,436	7,330	20.75	0.72	13.34	-0.04	14.29	-0.02	16.81	-0.18	7.10	0.23	3.90	0.32
2023/09/25	03:26:00	18,446	7,340	20.74	0.71	13.34	-0.04	14.29	-0.02	16.80	-0.19	7.11	0.24	3.90	0.32
2023/09/25	03:36:00	18,456	7,350	20.74	0.71	13.34	-0.04	14.29	-0.02	16.80	-0.19	7.11	0.24	3.90	0.32
2023/09/25	03:46:00	18,466	7,360	20.74	0.71	13.34	-0.04	14.29	-0.02	16.79	-0.20	7.10	0.23	3.89	0.31
2023/09/25	03:56:00	18,476	7,370	20.74	0.71	13.33	-0.05	14.29	-0.02	16.80	-0.19	7.11	0.24	3.90	0.32
2023/09/25	04:06:00	18,486	7,380	20.74	0.71	13.33	-0.05	14.29	-0.02	16.80	-0.19	7.10	0.23	3.90	0.32
2023/09/25	04:16:00	18,496	7,390	20.73	0.70	13.33	-0.05	14.29	-0.02	16.80	-0.19	7.11	0.24	3.91	0.33
2023/09/25	04:26:00	18,506	7,400	20.74	0.71	13.33	-0.05	14.29	-0.02	16.80	-0.19	7.11	0.24	3.91	0.33
2023/09/25	04:36:00	18,516	7,410	20.73	0.70	13.33	-0.06	14.29	-0.02	16.80	-0.19	7.11	0.24	3.91	0.33
2023/09/25	04:46:00	18,526	7,420	20.73	0.70	13.33	-0.05	14.29	-0.02	16.80	-0.19	7.11	0.24	3.91	0.33
2023/09/25	04:56:00	18,536	7,430	20.74	0.71	13.33	-0.05	14.30	-0.01	16.80	-0.19	7.12	0.25	3.92	0.34
2023/09/25	05:06:00	18,546	7,440	20.73	0.70	13.33	-0.05	14.30	-0.01	16.80	-0.19	7.12	0.25	3.92	0.34
2023/09/25	05:16:00	18,556	7,450	20.73	0.70	13.33	-0.05	14.30	-0.01	16.80	-0.19	7.11	0.24	3.92	0.34
2023/09/25	05:26:00	18,566	7,460	20.73	0.70	13.33	-0.05	14.30	-0.01	16.80	-0.19	7.11	0.24	3.92	0.34
2023/09/25	05:36:00	18,576	7,470	20.72	0.69	13.34	-0.04	14.30	-0.01	16.80	-0.19	7.11	0.24	3.92	0.34
2023/09/25	05:46:00	18,586	7,480	20.72	0.69	13.33	-0.05	14.30	-0.01	16.80	-0.19	7.11	0.24	3.92	0.34
2023/09/25	05:56:00	18,596	7,490	20.72	0.68	13.33	-0.05	14.31	0.00	16.81	-0.18	7.12	0.25	3.93	0.35

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/20	01:06:00	11,106	0	15.48	0.04	12.09	0.04	15.01	0.02	16.97	-0.01	15.02	0.01	17.10	0.03
2023/09/20	01:16:00	11,116	10	15.48	0.04	12.09	0.04	15.01	0.02	16.97	-0.01	15.02	0.01	17.09	0.02
2023/09/20	01:26:00	11,126	20	15.48	0.04	12.09	0.04	15.01	0.02	16.97	-0.01	15.03	0.02	17.10	0.02
2023/09/20	01:36:00	11,136	30	15.47	0.03	12.08	0.03	15.00	0.01	16.97	-0.01	15.03	0.02	17.10	0.02
2023/09/20	01:46:00	11,146	40	15.47	0.03	12.08	0.03	15.00	0.01	16.96	-0.02	15.02	0.01	17.09	0.02
2023/09/20	01:56:00	11,156	50	15.47	0.03	12.08	0.03	15.00	0.01	16.96	-0.02	15.02	0.01	17.09	0.02
2023/09/20	02:06:00	11,166	60	15.47	0.03	12.08	0.03	15.00	0.01	16.96	-0.02	15.01	0.00	17.10	0.02
2023/09/20	02:16:00	11,176	70	15.47	0.03	12.07	0.02	15.00	0.01	16.96	-0.02	15.01	0.00	17.08	0.01
2023/09/20	02:26:00	11,186	80	15.46	0.02	12.07	0.02	14.99	0.00	16.97	-0.01	15.02	0.00	17.09	0.02
2023/09/20	02:36:00	11,196	90	15.47	0.03	12.08	0.02	15.00	0.01	16.96	-0.02	15.01	0.00	17.09	0.02
2023/09/20	02:46:00	11,206	100	15.46	0.02	12.08	0.03	15.00	0.01	16.96	-0.02	15.01	0.00	17.09	0.02
2023/09/20	02:56:00	11,216	110	15.45	0.01	12.07	0.02	15.00	0.01	16.97	-0.01	15.02	0.00	17.09	0.02
2023/09/20	03:06:00	11,226	120	15.46	0.02	12.07	0.02	14.99	0.00	16.97	-0.01	15.02	0.00	17.09	0.02
2023/09/20	03:16:00	11,236	130	15.46	0.02	12.07	0.02	14.99	0.00	16.96	-0.02	15.02	0.01	17.09	0.02
2023/09/20	03:26:00	11,246	140	15.46	0.02	12.07	0.02	14.99	0.00	16.96	-0.02	15.01	0.00	17.09	0.02
2023/09/20	03:36:00	11,256	150	15.46	0.02	12.07	0.02	14.99	0.00	16.95	-0.03	15.00	-0.01	17.08	0.01
2023/09/20	03:46:00	11,266	160	15.45	0.01	12.06	0.01	14.99	0.00	16.96	-0.02	15.01	0.00	17.08	0.01
2023/09/20	03:56:00	11,276	170	15.46	0.02	12.07	0.01	14.99	0.00	16.96	-0.02	15.00	-0.01	17.08	0.01
2023/09/20	04:06:00	11,286	180	15.45	0.01	12.07	0.02	14.99	0.00	16.95	-0.03	15.00	-0.01	17.08	0.01
2023/09/20	04:16:00	11,296	190	15.45	0.01	12.06	0.01	14.99	0.00	16.95	-0.03	15.00	-0.01	17.08	0.01
2023/09/20	04:26:00	11,306	200	15.45	0.01	12.06	0.01	14.99	0.00	16.96	-0.03	15.01	0.00	17.08	0.01
2023/09/20	04:36:00	11,316	210	15.44	0.00	12.06	0.01	14.99	-0.01	16.96	-0.02	15.00	-0.01	17.08	0.01
2023/09/20	04:46:00	11,326	220	15.46	0.02	12.07	0.02	14.99	0.00	16.95	-0.03	15.00	-0.01	17.08	0.01
2023/09/20	04:56:00	11,336	230	15.45	0.01	12.07	0.02	14.99	0.00	16.95	-0.03	15.00	-0.01	17.08	0.00
2023/09/20	05:06:00	11,346	240	15.46	0.02	12.06	0.01	14.99	0.00	16.96	-0.02	15.00	-0.01	17.08	0.01
2023/09/20	05:16:00	11,356	250	15.45	0.01	12.07	0.02	14.99	0.00	16.96	-0.02	15.00	-0.01	17.09	0.02
2023/09/20	05:26:00	11,366	260	15.45	0.01	12.07	0.02	14.99	0.00	16.95	-0.03	15.00	-0.01	17.08	0.01
2023/09/20	05:36:00	11,376	270	15.45	0.01	12.06	0.01	14.99	0.00	16.95	-0.03	15.00	-0.01	17.08	0.01
2023/09/20	05:46:00	11,386	280	15.44	0.00	12.06	0.01	14.98	-0.01	16.96	-0.03	15.01	0.00	17.08	0.01
2023/09/20	05:56:00	11,396	290	15.44	0.00	12.06	0.01	14.98	-0.01	16.95	-0.03	14.99	-0.02	17.08	0.00
2023/09/20	06:06:00	11,406	300	15.45	0.01	12.06	0.01	14.99	0.00	16.95	-0.03	15.00	-0.01	17.08	0.01
2023/09/20	06:16:00	11,416	310	15.44	0.00	12.06	0.01	14.99	0.00	16.95	-0.03	15.00	-0.01	17.07	0.00
2023/09/20	06:26:00	11,426	320	15.44	0.00	12.06	0.01	14.98	-0.01	16.96	-0.02	15.01	0.00	17.08	0.01
2023/09/20	06:36:00	11,436	330	15.45	0.01	12.07	0.02	14.99	0.00	16.96	-0.02	15.00	-0.01	17.08	0.01
2023/09/20	06:46:00	11,446	340	15.45	0.01	12.07	0.02	14.99	0.00	16.96	-0.03	15.00	-0.01	17.09	0.02
2023/09/20	06:56:00	11,456	350	15.45	0.01	12.06	0.01	15.00	0.00	16.96	-0.02	15.01	0.00	17.08	0.01
2023/09/20	07:06:00	11,466	360	15.45	0.01	12.07	0.02	14.99	0.00	16.96	-0.02	15.00	-0.01	17.08	0.01
2023/09/20	07:16:00	11,476	370	15.45	0.01	12.07	0.02	14.99	0.00	16.95	-0.03	15.00	-0.01	17.09	0.02
2023/09/20	07:26:00	11,486	380	15.45	0.01	12.07	0.02	15.00	0.00	16.96	-0.02	15.01	0.00	17.08	0.01
2023/09/20	07:36:00	11,496	390	15.45	0.01	12.06	0.01	14.99	-0.01	16.96	-0.02	15.01	0.00	17.08	0.01
2023/09/20	07:46:00	11,506	400	15.45	0.01	12.07	0.01	14.99	0.00	16.96	-0.02	15.00	-0.01	17.08	0.01
2023/09/20	07:56:00	11,516	410	15.45	0.01	12.07	0.02	14.99	0.00	16.96	-0.02	15.00	-0.01	17.09	0.02
2023/09/20	08:06:00	11,526	420	15.45	0.01	12.07	0.02	14.99	0.00	16.95	-0.03	15.00	-0.01	17.09	0.02
2023/09/20	08:16:00	11,536	430	15.44	0.00	12.06	0.01	14.99	0.00	17.00	0.02	15.02	0.01	17.07	0.00
2023/09/20	08:26:00	11,546	440	15.44	0.00	12.06	0.01	14.99	0.00	17.00	0.02	15.01	0.00	17.07	0.00
2023/09/20	08:36:00	11,556	450	15.45	0.01	12.06	0.01	14.99	0.00	17.00	0.02	15.01	0.00	17.07	0.00
2023/09/20	08:46:00	11,566	460	15.44	0.00	12.06	0.00	14.99	0.00	16.99	0.01	15.01	0.00	17.07	0.00
2023/09/20	08:56:00	11,576	470	15.43	-0.01	12.05	0.00	14.98	-0.01	16.98	0.00	15.00	-0.01	17.06	-0.01
2023/09/20	08:58:00	11,578	472	15.44	0.00	12.06	0.00	14.99	0.00	16.98	0.00	15.01	0.00	17.07	0.00
2023/09/20	09:00:00	11,580	474	15.44	0.00	12.05	-0.01	14.99	0.00	16.98	0.00	15.01	0.00	17.07	0.00
2023/09/20	09:02:00	11,582	476	15.44	0.00	12.05	-0.01	14.99	0.00	17.00	0.02	15.01	0.00	18.38	1.31
2023/09/20	09:04:00	11,584	478	15.44	0.00	12.05	-0.01	14.99	0.00	17.14	0.16	15.01	0.00	19.21	2.14
2023/09/20	09:06:00	11,586	480	15.44	0.00	12.05	-0.01	14.99	0.00	17.29	0.31	15.01	0.00	19.48	2.41
2023/09/20	09:08:00	11,588	482	15.44	0.00	12.06	0.01	15.00	0.01	17.43	0.45	15.01	0.00	19.80	2.73
2023/09/20	09:10:00	11,590	484	15.43	-0.01	12.06	0.01	15.01	0.02	17.56	0.58	15.01	0.00	20.03	2.96
2023/09/20	09:12:00	11,592	486	15.43	-0.01	12.06	0.01	15.02	0.03	17.67	0.69	15.01	0.00	20.34	3.27
2023/09/20	09:14:00	11,594	488	15.43	-0.01	12.06	0.01	15.04	0.05	17.78	0.80	15.01	0.00	20.43	3.36
2023/09/20	09:16:00	11,596	490	15.43	-0.01	12.06	0.01	15.05	0.06	17.86	0.88	15.01	0.00	20.60	3.53
2023/09/20	09:18:00	11,598	492	15.43	-0.01	12.06	0.01	15.07	0.08	17.96	0.98	15.01	0.00	20.72	3.65
2023/09/20	09:20:00	11,600	494	15.43	-0.01	12.06	0.01	15.08	0.09	18.04	1.06	15.01	0.00	20.91	3.84
2023/09/20	09:22:00	11,602	496	15.43	-0.01	12.06	0.01	15.10	0.11	18.13	1.15	15.02	0.01	21.08.	

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/20	10:52:00	11,692	586	15.51	0.07	12.14	0.08	15.97	0.98	20.39	3.41	15.11	0.10	24.20	7.13
2023/09/20	10:54:00	11,694	588	15.51	0.07	12.14	0.09	15.99	1.00	20.43	3.45	15.11	0.10	24.25	7.18
2023/09/20	10:56:00	11,696	590	15.51	0.07	12.14	0.09	16.01	1.02	20.46	3.48	15.12	0.11	24.37	7.30
2023/09/20	10:58:00	11,698	592	15.51	0.07	12.14	0.09	16.04	1.05	20.50	3.52	15.12	0.11	24.37	7.30
2023/09/20	11:00:00	11,700	594	15.51	0.07	12.15	0.10	16.06	1.07	20.53	3.55	15.12	0.11	24.41	7.34
2023/09/20	11:02:00	11,702	596	15.51	0.07	12.15	0.09	16.08	1.09	20.57	3.59	15.11	0.10	24.44	7.37
2023/09/20	11:04:00	11,704	598	15.52	0.08	12.15	0.09	16.10	1.11	20.60	3.62	15.12	0.11	24.59	7.52
2023/09/20	11:06:00	11,706	600	15.52	0.08	12.15	0.09	16.12	1.13	20.64	3.66	15.11	0.10	24.62	7.55
2023/09/20	11:16:00	11,716	610	15.52	0.08	12.15	0.10	16.21	1.22	20.79	3.81	15.13	0.12	24.71	7.64
2023/09/20	11:26:00	11,726	620	15.52	0.08	12.16	0.11	16.32	1.33	20.95	3.97	15.13	0.12	25.07	8.00
2023/09/20	11:36:00	11,736	630	15.53	0.09	12.17	0.12	16.42	1.43	21.09	4.11	15.14	0.13	25.13	8.06
2023/09/20	11:46:00	11,746	640	15.54	0.10	12.17	0.11	16.52	1.53	21.24	4.26	15.15	0.14	25.34	8.27
2023/09/20	11:56:00	11,756	650	15.54	0.10	12.18	0.13	16.62	1.63	21.38	4.40	15.15	0.14	25.50	8.43
2023/09/20	12:06:00	11,766	660	15.55	0.11	12.19	0.14	16.72	1.73	21.50	4.52	15.16	0.15	25.76	8.69
2023/09/20	12:16:00	11,776	670	15.55	0.11	12.19	0.14	16.81	1.82	21.63	4.65	15.16	0.15	25.90	8.83
2023/09/20	12:26:00	11,786	680	15.56	0.12	12.20	0.15	16.91	1.92	21.75	4.77	15.17	0.16	26.03	8.96
2023/09/20	12:36:00	11,796	690	15.56	0.12	12.20	0.15	17.01	2.02	21.86	4.88	15.18	0.17	26.27	9.20
2023/09/20	12:46:00	11,806	700	15.57	0.13	12.21	0.16	17.11	2.12	21.98	5.00	15.18	0.17	26.32	9.25
2023/09/20	12:56:00	11,816	710	15.57	0.13	12.22	0.17	17.21	2.22	22.09	5.11	15.19	0.18	26.54	9.47
2023/09/20	13:06:00	11,826	720	15.58	0.14	12.23	0.18	17.29	2.30	22.20	5.22	15.20	0.19	26.74	9.67
2023/09/20	13:16:00	11,836	730	15.59	0.15	12.23	0.18	17.38	2.39	22.29	5.31	15.20	0.19	26.79	9.72
2023/09/20	13:26:00	11,846	740	15.59	0.15	12.24	0.19	17.48	2.49	22.39	5.41	15.21	0.20	26.95	9.88
2023/09/20	13:36:00	11,856	750	15.59	0.15	12.24	0.19	17.56	2.57	22.48	5.50	15.21	0.20	27.11	10.04
2023/09/20	13:46:00	11,866	760	15.60	0.16	12.25	0.20	17.65	2.66	22.57	5.59	15.22	0.21	27.08	10.01
2023/09/20	13:56:00	11,876	770	15.60	0.16	12.25	0.20	17.74	2.75	22.65	5.67	15.22	0.21	27.33	10.26
2023/09/20	14:06:00	11,886	780	15.61	0.17	12.26	0.21	17.83	2.84	22.74	5.76	15.23	0.22	27.32	10.25
2023/09/20	14:16:00	11,896	790	15.62	0.18	12.27	0.22	17.92	2.93	22.83	5.85	15.24	0.23	27.54	10.47
2023/09/20	14:26:00	11,906	800	15.62	0.18	12.28	0.23	18.00	3.01	22.91	5.93	15.24	0.23	27.55	10.48
2023/09/20	14:36:00	11,916	810	15.62	0.18	12.27	0.22	18.08	3.09	22.98	6.00	15.24	0.23	27.67	10.60
2023/09/20	14:46:00	11,926	820	15.63	0.19	12.28	0.23	18.16	3.17	23.06	6.08	15.25	0.24	27.86	10.79
2023/09/20	14:56:00	11,936	830	15.63	0.19	12.29	0.24	18.24	3.25	23.13	6.15	15.25	0.24	27.93	10.86
2023/09/20	15:06:00	11,946	840	15.64	0.20	12.29	0.24	18.32	3.33	23.20	6.22	15.26	0.25	27.99	10.92
2023/09/20	15:16:00	11,956	850	15.65	0.21	12.30	0.25	18.40	3.41	23.27	6.29	15.27	0.26	28.04	10.97
2023/09/20	15:26:00	11,966	860	15.65	0.21	12.31	0.26	18.48	3.49	23.34	6.36	15.27	0.26	28.24	11.17
2023/09/20	15:36:00	11,976	870	15.66	0.22	12.31	0.26	18.56	3.57	23.41	6.43	15.28	0.27	28.28	11.21
2023/09/20	15:46:00	11,986	880	15.67	0.23	12.31	0.26	18.63	3.64	23.46	6.48	15.28	0.27	28.42	11.35
2023/09/20	15:56:00	11,996	890	15.66	0.22	12.32	0.27	18.71	3.72	23.53	6.55	15.28	0.27	28.38	11.31
2023/09/20	16:06:00	12,006	900	15.67	0.23	12.32	0.27	18.77	3.78	23.59	6.61	15.29	0.28	28.49	11.42
2023/09/20	16:16:00	12,016	910	15.68	0.24	12.33	0.28	18.85	3.86	23.64	6.66	15.29	0.28	28.55	11.48
2023/09/20	16:26:00	12,026	920	15.68	0.24	12.33	0.28	18.92	3.93	23.70	6.72	15.30	0.29	28.72	11.65
2023/09/20	16:36:00	12,036	930	15.69	0.25	12.34	0.29	19.00	4.01	23.75	6.77	15.30	0.29	28.76	11.69
2023/09/20	16:46:00	12,046	940	15.68	0.24	12.34	0.29	19.06	4.07	23.81	6.83	15.30	0.29	28.78	11.71
2023/09/20	16:56:00	12,056	950	15.70	0.26	12.35	0.30	19.14	4.15	23.87	6.89	15.31	0.30	28.91	11.84
2023/09/20	17:06:00	12,066	960	15.70	0.26	12.36	0.31	19.21	4.22	23.92	6.94	15.32	0.31	28.98	11.91
2023/09/20	17:16:00	12,076	970	15.71	0.27	12.36	0.31	19.27	4.28	23.97	6.99	15.32	0.31	29.07	12.00
2023/09/20	17:26:00	12,086	980	15.71	0.27	12.37	0.32	19.33	4.34	24.03	7.05	15.33	0.32	29.09	12.02
2023/09/20	17:36:00	12,096	990	15.72	0.28	12.37	0.32	19.40	4.41	24.08	7.10	15.33	0.32	29.12	12.05
2023/09/20	17:46:00	12,106	1,000	15.72	0.28	12.38	0.33	19.48	4.49	24.13	7.15	15.34	0.33	29.27	12.20
2023/09/20	17:56:00	12,116	1,010	15.73	0.29	12.39	0.34	19.53	4.54	24.18	7.20	15.35	0.34	29.32	12.25
2023/09/20	18:06:00	12,126	1,020	15.74	0.30	12.39	0.34	19.60	4.61	24.22	7.24	15.35	0.34	29.36	12.29
2023/09/20	18:16:00	12,136	1,030	15.74	0.30	12.40	0.35	19.66	4.67	24.26	7.28	15.35	0.34	29.36	12.29
2023/09/20	18:26:00	12,146	1,040	15.75	0.31	12.41	0.36	19.73	4.74	24.32	7.34	15.36	0.35	29.44	12.37
2023/09/20	18:36:00	12,156	1,050	15.75	0.31	12.42	0.37	19.79	4.80	24.36	7.38	15.37	0.36	29.56	12.49
2023/09/20	18:46:00	12,166	1,060	15.76	0.32	12.42	0.37	19.86	4.87	24.40	7.42	15.37	0.36	29.58	12.51
2023/09/20	18:56:00	12,176	1,070	15.77	0.33	12.43	0.38	19.91	4.92	24.44	7.46	15.39	0.38	29.62	12.55
2023/09/20	19:06:00	12,186	1,080	15.78	0.34	12.44	0.39	19.98	4.99	24.49	7.51	15.39	0.38	29.69	12.62
2023/09/20	19:16:00	12,196	1,090	15.79	0.35	12.45	0.40	20.04	5.05	24.52	7.54	15.40	0.39	29.78	12.71
2023/09/20	19:26:00	12,206	1,100	15.79	0.35	12.46	0.41	20.10	5.11	24.56	7.58	15.41	0.40	29.83	12.76
2023/09/20	19:36:00	12,216	1,110	15.80	0.36	12.46	0.41	20.16	5.17	24.60	7.62	15.41	0.40	29.87	12.80
2023/09/20	19:46:00	12,226	1,120	15.81	0.37	12.48	0.43	20.22	5.23	24.65	7.67	15.43	0.42	29.88	12.81
2023/09/20	19:56:00	12,236	1,130	15.82	0.38	12.49	0.43	20.28	5.29						

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/21	03:26:00	12,686	1,580	16.05	0.61	12.70	0.65	22.13	7.14	25.70	8.72	15.65	0.64	31.29	14.22
2023/09/21	03:36:00	12,696	1,590	16.05	0.61	12.70	0.65	22.16	7.17	25.72	8.74	15.66	0.65	31.32	14.25
2023/09/21	03:46:00	12,706	1,600	16.06	0.62	12.70	0.65	22.18	7.19	25.74	8.76	15.66	0.65	31.32	14.25
2023/09/21	03:56:00	12,716	1,610	16.06	0.62	12.71	0.66	22.22	7.23	25.75	8.77	15.66	0.65	31.38	14.31
2023/09/21	04:06:00	12,726	1,620	16.06	0.62	12.71	0.66	22.24	7.25	25.76	8.78	15.66	0.65	31.40	14.33
2023/09/21	04:16:00	12,736	1,630	16.07	0.63	12.72	0.66	22.27	7.28	25.78	8.80	15.67	0.65	31.37	14.30
2023/09/21	04:26:00	12,746	1,640	16.07	0.63	12.72	0.67	22.30	7.31	25.79	8.81	15.68	0.67	31.34	14.27
2023/09/21	04:36:00	12,756	1,650	16.07	0.63	12.72	0.67	22.34	7.35	25.80	8.82	15.68	0.67	31.44	14.37
2023/09/21	04:46:00	12,766	1,660	16.09	0.65	12.73	0.67	22.36	7.37	25.81	8.83	15.69	0.68	31.47	14.40
2023/09/21	04:56:00	12,776	1,670	16.09	0.65	12.74	0.69	22.39	7.40	25.83	8.85	15.69	0.68	31.47	14.40
2023/09/21	05:06:00	12,786	1,680	16.09	0.65	12.74	0.69	22.42	7.43	25.84	8.86	15.69	0.68	31.47	14.40
2023/09/21	05:16:00	12,796	1,690	16.10	0.66	12.75	0.70	22.44	7.45	25.86	8.88	15.70	0.69	31.52	14.45
2023/09/21	05:26:00	12,806	1,700	16.10	0.66	12.75	0.70	22.48	7.49	25.88	8.90	15.71	0.70	31.46	14.39
2023/09/21	05:36:00	12,816	1,710	16.11	0.67	12.75	0.70	22.50	7.51	25.89	8.91	15.71	0.70	31.46	14.39
2023/09/21	05:46:00	12,826	1,720	16.12	0.68	12.76	0.71	22.53	7.54	25.90	8.92	15.72	0.71	31.52	14.45
2023/09/21	05:56:00	12,836	1,730	16.12	0.68	12.76	0.71	22.55	7.56	25.92	8.94	15.72	0.71	31.51	14.44
2023/09/21	06:06:00	12,846	1,740	16.13	0.69	12.77	0.72	22.58	7.59	25.93	8.95	15.73	0.72	31.54	14.47
2023/09/21	06:16:00	12,856	1,750	16.13	0.69	12.77	0.72	22.59	7.60	25.95	8.97	15.74	0.73	31.53	14.46
2023/09/21	06:26:00	12,866	1,760	16.13	0.69	12.78	0.73	22.63	7.64	25.97	8.99	15.73	0.72	31.56	14.49
2023/09/21	06:36:00	12,876	1,770	16.14	0.70	12.78	0.73	22.65	7.66	25.97	8.99	15.74	0.73	31.55	14.48
2023/09/21	06:46:00	12,886	1,780	16.15	0.71	12.79	0.74	22.68	7.69	25.98	9.00	15.75	0.74	31.67	14.60
2023/09/21	06:56:00	12,896	1,790	16.15	0.71	12.79	0.74	22.70	7.71	26.00	9.02	15.75	0.74	31.66	14.59
2023/09/21	07:06:00	12,906	1,800	16.16	0.72	12.80	0.75	22.73	7.74	26.02	9.04	15.76	0.75	31.69	14.62
2023/09/21	07:16:00	12,916	1,810	16.16	0.72	12.80	0.75	22.75	7.76	26.03	9.05	15.76	0.75	31.63	14.56
2023/09/21	07:26:00	12,926	1,820	16.16	0.72	12.80	0.75	22.77	7.78	26.04	9.06	15.77	0.76	31.64	14.57
2023/09/21	07:36:00	12,936	1,830	16.17	0.73	12.82	0.77	22.80	7.81	26.05	9.07	15.77	0.76	31.72	14.65
2023/09/21	07:46:00	12,946	1,840	16.17	0.73	12.82	0.77	22.82	7.83	26.07	9.09	15.77	0.76	31.67	14.60
2023/09/21	07:56:00	12,956	1,850	16.18	0.74	12.83	0.77	22.84	7.85	26.09	9.11	15.79	0.78	31.71	14.64
2023/09/21	08:06:00	12,966	1,860	16.19	0.75	12.83	0.78	22.86	7.87	26.09	9.11	15.79	0.78	31.82	14.75
2023/09/21	08:16:00	12,976	1,870	16.19	0.75	12.83	0.78	22.88	7.89	26.10	9.12	15.79	0.78	31.73	14.66
2023/09/21	08:26:00	12,986	1,880	16.19	0.75	12.83	0.78	22.91	7.92	26.12	9.14	15.79	0.78	31.84	14.77
2023/09/21	08:36:00	12,996	1,890	16.19	0.75	12.83	0.78	22.93	7.94	26.13	9.15	15.79	0.78	31.82	14.75
2023/09/21	08:46:00	13,006	1,900	16.20	0.76	12.83	0.78	22.94	7.95	26.14	9.16	15.80	0.79	31.86	14.79
2023/09/21	08:56:00	13,016	1,910	16.20	0.76	12.83	0.78	22.95	7.96	26.15	9.17	15.80	0.79	31.85	14.78
2023/09/21	09:06:00	13,026	1,920	16.20	0.76	12.84	0.79	22.98	7.99	26.16	9.18	15.80	0.79	31.93	14.86
2023/09/21	09:16:00	13,036	1,930	16.20	0.76	12.84	0.79	23.00	8.01	26.17	9.19	15.80	0.79	31.95	14.88
2023/09/21	09:26:00	13,046	1,940	16.20	0.76	12.84	0.79	23.02	8.03	26.18	9.20	15.80	0.79	31.88	14.81
2023/09/21	09:36:00	13,056	1,950	16.21	0.77	12.85	0.80	23.04	8.05	26.19	9.21	15.81	0.80	31.90	14.83
2023/09/21	09:46:00	13,066	1,960	16.22	0.78	12.85	0.80	23.06	8.07	26.20	9.22	15.82	0.81	31.87	14.80
2023/09/21	09:56:00	13,076	1,970	16.22	0.78	12.85	0.80	23.08	8.09	26.21	9.23	15.81	0.80	31.91	14.84
2023/09/21	10:06:00	13,086	1,980	16.22	0.78	12.85	0.80	23.09	8.10	26.22	9.24	15.81	0.80	31.89	14.82
2023/09/21	10:16:00	13,096	1,990	16.22	0.78	12.85	0.80	23.11	8.12	26.23	9.25	15.82	0.81	31.90	14.83
2023/09/21	10:26:00	13,106	2,000	16.22	0.78	12.85	0.80	23.13	8.14	26.24	9.26	15.82	0.81	32.03	14.96
2023/09/21	10:36:00	13,116	2,010	16.22	0.78	12.86	0.81	23.15	8.16	26.25	9.27	15.82	0.81	31.97	14.90
2023/09/21	10:46:00	13,126	2,020	16.22	0.78	12.86	0.81	23.17	8.18	26.27	9.29	15.82	0.81	31.99	14.92
2023/09/21	10:56:00	13,136	2,030	16.23	0.79	12.86	0.81	23.18	8.19	26.27	9.29	15.83	0.82	31.99	14.92
2023/09/21	11:06:00	13,146	2,040	16.23	0.79	12.86	0.81	23.20	8.21	26.27	9.29	15.83	0.82	32.08	15.01
2023/09/21	11:16:00	13,156	2,050	16.23	0.79	12.86	0.81	23.21	8.22	26.28	9.30	15.83	0.82	32.10	15.03
2023/09/21	11:26:00	13,166	2,060	16.23	0.79	12.86	0.81	23.23	8.24	26.30	9.32	15.83	0.82	32.02	14.95
2023/09/21	11:36:00	13,176	2,070	16.24	0.80	12.86	0.81	23.25	8.26	26.30	9.32	15.84	0.83	32.01	14.94
2023/09/21	11:46:00	13,186	2,080	16.24	0.80	12.87	0.82	23.26	8.27	26.31	9.33	15.84	0.83	32.17	15.10
2023/09/21	11:56:00	13,196	2,090	16.23	0.79	12.86	0.81	23.27	8.28	26.31	9.33	15.83	0.82	32.12	15.05
2023/09/21	12:06:00	13,206	2,100	16.23	0.79	12.86	0.81	23.29	8.30	26.32	9.34	15.83	0.82	32.12	15.05
2023/09/21	12:16:00	13,216	2,110	16.23	0.79	12.86	0.81	23.30	8.31	26.33	9.35	15.83	0.82	32.11	15.04
2023/09/21	12:26:00	13,226	2,120	16.23	0.79	12.85	0.80	23.31	8.32	26.34	9.36	15.83	0.82	32.12	15.05
2023/09/21	12:36:00	13,236	2,130	16.23	0.79	12.86	0.81	23.33	8.34	26.35	9.37	15.83	0.82	32.10	15.03
2023/09/21	12:46:00	13,246	2,140	16.23	0.79	12.86	0.81	23.34	8.35	26.35	9.37	15.83	0.82	32.13	15.06
2023/09/21	12:56:00	13,256	2,150	16.23	0.79	12.85	0.80	23.35	8.36	26.36	9.38	15.83	0.82	32.21	15.14
2023/09/21	13:06:00	13,266	2,160	16.23	0.79	12.85	0.80	23.37	8.38	26.37	9.39	15.82	0.81	32.19	15.12
2023/09/21	13:16:00	13,276	2,170	16.23	0.79	12.85	0.80	23.38	8.39	26.36	9.38				

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edison Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/21	20:56:00	13,736	2,630	16.33	0.89	12.96	0.91	23.96	8.97	26.77	9.79	15.93	0.92	32.81	15.74
2023/09/21	21:06:00	13,746	2,640	16.33	0.89	12.96	0.91	23.98	8.99	26.78	9.80	15.93	0.92	32.67	15.60
2023/09/21	21:16:00	13,756	2,650	16.33	0.89	12.96	0.91	23.98	8.99	26.79	9.81	15.93	0.92	32.64	15.57
2023/09/21	21:26:00	13,766	2,660	16.34	0.90	12.96	0.91	23.99	9.00	26.80	9.82	15.93	0.92	32.75	15.68
2023/09/21	21:36:00	13,776	2,670	16.34	0.90	12.96	0.91	24.00	9.01	26.80	9.82	15.94	0.93	32.84	15.77
2023/09/21	21:46:00	13,786	2,680	16.34	0.90	12.96	0.91	24.01	9.02	26.81	9.83	15.94	0.93	32.72	15.65
2023/09/21	21:56:00	13,796	2,690	16.34	0.90	12.97	0.92	24.02	9.03	26.82	9.84	15.94	0.93	32.83	15.76
2023/09/21	22:06:00	13,806	2,700	16.35	0.91	12.98	0.93	24.04	9.05	26.83	9.85	15.95	0.94	32.85	15.78
2023/09/21	22:16:00	13,816	2,710	16.35	0.91	12.98	0.93	24.05	9.06	26.83	9.85	15.95	0.94	32.75	15.68
2023/09/21	22:26:00	13,826	2,720	16.35	0.91	12.98	0.93	24.06	9.07	26.85	9.87	15.95	0.94	32.89	15.82
2023/09/21	22:36:00	13,836	2,730	16.37	0.93	12.99	0.94	24.08	9.09	26.85	9.87	15.96	0.95	32.74	15.67
2023/09/21	22:46:00	13,846	2,740	16.37	0.93	12.99	0.94	24.09	9.10	26.86	9.88	15.97	0.96	32.75	15.68
2023/09/21	22:56:00	13,856	2,750	16.37	0.93	12.99	0.94	24.10	9.11	26.87	9.89	15.97	0.96	32.76	15.69
2023/09/21	23:06:00	13,866	2,760	16.37	0.93	13.00	0.95	24.11	9.12	26.88	9.90	15.97	0.96	32.77	15.70
2023/09/21	23:16:00	13,876	2,770	16.37	0.93	13.00	0.95	24.12	9.13	26.89	9.91	15.97	0.96	32.80	15.73
2023/09/21	23:26:00	13,886	2,780	16.37	0.93	13.00	0.95	24.13	9.14	26.89	9.91	15.97	0.96	32.83	15.76
2023/09/21	23:36:00	13,896	2,790	16.38	0.94	13.00	0.95	24.14	9.15	26.90	9.92	15.97	0.96	32.82	15.75
2023/09/21	23:46:00	13,906	2,800	16.39	0.95	13.01	0.96	24.15	9.16	26.90	9.92	15.99	0.98	32.89	15.82
2023/09/21	23:56:00	13,916	2,810	16.38	0.94	13.00	0.95	24.16	9.17	26.91	9.93	15.98	0.97	33.00	15.93
2023/09/22	00:06:00	13,926	2,820	16.38	0.94	13.00	0.95	24.17	9.18	26.91	9.93	15.98	0.97	32.96	15.89
2023/09/22	00:16:00	13,936	2,830	16.39	0.95	13.01	0.96	24.18	9.19	26.92	9.94	15.98	0.97	32.86	15.79
2023/09/22	00:26:00	13,946	2,840	16.39	0.95	13.01	0.96	24.19	9.20	26.93	9.95	15.99	0.98	32.99	15.92
2023/09/22	00:36:00	13,956	2,850	16.40	0.96	13.02	0.97	24.21	9.22	26.93	9.95	15.99	0.98	32.90	15.83
2023/09/22	00:46:00	13,966	2,860	16.40	0.96	13.02	0.97	24.22	9.23	26.94	9.96	16.00	0.99	33.01	15.94
2023/09/22	00:56:00	13,976	2,870	16.40	0.96	13.02	0.97	24.23	9.24	26.95	9.97	16.00	0.99	33.00	15.93
2023/09/22	01:06:00	13,986	2,880	16.40	0.96	13.02	0.97	24.24	9.25	26.96	9.98	16.00	0.99	33.08	16.01
2023/09/22	01:16:00	13,996	2,890	16.40	0.96	13.02	0.97	24.25	9.26	26.95	9.97	16.00	0.99	32.83	15.76
2023/09/22	01:26:00	14,006	2,900	16.41	0.97	13.04	0.99	24.26	9.27	26.96	9.98	16.01	1.00	33.01	15.94
2023/09/22	01:36:00	14,016	2,910	16.42	0.98	13.04	0.99	24.26	9.27	26.97	9.99	16.01	1.00	32.90	15.83
2023/09/22	01:46:00	14,026	2,920	16.42	0.98	13.04	0.98	24.27	9.28	26.97	9.99	16.01	1.00	32.93	15.86
2023/09/22	01:56:00	14,036	2,930	16.42	0.98	13.04	0.99	24.28	9.29	26.98	10.00	16.02	1.01	33.01	15.94
2023/09/22	02:06:00	14,046	2,940	16.42	0.98	13.04	0.99	24.30	9.31	27.00	10.02	16.02	1.01	33.09	16.02
2023/09/22	02:16:00	14,056	2,950	16.42	0.98	13.04	0.99	24.31	9.32	27.00	10.02	16.02	1.01	33.04	15.97
2023/09/22	02:26:00	14,066	2,960	16.42	0.98	13.04	0.99	24.31	9.32	27.00	10.02	16.02	1.01	32.94	15.87
2023/09/22	02:36:00	14,076	2,970	16.43	0.99	13.04	0.99	24.32	9.33	27.01	10.03	16.02	1.01	32.94	15.87
2023/09/22	02:46:00	14,086	2,980	16.43	0.99	13.05	1.00	24.33	9.34	27.02	10.04	16.02	1.01	32.95	15.88
2023/09/22	02:56:00	14,096	2,990	16.43	0.99	13.05	1.00	24.34	9.35	27.02	10.04	16.02	1.01	32.94	15.87
2023/09/22	03:06:00	14,106	3,000	16.43	0.99	13.05	1.00	24.34	9.35	27.02	10.04	16.03	1.02	33.13	16.06
2023/09/22	03:16:00	14,116	3,010	16.43	0.99	13.05	1.00	24.35	9.36	27.03	10.05	16.03	1.02	33.03	15.96
2023/09/22	03:26:00	14,126	3,020	16.43	0.99	13.05	1.00	24.36	9.37	27.03	10.05	16.03	1.02	32.99	15.92
2023/09/22	03:36:00	14,136	3,030	16.44	1.00	13.06	1.01	24.37	9.38	27.04	10.06	16.04	1.03	33.16	16.09
2023/09/22	03:46:00	14,146	3,040	16.44	1.00	13.06	1.01	24.38	9.39	27.06	10.08	16.04	1.03	33.13	16.06
2023/09/22	03:56:00	14,156	3,050	16.44	1.00	13.06	1.01	24.39	9.40	27.07	10.09	16.04	1.03	32.99	15.92
2023/09/22	04:06:00	14,166	3,060	16.46	1.02	13.08	1.03	24.40	9.41	27.07	10.09	16.05	1.04	33.21	16.14
2023/09/22	04:16:00	14,176	3,070	16.46	1.02	13.08	1.03	24.40	9.41	27.07	10.09	16.05	1.04	33.10	16.03
2023/09/22	04:24:00	14,184	3,078	16.46	1.02	13.08	1.03	24.41	9.42	27.07	10.09	16.06	1.05	33.19	16.12
2023/09/22	04:26:00	14,186	3,080	16.46	1.02	13.08	1.03	24.41	9.42	27.08	10.10	16.06	1.05	33.01	15.94
2023/09/22	04:36:00	14,196	3,090	16.46	1.02	13.08	1.03	24.43	9.44	27.09	10.11	16.05	1.04	33.22	16.15
2023/09/22	04:46:00	14,206	3,100	16.47	1.03	13.09	1.04	24.43	9.44	27.10	10.12	16.07	1.06	33.16	16.09
2023/09/22	04:56:00	14,216	3,110	16.47	1.03	13.09	1.04	24.44	9.45	27.11	10.13	16.07	1.06	33.05	15.98
2023/09/22	05:06:00	14,226	3,120	16.47	1.03	13.09	1.04	24.45	9.46	27.11	10.13	16.07	1.06	33.22	16.15
2023/09/22	05:16:00	14,236	3,130	16.48	1.04	13.09	1.04	24.46	9.47	27.11	10.13	16.07	1.06	33.13	16.06
2023/09/22	05:26:00	14,246	3,140	16.48	1.04	13.10	1.05	24.47	9.48	27.12	10.14	16.08	1.07	33.19	16.12
2023/09/22	05:36:00	14,256	3,150	16.48	1.04	13.10	1.05	24.47	9.48	27.12	10.14	16.07	1.06	33.15	16.08
2023/09/22	05:46:00	14,266	3,160	16.48	1.04	13.10	1.05	24.49	9.50	27.14	10.16	16.07	1.06	33.20	16.13
2023/09/22	05:56:00	14,276	3,170	16.49	1.05	13.11	1.06	24.50	9.51	27.14	10.16	16.09	1.08	33.12	16.05
2023/09/22	06:06:00	14,286	3,180	16.49	1.05	13.11	1.06	24.50	9.51	27.14	10.16	16.09	1.08	33.08	16.01
2023/09/22	06:16:00	14,296	3,190	16.49	1.05	13.11	1.06	24.51	9.52	27.14	10.16	16.09	1.08	33.23	16.16
2023/09/22	06:26:00	14,306	3,200	16.49	1.05	13.11	1.06	24.53	9.54	27.14	10.16	16.09	1.08	33.04	15.97
2023/09/22	06:36:00	14,316	3,210	16.50	1.06	13.12	1.07	24.53	9.54	27.15	10.17				

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/22	09:52:00	14,512	3,406	16.59	1.15	13.15	1.10	24.44	9.45	25.53	8.55	16.11	1.10	28.75	11.68
2023/09/22	09:54:00	14,514	3,408	16.59	1.15	13.15	1.10	24.44	9.45	25.49	8.51	16.10	1.09	28.70	11.63
2023/09/22	09:56:00	14,516	3,410	16.59	1.15	13.15	1.10	24.43	9.44	25.46	8.48	16.10	1.09	28.65	11.58
2023/09/22	09:58:00	14,518	3,412	16.58	1.14	13.16	1.11	24.42	9.43	25.42	8.44	16.10	1.09	28.60	11.53
2023/09/22	10:00:00	14,520	3,414	16.58	1.14	13.16	1.11	24.40	9.41	25.40	8.42	16.10	1.09	28.56	11.49
2023/09/22	10:02:00	14,522	3,416	16.58	1.14	13.15	1.10	24.39	9.40	25.35	8.37	16.10	1.09	28.51	11.44
2023/09/22	10:04:00	14,524	3,418	16.58	1.14	13.16	1.11	24.38	9.39	25.33	8.35	16.10	1.09	28.46	11.39
2023/09/22	10:06:00	14,526	3,420	16.58	1.14	13.16	1.11	24.37	9.38	25.30	8.32	16.10	1.09	28.41	11.34
2023/09/22	10:08:00	14,528	3,422	16.58	1.14	13.15	1.10	24.36	9.37	25.27	8.29	16.09	1.08	28.38	11.31
2023/09/22	10:10:00	14,530	3,424	16.59	1.15	13.15	1.10	24.34	9.35	25.24	8.26	16.09	1.08	28.33	11.26
2023/09/22	10:12:00	14,532	3,426	16.59	1.15	13.15	1.10	24.33	9.34	25.21	8.23	16.10	1.09	28.28	11.21
2023/09/22	10:14:00	14,534	3,428	16.58	1.14	13.15	1.10	24.32	9.33	25.17	8.19	16.10	1.09	28.24	11.17
2023/09/22	10:16:00	14,536	3,430	16.58	1.14	13.15	1.10	24.31	9.32	25.14	8.16	16.10	1.09	28.20	11.13
2023/09/22	10:18:00	14,538	3,432	16.58	1.14	13.15	1.10	24.30	9.31	25.11	8.13	16.10	1.09	28.15	11.08
2023/09/22	10:20:00	14,540	3,434	16.58	1.14	13.15	1.10	24.28	9.29	25.09	8.11	16.10	1.09	28.11	11.04
2023/09/22	10:22:00	14,542	3,436	16.58	1.14	13.15	1.10	24.27	9.28	25.06	8.08	16.10	1.09	28.07	11.00
2023/09/22	10:24:00	14,544	3,438	16.58	1.14	13.15	1.10	24.26	9.27	25.04	8.06	16.09	1.08	28.03	10.96
2023/09/22	10:26:00	14,546	3,440	16.58	1.14	13.14	1.09	24.25	9.26	25.01	8.03	16.09	1.08	28.00	10.93
2023/09/22	10:28:00	14,548	3,442	16.58	1.14	13.14	1.09	24.23	9.24	24.98	8.00	16.09	1.08	27.96	10.89
2023/09/22	10:30:00	14,550	3,444	16.58	1.14	13.14	1.09	24.23	9.24	24.96	7.98	16.09	1.08	27.92	10.85
2023/09/22	10:32:00	14,552	3,446	16.57	1.13	13.14	1.09	24.21	9.22	24.93	7.95	16.09	1.08	27.88	10.81
2023/09/22	10:34:00	14,554	3,448	16.57	1.13	13.14	1.09	24.19	9.20	24.90	7.92	16.09	1.08	27.84	10.77
2023/09/22	10:36:00	14,556	3,450	16.57	1.13	13.14	1.09	24.18	9.19	24.87	7.89	16.09	1.08	27.80	10.73
2023/09/22	10:38:00	14,558	3,452	16.57	1.13	13.14	1.09	24.17	9.18	24.85	7.87	16.09	1.08	27.77	10.70
2023/09/22	10:40:00	14,560	3,454	16.57	1.13	13.14	1.09	24.17	9.18	24.82	7.84	16.09	1.08	27.73	10.66
2023/09/22	10:42:00	14,562	3,456	16.57	1.13	13.14	1.09	24.15	9.16	24.79	7.81	16.09	1.08	27.69	10.62
2023/09/22	10:44:00	14,564	3,458	16.56	1.12	13.13	1.08	24.13	9.14	24.77	7.79	16.08	1.07	27.65	10.58
2023/09/22	10:46:00	14,566	3,460	16.57	1.13	13.13	1.08	24.12	9.13	24.74	7.76	16.08	1.07	27.62	10.55
2023/09/22	10:48:00	14,568	3,462	16.56	1.12	13.13	1.08	24.10	9.11	24.72	7.74	16.07	1.06	27.58	10.51
2023/09/22	10:50:00	14,570	3,464	16.56	1.12	13.12	1.07	24.09	9.10	24.69	7.71	16.07	1.06	27.54	10.47
2023/09/22	10:52:00	14,572	3,466	16.56	1.12	13.12	1.07	24.08	9.09	24.66	7.68	16.07	1.06	27.51	10.44
2023/09/22	10:54:00	14,574	3,468	16.56	1.12	13.12	1.07	24.07	9.08	24.63	7.65	16.07	1.06	27.47	10.40
2023/09/22	10:56:00	14,576	3,470	16.56	1.12	13.12	1.07	24.05	9.06	24.61	7.63	16.07	1.06	27.43	10.36
2023/09/22	10:58:00	14,578	3,472	16.56	1.12	13.12	1.07	24.04	9.05	24.58	7.60	16.07	1.06	27.40	10.33
2023/09/22	11:00:00	14,580	3,474	16.55	1.11	13.11	1.06	24.03	9.04	24.57	7.59	16.07	1.06	27.36	10.29
2023/09/22	11:02:00	14,582	3,476	16.55	1.11	13.11	1.06	24.01	9.02	24.54	7.56	16.07	1.06	27.33	10.26
2023/09/22	11:04:00	14,584	3,478	16.55	1.11	13.11	1.06	24.00	9.01	24.51	7.53	16.07	1.06	27.30	10.23
2023/09/22	11:06:00	14,586	3,480	16.55	1.11	13.11	1.06	23.99	9.00	24.49	7.51	16.06	1.05	27.26	10.19
2023/09/22	11:08:00	14,588	3,482	16.54	1.10	13.11	1.06	23.97	8.98	24.47	7.49	16.06	1.05	27.23	10.16
2023/09/22	11:10:00	14,590	3,484	16.54	1.10	13.10	1.05	23.95	8.96	24.44	7.46	16.06	1.05	27.19	10.12
2023/09/22	11:12:00	14,592	3,486	16.54	1.10	13.10	1.05	23.94	8.95	24.42	7.44	16.06	1.05	27.16	10.09
2023/09/22	11:14:00	14,594	3,488	16.54	1.10	13.10	1.05	23.92	8.93	24.40	7.42	16.05	1.04	27.13	10.06
2023/09/22	11:16:00	14,596	3,490	16.54	1.10	13.10	1.05	23.91	8.92	24.37	7.39	16.05	1.04	27.09	10.02
2023/09/22	11:18:00	14,598	3,492	16.54	1.10	13.09	1.04	23.90	8.91	24.35	7.37	16.05	1.04	27.06	9.99
2023/09/22	11:20:00	14,600	3,494	16.54	1.10	13.09	1.04	23.88	8.89	24.33	7.35	16.05	1.04	27.03	9.96
2023/09/22	11:22:00	14,602	3,496	16.54	1.10	13.09	1.04	23.87	8.88	24.31	7.33	16.05	1.04	27.00	9.93
2023/09/22	11:24:00	14,604	3,498	16.54	1.10	13.09	1.04	23.85	8.86	24.29	7.31	16.05	1.04	26.97	9.90
2023/09/22	11:26:00	14,606	3,500	16.53	1.09	13.09	1.04	23.84	8.85	24.27	7.29	16.05	1.04	26.94	9.87
2023/09/22	11:36:00	14,616	3,510	16.52	1.08	13.08	1.03	23.77	8.78	24.16	7.18	16.03	1.02	26.79	9.72
2023/09/22	11:46:00	14,626	3,520	16.51	1.07	13.07	1.02	23.69	8.70	24.05	7.07	16.03	1.02	26.65	9.58
2023/09/22	11:56:00	14,636	3,530	16.51	1.07	13.07	1.02	23.62	8.63	23.95	6.97	16.02	1.01	26.51	9.44
2023/09/22	12:06:00	14,646	3,540	16.49	1.05	13.06	1.01	23.55	8.56	23.87	6.89	16.00	0.99	26.38	9.31
2023/09/22	12:16:00	14,656	3,550	16.48	1.04	13.05	0.99	23.48	8.49	23.76	6.78	15.99	0.98	26.24	9.17
2023/09/22	12:26:00	14,666	3,560	16.48	1.04	13.03	0.98	23.41	8.42	23.67	6.69	15.99	0.98	26.12	9.05
2023/09/22	12:36:00	14,676	3,570	16.47	1.03	13.03	0.98	23.34	8.35	23.57	6.59	15.97	0.96	25.98	8.91
2023/09/22	12:46:00	14,686	3,580	16.46	1.02	13.01	0.96	23.26	8.27	23.49	6.51	15.97	0.96	25.86	8.79
2023/09/22	12:56:00	14,696	3,590	16.45	1.01	13.01	0.96	23.19	8.20	23.40	6.42	15.96	0.95	25.74	8.67
2023/09/22	13:06:00	14,706	3,600	16.44	1.00	13.00	0.95	23.12	8.13	23.32	6.34	15.95	0.94	25.63	8.56
2023/09/22	13:16:00	14,716	3,610	16.44	0.99	12.99	0.94	23.05	8.06	23.24	6.26	15.94	0.93	25.51	8.44
2023/09/22	13:26:00	14,726	3,620	16.43	0.99	12.98	0.93	22.98	7.99	23.15	6.17	15.94	0.93	25.40	8.33
2023/															

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/22	21:06:00	15,186	4,080	16.22	0.78	12.76	0.71	20.03	5.04	20.30	3.32	15.71	0.70	21.49	4.42
2023/09/22	21:16:00	15,196	4,090	16.21	0.77	12.76	0.71	19.99	5.00	20.26	3.28	15.70	0.69	21.44	4.37
2023/09/22	21:26:00	15,206	4,100	16.21	0.77	12.76	0.71	19.94	4.95	20.21	3.23	15.71	0.70	21.37	4.30
2023/09/22	21:36:00	15,216	4,110	16.20	0.76	12.75	0.70	19.87	4.88	20.16	3.18	15.69	0.68	21.31	4.24
2023/09/22	21:46:00	15,226	4,120	16.20	0.76	12.75	0.70	19.83	4.84	20.12	3.14	15.69	0.68	21.25	4.18
2023/09/22	21:56:00	15,236	4,130	16.19	0.75	12.75	0.70	19.78	4.79	20.07	3.09	15.68	0.67	21.20	4.13
2023/09/22	22:06:00	15,246	4,140	16.20	0.76	12.74	0.69	19.72	4.73	20.05	3.07	15.69	0.68	21.15	4.08
2023/09/22	22:16:00	15,256	4,150	16.19	0.75	12.74	0.69	19.67	4.68	20.00	3.02	15.68	0.67	21.09	4.02
2023/09/22	22:26:00	15,266	4,160	16.19	0.75	12.73	0.68	19.63	4.64	19.96	2.98	15.68	0.67	21.04	3.97
2023/09/22	22:36:00	15,276	4,170	16.18	0.74	12.73	0.68	19.58	4.59	19.92	2.94	15.68	0.67	20.99	3.92
2023/09/22	22:46:00	15,286	4,180	16.18	0.74	12.73	0.68	19.53	4.54	19.88	2.90	15.67	0.66	20.93	3.86
2023/09/22	22:56:00	15,296	4,190	16.18	0.74	12.72	0.67	19.48	4.49	19.84	2.86	15.67	0.66	20.89	3.82
2023/09/22	23:06:00	15,306	4,200	16.18	0.74	12.72	0.67	19.42	4.43	19.81	2.83	15.67	0.65	20.83	3.76
2023/09/22	23:16:00	15,316	4,210	16.17	0.73	12.72	0.67	19.37	4.38	19.77	2.79	15.66	0.65	20.78	3.71
2023/09/22	23:26:00	15,326	4,220	16.17	0.73	12.71	0.66	19.32	4.33	19.73	2.75	15.66	0.65	20.73	3.66
2023/09/22	23:36:00	15,336	4,230	16.16	0.72	12.71	0.66	19.28	4.29	19.69	2.71	15.65	0.64	20.68	3.61
2023/09/22	23:46:00	15,346	4,240	16.16	0.72	12.71	0.66	19.24	4.25	19.66	2.68	15.65	0.64	20.64	3.57
2023/09/22	23:56:00	15,356	4,250	16.15	0.71	12.71	0.65	19.18	4.19	19.62	2.64	15.64	0.63	20.58	3.51
2023/09/23	00:06:00	15,366	4,260	16.15	0.71	12.70	0.65	19.14	4.15	19.59	2.61	15.64	0.63	20.54	3.47
2023/09/23	00:16:00	15,376	4,270	16.14	0.70	12.70	0.65	19.09	4.10	19.55	2.57	15.63	0.62	20.49	3.42
2023/09/23	00:26:00	15,386	4,280	16.14	0.70	12.68	0.63	19.05	4.06	19.52	2.54	15.63	0.62	20.44	3.37
2023/09/23	00:36:00	15,396	4,290	16.14	0.70	12.69	0.64	19.00	4.01	19.49	2.51	15.63	0.62	20.40	3.33
2023/09/23	00:46:00	15,406	4,300	16.14	0.70	12.69	0.64	18.96	3.97	19.46	2.48	15.63	0.62	20.36	3.29
2023/09/23	00:56:00	15,416	4,310	16.13	0.69	12.69	0.64	18.91	3.92	19.42	2.44	15.63	0.62	20.32	3.25
2023/09/23	01:06:00	15,426	4,320	16.12	0.68	12.68	0.63	18.87	3.88	19.38	2.40	15.61	0.60	20.28	3.21
2023/09/23	01:16:00	15,436	4,330	16.13	0.69	12.68	0.63	18.83	3.84	19.36	2.38	15.62	0.61	20.23	3.16
2023/09/23	01:26:00	15,446	4,340	16.12	0.68	12.68	0.63	18.78	3.79	19.33	2.35	15.62	0.61	20.19	3.12
2023/09/23	01:36:00	15,456	4,350	16.11	0.67	12.67	0.61	18.74	3.75	19.30	2.32	15.60	0.59	20.15	3.08
2023/09/23	01:46:00	15,466	4,360	16.12	0.67	12.67	0.62	18.70	3.71	19.27	2.29	15.61	0.60	20.11	3.04
2023/09/23	01:56:00	15,476	4,370	16.10	0.66	12.67	0.62	18.66	3.67	19.24	2.26	15.60	0.59	20.07	3.00
2023/09/23	02:06:00	15,486	4,380	16.11	0.67	12.66	0.61	18.63	3.64	19.21	2.23	15.60	0.59	20.03	2.96
2023/09/23	02:16:00	15,496	4,390	16.10	0.66	12.65	0.60	18.58	3.59	19.17	2.19	15.59	0.58	20.00	2.93
2023/09/23	02:26:00	15,506	4,400	16.09	0.65	12.64	0.59	18.53	3.54	19.13	2.15	15.58	0.57	19.95	2.88
2023/09/23	02:36:00	15,516	4,410	16.09	0.65	12.64	0.59	18.49	3.50	19.10	2.12	15.58	0.57	19.91	2.84
2023/09/23	02:46:00	15,526	4,420	16.08	0.64	12.63	0.58	18.45	3.46	19.08	2.10	15.57	0.56	19.87	2.80
2023/09/23	02:56:00	15,536	4,430	16.08	0.64	12.63	0.58	18.41	3.42	19.05	2.07	15.57	0.56	19.84	2.77
2023/09/23	03:06:00	15,546	4,440	16.07	0.63	12.63	0.57	18.37	3.38	19.02	2.04	15.56	0.55	19.80	2.73
2023/09/23	03:16:00	15,556	4,450	16.06	0.62	12.63	0.58	18.33	3.34	19.00	2.02	15.55	0.54	19.77	2.70
2023/09/23	03:26:00	15,566	4,460	16.06	0.62	12.61	0.56	18.29	3.30	18.97	1.99	15.55	0.54	19.73	2.66
2023/09/23	03:36:00	15,576	4,470	16.06	0.62	12.61	0.56	18.25	3.26	18.93	1.95	15.55	0.54	19.69	2.62
2023/09/23	03:46:00	15,586	4,480	16.05	0.61	12.61	0.56	18.21	3.22	18.92	1.94	15.54	0.53	19.66	2.59
2023/09/23	03:56:00	15,596	4,490	16.04	0.60	12.60	0.55	18.17	3.18	18.88	1.90	15.53	0.52	19.63	2.56
2023/09/23	04:06:00	15,606	4,500	16.04	0.60	12.60	0.55	18.14	3.15	18.86	1.88	15.53	0.52	19.59	2.52
2023/09/23	04:16:00	15,616	4,510	16.04	0.60	12.60	0.55	18.10	3.11	18.83	1.85	15.53	0.52	19.56	2.49
2023/09/23	04:26:00	15,626	4,520	16.03	0.59	12.59	0.54	18.07	3.08	18.81	1.83	15.52	0.51	19.53	2.46
2023/09/23	04:36:00	15,636	4,530	16.03	0.59	12.59	0.54	18.03	3.04	18.78	1.80	15.52	0.51	19.48	2.41
2023/09/23	04:46:00	15,646	4,540	16.02	0.58	12.59	0.54	18.00	3.01	18.76	1.78	15.51	0.50	19.46	2.39
2023/09/23	04:56:00	15,656	4,550	16.03	0.59	12.59	0.54	17.97	2.98	18.74	1.76	15.52	0.51	19.43	2.36
2023/09/23	05:06:00	15,666	4,560	16.03	0.58	12.59	0.54	17.94	2.95	18.72	1.74	15.51	0.50	19.40	2.33
2023/09/23	05:16:00	15,676	4,570	16.02	0.58	12.59	0.54	17.89	2.90	18.69	1.71	15.51	0.50	19.38	2.31
2023/09/23	05:26:00	15,686	4,580	16.01	0.57	12.58	0.52	17.86	2.87	18.67	1.69	15.51	0.50	19.35	2.28
2023/09/23	05:36:00	15,696	4,590	16.01	0.57	12.58	0.53	17.83	2.84	18.65	1.67	15.50	0.49	19.32	2.25
2023/09/23	05:46:00	15,706	4,600	16.01	0.57	12.58	0.52	17.80	2.81	18.63	1.65	15.50	0.49	19.29	2.22
2023/09/23	05:56:00	15,716	4,610	16.01	0.57	12.58	0.52	17.77	2.78	18.61	1.63	15.50	0.49	19.27	2.20
2023/09/23	06:06:00	15,726	4,620	16.00	0.56	12.57	0.52	17.74	2.75	18.59	1.61	15.49	0.48	19.24	2.17
2023/09/23	06:16:00	15,736	4,630	16.00	0.56	12.57	0.51	17.71	2.72	18.57	1.59	15.49	0.48	19.21	2.14
2023/09/23	06:26:00	15,746	4,640	16.00	0.56	12.57	0.52	17.68	2.69	18.55	1.57	15.50	0.49	19.19	2.12
2023/09/23	06:36:00	15,756	4,650	16.00	0.56	12.57	0.52	17.65	2.66	18.53	1.55	15.50	0.49	19.17	2.10
2023/09/23	06:46:00	15,766	4,660	16.00	0.56	12.56	0.51	17.61	2.62	18.51	1.53	15.49	0.48	19.14	2.07
2023/09/23	06:56:00	15,776	4,670	15.99	0.55	12.56	0.50	17.59	2.60	18.49	1.51	15.48	0.47	19.11	2.04
2023/09/23															

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/23	14:36:00	16,236	5,130	15.83	0.39	12.41	0.36	16.46	1.47	17.76	0.78	15.32	0.31	18.22	1.15
2023/09/23	14:46:00	16,246	5,140	15.82	0.38	12.40	0.35	16.44	1.45	17.75	0.77	15.31	0.30	18.20	1.13
2023/09/23	14:56:00	16,256	5,150	15.82	0.38	12.39	0.34	16.42	1.43	17.74	0.76	15.30	0.29	18.19	1.12
2023/09/23	15:06:00	16,266	5,160	15.81	0.37	12.38	0.33	16.39	1.40	17.73	0.75	15.29	0.28	18.17	1.10
2023/09/23	15:16:00	16,276	5,170	15.80	0.36	12.38	0.33	16.38	1.39	17.71	0.73	15.29	0.28	18.15	1.08
2023/09/23	15:26:00	16,286	5,180	15.80	0.36	12.37	0.32	16.35	1.36	17.70	0.72	15.28	0.27	18.14	1.07
2023/09/23	15:36:00	16,296	5,190	15.79	0.35	12.37	0.32	16.34	1.35	17.68	0.70	15.28	0.27	18.13	1.06
2023/09/23	15:46:00	16,306	5,200	15.79	0.35	12.37	0.32	16.32	1.33	17.67	0.69	15.28	0.27	18.12	1.05
2023/09/23	15:56:00	16,316	5,210	15.79	0.35	12.37	0.32	16.31	1.32	17.66	0.68	15.28	0.27	18.10	1.03
2023/09/23	16:06:00	16,326	5,220	15.79	0.35	12.37	0.32	16.29	1.30	17.65	0.67	15.27	0.26	18.09	1.02
2023/09/23	16:16:00	16,336	5,230	15.78	0.34	12.37	0.32	16.27	1.28	17.64	0.66	15.27	0.26	18.07	1.00
2023/09/23	16:26:00	16,346	5,240	15.78	0.34	12.37	0.32	16.26	1.27	17.63	0.65	15.27	0.26	18.06	0.99
2023/09/23	16:36:00	16,356	5,250	15.78	0.34	12.37	0.32	16.24	1.25	17.63	0.65	15.27	0.26	18.06	0.98
2023/09/23	16:46:00	16,366	5,260	15.78	0.34	12.37	0.32	16.23	1.24	17.62	0.63	15.27	0.26	18.05	0.98
2023/09/23	16:56:00	16,376	5,270	15.78	0.34	12.36	0.31	16.21	1.22	17.61	0.63	15.27	0.26	18.03	0.96
2023/09/23	17:06:00	16,386	5,280	15.78	0.34	12.36	0.31	16.20	1.21	17.60	0.62	15.26	0.25	18.02	0.95
2023/09/23	17:16:00	16,396	5,290	15.78	0.34	12.36	0.31	16.19	1.20	17.59	0.61	15.25	0.24	18.01	0.94
2023/09/23	17:26:00	16,406	5,300	15.77	0.33	12.36	0.31	16.17	1.18	17.59	0.61	15.25	0.24	18.00	0.93
2023/09/23	17:36:00	16,416	5,310	15.76	0.32	12.35	0.30	16.16	1.17	17.58	0.60	15.25	0.24	17.99	0.92
2023/09/23	17:46:00	16,426	5,320	15.76	0.32	12.35	0.30	16.13	1.14	17.56	0.58	15.25	0.24	17.97	0.90
2023/09/23	17:56:00	16,436	5,330	15.76	0.32	12.35	0.30	16.12	1.13	17.55	0.57	15.25	0.24	17.97	0.90
2023/09/23	18:06:00	16,446	5,340	15.75	0.31	12.35	0.30	16.11	1.12	17.55	0.57	15.24	0.23	17.96	0.89
2023/09/23	18:16:00	16,456	5,350	15.75	0.31	12.34	0.29	16.09	1.10	17.53	0.55	15.24	0.23	17.94	0.87
2023/09/23	18:26:00	16,466	5,360	15.75	0.31	12.34	0.29	16.08	1.09	17.53	0.54	15.23	0.22	17.94	0.86
2023/09/23	18:36:00	16,476	5,370	15.76	0.32	12.35	0.30	16.07	1.08	17.52	0.54	15.23	0.22	17.93	0.86
2023/09/23	18:46:00	16,486	5,380	15.75	0.31	12.35	0.30	16.05	1.06	17.51	0.53	15.24	0.23	17.92	0.85
2023/09/23	18:56:00	16,496	5,390	15.75	0.31	12.35	0.30	16.04	1.05	17.51	0.53	15.24	0.23	17.91	0.84
2023/09/23	19:06:00	16,506	5,400	15.74	0.30	12.35	0.30	16.03	1.04	17.50	0.52	15.23	0.22	17.90	0.83
2023/09/23	19:16:00	16,516	5,410	15.75	0.31	12.35	0.30	16.02	1.03	17.49	0.51	15.23	0.22	17.89	0.82
2023/09/23	19:26:00	16,526	5,420	15.75	0.31	12.34	0.29	16.01	1.02	17.49	0.51	15.23	0.22	17.89	0.82
2023/09/23	19:36:00	16,536	5,430	15.75	0.31	12.34	0.29	15.99	1.00	17.48	0.50	15.23	0.22	17.88	0.81
2023/09/23	19:46:00	16,546	5,440	15.74	0.30	12.33	0.28	15.98	0.99	17.47	0.49	15.23	0.22	17.87	0.80
2023/09/23	19:56:00	16,556	5,450	15.74	0.30	12.33	0.28	15.97	0.98	17.47	0.49	15.22	0.21	17.86	0.79
2023/09/23	20:06:00	16,566	5,460	15.74	0.30	12.34	0.29	15.96	0.97	17.46	0.48	15.22	0.21	17.85	0.78
2023/09/23	20:16:00	16,576	5,470	15.74	0.30	12.34	0.29	15.95	0.96	17.45	0.47	15.23	0.22	17.84	0.77
2023/09/23	20:26:00	16,586	5,480	15.74	0.30	12.34	0.29	15.94	0.95	17.45	0.47	15.22	0.21	17.84	0.77
2023/09/23	20:36:00	16,596	5,490	15.73	0.29	12.33	0.28	15.93	0.94	17.44	0.46	15.22	0.21	17.83	0.76
2023/09/23	20:46:00	16,606	5,500	15.73	0.29	12.33	0.28	15.92	0.93	17.43	0.45	15.21	0.20	17.82	0.75
2023/09/23	20:56:00	16,616	5,510	15.74	0.30	12.34	0.29	15.91	0.91	17.43	0.45	15.22	0.21	17.81	0.74
2023/09/23	21:06:00	16,626	5,520	15.74	0.30	12.34	0.29	15.89	0.90	17.42	0.44	15.22	0.21	17.81	0.74
2023/09/23	21:16:00	16,636	5,530	15.73	0.29	12.33	0.28	15.88	0.89	17.42	0.44	15.21	0.20	17.80	0.73
2023/09/23	21:26:00	16,646	5,540	15.73	0.29	12.33	0.28	15.86	0.87	17.40	0.42	15.21	0.20	17.79	0.72
2023/09/23	21:36:00	16,656	5,550	15.72	0.28	12.33	0.27	15.86	0.87	17.40	0.42	15.20	0.19	17.78	0.71
2023/09/23	21:46:00	16,666	5,560	15.72	0.28	12.31	0.26	15.84	0.85	17.39	0.41	15.20	0.19	17.77	0.70
2023/09/23	21:56:00	16,676	5,570	15.72	0.28	12.32	0.27	15.83	0.84	17.39	0.41	15.20	0.19	17.76	0.69
2023/09/23	22:06:00	16,686	5,580	15.72	0.28	12.32	0.27	15.83	0.83	17.38	0.40	15.20	0.19	17.76	0.69
2023/09/23	22:16:00	16,696	5,590	15.71	0.27	12.32	0.26	15.82	0.83	17.38	0.40	15.19	0.18	17.75	0.68
2023/09/23	22:26:00	16,706	5,600	15.72	0.28	12.32	0.27	15.81	0.82	17.37	0.39	15.20	0.19	17.74	0.67
2023/09/23	22:36:00	16,716	5,610	15.71	0.27	12.32	0.27	15.80	0.81	17.37	0.39	15.19	0.18	17.74	0.67
2023/09/23	22:46:00	16,726	5,620	15.72	0.28	12.32	0.27	15.80	0.81	17.36	0.38	15.20	0.19	17.73	0.66
2023/09/23	22:56:00	16,736	5,630	15.71	0.27	12.32	0.27	15.79	0.80	17.37	0.39	15.19	0.18	17.73	0.66
2023/09/23	23:06:00	16,746	5,640	15.71	0.27	12.32	0.27	15.78	0.79	17.35	0.37	15.19	0.18	17.72	0.65
2023/09/23	23:16:00	16,756	5,650	15.71	0.27	12.32	0.27	15.76	0.77	17.35	0.37	15.19	0.18	17.71	0.64
2023/09/23	23:26:00	16,766	5,660	15.70	0.26	12.32	0.26	15.75	0.76	17.34	0.36	15.18	0.17	17.71	0.64
2023/09/23	23:36:00	16,776	5,670	15.70	0.26	12.31	0.26	15.74	0.75	17.34	0.36	15.18	0.17	17.70	0.63
2023/09/23	23:46:00	16,786	5,680	15.70	0.26	12.30	0.25	15.73	0.74	17.34	0.36	15.18	0.17	17.69	0.62
2023/09/23	23:56:00	16,796	5,690	15.70	0.26	12.30	0.25	15.72	0.73	17.33	0.35	15.18	0.17	17.69	0.62
2023/09/24	00:06:00	16,806	5,700	15.70	0.26	12.30	0.25	15.72	0.73	17.33	0.35	15.18	0.17	17.68	0.61
2023/09/24	00:16:00	16,816	5,710	15.70	0.26	12.30	0.25	15.71	0.72	17.32	0.34	15.18	0.17	17.68	0.61
2023/09/24	00:26:00	16,826	5,720	15.70	0.26	12.30	0.25	15.70	0.71	17.32	0.34	15.17	0.16	17.67	0.60
2023/09/24	0														

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/24	08:06:00	17,286	6,180	15.62	0.18	12.24	0.19	15.40	0.41	17.13	0.15	15.09	0.08	17.45	0.38
2023/09/24	08:16:00	17,296	6,190	15.62	0.18	12.24	0.19	15.39	0.40	17.13	0.15	15.09	0.08	17.45	0.38
2023/09/24	08:26:00	17,306	6,200	15.63	0.19	12.24	0.19	15.39	0.40	17.12	0.14	15.09	0.08	17.46	0.39
2023/09/24	08:36:00	17,316	6,210	15.63	0.19	12.24	0.19	15.38	0.39	17.12	0.14	15.10	0.09	17.45	0.38
2023/09/24	08:46:00	17,326	6,220	15.63	0.19	12.24	0.19	15.38	0.39	17.13	0.15	15.09	0.08	17.45	0.38
2023/09/24	08:56:00	17,336	6,230	15.63	0.19	12.24	0.19	15.38	0.39	17.12	0.14	15.09	0.08	17.45	0.38
2023/09/24	09:06:00	17,346	6,240	15.63	0.19	12.24	0.19	15.37	0.38	17.11	0.13	15.09	0.08	17.44	0.37
2023/09/24	09:16:00	17,356	6,250	15.62	0.18	12.24	0.18	15.37	0.38	17.11	0.13	15.08	0.07	17.44	0.36
2023/09/24	09:26:00	17,366	6,260	15.62	0.18	12.23	0.18	15.35	0.36	17.11	0.13	15.08	0.07	17.43	0.36
2023/09/24	09:36:00	17,376	6,270	15.62	0.18	12.23	0.18	15.35	0.36	17.10	0.12	15.08	0.07	17.42	0.35
2023/09/24	09:46:00	17,386	6,280	15.62	0.18	12.23	0.18	15.35	0.36	17.10	0.12	15.08	0.07	17.42	0.35
2023/09/24	09:56:00	17,396	6,290	15.61	0.17	12.23	0.18	15.34	0.35	17.10	0.12	15.08	0.07	17.42	0.35
2023/09/24	10:06:00	17,406	6,300	15.61	0.17	12.23	0.18	15.35	0.36	17.10	0.12	15.07	0.06	17.41	0.34
2023/09/24	10:16:00	17,416	6,310	15.61	0.17	12.23	0.18	15.33	0.34	17.09	0.11	15.07	0.06	17.41	0.34
2023/09/24	10:26:00	17,426	6,320	15.61	0.17	12.22	0.17	15.33	0.34	17.08	0.10	15.08	0.06	17.41	0.34
2023/09/24	10:36:00	17,436	6,330	15.60	0.16	12.21	0.16	15.33	0.34	17.08	0.10	15.06	0.05	17.40	0.33
2023/09/24	10:46:00	17,446	6,340	15.60	0.16	12.21	0.16	15.31	0.32	17.08	0.10	15.06	0.05	17.39	0.32
2023/09/24	10:56:00	17,456	6,350	15.60	0.16	12.21	0.16	15.31	0.32	17.07	0.09	15.06	0.05	17.39	0.32
2023/09/24	11:06:00	17,466	6,360	15.60	0.16	12.21	0.16	15.30	0.31	17.07	0.09	15.06	0.05	17.39	0.32
2023/09/24	11:16:00	17,476	6,370	15.60	0.16	12.21	0.16	15.30	0.31	17.07	0.09	15.06	0.05	17.39	0.32
2023/09/24	11:26:00	17,486	6,380	15.60	0.16	12.21	0.16	15.30	0.31	17.07	0.09	15.06	0.05	17.38	0.31
2023/09/24	11:36:00	17,496	6,390	15.59	0.15	12.20	0.15	15.29	0.30	17.06	0.08	15.05	0.04	17.37	0.30
2023/09/24	11:46:00	17,506	6,400	15.59	0.15	12.20	0.15	15.28	0.29	17.05	0.07	15.05	0.04	17.37	0.30
2023/09/24	11:56:00	17,516	6,410	15.59	0.15	12.20	0.15	15.28	0.29	17.05	0.07	15.05	0.04	17.36	0.29
2023/09/24	12:06:00	17,526	6,420	15.58	0.14	12.20	0.15	15.27	0.28	17.05	0.07	15.04	0.03	17.36	0.29
2023/09/24	12:16:00	17,536	6,430	15.57	0.13	12.20	0.15	15.27	0.28	17.04	0.06	15.03	0.02	17.36	0.29
2023/09/24	12:26:00	17,546	6,440	15.58	0.14	12.19	0.14	15.26	0.27	17.04	0.06	15.04	0.03	17.35	0.28
2023/09/24	12:36:00	17,556	6,450	15.57	0.13	12.18	0.13	15.26	0.27	17.02	0.04	15.03	0.02	17.34	0.27
2023/09/24	12:46:00	17,566	6,460	15.57	0.13	12.18	0.13	15.24	0.25	17.02	0.04	15.02	0.01	17.33	0.26
2023/09/24	12:56:00	17,576	6,470	15.57	0.13	12.18	0.13	15.24	0.25	17.02	0.04	15.02	0.01	17.33	0.26
2023/09/24	13:06:00	17,586	6,480	15.56	0.12	12.18	0.13	15.24	0.25	17.01	0.03	15.02	0.01	17.33	0.26
2023/09/24	13:16:00	17,596	6,490	15.55	0.11	12.17	0.12	15.23	0.24	17.00	0.02	15.01	0.00	17.32	0.25
2023/09/24	13:26:00	17,606	6,500	15.55	0.11	12.17	0.12	15.23	0.23	17.00	0.02	15.01	0.00	17.31	0.24
2023/09/24	13:36:00	17,616	6,510	15.55	0.11	12.17	0.12	15.22	0.23	16.99	0.01	15.01	0.00	17.31	0.24
2023/09/24	13:46:00	17,626	6,520	15.54	0.10	12.16	0.11	15.21	0.22	16.99	0.01	15.00	-0.01	17.30	0.23
2023/09/24	13:56:00	17,636	6,530	15.54	0.10	12.16	0.11	15.20	0.21	16.99	0.00	15.00	-0.01	17.30	0.23
2023/09/24	14:06:00	17,646	6,540	15.53	0.09	12.15	0.10	15.20	0.21	16.98	0.00	14.99	-0.02	17.30	0.23
2023/09/24	14:16:00	17,656	6,550	15.53	0.09	12.15	0.10	15.19	0.20	16.97	-0.01	14.99	-0.02	17.28	0.21
2023/09/24	14:26:00	17,666	6,560	15.53	0.09	12.15	0.10	15.19	0.20	16.97	-0.01	14.99	-0.02	17.28	0.21
2023/09/24	14:36:00	17,676	6,570	15.52	0.08	12.15	0.10	15.18	0.19	16.97	-0.01	14.99	-0.02	17.28	0.21
2023/09/24	14:46:00	17,686	6,580	15.53	0.09	12.16	0.11	15.18	0.19	16.97	-0.01	14.99	-0.02	17.28	0.21
2023/09/24	14:56:00	17,696	6,590	15.53	0.09	12.16	0.11	15.19	0.20	16.98	0.00	15.00	-0.02	17.29	0.22
2023/09/24	15:06:00	17,706	6,600	15.52	0.08	12.16	0.11	15.18	0.19	16.97	-0.01	14.99	-0.02	17.28	0.21
2023/09/24	15:16:00	17,716	6,610	15.52	0.08	12.15	0.10	15.17	0.18	16.97	-0.01	14.99	-0.02	17.28	0.21
2023/09/24	15:26:00	17,726	6,620	15.52	0.08	12.15	0.10	15.17	0.18	16.97	-0.01	14.99	-0.02	17.28	0.21
2023/09/24	15:36:00	17,736	6,630	15.51	0.07	12.15	0.10	15.17	0.18	16.96	-0.02	14.98	-0.03	17.27	0.20
2023/09/24	15:46:00	17,746	6,640	15.51	0.07	12.14	0.09	15.17	0.18	16.96	-0.02	14.98	-0.03	17.26	0.19
2023/09/24	15:56:00	17,756	6,650	15.51	0.07	12.14	0.09	15.15	0.16	16.95	-0.03	14.97	-0.04	17.25	0.18
2023/09/24	16:06:00	17,766	6,660	15.51	0.07	12.14	0.09	15.16	0.17	16.95	-0.03	14.98	-0.03	17.26	0.19
2023/09/24	16:16:00	17,776	6,670	15.51	0.07	12.14	0.09	15.15	0.16	16.95	-0.03	14.98	-0.03	17.26	0.19
2023/09/24	16:26:00	17,786	6,680	15.51	0.07	12.14	0.09	15.15	0.16	16.95	-0.03	14.98	-0.03	17.26	0.19
2023/09/24	16:36:00	17,796	6,690	15.51	0.07	12.14	0.09	15.14	0.15	16.95	-0.04	14.98	-0.04	17.25	0.18
2023/09/24	16:46:00	17,806	6,700	15.51	0.07	12.14	0.09	15.14	0.15	16.95	-0.03	14.98	-0.03	17.25	0.18
2023/09/24	16:56:00	17,816	6,710	15.51	0.07	12.14	0.09	15.14	0.15	16.94	-0.04	14.97	-0.04	17.25	0.18
2023/09/24	17:06:00	17,826	6,720	15.50	0.06	12.14	0.09	15.13	0.14	16.94	-0.04	14.97	-0.04	17.25	0.18
2023/09/24	17:16:00	17,836	6,730	15.50	0.06	12.14	0.09	15.13	0.14	16.94	-0.04	14.97	-0.04	17.24	0.17
2023/09/24	17:26:00	17,846	6,740	15.50	0.06	12.14	0.09	15.14	0.15	16.94	-0.04	14.97	-0.04	17.24	0.17
2023/09/24	17:36:00	17,856	6,750	15.50	0.06	12.14	0.09	15.14	0.15	16.94	-0.04	14.97	-0.04	17.24	0.17
2023/09/24	17:46:00	17,866	6,760	15.50	0.06	12.14	0.09	15.12	0.13	16.94	-0.04	14.97	-0.04	17.24	0.17
2023/09/24	17:56:00	17,876	6,770	15.50	0.06	12.14	0.09	15.12	0.13	16.93	-0.05	14.97	-0.04	17.24	0.17
2023/09/24	18:06:00	17,886	6,780												

Transducer Data Collected During GWET System Evaluation: Well RW-02 Test
September 20, 2023 through September 22, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/25	01:36:00	18,336	7,230	15.44	0.00	12.09	0.04	15.01	0.02	16.85	-0.13	14.90	-0.11	17.16	0.09
2023/09/25	01:46:00	18,346	7,240	15.44	0.00	12.09	0.04	15.01	0.02	16.85	-0.13	14.91	-0.10	17.15	0.08
2023/09/25	01:56:00	18,356	7,250	15.44	0.00	12.09	0.04	15.01	0.02	16.84	-0.14	14.90	-0.11	17.15	0.08
2023/09/25	02:06:00	18,366	7,260	15.44	0.00	12.09	0.04	15.01	0.02	16.84	-0.14	14.90	-0.11	17.14	0.07
2023/09/25	02:16:00	18,376	7,270	15.44	0.00	12.09	0.04	15.01	0.02	16.84	-0.14	14.90	-0.11	17.14	0.07
2023/09/25	02:26:00	18,386	7,280	15.45	0.01	12.09	0.04	14.99	0.00	16.84	-0.15	14.91	-0.11	17.14	0.07
2023/09/25	02:36:00	18,396	7,290	15.43	-0.01	12.09	0.04	14.99	0.00	16.83	-0.15	14.89	-0.12	17.14	0.07
2023/09/25	02:46:00	18,406	7,300	15.43	-0.01	12.08	0.03	14.99	0.00	16.83	-0.15	14.89	-0.12	17.14	0.07
2023/09/25	02:56:00	18,416	7,310	15.43	-0.01	12.08	0.03	14.99	0.00	16.83	-0.15	14.89	-0.12	17.14	0.07
2023/09/25	03:06:00	18,426	7,320	15.43	-0.01	12.08	0.03	14.99	0.00	16.83	-0.15	14.89	-0.12	17.13	0.06
2023/09/25	03:16:00	18,436	7,330	15.43	-0.01	12.08	0.03	14.99	-0.01	16.83	-0.15	14.89	-0.12	17.13	0.06
2023/09/25	03:26:00	18,446	7,340	15.43	-0.01	12.08	0.03	14.99	0.00	16.83	-0.15	14.89	-0.12	17.13	0.06
2023/09/25	03:36:00	18,456	7,350	15.43	-0.01	12.08	0.03	14.99	0.00	16.83	-0.15	14.89	-0.12	17.13	0.06
2023/09/25	03:46:00	18,466	7,360	15.43	-0.01	12.08	0.03	14.97	-0.02	16.83	-0.15	14.89	-0.12	17.13	0.06
2023/09/25	03:56:00	18,476	7,370	15.43	-0.01	12.08	0.03	14.97	-0.02	16.83	-0.15	14.89	-0.12	17.13	0.06
2023/09/25	04:06:00	18,486	7,380	15.43	-0.01	12.08	0.03	14.97	-0.02	16.82	-0.16	14.88	-0.13	17.13	0.06
2023/09/25	04:16:00	18,496	7,390	15.43	-0.01	12.08	0.03	14.98	-0.01	16.82	-0.16	14.88	-0.13	17.12	0.05
2023/09/25	04:26:00	18,506	7,400	15.42	-0.02	12.08	0.03	14.98	-0.01	16.82	-0.16	14.88	-0.13	17.12	0.05
2023/09/25	04:36:00	18,516	7,410	15.42	-0.02	12.08	0.03	14.97	-0.02	16.82	-0.16	14.88	-0.13	17.13	0.06
2023/09/25	04:46:00	18,526	7,420	15.43	-0.01	12.09	0.04	14.97	-0.02	16.83	-0.16	14.89	-0.13	17.13	0.06
2023/09/25	04:56:00	18,536	7,430	15.43	-0.01	12.09	0.04	14.98	-0.01	16.83	-0.15	14.89	-0.12	17.13	0.06
2023/09/25	05:06:00	18,546	7,440	15.43	-0.01	12.09	0.04	14.98	-0.01	16.83	-0.15	14.89	-0.12	17.13	0.06
2023/09/25	05:16:00	18,556	7,450	15.43	-0.01	12.09	0.04	14.98	-0.01	16.83	-0.15	14.89	-0.12	17.13	0.06
2023/09/25	05:26:00	18,566	7,460	15.43	-0.01	12.09	0.04	14.98	-0.01	16.83	-0.15	14.89	-0.12	17.14	0.07
2023/09/25	05:36:00	18,576	7,470	15.43	-0.01	12.09	0.04	14.98	-0.01	16.82	-0.16	14.89	-0.12	17.14	0.07
2023/09/25	05:46:00	18,586	7,480	15.44	0.00	12.10	0.05	14.98	-0.01	16.83	-0.15	14.90	-0.12	17.13	0.06



Combined (RW-01/RW-02) Test

Chart 10
Observed Drawdown During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004




Chart 11
Observed Drawdown During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004




Chart 12
Observed Drawdown During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004





Chart 13
Observed Drawdown During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004



Combined (RW-01/RW-02): Static and End of Test Water Levels
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Well ID	TOC Elevation	RW-01/RW-02 Combined Test				
		Static		End of Test*		Observed
		DTW	GW Elev.	DTW	GW Elev.	Drawdown
RW-01 (XD)	468.90	14.92	453.98	> 41.00	< 427.90	> 26.08
RW-02 (XD)	465.13	17.03	448.10	32.00	433.13	14.97
MW-1 (XD)	470.85	3.91	466.94	4.05	466.80	0.14
MW-1R	471.22	4.08	467.14	4.21	467.01	0.13
MW-2 (XD)	470.51	4.57	465.94	4.71	465.80	0.14
MW-3	472.36	6.28	466.08	6.50	465.86	0.22
MW-4	469.50	7.09	462.41	7.36	462.14	0.27
MW-4R (XD)	469.68	15.41	454.27	19.32	450.36	3.91
MW-5R	471.26	1.47	469.79	1.56	469.70	0.09
MW-6 (XD)	470.39	16.83	453.56	19.29	451.10	2.46
MW-7 (XD)	468.46	14.35	454.11	18.20	450.26	3.85
MW-8 (XD)	466.69	12.13	454.56	15.34	451.35	3.21
MW-9 (XD)	464.71	14.98	449.73	25.35	439.36	10.37
MW-10 (XD)	466.09	16.86	449.23	27.47	438.62	10.61
MW-11R	481.45	16.83	464.62	17.16	464.29	0.33
MW-12	467.52	19.56	447.96	20.98	446.54	1.42
MW-13 (XD)	461.44	13.31	448.13	26.38	435.06	13.07
MW-14	452.75	11.73	441.02	12.20	440.55	0.47
MW-15	444.58	9.51	435.07	9.84	434.74	0.33
MW-16 (XD)	448.75	20.66	428.09	21.61	427.14	0.95
MW-17	450.09	7.24	442.85	11.19	438.90	3.95
MW-18	462.98	21.91	441.07	22.48	440.50	0.57
MW-19	440.97	27.41	413.56	27.58	413.39	0.17
MW-20	441.99	NA	NA	NA	NA	NA
MW-22	471.27	19.28	451.99	21.29	449.98	2.01
MW-23	472.35	19.28	453.07	20.79	451.56	1.51

Notes:

RW-01/RW-02 Combined Test: Static @ 08:58 am on 9-25-2023; End of Test @ 01:14 am on 9-27-2023 (pump shut down via control/programming)

* End of test measurements collected manually from the combined RW-01/RW-02 test were obtained approximately 7 hours after RW-02 pump shutdown via amperage control.

> = Transducer in well RW-01 placed 41 feet from top of casing. RW-01 water level pumped below transducer depth during RW-01 test and Combined Test.

NA indicates not accessible - Car parked over well.

Transducer Data Collected During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/25	00:40:00	18,280	0	20.78	0.12	13.36	0.05	14.32	-0.03	16.83	0.00	7.11	-0.01	3.90	-0.01
2023/09/25	00:50:00	18,290	10	20.78	0.12	13.36	0.05	14.32	-0.03	16.83	0.00	7.11	-0.01	3.90	-0.01
2023/09/25	01:00:00	18,300	20	20.77	0.11	13.36	0.05	14.31	-0.04	16.83	0.00	7.11	-0.01	3.90	-0.01
2023/09/25	01:10:00	18,310	30	20.78	0.12	13.36	0.05	14.31	-0.04	16.83	0.00	7.11	-0.01	3.90	-0.01
2023/09/25	01:20:00	18,320	40	20.77	0.11	13.35	0.04	14.31	-0.04	16.83	0.00	7.11	-0.01	3.90	-0.01
2023/09/25	01:30:00	18,330	50	20.77	0.11	13.36	0.05	14.31	-0.04	16.82	-0.01	7.10	-0.02	3.90	-0.01
2023/09/25	01:40:00	18,340	60	20.77	0.11	13.36	0.05	14.31	-0.04	16.82	-0.01	7.10	-0.02	3.90	-0.01
2023/09/25	01:50:00	18,350	70	20.77	0.11	13.36	0.04	14.31	-0.04	16.82	-0.01	7.11	-0.01	3.91	0.00
2023/09/25	02:00:00	18,360	80	20.76	0.10	13.36	0.04	14.31	-0.04	16.82	-0.01	7.11	-0.01	3.91	0.00
2023/09/25	02:10:00	18,370	90	20.77	0.11	13.35	0.04	14.31	-0.04	16.82	-0.01	7.11	-0.01	3.91	0.00
2023/09/25	02:20:00	18,380	100	20.76	0.10	13.35	0.04	14.30	-0.05	16.82	-0.01	7.10	-0.02	3.90	-0.01
2023/09/25	02:30:00	18,390	110	20.76	0.10	13.35	0.04	14.30	-0.05	16.81	-0.02	7.10	-0.02	3.90	-0.01
2023/09/25	02:40:00	18,400	120	20.76	0.10	13.35	0.04	14.30	-0.05	16.81	-0.02	7.11	-0.01	3.90	-0.01
2023/09/25	02:50:00	18,410	130	20.75	0.09	13.35	0.04	14.30	-0.05	16.81	-0.02	7.11	-0.01	3.90	-0.01
2023/09/25	03:00:00	18,420	140	20.76	0.10	13.34	0.03	14.30	-0.05	16.81	-0.02	7.11	-0.01	3.90	-0.01
2023/09/25	03:10:00	18,430	150	20.75	0.09	13.34	0.03	14.29	-0.06	16.81	-0.02	7.11	-0.01	3.90	-0.01
2023/09/25	03:20:00	18,440	160	20.74	0.08	13.34	0.03	14.29	-0.06	16.81	-0.02	7.11	-0.01	3.90	-0.01
2023/09/25	03:30:00	18,450	170	20.74	0.08	13.34	0.03	14.29	-0.06	16.80	-0.03	7.11	-0.01	3.90	-0.01
2023/09/25	03:40:00	18,460	180	20.74	0.08	13.34	0.03	14.29	-0.06	16.80	-0.03	7.10	-0.02	3.90	-0.02
2023/09/25	03:50:00	18,470	190	20.74	0.08	13.33	0.02	14.29	-0.06	16.80	-0.03	7.10	-0.02	3.89	-0.02
2023/09/25	04:00:00	18,480	200	20.74	0.08	13.33	0.02	14.29	-0.06	16.80	-0.03	7.10	-0.02	3.90	-0.01
2023/09/25	04:10:00	18,490	210	20.74	0.08	13.33	0.02	14.29	-0.06	16.80	-0.03	7.10	-0.02	3.90	-0.01
2023/09/25	04:20:00	18,500	220	20.73	0.07	13.33	0.02	14.29	-0.06	16.80	-0.03	7.11	-0.01	3.91	-0.01
2023/09/25	04:30:00	18,510	230	20.74	0.08	13.32	0.01	14.29	-0.06	16.80	-0.03	7.11	-0.01	3.91	0.00
2023/09/25	04:40:00	18,520	240	20.73	0.07	13.33	0.02	14.29	-0.06	16.80	-0.03	7.11	-0.01	3.91	0.00
2023/09/25	04:50:00	18,530	250	20.73	0.07	13.33	0.02	14.29	-0.06	16.80	-0.03	7.11	-0.01	3.91	0.00
2023/09/25	05:00:00	18,540	260	20.72	0.06	13.33	0.02	14.30	-0.05	16.80	-0.03	7.12	0.00	3.92	0.00
2023/09/25	05:10:00	18,550	270	20.73	0.07	13.33	0.02	14.30	-0.05	16.80	-0.03	7.12	0.00	3.92	0.01
2023/09/25	05:20:00	18,560	280	20.73	0.07	13.34	0.03	14.30	-0.05	16.80	-0.03	7.11	-0.01	3.92	0.01
2023/09/25	05:30:00	18,570	290	20.72	0.06	13.33	0.02	14.30	-0.05	16.80	-0.03	7.11	-0.01	3.92	0.01
2023/09/25	05:40:00	18,580	300	20.72	0.06	13.34	0.03	14.30	-0.05	16.80	-0.03	7.12	0.00	3.92	0.01
2023/09/25	05:50:00	18,590	310	20.72	0.06	13.33	0.02	14.30	-0.05	16.81	-0.02	7.11	-0.01	3.92	0.01
2023/09/25	06:00:00	18,600	320	20.72	0.06	13.33	0.02	14.31	-0.04	16.80	-0.03	7.12	0.00	3.93	0.02
2023/09/25	06:10:00	18,610	330	20.72	0.06	13.34	0.03	14.31	-0.04	16.81	-0.02	7.12	0.00	3.93	0.02
2023/09/25	06:20:00	18,620	340	20.71	0.05	13.34	0.03	14.31	-0.04	16.81	-0.02	7.13	0.00	3.93	0.02
2023/09/25	06:30:00	18,630	350	20.71	0.05	13.33	0.02	14.31	-0.04	16.81	-0.02	7.13	0.01	3.93	0.02
2023/09/25	06:40:00	18,640	360	20.71	0.05	13.34	0.03	14.31	-0.04	16.82	-0.01	7.12	0.00	3.93	0.02
2023/09/25	06:50:00	18,650	370	20.71	0.05	13.35	0.04	14.31	-0.04	16.81	-0.02	7.13	0.01	3.93	0.02
2023/09/25	07:00:00	18,660	380	20.71	0.05	13.34	0.03	14.31	-0.04	16.82	-0.01	7.13	0.01	3.93	0.02
2023/09/25	07:10:00	18,670	390	20.71	0.05	13.34	0.03	14.31	-0.04	16.81	-0.02	7.13	0.01	3.93	0.02
2023/09/25	07:20:00	18,680	400	20.71	0.05	13.34	0.03	14.32	-0.03	16.82	-0.01	7.13	0.01	3.94	0.03
2023/09/25	07:30:00	18,690	410	20.70	0.04	13.35	0.04	14.32	-0.03	16.82	-0.01	7.13	0.01	3.94	0.03
2023/09/25	07:40:00	18,700	420	20.70	0.04	13.35	0.04	14.32	-0.03	16.82	-0.01	7.13	0.01	3.94	0.03
2023/09/25	07:50:00	18,710	430	20.70	0.04	13.35	0.04	14.32	-0.03	16.82	-0.01	7.14	0.02	3.94	0.03
2023/09/25	08:00:00	18,720	440	20.69	0.03	13.35	0.04	14.32	-0.03	16.82	-0.01	7.14	0.01	3.95	0.03
2023/09/25	08:10:00	18,730	450	20.70	0.04	13.36	0.04	14.32	-0.03	16.82	-0.01	7.14	0.02	3.95	0.04
2023/09/25	08:20:00	18,740	460	20.70	0.04	13.35	0.04	14.32	-0.03	16.82	-0.01	7.14	0.02	3.95	0.04
2023/09/25	08:30:00	18,750	470	20.70	0.04	13.35	0.04	14.33	-0.02	16.82	-0.01	7.11	-0.01	3.89	-0.02
2023/09/25	08:40:00	18,760	480	20.69	0.03	13.36	0.05	14.34	-0.01	16.82	-0.01	7.12	0.00	3.90	-0.02
2023/09/25	08:50:00	18,770	490	20.69	0.03	13.31	0.00	14.34	-0.01	16.83	0.00	7.11	-0.01	3.90	-0.01
2023/09/25	08:52:00	18,772	492	20.65	-0.01	13.31	0.00	14.34	-0.01	16.83	0.00	7.11	-0.01	3.90	-0.01
2023/09/25	08:54:00	18,774	494	20.65	-0.01	13.31	0.00	14.35	0.00	16.83	0.00	7.12	0.00	3.91	-0.01
2023/09/25	08:56:00	18,776	496	20.65	-0.01	13.31	0.00	14.35	0.00	16.83	0.00	7.12	0.00	3.91	-0.01
2023/09/25	08:58:00	18,778	498	20.66	0.00	13.31	0.00	14.35	0.00	16.83	0.00	7.12	0.00	3.91	0.00
2023/09/25	09:00:00	18,780	500	20.66	0.00	13.30	-0.01	14.49	0.14	16.85	0.02	7.12	0.00	3.91	0.00
2023/09/25	09:02:00	18,782	502	20.65	-0.01	13.32	0.01	14.76	0.41	16.93	0.10	7.12	0.00	3.91	0.00
2023/09/25	09:04:00	18,784	504	20.65	-0.01	13.34	0.03	14.89	0.54	17.01	0.18	7.11	-0.01	3.91	0.00
2023/09/25	09:06:00	18,786	506	20.65	-0.01	13.37	0.06	14.97	0.62	17.06	0.23	7.11	-0.01	3.91	0.00
2023/09/25	09:08:00	18,788	508	20.65	-0.01	13.41	0.10	15.05	0.70	17.11	0.28	7.12	0.00	3.91	0.00
2023/09/25	09:10:00	18,790	510	20.65	-0.01	13.45	0.14	15.09	0.74	17.14	0.31	7.12	0.00	3.91	0.00
2023/09/25	09:12:00	18,792	512	20.65	-0.01	13.48	0.17	15.14	0.79	17.17	0.34	7.12	0.00	3.90	-0.01
2023/09/25	09:14:00	18,794	514	20.65											

Transducer Data Collected During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/25	10:38:00	18,878	598	20.65	-0.02	16.51	3.20	16.02	1.67	17.62	0.79	7.14	0.02	3.92	0.01
2023/09/25	10:40:00	18,880	600	20.64	-0.02	16.57	3.26	16.03	1.68	17.63	0.80	7.14	0.02	3.92	0.01
2023/09/25	10:42:00	18,882	602	20.65	-0.02	16.62	3.31	16.04	1.69	17.63	0.80	7.14	0.02	3.92	0.01
2023/09/25	10:44:00	18,884	604	20.65	-0.02	16.68	3.37	16.05	1.70	17.64	0.81	7.14	0.02	3.91	0.00
2023/09/25	10:46:00	18,886	606	20.65	-0.02	16.74	3.43	16.06	1.71	17.65	0.82	7.14	0.02	3.91	0.00
2023/09/25	10:48:00	18,888	608	20.65	-0.01	16.80	3.49	16.07	1.72	17.66	0.83	7.14	0.02	3.91	0.00
2023/09/25	10:50:00	18,890	610	20.65	-0.02	16.84	3.53	16.08	1.73	17.66	0.83	7.14	0.02	3.91	0.00
2023/09/25	10:52:00	18,892	612	20.64	-0.02	16.90	3.59	16.09	1.74	17.66	0.83	7.14	0.02	3.91	0.00
2023/09/25	10:54:00	18,894	614	20.65	-0.02	16.95	3.64	16.10	1.75	17.67	0.84	7.15	0.03	3.91	0.00
2023/09/25	10:56:00	18,896	616	20.64	-0.02	17.00	3.69	16.12	1.77	17.67	0.84	7.15	0.03	3.91	0.00
2023/09/25	10:58:00	18,898	618	20.65	-0.02	17.06	3.75	16.13	1.78	17.68	0.85	7.14	0.02	3.91	0.00
2023/09/25	11:00:00	18,900	620	20.65	-0.01	17.11	3.80	16.14	1.79	17.69	0.86	7.14	0.02	3.91	0.00
2023/09/25	11:02:00	18,902	622	20.64	-0.02	17.16	3.85	16.15	1.80	17.69	0.86	7.14	0.02	3.91	0.00
2023/09/25	11:04:00	18,904	624	20.64	-0.02	17.21	3.90	16.16	1.81	17.69	0.86	7.14	0.02	3.91	0.00
2023/09/25	11:06:00	18,906	626	20.64	-0.02	17.26	3.95	16.17	1.82	17.70	0.87	7.14	0.02	3.91	0.00
2023/09/25	11:08:00	18,908	628	20.64	-0.02	17.31	4.00	16.17	1.82	17.70	0.87	7.14	0.02	3.91	0.00
2023/09/25	11:10:00	18,910	630	20.64	-0.02	17.36	4.05	16.18	1.83	17.70	0.87	7.14	0.02	3.91	0.00
2023/09/25	11:12:00	18,912	632	20.64	-0.02	17.40	4.09	16.19	1.84	17.71	0.88	7.14	0.02	3.91	0.00
2023/09/25	11:14:00	18,914	634	20.64	-0.02	17.45	4.14	16.20	1.85	17.71	0.88	7.14	0.02	3.91	0.00
2023/09/25	11:16:00	18,916	636	20.64	-0.02	17.50	4.19	16.22	1.87	17.72	0.89	7.14	0.02	3.91	0.00
2023/09/25	11:18:00	18,918	638	20.64	-0.02	17.54	4.23	16.23	1.88	17.72	0.89	7.15	0.03	3.92	0.00
2023/09/25	11:20:00	18,920	640	20.65	-0.01	17.59	4.28	16.24	1.89	17.73	0.90	7.15	0.03	3.92	0.01
2023/09/25	11:22:00	18,922	642	20.64	-0.02	17.64	4.33	16.25	1.90	17.74	0.91	7.15	0.03	3.92	0.01
2023/09/25	11:24:00	18,924	644	20.64	-0.02	17.68	4.37	16.26	1.91	17.74	0.91	7.15	0.03	3.92	0.01
2023/09/25	11:26:00	18,926	646	20.64	-0.02	17.73	4.42	16.27	1.92	17.75	0.92	7.15	0.03	3.92	0.01
2023/09/25	11:28:00	18,928	648	20.64	-0.02	17.77	4.46	16.27	1.92	17.75	0.92	7.15	0.03	3.92	0.01
2023/09/25	11:30:00	18,930	650	20.64	-0.02	17.81	4.50	16.28	1.93	17.76	0.93	7.15	0.03	3.92	0.01
2023/09/25	11:32:00	18,932	652	20.64	-0.02	17.86	4.55	16.29	1.94	17.76	0.93	7.15	0.03	3.92	0.01
2023/09/25	11:34:00	18,934	654	20.64	-0.02	17.90	4.59	16.30	1.95	17.76	0.93	7.15	0.03	3.92	0.01
2023/09/25	11:36:00	18,936	656	20.64	-0.02	17.94	4.63	16.31	1.96	17.77	0.94	7.15	0.03	3.92	0.01
2023/09/25	11:38:00	18,938	658	20.64	-0.02	17.98	4.67	16.32	1.97	17.78	0.95	7.15	0.03	3.92	0.01
2023/09/25	11:40:00	18,940	660	20.64	-0.02	18.02	4.71	16.32	1.97	17.78	0.95	7.15	0.03	3.91	0.00
2023/09/25	11:42:00	18,942	662	20.64	-0.02	18.07	4.76	16.33	1.98	17.78	0.95	7.15	0.03	3.91	0.00
2023/09/25	11:44:00	18,944	664	20.64	-0.02	18.11	4.80	16.34	1.99	17.78	0.95	7.15	0.03	3.91	0.00
2023/09/25	11:46:00	18,946	666	20.64	-0.02	18.15	4.84	16.35	2.00	17.79	0.96	7.15	0.03	3.91	0.00
2023/09/25	11:48:00	18,948	668	20.64	-0.02	18.19	4.88	16.36	2.01	17.79	0.96	7.15	0.03	3.91	0.00
2023/09/25	11:50:00	18,950	670	20.64	-0.02	18.23	4.92	16.36	2.01	17.80	0.97	7.15	0.03	3.91	0.00
2023/09/25	11:52:00	18,952	672	20.64	-0.02	18.27	4.96	16.37	2.02	17.81	0.98	7.15	0.03	3.91	0.00
2023/09/25	11:54:00	18,954	674	20.64	-0.02	18.31	5.00	16.38	2.03	17.80	0.97	7.15	0.03	3.91	0.00
2023/09/25	11:56:00	18,956	676	20.64	-0.02	18.34	5.03	16.39	2.04	17.81	0.98	7.16	0.04	3.92	0.00
2023/09/25	11:58:00	18,958	678	20.64	-0.02	18.38	5.07	16.39	2.04	17.81	0.98	7.16	0.04	3.92	0.00
2023/09/25	12:00:00	18,960	680	20.65	-0.02	18.41	5.10	16.40	2.05	17.81	0.98	7.16	0.04	3.92	0.01
2023/09/25	12:02:00	18,962	682	20.64	-0.02	18.45	5.14	16.42	2.07	17.83	1.00	7.16	0.04	3.92	0.01
2023/09/25	12:04:00	18,964	684	20.64	-0.02	18.48	5.17	16.42	2.07	17.84	1.01	7.15	0.03	3.92	0.01
2023/09/25	12:06:00	18,966	686	20.64	-0.02	18.52	5.21	16.43	2.08	17.83	1.00	7.15	0.03	3.92	0.01
2023/09/25	12:08:00	18,968	688	20.64	-0.02	18.56	5.25	16.44	2.09	17.84	1.01	7.15	0.03	3.92	0.01
2023/09/25	12:10:00	18,970	690	20.64	-0.02	18.59	5.28	16.44	2.09	17.84	1.01	7.15	0.03	3.92	0.01
2023/09/25	12:12:00	18,972	692	20.64	-0.02	18.63	5.32	16.45	2.10	17.84	1.01	7.15	0.03	3.92	0.01
2023/09/25	12:14:00	18,974	694	20.64	-0.02	18.66	5.35	16.46	2.11	17.85	1.02	7.15	0.03	3.92	0.01
2023/09/25	12:16:00	18,976	696	20.64	-0.02	18.70	5.39	16.46	2.11	17.85	1.02	7.15	0.03	3.92	0.01
2023/09/25	12:18:00	18,978	698	20.64	-0.02	18.73	5.42	16.47	2.12	17.85	1.02	7.15	0.03	3.92	0.01
2023/09/25	12:20:00	18,980	700	20.64	-0.02	18.76	5.45	16.48	2.13	17.86	1.03	7.16	0.04	3.93	0.01
2023/09/25	12:22:00	18,982	702	20.64	-0.02	18.80	5.49	16.49	2.14	17.86	1.03	7.16	0.04	3.93	0.01
2023/09/25	12:24:00	18,984	704	20.64	-0.02	18.83	5.52	16.49	2.14	17.87	1.04	7.16	0.04	3.93	0.02
2023/09/25	12:26:00	18,986	706	20.65	-0.02	18.87	5.56	16.50	2.15	17.87	1.04	7.16	0.04	3.93	0.02
2023/09/25	12:28:00	18,988	708	20.65	-0.02	18.90	5.59	16.50	2.15	17.87	1.04	7.16	0.04	3.93	0.02
2023/09/25	12:30:00	18,990	710	20.65	-0.01	18.94	5.63	16.51	2.16	17.87	1.04	7.16	0.04	3.93	0.02
2023/09/25	12:32:00	18,992	712	20.65	-0.01	18.97	5.66	16.52	2.17	17.88	1.05	7.16	0.04	3.92	0.01
2023/09/25	12:34:00	18,994	714	20.64	-0.02	19.00	5.69	16.53	2.18	17.89	1.06	7.16	0.04	3.92	0.01
2023/09/25	12:36:00	18,996	716	20.64	-0.02	19.03	5.72	16.54	2.19	17.89	1.06	7.16	0.04	3.92	0.01
2023/09/25	12:38:00	18,998	718	20.64	-0.02	19.06	5.75	16.54	2.19	17.89	1.06	7.16	0.04	3.92	0.01
2023/09/25	12:40:00	19,000	720												

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/25	17:40:00	19,300	1,020	20.71	0.05	22.16	8.85	17.14	2.79	18.25	1.42	7.19	0.07	3.94	0.03
2023/09/25	17:50:00	19,310	1,030	20.72	0.06	22.22	8.91	17.15	2.80	18.26	1.43	7.19	0.07	3.94	0.03
2023/09/25	18:00:00	19,320	1,040	20.72	0.05	22.29	8.98	17.16	2.81	18.27	1.44	7.20	0.08	3.95	0.04
2023/09/25	18:10:00	19,330	1,050	20.72	0.06	22.36	9.05	17.18	2.83	18.28	1.45	7.20	0.08	3.95	0.04
2023/09/25	18:20:00	19,340	1,060	20.72	0.06	22.42	9.11	17.19	2.84	18.29	1.46	7.19	0.07	3.94	0.03
2023/09/25	18:30:00	19,350	1,070	20.73	0.07	22.48	9.17	17.20	2.85	18.30	1.47	7.20	0.08	3.95	0.04
2023/09/25	18:40:00	19,360	1,080	20.73	0.07	22.54	9.23	17.22	2.87	18.32	1.49	7.21	0.09	3.96	0.04
2023/09/25	18:50:00	19,370	1,090	20.74	0.08	22.60	9.29	17.23	2.88	18.33	1.50	7.21	0.09	3.96	0.05
2023/09/25	19:00:00	19,380	1,100	20.74	0.08	22.65	9.34	17.25	2.90	18.33	1.50	7.21	0.09	3.96	0.05
2023/09/25	19:10:00	19,390	1,110	20.74	0.08	22.72	9.41	17.26	2.91	18.34	1.51	7.20	0.08	3.95	0.04
2023/09/25	19:20:00	19,400	1,120	20.74	0.08	22.77	9.46	17.26	2.91	18.36	1.53	7.21	0.09	3.96	0.05
2023/09/25	19:30:00	19,410	1,130	20.75	0.09	22.82	9.51	17.28	2.93	18.36	1.53	7.21	0.09	3.96	0.05
2023/09/25	19:40:00	19,420	1,140	20.76	0.09	22.88	9.57	17.29	2.94	18.38	1.55	7.22	0.10	3.97	0.06
2023/09/25	19:50:00	19,430	1,150	20.76	0.10	22.93	9.62	17.31	2.96	18.39	1.56	7.21	0.09	3.96	0.05
2023/09/25	20:00:00	19,440	1,160	20.76	0.09	22.99	9.68	17.32	2.97	18.40	1.57	7.22	0.10	3.97	0.06
2023/09/25	20:10:00	19,450	1,170	20.76	0.10	23.04	9.73	17.33	2.98	18.41	1.58	7.22	0.10	3.97	0.06
2023/09/25	20:20:00	19,460	1,180	20.76	0.10	23.09	9.78	17.34	2.99	18.42	1.59	7.22	0.10	3.98	0.07
2023/09/25	20:30:00	19,470	1,190	20.77	0.11	23.13	9.82	17.35	3.00	18.43	1.60	7.23	0.11	3.97	0.06
2023/09/25	20:40:00	19,480	1,200	20.78	0.12	23.19	9.88	17.36	3.01	18.44	1.61	7.22	0.10	3.97	0.06
2023/09/25	20:50:00	19,490	1,210	20.78	0.12	23.23	9.92	17.37	3.02	18.44	1.61	7.23	0.11	3.98	0.07
2023/09/25	21:00:00	19,500	1,220	20.79	0.13	23.27	9.96	17.38	3.03	18.46	1.63	7.23	0.11	3.98	0.07
2023/09/25	21:10:00	19,510	1,230	20.79	0.13	23.32	10.01	17.38	3.03	18.46	1.63	7.23	0.11	3.98	0.07
2023/09/25	21:20:00	19,520	1,240	20.80	0.14	23.36	10.05	17.39	3.04	18.47	1.64	7.23	0.11	3.97	0.06
2023/09/25	21:30:00	19,530	1,250	20.80	0.14	23.41	10.10	17.40	3.05	18.48	1.65	7.23	0.11	3.97	0.06
2023/09/25	21:40:00	19,540	1,260	20.80	0.14	23.46	10.15	17.42	3.07	18.48	1.65	7.23	0.11	3.98	0.06
2023/09/25	21:50:00	19,550	1,270	20.81	0.15	23.49	10.18	17.42	3.07	18.50	1.67	7.24	0.12	3.98	0.07
2023/09/25	22:00:00	19,560	1,280	20.81	0.15	23.53	10.22	17.44	3.09	18.50	1.67	7.23	0.11	3.98	0.07
2023/09/25	22:10:00	19,570	1,290	20.82	0.16	23.58	10.27	17.45	3.10	18.51	1.68	7.24	0.12	3.98	0.07
2023/09/25	22:20:00	19,580	1,300	20.82	0.16	23.61	10.30	17.45	3.10	18.51	1.68	7.24	0.12	3.98	0.07
2023/09/25	22:30:00	19,590	1,310	20.82	0.16	23.64	10.33	17.46	3.11	18.52	1.69	7.24	0.12	3.98	0.07
2023/09/25	22:40:00	19,600	1,320	20.83	0.17	23.68	10.37	17.47	3.12	18.53	1.70	7.24	0.12	3.98	0.07
2023/09/25	22:50:00	19,610	1,330	20.83	0.17	23.72	10.41	17.48	3.13	18.54	1.71	7.25	0.13	3.99	0.08
2023/09/25	23:00:00	19,620	1,340	20.84	0.18	23.75	10.44	17.48	3.13	18.55	1.72	7.24	0.12	3.99	0.08
2023/09/25	23:10:00	19,630	1,350	20.84	0.18	23.78	10.47	17.50	3.15	18.56	1.73	7.25	0.13	4.00	0.09
2023/09/25	23:20:00	19,640	1,360	20.84	0.18	23.81	10.50	17.50	3.15	18.56	1.73	7.24	0.12	4.00	0.09
2023/09/25	23:30:00	19,650	1,370	20.85	0.19	23.85	10.54	17.51	3.16	18.58	1.75	7.25	0.13	4.00	0.09
2023/09/25	23:40:00	19,660	1,380	20.85	0.19	23.87	10.56	17.51	3.16	18.58	1.75	7.25	0.13	3.99	0.08
2023/09/25	23:50:00	19,670	1,390	20.86	0.20	23.91	10.60	17.52	3.17	18.58	1.75	7.25	0.13	3.99	0.08
2023/09/26	00:00:00	19,680	1,400	20.86	0.20	23.94	10.63	17.52	3.17	18.59	1.76	7.26	0.14	3.99	0.08
2023/09/26	00:10:00	19,690	1,410	20.87	0.21	23.97	10.66	17.53	3.18	18.59	1.76	7.25	0.13	3.99	0.07
2023/09/26	00:20:00	19,700	1,420	20.87	0.21	23.99	10.68	17.53	3.18	18.60	1.77	7.25	0.13	3.99	0.07
2023/09/26	00:30:00	19,710	1,430	20.88	0.22	24.02	10.71	17.54	3.19	18.60	1.77	7.25	0.13	3.99	0.07
2023/09/26	00:40:00	19,720	1,440	20.88	0.22	24.05	10.74	17.53	3.18	18.61	1.78	7.25	0.13	3.98	0.07
2023/09/26	00:50:00	19,730	1,450	20.89	0.23	24.07	10.76	17.55	3.20	18.61	1.78	7.26	0.14	3.99	0.08
2023/09/26	01:00:00	19,740	1,460	20.90	0.24	24.10	10.79	17.55	3.20	18.62	1.79	7.25	0.13	3.99	0.08
2023/09/26	01:10:00	19,750	1,470	20.90	0.24	24.13	10.82	17.56	3.21	18.63	1.80	7.25	0.13	3.99	0.08
2023/09/26	01:20:00	19,760	1,480	20.90	0.24	24.11	10.80	17.57	3.22	18.63	1.80	7.26	0.14	3.99	0.08
2023/09/26	01:30:00	19,770	1,490	20.91	0.25	24.07	10.76	17.57	3.22	18.65	1.82	7.26	0.14	3.99	0.08
2023/09/26	01:40:00	19,780	1,500	20.91	0.25	24.08	10.77	17.58	3.23	18.65	1.82	7.26	0.14	3.99	0.08
2023/09/26	01:50:00	19,790	1,510	20.92	0.26	24.11	10.80	17.59	3.24	18.65	1.82	7.26	0.14	4.00	0.09
2023/09/26	02:00:00	19,800	1,520	20.93	0.27	24.14	10.83	17.60	3.25	18.67	1.84	7.26	0.14	4.00	0.09
2023/09/26	02:10:00	19,810	1,530	20.93	0.27	24.18	10.87	17.60	3.25	18.67	1.84	7.26	0.14	4.00	0.09
2023/09/26	02:20:00	19,820	1,540	20.94	0.27	24.21	10.90	17.61	3.26	18.68	1.85	7.26	0.14	4.00	0.09
2023/09/26	02:30:00	19,830	1,550	20.94	0.27	24.25	10.94	17.61	3.26	18.68	1.85	7.26	0.14	4.00	0.09
2023/09/26	02:40:00	19,840	1,560	20.95	0.29	24.28	10.97	17.62	3.27	18.69	1.86	7.26	0.14	4.00	0.09
2023/09/26	02:50:00	19,850	1,570	20.95	0.29	24.31	11.00	17.62	3.27	18.69	1.86	7.26	0.14	3.99	0.08
2023/09/26	03:00:00	19,860	1,580	20.95	0.29	24.34	11.03	17.62	3.27	18.70	1.87	7.26	0.14	3.99	0.08
2023/09/26	03:10:00	19,870	1,590	20.95	0.29	24.38	11.07	17.64	3.29	18.70	1.87	7.27	0.15	4.00	0.09
2023/09/26	03:20:00	19,880	1,600	20.96	0.30	24.41	11.10	17.64	3.29	18.71	1.88	7.27	0.15	4.00	0.09
2023/09/26	03:30:00	19,890	1,610	20.96	0.30	24.44	11.13	17.65	3.30	18.71	1.88	7.27	0.15	4.00	0.09
2023/09/26	03:40:00	19,900	1,620												

Transducer Data Collected During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/26	10:50:00	20,330	2,050	21.19	0.53	25.33	12.02	17.90	3.55	18.98	2.15	7.30	0.18	4.03	0.12
2023/09/26	11:00:00	20,340	2,060	21.19	0.53	25.34	12.03	17.90	3.55	18.98	2.15	7.30	0.18	4.03	0.12
2023/09/26	11:10:00	20,350	2,070	21.20	0.54	25.35	12.04	17.90	3.55	18.98	2.15	7.30	0.18	4.03	0.12
2023/09/26	11:20:00	20,360	2,080	21.21	0.55	25.37	12.06	17.90	3.55	18.99	2.16	7.31	0.19	4.03	0.12
2023/09/26	11:30:00	20,370	2,090	21.21	0.54	25.38	12.07	17.90	3.55	19.00	2.17	7.30	0.18	4.02	0.11
2023/09/26	11:40:00	20,380	2,100	21.22	0.56	25.40	12.09	17.91	3.56	19.00	2.17	7.30	0.18	4.02	0.11
2023/09/26	11:50:00	20,390	2,110	21.22	0.56	25.41	12.10	17.91	3.56	19.00	2.17	7.30	0.18	4.02	0.11
2023/09/26	12:00:00	20,400	2,120	21.22	0.56	25.42	12.11	17.92	3.57	19.00	2.17	7.30	0.18	4.02	0.11
2023/09/26	12:10:00	20,410	2,130	21.23	0.57	25.43	12.12	17.92	3.57	19.00	2.17	7.30	0.18	4.02	0.11
2023/09/26	12:20:00	20,420	2,140	21.24	0.58	25.45	12.14	17.91	3.56	19.01	2.18	7.31	0.19	4.02	0.11
2023/09/26	12:30:00	20,430	2,150	21.24	0.58	25.46	12.15	17.92	3.57	19.01	2.18	7.31	0.19	4.02	0.11
2023/09/26	12:40:00	20,440	2,160	21.25	0.59	25.47	12.16	17.92	3.57	19.02	2.19	7.31	0.19	4.02	0.11
2023/09/26	12:50:00	20,450	2,170	21.25	0.59	25.49	12.18	17.93	3.58	19.02	2.19	7.31	0.19	4.02	0.11
2023/09/26	13:00:00	20,460	2,180	21.25	0.59	25.49	12.18	17.93	3.58	19.01	2.18	7.30	0.18	4.01	0.10
2023/09/26	13:10:00	20,470	2,190	21.26	0.60	25.51	12.20	17.93	3.58	19.02	2.19	7.30	0.18	4.02	0.11
2023/09/26	13:20:00	20,480	2,200	21.26	0.60	25.52	12.21	17.93	3.58	19.01	2.18	7.30	0.18	4.01	0.10
2023/09/26	13:30:00	20,490	2,210	21.27	0.61	25.53	12.22	17.93	3.58	19.02	2.19	7.30	0.18	4.01	0.10
2023/09/26	13:40:00	20,500	2,220	21.28	0.62	25.54	12.23	17.93	3.58	19.02	2.19	7.30	0.18	4.01	0.10
2023/09/26	13:50:00	20,510	2,230	21.28	0.62	25.55	12.24	17.94	3.59	19.02	2.19	7.29	0.17	4.00	0.09
2023/09/26	14:00:00	20,520	2,240	21.29	0.63	25.57	12.26	17.94	3.59	19.02	2.19	7.29	0.17	4.00	0.09
2023/09/26	14:10:00	20,530	2,250	21.30	0.64	25.57	12.26	17.94	3.59	19.03	2.20	7.30	0.18	4.00	0.09
2023/09/26	14:20:00	20,540	2,260	21.29	0.63	25.59	12.28	17.94	3.59	19.02	2.19	7.29	0.17	4.00	0.09
2023/09/26	14:30:00	20,550	2,270	21.30	0.64	25.60	12.29	17.94	3.59	19.03	2.20	7.29	0.17	4.00	0.09
2023/09/26	14:40:00	20,560	2,280	21.30	0.64	25.61	12.30	17.94	3.59	19.02	2.19	7.29	0.17	3.99	0.08
2023/09/26	14:50:00	20,570	2,290	21.31	0.65	25.62	12.31	17.94	3.59	19.03	2.20	7.29	0.17	3.99	0.08
2023/09/26	15:00:00	20,580	2,300	21.32	0.66	25.64	12.33	17.94	3.59	19.03	2.20	7.29	0.17	3.99	0.08
2023/09/26	15:10:00	20,590	2,310	21.32	0.66	25.64	12.33	17.95	3.60	19.03	2.20	7.28	0.16	3.99	0.07
2023/09/26	15:20:00	20,600	2,320	21.32	0.66	25.65	12.34	17.95	3.60	19.03	2.20	7.28	0.16	3.98	0.07
2023/09/26	15:30:00	20,610	2,330	21.33	0.67	25.67	12.36	17.95	3.60	19.03	2.20	7.28	0.16	3.99	0.08
2023/09/26	15:40:00	20,620	2,340	21.34	0.68	25.68	12.37	17.95	3.60	19.04	2.21	7.28	0.16	3.99	0.08
2023/09/26	15:50:00	20,630	2,350	21.34	0.68	25.69	12.38	17.95	3.60	19.04	2.21	7.28	0.16	3.99	0.08
2023/09/26	16:00:00	20,640	2,360	21.35	0.68	25.70	12.39	17.96	3.61	19.05	2.22	7.28	0.16	3.99	0.08
2023/09/26	16:10:00	20,650	2,370	21.35	0.68	25.71	12.40	17.96	3.61	19.05	2.22	7.28	0.16	3.99	0.08
2023/09/26	16:20:00	20,660	2,380	21.35	0.69	25.72	12.41	17.97	3.62	19.05	2.22	7.28	0.16	3.99	0.08
2023/09/26	16:30:00	20,670	2,390	21.36	0.70	25.74	12.43	17.97	3.62	19.05	2.22	7.28	0.16	3.99	0.08
2023/09/26	16:40:00	20,680	2,400	21.36	0.70	25.75	12.44	17.98	3.63	19.05	2.22	7.27	0.15	4.00	0.09
2023/09/26	16:50:00	20,690	2,410	21.37	0.71	25.76	12.45	17.98	3.63	19.06	2.23	7.27	0.15	4.00	0.09
2023/09/26	17:00:00	20,700	2,420	21.37	0.71	25.77	12.46	17.99	3.64	19.06	2.23	7.26	0.14	4.00	0.09
2023/09/26	17:10:00	20,710	2,430	21.38	0.72	25.79	12.48	17.99	3.64	19.07	2.24	7.27	0.15	3.99	0.08
2023/09/26	17:20:00	20,720	2,440	21.38	0.72	25.81	12.50	17.98	3.63	19.07	2.24	7.27	0.15	3.99	0.08
2023/09/26	17:30:00	20,730	2,450	21.39	0.73	25.82	12.51	17.99	3.64	19.08	2.25	7.27	0.15	3.99	0.08
2023/09/26	17:40:00	20,740	2,460	21.39	0.73	25.83	12.52	18.00	3.65	19.08	2.25	7.27	0.15	3.99	0.08
2023/09/26	17:50:00	20,750	2,470	21.40	0.74	25.84	12.53	18.00	3.65	19.08	2.25	7.27	0.15	3.99	0.08
2023/09/26	18:00:00	20,760	2,480	21.40	0.74	25.85	12.54	18.01	3.66	19.09	2.26	7.26	0.14	4.00	0.09
2023/09/26	18:10:00	20,770	2,490	21.40	0.74	25.87	12.56	18.01	3.66	19.09	2.26	7.26	0.14	4.00	0.09
2023/09/26	18:20:00	20,780	2,500	21.41	0.75	25.88	12.57	18.02	3.67	19.10	2.27	7.26	0.14	4.00	0.09
2023/09/26	18:30:00	20,790	2,510	21.41	0.75	25.89	12.58	18.02	3.67	19.10	2.27	7.26	0.14	4.00	0.09
2023/09/26	18:40:00	20,800	2,520	21.42	0.76	25.91	12.60	18.03	3.68	19.10	2.27	7.26	0.14	4.00	0.09
2023/09/26	18:50:00	20,810	2,530	21.42	0.76	25.92	12.61	18.03	3.68	19.11	2.28	7.26	0.14	4.00	0.09
2023/09/26	19:00:00	20,820	2,540	21.43	0.77	25.93	12.62	18.04	3.69	19.11	2.28	7.26	0.14	4.00	0.09
2023/09/26	19:10:00	20,830	2,550	21.43	0.77	25.94	12.63	18.04	3.69	19.12	2.29	7.27	0.15	4.01	0.09
2023/09/26	19:20:00	20,840	2,560	21.44	0.78	25.96	12.65	18.04	3.69	19.12	2.29	7.27	0.15	4.01	0.10
2023/09/26	19:30:00	20,850	2,570	21.45	0.79	25.97	12.66	18.05	3.70	19.13	2.30	7.27	0.15	4.01	0.10
2023/09/26	19:40:00	20,860	2,580	21.45	0.79	25.99	12.68	18.06	3.71	19.14	2.31	7.27	0.15	4.01	0.10
2023/09/26	19:50:00	20,870	2,590	21.45	0.79	26.00	12.69	18.06	3.71	19.14	2.31	7.28	0.16	4.02	0.11
2023/09/26	20:00:00	20,880	2,600	21.46	0.80	26.01	12.70	18.07	3.72	19.15	2.32	7.27	0.15	4.02	0.11
2023/09/26	20:10:00	20,890	2,610	21.47	0.81	26.02	12.71	18.07	3.72	19.16	2.33	7.27	0.15	4.02	0.11
2023/09/26	20:20:00	20,900	2,620	21.47	0.81	26.04	12.73	18.07	3.72	19.16	2.33	7.27	0.15	4.02	0.11
2023/09/26	20:30:00	20,910	2,630	21.47	0.81	26.06	12.75	18.08	3.73	19.16	2.33	7.28	0.16	4.02	0.11
2023/09/26	20:40:00	20,920	2,640	21.47	0.81	26.07	12.76	18.09	3.74	19.16	2.33	7.28	0.16	4.03	0.12
2023/09/26	20:50:00	20,930	2,650	21.49	0.82	26.08	12.77	18.09	3.74	19.18	2.35	7.28	0.16	4.03	0.12
2023/09/26	21:00:00	20,940	2,660	21.49	0.83	26.09	12.78	18.10	3.75	19.18	2.35	7.28	0.16	4.03	0.12
2023/09/26	21:10:00	20,950	2,670	21.49	0.83	26.11	12.80	18.10	3.75	19.18	2.35	7.27	0.15	4.04	0.13
2023/09/26	21:20:00	20,960	2,680	21.49	0.83	26.11	12.80	18.10	3.75	19.19	2.36	7.27	0.15	4.03	0.12
2023/09/26	21:30:00	20,970	2,690	21.49	0.83	26.13	12.82	18.11	3.76	19.20	2.37	7.28	0.16	4.03	0.12
2023/09/26	21:40:00	20,980	2,700	21.51	0.85	26.15	12.84	18.11	3.76	19.20	2.37	7.28	0.16	4.03	0.12
2023/09/26	21:50:00	20,990	2,710	21.51	0.85	26.15	12.84	18.12	3.77	19.20	2.37	7.28	0.16	4.03	0.12
2023/09/26	22:00:00	21,000	2,720	21.51	0.85	26.17	12.86	18.13	3.78	19.21	2.38	7.28	0.16	4.03	0.12
2023/09/26	22:10:00	21,010	2,730	21.51	0.85	26.19	12.88	18.13	3.78	19.21	2.38	7.29	0.17	4.04	0.13
2023/09/26	22:20:00	21,020	2,740	21.53	0.87	26.20	12.89	18.13	3.78	19.22	2.39	7.29	0.17	4.04	0.13
2023/09/26	22:30:00	21,030	2,750	21.53	0.87	26.21	12.90	18.13	3.78	19.23	2.40	7.29	0.17	4.04	

Transducer Data Collected During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-16		MW-13		MW-7		MW-6		MW-2		MW-1	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/27	04:00:00	21,360	3,080	21.67	1.01	22.59	9.28	18.04	3.69	19.26	2.43	7.31	0.19	4.04	0.13
2023/09/27	04:10:00	21,370	3,090	21.67	1.01	22.46	9.15	18.04	3.69	19.26	2.43	7.31	0.19	4.03	0.12
2023/09/27	04:20:00	21,380	3,100	21.68	1.02	22.33	9.02	18.03	3.68	19.26	2.43	7.31	0.19	4.04	0.13
2023/09/27	04:30:00	21,390	3,110	21.68	1.02	22.20	8.89	18.03	3.68	19.26	2.43	7.30	0.18	4.02	0.11
2023/09/27	04:40:00	21,400	3,120	21.68	1.02	22.07	8.76	18.01	3.66	19.26	2.43	7.30	0.18	4.03	0.12
2023/09/27	04:50:00	21,410	3,130	21.69	1.03	21.95	8.64	18.02	3.67	19.26	2.43	7.30	0.18	4.03	0.12
2023/09/27	05:00:00	21,420	3,140	21.69	1.03	21.84	8.53	18.01	3.66	19.26	2.43	7.31	0.19	4.03	0.12
2023/09/27	05:10:00	21,430	3,150	21.70	1.04	21.73	8.42	18.01	3.66	19.26	2.43	7.30	0.18	4.03	0.12
2023/09/27	05:20:00	21,440	3,160	21.70	1.04	21.62	8.31	18.00	3.65	19.25	2.42	7.30	0.18	4.03	0.12
2023/09/27	05:30:00	21,450	3,170	21.70	1.04	21.53	8.22	18.00	3.65	19.25	2.42	7.30	0.18	4.03	0.12
2023/09/27	05:40:00	21,460	3,180	21.70	1.04	21.42	8.11	17.99	3.64	19.25	2.42	7.31	0.19	4.04	0.13
2023/09/27	05:50:00	21,470	3,190	21.70	1.04	21.33	8.02	17.99	3.64	19.25	2.42	7.30	0.18	4.03	0.12
2023/09/27	06:00:00	21,480	3,200	21.71	1.05	21.23	7.92	17.98	3.63	19.25	2.42	7.30	0.18	4.03	0.12
2023/09/27	06:10:00	21,490	3,210	21.71	1.05	21.14	7.83	17.98	3.63	19.25	2.42	7.30	0.18	4.03	0.12
2023/09/27	06:20:00	21,500	3,220	21.71	1.05	21.05	7.74	17.97	3.62	19.25	2.42	7.31	0.19	4.04	0.13
2023/09/27	06:30:00	21,510	3,230	21.71	1.05	20.96	7.65	17.96	3.61	19.25	2.42	7.31	0.19	4.04	0.13
2023/09/27	06:40:00	21,520	3,240	21.71	1.05	20.87	7.56	17.96	3.61	19.25	2.42	7.31	0.19	4.04	0.13
2023/09/27	06:50:00	21,530	3,250	21.72	1.06	20.78	7.47	17.96	3.61	19.25	2.42	7.31	0.19	4.04	0.13
2023/09/27	07:00:00	21,540	3,260	21.71	1.05	20.70	7.39	17.95	3.60	19.25	2.42	7.31	0.19	4.04	0.13
2023/09/27	07:10:00	21,550	3,270	21.72	1.06	20.61	7.30	17.96	3.61	19.25	2.42	7.30	0.18	4.03	0.12
2023/09/27	07:20:00	21,560	3,280	21.73	1.07	20.53	7.22	17.95	3.60	19.25	2.42	7.31	0.19	4.04	0.13
2023/09/27	07:30:00	21,570	3,290	21.73	1.07	20.45	7.14	17.95	3.60	19.25	2.42	7.31	0.19	4.04	0.13
2023/09/27	07:40:00	21,580	3,300	21.73	1.07	20.37	7.06	17.94	3.59	19.25	2.42	7.30	0.18	4.03	0.12
2023/09/27	07:50:00	21,590	3,310	21.73	1.07	20.29	6.98	17.94	3.59	19.25	2.42	7.30	0.18	4.04	0.13
2023/09/27	08:00:00	21,600	3,320	21.73	1.07	20.21	6.90	17.93	3.58	19.25	2.42	7.31	0.19	4.04	0.13
2023/09/27	08:10:00	21,610	3,330	21.73	1.07	20.13	6.82	17.93	3.58	19.25	2.42	7.32	0.20	4.03	0.12
2023/09/27	08:20:00	21,620	3,340	21.73	1.07	20.05	6.74	17.92	3.57	19.25	2.42	7.32	0.20	4.03	0.12
2023/09/27	08:30:00	21,630	3,350	21.74	1.08	19.98	6.67	17.92	3.57	19.25	2.42	7.31	0.19	4.02	0.11
2023/09/27	08:40:00	21,640	3,360	21.73	1.07	19.91	6.60	17.91	3.56	19.24	2.41	7.32	0.20	4.03	0.12
2023/09/27	08:50:00	21,650	3,370	21.74	1.08	19.83	6.52	17.92	3.57	19.25	2.42	7.31	0.19	4.03	0.12

Transducer Data Collected During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water															
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02					
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD		
2023/09/25	00:40:00	18,280	0	15.45	0.04	12.10	-0.03	15.02	0.04	16.85	-0.01	14.91	-0.01	17.15	0.12				
2023/09/25	00:50:00	18,290	10	15.45	0.04	12.10	-0.03	15.02	0.04	16.85	-0.01	14.91	-0.01	17.15	0.12				
2023/09/25	01:00:00	18,300	20	15.45	0.04	12.10	-0.03	15.02	0.04	16.85	-0.01	14.91	-0.01	17.15	0.12				
2023/09/25	01:10:00	18,310	30	15.45	0.04	12.10	-0.03	15.02	0.04	16.85	-0.01	14.91	-0.01	17.15	0.12				
2023/09/25	01:20:00	18,320	40	15.45	0.04	12.10	-0.03	15.01	0.03	16.85	-0.01	14.91	-0.01	17.15	0.12				
2023/09/25	01:30:00	18,330	50	15.44	0.03	12.10	-0.03	15.01	0.03	16.85	-0.01	14.90	-0.02	17.16	0.13				
2023/09/25	01:40:00	18,340	60	15.44	0.03	12.10	-0.04	15.01	0.03	16.86	0.00	14.91	-0.02	17.16	0.13				
2023/09/25	01:50:00	18,350	70	15.44	0.03	12.09	-0.04	15.01	0.03	16.85	-0.01	14.90	-0.02	17.16	0.13				
2023/09/25	02:00:00	18,360	80	15.44	0.03	12.09	-0.04	15.01	0.03	16.84	-0.02	14.90	-0.02	17.15	0.12				
2023/09/25	02:10:00	18,370	90	15.44	0.03	12.09	-0.04	15.01	0.03	16.84	-0.02	14.90	-0.02	17.14	0.11				
2023/09/25	02:20:00	18,380	100	15.44	0.03	12.09	-0.04	15.00	0.01	16.84	-0.02	14.90	-0.02	17.14	0.11				
2023/09/25	02:30:00	18,390	110	15.43	0.02	12.09	-0.04	14.99	0.01	16.83	-0.03	14.89	-0.03	17.14	0.11				
2023/09/25	02:40:00	18,400	120	15.43	0.02	12.08	-0.05	14.99	0.01	16.83	-0.03	14.89	-0.03	17.14	0.11				
2023/09/25	02:50:00	18,410	130	15.43	0.02	12.08	-0.05	14.99	0.01	16.83	-0.03	14.89	-0.03	17.14	0.11				
2023/09/25	03:00:00	18,420	140	15.43	0.02	12.08	-0.05	14.99	0.01	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	03:10:00	18,430	150	15.43	0.02	12.08	-0.05	14.99	0.01	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	03:20:00	18,440	160	15.43	0.02	12.08	-0.05	14.99	0.01	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	03:30:00	18,450	170	15.43	0.02	12.08	-0.05	14.99	0.01	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	03:40:00	18,460	180	15.43	0.02	12.08	-0.05	14.99	0.00	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	03:50:00	18,470	190	15.43	0.02	12.08	-0.05	14.97	-0.01	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	04:00:00	18,480	200	15.43	0.02	12.08	-0.05	14.97	-0.01	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	04:10:00	18,490	210	15.43	0.02	12.08	-0.05	14.97	-0.01	16.82	-0.04	14.89	-0.03	17.12	0.09				
2023/09/25	04:20:00	18,500	220	15.43	0.02	12.08	-0.05	14.98	0.00	16.82	-0.04	14.88	-0.04	17.12	0.09				
2023/09/25	04:30:00	18,510	230	15.42	0.01	12.08	-0.05	14.98	0.00	16.82	-0.04	14.88	-0.04	17.13	0.09				
2023/09/25	04:40:00	18,520	240	15.43	0.02	12.08	-0.05	14.98	0.00	16.82	-0.04	14.88	-0.04	17.13	0.10				
2023/09/25	04:50:00	18,530	250	15.43	0.02	12.09	-0.04	14.97	-0.01	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	05:00:00	18,540	260	15.43	0.02	12.09	-0.04	14.98	0.00	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	05:10:00	18,550	270	15.43	0.02	12.09	-0.04	14.98	0.00	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	05:20:00	18,560	280	15.43	0.02	12.09	-0.04	14.98	0.00	16.83	-0.03	14.89	-0.03	17.14	0.11				
2023/09/25	05:30:00	18,570	290	15.44	0.03	12.10	-0.04	14.98	0.00	16.82	-0.04	14.89	-0.03	17.13	0.10				
2023/09/25	05:40:00	18,580	300	15.43	0.02	12.09	-0.04	14.98	0.00	16.82	-0.04	14.89	-0.03	17.14	0.11				
2023/09/25	05:50:00	18,590	310	15.44	0.03	12.09	-0.04	14.98	0.00	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	06:00:00	18,600	320	15.43	0.02	12.09	-0.04	14.98	0.00	16.83	-0.03	14.89	-0.03	17.13	0.10				
2023/09/25	06:10:00	18,610	330	15.44	0.03	12.10	-0.03	14.98	0.00	16.84	-0.02	14.90	-0.02	17.14	0.11				
2023/09/25	06:20:00	18,620	340	15.44	0.03	12.10	-0.03	14.99	0.01	16.84	-0.02	14.90	-0.02	17.14	0.11				
2023/09/25	06:30:00	18,630	350	15.44	0.03	12.10	-0.03	14.99	0.01	16.84	-0.02	14.90	-0.02	17.15	0.11				
2023/09/25	06:40:00	18,640	360	15.45	0.04	12.11	-0.02	14.99	0.01	16.85	-0.01	14.91	-0.01	17.15	0.12				
2023/09/25	06:50:00	18,650	370	15.44	0.03	12.10	-0.03	14.99	0.01	16.84	-0.02	14.90	-0.02	17.15	0.11				
2023/09/25	07:00:00	18,660	380	15.45	0.04	12.11	-0.02	14.98	0.00	16.85	-0.01	14.91	-0.02	17.15	0.12				
2023/09/25	07:10:00	18,670	390	15.44	0.03	12.10	-0.03	14.98	0.00	16.84	-0.02	14.90	-0.02	17.14	0.11				
2023/09/25	07:20:00	18,680	400	15.44	0.03	12.11	-0.02	14.99	0.01	16.84	-0.02	14.90	-0.02	17.14	0.11				
2023/09/25	07:30:00	18,690	410	15.45	0.04	12.12	-0.01	14.99	0.01	16.85	-0.01	14.91	-0.02	17.15	0.12				
2023/09/25	07:40:00	18,700	420	15.45	0.04	12.12	-0.01	14.99	0.01	16.85	-0.01	14.91	-0.01	17.15	0.12				
2023/09/25	07:50:00	18,710	430	15.45	0.04	12.11	-0.02	14.99	0.01	16.85	-0.02	14.91	-0.02	17.15	0.12				
2023/09/25	08:00:00	18,720	440	15.45	0.04	12.11	-0.02	15.00	0.01	16.85	-0.01	14.91	-0.01	17.15	0.12				
2023/09/25	08:10:00	18,730	450	15.45	0.04	12.11	-0.02	14.99	0.01	16.85	-0.01	14.91	-0.01	17.16	0.13				
2023/09/25	08:20:00	18,740	460	15.45	0.04	12.11	-0.02	14.96	-0.02	16.85	-0.01	14.91	-0.01	17.02	-0.01				
2023/09/25	08:30:00	18,750	470	15.41	0.00	12.12	-0.01	14.97	-0.01	16.85	-0.01	14.91	-0.01	17.02	-0.01				
2023/09/25	08:40:00	18,760	480	15.41	0.00	12.12	-0.01	14.97	-0.01	16.85	-0.01	14.91	-0.01	17.02	-0.01				
2023/09/25	08:50:00	18,770	490	15.41	0.00	12.13	0.00	14.98	0.00	16.86	0.00	14.92	0.00	17.03	0.00				
2023/09/25	08:52:00	18,772	492	15.41	0.00	12.13	0.00	14.98	0.00	16.86	0.00	14.92	0.00	17.03	0.00				
2023/09/25	08:54:00	18,774	494	15.41	0.00	12.13	0.00	14.97	-0.01	16.86	0.00	14.92	0.00	17.03	0.00				
2023/09/25	08:56:00	18,776	496	15.41	0.00	12.13	0.00	14.98	0.00	16.86	0.00	14.92	0.00	17.03	0.00				
2023/09/25	08:58:00	18,778	498	15.41	0.00	12.13	0.00	14.98	0.00	16.86	0.00	14.92	0.00	17.03	0.00				
2023/09/25	09:00:00	18,780	500	15.43	0.02	12.14	0.01	14.98	-0.01	16.90	0.04	28.23	13.31	18.35	1.32				
2023/09/25	09:02:00	18,782	502	15.51	0.10	12.21	0.07	14.98	0.00	17.03	0.17	37.64	22.72	18.13	1.10				
2023/09/25	09:04:00	18,784	504	15.58	0.17	12.26	0.13	14.99	0.01	17.10	0.24	42.20	27.28	18.14	1.11				
2023/09/25	09:06:00	18,786	506	15.68	0.27	12.30	0.17	15.00	0.02	17.17	0.31	42.19	27.27	18.41	1.38				
2023/09/25																			

Transducer Data Collected During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/25	10:38:00	18,878	598	17.35	1.94	13.23	1.10	15.90	0.92	19.96	3.10	42.20	27.28	23.77	6.74
2023/09/25	10:40:00	18,880	600	17.36	1.95	13.24	1.11	15.92	0.94	20.00	3.14	42.20	27.28	23.92	6.89
2023/09/25	10:42:00	18,882	602	17.37	1.96	13.25	1.12	15.95	0.97	20.04	3.18	42.20	27.28	23.94	6.91
2023/09/25	10:44:00	18,884	604	17.38	1.97	13.26	1.13	15.97	0.99	20.08	3.22	42.20	27.28	23.88	6.85
2023/09/25	10:46:00	18,886	606	17.39	1.98	13.27	1.14	15.99	1.01	20.11	3.25	42.20	27.28	23.99	6.96
2023/09/25	10:48:00	18,888	608	17.40	1.99	13.29	1.16	16.02	1.04	20.15	3.29	42.20	27.28	24.10	7.07
2023/09/25	10:50:00	18,890	610	17.41	2.00	13.30	1.17	16.04	1.06	20.19	3.33	42.20	27.28	24.00	6.97
2023/09/25	10:52:00	18,892	612	17.42	2.01	13.31	1.18	16.06	1.08	20.22	3.36	42.20	27.28	24.17	7.14
2023/09/25	10:54:00	18,894	614	17.43	2.02	13.32	1.19	16.08	1.10	20.26	3.40	42.20	27.28	24.09	7.06
2023/09/25	10:56:00	18,896	616	17.44	2.03	13.33	1.20	16.11	1.13	20.29	3.43	42.20	27.28	24.27	7.24
2023/09/25	10:58:00	18,898	618	17.45	2.04	13.34	1.21	16.13	1.15	20.33	3.47	42.20	27.28	24.25	7.22
2023/09/25	11:00:00	18,900	620	17.46	2.05	13.35	1.22	16.15	1.17	20.37	3.51	42.20	27.28	24.27	7.24
2023/09/25	11:02:00	18,902	622	17.47	2.06	13.36	1.23	16.18	1.20	20.40	3.54	42.20	27.28	24.40	7.37
2023/09/25	11:04:00	18,904	624	17.47	2.06	13.37	1.24	16.20	1.22	20.44	3.58	42.20	27.28	24.42	7.39
2023/09/25	11:06:00	18,906	626	17.48	2.07	13.39	1.26	16.22	1.24	20.48	3.62	42.20	27.28	24.57	7.54
2023/09/25	11:08:00	18,908	628	17.49	2.08	13.40	1.27	16.25	1.27	20.51	3.65	42.20	27.28	24.55	7.52
2023/09/25	11:10:00	18,910	630	17.50	2.09	13.41	1.28	16.27	1.29	20.55	3.69	42.20	27.28	24.55	7.52
2023/09/25	11:12:00	18,912	632	17.51	2.10	13.42	1.29	16.29	1.31	20.58	3.72	42.19	27.27	24.61	7.58
2023/09/25	11:14:00	18,914	634	17.53	2.12	13.43	1.30	16.32	1.34	20.61	3.75	42.19	27.27	24.62	7.59
2023/09/25	11:16:00	18,916	636	17.53	2.12	13.44	1.31	16.34	1.36	20.65	3.79	42.20	27.28	24.80	7.77
2023/09/25	11:18:00	18,918	638	17.54	2.13	13.45	1.32	16.36	1.38	20.68	3.82	42.20	27.28	24.73	7.70
2023/09/25	11:20:00	18,920	640	17.55	2.14	13.46	1.33	16.38	1.40	20.71	3.85	42.20	27.28	24.76	7.73
2023/09/25	11:22:00	18,922	642	17.56	2.15	13.47	1.34	16.41	1.43	20.74	3.88	42.20	27.28	24.86	7.83
2023/09/25	11:24:00	18,924	644	17.56	2.15	13.48	1.35	16.43	1.45	20.78	3.92	42.20	27.28	24.78	7.75
2023/09/25	11:26:00	18,926	646	17.57	2.16	13.48	1.35	16.45	1.47	20.80	3.94	42.20	27.28	24.85	7.82
2023/09/25	11:28:00	18,928	648	17.58	2.17	13.50	1.37	16.48	1.50	20.83	3.97	42.19	27.27	24.99	7.96
2023/09/25	11:30:00	18,930	650	17.59	2.18	13.50	1.37	16.50	1.52	20.86	4.00	42.19	27.27	25.04	8.01
2023/09/25	11:32:00	18,932	652	17.60	2.19	13.51	1.38	16.52	1.54	20.90	4.04	42.20	27.28	25.03	8.00
2023/09/25	11:34:00	18,934	654	17.60	2.19	13.53	1.40	16.54	1.56	20.93	4.07	42.20	27.28	25.12	8.09
2023/09/25	11:36:00	18,936	656	17.61	2.20	13.54	1.41	16.57	1.59	20.96	4.10	42.20	27.28	25.11	8.08
2023/09/25	11:38:00	18,938	658	17.63	2.22	13.55	1.42	16.59	1.61	20.99	4.13	42.19	27.27	25.21	8.18
2023/09/25	11:40:00	18,940	660	17.63	2.22	13.56	1.43	16.61	1.63	21.02	4.16	42.19	27.27	25.28	8.25
2023/09/25	11:42:00	18,942	662	17.63	2.22	13.56	1.43	16.64	1.66	21.05	4.19	42.19	27.27	25.23	8.20
2023/09/25	11:44:00	18,944	664	17.64	2.23	13.57	1.44	16.66	1.68	21.08	4.22	42.19	27.27	25.34	8.31
2023/09/25	11:46:00	18,946	666	17.65	2.24	13.58	1.45	16.68	1.70	21.11	4.25	42.19	27.27	25.29	8.26
2023/09/25	11:48:00	18,948	668	17.66	2.25	13.59	1.46	16.71	1.73	21.14	4.28	42.19	27.27	25.35	8.32
2023/09/25	11:50:00	18,950	670	17.66	2.25	13.60	1.47	16.73	1.75	21.17	4.31	42.19	27.27	25.36	8.33
2023/09/25	11:52:00	18,952	672	17.67	2.26	13.60	1.47	16.75	1.77	21.20	4.34	42.19	27.27	25.49	8.46
2023/09/25	11:54:00	18,954	674	17.69	2.28	13.61	1.48	16.77	1.79	21.22	4.36	42.20	27.28	25.50	8.47
2023/09/25	11:56:00	18,956	676	17.69	2.28	13.62	1.49	16.80	1.82	21.25	4.39	42.20	27.28	25.51	8.48
2023/09/25	11:58:00	18,958	678	17.70	2.29	13.63	1.50	16.82	1.84	21.28	4.42	42.21	27.29	25.45	8.42
2023/09/25	12:00:00	18,960	680	17.71	2.30	13.63	1.50	16.84	1.86	21.30	4.44	42.20	27.28	25.54	8.51
2023/09/25	12:02:00	18,962	682	17.71	2.30	13.64	1.51	16.86	1.88	21.33	4.47	42.20	27.28	25.58	8.55
2023/09/25	12:04:00	18,964	684	17.72	2.31	13.65	1.52	16.89	1.91	21.36	4.50	42.20	27.28	25.68	8.65
2023/09/25	12:06:00	18,966	686	17.72	2.31	13.66	1.53	16.92	1.94	21.38	4.52	42.20	27.28	25.69	8.66
2023/09/25	12:08:00	18,968	688	17.73	2.32	13.66	1.53	16.94	1.96	21.41	4.55	42.20	27.28	25.82	8.79
2023/09/25	12:10:00	18,970	690	17.74	2.33	13.67	1.54	16.96	1.98	21.44	4.58	42.20	27.28	25.74	8.71
2023/09/25	12:12:00	18,972	692	17.74	2.33	13.68	1.55	16.98	2.00	21.46	4.60	42.20	27.28	25.82	8.79
2023/09/25	12:14:00	18,974	694	17.75	2.34	13.68	1.55	17.00	2.02	21.49	4.63	42.19	27.27	25.92	8.89
2023/09/25	12:16:00	18,976	696	17.75	2.34	13.70	1.57	17.03	2.05	21.53	4.67	42.20	27.28	25.91	8.88
2023/09/25	12:18:00	18,978	698	17.76	2.35	13.71	1.58	17.05	2.07	21.55	4.69	42.20	27.28	25.94	8.91
2023/09/25	12:20:00	18,980	700	17.77	2.36	13.71	1.58	17.07	2.09	21.58	4.72	42.20	27.28	26.01	8.98
2023/09/25	12:22:00	18,982	702	17.77	2.36	13.72	1.59	17.09	2.11	21.60	4.74	42.20	27.28	26.07	9.04
2023/09/25	12:24:00	18,984	704	17.79	2.38	13.73	1.60	17.11	2.13	21.62	4.76	42.20	27.28	25.98	8.95
2023/09/25	12:26:00	18,986	706	17.79	2.38	13.73	1.60	17.14	2.16	21.65	4.79	42.20	27.28	26.13	9.10
2023/09/25	12:28:00	18,988	708	17.80	2.39	13.74	1.61	17.16	2.18	21.68	4.82	42.20	27.28	26.09	9.06
2023/09/25	12:30:00	18,990	710	17.81	2.40	13.75	1.62	17.18	2.20	21.70	4.84	42.20	27.28	26.06	9.03
2023/09/25	12:32:00	18,992	712	17.81	2.40	13.75	1.62	17.20	2.22	21.72	4.86	42.20	27.28	26.16	9.13
2023/09/25	12:34:00	18,994	714	17.82	2.41	13.76	1.63	17.22	2.24	21.74	4.88	42.20	27.28	26.07	9.04
2023/09/25	12:36:00	18,996	716	17.82	2.41	13.76	1.63	17.24	2.26	21.76	4.90	42.20	27.28	26.16	9.13
2023/09/25	12:38:00														

Transducer Data Collected During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water															
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02					
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD		
2023/09/25	17:40:00	19,300	1,020	18.37	2.96	14.35	2.22	19.97	4.99	24.15	7.29	42.20	27.28	29.44	12.41				
2023/09/25	17:50:00	19,310	1,030	18.38	2.97	14.36	2.23	20.04	5.06	24.20	7.34	42.20	27.28	29.50	12.47				
2023/09/25	18:00:00	19,320	1,040	18.39	2.98	14.38	2.25	20.11	5.13	24.26	7.40	42.20	27.28	29.45	12.42				
2023/09/25	18:10:00	19,330	1,050	18.40	2.99	14.39	2.26	20.19	5.21	24.30	7.44	42.20	27.28	29.62	12.59				
2023/09/25	18:20:00	19,340	1,060	18.40	2.99	14.40	2.27	20.26	5.28	24.35	7.49	42.20	27.28	29.55	12.52				
2023/09/25	18:30:00	19,350	1,070	18.42	3.01	14.42	2.29	20.32	5.34	24.41	7.55	42.20	27.28	29.62	12.59				
2023/09/25	18:40:00	19,360	1,080	18.43	3.02	14.43	2.30	20.40	5.42	24.45	7.59	42.21	27.29	29.83	12.80				
2023/09/25	18:50:00	19,370	1,090	18.45	3.04	14.45	2.32	20.46	5.48	24.50	7.64	42.21	27.29	29.90	12.87				
2023/09/25	19:00:00	19,380	1,100	18.45	3.04	14.46	2.33	20.53	5.55	24.54	7.68	42.20	27.28	29.97	12.94				
2023/09/25	19:10:00	19,390	1,110	18.46	3.05	14.46	2.33	20.59	5.61	24.59	7.73	42.20	27.28	29.83	12.80				
2023/09/25	19:20:00	19,400	1,120	18.48	3.07	14.48	2.35	20.66	5.68	24.63	7.77	42.20	27.28	30.06	13.03				
2023/09/25	19:30:00	19,410	1,130	18.48	3.07	14.49	2.36	20.73	5.75	24.67	7.81	42.20	27.28	30.15	13.12				
2023/09/25	19:40:00	19,420	1,140	18.50	3.09	14.51	2.38	20.79	5.81	24.73	7.87	42.21	27.29	30.02	12.99				
2023/09/25	19:50:00	19,430	1,150	18.50	3.09	14.52	2.39	20.86	5.88	24.76	7.90	42.20	27.28	30.24	13.21				
2023/09/25	20:00:00	19,440	1,160	18.52	3.11	14.53	2.40	20.92	5.94	24.81	7.95	42.20	27.28	30.26	13.23				
2023/09/25	20:10:00	19,450	1,170	18.53	3.12	14.54	2.41	20.97	5.99	24.84	7.98	42.20	27.28	30.25	13.22				
2023/09/25	20:20:00	19,460	1,180	18.53	3.12	14.56	2.43	21.04	6.06	24.87	8.01	42.20	27.28	30.20	13.17				
2023/09/25	20:30:00	19,470	1,190	18.54	3.13	14.56	2.43	21.10	6.12	24.92	8.06	42.20	27.28	30.44	13.41				
2023/09/25	20:40:00	19,480	1,200	18.56	3.15	14.57	2.44	21.15	6.17	24.96	8.10	42.20	27.28	30.52	13.49				
2023/09/25	20:50:00	19,490	1,210	18.56	3.15	14.58	2.45	21.21	6.23	24.99	8.13	42.21	27.29	30.30	13.27				
2023/09/25	21:00:00	19,500	1,220	18.58	3.17	14.59	2.46	21.27	6.29	25.02	8.16	42.20	27.28	30.62	13.59				
2023/09/25	21:10:00	19,510	1,230	18.59	3.18	14.60	2.47	21.33	6.35	25.06	8.20	42.20	27.28	30.54	13.51				
2023/09/25	21:20:00	19,520	1,240	18.59	3.18	14.60	2.47	21.38	6.40	25.10	8.24	42.21	27.29	30.59	13.56				
2023/09/25	21:30:00	19,530	1,250	18.60	3.19	14.61	2.48	21.42	6.44	25.13	8.27	42.20	27.28	30.73	13.70				
2023/09/25	21:40:00	19,540	1,260	18.60	3.19	14.62	2.49	21.48	6.50	25.16	8.30	42.21	27.29	30.72	13.69				
2023/09/25	21:50:00	19,550	1,270	18.61	3.20	14.63	2.50	21.54	6.56	25.20	8.34	42.20	27.28	30.65	13.62				
2023/09/25	22:00:00	19,560	1,280	18.62	3.21	14.64	2.51	21.59	6.61	25.23	8.37	42.20	27.28	30.85	13.82				
2023/09/25	22:10:00	19,570	1,290	18.63	3.22	14.64	2.51	21.65	6.67	25.25	8.39	42.21	27.29	30.72	13.69				
2023/09/25	22:20:00	19,580	1,300	18.63	3.22	14.65	2.52	21.69	6.71	25.28	8.42	42.21	27.29	30.73	13.70				
2023/09/25	22:30:00	19,590	1,310	18.64	3.23	14.65	2.52	21.74	6.76	25.30	8.44	42.21	27.29	30.73	13.70				
2023/09/25	22:40:00	19,600	1,320	18.65	3.24	14.67	2.54	21.79	6.81	25.33	8.47	42.21	27.29	30.85	13.82				
2023/09/25	22:50:00	19,610	1,330	18.65	3.24	14.67	2.54	21.85	6.87	25.36	8.50	42.21	27.29	30.91	13.88				
2023/09/25	23:00:00	19,620	1,340	18.67	3.26	14.69	2.56	21.89	6.91	25.39	8.53	42.21	27.29	30.84	13.81				
2023/09/25	23:10:00	19,630	1,350	18.67	3.26	14.69	2.56	21.94	6.96	25.42	8.56	42.21	27.29	31.02	13.99				
2023/09/25	23:20:00	19,640	1,360	18.68	3.27	14.70	2.57	21.98	7.00	25.43	8.57	42.21	27.29	31.06	14.03				
2023/09/25	23:30:00	19,650	1,370	18.69	3.28	14.70	2.57	22.03	7.05	25.47	8.61	42.20	27.28	31.17	14.14				
2023/09/25	23:40:00	19,660	1,380	18.69	3.28	14.71	2.58	22.07	7.09	25.48	8.62	42.20	27.28	31.17	14.14				
2023/09/25	23:50:00	19,670	1,390	18.70	3.29	14.71	2.58	22.11	7.13	25.51	8.65	42.21	27.29	31.17	14.14				
2023/09/26	00:00:00	19,680	1,400	18.70	3.29	14.71	2.58	22.16	7.18	25.54	8.68	42.20	27.28	31.19	14.16				
2023/09/26	00:10:00	19,690	1,410	18.71	3.30	14.72	2.59	22.20	7.22	25.54	8.68	42.21	27.29	31.02	13.99				
2023/09/26	00:20:00	19,700	1,420	18.71	3.30	14.72	2.59	22.24	7.26	25.57	8.71	42.21	27.29	31.24	14.21				
2023/09/26	00:30:00	19,710	1,430	18.72	3.31	14.73	2.60	22.28	7.30	25.59	8.73	42.21	27.29	31.31	14.28				
2023/09/26	00:40:00	19,720	1,440	18.72	3.31	14.73	2.60	22.31	7.33	25.61	8.75	42.20	27.28	31.29	14.26				
2023/09/26	00:50:00	19,730	1,450	18.72	3.31	14.74	2.61	22.36	7.38	25.63	8.77	42.21	27.29	31.27	14.24				
2023/09/26	01:00:00	19,740	1,460	18.73	3.32	14.75	2.62	22.39	7.41	25.66	8.80	42.21	27.29	31.36	14.33				
2023/09/26	01:10:00	19,750	1,470	18.74	3.33	14.76	2.63	22.43	7.45	25.68	8.82	42.21	27.29	31.43	14.40				
2023/09/26	01:20:00	19,760	1,480	18.74	3.33	14.76	2.63	22.46	7.48	25.68	8.82	42.20	27.28	30.45	13.42				
2023/09/26	01:30:00	19,770	1,490	18.74	3.33	14.76	2.63	22.50	7.52	25.66	8.70	42.20	27.28	31.25	14.22				
2023/09/26	01:40:00	19,780	1,500	18.76	3.35	14.78	2.65	22.53	7.55	25.62	8.76	42.20	27.28	31.38	14.35				
2023/09/26	01:50:00	19,790	1,510	18.76	3.35	14.78	2.65	22.56	7.58	25.67	8.81	42.20	27.28	31.32	14.29				
2023/09/26	02:00:00	19,800	1,520	18.77	3.36	14.79	2.66	22.61	7.63	25.70	8.84	42.20	27.28	31.41	14.38				
2023/09/26	02:10:00	19,810	1,530	18.78	3.37	14.80	2.67	22.64	7.66	25.74	8.88	42.19	27.27	31.41	14.38				
2023/09/26	02:20:00	19,820	1,540	18.78	3.37	14.80	2.67	22.68	7.70	25.76	8.90	42.20	27.28	31.57	14.54				
2023/09/26	02:30:00	19,830	1,550	18.79	3.38	14.81	2.68	22.71	7.73	25.79	8.93	42.20	27.28	31.43	14.40				
2023/09/26	02:40:00	19,840	1,560	18.79	3.38	14.81	2.68	22.74	7.76	25.81	8.95	42.20	27.28	31.50	14.47				
2023/09/26	02:50:00	19,850	1,570	18.80	3.39	14.82	2.69	22.78	7.80	25.82	8.96	42.20	27.28	31.68	14.65				
2023/09/26	03:00:00	19,860	1,580	18.80	3.39	14.82	2.69	22.81	7.83	25.85	8.99	42.20							

Transducer Data Collected During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water															
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02					
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD		
2023/09/26	10:50:00	20,330	2,050	19.04	3.63	15.06	2.93	24.08	9.10	26.67	9.81	42.22	27.30	32.57	15.54				
2023/09/26	11:00:00	20,340	2,060	19.05	3.64	15.06	2.93	24.11	9.13	26.68	9.82	42.22	27.30	32.71	15.68				
2023/09/26	11:10:00	20,350	2,070	19.05	3.64	15.07	2.94	24.13	9.15	26.68	9.82	42.21	27.29	32.68	15.65				
2023/09/26	11:20:00	20,360	2,080	19.06	3.65	15.07	2.94	24.14	9.16	26.69	9.83	42.21	27.29	32.67	15.64				
2023/09/26	11:30:00	20,370	2,090	19.05	3.64	15.07	2.94	24.15	9.17	26.69	9.83	42.22	27.30	32.77	15.74				
2023/09/26	11:40:00	20,380	2,100	19.06	3.65	15.08	2.95	24.17	9.19	26.70	9.84	42.21	27.29	32.71	15.68				
2023/09/26	11:50:00	20,390	2,110	19.06	3.65	15.07	2.94	24.19	9.21	26.71	9.85	42.22	27.30	32.61	15.58				
2023/09/26	12:00:00	20,400	2,120	19.06	3.65	15.08	2.95	24.20	9.22	26.73	9.87	42.21	27.29	32.63	15.60				
2023/09/26	12:10:00	20,410	2,130	19.07	3.66	15.08	2.95	24.22	9.24	26.75	9.89	42.22	27.30	32.76	15.73				
2023/09/26	12:20:00	20,420	2,140	19.07	3.66	15.08	2.95	24.24	9.26	26.76	9.90	42.20	27.28	32.64	15.61				
2023/09/26	12:30:00	20,430	2,150	19.07	3.66	15.09	2.96	24.26	9.28	26.77	9.91	42.21	27.29	32.71	15.68				
2023/09/26	12:40:00	20,440	2,160	19.08	3.67	15.09	2.96	24.28	9.30	26.79	9.93	42.22	27.30	32.82	15.79				
2023/09/26	12:50:00	20,450	2,170	19.08	3.67	15.10	2.97	24.30	9.32	26.79	9.93	42.20	27.28	32.78	15.75				
2023/09/26	13:00:00	20,460	2,180	19.08	3.67	15.09	2.96	24.31	9.33	26.80	9.94	42.22	27.30	32.84	15.81				
2023/09/26	13:10:00	20,470	2,190	19.08	3.67	15.09	2.96	24.32	9.34	26.82	9.96	42.22	27.30	32.88	15.85				
2023/09/26	13:20:00	20,480	2,200	19.08	3.67	15.09	2.96	24.33	9.35	26.82	9.96	42.22	27.30	32.87	15.84				
2023/09/26	13:30:00	20,490	2,210	19.08	3.67	15.09	2.96	24.35	9.37	26.82	9.96	42.22	27.30	32.80	15.77				
2023/09/26	13:40:00	20,500	2,220	19.09	3.68	15.10	2.97	24.37	9.39	26.83	9.97	42.21	27.29	32.78	15.75				
2023/09/26	13:50:00	20,510	2,230	19.08	3.67	15.09	2.96	24.37	9.39	26.85	9.99	42.22	27.30	32.84	15.81				
2023/09/26	14:00:00	20,520	2,240	19.08	3.67	15.10	2.97	24.39	9.41	26.86	10.00	42.21	27.29	32.93	15.90				
2023/09/26	14:10:00	20,530	2,250	19.08	3.67	15.10	2.97	24.40	9.42	26.86	10.00	42.22	27.30	32.82	15.79				
2023/09/26	14:20:00	20,540	2,260	19.09	3.68	15.10	2.97	24.42	9.44	26.88	10.02	42.21	27.29	32.88	15.85				
2023/09/26	14:30:00	20,550	2,270	19.09	3.68	15.10	2.97	24.44	9.46	26.89	10.03	42.20	27.28	32.87	15.84				
2023/09/26	14:40:00	20,560	2,280	19.09	3.68	15.10	2.97	24.44	9.46	26.89	10.03	42.22	27.30	32.98	15.95				
2023/09/26	14:50:00	20,570	2,290	19.09	3.68	15.10	2.97	24.46	9.48	26.90	10.04	42.22	27.30	32.98	15.95				
2023/09/26	15:00:00	20,580	2,300	19.09	3.68	15.10	2.97	24.47	9.49	26.91	10.05	42.22	27.30	33.00	15.97				
2023/09/26	15:10:00	20,590	2,310	19.09	3.68	15.10	2.97	24.48	9.50	26.91	10.05	42.22	27.30	33.01	15.98				
2023/09/26	15:20:00	20,600	2,320	19.09	3.68	15.10	2.97	24.50	9.52	26.93	10.07	42.21	27.29	33.08	16.05				
2023/09/26	15:30:00	20,610	2,330	19.10	3.69	15.11	2.98	24.52	9.54	26.95	10.09	42.21	27.29	33.02	15.99				
2023/09/26	15:40:00	20,620	2,340	19.10	3.69	15.11	2.98	24.53	9.55	26.95	10.09	42.21	27.29	33.06	16.03				
2023/09/26	15:50:00	20,630	2,350	19.10	3.69	15.12	2.99	24.54	9.56	26.96	10.10	42.21	27.29	33.01	15.98				
2023/09/26	16:00:00	20,640	2,360	19.11	3.70	15.12	2.99	24.56	9.58	26.97	10.11	42.22	27.30	32.98	15.95				
2023/09/26	16:10:00	20,650	2,370	19.11	3.70	15.13	3.00	24.58	9.60	26.98	10.12	42.20	27.28	32.90	15.87				
2023/09/26	16:20:00	20,660	2,380	19.11	3.70	15.12	2.99	24.59	9.61	26.98	10.12	42.22	27.30	33.10	16.07				
2023/09/26	16:30:00	20,670	2,390	19.11	3.70	15.13	3.00	24.61	9.63	26.99	10.13	42.22	27.30	33.12	16.09				
2023/09/26	16:40:00	20,680	2,400	19.11	3.70	15.13	3.00	24.62	9.64	27.01	10.15	42.22	27.30	33.05	16.02				
2023/09/26	16:50:00	20,690	2,410	19.12	3.71	15.13	3.00	24.64	9.66	27.02	10.16	42.22	27.30	33.09	16.06				
2023/09/26	17:00:00	20,700	2,420	19.12	3.71	15.14	3.01	24.65	9.67	27.03	10.17	42.22	27.30	33.19	16.16				
2023/09/26	17:10:00	20,710	2,430	19.13	3.72	15.14	3.01	24.67	9.69	27.04	10.18	42.22	27.30	33.08	16.05				
2023/09/26	17:20:00	20,720	2,440	19.13	3.72	15.15	3.02	24.68	9.70	27.05	10.19	42.21	27.29	33.20	16.17				
2023/09/26	17:30:00	20,730	2,450	19.13	3.72	15.15	3.02	24.69	9.71	27.06	10.20	42.21	27.29	33.20	16.17				
2023/09/26	17:40:00	20,740	2,460	19.14	3.73	15.16	3.03	24.71	9.73	27.08	10.22	42.21	27.29	33.21	16.18				
2023/09/26	17:50:00	20,750	2,470	19.14	3.73	15.16	3.03	24.72	9.74	27.08	10.22	42.19	27.27	33.22	16.19				
2023/09/26	18:00:00	20,760	2,480	19.14	3.73	15.16	3.03	24.74	9.76	27.08	10.22	42.21	27.29	33.16	16.13				
2023/09/26	18:10:00	20,770	2,490	19.15	3.74	15.17	3.04	24.76	9.78	27.10	10.24	42.22	27.30	33.28	16.25				
2023/09/26	18:20:00	20,780	2,500	19.15	3.74	15.17	3.04	24.77	9.79	27.12	10.26	42.21	27.29	33.04	16.01				
2023/09/26	18:30:00	20,790	2,510	19.15	3.74	15.18	3.05	24.79	9.81	27.13	10.27	42.22	27.30	33.13	16.10				
2023/09/26	18:40:00	20,800	2,520	19.16	3.75	15.17	3.04	24.80	9.82	27.14	10.28	42.22	27.30	33.17	16.14				
2023/09/26	18:50:00	20,810	2,530	19.16	3.75	15.18	3.05	24.81	9.83	27.15	10.29	42.22	27.30	33.29	16.26				
2023/09/26	19:00:00	20,820	2,540	19.17	3.76	15.19	3.06	24.82	9.84	27.16	10.30	42.22	27.30	33.31	16.28				
2023/09/26	19:10:00	20,830	2,550	19.17	3.76	15.19	3.06	24.84	9.86	27.18	10.32	42.21	27.29	33.37	16.34				
2023/09/26	19:20:00	20,840	2,560	19.17	3.76	15.19	3.06	24.86	9.88	27.19	10.33	42.21	27.29	33.18	16.15				
2023/09/26	19:30:00	20,850	2,570	19.18	3.77	15.21	3.08	24.87	9.89	27.19	10.33	42.21	27.29	33.29	16.26				
2023/09/26	19:40:00	20,860	2,580	19.19	3.78	15.21	3.08	24.88	9.90	27.21	10.35	42.21	27.29	33.39	16.36				
2023/09/26	19:50:00	20,870	2,590	19.19	3.78	15.21	3.08	24.91	9.93	27.23	10.37	42.22	27.30	33.22	16.19				
2023/09/26	20:00:00	20,880	2,600	19.20	3.79	15.23	3.10	24.92	9.94	27.24	10.38	42.20	27.28	33.22	16.19				
2023/09/26	20:10:00	20,890	2,610	19.21	3.80	15.23	3.10	24.											

Transducer Data Collected During GWET System Evaluation: Combined (RW-01/RW-02) Test
September 25, 2023 through September 27, 2023
Former Ward Products
61 Edson Street, Amsterdam, New York
NYSDEC Site No. 429004

Date	Time	XD Time	Test Time	Depth to Water											
				MW-4R		MW-8		MW-9		MW-10		RW-01		RW-02	
				DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD	DTW	DD
2023/09/27	04:00:00	21,360	3,080	19.26	3.85	15.28	3.15	24.47	9.49	24.42	7.56	42.22	27.30	26.95	9.92
2023/09/27	04:10:00	21,370	3,090	19.26	3.85	15.27	3.14	24.42	9.44	24.33	7.47	42.21	27.29	26.82	9.79
2023/09/27	04:20:00	21,380	3,100	19.25	3.84	15.27	3.14	24.34	9.36	24.23	7.37	42.22	27.30	26.69	9.66
2023/09/27	04:30:00	21,390	3,110	19.25	3.84	15.27	3.14	24.28	9.30	24.13	7.27	42.22	27.30	26.56	9.53
2023/09/27	04:40:00	21,400	3,120	19.25	3.84	15.27	3.14	24.21	9.23	24.05	7.19	42.21	27.29	26.44	9.41
2023/09/27	04:50:00	21,410	3,130	19.24	3.83	15.26	3.13	24.15	9.17	23.97	7.11	42.22	27.30	26.32	9.29
2023/09/27	05:00:00	21,420	3,140	19.24	3.83	15.26	3.13	24.09	9.11	23.89	7.03	42.21	27.29	26.20	9.17
2023/09/27	05:10:00	21,430	3,150	19.24	3.83	15.26	3.13	24.02	9.04	23.81	6.95	42.21	27.29	26.08	9.05
2023/09/27	05:20:00	21,440	3,160	19.24	3.83	15.25	3.12	23.96	8.98	23.73	6.87	42.21	27.29	25.97	8.94
2023/09/27	05:30:00	21,450	3,170	19.23	3.82	15.25	3.12	23.89	8.91	23.65	6.79	42.20	27.28	25.87	8.84
2023/09/27	05:40:00	21,460	3,180	19.23	3.82	15.25	3.12	23.82	8.84	23.58	6.72	42.22	27.30	25.75	8.72
2023/09/27	05:50:00	21,470	3,190	19.22	3.81	15.25	3.12	23.76	8.78	23.50	6.64	42.22	27.30	25.65	8.62
2023/09/27	06:00:00	21,480	3,200	19.23	3.82	15.24	3.11	23.69	8.71	23.42	6.56	42.21	27.29	25.54	8.51
2023/09/27	06:10:00	21,490	3,210	19.22	3.81	15.24	3.11	23.62	8.64	23.35	6.49	42.22	27.30	25.44	8.41
2023/09/27	06:20:00	21,500	3,220	19.22	3.81	15.24	3.11	23.57	8.59	23.28	6.42	42.22	27.30	25.34	8.31
2023/09/27	06:30:00	21,510	3,230	19.22	3.81	15.24	3.11	23.50	8.52	23.20	6.34	42.22	27.30	25.24	8.21
2023/09/27	06:40:00	21,520	3,240	19.22	3.81	15.24	3.11	23.44	8.46	23.15	6.29	42.22	27.30	25.15	8.12
2023/09/27	06:50:00	21,530	3,250	19.21	3.80	15.24	3.11	23.37	8.39	23.07	6.21	42.20	27.28	25.05	8.02
2023/09/27	07:00:00	21,540	3,260	19.21	3.80	15.23	3.10	23.31	8.33	23.01	6.15	42.20	27.28	24.95	7.92
2023/09/27	07:10:00	21,550	3,270	19.21	3.80	15.23	3.10	23.25	8.27	22.94	6.08	42.21	27.29	24.84	7.81
2023/09/27	07:20:00	21,560	3,280	19.21	3.80	15.23	3.10	23.18	8.20	22.86	6.00	42.21	27.29	24.76	7.73
2023/09/27	07:30:00	21,570	3,290	19.21	3.80	15.23	3.10	23.13	8.15	22.81	5.95	42.20	27.28	24.66	7.63
2023/09/27	07:40:00	21,580	3,300	19.20	3.79	15.22	3.09	23.05	8.07	22.74	5.88	42.20	27.28	24.57	7.54
2023/09/27	07:50:00	21,590	3,310	19.20	3.79	15.22	3.09	23.00	8.02	22.67	5.81	42.21	27.29	24.48	7.45
2023/09/27	08:00:00	21,600	3,320	19.19	3.78	15.21	3.08	22.93	7.95	22.61	5.75	42.20	27.28	24.40	7.37
2023/09/27	08:10:00	21,610	3,330	19.19	3.78	15.21	3.08	22.87	7.89	22.54	5.68	42.20	27.28	24.31	7.28
2023/09/27	08:20:00	21,620	3,340	19.19	3.78	15.21	3.08	22.81	7.83	22.48	5.62	42.22	27.30	24.23	7.20
2023/09/27	08:30:00	21,630	3,350	19.18	3.77	15.20	3.07	22.74	7.76	22.42	5.56	42.22	27.30	24.15	7.12
2023/09/27	08:40:00	21,640	3,360	19.19	3.78	15.21	3.08	22.68	7.70	22.37	5.51	42.22	27.30	24.06	7.03
2023/09/27	08:50:00	21,650	3,370	19.19	3.78	15.21	3.08	22.63	7.65	22.31	5.45	42.21	27.29	23.99	6.96