Nicholas A. Smith, P.G.
Senior Program Manager

June 12, 2026

Mr. Tracey Garland
New York State Department of Environmental Conservation
Division of Environmental Remediation, BURC
625 Broadway
Albany, New York 12233-7014

RE: National Grid Former Manufactured Gas Plant Site
14 Hancock Street, Fort Plain, New York
Semi-Annual Groundwater Monitoring Report

Dear Mr. Garland:

Enclosed for your review is the Semi-Annual Groundwater Monitoring Report for the National Grid Fort Plain Former MGP Site, for the first half of 2026.

Groundwater and Environmental Services, Inc., (GES), the OM&M contractor for National Grid, conducts all long-term OM&M activities at the site. Quarterly site inspections were conducted in January and April during the first half of 2026. The site is generally in good shape and in compliance. There were no detections in the groundwater samples collected from monitoring wells MW-2 (immediately downgradient of the former gas holder), MW-3 (Northwest of the former holders), MW-8 (immediately Northeast of the Route 5S Diner), MW-9 (immediately downgradient of State Street), MW-10 (Diner parking lot), and MW-12 (immediately Northeast of the former holder). There were BTEX and PAH detections in monitoring well MW-7 (Diner parking lot).

If you have any questions, please feel free to contact me at (315) 540-0829.

Very truly yours,



for NAS

Nicholas A. Smith, P.G.
Senior Program Manager

Cc: Devin T. Shay – Groundwater and Environmental Services, Inc.

National Grid

Semi-Annual Groundwater Monitoring Report



National Grid Fort Plain, Former MGP Site
14 Hancock Street, Fort Plain, New York 13339
NYSDEC Site No. 4-29-007

June 2026

Version 1

Semi-Annual Groundwater Monitoring Report

National Grid Fort Plain, Former MGP Site
14 Hancock Street
Fort Plain, NY 13339

Prepared for:
National Grid
300 Erie Boulevard West, C-1
Syracuse, NY 13202

Prepared by:
Groundwater & Environmental Services, Inc.
6780 Northern Blvd., Suite 100
East Syracuse, NY 13057
TEL: 800-220-3069
www.gesonline.com

GES Project:
0625050.133390.221

Date:
June 12, 2026



Devin T. Shay, PG
Program Manager / Principal Hydrogeologist

Table of Contents

1 Introduction 1
2 Semi-Annual Groundwater Monitoring 1
2.1 Objectives 1
2.2 Groundwater Well Gauging 1
2.3 Groundwater Well Sampling and Analytical Results 2
3 Semi-Annual Site-Wide Inspections 3
4 Recommendations 3
4.1 Recommendations 3

Figures

Figure 1 – Site Map
Figure 2 – Groundwater Contour Map
Figure 3 – Groundwater Analytical Map

Tables

Table 1 – Groundwater Monitoring Well Gaguing Data
Table 2 – Groundwater Analytical Data
Table 3 – Total BTEX and PAH Concentrations

Appendices

Appendix A – Field Data and Inspections
Appendix B – Data Usability Summary Report
Appendix C – Laboratory Analytical Report

1 Introduction

This Semi-Annual Groundwater Monitoring Report was prepared by Groundwater & Environmental Services, Inc., (GES), on behalf of National Grid, and presents results from the activities conducted in the Spring of 2026 at the Fort Plain former manufactured gas plant (MGP) site located in Fort Plain, New York (the Site). A site map is presented on **Figure 1**. All activities summarized in this report are conducted in accordance with the Site Management Plan (SMP) for the Site, which was conditionally approved by the New York State Department of Environmental Conservation (NYSDEC) on November 19, 2012 and subsequently finalized by Arcadis (on behalf of National Grid), and submitted to NYSDEC on December 31, 2012.

A detailed discussion of the semi-annual monitoring activities and results is presented below.

2 Semi-Annual Groundwater Monitoring

2.1 Objectives

The objectives of the April 2026 groundwater monitoring activities were to:

- Obtain groundwater elevation data from monitoring wells in the vicinity of the Site to evaluate groundwater flow direction and compare the results with historical groundwater flow conditions.
- Obtain analytical data to assess potential changes in groundwater quality at the Site and compare the results to the Class GA groundwater standards and guidance values presented in the NYSDEC document entitled, “Division of Water Technical and Operational Guidance Series (1.1.1) Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations” (TOGS 1.1.1), reissued June 1998 and addended April 2000 and June 2004.

2.2 Groundwater Well Gauging

The April 21 and 22, 2026, groundwater monitoring field activities were conducted by GES. Prior to collecting groundwater samples, static fluid level measurements were collected from monitoring wells MW-2, MW-3, MW-7, MW-8, MW-9, MW-10, MW-12, and EW-1. Water levels were measured to the nearest 0.01 foot using an electronic oil-water interface probe to determine the depth from a surveyed mark on the top of the inner polyvinyl chloride (PVC) well casing to the groundwater within the well.

The fluid level measurements obtained from each monitoring well were converted to groundwater elevations using the surveyed well elevations. The calculated groundwater elevations for each monitoring well are listed in **Table 1**, which also includes groundwater elevation measurements obtained during previous groundwater monitoring events. Field data from the gauging event is presented in **Appendix A**.

Groundwater elevations ranged from 289.77 feet above sea level (asl; well MW-9) to 318.97 feet asl (well EW-1). A shallow groundwater potentiometric surface contour map developed based on the groundwater elevation measurements taken on April 21 and 22, 2026, is included on **Figure 2**. The illustrated groundwater flow pattern is consistent with prior monitoring events at the Site. Specifically, groundwater generally flows to the northeast from the Site toward the Route 5S Diner.

2.3 Groundwater Well Sampling and Analytical Results

Groundwater samples were collected by GES from seven (7) monitoring wells on April 21 and 22, 2026 (including wells MW-2, MW-3, MW-7, MW-8, MW-9, MW-10, and MW-12). Well EW-1 was included in the gauging round, but is only sampled during the fall semiannual events. Low-flow sampling techniques were used to purge groundwater from each monitoring well prior to collecting groundwater samples. Field parameters (consisting of turbidity, temperature, pH, conductivity, oxidation reduction potential [ORP], and dissolved oxygen) were measured approximately every 5 to 10 minutes during well purging, and the depth to water was monitored throughout the pumping process to minimize drawdown within the well. Well purging activities continued at each well until the field parameters stabilized and the turbidity of the water in the wells was reduced to less than 50 nephelometric turbidity units (NTUs). Groundwater field data is presented in **Appendix A**.

Following purging, groundwater samples were collected. The groundwater samples were bottled and shipped to Eurofins Environment Testing for laboratory analysis for Benzene, Toluene, Ethylbenzene, and total Xylenes (BTEX; EPA Method 8260C), and for the following polycyclic aromatic hydrocarbons: Acenaphthene, Acenaphthylene, Anthracene, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Chrysene, Dibenzo[a,h]anthracene, Fluoranthene, Fluorene, Indeno[1,2,3-cd]pyrene, Naphthalene, Phenanthrene, and Pyrene. (PAHs; EPA Method 8270D). Quality assurance/quality control (QA/QC) samples, including a field duplicate, matrix spike, and duplicate matrix spike were also submitted for laboratory analysis. The laboratory analytical results for the groundwater samples were reported using NYSDEC Analytical Services Protocol (ASP) Category B data deliverable packages to facilitate data validation.

Purge water generated during the sampling activities was collected in 5-gallon buckets and transferred into 55-gallon steel drums for characterization prior to offsite treatment/disposal in accordance with applicable regulations.

Analytical results from the laboratory analysis report are summarized in **Table 2** and compared to the Class GA groundwater standards and guidance values presented in TOGS 1.1.1. Total BTEX and total PAH concentrations are illustrated on **Figure 3**. **Table 3** also provides a historical summary of total BTEX and total PAH concentrations at the monitoring wells. The Data Usability Summary Report (DUSR) is included in **Appendix B**. The groundwater laboratory analytical report is included as Appendix C.

There were no detections of any analyzed compounds in the samples collected from monitoring wells MW-2 (immediately down gradient of the former southern gas holder), MW-3 (Northwest of

the former holders), MW-8 (immediately Northeast of the Route 5S Diner), MW-9 (immediately down gradient of State Street), MW-10 (Diner parking lot), and MW-12 (immediately Northeast of the former location of the northern gas holder). Monitoring well MW-7 (Route 5S Diner parking lot) was the only location where BTEX and PAH was detected in April 2026, including exceedances of the NYSDEC TOGS 1.1.1 criteria for two BTEX compounds (benzene and total xylenes). As shown in Table 2, the April 2026 concentrations of these constituents are within the historical range at well MW-7 in comparison to previous sampling results. In general, impacts are generally limited to the former holder areas and below the parking area downgradient of the former holders.

3 Semi-Annual Site-Wide Inspections


The site-wide inspections were conducted by GES on January 26, 2026 and April 22, 2026. Site features including the groundwater monitoring wells, asphalt pavement (Route 5S Diner parking lot), security fencing/gates, gas holder retaining wall, concrete block retaining wall, former gas holder cap, and storm water drainage system were inspected. The Site Inspection Forms are presented in **Appendix A**. In general, the Site is in compliance with the requirements listed in the SMP.

4 Recommendations

4.1 Recommendations

At this time, National Grid recommends continuing the semi-annual monitoring activities. The next semi-annual groundwater sampling event will be performed in Fall 2026. Semi-annual site-wide inspections are required; however, for internal security purposes, National Grid will continue to conduct quarterly site-wide inspections.

Figures



LEGEND

- PROPERTY BOUNDARY
- FENCE
- CATCH BASIN
- UTILITY MANHOLE
- FIRE HYDRANT
- UTILITY POLE
- MONITORING WELL
- DESTROYED/ABANDONED WELL
- SS — UNDERGROUND SANITARY SEWER LINE
- ST — UNDERGROUND STORM SEWER LINE
- W — UNDERGROUND WATER LINE
- G — UNDERGROUND GAS LINE
- OHU — OVERHEAD UTILITIES

Site Map

National Grid
Former MGP Site
14 Hancock Street
Fort Plain, New York


Drawn
M.H.
Designed
R.K.
Approved
T.B.

Date
05/05/25
Figure
1

Scale In Feet
0 40

Groundwater & Environmental Services, Inc.

N:\Graphics\Graphics\0600-Syracuse\Misc\National Grid\Fort Plain\Fort Plain SM.dwg, B40 sm, 5/5/2025 1:40:44 PM, mhollister



Groundwater Contour Map
April 22, 2026


National Grid
Former MGP Site
14 Hancock Street
Fort Plain, New York

Drawn	Date
M.H.	05/05/26
Designed	Figure
R.K.	2
Approved	
T.B.	

Scale In Feet
0 40

Groundwater & Environmental Services, Inc.

N:\Graphics\Graphics\0600-Syracuse\Misc\National Grid\Fort Plain\Fort Plain SM.dwg, B40 sm, mhollister



MW-8	MW-8	MW-8	MW-8	MW-8	MW-8
10-19-23	04-11-24	10-24-24	04-10-25	10-22-25	04-22-26
ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND

MW-3	MW-3	MW-3	MW-3	MW-3	MW-3
10-19-23	04-11-24	10-24-24	04-10-25	10-22-25	04-22-26
ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND

MW-9	MW-9	MW-9	MW-9	MW-9	MW-9
10-19-23	04-11-24	10-24-24	04-10-25	10-22-25	04-22-26
ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND

MW-10	MW-10	MW-10	MW-	MW-10	MW-10
10-19-23	04-11-24	10-24-24	04-10-25	10-22-25	04-22-26
ND	10.2	ND	1.7	ND	ND
2.47	ND	ND	ND	0.36	ND

MW-7	MW-7	MW-7	MW-7	MW-7	MW-7
10-19-23	04-11-24	10-24-24	04-10-25	10-22-25	04-22-26
25.6	16.6	26	21.3	10.2	45
16.6	2.4	30.98	20.5	18.0	21.8

MW-12	MW-12	MW-12	MW-12	MW-12	MW-12
10-19-23	04-11-24	10-24-24	04-10-25	10-22-25	04-22-26
1.8	1.1	ND	1.3	ND	ND
1.21	ND	ND	ND	ND	ND

EW-1	EW-1	EW-1	EW-1	EW-1
04-13-23	10-19-23	10-24-24	04-10-25	10-22-25
221	380	283	239	39.1
1.3	35.09	32.32	22.18	0.52

MW-2	MW-2	MW-2	MW-2	MW-2	MW-2
10-19-23	04-11-24	10-24-24	04-10-25	10-22-25	04-22-26
ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND

LEGEND

- PROPERTY BOUNDARY
- FENCE
- CATCH BASIN
- UTILITY MANHOLE
- FIRE HYDRANT
- UTILITY POLE
- MONITORING WELL
- DESTROYED/ABANDONED WELL
- SS — UNDERGROUND SANITARY SEWER LINE
- ST — UNDERGROUND STORM SEWER LINE
- W — UNDERGROUND WATER LINE
- G — UNDERGROUND GAS LINE
- OHU — OVERHEAD UTILITIES

MW-2
04-22-26
ND
ND

WELL IDENTIFICATION
SAMPLE DATE
TOTAL BTEX CONCENTRATION (µg/L)
TOTAL PAHs CONCENTRATION (µg/L)

- µg/L — MICROGRAMS PER LITER
- BTEX — BENZENE, TOLUENE, ETHYLBENZENE, XYLENES
- PAHs — POLYCYCLIC AROMATIC HYDROCARBONS
- ND — NOT DETECTED
- NA — NOT ANALYZED

Groundwater Analytical Map

National Grid
Former MGP Site
14 Hancock Street
Fort Plain, New York

Drawn M.H.
Designed R.K.
Approved T.B.

Date 05/05/26
Figure 3

Scale In Feet
0 40

Groundwater & Environmental Services, Inc.

N:\Graphics\Graphics\0600-Syracuse\Misc\National Grid\Fort Plain\Fort Plain SM.dwg, B40 sm, mhollister

Tables

Table 1

Groundwater Monitoring Well Gauging Data

Well ID	Well Type & Diameter	Top of Inner Casing Elevation	Depth To Well Bottom	Well Bottom Elevation	Screen Elevation	Depth To Water (06/08/11)	Groundwater Elevation (06/08/11)	Depth To Water (10/24/11)	Groundwater Elevation (10/24/11)	Depth To Water (04/12/12)	Groundwater Elevation (04/12/12)	Depth To Water (10/10/12)	Groundwater Elevation (10/10/12)
MW-2	Flushmount; PVC; 2-inch	317.50	17.81	299.69	309.69-299.69	4.71	312.79	4.48	313.02	4.45	313.05	6.45	311.05
MW-3	Flushmount; PVC; 2-inch	315.10	18.72	296.38	306.38-296.38	15.72	299.38	16.15	298.95	15.87	299.23	16.35	298.75
MW-7	Flushmount; PVC; 2-inch	313.10	22.72	290.38	300.38-290.38	16.45	296.65	16.52	296.58	16.50	296.60	16.47	296.63
MW-8	Flushmount; PVC; 2-inch	311.97	24.52	287.45	297.45-287.45	18.44	293.53	18.76	293.21	18.79	293.18	18.46	293.51
MW-9	Stickup; PVC; 2-inch	311.05	25.35	285.7	295.70-285.70	NM	NM	20.25	290.80	21.74	289.31	17.57	293.48
MW-10	Flushmount; PVC; 2-inch	313.20	22.92	290.28	300.28.290.28	17.75	295.45	18.37	294.83	18.65	294.55	18.08	295.12
MW-11	Flushmount; PVC; 2-inch	NA	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	NM
MW-12	Flushmount; PVC; 2-inch	315.40	3.14	312.26	326.96-312.26	NM	NM	3.56	311.84	3.35	312.05	3.14	312.26
EW-1	Flushmount; PVC; 4-inch	321.70	6.61	315.09	318.69-315.09	NM	NM	NM	NM	3.12	318.58	2.86	318.84

Table 1

Groundwater Monitoring Well Gauging Data

Well ID	Depth To Water (04/19/13)	Groundwater Elevation (04/19/13)	Depth To Water (10/09/13)	Groundwater Elevation (10/09/13)	Depth To Water (04/07/14)	Groundwater Elevation (04/07/14)	Depth To Water (10/20/14)	Groundwater Elevation (10/20/14)	Depth To Water (04/15/15)	Groundwater Elevation (04/15/15)	Depth To Water (10/30/15)	Groundwater Elevation (10/30/15)
MW-2	6.49	311.01	6.22	311.28	3.75	313.75	2.61	314.89	4.47	313.03	4.21	313.29
MW-3	15.49	299.61	16.42	298.68	15.60	299.50	16.61	298.49	15.66	299.44	15.89	299.21
MW-7	16.39	296.71	16.55	296.55	16.30	296.80	16.48	296.62	16.35	296.75	16.45	296.65
MW-8	18.55	293.42	18.82	293.15	18.49	293.48	18.27	293.7	18.58	293.4	18.55	293.42
MW-9	20.48	290.57	18.38	292.67	20.04	291.01	17.32	293.7	20.11	290.9	17.61	293.44
MW-10	18.45	294.75	18.44	294.76	18.32	294.88	17.85	295.35	18.43	294.77	18.1	295.10
MW-11	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
MW-12	2.61	312.79	3.45	311.95	2.37	313.03	2.65	312.75	2.53	312.87	2.02	313.38
EW-1	3.11	318.59	2.81	318.89	2.21	319.49	2.61	319.09	3.15	318.55	2.5	319.20

Table 1

Groundwater Monitoring Well Gauging Data

Well ID	Depth To Water (04/21/16)	Groundwater Elevation (04/21/16)	Depth To Water (10/19/16)	Groundwater Elevation (10/19/16)	Depth To Water (04/13/17)	Groundwater Elevation (04/13/17)	Depth To Water (10/19/17)	Groundwater Elevation (10/19/17)	Depth To Water (04/05/18)	Groundwater Elevation (04/05/18)	Depth To Water (10/10/18)	Groundwater Elevation (10/10/18)
MW-2	3.88	313.62	4.12	313.38	4.32	313.18	4.28	313.22	4.30	313.20	4.10	313.40
MW-3	15.98	299.12	16.95	298.15	15.78	299.32	16.55	298.55	15.80	299.30	16.42	298.68
MW-7	16.43	296.67	16.62	296.48	16.45	296.65	16.85	296.25	16.80	296.30	16.45	296.65
MW-8	18.78	293.19	18.70	293.27	18.69	293.28	18.85	293.12	18.71	293.26	18.62	293.35
MW-9	21.35	289.70	18.07	292.98	18.94	292.11	17.9	293.15	20.56	290.49	17.66	293.39
MW-10	18.67	294.53	18.39	294.81	18.23	294.97	18.33	294.87	18.41	294.79	18.03	295.17
MW-11	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
MW-12	3.98	311.42	3.57	311.83	2.53	312.87	3.28	312.12	2.25	313.15	2.95	312.45
EW-1	3.51	318.19	3.06	318.64	3.14	318.56	2.96	318.74	2.70	319.00	3.00	318.70

Table 1

Groundwater Monitoring Well Gauging Data

Well ID	Depth To Water (04/04/19)	Groundwater Elevation (04/04/19)	Depth To Water (10/10/19)	Groundwater Elevation (10/10/19)	Depth To Water (6/10/20)	Groundwater Elevation (6/10/20)	Depth To Water	Groundwater Elevation (10/14/20)	Depth To Water	Groundwater Elevation (4/1/21)	Depth To Water	Groundwater Elevation (10/13/21)	Depth To Water	Groundwater Elevation (4/7/22)
MW-2	4.50	313.00	3.95	313.55	4.30	313.20	3.98	313.52	4.20	313.30	3.86	313.64	4.06	313.44
MW-3	15.85	299.25	16.13	298.97	16.56	298.54	16.43	298.67	9.52	305.58	16.14	298.96	15.91	299.19
MW-7	16.48	296.62	16.46	296.64	16.78	296.32	16.48	296.62	16.48	296.62	18.03	295.07	16.50	296.60
MW-8	18.76	293.21	18.51	293.46	18.98	292.99	18.88	293.09	18.88	293.09	18.42	293.55	18.83	293.14
MW-9	21.03	290.02	17.60	293.45	21.90	289.15	17.92	293.13	21.28	289.77	17.43	293.62	21.35	289.70
MW-10	18.79	294.41	18.03	295.17	18.97	294.23	18.23	294.97	18.85	294.35	16.50	296.70	19.07	294.13
MW-11	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	10.78	NA
MW-12	2.55	312.85	2.79	312.61	3.21	312.19	2.91	312.49	2.53	312.87	2.94	312.46	2.53	312.87
EW-1	2.92	318.78	2.61	319.09	3.70	318.00	2.70	319.00	2.57	319.13	2.77	318.93	2.52	319.18

Table 1

Groundwater Monitoring Well Gauging Data

Well ID	Depth To Water	Groundwater Elevation (10/13/22)	Depth To Water	Groundwater Elevation (4/13/23)	Depth To Water	Groundwater Elevation (10/19/23)	Depth To Water	Groundwater Elevation (4/11/24)	Depth To Water	Groundwater Elevation (10/24/24)	Depth To Water	Groundwater Elevation (4/10/25)	Depth To Water	Groundwater Elevation (10/22/25)	Depth To Water	Groundwater Elevation (4/22/26)
MW-2	3.80	313.70	4.20	313.30	4.06	313.44	3.56	313.94	4.07	313.43	4.00	313.50	4.28	313.22	4.40	313.10
MW-3	16.40	298.70	16.09	299.01	16.44	298.66	15.84	299.26	16.58	298.52	15.95	299.15	16.49	298.61	16.12	298.98
MW-7	16.50	296.60	16.46	296.64	16.48	296.62	16.40	296.70	16.50	296.60	16.40	296.70	16.50	296.60	16.37	296.73
MW-8	18.95	293.02	18.88	293.09	18.77	293.20	18.79	293.18	19.03	292.94	18.92	293.05	18.84	293.13	18.85	293.12
MW-9	18.14	292.91	20.97	290.08	17.80	293.25	20.82	290.23	18.44	292.61	20.62	290.43	17.90	293.15	21.28	289.77
MW-10	18.60	294.60	18.96	294.24	18.28	294.92	18.84	294.36	18.58	294.62	18.72	294.48	18.15	295.05	18.70	294.50
MW-11	6.63	NA	9.82	NA	5.74	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12	2.96	312.44	2.60	312.80	2.90	312.50	2.51	312.89	2.89	312.51	2.44	312.96	2.87	312.53	2.70	312.70
EW-1	2.68	319.02	2.82	318.88	2.65	319.05	2.48	319.22	2.54	319.16	2.61	319.09	2.64	319.06	2.73	318.97

All elevations are measured in feet
NA = Not Available
NM = Not Measured
Monitoring well MW-11 was abandoned on February 8, 2024.

Table 2

Groundwater Analytical Data

MW-2

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/20/14	05/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/08/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
BTEX							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene	1	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Total Xylenes	5	µg/L	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<1.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
PAHs							ND	ND	ND	ND	ND	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthene	20	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.27)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Acenaphthylene	- -	µg/L	ND (<0.29)	ND (<0.29)	ND (<0.29)	ND (<0.29)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.18)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Anthracene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.18)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)anthracene	0.002	µg/L	ND (<0.29)	ND (<0.29)	ND (<0.29)	ND (<0.29)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.045)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)pyrene	ND	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.090)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(b)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.045)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(g,h,i)perylene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.45)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(k)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.18)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Chrysene	0.002	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.18)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Dibenz(a,h)anthracene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.090)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluoranthene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.45)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluorene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.90)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Indeno(1,2,3-cd)pyrene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.090)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
2-Methylnapthalene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.90)	-	-	-	-	-	
Naphthalene	10	µg/L	ND (<0.96)	ND (<0.96)	ND (<0.96)	ND (<0.96)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	0.10	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.90)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Phenanthrene	50	µg/L	ND (<0.19)	ND (<0.19)	ND (<0.19)	ND (<0.19)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.045)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Pyrene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.90)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data
MW-3

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/20/14	04/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
BTEX							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene	1	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Total Xylenes	5	µg/L	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
PAHs							ND	ND	ND	ND	ND	0.12	2.65	ND	0.12	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthene	20	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.50)	ND (<0.50)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Acenaphthylene	- -	µg/L	ND (<0.29)	ND (<0.29)	ND (<0.30)	ND (<0.30)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Anthracene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.50)	ND (<0.50)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)anthracene	0.002	µg/L	ND (<0.29)	ND (<0.29)	ND (<0.30)	ND (<0.30)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	**0.21**	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)pyrene	ND	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	**0.24**	ND (<0.10)	ND (<0.098)	**0.11**	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(b)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	**0.36**	ND (<0.10)	ND (<0.098)	**0.14**	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(g,h,i)perylene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	0.20	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(k)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	**0.14**	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Chrysene	0.002	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.50)	ND (<0.50)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	**0.26**	ND (<0.10)	ND (<0.098)	**0.11**	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Dibenz(a,h)anthracene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluoranthene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.50)	ND (<0.50)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	0.47	ND (<0.10)	ND (<0.098)	0.17	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluorene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.50)	ND (<0.50)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Indeno(1,2,3-cd)pyrene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	**0.16**	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
2-Methylnapthalene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	-	-	-	-	-	-
Naphthalene	10	µg/L	ND (<0.95)	ND (<0.95)	ND (<0.99)	ND (<0.99)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	0.12	ND (<0.098)	ND (<0.10)	0.12	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Phenanthrene	50	µg/L	ND (<0.19)	ND (<0.19)	ND (<0.20)	ND (<0.20)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.10)	0.15	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Pyrene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<0.50)	ND (<0.50)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.10)	ND (<0.10)	0.46	ND (<0.10)	ND (<0.098)	0.17	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)

Notes:
Results are presented in units of micrograms per liter (µg/L).
E = Results exceeded calibration range
D = Compound quantitated using a secondary dilution
J = Analyte was detected at a concentration less than the laboratory reporting limit
ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data

MW-7

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/20/14	04/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/21/26
BTEX							56.6	26.0	52.1	ND	57.7	43.1	29.9	27.5	32.1	20.2	7.2	15.4	24.4	24.9	25.6	16.6	26	21.3	10.2	45
Benzene	1	µg/L	**13**	ND (<1.0)	**17 F1**	**29**	**25.0**	**16.6**	**25.3**	ND (<1.0)	**27.1**	**21.7**	**15.6**	**13.5**	**16.4**	**11.8**	**3.9**	**9.4**	**13.2**	**15.2**	**14.7**	**11**	**15**	**13**	**7.1**	**18**
Ethylbenzene	5	µg/L	4.6	ND (<1.0)	**3.6**	**16**	**7.4**	1.2	**5.2**	ND (<1.0)	2.8	2.7	ND(<1.0)	1.5	ND (<1.0)	ND (<1.0)	3.3	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	µg/L	ND	ND (<1.0)	ND (<1.0)	1.1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	1.1	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Total Xylenes	5	µg/L	**6.1**	ND (<2.0)	**13**	**25**	**24.2**	**8.2**	**21.6**	ND (<3.0)	26.7	**18.7**	**14.3**	**12.5**	**15.7**	**8.4**	ND (<3.0)	**6.0**	**11.2**	**9.7**	**10.9**	**5.6**	**11**	**8.3**	**3.1**	**27**
PAHs							260.4	15.14	46.2	ND	39.6	19.9	17.8	6.2	22.8	5.8	8.7	1.9	29.2	3.9	16.6	2.4	30.98	20.5	18.0	21.8
Acenaphthene	20	µg/L	ND (<0.29)	ND (<0.48)	**30 E**	**40**	**87.5**	0.40	**25.7**	ND (<0.10)	15.4	9.1	11.7	3.6	17.9	2.1	3.2	1.6	**24.1**	3.2	13.9	2.4 J	**27**	18	16	20
Acenaphthylene	- -	µg/L	ND (<0.29)	ND (<0.29)	0.39	0.39	0.51	ND (<0.098)	0.45	ND (<0.10)	0.38	0.19	0.23	0.12	0.28	ND (<0.10)	0.41	ND (<0.098)	0.32	0.13	0.25	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Anthracene	50	µg/L	ND (<0.49)	ND (<0.48)	0.50 U F2	ND (<0.48)	0.54	ND (<0.098)	0.13	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.096)	0.14	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)anthracene	0.002	µg/L	ND (<0.29)	ND (<0.29)	0.30 U F2	ND (<0.29)	ND (<0.10)	**0.11**	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.096)	**0.21**	**0.30**	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)pyrene	ND	µg/L	-	-	-	-	ND (<0.10)	**0.18**	ND (<0.099)	ND (<0.10)	ND (<0.099)	**0.13**	ND (<0.098)	**0.11**	ND (<0.096)	**0.21**	**0.26**	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(b)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	**0.55**	ND (<0.099)	ND (<0.10)	ND (<0.099)	**0.4**	**0.18**	**0.22**	ND (<0.096)	**0.32**	**0.49**	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(g,h,i)perylene	- -	µg/L	-	-	-	-	ND (<0.10)	0.16	ND (<0.099)	ND (<0.10)	ND (<0.099)	0.14	ND (<0.098)	0.11	ND (<0.096)	0.15	0.14	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(k)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	**0.50**	ND (<0.099)	ND (<0.10)	ND (<0.099)	**0.36**	ND (<0.098)	ND (<0.11)	ND (<0.096)	**0.11**	**0.42**	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Chrysene	0.002	µg/L	ND (<0.49)	ND (<0.48)	0.50 U F2	ND (<0.48)	ND (<0.10)	**0.40**	ND (<0.099)	ND (<0.10)	ND (<0.099)	**0.23**	**0.13**	**0.14**	ND (<0.096)	**0.24**	**0.31**	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Dibenz(a,h)anthracene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluoranthene	50	µg/L	ND (<0.49)	ND (<0.48)	0.50 U F2	ND (<0.48)	0.32	0.83	ND (<0.099)	ND (<0.10)	ND (<0.099)	0.37	0.23	0.20	ND (<0.096)	0.62	0.86	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluorene	50	µg/L	1.6	ND (<0.48)	5.3 F2	7.7	10.7	ND (<0.098)	4.0	ND (<0.10)	2.8	1.5	1.9	0.3	2.8	0.18	0.48	0.11	3.5	0.21	1.6	ND (<5.0)	3.2 J	2.5 J	2.0 J	1.8 J
Indeno(1,2,3-cd)pyrene	0.002	µg/L	-	-	-	-	ND (<0.10)	**0.13**	ND (<0.099)	ND (<0.10)	ND (<0.099)	**0.12**	ND (<0.098)	ND (<0.11)	ND (<0.096)	**0.13**	**0.13**	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
2-Methylnapthalene	- -	µg/L	-	-	-	-	5.5	ND (<0.098)	1.5	ND (<0.10)	2.7	0.65	0.62	ND (<0.11)	0.22	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	-	-	-	-	-
Naphthalene	10	µg/L	1.6	ND (<0.95)	**12 F2 F1**	**73**	**152**	10.90	**13.5**	ND (<0.10)	**17.9**	**6.0**	**2.2**	**1.3**	0.99	0.39	0.85	0.19	0.64	0.38	0.62	ND (<5.0)	0.78 J	ND (<5.0)	ND (<5.0)	ND (<5.0)
Phenanthrene	50	µg/L	0.27J	ND (<0.19)	1.1 F2 F1	1.9	3.0	0.41	0.75	ND (<0.10)	0.45	0.42	0.37	ND (<0.11)	0.62	0.50	ND (<0.098)	ND (<0.098)	0.59	ND (<0.097)	0.18	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Pyrene	50	µg/L	ND (<0.49)	ND (<0.48)	0.50 U F2 F1	ND (<0.48)	0.35	0.57	0.12	ND (<0.10)	ND (<0.099)	0.29	0.20	0.16	ND (<0.096)	0.45	0.86	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data

MW-8

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/20/14	04/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/21/26
BTEX						ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene	1	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Total Xylenes	5	µg/L	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
PAHs						ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthene	20	µg/L	ND (<0.52)	ND (<0.52)	ND (<0.51)	ND (<0.51)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Acenaphthylene	- -	µg/L	ND (<0.31)	ND (<0.31)	ND (<0.31)	ND (<0.31)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Anthracene	50	µg/L	ND (<0.52)	ND (<0.52)	ND (<0.51)	ND (<0.51)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)anthracene	0.002	µg/L	ND (<0.31)	ND (<0.31)	ND (<0.31)	ND (<0.31)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)pyrene	ND	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(b)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(g,h,i)perylene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(k)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Chrysene	0.002	µg/L	ND (<0.52)	ND (<0.52)	ND (<0.51)	ND (<0.51)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Dibenz(a,h)anthracene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluoranthene	50	µg/L	ND (<0.52)	ND (<0.52)	ND (<0.51)	ND (<0.51)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluorene	50	µg/L	ND (<0.52)	ND (<0.52)	ND (<0.51)	ND (<0.51)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Naphthalene	10	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Phenanthrene	50	µg/L	ND (<0.21)	ND (<0.21)	ND (<0.20)	ND (<0.20)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Pyrene	50	µg/L	ND (<0.52)	ND (<0.52)	ND (<0.51)	ND (<0.51)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data

MW-9

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/20/14	04/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
BTEX								ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene	1	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Total Xylenes	5	µg/L	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
PAHs							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthene	20	µg/L	ND (<0.48)	ND (<0.48)	**26**	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Acenaphthylene	- -	µg/L	ND (<0.29)	ND (<0.29)	2	ND (<0.29)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Anthracene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<2.5)	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)anthracene	0.002	µg/L	ND (<0.29)	ND (<0.29)	ND (<1.5)	ND (<0.29)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)pyrene	ND	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(b)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(g,h,i)perylene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(k)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Chrysene	0.002	µg/L	ND (<0.48)	ND (<0.48)	ND (<2.5)	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Dibenz(a,h)anthracene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluoranthene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<2.5)	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluorene	50	µg/L	ND (<0.48)	ND (<0.48)	7	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Indeno(1,2,3-cd)pyrene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
2-Methylnapthalene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	-	-	-	-	-	-
Naphthalene	10	µg/L	ND (<0.95)	ND (<0.95)	ND (<5.0)	ND (<0.95)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Phenanthrene	50	µg/L	ND (<0.19)	ND (<0.19)	1.2	ND (<0.19)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Pyrene	50	µg/L	ND (<0.48)	ND (<0.48)	ND (<2.5)	ND (<0.48)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.11)	ND (<0.097)	ND (<0.095)	ND (<0.11)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data

MW-10

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/20/14	04/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/21/26
BTEX								6.9	23.5	5.2	8.6	8.2	3.0	13.8	5.3	10.3	33.0	37.3	22.2	ND	ND	10.2	ND	1.7	ND	ND
Benzene	1	µg/L	**2.6**	**4.2**	**6.5**	**6.4**	**7.9**	**3.3**	**8.2**	**1.9**	**3.2**	**3.1**	**1.7**	**5.4**	**2.5**	**3.6**	**16.8**	**9.3**	**9.6**	ND (<1.0)	ND (<1.0)	**6.3**	ND (<1.0)	**1.7**	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	µg/L	ND (<1.0)	4.2	**5.3**	**10**	**13.2**	3.6	**9.6**	3.3	3.3	2.0	1.3	**8.4**	2.8	4.6	ND (<1.0)	**17.4**	**7.0**	ND (<1.0)	ND (<1.0)	2.1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	µg/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Total Xylenes	5	µg/L	ND (<2.0)	2.4	2.5	3.4	**6.6**	ND (<3.0)	**5.7**	ND (<3.0)	2.1	3.1	ND (<3.0)	3.6	ND (<3.0)	2.1	**16.2**	**10.6**	**5.6**	ND (<3.0)	ND (<3.0)	1.8 J	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
PAHs							97.6	15.0	37.5	16.5	18.3	13.1	22.8	2.7	12.5	7.7	35.0	39.4	2.21	4.44	2.47	ND	ND	ND	0.36	ND
Acenaphthene	20	µg/L	0.30 J	14	ND (<0.48)	**29**	**70.9**	9.5	19.3	9.9	10.8	9.0	14.1	0.4	8.20	4.6	**27.3**	15.6	0.35	0.12	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Acenaphthylene	- -	µg/L	1.1	ND (<4.9)	ND (<0.29)	ND (<0.29)	2.4	0.68	1.8	0.83	1.1	0.58	1.4	0.12	0.82	0.86	0.40	1.2	0.46	0.26	0.10	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Anthracene	50	µg/L	ND (<0.49)	ND (<2.9)	ND (<0.48)	ND (<0.48)	0.84	0.20	0.44	0.27	0.24	0.16	0.26	ND (<0.097)	0.15	0.14	0.15	0.14	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)anthracene	0.002	µg/L	ND (<0.30)	ND (<2.9)	ND (<0.29)	ND (<0.29)	**0.20**	ND (<0.096)	**0.62**	ND (<0.10)	0.11	ND (<0.099)	**0.099**	**0.23**	ND (<0.10)	**0.21**	ND (<0.095)	**0.28**	ND (<0.11)	**0.35**	**0.18**	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)pyrene	ND	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	**0.43**	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	**0.29**	ND (<0.10)	**0.10**	ND (<0.095)	**0.29**	ND (<0.11)	**0.43**	**0.18**	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(b)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	**0.55**	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	**0.28**	ND (<0.10)	ND (<0.097)	**0.17**	**0.57**	ND (<0.11)	**0.57**	**0.35**	ND (<5.0)	ND (<5.0)	ND (<5.0)	**0.36 J**	ND (<5.0)
Benzo(g,h,i)perylene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	0.22	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	0.18	ND (<0.10)	ND (<0.097)	ND (<0.095)	0.23	ND (<0.11)	0.22	0.12	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(k)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	**0.35**	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.097)	ND (<0.10)	ND (<0.097)	**0.15**	**0.53**	ND (<0.11)	**0.50**	**0.29**	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Chrysene	0.002	µg/L	ND (<0.49)	ND (<2.9)	ND (<0.48)	ND (<0.48)	**0.20**	**0.098**	**0.50**	ND (<0.10)	**0.10**	ND (<0.099)	ND (<0.097)	**0.23**	ND (<0.10)	**0.19**	ND (<0.095)	**0.38**	ND (<0.11)	**0.34**	**0.19**	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Dibenz(a,h)anthracene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	0.19	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.097)	ND (<0.10)	ND (<0.097)	ND (<0.095)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluoranthene	50	µg/L	1.1 J	ND (<2.9)	ND (<0.48)	ND (<0.48)	2.1	0.83	1.8	1.1	1.1	0.70	1.20	0.34	0.85	1.10	0.18	0.71	0.16	0.70	0.45	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluorene	50	µg/L	2.8 J	ND (<2.9)	ND (<0.48)	8.7	9.5	2.6	5.8	2.7	2.6	1.7	2.4	ND (<0.097)	0.67	0.38	4.6	4.1	0.16	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Indeno(1,2,3-cd)pyrene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	**0.21**	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	**0.14**	ND (<0.10)	ND (<0.097)	ND (<0.095)	**0.20**	ND (<0.11)	**0.20**	**0.11**	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
2-Methylnapthalene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.097)	ND (<0.10)	ND (<0.097)	ND (<0.095)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.097)	-	-	-	-	-
Naphthalene	10	µg/L	ND (<0.99)	ND (<2.9)	ND (<0.95)	ND (<0.95)	5.7	ND (<0.096)	2.0	0.16	0.60	ND (<0.099)	1.2	ND (<0.097)	0.54	0.16	0.97	**13.6**	0.90	ND (<0.098)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Phenanthrene	50	µg/L	0.39 J	ND (<2.9)	ND (<0.19)	2.7	3.0	0.10	0.92	0.17	0.16	ND (<0.099)	0.54	ND (<0.097)	0.12	ND (<0.097)	0.89	1.0	ND (<0.11)	0.12	0.13	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Pyrene	50	µg/L	0.81 J	ND (<2.9)	ND (<0.48)	ND (<0.48)	2.8	1.0	2.4	1.4	1.5	0.91	1.6	0.42	1.1	ND (<0.097)	0.17	0.58	0.18	0.63	0.37	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data

MW-12

	NYSDEC TOGS 1.1.1 Guidance Values	Units	04/07/14	10/20/14	04/15/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
BTEX								79.9	571	86.4	153.0	60.8	94.2	79.3	14.8	219	1.7	1.2	ND	17.3	1.8	1.1	ND	1.3	ND	ND
Benzene	1	µg/L	**89**	**97**	**95**	**84**	**71.9**	**49.0**	**207**	**54.7**	**91.4**	**36.5**	**57.1**	**48.2**	**10.5**	**139**	**1.7**	**1.2**	ND(<1.0)	**12.9**	**1.8**	**1.1**	ND (<1.0)	**1.3**	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	µg/L	**6.7**	**8.2**	**11**	**11**	**11.6**	**8.8**	**115**	**10.4**	**21.1**	**8.5**	**13.4**	**11.7**	2.4	**30.6**	ND (<1.0)	ND (<1.0)	ND(<1.0)	2.7	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	µg/L	**17**	**16**	**16**	**13**	**13.1**	**8.3**	**96.3**	**8.7**	**16.4**	**6.1**	**9.1**	**8.1**	1.9	**21.3**	ND (<1.0)	ND (<1.0)	ND(<1.0)	1.7	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Total Xylenes	5	µg/L	**22**	**22**	**27**	**21**	**19.9**	**13.8**	**153**	**12.6**	**24.1**	**9.7**	**14.6**	**11.3**	ND (<3.0)	**28.3**	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
PAHs							8.7	10.2	25.1	18.1	22.3	10.3	14.8	0.47	16.6	99.6	ND	0.56	0.59	0.93	1.21	ND	ND	ND	ND	ND
Acenaphthene	20	µg/L	ND (<0.49)	1.3	ND (<2.4)	1.5	0.46	0.45	2.5	1.1	1.7	0.62	0.96	0.36	2.40	4.9	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	0.11	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Acenaphthylene	- -	µg/L	ND (<0.49)	0.36	ND (<1.5)	0.49	0.16	0.17	0.84	0.33	0.58	0.19	0.31	0.11	0.36	1.4	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Anthracene	50	µg/L	ND (<0.49)	ND (<0.50)	ND (<2.4)	ND (<0.48)	ND (<0.10)	ND (<0.097)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	0.46	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)anthracene	0.002	µg/L	ND (<0.29)	ND (<0.30)	ND (<1.5)	ND (<0.29)	ND (<0.10)	ND (<0.097)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	**0.23**	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)pyrene	ND	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	0.12	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(b)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	**0.23**	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(g,h,i)perylene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	ND (<0.10)	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(k)fluoranthene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	ND (<0.10)	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Chrysene	0.002	µg/L	ND (<0.49)	ND (<0.50)	ND (<2.4)	ND (<0.48)	ND (<0.10)	ND (<0.097)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	**0.25**	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Dibenz(a,h)anthracene	- -	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	ND (<0.10)	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluoranthene	50	µg/L	ND (<0.49)	ND (<0.50)	ND (<2.4)	ND (<0.48)	ND (<0.10)	ND (<0.097)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	1.0	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluorene	50	µg/L	ND (<0.49)	ND (<0.50)	ND (<2.4)	ND (<0.48)	0.10	0.11	0.64	0.27	0.51	0.17	0.28	ND (<0.097)	2.7	1.4	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Indeno(1,2,3-cd)pyrene	0.002	µg/L	-	-	-	-	ND (<0.10)	ND (<0.097)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	ND (<0.10)	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
2-Methylnapthalene	- -	µg/L	-	-	-	-	0.48	0.59	2.0	1.4	2.1	0.81	1.2	ND (<0.097)	0.2	5.4	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	0.1	-	-	-	-	-
Naphthalene	10	µg/L	**36**	ND (<0.20)	**25**	**23**	7.5	8.9	**18.8**	**14.9**	**17.1**	9.2	**11.9**	ND (<0.097)	1.8	**85.6**	ND (<0.097)	0.56	0.59	0.93	1.0	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Phenanthrene	50	µg/L	ND (<0.19)	ND (<0.20)	ND (<0.97)	0.2	ND (<0.10)	ND (<0.10)	0.34	0.12	0.31	0.10	0.18	ND (<0.097)	5.7	0.92	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Pyrene	50	µg/L	ND (<0.49)	ND (<0.50)	ND (<2.4)	ND (<0.48)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND(<0.099)	ND (<0.098)	ND (<0.097)	1.1	ND(<0.099)	ND (<0.097)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data

EW-1

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/20/14	10/30/15	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	10/24/24	04/10/25	10/22/25
BTEX						104.3	191	104.7	209	131	201	197	301	330	125	214	221	380	283	239	39.1
Benzene	1	µg/L	**310**	**28**	**21.6**	**91.5**	**177**	**95.1**	**192**	**114**	**189**	**180**	**284**	**317**	**117**	**202**	**197**	**356**	**260**	**210**	**38**
Ethylbenzene	5	µg/L	**3.8**	ND (<1.0)	ND (<1.0)	**8.1**	4.2	**6.1**	**7.6**	**10.7**	**4.9**	**11.6**	**5.6**	**2.8**	4.7	1.7	**15.2**	**9.8**	**15**	**17**	ND (<1.0)
Toluene	5	µg/L	1.5	ND (<1.0)	ND (<1.0)	ND (<1.0)	1.2	ND (<1.0)	1.6	ND(<1.0)	1.1	ND (<1.0)	2.2	1.8	ND (<1.0)	1.5	1.2	2.6	ND (<1.0)	2.3 J	ND (<1.0)
Total Xylenes	5	µg/L	**7.3**	2.1	ND (<3.0)	4.7	**8.1**	3.5	8.1	6.7	**5.6**	**5.4**	**9.5**	**8.4**	3.4	**8.4**	**7.4**	**11.8**	**7.9 J**	**10**	1.1 J
PAHs					18.0	2.44	14.0	1.7	17.2	7.6	18.0	5.8	17.9	17.7	0.97	19.8	1.33	35.09	32.32	22.18	0.52
Acenaphthene	20	µg/L	0.97	3.3	9.3	ND (<0.096)	6.2	ND (<0.099)	7.8	4.6	7.9	3.1	8.6	9.5	ND (<0.11)	10.3	ND (<0.099)	18.9	17	15	0.52 J
Acenaphthylene	- -	µg/L	ND (<0.48)	ND (<0.32)	0.55	1.30	0.76	0.43	1.0	0.46	0.98	0.54	0.86	1.0	0.39	1.3	0.32	1.4	1.1 J	1.2 J	ND (<5.0)
Anthracene	50	µg/L	ND (<0.49)	ND (<0.53)	0.13	ND (<0.096)	0.16	ND (<0.099)	0.24	ND (<0.10)	0.24	ND (<0.10)	0.22	0.24	ND (<0.11)	0.27	ND (<0.099)	0.51	0.42 J	ND (<5.0)	ND (<5.0)
Benzo(a)anthracene	0.002	µg/L	ND (<0.30)	ND (<0.32)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.099)	**0.10**	ND (<0.10)	**0.11**	ND (<0.10)	ND (<0.098)	ND (<0.096)	ND (<0.11)	ND (<0.11)	ND (<0.099)	**0.11**	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(a)pyrene	ND	µg/L	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.096)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(b)fluoranthene	0.002	µg/L	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.096)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(g,h,i)perylene	- -	µg/L	-	-	0.13	ND (<0.096)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.096)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Benzo(k)fluoranthene	0.002	µg/L	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.096)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Chrysene	0.002	µg/L	ND (<0.49)	ND (<0.53)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.099)	**0.11**	ND (<0.10)	**0.11**	ND (<0.10)	ND (<0.098)	ND (<0.096)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Dibenz(a,h)anthracene	- -	µg/L	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.096)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<5.0)	ND (<5.0)	ND (<5.0)
Fluoranthene	50	µg/L	2.2	0.93	1.5	0.40	1.5	0.30	1.6	0.63	1.7	0.94	1.2	1.0	0.20	1.1	0.39	1.4	1.1 J	0.98 J	ND (<5.0)
Fluorene	50	µg/L	5.3	ND (<0.53)	3.2	ND (<0.096)	2.6	ND (<0.099)	3.1	1.1	3.4	ND (<0.10)	3.4	3.9	ND (<0.11)	4.2	ND (<0.099)	7.6	7.2	3.9 J	ND (<5.0)
Indeno(1,2,3-cd)pyrene	0.002	µg/L	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.096)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<5.0)	ND (<5.0)	ND (<5.0)
2-Methylnapthalene	- -	µg/L	-	-	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.10)	ND (<0.098)	ND (<0.096)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.099)	-	-	-
Naphthalene	10	µg/L	2.6	ND (<1.1)	1.1	ND (<0.096)	0.76	ND (<0.099)	0.86	ND (<0.10)	0.87	ND (<0.10)	1.7	0.89	ND (<0.11)	0.87	ND (<0.099)	2.9	3.0 J	3.0 J	ND (<5.0)
Phenanthrene	50	µg/L	0.23	ND (<0.21)	0.18	ND (<0.096)	0.13	ND (<0.099)	0.26	ND (<0.10)	0.44	ND (<0.10)	0.43	ND (<0.096)	ND (<0.11)	0.21	ND (<0.099)	0.57	1.2 J	1.2 J	ND (<5.0)
Pyrene	50	µg/L	2.7	0.68	1.9	0.74	1.9	1.0	2.1	0.79	2.2	1.2	1.5	1.2	0.38	1.5	0.62	1.7	1.3 J	1.1 J	ND (<5.0)

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 3

Total BTEX and PAH Concentrations

MW-2	06/08/11	10/25/11	04/12/12	10/11/12	04/19/13	10/09/13	04/07/14	10/20/14	04/15/15	10/30/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
Total BTEX	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total PAHs	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

MW-3	06/08/11	10/25/11	04/12/12	10/11/12	04/19/13	10/09/13	04/07/14	10/20/14	04/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
Total BTEX	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total PAHs	ND	ND	ND	ND	5.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.12	2.65	ND	0.12	0.70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

MW-7	06/08/11	10/25/11	04/12/12	10/11/12	04/19/13	10/09/13	04/07/14	10/20/14	04/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
Total BTEX	459	270	278	156	114	75	52	18	ND	34	71	56.6	26.0	52.1	ND	57.7	43.1	29.9	27.5	32.1	20.2	7.2	15.4	24.4	24.9	25.6	16.6	26	21.3	10.2	45
Total PAHs	167	106	157	58	97	69	95	3.2	ND	49	123	260.4	15.14	46.2	ND	39.6	19.9	17.8	6.2	22.8	5.8	8.7	1.9	29.2	3.9	16.6	2.4	30.98	20.5	18.0	21.8

MW-8	06/08/11	10/25/11	04/12/12	10/11/12	04/19/13	10/09/13	04/07/14	10/20/14	04/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
Total BTEX	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total PAHs	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

MW-9	06/08/11	10/25/11	04/12/12	10/11/12	04/19/13	10/09/13	04/07/14	10/20/14	04/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
Total BTEX	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total PAHs	ND	ND	ND	ND	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

MW-10	06/08/11	10/25/11	04/12/12	10/11/12	04/19/13	10/09/13	04/07/14	10/20/14	04/15/15	10/28/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
Total BTEX	17.9	34	37	64	34	39	20	2.6	10.8	14.3	20	27.7	6.9	23.5	5.2	8.6	8.2	3.0	13.8	5.3	10.3	33.0	37.3	22.2	ND	ND	10.2	ND	1.7	ND	ND
Total PAHs	16	24	38	42	42	38	23	6.2	14	ND	40	97.6	15.0	37.5	16.5	18.3	13.1	22.8	2.7	12.5	7.7	35.0	39.4	2.21	4.44	2.47	ND	ND	ND	0.36	ND

MW-12	06/08/11	10/25/11	04/12/12	10/11/12	04/19/13	10/09/13	04/07/14	10/20/14	04/15/15	10/30/15	04/21/16	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	04/01/21	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	04/11/24	10/24/24	04/10/25	10/22/25	04/22/26
Total BTEX	234	14	212	2.1	262	137	135	143	149	53.8	129	116.5	79.9	571	86.4	153.0	60.8	94.2	79.3	14.8	219	1.7	1.2	ND	17.3	1.8	1.1	ND	1.3	ND	ND
Total PAHs	ND	ND	6.6	6.0	6.0	29	36	1.7	25	4.6	25.2	8.7	10.2	25.1	18.1	22.3	10.3	14.8	0.47	16.6	99.6	ND	0.56	0.59	0.93	1.21	ND	ND	ND	ND	ND

EW-1	10/11/12	10/09/13	10/20/14	10/30/15	10/19/16	04/13/17	10/19/17	04/05/18	10/10/18	04/04/19	10/10/19	06/10/20	10/14/20	10/13/21	04/07/22	10/13/22	04/13/23	10/19/23	10/24/24	04/10/25	10/22/25
Total BTEX	3.4	226	323	32	21.6	104.3	191	104.7	209	131	201	197	301	330	125	214	221	380	283	239	39.1
Total PAHs	27	28	14.0	4.9	18.0	2.44	14.0	1.7	17.2	7.6	18.0	5.8	17.9	17.7	0.97	19.8	1.3	35.09	32.32	22.18	0.52

Notes:
Results are presented in units of micrograms per liter (µg/L).
BTEX - Benzene, Toluene, Ethylbenzene, Xylenes.
PAH - Polycyclic Aromatic Hydrocarbons
ND - Not Detected.

Appendix A – Field Data and Inspections

Field Inspection Form
Former MGP Site
Fort Plain, New York

Date: 1/26/2026 Time: 12:30

Technician: TB Weather: Snow 19

Site Controls				
Fence Condition	GOOD	FAIR	DAMAGED	COMMENTS:
Main Gate Condition	GOOD	FAIR	DAMAGED	COMMENTS:
Padlock-NG/GES	OPERATIONAL	NON-OPERATIONAL		COMMENTS:

General Site Conditions				
Condition of Monitoring Wells	GOOD	FAIR	POOR	COMMENTS:
Condition of Pavement (Rt. 5S Diner)	GOOD	FAIR	POOR	COMMENTS:
Evidence of Intrusive Activities	NONE	MINOR	SIGNIFICANT	COMMENTS:
Evidence of Settlement	NONE	MINOR	SIGNIFICANT	COMMENTS:

NOTE: Asphalt pavement on surrrounding properties is not part of the Site Remedy.

Former MGP Property Cover system				
Vegetative Growth	NONE	MINOR	SIGNIFICANT	COMMENTS:
Borrowing or Depressions	NONE	MINOR	SIGNIFICANT	COMMENTS:
Evidence of Settlement	NONE	MINOR	SIGNIFICANT	COMMENTS:
Evidence of Sedimentation	NONE	MINOR	SIGNIFICANT	COMMENTS:
Missing Stone	NONE	MINOR	SIGNIFICANT	COMMENTS:
Standing Water	NONE	MINOR	SIGNIFICANT	COMMENTS:
Damage or Failure	NONE	MINOR	SIGNIFICANT	COMMENTS:

Drainage Swale				
Vegetative Growth	NONE	MINOR	SIGNIFICANT	COMMENTS:
Evidence of Sedimentation	NONE	MINOR	SIGNIFICANT	COMMENTS:
Missing Stone	NONE	MINOR	SIGNIFICANT	COMMENTS:
Standing Water	NONE	MINOR	SIGNIFICANT	COMMENTS:
Damage or Failure	NONE	MINOR	SIGNIFICANT	COMMENTS:

Drainage Basin				
Condition of Basin	GOOD	FAIR	POOR	COMMENTS:
Evidence of Sedimentation	NONE	MINOR	SIGNIFICANT	COMMENTS:
Depth to Water	N/M			COMMENTS:

Concrete Block Retaining Wall (north of the former MGP property)				
Condition of Wall	GOOD	FAIR	POOR	COMMENTS:

NOTE: Concrete block retaining wall is not part of the Site Remedy.

Southern Gas Holder Retaining Wall				
Condition of Wall	GOOD	FAIR	POOR	COMMENTS:

Hillside (west of the former MGP property)				
Condition of Hill	GOOD	FAIR	POOR	COMMENTS:
Any Obvious Movement	NONE	MINOR	SIGNIFICANT	COMMENTS:

Site Monitoring Wells		
Well ID	*Location Secure*	
EW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-6	*Destroyed*	
MW-7	YES	NO
MW-8	YES	NO
MW-9	YES	NO
MW-10	YES	NO
MW-11	YES	NO
MW-12	YES	NO

General Comments:

Site is snow covered.

Field Inspection Form
Former MGP Site
Fort Plain, New York

Date: 4/22/2026 Time: 12:30

Technician: AJ Weather: Cloudy 53

Site Controls				
Fence Condition	GOOD	FAIR	DAMAGED	COMMENTS:
Main Gate Condition	GOOD	FAIR	DAMAGED	COMMENTS:
Padlock-NG/GES	OPERATIONAL	NON-OPERATIONAL		COMMENTS:

General Site Conditions				
Condition of Monitoring Wells	GOOD	FAIR	POOR	COMMENTS:
Condition of Pavement (Rt. 5S Diner)	GOOD	FAIR	POOR	COMMENTS:
Evidence of Intrusive Activities	NONE	MINOR	SIGNIFICANT	COMMENTS:
Evidence of Settlement	NONE	MINOR	SIGNIFICANT	COMMENTS:

NOTE: Asphalt pavement on surrrounding properties is not part of the Site Remedy.

Former MGP Property Cover system				
Vegetative Growth	NONE	MINOR	SIGNIFICANT	COMMENTS:
Borrowing or Depressions	NONE	MINOR	SIGNIFICANT	COMMENTS:
Evidence of Settlement	NONE	MINOR	SIGNIFICANT	COMMENTS:
Evidence of Sedimentation	NONE	MINOR	SIGNIFICANT	COMMENTS:
Missing Stone	NONE	MINOR	SIGNIFICANT	COMMENTS:
Standing Water	NONE	MINOR	SIGNIFICANT	COMMENTS:
Damage or Failure	NONE	MINOR	SIGNIFICANT	COMMENTS:

Drainage Swale				
Vegetative Growth	NONE	MINOR	SIGNIFICANT	COMMENTS:
Evidence of Sedimentation	NONE	MINOR	SIGNIFICANT	COMMENTS:
Missing Stone	NONE	MINOR	SIGNIFICANT	COMMENTS:
Standing Water	NONE	MINOR	SIGNIFICANT	COMMENTS:
Damage or Failure	NONE	MINOR	SIGNIFICANT	COMMENTS:

Drainage Basin				
Condition of Basin	GOOD	FAIR	POOR	COMMENTS:
Evidence of Sedimentation	NONE	MINOR	SIGNIFICANT	COMMENTS:
Depth to Water	1.66	feet below ground surface		COMMENTS:

Concrete Block Retaining Wall (north of the former MGP property)				
Condition of Wall	GOOD	FAIR	POOR	COMMENTS:

NOTE: Concrete block retaining wall is not part of the Site Remedy.

Southern Gas Holder Retaining Wall				
Condition of Wall	GOOD	FAIR	POOR	COMMENTS:

Hillside (west of the former MGP property)				
Condition of Hill	GOOD	FAIR	POOR	COMMENTS:
Any Obvious Movement	NONE	MINOR	SIGNIFICANT	COMMENTS:

Site Monitoring Wells		
Well ID	*Location Secure*	
EW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-7	YES	NO
MW-8	YES	NO
MW-9	YES	NO
MW-10	YES	NO
MW-12	YES	NO

General Comments:

National Grid
Former MGP Site
Fort Plain, New York

Semi-Annual Event

Well ID	Sample?	Well Size	DTW	DTP	DTB	Comments
EW-1	Yes	4"	2.73	—	8.61	Sampled Fall Event Only
MW-2	Yes	2"	4.40	—	17.81	
MW-3	Yes	2"	16.12	—	18.72	
MW-6	No	2"	NA	NA	NA	well has been destroyed
MW-7	Yes	2"	16.37	—	22.72	MS/MSD
MW-8	Yes	2"	18.85	—	24.52	
MW-9	Yes	2"	21.28	—	25.35	Field Duplicate
MW-10	Yes	2"	18.70	—	22.92	
MW-12	Yes	2"	2.70	—	19.57	

DTW *-depth to water*

DTP *-depth to product*

DTB *-depth to bottom*

NA *-Not Applicable*

National Grid
Former MGP Site, Fort Plain, New York

Only sample in fall

Sampling Personnel: _____ Date: _____

Job Number: 0625050-133390-221 Weather: _____

Well Id. **EW-1** Time In: _____ Time Out: _____

Well Information

		TOC	Other
Depth to Water:	(feet)		
Depth to Bottom:	(feet)	8.61	
Depth to Product:	(feet)		
Length of Water Column:	(feet)		
Volume of Water in Well:	(gal)		
Three Well Volumes:	(gal)		

Well Type: Flushmount ☐ Stick-Up ☒
Well Locked: Yes ☐ No ☒
Measuring Point Marked: Yes ☒ No ☐
Well Material: PVC ☒ SS ☐ Other: _____
Well Diameter: 2" ☐ 4" ☒ Other: _____
Comments: _____

Purging Information

Purging Method:	Bailer ☐	Peristaltic ☒	Well Wizard Dedicated Pump ☐		
Tubing/Bailer Material:	Teflon ☐	Stainless St. ☐	Polyethylene ☒	other ☐	
Sampling Method:	Bailer ☒	Peristaltic ☒	Well Wizard Dedicated Pump ☐		
Average Pumping Rate:	(ml/min)				
Duration of Pumping:	(min)				
Total Volume Removed:	(gal)				

Did well go dry? Yes ☐ No ☐

Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
EPA SW-846 Method 8260 VOC's BTEX

2 - 250 ml amber Yes ☒ No ☐
3 - 40 mL vials Yes ☒ No ☐

Sample ID: **EW-1** Duplicate? Yes ☐ No ☒
Sample Time: _____ MS/MSD? Yes ☐ No ☒

Shipped: Syracuse Service Center ☒
Fed-Ex ☐ Courier ☐

Comments/Notes:

Laboratory: Eurofins Amherst, NY

National Grid
Former MGP Site, Fort Plain, New York

Sampling Personnel: AS
Job Number: 0625050-133390-221
Well Id. **MW-2**

Date: 4/22/26
Weather: 47°F. cloudy
Time In: 0945 Time Out: 1030

Well Information

		TOC	Other
Depth to Water:	(feet)	4.40	
Depth to Bottom:	(feet)	17.81	
Depth to Product:	(feet)	NP	
Length of Water Column:	(feet)	13.41	
Volume of Water in Well:	(gal)	2.14	
Three Well Volumes:	(gal)	6.4	

Well Type: Flushmount [X] Stick-Up [ ]
Well Locked: Yes [X] No [ ]
Measuring Point Marked: Yes [X] No [ ]
Well Material: PVC [X] SS [ ] Other:
Well Diameter: 1" [ ] 2" [X] Other:
Comments:

Purging Information

Purging Method:	Bailer [ ]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]	
Tubing/Bailer Material:	Teflon [ ]	Stainless St. [ ]	Polyethylene [X]	other [ ]
Sampling Method:	Bailer [X]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]	

Average Pumping Rate: 200 (ml/min)
Duration of Pumping: 40 (min)
Total Volume Removed: 2.5 (gal)

Did well go dry? Yes [ ] No [X]

Horiba U-52 Water Quality Meter Used? Yes [X] No [ ]

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
0940	5.43	11.90	9.89	-129	0.964	19.5	0.78	0.617
0945	5.98	11.94	9.91	-134	0.960	19.7	0.49	0.615
0950	6.65	11.31	10.09	-135	0.928	52.7	0.00	0.594
0955	7.36	11.32	10.15	-135	0.908	35.8	0.00	0.581
1000	7.95	11.22	10.20	-139	0.903	19.8	0.00	0.578
1005	8.17	11.12	10.24	-141	0.901	10.2	0.00	0.577
1010	8.17	11.10	10.23	-141	0.899	9.3	0.00	0.576
1015	8.19	11.08	10.23	-140	0.897	7.8	0.00	0.574
1020	8.19	11.10	10.24	-140	0.896	5.3	0.00	0.573

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
EPA SW-846 Method 8260 VOC's BTEX

2 - 250 ml amber Yes [X] No [ ]
3 - 40 mL vials Yes [X] No [ ]

Sample ID: **MW-2**
Sample Time: 1025

Duplicate? Yes [ ] No [X]
MS/MSD? Yes [ ] No [X]

Shipped: Syracuse Service Center [X]
Fed-Ex [ ] Courier [ ]

Comments/Notes:

Laboratory: Eurofins Amherst, NY

National Grid
Former MGP Site, Fort Plain, New York

Sampling Personnel: AS
Date: 4/22/26
Job Number: 0625050-133390-221
Weather: 51°F, cloudy
Well Id. **MW-3**
Time In: 1135 Time Out: 1220

Well Information

		TOC	Other
Depth to Water:	(feet)	16.12	
Depth to Bottom:	(feet)	18.72	
Depth to Product:	(feet)	NP	
Length of Water Column:	(feet)	2.60	
Volume of Water in Well:	(gal)	0.41	
Three Well Volumes:	(gal)	1.24	

Well Type: Flushmount [X] Stick-Up [ ]
Well Locked: Yes [X] No [ ]
Measuring Point Marked: Yes [X] No [ ]
Well Material: PVC [X] SS [ ] Other: ____
Well Diameter: 1" [ ] 2" [X] Other: ____
Comments:

Purging Information

Purging Method:	Bailer [ ]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		
Tubing/Bailer Material:	Teflon [ ]	Stainless St. [ ]	Polyethylene [X]	other [ ]	
Sampling Method:	Bailer [X]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		

Average Pumping Rate: 200 (ml/min)
Duration of Pumping: (min)
Total Volume Removed: (gal)
Did well go dry? Yes [ ] No [ ]
Horiba U-52 Water Quality Meter Used? Yes [X] No [ ]

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6"JD
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1140	16.37	10.03	7.47	59	1.00	3.9	2.57	0.648
1145	16.49	10.54	7.38	105	0.856	0.0	5.68	0.548
1150	16.56	10.28	7.38	115	0.841	0.0	5.82	0.538
1155	16.65	10.24	7.38	117	0.840	0.0	5.86	0.537
1200	16.72	10.12	7.40	126	0.833	0.0	5.80	0.533
1205	16.81	10.10	7.40	128	0.832	0.0	5.75	0.532
1210	16.89	10.09	7.40	133	0.831	0.0	5.60	0.532

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
EPA SW-846 Method 8260 VOC's BTEX

2 - 250 ml amber Yes [X] No [ ]
3 - 40 mL vials Yes [X] No [ ]

Sample ID: **MW-3**
Sample Time: 1215
Duplicate? Yes [ ] No [X]
MS/MSD? Yes [ ] No [X]

Shipped: Syracuse Service Center [X]
Fed-Ex [ ] Courier [ ]

Comments/Notes:

Laboratory: Eurofins Amherst, NY

National Grid
Former MGP Site, Fort Plain, New York

Sampling Personnel: AS
Job Number: 0625050-133390-221
Well Id. **MW-7**

Date: 4/21/26
Weather: 38, mostly sunny
Time In: 1045 Time Out: 1130

Well Information

		TOC	Other
Depth to Water:	(feet)	16.37	
Depth to Bottom:	(feet)	22.72	
Depth to Product:	(feet)	NP	
Length of Water Column:	(feet)	6.35	
Volume of Water in Well:	(gal)	1.01	
Three Well Volumes:	(gal)	3.04	

Well Type: Flushmount [X] Stick-Up [ ]
Well Locked: Yes [X] No [ ]
Measuring Point Marked: Yes [X] No [ ]
Well Material: PVC [X] SS [ ] Other:
Well Diameter: 1" [ ] 2" [X] Other:
Comments:

Purging Information

Purging Method:	Bailer [ ]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		
Tubing/Bailer Material:	Teflon [ ]	Stainless St. [ ]	Polyethylene [X]	other [ ]	
Sampling Method:	Bailer [X]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		
Average Pumping Rate:	200 (ml/min)				
Duration of Pumping:	30 (min)				
Total Volume Removed:	2.5 (gal)				

Did well go dry? Yes [ ] No [X]

Horiba U-52 Water Quality Meter Used? Yes [X] No [ ]

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1050	16.45	12.64	7.76	30	3.48	58.1	1.37	2.32
1055	16.45	12.34	8.31	-80	1.36	46.0	0.65	0.872
1100	16.45	12.35	8.27	-85	1.54	23.7	0.22	0.959
1105	16.45	12.23	8.26	-91	1.50	12.0	0.14	0.934
1110	16.45	12.19	8.23	-92	1.25	2.8	0.03	0.800
1115	16.45	12.16	8.24	-100	1.23	1.2	0.00	0.785
1120	16.45	12.17	8.25	-102	1.22	0.0	0.00	0.781

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
EPA SW-846 Method 8260 VOC's BTEX

6 - 250 ml amber Yes [X] No [ ]
9 - 40 mL vials Yes [X] No [ ]

MW-7-MS and MW-7-MSD

Sample ID: **MW-7** Duplicate? Yes [ ] No [X]
Sample Time: 1125 MS? Yes [X] No [ ]

Shipped: Syracuse Service Center [X]
Fed-Ex [ ] Courier [ ]

Comments/Notes:

Laboratory: Eurofins
Amherst, NY

National Grid
Former MGP Site, Fort Plain, New York

Sampling Personnel: AS
Date: 4/24/25
Job Number: 0625050-133390-221
Weather: 41°F, mostly sunny
Well Id. **MW-8**
Time In: 1145 Time Out: 1230

Well Information

		TOC	Other
Depth to Water:	(feet)	18.85	
Depth to Bottom:	(feet)	24.52	
Depth to Product:	(feet)	NP	
Length of Water Column:	(feet)	5.67	
Volume of Water in Well:	(gal)	0.90	
Three Well Volumes:	(gal)	2.72	

Well Type: Flushmount [X] Stick-Up [ ]
Well Locked: Yes [X] No [ ]
Measuring Point Marked: Yes [X] No [ ]
Well Material: PVC [X] SS [ ] Other:
Well Diameter: 1" [ ] 2" [X] Other:
Comments:

Purging Information

Purging Method:	Bailer [ ]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		
Tubing/Bailer Material:	Teflon [ ]	Stainless St. [ ]	Polyethylene [X]	other [ ]	
Sampling Method:	Bailer [X]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		

Average Pumping Rate: 200 (ml/min)
Duration of Pumping: 30 (min)
Total Volume Removed: 25 (gal)
Did well go dry? Yes [ ] No [ ]
Horiba U-52 Water Quality Meter Used? Yes [X] No [ ]

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1150	18.86	12.33	8.00	-31	1.48	2.3	3.70	0.930
1155	18.86	12.52	7.56	84	1.88	0.0	4.20	1.20
1200	18.86	12.63	7.48	107	1.89	0.0	3.87	1.21
1205	18.86	12.77	7.45	109	1.89	0.0	3.97	1.21
1210	18.86	12.61	7.41	118	1.88	0.0	4.65	1.21
1215	18.86	12.73	7.40	121	1.88	0.0	4.63	1.20
1220	18.86	12.85	7.39	123	1.88	0.0	4.55	1.19

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
EPA SW-846 Method 8260 VOC's BTEX

2 - 250 ml amber Yes [X] No [ ]
3 - 40 mL vials Yes [X] No [ ]

Sample ID: **MW-8**
Sample Time: 1225
Duplicate? Yes [ ] No [X]
MS/MSD? Yes [ ] No [X]

Shipped: Syracuse Service Center [X]
Fed-Ex [ ] Courier [ ]

Comments/Notes:

Laboratory: Eurofins Amherst, NY

National Grid
Former MGP Site, Fort Plain, New York

Sampling Personnel: AJ
Job Number: 0625050-133390-221
Well Id. **MW-9**

Date: 4/22/24
Weather: 44°F, cloudy
Time In: 0825 Time Out: 0920

Well Information

		TOC	Other
Depth to Water:	(feet)	21.28	
Depth to Bottom:	(feet)	25.35	
Depth to Product:	(feet)	NP	
Length of Water Column:	(feet)	4.07	
Volume of Water in Well:	(gal)	0.65	
Three Well Volumes:	(gal)	1.95	

Well Type: Flushmount [X] Stick-Up [ ]
Well Locked: Yes [X] No [ ]
Measuring Point Marked: Yes [X] No [ ]
Well Material: PVC [X] SS [ ] Other: ____
Well Diameter: 1" [ ] 2" [X] Other: ____
Comments:

Purging Information

Purging Method:	Bailer [ ]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		
Tubing/Bailer Material:	Teflon [ ]	Stainless St. [ ]	Polyethylene [X]	other [ ]	
Sampling Method:	Bailer [X]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		

Average Pumping Rate: 200 (ml/min)
Duration of Pumping: 40 (min)
Total Volume Removed: 2.5 (gal)

Did well go dry? Yes [ ] No [X]

Horiba U-52 Water Quality Meter Used? Yes [X] No [ ]

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
0830	21.30	13.40	7.48	122	2.75	20.8	3.50	1.70
0835	21.30	14.09	7.63	128	4.03	57.7	1.35	2.57
0840	21.30	12.47	7.54	139	4.14	23.7	0.51	2.65
0845	21.30	12.40	7.50	140	4.10	19.8	0.55	2.63
0850	21.30	12.32	7.46	141	4.08	15.2	0.45	2.61
0855	21.30	12.29	7.43	143	4.05	10.1	0.79	2.59
0900	21.30	12.20	7.40	144	4.05	9.4	0.93	2.59
0905	21.30	12.04	7.37	145	4.04	7.5	1.17	2.60
0910	21.30	11.97	7.37	146	4.05	6.3	1.35	2.59

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
EPA SW-846 Method 8260 VOC's BTEX

4 - 250 ml amber Yes [X] No [ ]
6 - 40 mL vials Yes [X] No [ ]

Field Duplicate
Sample ID: **MW-9**
Sample Time: 0915

Duplicate? Yes [X] No [ ]
MS? Yes [ ] No [X]

Shipped: Syracuse Service Center [X]
Fed-Ex [ ] Courier [ ]

Comments/Notes:

Laboratory: Eurofins
Amherst, NY

National Grid
Former MGP Site, Fort Plain, New York

Sampling Personnel: AS
Date: 4/21/26
Job Number: 0625050-133390-221
Weather: 35°F, sunny
Well Id. MW-10
Time In: 0935 Time Out: 1045

Well Information

		TOC	Other
Depth to Water:	(feet)	18.70	
Depth to Bottom:	(feet)	22.92	
Depth to Product:	(feet)	NP	
Length of Water Column:	(feet)	4.22	
Volume of Water in Well:	(gal)	0.67	
Three Well Volumes:	(gal)	2.02	

Well Type: Flushmount [X] Stick-Up [ ]
Well Locked: Yes [X] No [ ]
Measuring Point Marked: Yes [X] No [ ]
Well Material: PVC [X] SS [ ] Other:
Well Diameter: 1" [ ] 2" [X] Other:
Comments:

Purging Information

Purging Method:	Bailer [ ]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		
Tubing/Bailer Material:	Teflon [ ]	Stainless St. [ ]	Polyethylene [X]	other [ ]	
Sampling Method:	Bailer [X]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		

Average Pumping Rate: 150 (ml/min)
Duration of Pumping: 60 (min)
Total Volume Removed: 2.5 (gal)
Did well go dry? Yes [ ] No [X]
Horiba U-52 Water Quality Meter Used? Yes [X] No [ ]

Conversion Factors

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=1337cu. feet

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
0940	19.90	10.94	7.61	64	4.88	268	4.72	3.12
0945	20.52	11.39	7.59	82	4.74	224	4.05	3.04
0950	20.72	11.54	7.54	102	4.74	164	8.89	3.03
0955	20.84	11.64	7.50	105	4.95	154	8.24	3.17
1000	21.08	12.01	7.44	92	4.94	138	4.51	3.16
1005	21.30	12.29	7.40	94	4.94	126	4.20	3.16
1010	21.39	12.37	7.38	97	4.94	121	4.05	3.16
1015	21.49	12.56	7.37	101	4.92	94	3.87	3.15
1020	21.61	12.64	7.35	103	4.91	106	3.79	3.14
1025	21.73	12.63	7.33	105	4.88	101	3.45	3.12
1030	21.82	12.63	7.32	106	4.87	89.8	3.40	3.12
1035	21.89	12.82	7.30	111	4.87	63.4	2.41	3.11

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's — 2 - 250 ml amber: Yes [X] No [ ]
EPA SW-846 Method 8260 VOC's BTEX — 3 - 40 mL vials: Yes [X] No [ ]

Sample ID: MW-10
Sample Time: 1040
Duplicate? Yes [ ] No [X]
MS/MSD? Yes [ ] No [X]
Shipped: Syracuse Service Center [X] Fed-Ex [ ] Courier [ ]

Comments/Notes:

Laboratory: Eurofins Amherst, NY

National Grid
Former MGP Site, Fort Plain, New York

Sampling Personnel: AJ
Date: 4/22/26
Job Number: 0625050-133390-221
Weather: 49°F, cloudy
Well Id. **MW-12**
Time In: 1045 Time Out: 1130

Well Information

		TOC	Other
Depth to Water:	(feet)	2.70	
Depth to Bottom:	(feet)	22.92	
Depth to Product:	(feet)	NP	
Length of Water Column:	(feet)	20.22	
Volume of Water in Well:	(gal)	3.23	
Three Well Volumes:	(gal)	9.70	

Well Type: Flushmount [X] Stick-Up [ ]
Well Locked: Yes [X] No [ ]
Measuring Point Marked: Yes [X] No [ ]
Well Material: PVC [X] SS [ ] Other: ____
Well Diameter: 1" [ ] 2" [X] Other: ____
Comments:

Purging Information

Purging Method:	Bailer [ ]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		
Tubing/Bailer Material:	Teflon [ ]	Stainless St. [ ]	Polyethylene [X]	other [ ]	
Sampling Method:	Bailer [X]	Peristaltic [X]	Well Wizard Dedicated Pump [ ]		
Average Pumping Rate:	200 (ml/min)				
Duration of Pumping:	30 (min)				
Total Volume Removed:	2.5 (gal)				

Did well go dry? Yes [ ] No [X]

Horiba U-52 Water Quality Meter Used? Yes [X] No [ ]

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1050	2.70	11.28	9.67	-64	1.01	10.7	0.00	0.659
1055	2.70	10.90	8.29	43	1.21	6.9	0.00	0.774
1100	2.70	10.67	7.97	36	1.22	3.2	0.00	0.778
1105	2.71	10.63	7.88	34	1.22	5.8	0.00	0.778
1110	2.71	10.45	7.59	29	1.16	9.7	0.00	0.739
1115	2.71	10.51	7.50	29	1.11	8.4	0.00	0.711
1120	2.71	10.52	7.45	31	1.05	6.3	0.00	0.694

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
EPA SW-846 Method 8260 VOC's BTEX

2 - 250 ml amber Yes [X] No [ ]
3 - 40 mL vials Yes [X] No [ ]

Sample ID: **MW-12** Duplicate? Yes [ ] No [X]
Sample Time: 1125 MS/MSD? Yes [ ] No [X]

Shipped: Syracuse Service Center [X]
Fed-Ex [ ] Courier [ ]

Comments/Notes:

Laboratory: Eurofins Amherst, NY

Eurofins Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Phone (716) 691-2600 Phone (716) 691-7991

Chain of Custody Record

eurofins

Client Information	Sampler:	Lab PM: Beninati, John	Carrier Tracking No(s):	COC No: 480-192869-40370.1
Client Contact: Tim Beaumont	Phone:	E-Mail: John.Beninati@et.eurofinsus.com	State of Origin:	Page: Page 1 of 1
Company: Groundwater & Environmental Services Inc	PWSID:			Job #:

Address: 6780 Northern Boulevard Suite 100	Due Date Requested:
City: East Syracuse	TAT Requested (days): Standard
State, Zip: NY, 13057	Compliance Project: Δ Yes Δ No
Phone:	PO #: 0625050-133390-221-1106
Email: tbeaumont@gesonline.com	WO #:
Project Name: Fort Plain Semi-Annual GWS Event Desc: Fort Plain Semi-Annua	Project #: 48027231
Site: Fort Plain Semi-Annual GWS	SSOW#:

Analysis Requested

Preservation Codes:
A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Y - Trizma, Z - other (specify)
Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8270D - PAH Semivolatiles	8260C - BTEX - 8260	Total Number of containers	Special Instructions/Note:
			Preservation Code:				N	A		
~~EW-1~~	~~4~~		~~G~~	Water			2	3	5	
MW-2	4/22/24	1025	G	Water			2	3	5	
MW-3	4/22/24	1215	G	Water			2	3	5	
MW-7	4/21/24	1125	G	Water			2	3	5	
MW-7-MS	4/21/24	1125	G	Water			2	3	5	
MW-7-MSD	4/21/24	1125	G	Water			2	3	5	
MW-8	4/21/24	1225	G	Water			2	3	5	
MW-9	4/22/24	0915	G	Water			2	3	5	
MW-10	4/21/24	1040	G	Water			2	3	5	
MW-12	4/22/24	1125	G	Water			2	3	5	
Field Duplicate	4/22/24	1200	G	Water			2	3	5	
Trip Blank				Water				3	3	

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
	4/22/24 1515	GES		4/22/24 1515	
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:

Ver: 01/16/2019

Appendix B – Data Usability Summary Report

Groundwater
& Environmental Services, Inc.

202 North Main Street, Kent Square North, Suite 200 • Blacksburg, Virginia 24060 • (866) 756 0788

May 4, 2026

Devin Shay
Groundwater & Environmental Services Syracuse
6780 Northern Blvd., Suite 100
East Syracuse, NY 13057

RE: Data Usability Summary Report for National Grid - Fort Plain, NY Site Data Package
Eurofins Buffalo Job No. 480-237906-1

Groundwater & Environmental Services, Inc. (GES) reviewed one data package (Laboratory Project Number 480-237906-1) from the Eurofins Buffalo laboratory, for the analysis of groundwater samples collected on April 21-22, 2026 from monitoring wells located at the National Grid Fort Plain, NY Site. Seven aqueous samples and one field duplicate (MW-9 location) were analyzed for select volatile organics and PAHs. One trip blank was analyzed for select volatile organics. Methodologies utilized are the USEPA SW846 methods 8260D and 8270D, with additional QC requirements of the NYSDEC ASP.

The data are reported as part of a complete full deliverable type B data validation. This usability report is generated from review of the following:

- Laboratory Narrative Discussion
- Custody Documentation
- Holding Times
- Surrogate and Internal Standard Recoveries
- Matrix Spike Recoveries/Duplicate (MS/MSD) Correlations
- Field Duplicate Correlations
- Laboratory Control Sample (LCS)
- Preparation/Calibration Blanks
- Calibration/Low Level Standard Responses
- Instrumental Tunes
- Sample Quantitation and Identification

The items listed above which show deficiencies are discussed within the text of this narrative. All other items are determined to be acceptable for the DUSR level review.

Table 1. Data Qualifications

Sample ID	Qualifier	Analyte	Reason for qualification
MW-7	J+	Benzene Ethylbenzene Toluene m-Xylene & p-Xylene o-Xylene	High MS/MSD

In summary, sample results are usable as reported. Qualifications are detailed in Table 1.

The laboratory case narratives and sample identification summary forms are attached to this text and should be reviewed in conjunction with this report.

BTEX and TCL Volatiles by EPA 8260C/NYSDEC ASP

Sample holding times are met. Samples were preserved appropriately for the methods requested.

Surrogate and internal standard recoveries are within required limits. There are no positive detections in the trip or laboratory blanks.

Calibration recoveries are within project specifications. Field precision was not measured as neither the sample MW-9, nor the duplicate taken at MW-9 location reported concentrations above the detection level. Instrumental tune results were within EPA guidance. Laboratory control samples reported recoveries and relative percent differences within project and laboratory variance.

Matrix spikes were performed utilizing MW-7 as the matrix. All constituents reported a high recovery in either the MS or MSD, and the positive data is qualified as estimated with a possible high bias.

PAHs by EPA8270D/NYSDEC ASP

Sample holding times are met.

Surrogate and internal standard recoveries are within required limits. There are no positive detections in the trip or laboratory blanks.


Calibration recoveries are within project specifications. Field precision was not measured as neither the sample MW-9 nor the duplicate taken at MW-9 location reported concentrations above the detection level. Instrumental tune results were within EPA guidance. Laboratory control samples reported recoveries and relative percent differences within project and laboratory variance.

Matrix spikes were performed utilizing MW-7 as the matrix samples reported recoveries and relative percent differences within project and laboratory variance.

Data Package Completeness

Specific NYSDEC Category B deliverables were included in the laboratory data package, all information required for validation of the data is present.

Please do not hesitate to contact me if you have comments or questions regarding this report.



Bonnie Janowiak, Ph.D.
Project Chemist
202 North Main Street
Kent Square North, Suite 200
Blacksburg, VA 24060

VALIDATION DATA QUALIFIER DEFINITIONS

U	The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit.
J	The analyte was positively identified; the associated numerical value is an approximate concentration of the analyte in the sample.
J-	The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased low.
J+	The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased high.
UJ	The analyte was analyzed for, but was not detected. The associated reported quantitation limit is approximate and may be inaccurate or imprecise.
NJ	The detection is tentative in identification and estimated in value. Although there is presumptive evidence of the analyte, the result should be used with caution as a potential false positive and/or elevated quantitative value.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting Quality Control limits. The analyte may or may not be present.

Sample Summaries
and
Laboratory Case Narratives

Sample Summary

Client: Groundwater & Environmental Services Inc
Project/Site:

Job ID: 480-237906-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
480-237906-1	MW-2	Water	04/22/26 10:25	04/23/26 10:00	New York
480-237906-2	MW-3	Water	04/22/26 12:15	04/23/26 10:00	New York
480-237906-3	MW-7	Water	04/21/26 11:25	04/23/26 10:00	New York
480-237906-4	MW-8	Water	04/21/26 12:25	04/23/26 10:00	New York
480-237906-5	MW-9	Water	04/22/26 09:15	04/23/26 10:00	New York
480-237906-6	MW-10	Water	04/21/26 10:40	04/23/26 10:00	New York
480-237906-7	MW-12	Water	04/22/26 11:25	04/23/26 10:00	New York
480-237906-8	Field Duplicate	Water	04/22/26 12:00	04/23/26 10:00	New York
480-237906-9	Trip Blank	Water	04/22/26 00:00	04/23/26 10:00	New York

Job ID: 480-237906-1 Eurofins Buffalo

Job Narrative
480-237906-1

Receipt
The samples were received on 4/23/2026 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.4º C.

GC/MS VOA
Method 8260D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 480-773609 were outside control limits for one or more analytes. See QC Sample Results for detail. The associated samples are:MW-7-MS (480-237906-3[MS]) and MW-7-MSD (480-237906-3[MSD]).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC/MS Semi VOA
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Appendix C – Laboratory Analytical Report

eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Tim Beaumont
Groundwater & Environmental Services Inc
6780 Northern Boulevard
Suite 100
East Syracuse, New York 13057

Generated 4/29/2026 4:48:06 AM

JOB DESCRIPTION

Fort Plain Semi-Annual GW

JOB NUMBER

480-237906-1

Eurofins Buffalo
10 Hazelwood Drive
Amherst NY 14228-2298

See page two for job notes and contact information.

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
4/29/2026 4:48:06 AM

Authorized for release by
John Beninati, Project Manager I
John.Beninati@et.eurofinsus.com
(716)504-9874

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 7
Surrogate Summary 14
QC Sample Results 15
QC Association Summary 19
Lab Chronicle 20
Certification Summary 22
Method Summary 23
Sample Summary 24
Chain of Custody 25
Receipt Checklists 26

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 480-237906-1 Eurofins Buffalo

Job Narrative
480-237906-1

Receipt
The samples were received on 4/23/2026 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.4º C.

GC/MS VOA
Method 8260D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 480-773609 were outside control limits for one or more analytes. See QC Sample Results for detail. The associated samples are:MW-7-MS (480-237906-3[MS]) and MW-7-MSD (480-237906-3[MSD]).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC/MS Semi VOA
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: Groundwater & Environmental Services Inc | Job ID: 480-237906-1

Client Sample ID: MW-2 | Lab Sample ID: 480-237906-1

No Detections.

Client Sample ID: MW-3 | Lab Sample ID: 480-237906-2

No Detections.

Client Sample ID: MW-7 | Lab Sample ID: 480-237906-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	18	F1	1.0	0.41	ug/L	1		EPA 8260D	Total/NA
m-Xylene & p-Xylene	1.7	J F1	2.0	0.66	ug/L	1		EPA 8260D	Total/NA
o-Xylene	6.9	F1	1.0	0.76	ug/L	1		EPA 8260D	Total/NA
Xylenes, Total	8.6	F1	2.0	0.66	ug/L	1		EPA 8260D	Total/NA
Total BTEX	27	F1	2.0	1.0	ug/L	1		EPA 8260D	Total/NA
Acenaphthene	20		5.0	0.41	ug/L	1		8270D	Total/NA
Fluorene	1.9	J	5.0	0.36	ug/L	1		8270D	Total/NA

Client Sample ID: MW-8 | Lab Sample ID: 480-237906-4

No Detections.

Client Sample ID: MW-9 | Lab Sample ID: 480-237906-5

No Detections.

Client Sample ID: MW-10 | Lab Sample ID: 480-237906-6

No Detections.

Client Sample ID: MW-12 | Lab Sample ID: 480-237906-7

No Detections.

Client Sample ID: Field Duplicate | Lab Sample ID: 480-237906-8

No Detections.

Client Sample ID: Trip Blank | Lab Sample ID: 480-237906-9

No Detections.

This Detection Summary does not include radiochemical test results.

Client Sample ID: MW-2

Lab Sample ID: 480-237906-1

Date Collected: 04/22/26 10:25

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.41	ug/L			04/23/26 23:41	1
Toluene	ND		1.0	0.51	ug/L			04/23/26 23:41	1
Ethylbenzene	ND		1.0	0.74	ug/L			04/23/26 23:41	1
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L			04/23/26 23:41	1
o-Xylene	ND		1.0	0.76	ug/L			04/23/26 23:41	1
Xylenes, Total	ND		2.0	0.66	ug/L			04/23/26 23:41	1
Total BTEX	ND		2.0	1.0	ug/L			04/23/26 23:41	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*102*		*80 - 120*		*04/23/26 23:41*	*1*
1,2-Dichloroethane-d4 (Surr)	*100*		*77 - 120*		*04/23/26 23:41*	*1*
4-Bromofluorobenzene (Surr)	*99*		*73 - 120*		*04/23/26 23:41*	*1*
Dibromofluoromethane (Surr)	*101*		*75 - 123*		*04/23/26 23:41*	*1*

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		5.0	0.41	ug/L		04/24/26 09:34	04/27/26 13:52	1
Acenaphthylene	ND		5.0	0.38	ug/L		04/24/26 09:34	04/27/26 13:52	1
Anthracene	ND		5.0	0.28	ug/L		04/24/26 09:34	04/27/26 13:52	1
Benzo[a]anthracene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 13:52	1
Benzo[a]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 13:52	1
Benzo[b]fluoranthene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 13:52	1
Benzo[g,h,i]perylene	ND		5.0	0.35	ug/L		04/24/26 09:34	04/27/26 13:52	1
Benzo[k]fluoranthene	ND		5.0	0.73	ug/L		04/24/26 09:34	04/27/26 13:52	1
Chrysene	ND		5.0	0.33	ug/L		04/24/26 09:34	04/27/26 13:52	1
Dibenz(a,h)anthracene	ND		5.0	0.42	ug/L		04/24/26 09:34	04/27/26 13:52	1
Fluoranthene	ND		5.0	0.40	ug/L		04/24/26 09:34	04/27/26 13:52	1
Fluorene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 13:52	1
Indeno[1,2,3-cd]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 13:52	1
Naphthalene	ND		5.0	0.76	ug/L		04/24/26 09:34	04/27/26 13:52	1
Phenanthrene	ND		5.0	0.44	ug/L		04/24/26 09:34	04/27/26 13:52	1
Pyrene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 13:52	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2-Fluorobiphenyl (Surr)	*74*		*53 - 126*	*04/24/26 09:34*	*04/27/26 13:52*	*1*
Nitrobenzene-d5 (Surr)	*59*		*29 - 129*	*04/24/26 09:34*	*04/27/26 13:52*	*1*
p-Terphenyl-d14 (Surr)	*60*		*33 - 132*	*04/24/26 09:34*	*04/27/26 13:52*	*1*

Client Sample ID: MW-3

Lab Sample ID: 480-237906-2

Date Collected: 04/22/26 12:15

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.41	ug/L			04/24/26 00:04	1
Toluene	ND		1.0	0.51	ug/L			04/24/26 00:04	1
Ethylbenzene	ND		1.0	0.74	ug/L			04/24/26 00:04	1
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L			04/24/26 00:04	1
o-Xylene	ND		1.0	0.76	ug/L			04/24/26 00:04	1
Xylenes, Total	ND		2.0	0.66	ug/L			04/24/26 00:04	1
Total BTEX	ND		2.0	1.0	ug/L			04/24/26 00:04	1

Client Sample ID: MW-3

Lab Sample ID: 480-237906-2

Date Collected: 04/22/26 12:15

Matrix: Water

Date Received: 04/23/26 10:00

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	*98*		*80 - 120*		*04/24/26 00:04*	*1*
1,2-Dichloroethane-d4 (Surr)	*101*		*77 - 120*		*04/24/26 00:04*	*1*
4-Bromofluorobenzene (Surr)	*104*		*73 - 120*		*04/24/26 00:04*	*1*
Dibromofluoromethane (Surr)	*100*		*75 - 123*		*04/24/26 00:04*	*1*

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		5.0	0.41	ug/L		04/24/26 09:34	04/27/26 14:19	1
Acenaphthylene	ND		5.0	0.38	ug/L		04/24/26 09:34	04/27/26 14:19	1
Anthracene	ND		5.0	0.28	ug/L		04/24/26 09:34	04/27/26 14:19	1
Benzo[a]anthracene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 14:19	1
Benzo[a]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 14:19	1
Benzo[b]fluoranthene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 14:19	1
Benzo[g,h,i]perylene	ND		5.0	0.35	ug/L		04/24/26 09:34	04/27/26 14:19	1
Benzo[k]fluoranthene	ND		5.0	0.73	ug/L		04/24/26 09:34	04/27/26 14:19	1
Chrysene	ND		5.0	0.33	ug/L		04/24/26 09:34	04/27/26 14:19	1
Dibenz(a,h)anthracene	ND		5.0	0.42	ug/L		04/24/26 09:34	04/27/26 14:19	1
Fluoranthene	ND		5.0	0.40	ug/L		04/24/26 09:34	04/27/26 14:19	1
Fluorene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 14:19	1
Indeno[1,2,3-cd]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 14:19	1
Naphthalene	ND		5.0	0.76	ug/L		04/24/26 09:34	04/27/26 14:19	1
Phenanthrene	ND		5.0	0.44	ug/L		04/24/26 09:34	04/27/26 14:19	1
Pyrene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 14:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	*78*		*53 - 126*	*04/24/26 09:34*	*04/27/26 14:19*	*1*
Nitrobenzene-d5 (Surr)	*61*		*29 - 129*	*04/24/26 09:34*	*04/27/26 14:19*	*1*
p-Terphenyl-d14 (Surr)	*71*		*33 - 132*	*04/24/26 09:34*	*04/27/26 14:19*	*1*

Client Sample ID: MW-7

Lab Sample ID: 480-237906-3

Date Collected: 04/21/26 11:25

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	**18**	**F1**	1.0	0.41	ug/L			04/24/26 00:26	1
Toluene	ND	F1	1.0	0.51	ug/L			04/24/26 00:26	1
Ethylbenzene	ND	F1	1.0	0.74	ug/L			04/24/26 00:26	1
m-Xylene & p-Xylene	**1.7**	**J F1**	2.0	0.66	ug/L			04/24/26 00:26	1
o-Xylene	**6.9**	**F1**	1.0	0.76	ug/L			04/24/26 00:26	1
Xylenes, Total	**8.6**	**F1**	2.0	0.66	ug/L			04/24/26 00:26	1
Total BTEX	**27**	**F1**	2.0	1.0	ug/L			04/24/26 00:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	*97*		*80 - 120*		*04/24/26 00:26*	*1*
1,2-Dichloroethane-d4 (Surr)	*115*		*77 - 120*		*04/24/26 00:26*	*1*
4-Bromofluorobenzene (Surr)	*100*		*73 - 120*		*04/24/26 00:26*	*1*
Dibromofluoromethane (Surr)	*101*		*75 - 123*		*04/24/26 00:26*	*1*

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	**20**		5.0	0.41	ug/L		04/24/26 09:34	04/27/26 13:25	1

Client Sample ID: MW-7

Lab Sample ID: 480-237906-3

Date Collected: 04/21/26 11:25

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthylene	ND		5.0	0.38	ug/L		04/24/26 09:34	04/27/26 13:25	1
Anthracene	ND		5.0	0.28	ug/L		04/24/26 09:34	04/27/26 13:25	1
Benzo[a]anthracene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 13:25	1
Benzo[a]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 13:25	1
Benzo[b]fluoranthene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 13:25	1
Benzo[g,h,i]perylene	ND		5.0	0.35	ug/L		04/24/26 09:34	04/27/26 13:25	1
Benzo[k]fluoranthene	ND		5.0	0.73	ug/L		04/24/26 09:34	04/27/26 13:25	1
Chrysene	ND		5.0	0.33	ug/L		04/24/26 09:34	04/27/26 13:25	1
Dibenz(a,h)anthracene	ND		5.0	0.42	ug/L		04/24/26 09:34	04/27/26 13:25	1
Fluoranthene	ND		5.0	0.40	ug/L		04/24/26 09:34	04/27/26 13:25	1
Fluorene	**1.9**	**J**	5.0	0.36	ug/L		04/24/26 09:34	04/27/26 13:25	1
Indeno[1,2,3-cd]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 13:25	1
Naphthalene	ND		5.0	0.76	ug/L		04/24/26 09:34	04/27/26 13:25	1
Phenanthrene	ND		5.0	0.44	ug/L		04/24/26 09:34	04/27/26 13:25	1
Pyrene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 13:25	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2-Fluorobiphenyl (Surr)	*88*		*53 - 126*	*04/24/26 09:34*	*04/27/26 13:25*	*1*
Nitrobenzene-d5 (Surr)	*68*		*29 - 129*	*04/24/26 09:34*	*04/27/26 13:25*	*1*
p-Terphenyl-d14 (Surr)	*70*		*33 - 132*	*04/24/26 09:34*	*04/27/26 13:25*	*1*

Client Sample ID: MW-8

Lab Sample ID: 480-237906-4

Date Collected: 04/21/26 12:25

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.41	ug/L			04/24/26 00:48	1
Toluene	ND		1.0	0.51	ug/L			04/24/26 00:48	1
Ethylbenzene	ND		1.0	0.74	ug/L			04/24/26 00:48	1
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L			04/24/26 00:48	1
o-Xylene	ND		1.0	0.76	ug/L			04/24/26 00:48	1
Xylenes, Total	ND		2.0	0.66	ug/L			04/24/26 00:48	1
Total BTEX	ND		2.0	1.0	ug/L			04/24/26 00:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*98*		*80 - 120*		*04/24/26 00:48*	*1*
1,2-Dichloroethane-d4 (Surr)	*100*		*77 - 120*		*04/24/26 00:48*	*1*
4-Bromofluorobenzene (Surr)	*107*		*73 - 120*		*04/24/26 00:48*	*1*
Dibromofluoromethane (Surr)	*100*		*75 - 123*		*04/24/26 00:48*	*1*

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		5.0	0.41	ug/L		04/24/26 09:34	04/27/26 14:45	1
Acenaphthylene	ND		5.0	0.38	ug/L		04/24/26 09:34	04/27/26 14:45	1
Anthracene	ND		5.0	0.28	ug/L		04/24/26 09:34	04/27/26 14:45	1
Benzo[a]anthracene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 14:45	1
Benzo[a]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 14:45	1
Benzo[b]fluoranthene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 14:45	1
Benzo[g,h,i]perylene	ND		5.0	0.35	ug/L		04/24/26 09:34	04/27/26 14:45	1
Benzo[k]fluoranthene	ND		5.0	0.73	ug/L		04/24/26 09:34	04/27/26 14:45	1
Chrysene	ND		5.0	0.33	ug/L		04/24/26 09:34	04/27/26 14:45	1

Client Sample ID: MW-8

Lab Sample ID: 480-237906-4

Date Collected: 04/21/26 12:25

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	ND		5.0	0.42	ug/L		04/24/26 09:34	04/27/26 14:45	1
Fluoranthene	ND		5.0	0.40	ug/L		04/24/26 09:34	04/27/26 14:45	1
Fluorene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 14:45	1
Indeno[1,2,3-cd]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 14:45	1
Naphthalene	ND		5.0	0.76	ug/L		04/24/26 09:34	04/27/26 14:45	1
Phenanthrene	ND		5.0	0.44	ug/L		04/24/26 09:34	04/27/26 14:45	1
Pyrene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 14:45	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2-Fluorobiphenyl (Surr)	*78*		*53 - 126*	*04/24/26 09:34*	*04/27/26 14:45*	*1*
Nitrobenzene-d5 (Surr)	*61*		*29 - 129*	*04/24/26 09:34*	*04/27/26 14:45*	*1*
p-Terphenyl-d14 (Surr)	*68*		*33 - 132*	*04/24/26 09:34*	*04/27/26 14:45*	*1*

Client Sample ID: MW-9

Lab Sample ID: 480-237906-5

Date Collected: 04/22/26 09:15

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.41	ug/L			04/24/26 01:11	1
Toluene	ND		1.0	0.51	ug/L			04/24/26 01:11	1
Ethylbenzene	ND		1.0	0.74	ug/L			04/24/26 01:11	1
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L			04/24/26 01:11	1
o-Xylene	ND		1.0	0.76	ug/L			04/24/26 01:11	1
Xylenes, Total	ND		2.0	0.66	ug/L			04/24/26 01:11	1
Total BTEX	ND		2.0	1.0	ug/L			04/24/26 01:11	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*103*		*80 - 120*		*04/24/26 01:11*	*1*
1,2-Dichloroethane-d4 (Surr)	*98*		*77 - 120*		*04/24/26 01:11*	*1*
4-Bromofluorobenzene (Surr)	*102*		*73 - 120*		*04/24/26 01:11*	*1*
Dibromofluoromethane (Surr)	*99*		*75 - 123*		*04/24/26 01:11*	*1*

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		5.0	0.41	ug/L		04/24/26 09:34	04/27/26 15:11	1
Acenaphthylene	ND		5.0	0.38	ug/L		04/24/26 09:34	04/27/26 15:11	1
Anthracene	ND		5.0	0.28	ug/L		04/24/26 09:34	04/27/26 15:11	1
Benzo[a]anthracene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 15:11	1
Benzo[a]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 15:11	1
Benzo[b]fluoranthene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 15:11	1
Benzo[g,h,i]perylene	ND		5.0	0.35	ug/L		04/24/26 09:34	04/27/26 15:11	1
Benzo[k]fluoranthene	ND		5.0	0.73	ug/L		04/24/26 09:34	04/27/26 15:11	1
Chrysene	ND		5.0	0.33	ug/L		04/24/26 09:34	04/27/26 15:11	1
Dibenz(a,h)anthracene	ND		5.0	0.42	ug/L		04/24/26 09:34	04/27/26 15:11	1
Fluoranthene	ND		5.0	0.40	ug/L		04/24/26 09:34	04/27/26 15:11	1
Fluorene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 15:11	1
Indeno[1,2,3-cd]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 15:11	1
Naphthalene	ND		5.0	0.76	ug/L		04/24/26 09:34	04/27/26 15:11	1
Phenanthrene	ND		5.0	0.44	ug/L		04/24/26 09:34	04/27/26 15:11	1
Pyrene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 15:11	1

Client Sample ID: MW-9

Lab Sample ID: 480-237906-5

Date Collected: 04/22/26 09:15

Matrix: Water

Date Received: 04/23/26 10:00

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	*63*		*53 - 126*	*04/24/26 09:34*	*04/27/26 15:11*	*1*
Nitrobenzene-d5 (Surr)	*50*		*29 - 129*	*04/24/26 09:34*	*04/27/26 15:11*	*1*
p-Terphenyl-d14 (Surr)	*48*		*33 - 132*	*04/24/26 09:34*	*04/27/26 15:11*	*1*

Client Sample ID: MW-10

Lab Sample ID: 480-237906-6

Date Collected: 04/21/26 10:40

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.41	ug/L			04/24/26 01:33	1
Toluene	ND		1.0	0.51	ug/L			04/24/26 01:33	1
Ethylbenzene	ND		1.0	0.74	ug/L			04/24/26 01:33	1
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L			04/24/26 01:33	1
o-Xylene	ND		1.0	0.76	ug/L			04/24/26 01:33	1
Xylenes, Total	ND		2.0	0.66	ug/L			04/24/26 01:33	1
Total BTEX	ND		2.0	1.0	ug/L			04/24/26 01:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	*101*		*80 - 120*		*04/24/26 01:33*	*1*
1,2-Dichloroethane-d4 (Surr)	*100*		*77 - 120*		*04/24/26 01:33*	*1*
4-Bromofluorobenzene (Surr)	*104*		*73 - 120*		*04/24/26 01:33*	*1*
Dibromofluoromethane (Surr)	*99*		*75 - 123*		*04/24/26 01:33*	*1*

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		5.0	0.41	ug/L		04/24/26 09:34	04/27/26 15:38	1
Acenaphthylene	ND		5.0	0.38	ug/L		04/24/26 09:34	04/27/26 15:38	1
Anthracene	ND		5.0	0.28	ug/L		04/24/26 09:34	04/27/26 15:38	1
Benzo[a]anthracene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 15:38	1
Benzo[a]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 15:38	1
Benzo[b]fluoranthene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 15:38	1
Benzo[g,h,i]perylene	ND		5.0	0.35	ug/L		04/24/26 09:34	04/27/26 15:38	1
Benzo[k]fluoranthene	ND		5.0	0.73	ug/L		04/24/26 09:34	04/27/26 15:38	1
Chrysene	ND		5.0	0.33	ug/L		04/24/26 09:34	04/27/26 15:38	1
Dibenz(a,h)anthracene	ND		5.0	0.42	ug/L		04/24/26 09:34	04/27/26 15:38	1
Fluoranthene	ND		5.0	0.40	ug/L		04/24/26 09:34	04/27/26 15:38	1
Fluorene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 15:38	1
Indeno[1,2,3-cd]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 15:38	1
Naphthalene	ND		5.0	0.76	ug/L		04/24/26 09:34	04/27/26 15:38	1
Phenanthrene	ND		5.0	0.44	ug/L		04/24/26 09:34	04/27/26 15:38	1
Pyrene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 15:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	*76*		*53 - 126*	*04/24/26 09:34*	*04/27/26 15:38*	*1*
Nitrobenzene-d5 (Surr)	*61*		*29 - 129*	*04/24/26 09:34*	*04/27/26 15:38*	*1*
p-Terphenyl-d14 (Surr)	*50*		*33 - 132*	*04/24/26 09:34*	*04/27/26 15:38*	*1*

Client Sample ID: MW-12

Lab Sample ID: 480-237906-7

Date Collected: 04/22/26 11:25

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.41	ug/L			04/24/26 01:56	1
Toluene	ND		1.0	0.51	ug/L			04/24/26 01:56	1
Ethylbenzene	ND		1.0	0.74	ug/L			04/24/26 01:56	1
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L			04/24/26 01:56	1
o-Xylene	ND		1.0	0.76	ug/L			04/24/26 01:56	1
Xylenes, Total	ND		2.0	0.66	ug/L			04/24/26 01:56	1
Total BTEX	ND		2.0	1.0	ug/L			04/24/26 01:56	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*98*		*80 - 120*		*04/24/26 01:56*	*1*
1,2-Dichloroethane-d4 (Surr)	*101*		*77 - 120*		*04/24/26 01:56*	*1*
4-Bromofluorobenzene (Surr)	*108*		*73 - 120*		*04/24/26 01:56*	*1*
Dibromofluoromethane (Surr)	*99*		*75 - 123*		*04/24/26 01:56*	*1*

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		5.0	0.41	ug/L		04/24/26 09:34	04/27/26 16:04	1
Acenaphthylene	ND		5.0	0.38	ug/L		04/24/26 09:34	04/27/26 16:04	1
Anthracene	ND		5.0	0.28	ug/L		04/24/26 09:34	04/27/26 16:04	1
Benzo[a]anthracene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 16:04	1
Benzo[a]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 16:04	1
Benzo[b]fluoranthene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 16:04	1
Benzo[g,h,i]perylene	ND		5.0	0.35	ug/L		04/24/26 09:34	04/27/26 16:04	1
Benzo[k]fluoranthene	ND		5.0	0.73	ug/L		04/24/26 09:34	04/27/26 16:04	1
Chrysene	ND		5.0	0.33	ug/L		04/24/26 09:34	04/27/26 16:04	1
Dibenz(a,h)anthracene	ND		5.0	0.42	ug/L		04/24/26 09:34	04/27/26 16:04	1
Fluoranthene	ND		5.0	0.40	ug/L		04/24/26 09:34	04/27/26 16:04	1
Fluorene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 16:04	1
Indeno[1,2,3-cd]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 16:04	1
Naphthalene	ND		5.0	0.76	ug/L		04/24/26 09:34	04/27/26 16:04	1
Phenanthrene	ND		5.0	0.44	ug/L		04/24/26 09:34	04/27/26 16:04	1
Pyrene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 16:04	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2-Fluorobiphenyl (Surr)	*74*		*53 - 126*	*04/24/26 09:34*	*04/27/26 16:04*	*1*
Nitrobenzene-d5 (Surr)	*59*		*29 - 129*	*04/24/26 09:34*	*04/27/26 16:04*	*1*
p-Terphenyl-d14 (Surr)	*66*		*33 - 132*	*04/24/26 09:34*	*04/27/26 16:04*	*1*

Client Sample ID: Field Duplicate

Lab Sample ID: 480-237906-8

Date Collected: 04/22/26 12:00

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.41	ug/L			04/24/26 02:18	1
Toluene	ND		1.0	0.51	ug/L			04/24/26 02:18	1
Ethylbenzene	ND		1.0	0.74	ug/L			04/24/26 02:18	1
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L			04/24/26 02:18	1
o-Xylene	ND		1.0	0.76	ug/L			04/24/26 02:18	1
Xylenes, Total	ND		2.0	0.66	ug/L			04/24/26 02:18	1
Total BTEX	ND		2.0	1.0	ug/L			04/24/26 02:18	1

Client Sample ID: Field Duplicate

Lab Sample ID: 480-237906-8

Date Collected: 04/22/26 12:00

Matrix: Water

Date Received: 04/23/26 10:00

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	*99*		*80 - 120*		*04/24/26 02:18*	*1*
1,2-Dichloroethane-d4 (Surr)	*101*		*77 - 120*		*04/24/26 02:18*	*1*
4-Bromofluorobenzene (Surr)	*105*		*73 - 120*		*04/24/26 02:18*	*1*
Dibromofluoromethane (Surr)	*99*		*75 - 123*		*04/24/26 02:18*	*1*

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		5.0	0.41	ug/L		04/24/26 09:34	04/27/26 16:31	1
Acenaphthylene	ND		5.0	0.38	ug/L		04/24/26 09:34	04/27/26 16:31	1
Anthracene	ND		5.0	0.28	ug/L		04/24/26 09:34	04/27/26 16:31	1
Benzo[a]anthracene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 16:31	1
Benzo[a]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 16:31	1
Benzo[b]fluoranthene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 16:31	1
Benzo[g,h,i]perylene	ND		5.0	0.35	ug/L		04/24/26 09:34	04/27/26 16:31	1
Benzo[k]fluoranthene	ND		5.0	0.73	ug/L		04/24/26 09:34	04/27/26 16:31	1
Chrysene	ND		5.0	0.33	ug/L		04/24/26 09:34	04/27/26 16:31	1
Dibenz(a,h)anthracene	ND		5.0	0.42	ug/L		04/24/26 09:34	04/27/26 16:31	1
Fluoranthene	ND		5.0	0.40	ug/L		04/24/26 09:34	04/27/26 16:31	1
Fluorene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 16:31	1
Indeno[1,2,3-cd]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 16:31	1
Naphthalene	ND		5.0	0.76	ug/L		04/24/26 09:34	04/27/26 16:31	1
Phenanthrene	ND		5.0	0.44	ug/L		04/24/26 09:34	04/27/26 16:31	1
Pyrene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 16:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	*79*		*53 - 126*	*04/24/26 09:34*	*04/27/26 16:31*	*1*
Nitrobenzene-d5 (Surr)	*61*		*29 - 129*	*04/24/26 09:34*	*04/27/26 16:31*	*1*
p-Terphenyl-d14 (Surr)	*71*		*33 - 132*	*04/24/26 09:34*	*04/27/26 16:31*	*1*

Client Sample ID: Trip Blank

Lab Sample ID: 480-237906-9

Date Collected: 04/22/26 00:00

Matrix: Water

Date Received: 04/23/26 10:00

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.41	ug/L			04/24/26 02:41	1
Toluene	ND		1.0	0.51	ug/L			04/24/26 02:41	1
Ethylbenzene	ND		1.0	0.74	ug/L			04/24/26 02:41	1
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L			04/24/26 02:41	1
o-Xylene	ND		1.0	0.76	ug/L			04/24/26 02:41	1
Xylenes, Total	ND		2.0	0.66	ug/L			04/24/26 02:41	1
Total BTEX	ND		2.0	1.0	ug/L			04/24/26 02:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	*98*		*80 - 120*		*04/24/26 02:41*	*1*
1,2-Dichloroethane-d4 (Surr)	*101*		*77 - 120*		*04/24/26 02:41*	*1*
4-Bromofluorobenzene (Surr)	*105*		*73 - 120*		*04/24/26 02:41*	*1*
Dibromofluoromethane (Surr)	*100*		*75 - 123*		*04/24/26 02:41*	*1*

Surrogate Summary

Client: Groundwater & Environmental Services Inc | Job ID: 480-237906-1

Method: EPA 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water | **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		TOL	DCA	BFB	DBFM
Lab Sample ID	Client Sample ID	(80-120)	(77-120)	(73-120)	(75-123)
480-237906-1	MW-2	102	100	99	101
480-237906-2	MW-3	98	101	104	100
480-237906-3	MW-7	97	115	100	101
480-237906-3 MS	MW-7-MS	96	104	92	98
480-237906-3 MSD	MW-7-MSD	98	108	93	102
480-237906-4	MW-8	98	100	107	100
480-237906-5	MW-9	103	98	102	99
480-237906-6	MW-10	101	100	104	99
480-237906-7	MW-12	98	101	108	99
480-237906-8	Field Duplicate	99	101	105	99
480-237906-9	Trip Blank	98	101	105	100
LCS 480-773609/8	Lab Control Sample	100	100	93	101
MB 480-773609/10	Method Blank	103	101	100	101

Surrogate Legend

TOL = Toluene-d8 (Surr)

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Water | **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)		
		FBP	NBZ	TPHd14
Lab Sample ID	Client Sample ID	(53-126)	(29-129)	(33-132)
480-237906-1	MW-2	74	59	60
480-237906-2	MW-3	78	61	71
480-237906-3	MW-7	88	68	70
480-237906-3 MS	MW-7-MS	85	72	57
480-237906-3 MSD	MW-7-MSD	88	74	57
480-237906-4	MW-8	78	61	68
480-237906-5	MW-9	63	50	48
480-237906-6	MW-10	76	61	50
480-237906-7	MW-12	74	59	66
480-237906-8	Field Duplicate	79	61	71
LCS 480-773669/2-A	Lab Control Sample	89	76	83
MB 480-773669/1-A	Method Blank	90	70	93

Surrogate Legend

FBP = 2-Fluorobiphenyl (Surr)

NBZ = Nitrobenzene-d5 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

Method: EPA 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 480-773609/10 **Client Sample ID: Method Blank**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 773609

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.41	ug/L			04/23/26 23:19	1
Toluene	ND		1.0	0.51	ug/L			04/23/26 23:19	1
Ethylbenzene	ND		1.0	0.74	ug/L			04/23/26 23:19	1
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L			04/23/26 23:19	1
o-Xylene	ND		1.0	0.76	ug/L			04/23/26 23:19	1
Xylenes, Total	ND		2.0	0.66	ug/L			04/23/26 23:19	1
Total BTEX	ND		2.0	1.0	ug/L			04/23/26 23:19	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*103*		*80 - 120*		*04/23/26 23:19*	*1*
1,2-Dichloroethane-d4 (Surr)	*101*		*77 - 120*		*04/23/26 23:19*	*1*
4-Bromofluorobenzene (Surr)	*100*		*73 - 120*		*04/23/26 23:19*	*1*
Dibromofluoromethane (Surr)	*101*		*75 - 123*		*04/23/26 23:19*	*1*

Lab Sample ID: LCS 480-773609/8 **Client Sample ID: Lab Control Sample**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 773609

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	25.0	26.0		ug/L		104	71 - 124
Toluene	25.0	26.2		ug/L		105	80 - 122
Ethylbenzene	25.0	26.3		ug/L		105	77 - 123
m-Xylene & p-Xylene	25.0	26.3		ug/L		105	76 - 122
o-Xylene	25.0	26.7		ug/L		107	76 - 122

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*100*		*80 - 120*
1,2-Dichloroethane-d4 (Surr)	*100*		*77 - 120*
4-Bromofluorobenzene (Surr)	*93*		*73 - 120*
Dibromofluoromethane (Surr)	*101*		*75 - 123*

Lab Sample ID: 480-237906-3 MS **Client Sample ID: MW-7-MS**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 773609

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	18	F1	25.0	49.9	F1	ug/L		128	71 - 124
Toluene	ND	F1	25.0	30.1		ug/L		120	80 - 122
Ethylbenzene	ND	F1	25.0	30.6		ug/L		123	77 - 123
m-Xylene & p-Xylene	1.7	J F1	25.0	31.2		ug/L		118	76 - 122
o-Xylene	6.9	F1	25.0	36.5		ug/L		118	76 - 122

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
Toluene-d8 (Surr)	*96*		*80 - 120*
1,2-Dichloroethane-d4 (Surr)	*104*		*77 - 120*
4-Bromofluorobenzene (Surr)	*92*		*73 - 120*
Dibromofluoromethane (Surr)	*98*		*75 - 123*

Method: EPA 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 480-237906-3 MSD **Client Sample ID: MW-7-MSD**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 773609

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	18	F1	25.0	56.2	F1	ug/L		152	71 - 124	12	13
Toluene	ND	F1	25.0	33.7	F1	ug/L		135	80 - 122	11	15
Ethylbenzene	ND	F1	25.0	34.6	F1	ug/L		138	77 - 123	12	15
m-Xylene & p-Xylene	1.7	J F1	25.0	35.7	F1	ug/L		136	76 - 122	13	16
o-Xylene	6.9	F1	25.0	42.2	F1	ug/L		141	76 - 122	15	16

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*98*		*80 - 120*
1,2-Dichloroethane-d4 (Surr)	*108*		*77 - 120*
4-Bromofluorobenzene (Surr)	*93*		*73 - 120*
Dibromofluoromethane (Surr)	*102*		*75 - 123*

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 480-773669/1-A **Client Sample ID: Method Blank**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 773788 **Prep Batch: 773669**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		5.0	0.41	ug/L		04/24/26 09:34	04/27/26 11:40	1
Acenaphthylene	ND		5.0	0.38	ug/L		04/24/26 09:34	04/27/26 11:40	1
Anthracene	ND		5.0	0.28	ug/L		04/24/26 09:34	04/27/26 11:40	1
Benzo[a]anthracene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 11:40	1
Benzo[a]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 11:40	1
Benzo[b]fluoranthene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 11:40	1
Benzo[g,h,i]perylene	ND		5.0	0.35	ug/L		04/24/26 09:34	04/27/26 11:40	1
Benzo[k]fluoranthene	ND		5.0	0.73	ug/L		04/24/26 09:34	04/27/26 11:40	1
Chrysene	ND		5.0	0.33	ug/L		04/24/26 09:34	04/27/26 11:40	1
Dibenz(a,h)anthracene	ND		5.0	0.42	ug/L		04/24/26 09:34	04/27/26 11:40	1
Fluoranthene	ND		5.0	0.40	ug/L		04/24/26 09:34	04/27/26 11:40	1
Fluorene	ND		5.0	0.36	ug/L		04/24/26 09:34	04/27/26 11:40	1
Indeno[1,2,3-cd]pyrene	ND		5.0	0.47	ug/L		04/24/26 09:34	04/27/26 11:40	1
Naphthalene	ND		5.0	0.76	ug/L		04/24/26 09:34	04/27/26 11:40	1
Phenanthrene	ND		5.0	0.44	ug/L		04/24/26 09:34	04/27/26 11:40	1
Pyrene	ND		5.0	0.34	ug/L		04/24/26 09:34	04/27/26 11:40	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2-Fluorobiphenyl (Surr)	*90*		*53 - 126*	*04/24/26 09:34*	*04/27/26 11:40*	*1*
Nitrobenzene-d5 (Surr)	*70*		*29 - 129*	*04/24/26 09:34*	*04/27/26 11:40*	*1*
p-Terphenyl-d14 (Surr)	*93*		*33 - 132*	*04/24/26 09:34*	*04/27/26 11:40*	*1*

Lab Sample ID: LCS 480-773669/2-A **Client Sample ID: Lab Control Sample**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 773788 **Prep Batch: 773669**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	32.0	30.9		ug/L		97	60 - 120
Acenaphthylene	32.0	32.7		ug/L		102	63 - 120
Anthracene	32.0	32.7		ug/L		102	67 - 120

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-773669/2-A **Client Sample ID: Lab Control Sample**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 773788 **Prep Batch: 773669**

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Benzo[a]anthracene			32.0	32.9		ug/L		103	70 - 121		
Benzo[a]pyrene			32.0	31.7		ug/L		99	60 - 123		
Benzo[b]fluoranthene			32.0	33.2		ug/L		104	66 - 126		
Benzo[g,h,i]perylene			32.0	33.3		ug/L		104	66 - 150		
Benzo[k]fluoranthene			32.0	33.0		ug/L		103	65 - 124		
Chrysene			32.0	33.1		ug/L		104	69 - 120		
Dibenz(a,h)anthracene			32.0	32.1		ug/L		100	65 - 135		
Fluoranthene			32.0	35.3		ug/L		110	69 - 126		
Fluorene			32.0	32.9		ug/L		103	66 - 120		
Indeno[1,2,3-cd]pyrene			32.0	31.8		ug/L		99	69 - 146		
Naphthalene			32.0	28.8		ug/L		90	57 - 120		
Phenanthrene			32.0	32.9		ug/L		103	68 - 120		
Pyrene			32.0	34.5		ug/L		108	70 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
2-Fluorobiphenyl (Surr)	*89*		*53 - 126*
Nitrobenzene-d5 (Surr)	*76*		*29 - 129*
p-Terphenyl-d14 (Surr)	*83*		*33 - 132*

Lab Sample ID: 480-237906-3 MS **Client Sample ID: MW-7-MS**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 773788 **Prep Batch: 773669**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Acenaphthene	20		32.0	50.6		ug/L		95	48 - 120		
Acenaphthylene	ND		32.0	30.9		ug/L		97	63 - 120		
Anthracene	ND		32.0	28.4		ug/L		89	65 - 122		
Benzo[a]anthracene	ND		32.0	25.9		ug/L		81	43 - 124		
Benzo[a]pyrene	ND		32.0	23.1		ug/L		72	23 - 125		
Benzo[b]fluoranthene	ND		32.0	24.9		ug/L		78	27 - 127		
Benzo[g,h,i]perylene	ND		32.0	23.4		ug/L		73	16 - 147		
Benzo[k]fluoranthene	ND		32.0	22.7		ug/L		71	20 - 124		
Chrysene	ND		32.0	24.9		ug/L		78	44 - 122		
Dibenz(a,h)anthracene	ND		32.0	23.0		ug/L		72	16 - 139		
Fluoranthene	ND		32.0	30.1		ug/L		94	63 - 129		
Fluorene	1.9	J	32.0	33.8		ug/L		100	62 - 120		
Indeno[1,2,3-cd]pyrene	ND		32.0	22.4		ug/L		70	16 - 140		
Naphthalene	ND		32.0	28.3		ug/L		89	45 - 120		
Phenanthrene	ND		32.0	33.5		ug/L		105	65 - 122		
Pyrene	ND		32.0	30.7		ug/L		96	58 - 128		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
2-Fluorobiphenyl (Surr)	*85*		*53 - 126*
Nitrobenzene-d5 (Surr)	*72*		*29 - 129*
p-Terphenyl-d14 (Surr)	*57*		*33 - 132*

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 480-237906-3 MSD **Client Sample ID: MW-7-MSD**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 773788 **Prep Batch: 773669**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthene	20		32.0	50.5		ug/L		94	48 - 120	0	24
Acenaphthylene	ND		32.0	31.3		ug/L		98	63 - 120	1	18
Anthracene	ND		32.0	31.5		ug/L		99	65 - 122	10	15
Benzo[a]anthracene	ND		32.0	27.4		ug/L		85	43 - 124	5	15
Benzo[a]pyrene	ND		32.0	24.2		ug/L		76	23 - 125	5	15
Benzo[b]fluoranthene	ND		32.0	26.0		ug/L		81	27 - 127	5	15
Benzo[g,h,i]perylene	ND		32.0	24.7		ug/L		77	16 - 147	6	15
Benzo[k]fluoranthene	ND		32.0	24.4		ug/L		76	20 - 124	7	22
Chrysene	ND		32.0	26.5		ug/L		83	44 - 122	6	15
Dibenz(a,h)anthracene	ND		32.0	24.3		ug/L		76	16 - 139	5	15
Fluoranthene	ND		32.0	32.4		ug/L		101	63 - 129	7	15
Fluorene	1.9	J	32.0	36.0		ug/L		107	62 - 120	6	15
Indeno[1,2,3-cd]pyrene	ND		32.0	23.7		ug/L		74	16 - 140	6	15
Naphthalene	ND		32.0	29.1		ug/L		91	45 - 120	3	29
Phenanthrene	ND		32.0	34.6		ug/L		108	65 - 122	3	15
Pyrene	ND		32.0	32.8		ug/L		103	58 - 128	7	19

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
2-Fluorobiphenyl (Surr)	*88*		*53 - 126*
Nitrobenzene-d5 (Surr)	*74*		*29 - 129*
p-Terphenyl-d14 (Surr)	*57*		*33 - 132*

GC/MS VOA

Analysis Batch: 773609

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-237906-1	MW-2	Total/NA	Water	EPA 8260D	
480-237906-2	MW-3	Total/NA	Water	EPA 8260D	
480-237906-3	MW-7	Total/NA	Water	EPA 8260D	
480-237906-4	MW-8	Total/NA	Water	EPA 8260D	
480-237906-5	MW-9	Total/NA	Water	EPA 8260D	
480-237906-6	MW-10	Total/NA	Water	EPA 8260D	
480-237906-7	MW-12	Total/NA	Water	EPA 8260D	
480-237906-8	Field Duplicate	Total/NA	Water	EPA 8260D	
480-237906-9	Trip Blank	Total/NA	Water	EPA 8260D	
MB 480-773609/10	Method Blank	Total/NA	Water	EPA 8260D	
LCS 480-773609/8	Lab Control Sample	Total/NA	Water	EPA 8260D	
480-237906-3 MS	MW-7-MS	Total/NA	Water	EPA 8260D	
480-237906-3 MSD	MW-7-MSD	Total/NA	Water	EPA 8260D	

GC/MS Semi VOA

Prep Batch: 773669

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-237906-1	MW-2	Total/NA	Water	3510C	
480-237906-2	MW-3	Total/NA	Water	3510C	
480-237906-3	MW-7	Total/NA	Water	3510C	
480-237906-4	MW-8	Total/NA	Water	3510C	
480-237906-5	MW-9	Total/NA	Water	3510C	
480-237906-6	MW-10	Total/NA	Water	3510C	
480-237906-7	MW-12	Total/NA	Water	3510C	
480-237906-8	Field Duplicate	Total/NA	Water	3510C	
MB 480-773669/1-A	Method Blank	Total/NA	Water	3510C	
LCS 480-773669/2-A	Lab Control Sample	Total/NA	Water	3510C	
480-237906-3 MS	MW-7-MS	Total/NA	Water	3510C	
480-237906-3 MSD	MW-7-MSD	Total/NA	Water	3510C	

Analysis Batch: 773788

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-237906-1	MW-2	Total/NA	Water	8270D	773669
480-237906-2	MW-3	Total/NA	Water	8270D	773669
480-237906-3	MW-7	Total/NA	Water	8270D	773669
480-237906-4	MW-8	Total/NA	Water	8270D	773669
480-237906-5	MW-9	Total/NA	Water	8270D	773669
480-237906-6	MW-10	Total/NA	Water	8270D	773669
480-237906-7	MW-12	Total/NA	Water	8270D	773669
480-237906-8	Field Duplicate	Total/NA	Water	8270D	773669
MB 480-773669/1-A	Method Blank	Total/NA	Water	8270D	773669
LCS 480-773669/2-A	Lab Control Sample	Total/NA	Water	8270D	773669
480-237906-3 MS	MW-7-MS	Total/NA	Water	8270D	773669
480-237906-3 MSD	MW-7-MSD	Total/NA	Water	8270D	773669

Lab Chronicle

Client Sample ID: MW-2
Lab Sample ID: 480-237906-1
Date Collected: 04/22/26 10:25
Matrix: Water
Date Received: 04/23/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	773609	AXK	EET BUF	04/23/26 23:41
Total/NA	Prep	3510C			773669	JMP	EET BUF	04/24/26 09:34
Total/NA	Analysis	8270D		1	773788	JMM	EET BUF	04/27/26 13:52

Client Sample ID: MW-3
Lab Sample ID: 480-237906-2
Date Collected: 04/22/26 12:15
Matrix: Water
Date Received: 04/23/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	773609	AXK	EET BUF	04/24/26 00:04
Total/NA	Prep	3510C			773669	JMP	EET BUF	04/24/26 09:34
Total/NA	Analysis	8270D		1	773788	JMM	EET BUF	04/27/26 14:19

Client Sample ID: MW-7
Lab Sample ID: 480-237906-3
Date Collected: 04/21/26 11:25
Matrix: Water
Date Received: 04/23/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	773609	AXK	EET BUF	04/24/26 00:26
Total/NA	Prep	3510C			773669	JMP	EET BUF	04/24/26 09:34
Total/NA	Analysis	8270D		1	773788	JMM	EET BUF	04/27/26 13:25

Client Sample ID: MW-8
Lab Sample ID: 480-237906-4
Date Collected: 04/21/26 12:25
Matrix: Water
Date Received: 04/23/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	773609	AXK	EET BUF	04/24/26 00:48
Total/NA	Prep	3510C			773669	JMP	EET BUF	04/24/26 09:34
Total/NA	Analysis	8270D		1	773788	JMM	EET BUF	04/27/26 14:45

Client Sample ID: MW-9
Lab Sample ID: 480-237906-5
Date Collected: 04/22/26 09:15
Matrix: Water
Date Received: 04/23/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	773609	AXK	EET BUF	04/24/26 01:11
Total/NA	Prep	3510C			773669	JMP	EET BUF	04/24/26 09:34
Total/NA	Analysis	8270D		1	773788	JMM	EET BUF	04/27/26 15:11

Client Sample ID: MW-10
Lab Sample ID: 480-237906-6
Date Collected: 04/21/26 10:40
Matrix: Water
Date Received: 04/23/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	773609	AXK	EET BUF	04/24/26 01:33

Lab Chronicle

Client Sample ID: MW-10
Lab Sample ID: 480-237906-6

Date Collected: 04/21/26 10:40
Matrix: Water

Date Received: 04/23/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3510C			773669	JMP	EET BUF	04/24/26 09:34
Total/NA	Analysis	8270D		1	773788	JMM	EET BUF	04/27/26 15:38

Client Sample ID: MW-12
Lab Sample ID: 480-237906-7

Date Collected: 04/22/26 11:25
Matrix: Water

Date Received: 04/23/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	773609	AXK	EET BUF	04/24/26 01:56
Total/NA	Prep	3510C			773669	JMP	EET BUF	04/24/26 09:34
Total/NA	Analysis	8270D		1	773788	JMM	EET BUF	04/27/26 16:04

Client Sample ID: Field Duplicate
Lab Sample ID: 480-237906-8

Date Collected: 04/22/26 12:00
Matrix: Water

Date Received: 04/23/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	773609	AXK	EET BUF	04/24/26 02:18
Total/NA	Prep	3510C			773669	JMP	EET BUF	04/24/26 09:34
Total/NA	Analysis	8270D		1	773788	JMM	EET BUF	04/27/26 16:31

Client Sample ID: Trip Blank
Lab Sample ID: 480-237906-9

Date Collected: 04/22/26 00:00
Matrix: Water

Date Received: 04/23/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	773609	AXK	EET BUF	04/24/26 02:41

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Accreditation/Certification Summary

Client: Groundwater & Environmental Services Inc

Job ID: 480-237906-1

Laboratory: Eurofins Buffalo

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10026	03-31-27

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
EPA 8260D		Water	Total BTEX

Method Summary

Client: Groundwater & Environmental Services Inc

Job ID: 480-237906-1

Method	Method Description	Protocol	Laboratory
EPA 8260D	Volatile Organic Compounds by GC/MS	SW846	EET BUF
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	EET BUF
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET BUF
5030C	Purge and Trap	SW846	EET BUF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: Groundwater & Environmental Services Inc
Project/Site:

Job ID: 480-237906-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
480-237906-1	MW-2	Water	04/22/26 10:25	04/23/26 10:00	New York
480-237906-2	MW-3	Water	04/22/26 12:15	04/23/26 10:00	New York
480-237906-3	MW-7	Water	04/21/26 11:25	04/23/26 10:00	New York
480-237906-4	MW-8	Water	04/21/26 12:25	04/23/26 10:00	New York
480-237906-5	MW-9	Water	04/22/26 09:15	04/23/26 10:00	New York
480-237906-6	MW-10	Water	04/21/26 10:40	04/23/26 10:00	New York
480-237906-7	MW-12	Water	04/22/26 11:25	04/23/26 10:00	New York
480-237906-8	Field Duplicate	Water	04/22/26 12:00	04/23/26 10:00	New York
480-237906-9	Trip Blank	Water	04/22/26 00:00	04/23/26 10:00	New York

Amherst, NY 14228-2298
Phone (716) 691-2600 Phone (716) 691-7991

Chain of Custody Record

#225

Environment Testing

Client Information	Sampler:	Lab PM: Beninati, John	Carrier Tracking No(s):	COC No: 480-192869-40370.1
Client Contact: Tim Beaumont	Phone:	E-Mail: John.Beninati@et.eurofinsus.com	State of Origin:	Page: Page 1 of 1
Company: Groundwater & Environmental Services Inc	PWSID:			Job #:
Address: 6780 Northern Boulevard Suite 100	Due Date Requested:			
City: East Syracuse	TAT Requested (days): Standard			
State, Zip: NY, 13057	Compliance Project: Δ Yes Δ No			
Phone:	PO #: 0625050-133390-221-1106			
Email: tbeaumont@gesonline.com	WO #:			
Project Name: Fort Plain Semi-Annual GWS Event Desc: Fort Plain Semi-Annua	Project #: 48027231			
Site: Fort Plain Semi-Annual GWS	SSOW#:			

Analysis Requested

Preservation Codes:
A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4

480-237906 Chain of Custody

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8270D - PAH Semivolatiles	8260C - BTEX - 8260	Total #	Special Instructions/Note:
Preservation Code:							N	A		
EW-1	4		G	Water			2	3	5	
MW-2	4/22/26	1025	G	Water			2	3	5	
MW-3	4/22/26	1215	G	Water			2	3	5	
MW-7	4/21/26	1125	G	Water			2	3	5	
MW-7-MS	4/21/26	1125	G	Water			2	3	5	
MW-7-MSD	4/21/26	1125	G	Water			2	3	5	
MW-8	4/21/26	1225	G	Water			2	3	5	
MW-9	4/22/26	0915	G	Water			2	3	5	
MW-10	4/21/26	1040	G	Water			2	3	5	
MW-12	4/22/26	1125	G	Water			2	3	5	
Field Duplicate	4/22/26	1200	G	Water			2	3	5	
Trip Blank				Water				3	3	

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify) CAT B DELIVERY

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: GES	Date/Time: 4/22/26 1515	Company	Received by:	Date/Time: 4/22/26 1310	Company
Relinquished by:	Date/Time: 4/22/26 1600	Company	Received by:	Date/Time: 4/23/26 0800	Company ET
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks: 2.4 IR# SURFACE

Ver: 01/16/2019

4/29/2026

Login Sample Receipt Checklist

Client: Groundwater & Environmental Services Inc

Job Number: 480-237906-1

Login Number: 237906

List Source: Eurofins Buffalo

List Number: 1

Creator: Stapleton, Kaitlyn

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.4 IR#SC ice
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	Groundwater & Environmental services
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	