

February 10, 2022

via Email

Susan L. Edwards, P.E.
Director, Bureau D
NYSDEC, Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, NY 12233-7013

**RE: Summary of Emerging Contaminants Sampling
Saint-Gobain Performance Plastics Corporation
11 Sicho Road, Poestenkill, NY**

Dear Ms. Edwards:

As requested by the New York State Department of Environmental Conservation (NYSDEC) in its August 10, 2021 letter, Ramboll US Consulting Inc. (Ramboll), on behalf of Saint-Gobain Performance Plastics Corporation (Saint-Gobain), submitted a Sampling and Analysis Plan (SAP) on December 16, 2021 to NYSDCE for the collection of groundwater samples for 1,4-dioxane and per- and polyfluoroalkyl substances (PFAS) analyses at the Saint-Gobain facility located at 11 Sicho Road in Poestenkill, New York (the Plant). The SAP was approved by NYSDCE on December 20, 2021. A summary of the groundwater sampling program is provided below.

Ramboll performed the sample collection on January 6, 2022. Groundwater samples were collected from Well #1, Well #3, Well #4, and Well #5 for 1,4-dioxane and PFAS analyses (see **Figure 1** for the locations of monitoring wells at the Plant). Sampling of Well #2 was attempted but the well had a hard obstruction and a damaged well casing and therefore was unable to be sampled. Field quality control (QC) samples were collected for 1,4-dioxane analysis and consisted of one blind duplicate sample and one equipment blank. Field QC samples were also collected for PFAS analysis and consisted of one blind duplicate sample, one equipment blank, and one field reagent blank (FRB).

In accordance with the SAP, the monitoring wells were purged using conventional methods (i.e., purging three well volumes prior to sampling). Groundwater field parameter data (temperature, pH, specific conductivity, oxidation-reduction potential, dissolved oxygen, and turbidity) were collected after each well volume and documented on field forms prior to sample collection. Well #4 was observed to be dry after one well volume was purged; a groundwater sample was collected from this well immediately after the well had adequately recharged. The completed field forms are included as **Appendix A**.

Eurofins Lancaster Labs Environment Testing, LLC (ELLE) in Lancaster, Pennsylvania performed the 1,4-dioxane and PFAS analyses. The 1,4-dioxane analysis was performed using United States Environmental Protection Agency (USEPA) Method 8270 Selective Ion Monitoring (SIM) with a reporting limit equal to or below 0.31 parts per billion (ppb). The PFAS analyses were performed using USEPA Method 537, modified, and achieved a reporting limit of 2 parts per trillion (ppt) or less for perfluorooctanesulfonic acid (PFOS), perfluorooctanoic acid (PFOA) and several (but not all) of the other PFAS analytes. The complete analytical package is included in **Appendix B** and the Data Usability Summary Report (DUSR) is included in **Appendix C**.

As shown on **Table 1**, no 1,4-dioxane was detected in the monitoring wells. Also shown on **Table 1**, PFAS were detected in each of the sampled monitoring wells. PFOS was detected at concentrations ranging from 4.2 ppt in Well 3 to 5.0 ppt in Well 5. PFOA was detected at concentrations ranging from 0.47 ppt (estimated) in Well 4 to 3.7 ppt in Well 5. Although not applicable to groundwater monitoring wells, these detections are considerably below the state's drinking water standard of 10 ppt for PFOS and 10 ppt for PFOA. They are also considerably below the groundwater screening levels included in

NYSDEC’s June 2021 guidance document for emerging contaminants (which are also 10 ppt for PFOS and 10 ppt for PFOA).

The source(s) of the low concentrations of PFAS detected is not known, but the data do not indicate the presence of a source at the Plant. The four sampled monitoring wells are located in different directions from the building, Well #1 close to the building in the parking lot in the northwest corner, Well #3 and Well #4 close to the building on the east side, and Well #5 in the wooded area to the east of the building. Low concentrations of PFOS were reported in all four monitoring wells, with the highest concentration (5.0 ppt) reported in Well #5 located farthest from the building in a direction inconsistent with the expected groundwater flow. Low concentrations of PFOA were reported in three of the four monitoring wells, with the highest concentration (3.7 ppt) also in Well #5. Perfluorobutanesulfonic acid (PFBS) was also reported at low concentrations in the same three monitoring wells, with the highest concentration (an estimated 1.1 ppt) also in Well #5.

Observed PFAS concentrations may be due to anthropogenic background conditions and/or from sources not associated with the Plant. Because the PFAS concentrations are low (including PFOS and PFOA concentrations well below the 10 ppt drinking water standards and 10 ppt groundwater screening levels), perfluoroalkyl sulfonic acids (PFSA, including PFOS and PFBS) are dominant over the perfluoroalkyl carboxylic acids (PFCA, including PFOA), and there are other potential sources in the same area as the Plant (such as a small regional airport and a fire hall), we do not believe that further action is needed at the Plant .

We are aware of the on-going evaluation of the PFAS-impacted supply well(s) at the Algonquin Middle School. However, the school is located more than two miles from the Plant, and considerably higher PFAS concentrations have been documented at the school (including above the 10 ppt drinking water standard for PFOA). It is clear that the Plant is a not a source of the PFAS detected in the groundwater samples collected at the school based on the significant geographic separation and the higher PFAS concentrations in the supply well(s) for the school than at the Plant.

Should you have any questions, please contact Paul D’Annibale at 518-847-9838.

Sincerely,
Ramboll US Consulting, Inc.



Eric S. Wood, PHg, LSP
Principal
+1 978.449.0343
eswood@ramboll.com



Jason Wilkinson, PG, LSP
Senior Managing Consultant
+1 978.449.0339
jwilkinson@ramboll.com



Paul L. D’Annibale, PG
Project Manager
+1 518.724.7256
paul.dannibale@ramboll.com

cc: Thomas Davis, Saint-Gobain
Scott Campbell, Saint-Gobain
Chris Angier, Saint-Gobain
Eric Wood, Ramboll
Jason Wilkinson, Ramboll



Barrick Layer Credits: Source: Esri, Maxar, GeoEye, Earthstar, IGN, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

● Wells



WELL LOCATIONS

Saint Gobain
Prestonville, NY

FIGURE 01

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY



Table 1
1,4-Dioxane and Per- and Polyfluoroalkyl Substances Results

Analyte	Location ID	Well #1	Well #3	Well #3	Well #4	Well #5
	Sample ID	Well-1-010622	Well-3-010622	X-1-010622 (DUPLICATE)	Well-4-010622	Well-5-010622
1,4-dioxane		<0.31	<0.30	<0.29	<0.30	<0.31
Perfluorobutanoic Acid		<4.7	<4.7	<4.7	<4.7	<4.7
Perfluoropentanoic Acid		<1.9	<1.9	<1.9	<1.9	<1.9
Perfluorohexanoic Acid		<1.9	<1.9	<1.9	<1.9	0.49 J
Perfluoroheptanoic Acid		<1.9	<1.9	<1.9	<1.9	0.70 J
Perfluorooctanoic Acid (PFOA)		2.5	2.7	2.9	0.47 J	3.7
Perfluorononanoic Acid		<1.9	<1.9	<1.9	<1.9	<1.9
Perfluorodecanoic Acid		<1.9	<1.9	<1.9	<1.9	<1.9
Perfluoroundecanoic Acid		<1.9	<1.9	<1.9	<1.9	<1.9
Perfluorododecanoic Acid		<1.9	<1.9	<1.9	<1.9	<1.9
Perfluorotridecanoic Acid		<1.9	<1.9	<1.9	<1.9	<1.9
Perfluorotetradecanoic Acid		<1.9	<1.9	<1.9	<1.9	<1.9
Perfluorobutanesulfonic Acid		0.94 J	1.1 J	1.0 J	<1.9	1.1 J
Perfluorohexanesulfonic Acid		<1.9	<1.9	<1.9	<1.9	<1.9
Perfluoroheptanesulfonic Acid		<1.9	<1.9	<1.9	<1.9	<1.9
Perfluorooctanesulfonic Acid (PFOS)		4.5	4.2	4.4	<1.9	5.0
Perfluorodecanesulfonic Acid		<1.9	<1.9	<1.9	<1.9	<1.9
Perfluorooctanesulfonamide		<1.9	<1.9	<1.9	2.7	<1.9
NMeFOSAA		<1.9	<1.9	<1.9	<1.9	<1.9
NEtFOSAA		<2.8	<2.8	<2.8	<2.8	<2.8
6:2 Fts		<4.7	<4.7	<4.7	<4.7	<4.7
8:2 Fts		<2.8	<2.8	<2.8	<2.8	<2.8

Notes:

1. "<" designates not detected at the laboratory reporting limit shown.
2. Per- and polyfluoroalkyl substances (PFAS) results in nanograms per liter (ng/L).
3. "J" indicates analyte was detected at an estimated concentration.

APPENDIX A
COMPLETED FIELD FORMS



GROUNDWATER SAMPLING FIELD LOG

Date: 1/6/22 Personnel: SETFWGP Weather: ±25°F, Snow
 Site Name: Saint-Gobain Evacuation Method: Peristaltic Pump Well #: Well-1
 Site Location: Rosetonkill, NY Sampling Method: Peristaltic Pump Project #: 1940101829

Well information:

Depth of Well * 12.43 ft. * Measurements taken from
 Depth to Water * 3.42 ft. Top of Well Casing
 Length of Water Column 9.01 ft. Top of Protective Casing
 (Other, Specify)

1" diameter wells = 0.041 x (LWC) = - gallons
 2" diameter wells = 0.163 x (LWC) = 1.46 gallons
 4" diameter wells = 0.653 x (LWC) = -- gallons

Well evacuation data:

	Well Volumes					
	1	2	3			
Start Time	1245	1255	1315			
End Time	1255	1315	1328			
Gallons Purged	1.46	1.46	1.46			
Temp (C)	8.2	8.3	9.0			
pH	5.97	6.11	6.19			
Spec. Conduc. (mS/cm)	0.261	0.261	0.255			
ORP (mV)	205.7	194.9	191.9			
DO (mg/L)	6.97	5.17	5.44			
Turbidity (NTU)	3.27	2.56	1.55			
DRW (ft BMP)	3.41	3.41	3.42			

PFAS-Free WLM (FA04364)

Probe type: YSI Pro Plus Quattro (FA01764) Lamotte turbidity (FA01464)
 Appearance at start: light brown, no odor, no sheen
 Appearance at end: clear, no odor, no sheen

Other Observations:

Amount of water removed: 4.38 gallons
 Depth to water before sampling: 3.42 ft. (below top of inner casing)

PFAS (21 Compounds) by Modified
 USEPA Method 537 and 1,4-
 Dioxane via USEPA Method 8270
 SIM

Parameters Sampled For:

Sample Time: 1330

NOTES:



GROUNDWATER SAMPLING FIELD LOG

Date 1/6/22 Personnel SET/WGP Weather 25°F, Snow
 Site Name Saint-Gobain Evacuation Method Peristaltic Pump Well # Well-2
 Site Location Postenkill, NY Sampling Method Peristaltic Pump Project # 1940101829

Well information:

Depth of Well * 2.82 ft. * Measurements taken from
 Depth to Water * 2.47 ft. Top of Well Casing
 Length of Water Column — ft. Top of Protective Casing
 (Other, Specify)

1" diameter wells = 0.041 x (LWC) = — gallons
 2" diameter wells = 0.163 x (LWC) = — gallons
 4" diameter wells = 0.653 x (LWC) = — gallons

Well evacuation data:

	Well Volumes					
	1	2	3			
Start Time						
End Time						
Gallons Purged						
Temp (C)						
pH						
Spec. Conduc. (mS/cm)						
ORP (mV)						
DO (mg/L)						
Turbidity (NTU)						

Probe type: PFAS-Free WGM (FA04363)
 Appearance at start: —
 Appearance at end: —
 Other Observations: see notes

Amount of water removed: — gallons
 Depth to water before sampling: — ft. (below top of inner casing)

Parameters Sampled For: PFAS (21 Compounds) by Modified USEPA Method 537 and 1,4-Dioxane via USEPA Method 8270 SIM

Sample Time: —

NOTES: well is obstructed at 2.82' bwp. will not be able to purge or collect sample.



GROUNDWATER SAMPLING FIELD LOG

Date 1/6/22 Personnel SET + WGP Weather +25°F Snow
 Site Name Saint-Gobain Evacuation Method Peristaltic Pump Well # Well-3
 Site Location ROSENKILL, NY Sampling Method Peristaltic Pump Project # 1990101529

Well information:

Depth of Well * 9.03 ft. * Measurements taken from
 Depth to Water * 3.89 ft. Top of Well Casing
 Length of Water Column 4.19 ft. Top of Protective Casing
 (Other, Specify)

1" diameter wells = 0.041 x (LWC) = - gallons
 2" diameter wells = 0.163 x (LWC) = 0.68 gallons 2500 mL
 4" diameter wells = 0.653 x (LWC) = -- gallons

Well evacuation data:

	Well Volumes						
	1	2	3				
Start Time	0945	0957	0958				
End Time	0950	0955	1000				
Gallons Purged	0.68	0.68	0.68				
Temp (C)	7.1	6.9	6.7				
pH	6.28	6.24	6.22				
Spec. Conduc. (mS/cm)	0.258	0.250	0.251				
ORP (mV)	236.5	219.0	212.0				
DO (mg/L)	6.39	6.04	6.19				
Turbidity (NTU)	3.45	2.21	1.03				

DTW (FTBMP) 3.83 3.88 3.89 PFAS-free well (FA04364)

Probe type: YSI ProPlus Quatro (FA02114), Limbette Turbidity (PA0578)
 Appearance at start: Light brown/orange, no odor, no sheen
 Appearance at end: Clear, no odor, no sheen

Other Observations:

Amount of water removed: 2.04 gallons
 Depth to water before sampling: 3.89 ft. (below top of inner casing)

PFAS (21 Compounds) by Modified
 USEPA Method 537 and 1,4-
 Dioxane via USEPA Method 8270
 SIM

Parameters Sampled For:

Sample Time: 1010

NOTES: Sample ID = Well-3-010622



GROUNDWATER SAMPLING FIELD LOG

Date 1/6/22 Personnel SET+WGP Weather ±25°F Snow
 Site Name Saint Gobain Evacuation Method Peristaltic Pump Well # Well-4
 Site Location Postkill NY Sampling Method Peristaltic Pump Project # 1940101329

Well information:

Depth of Well * 21.16 ft. * Measurements taken from
 Depth to Water * 3.75 ft. Top of Well Casing
 Length of Water Column 17.41 ft. Top of Protective Casing
 (Other, Specify)

1" diameter wells = 0.041 x (LWC) = 2.84 gallons
 2" diameter wells = 0.163 x (LWC) = 2 gallons
 4" diameter wells = 0.653 x (LWC) = - gallons

Well evacuation data:

	Well Volumes					
	1	2	3			
Start Time	1032					
End Time	1120					
Gallons Purged	2.84					
Temp (C)	6.6					
pH	7.28					
Spec. Conduc. (mS/cm)	0.338					
ORP (mV)	143.0					
DO (mg/L)	4.27					
Turbidity (NTU)	10.90					

DTW (FT BIMP) 16.79

PFAS-free WLM (FA04364)

Probe type: YSI Pro Plus Quatro (FA02114) LAMORTE Turbidity (FA01578)
 Appearance at start: very light brown, no odor, no sheen
 Appearance at end: clear, no odor, no sheen

Other Observations:

Amount of water removed: 2.84 gallons
 Depth to water before sampling: 14.55 ft. (below top of inner casing)

PFAS (21 Compounds) by Modified
 USEPA Method 537 and 1,4-
 Dioxane via USEPA Method 8270
 SIM

Parameters Sampled For:

Sample Time: 1400

NOTES: Well is effectively dry after removing 1 well volume. Allow to recharge prior to sampling

GROUNDWATER SAMPLING FIELD LOG

Date: 1/6/22 Personnel: WEP/ SET Weather: Overcast 32°F
 Site Name: St. Germain Evacuation Method: Peristaltic Pump Well #: Well-5
 Site Location: Pocahontas Kill, NY Sampling Method: Peristaltic Pump Project #: 1940101829

Well information:

Depth of Well * 10.94 ft. * Measurements taken from
 Depth to Water * 3.31 ft. Top of Well Casing
 Length of Water Column 7.63 ft. Top of Protective Casing
 (Other, Specify)

1" diameter wells = 0.041 x (LWC) = _____ gallons
 2" diameter wells = 0.163 x (LWC) = 1.24 gallons
 4" diameter wells = 0.653 x (LWC) = -- gallons

Well evacuation data:

	Well Volumes					
	1	2	3			
Start Time	<u>11:09</u>	<u>11:32</u>	<u>12:02</u>			
End Time	<u>11:32</u>	<u>11:52</u>	<u>12:13</u>			
Gallons Purged	<u>1.25</u>	<u>1.25</u>	<u>1.25</u>			
Temp (C)	<u>8.0</u>	<u>8.5</u>	<u>8.1</u>			
pH	<u>5.98</u>	<u>6.03</u>	<u>6.10</u>			
Spec. Conduc. (mS/cm)	<u>0.275</u>	<u>0.268</u>	<u>0.267</u>			
ORP (mV)	<u>224.1</u>	<u>215.5</u>	<u>207.6</u>			
DO (mg/L)	<u>8.76</u>	<u>5.54</u>	<u>5.47</u>			
Turbidity (NTU)	<u>1.49</u>	<u>0.98</u>	<u>0.26</u>			
DIV (Ft BWP)	<u>3.31</u>	<u>3.33</u>	<u>3.34</u>			

Probe type: Hicon PFAS Free 100 (FA04363), VSI Pro Plus, LaMotte Turbidity
 Appearance at start: cloudy, light brown
 Appearance at end: clear, colorless
 Other Observations: no odor / smell

Amount of water removed: 3.75 gallons
 Depth to water before sampling: 3.31 ft. (below top of inner casing)

Parameters Sampled For: PFAS (21 Compounds) by Modified USEPA Method 537 and 1,4-Dioxane via USEPA Method 8270 SIM

Sample Time: 1220

NOTES: _____

APPENDIX B
COMPLETE ANALYTICAL DATA PACKAGE

ANALYTICAL REPORT

Eurofins Lancaster Laboratories Env, LLC
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717)656-2300

Laboratory Job ID: 410-69080-1

Client Project/Site: Emerging Contaminants Sampling

For:

Ramboll US Corporation
94 New Karner Rd
Suite 106
Albany, New York 12203

Attn: Paul D'Annibale



Authorized for release by:
1/21/2022 6:42:55 PM

Megan Moeller, Client Services Manager
(717)556-7261
Megan.Moeller@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
 - Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
 - Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.
- Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Megan Moeller
Client Services Manager
1/21/2022 6:42:55 PM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Surrogate Summary	14
Isotope Dilution Summary	15
QC Sample Results	17
QC Association Summary	21
Lab Chronicle	23
Certification Summary	25
Method Summary	26
Sample Summary	27
Chain of Custody	28
Receipt Checklists	29

Definitions/Glossary

Client: Ramboll US Corporation
Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail

LCMS

Qualifier	Qualifier Description
*5+	Isotope dilution analyte is outside acceptance limits, high biased.
cn	Refer to Case Narrative for further detail
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ramboll US Corporation
Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Job ID: 410-69080-1

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Narrative

**Job Narrative
410-69080-1**

Receipt

The samples were received on 1/7/2022 12:37 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.1°C and 3.0°C

GC/MS Semi VOA

Method 8270E_SIM: The continuing calibration verification (CCV) associated with batch 410-216205 recovered above the upper control limit for 1,4-Dioxane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Method 8270E_SIM: The continuing calibration verification (CCV) associated with batch 410-216613 recovered above the upper control limit for 1,4-Dioxane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

PFAS

Method PFC_IDA: The recovery for the labeled isotope(s) in the following samples: Well-5-010622 (410-69080-4), X-1-010622 (410-69080-5), FRB-1-010622 (410-69080-6) and EB-1-010622 (410-69080-7) is outside the QC acceptance limits. Since the recovery is high and the native analyte is not detected in the sample, the data is reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Detection Summary

Client: Ramboll US Corporation
Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Client Sample ID: Well-1-010622

Lab Sample ID: 410-69080-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanoic acid	2.5		1.9	0.47	ng/L	1		537 IDA	Total/NA
Perfluorobutanesulfonic acid	0.94	J	1.9	0.47	ng/L	1		537 IDA	Total/NA
Perfluorooctanesulfonic acid	4.5		1.9	0.47	ng/L	1		537 IDA	Total/NA

Client Sample ID: Well-3-010622

Lab Sample ID: 410-69080-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanoic acid	2.7		1.8	0.45	ng/L	1		537 IDA	Total/NA
Perfluorobutanesulfonic acid	1.1	J	1.8	0.45	ng/L	1		537 IDA	Total/NA
Perfluorooctanesulfonic acid	4.2		1.8	0.45	ng/L	1		537 IDA	Total/NA

Client Sample ID: Well-4-010622

Lab Sample ID: 410-69080-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanoic acid	0.47	J	1.9	0.47	ng/L	1		537 IDA	Total/NA
Perfluorooctanesulfonamide	2.7		1.9	0.47	ng/L	1		537 IDA	Total/NA

Client Sample ID: Well-5-010622

Lab Sample ID: 410-69080-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanoic acid	0.49	J cn	1.9	0.47	ng/L	1		537 IDA	Total/NA
Perfluoroheptanoic acid	0.70	J cn	1.9	0.47	ng/L	1		537 IDA	Total/NA
Perfluorooctanoic acid	3.7	cn	1.9	0.47	ng/L	1		537 IDA	Total/NA
Perfluorobutanesulfonic acid	1.1	J cn	1.9	0.47	ng/L	1		537 IDA	Total/NA
Perfluorooctanesulfonic acid	5.0	cn	1.9	0.47	ng/L	1		537 IDA	Total/NA

Client Sample ID: X-1-010622

Lab Sample ID: 410-69080-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanoic acid	2.9	cn	1.8	0.45	ng/L	1		537 IDA	Total/NA
Perfluorobutanesulfonic acid	1.0	J cn	1.8	0.45	ng/L	1		537 IDA	Total/NA
Perfluorooctanesulfonic acid	4.4	cn	1.8	0.45	ng/L	1		537 IDA	Total/NA

Client Sample ID: FRB-1-010622

Lab Sample ID: 410-69080-6

No Detections.

Client Sample ID: EB-1-010622

Lab Sample ID: 410-69080-7

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Env, LLC

Client Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Client Sample ID: Well-1-010622

Lab Sample ID: 410-69080-1

Date Collected: 01/06/22 13:30

Matrix: Groundwater

Date Received: 01/07/22 12:37

Method: 8270E SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	ND	cn	0.31	0.10	ug/L		01/11/22 19:00	01/20/22 13:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Benzo(a)pyrene-d12 (Surr)	82	cn	10 - 110				01/11/22 19:00	01/20/22 13:53	1
Fluoranthene-d10 (Surr)	102	cn	47 - 128				01/11/22 19:00	01/20/22 13:53	1
1-Methylnaphthalene-d10 (Surr)	87	cn	36 - 111				01/11/22 19:00	01/20/22 13:53	1

Method: 537 IDA - EPA 537 Isotope Dilution

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluoroheptanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorooctanoic acid	2.5		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorononanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorodecanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorotridecanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorotetradecanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorobutanesulfonic acid	0.94 J		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorohexanesulfonic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorooctanesulfonic acid	4.5		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
NEtFOSAA	ND		2.8	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
NMeFOSAA	ND		1.9	0.56	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluoroheptanesulfonic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorodecanesulfonic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorooctanesulfonamide	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorobutanoic acid	ND		4.7	1.9	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluoroundecanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluorododecanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
6:2 Fluorotelomer sulfonic acid	ND		4.7	1.9	ng/L		01/13/22 17:17	01/17/22 23:48	1
8:2 Fluorotelomer sulfonic acid	ND		2.8	0.94	ng/L		01/13/22 17:17	01/17/22 23:48	1
Perfluoropentanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/17/22 23:48	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
M2-8:2 FTS	93		34 - 182				01/13/22 17:17	01/17/22 23:48	1
M2-6:2 FTS	93		29 - 189				01/13/22 17:17	01/17/22 23:48	1
13C5 PFHxA	96		31 - 142				01/13/22 17:17	01/17/22 23:48	1
13C4 PFHpA	107		30 - 144				01/13/22 17:17	01/17/22 23:48	1
13C8 PFOA	103		49 - 127				01/13/22 17:17	01/17/22 23:48	1
13C9 PFNA	130		47 - 136				01/13/22 17:17	01/17/22 23:48	1
13C6 PFDA	97		47 - 128				01/13/22 17:17	01/17/22 23:48	1
13C7 PFUnA	94		40 - 135				01/13/22 17:17	01/17/22 23:48	1
13C2-PFDoDA	91		28 - 136				01/13/22 17:17	01/17/22 23:48	1
13C2 PFTeDA	81		10 - 144				01/13/22 17:17	01/17/22 23:48	1
13C3 PFBS	139		19 - 178				01/13/22 17:17	01/17/22 23:48	1
13C3 PFHxS	125		32 - 145				01/13/22 17:17	01/17/22 23:48	1
13C8 PFOS	120		49 - 126				01/13/22 17:17	01/17/22 23:48	1
d3-NMeFOSAA	87		32 - 151				01/13/22 17:17	01/17/22 23:48	1
d5-NEtFOSAA	101		37 - 164				01/13/22 17:17	01/17/22 23:48	1
13C8 FOSA	78		10 - 143				01/13/22 17:17	01/17/22 23:48	1
13C4 PFBA	116		41 - 132				01/13/22 17:17	01/17/22 23:48	1
13C5 PFPeA	132		33 - 155				01/13/22 17:17	01/17/22 23:48	1

Client Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Client Sample ID: Well-3-010622

Lab Sample ID: 410-69080-2

Date Collected: 01/06/22 10:10

Matrix: Groundwater

Date Received: 01/07/22 12:37

Method: 8270E SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	ND	cn	0.30	0.10	ug/L		01/11/22 19:00	01/20/22 14:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Benzo(a)pyrene-d12 (Surr)	78	cn	10 - 110				01/11/22 19:00	01/20/22 14:22	1
Fluoranthene-d10 (Surr)	105	cn	47 - 128				01/11/22 19:00	01/20/22 14:22	1
1-Methylnaphthalene-d10 (Surr)	88	cn	36 - 111				01/11/22 19:00	01/20/22 14:22	1

Method: 537 IDA - EPA 537 Isotope Dilution

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluoroheptanoic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorooctanoic acid	2.7		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorononanoic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorodecanoic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorotridecanoic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorotetradecanoic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorobutanesulfonic acid	1.1 J		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorohexanesulfonic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorooctanesulfonic acid	4.2		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
NEtFOSAA	ND		2.7	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
NMeFOSAA	ND		1.8	0.54	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluoroheptanesulfonic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorodecanesulfonic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorooctanesulfonamide	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorobutanoic acid	ND		4.5	1.8	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluoroundecanoic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluorododecanoic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1
6:2 Fluorotelomer sulfonic acid	ND		4.5	1.8	ng/L		01/13/22 17:17	01/15/22 02:06	1
8:2 Fluorotelomer sulfonic acid	ND		2.7	0.90	ng/L		01/13/22 17:17	01/15/22 02:06	1
Perfluoropentanoic acid	ND		1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:06	1

Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
M2-8:2 FTS	140		34 - 182				01/13/22 17:17	01/15/22 02:06	1
M2-6:2 FTS	127		29 - 189				01/13/22 17:17	01/15/22 02:06	1
13C5 PFHxA	108		31 - 142				01/13/22 17:17	01/15/22 02:06	1
13C4 PFHpA	120		30 - 144				01/13/22 17:17	01/15/22 02:06	1
13C8 PFOA	122		49 - 127				01/13/22 17:17	01/15/22 02:06	1
13C9 PFNA	124		47 - 136				01/13/22 17:17	01/15/22 02:06	1
13C6 PFDA	126		47 - 128				01/13/22 17:17	01/15/22 02:06	1
13C7 PFUnA	123		40 - 135				01/13/22 17:17	01/15/22 02:06	1
13C2-PFDoDA	121		28 - 136				01/13/22 17:17	01/15/22 02:06	1
13C2 PFTeDA	103		10 - 144				01/13/22 17:17	01/15/22 02:06	1
13C3 PFBS	160		19 - 178				01/13/22 17:17	01/15/22 02:06	1
13C3 PFHxS	132		32 - 145				01/13/22 17:17	01/15/22 02:06	1
13C8 PFOS	126		49 - 126				01/13/22 17:17	01/15/22 02:06	1
d3-NMeFOSAA	121		32 - 151				01/13/22 17:17	01/15/22 02:06	1
d5-NEtFOSAA	129		37 - 164				01/13/22 17:17	01/15/22 02:06	1
13C8 FOSA	103		10 - 143				01/13/22 17:17	01/15/22 02:06	1
13C4 PFBA	123		41 - 132				01/13/22 17:17	01/15/22 02:06	1
13C5 PFPeA	152		33 - 155				01/13/22 17:17	01/15/22 02:06	1

Client Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Client Sample ID: Well-4-010622

Lab Sample ID: 410-69080-3

Date Collected: 01/06/22 14:00

Matrix: Groundwater

Date Received: 01/07/22 12:37

Method: 8270E SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	ND	cn	0.30	0.10	ug/L		01/11/22 19:00	01/20/22 14:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Benzo(a)pyrene-d12 (Surr)	38	cn	10 - 110				01/11/22 19:00	01/20/22 14:52	1
Fluoranthene-d10 (Surr)	101	cn	47 - 128				01/11/22 19:00	01/20/22 14:52	1
1-Methylnaphthalene-d10 (Surr)	87	cn	36 - 111				01/11/22 19:00	01/20/22 14:52	1

Method: 537 IDA - EPA 537 Isotope Dilution

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluoroheptanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorooctanoic acid	0.47	J	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorononanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorodecanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorotridecanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorotetradecanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorobutanesulfonic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorohexanesulfonic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorooctanesulfonic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
NEtFOSAA	ND		2.8	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
NMeFOSAA	ND		1.9	0.56	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluoroheptanesulfonic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorodecanesulfonic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorooctanesulfonamide	2.7		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorobutanoic acid	ND		4.7	1.9	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluoroundecanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluorododecanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
6:2 Fluorotelomer sulfonic acid	ND		4.7	1.9	ng/L		01/13/22 17:17	01/15/22 02:17	1
8:2 Fluorotelomer sulfonic acid	ND		2.8	0.93	ng/L		01/13/22 17:17	01/15/22 02:17	1
Perfluoropentanoic acid	ND		1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:17	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
M2-8:2 FTS	102		34 - 182				01/13/22 17:17	01/15/22 02:17	1
M2-6:2 FTS	121		29 - 189				01/13/22 17:17	01/15/22 02:17	1
13C5 PFHxA	94		31 - 142				01/13/22 17:17	01/15/22 02:17	1
13C4 PFHpA	102		30 - 144				01/13/22 17:17	01/15/22 02:17	1
13C8 PFOA	103		49 - 127				01/13/22 17:17	01/15/22 02:17	1
13C9 PFNA	115		47 - 136				01/13/22 17:17	01/15/22 02:17	1
13C6 PFDA	84		47 - 128				01/13/22 17:17	01/15/22 02:17	1
13C7 PFUnA	69		40 - 135				01/13/22 17:17	01/15/22 02:17	1
13C2-PFDoDA	73		28 - 136				01/13/22 17:17	01/15/22 02:17	1
13C2 PFTeDA	63		10 - 144				01/13/22 17:17	01/15/22 02:17	1
13C3 PFBS	146		19 - 178				01/13/22 17:17	01/15/22 02:17	1
13C3 PFHxS	114		32 - 145				01/13/22 17:17	01/15/22 02:17	1
13C8 PFOS	84		49 - 126				01/13/22 17:17	01/15/22 02:17	1
d3-NMeFOSAA	73		32 - 151				01/13/22 17:17	01/15/22 02:17	1
d5-NEtFOSAA	83		37 - 164				01/13/22 17:17	01/15/22 02:17	1
13C8 FOSA	58		10 - 143				01/13/22 17:17	01/15/22 02:17	1
13C4 PFBA	121		41 - 132				01/13/22 17:17	01/15/22 02:17	1
13C5 PFPeA	145		33 - 155				01/13/22 17:17	01/15/22 02:17	1

Client Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Client Sample ID: Well-5-010622

Lab Sample ID: 410-69080-4

Date Collected: 01/06/22 12:20

Matrix: Groundwater

Date Received: 01/07/22 12:37

Method: 8270E SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	ND	cn	0.31	0.10	ug/L		01/11/22 19:00	01/21/22 10:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Benzo(a)pyrene-d12 (Surr)	80	cn	10 - 110				01/11/22 19:00	01/21/22 10:05	1
Fluoranthene-d10 (Surr)	97	cn	47 - 128				01/11/22 19:00	01/21/22 10:05	1
1-Methylnaphthalene-d10 (Surr)	83	cn	36 - 111				01/11/22 19:00	01/21/22 10:05	1

Method: 537 IDA - EPA 537 Isotope Dilution

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	0.49	J cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluoroheptanoic acid	0.70	J cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorooctanoic acid	3.7	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorononanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorodecanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorotridecanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorotetradecanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorobutanesulfonic acid	1.1	J cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorohexanesulfonic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorooctanesulfonic acid	5.0	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
NEtFOSAA	ND	cn	2.8	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
NMeFOSAA	ND	cn	1.9	0.56	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluoroheptanesulfonic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorodecanesulfonic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorooctanesulfonamide	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorobutanoic acid	ND	cn	4.7	1.9	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluoroundecanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluorododecanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
6:2 Fluorotelomer sulfonic acid	ND	cn	4.7	1.9	ng/L		01/13/22 17:17	01/15/22 02:28	1
8:2 Fluorotelomer sulfonic acid	ND	cn	2.8	0.93	ng/L		01/13/22 17:17	01/15/22 02:28	1
Perfluoropentanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:28	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
M2-8:2 FTS	125	cn	34 - 182				01/13/22 17:17	01/15/22 02:28	1
M2-6:2 FTS	115	cn	29 - 189				01/13/22 17:17	01/15/22 02:28	1
13C5 PFHxA	103	cn	31 - 142				01/13/22 17:17	01/15/22 02:28	1
13C4 PFHpA	112	cn	30 - 144				01/13/22 17:17	01/15/22 02:28	1
13C8 PFOA	110	cn	49 - 127				01/13/22 17:17	01/15/22 02:28	1
13C9 PFNA	140	*5+ cn	47 - 136				01/13/22 17:17	01/15/22 02:28	1
13C6 PFDA	123	cn	47 - 128				01/13/22 17:17	01/15/22 02:28	1
13C7 PFUnA	117	cn	40 - 135				01/13/22 17:17	01/15/22 02:28	1
13C2-PFDoDA	111	cn	28 - 136				01/13/22 17:17	01/15/22 02:28	1
13C2 PFTeDA	99	cn	10 - 144				01/13/22 17:17	01/15/22 02:28	1
13C3 PFBS	163	cn	19 - 178				01/13/22 17:17	01/15/22 02:28	1
13C3 PFHxS	118	cn	32 - 145				01/13/22 17:17	01/15/22 02:28	1
13C8 PFOS	124	cn	49 - 126				01/13/22 17:17	01/15/22 02:28	1
d3-NMeFOSAA	103	cn	32 - 151				01/13/22 17:17	01/15/22 02:28	1
d5-NEtFOSAA	123	cn	37 - 164				01/13/22 17:17	01/15/22 02:28	1
13C8 FOSA	101	cn	10 - 143				01/13/22 17:17	01/15/22 02:28	1
13C4 PFBA	121	cn	41 - 132				01/13/22 17:17	01/15/22 02:28	1
13C5 PFPeA	148	cn	33 - 155				01/13/22 17:17	01/15/22 02:28	1

Client Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Client Sample ID: X-1-010622

Lab Sample ID: 410-69080-5

Date Collected: 01/06/22 00:00

Matrix: Groundwater

Date Received: 01/07/22 12:37

Method: 8270E SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	ND	cn	0.29	0.097	ug/L		01/11/22 19:00	01/20/22 15:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Benzo(a)pyrene-d12 (Surr)	81	cn	10 - 110				01/11/22 19:00	01/20/22 15:52	1
Fluoranthene-d10 (Surr)	98	cn	47 - 128				01/11/22 19:00	01/20/22 15:52	1
1-Methylnaphthalene-d10 (Surr)	83	cn	36 - 111				01/11/22 19:00	01/20/22 15:52	1

Method: 537 IDA - EPA 537 Isotope Dilution

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluoroheptanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorooctanoic acid	2.9	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorononanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorodecanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorotridecanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorotetradecanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorobutanesulfonic acid	1.0	J cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorohexanesulfonic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorooctanesulfonic acid	4.4	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
NEtFOSAA	ND	cn	2.7	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
NMeFOSAA	ND	cn	1.8	0.53	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluoroheptanesulfonic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorodecanesulfonic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorooctanesulfonamide	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorobutanoic acid	ND	cn	4.5	1.8	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluoroundecanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluorododecanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1
6:2 Fluorotelomer sulfonic acid	ND	cn	4.5	1.8	ng/L		01/13/22 17:17	01/15/22 02:38	1
8:2 Fluorotelomer sulfonic acid	ND	cn	2.7	0.89	ng/L		01/13/22 17:17	01/15/22 02:38	1
Perfluoropentanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:38	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-8:2 FTS	131	cn	34 - 182	01/13/22 17:17	01/15/22 02:38	1
M2-6:2 FTS	116	cn	29 - 189	01/13/22 17:17	01/15/22 02:38	1
13C5 PFHxA	95	cn	31 - 142	01/13/22 17:17	01/15/22 02:38	1
13C4 PFHpA	106	cn	30 - 144	01/13/22 17:17	01/15/22 02:38	1
13C8 PFOA	107	cn	49 - 127	01/13/22 17:17	01/15/22 02:38	1
13C9 PFNA	140	*5+ cn	47 - 136	01/13/22 17:17	01/15/22 02:38	1
13C6 PFDA	133	*5+ cn	47 - 128	01/13/22 17:17	01/15/22 02:38	1
13C7 PFUnA	116	cn	40 - 135	01/13/22 17:17	01/15/22 02:38	1
13C2-PFDoDA	109	cn	28 - 136	01/13/22 17:17	01/15/22 02:38	1
13C2 PFTeDA	95	cn	10 - 144	01/13/22 17:17	01/15/22 02:38	1
13C3 PFBS	161	cn	19 - 178	01/13/22 17:17	01/15/22 02:38	1
13C3 PFHxS	114	cn	32 - 145	01/13/22 17:17	01/15/22 02:38	1
13C8 PFOS	119	cn	49 - 126	01/13/22 17:17	01/15/22 02:38	1
d3-NMeFOSAA	108	cn	32 - 151	01/13/22 17:17	01/15/22 02:38	1
d5-NEtFOSAA	125	cn	37 - 164	01/13/22 17:17	01/15/22 02:38	1
13C8 FOSA	96	cn	10 - 143	01/13/22 17:17	01/15/22 02:38	1
13C4 PFBA	125	cn	41 - 132	01/13/22 17:17	01/15/22 02:38	1
13C5 PFPeA	155	cn	33 - 155	01/13/22 17:17	01/15/22 02:38	1

Client Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Client Sample ID: FRB-1-010622

Lab Sample ID: 410-69080-6

Date Collected: 01/06/22 14:10

Matrix: Water

Date Received: 01/07/22 12:37

Method: 537 IDA - EPA 537 Isotope Dilution

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluoroheptanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorooctanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorononanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorodecanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorotridecanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorotetradecanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorobutanesulfonic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorohexanesulfonic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorooctanesulfonic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
NEtFOSAA	ND	cn	2.8	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
NMeFOSAA	ND	cn	1.9	0.56	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluoroheptanesulfonic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorodecanesulfonic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorooctanesulfonamide	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorobutanoic acid	ND	cn	4.7	1.9	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluoroundecanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluorododecanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1
6:2 Fluorotelomer sulfonic acid	ND	cn	4.7	1.9	ng/L		01/13/22 17:17	01/15/22 02:49	1
8:2 Fluorotelomer sulfonic acid	ND	cn	2.8	0.93	ng/L		01/13/22 17:17	01/15/22 02:49	1
Perfluoropentanoic acid	ND	cn	1.9	0.47	ng/L		01/13/22 17:17	01/15/22 02:49	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-8:2 FTS	111	cn	34 - 182	01/13/22 17:17	01/15/22 02:49	1
M2-6:2 FTS	98	cn	29 - 189	01/13/22 17:17	01/15/22 02:49	1
13C5 PFHxA	94	cn	31 - 142	01/13/22 17:17	01/15/22 02:49	1
13C4 PFHpA	96	cn	30 - 144	01/13/22 17:17	01/15/22 02:49	1
13C8 PFOA	98	cn	49 - 127	01/13/22 17:17	01/15/22 02:49	1
13C9 PFNA	138	*5+ cn	47 - 136	01/13/22 17:17	01/15/22 02:49	1
13C6 PFDA	111	cn	47 - 128	01/13/22 17:17	01/15/22 02:49	1
13C7 PFUnA	83	cn	40 - 135	01/13/22 17:17	01/15/22 02:49	1
13C2-PFDoDA	96	cn	28 - 136	01/13/22 17:17	01/15/22 02:49	1
13C2 PFTeDA	78	cn	10 - 144	01/13/22 17:17	01/15/22 02:49	1
13C3 PFBS	118	cn	19 - 178	01/13/22 17:17	01/15/22 02:49	1
13C3 PFHxS	103	cn	32 - 145	01/13/22 17:17	01/15/22 02:49	1
13C8 PFOS	112	cn	49 - 126	01/13/22 17:17	01/15/22 02:49	1
d3-NMeFOSAA	92	cn	32 - 151	01/13/22 17:17	01/15/22 02:49	1
d5-NEtFOSAA	100	cn	37 - 164	01/13/22 17:17	01/15/22 02:49	1
13C8 FOSA	81	cn	10 - 143	01/13/22 17:17	01/15/22 02:49	1
13C4 PFBA	111	cn	41 - 132	01/13/22 17:17	01/15/22 02:49	1
13C5 PFPeA	110	cn	33 - 155	01/13/22 17:17	01/15/22 02:49	1

Client Sample ID: EB-1-010622

Lab Sample ID: 410-69080-7

Date Collected: 01/06/22 14:25

Matrix: Water

Date Received: 01/07/22 12:37

Method: 8270E SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	ND	cn	0.29	0.098	ug/L		01/11/22 19:00	01/20/22 16:22	1

Client Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Client Sample ID: EB-1-010622

Lab Sample ID: 410-69080-7

Date Collected: 01/06/22 14:25

Matrix: Water

Date Received: 01/07/22 12:37

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Benzo(a)pyrene-d12 (Surr)	84	cn	10 - 110	01/11/22 19:00	01/20/22 16:22	1
Fluoranthene-d10 (Surr)	86	cn	47 - 128	01/11/22 19:00	01/20/22 16:22	1
1-Methylnaphthalene-d10 (Surr)	64	cn	36 - 111	01/11/22 19:00	01/20/22 16:22	1

Method: 537 IDA - EPA 537 Isotope Dilution

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluoroheptanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorooctanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorononanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorodecanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorotridecanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorotetradecanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorobutanesulfonic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorohexanesulfonic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorooctanesulfonic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
NEtFOSAA	ND	cn	2.7	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
NMeFOSAA	ND	cn	1.8	0.54	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluoroheptanesulfonic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorodecanesulfonic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorooctanesulfonamide	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorobutanoic acid	ND	cn	4.5	1.8	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluoroundecanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluorododecanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1
6:2 Fluorotelomer sulfonic acid	ND	cn	4.5	1.8	ng/L		01/13/22 17:17	01/15/22 02:59	1
8:2 Fluorotelomer sulfonic acid	ND	cn	2.7	0.90	ng/L		01/13/22 17:17	01/15/22 02:59	1
Perfluoropentanoic acid	ND	cn	1.8	0.45	ng/L		01/13/22 17:17	01/15/22 02:59	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-8:2 FTS	123	cn	34 - 182	01/13/22 17:17	01/15/22 02:59	1
M2-6:2 FTS	113	cn	29 - 189	01/13/22 17:17	01/15/22 02:59	1
13C5 PFHxA	100	cn	31 - 142	01/13/22 17:17	01/15/22 02:59	1
13C4 PFHpA	108	cn	30 - 144	01/13/22 17:17	01/15/22 02:59	1
13C8 PFOA	109	cn	49 - 127	01/13/22 17:17	01/15/22 02:59	1
13C9 PFNA	143	*5+ cn	47 - 136	01/13/22 17:17	01/15/22 02:59	1
13C6 PFDA	119	cn	47 - 128	01/13/22 17:17	01/15/22 02:59	1
13C7 PFUnA	104	cn	40 - 135	01/13/22 17:17	01/15/22 02:59	1
13C2-PFDoDA	93	cn	28 - 136	01/13/22 17:17	01/15/22 02:59	1
13C2 PFTeDA	79	cn	10 - 144	01/13/22 17:17	01/15/22 02:59	1
13C3 PFBS	131	cn	19 - 178	01/13/22 17:17	01/15/22 02:59	1
13C3 PFHxS	115	cn	32 - 145	01/13/22 17:17	01/15/22 02:59	1
13C8 PFOS	120	cn	49 - 126	01/13/22 17:17	01/15/22 02:59	1
d3-NMeFOSAA	107	cn	32 - 151	01/13/22 17:17	01/15/22 02:59	1
d5-NEtFOSAA	111	cn	37 - 164	01/13/22 17:17	01/15/22 02:59	1
13C8 FOSA	88	cn	10 - 143	01/13/22 17:17	01/15/22 02:59	1
13C4 PFBA	115	cn	41 - 132	01/13/22 17:17	01/15/22 02:59	1
13C5 PFPeA	126	cn	33 - 155	01/13/22 17:17	01/15/22 02:59	1

Surrogate Summary

Client: Ramboll US Corporation
Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Method: 8270E SIM - Semivolatile Organic Compounds (GC/MS SIM)

Matrix: Groundwater

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		BAPd12 (10-110)	FLN10 (47-128)	MNPd10 (36-111)
410-69080-1	Well-1-010622	82 cn	102 cn	87 cn
410-69080-2	Well-3-010622	78 cn	105 cn	88 cn
410-69080-3	Well-4-010622	38 cn	101 cn	87 cn
410-69080-4	Well-5-010622	80 cn	97 cn	83 cn
410-69080-5	X-1-010622	81 cn	98 cn	83 cn

Surrogate Legend

BAPd12 = Benzo(a)pyrene-d12 (Surr)
FLN10 = Fluoranthene-d10 (Surr)
MNPd10 = 1-Methylnaphthalene-d10 (Surr)

Method: 8270E SIM - Semivolatile Organic Compounds (GC/MS SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		BAPd12 (10-110)	FLN10 (47-128)	MNPd10 (36-111)
410-69080-7	EB-1-010622	84 cn	86 cn	64 cn
LCS 410-213587/2-A	Lab Control Sample	95	103	94
LCSD 410-213587/3-A	Lab Control Sample Dup	91	102	89
MB 410-213587/1-A	Method Blank	96	105	93

Surrogate Legend

BAPd12 = Benzo(a)pyrene-d12 (Surr)
FLN10 = Fluoranthene-d10 (Surr)
MNPd10 = 1-Methylnaphthalene-d10 (Surr)

Isotope Dilution Summary

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Method: 537 IDA - EPA 537 Isotope Dilution

Matrix: Groundwater

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	M282FTS (34-182)	M262FTS (29-189)	13C5PHA (31-142)	C4PFHA (30-144)	C8PFOA (49-127)	C9PFNA (47-136)	C6PFDA (47-128)	13C7PUA (40-135)
410-69080-1	Well-1-010622	93	93	96	107	103	130	97	94
410-69080-2	Well-3-010622	140	127	108	120	122	124	126	123
410-69080-3	Well-4-010622	102	121	94	102	103	115	84	69
410-69080-4	Well-5-010622	125 cn	115 cn	103 cn	112 cn	110 cn	140 *5+ cn	123 cn	117 cn
410-69080-5	X-1-010622	131 cn	116 cn	95 cn	106 cn	107 cn	140 *5+ cn	133 *5+ cn	116 cn

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	PFDoDA (28-136)	PFTDA (10-144)	C3PFBS (19-178)	C3PFHS (32-145)	C8PFOS (49-126)	d3NMFOS (32-151)	d5NEFOS (37-164)	PFOSA (10-143)
410-69080-1	Well-1-010622	91	81	139	125	120	87	101	78
410-69080-2	Well-3-010622	121	103	160	132	126	121	129	103
410-69080-3	Well-4-010622	73	63	146	114	84	73	83	58
410-69080-4	Well-5-010622	111 cn	99 cn	163 cn	118 cn	124 cn	103 cn	123 cn	101 cn
410-69080-5	X-1-010622	109 cn	95 cn	161 cn	114 cn	119 cn	108 cn	125 cn	96 cn

		Percent Isotope Dilution Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	PFBA (41-132)	PFPeA (33-155)
410-69080-1	Well-1-010622	116	132
410-69080-2	Well-3-010622	123	152
410-69080-3	Well-4-010622	121	145
410-69080-4	Well-5-010622	121 cn	148 cn
410-69080-5	X-1-010622	125 cn	155 cn

Surrogate Legend

- M282FTS = M2-8:2 FTS
- M262FTS = M2-6:2 FTS
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- C6PFDA = 13C6 PFDA
- 13C7PUA = 13C7 PFUnA
- PFDoDA = 13C2-PFDoDA
- PFTDA = 13C2 PFTeDA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- d3NMFOS = d3-NMeFOSAA
- d5NEFOS = d5-NEtFOSAA
- PFOSA = 13C8 FOSA
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA

Isotope Dilution Summary

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Method: 537 IDA - EPA 537 Isotope Dilution

Matrix: Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	M282FTS (34-182)	M262FTS (29-189)	13C5PHA (31-142)	C4PFHA (30-144)	C8PFOA (49-127)	C9PFNA (47-136)	C6PFDA (47-128)	13C7PUA (40-135)
410-69080-6	FRB-1-010622	111 cn	98 cn	94 cn	96 cn	98 cn	138 *5+ cn	111 cn	83 cn
410-69080-7	EB-1-010622	123 cn	113 cn	100 cn	108 cn	109 cn	143 *5+ cn	119 cn	104 cn
LCS 410-214474/2-A	Lab Control Sample	124	111	105	104	107	136	127	114
LCS D 410-214474/3-A	Lab Control Sample Dup	101	95	94	97	95	103	103	93
MB 410-214474/1-A	Method Blank	134	120	109	113	113	135	116	110

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	PFDODA (28-136)	PFTDA (10-144)	C3PFBS (19-178)	C3PFHS (32-145)	C8PFOS (49-126)	d3NMFOS (32-151)	d5NEFOS (37-164)	PFOSA (10-143)
410-69080-6	FRB-1-010622	96 cn	78 cn	118 cn	103 cn	112 cn	92 cn	100 cn	81 cn
410-69080-7	EB-1-010622	93 cn	79 cn	131 cn	115 cn	120 cn	107 cn	111 cn	88 cn
LCS 410-214474/2-A	Lab Control Sample	116	97	124	115	122	112	116	102
LCS D 410-214474/3-A	Lab Control Sample Dup	86	77	99	104	98	94	98	77
MB 410-214474/1-A	Method Blank	109	95	119	120	119	115	123	94

		Percent Isotope Dilution Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	PFBA (41-132)	PFPeA (33-155)
410-69080-6	FRB-1-010622	111 cn	110 cn
410-69080-7	EB-1-010622	115 cn	126 cn
LCS 410-214474/2-A	Lab Control Sample	118	124
LCS D 410-214474/3-A	Lab Control Sample Dup	94	99
MB 410-214474/1-A	Method Blank	113	116

Surrogate Legend

- M282FTS = M2-8:2 FTS
- M262FTS = M2-6:2 FTS
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- C6PFDA = 13C6 PFDA
- 13C7PUA = 13C7 PFUnA
- PFDODA = 13C2-PFDODA
- PFTDA = 13C2 PFTeDA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- d3NMFOS = d3-NMeFOSAA
- d5NEFOS = d5-NEtFOSAA
- PFOSA = 13C8 FOSA
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA

QC Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Method: 8270E SIM - Semivolatile Organic Compounds (GC/MS SIM)

Lab Sample ID: MB 410-213587/1-A
Matrix: Water
Analysis Batch: 216205

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 213587

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	ND		0.30	0.10	ug/L		01/11/22 19:00	01/20/22 05:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Benzo(a)pyrene-d12 (Surr)	96		10 - 110				01/11/22 19:00	01/20/22 05:26	1
Fluoranthene-d10 (Surr)	105		47 - 128				01/11/22 19:00	01/20/22 05:26	1
1-Methylnaphthalene-d10 (Surr)	93		36 - 111				01/11/22 19:00	01/20/22 05:26	1

Lab Sample ID: LCS 410-213587/2-A
Matrix: Water
Analysis Batch: 216205

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 213587

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	1.00	0.717		ug/L		72	23 - 120
Surrogate	%Recovery	Qualifier	Limits				
Benzo(a)pyrene-d12 (Surr)	95		10 - 110				
Fluoranthene-d10 (Surr)	103		47 - 128				
1-Methylnaphthalene-d10 (Surr)	94		36 - 111				

Lab Sample ID: LCSD 410-213587/3-A
Matrix: Water
Analysis Batch: 216205

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 213587

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
1,4-Dioxane	1.00	0.703		ug/L		70	23 - 120	2	30
Surrogate	%Recovery	Qualifier	Limits						
Benzo(a)pyrene-d12 (Surr)	91		10 - 110						
Fluoranthene-d10 (Surr)	102		47 - 128						
1-Methylnaphthalene-d10 (Surr)	89		36 - 111						

Method: 537 IDA - EPA 537 Isotope Dilution

Lab Sample ID: MB 410-214474/1-A
Matrix: Water
Analysis Batch: 214881

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 214474

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluoroheptanoic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorooctanoic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorononanoic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorodecanoic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorotridecanoic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorotetradecanoic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorobutanesulfonic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorohexanesulfonic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorooctanesulfonic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1

Eurofins Lancaster Laboratories Env, LLC

QC Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: MB 410-214474/1-A

Matrix: Water

Analysis Batch: 214881

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 214474

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
NEtFOSAA	ND		3.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
NMeFOSAA	ND		2.0	0.60	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluoroheptanesulfonic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorodecanesulfonic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorooctanesulfonamide	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorobutanoic acid	ND		5.0	2.0	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluoroundecanoic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluorododecanoic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1
6:2 Fluorotelomer sulfonic acid	ND		5.0	2.0	ng/L		01/13/22 17:17	01/14/22 23:28	1
8:2 Fluorotelomer sulfonic acid	ND		3.0	1.0	ng/L		01/13/22 17:17	01/14/22 23:28	1
Perfluoropentanoic acid	ND		2.0	0.50	ng/L		01/13/22 17:17	01/14/22 23:28	1

Isotope Dilution	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
M2-8:2 FTS	134		34 - 182	01/13/22 17:17	01/14/22 23:28	1
M2-6:2 FTS	120		29 - 189	01/13/22 17:17	01/14/22 23:28	1
13C5 PFHxA	109		31 - 142	01/13/22 17:17	01/14/22 23:28	1
13C4 PFHpA	113		30 - 144	01/13/22 17:17	01/14/22 23:28	1
13C8 PFOA	113		49 - 127	01/13/22 17:17	01/14/22 23:28	1
13C9 PFNA	135		47 - 136	01/13/22 17:17	01/14/22 23:28	1
13C6 PFDA	116		47 - 128	01/13/22 17:17	01/14/22 23:28	1
13C7 PFUnA	110		40 - 135	01/13/22 17:17	01/14/22 23:28	1
13C2-PFDoDA	109		28 - 136	01/13/22 17:17	01/14/22 23:28	1
13C2 PFTeDA	95		10 - 144	01/13/22 17:17	01/14/22 23:28	1
13C3 PFBS	119		19 - 178	01/13/22 17:17	01/14/22 23:28	1
13C3 PFHxS	120		32 - 145	01/13/22 17:17	01/14/22 23:28	1
13C8 PFOS	119		49 - 126	01/13/22 17:17	01/14/22 23:28	1
d3-NMeFOSAA	115		32 - 151	01/13/22 17:17	01/14/22 23:28	1
d5-NEtFOSAA	123		37 - 164	01/13/22 17:17	01/14/22 23:28	1
13C8 FOSA	94		10 - 143	01/13/22 17:17	01/14/22 23:28	1
13C4 PFBA	113		41 - 132	01/13/22 17:17	01/14/22 23:28	1
13C5 PFPeA	116		33 - 155	01/13/22 17:17	01/14/22 23:28	1

Lab Sample ID: LCS 410-214474/2-A

Matrix: Water

Analysis Batch: 214881

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 214474

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Perfluorohexanoic acid	25.6	19.4		ng/L		76	66 - 137
Perfluoroheptanoic acid	25.6	20.6		ng/L		81	66 - 141
Perfluorooctanoic acid	25.6	21.7		ng/L		85	65 - 136
Perfluorononanoic acid	25.6	20.4		ng/L		80	65 - 140
Perfluorodecanoic acid	25.6	17.0		ng/L		66	63 - 137
Perfluorotridecanoic acid	25.6	18.8		ng/L		73	58 - 146
Perfluorotetradecanoic acid	25.6	20.8		ng/L		81	64 - 141
Perfluorobutanesulfonic acid	22.7	17.7		ng/L		78	65 - 132
Perfluorohexanesulfonic acid	23.3	17.0		ng/L		73	60 - 128
Perfluorooctanesulfonic acid	23.7	18.7		ng/L		79	51 - 126
NEtFOSAA	25.6	20.8		ng/L		81	54 - 134
NMeFOSAA	25.6	19.6		ng/L		76	58 - 143

Eurofins Lancaster Laboratories Env, LLC

QC Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: LCS 410-214474/2-A

Matrix: Water

Analysis Batch: 214881

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 214474

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	
							Limits	
Perfluoroheptanesulfonic acid	24.4	19.0		ng/L		78	67 - 135	
Perfluorodecanesulfonic acid	24.7	20.5		ng/L		83	61 - 134	
Perfluorooctanesulfonamide	25.6	24.3		ng/L		95	55 - 130	
Perfluorobutanoic acid	25.6	20.6		ng/L		80	62 - 156	
Perfluoroundecanoic acid	25.6	21.0		ng/L		82	62 - 138	
Perfluorododecanoic acid	25.6	18.1		ng/L		71	63 - 140	
6:2 Fluorotelomer sulfonic acid	24.3	18.7		ng/L		77	57 - 137	
8:2 Fluorotelomer sulfonic acid	24.5	18.6		ng/L		76	56 - 140	
Perfluoropentanoic acid	25.6	18.3		ng/L		72	72 - 139	

Isotope Dilution	LCS LCS		Limits
	%Recovery	Qualifier	
M2-8:2 FTS	124		34 - 182
M2-6:2 FTS	111		29 - 189
13C5 PFHxA	105		31 - 142
13C4 PFHpA	104		30 - 144
13C8 PFOA	107		49 - 127
13C9 PFNA	136		47 - 136
13C6 PFDA	127		47 - 128
13C7 PFUnA	114		40 - 135
13C2-PFDoDA	116		28 - 136
13C2 PFTeDA	97		10 - 144
13C3 PFBS	124		19 - 178
13C3 PFHxS	115		32 - 145
13C8 PFOS	122		49 - 126
d3-NMeFOSAA	112		32 - 151
d5-NEtFOSAA	116		37 - 164
13C8 FOSA	102		10 - 143
13C4 PFBA	118		41 - 132
13C5 PFPeA	124		33 - 155

Lab Sample ID: LCSD 410-214474/3-A

Matrix: Water

Analysis Batch: 214881

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 214474

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.		RPD	
							Limits		RPD	Limit
Perfluorohexanoic acid	25.6	21.7		ng/L		85	66 - 137	11	30	
Perfluoroheptanoic acid	25.6	19.6		ng/L		76	66 - 141	5	30	
Perfluorooctanoic acid	25.6	20.0		ng/L		78	65 - 136	8	30	
Perfluorononanoic acid	25.6	20.3		ng/L		79	65 - 140	0	30	
Perfluorodecanoic acid	25.6	16.3		ng/L		64	63 - 137	4	30	
Perfluorotridecanoic acid	25.6	19.3		ng/L		75	58 - 146	3	30	
Perfluorotetradecanoic acid	25.6	20.3		ng/L		79	64 - 141	3	30	
Perfluorobutanesulfonic acid	22.7	17.6		ng/L		78	65 - 132	0	30	
Perfluorohexanesulfonic acid	23.3	17.0		ng/L		73	60 - 128	0	30	
Perfluorooctanesulfonic acid	23.7	17.9		ng/L		75	51 - 126	4	30	
NEtFOSAA	25.6	19.8		ng/L		77	54 - 134	5	30	
NMeFOSAA	25.6	18.6		ng/L		72	58 - 143	5	30	
Perfluoroheptanesulfonic acid	24.4	17.7		ng/L		72	67 - 135	7	30	
Perfluorodecanesulfonic acid	24.7	19.1		ng/L		77	61 - 134	7	30	

Eurofins Lancaster Laboratories Env, LLC

QC Sample Results

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: LCSD 410-214474/3-A

Matrix: Water

Analysis Batch: 214881

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 214474

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
	Added	Result	Qualifier						
Perfluorooctanesulfonamide	25.6	26.5		ng/L		103	55 - 130	9	30
Perfluorobutanoic acid	25.6	20.6		ng/L		80	62 - 156	0	30
Perfluoroundecanoic acid	25.6	21.7		ng/L		85	62 - 138	3	30
Perfluorododecanoic acid	25.6	19.6		ng/L		76	63 - 140	8	30
6:2 Fluorotelomer sulfonic acid	24.3	18.4		ng/L		76	57 - 137	2	30
8:2 Fluorotelomer sulfonic acid	24.5	18.5		ng/L		76	56 - 140	0	30
Perfluoropentanoic acid	25.6	18.5		ng/L		72	72 - 139	1	30

Isotope Dilution	LCSD	LCSD	Limits
	%Recovery	Qualifier	
M2-8:2 FTS	101		34 - 182
M2-6:2 FTS	95		29 - 189
13C5 PFHxA	94		31 - 142
13C4 PFHpA	97		30 - 144
13C8 PFOA	95		49 - 127
13C9 PFNA	103		47 - 136
13C6 PFDA	103		47 - 128
13C7 PFUnA	93		40 - 135
13C2-PFDoDA	86		28 - 136
13C2 PFTeDA	77		10 - 144
13C3 PFBS	99		19 - 178
13C3 PFHxS	104		32 - 145
13C8 PFOS	98		49 - 126
d3-NMeFOSAA	94		32 - 151
d5-NEtFOSAA	98		37 - 164
13C8 FOSA	77		10 - 143
13C4 PFBA	94		41 - 132
13C5 PFPeA	99		33 - 155

QC Association Summary

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

GC/MS Semi VOA

Prep Batch: 213587

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-69080-1	Well-1-010622	Total/NA	Groundwater	3510C	
410-69080-2	Well-3-010622	Total/NA	Groundwater	3510C	
410-69080-3	Well-4-010622	Total/NA	Groundwater	3510C	
410-69080-4	Well-5-010622	Total/NA	Groundwater	3510C	
410-69080-5	X-1-010622	Total/NA	Groundwater	3510C	
410-69080-7	EB-1-010622	Total/NA	Water	3510C	
MB 410-213587/1-A	Method Blank	Total/NA	Water	3510C	
LCS 410-213587/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 410-213587/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 216205

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-69080-1	Well-1-010622	Total/NA	Groundwater	8270E SIM	213587
410-69080-2	Well-3-010622	Total/NA	Groundwater	8270E SIM	213587
410-69080-3	Well-4-010622	Total/NA	Groundwater	8270E SIM	213587
410-69080-5	X-1-010622	Total/NA	Groundwater	8270E SIM	213587
410-69080-7	EB-1-010622	Total/NA	Water	8270E SIM	213587
MB 410-213587/1-A	Method Blank	Total/NA	Water	8270E SIM	213587
LCS 410-213587/2-A	Lab Control Sample	Total/NA	Water	8270E SIM	213587
LCSD 410-213587/3-A	Lab Control Sample Dup	Total/NA	Water	8270E SIM	213587

Analysis Batch: 216613

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-69080-4	Well-5-010622	Total/NA	Groundwater	8270E SIM	213587

LCMS

Prep Batch: 214474

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-69080-1	Well-1-010622	Total/NA	Groundwater	537 IDA	
410-69080-2	Well-3-010622	Total/NA	Groundwater	537 IDA	
410-69080-3	Well-4-010622	Total/NA	Groundwater	537 IDA	
410-69080-4	Well-5-010622	Total/NA	Groundwater	537 IDA	
410-69080-5	X-1-010622	Total/NA	Groundwater	537 IDA	
410-69080-6	FRB-1-010622	Total/NA	Water	537 IDA	
410-69080-7	EB-1-010622	Total/NA	Water	537 IDA	
MB 410-214474/1-A	Method Blank	Total/NA	Water	537 IDA	
LCS 410-214474/2-A	Lab Control Sample	Total/NA	Water	537 IDA	
LCSD 410-214474/3-A	Lab Control Sample Dup	Total/NA	Water	537 IDA	

Analysis Batch: 214881

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-69080-2	Well-3-010622	Total/NA	Groundwater	537 IDA	214474
410-69080-3	Well-4-010622	Total/NA	Groundwater	537 IDA	214474
410-69080-4	Well-5-010622	Total/NA	Groundwater	537 IDA	214474
410-69080-5	X-1-010622	Total/NA	Groundwater	537 IDA	214474
410-69080-6	FRB-1-010622	Total/NA	Water	537 IDA	214474
410-69080-7	EB-1-010622	Total/NA	Water	537 IDA	214474
MB 410-214474/1-A	Method Blank	Total/NA	Water	537 IDA	214474
LCS 410-214474/2-A	Lab Control Sample	Total/NA	Water	537 IDA	214474
LCSD 410-214474/3-A	Lab Control Sample Dup	Total/NA	Water	537 IDA	214474

QC Association Summary

Client: Ramboll US Corporation
Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

LCMS

Analysis Batch: 215297

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-69080-1	Well-1-010622	Total/NA	Groundwater	537 IDA	214474

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Lab Chronicle

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Client Sample ID: Well-1-010622

Lab Sample ID: 410-69080-1

Date Collected: 01/06/22 13:30

Matrix: Groundwater

Date Received: 01/07/22 12:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			213587	01/11/22 19:00	QQ3P	ELLE
Total/NA	Analysis	8270E SIM		1	216205	01/20/22 13:53	UJM0	ELLE
Total/NA	Prep	537 IDA			214474	01/13/22 17:17	ZWK6	ELLE
Total/NA	Analysis	537 IDA		1	215297	01/17/22 23:48	MT26	ELLE

Client Sample ID: Well-3-010622

Lab Sample ID: 410-69080-2

Date Collected: 01/06/22 10:10

Matrix: Groundwater

Date Received: 01/07/22 12:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			213587	01/11/22 19:00	QQ3P	ELLE
Total/NA	Analysis	8270E SIM		1	216205	01/20/22 14:22	UJM0	ELLE
Total/NA	Prep	537 IDA			214474	01/13/22 17:17	ZWK6	ELLE
Total/NA	Analysis	537 IDA		1	214881	01/15/22 02:06	PY4D	ELLE

Client Sample ID: Well-4-010622

Lab Sample ID: 410-69080-3

Date Collected: 01/06/22 14:00

Matrix: Groundwater

Date Received: 01/07/22 12:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			213587	01/11/22 19:00	QQ3P	ELLE
Total/NA	Analysis	8270E SIM		1	216205	01/20/22 14:52	UJM0	ELLE
Total/NA	Prep	537 IDA			214474	01/13/22 17:17	ZWK6	ELLE
Total/NA	Analysis	537 IDA		1	214881	01/15/22 02:17	PY4D	ELLE

Client Sample ID: Well-5-010622

Lab Sample ID: 410-69080-4

Date Collected: 01/06/22 12:20

Matrix: Groundwater

Date Received: 01/07/22 12:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			213587	01/11/22 19:00	QQ3P	ELLE
Total/NA	Analysis	8270E SIM		1	216613	01/21/22 10:05	X3ZL	ELLE
Total/NA	Prep	537 IDA			214474	01/13/22 17:17	ZWK6	ELLE
Total/NA	Analysis	537 IDA		1	214881	01/15/22 02:28	PY4D	ELLE

Client Sample ID: X-1-010622

Lab Sample ID: 410-69080-5

Date Collected: 01/06/22 00:00

Matrix: Groundwater

Date Received: 01/07/22 12:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			213587	01/11/22 19:00	QQ3P	ELLE
Total/NA	Analysis	8270E SIM		1	216205	01/20/22 15:52	UJM0	ELLE
Total/NA	Prep	537 IDA			214474	01/13/22 17:17	ZWK6	ELLE
Total/NA	Analysis	537 IDA		1	214881	01/15/22 02:38	PY4D	ELLE

Lab Chronicle

Client: Ramboll US Corporation
Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Client Sample ID: FRB-1-010622

Lab Sample ID: 410-69080-6

Date Collected: 01/06/22 14:10

Matrix: Water

Date Received: 01/07/22 12:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 IDA			214474	01/13/22 17:17	ZWK6	ELLE
Total/NA	Analysis	537 IDA		1	214881	01/15/22 02:49	PY4D	ELLE

Client Sample ID: EB-1-010622

Lab Sample ID: 410-69080-7

Date Collected: 01/06/22 14:25

Matrix: Water

Date Received: 01/07/22 12:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			213587	01/11/22 19:00	QQ3P	ELLE
Total/NA	Analysis	8270E SIM		1	216205	01/20/22 16:22	UJM0	ELLE
Total/NA	Prep	537 IDA			214474	01/13/22 17:17	ZWK6	ELLE
Total/NA	Analysis	537 IDA		1	214881	01/15/22 02:59	PY4D	ELLE

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: Ramboll US Corporation
 Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10670	04-01-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
537 IDA	537 IDA	Groundwater	6:2 Fluorotelomer sulfonic acid
537 IDA	537 IDA	Groundwater	8:2 Fluorotelomer sulfonic acid
537 IDA	537 IDA	Groundwater	NETFOSAA
537 IDA	537 IDA	Groundwater	NMeFOSAA
537 IDA	537 IDA	Groundwater	Perfluorobutanesulfonic acid
537 IDA	537 IDA	Groundwater	Perfluorobutanoic acid
537 IDA	537 IDA	Groundwater	Perfluorodecanesulfonic acid
537 IDA	537 IDA	Groundwater	Perfluorodecanoic acid
537 IDA	537 IDA	Groundwater	Perfluorododecanoic acid
537 IDA	537 IDA	Groundwater	Perfluoroheptanesulfonic acid
537 IDA	537 IDA	Groundwater	Perfluoroheptanoic acid
537 IDA	537 IDA	Groundwater	Perfluorohexanesulfonic acid
537 IDA	537 IDA	Groundwater	Perfluorohexanoic acid
537 IDA	537 IDA	Groundwater	Perfluorononanoic acid
537 IDA	537 IDA	Groundwater	Perfluorooctanesulfonamide
537 IDA	537 IDA	Groundwater	Perfluorooctanesulfonic acid
537 IDA	537 IDA	Groundwater	Perfluorooctanoic acid
537 IDA	537 IDA	Groundwater	Perfluoropentanoic acid
537 IDA	537 IDA	Groundwater	Perfluorotetradecanoic acid
537 IDA	537 IDA	Groundwater	Perfluorotridecanoic acid
537 IDA	537 IDA	Groundwater	Perfluoroundecanoic acid
537 IDA	537 IDA	Water	6:2 Fluorotelomer sulfonic acid
537 IDA	537 IDA	Water	8:2 Fluorotelomer sulfonic acid
537 IDA	537 IDA	Water	NETFOSAA
537 IDA	537 IDA	Water	NMeFOSAA
537 IDA	537 IDA	Water	Perfluorobutanesulfonic acid
537 IDA	537 IDA	Water	Perfluorobutanoic acid
537 IDA	537 IDA	Water	Perfluorodecanesulfonic acid
537 IDA	537 IDA	Water	Perfluorodecanoic acid
537 IDA	537 IDA	Water	Perfluorododecanoic acid
537 IDA	537 IDA	Water	Perfluoroheptanesulfonic acid
537 IDA	537 IDA	Water	Perfluoroheptanoic acid
537 IDA	537 IDA	Water	Perfluorohexanesulfonic acid
537 IDA	537 IDA	Water	Perfluorohexanoic acid
537 IDA	537 IDA	Water	Perfluorononanoic acid
537 IDA	537 IDA	Water	Perfluorooctanesulfonamide
537 IDA	537 IDA	Water	Perfluorooctanesulfonic acid
537 IDA	537 IDA	Water	Perfluorooctanoic acid
537 IDA	537 IDA	Water	Perfluoropentanoic acid
537 IDA	537 IDA	Water	Perfluorotetradecanoic acid
537 IDA	537 IDA	Water	Perfluorotridecanoic acid
537 IDA	537 IDA	Water	Perfluoroundecanoic acid

Method Summary

Client: Ramboll US Corporation
Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Method	Method Description	Protocol	Laboratory
8270E SIM	Semivolatile Organic Compounds (GC/MS SIM)	SW846	ELLE
537 IDA	EPA 537 Isotope Dilution	EPA	ELLE
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	ELLE
537 IDA	EPA 537 Isotope Dilution	EPA	ELLE

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Sample Summary

Client: Ramboll US Corporation
Project/Site: Emerging Contaminants Sampling

Job ID: 410-69080-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-69080-1	Well-1-010622	Groundwater	01/06/22 13:30	01/07/22 12:37
410-69080-2	Well-3-010622	Groundwater	01/06/22 10:10	01/07/22 12:37
410-69080-3	Well-4-010622	Groundwater	01/06/22 14:00	01/07/22 12:37
410-69080-4	Well-5-010622	Groundwater	01/06/22 12:20	01/07/22 12:37
410-69080-5	X-1-010622	Groundwater	01/06/22 00:00	01/07/22 12:37
410-69080-6	FRB-1-010622	Water	01/06/22 14:10	01/07/22 12:37
410-69080-7	EB-1-010622	Water	01/06/22 14:25	01/07/22 12:37

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Login Sample Receipt Checklist

Client: Ramboll US Corporation

Job Number: 410-69080-1

Login Number: 69080

List Source: Eurofins Lancaster Laboratories Env, LLC

List Number: 1

Creator: Renner, Melissa

Question	Answer	Comment
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	N/A	

APPENDIX C
DATA USABILITY SUMMARY REPORT

MEMO

Date: **February 7, 2022**

To: **Paul D'Annibale, Project Manager**

From: **Rob Huening**

cc: **File**

Subject: **Saint-Gobain
January 2022 Well Sampling Validation
Eurofins Lancaster Method 537 by ID
SDG J69080, 5 Groundwater Samples, 2 Field Blanks**

Data validation was conducted for Eurofins Lancaster data package J69080 based on the National Functional Guidelines for Superfund Organic Methods Data Review OSWER 9355.0-132, EPA-540-R-014-002 (USEPA January 2017). The data package included results for samples analyzed by USEPA Method 537 IDA (Isotope Dilution). The following samples were reported in this data package:

Ramboll
Boston, MA 02210
USA

T +1 617 946 6114
www.ramboll-environ.com

Sample ID	Lab Sample ID
Well-1-010622	FA75952-1
Well-3-010622	FA75952-2
Well-4-010622	FA75952-3
Well-5-010622	FA75952-4
X-1-010622	FA75952-5
FRB-1-010622	FA75952-6
EB-1-010622	FA75952-7

Data validation included a review of the following QC parameters:

- Data Package Completeness
- Preservation and Holding Times
- Blanks
- Deuterated Monitoring Compound or Surrogate Spikes
- Matrix Spike/Matrix Spike Duplicate
- Laboratory Control Sample
- Internal Standards
- Overall Assessment of Data

QC criteria were met for each parameter with minor exceptions as noted in the attached worksheet reviews. Results should be used for project purposes only after reviewing the QA deficiencies discussed there.

Overall Assessment of Sampling Data

Overall, data are usable for project purposes. Data can be used and reported as presented by the laboratory. Laboratory flags indicating possible biases (cn) can be removed based on this review. No other issues were identified with data.