



**DEPARTMENT OF THE ARMY**  
NEW YORK DISTRICT, CORPS OF ENGINEERS  
JACOB K. JAVITS FEDERAL BUILDING  
NEW YORK, N.Y. 10278-0090  
May 12, 2020

REPLY TO  
ATTENTION OF

Programs and Project Management Division

New York State Department of Environmental Conservation  
Division of Environmental Remediation, Remedial Bureau B  
c/o Mr. Kyle Forster  
625 Broadway, 11<sup>th</sup> Floor  
Albany, New York 12233-7016

RE: PERIODIC REVIEW REPORT---DEFENSE NATIONAL STOCKPILE CENTER  
SCOTIA, GLENVILLE, NEW YORK [NYSDEC Site ID No. 447023]

Dear Mr. Forster:

Enclosed for the record is the *Periodic Review Report (PRR) for the Defense National Stockpile Center, Scotia Depot, Glenville, New York*, dated May 2020. This is the second annual PRR being submitted subsequent to the installation of the permeable reactive barrier (PRB) and soil vapor intrusion (SVI) mitigation systems, and covers the period April 12, 2019 through April 12, 2020.

Monitoring has confirmed that trichloroethylene (TCE) groundwater concentrations are decreasing in three of four downgradient compliance wells, with no TCE trend apparent in one of the wells. The installed mitigation systems are preventing soil vapor contaminants from entering the indoor air through the slabs of buildings 201, 202, 203 and 204. Further, our inspection confirmed that the subslab depressurization system motor associated with an off-site residence is operating, however the manometer does not register a pressure drop through the system.

Please contact me at (917) 790-8235, for anything further regarding this matter.

Sincerely,

GOEPFERT.GREGO  
RY.J.1228701331

Digitally signed by  
GOEPFERT.GREGORY.J.12287013  
31  
Date: 2020.05.11 17:10:22 -04'00'

Gregory J. Goepfert  
Project Manager

Encl.

cc:

Scotia Industrial Park, Inc. / Mr. David Ahl, w/encl.

Adirondack Beverages / Mr. Doug Martin, w/encl.

BelGioioso Cheese Inc. / Mr. Tim Cronin, w/encl.

New York State Department of Health / Mr. Anthony Parretta, w/encl.

General Services Administration, Public Building Service / Mr. David Baker, w/encl.

Defense National Stockpile Center, Defense Logistics Agency / Mr. John Eller, w/encl.

U.S. Army Corps of Engineers, Huntsville Center / Ms. Amy Doss, w/encl.

U.S. Army Corps of Engineers, New England District / Mr. Dean Brammer, w/encl.

U.S. Army Corps of Engineers, New York District / Mr. Tim Leonard, w/o encl.

**PERIODIC REVIEW REPORT  
FOR  
REMEDIAL ACTION  
AT  
THE DEFENSE NATIONAL STOCKPILE CENTER SCOTIA DEPOT  
GLENVILLE, NEW YORK**

**Prepared for:**



**U.S. Army Corps of Engineers**

**Prepared by:**

**AECOM**

**AECOM Technical Services**

**April 12, 2019 – April 12, 2020**

**PERIODIC REVIEW REPORT**  
**FOR**  
**REMEDIAL ACTION**  
**AT**  
**THE DEFENSE NATIONAL STOCKPILE CENTER SCOTIA DEPOT**  
**GLENVILLE, NEW YORK**

**Prepared for:**  
**U.S. Army Corps of Engineers**

**Prepared by:**  
**AECOM**  
**Contract No. W912DY-09-D-0059**  
**Task Order No. 0010**

**May 2020**



## Table of Contents

<b>1.0 Executive Summary .....</b>	<b>1-1</b>
1.1 Summary of Site .....	1-1
1.2 Effectiveness of Remedial Program.....	1-1
1.3 Compliance .....	1-2
1.4 Recommendations .....	1-2
<b>2.0 Site Overview .....</b>	<b>2-1</b>
2.1 Site History .....	2-1
2.2 Remedial History .....	2-2
2.3 Remedial Action Objectives and Implementation of the Selected Remedy.....	2-4
<b>3.0 Evaluate Remedy Performance, Effectiveness and Protectiveness.....</b>	<b>3-1</b>
3.1 Summary of Groundwater Remedy Performance .....	3-1
3.1.1 Volatile Organic Compounds .....	3-1
3.1.2 Monitored Natural Attenuation Parameters .....	3-2
3.1.3 Field Parameters.....	3-3
3.1.4 Additional Groundwater Flow Investigation Work .....	3-3
3.2 Summary of Indoor Air Remedy Performance.....	3-4
<b>4.0 Institutional and Engineering Controls Plan Compliance Report.....</b>	<b>4-1</b>
4.1 Institutional Controls / Engineering Controls Requirements and Compliance ....	4-1
4.1.1 Institutional Controls .....	4-1
4.1.2 Engineering Controls Requirements and Compliance.....	4-2
4.2 Institutional Controls / Engineering Controls Certification .....	4-3
<b>5.0 Monitoring Plan Compliance Report .....</b>	<b>5-1</b>
5.1 Components of the Monitoring Plan.....	5-1
5.2 Summary of Monitoring Completed During Reporting Period .....	5-2
5.2.1 Site-Wide Inspection.....	5-2
5.2.2 Groundwater Monitoring.....	5-2
5.2.3 Soil Vapor Intrusion Mitigation Systems Monitoring .....	5-3
5.3 Comparisons with Remedial Objectives.....	5-3
5.3.1 Permeable Reactive Barrier Remedy Effectiveness .....	5-3
5.3.2 Soil Vapor Intrusion Mitigation Systems Effectiveness.....	5-4
5.4 Monitoring Deficiencies .....	5-4
5.5 Conclusions and Recommendations for Changes .....	5-4
<b>6.0 Operation &amp; Maintenance Plan Compliance Report .....</b>	<b>6-1</b>

## 2020 Scotia Depot Periodic Review Report

6.1	Components of the Operation & Maintenance Plan .....	6-1
6.1.1	Permeable Reactive Barrier .....	6-1
6.1.2	Soil Vapor Intrusion Remediation Systems .....	6-1
6.2	Summary of Operation & Maintenance Completed During Reporting Period ....	6-1
6.2.1	Permeable Reactive Barrier .....	6-1
6.2.2	Soil Vapor Intrusion Remediation Systems .....	6-1
6.3	Evaluation of Remedial Systems .....	6-2
6.3.1	Permeable Reactive Barrier .....	6-2
6.3.2	Soil Vapor Intrusion Remediation System.....	6-2
6.4	Operation and Maintenance Deficiencies .....	6-2
6.5	Conclusions and Recommendations for Improvements .....	6-2
<b>7.0</b>	<b>Overall Periodic Review Report Conclusions and Recommendations.....</b>	<b>7-1</b>
7.1	Compliance with Site Management Plan.....	7-1
7.2	Performance and Effectiveness of the Remedy .....	7-1
7.2.1	Permeable Reactive Barrier Conclusions.....	7-1
7.2.2	Soil Vapor Intrusion Systems Conclusions.....	7-1
7.3	Future Periodic Review Report Submittals .....	7-1
<b>8.0</b>	<b>References.....</b>	<b>8-1</b>

### List of Figures

Figure 2-1: Site Location Map

Figure 2-2: Property Owner Map

Figure 3-1: Site Layout Map

Figure 5-1: PRB Location Map and Monitoring Locations

Figure 5-2: Building 201 SVI Monitoring Locations

Figure 5-3: Building 202 SVI Monitoring Locations

Figure 5-4: Building 203 SVI Monitoring Locations

Figure 5-5: Building 204 SVI Monitoring Locations

### List of Tables

Table 2-1: Parcel Identification and Property Owners

Table 2-2: Groundwater Standards, Criteria and Guidance

## 2020 Scotia Depot Periodic Review Report

Table 2-3: Sub-Slab Vapor and Indoor Air Contaminants of Concern and NYSDOH Air Guidelines

Table 2-4: NYSDOH Decision Matrix 1

Table 2-5: NYSDOH Decision Matrix 2

Table 3-1: Groundwater Elevation Data

Table 3-2: Quarterly Groundwater Sample Results- VOCs, MNA Parameters, Field Parameters

Table 3-3: Annual Groundwater Sample Results- VOCs, MNA Parameters, Field Parameters

Table 3-4: Mann Kendall TCE Concentration Trends

Table 3-5: Air Sample Analytical Results

Table 3-6: SVI Monitoring- Vacuum and Manometer Readings

Table 5-1: Inspection and Sampling Schedule

Table 5-2: Sampling Requirements and Schedule

Table 5-3: SVI Decision Matrix

### **List of Appendices**

Appendix A .....	GSI Mann-Kendall Toolkit Results
Appendix B.....	IC/EC Certification Form
Appendix C.....	Site-Wide Inspection Forms
Appendix D .....	Approximate Location of New Buildings

## **1.0 EXECUTIVE SUMMARY**

AECOM Technical Services, Inc. (AECOM), on behalf of the United States Army Corps of Engineers (USACE) through the General Services Administration (GSA) is submitting this Periodic Review Report (PRR) along with a completed Institutional Controls and Engineering Controls (IC/EC) Certification Form (Attachment A) for the Defense National Stockpile Center Scotia Depot (Site). This report is being submitted as requested by the New York State Department of Environmental Conservation (NYSDEC) in its letter dated February 27, 2020 to Mr. David Baker of the GSA (NYSDEC, 2019). The letter provides guidance for preparing the PRR and IC/EC form and requires that they be submitted to NYSDEC no later than May 12, 2020.

### **1.1 Summary of Site**

The Site, located in Glenville NY, overlies a United States Environmental Protection Agency (USEPA) designated Sole Source Aquifer referred to as the Schenectady or Great Flats Aquifer system, which is adjacent to and extends beneath the Mohawk River over a distance of approximately 12 miles in Schenectady County. Portions of the original Scotia Naval Depot have been subdivided and sold since 1972 by the United States Government. The Site now consists of several large privately held parcels in addition to a portion of land still administered by the United States GSA.

In the late 1980s, trichloroethene (TCE) was detected at low level concentrations of less than 1 microgram per liter ( $\mu\text{g/L}$ ) (the NYSDEC Drinking Water Standard is 5  $\mu\text{g/L}$ ) in the Town of Rotterdam and City of Schenectady well fields. Six subsurface investigations were completed to identify the possible source(s) of TCE in the municipal wells and nearby residential wells, and to delineate the extent of the TCE groundwater plume. Based on these investigations, a record of decision (ROD) specifying a groundwater remedy was approved by the NYSDEC in March 2010 (NYSDEC, 2010), which included the installation of an in-situ permeable reactive barrier wall (PRB) by direct injection of zero-valent iron (ZVI) to reduce the mass of on-site contamination via abiotic degradation and to reduce the migration of contaminated groundwater off-site. Additionally, the need to complete soil vapor intrusion (SVI) evaluations for the on-site buildings was included in the ROD and the subsequent installation of SVI mitigation systems was completed to reduce exposure to vapors emanating from groundwater contaminants entering the indoor air through existing building slabs.

### **1.2 Effectiveness of Remedial Program**

Since the installation of the remedial systems in 2016, conclusions can be drawn based on the data collected in this reporting period as to whether both the PRB and the SVI mitigation systems are functioning. Based on the groundwater data collected to date and observed TCE concentrations in the downgradient monitoring wells there appears to be a reduction of contaminant concentrations downgradient of the PRB wall. Based on the indoor air samples collected to date the SVI mitigation systems are reducing indoor air contaminant concentrations such that samples are similar to outdoor air. Therefore, the groundwater remediation system and indoor air mitigation system are meeting the remedial action objectives described in Section 2.3. Effectiveness of the remedial program will continue to be evaluated with each new data set.

## 2020 Scotia Depot Periodic Review Report

### **1.3 Compliance**

In reference to the Site Management Plan (SMP) (AECOM, 2017b), there have been no areas of non-compliance throughout the reporting period of this PRR.

### **1.4 Recommendations**

No changes to the activities at the Site are recommended at this time.

The periodic review process should be maintained at a one-year frequency as specified in the SMP. The next PRR will be due in May 2021.

## 2.0 SITE OVERVIEW

AECOM Technical Services, Inc. (AECOM) monitors the Defense National Stockpile Center Scotia Depot, located in Glenville, New York (hereinafter referred to as the “Site”) on behalf of the United States Army Corps of Engineers (USACE). The periodic review process is used for determining if a remedy is properly managed, as set forth in Site documents, and if the remedy is protective of human health and the environment. This PRR has been prepared to evaluate the overall effectiveness of the remedies that have been implemented at the Site. The Site is currently in the New York State (NYS) Inactive Hazardous Waste Disposal Site Remedial Program, Site No. 447023, which is administered by the New York State Department of Environmental Conservation (NYSDEC).

### 2.1 Site History

Originally built in 1942 and 1943, the Site served as a storage, supply and distribution, depot for naval forces. On January 1, 1960, the Navy turned the facility over to the General Services Administration (GSA). During the period between early 1966 and approximately 1973, the USACE/Army Material Command (AMC) leased buildings from the Navy for the fabrication and storage of vehicles as well as other military equipment. Portions of the original Scotia Naval Depot have been subdivided and sold since 1972 by the United States Government.

The Site is adjacent to the north side of NYS Route 5 (Amsterdam Road) in the Town of Glenville, Schenectady County, New York (**Figure 2-1**). The Site and surrounding adjacent properties are zoned for industrial and commercial use. Residential properties are located to the south between Amsterdam Road and the Mohawk River. The Mohawk River is located approximately 1,500 feet west-southwest of the Site and represents the major drainage feature in Schenectady County.

The Site overlies a United States Environmental Protection Agency (USEPA) designated Sole Source Aquifer referred to as the Schenectady or Great Flats Aquifer system, which is adjacent to and extends beneath the Mohawk River over a distance of approximately 12 miles in Schenectady County. The unconsolidated deposits within the aquifer include ice-proximal end moraine and esker gravel units that vary in thickness from less than a foot to more than 50 feet, and overlie basal till, which appears to act as an aquitard. Beneath the Site, in the vicinity of the remedy, the unconsolidated layer thickness is typically more than 50ft deep. There are several sub-facies with lateral and vertical variation in grain size present. The water table beneath the Site is approximately 65 feet below ground surface (bgs), and groundwater beneath the Site flows from northeast to southwest toward the Mohawk River.

**Figure 2-2** shows a map of the Site overlaid with the property owners for each parcel associated with the remedial systems. The Site now consists of several large privately held parcels in addition to a portion of land still administered by the GSA. The property owners for each of the parcels identified on **Figure 2-2**, and the component of the Site remedies associated with each parcel are identified in **Table 2-1**.

**Table 2-1: Parcel Identification and Property Owners**

<b>Parcel ID</b>	<b>Tax Map Parcel No.</b>	<b>Property Owner</b>	<b>Remedy Component(s)</b>
Parcel 1	29.00-3-16.15	Galesi Group (Scotia Industrial Park)	soil vapor intrusion (SVI) mitigation systems and monitoring well network
Parcel 2	29.00-3-16.15	Galesi Group (Scotia Industrial Park)	permeable reactive barrier (PRB) wall and monitoring well network)
Parcel C-1	29.00-3-16.71	GSA (Remedial Party)	monitoring well network
Parcel C-3	29.00-3-24	Belgioioso Cheese Inc.	monitoring well network

The private parcels owned by Scotia Industrial Park, Inc. (Galesi Group) contain a variety of industrial tenants; while the GSA leases its remaining portion to the Defense Logistics Agency/Defense National Stockpile Center. Ownership of parcel C-3 has been transferred from the GSA to Belgioioso Cheese Inc. since the issuance of the SMP. In May 2019 a small portion of the northern end of Parcel 2 was sold from Galesi to Belgioioso, and this change has been reflected in the updated property owner map, **Figure 2-2**. Recent construction by BelGioioso in this area has resulted in the permanent damage of monitoring well PMW-2. This well is not part of the site monitoring program, therefore the well will be located and abandoned in place in accordance with NYSDEC regulations.

In the Summer of 2019 AECOM and the USACE received notification from the NYSDEC that Galesi Group was planning to begin construction of a new commercial industrial building on Parcel 2. Discussions between Galesi Group, AECOM, USACE and the NYSDEC took place to ensure that construction of the building complies with the SMP and that access to the engineering controls as outlined in the SMP would not be compromised during building construction or when the new building was finished. Construction of the new building commenced in the Spring of 2020.

A figure with the approximate location of the new buildings is included in Appendix D. Once the construction of the new buildings is complete the building outlines will be added to the Site layout map.

## **2.2 Remedial History**

In the late 1980s, trichloroethene (TCE) was detected at low level concentrations of less than 1 microgram per liter (µg/L) (the NYSDEC Drinking Water Standard is 5 µg/L) in the Town of

Rotterdam and City of Schenectady well fields. In an effort to determine the potential source(s) of the TCE, the New York State Department of Health (NYSDOH) performed sampling of private water supply wells downgradient of the Site during 1991. Volatile organic compounds (VOCs), including TCE; 1,1,1-trichloroethane (1,1,1-TCA); and tetrachloroethene (PCE), were detected in groundwater collected in some of these residential wells. The sampling results were consistent with the known groundwater contamination concentrations at the Defense National Stockpile Center Scotia Depot Site and the homes on NYS Route 5 were subsequently connected to public water provided by the Town of Glenville.

Subsequent to the NYSDOH residential groundwater sampling, six subsurface investigations were completed to identify the possible source of TCE in the residential wells to delineate the extent of the TCE groundwater plume. The investigations were completed between 1995 and 2007 and focused on the assemblage of properties comprising the former 337-acre Defense National Stockpile Center Scotia Depot. The NYSDEC 2007 Expanded Site Investigation (ESI) (NYSDEC, 2007) provides details on each of these investigations. During the investigations, two areas thought to represent possible TCE source areas, a former burn pit and the Sacandaga Road Landfill, were evaluated. Data suggested that although these areas may be contributing minor amounts of groundwater contamination, they do not represent TCE source areas. Instead, investigation data indicated that TCE disposal may have also occurred in the northeastern corner of the 401 sub-block and the area near the northern corner of the 403 sub-block; however a formal source area was never fully identified. In addition to these groundwater investigations, soil vapor intrusion (SVI) evaluations were conducted during the ESI (NYSDEC, 2007) that indicated off-site groundwater containing TCE was not influencing the quality of indoor air at homes that directly overlie or that are along the margins of the TCE groundwater plume and that mitigation was not needed.

Based on these investigations, a Record of Decision (ROD) specifying a groundwater remedy was approved by the NYSDEC in March 2010 (NYSDEC, 2010). The ROD specified a remedial action for the groundwater plume that included treatment through the installation of a zero-valent iron (ZVI) permeable reactive barrier (PRB) wall. During this time, investigations were also conducted in relation to a carbon tetrachloride plume that was identified as a source for potential soil vapor intrusion. In addition to the groundwater remedy, the ROD also identified a data gap to be evaluated for soil vapor intrusion at the Building 201 sub-block, and mitigation would be required if needed. Indoor air and sub-slab sampling was conducted as part of the Pre Design Investigation (PDI) (Stone, 2013) and the areas requiring mitigation were identified.

In 2013 five off-site residential properties were identified as potentially impacted by the carbon tetrachloride plume. Offers for additional sampling were made by GSA to four of the potentially impacted off-site residential properties by certified mail on February 14, 2013, during the PDI; however, two property owners refused sampling and two did not respond to the offers. A summary of these efforts to offer additional sampling at the off-site residences was provided to the NYSDEC in 2013. Another resident already had a sub-slab depressurization (SSD) system installed at their property in response to radon, a naturally occurring gas unrelated to the Site, which is prevalent in the sub-surface in some areas. These systems are commonly installed in homes to mitigate indoor air contamination in areas where naturally occurring radon is found. The resident was given information on the contamination.



### 2.3 Remedial Action Objectives and Implementation of the Selected Remedy

The remediation goals for the Site as listed in the ROD dated March 2010 (NYSDEC, 2010) are to eliminate or reduce to the extent practicable:

- Exposures of persons at or around the Site to VOCs in groundwater; and
- The release of contaminants from groundwater beneath structures into indoor air through soil vapor intrusion.

Furthermore, the remediation goals for the Site include attaining to the extent practicable:

- The NYSDEC Ambient Water Quality Standard (AWQS) and/or Guidance Value (GV) (NYSDEC, 1998); and
- Air guidelines provided in the Guidance for Evaluating Soil Vapor Intrusion in the State of New York (October 2006; updated August 2015).

The Standards, Criteria and Guidance (SCGs) applicable to the groundwater at the Site are the AWQS and GV found in the Technical and Operational Guidance Series (TOGS) 1.1.1 (NYSDEC, 1998) and as presented in the ROD. Contaminants of Concern (COCs) at the Site and their respective AWQS are presented in **Table 2-2**.

**Table 2-2: Groundwater SCGs**

Contaminants of Concern	Ambient Water Quality Standard
1,1,1-Trichloroethane	5 µg/L
Trichloroethene	5 µg/L
Tetrachloroethene	5 µg/L
Carbon Tetrachloride	5 µg/L
Toluene	5 µg/L

**Table 2-3** reports the contaminants of concern as determined by the ROD for Site sub-slab soil vapor and indoor air along with their respective air guidelines.

**Table 2-3: Sub-Slab Vapor and Indoor Air Contaminants of Concern and NYSDOH Air Guidelines**

Contaminants of Concern	NYSDOH Air Guidelines (µg/m <sup>3</sup> ) <sup>1</sup>	NYSDOH Decision Matrix
1,1,1-Trichloroethane	Not available	Matrix 2
Trichloroethene	2 <sup>2</sup>	Matrix 1
Tetrachloroethene	30 <sup>3</sup>	Matrix 2
Carbon Tetrachloride	Not available	Matrix 1

<sup>1</sup> NYSDOH (2006)

<sup>2</sup> Revised as of August 2015<sup>3</sup> Revised as of September 2013

The primary guidance document governing soil vapor work in New York is the *Guidance for Evaluating Soil Vapor Intrusion in the State of New York* (October 2006; with updates). Three decision matrices have been developed as part of this guidance by the NYSDOH as risk management tools that provide specified actions based on the concentrations of individual compounds in the indoor air and sub-slab soil vapor. The Site soil vapor contaminants are found on two of the three decision matrices: Matrix 1 (**Table 2-4**) or Matrix 2 (**Table 2-5**), based on the guidance. Four actions are possible from these matrices: no further action (NFA), identify and reduce (IR) sources within the structure, monitor (MO) indoor air and sub-slab soil vapor, and mitigate (MI).

**Table 2-4: NYSDOH Decision Matrix 1**

Sub-Slab Vapor ( $\mu\text{g}/\text{m}^3$ )	Indoor Air ( $\mu\text{g}/\text{m}^3$ )			
	<0.25	0.25 to <1	1 to <5	5 and above
<5	NFA	IR	IR	IR
5 to <50	NFA	MO	MO	MI
50 to <250	MO	MO/MI	MI	MI
250 and above	MI	MI	MI	MI

NFA – No Further Action

IR – Identify and Reduce

MO – Monitor Only

MI – Mitigate

**Table 2-5: NYSDOH Decision Matrix 2**

Sub-Slab Vapor ( $\mu\text{g}/\text{m}^3$ )	Indoor Air ( $\mu\text{g}/\text{m}^3$ )			
	<3	3 to <30	30 to <100	100 and above
<100	NFA	IR	IR	IR
100 to <1,000	MO	MO/MI	MI	MI
1,000 and above	MI	MI	MI	MI

See Table 2-3 for explanation of acronym/abbreviation

## 2020 Scotia Depot Periodic Review Report

The remedy selected by the NYSDEC in the March 2010 ROD to address groundwater contamination was a ZVI PRB wall. The PRB wall, installed in 2016, consists of two continuous segments extending approximately 900 feet on a northwest-southeast alignment and is adjacent to a right-of-way easement between National Grid and the Glenville Business & Technology Park. It is positioned in the vicinity between 3rd and 5th Streets to the north and south and Avenues B and C to the west and east, located within the current Glenville Business & Industrial Park. The PRB was installed using vertical inclusion propagation (VIP) technology, which includes a series of conventionally drilled boreholes along the PRB alignment, with specialized expansion casings grouted into the boreholes. The PRB was constructed by injection of iron filings into these expansion casings with quality assurance monitoring of the injections to quantify the PRB geometry and iron loading densities. The final 900-foot wall is comprised of a 250-foot shallow PRB that is 15 feet high (65 to 80 feet bgs), and a 650-foot deep PRB, which is 45 feet high (65 to 110 feet bgs).

To address the potential SVI issues described in the March 2010 ROD and confirmed in the PDI, SVI mitigation systems were installed in four of the on-site buildings (Buildings 201 through 204) during early 2016. As a conservative measure, the SVI mitigation systems were installed to cover the entire building footprint, to the extent practicable, even where the NYSDOH decision matrices did not require mitigation. A core drill was used to core through the concrete slab for the installation of the suction points, which were constructed of PVC pipe, installed flush with the bottom of the slab and sealed with urethane caulk within the annulus and at the surface. A total of 12 SVI mitigation systems were installed in each building, each consisting of two suction points connected to a single GP-501 radon away fan to generate suction and evacuate the vapor beneath the slab. As required by the NYSDOH, a visual pressure gauge was installed for each of the fans to allow for monitoring of system performance. Each SVI mitigation system was fitted with a flexible U-tube manometer for this purpose.

A total of 32 soil vapor monitoring points were installed in the four buildings (eight in each building). These locations were distributed throughout the building, allowing monitoring of vacuum distribution beneath the slab and sub-slab vapor concentrations. Permanent sampling points were installed at each of the locations utilizing the VaporPin™ system. This system includes a stainless steel barbed fitting with a silicone sleeve which is permanently installed in the slab and capped when not in use. A secured stainless-steel cover is installed over the barb fitting.

### **3.0 EVALUATE REMEDY PERFORMANCE, EFFECTIVENESS AND PROTECTIVENESS**

#### **3.1 Summary of Groundwater Remedy Performance**

In 2015 a baseline groundwater sampling event was conducted to document the Site conditions prior to the PRB installation. The installment of the PRB was completed in November 2016. Since the installation of the ZVI PRB in 2016, eleven groundwater monitoring events have been conducted in accordance with the NYSDEC approved SMP (eight quarterly and three semi-annual). The first quarterly sampling event was conducted in December 2016, one month following the installation, and on a quarterly basis through September 2018. The first semi-annual sampling event was conducted in December 2018 with subsequent events occurring in June 2019 and December 2019.

The groundwater monitoring well locations are shown on the Site layout plan (**Figure 3-1**). The groundwater samples were analyzed by ALS Laboratories (Middletown, PA). Site-wide groundwater elevation data is collected during each groundwater monitoring event. Groundwater elevation data to date indicate seasonal variability in groundwater levels at the Site, likely influenced by the seasonal variation in the level of the Mohawk River located downgradient of the Site, which is controlled by locks and flood gates. Analysis of the groundwater level data indicates that even though seasonal variability exists, the direction of groundwater flow through the ZVI PRB wall from the northeast to the southwest remains consistent. Groundwater elevation data is provided in **Table 3-1**. A summary of the quarterly VOC, groundwater MNA and field parameter results is included in **Table 3-2**, and a summary of the annual Site-wide groundwater results is included in **Table 3-3**.

##### **3.1.1 Volatile Organic Compounds**

As stated in the SMP, effectiveness of the remedy is to be demonstrated by a decrease in the groundwater VOC concentrations between the upgradient and downgradient compliance wells. In order to determine if VOC concentrations are decreasing, a nonparametric trend analysis for TCE was performed on performance monitoring wells MW-28, MW-29, MW-30, MW-31, MW-32, MW-33, MW-34 and MW-35 using the GSI Mann-Kendall Toolkit (Connor et al., 2012). The GSI Mann-Kendall Toolkit is a spreadsheet-based tool that analyzes time-series groundwater monitoring data to determine trends using the Mann-Kendall statistical analysis method. The Toolkit yields a qualitative determination of groundwater concentration trends (i.e., increasing, decreasing, stable, etc.).

The GSI Mann-Kendall Toolkit was utilized to evaluate TCE in each well using monitoring data collected from the December 2015 baseline sampling event and the eleven subsequent post-construction monitoring events conducted through December 2019 (12 total monitoring events). The minimum number of data points required to perform the Mann-Kendall test is four; therefore, analysis to determine trends are first presented starting with the first four data points from the baseline event to the data from the June 2017 groundwater monitoring event. With each subsequent set of groundwater monitoring data, the tests are repeated, showing changes in trends over time. The results of these Mann-Kendall tests using TCE data are summarized in **Tables 3-4**, respectively.

Groundwater concentrations observed in upgradient wells are not expected to be influenced by the PRB. Any trends in upgradient wells are most likely due to variation in groundwater concentration due to the heterogeneous nature of the contaminant plume. Three of the four upgradient wells (MW-29, MW-33 and MW-35) are showing concentrations that are stable or with no trend, as expected. Groundwater concentrations at MW-31 are showing a decreasing trend; however, the concentrations of TCE in this well are relatively low compared to the other upgradient wells and TCE concentrations observed in this well are consistently within the same order of magnitude (i.e., the TCE concentration is trending downward, but not changing significantly).

Groundwater TCE concentrations observed in downgradient wells are expected to be influenced by the PRB. Initially, groundwater concentrations in all four downgradient wells (MW-28, MW-30, MW-32 and MW-34) were stable or showed no trend. Decreasing trends in MW-30 and MW-32 are first observed in March 2018 and in MW-34 starting in December 2018. These decreasing trends in MW-30, MW-32 and MW-34 continue through the most recent round of groundwater monitoring (December 2019). Mann-Kendall analysis for MW-28 shows that the TCE concentration is stable or has no trend.

This analysis demonstrates that three of the four downgradient monitoring wells (MW-30, MW-32 and MW-34) have decreasing trends for TCE. No TCE trend was observed in downgradient monitoring well MW-28. These results suggest that the permeable reactive barrier is creating reductions in downgradient TCE concentrations. In well pair MW-30/MW-31 both the upgradient and downgradient pair are showing a decreasing trend, however MW-30, the downgradient well, is showing a faster rate of decrease and during the last two sampling events the TCE concentration has dropped to 5.0 and 6.5 µg/L respectively. For downgradient well MW-34 the TCE concentration for the last two sampling events has been below the MCL for the Site, further suggesting that the wall is effective at reducing TCE concentrations at the Site. Effectiveness of the remedial program and trend analysis will continue to be evaluated with each data obtained from future groundwater monitoring events.

The input/output spreadsheets, including the results of the Mann-Kendall analysis, are included in **Appendix A**.

Additional details regarding the observed groundwater conditions at the Site since the installation of the PRB are presented in the most recent groundwater monitoring report (AECOM, 2020).

Across the Site, in general, detected concentrations of TCE (and other VOCs) in wells outside of the compliance well network have not fluctuated significantly between quarterly events indicating that the contaminant plume is in a state of equilibrium. As described in the ZVI PRB Remedial Action Work Plan (RAWP) (AECOM, 2016), expectations are that ZVI PRBs will function for at least 30 years with the possibility of a greater lifetime depending on Site conditions.

### **3.1.2 Monitored Natural Attenuation Parameters**

Groundwater samples were also analyzed for monitored natural attenuation (MNA) parameters for the 12 wells sampled during quarterly and semi-annual sampling events. The MNA Parameters that were evaluated include: acetylene, total alkalinity, chloride, nitrate, sulfate, methane, ethane, ethene and total organic carbon. These parameters are used to help determine subsurface conditions and gather information about the types of reactions that are occurring. A summary of the quarterly and semi-annual results of the MNA parameters can be found in **Tables 3-2**.

Overall, the MNA data does not show consistency in the well pairs throughout the expanse of the PRB. MNA parameters have indicated that both biotic and abiotic reactions, at different times, are responsible for the observed decreases in VOC concentrations across the ZVI PRB. Initially methane, ethane and ethene concentrations increased from the breakdown of the ZVI carrier fluids (guar) and served as an indicator of biological reductive dechlorination activity in the subsurface. The December 2018 methane data for well pair MW-32/MW-33 and the June 2019 data for well pair MW-30/MW-31 indicated that the groundwater conditions at the Site may have been shifting away from the anaerobic biotic conditions that were created in the wake of the PRB wall installation, to conditions that are more indicative of abiotic reductive dechlorination that is expected of the redox reactions that take place as groundwater flows through a ZVI PRB wall. However, the sampling events in 2019 showed continued presence of elevated methane and biological activity. MNA parameters will continue to be monitored during subsequent sampling events.

### **3.1.3 Field Parameters**

The field parameters monitored for each sampling event includes dissolved oxygen, ORP, pH, turbidity, conductivity, and groundwater elevation. A summary of the quarterly and annual results of the field parameters can be found in **Tables 3-2 and 3-3**, respectively.

During quarterly sampling events conducted to date DO measurements were variable with some well pairs showing an increase and some pairs showing a decrease from upgradient to downgradient of the PRB. It should be noted that there were some increases in DO concentrations during the past few sampling events suggesting that anaerobic conditions observed shortly after PRB installation may not be sustained. While ORP values are still not showing values that are typically expected downgradient of a ZVI PRB wall, the ORP levels decreased significantly from upgradient to downgradient at well pairs MW-31/30, MW-33/32 and MW-35/34 during recent monitoring events. Lower ORP values are expected downgradient of the PRB indicating reducing conditions as the groundwater passes through the PRB, however we expect to see ORP levels in the -300 to -400 range, with little to no DO for the Beta elimination VOC reduction to occur. To date these expected values have not been observed on a consistent basis and no definitive trends on DO and ORP measurements have been defined. However, the most recent sampling event, December 2019, showed two of the downgradient DO readings to be very low (i.e. < 1.0 mg/L) which is within the range of what we expect to see downgradient of a ZVI PR wall. More explanation on field parameters collected to date and observations based on this data is provided in the most recent groundwater monitoring report (AECOM, 2020).

### **3.1.4 Additional Groundwater Flow Investigation Work**

In order to further evaluate the PRB performance AECOM has initiated additional field activities to better understand the groundwater hydrology at the Site, specifically groundwater flow patterns and seasonal variability of groundwater elevations at the Site. During the past groundwater sampling events a distinct seasonal groundwater level variation has been observed with the wintertime months exhibiting a lower groundwater level than the summer months. AECOM suspects that the seasonal variation in the groundwater level is related to the winter lowering of the water level in the nearby Mohawk River. The project team is currently conducting a supplemental evaluation to verify the current groundwater flow conditions at the Site. Long term groundwater elevation data collection during the change of seasons and release will help to identify

when the groundwater level changes take place, how these changes affect the overall groundwater flow patterns at the Site and help to estimate the time period for each of the variations. Field activities include routine groundwater gauging at all wells onsite, long term groundwater level data collection using a datalogger at 6 locations around the PRB wall, groundwater flow evaluation using a Borescope, as well as the deployment of 6 passive flux meters (PFM) which will be analyzed for groundwater and contaminant velocity. Evaluation and interpretation of the data will be presented upon the completion of the field activities.

### **3.2 Summary of Indoor Air Remedy Performance**

Results obtained from the December 2016, 2017, 2018 and 2020 AECOM sampling events have been compared to the Stone Environmental 2014 indoor air data (Stone, 2014a) that was collected prior to the SVI mitigation system installation (**Table 3-5**). Note that the 2020 event occurred in January and serves as the 2019/2020 heating season event. The 2016, 2017, 2018 and 2020 sampling event data results show that the current indoor air VOC concentrations are similar to those measured in the concurrent outdoor air samples indicating that the SVI mitigation systems are functioning as designed by preventing sub-slab vapor from migrating into indoor air.

During sampling and monitoring events most accessible sub-slab vacuum system pressure measurements were significantly less than -0.004 inches of water (the design vacuum), showing very good suction. One pressure measurement was -0.003 inches water (greater than -0.004 but still negative indicating that there was a vacuum everywhere under the slabs. This could be due to building construction or changed airflow patterns throughout the workday as tenants are opening and closing doors. The indoor air data measured in each building confirms that the SVI mitigation system is functioning as designed and the combined suction strength for the systems in each building is enough to provide mitigation to the entire building. Furthermore, U-tube manometer measurements indicate that the SVI mitigation systems were producing vacuum beneath the building slab. All sub-slab vacuum readings and U-tube manometer monitoring results are presented in **Table 3-6**. The off-site residential system was inspected in January 2020 and was found to be without vacuum despite having an audibly operable motor. This finding was reported to the NYSDEC via phone call on February 2, 2020.

#### **4.0 INSTITUTIONAL AND ENGINEERING CONTROLS PLAN COMPLIANCE REPORT**

The final site remedy included implementation of both Institutional Controls (IC) and Engineering Controls (EC). The SMP was developed to support those controls. A summary of the controls and required site activities are summarized below.

##### **4.1 Institutional Controls / Engineering Controls Requirements and Compliance**

###### **4.1.1 Institutional Controls**

An IC, required by the ROD in the form of an Environmental Easement (EE), was implemented to: (1) ensure compliance with the SMP; (2) restrict the use of groundwater as a source of potable or process water, without the necessary water quality treatment as determined by NYSDOH; (3) require any new structures in the area of the groundwater contamination to include sub-slab construction that allows for the installation and operation of mitigation systems, and, (4) require the property owner or designated representative to complete and submit to NYSDEC a periodic certification of institutional and engineering controls. Adherence to these ICs will be required by the EE and will be implemented under the SMP. ICs identified in the EE may not be discontinued without an amendment to or extinguishment of the EE. These ICs are:

- All ECs must be operated and maintained as specified in the SMP;
- All ECs must be inspected at a frequency and in a manner defined in the SMP;
- The use of groundwater underlying the property is prohibited without necessary water quality treatment as determined by the NYSDOH to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval to do so from NYSDEC;
- Any new structures in the area of the groundwater contamination shall include sub-slab construction that allows for the installation and operation of mitigation systems, or be constructed with vapor barriers incorporated into the slab;
- Groundwater and other environmental or public health monitoring must be performed as defined in the SMP;
- Data and information pertinent to site management must be reported at the frequency and in a manner as defined in the SMP;
- All future activities that will disturb remaining contaminated material must be conducted in accordance with the SMP;
- Monitoring to assess the performance and effectiveness of the remedy must be performed as defined in the SMP;
- Operation, maintenance, monitoring, inspection, and reporting of any mechanical or physical component of the remedy shall be performed as defined in the SMP; and,



- Access to the Site must be provided to agents, employees, or other representatives of the State of New York with reasonable prior notice to the property owner to assure compliance with the restrictions identified by the EE.

#### **4.1.2 Engineering Controls Requirements and Compliance**

##### **4.1.2.1 Permeable Reactive Barrier**

In accordance with the ROD for the remedial action at the Site, a ZVI PRB was installed in order to mitigate the impacted groundwater plume. Results from the groundwater monitoring program will be used to evaluate the effectiveness of the remedy. In accordance with the SMP, the groundwater remedy is considered effective if VOC concentrations are decreasing in the compliance monitoring well pairs (MW-28/MW-29, MW-30/MW-31, MW-32/MW-33, and MW-34/MW-35) and if contaminated groundwater is not migrating off-site. Because the PRB is installed fully below ground, the disturbed area has been restored to pre-existing conditions. No maintenance of the PRB is required. The injection casings have been left in place with flush mount completions in case additional injections are warranted in the future. There are no recommendations for changes to the ZVI PRB ECs at this time.

##### **4.1.2.2 Soil Vapor Intrusion Remediation Systems**

SVI mitigation at the Site is being performed to mitigate the potential for vapor intrusion to occur in the buildings. The potential for vapor intrusion is indicated by (1) the presence of groundwater related VOCs in both sub-slab vapor and indoor air; and (2) the magnitude of the difference of the concentrations of these VOCs detected in soil vapor compared to indoor air. Since there has been carbon tetrachloride detected in the buildings, and the only potential source that has been identified is dissolved in groundwater below the buildings, it has been concluded that the likely source is the groundwater. Since the sub-slab vapor concentrations are much higher than the indoor air concentrations, it appears that the pathway is from sub-slab vapor through the slab into the building.

The SVI mitigation system will mitigate SVI by redirecting the vapor transport from the sub-slab to the suction points and then into the air above the building, rather than through the slab into the building. The SVI mitigation systems *may or may not* reduce the carbon tetrachloride concentrations below the slab. Reduction of sub-slab concentrations is not required to achieve mitigation. Similarly, the SVI mitigation system may or may not substantially affect the mass of carbon tetrachloride in the subsurface. The SVI mitigation system is not a soil vapor extraction (SVE) system that will remove contaminants from the subsurface and eventually end the need to mitigating vapor intrusion. Mitigation is just a process that prevents contaminant exposure to the occupants of the buildings.

Since groundwater is the presumed source of the carbon tetrachloride vapors that are now migrating to beneath the buildings, it is likely that mitigation will be necessary until groundwater concentrations decline sufficiently so that sub-slab concentrations satisfy the NYSDOH Decision Matrix 1. No active remediation is planned to reduce groundwater carbon tetrachloride concentrations, but the dissolved concentrations are quite low and appear to be attenuating naturally. Therefore, natural attenuation should eventually reduce the concentrations sufficiently to allow the SVI mitigation systems to be turned off.

## 2020 Scotia Depot Periodic Review Report

The active SVI mitigation systems within Buildings 201, 202, 203, and 204 will be operated through the heating season of 2019/2020 and will then be turned off in June 2020 after the semi-annual inspection. During the heating season of 2020/2021, after the SVI mitigation systems have been off for at least six months, a full round of indoor air and sub-slab vapor samples will be collected. The sub-slab vapor samples will determine if the sub-slab VOC concentrations have been affected by the systems or not. If these results, when compared to **Tables 2-3 and 2-4**, lead to the conclusion of “no further action”, “identify and reduce”, or “monitor only”, then the SVI mitigation systems will remain off. If the results lead to the conclusion that mitigation is required, then the SVI mitigation systems will be turned back on. There are no recommendations for changes to the SVI mitigation systems ECs at this time.

### **4.2 Institutional Controls / Engineering Controls Certification**

The completed IC/EC Certification form is included in **Appendix B**.

## 5.0 MONITORING PLAN COMPLIANCE REPORT

### 5.1 Components of the Monitoring Plan

The requirements of the monitoring plan by media are presented below in **Tables 5-1 and 5-2**.

**Table 5-1: Inspection and Sampling Schedule**

Activity	Frequency	Date	Locations Inspected/Sampled
Site Wide IC/EC Inspection	Semi- Annually	December and June	All SVI mitigation systems All Monitoring Wells
Off Site SVI Mitigation System Inspection	Annually	June	Off-Site Residence
Site-Wide Groundwater Monitoring	Annually	June	GEP-3, MW-B-3, MW-5, MW-6, MW-7, MW-8, MW-9, MW-11, MW-12, MW-14, MW-17, MW-18, MW-19, MW-20, MW-22, MW-23, MW-24, MW-25, MW-26, MW-27, MW-36, GEP-2, GEP-1, GEP-4
Groundwater Monitoring for PRB Effectiveness	Quarterly for first two years; semi-annually thereafter	March, June, September, December	MW-15, MW-16, MW-24, MW-26, MW-28, MW-29, MW-30, MW-31, MW-32, MW-33, MW-34, MW-35,
SVI mitigation system Monitoring	Semi-annually for sub-slab pressure differential monitoring (through December 2019); annually during heating season for indoor air sampling and sub-slab sampling (through winter of 2020/2021).	December and June	All SVI mitigation systems

**Table 5-2: Sampling Requirements and Schedule**

<b>Monitoring Event<sup>1</sup></b>	<b>Analytical Parameters</b>			<b>Schedule</b>
	VOCs (EPA Method 8260C)	MNA Parameters	VOCs (TO-15 SIM)	
Site-wide groundwater monitoring	X			Annually
Groundwater monitoring for PRB effectiveness	X	X		Quarterly for first 8 quarters; semi-annually thereafter
SVI Mitigation System Monitoring			X	Semi-annually for sub-slab pressure differential monitoring; annual for indoor air analyses.

## 5.2 Summary of Monitoring Completed During Reporting Period

### 5.2.1 Site-Wide Inspection

Site-wide inspections have been performed semi-annually to check for system operation. The SVI mitigation system at the off-site residence (1695 Amsterdam Road, Scotia, NY 12302) has been inspected annually. The Site-wide inspection forms, completed annually, are included in **Appendix C**. More information on the site-wide inspections can be found in the SMP.

### 5.2.2 Groundwater Monitoring

Volatile Organic Compounds (VOCs) at the Site have been monitored since 2015, in accordance with the schedule designated in the SMP. In 2015, a baseline groundwater investigation for all site-wide wells was completed and included sampling from 36 wells. The sampling schedule includes 12 monitoring wells sampled on a quarterly basis for the first two years, then semi-annually thereafter, and one annual site-wide sampling event consisting of 36 monitoring well sample

locations. The installation of the PRB was completed in November 2016. Directly following the installation of the PRB, the first quarterly sampling event was conducted in December 2016. The next quarterly sampling event occurred in March 2017 and continued throughout September 2018 for a total of 8 quarters. The compliance monitoring well pairs (MW-28 through MW-35), in addition to MW-24 (downgradient), MW-26 (downgradient), MW-15 (upgradient) and MW-16 (outside of plume), have been sampled quarterly since December 2016 and have entered the semi-annual monitoring schedule as specified in the SMP. The first semi-annual sampling event occurred in December 2018 with subsequent semi-annual events in June 2019 and December 2019. Samples have been analyzed for the parameters reported in **Table 3-2** to assess the performance of the remedy. Three annual sampling events were conducted (June 2017, June 2018, and June 2019) which included a site-wide sampling of monitoring wells (**Table 3-3**). The PRB location as well as monitoring well locations are shown on **Figure 5-1**. All samples were collected following the sampling techniques listed in 4.3.1.1 of the SMP.

### **5.2.3 Soil Vapor Intrusion Mitigation Systems Monitoring**

Since the installation of the SVI mitigation systems in June 2016 there have been semi-annual inspections of all systems on-site. There have also been annual inspections of the off-site system. Indoor air sampling had occurred annually during the heating season (November 15 through March 15) and sub-slab differential pressure readings have been collected semi-annually. The purpose of this was to continue monitoring concentrations of the targeted VOCs in order to assess the performance of the recently installed SVI mitigation systems with the intention to mitigate the potential for impacted soil vapor intrusion into the building. The annual on-site sampling event includes an inspection and documentation of any tenant and building changes along with updating chemical/product inventories for each tenant. Sampling has been performed in accordance with the NYSDOH *Guidance for Evaluating Soil Vapor Intrusion in the State of New York* (October 2006 with updates). All samples were collected in individually certified clean Summa canisters provided by the laboratories.

Each heating season, 12 indoor air samples have been collected from the four buildings along with one outdoor air sample and analyzed for VOCs by Method TO-15 SIM. Monitoring locations are shown on **Figures 5-2 through 5-5**. Laboratory results from all previous sampling events are summarized in **Table 3-5**. The SVI Decision Matrix results from all previous sampling events are included in **Table 5-3**.

The residential off-site SVI mitigation system is inspected annually in June to ensure the system is operating. The inspection consists of a visual observation of the gauge located on the outside of the home which indicates if the system is on or off. The system has been on and operating during each annual inspection event during this reporting period. The SMP does not include sampling at the off-site residences therefore no indoor air or sub slab vapor samples are collected at the residence.

## **5.3 Comparisons with Remedial Objectives**

### **5.3.1 Permeable Reactive Barrier Remedy Effectiveness**

The remediation goal for the PRB at the Site as listed in the ROD dated March 2010 is to eliminate or reduce to the extent practicable exposures of persons at or around the Site to VOCs in

groundwater. As stated in the SMP, effectiveness of the remedy will be demonstrated by a decrease in the groundwater VOC concentrations between the upgradient and downgradient compliance wells (MW-28/MW-29, MW-30/MW-31, MW-32/MW-33, and MW-34/MW-35). As discussed in Section 3.1.1, groundwater monitoring indicates that the PRB is reducing groundwater VOC concentrations as groundwater data shows decreasing trends in the downgradient compliance wells while the upgradient wells generally show no trend of a stable trend. The performance of the PRB will be continuously evaluated after each monitoring event.

### **5.3.2 Soil Vapor Intrusion Mitigation Systems Effectiveness**

The remediation goal for the SVI mitigation systems at the Site as listed in the ROD is to eliminate or reduce to the extent practicable the release of contaminants from groundwater beneath structures into indoor air through soil vapor intrusion. The 2020 sampling event data results show that the current indoor air VOC concentrations are similar to those measured in the concurrent outdoor air samples indicating that the SVI mitigation systems are functioning as designed.

## **5.4 Monitoring Deficiencies**

Since the initiation of post-remedy installation sampling and monitoring in 2016 the only deficiencies in required monitoring were due to damaged monitoring wells, damaged SVI mitigation systems, damaged sub-slab vapor monitoring points, or in some cases inaccessible SVI remediation monitoring locations due to building operations. Building owners and tenants were notified upon findings of any deficiencies in monitoring system components, however, the response from the property owner was at times, delayed. Discussions with the building owner and tenants on how to prevent future damages are ongoing.

Due to recent construction activities on both Parcels 2 and C-3, some damages to the monitoring well network has been observed during this reporting period. Because the construction activities are ongoing, USACE will continue to monitor the well network and present recommendations for repair to address the issues after construction is completed. A memo including an inventory of the damages and a photo log to document the recent damages is currently being prepared. During the June 2019 and January 2020 SVI system inspection periods some damages were noted for the SVI systems in various buildings. These damages were reported to the property owner who immediately conducted repairs. More detail on the SVI mitigation system damages repairs is provided in Section 6.0

The respective annual SVI monitoring reports and quarterly groundwater monitoring reports (AECOM, 2017c, 2017d, 2017e, 2017f, 2018, 2018a, 2018b, 2018c, 2018d, 2019, 2019a, 2019b, 2020, 2020a) submitted to NYSDEC provide further details on specific activities performed, analytical testing results, and observations made during the sampling events.

## **5.5 Conclusions and Recommendations for Changes**

At this time there are no recommendations for changes to the on-site PRB, on-site SVI or off-site residential system sampling and monitoring program.

## **6.0 OPERATION & MAINTENANCE PLAN COMPLIANCE REPORT**

### **6.1 Components of the Operation & Maintenance Plan**

#### **6.1.1 Permeable Reactive Barrier**

Since the PRB is installed fully below ground, the disturbed area has been restored to pre-existing conditions. No maintenance of the PRB is required. The monitoring well network that is used to evaluate the effectiveness of the PRB wall must be maintained and monitoring wells must be in good condition allowing for sample collection.

#### **6.1.2 Soil Vapor Intrusion Remediation Systems**

As stated in the SMP (AECOM, 2017b), routine inspection of the off-site residential system, and on-site individual suction points, overall systems and building conditions are an essential part of maintaining the systems and ensuring they are operating as designed. Inspections, as described in Section 5.2.1, have been conducted on a semi-annual basis from the time the systems were completed. The list provided in Appendix F of the SMP (AECOM, 2017b) includes general elements of the system inspections and system operation.

### **6.2 Summary of Operation & Maintenance Completed During Reporting Period**

#### **6.2.1 Permeable Reactive Barrier**

As discussed in Section 5.4, due to recent construction activity in Parcels 2 and C-3, damage to some of the existing groundwater monitoring wells has been observed. Since these construction activities are ongoing, USACE will continue to monitor and present recommendations for repair after construction activities are complete.

#### **6.2.2 Soil Vapor Intrusion Remediation Systems**

Throughout this PRR reporting period there have been necessary repairs due to building tenant induced damages to the SVI mitigation systems. The observed damage to the SVI mitigation systems was minor and does not have a major impact on the overall functionality of the systems, however repairs were made to ensure that the systems were operating as intended. During the semi-annual inspections during this reporting period damages to the SVI mitigation systems were noticed in all four buildings. Damages were reported and repairs were completed as needed. A summary of the damaged and repaired items within each building is provided below.

In December of 2016, one SSDS suction point in building 202 was noticed to have a fluctuating manometer. When this manometer was monitored during the June 2017 and June 2018 Site inspections, the fluctuation had stopped. This fluctuation was again observed during the December 2017, December 2018 inspections. This fan was replaced by PES in April of 2019 however during the January 2020 sampling events the fluctuations were observed once again. It appears these fluctuations occur on a seasonal basis in the winter. Vacuum readings were taken at the nearby vacuum monitoring points to confirm that the suction point was still producing a sufficient sub-slab vacuum.

System damages in buildings 201, 202 and 203 were observed during the January 2020 monitoring event and most were able to be repaired during the week prior to indoor air sampling collection. In Building 203 suction point 203-9A was damaged at the base and two manometers were walled in due to some construction activities in the building. The suction point was repaired, and holes were cut in the wall by the property owner so that the manometers could be observed, and vacuum readings recorded, however the full PVC pipe is no longer visible due to being walled in. In Building 202 suction point 202-5A was broken at the base and repaired. In Building 201 vacuum monitoring point 202-7 was sheared off and unable to be repaired. Measurements at surrounding sub-slab monitoring points indicated sufficient vacuum was still being generated in this area.

### **6.3 Evaluation of Remedial Systems**

The following sections present an evaluation of the functionality of the remedial systems with respect to the operation and maintenance activities performed on their respective components

#### **6.3.1 Permeable Reactive Barrier**

Overall, the functionality of the PRB has not been affected by the operation and maintenance activities performed on the monitoring well network.

#### **6.3.2 Soil Vapor Intrusion Remediation System**

Overall, the SVI mitigation systems have operated without shutdown and no general maintenance to the systems was required during this reporting period other than repair of the observed system damages described above. Sufficient vacuum was still recorded at most monitoring points even when system damages were noted. Subsequently the overall functionality of the SVI mitigation systems was not affected by damages, and repairs were completed as soon as possible to ensure optimal system performance.

### **6.4 Operation and Maintenance Deficiencies**

Overall there have been no deficiencies to the operation and maintenance plans for the groundwater and soil vapor intrusion remedies at the Site. All noticed damages were documented and repaired.

### **6.5 Conclusions and Recommendations for Improvements**

Overall, based on the data collected to date, the groundwater remedy (i.e., the PRB) and soil vapor intrusion mitigation system at the Site are in place and appear to be achieving remedial objectives. At this time there are no recommendations for modifications or improvements to the PRB or SVI operation and maintenance schedules.



## **7.0 OVERALL PERIODIC REVIEW REPORT CONCLUSIONS AND RECOMMENDATIONS**

### **7.1 Compliance with Site Management Plan**

The SMP includes a monitoring schedule that provided an outline for the sampling, monitoring and inspection events conducted at the Site. For the period that this PRR covers, April 12, 2019 through April 12, 2020, all requirements for such events laid out in the SMP were met.

### **7.2 Performance and Effectiveness of the Remedy**

The following sections present an evaluation of the overall performance and effectiveness of the reactive barrier and soil vapor intrusion systems.

#### **7.2.1 Permeable Reactive Barrier Conclusions**

As stated in the SMP, effectiveness of the remedy is to be demonstrated by a decrease in the groundwater VOC concentrations between the upgradient and downgradient compliance wells (MW-28/MW-29, MW-30/MW-31, MW-32/MW-33, and MW-34/MW-35). Groundwater monitoring data collected to date is showing a decreasing trend in three of the four downgradient compliance wells while three of the four upgradient wells show a stable trend or no trend (as discussed in Section 3.1) using the GSI Mann-Kendall Toolkit. These trends, and the stable concentrations in other site-wide groundwater monitoring wells indicate that the TCE plume overall is stable and the PRB appears to be effectively degrading TCE.”

As described in the PRB RAWP, expectations are that ZVI PRBs will function for at least 30 years with the possibility of a greater lifetime depending on Site conditions. Approximately 3.5 years have elapsed since the completion of PRB construction.

#### **7.2.2 Soil Vapor Intrusion Systems Conclusions**

Since installation of the SVI mitigation systems all indoor air sampling results show that the systems are effectively preventing sub-slab vapor migration into indoor air. Annual air sampling results show that the current indoor air VOC concentrations are similar to those measured in the concurrent outdoor air samples indicating that the SVI mitigation systems are functioning as designed. The off-site residential system was inspected in January 2020 and was found to be without vacuum despite having an audibly operable motor. This finding was reported to the NYSDEC via phone call on February 2, 2020.

### **7.3 Future Periodic Review Report Submittals**

No changes to the activities at the Site are recommended at this time and monitoring programs will continue to follow the schedules outline in Section 5.0. The PRR should continue to be completed annually as stated in the SMP. The next PRR will be due in May 2021.

## **8.0 REFERENCES**

AECOM, 2015. Remedial Design Investigation Work Plan for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. November.

AECOM, 2016. Permeable Reactive Barrier Remedial Action Work Plan for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. April.

AECOM, 2016. Soil Vapor Intrusion Remedial Action Work Plan for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. March.

AECOM, 2017a. Final Engineering Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY.

AECOM, 2017b. Site Management Plan for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. Revised, November 5, 2018.

AECOM, 2017c. Groundwater Monitoring Program 2016 Fourth Quarter Status Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. April.

AECOM, 2017d. Groundwater Monitoring Program 2017 First Quarter Status Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. May.

AECOM, 2017e. Groundwater Monitoring Program 2016 Second Quarter Status Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. November.

AECOM, 2017f. 2016 Soil Vapor Intrusion Mitigation System Annual Report for the Defense National Stockpile Center Scotia Depot Glenville, New York.

AECOM, 2018. Groundwater Monitoring Program 2017 Third Quarter Status Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. February.

AECOM, 2018a. Groundwater Monitoring Program 2017 Fourth Quarter Status Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. May.

AECOM, 2018b. Groundwater Monitoring Program 2018 First Quarter Status Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. June.

AECOM, 2018c. Groundwater Monitoring Program 2018 Second Quarter Status Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. October.

AECOM, 2018d. 2017 Soil Vapor Intrusion Mitigation System Annual Report for the Defense National Stockpile Center Scotia Depot Glenville, New York.

AECOM, 2019. Groundwater Monitoring Program 2018 Third Quarter Status Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. January.

AECOM, 2019a. 2018 Soil Vapor Intrusion Mitigation System Annual Report for the Defense National Stockpile Center Scotia Depot Glenville, New York.

AECOM, 2019b. Groundwater Monitoring Program 2019 Semi-Annual (June) Status Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. September.

AECOM, 2020. Groundwater Monitoring Program 2019 Semi-Annual (December) Status Report for the Defense National Stockpile Center Scotia Depot, Town of Glenville, NY. March.

## 2020 Scotia Depot Periodic Review Report

AECOM, 2020a. 2019-2020 Soil Vapor Intrusion Mitigation System Annual Report for the Defense National Stockpile Center Scotia Depot Glenville, New York. April.

Connor, J.A., Farhat, S.K. and M. Vanderford. (2012) GSI Mann-Kendall Toolkit for Constituent Trend Analysis User's Manual, Version 1.0, November 2012.

NYSDEC, 1998. Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations Division of Water Technical and Operational Guidance Series (TOGS) 1.1.1. June 1998 (April 2000 addendum).

NYSDEC, 2007. Expanded Site Investigation Report, Scotia Naval Depot Groundwater Site, Town of Glenville, NY, August.

NYSDEC, 2010. Record of Decision for Defense National Stockpile Center Scotia Depot Site State Superfund Project, Site Number 447023, Town of Glenville, NY, March.

NYSDEC, 2019. NYSDEC, Received by David Baker, GSA, Reminder Notice: Site Management Periodic Review Report and IC/EC Certification Submittal, February 27, 2019.

NYSDOH, 2006. Guidance for Evaluating Soil Vapor Intrusion in the State of New York. October.


Stone Environmental, 2013. Final Pre-Design Investigation Report, Defense Nation Stockpile Center Scotia Depot Site, Town of Glenville, NY, December.

Stone Environmental, 2014a. Final Soil Vapor Intrusion Investigation Report, Defense Nation Stockpile Center Scotia Depot Site, Town of Glenville, NY, January.


---

## FIGURES








MAP REFERENCE:  
IMAGE SHOWN FROM U.S.G.S. 7.5 MINUTE  
QUADRANGLE, SCHENECTADY SERIES













LEGEND

- 15 FT. HIGH PERMEABLE REACTIVE BARRIER WALL - 65' - 80' BGS
- 45 FT. HIGH PERMEABLE REACTIVE BARRIER WALL - 65' - 110' BGS
- MONITORING WELL
- APPROXIMATE EXTENT OF TCE - TRICHLOROETHENE GROUNDWATER PLUME
- APPROXIMATE EXTENT OF CT - CARBON TETRACHLORIDE GROUNDWATER PLUME






AVENUE A



BUILDING 202  
PLAN


LEGEND

- SINGLE VACUUM EXTRACTION POINT
- BLOWER LOCATION
- PIPE ROUTING
- CONFIRMATION TESTING VACUUM MONITORING POINT
- ELECTRICAL SUPPLY PEDESTAL



AVENUE A


AVENUE B




BUILDING 203  
PLAN

LEGEND

- SINGLE VACUUM EXTRACTION POINT
- BLOWER LOCATION
- PIPE ROUTING
- AREA INACCESSIBLE
- CONFIRMATION TESTING VACUUM MONITORING POINT
- ELECTRICAL SUPPLY PEDESTAL






**BUILDING 204  
PLAN**

**LEGEND**

- SINGLE VACUUM EXTRACTION POINT
- BLOWER LOCATION
- PIPE ROUTING
- CONFIRMATION TESTING VACUUM MONITORING POINT
- ELECTRICAL SUPPLY PEDESTAL



---

## TABLES

Table 3-1  
Groundwater Elevations Data  
The Defense National Stockpile Center Scotia Depot

Well IDs	Screened Interval (ft bgs)	Ground Surface Elevation (ft)	Reference Point Elevation (ft)	Adjusted Reference Point Elevation (ft)	Depth To Water (ft bgs) Q1 2017	Depth to Water (ft bgs) Q2 2017	Depth To Water (ft bgs) Q3 2017	Depth To Water (ft bgs) Q4 2017	Depth To Water (ft bgs) Q1 2018	Depth To Water (ft bgs) Q2 2018	Depth To Water (ft bgs) Q3 2018	Depth To Water (ft bgs) Q4 2018	Depth To Water (ft bgs) Q2 2019	Depth to Water (ft bgs) Q4 2019	Groundwater Elevation 2015	Groundwater Elevation 2016	Groundwater Elevation Q1 2017	Groundwater Elevation Q2 2017	Groundwater Elevation Q3 2017	Groundwater Elevation Q4 2017	Groundwater Elevation Q1 2018	Groundwater Elevation Q2 2018	Groundwater Elevation Q3 2018	Groundwater Elevation Q4 2018	Groundwater Elevation Q2 2019	Groundwater Elevation Q4 2019
B-1	48-68	-	287.14	-	-	57.34	-	-	-	dry	dry	dry	-	-	227.74	-	-	229.80	-	-	-	-	-	-	-	
B-1R	48-68	-	-	287.42	-	-	-	-	-	-	-	-	57.05	61.99	-	-	-	-	-	-	-	-	-	230.37	225.43	
B-3	47.5-67.5	-	287.05	-	-	-	-	-	-	58.61	58.74	59.74	dry	-	227.95	-	-	-	-	-	-	228.44	228.31	dry	dry	-
MW-4	63.8-73.8	289.58	291.74	-	-	-	-	-	-	-	-	-	-	-	225.74	-	-	-	-	-	-	-	-	-	-	
MW-5	62.5-72.5	287.95	290.11	-	70.50	63.82	64.00	72.12	71.83	64.30	63.72	71.27	64.02	71.80	225.75	219.29	219.61	226.29	226.11	217.99	218.28	225.81	226.39	218.84	226.09	218.31
MW-6	58.5-68.5	286.28	288.58	-	68.78	62.03	62.27	70.19	69.96	62.57	62.11	69.32	62.28	69.96	225.86	219.80	219.80	226.55	226.31	218.39	218.62	226.01	226.47	219.26	226.30	218.62
MW-7	61-71	286.8	289.26	-	68.47	61.96	61.95	67.84	68.22	62.80	62.32	66.72	62.31	67.82	226.28	223.16	220.79	227.30	227.31	221.42	221.04	226.46	226.94	222.54	226.95	221.44
MW-8	-	-	-	293.03	-	-	-	-	-	-	-	-	65.78	72.71	-	-	-	-	-	-	-	-	-	227.25	220.32	
MW-9	110-120	285.98	288.33	-	68.55	61.85	62.04	69.70	69.74	62.40	61.89	69.06	62.07	69.71	225.83	219.75	219.78	226.48	226.29	218.63	218.59	225.93	226.44	219.27	226.26	218.62
MW-11	65-80	295.73	295.12	-	70.12	64.36	65.36	69.55	70.15	66.12	66.80	67.43	-	-	227.7	225.91	225.00	230.76	229.76	225.57	224.97	229.00	228.32	-	-	-
MW-11R	65-80	-	-	295.56	-	-	-	-	-	-	-	-	64.81	-	-	-	-	-	-	-	-	-	-	230.75	-	-
MW-12R	60-80	-	-	292.34	-	-	-	-	-	-	-	-	64.16	69.64	-	-	-	-	-	-	-	-	-	228.18	222.70	
MW-13	65-80	292.62	293.85	-	69.90	64.25	64.40	68.86	69.72	65.75	65.99	67.51	64.20	69.73	227.32	225.43	223.95	229.60	229.45	224.99	224.13	228.10	227.86	226.34	229.65	224.12
MW-14	65-80	-	296.2	-	70.13	64.88	65.60	69.13	70.17	66.81	67.52	67.18	64.58	68.35	228.08	226.56	226.07	231.32	230.60	227.07	226.03	229.39	228.68	229.02	231.62	227.85
MW-15	65-80	-	293.67	-	68.35	63.07	63.49	67.00	68.20	64.88	65.32	65.42	62.76	66.35	227.8	226.27	225.32	230.60	230.18	226.67	225.47	228.79	228.35	228.25	230.91	227.32
MW-16	55-70	-	288.33	-	66.38	60.7	60.28	63.72	65.13	62.14	61.36	63.17	60.63	63.85	226.39	225.38	221.95	227.63	228.05	224.61	223.20	226.19	226.97	225.16	227.70	224.48
MW-17	60-75	-	295.24	292.05	69.25	64.09	64.66	67.99	69.20	65.98	66.60	66.26	60.49	62.25	228.08	226.55	225.99	231.15	230.58	227.25	226.04	229.26	228.64	228.98	231.56	229.80
MW-18	60-75	-	295.24	291.97	69.56	64.49	64.86	68.15	69.48	66.34	66.76	66.62	60.77	63.17	227.94	226.46	225.68	230.75	230.38	227.09	225.76	228.90	228.48	228.62	231.20	228.80
MW-19	62-77	-	297.67	295.33	70.54	65.74	66.42	69.63	70.80	67.80	68.66	67.50	62.86	63.36	228.43	226.85	227.13	231.93	231.25	228.04	226.87	229.87	229.01	230.17	232.47	231.97
MW-20	63-78	-	301.55	298.55	73.72	69.22	69.90	72.93	74.10	71.35	72.34	70.82	65.55	68.80	228.71	227.01	227.83	232.33	231.65	228.62	227.45	230.20	229.21	230.73	233.00	229.75
MW-21	57-72	-	296.52	-	70.55	65.19	65.40	69.70	-	-	67.85	67.61	64.93	68.80	-	-	-	-	-	-	-	-	228.67	228.91	231.59	227.72
MW-22	63-78	-	298.91	-	72.08	67.64	67.80	70.61	72.20	69.65	70.14	-	-	-	228.29	226.73	226.83	231.27	231.11	228.30	226.71	229.26	228.77	-	-	-
MW-22R	63-78	-	-	296.35	-	-	-	-	-	-	-	-	64.38	67.02	-	-	-	-	-	-	-	-	-	231.97	229.33	
MW-23	63-78	-	300.54	-	72.14	67.98	68.55	-	-	70.70	71.23	70.76	67.34	-	228.9	227.06	228.40	232.56	231.99	-	-	229.84	229.31	229.78	233.20	-
MW-24	90-100	290.24	292.45	-	68.85	63.4	63.62	67.33	68.46	65.02	65.13	63.4	66.06	63.22	226.79	225.30	223.60	229.05	228.83	225.12	223.99	227.43	227.32	226.39	229.23	226.03
MW-25	65-75	288.16	290.26	288.11	65.44	60.61	60.57	63.56	65.13	62.48	62.59	62.42	57.28	63.42	227.16	225.82	224.82	229.65	229.69	226.70	225.13	227.78	227.67	227.84	230.83	224.69
MW-26	100-110	287.23	286.45	-	63.85	58.44	58.35	61.80	63.19	60.02	59.86	60.88	58.23	61.65	226.06	224.75	222.60	228.01	228.10	224.65	223.26	226.43	226.59	225.57	228.22	224.80
MW-27	100-110	286.08	288.32	-	68.67	61.89	62.00	67.35	67.93	63.11	62.52	67.11	63.71	69.00	225.5	223.44	219.65	226.43	226.32	220.97	220.39	225.21	225.80	221.21	224.61	219.32
MW-28	67-72	292.55	292.25	-	67.94	62.46	63.06	66.72	67.81	64.18	64.63	65.24	62.28	66.41	227.07	225.41	224.31	229.79	229.19	225.53	224.44	228.07	227.62	227.01	229.97	225.84
MW-29	67-72	292.50	292.13	-	67.80	62.31	62.94	66.90	67.70	64.04	64.49	65.06	62.13	66.07	227.05	225.38	224.33	229.82	229.19	225.23	224.43	228.09	227.64	227.07	230.00	226.06
MW-30	82-92	291.76	291.63	-	67.65	62.19	62.59	66.35	67.35	63.83	64.11	64.93	62.01	65.89	226.98	225.35	223.98	229.44	229.04	225.28	224.28	227.80	227.52	226.70	229.62	225.74
MW-31	82-92	291.80	291.54	-	67.42	62.02	62.43	66.14	67.20	63.70	63.99	64.69	61.84	65.65	226.95	225.40	224.12	229.52	229.11	225.40	224.34	227.84	227.55	226.85	229.70	225.89
MW-32	82-92	290.12	289.75	-	66.05	60.7	60.82	64.33	65.57	62.30	62.36	63.15	60.45	64.00	226.86	225.45	223.70	229.05	228.93	225.42	224.18	227.45	227.39	226.60	229.30	225.75
MW-33	82-92	290.27	289.91	-	66.11	60.8	60.86	64.37	65.65	62.40	62.49	63.23	60.54	64.05	226.89	225.51	223.80	229.11	229.05	225.54	224.26	227.51	227.42	226.68	229.37	225.86
MW-34	82-92	287.30	287.05	-	63.70	58.39	58.28	61.54	63.16	60.02	59.84	60.68	58.44	61.61	226.73	225.48	223.35	228.66	228.77	225.51	223.89	227.03	227.21	226.37	228.61	225.44
MW-35	82-92	287.25	286.96	-	63.56	58.28	58.15	61.40	62.88	59.92	59.70	60.49	58.01	61.73	226.69	225.46	223.40	228.68	228.81	225.56	224.08	227.04	227.26	226.47	228.95	225.23
MW-36	70-80	292.61	292.36	-	66.10	61.87	60.98	64.42	66.40	63.23	64.27	63.36	61.21	-	227.8	226.12	226.26	230.49	231.38	227.94	225.96	229.13	228.09	229.00	231.15	-
GEP-1	59.6-74.6	-	294.98	295.2	70.55	65.06	-	69.30	70.33	-	-	67.72	65.07	66.30	227.36	-	224.43	229.92	-	225.68	224.65	-	-	227.26	230.13	228.90
GEP-2	60.6-75.6	-	296.02	-	70.43	65.18	65.69	69.19	70.35	67.00	67.52	67.51	64.86	68.50	227.9	226.38	225.59	230.84	230.33	226.83	225.67	229.02	228.50	228.51	231.16	227.52
GEP-3	59.6-74.6	-	292.97	-	67.71	62.47	62.85	66.30	67.54	64.25	64.62	64.86	62.21	64.16	227.81	226.31	225.26	230.50	230.12	226.67	225.43	228.72	228.35	228.11	230.76	228.81
GEP-4	60.15-75.15	-	295.62	292.88	70.23	65.01	65.50	68.98	-	-	-	-	61.94	65.17	227.73	226.22	225.39	230.61	230.12	226.64	-	-	-	-	230.94	227.71

Notes:  
"-" data is not available due to inaccessibility or damage to monitoring well location, or well was replaced.

Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value												
		MW-15											
		11/9/2015	12/14/2016	3/22/2017	6/21/2017	9/28/2017	12/14/2017	3/14/2018	6/20/2018	9/18/2018	12/20/2018	6/20/2019	12/9/2019
		Upgradient											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	1.9	4.4	1.9	3.8	7.4	4.3	3.2	2.9	5.2	6.9	5.6	4.4
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.44 J	0.75 U	0.75 U	0.69 J	0.75 U	0.75 U	0.75 U	0.35 J	0.51 J	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.45 J	0.75 U	0.75 U	0.75 U	0.75 U	0.48 J	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Tetrachloroethene (PCE; PERC)	5	0.6 J	1.7	0.84 J	0.66 J	1.4	1.3	0.88 J	0.62 J	0.98 J	1.4	1.0 J	0.92 J
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	77.3	183	80.5	122	185	143	87.8	72.1	130	193	128	105
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.4	1.5	NA
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	<0.50	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.10	0.26	0.06 J	NA
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.044 U	0.04 U	0.04 U	NA
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	182	212	201	217	229	216	223	209	236	224	169	200
Chloride (mg/L)	NS	28.9	14.3	28.3	40.1	30.6	39.7	24.0	46.4	42.5	37.1	43.4	34.4
Nitrate (mg/L)	NS	0.58	0.56	0.90	0.52	0.58	0.60	0.70	0.48	0.54	0.70	0.56	0.50
Sulfate (mg/L)	NS	12.3	12.4	21.3	20.5	14.3	20.5	12.4	15.2	13.2	11.3	12.0	12.1
Methane (µg/L)	NS	0.19 J	0.21 J	0.21 J	0.25 J	0.21 J	0.50 U	0.18 J	1.3 J+	1.5 U	1.5 U	1.5 U	1.5 U
Ethane (µg/L)	NS	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	3.3 U	3.3 U	3.3 U	3.3 U
Ethene (µg/L)	NS	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	2.4 U	2.4 U	2.4 U	2.4 U
Total Organic Carbon (mg/L)	NS	0.55 J	0.57 J	0.47 J	0.21 J	0.59 J	0.33 J	0.26 J	0.41 J	0.46 J	1.0 J+	1.0 U	0.83 J
Field Parameters													
pH (pH Unit)	NS	7.73	7.31	7.53	7.42	7.16	7.38	7.94	7.62	7.49	7.43	7.48	7.46
Turbidity (NTU)	NS	11.1	7.00	15.7	2.10	52.1	6.30	9.22	153.0	8.7	17.9	4.49	2.71
ORP (MeV)	NS	91.4	54.6	-0.6	114.6	92.8	16.6	-1.1	67.2	135.2	320.4	102.0	133.7
Conductivity (mS/cm)	NS	0.358	0.250	0.387	0.487	0.709	0.416	0.295	0.369	0.458	0.585	0.445	0.399
Dissolved Oxygen YSI (mg/L)	NS	31.45	8.04	6.37	4.90	9.22	8.38	7.64	6.72	9.44	9.4	7.98	9.75
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.9	10.4	NA
Groundwater Elevation (ft)	NS	227.80	226.27	225.32	230.60	230.18	226.67	225.47	228.79	228.35	228.25	230.91	227.32

Notes:  
MNA - Monitored Natural Attenuation  
NS - No Standard  
NA - Not Analyzed  
Acetylene analysis was added in June 2018.  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
U - Indicates that the analyte was not detected (ND).  
R - Non-detect result rejected due to holding time being exceeded.  
1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.  
2 - Analyte was analyzed past the 48 hour holding time.  
3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.

Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value												
		MW-16											
		11/11/2015	12/12/2016	3/20/2017	6/20/2017	9/25/2017	12/11/2017	3/13/2018	6/19/2018	9/18/2018	12/18/2018	6/24/2019	12/12/2019
		Outside Plume											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.49 J	0.75 U	0.53 J	0.50 J	0.44 J	0.75 U	0.75 U	0.75 U	0.34 J	0.75 U	0.39 J	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	0.55 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	NA	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.15	NA	0.07	NA
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.044 U	NA	0.04 U	NA
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	248	312	317	322	480	322	295	317	339	321	303	296
Chloride (mg/L)	NS	13.6	9.0	5.6	20.2	4.3	4.0	2.9	3.9	2.3	2.8	5.5	1.7 J
Nitrate (mg/L)	NS	1.6	1.6	2.1	3.7	1.4	1.1	1.6	2.0	1.9	0.88 J	1.3	0.84
Sulfate (mg/L)	NS	35.2	44.8	65.3	75.5	64.8	119	123	27.3	28.7	46.0	41.9	71.1
Methane (µg/L)	NS	0.25 U	0.14 J	0.50 U	0.19 J	0.23 J	0.50 U	0.25 U	1.1 U	1.2 U	1.5 U	1.5 U	1.5 U
Ethane (µg/L)	NS	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	3.3 U	3.3 U	3.3 U	3.3 U
Ethene (µg/L)	NS	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	2.4 U	2.4 U	2.4 U	2.4 U
Total Organic Carbon (mg/L)	NS	3.6	1.0 J	1.1	0.67 J	0.64 J	0.9 J	0.86 J	1.2	0.62 J	1.5 J+	1.6 J+	0.88 J
Field Parameters													
pH (pH Unit)	NS	7.64	7.27	10.8	6.57	7.12	7.1	6.76	7.89	7.08	7.25	7.19	7.27
Turbidity (NTU)	NS	8.01	14.8	7.71	4.40	199	30.9	8.14	10.77	20.50	1.53	7.58	3.07
ORP (MeV)	NS	137.6	139.9	115.9	298.7	82.2	94.5	118.7	16.2	215.7	138.2	299.9	64.3
Conductivity (mS/cm)	NS	0.361	0.388	0.436	0.486	0.928	0.596	0.462	0.441	0.511	0.874	0.218	0.310
Dissolved Oxygen YSI (mg/L)	NS	22.27	9.50	10.40	10.82	9.81	10.30	10.09	11.71	10.04	10.93	9.28	10.98
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.2	10.17	NA
Groundwater Elevation (ft)	NS	226.39	225.38	221.95	227.63	228.05	224.61	223.20	226.19	226.97	225.16	227.70	224.48

Notes:  
MNA - Monitored Natural Attenuation  
NS - No Standard  
NA - Not Analyzed  
Acetylene analysis was added in June 2018.  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
U - Indicates that the analyte was not detected (ND).  
R - Non-detect result rejected due to holding time being exceeded.  
1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.  
2 - Analyte was analyzed past the 48 hour holding time.  
3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.



Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value													
		MW-24												
		11/10/2015	12/13/2016	3/21/2017	6/26/2017	9/26/2017	12/12/2017	3/14/2018	6/21/2018	9/18/2018	12/20/2018	6/20/2019	12/12/2019	
		Downgradient												
VOCs (µg/L)														
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.37 J	0.75 U	0.75 U	0.55 J	26.5	37.2 J
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.40 J	3.0	6.1	9.3	10.5	
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	0.93 J	1.4	1.7	1.2	1.0	0.94 J	2.0	0.66 J	0.97 J	1.3	1.0	1.4	
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters														
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.4	1.9	NA	
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	<0.50	NA	
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	1.4	1.4	1.1	NA	
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.044 U	0.04 U	0.04 U	NA	
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	168	198	205	195	282	352	313	159	200	185	134	146	
Chloride (mg/L)	NS	36.3	38.5	59.0	41.0	110	155	60.8	37.1	36.7	32.6	29.1 J-	29.2	
Nitrate (mg/L)	NS	0.9	0.06 U	0.06 U	0.04 J	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	
Sulfate (mg/L)	NS	15.5	21.4	24.1	22.1	0.5 U	0.48 J	0.22 J	21.5	14.2	2.7	3.0	2.3	
Methane (µg/L)	NS	0.82	1.6	1.7	2.2	7.8	431	927	1.3 J+	13.9	102	179	103	
Ethane (µg/L)	NS	0.34 J	0.50 U	0.50 U	0.50 U	0.29 J	0.50 U	0.50 U	0.50 U	1.5 J	11.2	14.7	5.2	
Ethene (µg/L)	NS	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	1.0 J	0.20 J	9.5	9.7	1.7 J	2.9	
Total Organic Carbon (mg/L)	NS	3.5	1.9	1.0 J	0.79 J	94.6	96.2	44.1	4.5	3.1	4.0	2.0 J+	1.4	
Field Parameters														
pH (pH Unit)	NS	7.75	7.22	7.83	7.78	7.40	7.29	7.97	7.95	7.70	7.92	7.53	7.64	
Turbidity (NTU)	NS	9.33	13.9	16.3	35.2	88.37	2.8	16.0	19.5	7.94	2.77	1.74	0.0	
ORP (MeV)	NS	-80.2	-93.2	-111.3	-108.6	-169.9	-83.1	-127.6	-147.3	-162.2	-185.0	-149	-189.1	
Conductivity (mS/cm)	NS	0.327	0.570	0.438	0.365	1.396	8.411	0.409	0.204	0.403	0.436	0.333	0.161	
Dissolved Oxygen YSI (mg/L)	NS	0.94	0.44	0.55	1.20	0.30	0.15	0.55	11.71	7.23	0.5	0.29	0.18	
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.1	-0.25	NA	
Groundwater Elevation (ft)	NS	226.79	225.30	223.60	229.05	228.83	225.12	223.99	227.43	227.32	226.39	229.23	226.03	

Notes:  
MNA - Monitored Natural Attenuation  
NS - No Standard  
NA - Not Analyzed  
Acetylene analysis was added in June 2018.  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
U - Indicates that the analyte was not detected (ND).  
R - Non-detect result rejected due to holding time being exceeded.  
1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.  
2 - Analyte was analyzed past the 48 hour holding time.  
3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.

Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value												
		MW-26											
		11/17/2015	12/13/2016	3/21/2017	6/26/2017	9/25/2017	12/12/2017	3/14/2018	6/20/2018	9/18/2018	12/18/2018	6/20/2019	12/12/2019
		Downgradient											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	<b>0.57 J</b>	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	NA	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	<b>0.61</b>	<b>0.23</b>	<b>1.1</b>	NA
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	<b>0.43</b>	<b>0.029 J</b>	<b>0.15</b>	NA
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	<b>204</b>	<b>197</b>	<b>196</b>	<b>223</b>	<b>317</b>	<b>204</b>	<b>196</b>	<b>225</b>	<b>178</b>	<b>179</b>	<b>174</b>	<b>171</b>
Chloride (mg/L)	NS	<b>45.2</b>	<b>44.9</b>	<b>53.4</b>	<b>133</b>	<b>86.2</b>	<b>56.7</b>	<b>32.3</b>	<b>49.1</b>	<b>21</b>	<b>48.3</b>	<b>32.2</b>	<b>22.8</b>
Nitrate (mg/L)	NS	0.06 U	<b>0.04 J</b>	0.06 U	<b>0.02 J</b>	0.06 U	0.06 U	0.06 U	0.06 U	<b>0.04 J</b>	<b>0.06 J</b>	0.06 U	<b>0.06 J</b>
Sulfate (mg/L)	NS	<b>25.1</b>	<b>24.6</b>	<b>29.4</b>	<b>20.9</b>	<b>5.9</b>	<b>25.7</b>	<b>10.6</b>	<b>16.3</b>	<b>4.8</b>	<b>22.4</b>	<b>9.5</b>	<b>9.6</b>
Methane (µg/L)	NS	<b>34.8</b>	<b>2.7</b>	<b>1.4 J</b>	<b>2.1</b>	<b>444</b>	<b>20.7</b>	<b>26.6</b>	<b>80</b>	<b>12.9</b>	<b>19.7 J+</b>	<b>112</b>	<b>8.1</b>
Ethane (µg/L)	NS	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	3.3 U	3.3 U	3.3 U	3.3 U
Ethene (µg/L)	NS	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	2.4 U	2.4 U	2.4 U	2.4 U
Total Organic Carbon (mg/L)	NS	<b>9.3</b>	<b>2.6</b>	<b>1.3 J</b>	<b>30.7</b>	<b>52.1</b>	<b>1.1</b>	<b>5.8 J</b>	<b>0.50 J</b>	<b>12.9</b>	<b>2.2</b>	<b>6.4</b>	<b>5.4</b>
Field Parameters													
pH (pH Unit)	NS	7.52	7.22	7.80	7.23	7.39	7.65	7.56	7.57	7.29	7.43	7.6	7.37
Turbidity (NTU)	NS	68.3	21.8	31.9	0.4	60.96	57.38	18.6	36.2	9.12	7.65	9.3	1.79
ORP (MeV)	NS	-103.6	-28.9	-46.4	-26.9	-138.7	-173.0	-89.4	-75.3	82.0	-44.9	-108.6	-119.0
Conductivity (mS/cm)	NS	0.324	0.590	0.469	0.630	1.347	0.426	0.260	0.415	0.270	0.715	0.423	0.161
Dissolved Oxygen YSI (mg/L)	NS	0.00	0.33	0.27	0.62	0.33	0.66	0.27	1.38	8.9	0.55	0.3	0.36
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.3	-0.19	NA
Groundwater Elevation (ft)	NS	226.06	224.75	222.60	228.01	228.10	224.65	223.26	226.43	226.59	225.57	228.22	224.80

Notes:  
MNA - Monitored Natural Attenuation  
NS - No Standard  
NA - Not Analyzed  
Acetylene analysis was added in June 2018.  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
U - Indicates that the analyte was not detected (ND).  
R - Non-detect result rejected due to holding time being exceeded.  
1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.  
2 - Analyte was analyzed past the 48 hour holding time.  
3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.

Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	Confirmation Well											
		MW-28											
		12/1/2015	12/14/2016	3/22/2017	6/27/2017	9/27/2017	12/14/2017	3/15/2018	6/22/2018	9/21/2018	12/20/2018	6/19/2019	12/10/2019
		Downgradient											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	11.2	10.4	9.9	8.9 J	10.5	9.5	5.6	10.5	9.0	9.8	8.0	9.5
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.46 J	0.75 U	0.75 U	0.75 U	0.75 U	0.33 J	0.75 U	0.44 J	0.42 J	0.34 J	0.75 U	0.38 J
1,1-Dichloroethane (1,1-DCA)	5	1.0	0.77 J	0.88 J	1.0 J	1.3	0.84 J	0.69 J	0.86 J	1.2	1.2	1.2	0.98 J
1,1-Dichloroethene (1,1-DCE)	5	0.53 J	0.43 J	0.53 J	0.38 J	0.76 J	0.45 J	0.75 U	0.39 J	0.34 J	0.42 J	0.75 U	0.45 J
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.61 J	0.75 U	0.62 J	0.75 U	0.53 J	0.57 J	0.75 U	0.75 U	0.75 U	0.42 J	0.36 J	0.51 J
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	4.7	4.3	4.4	4.7 J	5.5	5.0	4.4	4.9	4.5	4.7	5.8	5.9
Tetrachloroethene (PCE; PERC)	5	33	44.6	42.4	36.3 J	37.1	45.2	23.2	38.7	43.7	34.7	31.9	33.6
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.47 J	0.42 J	0.37 J	0.35 J	0.49 J	0.75 U	0.36 J	0.33 J	0.75 U	0.75 U	0.37 J
Trichloroethene (TCE)	5	182	196	181	195	170	201	153	214	232 J	195	172	219
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	3.9	3.7	2.7	1.8
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	<0.50	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.045 U	0.024 J	0.045 U	0.045 U
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.044 U	0.04 U	0.04 U	0.04 U
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	352	316	295	352	380	383	360	422	345	342	325	307
Chloride (mg/L)	NS	22.1	32.4	25.7	29.0	25.7	20.4	20.9	33.1	42.7	25.4	41.6	38.0
Nitrate (mg/L)	NS	0.06 U	0.06 J	0.44	1.5	0.18 J	1.2	1.5	0.58	0.58	0.16 J	0.20 U	0.74
Sulfate (mg/L)	NS	22.4	20.9	21.6	13.0	10.3	22.4	20.2	23.1	13.2	13.1	13.6	22.0
Methane (µg/L)	NS	3.4	3.0	0.94	1.0	0.37 J	0.50 U	0.25 U	1800	60.8	1.5 U	1.5 U	1.5 U
Ethane (µg/L)	NS	0.50 U	3.6	1.0	0.50 U	0.45 J	0.50 U	0.50 U	0.50 U	1.3 J	3.3 U	3.3 U	3.3 U
Ethene (µg/L)	NS	0.75 U	1.3 J	1.9	0.75 U	0.72 J	0.75 U	0.75 U	0.75 U	1.4 J	2.4 U	2.4 U	2.4 U
Total Organic Carbon (mg/L)	NS	1.9	2.3	0.81 J	0.76 J	1.9	0.94 J	0.36 J	4.1	0.85 J	2.1 J+	1.6 J+	1.0
Field Parameters													
pH (pH Unit)	NS	6.83	7.03	7.12	7.05	6.87	7.15	8.17	7.33	7.08	7.21	6.84	7.08
Turbidity (NTU)	NS	209	1.5	2.07	-3	61.1	229.80	8.52	1.32	0.02	0.59	0.02	0.78
ORP (MeV)	NS	273	71.2	77.1	97.4	32.1	19.0	-16.3	11.1	120.9	81.7	176.4	190.5
Conductivity (mS/cm)	NS	0.324	0.366	0.520	0.554	1.045	0.564	0.406	0.733	0.797	0.759	0.613	0.510
Dissolved Oxygen YSI (mg/L)	NS	6.75	3.94	5.2	7.59	4.3	8.45	11.96	0.63	8.83	4.13	0.89	5.79
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.7	10.41	NA
Groundwater Elevation (ft)	NS	227.07	225.41	224.31	229.79	229.19	225.53	224.44	228.07	227.62	227.01	229.97	225.84

Notes:  
MNA - Monitored Natural Attenuation  
NS - No Standard  
NA - Not Analyzed  
Acetylene analysis was added in June 2018.  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
U - Indicates that the analyte was not detected (ND).  
R - Non-detect result rejected due to holding time being exceeded.  
1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.  
2 - Analyte was analyzed past the 48 hour holding time.  
3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.

Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	Confirmation Well											
		MW-29											
		12/1/2015	12/14/2016	3/22/2017	6/27/2017	9/27/2017	12/14/2017	3/15/2018	6/22/2018	9/20/2018	12/20/2018	6/19/2019	12/9/2019
		Upgradient											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	12.4	14.0 J	10.4	11.8 J	13.6	14.6	13.2	11.8	10.4	9.3	8.7	9.4
1,1,2,2-Tetrachloroethane	5	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.45 J	0.34 J	0.36 J	0.75 U	0.42 J
1,1-Dichloroethane (1,1-DCA)	5	0.97 J	3.8 U	0.45 J	1.0 J	1.2	0.88 J	0.91 J	0.84 J	0.87 J	1.0 J	1.1	0.93 J
1,1-Dichloroethene (1,1-DCE)	5	0.68 J	3.8 U	0.55 J	0.63 J	0.99 J	0.96 J	0.77 J	0.48 J	0.41 J	0.46 J	0.35 J	0.43 J
1,2-Dichloroethane (EDC)	0.6	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	3.8 U	0.63 J	0.75 U	0.85 J	0.71 J	0.72 J	0.82 J	0.75 U	0.67 J	0.49 J	0.60 J
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	4.9	6.1 J	3.1	5.8 J	5.6	5.7	5.4	5.1	3.7	4.1	5.4	4.6
Tetrachloroethene (PCE; PERC)	5	33.2	30.8 J	37.2	38.1 J	42.2	41.7	38.9	35.4	31.9	30.8	29.7	27.9
Toluene	5	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	3.8 U	0.61 J	0.70 J	0.67 J	0.62 J	0.44 J	0.59 J	0.35 J	0.40 J	0.75 U	0.75 U
Trichloroethene (TCE)	5	224	209 J	197	264	226	233	207	248	218	218	161	149
Vinyl Chloride (VC)	2	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	2.8	2	1.5	NA
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	<0.50	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.062 J	0.14	0.13	0.23
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.044 U	0.040 U	0.04 U	0.04 U
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	327	301	258	361	374	348	360	370	374	380	342	303
Chloride (mg/L)	NS	28.2	28.4	21.3	49.4	24.2	21.3	23.4	28	29.9	28.8	38.9	33.8
Nitrate (mg/L)	NS	0.1 J	0.26	0.52	1.3	0.12 J	0.86	1.3	0.38	0.48 J	0.50	0.26	0.90
Sulfate (mg/L)	NS	29.2	24.9	20.1	13.8	16.1	22.7	15	21	11.8	21.0	12.9	22.7
Methane (µg/L)	NS	13.9	0.62	1.1	0.20 J	0.21 J	0.50 U	0.25 U	210	1.5 U	1.5 U	1.5 U	1.5 U
Ethane (µg/L)	NS	0.81 J	0.50 U	0.5 U	0.50	0.50 U	0.50 U	0.50 U	0.50 U	3.3 U	3.3 U	3.3 U	3.3 U
Ethene (µg/L)	NS	0.59 J	0.75 U	0.75 U	0.75	0.75 U	0.75 U	0.75 U	0.75 U	2.4 U	2.4 U	2.4 U	2.4 U
Total Organic Carbon (mg/L)	NS	2.3	1.4	0.91 J	0.92 J	2.1	1.2	0.38 J	3.2	1.3	1.7 J+	5.3	1.4
Field Parameters													
pH (pH Unit)	NS	7.06	7.02	7.43	7.02	6.91	7.01	7.79	7.33	7.14	7.2	6.96	6.88
Turbidity (NTU)	NS	82.4	0.62	2.73	2.80	65.1	1.50	8.11	15.2	0.02	4.55	3.43	11.9
ORP (MeV)	NS	-25.1	60.9	46.1	120	41.7	33.7	2.8	52.3	90.9	98.6	169.6	251.2
Conductivity (mS/cm)	NS	0.325	0.354	0.424	0.619	1.058	0.559	0.420	0.61	0.683	0.796	0.63	0.471
Dissolved Oxygen YSI (mg/L)	NS	4.29	6.17	9.26	7.12	6.46	8.65	7.42	2.98	9.66	5.02	2.23	6.62
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.6	9.12	NA
Groundwater Elevation (ft)	NS	227.05	225.38	224.33	229.79	229.19	225.23	224.43	228.09	227.64	227.07	230.00	226.06

Notes:  
MNA - Monitored Natural Attenuation  
NS - No Standard  
NA - Not Analyzed  
Acetylene analysis was added in June 2018.  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
U - Indicates that the analyte was not detected (ND).  
R - Non-detect result rejected due to holding time being exceeded.  
1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.  
2 - Analyte was analyzed past the 48 hour holding time.  
3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.

Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	Confirmation Well											
		MW-30											
		12/1/2015	12/13/2016	3/21/2017	6/26/2017	9/27/2017	12/13/2017	3/15/2018	6/21/2018	9/20/2018	12/19/2018	6/19/2019	12/10/2019
		Downgradient											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.74 J	0.61 J	0.39 J	0.41 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	25.2	42.3	66.3	24.3	18.4	19.6	9.8	8.1	8.2	7.3	5.0	6.5
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	12	36	8.5	10
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 UJ	NA	NA	<0.50	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.16	0.087	0.93	0.42
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.04 U	0.040 U	0.33	0.11
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	143	319	210	154	104	347	141	58	59	51	65	74
Chloride (mg/L)	NS	38.4	182	136	49.6	35.3	87.3	43.6	38.8	40.7	39.2	37.6	38.3
Nitrate (mg/L)	NS	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U
Sulfate (mg/L)	NS	35.9	2.9	0.5 U	0.32 J	0.5 U	0.22 J	0.5 U	0.34 J	0.5 U	0.76 J	2.0 U	0.5 U
Methane (µg/L)	NS	47.4	146	870	3210	3560	12900	5860	3700	4410	3790	91.6	5670
Ethane (µg/L)	NS	4.7	5.4	23.5	36.7	39.7	40.5	31.1	52	42.2	46.4	3.3 U	23.4
Ethene (µg/L)	NS	2.2	3.3	9.1	12.7	8.5	4.2	2.2	6.3	4.3	2.8	2.4 U	2.0 J
Total Organic Carbon (mg/L)	NS	2.2	225	139	75.2	27.0	366	50.9	9.7 J	10.2	12.1	7.7	8.8
Field Parameters													
pH (pH Unit)	NS	8.91	6.83	7.60	8.01	8.01	7.41	8.54	8.28	8.48	8.84	7.8	7.66
Turbidity (NTU)	NS	58.2	3.55	3.82	3	69.1	16.1	3.12	950.5	0.02	1.36	0.81	1.33
ORP (MeV)	NS	-278.4	-166.3	-166.9	-173.3	-212.2	-170.1	-122.8	12.1	-217.6	-208.4	-164	-152.9
Conductivity (mS/cm)	NS	0.210	1.410	0.740	0.320	0.412	0.758	0.212	0.238	0.235	0.216	0.23	0.158
Dissolved Oxygen YSI (mg/L)	NS	3.70	0.29	0.17	0.48	0.06	0.80	0.19	0.98	8.41	0.44	0.28	0.22
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.2	-0.41	NA
Groundwater Elevation (ft)	NS	226.98	225.35	223.98	229.44	229.04	225.28	224.28	227.80	227.52	226.70	229.62	225.74

Notes:

MNA - Monitored Natural Attenuation

NS - No Standard

NA - Not Analyzed

Acetylene analysis was added in June 2018.

Detected concentrations are in bold font.

Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.

J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.

J+ - The result is an estimated quantity, likely to be biased high.

U - Indicates that the analyte was not detected (ND).

R - Non-detect result rejected due to holding time being exceeded.

1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.

2 - Analyte was analyzed past the 48 hour holding time.

3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.

Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	Confirmation Well											
		MW-31											
		12/1/2015	12/14/2016	3/22/2017	6/26/2017	9/27/2017	12/13/2017	3/15/2018	6/21/2018	9/20/2018	12/19/2018	6/19/2019	12/10/2019
		Upgradient											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.41 J	0.50 J	0.42 J	0.40 J	0.37 J	0.75 U	0.34 J	0.37 J	0.75 U	0.34 J
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.44 J
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	42.7	38.2	35.0	29.0	25.6	19.6	19.1	20.6	19.7 J+	19.1	26.2	29.2
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	4.1	1.9	2	2.2
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	<0.50	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.76	0.87	0.72	0.98
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.04 U	0.04 U	0.04 U	0.023 J
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	178	222	381	150	132	119	143	169	169	172	142	146
Chloride (mg/L)	NS	41.9	56.6	98.5	31.0	31.7	36.3	50.6	39.9	32	34.6	45.9	44.3
Nitrate (mg/L)	NS	0.06 U	0.06 U	0.04 J	0.02 J	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U
Sulfate (mg/L)	NS	26.3	10.9	2.6	5.6	5.6	7.8	6.7	7.8	4.6	7.1	10.2	8.8
Methane (µg/L)	NS	20.7	3.5	106	56.5	29.1	59.4	34.4	120	90.6	126	99.3	512
Ethane (µg/L)	NS	2.2	1.5	10.1	2.7	2.6	3.3	2.6	5.7	4.2	4.3	3.0 J	3.9
Ethene (µg/L)	NS	0.91 J	0.84 J	4.7	3.2	2.3	1.9	1.6	104	1.4 J	1.3 J	2.4 U	2.4 U
Total Organic Carbon (mg/L)	NS	2.1	43.9	257	2.8	1.5	1.3	1.1	2.1	0.69 J	1.1 J+	1.0 U	0.79 J
Field Parameters													
pH (pH Unit)	NS	7.80	7.20	7.61	9.79	7.63	7.68	8.31	7.83	7.85	8.00	7.80	7.77
Turbidity (NTU)	NS	51.7	8.03	11.4	4.60	8.60	8.62	2.95	2.6	0.02	4.36	0.69	0.0
ORP (MeV)	NS	-319.7	-163.1	-201.5	-283.2	-174.4	-208.0	-161.7	-155.1	-180.6	-172.9	-165.3	-202.2
Conductivity (mS/cm)	NS	0.243	0.348	0.850	0.280	0.526	0.294	0.261	0.324	0.378	0.362	0.402	0.308
Dissolved Oxygen YSI (mg/L)	NS	1.29	0.28	0.22	0.70	0.13	0.19	0.17	0.22	7.99	0.48	0.15	0.31
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.1	-0.24	NA
Groundwater Elevation (ft)	NS	226.95	225.40	224.12	229.52	229.11	225.40	224.34	227.84	227.55	226.85	229.70	225.89

Notes:

MNA - Monitored Natural Attenuation

NS - No Standard

NA - Not Analyzed

Acetylene analysis was added in June 2018.

Detected concentrations are in bold font.

Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.

J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.

J+ - The result is an estimated quantity, likely to be biased high.

U - Indicates that the analyte was not detected (ND).

R - Non-detect result rejected due to holding time being exceeded.

1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.

2 - Analyte was analyzed past the 48 hour holding time.

3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.



Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	Confirmation Well											
		MW-32											
		11/30/2015	12/13/2016	3/21/2017	6/26/2017	9/26/2017	12/13/2017	3/14/2018	6/21/2018	9/20/2018	12/19/2018	6/20/2019	12/11/2019
		Downgradient											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.40 J	0.48 J	0.60 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.34 J	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	1.2	1.3	1.2	0.68 J	0.61 J	0.62 J	1.3	0.85 J	0.83 J	2.0
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	150	132	191	130	135	120	104	64.1	95.4	87.1	118	101
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	7.4	2.2	3.7	5.0
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	<0.50	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.51	1.0	0.47	1.1
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.044 U	0.04 U	0.024 J	0.04 U
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	196	277	214	129	129	141	162	128	129	158	134	157
Chloride (mg/L)	NS	35.6	138	84.6	38.0	30.7	28.2	25.4	29.5	27.8	24.5	24.1 J-	30.6
Nitrate (mg/L)	NS	0.06 U	0.06 U	0.02 J	0.02 J	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U
Sulfate (mg/L)	NS	21.1	2.8	0.68 J	0.50 J	0.4 J	6.0	7.1	2.3	1.4 J	6.0	8.6	8.1
Methane (µg/L)	NS	6.8	16.5	309	817	835	233 J	583	130	2650	407	2190	1180
Ethane (µg/L)	NS	0.5 J	1.5	19.3	35.9	29.4	5.6 J	10.7	2	21.1	12.0	12.1	9.3
Ethene (µg/L)	NS	0.75 U	1.8	10.3	15.6	5.4	2.3 J	3.3	0.25 J	4.7	1.5 J	1.7 J	0.96 J
Total Organic Carbon (mg/L)	NS	2.6	133	98.0	22.0	5.0	5.4 J	2.7	6.4	3.9	2.4	1.4 J+	0.80 J
Field Parameters													
pH (pH Unit)	NS	8.00	6.69	7.54	9.28	7.65	7.43	7.97	8.03	7.94	7.94	7.77	7.80
Turbidity (NTU)	NS	180	5.92	4.01	5.10	3.91	5.11	1.36	0.02	0.02	1.60	0.02	1.98
ORP (MeV)	NS	-234.2	-107.7	-140.7	-238.7	-149.4	-181.9	-106.4	-149.4	-201	-180.0	-165.3	-185.0
Conductivity (mS/cm)	NS	0.239	1.180	0.640	0.261	0.478	0.257	0.239	0.206	0.291	0.338	0.320	0.264
Dissolved Oxygen YSI (mg/L)	NS	0.64	1.81	1.77	2.50	1.80	1.50	0.25	8.26	8.44	0.47	0.30	0.78
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.4	-0.39	NA
Groundwater Elevation (ft)	NS	226.86	225.45	223.70	229.05	228.93	225.42	224.18	227.45	227.39	226.60	229.30	225.75

Notes:  
MNA - Monitored Natural Attenuation  
NS - No Standard  
NA - Not Analyzed  
Acetylene analysis was added in June 2018.  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
U - Indicates that the analyte was not detected (ND).  
R - Non-detect result rejected due to holding time being exceeded.  
1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.  
2 - Analyte was analyzed past the 48 hour holding time.  
3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.

Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	Confirmation Well											
		MW-33											
		11/24/2015	12/14/2016	3/22/2017	6/26/2017	9/26/2017	12/13/2017	3/14/2018	6/21/2018	9/19/2018	12/19/2018	6/19/2019	12/11/2019
		Upgradient											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	133	93.5	151	152	170	142	155	178	137	159	97.4	164
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	3.9	2.1	3.3	NA
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	<0.50	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.05 U	0.071	0.32	0.041 J
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.045 J	0.04 U	0.04 U	0.04 U
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	172	218	194	205	202	212	215	215	213	211	172	197
Chloride (mg/L)	NS	41.8	43.2	29.2	22.8	24.6	28.1	23.0	22.5	24.8 J-	23.9	21.2	31.6
Nitrate (mg/L)	NS	0.06 U	0.06 U	0.32	0.32	0.30	0.32	0.34	0.42	0.4 J	0.44	0.42	0.40
Sulfate (mg/L)	NS	25.1	8.2	15.0	11.8	12.6	14.8	11.6	14.3	14.6	12.1	10.9	12.1
Methane (µg/L)	NS	64	3.4	9.2	16.0	17.8	7.2	6.1	17	1.5 U	10.3 J+	4.7	1.5 U
Ethane (µg/L)	NS	7	0.25 J	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	3.3 U	3.3 U	3.3 U	3.3 U
Ethene (µg/L)	NS	3.6	0.48 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	2.4 U	2.4 U	1.2 J	2.4 U
Total Organic Carbon (mg/L)	NS	8.1	30.9	2.1	0.54 J	0.44 J	0.44 J	0.83 J	1.6	0.58 J	1.1 J+	1.8 J+	0.86 J
Field Parameters													
pH (pH Unit)	NS	8.39	7.18	7.58	8.8	7.51	7.53	7.99	7.66	7.69	7.69	7.21	7.65
Turbidity (NTU)	NS	23.1	9.31	11.7	3.40	51.2	6.38	9.18	2.78	0.02	2.96	7.84	0.00
ORP (MeV)	NS	-471.2	-126.8	-64.3	44.9	-3.2	-20.4	-49.9	17.6	98.7	81.9	2.8	17.1
Conductivity (mS/cm)	NS	0.247	0.303	0.386	0.350	0.648	0.370	0.285	0.385	0.456	0.390	0.374	0.325
Dissolved Oxygen YSI (mg/L)	NS	0.92	0.41	2.50	2.99	2.87	6.80	1.89	3.41	9.21	3.96	0.65	3.73
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.3	3.82	NA
Groundwater Elevation (ft)	NS	226.89	225.51	223.80	229.11	229.05	225.54	224.26	227.51	227.42	226.68	229.37	225.86

Notes:

MNA - Monitored Natural Attenuation

NS - No Standard

NA - Not Analyzed

Acetylene analysis was added in June 2018.

Detected concentrations are in bold font.

Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.

J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.

J+ - The result is an estimated quantity, likely to be biased high.

U - Indicates that the analyte was not detected (ND).

R - Non-detect result rejected due to holding time being exceeded.

1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.

2 - Analyte was analyzed past the 48 hour holding time.

3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.



Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	Confirmation Well											
		MW-34											
		11/24/2015	12/13/2016	3/21/2017	6/26/2017	9/26/2017	12/12/2017	3/13/2018	6/20/2018	9/19/2018	12/20/2018	6/20/2019	12/11/2019
		Downgradient											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.63 J
Tetrachloroethene (PCE; PERC)	5	0.42 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	17.7	41.3	48.3	34.0	29.6	28.0	17.6	31.3	6.9	10.6	1.1	2.9
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	3.1	3.1	2.2	3.0
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	<0.50	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.05 U	0.07	0.33 J	0.35
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.04 U	0.04 U	0.18	0.081
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	99	191	597	201	197	203	174	226	183	162	194	140
Chloride (mg/L)	NS	48.5	62.3	461	15.7	11.7	12.9	15.4	16.3	2.0 U	12.6	6.6 J-	2.5
Nitrate (mg/L)	NS	0.56	0.06 J	0.06 U	0.04 J	0.06 U	0.02 J	0.02 J	0.06 U	0.56 J	0.06 U	0.06 U	0.22
Sulfate (mg/L)	NS	64.3	23.8	0.56 J	13.4	9.0	7.3	8.5	11.2	3.9	3.3	2.0 U	2.5
Methane (µg/L)	NS	14.5	1.2	1780	12.4	88.1	531	1260	35	1.5 U	737	419	144
Ethane (µg/L)	NS	2.2	0.50 U	17.3	0.50 U	0.45 J	1.1	1.3	0.50 U	3.31 U	4.0	0.77 J	3.3 U
Ethene (µg/L)	NS	1.8	0.75 U	4.4	0.75 U	0.58 J	0.75 U	0.75 U	0.75 U	2.41 U	2.4 U	1.1 J	2.4 U
Total Organic Carbon (mg/L)	NS	5.9	12.0	631	3.3	3.8	4.1	3.4	0.93 J	6.8	3.2 J+	8.3	4.3
Field Parameters													
pH (pH Unit)	NS	12.68	7.14	7.45	7.26	7.26	7.40	7.37	7.30	7.12	7.67	8.91	7.80
Turbidity (NTU)	NS	44.7	3.23	4.59	-4	4.40	4.20	5.63	1.4	0.02	4.26	5.55	2.96
ORP (MeV)	NS	-185.4	-8.4	-144.0	-139.4	-63.1	-133.4	25.0	-76.3	118.1	-29.2	-140.1	269.7
Conductivity (mS/cm)	NS	0.361	0.630	2.280	0.332	0.578	0.310	0.234	0.332	0.312	0.341	0.368	0.178
Dissolved Oxygen YSI (mg/L)	NS	6.9	1.12	0.12	0.46	0.62	2.70	0.34	1.31	8.69	0.47	0.35	5.05
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.2	-0.15	NA
Groundwater Elevation (ft)	NS	226.73	225.48	223.35	228.66	228.77	225.51	223.89	227.03	227.21	226.37	228.61	225.44

Notes:

MNA - Monitored Natural Attenuation

NS - No Standard

NA - Not Analyzed

Acetylene analysis was added in June 2018.

Detected concentrations are in bold font.

Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.

J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.

J+ - The result is an estimated quantity, likely to be biased high.

U - Indicates that the analyte was not detected (ND).

R - Non-detect result rejected due to holding time being exceeded.

1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.

2 - Analyte was analyzed past the 48 hour holding time.

3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.

Table 3-2  
Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	Confirmation Well											
		MW-35											
		11/24/2015	12/15/2016	3/22/2017	6/26/2017	9/26/2017	12/12/2017	3/13/2018	6/20/2018	9/19/20118	12/20/2018	6/20/2019	12/11/2019
		Upgradient											
VOCs (µg/L)													
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	31.9	31.8	12.5	43.8 J	47.8	43.5	21.2	39.4	15.2	38.1	34.8	35.4
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters													
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	2.6	2.1	1.4	NA
Acetylene (ug/L)	NS	NA	NA	NA	NA	NA	NA	NA	1.0 U	NA	NA	<0.50	NA
Total Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.45	0.12	0.61	0.30
Dissolved Iron (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	0.044 U	0.09	0.04 U	0.04 U
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	181	223	51	202	192	210	171	197	115	195	174	168
Chloride (mg/L)	NS	42.2	53.9	2.0	17.1	14.4	22.2 J+	14.5	15.7	2.1	24.4	21.2 J-	23.1
Nitrate (mg/L)	NS	0.06 U	0.04 J	0.14 J	0.66	0.6	0.44	0.44	0.64	0.68 J	0.58	0.38	0.44
Sulfate (mg/L)	NS	48.1	7.2	3.5	13.6	10.8	10.2	8.5	10.7	2.5	9.7	9.8	9.1
Methane (µg/L)	NS	13.8	0.90	5.8	7.2	7.5	7.9	32.7	23	50.5	12.3 J+	38.3	166
Ethane (µg/L)	NS	2.9	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	3.31 U	3.3 U	3.3 U	3.3 U
Ethene (µg/L)	NS	1.6	0.75 U	0.32 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	2.41 U	2.4 U	2.4 U	2.4 U
Total Organic Carbon (mg/L)	NS	7.7	18.3	1.4	0.75 J	0.68 J	0.56 J	1.2	0.6 J	3.5	1.1 J	1.2 J+	1.6
Field Parameters													
pH (pH Unit)	NS	9.68	7.09	8.79	7.66	7.46	7.44	7.46	7.55	7.49	7.77	7.42	7.59
Turbidity (NTU)	NS	381	5.99	16.3	38.2	31.91	13.81	11.00	25.8	33.8	4.49	12.1	9.0
ORP (MeV)	NS	-404	-167.9	-68.4	-10.6	30	0.40	57.10	69.5	65.6	45.4	-37.1	173.8
Conductivity (mS/cm)	NS	0.287	0.329	0.078	0.324	0.600	0.338	0.218	0.335	0.204	0.453	0.361	0.134
Dissolved Oxygen YSI (mg/L)	NS	0.79	0.41	6.63	3.67	4.58	4.84	1.32	3.54	9.57	5.38	1.82	5.55
Dissolved Oxygen- Downhole (mg/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.5	1.35	NA
Groundwater Elevation (ft)	NS	226.69	225.46	223.40	228.68	228.81	225.56	224.08	227.04	227.26	226.47	228.95	225.23

Notes:  
MNA - Monitored Natural Attenuation  
NS - No Standard  
NA - Not Analyzed  
Acetylene analysis was added in June 2018.  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
U - Indicates that the analyte was not detected (ND).  
R - Non-detect result rejected due to holding time being exceeded.  
1 - TheTotal Alkalinity is titrated to a pH of 4.5 and reported as mg CaCO<sub>3</sub>/L.  
2 - Analyte was analyzed past the 48 hour holding time.  
3 - The QC sample type DUP for method RSK 175 was outside the control limits for the analyte Methane. The RPD was reported as 23.8 and the upper contol limit is 20.

Table 3-3  
Annual Site Wide Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes		NYSDEC Ambient Water Quality Standards and Guidance Value	GEP-1				GEP-2				GEP-3				GEP-4				MW-B-3			MW-5			
			11/10/2015	6/23/2017	1/23/2019	6/18/2019	11/10/2015	6/21/2017	6/20/2018	6/18/2019	11/9/2015	6/23/2017	6/20/2018	6/18/2019	11/9/2015	6/21/2017	1/23/2019	6/18/2019	11/13/2015	6/22/2017	7/18/2018	11/12/2015	6/20/2017	6/19/2018	6/17/2019
			Upgradient				Upgradient				Upgradient				Upgradient				Outside Plume			Downgradient			
VOCs (µg/L)																									
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U		
1,1,1-Trichloroethane (1,1,1-TCA)	5	4.6	3.3 J+	5.8	5.1	19.7	16.3	3.7	19.6	0.93 J	1.2	0.58 J	2.1	5.1	4.7	18.9	13.9	0.75 U	0.75 U	0.75 U	0.51 J	0.41 J	0.75 U	0.48 J	
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U		
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U		
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.56 J	0.68 J	0.75 U	0.92 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U		
1,1-Dichloroethene (1,1-DCE)	5	0.43 J	0.75 U	0.39 J	0.41 J	1.1	1.1	0.75 U	0.69 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	1.2	0.73 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U		
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U		
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.65 J	0.39 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	2.0	3.1	
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.35 J	1.2	1.8	1.1	3.3	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.47 J	0.41 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U		
Tetrachloroethene (PCE; PERC)	5	1.0	0.45 J	0.75 U	0.51 J	3.5	3.2	0.80 J	4.6	1.1	0.57 J	0.36 J	0.55 J	0.68 J	0.80 J	3.6	3.2	1.8	3.9	5.0	0.75 U	0.75 U	0.75 U	0.75 U	
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U		
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U		
Trichloroethene (TCE)	5	180	152 J+	157	150	210	167	51.3	171	143	131	74.9	137	85.9	72.4	441	312	0.75 U	0.75 U	0.75 U	0.46 J	0.58 J	0.75 U	0.75 U	
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U		
MNA Parameters																									
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Acetylene	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	223	NA	NA	NA	335	NA	NA	NA	217	NA	NA	NA	227	NA	NA	NA	110	NA	NA	221	NA	NA	NA	
Chloride (mg/L)	NS	13.2	NA	NA	NA	5.6	NA	NA	NA	15.4	NA	NA	NA	22.5	NA	NA	NA	155	NA	NA	197	NA	NA	NA	
Nitrate (mg/L)	NS	1.0	NA	NA	NA	0.38 J	NA	NA	NA	0.79	NA	NA	NA	0.71	NA	NA	NA	0.66 J+	NA	NA	6.7	NA	NA	NA	
Sulfate (mg/L)	NS	10.2	NA	NA	NA	9.9	NA	NA	NA	10.8	NA	NA	NA	13.2	NA	NA	NA	25.3	NA	NA	36.7 J	NA	NA	NA	
Methane (µg/L)	NS	0.32 J	NA	NA	NA	0.33 J	NA	NA	NA	0.16 J	NA	NA	NA	0.4 J	NA	NA	NA	0.39 J	NA	NA	0.19 J	NA	NA	NA	
Ethane (µg/L)	NS	0.5 U	NA	NA	NA	0.5 U	NA	NA	NA	0.5 U	NA	NA	NA	0.5 U	NA	NA	NA	0.5 U	NA	NA	0.5 U	NA	NA	NA	
Ethene (µg/L)	NS	0.75 U	NA	NA	NA	0.75 U	NA	NA	NA	0.75 U	NA	NA	NA	0.75 U	NA	NA	NA	0.75 U	NA	NA	0.75 U	NA	NA	NA	
Total Organic Carbon (mg/L)	NS	3.4	NA	NA	NA	2.9	NA	NA	NA	0.47 J	NA	NA	NA	2.7	NA	NA	NA	5.2	NA	NA	7.3	NA	NA	NA	
Field Parameters																									
pH (pH Unit)	NS	7.52	8.31	7.34	7.21	7.18	6.6	7.57	7.16	7.69	7.40	7.40	7.46	7.67	7.39	7.22	7.27	7.86	8.31	7.4	7.37	6.19	7.10	7.50	
Turbidity (NTU)	NS	33.1	45.6	5.82	15	28.2	0	107	23	13.9	113.1	78.7	54	41.8	9.4	3.24	7.14	4.95	8	217.9	23.9	4.7	0.02	0.02	
ORP (MeV)	NS	141.8	203.5	124.1	251.6	180.3	336.1	61.1	185.1	131.4	171.5	31.2	152.1	110.7	109.9	106.8	262.5	157.4	180.2	218.0	74.3	26.3	85.9	290.8	
Conductivity (mS/cm)	NS	0.308	0.396	0.536	0.435	0.371	0.476	0.417	0.543	0.329	0.363	0.364	0.385	0.363	0.51	0.72	0.575	0.461	0.385	0.124	0.654	0.701	1.59	10.73	
Dissolved Oxygen YSI (mg/L)	NS	19.53	9.9	-22 *	8.27	30.01	8.63	11.49	8.26	114.75	9.44	8.91	8.19	14.93	5.05	-22.74 *	7.86	19.91	10.1	9.06	17.86	12.4	9.60	4.34	
Groundwater Elevation (ft)	NS	224.81	NA	NA	230.13	227.90	230.84	229.02	231.16	227.81	292.97	228.72	230.76	227.73	230.61	NA	230.94	227.95	NA	228.44	225.75	226.29	225.81	226.09	

Notes:  
MNA - Monitored Natural Attenuation  
NS - no standard  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
J- - The result is an estimated quantity, likely to be biased low.  
U - Indicates that the analyte was not detected (ND).  
\* - negative DO measurements are the result of low temperatures affecting the DO probe during the sampling event

Table 3-3  
Annual Site Wide Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	MW-6				MW-7				MW-8		MW-9			
		11/12/2015	6/20/2017	6/18/2018	6/17/2019	11/11/2015	6/20/2017	6/18/2018	6/17/2019	1/23/2019	6/17/2019	11/12/2015	6/20/2017	6/19/2018	6/24/2019
		Downgradient				Downgradient				Outside Plume		Downgradient			
VOCs (µg/L)															
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1,1-Trichloroethane (1,1,1-TCA)	5	2.1	0.77 J	0.75 J	0.55 J	0.75 U	0.75 U	0.75 U	0.75 U	2.1 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.45 J	0.39 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	59.8	26	24.4	19.9	1.3	0.75 U	0.75 U	0.75 U	3.4 J	0.75 U	0.68 J	0.75 U	0.75 U	0.75 U
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters															
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetylene	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	281	NA	NA	NA	353	NA	NA	NA	NA	NA	186	NA	NA	NA
Chloride (mg/L)	NS	28.4	NA	NA	NA	26.7	NA	NA	NA	NA	NA	12	NA	NA	NA
Nitrate (mg/L)	NS	1.7	NA	NA	NA	1.1	NA	NA	NA	NA	NA	0.5 U	NA	NA	NA
Sulfate (mg/L)	NS	23.2 J	NA	NA	NA	15	NA	NA	NA	NA	NA	56.7 J	NA	NA	NA
Methane (µg/L)	NS	0.25 U	NA	NA	NA	1.7	NA	NA	NA	NA	NA	2.7	NA	NA	NA
Ethane (µg/L)	NS	0.5 U	NA	NA	NA	0.5 U	NA	NA	NA	NA	NA	0.5 U	NA	NA	NA
Ethene (µg/L)	NS	0.75 U	NA	NA	NA	0.75 U	NA	NA	NA	NA	NA	0.75 U	NA	NA	NA
Total Organic Carbon (mg/L)	NS	5.5	NA	NA	NA	5.5	NA	NA	NA	NA	NA	3.3	NA	NA	NA
Field Parameters															
pH (pH Unit)	NS	7.3	7.30	7.31	7.33	7.76	7.04	7.29	6.58	7.55	7.5	7.82	6.64	6.96	7.54
Turbidity (NTU)	NS	2.76	3.9	0.02	1.39	4.64	7.4	33.8	19.5	0.02	0.02	3.75	0.1	8.11	4
ORP (MeV)	NS	151.8	121.4	111.2	295	165.8	126.4	-46.0	27.1	93.60	295.9	-121.4	-1.0	-22.0	-34.7
Conductivity (mS/cm)	NS	0.317	0.419	0.358	9.23	0.32	0.732	0.85	1.573	0.465	8.25	0.237	0.386	0.39	0.183
Dissolved Oxygen YSI (mg/L)	NS	24.39	8.9	9.98	5.48	11.81	7.38	9.00	8.07	-16.2 *	4.22	0	0.59	0.44	0.45
Groundwater Elevation (ft)	NS	225.86	226.55	226.01	226.30	226.28	227.30	222.54	226.95	NA	227.25	225.83	226.48	225.93	226.26

Notes:  
MNA - Monitored Natural Attenuation  
NS - no standard  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
J- - The result is an estimated quantity, likely to be biased low.  
U - Indicates that the analyte was not detected (ND).  
\* - negative DO measurements are the result of low temperatures affecting the DO probe during the sampling event

Table 3-3  
Annual Site Wide Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes		NYSDEC Ambient Water Quality Standards and Guidance Value	MW-11 R	MW-12 R		MW-13	MW-14				MW-15					MW-16					MW-17			
			6/24/2019	1/23/2019	6/17/2019	6/20/2018	11/12/2015	6/21/2017	6/20/2018	6/18/2019	11/9/2015	12/14/2016	6/21/2017	6/20/2018	6/20/2019	11/11/2015	12/12/2016	6/20/2017	6/19/2018	6/24/2019	11/16/2015	6/23/2017	6/20/2018	6/18/2019
			Outside Plume		Downgradient	Upgradient				Upgradient					Outside Plume					Upgradient				
VOCs (µg/L)																								
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.53 J	0.75 U	2.1	4.0	3.9	1.2	2.5	1.1	1.9	4.4	3.8	2.9	5.6	0.49 J	0.75 U	0.50 J	0.75 U	0.39 J	17	22	19.8	22.1	
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.43 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.63 J	1.1	0.84 J	0.95 J	
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.44 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
Carbon Tetrachloride	5	5.3	0.75 U	4.8	0.75 U	0.75 U	0.75 U	0.49 J	0.54 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.45 J	0.42 J	
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	2.4	0.85 J	1.9	0.63 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	1.0	2.1	1.8	2.3	
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.79 J	0.75 U	10.8	10.5	13.8	10.9	0.60 J	1.7	0.66 J	0.62 J	1.0 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.49 J	
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
Trichloroethene (TCE)	5	0.75 U	0.75 U	5.0	117	3.7	2.4	3.7	2.0	77.3	183	122	72.1	128	0.55 J	0.75 U	0.75 U	0.75 U	0.75 U	15.2	35.2	20.5	31.9	
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	
MNA Parameters																								
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acetylene	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.0 U	<0.50	NA	NA	NA	1.0 U	NA	NA	NA	NA	NA	
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	NA	NA	NA	NA	242	NA	NA	NA	182	212	217	209	169	248	312	322	317	303	310	NA	NA	NA	
Chloride (mg/L)	NS	NA	NA	NA	NA	26.4	NA	NA	NA	28.9	14.3	40.1	46.4	43.4	13.6	9.0	20.2	3.9	5.5	4.9	NA	NA	NA	
Nitrate (mg/L)	NS	NA	NA	NA	NA	0.96	NA	NA	NA	0.58	0.56	0.52	0.48	0.56	1.6	1.6	3.7	2	1.3	0.96	NA	NA	NA	
Sulfate (mg/L)	NS	NA	NA	NA	NA	21 J	NA	NA	NA	12.3	12.4	20.5	15.2	12	35.2	44.8	75.5	27.3	41.9	14.3	NA	NA	NA	
Methane (µg/L)	NS	NA	NA	NA	NA	0.86	NA	NA	NA	0.19 J	0.5 U	0.5 U	1.3 J+	1.5 U	0.25 U	0.5 U	0.5 U	1.1 U	1.5 U	0.13 J	NA	NA	NA	
Ethane (µg/L)	NS	NA	NA	NA	NA	0.5 U	NA	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	3.3 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3 U	0.5 U	NA	NA	NA	
Ethene (µg/L)	NS	NA	NA	NA	NA	0.75 U	NA	NA	NA	0.75 U	0.75 U	0.75 U	0.75 U	2.4 U	0.75 U	0.75 U	0.75 U	0.75 U	2.4 U	0.75 U	NA	NA	NA	
Total Organic Carbon (mg/L)	NS	NA	NA	NA	NA	6	NA	NA	NA	0.55 J	0.57 J	0.21 J	0.41 J	1.0 U	3.6	0.96 J	0.67 J	1.2	1.6 J+	2.7	NA	NA	NA	
Field Parameters																								
pH (pH Unit)	NS	7.46	7.50	7.36	7.27	7.39	7.28	7.01	7.49	7.73	7.31	7.42	7.62	7.48	7.64	7.27	6.57	7.89	7.19	7.38	7.13	7.15	7.22	
Turbidity (NTU)	NS	8.46	0.02	13.8	14.4	136	5	3.80	294	11.1	7	2.1	153.0	4.49	8.01	14.8	4.4	10.77	7.58	9.02	3.1	30.7	11.8	
ORP (MeV)	NS	273.5	87.0	58.8	28.5	119.4	122.6	52.1	154	91.4	54.6	114.6	67.2	102	137.6	139.9	298.7	16.2	299.9	118.6	159.7	134.1	143.4	
Conductivity (mS/cm)	NS	189.6	0.476	0.991	0.401	0.302	0.479	0.426	0.438	0.358	0.25	0.5	0.369	0.445	0.361	0.388	0.486	0.441	0.218	0.257	0.462	0.423	0.565	
Dissolved Oxygen YSI (mg/L)	NS	8.27	-20.24 *	7.77	8.62	14.94	-13.54	6.7	7.26	31.45	8.04	4.9	6.72	7.98	22.27	9.5	10.82	11.71	9.28	16.42	9.99	8.7	8.49	
Groundwater Elevation (ft)	NS	230.75	NA	228.18	228.10	228.08	231.32	229.39	231.62	227.80	226.27	230.60	228.79	230.91	226.39	225.38	227.63	226.19	227.70	228.08	231.15	229.26	231.56	

Notes:  
MNA - Monitored Natural Attenuation  
NS - no standard  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
J- - The result is an estimated quantity, likely to be biased low.  
U - Indicates that the analyte was not detected (ND).  
\* - negative DO measurements are the result of low temperatures affecting the DO probe during the sampling event

Table 3-3  
Annual Site Wide Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	MW-18				MW-19				MW-20				MW-22			MW-22 R	MW-23			
		1/4/1900	6/21/2017	6/19/2018	6/18/2019	11/16/2015	6/22/2017	6/19/2018	6/18/2019	11/17/2015	6/22/2017	6/19/2018	6/21/2019	11/16/2015	6/22/2017	6/21/2018	6/21/2019	11/17/2015	6/22/2017	7/18/2018	6/21/2019
		Upgradient				Upgradient				Upgradient				Upgradient				Outside Plume			
VOCs (µg/L)																					
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	2.7	2.4	0.75 U	2.5	2.1	2.9	1.7	2.5	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.39 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
Tetrachloroethene (PCE; PERC)	5	1.6	1.8	0.75 U	1.2	0.75 U	0.75 U	0.75 U	0.75 U	1.5	3.7	3.0	0.47 J	5.6	3.8 J	6.3	5.2	0.75 U	0.75 U	1 UJ	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
Trichloroethene (TCE)	5	153	117	26.8	110	30	14.3	11.4	9.0	52.3	86.8	69.9	7.0 J	282	238	331	148	0.75 U	0.75 U	1 UJ	0.75 U
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	3.8 U	3.8 U	3.8 U	3.8 U	0.75 U	0.75 U	1 UJ	0.75 U
MNA Parameters																					
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetylene	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	197	NA	NA	NA	267	NA	NA	NA	260	NA	NA	NA	246	NA	NA	NA	211	NA	NA	NA
Chloride (mg/L)	NS	16.9	NA	NA	NA	3.9	NA	NA	NA	2.3	NA	NA	NA	2 U	NA	NA	NA	27.6	NA	NA	NA
Nitrate (mg/L)	NS	0.50 U	NA	NA	NA	0.48	NA	NA	NA	0.74	NA	NA	NA	4.5	NA	NA	NA	0.66	NA	NA	NA
Sulfate (mg/L)	NS	13.2	NA	NA	NA	9.8	NA	NA	NA	7.7 J	NA	NA	NA	7.2	NA	NA	NA	30.4 J	NA	NA	NA
Methane (µg/L)	NS	1.1	NA	NA	NA	0.65	NA	NA	NA	1.4 J	NA	NA	NA	0.25 U	NA	NA	NA	0.17 J	NA	NA	NA
Ethane (µg/L)	NS	0.5 U	NA	NA	NA	0.5 U	NA	NA	NA	0.5 U	NA	NA	NA	0.5 U	NA	NA	NA	0.5 U	NA	NA	NA
Ethene (µg/L)	NS	0.75 U	NA	NA	NA	0.75 U	NA	NA	NA	0.75 U	NA	NA	NA	0.75 U	NA	NA	NA	0.75 U	NA	NA	NA
Total Organic Carbon (mg/L)	NS	9.5	NA	NA	NA	5	NA	NA	NA	3.9	NA	NA	NA	2.2	NA	NA	NA	2.5	NA	NA	NA
Field Parameters																					
pH (pH Unit)	NS	7.72	7.03	7.82	7.5	7.62	7.82	6.87	7.29	7.40	7.83	7.08	7.42	7.63	7.18	7.57	7.72	7.53	6.60	7.43	7.38
Turbidity (NTU)	NS	40.1	3.8	2.33	2.08	35.4	19.4	30.8	13.6	85.7	26.3	30.8	4.25	3.79	40.1	120	57.9	13	15.1	Over Range	10.2
ORP (MeV)	NS	88.7	298.7	38.5	271.3	93.0	297.8	141.6	285.1	184.8	136.1	103.5	95.5	115.6	178.4	88.6	81.7	134.3	169.4	189.4	269.4
Conductivity (mS/cm)	NS	0.301	0.394	0.402	0.438	0.244	0.428	0.382	0.523	0.264	0.36	0.331	0.447	0.224	0.36	0.342	0.392	0.273	0.405	0.463	0.173
Dissolved Oxygen YSI (mg/L)	NS	18.46	6.33	12.25	7.58	14.23	8.82	8.80	7.87	17.61	9.46	9.55	9.12	16.55	11.11	9.92	8.06	12.71	9.07	9.07	10.42
Groundwater Elevation (ft)	NS	227.94	230.75	228.90	231.20	228.43	231.93	229.87	232.47	228.71	232.33	230.20	233.00	228.29	231.27	229.26	231.97	228.90	232.56	229.84	233.20

Notes:  
MNA - Monitored Natural Attenuation  
NS - no standard  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
J- - The result is an estimated quantity, likely to be biased low.  
U - Indicates that the analyte was not detected (ND).  
\* - negative DO measurements are the result of low temperatures affecting the DO probe during the sampling event

Table 3-3  
Annual Site Wide Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	MW-24					MW-25				MW-26				MW-27				MW-36				
		11/10/2015	12/13/2016	6/26/2017	6/21/2018	6/20/2019	11/16/2015	6/21/2017	6/21/2018	6/21/2019	11/17/2015	12/13/2016	6/26/2017	6/20/2018	6/20/2019	11/11/2015	6/23/2017	6/19/2018	6/17/2019	12/2/2015	6/22/2017	6/21/2018	6/21/2019
		Downgradient					Upgradient				Downgradient				Downgradient				Upgradient				
VOCs (µg/L)																							
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.81 J	0.73 J	0.34 J	0.49 J	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	26.5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.51 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.40 J	9.3	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.57 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	0.93 J	1.4	1.2	0.66 J	1.0	96.7	76.7	80.3	87.1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	189	211	32.6	136	1.0	0.81 J	1.7	2.0
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters																							
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	1.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetylene	NS	NA	NA	NA	1 U	<0.50	NA	NA	NA	NA	NA	NA	NA	1 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	168	198	195	159	134	198	NA	NA	NA	204	197	223	225	174	282	NA	NA	NA	NA	197	NA	NA
Chloride (mg/L)	NS	36.3	38.5	41.0	37.1	29.1 J-	16.3	NA	NA	NA	45.2	44.9	133	49.1	32.2	13.8	NA	NA	NA	NA	46.6	NA	NA
Nitrate (mg/L)	NS	0.90	0.06 U	0.2 U	0.06 U	0.06 U	0.52	NA	NA	NA	0.06 U	0.04 J	0.02 U	0.06 U	0.06 U	1.2	NA	NA	NA	0.06 U	NA	NA	NA
Sulfate (mg/L)	NS	15.5	21.4	22.1	21.5	3	9	NA	NA	NA	25.1	24.6	20.9	16.3	9.5	22	NA	NA	NA	NA	21.2 J-	NA	NA
Methane (µg/L)	NS	0.82	1.6	2.2	1.3 J+	179	0.45 J	NA	NA	NA	34.8	2.7	2.1	80	112	0.24 J	NA	NA	NA	NA	25.6	NA	NA
Ethane (µg/L)	NS	0.34 J	0.5 U	0.5 U	0.5 U	14.7	0.5 U	NA	NA	NA	0.50 U	0.5 U	0.5 U	0.5 U	3.3 U	0.5 U	NA	NA	NA	NA	2.7	NA	NA
Ethene (µg/L)	NS	0.75 U	0.75 U	0.8 U	0.2 J	1.7 J	0.75 U	NA	NA	NA	0.75 U	0.75 U	0.75 U	0.75 U	2.4 U	0.75 U	NA	NA	NA	NA	1.2 J	NA	NA
Total Organic Carbon (mg/L)	NS	3.5	1.9	0.79 J	4.5	2 J+	5.6	NA	NA	NA	9.3	2.6	30.7	0.5 J	6.4	2.9	NA	NA	NA	NA	1.7	NA	NA
Field Parameters																							
pH (pH Unit)	NS	7.75	7.22	7.78	7.95	7.53	7.85	7.51	7.80	7.47	7.52	7.22	7.23	7.57	7.6	7.50	7.87	7.31	7.1	7.76	8.05	7.86	7.61
Turbidity (NTU)	NS	9.33	13.9	35.2	19.5	1.74	30.9	1.5	128	8.98	68.3	21.8	0.4	36.2	9.3	86.8	1.9	2.60	4.48	66.7	6.3	17.2	0.26
ORP (MeV)	NS	-80.2	-93.2	-108.6	-147.3	-149	85.4	97.5	101.1	200.3	-103.6	-28.9	-26.9	-75.3	-108.6	169.9	310.7	3.10	4.48	-224.3	-71.7	85.5	160.4
Conductivity (mS/cm)	NS	0.327	0.57	0.365	0.204	0.333	0.201	0.446	0.349	0.2	0.324	0.59	0.63	0.415	0.423	0.411	0.429	0.58	114.17	0.282	0.422	7.86	0.215
Dissolved Oxygen YSI (mg/L)	NS	0.94	0.44	1.2	11.71	0.29	11.25	4.6	7.6	8.22	0	0.33	0.62	1.38	0.3	21.89	5.3	1.31	1.07	5.29	1.08	3.27	2.33
Groundwater Elevation (ft)	NS	226.79	225.30	229.05	227.43	229.23	227.16	229.65	227.78	230.83	226.06	224.75	228.01	226.43	228.22	225.50	226.43	221.21	224.61	227.80	230.49	229.13	231.15

Notes:  
MNA - Monitored Natural Attenuation  
NS - no standard  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
J- - The result is an estimated quantity, likely to be biased low.  
U - Indicates that the analyte was not detected (ND).  
\* - negative DO measurements are the result of low temperatures affecting the DO probe during the sampling event

Table 3-3  
Annual Site Wide Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	Confirmation Well Pair										Confirmation Well Pair									
		MW-28					MW-29					MW-30					MW-31				
		12/1/2015	12/14/2016	6/27/2017	6/22/2018	6/19/2019	12/1/2015	12/14/2016	6/27/2017	6/22/2018	6/19/2019	12/1/2015	12/13/2016	6/26/2017	7/18/2018	6/19/2019	12/1/2015	12/14/2016	6/26/2017	6/21/2018	6/19/2019
		Downgradient					Upgradient					Downgradient					Upgradient				
VOCs (µg/L)																					
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	1.0 U	0.75 U	0.75 U	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	11.2	10.4	8.9 J+	10.5	8.0	12.4	14.0 J+	11.8 J+	11.8	8.7	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	1.0 U	0.75 U	0.75 U	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.46 J	0.75 U	1.0 U	0.44 J	0.75 U	0.75 U	3.8 U	0.75 U	0.45 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	1.0	0.77 J	1.0 J+	0.86 J	1.2	0.97 J	3.8 U	1.0 J+	0.84 J	1.1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.53 J	0.43 J	0.38 J	0.39 J	0.75 U	0.68 J	3.8 U	0.63 J	0.48 J	0.35 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.61 J	0.75 U	0.75 U	0.75 J	0.36 J	0.75 U	3.8 U	0.75 U	0.82 J	0.49 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	4.7	4.3	4.7 J+	4.9	5.8	4.9	6.1 J+	5.8 J+	5.1	5.4	0.75 U	0.75 U	0.61 J	0.75 U	0.75 U	0.75 U	0.75 U	0.50 J	0.75 U	0.75 U
Tetrachloroethene (PCE; PERC)	5	33	44.6	36.3 J+	38.7	31.9	33.2	30.8 J+	38.1 J+	35.4	29.7	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.47 J	0.37 J	0.36 J	0.75 U	0.75 U	3.8 U	0.70 J	0.59 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	182	196	195	214	172	224	209 J+	264	248	161	25.2	42.3	24.3	8.1	5.0	42.7	38.2	29.0	20.6	26.2
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	3.8 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters																					
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	2.7	NA	NA	NA	NA	1.5	NA	NA	NA	NA	8.5	NA	NA	NA	NA	2
Acetylene	NS	NA	NA	NA	1 U	<0.50	NA	NA	NA	1.0 U	<0.50	NA	NA	NA	1.0 UJ	<0.50	NA	NA	NA	1 U	<0.50
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	352	316	352	422	325	327	301	361	370	342	143	319	154	58	65	178	222	150	169	142
Chloride (mg/L)	NS	22.1	32.4	29.0	33.1	41.6	28.2	28.4	49.4	28	38.9	38.4	182	49.6	38.8	37.6	41.9	56.6	31	39.9	45.9
Nitrate (mg/L)	NS	0.06 U	0.06 J	1.5	0.58	0.20 U	0.1 J	0.26	1.3 J	0.38	0.26	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.2 U	0.06 U	0.06 U
Sulfate (mg/L)	NS	22.4	20.9	13.0	23.1	13.6	29.2	24.9	13.8	21	12.9	35.9	2.9	2.0 U	0.34 J	2.0 U	26.3	10.9	5.6	7.8	10.2
Methane (µg/L)	NS	3.4	3.0	1.0	1800	1.5 U	13.9	0.62	0.05 U	210	1.5 U	47.4	146	3210	3700	91.6	20.7	3.5	56.5	120	99.3
Ethane (µg/L)	NS	0.5 U	3.6	0.5 U	0.5 U	3.3 U	0.81 J	0.5 U	0.5 U	0.5 U	3.3 U	4.7	5.4	36.7	52	3.3 U	2.2	1.5	2.7	5.7	3.0 J
Ethene (µg/L)	NS	0.75 U	1.3 J	0.75 U	0.75 U	2.4 U	0.59 J	0.75 U	0.75 U	0.75 U	2.4 U	2.2	3.3	12.7	6.3	2.4 U	0.91 J	0.84 J	3.2	2.4	2.4 U
Total Organic Carbon (mg/L)	NS	1.9	2.3	0.76 J	4.1	1.6 J+	2.3	1.4	0.92 J	3.2	5.3	2.2	225	75.2	9.7 J	7.7	2.1	43.9	2.8	2.1	1.0 U
Field Parameters																					
pH (pH Unit)	NS	6.83	7.03	7.05	7.33	6.84	7.06	7.02	7.02	7.33	6.96	8.91	6.83	7.77	8.28	7.8	7.80	7.20	9.79	7.83	7.8
Turbidity (NTU)	NS	209	1.5	-3	1.32	0.02	82.4	0.62	2.8	15.2	3.43	58.2	3.55	3	950.5	0.81	51.7	8.03	4.6	2.6	0.69
ORP (MeV)	NS	273.2	71.2	97.4	11.1	176.4	-25.1	60.9	120.2	52.3	169.6	-278.4	-166.3	-173.3	12.1	-164	-319.7	-163.1	-283.2	-155.1	-165.3
Conductivity (mS/cm)	NS	0.324	0.366	0.554	7.33	0.613	0.325	0.354	0.619	0.61	0.63	0.21	1.41	0.32	0.238	0.23	0.243	0.348	0.28	0.324	0.402
Dissolved Oxygen YSI (mg/L)	NS	6.75	3.94	7.59	0.63	0.89	4.29	6.17	7.12	2.98	2.23	3.7	0.29	0.48	0.98	0.28	1.29	0.28	0.7	0.22	0.15
Groundwater Elevation (ft)	NS	227.07	225.41	229.79	228.07	229.97	227.05	225.38	229.82	228.09	230.00	226.98	225.35	229.44	227.80	229.62	226.95	225.40	229.52	227.84	229.70

Notes:  
MNA - Monitored Natural Attenuation  
NS - no standard  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
J- - The result is an estimated quantity, likely to be biased low.  
U - Indicates that the analyte was not detected (ND).  
\* - negative DO measurements are the result of low temperatures affecting the DO probe during the sampling event



Table 3-3  
Annual Site Wide Groundwater Sample Results  
The Defense National Stockpile Center Scotia Depot

Analytes	NYSDEC Ambient Water Quality Standards and Guidance Value	Confirmation Well Pair										Confirmation Well Pair									
		MW-32					MW-33					MW-34					MW-35				
		11/30/2015	3/21/2017	6/26/2017	6/21/2018	6/20/2019	11/24/2015	12/14/2016	6/26/2017	6/21/2018	6/19/2019	11/24/2015	12/13/2016	6/26/2017	6/20/2018	6/20/2019	11/24/2015	12/15/2016	6/26/2017	6/20/2018	6/20/2019
		Downgradient					Upgradient					Downgradient					Upgradient				
VOCs (µg/L)																					
1,1,1,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,1-Trichloroethane (1,1,1-TCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-Tetrachloroethane	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2-Trichloroethane	1	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethane (1,1-DCA)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1-Dichloroethene (1,1-DCE)	5	0.75 U	0.40 J	0.48 J	0.75 U	0.34 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-Dichloroethane (EDC)	0.6	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Carbon Tetrachloride	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
cis-1,2-Dichloroethene (cis-1,2-DCE)	5	0.75 U	1.2	1.3	0.62 J	0.83 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Tetrachloroethene (PCE; PERC)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.42 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Toluene	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
trans-1,2-Dichloroethene (trans-1,2-DCE)	5	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
Trichloroethene (TCE)	5	150	191	130	64.1	118	133	93.5	152	178	97.4	17.7	41.3	34.0	31.3	1.1	31.9	31.8	43.8 J+	39.4	34.8
Vinyl Chloride (VC)	2	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
MNA Parameters																					
Dissolved Hydrogen (nmol/L)	NS	NA	NA	NA	NA	3.70	NA	NA	NA	NA	3.3	NA	NA	NA	NA	2.2	NA	NA	NA	NA	1.4
Acetylene	NS	NA	NA	NA	1 U	<0.50	NA	NA	NA	1 U	<0.50	NA	NA	NA	1 U	<0.50	NA	NA	NA	1 U	<0.50
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L) <sup>1</sup>	NS	196	214	129	128	134	172	218	205	215	172	99	191	201	226	194	181	223	202	197	174
Chloride (mg/L)	NS	35.6	84.6	38.0	29.5	24.1 J-	41.8	43.2	22.8	22.5	21.2	48.5	62.3	15.7	16.3	6.6 J-	42.2	53.9	17.1	15.7	21.2 J-
Nitrate (mg/L)	NS	0.06 U	0.02 J	0.2 U	0.06 U	0.06 U	0.06 U	0.06 U	0.32	0.42	0.42	0.56	0.06 J	0.2 U	0.06 U	0.06 U	0.06 U	0.040 J	0.66	0.64	0.38
Sulfate (mg/L)	NS	21.1	0.68 J	2 U	2.3	8.6	25.1	8.2	11.8	14.3	10.9	64.3	23.8	13.4	11.2	2.0 U	48.1	7.2	13.6	10.7	9.8
Methane (µg/L)	NS	6.8	309	817	130	2190	64	3.4	16	17	4.7	14.5	1.2	12.4	35	419	13.8	0.90	7.2	23	38.3
Ethane (µg/L)	NS	0.5 J	19.3	35.9	2	12.1	7	0.25 J	0.5 U	0.5 U	3.3 U	2.2	0.5 U	0.5 U	0.5 U	0.77 J	2.9	0.5 U	0.5 U	0.5 U	3.3 U
Ethene (µg/L)	NS	0.75 U	10.3	15.6	0.25 J	1.7 J	3.6	0.48 J	0.75 U	0.75 U	1.2 J	1.8	0.75 U	0.75 U	0.75 U	1.1 J	1.6	0.75 U	0.75 U	0.75 U	2.4 U
Total Organic Carbon (mg/L)	NS	2.6	98	22	6.4	1.4 J+	8.1	30.9	0.54 J	1.6	1.8 J+	5.9	12	3.3	0.93 J	8.3	7.7	18.3	0.75 J	0.6 J	1.2 J+
Field Parameters																					
pH (pH Unit)	NS	8.00	7.54	9.28	8.03	7.77	8.39	7.18	8.8	7.66	7.21	12.68	7.14	7.26	7.30	8.91	9.68	7.09	7.66	7.55	7.42
Turbidity (NTU)	NS	180	4.01	5.1	0.02	0.02	23.1	9.31	3.4	2.78	7.84	44.7	3.23	-4	1.4	5.55	381	5.99	38.2	25.8	12.1
ORP (MeV)	NS	-234.2	-140.7	-238.7	-149.4	-165.3	-471.2	-126.8	44.9	17.6	2.8	-185.4	-8.4	-139.4	-76.3	-140.1	-404	-167.9	-10.6	69.5	-37.1
Conductivity (mS/cm)	NS	0.239	0.64	0.261	0.206	0.32	0.247	0.303	0.35	0.382	0.374	0.361	0.63	0.332	0.332	0.368	0.287	0.329	0.324	0.335	0.361
Dissolved Oxygen YSI (mg/L)	NS	0.64	1.77	2.5	8.26	0.3	0.92	0.41	2.99	3.41	0.65	6.9	1.12	0.46	1.31	0.35	0.79	0.41	3.67	3.54	1.82
Groundwater Elevation (ft)	NS	226.86	223.70	229.05	227.45	229.30	226.89	225.51	229.11	227.51	229.37	226.73	225.48	228.66	227.03	228.61	226.69	225.46	228.68	227.04	228.95

Notes:  
MNA - Monitored Natural Attenuation  
NS - no standard  
Detected concentrations are in bold font.  
Detections exceeding the NYSDEC Ambient Water Quality Standards (AWQS) are highlighted in gray.  
J - Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte.  
J+ - The result is an estimated quantity, likely to be biased high.  
J- - The result is an estimated quantity, likely to be biased low.  
U - Indicates that the analyte was not detected (ND).  
\* - negative DO measurements are the result of low temperatures affecting the DO probe during the sampling event

Table 3-4  
Mann Kendall TCE Concentration Trends  
The Defense National Stockpile Center Scotia Depot

Final Sampling Date	Upgradient				Downgradient			
	MW-29	MW-31	MW-33	MW-35	MW-28	MW-30	MW-32	MW-34
6/27/2017	Stable	Decreasing	No Trend	Stable	Stable	Stable	Stable	No Trend
9/27/2017	No Trend	Decreasing	Increasing	No Trend	Stable	Stable	Stable	Stable
12/14/2017	No Trend	Decreasing	No Trend	No Trend	No Trend	Stable	Stable	Stable
3/15/2018	No Trend	Decreasing	Prob. Increasing	No Trend	Stable	Decreasing	Decreasing	Stable
6/22/2018	No Trend	Decreasing	Increasing	No Trend	No Trend	Decreasing	Decreasing	Stable
9/21/2018	No Trend	Decreasing	Prob. Increasing	Stable	No Trend	Decreasing	Decreasing	Prob. Decreasing
12/20/2018	No Trend	Decreasing	Prob. Increasing	Stable	No Trend	Decreasing	Decreasing	Decreasing
6/20/2019	Stable	Decreasing	No Trend	Stable	No Trend	Decreasing	Decreasing	Decreasing
12/10/2019	Stable	Decreasing	No Trend	Stable	No Trend	Decreasing	Decreasing	Decreasing

Table 3-5  
Air Sample Analytical Results January 2020  
Former Scotia Naval Depot  
Glenville, NY

Stone 3/2014	AECOM	Carbon Tetrachloride (µg/m <sup>3</sup> )					1,1,1-Trichloroethane (µg/m <sup>3</sup> )				
		Stone 2014	AECOM 2016	AECOM 2017	AECOM 2018	AECOM 2020	Stone 2014	AECOM 2016	AECOM 2017	AECOM 2018	AECOM 2020
Sample ID	Sample ID										
IA06-1-B	201IA-1	0.692	0.49 J	0.40	0.32 J	0.39	0.038 J	0.015 J	0.0096 J	0.0078 J	0.042 U
IA05-1-B	201IA-2	0.673	0.51	0.39	0.34 J	2.1	0.109 U	0.014 J	0.011 J	0.0086 J	0.025 J
IA07-1-B	201IA-3	2.64	0.59	0.43	0.34 J	0.43 J	0.109 U	0.015 J	0.010 J	0.0079 J	0.011 J
IA11-1-B	202IA-1	1.95	0.45 J	0.39	0.32 J	0.41 J	0.469	0.018 J	0.012 J	0.010 J	0.012 J
IA12-1-B	202IA-2	1.01	0.45 J	0.40	0.34	0.43 J	0.147	0.017 J	0.011 J	0.012 J	0.010 J
NS	202IA-3	-	0.39	0.40	0.33	0.43 J	-	0.017 J	0.011 J	0.014 J	0.091 UJ
IA09-1-B	203IA-1	0.692	0.42 J	0.37	0.33	0.40 J	0.196	0.380 U	0.011 J	0.075 U	0.012 J
IA08-1-B	203IA-2	2.65	0.54	0.41	0.34	0.45	0.737	0.023 J	0.012 J	0.016 J	0.059 U
IA10-1-B	203IA-3	0.654	0.48	0.40	0.35 J	0.42 J	0.180	0.019 J	0.012 J	0.015 J	0.014 J
NS	204IA-1	-	0.50	0.40	0.37	0.43 J	-	0.029 J	0.0091 J	0.098 U	0.054 UJ
IA15-1-B	204IA-2	0.572	0.47	0.46	0.36 J	0.56 J	0.044 J	0.016 J	0.017 J	0.062 UJ	0.094 UJ
IA14-1-B	204IA-3	0.516	0.50	0.40	0.31	0.40 J	0.038 J	0.018 J	0.012 J	0.012 J	0.0099 J
IABG-1-B	NS	0.447	-	-	-	-	0.109 U	-	-	-	-
IABG-2-B	OA-1	0.434	0.490 J	0.41	0.34 J	0.41 J	0.109 U	0.014 J	0.010 J	0.012 J	0.054 UJ
	2017 OA-1 Resample	-	-	0.48	-	-	-	-	0.014 J	-	-
	3/26/20 IA201-2 Resample	-	-	-	-	0.38 J	-	-	-	-	0.009 J
	3/26/20 OA-1 Resample	-	-	-	-	0.39	-	-	-	-	0.028 U

Notes:  
NS - No equivalent sample at this location  
"- " - Not Sampled  
IA - Indoor Air  
IABG - Stone 2014 Outdoor Air Sample  
OA - Outdoor Air  
U - Qualifier denotes non-detect.  
J - Qualifier denotes estimated value.  
UJ - Qualifier denotes the analyte was analyzed for, but was not detected. The reported quantitation limit is approximated and may be imprecise.

Table 3-5  
Air Sample Analytical Results January 2020  
Former Scotia Naval Depot  
Glenville, NY

Stone 3/2014	AECOM	Tetrachloroethene (µg/m <sup>3</sup> )					Trichloroethene (µg/m <sup>3</sup> )				
		Stone 2014	AECOM 2016	AECOM 2017	AECOM 2018	AECOM 2020	Stone 2014	AECOM 2016	AECOM 2017	AECOM 2018	AECOM 2020
Sample ID	Sample ID										
IA06-1-B	201IA-1	0.068 J	0.054 J	0.044	0.053 J	0.30 J	0.107 U	0.037 J	0.031 U	0.025 UJ	0.025 J
IA05-1-B	201IA-2	0.136	0.050	0.16	0.088 J	0.10	0.107 U	0.023 J	0.023 J	0.022 J	0.020 J
IA07-1-B	201IA-3	0.258	0.094	0.11	0.14 J	0.11 J	0.107 U	0.046	0.082	0.019 J	0.026 J
IA11-1-B	202IA-1	0.142	0.054 J	0.15	0.11 J	0.078 J	0.107 U	0.030 J	0.025 J	0.028 J	0.028 J
IA12-1-B	202IA-2	0.061 J	0.060 J	0.075	0.11	0.11 J	0.107 U	0.034 J	0.014 J	0.030 J	0.021 J
NS	202IA-3	-	0.110	0.086	0.12	0.082 J	-	0.036	0.019	0.052	0.073 J
IA09-1-B	203IA-1	0.170	0.380 U	0.073	0.15	0.074 J	0.683	0.380 U	0.019 J	0.099	0.045 J
IA08-1-B	203IA-2	0.292	0.140	0.18	0.19	0.14	0.752	0.091	0.042	0.12	0.060 J
IA10-1-B	203IA-3	0.156	0.075	0.068	0.087 J	0.092 J	0.623	0.076	0.027 J	0.085 J	0.083 J
NS	204IA-1	-	0.072	0.99	0.087 J	0.075 J	-	0.089	0.038	0.069 J	0.045 J
IA15-1-B	204IA-2	0.149	0.057	0.29	0.063 J	0.083 J	3.92	0.061	0.20	0.096 J	0.079 J
IA14-1-B	204IA-3	0.142	0.043	0.059	0.057	0.084 J	0.210	0.059	0.035	0.067	0.057 J
IABG-1-B	NS	0.054 J	-	-	-	-	0.107 U	-	-	-	-
IABG-2-B	OA-1	0.075 J	0.054 J	0.041	0.087 J	0.069 J	0.107 U	0.011 J	0.029 U	0.078 J	0.025 J
	2017 OA-1 Resample	-	-	0.079	-	-	-	-	0.11	-	-
	3/26/20 IA201-2 Resample	-	-	-	-	0.098 J	-	-	-	-	0.021 J
	3/26/20 OA-1 Resample	-	-	-	-	0.074	-	-	-	-	0.028 U

Notes:  
NS - No equivalent sample at this location  
"- " - Not Sampled  
IA - Indoor Air  
IABG - Stone 2014 Outdoor Air Sample  
OA - Outdoor Air  
U - Qualifier denotes non-detect.  
J - Qualifier denotes estimated value.  
UJ - Qualifier denotes the analyte was analyzed for, but was not detected. The reported quantitation limit is approximated and may be imprecise.

Table 3-5  
Air Sample Analytical Results January 2020  
Former Scotia Naval Depot  
Glenville, NY

Stone 3/2014	AECOM	Vinyl Chloride (µg/m³)										1,1-Dichloroethene (µg/m³)									
		Stone 2014		AECOM 2016		AECOM2017		AECOM 2018		AECOM 2020		Stone		Stone 2014		AECOM2017		AECOM 2018		AECOM 2020	
Sample ID	Sample ID																				
IA06-1-B	201IA-1	0.051	U	0.025	UJ	0.031	U	0.025	UJ	0.040	U	0.079	U	0.012	J	0.031	U	0.025	UJ	0.040	U
IA05-1-B	201IA-2	0.051	U	0.027	U	0.029	U	0.027	UJ	0.032	U	0.079	U	0.029	U	0.029	U	0.027	UJ	0.032	U
IA07-1-B	201IA-3	0.051	U	0.030	U	0.031	U	0.026	UJ	0.025	UJ	0.079	U	0.031	U	0.031	U	0.026	UJ	0.025	UJ
IA11-1-B	202IA-1	0.051	U	0.025	UJ	0.031	U	0.025	UJ	0.026	UJ	0.079	U	0.026	UJ	0.031	U	0.025	UJ	0.026	UJ
IA12-1-B	202IA-2	0.051	U	0.024	UJ	0.032	U	0.035	U	0.026	UJ	0.079	U	0.026	UJ	0.032	U	0.035	U	0.026	UJ
NS	202IA-3	-		0.022	U	0.034	U	0.034	U	0.087	UJ	-		0.023	U	0.034	U	0.034	U	0.087	UJ
IA09-1-B	203IA-1	0.051	U	0.360	U	0.032	U	0.071	U	0.027	UJ	0.079	U	0.380	U	0.032	U	0.071	U	0.027	UJ
IA08-1-B	203IA-2	0.051	U	0.030	U	0.032	U	0.034	U	0.057	U	0.079	U	0.031	U	0.032	U	0.034	U	0.057	U
IA10-1-B	203IA-3	0.051	U	0.027	U	0.033	U	0.050	UJ	0.026	UJ	0.079	U	0.029	U	0.033	U	0.050	UJ	0.026	UJ
NS	204IA-1	-		0.028	U	0.032	U	0.093	U	0.052	UJ	-		0.020	J	0.032	J	0.093	U	0.052	UJ
IA15-1-B	204IA-2	0.051	U	0.028	U	0.032	U	0.059	UJ	0.090	UJ	0.079	U	0.029	U	0.032	U	0.059	UJ	0.090	UJ
IA14-1-B	204IA-3	0.051	U	0.027	U	0.028	U	0.033	U	0.0250	UJ	0.079	U	0.028	U	0.028	U	0.033	U	0.025	UJ
IABG-1-B	NS	0.051	U	-		-		-		-		0.079	U	-		-		-		-	
IABG-2-B	OA-1	0.051	U	0.023	UJ	0.029	U	0.026	UJ	0.052	UJ	0.079	U	0.024	UJ	0.029	U	0.026	UJ	0.052	UJ
	2017 OA-1 Resample	-		-		0.032	U	-		-		-		-		0.032	U	-		-	
	3/26/20 IA201-2 Resample	-		-		-		-		0.028	UJ	-		-		-		-		0.028	UJ
	3/26/20 OA-1 Resample	-		-		-		-		0.03	U	-		-		-		-		0.030	U

Notes:  
NS - No equivalent sample at this location  
"- " - Not Sampled  
IA - Indoor Air  
IABG - Stone 2014 Outdoor Air Sample  
OA - Outdoor Air  
U - Qualifier denotes non-detect.  
J - Qualifier denotes estimated value.  
UJ - Qualifier denotes the analyte was analyzed for, but was not detected. The reported quantitation limit is approximated and may be imprecise.

Table 3-5  
Air Sample Analytical Results January 2020  
Former Scotia Naval Depot  
Glenville, NY

Stone 3/2014	AECOM	cis-1,2-Dichloroethene (µg/m <sup>3</sup> )									
		Stone 2014		AECOM 2016		AECOM2017		AECOM 2018		AECOM 2020	
Sample ID	Sample ID										
IA06-1-B	201IA-1	0.079	U	0.043	J	0.031	U	0.025	UJ	0.040	U
IA05-1-B	201IA-2	0.079	U	0.029	U	0.029	U	0.027	UJ	0.032	U
IA07-1-B	201IA-3	0.079	U	0.031	U	0.031	U	0.026	UJ	0.025	UJ
IA11-1-B	202IA-1	0.079	U	0.026	UJ	0.031	U	0.025	UJ	0.026	UJ
IA12-1-B	202IA-2	0.079	U	0.026	UJ	0.032	U	0.035	U	0.026	UJ
NS	202IA-3	-		0.023	U	0.034	U	0.034	U	0.087	UJ
IA09-1-B	203IA-1	0.079	U	0.380	U	0.032	U	0.071	U	0.027	UJ
IA08-1-B	203IA-2	0.079	U	0.031	U	0.032	U	0.034	U	0.057	U
IA10-1-B	203IA-3	0.079	U	0.029	U	0.033	U	0.050	UJ	0.026	UJ
NS	204IA-1	-		0.039		0.032		0.093	U	0.052	UJ
IA15-1-B	204IA-2	0.079	U	0.029	U	0.032	U	0.059	UJ	0.090	UJ
IA14-1-B	204IA-3	0.079	U	0.028	U	0.028	U	0.033	U	0.025	UJ
IABG-1-B	NS	0.079	U	-		-		-		-	
IABG-2-B	OA-1	0.079	U	0.024	UJ	0.029	U	0.026	UJ	0.052	UJ
	2017 OA-1 Resample	-		-		0.032	U	-		-	
	3/26/20 IA201-2 Resample	-		-		-		-		0.022	J
	3/26/20 OA-1 Resample	-		-		-		-		0.028	U

Notes:  
NS - No equivalent sample at this location  
"- " - Not Sampled  
IA - Indoor Air  
IABG - Stone 2014 Outdoor Air Sample  
OA - Outdoor Air  
U - Qualifier denotes non-detect.  
J - Qualifier denotes estimated value.  
UJ - Qualifier denotes the analyte was analyzed for, but was not detected. The reported c

**Table 3-6**  
**Field Readings During June 2019 Sampling Event**  
**Former Scotia Naval Depot**  
**Glenville, NY**

<b>VACUUM READINGS<sup>1</sup></b>							
<b>BUILDING 201</b>		<b>BUILDING 202</b>		<b>BUILDING 203</b>		<b>BUILDING 204</b>	
MP	Reading	MP	Reading	MP	Reading	MP	Reading
1	-0.05	1	-0.040	1	-0.002	1	-0.003
2	-0.069	2	-0.097	2	-0.011	2	-0.021
3	-0.015	3	-0.037	3	-0.019	3	-0.021
4	-0.090	4	NM	4	0.016	4	-0.042
5	-0.013	5	-0.124	5	-0.004	5	NM
6	-0.042	6	-0.103	6	-0.039	6	-0.050
7	0.012	7	-0.026	7	-0.036	7	-0.470
8	-0.090	8	-0.048	8	-0.046	8	-0.036
<b>MONOMETER READINGS</b>							
<b>BUILDING 201</b>		<b>BUILDING 202</b>		<b>BUILDING 203</b>		<b>BUILDING 204</b>	
Point	Reading	Point	Reading	Point	Reading	Point	Reading
1A	3.1	1A	3.0	1A	2.4	1A	3.1
1B	2.9	1B	3.2	1B	2.2	1B	3.7
2A	3.0	2A	2.7	2A	3.2	2A	3.7
2B	3.0	2B	3.5	2B	3.4	2B	3.6
3A	3.5	3A	3.5	3A	2.8	3A	3.6
3B	3.5	3B	3.5	3B	2.9	3B	3.6
4A	3.0	4A	3.5	4A	3.3	4A	3.9
4B	3.5	4B	3.4	4B	3.0	4B	3.9
5A	3.6	5A	3.5	5A	2.5	5A	3.3
5B	3.0	5B	3.5	5B	2.5	5B	3.3
6A	1.5	6A	2.5	6A	2.6	6A	3
6B	NM	6B	3.5	6B	2.6	6B	2.9
7A	3.1	7A	3.4	7A	3.6	7A	3.9
7B	2.9	7B	3.3	7B	3.6	7B	3.8
8A	3.3	8A	3.7	8A	2.9	8A	3.7
8B	3.6	8B	3.8	8B	3.2	8B	3.7
9A	3.2	9A	3.1	9A	0.5	9A	3.2
9B	3.3	9B	3.0	9B	0.5	9B	3.2
10A	3.7	10A	3.6	10A	3.0	10A	3.3
10B	3.7	10B	3.5	10B	2.9	10B	3.5
11A	3.0	11A	3.2	11A	3.0	11A	3.7
11B	3.4	11B	3.6	11B	2.4	11B	3.2
12A	NM	12A	3.4	12A	2.8	12A	3.4
12B	NM	12B	3.2	12B	2.6	12B	3.4

Notes:

NM- Not Monitored, the location was inaccessible or damaged

<sup>1</sup>The minimum desired vacuum reading is -0.004" WC

**Table 3-6**  
**Field Readings During January 2020 Sampling Event**  
**Former Scotia Naval Depot**  
**Glenville, NY**

<b>VACUUM READINGS<sup>1</sup></b>							
<b>BUILDING 201</b>		<b>BUILDING 202</b>		<b>BUILDING 203</b>		<b>BUILDING 204</b>	
MP	Reading	MP	Reading	MP	Reading	MP	Reading
1	-0.061	1	-0.004	1	-0.028	1	-0.030
2	-0.060	2	-0.022	2	-0.032	2	-0.025
3	-0.035	3	-0.009	3	-0.055	3	-0.009
4	-0.078	4	-0.021	4	-0.004	4	-0.009
5	-0.027	5	-0.019	5	-0.187	5	NM
6	-0.017	6	-0.032	6	-0.190	6	-0.003
7	NM	7	-0.031	7	-0.023	7	-0.007
8	-0.029	8	-0.030	8	-0.022	8	-0.006

<b>MONOMETER READINGS</b>							
<b>BUILDING 201</b>		<b>BUILDING 202</b>		<b>BUILDING 203</b>		<b>BUILDING 204</b>	
Point	Reading	Point	Reading	Point	Reading	Point	Reading
1A	2.9	1A	2.8	1A	2.3	1A	3.0
1B	2.2	1B	3.1	1B	2.1	1B	3.6
2A	3.0	2A	2.7	2A	2.0	2A	3.6
2B	3.0	2B	3.0	2B	3.2	2B	3.4
3A	3.0	3A	3.0	3A	2.8	3A	3.5
3B	3.0	3B	3.0	3B	2.9	3B	3.5
4A	2.9	4A	3.5	4A	3.1	4A	3.7
4B	3.3	4B	3.3	4B	2.5	4B	3.6
5A	3.6	5A	3.2	5A	2.3	5A	3.1
5B	3.0	5B	3.5	5B	2.2	5B	3.1
6A	3.6	6A	2.3	6A	2.0	6A	2.5
6B	3.5	6B	3.4	6B	1.9	6B	2.5
7A	3.1	7A	3.1	7A	2.7	7A	4.0
7B	2.8	7B	3.1	7B	2.6	7B	3.6
8A	3.4	8A	3.8	8A	2.2	8A	3.4
8B	3.6	8B	3.9	8B	2.5	8B	3.3
9A	3.1	9A	3.0	9A	2.6	9A	3.3
9B	NM	9B	2.9	9B	2.5	9B	3.6
10A	3.5	10A	3.7	10A	0.9	10A	2.6
10B	3.3	10B	3.5	10B	1.0	10B	3.0
11A	3.2	11A	2.9	11A	2.6	11A	3.3
11B	3.2	11B	3.3	11B	1.8	11B	3.1
12A	3.1	12A	3.4	12A	2.2	12A	3.1
12B	3.0	12B	3.2	12B	1.9	12B	3.0

Notes:

NM- Not Monitored, the location was inaccessible or damaged

<sup>1</sup>The minimum desired vacuum reading is -0.004" WC



**Table 5-3**  
**NYSDOH Health Guidance Decision Matrix Outcomes**  
**January 2020**  
**Former Scotia Naval Depot**  
**Glenville NY**

Location ID Stone/AECOM	Analyte	Soil Vapor Concentration 2014 (µg/m <sup>3</sup> )	Indoor Air Concentration 2014 (µg/m <sup>3</sup> )	Indoor Air Concentration 2016 (µg/m <sup>3</sup> )	Indoor Air Concentration 2017 (µg/m <sup>3</sup> )	Indoor Air Concentration 2018 (µg/m <sup>3</sup> )	Indoor Air Concentration 2020 (µg/m <sup>3</sup> )	New York State Department of Health Guidance/Decision Matrix Outcome <sup>1</sup>
IA05 - SV05 / 201A-2	1,1,1-Trichloroethane	0.737	0.109 U	0.014 J	0.011 J	0.0086 J	0.025 J / 0.009 J	No Further Action
	Carbon Tetrachloride	122	0.673	0.51	0.39	0.34 J	2.1 / 0.38 J	Mitigate
	Tetrachloroethene	0.542 J	0.136	0.05	0.16	0.088 J	0.1 / 0.098	No Further Action
	Trichloroethene	1.05	0.107 U	0.023 J	0.023 J	0.022 J	0.020 J / 0.021 J	No Further Action
IA06 - SV06 / 201A-1	1,1,1-Trichloroethane	27.3	0.038 J	0.015 J	0.0096 J	0.0078 J	0.011 U	No Further Action
	Carbon Tetrachloride	10.1	0.692	0.49 J	0.4	0.32 J	0.39	Monitor Only
	Tetrachloroethene	3.44	0.068 J	0.054 J	0.044	0.053 J	0.30	No Further Action
	Trichloroethene	2.82	0.107 U	0.037 J	0.031 U	0.025 UJ	0.025 J	No Further Action
IA07 - SV07 / 201A-3	1,1,1-Trichloroethane	1.39	0.109 U	0.015 J	0.01 J	0.0079 J	0.011 J	No Further Action
	Carbon Tetrachloride	1,120	2.64	0.59	0.43	0.34 J	0.43	Mitigate
	Tetrachloroethene	0.868	0.258	0.094	0.11	0.14 J	0.11	No Further Action
	Trichloroethene	0.349	0.107 U	0.046	0.082	0.019 J	0.026 J	No Further Action
IA11 - SV11 / 202A-1	1,1,1-Trichloroethane	96	0.469	0.018 J	0.012 J	0.010 J	0.012 J	No Further Action
	Carbon Tetrachloride	223	1.95	0.45 J	0.39	0.32 J	0.41	Monitor Only/Mitigate
	Tetrachloroethene	5.85 U	0.142	0.054	0.15	0.11 J	0.078	No Further Action
	Trichloroethene	2.32 J	0.107 U	0.030 J	0.025 J	0.028 J	0.028 J	No Further Action
IA12 - SV12 / 202A-2	1,1,1-Trichloroethane	103	0.147	0.017 J	0.011 J	0.012 J	0.010 J	Monitor Only
	Carbon Tetrachloride	918	1.01	0.45 J	0.4	0.34	0.43	Mitigate
	Tetrachloroethene	0.271 U	0.061 J	0.060 J	0.075	0.11	0.11	No Further Action
	Trichloroethene	0.172 J	0.107 U	0.034 J	0.014 J	0.030 J	0.021 J	No Further Action
NS / 202A-3	1,1,1-Trichloroethane	-	-	0.017 J	.011 J	0.014 J	0.024 U	N/A
	Carbon Tetrachloride	-	-	0.39	0.4	0.33	0.43	N/A
	Tetrachloroethene	-	-	0.11	0.086	0.12	0.082 J	N/A
	Trichloroethene	-	-	0.036	.019 J	0.052	0.073 J	N/A
IA08 - SV08 / 203A-2	1,1,1-Trichloroethane	862	0.737	0.023 J	0.011 J	0.016 J	0.016 U	Monitor Only
	Carbon Tetrachloride	3,270	2.65	0.54	0.37	0.34	0.45	Mitigate
	Tetrachloroethene	0.678	0.292	0.14	0.073	0.19	0.14	No Further Action
	Trichloroethene	0.699	0.752	0.091	0.019 J	0.12	0.060 J	No Further Action
IA09 - SV09 / 203A-1	1,1,1-Trichloroethane	72.6	0.196	0.380 U	0.013 J	0.075 U	0.012 J	No Further Action
	Carbon Tetrachloride	68.9	0.692	0.42 J	0.41	0.33	0.40	Monitor Only/Mitigate
	Tetrachloroethene	0.339	0.17	0.380 U	0.18	0.15	0.074	No Further Action
	Trichloroethene	0.333	0.683	0.380 U	0.042	0.099	0.045	No Further Action
IA10 - SV10 / 203A-3	1,1,1-Trichloroethane	45.7	0.18	0.019 J	0.012 J	0.015 J	0.014 J	No Further Action
	Carbon Tetrachloride	22.3	0.654	0.48	0.4	0.35 J	0.42	Monitor Only
	Tetrachloroethene	0.231	0.156	0.075	0.068	0.087 J	0.092	No Further Action
	Trichloroethene	132	0.623	0.076	0.027J	0.085 J	0.083	Monitor Only
SV13 / 204A-1	1,1,1-Trichloroethane	8.07	Not Available	0.029 J	0.0091 J	0.098 U	0.015 U	No Further Action
	Carbon Tetrachloride	937	Not Available	0.5	0.4	0.37	0.43	Mitigate
	Tetrachloroethene	3.76	Not Available	0.072	0.99	0.087 J	0.075	No Further Action
	Trichloroethene	1,630	Not Available	0.089	0.038	0.069 J	0.045 J	Mitigate
IA14 - SV14 / 204A-3	1,1,1-Trichloroethane	2.35	0.038 J	0.018 J	0.012 J	0.012 J	0.0099 J	No Further Action
	Carbon Tetrachloride	1.99	0.516	0.5	0.4	0.31	0.40	Identify and Reduce
	Tetrachloroethene	63.4	0.142	0.043	0.059	0.057	0.084	No Further Action
	Trichloroethene	3.12	0.21	0.059	0.035	0.067	0.057	No Further Action
IA15 - SV15 / 204A-2	1,1,1-Trichloroethane	0.109 U	0.044 J	0.016 J	0.017 J	0.062 UJ	0.094 U	No Further Action
	Carbon Tetrachloride	0.774	0.572	0.47	0.46	0.36 J	0.56	Identify and Reduce
	Tetrachloroethene	0.075 J	0.149	0.057	0.29	0.063 J	0.083 J	No Further Action
	Trichloroethene	0.065 J	3.92	0.061	0.20	0.096 J	0.079 J	No Further Action

Note:

<sup>1</sup> - Matrix outcome determined by 2014 sub-slab vapor concentrations and 2020 indoor air concentrations.

---

## **APPENDICES**

---

## **APPENDIX A: GSI Mann-Kendall Toolkit Results**


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **June 27, 2017**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-29	MW-31	MW-33	MW-35			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	224	42.7	133	31.9			
2	14-Dec-16	209	38.2	93.5	31.8			
3	22-Mar-17	197	35	151	12.5			
4	27-Jun-17	264	29	152	43.8			
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.13	0.16	0.21	0.43			
Mann-Kendall Statistic (S):		0	-6	4	0			
Confidence Factor:		37.5%	95.8%	83.3%	37.5%			
Concentration Trend:		Stable	Decreasing	No Trend	Stable			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **June 27, 2017**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-28	MW-30	MW-32	MW-34			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	182	25.2	150	17.7			
2	14-Dec-16	196	42.3	132	41.3			
3	22-Mar-17	181	66.3	191	48.3			
4	27-Jun-17	195	24.3	130	34			
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.04	0.50	0.19	0.37			
Mann-Kendall Statistic (S):		0	0	-2	2			
Confidence Factor:		37.5%	37.5%	62.5%	62.5%			
Concentration Trend:		Stable	Stable	Stable	No Trend			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing ( $S > 0$ ) or decreasing ( $S < 0$ ):  $> 95\%$  = Increasing or Decreasing;  $\geq 90\%$  = Probably Increasing or Probably Decreasing;  $< 90\%$  and  $S > 0$  = No Trend;  $< 90\%$ ,  $S \leq 0$ , and  $COV \geq 1$  = No Trend;  $< 90\%$  and  $COV < 1$  = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **September 27, 2017**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-29	MW-31	MW-33	MW-35			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	224	42.7	133	31.9			
2	14-Dec-16	209	38.2	93.5	31.8			
3	22-Mar-17	197	35	151	12.5			
4	27-Jun-17	264	29	152	43.8			
5	27-Sep-17	226	25.6	170	47.8			
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.11	0.20	0.21	0.41			
Mann-Kendall Statistic (S):		2	-10	8	4			
Confidence Factor:		59.2%	99.2%	95.8%	75.8%			
Concentration Trend:		No Trend	Decreasing	Increasing	No Trend			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing ( $S > 0$ ) or decreasing ( $S < 0$ ):  $> 95\%$  = Increasing or Decreasing;  $\geq 90\%$  = Probably Increasing or Probably Decreasing;  $< 90\%$  and  $S > 0$  = No Trend;  $< 90\%$ ,  $S \leq 0$ , and  $COV \geq 1$  = No Trend;  $< 90\%$  and  $COV < 1$  = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **September 27, 2017**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-28	MW-30	MW-32	MW-34			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	182	25.2	150	17.7			
2	14-Dec-16	196	42.3	132	41.3			
3	22-Mar-17	181	66.3	191	48.3			
4	27-Jun-17	195	24.3	130	34			
5	27-Sep-17	170	18.4	135	29.6			
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.06	0.55	0.17	0.34			
Mann-Kendall Statistic (S):		-4	-4	-2	0			
Confidence Factor:		75.8%	75.8%	59.2%	40.8%			
Concentration Trend:		Stable	Stable	Stable	Stable			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing ( $S > 0$ ) or decreasing ( $S < 0$ ):  $> 95\%$  = Increasing or Decreasing;  $\geq 90\%$  = Probably Increasing or Probably Decreasing;  $< 90\%$  and  $S > 0$  = No Trend;  $< 90\%$ ,  $S \leq 0$ , and  $COV \geq 1$  = No Trend;  $< 90\%$  and  $COV < 1$  = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **December 14, 2017**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-29	MW-31	MW-33	MW-35			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	224	42.7	133	31.9			
2	14-Dec-16	209	38.2	93.5	31.8			
3	22-Mar-17	197	35	151	12.5			
4	27-Jun-17	264	29	152	43.8			
5	27-Sep-17	226	25.6	170	47.8			
6	14-Dec-17	233	19.6	142	43.5			
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.10	0.27	0.19	0.37			
Mann-Kendall Statistic (S):		5	-15	7	5			
Confidence Factor:		76.5%	99.9%	86.4%	76.5%			
Concentration Trend:		No Trend	Decreasing	No Trend	No Trend			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)




# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **December 14, 2017**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-28	MW-30	MW-32	MW-34			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	182	25.2	150	17.7			
2	14-Dec-16	196	42.3	132	41.3			
3	22-Mar-17	181	66.3	191	48.3			
4	27-Jun-17	195	24.3	130	34			
5	27-Sep-17	170	18.4	135	29.6			
6	14-Dec-17	201	19.6	120	28			
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.06	0.57	0.18	0.32			
Mann-Kendall Statistic (S):		1	-7	-7	-3			
Confidence Factor:		50.0%	86.4%	86.4%	64.0%			
Concentration Trend:		No Trend	Stable	Stable	Stable			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing ( $S > 0$ ) or decreasing ( $S < 0$ ):  $> 95\%$  = Increasing or Decreasing;  $\geq 90\%$  = Probably Increasing or Probably Decreasing;  $< 90\%$  and  $S > 0$  = No Trend;  $< 90\%$ ,  $S \leq 0$ , and  $COV \geq 1$  = No Trend;  $< 90\%$  and  $COV < 1$  = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **March 15, 2018**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-29	MW-31	MW-33	MW-35			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	224	42.7	133	31.9			
2	14-Dec-16	209	38.2	93.5	31.8			
3	22-Mar-17	197	35	151	12.5			
4	27-Jun-17	264	29	152	43.8			
5	27-Sep-17	226	25.6	170	47.8			
6	14-Dec-17	233	19.6	142	43.5			
7	15-Mar-18	207	19.1	155	21.2			
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.10	0.31	0.17	0.39			
Mann-Kendall Statistic (S):		1	-21	11	1			
Confidence Factor:		50.0%	100.0%	93.2%	50.0%			
Concentration Trend:		No Trend	Decreasing	Prob. Increasing	No Trend			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **March 15, 2018**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-28	MW-30	MW-32	MW-34			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	182	25.2	150	17.7			
2	14-Dec-16	196	42.3	132	41.3			
3	22-Mar-17	181	66.3	191	48.3			
4	27-Jun-17	195	24.3	130	34			
5	27-Sep-17	170	18.4	135	29.6			
6	14-Dec-17	201	19.6	120	28			
7	15-Mar-18	153	9.8	104	17.6			
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.09	0.65	0.20	0.37			
Mann-Kendall Statistic (S):		-5	-13	-13	-9			
Confidence Factor:		71.9%	96.5%	96.5%	88.1%			
Concentration Trend:		Stable	Decreasing	Decreasing	Stable			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **June 22, 2018**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-29	MW-31	MW-33	MW-35			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	224	42.7	133	31.9			
2	14-Dec-16	209	38.2	93.5	31.8			
3	22-Mar-17	197	35	151	12.5			
4	27-Jun-17	264	29	152	43.8			
5	27-Sep-17	226	25.6	170	47.8			
6	14-Dec-17	233	19.6	142	43.5			
7	15-Mar-18	207	19.1	155	21.2			
8	22-Jun-18	248	20.6	178	39.4			
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.10	0.32	0.18	0.36			
Mann-Kendall Statistic (S):		6	-24	18	2			
Confidence Factor:		72.6%	99.9%	98.4%	54.8%			
Concentration Trend:		No Trend	Decreasing	Increasing	No Trend			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing ( $S > 0$ ) or decreasing ( $S < 0$ ):  $> 95\%$  = Increasing or Decreasing;  $\geq 90\%$  = Probably Increasing or Probably Decreasing;  $< 90\%$  and  $S > 0$  = No Trend;  $< 90\%$ ,  $S \leq 0$ , and  $COV \geq 1$  = No Trend;  $< 90\%$  and  $COV < 1$  = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **June 22, 2018**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-28	MW-30	MW-32	MW-34			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	182	25.2	150	17.7			
2	14-Dec-16	196	42.3	132	41.3			
3	22-Mar-17	181	66.3	191	48.3			
4	27-Jun-17	195	24.3	130	34			
5	27-Sep-17	170	18.4	135	29.6			
6	14-Dec-17	201	19.6	120	28			
7	15-Mar-18	153	9.8	104	17.6			
8	22-Jun-18	214	8.1	64.1	31.3			
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.10	0.72	0.28	0.34			
Mann-Kendall Statistic (S):		2	-20	-20	-8			
Confidence Factor:		54.8%	99.3%	99.3%	80.1%			
Concentration Trend:		No Trend	Decreasing	Decreasing	Stable			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **September 21, 2018**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-29	MW-31	MW-33	MW-35			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	224	42.7	133	31.9			
2	14-Dec-16	209	38.2	93.5	31.8			
3	22-Mar-17	197	35	151	12.5			
4	27-Jun-17	264	29	152	43.8			
5	27-Sep-17	226	25.6	170	47.8			
6	14-Dec-17	233	19.6	142	43.5			
7	15-Mar-18	207	19.1	155	21.2			
8	22-Jun-18	248	20.6	178	39.4			
9	21-Sep-18	218	19.7	137	15.2			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.09	0.32	0.17	0.41			
Mann-Kendall Statistic (S):		4	-28	14	-4			
Confidence Factor:		61.9%	99.9%	91.0%	61.9%			
Concentration Trend:		No Trend	Decreasing	Prob. Increasing	Stable			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing ( $S > 0$ ) or decreasing ( $S < 0$ ):  $> 95\%$  = Increasing or Decreasing;  $\geq 90\%$  = Probably Increasing or Probably Decreasing;  $< 90\%$  and  $S > 0$  = No Trend;  $< 90\%$ ,  $S \leq 0$ , and  $COV \geq 1$  = No Trend;  $< 90\%$  and  $COV < 1$  = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **September 21, 2018**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-28	MW-30	MW-32	MW-34			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	182	25.2	150	17.7			
2	14-Dec-16	196	42.3	132	41.3			
3	22-Mar-17	181	66.3	191	48.3			
4	27-Jun-17	195	24.3	130	34			
5	27-Sep-17	170	18.4	135	29.6			
6	14-Dec-17	201	19.6	120	28			
7	15-Mar-18	153	9.8	104	17.6			
8	22-Jun-18	214	8.1	64.1	31.3			
9	21-Sep-18	232	8.2	95.4	6.9			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.12	0.77	0.29	0.45			
Mann-Kendall Statistic (S):		10	-26	-26	-16			
Confidence Factor:		82.1%	99.7%	99.7%	94.0%			
Concentration Trend:		No Trend	Decreasing	Decreasing	Prob. Decreasing			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **December 20, 2018**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-29	MW-31	MW-33	MW-35			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	224	42.7	133	31.9			
2	14-Dec-16	209	38.2	93.5	31.8			
3	22-Mar-17	197	35	151	12.5			
4	27-Jun-17	264	29	152	43.8			
5	27-Sep-17	226	25.6	170	47.8			
6	14-Dec-17	233	19.6	142	43.5			
7	15-Mar-18	207	19.1	155	21.2			
8	22-Jun-18	248	20.6	178	39.4			
9	21-Sep-18	218	19.7	137	15.2			
10	20-Dec-18	218	19.1	159	38.1			
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.09	0.33	0.16	0.38			
Mann-Kendall Statistic (S):		2	-36	19	-3			
Confidence Factor:		53.5%	>99.9%	94.6%	56.9%			
Concentration Trend:		No Trend	Decreasing	Prob. Increasing	Stable			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)




# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **December 20, 2018**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-28	MW-30	MW-32	MW-34			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	182	25.2	150	17.7			
2	14-Dec-16	196	42.3	132	41.3			
3	22-Mar-17	181	66.3	191	48.3			
4	27-Jun-17	195	24.3	130	34			
5	27-Sep-17	170	18.4	135	29.6			
6	14-Dec-17	201	19.6	120	28			
7	15-Mar-18	153	9.8	104	17.6			
8	22-Jun-18	214	8.1	64.1	31.3			
9	21-Sep-18	232	8.2	95.4	6.9			
10	20-Dec-18	195	7.3	87.1	10.6			
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.12	0.81	0.30	0.50			
Mann-Kendall Statistic (S):		10	-35	-33	-23			
Confidence Factor:		78.4%	100.0%	99.9%	97.7%			
Concentration Trend:		No Trend	Decreasing	Decreasing	Decreasing			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **June 20, 2019**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-29	MW-31	MW-33	MW-35			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	224	42.7	133	31.9			
2	14-Dec-16	209	38.2	93.5	31.8			
3	22-Mar-17	197	35	151	12.5			
4	27-Jun-17	264	29	152	43.8			
5	27-Sep-17	226	25.6	170	47.8			
6	14-Dec-17	233	19.6	142	43.5			
7	15-Mar-18	207	19.1	155	21.2			
8	22-Jun-18	248	20.6	178	39.4			
9	21-Sep-18	218	19.7	137	15.2			
10	20-Dec-18	218	19.1	159	38.1			
11	20-Jun-19	161	26.2	97.4	34.8			
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.12	0.32	0.19	0.36			
Mann-Kendall Statistic (S):		-8	-34	11	-3			
Confidence Factor:		70.3%	99.6%	77.7%	56.0%			
Concentration Trend:		Stable	Decreasing	No Trend	Stable			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **June 20, 2019**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-28	MW-30	MW-32	MW-34			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	182	25.2	150	17.7			
2	14-Dec-16	196	42.3	132	41.3			
3	22-Mar-17	181	66.3	191	48.3			
4	27-Jun-17	195	24.3	130	34			
5	27-Sep-17	170	18.4	135	29.6			
6	14-Dec-17	201	19.6	120	28			
7	15-Mar-18	153	9.8	104	17.6			
8	22-Jun-18	214	8.1	64.1	31.3			
9	21-Sep-18	232	8.2	95.4	6.9			
10	20-Dec-18	195	7.3	87.1	10.6			
11	20-Jun-19	172	5	118	1.1			
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.12	0.87	0.28	0.61			
Mann-Kendall Statistic (S):		4	-45	-35	-33			
Confidence Factor:		59.0%	>99.9%	99.7%	99.5%			
Concentration Trend:		No Trend	Decreasing	Decreasing	Decreasing			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **December 10, 2019**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-29	MW-31	MW-33	MW-35			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	224	42.7	133	31.9			
2	14-Dec-16	209	38.2	93.5	31.8			
3	22-Mar-17	197	35	151	12.5			
4	27-Jun-17	264	29	152	43.8			
5	27-Sep-17	226	25.6	170	47.8			
6	14-Dec-17	233	19.6	142	43.5			
7	15-Mar-18	207	19.1	155	21.2			
8	22-Jun-18	248	20.6	178	39.4			
9	21-Sep-18	218	19.7	137	15.2			
10	20-Dec-18	218	19.1	159	38.1			
11	20-Jun-19	161	26.2	97.4	34.8			
12	10-Dec-19	149	29.2	164	35.4			
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.15	0.30	0.18	0.34			
Mann-Kendall Statistic (S):		-19	-29	18	-2			
Confidence Factor:		88.9%	97.4%	87.5%	52.7%			
Concentration Trend:		Stable	Decreasing	No Trend	Stable			



### Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)


# GSI MANN-KENDALL TOOLKIT

## for Constituent Trend Analysis

Evaluation Date: **December 10, 2019**  
 Facility Name: **Former Scotia Navy Depot**  
 Conducted By: **R. Spinosa**

Job ID: **60440641**  
 Constituent: **TCE**  
 Concentration Units: **ug/L**

Sampling Point ID:		MW-28	MW-30	MW-32	MW-34			
Sampling Event	Sampling Date	TCE CONCENTRATION (ug/L)						
1	1-Dec-15	182	25.2	150	17.7			
2	14-Dec-16	196	42.3	132	41.3			
3	22-Mar-17	181	66.3	191	48.3			
4	27-Jun-17	195	24.3	130	34			
5	27-Sep-17	170	18.4	135	29.6			
6	14-Dec-17	201	19.6	120	28			
7	15-Mar-18	153	9.8	104	17.6			
8	22-Jun-18	214	8.1	64.1	31.3			
9	21-Sep-18	232	8.2	95.4	6.9			
10	20-Dec-18	195	7.3	87.1	10.6			
11	20-Jun-19	172	5	118	1.1			
12	10-Dec-19	219	6.5	101	2.9			
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.12	0.91	0.28	0.68			
Mann-Kendall Statistic (S):		13	-54	-40	-42			
Confidence Factor:		79.0%	>99.9%	99.7%	99.8%			
Concentration Trend:		No Trend	Decreasing	Decreasing	Decreasing			



**Notes:**

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

**DISCLAIMER:** The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., [www.gsi-net.com](http://www.gsi-net.com)

---

## **APPENDIX B: IC/EC Certification Form**

## Site Details

**Site No. 447023**

### Box 1

**Site Name** Defense National Stockpile Center Scotia Depot

Site Address: NYS Route 5      Zip Code: 12302-  
City/Town: Glenville  
County: Schenectady  
Site Acreage: 59.700

Reporting Period: April 12, 2019 to April 12, 2020

YES NO

- |    |  |                                     |                                     |
|----|--|-------------------------------------|-------------------------------------|
| 1. | Is the information above correct?  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
|    | If NO, include handwritten above or on a separate sheet.   |                                     |                                     |
| 2. | Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?         | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 3. | Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 4. | Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period? | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

**If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.**

5. Is the site currently undergoing development? ☒ ☐

## Box 2

YES NO

6. Is the current site use consistent with the use(s) listed below? ☒ ☐  
Commercial and Industrial
7. Are all ICs/ECs in place and functioning as designed? ☒ ☐

**IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

Signature of Owner, Remedial Party or Designated Representative

Date \_\_\_\_\_

**Description of Institutional Controls**ParcelOwnerInstitutional Control**29.00-3-16.71**

U.S. General Services Administration

Ground Water Use Restriction  
 Soil Management Plan  
 Landuse Restriction  
 Site Management Plan

Monitoring Plan  
 O&M Plan  
 IC/EC Plan

Property may be used for Commercial and Industrial use as described in 6 NYCRR Part 375-1.8(g)(2) and as its current use for Research, Development and Technology uses as described in Glenville Town Code 270-20

**29.00-3-24**

~~U.S. General Services Administration~~  
 BelGioioso, Inc.

Monitoring Plan  
 O&M Plan  
 IC/EC Plan  
 Ground Water Use Restriction  
 Soil Management Plan  
 Landuse Restriction  
 Site Management Plan

Property may be used for Commercial and Industrial use as described in 6 NYCRR Part 375-1.8(g)(2) and as its current use for Research, Development and Technology uses as described in Glenville Town Code 270-20.

**Description of Engineering Controls**ParcelEngineering Control**29.00-3-16.71**

Vapor Mitigation  
 Subsurface Barriers  
 Monitoring Wells

- 4 SSDSs and a Permeable Reactive Barrier (zero-valent-iron wall) installed off-site on Parcel 29.00-3-16.15 to mitigate exposures in Buildings 201, 202, 203, 204, and to treat the TCE groundwater plume.

- All Engineering Controls (SSDSs and PRB) must be inspected, operated, monitored and maintained as specified in the SMP.

- Annual groundwater monitoring after the first eight quarters.

- Compliance with Soil Management Plan.

- Groundwater use prohibition without treatment.

**29.00-3-24**

Vapor Mitigation  
 Subsurface Barriers  
 Monitoring Wells

**Note: See section 2.1 of the PRR for more information regarding the location of the various components of these engineering controls.**

- 4 SSDSs and a Permeable Reactive Barrier (zero-valent-iron wall) installed off-site on Parcel 29.00-3-16.15 to mitigate exposures in Buildings 201, 202, 203, 204, and to treat the TCE groundwater plume.

- All Engineering Controls (SSDSs and PRB) must be inspected, operated, monitored and maintained as specified in the SMP.

- Annual groundwater monitoring after the first eight quarters.

- Compliance with Soil Management Plan.

- Groundwater use prohibition without treatment.



### Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒ ☐

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and  
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
Date

IC CERTIFICATIONS  
SITE NO. 447023

Box 6

**SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE**

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I David C. Baker at 1 WTC, NY, NY 10007,  
print name print business address

am certifying as United States General Services Administration (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

DocuSigned by:

*David Baker*

EE025FB23D7142C...

Signature of Owner, Remedial Party, or Designated Representative  
Rendering Certification

\_\_\_\_\_  
Date

IC/EC CERTIFICATIONS

Box 7

Professional Engineer Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Daniel Servetas at AECOM 40 British American Blvd., Latham NY  
print name print business address

am certifying as a Professional Engineer for the United States General Services Administration  
(Owner or Remedial Party)



May 11, 2020

Signature of Professional Engineer, for the Owner or  
Remedial Party, Rendering Certification

Stamp  
(Required for PE)

Date



Real Property Utilization & Disposal

April 19, 2018

Chief, Site Control Division  
New York State Department of Environmental Conservation  
Division of Environmental Remediation  
625 Broadway  
Albany, NY 12333-7020

RE: Portion of the Former Scotia Depot  
Avenue E, Town of Glenville  
Schenectady County, New York  
Lot C3 (Section 29, Block 3, Lot 24)

Dear Chief,

This notice is to inform you that on April 12, 2018, the US General Services Administration has transferred ownership of the property known as C-3, a Portion of the Former Scotia Depot. The new owner is:

Schenectady Metroplex Development Authority  
433 State Street  
Schenectady, NY 12305  
Mr. Ray Gillen, Chair  
Mr. Jaymhe Lahut, Executive Director

Please note, the new owner has been provided the final Revised Site Management Plan dated March 2018. If you have any questions, feel free to contact me at [Barbara.salfity@gsa.gov](mailto:Barbara.salfity@gsa.gov) or 617-565-5696.

Regards,

A handwritten signature in blue ink that reads "Barbara J. Salfity".

Barbara J. Salfity, Branch Chief  
U.S. General Services Administration  
Real Property Utilization and Disposal

US General Services Administration  
10 Causeway Street  
Suite 1100  
Boston, MA 02222  
[propertydisposal.gsa.gov](http://propertydisposal.gsa.gov)

## Wolf, Gerlinde

---

**From:** Goepfert, Gregory J CIV USARMY CENAN (USA) <Gregory.J.Goepfert@usace.army.mil>  
**Sent:** Thursday, April 16, 2020 10:59 AM  
**To:** Brammer, Dean D CIV USARMY CENAE (USA); Wolf, Gerlinde  
**Cc:** Servetas, Daniel  
**Subject:** [EXTERNAL] FW: Filed Re-Subdivision Map Marked Up.PDF  
**Attachments:** Filed Re-Subdivison Map Marked Up.PDF

Dean and Gerlinde, I believe this is the property information we were looking for, depicting the total acres purchased by Belgioioso Cheese:

40.24 acres bought from GSA and 1.84 acres bought from Scotia Industrial Park, Inc., for a total of 42.08 Acres, now known as Section/Block/Lot: 29.-3-24 (Town of Glenville).

R/

Greg G.

Gregory J. Goepfert, P.E., PMP  
Project Manager  
U. S. Army Corps of Engineers  
New York District (CENAN-PP-E)  
26 Federal Plaza  
17<sup>th</sup> Floor – Station 17 401-2  
New York, New York 10278

(O) 917-790-8235  
(C) 732-841-8062

---

**From:** Timothy Cronin [mailto:Timothy.Cronin@belgioioso.com]  
**Sent:** Thursday, April 16, 2020 10:26 AM  
**To:** Goepfert, Gregory J CIV USARMY CENAN (USA) <Gregory.J.Goepfert@usace.army.mil>  
**Subject:** [Non-DoD Source] FW: Filed Re-Subdivision Map Marked Up.PDF

Greg,

Please see the attached, this shows the Re-Subdivision of the new Belgioioso Total Property

- ? TAX: 29.-3-24 (Town of Glenville)
- ? 42.08 Acres

Please let me know if you have any additional questions.

Thanks Greg , TC

LANDS N/F  
PAN AM SOUTHERN LLC  
TAX MAP 20-3-1-21

Point of Beginning  
of Parcel 1

Point of Commencement  
of Parcel 1

Point of Beginning of Parcel 2.

NOTES:

1. BASE MAPING PREPARED BY CONTROL POINT ASSOCIATES, INC. P.C. ON APRIL 09, 2019.
2. NORTH ORIENTATION IS TRUE NORTH BASED ON GPS OBSERVATION TAKEN AT THE TIME OF THE FIELD SURVEY. MAPING PREPARED ON NAD83 STATE PLANE COORDINATE SYSTEM - NEW YORK EAST ZONE.
3. CERTAIN UNDERGROUND UTILITIES, STRUCTURES AND FACILITIES HAVE BEEN SHOWN FROM SURFACE LOCATIONS AND MEASUREMENTS OBTAINED FROM A FIELD SURVEY. THEREFORE THEIR LOCATIONS MUST BE CONSIDERED APPROXIMATE ONLY. THERE MAY BE OTHER UTILITIES WHICH THE EXISTENCE OF ARE NOT KNOWN. SIZE, TYPE AND LOCATION OF ALL UTILITIES AND STRUCTURES MUST BE VERIFIED PRIOR TO ANY AND ALL CONSTRUCTION.
5. SUBJECT TO ANY RIGHTS, EASEMENTS, COVENANTS, OR RESTRICTIONS OF RECORD.
6. SUBJECT TO ANY STATEMENT OF FACTS THAT AN UP TO DATE ABSTRACT OF TITLE WOULD DISCLOSE.

REFERENCE MAPS:

1. MAP ENTITLED "BOUNDARY & TOPOGRAPHIC SURVEY PREPARED FOR BELGROSS CHEESE, INC., GLENVILLE BUSINESS & TECHNOLOGY PARK, TOWN OF GLENVILLE, COUNTY OF SCHENECTADY, STATE OF NEW YORK", AS PREPARED BY CHA, DATED 5/31/2017, LAST REVISED 4/2/19.
2. MAP ENTITLED "LANDS OWNED BY SCHENECTADY COUNTY INDUSTRIAL DEVELOPMENT AGENCY (SCOTIA INDUSTRIAL PARK, INC.) TO BE CONVEYED TO BELGROSS CHEESE, INC., TAX PARCEL 20-3-1-16.15, TOWN OF GLENVILLE, COUNTY OF SCHENECTADY, STATE OF NEW YORK", AS PREPARED BY CONTROL POINT ASSOCIATES, INC. P.C. DATED 2-20-2019.
3. MAP ENTITLED "LANDS OWNED BY SCHENECTADY COUNTY INDUSTRIAL DEVELOPMENT AGENCY (SCOTIA INDUSTRIAL PARK, INC.) TO BE CONVEYED TO BELGROSS CHEESE, INC., TAX PARCEL 20-3-1-16.15, TOWN OF GLENVILLE, COUNTY OF SCHENECTADY, STATE OF NEW YORK", AS PREPARED BY CONTROL POINT ASSOCIATES, INC. P.C. DATED 3-01-2019.

LANDS N/F  
SCHENECTADY COUNTY INDUSTRIAL  
DEVELOPMENT AGENCY  
(SCOTIA INDUSTRIAL PARK, INC.)  
BK 1004 P. 42  
TAX MAP 20-3-1-16.15

LANDS N/F  
BELGROSS CHEESE INC.  
BK 1005 P. 503  
TAX MAP 20-3-1-21  
(SEE MAP REF. NO. 1, 2 & 3)  
AREA = 1,432,626 S.F.  
OR 42.086 ACRES

LANDS N/F  
ADRONACK BEVERAGES CORP.  
BK 1002 P. 554  
TAX MAP 20-3-1-16.01

LANDS N/F  
SPECIALTY QUALITY PACKAGING, LLC  
BK 1005 P. 709  
TAX MAP 20-3-1-16.02

LANDS N/F  
BELGROSS CHEESE INC.  
BK 1005 P. 509  
TAX MAP 20-3-1-21  
(SEE MAP REF. NO. 1, 2 & 3)  
AREA = 1,432,626 S.F.  
OR 42.086 ACRES

LANDS N/F  
U.S. GOVERNMENT  
TAX MAP 20-3-1-16.11

FILED  
05/09/2019 12:00:41 PM  
County Clerk  
Cara M. Ackley  
SCHENECTADY COUNTY, NY  
Book/Parcel: MISC/56/474  
Total Pages: 2  
Receipt No: 1007438  
Doc No: 2019-22  
Inst Num: 201920049  
CD GENERAL REVENUE \$15.00  
MAP LOT FEE \$25.00  
TOTAL PAID \$40.00  
INV: 1007438 USER: TTH

MISC 56 P. 475  
Doc No 2019-22

APPROVED  
TOWN OF GLENVILLE  
PLANNING AND ZONING COMMISSION  
CHAIRMAN  
DATE APPROVED 5-2-2019

TOWN OF GLENVILLE, NY

---

## **APPENDIX C: Site-Wide Inspection Forms**

## Site-Wide Semi-Annual Inspection Form

### The Defense National Stockpile Center Scotia Depot Glenville, New York

Engineering Control (s): SSDS Inspection Date: 1/13/2020

Item	Yes	No	N/A	Comments
Does the Engineering Control continue to perform as designed?	X			
Does the Engineering Control continue to protect human health and the environment?	X			
Does the Engineering Control comply with requirements established in the SMP?	X			
Has remedial performance criteria been achieved or maintained?	X			
Has sampling and analysis of appropriate media been performed during the monitoring event?	X			
Have there been any modifications made to the remedial or monitoring system?		X		
Does the remedial or monitoring system need to be changed or altered at this time?		X		
Has there been any intrusive activity, excavation, or construction occurred at the site?		X		
Were the activities mentioned above, performed in accordance with the SMP?	X			
Was there a change in the use of the site or were there new structures constructed on the site?	X			New tenants have moved into some buildings, but they are still commercial/industrial tenants.
In case a new occupied structure is constructed or the use of the current building changed, was a vapor intrusion evaluation done?			X	
Were new mitigation systems installed based on monitoring results?			X	
Were the groundwater wells in the monitoring network inspected during this site inspection? If so, were the Monitoring Well Field Inspection Logs Completed?			X	

Note: Upon completion of the form any non-conforming items warranting corrective action should be identified here within.

Name of Inspector: Gerlinde Wolf  
Inspector's Company: AECOM

Signature of Inspector: Gerlinde Wolf  
Date: 1/13/2020



## Site-Wide Semi-Annual Inspection Form

### The Defense National Stockpile Center Scotia Depot Glenville, New York


Engineering Control (s): PRB Wall

Inspection Date: 06/17/2019

Item	Yes	No	N/A	Comments
Does the Engineering Control continue to perform as designed?	X			
Does the Engineering Control continue to protect human health and the environment?	X			
Does the Engineering Control comply with requirements established in the SMP?	X			
Has remedial performance criteria been achieved or maintained?				
Has sampling and analysis of appropriate media been performed during the monitoring event?	X			
Have there been any modifications made to the remedial or monitoring system?		X		
Does the remedial or monitoring system need to be changed or altered at this time?		X		
Has there been any intrusive activity, excavation, or construction occurred at the site?	X			BelGioioso construction activities are ongoing and new warehouse is under construction on Parcel C-2.
Were the activities mentioned above, performed in accordance with the SMP?	X			
Was there a change in the use of the site or were there new structures constructed on the site?		X		
In case a new occupied structure is constructed or the use of the current building changed, was a vapor intrusion evaluation done?			X	
Were new mitigation systems installed based on monitoring results?		X		
Were the groundwater wells in the monitoring network inspected during this site inspection? If so, were the Monitoring Well Field Inspection Logs Completed?	X			Yes, Monitoring Well conditions are documented in the groundwater sampling field book.

Note: Upon completion of the form any non-conforming items warranting corrective action should be identified here within.

Name of Inspector: Alexandra Golden  
Inspector's Company: AECOM

Signature of Inspector:   
Date: 06/17/2019

---

## **APPENDIX D: Approximate Location of New Buildings**

