



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

December 04, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 061220063

TEL: (518) 664-9855

PO#: 2006516

FAX: (518) 664-0925

SDG# : INF 1 121806

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 12/20/2006 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709
AIHA#: 100307

Jay Bradshaw - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061220063
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: WWTP EFF Batch 1-1222006
Collection Date: 12/20/2006
Lab Sample ID: 061220063-001
Matrix: WATER

SDG# : INF 1 121806

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 12/20/2006)						
Aroclor 1016	< 0.065	0.065		µg/L	1	12/20/2006 8:10:31 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	12/20/2006 8:10:31 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	12/20/2006 8:10:31 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	12/20/2006 8:10:31 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	12/20/2006 8:10:31 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	12/20/2006 8:10:31 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	12/20/2006 8:10:31 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 12/21/2006)						
Aluminum	< 0.100	0.100		mg/L	1	12/21/2006 10:50:00 AM
Antimony	< 0.060	0.060		mg/L	1	12/21/2006 10:50:00 AM
Arsenic	0.180	0.050		mg/L	1	12/21/2006 10:50:00 AM
Barium	0.062	0.010		mg/L	1	12/21/2006 10:50:00 AM
Beryllium	< 0.005	0.005		mg/L	1	12/21/2006 10:50:00 AM
Cadmium	< 0.005	0.005		mg/L	1	12/21/2006 10:50:00 AM
Calcium	68.7	0.050		mg/L	1	12/21/2006 10:50:00 AM
Chromium	< 0.005	0.005		mg/L	1	12/21/2006 10:50:00 AM
Cobalt	< 0.050	0.050		mg/L	1	12/21/2006 10:50:00 AM
Copper	0.006	0.005		mg/L	1	12/21/2006 10:50:00 AM
Iron	0.263	0.050		mg/L	1	12/21/2006 10:50:00 AM
Lead	< 0.005	0.005		mg/L	1	12/21/2006 10:50:00 AM
Magnesium	12.2	0.050		mg/L	1	12/21/2006 10:50:00 AM
Manganese	0.095	0.020		mg/L	1	12/21/2006 10:50:00 AM
Nickel	< 0.020	0.020		mg/L	1	12/21/2006 10:50:00 AM
Potassium	10.8	0.050		mg/L	1	12/21/2006 10:50:00 AM
Selenium	< 0.005	0.005		mg/L	1	12/21/2006 10:50:00 AM
Silver	< 0.010	0.010		mg/L	1	12/21/2006 10:50:00 AM
Sodium	45.1	0.050		mg/L	1	12/21/2006 10:50:00 AM
Thallium	< 0.010	0.010		mg/L	1	12/21/2006 10:50:00 AM
Vanadium	< 0.020	0.020		mg/L	1	12/21/2006 10:50:00 AM
Zinc	0.026	0.010		mg/L	1	12/21/2006 10:50:00 AM
ICP DISSOLVED METAL E200.7F						Analyst: KH
(Prep: SW3005A - 12/26/2006)						
Arsenic, Dissolved	0.163	0.005		mg/L	1	12/26/2006 12:12:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061220063
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: WWTP EFF Batch 1-1222006
Collection Date: 12/20/2006
Lab Sample ID: 061220063-001
Matrix: WATER

SDG#: INF 1 121806

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 12/21/2006)						
Mercury	< 0.0002	0.0002		mg/L	1	12/21/2006
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 12/21/2006)						
Phenol	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2-Chlorophenol	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2-Methylphenol	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
4-Methylphenol	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Hexachloroethane	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Nitrobenzene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Isophorone	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2-Nitrophenol	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Naphthalene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
4-Chloroaniline	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2-Nitroaniline	< 25	25		µg/L	1	12/21/2006 12:47:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Acenaphthylene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
3-Nitroaniline	< 25	25		µg/L	1	12/21/2006 12:47:00 PM
Acenaphthene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	12/21/2006 12:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061220063
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: WWTP EFF Batch 1-1222006
Collection Date: 12/20/2006
Lab Sample ID: 061220063-001
Matrix: WATER

SDG# : INF 1 121806

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C
 (Prep: SW3510/E625 - 12/21/2006)

Analyst: MT

4-Nitrophenol	< 25	25		µg/L	1	12/21/2006 12:47:00 PM
Dibenzofuran	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Diethyl phthalate	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Fluorene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
4-Nitroaniline	< 25	25		µg/L	1	12/21/2006 12:47:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	12/21/2006 12:47:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Pentachlorophenol	< 25	25		µg/L	1	12/21/2006 12:47:00 PM
Phenanthrene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Anthracene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Carbazole	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Fluoranthene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Pyrene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	12/21/2006 12:47:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Chrysene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	12/21/2006 12:47:00 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
Bromomethane	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
Vinyl chloride	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
Chloroethane	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061220063
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: WWTP EFF Batch 1-1222006
Collection Date: 12/20/2006
Lab Sample ID: 061220063-001
Matrix: WATER

SDG#: INF 1 121806

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Acetone	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Chloroform	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
2-Butanone	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Benzene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Bromoform	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
2-Hexanone	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Toluene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Styrene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Cyclohexane	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061220063
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: WWTP EFF Batch 1-1222006
Collection Date: 12/20/2006
Lab Sample ID: 061220063-001
Matrix: WATER

SDG# : INF 1 121806

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	12/20/2006 5:43:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	12/20/2006 5:43:00 PM
OIL AND GREASE E1664						Analyst: PL
Oil & Grease	< 1.0	1.0		mg/L	1	12/21/2006
PH E150.1						Analyst: RC
pH	9.0	1.0		pH Units	1	12/20/2006
TOTAL DISSOLVED SOLIDS E160.1						Analyst: RC
TDS (Residue, Filterable)	462	5		mg/L	1	12/20/2006
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	12.5	1.0		mg/L	1	12/20/2006
TURBIDITY E180.1						Analyst: RC
Turbidity	6.5	0.10		NTU	1	12/21/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061220063
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: Trip Blanks
Collection Date: 12/20/2006
Lab Sample ID: 061220063-002
Matrix: WATER

SDG# : INF 1 121806

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
Bromomethane	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
Vinyl chloride	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
Chloroethane	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Acetone	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Chloroform	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
2-Butanone	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Benzene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Bromoform	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
2-Hexanone	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Toluene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Styrene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061220063
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: Trip Blanks
Collection Date: 12/20/2006
Lab Sample ID: 061220063-002
Matrix: WATER

SDG# : INF 1 121806

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Cyclohexane	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	12/20/2006 6:07:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	12/20/2006 6:07:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

December 04, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 061222060

TEL: (518) 664-9855

PO#: 2006516

FAX: (518) 664-0925

SDG# : INF 1 121806

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 12/22/2006 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709

AIHA#: 100307

Jay Bradshaw - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

T - Tentitively Identified Compound-Estimated Conc.

X - Value exceeds Maximum Contaminant Level

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061222060
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: WWTP Eff Batch 1A-RR06
Collection Date: 12/22/2006
Lab Sample ID: 061222060-001
Matrix: WATER

SDG# : INF 1 121806

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ICP METALS E200.7						Analyst: KH
(Prep: SW3010A - 12/26/2006)						
Aluminum	0.385	0.100		mg/L	1	12/26/2006 11:28:00 AM
Antimony	< 0.060	0.060		mg/L	1	12/26/2006 11:28:00 AM
Arsenic	0.151	0.050		mg/L	1	12/26/2006 11:28:00 AM
Barium	0.018	0.010		mg/L	1	12/26/2006 11:28:00 AM
Beryllium	< 0.005	0.005		mg/L	1	12/26/2006 11:28:00 AM
Cadmium	< 0.005	0.005	S	mg/L	1	12/26/2006 11:28:00 AM
Calcium	26.7	0.050		mg/L	1	12/26/2006 11:28:00 AM
Chromium	< 0.005	0.005		mg/L	1	12/26/2006 11:28:00 AM
Cobalt	< 0.050	0.050		mg/L	1	12/26/2006 11:28:00 AM
Copper	0.020	0.005		mg/L	1	12/26/2006 11:28:00 AM
Iron	0.086	0.050		mg/L	1	12/26/2006 11:28:00 AM
Lead	< 0.005	0.005		mg/L	1	12/26/2006 11:28:00 AM
Magnesium	9.35	0.050		mg/L	1	12/26/2006 11:28:00 AM
Manganese	< 0.020	0.020		mg/L	1	12/26/2006 11:28:00 AM
Nickel	< 0.020	0.020		mg/L	1	12/26/2006 11:28:00 AM
Potassium	6.91	0.050		mg/L	1	12/26/2006 11:28:00 AM
Selenium	< 0.005	0.005		mg/L	1	12/26/2006 11:28:00 AM
Silver	< 0.010	0.010		mg/L	1	12/26/2006 11:28:00 AM
Sodium	51.0	0.050		mg/L	1	12/26/2006 11:28:00 AM
Thallium	< 0.010	0.010		mg/L	1	12/26/2006 11:28:00 AM
Vanadium	< 0.020	0.020		mg/L	1	12/26/2006 11:28:00 AM
Zinc	0.156	0.010		mg/L	1	12/26/2006 11:28:00 AM
ICP DISSOLVED METAL E200.7F						Analyst: KH
(Prep: SW3005A - 12/26/2006)						
Arsenic, Dissolved	0.153	0.005		mg/L	1	12/26/2006 12:51:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 12/26/2006)						
Mercury	< 0.0002	0.0002		mg/L	1	12/26/2006
PH E150.1						Analyst: SH
pH	9.4	1.0		pH Units	1	12/22/2006
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	362	5		mg/L	1	12/23/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061222060
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: WWTP Eff Batch 1A-RR06
Collection Date: 12/22/2006
Lab Sample ID: 061222060-001
Matrix: WATER

SDG#: INF 1 121806

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TOTAL SUSPENDED SOLIDS	E160.2					Analyst: LS
TSS (Residue, Non-Filterable)	13.0	1.0		mg/L	1	12/23/2006
TURBIDITY	E180.1					Analyst: LS
Turbidity	17	0.10		NTU	1	12/23/2006

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: DA COLLINS		Address:							
Send Report To: J BRADSHAW		Project Name (Location): FBR				Samplers: (Names): J BRADSHAW			
Client Phone No.: 518 664 9855		Client Fax No.: 518 664 0825		PO Number: 2006516		Samplers: (Signature): 			
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required	
				Matrix	Comp	Grab			
001	WWTP EFF BARK IA-R2206	12-22-06	530	A	Water	X	24	METALS, PH, TURBIDITY	
				P				TDS, TSS	
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					

AES Work Order #: 061222060		CC Report To / Special Instructions/Remarks: RUSH 24 HR TAT CALL JAY 361-1247	
Turnaround Time Request: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day		Received by: (Signature) Date/Time: 12/22/06 1615	
Relinquished by: (Signature)		Received by: (Signature) Date/Time: 12/22/06 1615	
Relinquished by: (Signature)		Received for Laboratory by: Date/Time: 12/22/06 4:58pm	
TEMPERATURE: Ambient or Chilled Notes: <u>Chilled</u>	PROPERLY PRESERVED: Y N Notes: <u>Y</u>	RECEIVED WITHIN HOLDING TIMES: Y N Notes: <u>Y</u>	

WHITE - Lab Copy YELLOW - Sampler Copy PINK - Generator Copy






Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

December 04, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 061229036

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 4 samples on 12/29/2006 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Jay Bradshaw - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: INF Truck-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ICP METALS E200.7

Analyst: **SM**

(Prep: SW3010A - 1/2/2007)

Aluminum	5.41	0.100		mg/L	1	1/2/2007 11:42:00 AM
Antimony	< 0.060	0.060		mg/L	1	1/2/2007 11:42:00 AM
Arsenic	0.006	0.005	J	mg/L	1	1/2/2007 11:42:00 AM
Barium	1.37	0.010		mg/L	1	1/2/2007 11:42:00 AM
Beryllium	< 0.005	0.005		mg/L	1	1/2/2007 11:42:00 AM
Cadmium	< 0.005	0.005		mg/L	1	1/2/2007 11:42:00 AM
Calcium	105	0.050		mg/L	1	1/2/2007 11:42:00 AM
Chromium	0.184	0.005		mg/L	1	1/2/2007 11:42:00 AM
Cobalt	0.142	0.050	S	mg/L	1	1/2/2007 11:42:00 AM
Copper	0.678	0.005		mg/L	1	1/2/2007 11:42:00 AM
Iron	31.9	0.050		mg/L	1	1/2/2007 11:42:00 AM
Lead	1.86	0.005	S	mg/L	1	1/2/2007 11:42:00 AM
Magnesium	15.9	0.050		mg/L	1	1/2/2007 11:42:00 AM
Manganese	2.72	0.020		mg/L	1	1/2/2007 11:42:00 AM
Nickel	0.508	0.020		mg/L	1	1/2/2007 11:42:00 AM
Potassium	10.6	0.050		mg/L	1	1/2/2007 11:42:00 AM
Selenium	< 0.005	0.005		mg/L	1	1/2/2007 11:42:00 AM
Silver	< 0.010	0.010		mg/L	1	1/2/2007 11:42:00 AM
Sodium	47.5	0.050		mg/L	1	1/2/2007 11:42:00 AM
Thallium	0.011	0.010	S	mg/L	1	1/2/2007 11:42:00 AM
Vanadium	< 0.020	0.020		mg/L	1	1/2/2007 11:42:00 AM
Zinc	3.64	0.010		mg/L	1	1/2/2007 11:42:00 AM

ICP DISSOLVED METAL E200.7F

Analyst: **SM**

(Prep: SW3005A - 1/2/2007)

Aluminum, Dissolved	< 0.100	0.100		mg/L	1	1/2/2007 11:54:00 AM
Antimony, Dissolved	< 0.060	0.060		mg/L	1	1/2/2007 11:54:00 AM
Arsenic, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 11:54:00 AM
Barium, Dissolved	0.527	0.010		mg/L	1	1/2/2007 11:54:00 AM
Beryllium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 11:54:00 AM
Cadmium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 11:54:00 AM
Calcium, Dissolved	86.5	0.050		mg/L	1	1/2/2007 11:54:00 AM
Chromium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 11:54:00 AM
Cobalt, Dissolved	0.055	0.050		mg/L	1	1/2/2007 11:54:00 AM
Copper, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 11:54:00 AM
Iron, Dissolved	0.694	0.050		mg/L	1	1/2/2007 11:54:00 AM
Lead, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 11:54:00 AM
Magnesium, Dissolved	12.9	0.050		mg/L	1	1/2/2007 11:54:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: INF Truck-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ICP DISSOLVED METAL E200.7F						Analyst: SM
(Prep: SW3005A - 1/2/2007)						
Manganese, Dissolved	2.06	0.020		mg/L	1	1/2/2007 11:54:00 AM
Nickel, Dissolved	0.142	0.020		mg/L	1	1/2/2007 11:54:00 AM
Potassium, Dissolved	9.53	0.050		mg/L	1	1/2/2007 11:54:00 AM
Selenium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 11:54:00 AM
Silver, Dissolved	< 0.010	0.010		mg/L	1	1/2/2007 11:54:00 AM
Sodium, Dissolved	46.4	0.050		mg/L	1	1/2/2007 11:54:00 AM
Thallium, Dissolved	0.029	0.010		mg/L	1	1/2/2007 11:54:00 AM
Vanadium, Dissolved	< 0.020	0.020		mg/L	1	1/2/2007 11:54:00 AM
Zinc, Dissolved	0.082	0.010		mg/L	1	1/2/2007 11:54:00 AM
DISSOLVED MERCURY E245.1F						Analyst: KH
(Prep: E245.1 - 1/2/2007)						
Dissolved Mercury	< 0.0002	0.0002		mg/L	1	1/2/2007
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 1/2/2007)						
Mercury	0.0008	0.0002		mg/L	1	1/2/2007
PH E150.1						Analyst: SH
pH	7.6	1.0		pH Units	1	12/29/2006
TOTAL DISSOLVED SOLIDS E160.1						Analyst: RC
TDS (Residue, Filterable)	650	5		mg/L	1	12/29/2006
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	484	1.0		mg/L	1	12/29/2006
TURBIDITY E180.1						Analyst: SH
Turbidity	280	0.10		NTU	1	12/29/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: INF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 12/29/2006)						
Aroclor 1016	< 1.3	1.3		µg/L	20	12/29/2006 11:07:13 PM
Aroclor 1221	< 1.3	1.3		µg/L	20	12/29/2006 11:07:13 PM
Aroclor 1232	< 1.3	1.3		µg/L	20	12/29/2006 11:07:13 PM
Aroclor 1242	25	1.3		µg/L	20	12/29/2006 11:07:13 PM
Aroclor 1248	< 1.3	1.3		µg/L	20	12/29/2006 11:07:13 PM
Aroclor 1254	< 1.3	1.3		µg/L	20	12/29/2006 11:07:13 PM
Aroclor 1260	3.0	1.3		µg/L	20	12/29/2006 11:07:13 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 1/2/2007)						
Aluminum	0.622	0.100		mg/L	1	1/2/2007 11:58:00 AM
Antimony	< 0.060	0.060		mg/L	1	1/2/2007 11:58:00 AM
Arsenic	< 0.005	0.005		mg/L	1	1/2/2007 11:58:00 AM
Barium	0.175	0.010		mg/L	1	1/2/2007 11:58:00 AM
Beryllium	< 0.005	0.005		mg/L	1	1/2/2007 11:58:00 AM
Cadmium	< 0.005	0.005		mg/L	1	1/2/2007 11:58:00 AM
Calcium	76.0	0.050		mg/L	1	1/2/2007 11:58:00 AM
Chromium	0.013	0.005		mg/L	1	1/2/2007 11:58:00 AM
Cobalt	< 0.050	0.050		mg/L	1	1/2/2007 11:58:00 AM
Copper	0.019	0.005		mg/L	1	1/2/2007 11:58:00 AM
Iron	2.53	0.050		mg/L	1	1/2/2007 11:58:00 AM
Lead	0.111	0.005	S	mg/L	1	1/2/2007 11:58:00 AM
Magnesium	10.5	0.050		mg/L	1	1/2/2007 11:58:00 AM
Manganese	0.372	0.020		mg/L	1	1/2/2007 11:58:00 AM
Nickel	< 0.020	0.020		mg/L	1	1/2/2007 11:58:00 AM
Potassium	4.18	0.050		mg/L	1	1/2/2007 11:58:00 AM
Selenium	< 0.005	0.005		mg/L	1	1/2/2007 11:58:00 AM
Silver	< 0.010	0.010		mg/L	1	1/2/2007 11:58:00 AM
Sodium	36.2	0.050		mg/L	1	1/2/2007 11:58:00 AM
Thallium	0.014	0.010	S	mg/L	1	1/2/2007 11:58:00 AM
Vanadium	< 0.020	0.020		mg/L	1	1/2/2007 11:58:00 AM
Zinc	0.210	0.010		mg/L	1	1/2/2007 11:58:00 AM
ICP DISSOLVED METAL E200.7F						Analyst: SM
(Prep: SW3005A - 1/2/2007)						
Aluminum, Dissolved	< 0.100	0.100		mg/L	1	1/2/2007 12:05:00 PM
Antimony, Dissolved	< 0.060	0.060		mg/L	1	1/2/2007 12:05:00 PM
Arsenic, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:05:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: INF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ICP DISSOLVED METAL E200.7F						Analyst: SM
(Prep: SW3005A - 1/2/2007)						
Barium, Dissolved	0.115	0.010		mg/L	1	1/2/2007 12:05:00 PM
Beryllium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:05:00 PM
Cadmium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:05:00 PM
Calcium, Dissolved	72.8	0.050		mg/L	1	1/2/2007 12:05:00 PM
Chromium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:05:00 PM
Cobalt, Dissolved	< 0.050	0.050		mg/L	1	1/2/2007 12:05:00 PM
Copper, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:05:00 PM
Iron, Dissolved	< 0.050	0.050		mg/L	1	1/2/2007 12:05:00 PM
Lead, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:05:00 PM
Magnesium, Dissolved	10.0	0.050		mg/L	1	1/2/2007 12:05:00 PM
Manganese, Dissolved	0.273	0.020		mg/L	1	1/2/2007 12:05:00 PM
Nickel, Dissolved	< 0.020	0.020		mg/L	1	1/2/2007 12:05:00 PM
Potassium, Dissolved	3.88	0.050		mg/L	1	1/2/2007 12:05:00 PM
Selenium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:05:00 PM
Silver, Dissolved	< 0.010	0.010		mg/L	1	1/2/2007 12:05:00 PM
Sodium, Dissolved	35.6	0.050		mg/L	1	1/2/2007 12:05:00 PM
Thallium, Dissolved	0.014	0.010		mg/L	1	1/2/2007 12:05:00 PM
Vanadium, Dissolved	< 0.020	0.020		mg/L	1	1/2/2007 12:05:00 PM
Zinc, Dissolved	0.020	0.010		mg/L	1	1/2/2007 12:05:00 PM
DISSOLVED MERCURY E245.1F						Analyst: KH
(Prep: E245.1 - 1/2/2007)						
Dissolved Mercury	< 0.0002	0.0002		mg/L	1	1/2/2007
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 1/2/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	1/2/2007
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/2/2007)						
Phenol	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2-Chlorophenol	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2-Methylphenol	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	1/2/2007 1:52:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: INF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/2/2007)						
4-Methylphenol	11	5		µg/L	1	1/2/2007 1:52:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Hexachloroethane	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Nitrobenzene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Isophorone	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2-Nitrophenol	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2,4-Dimethylphenol	210	5	E	µg/L	1	1/2/2007 1:52:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Naphthalene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
4-Chloroaniline	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2-Nitroaniline	< 25	25		µg/L	1	1/2/2007 1:52:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Acenaphthylene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
3-Nitroaniline	< 25	25		µg/L	1	1/2/2007 1:52:00 PM
Acenaphthene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	1/2/2007 1:52:00 PM
4-Nitrophenol	< 25	25		µg/L	1	1/2/2007 1:52:00 PM
Dibenzofuran	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Diethyl phthalate	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Fluorene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
4-Nitroaniline	< 25	25		µg/L	1	1/2/2007 1:52:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	1/2/2007 1:52:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Pentachlorophenol	< 25	25		µg/L	1	1/2/2007 1:52:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: INF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/2/2007)						
Phenanthrene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Anthracene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Carbazole	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Fluoranthene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Pyrene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Butyl benzyl phthalate	6	5		µg/L	1	1/2/2007 1:52:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	1/2/2007 1:52:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Chrysene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	1/2/2007 1:52:00 PM
VOLATILE ORGANICS SW8260B						Analyst: MG
Chloromethane	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
Bromomethane	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
Vinyl chloride	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
Chloroethane	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Acetone	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
cis-1,2-Dichloroethene	7.8	5.0		µg/L	1	12/30/2006 12:22:00 PM
Chloroform	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
2-Butanone	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
 Work Order: 061229036
 Reference: Freeman's Bridge Road /
 PO#:

Client Sample ID: INF Batch 2-122906
 Collection Date: 12/29/2006
 Lab Sample ID: 061229036-002
 Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: MG
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Benzene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Bromoform	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
2-Hexanone	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
Tetrachloroethene	19	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Toluene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Chlorobenzene	6.9	5.0		µg/L	1	12/30/2006 12:22:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Styrene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
m,p-Xylene	15	5.0		µg/L	1	12/30/2006 12:22:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Cyclohexane	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	12/30/2006 12:22:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:22:00 PM
OIL AND GREASE E1664						Analyst: DS
Oil & Grease	< 1.0	1.0		mg/L	1	1/2/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: INF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PH E150.1						Analyst: SH
pH	7.9	1.0		pH Units	1	12/29/2006
TOTAL DISSOLVED SOLIDS E160.1						Analyst: RC
TDS (Residue, Filterable)	450	5		mg/L	1	12/29/2006
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	39.0	1.0		mg/L	1	12/29/2006
TURBIDITY E180.1						Analyst: SH
Turbidity	31	0.10		NTU	1	12/29/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-003
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 12/29/2006)						
Aroclor 1016	< 0.065	0.065		µg/L	1	12/29/2006 11:38:52 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	12/29/2006 11:38:52 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	12/29/2006 11:38:52 PM
Aroclor 1242	0.12	0.065		µg/L	1	12/29/2006 11:38:52 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	12/29/2006 11:38:52 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	12/29/2006 11:38:52 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	12/29/2006 11:38:52 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 1/2/2007)						
Aluminum	0.119	0.100		mg/L	1	1/2/2007 12:10:00 PM
Antimony	< 0.060	0.060		mg/L	1	1/2/2007 12:10:00 PM
Arsenic	0.178	0.005		mg/L	1	1/2/2007 12:10:00 PM
Barium	0.028	0.010		mg/L	1	1/2/2007 12:10:00 PM
Beryllium	< 0.005	0.005		mg/L	1	1/2/2007 12:10:00 PM
Cadmium	< 0.005	0.005		mg/L	1	1/2/2007 12:10:00 PM
Calcium	46.8	0.050		mg/L	1	1/2/2007 12:10:00 PM
Chromium	< 0.005	0.005		mg/L	1	1/2/2007 12:10:00 PM
Cobalt	< 0.050	0.050		mg/L	1	1/2/2007 12:10:00 PM
Copper	< 0.005	0.005		mg/L	1	1/2/2007 12:10:00 PM
Iron	0.484	0.050		mg/L	1	1/2/2007 12:10:00 PM
Lead	< 0.005	0.005	S	mg/L	1	1/2/2007 12:10:00 PM
Magnesium	11.3	0.050		mg/L	1	1/2/2007 12:10:00 PM
Manganese	0.023	0.020		mg/L	1	1/2/2007 12:10:00 PM
Nickel	< 0.020	0.020		mg/L	1	1/2/2007 12:10:00 PM
Potassium	6.94	0.050		mg/L	1	1/2/2007 12:10:00 PM
Selenium	< 0.005	0.005		mg/L	1	1/2/2007 12:10:00 PM
Silver	< 0.010	0.010		mg/L	1	1/2/2007 12:10:00 PM
Sodium	38.9	0.050		mg/L	1	1/2/2007 12:10:00 PM
Thallium	< 0.010	0.010	S	mg/L	1	1/2/2007 12:10:00 PM
Vanadium	< 0.020	0.020		mg/L	1	1/2/2007 12:10:00 PM
Zinc	0.014	0.010		mg/L	1	1/2/2007 12:10:00 PM
ICP DISSOLVED METAL E200.7F						Analyst: SM
(Prep: SW3005A - 1/2/2007)						
Aluminum, Dissolved	< 0.100	0.100		mg/L	1	1/2/2007 12:15:00 PM
Antimony, Dissolved	< 0.060	0.060		mg/L	1	1/2/2007 12:15:00 PM
Arsenic, Dissolved	0.159	0.005		mg/L	1	1/2/2007 12:15:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-003
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ICP DISSOLVED METAL E200.7F						Analyst: SM
(Prep: SW3005A - 1/2/2007)						
Barium, Dissolved	0.019	0.010		mg/L	1	1/2/2007 12:15:00 PM
Beryllium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:15:00 PM
Cadmium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:15:00 PM
Calcium, Dissolved	25.5	0.050		mg/L	1	1/2/2007 12:15:00 PM
Chromium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:15:00 PM
Cobalt, Dissolved	< 0.050	0.050		mg/L	1	1/2/2007 12:15:00 PM
Copper, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:15:00 PM
Iron, Dissolved	< 0.050	0.050		mg/L	1	1/2/2007 12:15:00 PM
Lead, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:15:00 PM
Magnesium, Dissolved	10.7	0.050		mg/L	1	1/2/2007 12:15:00 PM
Manganese, Dissolved	< 0.020	0.020		mg/L	1	1/2/2007 12:15:00 PM
Nickel, Dissolved	< 0.020	0.020		mg/L	1	1/2/2007 12:15:00 PM
Potassium, Dissolved	6.49	0.050		mg/L	1	1/2/2007 12:15:00 PM
Selenium, Dissolved	< 0.005	0.005		mg/L	1	1/2/2007 12:15:00 PM
Silver, Dissolved	< 0.010	0.010		mg/L	1	1/2/2007 12:15:00 PM
Sodium, Dissolved	38.5	0.050		mg/L	1	1/2/2007 12:15:00 PM
Thallium, Dissolved	< 0.010	0.010		mg/L	1	1/2/2007 12:15:00 PM
Vanadium, Dissolved	< 0.020	0.020		mg/L	1	1/2/2007 12:15:00 PM
Zinc, Dissolved	< 0.010	0.010		mg/L	1	1/2/2007 12:15:00 PM
DISSOLVED MERCURY E245.1F						Analyst: KH
(Prep: E245.1 - 1/2/2007)						
Dissolved Mercury	< 0.0002	0.0002		mg/L	1	1/2/2007
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 1/2/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	1/2/2007
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/2/2007)						
Phenol	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2-Chlorophenol	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2-Methylphenol	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	1/2/2007 1:25:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-003
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/2/2007)						
4-Methylphenol	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Hexachloroethane	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Nitrobenzene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Isophorone	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2-Nitrophenol	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Naphthalene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
4-Chloroaniline	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2-Nitroaniline	< 25	25		µg/L	1	1/2/2007 1:25:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Acenaphthylene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
3-Nitroaniline	< 25	25		µg/L	1	1/2/2007 1:25:00 PM
Acenaphthene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	1/2/2007 1:25:00 PM
4-Nitrophenol	< 25	25		µg/L	1	1/2/2007 1:25:00 PM
Dibenzofuran	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Diethyl phthalate	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Fluorene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
4-Nitroaniline	< 25	25		µg/L	1	1/2/2007 1:25:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	1/2/2007 1:25:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Pentachlorophenol	< 25	25		µg/L	1	1/2/2007 1:25:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-003
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/2/2007)						
Phenanthrene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Anthracene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Carbazole	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Fluoranthene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Pyrene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	1/2/2007 1:25:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Chrysene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	1/2/2007 1:25:00 PM
VOLATILE ORGANICS SW8260B						Analyst: MG
Chloromethane	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
Bromomethane	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
Vinyl chloride	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
Chloroethane	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Acetone	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Chloroform	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
2-Butanone	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-003
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

VOLATILE ORGANICS SW8260B

Analyst: **MG**

1,2-Dichloropropane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Benzene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Bromoform	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
2-Hexanone	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Toluene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Styrene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Cyclohexane	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	12/30/2006 12:49:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 12:49:00 PM

OIL AND GREASE E1664

Analyst: **DS**

Oil & Grease	2.7	1.0		mg/L	1	1/2/2007
--------------	-----	-----	--	------	---	----------

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF Batch 2-122906
Collection Date: 12/29/2006
Lab Sample ID: 061229036-003
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PH E150.1						Analyst: SH
pH	9.4	1.0		pH Units	1	12/29/2006
TOTAL DISSOLVED SOLIDS E160.1						Analyst: RC
TDS (Residue, Filterable)	408	5		mg/L	1	12/29/2006
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	1.5	1.0		mg/L	1	12/29/2006
TURBIDITY E180.1						Analyst: SH
Turbidity	3.7	0.10		NTU	1	12/29/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 12/29/2006
Lab Sample ID: 061229036-004
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: MG
Chloromethane	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
Bromomethane	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
Vinyl chloride	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
Chloroethane	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Acetone	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Chloroform	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
2-Butanone	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Benzene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Bromoform	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
2-Hexanone	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Toluene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Styrene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment
Work Order: 061229036
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 12/29/2006
Lab Sample ID: 061229036-004
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: MG
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Cyclohexane	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	12/30/2006 1:17:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	12/30/2006 1:17:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: DA COLLINS		Address:	
Send Report To: J BRADSHAW		Project Name (Location): FBR	Samplers: (Names): J BRADSHAW
Client Phone No.: 377-4145	Client Fax No.: 377-4270	PO Number: 2006516	Samplers: (Signature):

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	MEM	Grain		
001	INF. TRUCK - 122906	12-29-06	1300	A P WATER		X	3	PH, TDS, TSS, TURBIDITY TAL METALS + DISSOLVED
002	INF. BATCH 2 - 122906	↓	1330	A P	↓	X	7	PH, TDS, TSS, TURBIDITY TAL METALS + DISSOLVED
003	EFF. BATCH 2 - 122906	↓	1500	A P	↓	X	7	PH, TDS, TSS, TURBIDITY TAL METALS + DISSOLVED
				A P				
004	Trip BLANK			A P			1	
				A P				
				A P				
				A P				
				A P				
				A P				
				A P				
				A P				
				A P				
				A P				
				A P				
				A P				

AES Work Order #: 061229036	CC Report To / Special Instructions/Remarks: RUSH - SEND RESULTS AS YOU GET THEM TO 377-4270
---------------------------------------	--

Turnaround Time Request:
 1 Day 3 Day Normal
 2 Day 5 Day

NOT ASP DELIVERABLES

Relinquished by: (Signature) 	Received by: (Signature) 	Date/Time 12-29-06
Relinquished by: (Signature)	Received by: (Signature)	Date/Time

Relinquished by: (Signature)	Received for Laboratory by: 	Date/Time 12/29/06 4:09pm
------------------------------	---------------------------------	-------------------------------------

TEMPERATURE Ambient or <u>Chilled</u>	PROPERLY PRESERVED <u>Y</u> N	RECEIVED WITHIN HOLDING TIMES <u>Y</u> N
Notes:	Notes:	Notes:

WHITE - Lab Copy YELLOW - Sampler Copy PINK - Generator Copy

37056



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

December 04, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070103059

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Treatment System Waters

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 3 samples on 1/3/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Inf Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 1/3/2007)						
Aroclor 1016	< 0.65	0.65		µg/L	10	1/4/2007 1:21:02 AM
Aroclor 1221	< 0.65	0.65		µg/L	10	1/4/2007 1:21:02 AM
Aroclor 1232	< 0.65	0.65		µg/L	10	1/4/2007 1:21:02 AM
Aroclor 1242	5.7	0.65		µg/L	10	1/4/2007 1:21:02 AM
Aroclor 1248	< 0.65	0.65		µg/L	10	1/4/2007 1:21:02 AM
Aroclor 1254	< 0.65	0.65		µg/L	10	1/4/2007 1:21:02 AM
Aroclor 1260	0.88	0.65		µg/L	10	1/4/2007 1:21:02 AM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 1/4/2007)						
Aluminum	0.202	0.100		mg/L	1	1/4/2007 8:15:00 AM
Antimony	< 0.060	0.060		mg/L	1	1/4/2007 8:15:00 AM
Arsenic	< 0.005	0.005		mg/L	1	1/4/2007 8:15:00 AM
Barium	0.043	0.010		mg/L	1	1/4/2007 8:15:00 AM
Beryllium	< 0.005	0.005		mg/L	1	1/4/2007 8:15:00 AM
Cadmium	< 0.005	0.005		mg/L	1	1/4/2007 8:15:00 AM
Calcium	82.6	0.050		mg/L	1	1/4/2007 8:15:00 AM
Chromium	< 0.005	0.005		mg/L	1	1/4/2007 8:15:00 AM
Cobalt	< 0.050	0.050		mg/L	1	1/4/2007 8:15:00 AM
Copper	< 0.005	0.005		mg/L	1	1/4/2007 8:15:00 AM
Iron	0.681	0.050		mg/L	1	1/4/2007 8:15:00 AM
Lead	0.010	0.005		mg/L	1	1/4/2007 8:15:00 AM
Magnesium	11.2	0.050		mg/L	1	1/4/2007 8:15:00 AM
Manganese	0.084	0.020		mg/L	1	1/4/2007 8:15:00 AM
Nickel	< 0.020	0.020		mg/L	1	1/4/2007 8:15:00 AM
Potassium	2.82	0.050		mg/L	1	1/4/2007 8:15:00 AM
Selenium	< 0.005	0.005		mg/L	1	1/4/2007 8:15:00 AM
Silver	< 0.010	0.010		mg/L	1	1/4/2007 8:15:00 AM
Sodium	44.9	0.050		mg/L	1	1/4/2007 8:15:00 AM
Thallium	0.018	0.010	S	mg/L	1	1/4/2007 8:15:00 AM
Vanadium	< 0.020	0.020		mg/L	1	1/4/2007 8:15:00 AM
Zinc	0.022	0.010		mg/L	1	1/4/2007 8:15:00 AM
ICP DISSOLVED METAL E200.7F						Analyst: SM
(Prep: SW3005A - 1/4/2007)						
Aluminum, Dissolved	< 0.100	0.100		mg/L	1	1/4/2007 8:53:00 AM
Antimony, Dissolved	< 0.060	0.060		mg/L	1	1/4/2007 8:53:00 AM
Arsenic, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 8:53:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Inf Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ICP DISSOLVED METAL E200.7F						Analyst: SM
(Prep: SW3005A - 1/4/2007)						
Barium, Dissolved	0.038	0.010		mg/L	1	1/4/2007 8:53:00 AM
Beryllium, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 8:53:00 AM
Cadmium, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 8:53:00 AM
Calcium, Dissolved	82.4	0.050		mg/L	1	1/4/2007 8:53:00 AM
Chromium, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 8:53:00 AM
Cobalt, Dissolved	< 0.050	0.050		mg/L	1	1/4/2007 8:53:00 AM
Copper, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 8:53:00 AM
Iron, Dissolved	< 0.050	0.050		mg/L	1	1/4/2007 8:53:00 AM
Lead, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 8:53:00 AM
Magnesium, Dissolved	11.2	0.050		mg/L	1	1/4/2007 8:53:00 AM
Manganese, Dissolved	0.069	0.020		mg/L	1	1/4/2007 8:53:00 AM
Nickel, Dissolved	< 0.020	0.020		mg/L	1	1/4/2007 8:53:00 AM
Potassium, Dissolved	2.77	0.050		mg/L	1	1/4/2007 8:53:00 AM
Selenium, Dissolved	< 0.005	0.005	S	mg/L	1	1/4/2007 8:53:00 AM
Silver, Dissolved	< 0.010	0.010		mg/L	1	1/4/2007 8:53:00 AM
Sodium, Dissolved	45.4	0.050		mg/L	1	1/4/2007 8:53:00 AM
Thallium, Dissolved	0.018	0.010		mg/L	1	1/4/2007 8:53:00 AM
Vanadium, Dissolved	< 0.020	0.020		mg/L	1	1/4/2007 8:53:00 AM
Zinc, Dissolved	< 0.010	0.010		mg/L	1	1/4/2007 8:53:00 AM
DISSOLVED MERCURY E245.1F						Analyst: KH
(Prep: E245.1 - 1/4/2007)						
Dissolved Mercury	< 0.0002	0.0002		mg/L	1	1/4/2007
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 1/4/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	1/4/2007
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/4/2007)						
Phenol	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2-Chlorophenol	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2-Methylphenol	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	1/4/2007 10:47:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Inf Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/4/2007)						
4-Methylphenol	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Hexachloroethane	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Nitrobenzene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Isophorone	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2-Nitrophenol	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Naphthalene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
4-Chloroaniline	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2-Nitroaniline	< 25	25		µg/L	1	1/4/2007 10:47:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Acenaphthylene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
3-Nitroaniline	< 25	25		µg/L	1	1/4/2007 10:47:00 AM
Acenaphthene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	1/4/2007 10:47:00 AM
4-Nitrophenol	< 25	25		µg/L	1	1/4/2007 10:47:00 AM
Dibenzofuran	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Diethyl phthalate	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Fluorene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
4-Nitroaniline	< 25	25		µg/L	1	1/4/2007 10:47:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	1/4/2007 10:47:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Pentachlorophenol	< 25	25		µg/L	1	1/4/2007 10:47:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Inf Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/4/2007)						
Phenanthrene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Anthracene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Carbazole	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Fluoranthene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Pyrene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Butyl benzyl phthalate	8	5		µg/L	1	1/4/2007 10:47:00 AM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	1/4/2007 10:47:00 AM
Benz(a)anthracene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Chrysene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	1/4/2007 10:47:00 AM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
Bromomethane	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
Vinyl chloride	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
Chloroethane	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Acetone	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
cis-1,2-Dichloroethene	5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Chloroform	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
2-Butanone	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Inf Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Benzene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Bromoform	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
2-Hexanone	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
Tetrachloroethene	21	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Toluene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Styrene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Cyclohexane	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	1/4/2007 10:37:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 10:37:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	< 1.0	1.0		mg/L	1	1/4/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT:	D.A.Collins Environment	Client Sample ID:	Inf Batch 3-010307
Work Order:	070103059	Collection Date:	1/3/2007
Reference:	Freeman's Bridge Road / Treatment System Wate	Lab Sample ID:	070103059-001
PO#:		Matrix:	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PH E150.1						Analyst: LS
pH	7.9	1.0		pH Units	1	1/4/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	500	5		mg/L	1	1/4/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	10.5	1.0		mg/L	1	1/4/2007
TURBIDITY E180.1						Analyst: LS
Turbidity	12	0.10		NTU	1	1/4/2007

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-002
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 1/3/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	1/4/2007 12:50:09 AM
Aroclor 1221	< 0.065	0.065		µg/L	1	1/4/2007 12:50:09 AM
Aroclor 1232	< 0.065	0.065		µg/L	1	1/4/2007 12:50:09 AM
Aroclor 1242	0.29	0.065		µg/L	1	1/4/2007 12:50:09 AM
Aroclor 1248	< 0.065	0.065		µg/L	1	1/4/2007 12:50:09 AM
Aroclor 1254	< 0.065	0.065		µg/L	1	1/4/2007 12:50:09 AM
Aroclor 1260	< 0.065	0.065		µg/L	1	1/4/2007 12:50:09 AM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 1/4/2007)						
Aluminum	0.182	0.100		mg/L	1	1/4/2007 8:19:00 AM
Antimony	< 0.060	0.060		mg/L	1	1/4/2007 8:19:00 AM
Arsenic	0.016	0.005		mg/L	1	1/4/2007 8:19:00 AM
Barium	0.191	0.010		mg/L	1	1/4/2007 8:19:00 AM
Beryllium	< 0.005	0.005		mg/L	1	1/4/2007 8:19:00 AM
Cadmium	< 0.005	0.005		mg/L	1	1/4/2007 8:19:00 AM
Calcium	95.0	0.050		mg/L	1	1/4/2007 8:19:00 AM
Chromium	< 0.005	0.005		mg/L	1	1/4/2007 8:19:00 AM
Cobalt	< 0.050	0.050		mg/L	1	1/4/2007 8:19:00 AM
Copper	0.005	0.005		mg/L	1	1/4/2007 8:19:00 AM
Iron	0.478	0.050		mg/L	1	1/4/2007 8:19:00 AM
Lead	< 0.005	0.005		mg/L	1	1/4/2007 8:19:00 AM
Magnesium	19.2	0.050		mg/L	1	1/4/2007 8:19:00 AM
Manganese	0.158	0.020		mg/L	1	1/4/2007 8:19:00 AM
Nickel	< 0.020	0.020		mg/L	1	1/4/2007 8:19:00 AM
Potassium	32.6	0.050		mg/L	1	1/4/2007 8:19:00 AM
Selenium	< 0.005	0.005		mg/L	1	1/4/2007 8:19:00 AM
Silver	< 0.010	0.010		mg/L	1	1/4/2007 8:19:00 AM
Sodium	60.2	0.050		mg/L	1	1/4/2007 8:19:00 AM
Thallium	0.012	0.010	S	mg/L	1	1/4/2007 8:19:00 AM
Vanadium	< 0.020	0.020		mg/L	1	1/4/2007 8:19:00 AM
Zinc	0.024	0.010		mg/L	1	1/4/2007 8:19:00 AM
ICP DISSOLVED METAL E200.7F						Analyst: SM
(Prep: SW3005A - 1/4/2007)						
Aluminum, Dissolved	< 0.100	0.100		mg/L	1	1/4/2007 9:11:00 AM
Antimony, Dissolved	< 0.060	0.060		mg/L	1	1/4/2007 9:11:00 AM
Arsenic, Dissolved	0.012	0.005		mg/L	1	1/4/2007 9:11:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-002
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ICP DISSOLVED METAL E200.7F						Analyst: SM
(Prep: SW3005A - 1/4/2007)						
Barium, Dissolved	0.176	0.010		mg/L	1	1/4/2007 9:11:00 AM
Beryllium, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 9:11:00 AM
Cadmium, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 9:11:00 AM
Calcium, Dissolved	93.1	0.050		mg/L	1	1/4/2007 9:11:00 AM
Chromium, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 9:11:00 AM
Cobalt, Dissolved	< 0.050	0.050		mg/L	1	1/4/2007 9:11:00 AM
Copper, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 9:11:00 AM
Iron, Dissolved	< 0.050	0.050		mg/L	1	1/4/2007 9:11:00 AM
Lead, Dissolved	< 0.005	0.005		mg/L	1	1/4/2007 9:11:00 AM
Magnesium, Dissolved	19.0	0.050		mg/L	1	1/4/2007 9:11:00 AM
Manganese, Dissolved	0.137	0.020		mg/L	1	1/4/2007 9:11:00 AM
Nickel, Dissolved	< 0.020	0.020		mg/L	1	1/4/2007 9:11:00 AM
Potassium, Dissolved	33.1	0.050		mg/L	1	1/4/2007 9:11:00 AM
Selenium, Dissolved	< 0.005	0.005	S	mg/L	1	1/4/2007 9:11:00 AM
Silver, Dissolved	< 0.010	0.010		mg/L	1	1/4/2007 9:11:00 AM
Sodium, Dissolved	61.1	0.050		mg/L	1	1/4/2007 9:11:00 AM
Thallium, Dissolved	0.015	0.010		mg/L	1	1/4/2007 9:11:00 AM
Vanadium, Dissolved	< 0.020	0.020		mg/L	1	1/4/2007 9:11:00 AM
Zinc, Dissolved	< 0.010	0.010		mg/L	1	1/4/2007 9:11:00 AM
DISSOLVED MERCURY E245.1F						Analyst: KH
(Prep: E245.1 - 1/4/2007)						
Dissolved Mercury	< 0.0002	0.0002		mg/L	1	1/4/2007
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 1/4/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	1/4/2007
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/4/2007)						
Phenol	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2-Chlorophenol	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2-Methylphenol	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	1/4/2007 10:21:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-002
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/4/2007)						
4-Methylphenol	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Hexachloroethane	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Nitrobenzene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Isophorone	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2-Nitrophenol	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Naphthalene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
4-Chloroaniline	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2-Nitroaniline	< 25	25		µg/L	1	1/4/2007 10:21:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Acenaphthylene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
3-Nitroaniline	< 25	25		µg/L	1	1/4/2007 10:21:00 AM
Acenaphthene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	1/4/2007 10:21:00 AM
4-Nitrophenol	< 25	25		µg/L	1	1/4/2007 10:21:00 AM
Dibenzofuran	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Diethyl phthalate	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Fluorene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
4-Nitroaniline	< 25	25		µg/L	1	1/4/2007 10:21:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	1/4/2007 10:21:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Pentachlorophenol	< 25	25		µg/L	1	1/4/2007 10:21:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-002
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/4/2007)						
Phenanthrene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Anthracene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Carbazole	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Fluoranthene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Pyrene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Butyl benzyl phthalate	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	1/4/2007 10:21:00 AM
Benz(a)anthracene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Chrysene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	1/4/2007 10:21:00 AM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	1/4/2007 11:05:00 AM
Bromomethane	< 10	10		µg/L	1	1/4/2007 11:05:00 AM
Vinyl chloride	< 10	10		µg/L	1	1/4/2007 11:05:00 AM
Chloroethane	< 10	10		µg/L	1	1/4/2007 11:05:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Acetone	13	10		µg/L	1	1/4/2007 11:05:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Chloroform	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
2-Butanone	< 10	10		µg/L	1	1/4/2007 11:05:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-002
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Benzene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Bromoform	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	1/4/2007 11:05:00 AM
2-Hexanone	< 10	10		µg/L	1	1/4/2007 11:05:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Toluene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Styrene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	1/4/2007 11:05:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Cyclohexane	< 10	10		µg/L	1	1/4/2007 11:05:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	1/4/2007 11:05:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:05:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	< 1.0	1.0		mg/L	1	1/4/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff Batch 3-010307
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-002
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
PH E150.1						Analyst: LS
pH	8.4	1.0		pH Units	1	1/4/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	782	5		mg/L	1	1/4/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	12.0	1.0		mg/L	1	1/4/2007
TURBIDITY E180.1						Analyst: LS
Turbidity	17	0.10		NTU	1	1/4/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Trip Blank
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-003
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
Bromomethane	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
Vinyl chloride	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
Chloroethane	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Acetone	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Chloroform	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
2-Butanone	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Benzene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Bromoform	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
2-Hexanone	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Toluene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Styrene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Dec-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Trip Blank
Work Order: 070103059 **Collection Date:** 1/3/2007
Reference: Freeman's Bridge Road / Treatment System Wate **Lab Sample ID:** 070103059-003
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Cyclohexane	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	1/4/2007 11:33:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	1/4/2007 11:33:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: DA Collins		Address: 101 Route 67 PO Box 191 Mechanicville NY 12118						
Send Report To: Jay Bradshaw		Project Name (Location): FBR			Samplers: (Names): K Chadwick			
Client Phone No.: (518) 664-9855		Client Fax No.: (518) 664-0925		PO Number: 2006-516 007		Samplers: (Signature): [Signature]		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Cont	Grab		
001 170102 059-1	INF bath 3 - 010307	1/3/07	9:10	A	Water		8	full suite - water
002 2	EFF bath 3 - 010307	1/3/07	10:00	A	Water		8	full suite - water
003	Trip Blank Lot #140			A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				

AES Work Order #: 070103059		CC Report To / Special Instructions/Remarks: Email Report to KChadwick@DACollins.com JBradshaw@DACollins.com	
Turnaround Time Request: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input checked="" type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day		ASAP Call J Bradshaw @ 361-1247 w/Results,	
Relinquished by: (Signature) [Signature]		Received by: (Signature)	Date/Time
Relinquished by: (Signature)		Received by: (Signature)	Date/Time
Relinquished by: (Signature)		Received for Laboratory by: Kenneth S Fuller	Date/Time 1/3/07 11:30
TEMPERATURE Ambient or Chilled 4		PROPERLY PRESERVED Y N	RECEIVED WITHIN HOLDING TIMES Y N
Notes:		Notes:	Notes:

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

37106



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

January 15, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070111030

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 1/11/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Jan-07

CLIENT: D.A.Collins Environment
Work Order: 070111030
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 4-011107
Collection Date: 1/11/2007
Lab Sample ID: 070111030-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: MG
(Prep: E608 - 1/12/2007)						
Aroclor 1016	< 0.068	0.068		µg/L	1	1/12/2007 5:26:57 PM
Aroclor 1221	< 0.068	0.068		µg/L	1	1/12/2007 5:26:57 PM
Aroclor 1232	< 0.068	0.068		µg/L	1	1/12/2007 5:26:57 PM
Aroclor 1242	< 0.068	0.068		µg/L	1	1/12/2007 5:26:57 PM
Aroclor 1248	< 0.068	0.068		µg/L	1	1/12/2007 5:26:57 PM
Aroclor 1254	< 0.068	0.068		µg/L	1	1/12/2007 5:26:57 PM
Aroclor 1260	< 0.068	0.068		µg/L	1	1/12/2007 5:26:57 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 1/12/2007)						
Aluminum	0.049	0.100	J	mg/L	1	1/12/2007 12:06:00 PM
Antimony	0.006	0.060	J	mg/L	1	1/12/2007 12:06:00 PM
Arsenic	0.010	0.005		mg/L	1	1/12/2007 12:06:00 PM
Barium	0.101	0.010		mg/L	1	1/12/2007 12:06:00 PM
Beryllium	< 0.005	0.005		mg/L	1	1/12/2007 12:06:00 PM
Cadmium	< 0.005	0.005		mg/L	1	1/12/2007 12:06:00 PM
Calcium	99.8	0.050		mg/L	1	1/12/2007 12:06:00 PM
Chromium	0.002	0.005	J	mg/L	1	1/12/2007 12:06:00 PM
Cobalt	0.011	0.050	J	mg/L	1	1/12/2007 12:06:00 PM
Copper	0	0.005	J	mg/L	1	1/12/2007 12:06:00 PM
Iron	0.315	0.050		mg/L	1	1/12/2007 12:06:00 PM
Lead	< 0.005	0.005		mg/L	1	1/12/2007 12:06:00 PM
Magnesium	11.3	0.050		mg/L	1	1/12/2007 12:06:00 PM
Manganese	0.183	0.020		mg/L	1	1/12/2007 12:06:00 PM
Nickel	0.006	0.020	J	mg/L	1	1/12/2007 12:06:00 PM
Potassium	37.3	0.050		mg/L	1	1/12/2007 12:06:00 PM
Selenium	< 0.005	0.005		mg/L	1	1/12/2007 12:06:00 PM
Silver	0	0.010	J	mg/L	1	1/12/2007 12:06:00 PM
Sodium	35.2	0.050		mg/L	1	1/12/2007 12:06:00 PM
Thallium	< 0.010	0.010		mg/L	1	1/12/2007 12:06:00 PM
Vanadium	< 0.020	0.020		mg/L	1	1/12/2007 12:06:00 PM
Zinc	0.008	0.010	J	mg/L	1	1/12/2007 12:06:00 PM
MERCURY E245.1						Analyst: SM
(Prep: E245.1 - 1/12/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	1/12/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Jan-07

CLIENT: D.A.Collins Environment
Work Order: 070111030
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 4-011107
Collection Date: 1/11/2007
Lab Sample ID: 070111030-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/12/2007)						
Phenol	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2-Chlorophenol	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2-Methylphenol	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
4-Methylphenol	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Hexachloroethane	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Nitrobenzene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Isophorone	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2-Nitrophenol	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Naphthalene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
4-Chloroaniline	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2-Nitroaniline	< 25	25		µg/L	1	1/12/2007 1:42:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Acenaphthylene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
3-Nitroaniline	< 25	25		µg/L	1	1/12/2007 1:42:00 PM
Acenaphthene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	1/12/2007 1:42:00 PM
4-Nitrophenol	< 25	25		µg/L	1	1/12/2007 1:42:00 PM
Dibenzofuran	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Diethyl phthalate	< 5	5		µg/L	1	1/12/2007 1:42:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Jan-07

CLIENT: D.A.Collins Environment
Work Order: 070111030
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 4-011107
Collection Date: 1/11/2007
Lab Sample ID: 070111030-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 1/12/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Fluorene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
4-Nitroaniline	< 25	25		µg/L	1	1/12/2007 1:42:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	1/12/2007 1:42:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Pentachlorophenol	< 25	25		µg/L	1	1/12/2007 1:42:00 PM
Phenanthrene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Anthracene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Carbazole	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Fluoranthene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Pyrene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	1/12/2007 1:42:00 PM
Benzo(a)anthracene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Chrysene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	1/12/2007 1:42:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	1/11/2007 3:12:00 PM
Bromomethane	< 10	10		µg/L	1	1/11/2007 3:12:00 PM
Vinyl chloride	< 10	10		µg/L	1	1/11/2007 3:12:00 PM
Chloroethane	< 10	10		µg/L	1	1/11/2007 3:12:00 PM
Methylene chloride	6.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Acetone	12	10		µg/L	1	1/11/2007 3:12:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Jan-07

CLIENT: D.A.Collins Environment

Client Sample ID: EFF BATCH 4-011107

Work Order: 070111030

Collection Date: 1/11/2007

Reference: Freeman's Bridge Road /

Lab Sample ID: 070111030-001

PO#:

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Chloroform	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
2-Butanone	< 10	10		µg/L	1	1/11/2007 3:12:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Benzene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Bromoform	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	1/11/2007 3:12:00 PM
2-Hexanone	< 10	10		µg/L	1	1/11/2007 3:12:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Toluene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Styrene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	1/11/2007 3:12:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Cyclohexane	< 10	10		µg/L	1	1/11/2007 3:12:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Jan-07

CLIENT: D.A.Collins Environment
Work Order: 070111030
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 4-011107
Collection Date: 1/11/2007
Lab Sample ID: 070111030-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	1/11/2007 3:12:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:12:00 PM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	0.5	1.0	J	mg/L	1	1/12/2007
PH E150.1						Analyst: RC
pH	7.9	1.0		pH Units	1	1/11/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	578	5		mg/L	1	1/12/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	3.0	1.0		mg/L	1	1/11/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	4.0	0.10		NTU	1	1/11/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Jan-07

CLIENT: D.A.Collins Environment
Work Order: 070111030
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 1/11/2007
Lab Sample ID: 070111030-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
Bromomethane	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
Vinyl chloride	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
Chloroethane	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
Methylene chloride	6.8	5.0		µg/L	1	1/11/2007 3:40:00 PM
Acetone	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Chloroform	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
2-Butanone	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Benzene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Bromoform	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
2-Hexanone	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Toluene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Styrene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-Jan-07

CLIENT: D.A.Collins Environment
Work Order: 070111030
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 1/11/2007
Lab Sample ID: 070111030-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Cyclohexane	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	1/11/2007 3:40:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	1/11/2007 3:40:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

* * * COMMUNICATION RESULT REPORT (JAN. 15. 2007 9:56AM) * * *

FAX HEADER 1: 454
FAX HEADER 2:

TRANSMITTED/STORED : JAN. 15. 2007 9:52AM
FILE MODE OPTION

ADDRESS

RESULT

PAGE

0178 MEMORY TX

G3 : DAC and ESMI at FBR

OK

9/9

REASON FOR ERROR
MIME (1) HANG UP OR LINE FAIL
(3) NO ANSWER
(5) MAIL SIZE OVER

E-2) BUSY
E-4) NO FACSIMILE CONNECTION



314 North Pearl Street - Albany, New York 12207
Phone (518) 434-4546 Fax (518) 434-0891

Fax

To: Joy Bradshaw From: Tara Daniels
 Company Name: _____ Pages: 9
 Fax: _____ Date: 1-15-07
 Re: _____ CC: _____

Urgent - Deliver Immediately For Review Reply ASAP Please Comment

• Comments:

WORK ORDER #: 070111080

Hard Copy to be mailed: ___ Yes ___ No

PLEASE CALL CINDY AT (518) 434-4546 IF YOU HAVE DIFFICULTY RECEIVING THIS TRANSMISSION IN ITS ENTIRETY

LEGAL NOTICE

Unless expressly stated otherwise, this message is confidential and may be privileged. It is intended for the addressee(s) only. Access to this fax by anyone else is unauthorized. If you are not an addressee, any disclosure or copying of the contents of this fax or any action taken (or not taken) in reliance on it is unauthorized and may be unlawful. If you are not an addressee, please inform the sender immediately.



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: DA COLLINS		Address:	
Send Report To: J BRAD SHAW		Project Name (Location): FBR	Samplers: (Names): JTB
Client Phone No: 361-1247	Client Fax No:	PO Number:	Samplers: (Signature):

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
001	EFF BATCH 4 - 011107	1/11/07	NOO	A P	WATER	X	7	FINAL SUITE
002	Trip BLANK	1/11/07		A P A P A P A P A P A P A P A P			1	

AES Work Order #: 070111030		CC Report To / Special Instructions/Remarks: 24 HR. TAT ASP. CAT A	
Turnaround Time Request: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day			
Relinquished by: (Signature) 	Received by: (Signature) 	Date/Time 1/11/07 11:50	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received for Laboratory by: 	Date/Time 1/11/07 12:28 pm	
TEMPERATURE Ambient or Chilled Notes: 4°C	PROPERLY PRESERVED <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Notes:	RECEIVED WITHIN HOLDING TIMES <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

January 18, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070117047

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 1/17/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709

AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Jay Bradshaw - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jan-07

CLIENT: D.A.Collins Environment
Work Order: 070117047
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Eff.Batch 5-011707
Collection Date: 1/17/2007
Lab Sample ID: 070117047-001
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 1/17/2007)						
Aroclor 1016	< 0.067	0.067		µg/L	1	1/18/2007 1:42:26 PM
Aroclor 1221	< 0.067	0.067		µg/L	1	1/18/2007 1:42:26 PM
Aroclor 1232	< 0.067	0.067		µg/L	1	1/18/2007 1:42:26 PM
Aroclor 1242	< 0.067	0.067		µg/L	1	1/18/2007 1:42:26 PM
Aroclor 1248	0.083	0.067		µg/L	1	1/18/2007 1:42:26 PM
Aroclor 1254	< 0.067	0.067		µg/L	1	1/18/2007 1:42:26 PM
Aroclor 1260	< 0.067	0.067		µg/L	1	1/18/2007 1:42:26 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 1/18/2007)						
Aluminum	< 0.100	0.100		mg/L	1	1/18/2007 2:31:00 PM
Antimony	< 0.060	0.060		mg/L	1	1/18/2007 2:31:00 PM
Arsenic	0.006	0.005		mg/L	1	1/18/2007 2:31:00 PM
Barium	0.100	0.010		mg/L	1	1/18/2007 2:31:00 PM
Beryllium	< 0.005	0.005		mg/L	1	1/18/2007 2:31:00 PM
Cadmium	< 0.005	0.005		mg/L	1	1/18/2007 2:31:00 PM
Calcium	164	0.050		mg/L	1	1/18/2007 2:31:00 PM
Chromium	< 0.005	0.005		mg/L	1	1/18/2007 2:31:00 PM
Cobalt	< 0.050	0.050		mg/L	1	1/18/2007 2:31:00 PM
Copper	< 0.005	0.005		mg/L	1	1/18/2007 2:31:00 PM
Iron	0.241	0.050		mg/L	1	1/18/2007 2:31:00 PM
Lead	< 0.005	0.005		mg/L	1	1/18/2007 2:31:00 PM
Magnesium	15.7	0.050		mg/L	1	1/18/2007 2:31:00 PM
Manganese	0.437	0.020		mg/L	1	1/18/2007 2:31:00 PM
Nickel	< 0.020	0.020		mg/L	1	1/18/2007 2:31:00 PM
Potassium	9.80	0.050		mg/L	1	1/18/2007 2:31:00 PM
Selenium	< 0.005	0.005		mg/L	1	1/18/2007 2:31:00 PM
Silver	< 0.010	0.010		mg/L	1	1/18/2007 2:31:00 PM
Sodium	27.9	0.050		mg/L	1	1/18/2007 2:31:00 PM
Thallium	< 0.010	0.010		mg/L	1	1/18/2007 2:31:00 PM
Vanadium	< 0.020	0.020		mg/L	1	1/18/2007 2:31:00 PM
Zinc	0.012	0.010		mg/L	1	1/18/2007 2:31:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 1/18/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	1/18/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jan-07

CLIENT: D.A.Collins Environment
Work Order: 070117047
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Eff.Batch 5-011707
Collection Date: 1/17/2007
Lab Sample ID: 070117047-001
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/18/2007)						
Phenol	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2-Chlorophenol	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2-Methylphenol	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
4-Methylphenol	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Hexachloroethane	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Nitrobenzene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Isophorone	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2-Nitrophenol	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Naphthalene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
4-Chloroaniline	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2-Nitroaniline	< 25	25		µg/L	1	1/18/2007 11:19:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Acenaphthylene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
3-Nitroaniline	< 25	25		µg/L	1	1/18/2007 11:19:00 AM
Acenaphthene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	1/18/2007 11:19:00 AM
4-Nitrophenol	< 25	25		µg/L	1	1/18/2007 11:19:00 AM
Dibenzofuran	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Diethyl phthalate	< 5	5		µg/L	1	1/18/2007 11:19:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jan-07

CLIENT: D.A.Collins Environment
Work Order: 070117047
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Eff.Batch 5-011707
Collection Date: 1/17/2007
Lab Sample ID: 070117047-001
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/18/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Fluorene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
4-Nitroaniline	< 25	25		µg/L	1	1/18/2007 11:19:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	1/18/2007 11:19:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Pentachlorophenol	< 25	25		µg/L	1	1/18/2007 11:19:00 AM
Phenanthrene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Anthracene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Carbazole	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Fluoranthene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Pyrene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Butyl benzyl phthalate	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	1/18/2007 11:19:00 AM
Benzo(a)anthracene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Chrysene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	1/18/2007 11:19:00 AM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	1/18/2007 11:33:00 AM
Bromomethane	< 10	10		µg/L	1	1/18/2007 11:33:00 AM
Vinyl chloride	< 10	10		µg/L	1	1/18/2007 11:33:00 AM
Chloroethane	< 10	10		µg/L	1	1/18/2007 11:33:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Acetone	24	10	B	µg/L	1	1/18/2007 11:33:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jan-07

CLIENT: D.A.Collins Environment
Work Order: 070117047
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Eff.Batch 5-011707
Collection Date: 1/17/2007
Lab Sample ID: 070117047-001
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Chloroform	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
2-Butanone	< 10	10		µg/L	1	1/18/2007 11:33:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Benzene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Bromoform	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	1/18/2007 11:33:00 AM
2-Hexanone	< 10	10		µg/L	1	1/18/2007 11:33:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Toluene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Styrene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	1/18/2007 11:33:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Cyclohexane	< 10	10		µg/L	1	1/18/2007 11:33:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jan-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff.Batch 5-011707
Work Order: 070117047 **Collection Date:** 1/17/2007
Reference: Freeman's Bridge Road / **Lab Sample ID:** 070117047-001
PO#: **Matrix:** WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	1/18/2007 11:33:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	1/18/2007 11:33:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	< 1.0	1.0		mg/L	1	1/18/2007
PH E150.1						Analyst: SH
pH	7.5	1.0		pH Units	1	1/17/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	718	5		mg/L	1	1/18/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	1.5	1.0		mg/L	1	1/17/2007
TURBIDITY E180.1						Analyst: SH
Turbidity	2.4	0.10		NTU	1	1/17/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range



314 North Pearl Street
 Albany, New York 12207
 518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: DA COLLINS		Address:								
Send Report To: J BRANSYAN		Project Name (Location): FBR			Samplers: (Names) J BRANSYAN					
Client Phone No: 361-1247		Client Fax No: 377-4147		PO Number: 2006516		Samplers: (Signature) 				
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required		
				Matrix	Comp	Grab				
001	EFF. BATCH 5 - 01707	1/17/07	1500	A P	WATER	X	8	FULLSITE WATER		
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						

AES Work Order #: 070117047		CC Report To / Special Instructions/Remarks: 24 HR TAT	
Turnaround Time Request: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day			
Relinquished by: (Signature) 		Received by: (Signature) 	Date/Time 1/17/07 15:35
Relinquished by: (Signature) 		Received by: (Signature) 	Date/Time 1/17/07 4:27 PM
Relinquished by: (Signature) 		Received for Laboratory by: J. Ay	Date/Time 1/17/07 4:27 PM
TEMPERATURE Ambient or Chilled Notes: 20°C		PROPERLY PRESERVED Y N Notes: _____	RECEIVED WITHIN HOLDING TIMES Y N Notes: _____

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy






Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

January 25, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070124054

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Water Analysis - Batch 6

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 1/24/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 25-Jan-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff.Batch 6-012407
Work Order: 070124054 **Collection Date:** 1/24/2007
Reference: Freeman's Bridge Road / Water Analysis - Batch **Lab Sample ID:** 070124054-001
PO#: **Matrix:** WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 1/24/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	1/24/2007 9:53:44 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	1/24/2007 9:53:44 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	1/24/2007 9:53:44 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	1/24/2007 9:53:44 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	1/24/2007 9:53:44 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	1/24/2007 9:53:44 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	1/24/2007 9:53:44 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 1/25/2007)						
Aluminum	< 0.100	0.100		mg/L	1	1/25/2007 1:16:00 PM
Antimony	< 0.060	0.060		mg/L	1	1/25/2007 1:16:00 PM
Arsenic	0.007	0.005		mg/L	1	1/25/2007 1:16:00 PM
Barium	0.102	0.010		mg/L	1	1/25/2007 1:16:00 PM
Beryllium	< 0.005	0.005		mg/L	1	1/25/2007 1:16:00 PM
Cadmium	< 0.005	0.005		mg/L	1	1/25/2007 1:16:00 PM
Calcium	193	0.050		mg/L	1	1/25/2007 1:16:00 PM
Chromium	< 0.005	0.005		mg/L	1	1/25/2007 1:16:00 PM
Cobalt	< 0.050	0.050		mg/L	1	1/25/2007 1:16:00 PM
Copper	< 0.005	0.005		mg/L	1	1/25/2007 1:16:00 PM
Iron	0.183	0.050		mg/L	1	1/25/2007 1:16:00 PM
Lead	< 0.005	0.005		mg/L	1	1/25/2007 1:16:00 PM
Magnesium	18.1	0.050		mg/L	1	1/25/2007 1:16:00 PM
Manganese	0.473	0.020		mg/L	1	1/25/2007 1:16:00 PM
Nickel	< 0.020	0.020		mg/L	1	1/25/2007 1:16:00 PM
Potassium	13.7	0.050		mg/L	1	1/25/2007 1:16:00 PM
Selenium	< 0.005	0.005		mg/L	1	1/25/2007 1:16:00 PM
Silver	< 0.010	0.010		mg/L	1	1/25/2007 1:16:00 PM
Sodium	17.1	0.050		mg/L	1	1/25/2007 1:16:00 PM
Thallium	< 0.010	0.010		mg/L	1	1/25/2007 1:16:00 PM
Vanadium	< 0.020	0.020		mg/L	1	1/25/2007 1:16:00 PM
Zinc	0.025	0.010		mg/L	1	1/25/2007 1:16:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 1/25/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	1/25/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 25-Jan-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff.Batch 6-012407
Work Order: 070124054 **Collection Date:** 1/24/2007
Reference: Freeman's Bridge Road / Water Analysis - Batch **Lab Sample ID:** 070124054-001
PO#: **Matrix:** WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 1/25/2007)						
Phenol	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2-Chlorophenol	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2-Methylphenol	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
4-Methylphenol	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Hexachloroethane	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Nitrobenzene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Isophorone	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2-Nitrophenol	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Naphthalene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
4-Chloroaniline	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2-Nitroaniline	< 25	25		µg/L	1	1/25/2007 12:07:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Acenaphthylene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
3-Nitroaniline	< 25	25		µg/L	1	1/25/2007 12:07:00 PM
Acenaphthene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	1/25/2007 12:07:00 PM
4-Nitrophenol	< 25	25		µg/L	1	1/25/2007 12:07:00 PM
Dibenzofuran	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Diethyl phthalate	< 5	5		µg/L	1	1/25/2007 12:07:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 25-Jan-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff.Batch 6-012407
Work Order: 070124054 **Collection Date:** 1/24/2007
Reference: Freeman's Bridge Road / Water Analysis - Batch **Lab Sample ID:** 070124054-001
PO#: **Matrix:** WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT

(Prep: SW3510/E625 - 1/25/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Fluorene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
4-Nitroaniline	< 25	25		µg/L	1	1/25/2007 12:07:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	1/25/2007 12:07:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Pentachlorophenol	< 25	25		µg/L	1	1/25/2007 12:07:00 PM
Phenanthrene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Anthracene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Carbazole	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Fluoranthene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Pyrene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Butyl benzyl phthalate	49	5		µg/L	1	1/25/2007 12:07:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	1/25/2007 12:07:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Chrysene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Bis(2-ethylhexyl)phthalate	20	5		µg/L	1	1/25/2007 12:07:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	1/25/2007 12:07:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	1/25/2007 10:59:00 AM
Bromomethane	< 10	10		µg/L	1	1/25/2007 10:59:00 AM
Vinyl chloride	< 10	10		µg/L	1	1/25/2007 10:59:00 AM
Chloroethane	< 10	10		µg/L	1	1/25/2007 10:59:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Acetone	22	10	B	µg/L	1	1/25/2007 10:59:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 25-Jan-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff.Batch 6-012407
Work Order: 070124054 **Collection Date:** 1/24/2007
Reference: Freeman's Bridge Road / Water Analysis - Batch **Lab Sample ID:** 070124054-001
PO#: **Matrix:** WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Chloroform	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
2-Butanone	< 10	10		µg/L	1	1/25/2007 10:59:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Benzene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Bromoform	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	1/25/2007 10:59:00 AM
2-Hexanone	< 10	10		µg/L	1	1/25/2007 10:59:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Toluene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Styrene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	1/25/2007 10:59:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Cyclohexane	< 10	10		µg/L	1	1/25/2007 10:59:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 25-Jan-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff.Batch 6-012407
Work Order: 070124054 **Collection Date:** 1/24/2007
Reference: Freeman's Bridge Road / Water Analysis - Batch **Lab Sample ID:** 070124054-001
PO#: **Matrix:** WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	1/25/2007 10:59:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	1/25/2007 10:59:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	< 1.0	1.0		mg/L	1	1/24/2007
PH E150.1						Analyst: RC
pH	7.4	1.0		pH Units	1	1/24/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	815	5		mg/L	1	1/25/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	< 1.0	1.0		mg/L	1	1/24/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	4.0	0.10		NTU	1	1/24/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range



314 North Pearl Street
 Albany, New York 12207
 518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: DACOLLINS		Address:						
Send Report To: J BRADSHAW		Project Name (Location): FRR			Samplers: (Names): J BRADSHAW			
Client Phone No: 361-1247		Client Fax No: 377-4147		PO Number: 006516		Samplers: (Signature): 		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
001	EFF. BATCH # - 012407	1/24/07	1500	A P	WATER	X	8	FULL SUITE WATER
				A				
				P				
002	Trip Blank	1/24/07		A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				

AES Work Order #: 070124054		CC Report To / Special Instructions/Remarks: 24 HR. TAT	
Turnaround Time Request: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day		Rapid <input type="checkbox"/>	
Relinquished by: (Signature) 		Received by: (Signature) 	Date/Time 1/24/07 15:30
Relinquished by: (Signature)		Received by: (Signature)	Date/Time
Relinquished by: (Signature)		Received for Laboratory by: 	Date/Time 1/24/07 4:00 PM
TEMPERATURE Ambient or Chilled Notes: 2		PROPERLY PRESERVED Y N Notes:	RECEIVED WITHIN HOLDING TIMES Y N Notes:

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy





Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

February 27, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070226002

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 2/23/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709

AIHA#: 100307

Tara Daniels
Laboratory Manager

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Feb-07

CLIENT: D.A.Collins Environment
Work Order: 070226002
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 7-022307
Collection Date: 2/23/2007
Lab Sample ID: 070226002-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082
 (Prep: E608 - 2/23/2007)

Analyst: **KF**

Aroclor 1016	< 0.065	0.065		µg/L	1	2/24/2007 12:24:33 AM
Aroclor 1221	< 0.065	0.065		µg/L	1	2/24/2007 12:24:33 AM
Aroclor 1232	< 0.065	0.065		µg/L	1	2/24/2007 12:24:33 AM
Aroclor 1242	< 0.065	0.065		µg/L	1	2/24/2007 12:24:33 AM
Aroclor 1248	< 0.065	0.065		µg/L	1	2/24/2007 12:24:33 AM
Aroclor 1254	< 0.065	0.065		µg/L	1	2/24/2007 12:24:33 AM
Aroclor 1260	< 0.065	0.065		µg/L	1	2/24/2007 12:24:33 AM

ICP METALS E200.7
 (Prep: SW3010A - 2/26/2007)

Analyst: **KH**

Aluminum	0.030	0.100	J	mg/L	1	2/26/2007 11:42:00 AM
Antimony	< 0.060	0.060		mg/L	1	2/26/2007 11:42:00 AM
Arsenic	0.002	0.005	J	mg/L	1	2/26/2007 11:42:00 AM
Barium	0.074	0.010		mg/L	1	2/26/2007 11:42:00 AM
Beryllium	0	0.005	J	mg/L	1	2/26/2007 11:42:00 AM
Cadmium	0	0.005	J	mg/L	1	2/26/2007 11:42:00 AM
Calcium	161	0.050		mg/L	1	2/26/2007 11:42:00 AM
Chromium	< 0.005	0.005		mg/L	1	2/26/2007 11:42:00 AM
Cobalt	0.008	0.050	J	mg/L	1	2/26/2007 11:42:00 AM
Copper	0.002	0.005	J	mg/L	1	2/26/2007 11:42:00 AM
Iron	0.158	0.050		mg/L	1	2/26/2007 11:42:00 AM
Lead	< 0.005	0.005		mg/L	1	2/26/2007 11:42:00 AM
Magnesium	19.3	0.050		mg/L	1	2/26/2007 11:42:00 AM
Manganese	0.467	0.020		mg/L	1	2/26/2007 11:42:00 AM
Nickel	0.003	0.020	J	mg/L	1	2/26/2007 11:42:00 AM
Potassium	11.6	0.050		mg/L	1	2/26/2007 11:42:00 AM
Selenium	< 0.005	0.005		mg/L	1	2/26/2007 11:42:00 AM
Silver	< 0.010	0.010		mg/L	1	2/26/2007 11:42:00 AM
Sodium	40.8	0.050		mg/L	1	2/26/2007 11:42:00 AM
Thallium	0.018	0.010		mg/L	1	2/26/2007 11:42:00 AM
Vanadium	< 0.020	0.020		mg/L	1	2/26/2007 11:42:00 AM
Zinc	0.016	0.010		mg/L	1	2/26/2007 11:42:00 AM

MERCURY E245.1
 (Prep: E245.1 - 2/26/2007)

Analyst: **KH**

Mercury	< 0.0002	0.0002		mg/L	1	2/26/2007
---------	----------	--------	--	------	---	-----------

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Feb-07

CLIENT: D.A.Collins Environment
Work Order: 070226002
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 7-022307
Collection Date: 2/23/2007
Lab Sample ID: 070226002-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 2/26/2007)						
Phenol	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2-Chlorophenol	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2-Methylphenol	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
4-Methylphenol	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Hexachloroethane	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Nitrobenzene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Isophorone	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2-Nitrophenol	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Naphthalene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
4-Chloroaniline	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2-Nitroaniline	< 25	25		µg/L	1	2/27/2007 2:54:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Acenaphthylene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
3-Nitroaniline	< 25	25		µg/L	1	2/27/2007 2:54:00 PM
Acenaphthene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	2/27/2007 2:54:00 PM
4-Nitrophenol	< 25	25		µg/L	1	2/27/2007 2:54:00 PM
Dibenzofuran	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Diethyl phthalate	< 5	5		µg/L	1	2/27/2007 2:54:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Feb-07

CLIENT: D.A.Collins Environment
Work Order: 070226002
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 7-022307
Collection Date: 2/23/2007
Lab Sample ID: 070226002-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 2/26/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Fluorene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
4-Nitroaniline	< 25	25		µg/L	1	2/27/2007 2:54:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	2/27/2007 2:54:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Pentachlorophenol	< 25	25		µg/L	1	2/27/2007 2:54:00 PM
Phenanthrene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Anthracene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Carbazole	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Di-n-butyl phthalate	2	5	J	µg/L	1	2/27/2007 2:54:00 PM
Fluoranthene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Pyrene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Butyl benzyl phthalate	46	5		µg/L	1	2/27/2007 2:54:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	2/27/2007 2:54:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Chrysene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Bis(2-ethylhexyl)phthalate	1	5	J	µg/L	1	2/27/2007 2:54:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	2/27/2007 2:54:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	2/26/2007 11:46:00 AM
Bromomethane	< 10	10		µg/L	1	2/26/2007 11:46:00 AM
Vinyl chloride	< 10	10		µg/L	1	2/26/2007 11:46:00 AM
Chloroethane	< 10	10		µg/L	1	2/26/2007 11:46:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Acetone	18	10		µg/L	1	2/26/2007 11:46:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Feb-07

CLIENT: D.A.Collins Environment
Work Order: 070226002
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 7-022307
Collection Date: 2/23/2007
Lab Sample ID: 070226002-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Chloroform	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
2-Butanone	< 10	10		µg/L	1	2/26/2007 11:46:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Benzene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Bromoform	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	2/26/2007 11:46:00 AM
2-Hexanone	< 10	10		µg/L	1	2/26/2007 11:46:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Toluene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Styrene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	2/26/2007 11:46:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Cyclohexane	< 10	10		µg/L	1	2/26/2007 11:46:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Feb-07

CLIENT: D.A.Collins Environment
Work Order: 070226002
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 7-022307
Collection Date: 2/23/2007
Lab Sample ID: 070226002-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	2/26/2007 11:46:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	2/26/2007 11:46:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	0.7	1.0	J	mg/L	1	2/26/2007
PH E150.1						Analyst: LS
pH	7.2	1.0	H	pH Units	1	2/26/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	735	5		mg/L	1	2/26/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	< 1.0	1.0		mg/L	1	2/26/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	1.1	0.10	H	NTU	1	2/26/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>DP Collins</i>		Address:						
Send Report To: <i>Jay Bradshaw</i>		Project Name (Location) <i>Freemans Bridge</i>			Samplers: (Names) <i>Bullock</i>			
Client Phone No: <i>361 1247</i>		Client Fax No: <i>377 4147</i>		PO Number: <i>2006516</i>		Samplers: (Signature) <i>[Signature]</i>		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
<i>001</i>	<i>Eff Batch 7-022307</i>	<i>2/23/07</i>	<i>16:50</i>	<i>A</i>	<i>Water</i>	<i>X</i>	<i>8</i>	<i>Full Suite Water</i>
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				

AES Work Order #: <i>070226002</i>		CC Report To / Special Instructions/Remarks: <i>24 HR TAT</i>	
Turnaround Time Request: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day			
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date/Time <i>2/23/07</i>
Relinquished by: (Signature)		Received by: (Signature)	Date/Time
Relinquished by: (Signature)		Received for Laboratory by: <i>Kenneth S. Fuller</i>	Date/Time <i>2/23/07 5:54</i>
TEMPERATURE Ambient or <i>Chilled</i> <i>4</i>		PROPERLY PRESERVED <input checked="" type="radio"/> Y <input type="radio"/> N	RECEIVED WITHIN HOLDING TIMES <input checked="" type="radio"/> Y <input type="radio"/> N
Notes: _____		Notes: _____	Notes: _____

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

March 06, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070305001

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 3/2/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070305001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 8-030207
Collection Date: 3/2/2007
Lab Sample ID: 070305001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/5/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	3/5/2007 5:56:23 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	3/5/2007 5:56:23 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	3/5/2007 5:56:23 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	3/5/2007 5:56:23 PM
Aroclor 1248	0.067	0.065		µg/L	1	3/5/2007 5:56:23 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	3/5/2007 5:56:23 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	3/5/2007 5:56:23 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 3/5/2007)						
Aluminum	0.065	0.100	J	mg/L	1	3/5/2007 11:26:00 AM
Antimony	0.005	0.060	J	mg/L	1	3/5/2007 11:26:00 AM
Arsenic	0.003	0.005	J	mg/L	1	3/5/2007 11:26:00 AM
Barium	0.047	0.010		mg/L	1	3/5/2007 11:26:00 AM
Beryllium	< 0.005	0.005		mg/L	1	3/5/2007 11:26:00 AM
Cadmium	0	0.005	J	mg/L	1	3/5/2007 11:26:00 AM
Calcium	84.9	0.050		mg/L	1	3/5/2007 11:26:00 AM
Chromium	< 0.005	0.005		mg/L	1	3/5/2007 11:26:00 AM
Cobalt	0.005	0.050	J	mg/L	1	3/5/2007 11:26:00 AM
Copper	0.001	0.005	J	mg/L	1	3/5/2007 11:26:00 AM
Iron	0.159	0.050		mg/L	1	3/5/2007 11:26:00 AM
Lead	0	0.005	J	mg/L	1	3/5/2007 11:26:00 AM
Magnesium	10.1	0.050		mg/L	1	3/5/2007 11:26:00 AM
Manganese	0.353	0.020		mg/L	1	3/5/2007 11:26:00 AM
Nickel	0.002	0.020	J	mg/L	1	3/5/2007 11:26:00 AM
Potassium	10.7	0.050		mg/L	1	3/5/2007 11:26:00 AM
Selenium	0	0.005	J	mg/L	1	3/5/2007 11:26:00 AM
Silver	< 0.010	0.010		mg/L	1	3/5/2007 11:26:00 AM
Sodium	49.3	0.050		mg/L	1	3/5/2007 11:26:00 AM
Thallium	0.003	0.010	J	mg/L	1	3/5/2007 11:26:00 AM
Vanadium	< 0.020	0.020		mg/L	1	3/5/2007 11:26:00 AM
Zinc	0.008	0.010	J	mg/L	1	3/5/2007 11:26:00 AM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 3/5/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	3/6/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070305001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 8-030207
Collection Date: 3/2/2007
Lab Sample ID: 070305001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 3/5/2007)						
Phenol	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2-Chlorophenol	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2-Methylphenol	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
4-Methylphenol	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Hexachloroethane	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Nitrobenzene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Isophorone	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2-Nitrophenol	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Naphthalene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
4-Chloroaniline	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2-Nitroaniline	< 25	25		µg/L	1	3/5/2007 3:48:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Acenaphthylene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
3-Nitroaniline	< 25	25		µg/L	1	3/5/2007 3:48:00 PM
Acenaphthene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	3/5/2007 3:48:00 PM
4-Nitrophenol	< 25	25		µg/L	1	3/5/2007 3:48:00 PM
Dibenzofuran	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Diethyl phthalate	< 5	5		µg/L	1	3/5/2007 3:48:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070305001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 8-030207
Collection Date: 3/2/2007
Lab Sample ID: 070305001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 3/5/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Fluorene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
4-Nitroaniline	< 25	25		µg/L	1	3/5/2007 3:48:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	3/5/2007 3:48:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Pentachlorophenol	< 25	25		µg/L	1	3/5/2007 3:48:00 PM
Phenanthrene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Anthracene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Carbazole	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Fluoranthene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Pyrene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	3/5/2007 3:48:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Chrysene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	3/5/2007 3:48:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/6/2007 11:11:00 AM
Bromomethane	< 10	10		µg/L	1	3/6/2007 11:11:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/6/2007 11:11:00 AM
Chloroethane	< 10	10		µg/L	1	3/6/2007 11:11:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Acetone	7	10	J	µg/L	1	3/6/2007 11:11:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070305001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 8-030207
Collection Date: 3/2/2007
Lab Sample ID: 070305001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Chloroform	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
2-Butanone	< 10	10		µg/L	1	3/6/2007 11:11:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Benzene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Bromoform	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/6/2007 11:11:00 AM
2-Hexanone	< 10	10		µg/L	1	3/6/2007 11:11:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Toluene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Styrene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/6/2007 11:11:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Cyclohexane	< 10	10		µg/L	1	3/6/2007 11:11:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070305001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 8-030207
Collection Date: 3/2/2007
Lab Sample ID: 070305001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/6/2007 11:11:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:11:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	< 1.0	1.0		mg/L	1	3/5/2007
PH E150.1						Analyst: LS
pH	7.1	1.0		pH Units	1	3/5/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	615	5		mg/L	1	3/5/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	3.0	1.0		mg/L	1	3/5/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	3.3	0.10	H	NTU	1	3/5/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070305001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/2/2007
Lab Sample ID: 070305001-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/6/2007 11:39:00 AM
Bromomethane	< 10	10		µg/L	1	3/6/2007 11:39:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/6/2007 11:39:00 AM
Chloroethane	< 10	10		µg/L	1	3/6/2007 11:39:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Acetone	6	10	J	µg/L	1	3/6/2007 11:39:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Chloroform	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
2-Butanone	< 10	10		µg/L	1	3/6/2007 11:39:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Benzene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Bromoform	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/6/2007 11:39:00 AM
2-Hexanone	< 10	10		µg/L	1	3/6/2007 11:39:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Toluene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Styrene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/6/2007 11:39:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070305001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/2/2007
Lab Sample ID: 070305001-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Cyclohexane	< 10	10		µg/L	1	3/6/2007 11:39:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/6/2007 11:39:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	3/6/2007 11:39:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



314 North Pearl Street
 Albany, New York 12207
 518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>DA Collins Const</i>		Address: <i>PO Box 161, Mechanicville NY</i>	
Send Report To: <i>Jay Bradshaw</i>		Project Name (Location): <i>Freemans Bridge</i>	Samplers: (Names): <i>Bullock</i>
Client Phone No:	Client Fax No:	PO Number:	Samplers: (Signature): <i>[Signature]</i>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
	<i>Full Sui</i>			A				
				P				
<i>001</i>	<i>Eff-Batch 8-030207</i>	<i>3/2/07</i>	<i>1500</i>	A	<i>W</i>		<i>9</i>	<i>Full Suite water</i>
	<i>Trip Blank Lot # 140</i>	<i>L</i>	<i>-</i>	A	<i>WFA</i>		<i>1</i>	<i>CFA 9260</i>
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				

AES Work Order #: <i>070305001</i>		CC Report To / Special Instructions/Remarks: <i>Email Results to jbradshaw@da.collins.com</i>	
Turnaround Time Request: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day			
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received for Laboratory by: <i>[Signature]</i>	Date/Time <i>3/2/07 5:25 P.M.</i>	
TEMPERATURE Ambient or Chilled Notes: <i>40C</i>	PROPERLY PRESERVED <i>Y</i> <i>N</i> Notes:	RECEIVED WITHIN HOLDING TIMES <i>Y</i> <i>N</i> Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy





Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



314 North Pearl Street - Albany, New York 12207
Phone (518) 434-4546 Fax (518) 434-0891

RECEIVED 3/13/07

[Handwritten signature]

Fax

To: Jay Bradshaw From: Tara Daniels
 Company Name: _____ Pages: 9
 Fax: _____ Date: 3/13/07
 Re: _____ CC: _____

Urgent - Deliver Immediately For Review Reply ASAP Please Comment

• Comments:

WORK ORDER #: 070312001

Hard Copy to be mailed: ___ Yes ___ No

PLEASE CALL CINDY AT (518) 434-4546 IF YOU HAVE DIFFICULTY RECEIVING THIS TRANSMISSION IN ITS ENTIRETY

LEGAL NOTICE

Unless expressly stated otherwise, this message is confidential and may be privileged. It is intended for the addressee(s) only. Access to this fax by anyone else is unauthorized. If you are not an addressee, any disclosure or copying of the contents of this fax or any action taken (or not taken) in reliance on it is unauthorized and may be unlawful. If you are not an addressee, please inform the sender immediately.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4548 ♦ Fax (518) 434-0891

March 13, 2007

Jay Bradshaw
D.A. Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070312001

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 3/12/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709

ATHA#: 100307

J. Bradshaw 377-4147 - FAX

<p>Qualifiers:</p> <p>ND - Not Detected at the Reporting Limit</p> <p>J - Analyte detected below quantitation limits</p> <p>B - Analyte detected in the associated Method Blank</p> <p>X - Value exceeds Maximum Contaminant Level</p>	<p>S - Spike Recovery outside accepted recovery limits</p> <p>R - RPD outside accepted recovery limits</p> <p>T - Tentitively Identified Compound-Estimated Conc.</p> <p>E - Value above quantitation range</p>
---	---

Adirondack Environmental Services, Inc

Date: 13-Mar-07

CLIENT: D.A.Collins Environment
 Work Order: 070312001
 Reference: Freeman's Bridge Road /
 PO#:

Client Sample ID: EFF BATCH 9-030907
 Collection Date: 3/9/2007
 Lab Sample ID: 070312001-001
 Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/9/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	3/10/2007 12:52:05 AM
Aroclor 1221	< 0.065	0.065		µg/L	1	3/10/2007 12:52:05 AM
Aroclor 1232	< 0.065	0.065		µg/L	1	3/10/2007 12:52:05 AM
Aroclor 1242	< 0.065	0.065		µg/L	1	3/10/2007 12:52:05 AM
Aroclor 1248	0.02	0.065	J	µg/L	1	3/10/2007 12:52:05 AM
Aroclor 1254	< 0.065	0.065		µg/L	1	3/10/2007 12:52:05 AM
Aroclor 1260	< 0.065	0.065		µg/L	1	3/10/2007 12:52:05 AM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 3/12/2007)						
Aluminum	0.022	0.100	J	mg/L	1	3/12/2007 9:19:00 AM
Antimony	0.006	0.060	J	mg/L	1	3/12/2007 9:19:00 AM
Arsenic	0.002	0.005	J	mg/L	1	3/12/2007 9:19:00 AM
Barium	0.109	0.010		mg/L	1	3/12/2007 9:19:00 AM
Beryllium	< 0.005	0.005		mg/L	1	3/12/2007 9:19:00 AM
Cadmium	0	0.005	J	mg/L	1	3/12/2007 9:19:00 AM
Calcium	150	0.050		mg/L	1	3/12/2007 9:19:00 AM
Chromium	0.003	0.005	J	mg/L	1	3/12/2007 9:19:00 AM
Cobalt	0.012	0.050	J	mg/L	1	3/12/2007 9:19:00 AM
Copper	0.002	0.005	J	mg/L	1	3/12/2007 9:19:00 AM
Iron	0.123	0.050		mg/L	1	3/12/2007 9:19:00 AM
Lead	< 0.005	0.005		mg/L	1	3/12/2007 9:19:00 AM
Magnesium	19.3	0.050		mg/L	1	3/12/2007 9:19:00 AM
Manganese	0.769	0.020		mg/L	1	3/12/2007 9:19:00 AM
Nickel	0.004	0.020	J	mg/L	1	3/12/2007 9:19:00 AM
Potassium	8.53	0.050		mg/L	1	3/12/2007 9:19:00 AM
Seelenium	0.002	0.005	J	mg/L	1	3/12/2007 9:19:00 AM
Silver	0.001	0.010	J	mg/L	1	3/12/2007 9:19:00 AM
Sodium	41.7	0.050		mg/L	1	3/12/2007 9:19:00 AM
Thallium	0.016	0.010		mg/L	1	3/12/2007 9:19:00 AM
Vanadium	0.002	0.020	J	mg/L	1	3/12/2007 9:19:00 AM
Zinc	0.011	0.010		mg/L	1	3/12/2007 9:19:00 AM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 3/12/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	3/13/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070312001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 9-030907
Collection Date: 3/9/2007
Lab Sample ID: 070312001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 3/12/2007)						
Phenol	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2-Chlorophenol	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2-Methylphenol	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
4-Methylphenol	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Hexachloroethane	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Nitrobenzene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Isophorone	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2-Nitrophenol	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Naphthalene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
4-Chloroaniline	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2-Nitroaniline	< 25	25		µg/L	1	3/12/2007 5:52:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Acenaphthylene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
3-Nitroaniline	< 25	25		µg/L	1	3/12/2007 5:52:00 PM
Acenaphthene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	3/12/2007 5:52:00 PM
4-Nitrophenol	< 25	25		µg/L	1	3/12/2007 5:52:00 PM
Dibenzofuran	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Diethyl phthalate	< 5	5		µg/L	1	3/12/2007 5:52:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070312001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 9-030907
Collection Date: 3/9/2007
Lab Sample ID: 070312001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 3/12/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Fluorene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
4-Nitroaniline	< 25	25		µg/L	1	3/12/2007 5:52:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	3/12/2007 5:52:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Pentachlorophenol	< 25	25		µg/L	1	3/12/2007 5:52:00 PM
Phenanthrene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Anthracene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Carbazole	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Fluoranthene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Pyrene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Butyl benzyl phthalate	1	5	J	µg/L	1	3/12/2007 5:52:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	3/12/2007 5:52:00 PM
Benzo(a)anthracene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Chrysene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Bis(2-ethylhexyl)phthalate	2	5	J	µg/L	1	3/12/2007 5:52:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	3/12/2007 5:52:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/12/2007 10:25:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070312001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 9-030907
Collection Date: 3/9/2007
Lab Sample ID: 070312001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
2-Butanone	< 10	10		µg/L	1	3/12/2007 10:25:00 AM
2-Hexanone	< 10	10		µg/L	1	3/12/2007 10:25:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/12/2007 10:25:00 AM
Acetone	28	10		µg/L	1	3/12/2007 10:25:00 AM
Benzene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Bromofom	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Bromomethane	< 10	10		µg/L	1	3/12/2007 10:25:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Chloroethane	< 10	10		µg/L	1	3/12/2007 10:25:00 AM
Chloroform	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Chloromethane	< 10	10		µg/L	1	3/12/2007 10:25:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Cyclohexane	< 10	10		µg/L	1	3/12/2007 10:25:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/12/2007 10:25:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Styrene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Toluene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070312001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 9-030907
Collection Date: 3/9/2007
Lab Sample ID: 070312001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	3/12/2007 10:25:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/12/2007 10:25:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	0.4	1.0	J	mg/L	1	3/12/2007
PH E150.1						Analyst: RC
pH	7.2	1.0		pH Units	1	3/9/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: RC
TDS (Residue, Filterable)	772	5		mg/L	1	3/9/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	< 1.0	1.0		mg/L	1	3/9/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	1.7	0.10		NTU	1	3/9/2007

Qualifiers:

ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070312001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/9/2007
Lab Sample ID: 070312001-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/12/2007 10:53:00 AM
Bromomethane	< 10	10		µg/L	1	3/12/2007 10:53:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/12/2007 10:53:00 AM
Chloroethane	< 10	10		µg/L	1	3/12/2007 10:53:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Acetone	9	10	J	µg/L	1	3/12/2007 10:53:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Chloroform	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
2-Butanone	< 10	10		µg/L	1	3/12/2007 10:53:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Benzene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Bromoform	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/12/2007 10:53:00 AM
2-Hexanone	< 10	10		µg/L	1	3/12/2007 10:53:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Toluene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Styrene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/12/2007 10:53:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 B - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070312001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/9/2007
Lab Sample ID: 070312001-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW9260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Cyclohexane	< 10	10		µg/L	1	3/12/2007 10:53:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/12/2007 10:53:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	3/12/2007 10:53:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION
 314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns
CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd							
Send Report to: J Bradshaw		Project Name (Location): FBR			Samplers Name: J Bradshaw				
Client Phone #: 361-1247		Client PO #: 2006516			Samplers Signature:				
Client Fax #: 377-4147									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff Batch 9 - 030907	3/9/2007	1330	A	water		X	8	Full suite water
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
AES Work Order #: <u>070312 001</u>		Special Instructions/Remarks: 24 Hr. TAT							
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature)	Date	Time	Received by: (Signature)		Date	Time			
					3/9/07	4:35 pm			
Relinquished by: (Signature)	Date	Time	Received by: (Signature)		Date	Time			
	3/9/07	1:30							
Relinquished by: (Signature)	Date	Time	Received for Laboratory by:		Date	Time			
					3/12/07	7:55 AM			
Sample Temperature: Ambient ~ Chilled		Properly Preserved: <input checked="" type="radio"/> Y <input type="radio"/> N			Received Within Holding Times: <input checked="" type="radio"/> Y <input type="radio"/> N				
Notes: _____		Notes: _____			Notes: _____				




314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

March 20, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070319001

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 3/16/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709

AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070319001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 10-031607
Collection Date: 3/16/2007
Lab Sample ID: 070319001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: MG
(Prep: E608 - 3/16/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	3/16/2007 8:37:16 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	3/16/2007 8:37:16 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	3/16/2007 8:37:16 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	3/16/2007 8:37:16 PM
Aroclor 1248	1.9	0.065		µg/L	1	3/16/2007 8:37:16 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	3/16/2007 8:37:16 PM
Aroclor 1260	0.92	0.065		µg/L	1	3/16/2007 8:37:16 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 3/19/2007)						
Aluminum	1.81	0.100		mg/L	1	3/19/2007 12:43:00 PM
Antimony	0.029	0.060	J	mg/L	1	3/19/2007 12:43:00 PM
Arsenic	0.008	0.005		mg/L	1	3/19/2007 12:43:00 PM
Barium	0.106	0.010		mg/L	1	3/19/2007 12:43:00 PM
Beryllium	0	0.005	J	mg/L	1	3/19/2007 12:43:00 PM
Cadmium	0	0.005	J	mg/L	1	3/19/2007 12:43:00 PM
Calcium	125	0.050		mg/L	1	3/19/2007 12:43:00 PM
Chromium	0.004	0.005	J	mg/L	1	3/19/2007 12:43:00 PM
Cobalt	0.012	0.050	J	mg/L	1	3/19/2007 12:43:00 PM
Copper	0.013	0.005		mg/L	1	3/19/2007 12:43:00 PM
Iron	4.06	0.050		mg/L	1	3/19/2007 12:43:00 PM
Lead	0.031	0.005		mg/L	1	3/19/2007 12:43:00 PM
Magnesium	17.9	0.050		mg/L	1	3/19/2007 12:43:00 PM
Manganese	0.510	0.020		mg/L	1	3/19/2007 12:43:00 PM
Nickel	0.005	0.020	J	mg/L	1	3/19/2007 12:43:00 PM
Potassium	7.61	0.050		mg/L	1	3/19/2007 12:43:00 PM
Selenium	0.007	0.005		mg/L	1	3/19/2007 12:43:00 PM
Silver	< 0.010	0.010		mg/L	1	3/19/2007 12:43:00 PM
Sodium	55.8	0.500		mg/L	10	3/19/2007 12:48:00 PM
Thallium	0.008	0.010	J	mg/L	1	3/19/2007 12:43:00 PM
Vanadium	0.007	0.020	J	mg/L	1	3/19/2007 12:43:00 PM
Zinc	0.054	0.010		mg/L	1	3/19/2007 12:43:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 3/19/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	3/20/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070319001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 10-031607
Collection Date: 3/16/2007
Lab Sample ID: 070319001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 3/19/2007)						
Phenol	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2-Chlorophenol	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2-Methylphenol	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
4-Methylphenol	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Hexachloroethane	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Nitrobenzene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Isophorone	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2-Nitrophenol	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2,4-Dimethylphenol	3	5	J	µg/L	1	3/19/2007 7:08:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Naphthalene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
4-Chloroaniline	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2-Nitroaniline	< 25	25		µg/L	1	3/19/2007 7:08:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Acenaphthylene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
3-Nitroaniline	< 25	25		µg/L	1	3/19/2007 7:08:00 PM
Acenaphthene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	3/19/2007 7:08:00 PM
4-Nitrophenol	< 25	25		µg/L	1	3/19/2007 7:08:00 PM
Dibenzofuran	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Diethyl phthalate	< 5	5		µg/L	1	3/19/2007 7:08:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070319001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 10-031607
Collection Date: 3/16/2007
Lab Sample ID: 070319001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 3/19/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Fluorene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
4-Nitroaniline	< 25	25		µg/L	1	3/19/2007 7:08:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	3/19/2007 7:08:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Pentachlorophenol	< 25	25		µg/L	1	3/19/2007 7:08:00 PM
Phenanthrene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Anthracene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Carbazole	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Fluoranthene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Pyrene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	3/19/2007 7:08:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Chrysene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Bis(2-ethylhexyl)phthalate	2	5	J	µg/L	1	3/19/2007 7:08:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	3/19/2007 7:08:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/20/2007 11:28:00 AM
Bromomethane	< 10	10		µg/L	1	3/20/2007 11:28:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/20/2007 11:28:00 AM
Chloroethane	< 10	10		µg/L	1	3/20/2007 11:28:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Acetone	98	10		µg/L	1	3/20/2007 11:28:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070319001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 10-031607
Collection Date: 3/16/2007
Lab Sample ID: 070319001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Chloroform	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
2-Butanone	< 10	10		µg/L	1	3/20/2007 11:28:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Benzene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Bromoform	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/20/2007 11:28:00 AM
2-Hexanone	< 10	10		µg/L	1	3/20/2007 11:28:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Toluene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Styrene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/20/2007 11:28:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Cyclohexane	< 10	10		µg/L	1	3/20/2007 11:28:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070319001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 10-031607
Collection Date: 3/16/2007
Lab Sample ID: 070319001-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/20/2007 11:28:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:28:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	< 1.0	1.0		mg/L	1	3/20/2007
PH E150.1						Analyst: RC
pH	7.6	1.0		pH Units	1	3/17/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	670	5		mg/L	1	3/19/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	101	1.0		mg/L	1	3/19/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	100	0.20		NTU	2	3/17/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070319001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/16/2007
Lab Sample ID: 070319001-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
Bromomethane	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
Chloroethane	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Acetone	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Chloroform	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
2-Butanone	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Benzene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Bromoform	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
2-Hexanone	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Toluene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Styrene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070319001
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/16/2007
Lab Sample ID: 070319001-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Cyclohexane	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/20/2007 11:55:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	3/20/2007 11:55:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



314 North Pearl Street
 Albany, New York 12207
 518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>DA Collins Constr.</i>		Address: <i>101 Route 67 Mechanicville, NY</i>	
Send Report To: <i>Jay Bradshaw</i>		Project Name (Location): <i>Freemans Bridge</i>	Samplers: (Names) <i>Bullock</i>
Client Phone No: <i>518 664 9855</i>	Client Fax No:	PO Number: <i>2006516</i>	Samplers: (Signature) <i>[Signature]</i>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Com	Grab		
<i>601</i>	<i>Eff-Batch 10-031607</i>	<i>03/16/07</i>	<i>3:40</i>	<input checked="" type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G	<i>7</i>	<i>Full suite water</i>
<i>602</i>	<i>Trip Blank</i>	<i>03/16/07</i>		<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G	<i>1</i>	<i>8260</i>
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
	<i>Client</i>			<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		
				<input type="checkbox"/> A	<input type="checkbox"/> P	<input type="checkbox"/> G		

AES Work Order #: <i>070319001</i>		CC Report To / Special Instructions/Remarks:	
Turnaround Time Request: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day			
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received for Laboratory by: <i>[Signature]</i>	Date/Time <i>3/16/07 5:30pm</i>	
TEMPERATURE Ambient or <i>Chilled</i> <i>6°C</i>	PROPERLY PRESERVED <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	RECEIVED WITHIN HOLDING TIMES <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Notes:	Notes:	Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy






Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

March 23, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070322004

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 3/22/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Jay Bradshaw - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070322004
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 11-032207
Collection Date: 3/22/2007
Lab Sample ID: 070322004-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: KF
 (Prep: E608 - 3/22/2007)

Aroclor 1016	< 0.065	0.065		µg/L	1	3/22/2007 1:13:21 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	3/22/2007 1:13:21 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	3/22/2007 1:13:21 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	3/22/2007 1:13:21 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	3/22/2007 1:13:21 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	3/22/2007 1:13:21 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	3/22/2007 1:13:21 PM

ICP METALS E200.7 Analyst: KH
 (Prep: SW3010A - 3/22/2007)

Aluminum	< 0.100	0.100		mg/L	1	3/22/2007 1:31:00 PM
Antimony	< 0.060	0.060		mg/L	1	3/22/2007 1:31:00 PM
Arsenic	0.003	0.005	J	mg/L	1	3/22/2007 1:31:00 PM
Barium	0.089	0.010		mg/L	1	3/22/2007 1:31:00 PM
Beryllium	0	0.005	J	mg/L	1	3/22/2007 1:31:00 PM
Cadmium	0	0.005	J	mg/L	1	3/22/2007 1:31:00 PM
Calcium	137	0.050		mg/L	1	3/22/2007 1:31:00 PM
Chromium	< 0.005	0.005		mg/L	1	3/22/2007 1:31:00 PM
Cobalt	0.010	0.050	J	mg/L	1	3/22/2007 1:31:00 PM
Copper	0.013	0.005		mg/L	1	3/22/2007 1:31:00 PM
Iron	0.418	0.050		mg/L	1	3/22/2007 1:31:00 PM
Lead	< 0.005	0.005		mg/L	1	3/22/2007 1:31:00 PM
Magnesium	20.0	0.050		mg/L	1	3/22/2007 1:31:00 PM
Manganese	0.355	0.020		mg/L	1	3/22/2007 1:31:00 PM
Nickel	0.007	0.020	J	mg/L	1	3/22/2007 1:31:00 PM
Potassium	9.00	0.050		mg/L	1	3/22/2007 1:31:00 PM
Selenium	0.001	0.005	J	mg/L	1	3/22/2007 1:31:00 PM
Silver	< 0.010	0.010		mg/L	1	3/22/2007 1:31:00 PM
Sodium	112	0.500		mg/L	10	3/22/2007 1:40:00 PM
Thallium	0.015	0.010		mg/L	1	3/22/2007 1:31:00 PM
Vanadium	0.003	0.020	J	mg/L	1	3/22/2007 1:31:00 PM
Zinc	0.057	0.010		mg/L	1	3/22/2007 1:31:00 PM

MERCURY E245.1 Analyst: SM
 (Prep: E245.1 - 3/22/2007)

Mercury	< 0.0002	0.0002		mg/L	1	3/22/2007
---------	----------	--------	--	------	---	-----------

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070322004
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 11-032207
Collection Date: 3/22/2007
Lab Sample ID: 070322004-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 3/22/2007)						
Phenol	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2-Chlorophenol	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2-Methylphenol	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
4-Methylphenol	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Hexachloroethane	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Nitrobenzene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Isophorone	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2-Nitrophenol	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Naphthalene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
4-Chloroaniline	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2-Nitroaniline	< 25	25		µg/L	1	3/22/2007 6:50:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Acenaphthylene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
3-Nitroaniline	< 25	25		µg/L	1	3/22/2007 6:50:00 PM
Acenaphthene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	3/22/2007 6:50:00 PM
4-Nitrophenol	< 25	25		µg/L	1	3/22/2007 6:50:00 PM
Dibenzofuran	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Diethyl phthalate	< 5	5		µg/L	1	3/22/2007 6:50:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070322004
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 11-032207
Collection Date: 3/22/2007
Lab Sample ID: 070322004-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 3/22/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Fluorene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
4-Nitroaniline	< 25	25		µg/L	1	3/22/2007 6:50:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	3/22/2007 6:50:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Pentachlorophenol	< 25	25		µg/L	1	3/22/2007 6:50:00 PM
Phenanthrene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Anthracene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Carbazole	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Fluoranthene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Pyrene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	3/22/2007 6:50:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Chrysene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	3/22/2007 6:50:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	3/22/2007 11:30:00 AM
Bromomethane	< 10	10		µg/L	1	3/22/2007 11:30:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/22/2007 11:30:00 AM
Chloroethane	< 10	10		µg/L	1	3/22/2007 11:30:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Acetone	33	10		µg/L	1	3/22/2007 11:30:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070322004
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 11-032207
Collection Date: 3/22/2007
Lab Sample ID: 070322004-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Chloroform	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
2-Butanone	< 10	10		µg/L	1	3/22/2007 11:30:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Benzene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Bromoform	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/22/2007 11:30:00 AM
2-Hexanone	< 10	10		µg/L	1	3/22/2007 11:30:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Toluene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Styrene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/22/2007 11:30:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Cyclohexane	< 10	10		µg/L	1	3/22/2007 11:30:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070322004
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 11-032207
Collection Date: 3/22/2007
Lab Sample ID: 070322004-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/22/2007 11:30:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:30:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	< 1.0	1.0		mg/L	1	3/23/2007
PH E150.1						Analyst: RC
pH	7.8	1.0		pH Units	1	3/22/2004
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	845	5		mg/L	1	3/22/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	2.0	1.0		mg/L	1	3/22/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	1.9	0.10		NTU	1	3/22/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070322004
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/22/2007
Lab Sample ID: 070322004-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
Bromomethane	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
Chloroethane	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Acetone	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Chloroform	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
2-Butanone	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Benzene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Bromoform	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
2-Hexanone	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Toluene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Styrene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 23-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070322004
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/22/2007
Lab Sample ID: 070322004-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Cyclohexane	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/22/2007 11:58:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	3/22/2007 11:58:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd	
Send Report to: J Bradshaw		Project Name (Location): FBR	Samplers Name: J Bradshaw
Client Phone #: 361-1247		Client PO #: 2006516	Samplers Signature:
Client Fax #: 377-4147			

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff Batch 11 - 032207	3/22/2007	0740	A		water	X	8	Full suite water
002	Trip BLANK			A				1	
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					

AES Work Order #: 070322004	Special Instructions/Remarks: 24 Hr. TAT RUSH - PCB, TSS, Turbidity
	Turnaround Time Requested: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
				3/22/07	0750
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by:	Date	Time
				3/22/07	8:29

Sample Temperature Ambient ~ Chilled Notes: 3	Properly Preserved Y N Notes:	Received Within Holding Times Y N Notes:
--	--	---



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

March 30, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070329056

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 3/29/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070329056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 12-032907
Collection Date: 3/29/2007
Lab Sample ID: 070329056-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 3/29/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	3/29/2007 10:20:09 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	3/29/2007 10:20:09 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	3/29/2007 10:20:09 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	3/29/2007 10:20:09 PM
Aroclor 1248	0.03	0.065	J	µg/L	1	3/29/2007 10:20:09 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	3/29/2007 10:20:09 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	3/29/2007 10:20:09 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 3/30/2007)						
Aluminum	0.017	0.100	J	mg/L	1	3/30/2007 12:46:00 PM
Antimony	0.007	0.060	J	mg/L	1	3/30/2007 12:46:00 PM
Arsenic	0.006	0.005		mg/L	1	3/30/2007 12:46:00 PM
Barium	0.089	0.010		mg/L	1	3/30/2007 12:46:00 PM
Beryllium	0	0.005	J	mg/L	1	3/30/2007 12:46:00 PM
Cadmium	0	0.005	J	mg/L	1	3/30/2007 12:46:00 PM
Calcium	153	0.050		mg/L	1	3/30/2007 12:46:00 PM
Chromium	0.002	0.005	J	mg/L	1	3/30/2007 12:46:00 PM
Cobalt	0.009	0.050	J	mg/L	1	3/30/2007 12:46:00 PM
Copper	0.012	0.005		mg/L	1	3/30/2007 12:46:00 PM
Iron	0.111	0.050		mg/L	1	3/30/2007 12:46:00 PM
Lead	< 0.005	0.005		mg/L	1	3/30/2007 12:46:00 PM
Magnesium	20.0	0.050		mg/L	1	3/30/2007 12:46:00 PM
Manganese	0.516	0.020		mg/L	1	3/30/2007 12:46:00 PM
Nickel	0.006	0.020	J	mg/L	1	3/30/2007 12:46:00 PM
Potassium	8.47	0.050		mg/L	1	3/30/2007 12:46:00 PM
Selenium	< 0.005	0.005		mg/L	1	3/30/2007 12:46:00 PM
Silver	0	0.010	J	mg/L	1	3/30/2007 12:46:00 PM
Sodium	44.4	0.050		mg/L	1	3/30/2007 12:46:00 PM
Thallium	0.016	0.010		mg/L	1	3/30/2007 12:46:00 PM
Vanadium	< 0.020	0.020		mg/L	1	3/30/2007 12:46:00 PM
Zinc	0.024	0.010		mg/L	1	3/30/2007 12:46:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 3/30/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	3/30/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070329056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 12-032907
Collection Date: 3/29/2007
Lab Sample ID: 070329056-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 3/30/2007)						
Phenol	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2-Chlorophenol	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2-Methylphenol	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
4-Methylphenol	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Hexachloroethane	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Nitrobenzene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Isophorone	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2-Nitrophenol	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2,4-Dimethylphenol	3	5	J	µg/L	1	3/30/2007 12:52:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Naphthalene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
4-Chloroaniline	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2-Nitroaniline	< 25	25		µg/L	1	3/30/2007 12:52:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Acenaphthylene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
3-Nitroaniline	< 25	25		µg/L	1	3/30/2007 12:52:00 PM
Acenaphthene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	3/30/2007 12:52:00 PM
4-Nitrophenol	< 25	25		µg/L	1	3/30/2007 12:52:00 PM
Dibenzofuran	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Diethyl phthalate	< 5	5		µg/L	1	3/30/2007 12:52:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070329056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 12-032907
Collection Date: 3/29/2007
Lab Sample ID: 070329056-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C
 (Prep: SW3510/E625 - 3/30/2007)

Analyst: MT

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Fluorene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
4-Nitroaniline	< 25	25		µg/L	1	3/30/2007 12:52:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	3/30/2007 12:52:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Pentachlorophenol	< 25	25		µg/L	1	3/30/2007 12:52:00 PM
Phenanthrene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Anthracene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Carbazole	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Fluoranthene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Pyrene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	3/30/2007 12:52:00 PM
Benzo(a)anthracene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Chrysene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	3/30/2007 12:52:00 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

1,1,1,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Chloromethane	< 10	10		µg/L	1	3/30/2007 11:06:00 AM
Bromomethane	< 10	10		µg/L	1	3/30/2007 11:06:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/30/2007 11:06:00 AM
Chloroethane	< 10	10		µg/L	1	3/30/2007 11:06:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Acetone	180	10		µg/L	1	3/30/2007 11:06:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070329056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 12-032907
Collection Date: 3/29/2007
Lab Sample ID: 070329056-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Chloroform	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
2-Butanone	17	10		µg/L	1	3/30/2007 11:06:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Benzene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Bromoform	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/30/2007 11:06:00 AM
2-Hexanone	< 10	10		µg/L	1	3/30/2007 11:06:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Toluene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Styrene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/30/2007 11:06:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Cyclohexane	< 10	10		µg/L	1	3/30/2007 11:06:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070329056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 12-032907
Collection Date: 3/29/2007
Lab Sample ID: 070329056-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/30/2007 11:06:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:06:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	0.7	1.0	J	mg/L	1	3/30/2007
PH E150.1						Analyst: LS
pH	7.4	1.0		pH Units	1	3/29/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	815	5		mg/L	1	3/30/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	< 1.0	1.0		mg/L	1	3/30/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	1.0	0.10		NTU	1	3/29/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Mar-07

CLIENT: D.A.Collins Environment
Work Order: 070329056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 3/29/2007
Lab Sample ID: 070329056-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	3/30/2007 11:34:00 AM
Bromomethane	< 10	10		µg/L	1	3/30/2007 11:34:00 AM
Vinyl chloride	< 10	10		µg/L	1	3/30/2007 11:34:00 AM
Chloroethane	< 10	10		µg/L	1	3/30/2007 11:34:00 AM
Methylene chloride	5.2	5.0		µg/L	1	3/30/2007 11:34:00 AM
Acetone	6	10	J	µg/L	1	3/30/2007 11:34:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Chloroform	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
2-Butanone	< 10	10		µg/L	1	3/30/2007 11:34:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Benzene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Bromoform	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	3/30/2007 11:34:00 AM
2-Hexanone	< 10	10		µg/L	1	3/30/2007 11:34:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Toluene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Styrene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	3/30/2007 11:34:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Mar-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank

Work Order: 070329056

Collection Date: 3/29/2007

Reference: Freeman's Bridge Road /

Lab Sample ID: 070329056-002

PO#:

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Cyclohexane	< 10	10		µg/L	1	3/30/2007 11:34:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	3/30/2007 11:34:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	3/30/2007 11:34:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd							
Send Report to: J Bradshaw		Project Name (Location): FBR			Samplers Name: S Bullock				
Client Phone #: 361-1247		Client PO #: 2006516			Samplers Signature: <i>[Signature]</i>				
Client Fax #: 377-4147									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff Batch 12 - 032907	3/29/2007	1500	A	P	water		X	89 ^{0m} 3/29 Full suite water
002	Trip Blank			A	P				1
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
				A	P				
AES Work Order #: 070329056		Special Instructions/Remarks: 24 Hr. TAT & Grease is not preserved - Preserved at lab Oil w/ H ₂ SO ₄ - DA 3/29/07 <i>Rapid</i>							
Turnaround Time Requested: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature) <i>[Signature]</i>		Date	Time	Received by: (Signature) <i>[Signature]</i>			Date	Time	
		03/29/07	1400HRS				3/29/07	2:30PM	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: <i>[Signature]</i>			Date	Time	
							3/29/07	3:14PM	
Sample Temperature Ambient ~ <u>Chilled</u> 7				Properly Preserved <u>Y</u> N				Received Within Holding Times <u>Y</u> N	
Notes: _____				Notes: _____				Notes: _____	



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 06, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070405022

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 4/5/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Jay Bradshaw - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070405022
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 13-040507
Collection Date: 4/5/2007
Lab Sample ID: 070405022-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 4/5/2007)

Aroclor 1016	< 0.065	0.065		µg/L	1	4/5/2007 9:30:21 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	4/5/2007 9:30:21 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	4/5/2007 9:30:21 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	4/5/2007 9:30:21 PM
Aroclor 1248	0.03	0.065	J	µg/L	1	4/5/2007 9:30:21 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	4/5/2007 9:30:21 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	4/5/2007 9:30:21 PM

ICP METALS E200.7 Analyst: **SM**

Aluminum	0.073	0.100	J	mg/L	1	4/5/2007 4:04:00 PM
Antimony	0.003	0.060	J	mg/L	1	4/5/2007 4:04:00 PM
Arsenic	0.001	0.005	J	mg/L	1	4/5/2007 4:04:00 PM
Barium	0.048	0.010		mg/L	1	4/5/2007 4:04:00 PM
Beryllium	0	0.005	J	mg/L	1	4/5/2007 4:04:00 PM
Cadmium	0	0.005	J	mg/L	1	4/5/2007 4:04:00 PM
Calcium	99.8	0.050		mg/L	1	4/5/2007 4:04:00 PM
Chromium	< 0.005	0.005		mg/L	1	4/5/2007 4:04:00 PM
Cobalt	0.006	0.050	J	mg/L	1	4/5/2007 4:04:00 PM
Copper	0.019	0.005		mg/L	1	4/5/2007 4:04:00 PM
Iron	0.105	0.050		mg/L	1	4/5/2007 4:04:00 PM
Lead	< 0.005	0.005		mg/L	1	4/5/2007 4:04:00 PM
Magnesium	12.0	0.050		mg/L	1	4/5/2007 4:04:00 PM
Manganese	0.162	0.020		mg/L	1	4/5/2007 4:04:00 PM
Nickel	0.007	0.020	J	mg/L	1	4/5/2007 4:04:00 PM
Potassium	7.02	0.050		mg/L	1	4/5/2007 4:04:00 PM
Selenium	0.003	0.005	J	mg/L	1	4/5/2007 4:04:00 PM
Silver	0	0.010	J	mg/L	1	4/5/2007 4:04:00 PM
Sodium	32.9	0.050		mg/L	1	4/5/2007 4:04:00 PM
Thallium	0.006	0.010	J	mg/L	1	4/5/2007 4:04:00 PM
Vanadium	0.003	0.020	J	mg/L	1	4/5/2007 4:04:00 PM
Zinc	0.026	0.010		mg/L	1	4/5/2007 4:04:00 PM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 4/6/2007)

Mercury	< 0.0002	0.0002		mg/L	1	4/6/2007
---------	----------	--------	--	------	---	----------

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070405022
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 13-040507
Collection Date: 4/5/2007
Lab Sample ID: 070405022-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 4/5/2007)						
Phenol	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2-Chlorophenol	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2-Methylphenol	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
4-Methylphenol	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Hexachloroethane	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Nitrobenzene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Isophorone	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2-Nitrophenol	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Naphthalene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
4-Chloroaniline	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2-Nitroaniline	< 25	25		µg/L	1	4/6/2007 11:54:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Acenaphthylene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
3-Nitroaniline	< 25	25		µg/L	1	4/6/2007 11:54:00 AM
Acenaphthene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	4/6/2007 11:54:00 AM
4-Nitrophenol	< 25	25		µg/L	1	4/6/2007 11:54:00 AM
Dibenzofuran	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Diethyl phthalate	< 5	5		µg/L	1	4/6/2007 11:54:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070405022
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 13-040507
Collection Date: 4/5/2007
Lab Sample ID: 070405022-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 4/5/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Fluorene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
4-Nitroaniline	< 25	25		µg/L	1	4/6/2007 11:54:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	4/6/2007 11:54:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Pentachlorophenol	< 25	25		µg/L	1	4/6/2007 11:54:00 AM
Phenanthrene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Anthracene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Carbazole	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Fluoranthene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Pyrene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Butyl benzyl phthalate	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	4/6/2007 11:54:00 AM
Benz(a)anthracene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Chrysene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	4/6/2007 11:54:00 AM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 50	50		µg/L	5	4/6/2007 11:29:00 AM
Bromomethane	< 50	50		µg/L	5	4/6/2007 11:29:00 AM
Vinyl chloride	< 50	50		µg/L	5	4/6/2007 11:29:00 AM
Chloroethane	< 50	50		µg/L	5	4/6/2007 11:29:00 AM
Methylene chloride	31	25		µg/L	5	4/6/2007 11:29:00 AM
Acetone	820	50		µg/L	5	4/6/2007 11:29:00 AM
Carbon disulfide	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,1-Dichloroethene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,1-Dichloroethane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070405022
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 13-040507
Collection Date: 4/5/2007
Lab Sample ID: 070405022-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
cis-1,2-Dichloroethene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Chloroform	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,2-Dichloroethane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
2-Butanone	50	50	J	µg/L	5	4/6/2007 11:29:00 AM
1,1,1-Trichloroethane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Carbon tetrachloride	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Bromodichloromethane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,2-Dichloropropane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
cis-1,3-Dichloropropene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Trichloroethene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Dibromochloromethane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,1,2-Trichloroethane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Benzene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
trans-1,3-Dichloropropene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Bromoform	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
4-Methyl-2-pentanone	< 50	50		µg/L	5	4/6/2007 11:29:00 AM
2-Hexanone	< 50	50		µg/L	5	4/6/2007 11:29:00 AM
Tetrachloroethene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,1,2,2-Tetrachloroethane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Toluene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Chlorobenzene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Ethylbenzene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Styrene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
m,p-Xylene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
o-Xylene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Methyl tert-butyl ether	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Dichlorodifluoromethane	< 50	50		µg/L	5	4/6/2007 11:29:00 AM
Methyl Acetate	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Cyclohexane	< 50	50		µg/L	5	4/6/2007 11:29:00 AM
Trichlorofluoromethane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Methyl Cyclohexane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,2-Dibromoethane	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,3-Dichlorobenzene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
Isopropylbenzene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,2-Dichlorobenzene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
1,4-Dichlorobenzene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070405022
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF BATCH 13-040507
Collection Date: 4/5/2007
Lab Sample ID: 070405022-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 50	50		µg/L	5	4/6/2007 11:29:00 AM
1,2,4-Trichlorobenzene	< 25	25		µg/L	5	4/6/2007 11:29:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	0.8	1.0	J	mg/L	1	4/6/2007
PH E150.1						Analyst: LS
pH	7.2	1.0		pH Units	1	4/5/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	565	5		mg/L	1	4/5/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	1.0	1.0		mg/L	1	4/5/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	1.5	0.10		NTU	1	4/5/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins	Address: 34 Freemans Bridge Rd	
--------------------------------	---------------------------------------	--

Send Report to: J Bradshaw	Project Name (Location): FBR	Samplers Name: S Bullock
-----------------------------------	-------------------------------------	---------------------------------

Client Phone #: 361-1247	Client PO #: 2006516	Samplers Signature:
Client Fax #: 377-4147		

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff Batch 13 - 040507	4/5/2007	800	A	water		X	8	Full suite water
			1100	P					
				P					
				P					
				P					
				P					
				P					
				P					
				P					
				P					
				P					
				P					
				P					
				P					
				P					
				P					
				P					
				P					
<i>considered (repeal)</i>									

AES Work Order #: **070405022**

Special Instructions/Remarks:
24 Hr. TAT

Turnaround Time Requested:
 1 Day 3 Day Normal
 2 Day 5 Day

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by:	Date	Time
				4/5	12:03

Sample Temperature
 Ambient ~ Chilled

Notes: _____

Properly Preserved
 Y N

Notes: _____

Received Within Holding Times
 Y N

Notes: _____




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 13, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070412041

PO#: 2006516

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 4/12/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Jay Bradshaw - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070412041
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: Eff Batch 14-041207
Collection Date: 4/12/2007
Lab Sample ID: 070412041-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 4/12/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	4/12/2007 10:25:10 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	4/12/2007 10:25:10 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	4/12/2007 10:25:10 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	4/12/2007 10:25:10 PM
Aroclor 1248	0.03	0.065	J	µg/L	1	4/12/2007 10:25:10 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	4/12/2007 10:25:10 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	4/12/2007 10:25:10 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 4/13/2007)						
Aluminum	0.041	0.100	J	mg/L	1	4/13/2007 1:16:00 PM
Antimony	0.080	0.060		mg/L	1	4/13/2007 1:16:00 PM
Arsenic	0.012	0.005		mg/L	1	4/13/2007 1:16:00 PM
Barium	0.037	0.010		mg/L	1	4/13/2007 1:16:00 PM
Beryllium	0	0.005	J	mg/L	1	4/13/2007 1:16:00 PM
Cadmium	< 0.005	0.005		mg/L	1	4/13/2007 1:16:00 PM
Calcium	83.4	0.050		mg/L	1	4/13/2007 1:16:00 PM
Chromium	0	0.005	J	mg/L	1	4/13/2007 1:16:00 PM
Cobalt	0.001	0.050	J	mg/L	1	4/13/2007 1:16:00 PM
Copper	0.005	0.005		mg/L	1	4/13/2007 1:16:00 PM
Iron	0.265	0.050		mg/L	1	4/13/2007 1:16:00 PM
Lead	0.001	0.005	J	mg/L	1	4/13/2007 1:16:00 PM
Magnesium	12.5	0.050		mg/L	1	4/13/2007 1:16:00 PM
Manganese	0.271	0.020		mg/L	1	4/13/2007 1:16:00 PM
Nickel	0.005	0.020	J	mg/L	1	4/13/2007 1:16:00 PM
Potassium	6.93	0.050		mg/L	1	4/13/2007 1:16:00 PM
Selenium	0.015	0.005		mg/L	1	4/13/2007 1:16:00 PM
Silver	< 0.010	0.010		mg/L	1	4/13/2007 1:16:00 PM
Sodium	38.2	0.050		mg/L	1	4/13/2007 1:16:00 PM
Thallium	0.004	0.010	J	mg/L	1	4/13/2007 1:16:00 PM
Vanadium	0	0.020	J	mg/L	1	4/13/2007 1:16:00 PM
Zinc	0.032	0.010		mg/L	1	4/13/2007 1:16:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 4/13/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	4/13/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070412041
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: Eff Batch 14-041207
Collection Date: 4/12/2007
Lab Sample ID: 070412041-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MG
(Prep: SW3510/E625 - 4/12/2007)						
Phenol	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2-Chlorophenol	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2-Methylphenol	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
4-Methylphenol	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Hexachloroethane	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Nitrobenzene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Isophorone	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2-Nitrophenol	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Naphthalene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
4-Chloroaniline	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2-Nitroaniline	< 25	25		µg/L	1	4/13/2007 12:55:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Acenaphthylene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
3-Nitroaniline	< 25	25		µg/L	1	4/13/2007 12:55:00 PM
Acenaphthene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	4/13/2007 12:55:00 PM
4-Nitrophenol	< 25	25		µg/L	1	4/13/2007 12:55:00 PM
Dibenzofuran	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Diethyl phthalate	< 5	5		µg/L	1	4/13/2007 12:55:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070412041
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: Eff Batch 14-041207
Collection Date: 4/12/2007
Lab Sample ID: 070412041-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C
 (Prep: SW3510/E625 - 4/12/2007)

Analyst: **MG**

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Fluorene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
4-Nitroaniline	< 25	25		µg/L	1	4/13/2007 12:55:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	4/13/2007 12:55:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Pentachlorophenol	< 25	25		µg/L	1	4/13/2007 12:55:00 PM
Phenanthrene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Anthracene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Carbazole	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Fluoranthene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Pyrene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	4/13/2007 12:55:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Chrysene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Bis(2-ethylhexyl)phthalate	2	5	J	µg/L	1	4/13/2007 12:55:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	4/13/2007 12:55:00 PM

VOLATILE ORGANICS SW8260B

Analyst: **ML**

Chloromethane	< 10	10		µg/L	1	4/12/2007 7:10:00 PM
Bromomethane	< 10	10		µg/L	1	4/12/2007 7:10:00 PM
Vinyl chloride	< 10	10		µg/L	1	4/12/2007 7:10:00 PM
Chloroethane	< 10	10		µg/L	1	4/12/2007 7:10:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Acetone	39	10		µg/L	1	4/12/2007 7:10:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070412041
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: Eff Batch 14-041207
Collection Date: 4/12/2007
Lab Sample ID: 070412041-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Chloroform	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
2-Butanone	< 10	10		µg/L	1	4/12/2007 7:10:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Benzene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Bromoform	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/12/2007 7:10:00 PM
2-Hexanone	< 10	10		µg/L	1	4/12/2007 7:10:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Toluene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Styrene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/12/2007 7:10:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Cyclohexane	< 10	10		µg/L	1	4/12/2007 7:10:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070412041
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: Eff Batch 14-041207
Collection Date: 4/12/2007
Lab Sample ID: 070412041-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/12/2007 7:10:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:10:00 PM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	1.0	1.0	J	mg/L	1	4/13/2007
PH E150.1						Analyst: RC
pH	7.5	1.0		pH Units	1	4/13/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: RC
TDS (Residue, Filterable)	495	5		mg/L	1	4/13/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	3.5	1.0		mg/L	1	4/12/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	1.3	0.10		NTU	1	4/13/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070412041
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: Trip Blank
Collection Date: 4/12/2007
Lab Sample ID: 070412041-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
Bromomethane	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
Vinyl chloride	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
Chloroethane	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Acetone	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Chloroform	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
2-Butanone	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Benzene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Bromoform	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
2-Hexanone	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Toluene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Styrene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070412041
Reference: Freeman's Bridge Road /
PO#: 2006516

Client Sample ID: Trip Blank
Collection Date: 4/12/2007
Lab Sample ID: 070412041-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Cyclohexane	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/12/2007 7:38:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	4/12/2007 7:38:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins Address: 34 Freemans Bridge Rd

Send Report to: J Bradshaw Project Name (Location): FBR Samplers Name: S Bullock

Client Phone #: 361-1247 Client PO #: 2006516 Samplers Signature: [Signature]

Table with columns: AES Sample Number, Client Sample Identification & Location, Date Sampled, Time A=am P=pm, Sample Type (Matrix, C, G), Number of Cont's, Analysis. Row 1: 001, Eff Batch 14 - 041207, 4/12/2007, 1300, A P, water, X, 8, Full suite water. Row 2: 002, Trip BLANK.

AES Work Order #: 070412041 Special Instructions/Remarks: 24 Hr. TAT

Turnaround Time Requested: [] 1 Day [] 3 Day [] Normal [] 2 Day [] 5 Day

Relinquished by: (Signature) Date 4/12/07 Time 14:30 Received by: (Signature) Date 4/12/07 Time 14:30

Relinquished by: (Signature) Date Date Time Received for Laboratory by: [Signature] Date 4/12/07 Time 339

Sample Temperature: Ambient ~ Chilled (60) Properly Preserved: (Y) N Received Within Holding Times: (Y) N Notes:



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 27, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070420045

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 15

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 4/20/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709

AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-07

CLIENT: D.A.Collins Environment
Work Order: 070420045
Reference: Freeman's Bridge Road / Effluent Batch 15
PO#:

Client Sample ID: Eff Batch 15-042007
Collection Date: 4/20/2007
Lab Sample ID: 070420045-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 4/20/2007)

Aroclor 1016	< 0.065	0.065		µg/L	1	4/21/2007 3:36:21 AM
Aroclor 1221	< 0.065	0.065		µg/L	1	4/21/2007 3:36:21 AM
Aroclor 1232	< 0.065	0.065		µg/L	1	4/21/2007 3:36:21 AM
Aroclor 1242	< 0.065	0.065		µg/L	1	4/21/2007 3:36:21 AM
Aroclor 1248	0.092	0.065		µg/L	1	4/21/2007 3:36:21 AM
Aroclor 1254	< 0.065	0.065		µg/L	1	4/21/2007 3:36:21 AM
Aroclor 1260	< 0.065	0.065		µg/L	1	4/21/2007 3:36:21 AM

ICP METALS E200.7 Analyst: **SM**
 (Prep: SW3010A - 4/23/2007)

Aluminum	0.023	0.100	J	mg/L	1	4/23/2007 12:40:00 PM
Antimony	0.083	0.060		mg/L	1	4/23/2007 12:40:00 PM
Arsenic	0.014	0.005		mg/L	1	4/23/2007 12:40:00 PM
Barium	0.064	0.010		mg/L	1	4/23/2007 12:40:00 PM
Beryllium	0	0.005	J	mg/L	1	4/23/2007 12:40:00 PM
Cadmium	0	0.005	J	mg/L	1	4/23/2007 12:40:00 PM
Calcium	119	0.050		mg/L	1	4/23/2007 12:40:00 PM
Chromium	< 0.005	0.005		mg/L	1	4/23/2007 12:40:00 PM
Copper	0.008	0.005		mg/L	1	4/23/2007 12:40:00 PM
Iron	0.072	0.050		mg/L	1	4/23/2007 12:40:00 PM
Lead	0	0.005	J	mg/L	1	4/23/2007 12:40:00 PM
Magnesium	10.5	0.050		mg/L	1	4/23/2007 12:40:00 PM
Manganese	0.218	0.020		mg/L	1	4/23/2007 12:40:00 PM
Nickel	0.004	0.020	J	mg/L	1	4/23/2007 12:40:00 PM
Potassium	4.81	0.050		mg/L	1	4/23/2007 12:40:00 PM
Selenium	0.010	0.005		mg/L	1	4/23/2007 12:40:00 PM
Silver	0	0.010	J	mg/L	1	4/23/2007 12:40:00 PM
Sodium	14.3	0.050		mg/L	1	4/23/2007 12:40:00 PM
Thallium	0.009	0.010	J	mg/L	1	4/23/2007 12:40:00 PM
Vanadium	0.002	0.020	J	mg/L	1	4/23/2007 12:40:00 PM
Zinc	0.020	0.010		mg/L	1	4/23/2007 12:40:00 PM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 4/23/2007)

Mercury	< 0.0002	0.0002		mg/L	1	4/23/2007
---------	----------	--------	--	------	---	-----------

SEMI VOLATILE ORGANICS SW8270C Analyst: **MT**
 (Prep: SW3510/E625 - 4/23/2007)

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Eff Batch 15-042007
Work Order: 070420045 **Collection Date:** 4/20/2007
Reference: Freeman's Bridge Road / Effluent Batch 15 **Lab Sample ID:** 070420045-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 4/23/2007)						
Phenol	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2-Chlorophenol	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2-Methylphenol	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
4-Methylphenol	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Hexachloroethane	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Nitrobenzene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Isophorone	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2-Nitrophenol	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Naphthalene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
4-Chloroaniline	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2-Nitroaniline	< 25	25		µg/L	1	4/23/2007 1:52:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Acenaphthylene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
3-Nitroaniline	< 25	25		µg/L	1	4/23/2007 1:52:00 PM
Acenaphthene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	4/23/2007 1:52:00 PM
4-Nitrophenol	< 25	25		µg/L	1	4/23/2007 1:52:00 PM
Dibenzofuran	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Diethyl phthalate	< 5	5		µg/L	1	4/23/2007 1:52:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-07

CLIENT:	D.A.Collins Environment	Client Sample ID:	Eff Batch 15-042007
Work Order:	070420045	Collection Date:	4/20/2007
Reference:	Freeman's Bridge Road / Effluent Batch 15	Lab Sample ID:	070420045-001
PO#:		Matrix:	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 4/23/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Fluorene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
4-Nitroaniline	< 25	25		µg/L	1	4/23/2007 1:52:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	4/23/2007 1:52:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Pentachlorophenol	< 25	25		µg/L	1	4/23/2007 1:52:00 PM
Phenanthrene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Anthracene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Carbazole	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Fluoranthene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Pyrene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	4/23/2007 1:52:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Chrysene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	4/23/2007 1:52:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	4/23/2007 11:08:00 AM
Bromomethane	< 10	10		µg/L	1	4/23/2007 11:08:00 AM
Vinyl chloride	< 10	10		µg/L	1	4/23/2007 11:08:00 AM
Chloroethane	< 10	10		µg/L	1	4/23/2007 11:08:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Acetone	47	10		µg/L	1	4/23/2007 11:08:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-07

CLIENT:	D.A.Collins Environment	Client Sample ID:	Eff Batch 15-042007
Work Order:	070420045	Collection Date:	4/20/2007
Reference:	Freeman's Bridge Road / Effluent Batch 15	Lab Sample ID:	070420045-001
PO#:		Matrix:	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Chloroform	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
2-Butanone	< 10	10		µg/L	1	4/23/2007 11:08:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Benzene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Bromoform	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/23/2007 11:08:00 AM
2-Hexanone	< 10	10		µg/L	1	4/23/2007 11:08:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Toluene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Styrene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/23/2007 11:08:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Cyclohexane	< 10	10		µg/L	1	4/23/2007 11:08:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-07

CLIENT:	D.A.Collins Environment	Client Sample ID:	Eff Batch 15-042007
Work Order:	070420045	Collection Date:	4/20/2007
Reference:	Freeman's Bridge Road / Effluent Batch 15	Lab Sample ID:	070420045-001
PO#:		Matrix:	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/23/2007 11:08:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:08:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	1.5	1.0		mg/L	1	4/23/2007
PH E150.1						Analyst: LS
pH	7.6	1.0		pH Units	1	4/20/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	395	5		mg/L	1	4/20/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	1.0	1.0		mg/L	1	4/20/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	1.9	0.10		NTU	1	4/20/2007 11:00:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank

Work Order: 070420045

Collection Date: 4/20/2007

Reference: Freeman's Bridge Road / Effluent Batch 15

Lab Sample ID: 070420045-002

PO#:

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	4/23/2007 11:35:00 AM
Bromomethane	< 10	10		µg/L	1	4/23/2007 11:35:00 AM
Vinyl chloride	< 10	10		µg/L	1	4/23/2007 11:35:00 AM
Chloroethane	< 10	10		µg/L	1	4/23/2007 11:35:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Acetone	7	10	J	µg/L	1	4/23/2007 11:35:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Chloroform	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
2-Butanone	< 10	10		µg/L	1	4/23/2007 11:35:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Benzene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Bromoform	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/23/2007 11:35:00 AM
2-Hexanone	< 10	10		µg/L	1	4/23/2007 11:35:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Toluene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Styrene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/23/2007 11:35:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank

Work Order: 070420045

Collection Date: 4/20/2007

Reference: Freeman's Bridge Road / Effluent Batch 15

Lab Sample ID: 070420045-002

PO#:

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Cyclohexane	< 10	10		µg/L	1	4/23/2007 11:35:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/23/2007 11:35:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	4/23/2007 11:35:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 30, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070427086

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 16

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 4/27/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709
AIHA#: 100307

Tara Daniels
Laboratory Manager

J. Bradshaw 377-4147 - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Apr-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 16-042707
Work Order: 070427086	Collection Date: 4/27/2007
Reference: Freeman's Bridge Road / Effluent Batch 16	Lab Sample ID: 070427086-001
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 4/27/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	4/27/2007 9:07:52 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	4/27/2007 9:07:52 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	4/27/2007 9:07:52 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	4/27/2007 9:07:52 PM
Aroclor 1248	0.17	0.065		µg/L	1	4/27/2007 9:07:52 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	4/27/2007 9:07:52 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	4/27/2007 9:07:52 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 4/30/2007)						
Aluminum	0.065	0.100	J	mg/L	1	4/30/2007 12:31:00 PM
Antimony	0.030	0.060	J	mg/L	1	4/30/2007 12:31:00 PM
Arsenic	0.008	0.005		mg/L	1	4/30/2007 12:31:00 PM
Barium	0.097	0.010		mg/L	1	4/30/2007 12:31:00 PM
Beryllium	0	0.005	J	mg/L	1	4/30/2007 12:31:00 PM
Cadmium	0	0.005	J	mg/L	1	4/30/2007 12:31:00 PM
Calcium	89.3	0.500		mg/L	10	4/30/2007 12:36:00 PM
Chromium	0.002	0.005	J	mg/L	1	4/30/2007 12:31:00 PM
Cobalt	0	0.050	J	mg/L	1	4/30/2007 12:31:00 PM
Copper	0.005	0.005	J	mg/L	1	4/30/2007 12:31:00 PM
Iron	0.622	0.050		mg/L	1	4/30/2007 12:31:00 PM
Lead	< 0.005	0.005		mg/L	1	4/30/2007 12:31:00 PM
Magnesium	23.7	0.050		mg/L	1	4/30/2007 12:31:00 PM
Manganese	0.656	0.020		mg/L	1	4/30/2007 12:31:00 PM
Nickel	0.004	0.020	J	mg/L	1	4/30/2007 12:31:00 PM
Potassium	7.92	0.050		mg/L	1	4/30/2007 12:31:00 PM
Selenium	0.006	0.005		mg/L	1	4/30/2007 12:31:00 PM
Silver	< 0.010	0.010		mg/L	1	4/30/2007 12:31:00 PM
Sodium	55.5	0.050		mg/L	1	4/30/2007 12:31:00 PM
Thallium	0.014	0.010		mg/L	1	4/30/2007 12:31:00 PM
Vanadium	0	0.020	J	mg/L	1	4/30/2007 12:31:00 PM
Zinc	0.031	0.010		mg/L	1	4/30/2007 12:31:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 4/30/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	4/30/2007

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Apr-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 16-042707
Work Order: 070427086 **Collection Date:** 4/27/2007
Reference: Freeman's Bridge Road / Effluent Batch 16 **Lab Sample ID:** 070427086-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 4/30/2007)						
Phenol	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2-Chlorophenol	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2-Methylphenol	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
4-Methylphenol	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Hexachloroethane	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Nitrobenzene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Isophorone	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2-Nitrophenol	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2,4-Dimethylphenol	2	5	J	µg/L	1	4/30/2007 3:17:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Naphthalene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
4-Chloroaniline	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2-Nitroaniline	< 25	25		µg/L	1	4/30/2007 3:17:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Acenaphthylene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
3-Nitroaniline	< 25	25		µg/L	1	4/30/2007 3:17:00 PM
Acenaphthene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	4/30/2007 3:17:00 PM
4-Nitrophenol	< 25	25		µg/L	1	4/30/2007 3:17:00 PM
Dibenzofuran	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Diethyl phthalate	< 5	5		µg/L	1	4/30/2007 3:17:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Apr-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 16-042707
Work Order: 070427086 **Collection Date:** 4/27/2007
Reference: Freeman's Bridge Road / Effluent Batch 16 **Lab Sample ID:** 070427086-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 4/30/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Fluorene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
4-Nitroaniline	< 25	25		µg/L	1	4/30/2007 3:17:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	4/30/2007 3:17:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Pentachlorophenol	< 25	25		µg/L	1	4/30/2007 3:17:00 PM
Phenanthrene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Anthracene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Carbazole	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Fluoranthene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Pyrene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	4/30/2007 3:17:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Chrysene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Bis(2-ethylhexyl)phthalate	1	5	J	µg/L	1	4/30/2007 3:17:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	4/30/2007 3:17:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	4/30/2007 2:51:00 PM
Bromomethane	< 10	10		µg/L	1	4/30/2007 2:51:00 PM
Vinyl chloride	< 10	10		µg/L	1	4/30/2007 2:51:00 PM
Chloroethane	< 10	10		µg/L	1	4/30/2007 2:51:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Acetone	73	10		µg/L	1	4/30/2007 2:51:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Apr-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 16-042707
Work Order: 070427086 **Collection Date:** 4/27/2007
Reference: Freeman's Bridge Road / Effluent Batch 16 **Lab Sample ID:** 070427086-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Chloroform	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
2-Butanone	< 10	10		µg/L	1	4/30/2007 2:51:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Benzene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Bromoform	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	4/30/2007 2:51:00 PM
2-Hexanone	< 10	10		µg/L	1	4/30/2007 2:51:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Toluene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Styrene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	4/30/2007 2:51:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Cyclohexane	< 10	10		µg/L	1	4/30/2007 2:51:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Apr-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 16-042707
Work Order: 070427086 **Collection Date:** 4/27/2007
Reference: Freeman's Bridge Road / Effluent Batch 16 **Lab Sample ID:** 070427086-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	4/30/2007 2:51:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	4/30/2007 2:51:00 PM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	0.6	1.0	J	mg/L	1	4/30/2007
PH E150.1						Analyst: SH
pH	7.8	1.0		pH Units	1	4/27/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	930	5		mg/L	1	4/30/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	3.5	1.0		mg/L	1	4/27/2007
TURBIDITY E180.1						Analyst: SH
Turbidity	4.6	0.10		NTU	1	4/27/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd			
Send Report to: J Bradshaw		Project Name (Location): FBR		Samplers Name: S Bullock	
Client Phone #: 361-1247		Client PO #: 2006516		Samplers Signature:	
Client Fax #: 377-4147					

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis	
			A=am	P=pm	Matrix	C	G			
001	Eff Batch 16 - 042707	4/27/2007	1315	A		water		X	8	Full suite water
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						

AES Work Order #: 070427086	Special Instructions/Remarks: 24 Hr. TAT
-----------------------------	---

Turnaround Time Requested:

1 Day 3 Day Normal

2 Day 5 Day

Relinquished by: (Signature)	Date: 4/27/07	Time: 16:00	Received by: (Signature)	Date: 4/27/07	Time: 16:00
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by:	Date: 4/27/07	Time: 4:40 pm

Sample Temperature Ambient ~ Chilled <u>7°C</u>	Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N	Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N
Notes: _____	Notes: _____	Notes: _____




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

May 07, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070504047

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 17

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 5/4/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 07-May-07

CLIENT: D.A.Collins Environment
Work Order: 070504047
Reference: Freeman's Bridge Road / Effluent Batch 17
PO#:

Client Sample ID: EFF BATCH 17-050407
Collection Date: 5/4/2007
Lab Sample ID: 070504047-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 5/4/2007)

Aroclor 1016	< 0.065	0.065		µg/L	1	5/5/2007 12:18:21 AM
Aroclor 1221	< 0.065	0.065		µg/L	1	5/5/2007 12:18:21 AM
Aroclor 1232	< 0.065	0.065		µg/L	1	5/5/2007 12:18:21 AM
Aroclor 1242	< 0.065	0.065		µg/L	1	5/5/2007 12:18:21 AM
Aroclor 1248	0.12	0.065		µg/L	1	5/5/2007 12:18:21 AM
Aroclor 1254	< 0.065	0.065		µg/L	1	5/5/2007 12:18:21 AM
Aroclor 1260	< 0.065	0.065		µg/L	1	5/5/2007 12:18:21 AM

ICP METALS E200.7 Analyst: **SM**
 (Prep: SW3010A - 5/7/2007)

Aluminum	0.062	0.100	J	mg/L	1	5/7/2007 11:01:00 AM
Antimony	0.038	0.060	J	mg/L	1	5/7/2007 11:01:00 AM
Arsenic	0.010	0.005		mg/L	1	5/7/2007 11:01:00 AM
Barium	0.088	0.010		mg/L	1	5/7/2007 11:01:00 AM
Beryllium	0	0.005	J	mg/L	1	5/7/2007 11:01:00 AM
Cadmium	0	0.005	J	mg/L	1	5/7/2007 11:01:00 AM
Calcium	157	0.050		mg/L	1	5/7/2007 11:01:00 AM
Chromium	< 0.005	0.005		mg/L	1	5/7/2007 11:01:00 AM
Copper	0.040	0.005		mg/L	1	5/7/2007 11:01:00 AM
Iron	0.569	0.050		mg/L	1	5/7/2007 11:01:00 AM
Lead	0.003	0.005	J	mg/L	1	5/7/2007 11:01:00 AM
Magnesium	21.9	0.050		mg/L	1	5/7/2007 11:01:00 AM
Manganese	0.651	0.020		mg/L	1	5/7/2007 11:01:00 AM
Nickel	0.003	0.020	J	mg/L	1	5/7/2007 11:01:00 AM
Potassium	6.12	0.050		mg/L	1	5/7/2007 11:01:00 AM
Selenium	0.008	0.005		mg/L	1	5/7/2007 11:01:00 AM
Silver	< 0.010	0.010		mg/L	1	5/7/2007 11:01:00 AM
Sodium	46.6	0.050		mg/L	1	5/7/2007 11:01:00 AM
Thallium	0.010	0.010		mg/L	1	5/7/2007 11:01:00 AM
Vanadium	0	0.020	J	mg/L	1	5/7/2007 11:01:00 AM
Zinc	0.054	0.010		mg/L	1	5/7/2007 11:01:00 AM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 5/7/2007)

Mercury	< 0.0002	0.0002		mg/L	1	5/7/2007
---------	----------	--------	--	------	---	----------

SEMI VOLATILE ORGANICS SW8270C Analyst: **MT**
 (Prep: SW3510/E625 - 5/4/2007)

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 07-May-07

CLIENT: D.A.Collins Environment
Work Order: 070504047
Reference: Freeman's Bridge Road / Effluent Batch 17
PO#:

Client Sample ID: EFF BATCH 17-050407
Collection Date: 5/4/2007
Lab Sample ID: 070504047-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 5/4/2007)						
Phenol	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2-Chlorophenol	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2-Methylphenol	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
4-Methylphenol	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Hexachloroethane	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Nitrobenzene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Isophorone	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2-Nitrophenol	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Naphthalene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
4-Chloroaniline	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2-Nitroaniline	< 25	25		µg/L	1	5/7/2007 11:13:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Acenaphthylene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
3-Nitroaniline	< 25	25		µg/L	1	5/7/2007 11:13:00 AM
Acenaphthene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	5/7/2007 11:13:00 AM
4-Nitrophenol	< 25	25		µg/L	1	5/7/2007 11:13:00 AM
Dibenzofuran	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Diethyl phthalate	< 5	5		µg/L	1	5/7/2007 11:13:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 07-May-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 17-050407
Work Order: 070504047 **Collection Date:** 5/4/2007
Reference: Freeman's Bridge Road / Effluent Batch 17 **Lab Sample ID:** 070504047-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 5/4/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Fluorene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
4-Nitroaniline	< 25	25		µg/L	1	5/7/2007 11:13:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	5/7/2007 11:13:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Pentachlorophenol	< 25	25		µg/L	1	5/7/2007 11:13:00 AM
Phenanthrene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Anthracene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Carbazole	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Fluoranthene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Pyrene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Butyl benzyl phthalate	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	5/7/2007 11:13:00 AM
Benz(a)anthracene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Chrysene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Bis(2-ethylhexyl)phthalate	2	5	J	µg/L	1	5/7/2007 11:13:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	5/7/2007 11:13:00 AM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	5/7/2007 10:40:00 AM
Bromomethane	< 10	10		µg/L	1	5/7/2007 10:40:00 AM
Vinyl chloride	< 10	10		µg/L	1	5/7/2007 10:40:00 AM
Chloroethane	< 10	10		µg/L	1	5/7/2007 10:40:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Acetone	35	10		µg/L	1	5/7/2007 10:40:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 07-May-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 17-050407
Work Order: 070504047 **Collection Date:** 5/4/2007
Reference: Freeman's Bridge Road / Effluent Batch 17 **Lab Sample ID:** 070504047-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Chloroform	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
2-Butanone	< 10	10		µg/L	1	5/7/2007 10:40:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Benzene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Bromoform	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	5/7/2007 10:40:00 AM
2-Hexanone	< 10	10		µg/L	1	5/7/2007 10:40:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Toluene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Styrene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	5/7/2007 10:40:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Cyclohexane	< 10	10		µg/L	1	5/7/2007 10:40:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 07-May-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 17-050407
Work Order: 070504047	Collection Date: 5/4/2007
Reference: Freeman's Bridge Road / Effluent Batch 17	Lab Sample ID: 070504047-001
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	5/7/2007 10:40:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	5/7/2007 10:40:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	0.3	1.0	J	mg/L	1	5/7/2007
PH E150.1						Analyst: RC
pH	7.1	1.0		pH Units	1	5/4/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	860	5		mg/L	1	5/7/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	6.0	1.0		mg/L	1	5/4/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	3.0	0.10		NTU	1	5/4/2007

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range



EXPERIENCE IS THE SOLUTION
 314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns
CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd			
Send Report to: J Bradshaw		Project Name (Location): FBR		Samplers Name: S Bullock	
Client Phone #: 361-1247		Client PO #: 2006516		Samplers Signature:	
Client Fax #: 377-4147					

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff Batch 17 - 050407	5/4/2007	0:00	A P	water		X	8	Full suite water
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					

AES Work Order #: 070504047	Special Instructions/Remarks: 24 Hr. TAT
------------------------------------	--

Turnaround Time Requested:

1 Day 3 Day Normal
 2 Day 5 Day

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by:	Date	Time

Sample Temperature Ambient ~ Chilled Notes: 15	Properly Preserved Y N	Received Within Holding Times Y N
Notes:	Notes:	Notes:



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

May 15, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070511057

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 18

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 5/11/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709

AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-May-07

CLIENT: D.A.Collins Environment
Work Order: 070511057
Reference: Freeman's Bridge Road / Effluent Batch 18
PO#:

Client Sample ID: EFF BATCH 18-051107
Collection Date: 5/11/2007
Lab Sample ID: 070511057-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 5/11/2007)						
Aroclor 1016	< 0.072	0.072		µg/L	1	5/11/2007 7:48:50 PM
Aroclor 1221	< 0.072	0.072		µg/L	1	5/11/2007 7:48:50 PM
Aroclor 1232	< 0.072	0.072		µg/L	1	5/11/2007 7:48:50 PM
Aroclor 1242	< 0.072	0.072		µg/L	1	5/11/2007 7:48:50 PM
Aroclor 1248	0.18	0.072		µg/L	1	5/11/2007 7:48:50 PM
Aroclor 1254	< 0.072	0.072		µg/L	1	5/11/2007 7:48:50 PM
Aroclor 1260	< 0.072	0.072		µg/L	1	5/11/2007 7:48:50 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 5/14/2007)						
Aluminum	0.037	0.100	J	mg/L	1	5/14/2007 11:37:00 AM
Antimony	< 0.060	0.060		mg/L	1	5/14/2007 11:37:00 AM
Arsenic	0.006	0.005		mg/L	1	5/14/2007 11:37:00 AM
Barium	0.091	0.010		mg/L	1	5/14/2007 11:37:00 AM
Beryllium	0	0.005	J	mg/L	1	5/14/2007 11:37:00 AM
Cadmium	0	0.005	J	mg/L	1	5/14/2007 11:37:00 AM
Calcium	107	0.050		mg/L	1	5/14/2007 11:37:00 AM
Chromium	< 0.005	0.005		mg/L	1	5/14/2007 11:37:00 AM
Cobalt	0.004	0.050	J	mg/L	1	5/14/2007 11:37:00 AM
Copper	0.019	0.005		mg/L	1	5/14/2007 11:37:00 AM
Iron	0.519	0.050		mg/L	1	5/14/2007 11:37:00 AM
Lead	< 0.005	0.005		mg/L	1	5/14/2007 11:37:00 AM
Magnesium	10.3	0.050		mg/L	1	5/14/2007 11:37:00 AM
Manganese	0.224	0.020		mg/L	1	5/14/2007 11:37:00 AM
Nickel	0.014	0.020	J	mg/L	1	5/14/2007 11:37:00 AM
Potassium	10.7	0.050		mg/L	1	5/14/2007 11:37:00 AM
Selenium	0.005	0.005		mg/L	1	5/14/2007 11:37:00 AM
Silver	< 0.010	0.010		mg/L	1	5/14/2007 11:37:00 AM
Sodium	20.7	0.050		mg/L	1	5/14/2007 11:37:00 AM
Thallium	0.013	0.010		mg/L	1	5/14/2007 11:37:00 AM
Vanadium	0.001	0.020	J	mg/L	1	5/14/2007 11:37:00 AM
Zinc	0.024	0.010		mg/L	1	5/14/2007 11:37:00 AM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 5/14/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	5/14/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-May-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 18-051107
Work Order: 070511057 **Collection Date:** 5/11/2007
Reference: Freeman's Bridge Road / Effluent Batch 18 **Lab Sample ID:** 070511057-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 5/14/2007)						
Phenol	21	5		µg/L	1	5/14/2007 8:55:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2-Chlorophenol	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2-Methylphenol	1	5	J	µg/L	1	5/14/2007 8:55:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
4-Methylphenol	1	5	J	µg/L	1	5/14/2007 8:55:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Hexachloroethane	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Nitrobenzene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Isophorone	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2-Nitrophenol	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Naphthalene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
4-Chloroaniline	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2-Nitroaniline	< 25	25		µg/L	1	5/14/2007 8:55:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Acenaphthylene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
3-Nitroaniline	< 25	25		µg/L	1	5/14/2007 8:55:00 PM
Acenaphthene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	5/14/2007 8:55:00 PM
4-Nitrophenol	< 25	25		µg/L	1	5/14/2007 8:55:00 PM
Dibenzofuran	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Diethyl phthalate	< 5	5		µg/L	1	5/14/2007 8:55:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-May-07

CLIENT: D.A.Collins Environment
Work Order: 070511057
Reference: Freeman's Bridge Road / Effluent Batch 18
PO#:

Client Sample ID: EFF BATCH 18-051107
Collection Date: 5/11/2007
Lab Sample ID: 070511057-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 5/14/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Fluorene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
4-Nitroaniline	< 25	25		µg/L	1	5/14/2007 8:55:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	5/14/2007 8:55:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Pentachlorophenol	< 25	25		µg/L	1	5/14/2007 8:55:00 PM
Phenanthrene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Anthracene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Carbazole	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Fluoranthene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Pyrene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	5/14/2007 8:55:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Chrysene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	5/14/2007 8:55:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 100	100		µg/L	10	5/14/2007 11:55:00 AM
Bromomethane	< 100	100		µg/L	10	5/14/2007 11:55:00 AM
Vinyl chloride	< 100	100		µg/L	10	5/14/2007 11:55:00 AM
Chloroethane	< 100	100		µg/L	10	5/14/2007 11:55:00 AM
Methylene chloride	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Acetone	2000	100		µg/L	10	5/14/2007 11:55:00 AM
Carbon disulfide	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,1-Dichloroethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,1-Dichloroethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-May-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 18-051107
Work Order: 070511057 **Collection Date:** 5/11/2007
Reference: Freeman's Bridge Road / Effluent Batch 18 **Lab Sample ID:** 070511057-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
cis-1,2-Dichloroethene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Chloroform	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,2-Dichloroethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
2-Butanone	1300	100		µg/L	10	5/14/2007 11:55:00 AM
1,1,1-Trichloroethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Carbon tetrachloride	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Bromodichloromethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,2-Dichloropropane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
cis-1,3-Dichloropropene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Trichloroethene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Dibromochloromethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,1,2-Trichloroethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Benzene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
trans-1,3-Dichloropropene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Bromoform	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
4-Methyl-2-pentanone	< 100	100		µg/L	10	5/14/2007 11:55:00 AM
2-Hexanone	< 100	100		µg/L	10	5/14/2007 11:55:00 AM
Tetrachloroethene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,1,2,2-Tetrachloroethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Toluene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Chlorobenzene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Ethylbenzene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Styrene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
m,p-Xylene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
o-Xylene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Methyl tert-butyl ether	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Dichlorodifluoromethane	< 100	100		µg/L	10	5/14/2007 11:55:00 AM
Methyl Acetate	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Cyclohexane	< 100	100		µg/L	10	5/14/2007 11:55:00 AM
Trichlorofluoromethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Methyl Cyclohexane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,2-Dibromoethane	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,3-Dichlorobenzene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
Isopropylbenzene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,2-Dichlorobenzene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
1,4-Dichlorobenzene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-May-07

CLIENT: D.A.Collins Environment
Work Order: 070511057
Reference: Freeman's Bridge Road / Effluent Batch 18
PO#:

Client Sample ID: EFF BATCH 18-051107
Collection Date: 5/11/2007
Lab Sample ID: 070511057-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 100	100		µg/L	10	5/14/2007 11:55:00 AM
1,2,4-Trichlorobenzene	< 50	50		µg/L	10	5/14/2007 11:55:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	< 1.0	1.0		mg/L	1	5/12/2007
PH E150.1						Analyst: SH
pH	7.3	1.0		pH Units	1	5/11/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	630	5		mg/L	1	5/11/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	2.5	1.0		mg/L	1	5/11/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	5.0	0.10		NTU	1	5/12/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-May-07

CLIENT: D.A.Collins Environment
Work Order: 070511057
Reference: Freeman's Bridge Road / Effluent Batch 18
PO#:

Client Sample ID: Trip Blank
Collection Date: 5/11/2007
Lab Sample ID: 070511057-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	5/14/2007 12:24:00 PM
Bromomethane	< 10	10		µg/L	1	5/14/2007 12:24:00 PM
Vinyl chloride	< 10	10		µg/L	1	5/14/2007 12:24:00 PM
Chloroethane	< 10	10		µg/L	1	5/14/2007 12:24:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Acetone	13	10		µg/L	1	5/14/2007 12:24:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Chloroform	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
2-Butanone	< 10	10		µg/L	1	5/14/2007 12:24:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Benzene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Bromoform	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	5/14/2007 12:24:00 PM
2-Hexanone	< 10	10		µg/L	1	5/14/2007 12:24:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Toluene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Styrene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	5/14/2007 12:24:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 15-May-07

CLIENT: D.A.Collins Environment
Work Order: 070511057
Reference: Freeman's Bridge Road / Effluent Batch 18
PO#:

Client Sample ID: Trip Blank
Collection Date: 5/11/2007
Lab Sample ID: 070511057-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

VOLATILE ORGANICS SW8260B

Analyst: ML

1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Cyclohexane	< 10	10		µg/L	1	5/14/2007 12:24:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	5/14/2007 12:24:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	5/14/2007 12:24:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd								
Send Report to: J Bradshaw		Project Name (Location): FBR			Samplers Name: S Bullock					
Client Phone #: 361-1247		Client PO #: 2006516			Samplers Signature:					
Client Fax #: 377-4147										
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis	
			A=am	P=pm	Matrix	C	G			
001	Eff Batch 18 - 051107	5/11/2007	1530	A		water		X	8	Full suite water
002	Trip Blank			A					1	
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
AES Work Order #: 070511057		Special Instructions/Remarks: 24 Hr. TAT								
Turnaround Time Requested: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day		Rapid								
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time		
		5/11/07	15:40				5/11/07	15:40		
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:			Date	Time		
							5/11/07	4:44 PM		
Sample Temperature Ambient ~ Chilled		Properly Preserved <input checked="" type="radio"/> Y N			Received Within Holding Times <input checked="" type="radio"/> Y N					
Notes: 20		Notes:			Notes:					



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

May 21, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070518071

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 17

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 5/18/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709

AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: D.A.Collins Environment
Work Order: 070518071
Reference: Freeman's Bridge Road / Effluent Batch 17
PO#:

Client Sample ID: EFF BATCH 19-051807
Collection Date: 5/18/2007
Lab Sample ID: 070518071-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 5/18/2007)

Aroclor 1016	< 0.066	0.066		µg/L	1	5/19/2007 12:11:04 AM
Aroclor 1221	< 0.066	0.066		µg/L	1	5/19/2007 12:11:04 AM
Aroclor 1232	< 0.066	0.066		µg/L	1	5/19/2007 12:11:04 AM
Aroclor 1242	< 0.066	0.066		µg/L	1	5/19/2007 12:11:04 AM
Aroclor 1248	0.55	0.066		µg/L	1	5/19/2007 12:11:04 AM
Aroclor 1254	< 0.066	0.066		µg/L	1	5/19/2007 12:11:04 AM
Aroclor 1260	< 0.066	0.066		µg/L	1	5/19/2007 12:11:04 AM

ICP METALS E200.7 Analyst: **SM**
 (Prep: SW3010A - 5/21/2007)

Aluminum	0.319	0.100		mg/L	1	5/21/2007 11:47:00 AM
Antimony	0.005	0.060	J	mg/L	1	5/21/2007 11:47:00 AM
Arsenic	0.005	0.005	J	mg/L	1	5/21/2007 11:47:00 AM
Barium	0.121	0.010		mg/L	1	5/21/2007 11:47:00 AM
Beryllium	< 0.005	0.005		mg/L	1	5/21/2007 11:47:00 AM
Cadmium	0	0.005	J	mg/L	1	5/21/2007 11:47:00 AM
Calcium	149	0.050		mg/L	1	5/21/2007 11:47:00 AM
Chromium	0.002	0.005	J	mg/L	1	5/21/2007 11:47:00 AM
Cobalt	0	0.050	J	mg/L	1	5/21/2007 11:47:00 AM
Copper	0.006	0.005		mg/L	1	5/21/2007 11:47:00 AM
Iron	0.637	0.050		mg/L	1	5/21/2007 11:47:00 AM
Lead	0.010	0.005		mg/L	1	5/21/2007 11:47:00 AM
Magnesium	21.1	0.050		mg/L	1	5/21/2007 11:47:00 AM
Manganese	0.424	0.020		mg/L	1	5/21/2007 11:47:00 AM
Nickel	0.007	0.020	J	mg/L	1	5/21/2007 11:47:00 AM
Potassium	11.1	0.050		mg/L	1	5/21/2007 11:47:00 AM
Selenium	0.002	0.005	J	mg/L	1	5/21/2007 11:47:00 AM
Silver	0	0.010	J	mg/L	1	5/21/2007 11:47:00 AM
Sodium	60.0	0.500		mg/L	10	5/21/2007 11:53:00 AM
Thallium	0.015	0.010		mg/L	1	5/21/2007 11:47:00 AM
Vanadium	< 0.020	0.020		mg/L	1	5/21/2007 11:47:00 AM
Zinc	0.040	0.010		mg/L	1	5/21/2007 11:47:00 AM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 5/21/2007)

Mercury	< 0.0002	0.0002		mg/L	1	5/21/2007
---------	----------	--------	--	------	---	-----------

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 19-051807
Work Order: 070518071 **Collection Date:** 5/18/2007
Reference: Freeman's Bridge Road / Effluent Batch 17 **Lab Sample ID:** 070518071-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 5/18/2007)						
Phenol	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2-Chlorophenol	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2-Methylphenol	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
4-Methylphenol	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Hexachloroethane	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Nitrobenzene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Isophorone	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2-Nitrophenol	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Naphthalene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
4-Chloroaniline	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2-Nitroaniline	< 25	25		µg/L	1	5/19/2007 11:36:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Acenaphthylene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
3-Nitroaniline	< 25	25		µg/L	1	5/19/2007 11:36:00 AM
Acenaphthene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	5/19/2007 11:36:00 AM
4-Nitrophenol	< 25	25		µg/L	1	5/19/2007 11:36:00 AM
Dibenzofuran	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Diethyl phthalate	< 5	5		µg/L	1	5/19/2007 11:36:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: D.A.Collins Environment
Work Order: 070518071
Reference: Freeman's Bridge Road / Effluent Batch 17
PO#:

Client Sample ID: EFF BATCH 19-051807
Collection Date: 5/18/2007
Lab Sample ID: 070518071-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C

Analyst: MT

(Prep: SW3510/E625 - 5/18/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Fluorene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
4-Nitroaniline	< 25	25		µg/L	1	5/19/2007 11:36:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	5/19/2007 11:36:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Pentachlorophenol	< 25	25		µg/L	1	5/19/2007 11:36:00 AM
Phenanthrene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Anthracene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Carbazole	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Fluoranthene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Pyrene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Butyl benzyl phthalate	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	5/19/2007 11:36:00 AM
Benz(a)anthracene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Chrysene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	5/19/2007 11:36:00 AM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	5/21/2007 10:59:00 AM
Bromomethane	< 10	10		µg/L	1	5/21/2007 10:59:00 AM
Vinyl chloride	< 10	10		µg/L	1	5/21/2007 10:59:00 AM
Chloroethane	< 10	10		µg/L	1	5/21/2007 10:59:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Acetone	180	10		µg/L	1	5/21/2007 10:59:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 19-051807
Work Order: 070518071 **Collection Date:** 5/18/2007
Reference: Freeman's Bridge Road / Effluent Batch 17 **Lab Sample ID:** 070518071-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Chloroform	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
2-Butanone	17	10		µg/L	1	5/21/2007 10:59:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Benzene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Bromoform	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	5/21/2007 10:59:00 AM
2-Hexanone	< 10	10		µg/L	1	5/21/2007 10:59:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Toluene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Styrene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	5/21/2007 10:59:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Cyclohexane	< 10	10		µg/L	1	5/21/2007 10:59:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 19-051807
Work Order: 070518071	Collection Date: 5/18/2007
Reference: Freeman's Bridge Road / Effluent Batch 17	Lab Sample ID: 070518071-001
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	5/21/2007 10:59:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	5/21/2007 10:59:00 AM
OIL AND GREASE E1664						Analyst: RC
Oil & Grease	0.2	1.0	J	mg/L	1	5/21/2007
PH E150.1						Analyst: PL
pH	7.5	1.0		pH Units	1	5/18/2007 4:40:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: RC
TDS (Residue, Filterable)	850	5		mg/L	1	5/21/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	11.0	1.0		mg/L	1	5/21/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	15	0.10		NTU	1	5/18/2007 4:45:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins	Address: 34 Freemans Bridge Rd
-------------------------	--------------------------------

Send Report to: J Bradshaw	Project Name (Location): FBR	Samplers Name: S Bullock
----------------------------	------------------------------	--------------------------

Client Phone #: 361-1247	Client PO #: 2006516	Samplers Signature: <i>[Signature]</i>
Client Fax #: 377-4147		

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis	
			A=am	P=pm	Matrix	C	G			
001	Eff Batch 19 - 051807	5/18/2007		1330	A	water		X	8	Full suite water
				1350	A					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					
					A					
					P					

AES Work Order #: 070518071	Special Instructions/Remarks: 24 Hr. TAT
-----------------------------	---

Turnaround Time Requested:
 1 Day 3 Day Normal
 2 Day 5 Day

Relinquished by: (Signature) <i>[Signature]</i>	Date	Time	Received by: (Signature) <i>[Signature]</i>	Date	Time
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: <i>[Signature]</i>	Date	Time

Sample Temperature Ambient ~ Chilled 6°C	Properly Preserved Y N	Received Within Holding Times Y N
Notes: _____	Notes: _____	Notes: _____




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

May 24, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070523049

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Eff Batch19(A)-052307

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 5/23/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 24-May-07

CLIENT: D.A.Collins Environment

Client Sample ID: Eff Batch19(A)-052307

Work Order: 070523049

Collection Date: 5/23/2007

Reference: Freeman's Bridge Road / Eff Batch19(A)-052307

Lab Sample ID: 070523049-001

PO#:

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 5/23/2007)						
Aroclor 1016	< 0.068	0.068		µg/L	1	5/23/2007 4:36:12 PM
Aroclor 1221	< 0.068	0.068		µg/L	1	5/23/2007 4:36:12 PM
Aroclor 1232	< 0.068	0.068		µg/L	1	5/23/2007 4:36:12 PM
Aroclor 1242	< 0.068	0.068		µg/L	1	5/23/2007 4:36:12 PM
Aroclor 1248	0.13	0.068		µg/L	1	5/23/2007 4:36:12 PM
Aroclor 1254	< 0.068	0.068		µg/L	1	5/23/2007 4:36:12 PM
Aroclor 1260	0.092	0.068		µg/L	1	5/23/2007 4:36:12 PM
TOTAL SUSPENDED SOLIDS E160.2						Analyst: RC
TSS (Residue, Non-Filterable)	7.0	1.0		mg/L	1	5/23/2007
TURBIDITY E180.1						Analyst: RC
Turbidity	5.0	0.10		NTU	1	5/23/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd	
Send Report to: J Bradshaw		Project Name (Location): FBR	Samplers Name: S Bullock
Client Phone #: 361-1247		Client PO #: 2006516	Samplers Signature:
Client Fax #: 377-4147			

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
061	Eff Batch 19(A) - 052307	5/23/2007	1300	A	water		X	2	PCB, TSS, Turbidity
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					

AES Work Order #: 070523049

Special Instructions/Remarks:
ASAP-4 Hr. TAT

Turnaround Time Requested:
 1 Day 3 Day Normal
 2 Day 5 Day

Relinquished by: (Signature)	Date: 5/23/07	Time: 1337	Received by: (Signature)	Date: 5/23/07	Time: 1337
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Date:	Time:	Received for Laboratory by:	Date:	Time:

Sample Temperature
 Ambient **Chilled**
 20°C
 Notes: _____

Properly Preserved
 Y N
 Notes: _____

Received Within Holding Times
 Y N
 Notes: _____



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

May 29, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070525034

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 20

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 5/25/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

CLIENT: D.A.Collins Environment
Project: Freeman's Bridge Road
Lab Order: 070525034

CASE NARRATIVE

Analytical Comments for METHOD E8270W, SAMPLE MB-14535: PRELIMINARY Analytical
Comments for METHOD E8270W, SAMPLE 070525034-001C: PRELIMINARY

Adirondack Environmental Services, Inc

Date: 29-May-07

CLIENT: D.A.Collins Environment
Work Order: 070525034
Reference: Freeman's Bridge Road / Effluent Batch 20
PO#:

Client Sample ID: EFF BATCH 20-052507
Collection Date: 5/25/2007
Lab Sample ID: 070525034-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 5/25/2007)

Aroclor 1016	< 0.072	0.072		µg/L	1	5/25/2007 3:34:36 PM
Aroclor 1221	< 0.072	0.072		µg/L	1	5/25/2007 3:34:36 PM
Aroclor 1232	< 0.072	0.072		µg/L	1	5/25/2007 3:34:36 PM
Aroclor 1242	< 0.072	0.072		µg/L	1	5/25/2007 3:34:36 PM
Aroclor 1248	0.26	0.072		µg/L	1	5/25/2007 3:34:36 PM
Aroclor 1254	< 0.072	0.072		µg/L	1	5/25/2007 3:34:36 PM
Aroclor 1260	0.11	0.072		µg/L	1	5/25/2007 3:34:36 PM

ICP METALS E200.7 Analyst: **SM**

Aluminum	< 0.100	0.100		mg/L	1	5/25/2007 2:53:00 PM
Antimony	0.041	0.060	J	mg/L	1	5/25/2007 2:53:00 PM
Arsenic	0.011	0.005		mg/L	1	5/25/2007 2:53:00 PM
Barium	0.092	0.010		mg/L	1	5/25/2007 2:53:00 PM
Beryllium	0	0.005	J	mg/L	1	5/25/2007 2:53:00 PM
Cadmium	0	0.005	J	mg/L	1	5/25/2007 2:53:00 PM
Calcium	123	0.050		mg/L	1	5/25/2007 2:53:00 PM
Chromium	0.003	0.005	J	mg/L	1	5/25/2007 2:53:00 PM
Cobalt	0.001	0.050	J	mg/L	1	5/25/2007 2:53:00 PM
Copper	0.004	0.005	J	mg/L	1	5/25/2007 2:53:00 PM
Iron	0.464	0.050		mg/L	1	5/25/2007 2:53:00 PM
Lead	0.007	0.005		mg/L	1	5/25/2007 2:53:00 PM
Magnesium	22.9	0.050		mg/L	1	5/25/2007 2:53:00 PM
Manganese	0.456	0.020		mg/L	1	5/25/2007 2:53:00 PM
Nickel	0.005	0.020	J	mg/L	1	5/25/2007 2:53:00 PM
Potassium	10.3	0.050		mg/L	1	5/25/2007 2:53:00 PM
Selenium	0.008	0.005		mg/L	1	5/25/2007 2:53:00 PM
Silver	< 0.010	0.010		mg/L	1	5/25/2007 2:53:00 PM
Sodium	49.2	0.050		mg/L	1	5/25/2007 2:53:00 PM
Thallium	0.034	0.010		mg/L	1	5/25/2007 2:53:00 PM
Vanadium	0.005	0.020	J	mg/L	1	5/25/2007 2:53:00 PM
Zinc	0.028	0.010		mg/L	1	5/25/2007 2:53:00 PM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 5/25/2007)

Mercury	< 0.0002	0.0002		mg/L	1	5/29/2007
---------	----------	--------	--	------	---	-----------

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 29-May-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 20-052507
Work Order: 070525034 **Collection Date:** 5/25/2007
Reference: Freeman's Bridge Road / Effluent Batch 20 **Lab Sample ID:** 070525034-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 5/29/2007)						
Phenol	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2-Chlorophenol	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2-Methylphenol	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
4-Methylphenol	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Hexachloroethane	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Nitrobenzene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Isophorone	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2-Nitrophenol	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Naphthalene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
4-Chloroaniline	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2-Nitroaniline	< 25	25		µg/L	1	5/29/2007 2:24:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Acenaphthylene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
3-Nitroaniline	< 25	25		µg/L	1	5/29/2007 2:24:00 PM
Acenaphthene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	5/29/2007 2:24:00 PM
4-Nitrophenol	< 25	25		µg/L	1	5/29/2007 2:24:00 PM
Dibenzofuran	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Diethyl phthalate	< 5	5		µg/L	1	5/29/2007 2:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 29-May-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 20-052507
Work Order: 070525034 **Collection Date:** 5/25/2007
Reference: Freeman's Bridge Road / Effluent Batch 20 **Lab Sample ID:** 070525034-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 5/29/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Fluorene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
4-Nitroaniline	< 25	25		µg/L	1	5/29/2007 2:24:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	5/29/2007 2:24:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Pentachlorophenol	< 25	25		µg/L	1	5/29/2007 2:24:00 PM
Phenanthrene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Anthracene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Carbazole	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Fluoranthene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Pyrene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	5/29/2007 2:24:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Chrysene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Bis(2-ethylhexyl)phthalate	2	5	J	µg/L	1	5/29/2007 2:24:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	5/29/2007 2:24:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 20	20		µg/L	2	5/25/2007 6:17:00 PM
Bromomethane	< 20	20		µg/L	2	5/25/2007 6:17:00 PM
Vinyl chloride	< 20	20		µg/L	2	5/25/2007 6:17:00 PM
Chloroethane	< 20	20		µg/L	2	5/25/2007 6:17:00 PM
Methylene chloride	16	10		µg/L	2	5/25/2007 6:17:00 PM
Acetone	340	20		µg/L	2	5/25/2007 6:17:00 PM
Carbon disulfide	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,1-Dichloroethene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,1-Dichloroethane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 29-May-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 20-052507
Work Order: 070525034 **Collection Date:** 5/25/2007
Reference: Freeman's Bridge Road / Effluent Batch 20 **Lab Sample ID:** 070525034-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
cis-1,2-Dichloroethene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Chloroform	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,2-Dichloroethane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
2-Butanone	40	20		µg/L	2	5/25/2007 6:17:00 PM
1,1,1-Trichloroethane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Carbon tetrachloride	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Bromodichloromethane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,2-Dichloropropane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
cis-1,3-Dichloropropene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Trichloroethene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Dibromochloromethane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,1,2-Trichloroethane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Benzene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
trans-1,3-Dichloropropene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Bromoform	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
4-Methyl-2-pentanone	< 20	20		µg/L	2	5/25/2007 6:17:00 PM
2-Hexanone	< 20	20		µg/L	2	5/25/2007 6:17:00 PM
Tetrachloroethene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Toluene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Chlorobenzene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Ethylbenzene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Styrene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
m,p-Xylene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
o-Xylene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Methyl tert-butyl ether	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Dichlorodifluoromethane	< 20	20		µg/L	2	5/25/2007 6:17:00 PM
Methyl Acetate	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Cyclohexane	< 20	20		µg/L	2	5/25/2007 6:17:00 PM
Trichlorofluoromethane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Methyl Cyclohexane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,2-Dibromoethane	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,3-Dichlorobenzene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
Isopropylbenzene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,2-Dichlorobenzene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
1,4-Dichlorobenzene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 29-May-07

CLIENT: D.A.Collins Environment
Work Order: 070525034
Reference: Freeman's Bridge Road / Effluent Batch 20
PO#:

Client Sample ID: EFF BATCH 20-052507
Collection Date: 5/25/2007
Lab Sample ID: 070525034-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 20	20		µg/L	2	5/25/2007 6:17:00 PM
1,2,4-Trichlorobenzene	< 10	10		µg/L	2	5/25/2007 6:17:00 PM
OIL AND GREASE E1664						Analyst: PL
Oil & Grease	0.3	1.0	J	mg/L	1	5/29/2007
PH E150.1						Analyst: LS
pH	7.3	1.0		pH Units	1	5/25/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	940	5		mg/L	1	5/25/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: PL
TSS (Residue, Non-Filterable)	10.0	1.0		mg/L	1	5/25/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	10	0.10		NTU	1	5/25/2007 3:00:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins	Address: 34 Freemans Bridge Rd		
Send Report to: J Bradshaw	Project Name (Location): FBR		Samplers Name: S Bullock

Client Phone #: 361-1247	Client PO #: 2006516	Samplers Signature:
Client Fax #: 377-4147		

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff Batch 20 - 052507	5/25/2007	1115	A	water		X	8	Full suite water
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					

AES Work Order #: 070525034	Special Instructions/Remarks: 24 Hr. TAT
---	--

Turnaround Time Requested:

1 Day
 3 Day
 Normal
 2 Day
 5 Day

Relinquished by: (Signature) 	Date 5/25/07	Time 1130	Received by: (Signature) 	Date 5/25/07	Time 11:30
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: 	Date 5/25/07	Time 12³⁵pm

<p>Sample Temperature</p> <p>Ambient ~ <u>Chilled</u></p> <p>Notes: <u>11°c</u></p>	<p>Properly Preserved</p> <p>(Y) N</p> <p>Notes: _____</p>	<p>Received Within Holding Times</p> <p>(Y) N</p> <p>Notes: _____</p>
--	---	--



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.

Effluent 21 was not taken (missed numbered) – skipped 21, went from 20 to 22



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

June 04, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070604007

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 22

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 6/4/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Jun-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 22-060407
Work Order: 070604007	Collection Date: 6/4/2007
Reference: Freeman's Bridge Road / Effluent Batch 22	Lab Sample ID: 070604007-001
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 6/4/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	6/4/2007 4:33:41 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	6/4/2007 4:33:41 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	6/4/2007 4:33:41 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	6/4/2007 4:33:41 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	6/4/2007 4:33:41 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	6/4/2007 4:33:41 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	6/4/2007 4:33:41 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 6/4/2007)						
Aluminum	0.024	0.100	J	mg/L	1	6/4/2007 2:09:00 PM
Antimony	0.048	0.060	J	mg/L	1	6/4/2007 2:09:00 PM
Arsenic	0.006	0.005		mg/L	1	6/4/2007 2:09:00 PM
Barium	0.098	0.010		mg/L	1	6/4/2007 2:09:00 PM
Beryllium	0	0.005	J	mg/L	1	6/4/2007 2:09:00 PM
Cadmium	0	0.005	J	mg/L	1	6/4/2007 2:09:00 PM
Calcium	79.7	0.050		mg/L	1	6/4/2007 2:09:00 PM
Chromium	< 0.005	0.005		mg/L	1	6/4/2007 2:09:00 PM
Cobalt	0	0.050	J	mg/L	1	6/4/2007 2:09:00 PM
Copper	0.003	0.005	J	mg/L	1	6/4/2007 2:09:00 PM
Iron	0.744	0.050		mg/L	1	6/4/2007 2:09:00 PM
Lead	< 0.005	0.005		mg/L	1	6/4/2007 2:09:00 PM
Magnesium	16.9	0.050		mg/L	1	6/4/2007 2:09:00 PM
Manganese	0.087	0.020		mg/L	1	6/4/2007 2:09:00 PM
Nickel	0.016	0.020	J	mg/L	1	6/4/2007 2:09:00 PM
Potassium	6.52	0.050		mg/L	1	6/4/2007 2:09:00 PM
Selenium	0.005	0.005	J	mg/L	1	6/4/2007 2:09:00 PM
Silver	< 0.010	0.010		mg/L	1	6/4/2007 2:09:00 PM
Sodium	134	0.500		mg/L	10	6/4/2007 2:32:00 PM
Thallium	< 0.010	0.010		mg/L	1	6/4/2007 2:09:00 PM
Vanadium	< 0.020	0.020		mg/L	1	6/4/2007 2:09:00 PM
Zinc	0.107	0.010		mg/L	1	6/4/2007 2:09:00 PM
MERCURY E245.1						Analyst: SM
(Prep: E245.1 - 6/4/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	6/4/2007

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Jun-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 22-060407
Work Order: 070604007 **Collection Date:** 6/4/2007
Reference: Freeman's Bridge Road / Effluent Batch 22 **Lab Sample ID:** 070604007-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 6/4/2007)						
Phenol	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2-Chlorophenol	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2-Methylphenol	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
4-Methylphenol	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Hexachloroethane	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Nitrobenzene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Isophorone	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2-Nitrophenol	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Naphthalene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
4-Chloroaniline	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2-Nitroaniline	< 25	25		µg/L	1	6/4/2007 3:20:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Acenaphthylene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
3-Nitroaniline	< 25	25		µg/L	1	6/4/2007 3:20:00 PM
Acenaphthene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	6/4/2007 3:20:00 PM
4-Nitrophenol	< 25	25		µg/L	1	6/4/2007 3:20:00 PM
Dibenzofuran	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Diethyl phthalate	< 5	5		µg/L	1	6/4/2007 3:20:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Jun-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 22-060407
Work Order: 070604007 **Collection Date:** 6/4/2007
Reference: Freeman's Bridge Road / Effluent Batch 22 **Lab Sample ID:** 070604007-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 6/4/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Fluorene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
4-Nitroaniline	< 25	25		µg/L	1	6/4/2007 3:20:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	6/4/2007 3:20:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Pentachlorophenol	< 25	25		µg/L	1	6/4/2007 3:20:00 PM
Phenanthrene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Anthracene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Carbazole	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Fluoranthene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Pyrene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	6/4/2007 3:20:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Chrysene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	6/4/2007 3:20:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 50	50		µg/L	5	6/4/2007
Bromomethane	< 50	50		µg/L	5	6/4/2007
Vinyl chloride	< 50	50		µg/L	5	6/4/2007
Chloroethane	< 50	50		µg/L	5	6/4/2007
Methylene chloride	28	25		µg/L	5	6/4/2007
Acetone	400	50		µg/L	5	6/4/2007
Carbon disulfide	< 25	25		µg/L	5	6/4/2007
1,1-Dichloroethene	< 25	25		µg/L	5	6/4/2007
1,1-Dichloroethane	< 25	25		µg/L	5	6/4/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Jun-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 22-060407
Work Order: 070604007 **Collection Date:** 6/4/2007
Reference: Freeman's Bridge Road / Effluent Batch 22 **Lab Sample ID:** 070604007-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 25	25		µg/L	5	6/4/2007
cis-1,2-Dichloroethene	< 25	25		µg/L	5	6/4/2007
Chloroform	< 25	25		µg/L	5	6/4/2007
1,2-Dichloroethane	< 25	25		µg/L	5	6/4/2007
2-Butanone	< 50	50		µg/L	5	6/4/2007
1,1,1-Trichloroethane	< 25	25		µg/L	5	6/4/2007
Carbon tetrachloride	< 25	25		µg/L	5	6/4/2007
Bromodichloromethane	< 25	25		µg/L	5	6/4/2007
1,2-Dichloropropane	< 25	25		µg/L	5	6/4/2007
cis-1,3-Dichloropropene	< 25	25		µg/L	5	6/4/2007
Trichloroethene	< 25	25		µg/L	5	6/4/2007
Dibromochloromethane	< 25	25		µg/L	5	6/4/2007
1,1,2-Trichloroethane	< 25	25		µg/L	5	6/4/2007
Benzene	< 25	25		µg/L	5	6/4/2007
trans-1,3-Dichloropropene	< 25	25		µg/L	5	6/4/2007
Bromoform	< 25	25		µg/L	5	6/4/2007
4-Methyl-2-pentanone	< 50	50		µg/L	5	6/4/2007
2-Hexanone	< 50	50		µg/L	5	6/4/2007
Tetrachloroethene	< 25	25		µg/L	5	6/4/2007
1,1,2,2-Tetrachloroethane	< 25	25		µg/L	5	6/4/2007
Toluene	< 25	25		µg/L	5	6/4/2007
Chlorobenzene	< 25	25		µg/L	5	6/4/2007
Ethylbenzene	< 25	25		µg/L	5	6/4/2007
Styrene	< 25	25		µg/L	5	6/4/2007
m,p-Xylene	< 25	25		µg/L	5	6/4/2007
o-Xylene	< 25	25		µg/L	5	6/4/2007
Methyl tert-butyl ether	< 25	25		µg/L	5	6/4/2007
Dichlorodifluoromethane	< 50	50		µg/L	5	6/4/2007
Methyl Acetate	< 25	25		µg/L	5	6/4/2007
1,1,2-Trichloro-1,2,2-trifluoroethane	< 25	25		µg/L	5	6/4/2007
Cyclohexane	< 50	50		µg/L	5	6/4/2007
Trichlorofluoromethane	< 25	25		µg/L	5	6/4/2007
Methyl Cyclohexane	< 25	25		µg/L	5	6/4/2007
1,2-Dibromoethane	< 25	25		µg/L	5	6/4/2007
1,3-Dichlorobenzene	< 25	25		µg/L	5	6/4/2007
Isopropylbenzene	< 25	25		µg/L	5	6/4/2007
1,2-Dichlorobenzene	< 25	25		µg/L	5	6/4/2007
1,4-Dichlorobenzene	< 25	25		µg/L	5	6/4/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Jun-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 22-060407
Work Order: 070604007	Collection Date: 6/4/2007
Reference: Freeman's Bridge Road / Effluent Batch 22	Lab Sample ID: 070604007-001
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 50	50		µg/L	5	6/4/2007
1,2,4-Trichlorobenzene	< 25	25		µg/L	5	6/4/2007
OIL AND GREASE E1664						Analyst: PL
Oil & Grease	< 1.0	1.0		mg/L	1	6/4/2007
PH E150.1						Analyst: LS
pH	7.2	1.0		pH Units	1	6/4/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	795	5		mg/L	1	6/4/2007 10:00:00 AM
TOTAL SUSPENDED SOLIDS E160.2						Analyst: PL
TSS (Residue, Non-Filterable)	2.5	1.0		mg/L	1	6/4/2007
TURBIDITY E180.1						Analyst: LS
Turbidity	2.2	0.10		NTU	1	6/4/2007 1:20:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd							
Send Report to: J Bradshaw		Project Name (Location): FBR				Samplers Name: S Bullock			
Client Phone #: 361-1247		Client PO #: 2006516				Samplers Signature:			
Client Fax #: 377-4147									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff Batch 22 - 060407	6/4/2007	0715	A	water		X	8	Full suite water
				P					
				A					
				P					
	Trip Blank			A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
AES Work Order #: <u>070604007</u>					Special Instructions/Remarks: RUSH - 24 Hr. or Faster TAT <i>< 24 hour Turnaround Joy @ 6/4/07</i>				
Turnaround Time Requested: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day					<i>client</i>				
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:			Date	Time	
Sample Temperature Ambient ~ <u>Chilled</u>				Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N		
Notes: <u>16</u>				Notes: _____			Notes: _____		



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

June 06, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070605056

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 3 samples on 6/5/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709

AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070605056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF Batch 22 (A)-VOCs
Collection Date: 6/5/2007
Lab Sample ID: 070605056-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	6/6/2007 9:37:00 AM
Bromomethane	< 10	10		µg/L	1	6/6/2007 9:37:00 AM
Vinyl chloride	< 10	10		µg/L	1	6/6/2007 9:37:00 AM
Chloroethane	< 10	10		µg/L	1	6/6/2007 9:37:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Acetone	200	10		µg/L	1	6/6/2007 9:37:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Chloroform	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
2-Butanone	< 10	10		µg/L	1	6/6/2007 9:37:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Benzene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Bromoform	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/6/2007 9:37:00 AM
2-Hexanone	< 10	10		µg/L	1	6/6/2007 9:37:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Toluene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Styrene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/6/2007 9:37:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070605056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: EFF Batch 22 (A)-VOCs
Collection Date: 6/5/2007
Lab Sample ID: 070605056-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Cyclohexane	< 10	10		µg/L	1	6/6/2007 9:37:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/6/2007 9:37:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/6/2007 9:37:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070605056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: INF Batch 22 (A)-VOCs
Collection Date: 6/5/2007
Lab Sample ID: 070605056-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 20	20		µg/L	2	6/6/2007 11:01:00 AM
Bromomethane	< 20	20		µg/L	2	6/6/2007 11:01:00 AM
Vinyl chloride	< 20	20		µg/L	2	6/6/2007 11:01:00 AM
Chloroethane	< 20	20		µg/L	2	6/6/2007 11:01:00 AM
Methylene chloride	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Acetone	220	20		µg/L	2	6/6/2007 11:01:00 AM
Carbon disulfide	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,1-Dichloroethene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,1-Dichloroethane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
trans-1,2-Dichloroethene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
cis-1,2-Dichloroethene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Chloroform	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,2-Dichloroethane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
2-Butanone	< 20	20		µg/L	2	6/6/2007 11:01:00 AM
1,1,1-Trichloroethane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Carbon tetrachloride	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Bromodichloromethane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,2-Dichloropropane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
cis-1,3-Dichloropropene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Trichloroethene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Dibromochloromethane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,1,2-Trichloroethane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Benzene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
trans-1,3-Dichloropropene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Bromoform	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
4-Methyl-2-pentanone	< 20	20		µg/L	2	6/6/2007 11:01:00 AM
2-Hexanone	< 20	20		µg/L	2	6/6/2007 11:01:00 AM
Tetrachloroethene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,1,2,2-Tetrachloroethane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Toluene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Chlorobenzene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Ethylbenzene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Styrene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
m,p-Xylene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
o-Xylene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Methyl tert-butyl ether	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Dichlorodifluoromethane	< 20	20		µg/L	2	6/6/2007 11:01:00 AM
Methyl Acetate	< 10	10		µg/L	2	6/6/2007 11:01:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070605056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: INF Batch 22 (A)-VOCs
Collection Date: 6/5/2007
Lab Sample ID: 070605056-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Cyclohexane	< 20	20		µg/L	2	6/6/2007 11:01:00 AM
Trichlorofluoromethane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Methyl Cyclohexane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,2-Dibromoethane	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,3-Dichlorobenzene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
Isopropylbenzene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,2-Dichlorobenzene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,4-Dichlorobenzene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM
1,2-Dibromo-3-chloropropane	< 20	20		µg/L	2	6/6/2007 11:01:00 AM
1,2,4-Trichlorobenzene	< 10	10		µg/L	2	6/6/2007 11:01:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070605056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 6/5/2007
Lab Sample ID: 070605056-003
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	6/6/2007 10:33:00 AM
Bromomethane	< 10	10		µg/L	1	6/6/2007 10:33:00 AM
Vinyl chloride	< 10	10		µg/L	1	6/6/2007 10:33:00 AM
Chloroethane	< 10	10		µg/L	1	6/6/2007 10:33:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Acetone	10	10		µg/L	1	6/6/2007 10:33:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Chloroform	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
2-Butanone	< 10	10		µg/L	1	6/6/2007 10:33:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Benzene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Bromoform	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/6/2007 10:33:00 AM
2-Hexanone	< 10	10		µg/L	1	6/6/2007 10:33:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Toluene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Styrene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/6/2007 10:33:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070605056
Reference: Freeman's Bridge Road /
PO#:

Client Sample ID: Trip Blank
Collection Date: 6/5/2007
Lab Sample ID: 070605056-003
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Cyclohexane	< 10	10		µg/L	1	6/6/2007 10:33:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/6/2007 10:33:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/6/2007 10:33:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd			
Send Report to: J Bradshaw		Project Name (Location): FBR		Samplers Name: S Bullock	
Client Phone #: 361-1247		Client PO #: 2006516		Samplers Signature:	
Client Fax #: 377-4147					

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff Batch 22(A) - VOCs	6/5/2007		A	water		X	1	VOCs
002	Inf Batch 22(A) - VOCs	6/5/2007		A	water		X	1	VOCs
				A					
				P					
				A					
				P					
	003 Trip Blank			A				1	
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					

AES Work Order #: **020605056**

Special Instructions/Remarks: **RUSH - 24 Hr. or Faster TAT**

Turnaround Time Requested:
 1 Day 3 Day Normal
 2 Day 5 Day

Relinquished by: (Signature) <i>[Signature]</i>	Date	Time	Received by: (Signature) <i>client</i>	Date	Time
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: <i>J. Reheal</i>	Date	Time

Sample Temperature
 Ambient ~ Chilled
 Notes: 15

Properly Preserved
 Y N
 Notes: _____

Received Within Holding Times
 Y N
 Notes: _____




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or non-performance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

June 08, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070606087

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 20

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 6/6/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment

Client Sample ID: EFF BATCH 23

Work Order: 070606087

Collection Date: 6/6/2007

Reference: Freeman's Bridge Road / Effluent Batch 20

Lab Sample ID: 070606087-001

PO#:

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**

(Prep: E608 - 6/7/2007)

Aroclor 1016	< 0.065	0.065		µg/L	1	6/7/2007 3:14:19 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	6/7/2007 3:14:19 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	6/7/2007 3:14:19 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	6/7/2007 3:14:19 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	6/7/2007 3:14:19 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	6/7/2007 3:14:19 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	6/7/2007 3:14:19 PM

ICP METALS E200.7 Analyst: **SM**

(Prep: SW3010A - 6/7/2007)

Aluminum	0.035	0.100	J	mg/L	1	6/7/2007 11:41:00 AM
Antimony	0.042	0.060	J	mg/L	1	6/7/2007 11:41:00 AM
Arsenic	0.006	0.005		mg/L	1	6/7/2007 11:41:00 AM
Barium	0.073	0.010		mg/L	1	6/7/2007 11:41:00 AM
Beryllium	< 0.005	0.005		mg/L	1	6/7/2007 11:41:00 AM
Cadmium	0	0.005	J	mg/L	1	6/7/2007 11:41:00 AM
Calcium	72.4	0.050		mg/L	1	6/7/2007 11:41:00 AM
Chromium	< 0.005	0.005		mg/L	1	6/7/2007 11:41:00 AM
Cobalt	0	0.050	J	mg/L	1	6/7/2007 11:41:00 AM
Copper	0.003	0.005	J	mg/L	1	6/7/2007 11:41:00 AM
Iron	0.141	0.050		mg/L	1	6/7/2007 11:41:00 AM
Lead	< 0.005	0.005		mg/L	1	6/7/2007 11:41:00 AM
Magnesium	9.27	0.050		mg/L	1	6/7/2007 11:41:00 AM
Manganese	0.146	0.020		mg/L	1	6/7/2007 11:41:00 AM
Nickel	0.002	0.020	J	mg/L	1	6/7/2007 11:41:00 AM
Potassium	20.1	0.050		mg/L	1	6/7/2007 11:41:00 AM
Selenium	0.001	0.005	J	mg/L	1	6/7/2007 11:41:00 AM
Silver	< 0.010	0.010		mg/L	1	6/7/2007 11:41:00 AM
Sodium	81.4	0.500		mg/L	10	6/7/2007 11:57:00 AM
Thallium	0.002	0.010	J	mg/L	1	6/7/2007 11:41:00 AM
Vanadium	0.003	0.020	J	mg/L	1	6/7/2007 11:41:00 AM
Zinc	0.046	0.010		mg/L	1	6/7/2007 11:41:00 AM

MERCURY E245.1 Analyst: **KH**

(Prep: E245.1 - 6/7/2007)

Mercury	< 0.0002	0.0002		mg/L	1	6/7/2007
---------	----------	--------	--	------	---	----------

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070606087
Reference: Freeman's Bridge Road / Effluent Batch 20
PO#:

Client Sample ID: EFF BATCH 23
Collection Date: 6/6/2007
Lab Sample ID: 070606087-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 6/7/2007)						
Phenol	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2-Chlorophenol	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2-Methylphenol	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
4-Methylphenol	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Hexachloroethane	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Nitrobenzene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Isophorone	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2-Nitrophenol	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Naphthalene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
4-Chloroaniline	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2-Nitroaniline	< 25	25		µg/L	1	6/8/2007 11:45:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Acenaphthylene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
3-Nitroaniline	< 25	25		µg/L	1	6/8/2007 11:45:00 AM
Acenaphthene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	6/8/2007 11:45:00 AM
4-Nitrophenol	< 25	25		µg/L	1	6/8/2007 11:45:00 AM
Dibenzofuran	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Diethyl phthalate	< 5	5		µg/L	1	6/8/2007 11:45:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment

Client Sample ID: EFF BATCH 23

Work Order: 070606087

Collection Date: 6/6/2007

Reference: Freeman's Bridge Road / Effluent Batch 20

Lab Sample ID: 070606087-001

PO#:

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C

Analyst: MT

(Prep: SW3510/E625 - 6/7/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Fluorene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
4-Nitroaniline	< 25	25		µg/L	1	6/8/2007 11:45:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	6/8/2007 11:45:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Pentachlorophenol	< 25	25		µg/L	1	6/8/2007 11:45:00 AM
Phenanthrene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Anthracene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Carbazole	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Fluoranthene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Pyrene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Butyl benzyl phthalate	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	6/8/2007 11:45:00 AM
Benz(a)anthracene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Chrysene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	6/8/2007 11:45:00 AM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	6/7/2007 10:01:00 AM
Bromomethane	< 10	10		µg/L	1	6/7/2007 10:01:00 AM
Vinyl chloride	< 10	10		µg/L	1	6/7/2007 10:01:00 AM
Chloroethane	< 10	10		µg/L	1	6/7/2007 10:01:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Acetone	96	10		µg/L	1	6/7/2007 10:01:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 23
Work Order: 070606087 **Collection Date:** 6/6/2007
Reference: Freeman's Bridge Road / Effluent Batch 20 **Lab Sample ID:** 070606087-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Chloroform	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
2-Butanone	< 10	10		µg/L	1	6/7/2007 10:01:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Benzene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Bromoform	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/7/2007 10:01:00 AM
2-Hexanone	< 10	10		µg/L	1	6/7/2007 10:01:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Toluene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Styrene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/7/2007 10:01:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Cyclohexane	< 10	10		µg/L	1	6/7/2007 10:01:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070606087
Reference: Freeman's Bridge Road / Effluent Batch 20
PO#:

Client Sample ID: EFF BATCH 23
Collection Date: 6/6/2007
Lab Sample ID: 070606087-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/7/2007 10:01:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:01:00 AM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	< 1.0	1.0		mg/L	1	6/7/2007
PH E150.1						Analyst: PL
pH	7.7	1.0		pH Units	1	6/6/2007 6:25:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	530	5		mg/L	1	6/7/2007 6:40:00 AM
TOTAL SUSPENDED SOLIDS E160.2						Analyst: PL
TSS (Residue, Non-Filterable)	3.0	1.0		mg/L	1	6/7/2007
TURBIDITY E180.1						Analyst: LS
Turbidity	1.9	0.10		NTU	1	6/7/2007 6:45:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070606087
Reference: Freeman's Bridge Road / Effluent Batch 20
PO#:

Client Sample ID: Trip Blank
Collection Date: 6/6/2007
Lab Sample ID: 070606087-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	6/7/2007 10:29:00 AM
Bromomethane	< 10	10		µg/L	1	6/7/2007 10:29:00 AM
Vinyl chloride	< 10	10		µg/L	1	6/7/2007 10:29:00 AM
Chloroethane	< 10	10		µg/L	1	6/7/2007 10:29:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Acetone	6	10	J	µg/L	1	6/7/2007 10:29:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Chloroform	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
2-Butanone	< 10	10		µg/L	1	6/7/2007 10:29:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Benzene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Bromoform	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/7/2007 10:29:00 AM
2-Hexanone	< 10	10		µg/L	1	6/7/2007 10:29:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Toluene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Styrene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/7/2007 10:29:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment	Client Sample ID: Trip Blank
Work Order: 070606087	Collection Date: 6/6/2007
Reference: Freeman's Bridge Road / Effluent Batch 20	Lab Sample ID: 070606087-002
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Cyclohexane	< 10	10		µg/L	1	6/7/2007 10:29:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/7/2007 10:29:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/7/2007 10:29:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins	Address: 34 Freemans Bridge Rd	
Send Report to: J Bradshaw	Project Name (Location): FBR	Samplers Name: S Bullock
Client Phone #: 361-1247	Client PO #: 2006516	Samplers Signature:
Client Fax #: 377-4147		

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff. Batch 23	6/6/2007		A	water		X	8	Full Suite
002	Trip Blank			A				1	
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					

AES Work Order #: 070606087	Special Instructions/Remarks: 24 Hr. TAT
------------------------------------	--

Turnaround Time Requested:
 1 Day 3 Day Normal
 2 Day 5 Day

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by:	Date	Time

Sample Temperature Ambient ~ Chilled <i>19°C</i>	Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N	Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N
Notes: _____	Notes: _____	Notes: _____




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

June 08, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070607069

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 24

Dear Jay Bradshaw:


Adirondack Environmental Services, Inc received 1 sample on 6/7/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709
AIHA#: 100307


Tara Daniels
Laboratory Manager

J. Bradshaw 377-4147 - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070607069
Reference: Freeman's Bridge Road / Effluent Batch 24
PO#:

Client Sample ID: EFF BATCH 24
Collection Date: 6/7/2007
Lab Sample ID: 070607069-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 6/7/2007)						
Aroclor 1016	< 0.072	0.072		µg/L	1	6/7/2007 8:00:56 PM
Aroclor 1221	< 0.072	0.072		µg/L	1	6/7/2007 8:00:56 PM
Aroclor 1232	< 0.072	0.072		µg/L	1	6/7/2007 8:00:56 PM
Aroclor 1242	< 0.072	0.072		µg/L	1	6/7/2007 8:00:56 PM
Aroclor 1248	< 0.072	0.072		µg/L	1	6/7/2007 8:00:56 PM
Aroclor 1254	< 0.072	0.072		µg/L	1	6/7/2007 8:00:56 PM
Aroclor 1260	< 0.072	0.072		µg/L	1	6/7/2007 8:00:56 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 6/8/2007)						
Aluminum	0.073	0.100	J	mg/L	1	6/8/2007 11:23:00 AM
Antimony	0.011	0.060	J	mg/L	1	6/8/2007 11:23:00 AM
Arsenic	0.005	0.005	J	mg/L	1	6/8/2007 11:23:00 AM
Barium	0.077	0.010		mg/L	1	6/8/2007 11:23:00 AM
Beryllium	0	0.005	J	mg/L	1	6/8/2007 11:23:00 AM
Cadmium	0	0.005	J	mg/L	1	6/8/2007 11:23:00 AM
Calcium	130	0.050		mg/L	1	6/8/2007 11:23:00 AM
Chromium	0	0.005	J	mg/L	1	6/8/2007 11:23:00 AM
Cobalt	0	0.050	J	mg/L	1	6/8/2007 11:23:00 AM
Copper	0.011	0.005		mg/L	1	6/8/2007 11:23:00 AM
Iron	0.397	0.050		mg/L	1	6/8/2007 11:23:00 AM
Lead	< 0.005	0.005		mg/L	1	6/8/2007 11:23:00 AM
Magnesium	15.2	0.050		mg/L	1	6/8/2007 11:23:00 AM
Manganese	0.257	0.020		mg/L	1	6/8/2007 11:23:00 AM
Nickel	0.004	0.020	J	mg/L	1	6/8/2007 11:23:00 AM
Potassium	9.98	0.050		mg/L	1	6/8/2007 11:23:00 AM
Selenium	< 0.005	0.005		mg/L	1	6/8/2007 11:23:00 AM
Silver	0.001	0.010	J	mg/L	1	6/8/2007 11:23:00 AM
Sodium	54.6	0.050		mg/L	1	6/8/2007 11:23:00 AM
Thallium	0.010	0.010	J	mg/L	1	6/8/2007 11:23:00 AM
Vanadium	< 0.020	0.020		mg/L	1	6/8/2007 11:23:00 AM
Zinc	0.014	0.010		mg/L	1	6/8/2007 11:23:00 AM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 6/8/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	6/8/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070607069
Reference: Freeman's Bridge Road / Effluent Batch 24
PO#:

Client Sample ID: EFF BATCH 24
Collection Date: 6/7/2007
Lab Sample ID: 070607069-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 6/8/2007)

Phenol	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2-Chlorophenol	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2-Methylphenol	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
4-Methylphenol	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Hexachloroethane	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Nitrobenzene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Isophorone	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2-Nitrophenol	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Naphthalene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
4-Chloroaniline	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2-Nitroaniline	< 25	25		µg/L	1	6/8/2007 3:30:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Acenaphthylene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
3-Nitroaniline	< 25	25		µg/L	1	6/8/2007 3:30:00 PM
Acenaphthene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	6/8/2007 3:30:00 PM
4-Nitrophenol	< 25	25		µg/L	1	6/8/2007 3:30:00 PM
Dibenzofuran	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Diethyl phthalate	< 5	5		µg/L	1	6/8/2007 3:30:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070607069
Reference: Freeman's Bridge Road / Effluent Batch 24
PO#:

Client Sample ID: EFF BATCH 24
Collection Date: 6/7/2007
Lab Sample ID: 070607069-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C

Analyst: MT

(Prep: SW3510/E625 - 6/8/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Fluorene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
4-Nitroaniline	< 25	25		µg/L	1	6/8/2007 3:30:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	6/8/2007 3:30:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Pentachlorophenol	< 25	25		µg/L	1	6/8/2007 3:30:00 PM
Phenanthrene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Anthracene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Carbazole	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Fluoranthene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Pyrene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	6/8/2007 3:30:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Chrysene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	6/8/2007 3:30:00 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	6/8/2007 10:41:00 AM
Bromomethane	< 10	10		µg/L	1	6/8/2007 10:41:00 AM
Vinyl chloride	< 10	10		µg/L	1	6/8/2007 10:41:00 AM
Chloroethane	< 10	10		µg/L	1	6/8/2007 10:41:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Acetone	84	10		µg/L	1	6/8/2007 10:41:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070607069
Reference: Freeman's Bridge Road / Effluent Batch 24
PO#:

Client Sample ID: EFF BATCH 24
Collection Date: 6/7/2007
Lab Sample ID: 070607069-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Chloroform	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
2-Butanone	< 10	10		µg/L	1	6/8/2007 10:41:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Benzene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Bromoform	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/8/2007 10:41:00 AM
2-Hexanone	< 10	10		µg/L	1	6/8/2007 10:41:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Toluene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Styrene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/8/2007 10:41:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Cyclohexane	< 10	10		µg/L	1	6/8/2007 10:41:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070607069
Reference: Freeman's Bridge Road / Effluent Batch 24
PO#:

Client Sample ID: EFF BATCH 24
Collection Date: 6/7/2007
Lab Sample ID: 070607069-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/8/2007 10:41:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/8/2007 10:41:00 AM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	0.3	1.0	J	mg/L	1	6/7/2007
PH E150.1						Analyst: PL
pH	8.4	1.0		pH Units	1	6/7/2007 6:00:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	670	5		mg/L	1	6/8/2007 6:30:00 AM
TOTAL SUSPENDED SOLIDS E160.2						Analyst: PL
TSS (Residue, Non-Filterable)	4.5	1.0		mg/L	1	6/7/2007
TURBIDITY E180.1						Analyst: LS
Turbidity	6.5	0.10		NTU	1	6/8/2007 6:30:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

June 11, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070608076

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 25

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 6/8/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709

AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070608076
Reference: Freeman's Bridge Road / Effluent Batch 25
PO#:

Client Sample ID: EFF BATCH 25
Collection Date: 6/8/2007
Lab Sample ID: 070608076-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 6/8/2007)						
Aroclor 1016	< 0.068	0.068		µg/L	1	6/8/2007 8:16:20 PM
Aroclor 1221	< 0.068	0.068		µg/L	1	6/8/2007 8:16:20 PM
Aroclor 1232	< 0.068	0.068		µg/L	1	6/8/2007 8:16:20 PM
Aroclor 1242	< 0.068	0.068		µg/L	1	6/8/2007 8:16:20 PM
Aroclor 1248	0.07	0.068	J	µg/L	1	6/8/2007 8:16:20 PM
Aroclor 1254	< 0.068	0.068		µg/L	1	6/8/2007 8:16:20 PM
Aroclor 1260	< 0.068	0.068		µg/L	1	6/8/2007 8:16:20 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 6/11/2007)						
Aluminum	0.036	0.100	J	mg/L	1	6/11/2007 1:40:00 PM
Antimony	0.017	0.060	J	mg/L	1	6/11/2007 1:40:00 PM
Arsenic	0.004	0.005	J	mg/L	1	6/11/2007 1:40:00 PM
Barium	0.070	0.010		mg/L	1	6/11/2007 1:40:00 PM
Beryllium	0	0.005	J	mg/L	1	6/11/2007 1:40:00 PM
Cadmium	0	0.005	J	mg/L	1	6/11/2007 1:40:00 PM
Calcium	116	0.050		mg/L	1	6/11/2007 1:40:00 PM
Chromium	< 0.005	0.005		mg/L	1	6/11/2007 1:40:00 PM
Cobalt	0	0.050	J	mg/L	1	6/11/2007 1:40:00 PM
Copper	0.008	0.005		mg/L	1	6/11/2007 1:40:00 PM
Iron	0.086	0.050		mg/L	1	6/11/2007 1:40:00 PM
Lead	0	0.005	J	mg/L	1	6/11/2007 1:40:00 PM
Magnesium	16.3	0.050		mg/L	1	6/11/2007 1:40:00 PM
Manganese	0.232	0.020		mg/L	1	6/11/2007 1:40:00 PM
Nickel	0.001	0.020	J	mg/L	1	6/11/2007 1:40:00 PM
Potassium	7.68	0.050		mg/L	1	6/11/2007 1:40:00 PM
Selenium	0	0.005	J	mg/L	1	6/11/2007 1:40:00 PM
Silver	0.002	0.010	J	mg/L	1	6/11/2007 1:40:00 PM
Sodium	95.4	0.500		mg/L	10	6/11/2007 1:44:00 PM
Thallium	0.010	0.010	J	mg/L	1	6/11/2007 1:40:00 PM
Vanadium	0	0.020	J	mg/L	1	6/11/2007 1:40:00 PM
Zinc	0.013	0.010		mg/L	1	6/11/2007 1:40:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 6/11/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	6/11/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070608076
Reference: Freeman's Bridge Road / Effluent Batch 25
PO#:

Client Sample ID: EFF BATCH 25
Collection Date: 6/8/2007
Lab Sample ID: 070608076-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 6/11/2007)						
Phenol	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2-Chlorophenol	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2-Methylphenol	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
4-Methylphenol	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Hexachloroethane	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Nitrobenzene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Isophorone	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2-Nitrophenol	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Naphthalene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
4-Chloroaniline	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2-Nitroaniline	< 25	25		µg/L	1	6/11/2007 2:09:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Acenaphthylene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
3-Nitroaniline	< 25	25		µg/L	1	6/11/2007 2:09:00 PM
Acenaphthene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	6/11/2007 2:09:00 PM
4-Nitrophenol	< 25	25		µg/L	1	6/11/2007 2:09:00 PM
Dibenzofuran	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Diethyl phthalate	< 5	5		µg/L	1	6/11/2007 2:09:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070608076
Reference: Freeman's Bridge Road / Effluent Batch 25
PO#:

Client Sample ID: EFF BATCH 25
Collection Date: 6/8/2007
Lab Sample ID: 070608076-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 6/11/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Fluorene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
4-Nitroaniline	< 25	25		µg/L	1	6/11/2007 2:09:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	6/11/2007 2:09:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Pentachlorophenol	< 25	25		µg/L	1	6/11/2007 2:09:00 PM
Phenanthrene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Anthracene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Carbazole	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Fluoranthene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Pyrene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	6/11/2007 2:09:00 PM
Benzo(a)anthracene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Chrysene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	6/11/2007 2:09:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	6/11/2007 10:47:00 AM
Bromomethane	< 10	10		µg/L	1	6/11/2007 10:47:00 AM
Vinyl chloride	< 10	10		µg/L	1	6/11/2007 10:47:00 AM
Chloroethane	< 10	10		µg/L	1	6/11/2007 10:47:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Acetone	43	10		µg/L	1	6/11/2007 10:47:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Jun-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 25
Work Order: 070608076 **Collection Date:** 6/8/2007
Reference: Freeman's Bridge Road / Effluent Batch 25 **Lab Sample ID:** 070608076-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Chloroform	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
2-Butanone	< 10	10		µg/L	1	6/11/2007 10:47:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Benzene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Bromoform	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/11/2007 10:47:00 AM
2-Hexanone	< 10	10		µg/L	1	6/11/2007 10:47:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Toluene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Styrene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/11/2007 10:47:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Cyclohexane	< 10	10		µg/L	1	6/11/2007 10:47:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Jun-07

CLIENT:	D.A.Collins Environment	Client Sample ID:	EFF BATCH 25
Work Order:	070608076	Collection Date:	6/8/2007
Reference:	Freeman's Bridge Road / Effluent Batch 25	Lab Sample ID:	070608076-001
PO#:		Matrix:	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/11/2007 10:47:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/11/2007 10:47:00 AM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	0.3	1.0	J	mg/L	1	6/11/2007
PH E150.1						Analyst: PL
pH	8.3	1.0		pH Units	1	6/8/2007 5:25:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	730	5		mg/L	1	6/9/2007 6:45:00 AM
TOTAL SUSPENDED SOLIDS E160.2						Analyst: LS
TSS (Residue, Non-Filterable)	24.0	1.0		mg/L	1	6/9/2007 6:45:00 AM
TURBIDITY E180.1						Analyst: SH
Turbidity	9.9	0.10		NTU	1	6/8/2007 5:30:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd	
Send Report to: J Bradshaw		Project Name (Location): FBR	Samplers Name: S Bullock
Client Phone #: 361-1247		Client PO #: 2006516	Samplers Signature:
Client Fax #: 377-4147			

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
	Eff. Batch 25	6/8/2007	1605	A		water		X	8 Full Suite
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					

AES Work Order #: <u>070628076</u>	Special Instructions/Remarks: 24 Hr. TAT
------------------------------------	--

Turnaround Time Requested:

1 Day 3 Day Normal

2 Day 5 Day

Relinquished by: (Signature)	Date <u>6/8/07</u>	Time <u>16:25</u>	Received by: (Signature)	Date <u>6/8/07</u>	Time <u>16:25</u>
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by:	Date <u>6/8/07</u>	Time <u>17:15</u>

Sample Temperature <input checked="" type="radio"/> Ambient ~ Chilled Notes: <u>20°C</u>	Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N Notes: _____	Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N Notes: _____
---	---	--




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

June 14, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070613004

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 26

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 1 sample on 6/12/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070613004
Reference: Freeman's Bridge Road / Effluent Batch 26
PO#:

Client Sample ID: EFF BATCH 26
Collection Date: 6/12/2007
Lab Sample ID: 070613004-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082
 (Prep: E608 - 6/12/2007)

Analyst: **KF**

Aroclor 1016	< 0.065	0.065		µg/L	1	6/12/2007 11:41:46 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	6/12/2007 11:41:46 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	6/12/2007 11:41:46 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	6/12/2007 11:41:46 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	6/12/2007 11:41:46 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	6/12/2007 11:41:46 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	6/12/2007 11:41:46 PM

ICP METALS E200.7
 (Prep: SW3010A - 6/13/2007)

Analyst: **SM**

Aluminum	0.178	0.100		mg/L	1	6/13/2007 11:07:00 AM
Antimony	0.021	0.060	J	mg/L	1	6/13/2007 11:07:00 AM
Arsenic	0.010	0.005		mg/L	1	6/13/2007 11:07:00 AM
Barium	0.068	0.010		mg/L	1	6/13/2007 11:07:00 AM
Beryllium	< 0.005	0.005		mg/L	1	6/13/2007 11:07:00 AM
Cadmium	0	0.005	J	mg/L	1	6/13/2007 11:07:00 AM
Calcium	130	0.050		mg/L	1	6/13/2007 11:07:00 AM
Chromium	0	0.005	J	mg/L	1	6/13/2007 11:07:00 AM
Cobalt	0	0.050	J	mg/L	1	6/13/2007 11:07:00 AM
Copper	0.007	0.005		mg/L	1	6/13/2007 11:07:00 AM
Iron	0.381	0.050		mg/L	1	6/13/2007 11:07:00 AM
Lead	0	0.005	J	mg/L	1	6/13/2007 11:07:00 AM
Magnesium	20.7	0.050		mg/L	1	6/13/2007 11:07:00 AM
Manganese	0.467	0.020		mg/L	1	6/13/2007 11:07:00 AM
Nickel	0.003	0.020	J	mg/L	1	6/13/2007 11:07:00 AM
Potassium	6.34	0.050		mg/L	1	6/13/2007 11:07:00 AM
Selenium	0.002	0.005	J	mg/L	1	6/13/2007 11:07:00 AM
Silver	< 0.010	0.010		mg/L	1	6/13/2007 11:07:00 AM
Sodium	75.2	0.500		mg/L	10	6/13/2007 11:12:00 AM
Thallium	0.012	0.010		mg/L	1	6/13/2007 11:07:00 AM
Vanadium	0.004	0.020	J	mg/L	1	6/13/2007 11:07:00 AM
Zinc	0.032	0.010		mg/L	1	6/13/2007 11:07:00 AM

MERCURY E245.1
 (Prep: E245.1 - 6/13/2007)

Analyst: **KH**

Mercury	< 0.0002	0.0002	S	mg/L	1	6/13/2007
---------	----------	--------	---	------	---	-----------

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070613004
Reference: Freeman's Bridge Road / Effluent Batch 26
PO#:

Client Sample ID: EFF BATCH 26
Collection Date: 6/12/2007
Lab Sample ID: 070613004-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 6/13/2007)						
Phenol	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2-Chlorophenol	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2-Methylphenol	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
4-Methylphenol	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Hexachloroethane	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Nitrobenzene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Isophorone	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2-Nitrophenol	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Naphthalene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
4-Chloroaniline	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2-Nitroaniline	< 25	25		µg/L	1	6/13/2007 5:18:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Acenaphthylene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
3-Nitroaniline	< 25	25		µg/L	1	6/13/2007 5:18:00 PM
Acenaphthene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	6/13/2007 5:18:00 PM
4-Nitrophenol	< 25	25		µg/L	1	6/13/2007 5:18:00 PM
Dibenzofuran	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Diethyl phthalate	< 5	5		µg/L	1	6/13/2007 5:18:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070613004
Reference: Freeman's Bridge Road / Effluent Batch 26
PO#:

Client Sample ID: EFF BATCH 26
Collection Date: 6/12/2007
Lab Sample ID: 070613004-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 6/13/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Fluorene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
4-Nitroaniline	< 25	25		µg/L	1	6/13/2007 5:18:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	6/13/2007 5:18:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Pentachlorophenol	< 25	25		µg/L	1	6/13/2007 5:18:00 PM
Phenanthrene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Anthracene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Carbazole	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Fluoranthene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Pyrene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	6/13/2007 5:18:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Chrysene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	6/13/2007 5:18:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	6/13/2007 1:33:00 PM
Bromomethane	< 10	10		µg/L	1	6/13/2007 1:33:00 PM
Vinyl chloride	< 10	10		µg/L	1	6/13/2007 1:33:00 PM
Chloroethane	< 10	10		µg/L	1	6/13/2007 1:33:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Acetone	8	10	J	µg/L	1	6/13/2007 1:33:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070613004
Reference: Freeman's Bridge Road / Effluent Batch 26
PO#:

Client Sample ID: EFF BATCH 26
Collection Date: 6/12/2007
Lab Sample ID: 070613004-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Chloroform	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
2-Butanone	< 10	10		µg/L	1	6/13/2007 1:33:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Benzene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Bromoform	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/13/2007 1:33:00 PM
2-Hexanone	< 10	10		µg/L	1	6/13/2007 1:33:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Toluene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Styrene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/13/2007 1:33:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Cyclohexane	< 10	10		µg/L	1	6/13/2007 1:33:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 14-Jun-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 26
Work Order: 070613004	Collection Date: 6/12/2007
Reference: Freeman's Bridge Road / Effluent Batch 26	Lab Sample ID: 070613004-001
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						
						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/13/2007 1:33:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/13/2007 1:33:00 PM
OIL AND GREASE E1664						
						Analyst: VZ
Oil & Grease	0.4	1.0	J	mg/L	1	6/13/2007
PH E150.1						
						Analyst: LS
pH	7.6	1.0		pH Units	1	6/13/2007 1:00:00 PM
TOTAL DISSOLVED SOLIDS E160.1						
						Analyst: LS
TDS (Residue, Filterable)	835	5		mg/L	1	6/1/2007 1:00:00 PM
TOTAL SUSPENDED SOLIDS E160.2						
						Analyst: PL
TSS (Residue, Non-Filterable)	2.0	1.0		mg/L	1	6/13/2007
TURBIDITY E180.1						
						Analyst: PL
Turbidity	4.6	0.10		NTU	1	6/13/2007 11:00:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd	
Send Report to: J Bradshaw		Project Name (Location): FBR	Samplers Name: S Bullock
Client Phone #: 361-1247		Client PO #: 2006516	Samplers Signature:
Client Fax #: 377-4147			

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis	
			A=am	P=pm	Matrix	C	G			
001	Eff. Batch 26	6/12/2007	1630	A	P	water		X	8	Full Suite
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					

AES Work Order #: 070613004	Special Instructions/Remarks: 24 Hr. TAT
---------------------------------------	--

Turnaround Time Requested:

1 Day 3 Day Normal
 2 Day 5 Day

Relinquished by: (Signature)	Date 6/12/07	Time 16:35	Received by: (Signature)	Date 6/12/07	Time 16:35
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: Kenneth S. Bullock	Date 6/12/07	Time 5:10

Sample Temperature Ambient ~ Chilled 23	Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N	Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

June 18, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070615065

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 27

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 6/15/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jun-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank

Work Order: 070615065

Collection Date: 6/15/2007

Reference: Freeman's Bridge Road / Effluent Batch 27

Lab Sample ID: 070615065-002

PO#:

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	6/18/2007 10:46:00 AM
Bromomethane	< 10	10		µg/L	1	6/18/2007 10:46:00 AM
Vinyl chloride	< 10	10		µg/L	1	6/18/2007 10:46:00 AM
Chloroethane	< 10	10		µg/L	1	6/18/2007 10:46:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Acetone	8	10	J	µg/L	1	6/18/2007 10:46:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Chloroform	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
2-Butanone	< 10	10		µg/L	1	6/18/2007 10:46:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Benzene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Bromoform	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/18/2007 10:46:00 AM
2-Hexanone	< 10	10		µg/L	1	6/18/2007 10:46:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Toluene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Styrene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/18/2007 10:46:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070615065
Reference: Freeman's Bridge Road / Effluent Batch 27
PO#:

Client Sample ID: Trip Blank
Collection Date: 6/15/2007
Lab Sample ID: 070615065-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Cyclohexane	< 10	10		µg/L	1	6/18/2007 10:46:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/18/2007 10:46:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:46:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070615065
Reference: Freeman's Bridge Road / Effluent Batch 27
PO#:

Client Sample ID: EFF BATCH 27
Collection Date: 6/15/2007 3:15:00 PM
Lab Sample ID: 070615065-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 6/15/2007)

Aroclor 1016	< 0.068	0.068		µg/L	1	6/15/2007 10:27:17 PM
Aroclor 1221	< 0.068	0.068		µg/L	1	6/15/2007 10:27:17 PM
Aroclor 1232	< 0.068	0.068		µg/L	1	6/15/2007 10:27:17 PM
Aroclor 1242	< 0.068	0.068		µg/L	1	6/15/2007 10:27:17 PM
Aroclor 1248	< 0.068	0.068		µg/L	1	6/15/2007 10:27:17 PM
Aroclor 1254	< 0.068	0.068		µg/L	1	6/15/2007 10:27:17 PM
Aroclor 1260	< 0.068	0.068		µg/L	1	6/15/2007 10:27:17 PM
PCB, Total	< 0.068	0.068		µg/L	1	6/15/2007 10:27:17 PM

ICP METALS E200.7 Analyst: **SM**
 (Prep: SW3010A - 6/18/2007)

Aluminum	0.103	0.100		mg/L	1	6/18/2007 9:50:00 AM
Antimony	0.058	0.060	J	mg/L	1	6/18/2007 9:50:00 AM
Arsenic	0.005	0.005		mg/L	1	6/18/2007 9:50:00 AM
Barium	0.059	0.010		mg/L	1	6/18/2007 9:50:00 AM
Beryllium	0	0.005	J	mg/L	1	6/18/2007 9:50:00 AM
Cadmium	0	0.005	J	mg/L	1	6/18/2007 9:50:00 AM
Calcium	105	0.050		mg/L	1	6/18/2007 9:50:00 AM
Chromium	< 0.005	0.005		mg/L	1	6/18/2007 9:50:00 AM
Cobalt	0	0.050	J	mg/L	1	6/18/2007 9:50:00 AM
Copper	0.005	0.005		mg/L	1	6/18/2007 9:50:00 AM
Iron	0.200	0.050		mg/L	1	6/18/2007 9:50:00 AM
Lead	< 0.005	0.005		mg/L	1	6/18/2007 9:50:00 AM
Magnesium	17.2	0.050		mg/L	1	6/18/2007 9:50:00 AM
Manganese	0.413	0.020		mg/L	1	6/18/2007 9:50:00 AM
Nickel	0.003	0.020	J	mg/L	1	6/18/2007 9:50:00 AM
Potassium	5.41	0.050		mg/L	1	6/18/2007 9:50:00 AM
Selenium	0.006	0.005		mg/L	1	6/18/2007 9:50:00 AM
Silver	0	0.010	J	mg/L	1	6/18/2007 9:50:00 AM
Sodium	75.3	0.050		mg/L	1	6/18/2007 9:50:00 AM
Thallium	0.008	0.010	J	mg/L	1	6/18/2007 9:50:00 AM
Vanadium	0.003	0.020	J	mg/L	1	6/18/2007 9:50:00 AM
Zinc	0.017	0.010		mg/L	1	6/18/2007 9:50:00 AM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 6/18/2007)

Mercury	< 0.0002	0.0002		mg/L	1	6/18/2007
---------	----------	--------	--	------	---	-----------

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jun-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 27
Work Order: 070615065 **Collection Date:** 6/15/2007 3:15:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 27 **Lab Sample ID:** 070615065-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 6/18/2007)						
Phenol	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2-Chlorophenol	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2-Methylphenol	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
4-Methylphenol	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Hexachloroethane	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Nitrobenzene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Isophorone	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2-Nitrophenol	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Naphthalene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
4-Chloroaniline	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2-Nitroaniline	< 25	25		µg/L	1	6/18/2007 1:13:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Acenaphthylene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
3-Nitroaniline	< 25	25		µg/L	1	6/18/2007 1:13:00 PM
Acenaphthene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	6/18/2007 1:13:00 PM
4-Nitrophenol	< 25	25		µg/L	1	6/18/2007 1:13:00 PM
Dibenzofuran	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Diethyl phthalate	< 5	5		µg/L	1	6/18/2007 1:13:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070615065
Reference: Freeman's Bridge Road / Effluent Batch 27
PO#:

Client Sample ID: EFF BATCH 27
Collection Date: 6/15/2007 3:15:00 PM
Lab Sample ID: 070615065-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C
 (Prep: SW3510/E625 - 6/18/2007)

Analyst: MT

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Fluorene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
4-Nitroaniline	< 25	25		µg/L	1	6/18/2007 1:13:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	6/18/2007 1:13:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Pentachlorophenol	< 25	25		µg/L	1	6/18/2007 1:13:00 PM
Phenanthrene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Anthracene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Carbazole	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Fluoranthene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Pyrene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	6/18/2007 1:13:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Chrysene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	6/18/2007 1:13:00 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	6/18/2007 10:18:00 AM
Bromomethane	< 10	10		µg/L	1	6/18/2007 10:18:00 AM
Vinyl chloride	< 10	10		µg/L	1	6/18/2007 10:18:00 AM
Chloroethane	< 10	10		µg/L	1	6/18/2007 10:18:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Acetone	6	10	J	µg/L	1	6/18/2007 10:18:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 18-Jun-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 27
Work Order: 070615065 **Collection Date:** 6/15/2007 3:15:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 27 **Lab Sample ID:** 070615065-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Chloroform	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
2-Butanone	< 10	10		µg/L	1	6/18/2007 10:18:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Benzene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Bromoform	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/18/2007 10:18:00 AM
2-Hexanone	< 10	10		µg/L	1	6/18/2007 10:18:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Toluene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Styrene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/18/2007 10:18:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Cyclohexane	< 10	10		µg/L	1	6/18/2007 10:18:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range


Adirondack Environmental Services, Inc

Date: 18-Jun-07

CLIENT:	D.A.Collins Environment	Client Sample ID:	EFF BATCH 27
Work Order:	070615065	Collection Date:	6/15/2007 3:15:00 PM
Reference:	Freeman's Bridge Road / Effluent Batch 27	Lab Sample ID:	070615065-001
PO#:		Matrix:	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/18/2007 10:18:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/18/2007 10:18:00 AM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	< 1.0	1.0		mg/L	1	6/18/2007
PH E150.1						Analyst: PL
pH	7.8	1.0		pH Units	1	6/15/2007 5:10:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: PL
TDS (Residue, Filterable)	815	5		mg/L	1	6/16/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: PL
TSS (Residue, Non-Filterable)	0.5	1.0	J	mg/L	1	6/17/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	1.7	0.10		NTU	1	6/15/2007 4:35:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range







EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd							
Send Report to: J Bradshaw		Project Name (Location): FBR			Samplers Name: S Bullock				
Client Phone #: 361-1247		Client PO #: 2006516			Samplers Signature: 				
Client Fax #: 377-4147									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff. Batch 27	6/15/2007	1515	A P	water		X	8	Full Suite
002	Trip Blank			A P				1	
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
				A P					
AES Work Order #: <u>070615065</u>		Special Instructions/Remarks: 24 Hr. TAT							
Turnaround Time Requested: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature) 	Date	Time	Received by: (Signature) 			Date <u>6/15/07</u>	Time <u>4:00 p</u>		
Relinquished by: (Signature)	Date	Time	Received by: (Signature)			Date	Time		
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: 			Date <u>6/15/07</u>	Time <u>4:39</u>		
Sample Temperature Ambient ~ Chilled <u>20°C</u>		Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N				
Notes: _____		Notes: _____			Notes: _____				



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

June 26, 2007

Jay Bradshaw
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070622067

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 28

Dear Jay Bradshaw:

Adirondack Environmental Services, Inc received 2 samples on 6/22/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709
AIHA#: 100307

J. Bradshaw 377-4147 - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 26-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070622067
Reference: Freeman's Bridge Road / Effluent Batch 28
PO#:

Client Sample ID: EFF BATCH 28
Collection Date: 6/22/2007 2:45:00 PM
Lab Sample ID: 070622067-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 6/22/2007)

Aroclor 1016	< 0.066	0.066		µg/L	1	6/23/2007 8:29:31 PM
Aroclor 1221	< 0.066	0.066		µg/L	1	6/23/2007 8:29:31 PM
Aroclor 1232	< 0.066	0.066		µg/L	1	6/23/2007 8:29:31 PM
Aroclor 1242	< 0.066	0.066		µg/L	1	6/23/2007 8:29:31 PM
Aroclor 1248	< 0.066	0.066		µg/L	1	6/23/2007 8:29:31 PM
Aroclor 1254	< 0.066	0.066		µg/L	1	6/23/2007 8:29:31 PM
Aroclor 1260	< 0.066	0.066		µg/L	1	6/23/2007 8:29:31 PM

ICP METALS E200.7 Analyst: **SM**
 (Prep: SW3010A - 6/25/2007)

Aluminum	0.010	0.100	J	mg/L	1	6/25/2007 11:21:00 AM
Antimony	0.013	0.060	J	mg/L	1	6/25/2007 11:21:00 AM
Arsenic	0.004	0.005	J	mg/L	1	6/25/2007 11:21:00 AM
Barium	0.049	0.010		mg/L	1	6/25/2007 11:21:00 AM
Beryllium	0	0.005	J	mg/L	1	6/25/2007 11:21:00 AM
Cadmium	0	0.005	J	mg/L	1	6/25/2007 11:21:00 AM
Calcium	110	0.050		mg/L	1	6/25/2007 11:21:00 AM
Chromium	0	0.005	J	mg/L	1	6/25/2007 11:21:00 AM
Cobalt	< 0.050	0.050		mg/L	1	6/25/2007 11:21:00 AM
Copper	0.003	0.005	J	mg/L	1	6/25/2007 11:21:00 AM
Iron	0.057	0.050		mg/L	1	6/25/2007 11:21:00 AM
Lead	< 0.005	0.005		mg/L	1	6/25/2007 11:21:00 AM
Magnesium	17.8	0.050		mg/L	1	6/25/2007 11:21:00 AM
Manganese	0.070	0.020		mg/L	1	6/25/2007 11:21:00 AM
Nickel	0.003	0.020	J	mg/L	1	6/25/2007 11:21:00 AM
Potassium	4.85	0.050		mg/L	1	6/25/2007 11:21:00 AM
Selenium	0.001	0.005	J	mg/L	1	6/25/2007 11:21:00 AM
Silver	< 0.010	0.010		mg/L	1	6/25/2007 11:21:00 AM
Sodium	67.0	0.500		mg/L	10	6/25/2007 11:33:00 AM
Thallium	0.018	0.010		mg/L	1	6/25/2007 11:21:00 AM
Vanadium	0.002	0.020	J	mg/L	1	6/25/2007 11:21:00 AM
Zinc	0.015	0.010		mg/L	1	6/25/2007 11:21:00 AM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 6/25/2007)

Mercury	< 0.0002	0.0002		mg/L	1	6/25/2007
---------	----------	--------	--	------	---	-----------

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 26-Jun-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 28
Work Order: 070622067 **Collection Date:** 6/22/2007 2:45:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 28 **Lab Sample ID:** 070622067-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 6/25/2007)						
Phenol	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2-Chlorophenol	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2-Methylphenol	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
4-Methylphenol	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Hexachloroethane	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Nitrobenzene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Isophorone	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2-Nitrophenol	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Naphthalene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
4-Chloroaniline	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2-Nitroaniline	< 25	25		µg/L	1	6/25/2007 11:40:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Acenaphthylene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
3-Nitroaniline	< 25	25		µg/L	1	6/25/2007 11:40:00 AM
Acenaphthene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	6/25/2007 11:40:00 AM
4-Nitrophenol	< 25	25		µg/L	1	6/25/2007 11:40:00 AM
Dibenzofuran	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Diethyl phthalate	< 5	5		µg/L	1	6/25/2007 11:40:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 26-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070622067
Reference: Freeman's Bridge Road / Effluent Batch 28
PO#:

Client Sample ID: EFF BATCH 28
Collection Date: 6/22/2007 2:45:00 PM
Lab Sample ID: 070622067-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 6/25/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Fluorene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
4-Nitroaniline	< 25	25		µg/L	1	6/25/2007 11:40:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	6/25/2007 11:40:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Pentachlorophenol	< 25	25		µg/L	1	6/25/2007 11:40:00 AM
Phenanthrene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Anthracene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Carbazole	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Fluoranthene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Pyrene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Butyl benzyl phthalate	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
3,3'-Dichlorobenzidene	< 10	10		µg/L	1	6/25/2007 11:40:00 AM
Benz(a)anthracene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Chrysene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Bis(2-ethylhexyl)phthalate	4	5	J	µg/L	1	6/25/2007 11:40:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	6/25/2007 11:40:00 AM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
Bromomethane	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
Vinyl chloride	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
Chloroethane	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Acetone	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 26-Jun-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 28
Work Order: 070622067 **Collection Date:** 6/22/2007 2:45:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 28 **Lab Sample ID:** 070622067-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Chloroform	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
2-Butanone	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Benzene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Bromoform	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
2-Hexanone	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Toluene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Styrene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Cyclohexane	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 26-Jun-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 28
Work Order: 070622067 **Collection Date:** 6/22/2007 2:45:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 28 **Lab Sample ID:** 070622067-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/22/2007 5:09:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:09:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	< 1.0	1.0		mg/L	1	6/25/2007
PH E150.1						Analyst: PL
pH	7.6	1.0		pH Units	1	6/22/2007 5:30:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: PL
TDS (Residue, Filterable)	635	5		mg/L	1	6/22/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: PL
TSS (Residue, Non-Filterable)	< 1.0	1.0		mg/L	1	6/25/2006
TURBIDITY E180.1						Analyst: PL
Turbidity	0.40	0.10		NTU	1	6/22/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 26-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070622067
Reference: Freeman's Bridge Road / Effluent Batch 28
PO#:

Client Sample ID: Trip Blank
Collection Date: 6/22/2007 2:45:00 PM
Lab Sample ID: 070622067-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	6/22/2007 5:38:00 PM
Bromomethane	< 10	10		µg/L	1	6/22/2007 5:38:00 PM
Vinyl chloride	< 10	10		µg/L	1	6/22/2007 5:38:00 PM
Chloroethane	< 10	10		µg/L	1	6/22/2007 5:38:00 PM
Methylene chloride	8.3	5.0		µg/L	1	6/22/2007 5:38:00 PM
Acetone	13	10		µg/L	1	6/22/2007 5:38:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Chloroform	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
2-Butanone	< 10	10		µg/L	1	6/22/2007 5:38:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Benzene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Bromoform	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/22/2007 5:38:00 PM
2-Hexanone	< 10	10		µg/L	1	6/22/2007 5:38:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Toluene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Styrene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/22/2007 5:38:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 26-Jun-07

CLIENT: D.A.Collins Environment
Work Order: 070622067
Reference: Freeman's Bridge Road / Effluent Batch 28
PO#:

Client Sample ID: Trip Blank
Collection Date: 6/22/2007 2:45:00 PM
Lab Sample ID: 070622067-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Cyclohexane	< 10	10		µg/L	1	6/22/2007 5:38:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	6/22/2007 5:38:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	6/22/2007 5:38:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range







EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd								
Send Report to: J Bradshaw		Project Name (Location): FBR				Samplers Name: S Bullock				
Client Phone #: 361-1247		Client PO #: 2006516				Samplers Signature: 				
Client Fax #: 377-4147										
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis	
			A=am	P=pm	Matrix	C	G			
001	Eff. Batch 28	6/22/2007	1445	A	water		X	8	Full Suite	
				P						
				P						
				P						
002	Trip Blank			A				1		
				P						
				P						
				P						
				P						
				P						
				P						
				P						
				P						
				P						
				P						
				P						
				P						
				P						
				P						
				P						
				P						
				P						
AES Work Order #: <u>070622067</u>		Special Instructions/Remarks: 24 Hr. TAT								
Turnaround Time Requested: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day		clear								
Relinquished by: (Signature) 		Date	Time	Received by: (Signature) 		Date	Time			
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time			
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: 		Date	Time	6/22/07 4:28pm.		
Sample Temperature Ambient ~ <u>Chilled</u>				Properly Preserved <input checked="" type="checkbox"/> Y <input type="checkbox"/> N			Received Within Holding Times <input checked="" type="checkbox"/> Y <input type="checkbox"/> N			
Notes: <u>13</u>				Notes: _____			Notes: _____			



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

July 02, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070629012

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 29

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 2 samples on 6/29/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Keith Chadwick 377-4147 - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070629012
Reference: Freeman's Bridge Road / Effluent Batch 29
PO#:

Client Sample ID: EFF BATCH-29 062907
Collection Date: 6/29/2007 8:40:00 AM
Lab Sample ID: 070629012-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 6/29/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 6/29/2007)						
Aluminum	< 0.100	0.100		mg/L	1	6/29/2007 12:04:00 PM
Antimony	< 0.060	0.060		mg/L	1	6/29/2007 12:04:00 PM
Arsenic	0.007	0.005		mg/L	1	6/29/2007 12:04:00 PM
Barium	0.076	0.010		mg/L	1	6/29/2007 12:04:00 PM
Beryllium	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Cadmium	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Calcium	155	0.050		mg/L	1	6/29/2007 12:04:00 PM
Chromium	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Cobalt	< 0.050	0.050		mg/L	1	6/29/2007 12:04:00 PM
Copper	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Iron	1.18	0.050		mg/L	1	6/29/2007 12:04:00 PM
Lead	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Magnesium	20.4	0.050		mg/L	1	6/29/2007 12:04:00 PM
Manganese	0.486	0.020		mg/L	1	6/29/2007 12:04:00 PM
Nickel	< 0.020	0.020		mg/L	1	6/29/2007 12:04:00 PM
Potassium	8.19	0.050		mg/L	1	6/29/2007 12:04:00 PM
Selenium	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Silver	< 0.010	0.010		mg/L	1	6/29/2007 12:04:00 PM
Sodium	92.8	0.500		mg/L	10	6/29/2007 12:08:00 PM
Thallium	0.026	0.010		mg/L	1	6/29/2007 12:04:00 PM
Vanadium	< 0.020	0.020		mg/L	1	6/29/2007 12:04:00 PM
Zinc	0.103	0.010		mg/L	1	6/29/2007 12:04:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 6/29/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	6/29/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH-29 062907
Work Order: 070629012	Collection Date: 6/29/2007 8:40:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 29	Lab Sample ID: 070629012-001
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 7/2/2007)						
Phenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Chlorophenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Methylphenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
4-Methylphenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Hexachloroethane	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Nitrobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Isophorone	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Nitrophenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Naphthalene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
4-Chloroaniline	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Nitroaniline	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Acenaphthylene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
3-Nitroaniline	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
Acenaphthene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
4-Nitrophenol	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
Dibenzofuran	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Diethyl phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH-29 062907
Work Order: 070629012 **Collection Date:** 6/29/2007 8:40:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 29 **Lab Sample ID:** 070629012-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 7/2/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Fluorene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
4-Nitroaniline	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Pentachlorophenol	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
Phenanthrene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Anthracene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Carbazole	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Fluoranthene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Pyrene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	7/2/2007 1:47:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Chrysene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Bromomethane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Vinyl chloride	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Chloroethane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Acetone	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Carbon disulfide	58	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH-29 062907
Work Order: 070629012 **Collection Date:** 6/29/2007 8:40:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 29 **Lab Sample ID:** 070629012-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Chloroform	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
2-Butanone	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Benzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Bromoform	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
2-Hexanone	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Toluene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Styrene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Cyclohexane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH-29 062907
Work Order: 070629012	Collection Date: 6/29/2007 8:40:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 29	Lab Sample ID: 070629012-001
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	< 1.0	1.0		mg/L	1	6/29/2007
PH E150.1						Analyst: LS
pH	7.3	1.0		pH Units	1	6/29/2007 11:15:00 AM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	860	5		mg/L	1	6/29/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SNH
TSS (Residue, Non-Filterable)	6.0	1.0		mg/L	1	6/29/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	3.6	0.10		NTU	1	6/29/2007 2:10:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 29-062907
Work Order: 070629012 **Collection Date:** 6/29/2007 8:40:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 29 **Lab Sample ID:** 070629012-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 6/29/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	6/29/2007 8:42:10 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 6/29/2007)						
Aluminum	< 0.100	0.100		mg/L	1	6/29/2007 12:04:00 PM
Antimony	< 0.060	0.060		mg/L	1	6/29/2007 12:04:00 PM
Arsenic	0.007	0.005		mg/L	1	6/29/2007 12:04:00 PM
Barium	0.076	0.010		mg/L	1	6/29/2007 12:04:00 PM
Beryllium	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Cadmium	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Calcium	155	0.050		mg/L	1	6/29/2007 12:04:00 PM
Chromium	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Cobalt	< 0.050	0.050		mg/L	1	6/29/2007 12:04:00 PM
Copper	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Iron	1.18	0.050		mg/L	1	6/29/2007 12:04:00 PM
Lead	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Magnesium	20.4	0.050		mg/L	1	6/29/2007 12:04:00 PM
Manganese	0.486	0.020		mg/L	1	6/29/2007 12:04:00 PM
Nickel	< 0.020	0.020		mg/L	1	6/29/2007 12:04:00 PM
Potassium	8.19	0.050		mg/L	1	6/29/2007 12:04:00 PM
Selenium	< 0.005	0.005		mg/L	1	6/29/2007 12:04:00 PM
Silver	< 0.010	0.010		mg/L	1	6/29/2007 12:04:00 PM
Sodium	92.8	0.500		mg/L	10	6/29/2007 12:08:00 PM
Thallium	0.026	0.010		mg/L	1	6/29/2007 12:04:00 PM
Vanadium	< 0.020	0.020		mg/L	1	6/29/2007 12:04:00 PM
Zinc	0.103	0.010		mg/L	1	6/29/2007 12:04:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 6/29/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	6/29/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 29-062907
Work Order: 070629012 **Collection Date:** 6/29/2007 8:40:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 29 **Lab Sample ID:** 070629012-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 7/2/2007)						
Phenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Chlorophenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Methylphenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
4-Methylphenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Hexachloroethane	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Nitrobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Isophorone	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Nitrophenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Naphthalene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
4-Chloroaniline	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2-Nitroaniline	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Acenaphthylene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
3-Nitroaniline	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
Acenaphthene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
4-Nitrophenol	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
Dibenzofuran	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Diethyl phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 29-062907
Work Order: 070629012 **Collection Date:** 6/29/2007 8:40:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 29 **Lab Sample ID:** 070629012-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 7/2/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Fluorene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
4-Nitroaniline	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Pentachlorophenol	< 25	25		µg/L	1	7/2/2007 1:47:00 PM
Phenanthrene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Anthracene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Carbazole	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Fluoranthene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Pyrene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	7/2/2007 1:47:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Chrysene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	7/2/2007 1:47:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Bromomethane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Vinyl chloride	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Chloroethane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Acetone	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Carbon disulfide	58	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070629012
Reference: Freeman's Bridge Road / Effluent Batch 29
PO#:

Client Sample ID: EFF BATCH 29-062907
Collection Date: 6/29/2007 8:40:00 AM
Lab Sample ID: 070629012-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Chloroform	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
2-Butanone	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Benzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Bromoform	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
2-Hexanone	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Toluene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Styrene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Cyclohexane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 29-062907
Work Order: 070629012	Collection Date: 6/29/2007 8:40:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 29	Lab Sample ID: 070629012-001
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/2/2007 10:49:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 10:49:00 AM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	< 1.0	1.0		mg/L	1	6/29/2007
PH E150.1						Analyst: LS
pH	7.3	1.0		pH Units	1	6/29/2007 11:15:00 AM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	860	5		mg/L	1	6/29/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SNH
TSS (Residue, Non-Filterable)	6.0	1.0		mg/L	1	6/29/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	3.6	0.10		NTU	1	6/29/2007 2:10:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070629012
Reference: Freeman's Bridge Road / Effluent Batch 29
PO#:

Client Sample ID: Trip Blank
Collection Date: 6/29/2007 8:40:00 AM
Lab Sample ID: 070629012-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	7/2/2007 11:17:00 AM
Bromomethane	< 10	10		µg/L	1	7/2/2007 11:17:00 AM
Vinyl chloride	< 10	10		µg/L	1	7/2/2007 11:17:00 AM
Chloroethane	< 10	10		µg/L	1	7/2/2007 11:17:00 AM
Methylene chloride	9.5	5.0		µg/L	1	7/2/2007 11:17:00 AM
Acetone	18	10		µg/L	1	7/2/2007 11:17:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Chloroform	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
2-Butanone	< 10	10		µg/L	1	7/2/2007 11:17:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Benzene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Bromoform	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/2/2007 11:17:00 AM
2-Hexanone	< 10	10		µg/L	1	7/2/2007 11:17:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,1,1,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Toluene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Styrene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/2/2007 11:17:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 02-Jul-07

CLIENT: D.A.Collins Environment	Client Sample ID: Trip Blank
Work Order: 070629012	Collection Date: 6/29/2007 8:40:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 29	Lab Sample ID: 070629012-002
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Cyclohexane	< 10	10		µg/L	1	7/2/2007 11:17:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/2/2007 11:17:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/2/2007 11:17:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: DA Collins		Address: 101 Route 67 Po box 151 medanville ny 12118	
Send Report To: Keith Chadwick		Project Name (Location):	Samplers: (Names) Steve Ballack
Client Phone No: 518 378 9255	Client Fax No: 518 377 4147	PO Number: 2000-511	Samplers: (Signature) <i>[Signature]</i>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Filter	Grain		
001	Eff Batch 29-062907	6/29/07	0840	A P	water	x	8	full suite water
002	Trip Blank			A P A P A P A P A P A P A P A P			1	

AES Work Order #: 070629012		CC Report To / Special Instructions/Remarks:	
Turnaround Time Request: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day			
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date/Time	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received for Laboratory by: <i>[Signature]</i>	Date/Time 6/29/07 9:50AM	
TEMPERATURE Ambient or <u>Chilled</u> Notes: 19°C	PROPERLY PRESERVED <u>Y</u> N	RECEIVED WITHIN HOLDING TIMES <u>Y</u> N	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy





Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

July 09, 2007

Keith Chadwick
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070706040

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 30

Dear Keith Chadwick:

Adirondack Environmental Services, Inc received 2 samples on 7/6/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709

AIHA#: 100307

Keith Chadwick - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 09-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070706040
Reference: Freeman's Bridge Road / Effluent Batch 30
PO#:

Client Sample ID: EFF BATCH 30-070607
Collection Date: 7/6/2007 1:18:00 PM
Lab Sample ID: 070706040-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 7/6/2007)

Aroclor 1016	< 0.068	0.068		µg/L	1	7/6/2007 9:58:00 PM
Aroclor 1221	< 0.068	0.068		µg/L	1	7/6/2007 9:58:00 PM
Aroclor 1232	< 0.068	0.068		µg/L	1	7/6/2007 9:58:00 PM
Aroclor 1242	< 0.068	0.068		µg/L	1	7/6/2007 9:58:00 PM
Aroclor 1248	< 0.068	0.068		µg/L	1	7/6/2007 9:58:00 PM
Aroclor 1254	< 0.068	0.068		µg/L	1	7/6/2007 9:58:00 PM
Aroclor 1260	< 0.068	0.068		µg/L	1	7/6/2007 9:58:00 PM

ICP METALS E200.7 Analyst: **SM**
 (Prep: SW3010A - 7/6/2007)

Aluminum	< 0.100	0.100		mg/L	1	7/6/2007 2:02:00 PM
Antimony	< 0.060	0.060		mg/L	1	7/6/2007 2:02:00 PM
Arsenic	< 0.005	0.005		mg/L	1	7/6/2007 2:02:00 PM
Barium	0.086	0.010		mg/L	1	7/6/2007 2:02:00 PM
Beryllium	< 0.005	0.005		mg/L	1	7/6/2007 2:02:00 PM
Cadmium	< 0.005	0.005		mg/L	1	7/6/2007 2:02:00 PM
Calcium	119	0.050		mg/L	1	7/6/2007 2:02:00 PM
Chromium	< 0.005	0.005		mg/L	1	7/6/2007 2:02:00 PM
Cobalt	< 0.050	0.050		mg/L	1	7/6/2007 2:02:00 PM
Copper	< 0.005	0.005		mg/L	1	7/6/2007 2:02:00 PM
Iron	0.588	0.050		mg/L	1	7/6/2007 2:02:00 PM
Lead	< 0.005	0.005		mg/L	1	7/6/2007 2:02:00 PM
Magnesium	14.0	0.050		mg/L	1	7/6/2007 2:02:00 PM
Manganese	0.990	0.020		mg/L	1	7/6/2007 2:02:00 PM
Nickel	< 0.020	0.020		mg/L	1	7/6/2007 2:02:00 PM
Potassium	15.8	0.050		mg/L	1	7/6/2007 2:02:00 PM
Selenium	< 0.005	0.005		mg/L	1	7/6/2007 2:02:00 PM
Silver	< 0.010	0.010		mg/L	1	7/6/2007 2:02:00 PM
Sodium	97.5	0.500		mg/L	10	7/6/2007 2:10:00 PM
Thallium	0.012	0.010		mg/L	1	7/6/2007 2:02:00 PM
Vanadium	< 0.020	0.020		mg/L	1	7/6/2007 2:02:00 PM
Zinc	0.028	0.010		mg/L	1	7/6/2007 2:02:00 PM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 7/6/2007)

Mercury	< 0.0002	0.0002		mg/L	1	7/9/2007
---------	----------	--------	--	------	---	----------

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 09-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070706040
Reference: Freeman's Bridge Road / Effluent Batch 30
PO#:

Client Sample ID: EFF BATCH 30-070607
Collection Date: 7/6/2007 1:18:00 PM
Lab Sample ID: 070706040-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 7/9/2007)						
Phenol	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2-Chlorophenol	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2-Methylphenol	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
4-Methylphenol	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Hexachloroethane	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Nitrobenzene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Isophorone	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2-Nitrophenol	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Naphthalene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
4-Chloroaniline	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2-Nitroaniline	< 25	25		µg/L	1	7/9/2007 11:10:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Acenaphthylene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
3-Nitroaniline	< 25	25		µg/L	1	7/9/2007 11:10:00 AM
Acenaphthene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	7/9/2007 11:10:00 AM
4-Nitrophenol	< 25	25		µg/L	1	7/9/2007 11:10:00 AM
Dibenzofuran	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Diethyl phthalate	< 5	5		µg/L	1	7/9/2007 11:10:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 09-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 30-070607
Work Order: 070706040 **Collection Date:** 7/6/2007 1:18:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 30 **Lab Sample ID:** 070706040-001
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 7/9/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Fluorene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
4-Nitroaniline	< 25	25		µg/L	1	7/9/2007 11:10:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	7/9/2007 11:10:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Pentachlorophenol	< 25	25		µg/L	1	7/9/2007 11:10:00 AM
Phenanthrene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Anthracene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Carbazole	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Fluoranthene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Pyrene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Butyl benzyl phthalate	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	7/9/2007 11:10:00 AM
Benz(a)anthracene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Chrysene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	7/9/2007 11:10:00 AM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	7/6/2007 6:01:00 PM
Bromomethane	< 10	10		µg/L	1	7/6/2007 6:01:00 PM
Vinyl chloride	< 10	10		µg/L	1	7/6/2007 6:01:00 PM
Chloroethane	< 10	10		µg/L	1	7/6/2007 6:01:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Acetone	11	10		µg/L	1	7/6/2007 6:01:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 09-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070706040
Reference: Freeman's Bridge Road / Effluent Batch 30
PO#:

Client Sample ID: EFF BATCH 30-070607
Collection Date: 7/6/2007 1:18:00 PM
Lab Sample ID: 070706040-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Chloroform	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
2-Butanone	< 10	10		µg/L	1	7/6/2007 6:01:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Benzene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Bromoform	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/6/2007 6:01:00 PM
2-Hexanone	< 10	10		µg/L	1	7/6/2007 6:01:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Toluene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Styrene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/6/2007 6:01:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Cyclohexane	< 10	10		µg/L	1	7/6/2007 6:01:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 09-Jul-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 30-070607
Work Order: 070706040	Collection Date: 7/6/2007 1:18:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 30	Lab Sample ID: 070706040-001
PO#:	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/6/2007 6:01:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:01:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	< 1.0	1.0		mg/L	1	7/6/2007
PH E150.1						Analyst: PL
pH	8.0	1.0		pH Units	1	7/6/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: PL
TDS (Residue, Filterable)	705	5		mg/L	1	7/7/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SNH
TSS (Residue, Non-Filterable)	2.0	1.0		mg/L	1	7/6/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	2.4	0.10		NTU	1	7/6/2007

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 09-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Trip Blank
Work Order: 070706040 **Collection Date:** 7/6/2007
Reference: Freeman's Bridge Road / Effluent Batch 30 **Lab Sample ID:** 070706040-002
PO#: **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
Bromomethane	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
Vinyl chloride	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
Chloroethane	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Acetone	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Chloroform	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
2-Butanone	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Benzene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Bromoform	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
2-Hexanone	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Toluene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Styrene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 09-Jul-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank

Work Order: 070706040

Collection Date: 7/6/2007

Reference: Freeman's Bridge Road / Effluent Batch 30

Lab Sample ID: 070706040-002

PO#:

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Cyclohexane	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/6/2007 6:29:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/6/2007 6:29:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd							
Send Report to: K. Chadwick		Project Name (Location): FBR			Samplers Name: S. Bullock				
Client Phone #: 361-1247		Client PO #: 2006516			Samplers Signature: <i>[Signature]</i>				
Client Fax #: 377-4147									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
<i>001</i>	Eff. Batch 30 - 070607	7/6/2007	1:18	<input checked="" type="radio"/>	Water		X	8	Full Suite water (1) Trip blank)
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
				<input type="radio"/>					
AES Work Order #: 070706040				Special Instructions/Remarks: 24 Hr. TAT					
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature) <i>[Signature]</i>		Date: 7/6/07	Time: 2:00 PM		Received by: (Signature)		Date:	Time:	
Relinquished by: (Signature)		Date:	Time:		Received by: (Signature)		Date:	Time:	
Relinquished by: (Signature)		Date:	Time:		Received for Laboratory by: <i>[Signature]</i>		Date: 7/6/07	Time: 2:01 PM	
Sample Temperature Ambient ~ (Chilled) Notes: 19°C			Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N			Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N			
Notes: _____			Notes: _____			Notes: _____			



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

July 16, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070713010

TEL: (518) 664-9855

PO#: 2006516

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 31

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 2 samples on 7/13/2007 for the analyses presented in the following report.


There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709

AIHA#: 100307


Tara Daniels
Laboratory Manager

J. Bradshaw 377-4147 - FAX
Steve Bullock - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Jul-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 31-071307
Work Order: 070713010	Collection Date: 7/13/2007 8:20:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 31	Lab Sample ID: 070713010-001
PO#: 2006516	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 7/13/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	7/14/2007 4:47:05 AM
Aroclor 1221	< 0.065	0.065		µg/L	1	7/14/2007 4:47:05 AM
Aroclor 1232	< 0.065	0.065		µg/L	1	7/14/2007 4:47:05 AM
Aroclor 1242	< 0.065	0.065		µg/L	1	7/14/2007 4:47:05 AM
Aroclor 1248	< 0.065	0.065		µg/L	1	7/14/2007 4:47:05 AM
Aroclor 1254	< 0.065	0.065		µg/L	1	7/14/2007 4:47:05 AM
Aroclor 1260	< 0.065	0.065		µg/L	1	7/14/2007 4:47:05 AM
ICP METALS E200.7						Analyst: WB
(Prep: SW3010A - 7/13/2007)						
Aluminum	< 0.100	0.100		mg/L	1	7/13/2007 4:45:00 PM
Antimony	< 0.060	0.060		mg/L	1	7/13/2007 4:45:00 PM
Arsenic	< 0.005	0.005		mg/L	1	7/13/2007 4:45:00 PM
Barium	0.070	0.010		mg/L	1	7/13/2007 4:45:00 PM
Beryllium	< 0.005	0.005		mg/L	1	7/13/2007 4:45:00 PM
Cadmium	< 0.005	0.005		mg/L	1	7/13/2007 4:45:00 PM
Calcium	145	0.050		mg/L	1	7/13/2007 4:45:00 PM
Chromium	< 0.005	0.005		mg/L	1	7/13/2007 4:45:00 PM
Cobalt	< 0.050	0.050		mg/L	1	7/13/2007 4:45:00 PM
Copper	0.031	0.005		mg/L	1	7/13/2007 4:45:00 PM
Iron	0.129	0.050		mg/L	1	7/13/2007 4:45:00 PM
Lead	< 0.005	0.005		mg/L	1	7/13/2007 4:45:00 PM
Magnesium	8.70	0.050		mg/L	1	7/13/2007 4:45:00 PM
Manganese	0.282	0.020		mg/L	1	7/13/2007 4:45:00 PM
Nickel	< 0.020	0.020		mg/L	1	7/13/2007 4:45:00 PM
Potassium	6.96	0.050		mg/L	1	7/13/2007 4:45:00 PM
Selenium	< 0.005	0.005		mg/L	1	7/13/2007 4:45:00 PM
Silver	< 0.010	0.010		mg/L	1	7/13/2007 4:45:00 PM
Sodium	25.7	0.050		mg/L	1	7/13/2007 4:45:00 PM
Thallium	0.011	0.010		mg/L	1	7/13/2007 4:45:00 PM
Vanadium	< 0.020	0.020		mg/L	1	7/13/2007 4:45:00 PM
Zinc	0.017	0.010		mg/L	1	7/13/2007 4:45:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 7/13/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	7/16/2007

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 31-071307
Work Order: 070713010 **Collection Date:** 7/13/2007 8:20:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 31 **Lab Sample ID:** 070713010-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 7/16/2007)						
Phenol	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2-Chlorophenol	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2-Methylphenol	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
4-Methylphenol	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Hexachloroethane	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Nitrobenzene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Isophorone	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2-Nitrophenol	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Naphthalene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
4-Chloroaniline	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2-Nitroaniline	< 25	25		µg/L	1	7/16/2007 11:42:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Acenaphthylene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
3-Nitroaniline	< 25	25		µg/L	1	7/16/2007 11:42:00 AM
Acenaphthene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	7/16/2007 11:42:00 AM
4-Nitrophenol	< 25	25		µg/L	1	7/16/2007 11:42:00 AM
Dibenzofuran	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Diethyl phthalate	< 5	5		µg/L	1	7/16/2007 11:42:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 31-071307
Work Order: 070713010 **Collection Date:** 7/13/2007 8:20:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 31 **Lab Sample ID:** 070713010-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 7/16/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Fluorene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
4-Nitroaniline	< 25	25		µg/L	1	7/16/2007 11:42:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	7/16/2007 11:42:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Pentachlorophenol	< 25	25		µg/L	1	7/16/2007 11:42:00 AM
Phenanthrene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Anthracene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Carbazole	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Fluoranthene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Pyrene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Butyl benzyl phthalate	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	7/16/2007 11:42:00 AM
Benz(a)anthracene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Chrysene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	7/16/2007 11:42:00 AM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	7/13/2007 7:29:00 PM
Bromomethane	< 10	10		µg/L	1	7/13/2007 7:29:00 PM
Vinyl chloride	< 10	10		µg/L	1	7/13/2007 7:29:00 PM
Chloroethane	< 10	10		µg/L	1	7/13/2007 7:29:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Acetone	28	10		µg/L	1	7/13/2007 7:29:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 31-071307
Work Order: 070713010 **Collection Date:** 7/13/2007 8:20:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 31 **Lab Sample ID:** 070713010-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Chloroform	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
2-Butanone	< 10	10		µg/L	1	7/13/2007 7:29:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Benzene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Bromoform	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/13/2007 7:29:00 PM
2-Hexanone	< 10	10		µg/L	1	7/13/2007 7:29:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Toluene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Styrene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/13/2007 7:29:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Cyclohexane	< 10	10		µg/L	1	7/13/2007 7:29:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 31-071307
Work Order: 070713010 **Collection Date:** 7/13/2007 8:20:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 31 **Lab Sample ID:** 070713010-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/13/2007 7:29:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/13/2007 7:29:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	< 1.0	1.0		mg/L	1	7/13/2007
PH E150.1						Analyst: LS
pH	7.4	1.0		pH Units	1	7/13/2007 11:10:00 AM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	675	5		mg/L	1	7/13/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SNH
TSS (Residue, Non-Filterable)	< 1.0	1.0		mg/L	1	7/13/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	0.90	0.10		NTU	1	7/13/2007 10:30:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Jul-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank

Work Order: 070713010

Collection Date: 7/13/2007

Reference: Freeman's Bridge Road / Effluent Batch 31

Lab Sample ID: 070713010-002

PO#: 2006516

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
Bromomethane	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
Vinyl chloride	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
Chloroethane	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
Methylene chloride	5.1	5.0		µg/L	1	7/16/2007 10:38:00 AM
Acetone	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Chloroform	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
2-Butanone	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Benzene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Bromoform	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
2-Hexanone	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Toluene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Styrene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Jul-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank

Work Order: 070713010

Collection Date: 7/13/2007

Reference: Freeman's Bridge Road / Effluent Batch 31

Lab Sample ID: 070713010-002

PO#: 2006516

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Cyclohexane	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/16/2007 10:38:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/16/2007 10:38:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd							
Send Report to: K. Chadwick		Project Name (Location): FBR				Samplers Name: S. Bullock			
Client Phone #: 361-1247		Client PO #: 2006516				Samplers Signature:			
Client Fax #: 377-4147									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff. Batch 31 - 071307	7/13/2007	8	20	Water		X	8	Full Suite
				A					
				P					
				A					
				P					
002	Trip Blank			A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
AES Work Order #: 070713010		Special Instructions/Remarks: 24 Hr. TAT							
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature) <i>Don Bullock</i>	Date 7-13-07	Time 8:52	Received by: (Signature) <i>Clark</i>			Date	Time		
Relinquished by: (Signature)	Date	Time	Received by: (Signature)			Date	Time		
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: <i>J. Wheeler</i>			Date 7/13/07	Time 9:37AM		
Sample Temperature Ambient <u>Chilled</u>		Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N				
Notes: <u>7</u>		Notes:			Notes:				




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

July 24, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070720062

PO#: 2006516

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 32

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 1 sample on 7/20/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709
AIHA#: 100307

Keith Chadwick - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 24-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070720062
Reference: Freeman's Bridge Road / Effluent Batch 32
PO#: 2006516

Client Sample ID: EFF BATCH 32-072007
Collection Date: 7/20/2007 1:30:00 PM
Lab Sample ID: 070720062-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 7/20/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	7/20/2007 10:16:08 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	7/20/2007 10:16:08 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	7/20/2007 10:16:08 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	7/20/2007 10:16:08 PM
Aroclor 1248	0.63	0.065		µg/L	1	7/20/2007 10:16:08 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	7/20/2007 10:16:08 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	7/20/2007 10:16:08 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 7/23/2007)						
Aluminum	0.704	0.100		mg/L	1	7/23/2007 4:15:00 PM
Antimony	0.013	0.060	J	mg/L	1	7/23/2007 4:15:00 PM
Arsenic	0.007	0.005		mg/L	1	7/23/2007 4:15:00 PM
Barium	0.101	0.010		mg/L	1	7/23/2007 4:15:00 PM
Beryllium	0	0.005	J	mg/L	1	7/23/2007 4:15:00 PM
Cadmium	0	0.005	J	mg/L	1	7/23/2007 4:15:00 PM
Calcium	150	0.050		mg/L	1	7/23/2007 4:15:00 PM
Chromium	0.002	0.005	J	mg/L	1	7/23/2007 4:15:00 PM
Cobalt	0.001	0.050	J	mg/L	1	7/23/2007 4:15:00 PM
Copper	0.012	0.005		mg/L	1	7/23/2007 4:15:00 PM
Iron	1.12	0.050		mg/L	1	7/23/2007 4:15:00 PM
Lead	0.006	0.005		mg/L	1	7/23/2007 4:15:00 PM
Magnesium	14.0	0.050		mg/L	1	7/23/2007 4:15:00 PM
Manganese	0.336	0.020		mg/L	1	7/23/2007 4:15:00 PM
Nickel	0.004	0.020	J	mg/L	1	7/23/2007 4:15:00 PM
Potassium	13.1	0.050		mg/L	1	7/23/2007 4:15:00 PM
Selenium	0.004	0.005	J	mg/L	1	7/23/2007 4:15:00 PM
Silver	< 0.010	0.010		mg/L	1	7/23/2007 4:15:00 PM
Sodium	40.0	0.050		mg/L	1	7/23/2007 4:15:00 PM
Thallium	0.016	0.010		mg/L	1	7/23/2007 4:15:00 PM
Vanadium	0.001	0.020	J	mg/L	1	7/23/2007 4:15:00 PM
Zinc	0.021	0.010		mg/L	1	7/23/2007 4:15:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 7/23/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	7/23/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 24-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070720062
Reference: Freeman's Bridge Road / Effluent Batch 32
PO#: 2006516

Client Sample ID: EFF BATCH 32-072007
Collection Date: 7/20/2007 1:30:00 PM
Lab Sample ID: 070720062-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 7/23/2007)						
Phenol	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2-Chlorophenol	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2-Methylphenol	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
4-Methylphenol	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Hexachloroethane	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Nitrobenzene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Isophorone	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2-Nitrophenol	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Naphthalene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
4-Chloroaniline	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2-Nitroaniline	< 25	25		µg/L	1	7/23/2007 12:10:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Acenaphthylene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
3-Nitroaniline	< 25	25		µg/L	1	7/23/2007 12:10:00 PM
Acenaphthene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	7/23/2007 12:10:00 PM
4-Nitrophenol	< 25	25		µg/L	1	7/23/2007 12:10:00 PM
Dibenzofuran	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Diethyl phthalate	< 5	5		µg/L	1	7/23/2007 12:10:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 24-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070720062
Reference: Freeman's Bridge Road / Effluent Batch 32
PO#: 2006516

Client Sample ID: EFF BATCH 32-072007
Collection Date: 7/20/2007 1:30:00 PM
Lab Sample ID: 070720062-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 7/23/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Fluorene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
4-Nitroaniline	< 25	25		µg/L	1	7/23/2007 12:10:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	7/23/2007 12:10:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Pentachlorophenol	< 25	25		µg/L	1	7/23/2007 12:10:00 PM
Phenanthrene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Anthracene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Carbazole	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Fluoranthene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Pyrene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	7/23/2007 12:10:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Chrysene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Bis(2-ethylhexyl)phthalate	1	5	J	µg/L	1	7/23/2007 12:10:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	7/23/2007 12:10:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	7/20/2007 5:36:00 PM
Bromomethane	< 10	10		µg/L	1	7/20/2007 5:36:00 PM
Vinyl chloride	< 10	10		µg/L	1	7/20/2007 5:36:00 PM
Chloroethane	< 10	10		µg/L	1	7/20/2007 5:36:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Acetone	19	10		µg/L	1	7/20/2007 5:36:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 24-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070720062
Reference: Freeman's Bridge Road / Effluent Batch 32
PO#: 2006516

Client Sample ID: EFF BATCH 32-072007
Collection Date: 7/20/2007 1:30:00 PM
Lab Sample ID: 070720062-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Chloroform	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
2-Butanone	< 10	10		µg/L	1	7/20/2007 5:36:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Benzene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Bromoform	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/20/2007 5:36:00 PM
2-Hexanone	< 10	10		µg/L	1	7/20/2007 5:36:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Toluene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Styrene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/20/2007 5:36:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Cyclohexane	< 10	10		µg/L	1	7/20/2007 5:36:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 24-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070720062
Reference: Freeman's Bridge Road / Effluent Batch 32
PO#: 2006516

Client Sample ID: EFF BATCH 32-072007
Collection Date: 7/20/2007 1:30:00 PM
Lab Sample ID: 070720062-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/20/2007 5:36:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/20/2007 5:36:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	< 1.0	1.0		mg/L	1	7/23/2007
PH E150.1						Analyst: PL
pH	7.6	1.0		pH Units	1	7/20/2007
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	785	5		mg/L	1	7/21/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SNH
TSS (Residue, Non-Filterable)	20.0	1.0		mg/L	1	7/20/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	26	0.10		NTU	1	7/20/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd							
Send Report to: K. Chadwick		Project Name (Location): FBR			Samplers Name: S. Bullock				
Client Phone #: 361-1247		Client PO #: 2006516			Samplers Signature:				
Client Fax #: 377-4147									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff. Batch 32- 072007	7/20/2007	1330	A	Water		X	8	Full Suite
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
AES Work Order #: 070720062		Special Instructions/Remarks: 24 Hr. TAT							
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	
Relinquished by: (Signature)	Date	Time	Received for Laboratory by:	Date	Time	Received for Laboratory by:	Date	Time	
Sample Temperature Ambient ~ (Chilled)		Properly Preserved (Y) N		Received Within Holding Times (Y) N					
Notes: <u>11</u>		Notes: _____		Notes: _____					
_____		_____		_____					




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

July 26, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070725047

TEL: (518) 664-9855

PO#: 2006516

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Eff. Batch 32 A

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 1 sample on 7/25/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709

AIHA#: 100307

Christopher Hess
QA Manager

Keith Chadwick - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

T - Tentitively Identified Compound-Estimated Conc.

X - Value exceeds Maximum Contaminant Level

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 26-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070725047
Reference: Freeman's Bridge Road / Eff. Batch 32 A
PO#: 2006516

Client Sample ID: Eff. Batch 32A-072507
Collection Date: 7/25/2007 11:15:00 AM
Lab Sample ID: 070725047-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 7/25/2007)						
Aroclor 1016	< 0.066	0.066		µg/L	1	7/25/2007 8:45:47 PM
Aroclor 1221	< 0.066	0.066		µg/L	1	7/25/2007 8:45:47 PM
Aroclor 1232	< 0.066	0.066		µg/L	1	7/25/2007 8:45:47 PM
Aroclor 1242	< 0.066	0.066		µg/L	1	7/25/2007 8:45:47 PM
Aroclor 1248	< 0.066	0.066		µg/L	1	7/25/2007 8:45:47 PM
Aroclor 1254	< 0.066	0.066		µg/L	1	7/25/2007 8:45:47 PM
Aroclor 1260	< 0.066	0.066		µg/L	1	7/25/2007 8:45:47 PM
ICP METALS E200.7						Analyst: SM
Arsenic	< 0.005	0.005		mg/L	1	7/25/2007 2:50:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	815	5		mg/L	1	7/26/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SNH
TSS (Residue, Non-Filterable)	2.5	1.0		mg/L	1	7/25/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	0.90	0.10		NTU	1	7/26/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd								
Send Report to: K. Chadwick		Project Name (Location): FBR			Samplers Name: S. Bullock					
Client Phone #: 361-1247		Client PO #: 2006516			Sampler's Signature:					
Client Fax #: 377-4147										
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis	
			A=am	P=pm	Matrix	C	G			
001	Eff. Batch 32 A- 072507	7/25/2007	1115	A		Water		X	8	TDS, TSS, Turbidity, Arsenic, PCB
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
				A						
				P						
AES Work Order #: 070725047				Special Instructions/Remarks: 24 Hr. TAT						
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day										
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time		
		7/25/07	12:10				7/25/07	12:10		
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:			Date	Time		
							7/25/07	1:21 PM		
Sample Temperature Ambient ~ <u>Chilled</u>				Properly Preserved <input checked="" type="checkbox"/> Y <input type="checkbox"/> N			Received Within Holding Times <input checked="" type="checkbox"/> Y <input type="checkbox"/> N			
Notes: <u>12</u>				Notes:			Notes:			




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution
314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

July 30, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070727039
PO#: 2006516

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 33

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 2 samples on 7/27/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Keith Chadwick - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: EFF BATCH 33-072707
Collection Date: 7/27/2007 1:30:00 PM
Lab Sample ID: 070727039-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 7/27/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1248	0.070	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 7/30/2007)						
Aluminum	0.072	0.100	J	mg/L	1	7/30/2007 12:09:00 PM
Antimony	0.009	0.060	J	mg/L	1	7/30/2007 12:09:00 PM
Arsenic	0.006	0.005		mg/L	1	7/30/2007 12:09:00 PM
Barium	0.094	0.010		mg/L	1	7/30/2007 12:09:00 PM
Beryllium	0	0.005	J	mg/L	1	7/30/2007 12:09:00 PM
Cadmium	0	0.005	J	mg/L	1	7/30/2007 12:09:00 PM
Calcium	141	0.050		mg/L	1	7/30/2007 12:09:00 PM
Chromium	< 0.005	0.005		mg/L	1	7/30/2007 12:09:00 PM
Cobalt	0	0.050	J	mg/L	1	7/30/2007 12:09:00 PM
Copper	0.011	0.005		mg/L	1	7/30/2007 12:09:00 PM
Iron	0.106	0.050		mg/L	1	7/30/2007 12:09:00 PM
Lead	0.002	0.005	J	mg/L	1	7/30/2007 12:09:00 PM
Magnesium	22.7	0.050		mg/L	1	7/30/2007 12:09:00 PM
Manganese	0.250	0.020		mg/L	1	7/30/2007 12:09:00 PM
Nickel	0.003	0.020	J	mg/L	1	7/30/2007 12:09:00 PM
Potassium	15.6	0.050		mg/L	1	7/30/2007 12:09:00 PM
Selenium	0.002	0.005	J	mg/L	1	7/30/2007 12:09:00 PM
Silver	< 0.010	0.010		mg/L	1	7/30/2007 12:09:00 PM
Sodium	40.0	0.050		mg/L	1	7/30/2007 12:09:00 PM
Thallium	0.017	0.010		mg/L	1	7/30/2007 12:09:00 PM
Vanadium	0.002	0.020	J	mg/L	1	7/30/2007 12:09:00 PM
Zinc	0.015	0.010		mg/L	1	7/30/2007 12:09:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 7/30/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	7/30/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: EFF BATCH 33-072707
Collection Date: 7/27/2007 1:30:00 PM
Lab Sample ID: 070727039-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 7/30/2007)						
Phenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Chlorophenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Methylphenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
4-Methylphenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Hexachloroethane	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Nitrobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Isophorone	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Nitrophenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Naphthalene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
4-Chloroaniline	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Nitroaniline	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Acenaphthylene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
3-Nitroaniline	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
Acenaphthene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
4-Nitrophenol	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
Dibenzofuran	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Diethyl phthalate	< 5	5		µg/L	1	7/30/2007 12:41:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: EFF BATCH 33-072707
Collection Date: 7/27/2007 1:30:00 PM
Lab Sample ID: 070727039-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT

(Prep: SW3510/E625 - 7/30/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Fluorene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
4-Nitroaniline	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Pentachlorophenol	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
Phenanthrene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Anthracene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Carbazole	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Fluoranthene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Pyrene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	7/30/2007 12:41:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Chrysene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Bis(2-ethylhexyl)phthalate	2	5	J	µg/L	1	7/30/2007 12:41:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Bromomethane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Vinyl chloride	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Chloroethane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Acetone	6	10	J	µg/L	1	7/27/2007 7:23:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: EFF BATCH 33-072707
Collection Date: 7/27/2007 1:30:00 PM
Lab Sample ID: 070727039-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Chloroform	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
2-Butanone	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Benzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Bromoform	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
2-Hexanone	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Toluene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Styrene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Cyclohexane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: EFF BATCH 33-072707
Collection Date: 7/27/2007 1:30:00 PM
Lab Sample ID: 070727039-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	0.3	1.0	JS	mg/L	1	7/30/2007
PH E150.1						Analyst: SH
pH	7.8	1.0		pH Units	1	7/27/2007 4:53:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: SH
TDS (Residue, Filterable)	700	5		mg/L	1	7/27/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SH
TSS (Residue, Non-Filterable)	1.0	1.0		mg/L	1	7/27/2007
TURBIDITY E180.1						Analyst: SH
Turbidity	3.4	0.10		NTU	1	7/27/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: EFF BATCH 32-072707
Collection Date: 7/27/2007 1:30:00 PM
Lab Sample ID: 070727039-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 7/27/2007)

Aroclor 1016	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1248	0.070	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	7/27/2007 8:23:41 PM

ICP METALS E200.7 Analyst: **SM**
 (Prep: SW3010A - 7/30/2007)

Aluminum	0.072	0.100	J	mg/L	1	7/30/2007 12:09:00 PM
Antimony	0.009	0.060	J	mg/L	1	7/30/2007 12:09:00 PM
Arsenic	0.006	0.005		mg/L	1	7/30/2007 12:09:00 PM
Barium	0.094	0.010		mg/L	1	7/30/2007 12:09:00 PM
Beryllium	0	0.005	J	mg/L	1	7/30/2007 12:09:00 PM
Cadmium	0	0.005	J	mg/L	1	7/30/2007 12:09:00 PM
Calcium	141	0.050		mg/L	1	7/30/2007 12:09:00 PM
Chromium	< 0.005	0.005		mg/L	1	7/30/2007 12:09:00 PM
Cobalt	0	0.050	J	mg/L	1	7/30/2007 12:09:00 PM
Copper	0.011	0.005		mg/L	1	7/30/2007 12:09:00 PM
Iron	0.106	0.050		mg/L	1	7/30/2007 12:09:00 PM
Lead	0.002	0.005	J	mg/L	1	7/30/2007 12:09:00 PM
Magnesium	22.7	0.050		mg/L	1	7/30/2007 12:09:00 PM
Manganese	0.250	0.020		mg/L	1	7/30/2007 12:09:00 PM
Nickel	0.003	0.020	J	mg/L	1	7/30/2007 12:09:00 PM
Potassium	15.6	0.050		mg/L	1	7/30/2007 12:09:00 PM
Selenium	0.002	0.005	J	mg/L	1	7/30/2007 12:09:00 PM
Silver	< 0.010	0.010		mg/L	1	7/30/2007 12:09:00 PM
Sodium	40.0	0.050		mg/L	1	7/30/2007 12:09:00 PM
Thallium	0.017	0.010		mg/L	1	7/30/2007 12:09:00 PM
Vanadium	0.002	0.020	J	mg/L	1	7/30/2007 12:09:00 PM
Zinc	0.015	0.010		mg/L	1	7/30/2007 12:09:00 PM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 7/30/2007)

Mercury	< 0.0002	0.0002		mg/L	1	7/30/2007
---------	----------	--------	--	------	---	-----------

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: EFF BATCH 32-072707
Collection Date: 7/27/2007 1:30:00 PM
Lab Sample ID: 070727039-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 7/30/2007)						
Phenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Chlorophenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Methylphenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
4-Methylphenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Hexachloroethane	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Nitrobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Isophorone	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Nitrophenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Naphthalene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
4-Chloroaniline	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2-Nitroaniline	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Acenaphthylene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
3-Nitroaniline	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
Acenaphthene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
4-Nitrophenol	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
Dibenzofuran	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Diethyl phthalate	< 5	5		µg/L	1	7/30/2007 12:41:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: EFF BATCH 32-072707
Collection Date: 7/27/2007 1:30:00 PM
Lab Sample ID: 070727039-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C
 (Prep: SW3510/E625 - 7/30/2007)

Analyst: **MT**

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Fluorene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
4-Nitroaniline	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Pentachlorophenol	< 25	25		µg/L	1	7/30/2007 12:41:00 PM
Phenanthrene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Anthracene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Carbazole	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Fluoranthene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Pyrene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	7/30/2007 12:41:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Chrysene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Bis(2-ethylhexyl)phthalate	2	5	J	µg/L	1	7/30/2007 12:41:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	7/30/2007 12:41:00 PM

VOLATILE ORGANICS SW8260B

Analyst: **ML**

Chloromethane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Bromomethane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Vinyl chloride	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Chloroethane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Acetone	6	10	J	µg/L	1	7/27/2007 7:23:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: EFF BATCH 32-072707
Collection Date: 7/27/2007 1:30:00 PM
Lab Sample ID: 070727039-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Chloroform	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
2-Butanone	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Benzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Bromoform	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
2-Hexanone	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Toluene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Styrene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Cyclohexane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: EFF BATCH 32-072707
Collection Date: 7/27/2007 1:30:00 PM
Lab Sample ID: 070727039-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/27/2007 7:23:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:23:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	0.3	1.0	JS	mg/L	1	7/30/2007
PH E150.1						Analyst: SH
pH	7.8	1.0		pH Units	1	7/27/2007 4:53:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: SH
TDS (Residue, Filterable)	700	5		mg/L	1	7/27/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SH
TSS (Residue, Non-Filterable)	1.0	1.0		mg/L	1	7/27/2007
TURBIDITY E180.1						Analyst: SH
Turbidity	3.4	0.10		NTU	1	7/27/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Trip Blank Lot#154
Work Order: 070727039 **Collection Date:** 7/27/2007
Reference: Freeman's Bridge Road / Effluent Batch 33 **Lab Sample ID:** 070727039-002
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	7/27/2007 7:52:00 PM
Bromomethane	< 10	10		µg/L	1	7/27/2007 7:52:00 PM
Vinyl chloride	< 10	10		µg/L	1	7/27/2007 7:52:00 PM
Chloroethane	< 10	10		µg/L	1	7/27/2007 7:52:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Acetone	9	10	J	µg/L	1	7/27/2007 7:52:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Chloroform	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
2-Butanone	< 10	10		µg/L	1	7/27/2007 7:52:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Benzene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Bromoform	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	7/27/2007 7:52:00 PM
2-Hexanone	< 10	10		µg/L	1	7/27/2007 7:52:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Toluene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Styrene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	7/27/2007 7:52:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Jul-07

CLIENT: D.A.Collins Environment
Work Order: 070727039
Reference: Freeman's Bridge Road / Effluent Batch 33
PO#: 2006516

Client Sample ID: Trip Blank Lot#154
Collection Date: 7/27/2007
Lab Sample ID: 070727039-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

VOLATILE ORGANICS SW8260B

Analyst: ML

1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Cyclohexane	< 10	10		µg/L	1	7/27/2007 7:52:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	7/27/2007 7:52:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	7/27/2007 7:52:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd							
Send Report to: K. Chadwick		Project Name (Location): FBR			Samplers Name: S. Bullock				
Client Phone #: 361-1247		Client PO #: 2006516			Samplers Signature: 				
Client Fax #: 377-4147									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff. Batch 33- 072707	7/27/2007	1330	A	Water		X	9	Full Suite Water
				P					
				A					
				P					
002	Trip Blank Lot#			A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
AES Work Order #:		Special Instructions/Remarks:							
070727039		24 Hr. TAT							
Turnaround Time Requested:									
X 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal									
<input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time		
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time		
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:		Date	Time		
						7/27/07	4:45PM		
Sample Temperature			Properly Preserved			Received Within Holding Times			
Ambient ~ <u>Chilled</u>			<input checked="" type="radio"/> Y N			<input checked="" type="radio"/> Y N			
Notes: 130C			Notes:			Notes:			



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

August 06, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070803032

PO#: 2006516

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 34


Dear Steve Bullock:

Adirondack Environmental Services, Inc received 1 sample on 8/3/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Tara Daniels
Laboratory Manager

ELAP#: 10709

AIHA#: 100307

Keith Chadwick - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070803032
Reference: Freeman's Bridge Road / Effluent Batch 34
PO#: 2006516

Client Sample ID: EFF BATCH 34-080307
Collection Date: 8/3/2007 1:20:00 PM
Lab Sample ID: 070803032-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 8/6/2007)						
Aroclor 1016	< 0.066	0.066		µg/L	1	8/6/2007 2:59:33 PM
Aroclor 1221	< 0.066	0.066		µg/L	1	8/6/2007 2:59:33 PM
Aroclor 1232	< 0.066	0.066		µg/L	1	8/6/2007 2:59:33 PM
Aroclor 1242	< 0.066	0.066		µg/L	1	8/6/2007 2:59:33 PM
Aroclor 1248	< 0.066	0.066		µg/L	1	8/6/2007 2:59:33 PM
Aroclor 1254	< 0.066	0.066		µg/L	1	8/6/2007 2:59:33 PM
Aroclor 1260	< 0.066	0.066		µg/L	1	8/6/2007 2:59:33 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 8/6/2007)						
Aluminum	0.053	0.100	J	mg/L	1	8/6/2007 9:54:00 AM
Antimony	0.011	0.060	J	mg/L	1	8/6/2007 9:54:00 AM
Arsenic	0.005	0.005		mg/L	1	8/6/2007 9:54:00 AM
Barium	0.082	0.010		mg/L	1	8/6/2007 9:54:00 AM
Beryllium	< 0.005	0.005		mg/L	1	8/6/2007 9:54:00 AM
Cadmium	0	0.005	J	mg/L	1	8/6/2007 9:54:00 AM
Calcium	128	0.050		mg/L	1	8/6/2007 9:54:00 AM
Chromium	0.002	0.005	J	mg/L	1	8/6/2007 9:54:00 AM
Cobalt	0	0.050	J	mg/L	1	8/6/2007 9:54:00 AM
Copper	0.022	0.005		mg/L	1	8/6/2007 9:54:00 AM
Iron	0.308	0.050		mg/L	1	8/6/2007 9:54:00 AM
Lead	0.005	0.005	J	mg/L	1	8/6/2007 9:54:00 AM
Magnesium	23.2	0.050		mg/L	1	8/6/2007 9:54:00 AM
Manganese	0.270	0.020		mg/L	1	8/6/2007 9:54:00 AM
Nickel	0.003	0.020	J	mg/L	1	8/6/2007 9:54:00 AM
Potassium	22.9	0.050		mg/L	1	8/6/2007 9:54:00 AM
Selenium	0	0.005	J	mg/L	1	8/6/2007 9:54:00 AM
Silver	0	0.010	J	mg/L	1	8/6/2007 9:54:00 AM
Sodium	48.2	0.050		mg/L	1	8/6/2007 9:54:00 AM
Thallium	0.024	0.010		mg/L	1	8/6/2007 9:54:00 AM
Vanadium	0.002	0.020	J	mg/L	1	8/6/2007 9:54:00 AM
Zinc	0.033	0.010		mg/L	1	8/6/2007 9:54:00 AM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 8/6/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	8/6/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070803032
Reference: Freeman's Bridge Road / Effluent Batch 34
PO#: 2006516

Client Sample ID: EFF BATCH 34-080307
Collection Date: 8/3/2007 1:20:00 PM
Lab Sample ID: 070803032-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 8/6/2007)						
Phenol	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2-Chlorophenol	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2-Methylphenol	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
4-Methylphenol	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Hexachloroethane	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Nitrobenzene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Isophorone	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2-Nitrophenol	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Naphthalene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
4-Chloroaniline	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2-Nitroaniline	< 25	25		µg/L	1	8/6/2007 1:06:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Acenaphthylene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
3-Nitroaniline	< 25	25		µg/L	1	8/6/2007 1:06:00 PM
Acenaphthene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	8/6/2007 1:06:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/6/2007 1:06:00 PM
Dibenzofuran	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Diethyl phthalate	< 5	5		µg/L	1	8/6/2007 1:06:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070803032
Reference: Freeman's Bridge Road / Effluent Batch 34
PO#: 2006516

Client Sample ID: EFF BATCH 34-080307
Collection Date: 8/3/2007 1:20:00 PM
Lab Sample ID: 070803032-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 8/6/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Fluorene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
4-Nitroaniline	< 25	25		µg/L	1	8/6/2007 1:06:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	8/6/2007 1:06:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Pentachlorophenol	< 25	25		µg/L	1	8/6/2007 1:06:00 PM
Phenanthrene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Anthracene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Carbazole	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Fluoranthene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Pyrene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/6/2007 1:06:00 PM
Benzo(a)anthracene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Chrysene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	8/6/2007 1:06:00 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	8/3/2007 6:06:00 PM
Bromomethane	< 10	10		µg/L	1	8/3/2007 6:06:00 PM
Vinyl chloride	< 10	10		µg/L	1	8/3/2007 6:06:00 PM
Chloroethane	< 10	10		µg/L	1	8/3/2007 6:06:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Acetone	6	10	J	µg/L	1	8/3/2007 6:06:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070803032
Reference: Freeman's Bridge Road / Effluent Batch 34
PO#: 2006516

Client Sample ID: EFF BATCH 34-080307
Collection Date: 8/3/2007 1:20:00 PM
Lab Sample ID: 070803032-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Chloroform	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
2-Butanone	< 10	10		µg/L	1	8/3/2007 6:06:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Benzene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Bromoform	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	8/3/2007 6:06:00 PM
2-Hexanone	< 10	10		µg/L	1	8/3/2007 6:06:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Toluene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Styrene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	8/3/2007 6:06:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Cyclohexane	< 10	10		µg/L	1	8/3/2007 6:06:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 06-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070803032
Reference: Freeman's Bridge Road / Effluent Batch 34
PO#: 2006516

Client Sample ID: EFF BATCH 34-080307
Collection Date: 8/3/2007 1:20:00 PM
Lab Sample ID: 070803032-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	8/3/2007 6:06:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	8/3/2007 6:06:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	0	1.0	J	mg/L	1	8/3/2007
PH E150.1						Analyst: LS
pH	7.5	1.0		pH Units	1	8/3/2007 2:50:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	815	5		mg/L	1	8/3/2007 2:50:00 PM
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SNH
TSS (Residue, Non-Filterable)	1.5	1.0	S	mg/L	1	8/3/2007
TURBIDITY E180.1						Analyst: LS
Turbidity	2.8	0.10		NTU	1	8/3/2007 3:00:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION
314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns
CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd			
Send Report to: K. Chadwick		Project Name (Location): FBR		Samplers Name: S. Bullock	
Client Phone #: 361-1247		Client PO #: 2006516		Samplers Signature: 	
Client Fax #: 377-4147					

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=am P=pm	Sample Type			Number of Cont's	Analysis
				Matrix	C	G		
001	Eff. Batch 34 080307	8/3/2007	1320	A P	Water	X	8	Full Suite Water
				A P A P A P A P A P A P A P A P A P A P				

AES Work Order #: 070803032

Special Instructions/Remarks: **24 Hr. TAT**

Turnaround Time Requested:
 1 Day 3 Day Normal
 2 Day 5 Day

Date: 8-307 Time: 1:50 PM

Relinquished by: (Signature)

Date: _____ Time: _____

Received by: (Signature)

Date: _____ Time: _____

Relinquished by: (Signature) _____

Date: _____ Time: _____

Received by: (Signature)

Date: 8/3/07 Time: 2:22 PM

Relinquished by: (Signature) _____

Date: _____ Time: _____

Received for Laboratory by:

Date: _____ Time: _____

Sample Temperature
Ambient ~ Chilled

Notes: 21

Properly Preserved
Y N

Notes: _____

Received Within Holding Times
Y N

Notes: _____




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

August 13, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070810057

TEL: (518) 664-9855

PO#: 2006516

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 35

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 2 samples on 8/10/2007 for the analyses presented in the following report.


There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709

AIHA#: 100307


Tara Daniels
Laboratory Manager

Keith Chadwick - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

T - Tentitively Identified Compound-Estimated Conc.

X - Value exceeds Maximum Contaminant Level

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Aug-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 35-081007
Work Order: 070810057 **Collection Date:** 8/10/2007 1:22:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 35 **Lab Sample ID:** 070810057-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 8/10/2007)						
Aroclor 1016	< 0.066	0.066		µg/L	1	8/10/2007 10:48:01 PM
Aroclor 1221	< 0.066	0.066		µg/L	1	8/10/2007 10:48:01 PM
Aroclor 1232	< 0.066	0.066		µg/L	1	8/10/2007 10:48:01 PM
Aroclor 1242	< 0.066	0.066		µg/L	1	8/10/2007 10:48:01 PM
Aroclor 1248	0.15	0.066		µg/L	1	8/10/2007 10:48:01 PM
Aroclor 1254	< 0.066	0.066		µg/L	1	8/10/2007 10:48:01 PM
Aroclor 1260	< 0.066	0.066		µg/L	1	8/10/2007 10:48:01 PM
ICP METALS E200.7						Analyst: KH
(Prep: SW3010A - 8/9/2007)						
Aluminum	0.175	0.100		mg/L	1	8/10/2007 3:40:00 PM
Antimony	0.034	0.060	J	mg/L	1	8/10/2007 3:40:00 PM
Arsenic	0.006	0.005		mg/L	1	8/10/2007 3:40:00 PM
Barium	0.067	0.010		mg/L	1	8/10/2007 3:40:00 PM
Beryllium	< 0.005	0.005		mg/L	1	8/10/2007 3:40:00 PM
Cadmium	0	0.005	J	mg/L	1	8/10/2007 3:40:00 PM
Calcium	127	0.050		mg/L	1	8/10/2007 3:40:00 PM
Chromium	< 0.005	0.005		mg/L	1	8/10/2007 3:40:00 PM
Cobalt	0	0.050	J	mg/L	1	8/10/2007 3:40:00 PM
Copper	0.003	0.005	J	mg/L	1	8/10/2007 3:40:00 PM
Iron	0.218	0.050		mg/L	1	8/10/2007 3:40:00 PM
Lead	0.002	0.005	J	mg/L	1	8/10/2007 3:40:00 PM
Magnesium	14.0	0.050		mg/L	1	8/10/2007 3:40:00 PM
Manganese	0.119	0.020		mg/L	1	8/10/2007 3:40:00 PM
Nickel	0.002	0.020	J	mg/L	1	8/10/2007 3:40:00 PM
Potassium	11.4	0.050		mg/L	1	8/10/2007 3:40:00 PM
Selenium	0.002	0.005	J	mg/L	1	8/10/2007 3:40:00 PM
Silver	< 0.010	0.010		mg/L	1	8/10/2007 3:40:00 PM
Sodium	42.8	0.050		mg/L	1	8/10/2007 3:40:00 PM
Thallium	0.022	0.010		mg/L	1	8/10/2007 3:40:00 PM
Vanadium	0.004	0.020	J	mg/L	1	8/10/2007 3:40:00 PM
Zinc	0.011	0.010		mg/L	1	8/10/2007 3:40:00 PM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 8/9/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	8/13/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Aug-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 35-081007
Work Order: 070810057 **Collection Date:** 8/10/2007 1:22:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 35 **Lab Sample ID:** 070810057-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 8/13/2007)						
Phenol	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2-Chlorophenol	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
1,3-Dichlorobenzene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
1,4-Dichlorobenzene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
1,2-Dichlorobenzene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2-Methylphenol	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
4-Methylphenol	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Hexachloroethane	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Nitrobenzene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Isophorone	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2-Nitrophenol	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2,4-Dimethylphenol	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2,4-Dichlorophenol	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Naphthalene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
4-Chloroaniline	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Hexachlorobutadiene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2-Methylnaphthalene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2-Chloronaphthalene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2-Nitroaniline	< 25	25		µg/L	1	8/13/2007 11:30:00 AM
Dimethyl phthalate	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Acenaphthylene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2,6-Dinitrotoluene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
3-Nitroaniline	< 25	25		µg/L	1	8/13/2007 11:30:00 AM
Acenaphthene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2,4-Dinitrophenol	< 25	25		µg/L	1	8/13/2007 11:30:00 AM
4-Nitrophenol	< 25	25		µg/L	1	8/13/2007 11:30:00 AM
Dibenzofuran	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
2,4-Dinitrotoluene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Diethyl phthalate	< 5	5		µg/L	1	8/13/2007 11:30:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070810057
Reference: Freeman's Bridge Road / Effluent Batch 35
PO#: 2006516

Client Sample ID: EFF BATCH 35-081007
Collection Date: 8/10/2007 1:22:00 PM
Lab Sample ID: 070810057-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 8/13/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Fluorene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
4-Nitroaniline	< 25	25		µg/L	1	8/13/2007 11:30:00 AM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	8/13/2007 11:30:00 AM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Hexachlorobenzene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Pentachlorophenol	< 25	25		µg/L	1	8/13/2007 11:30:00 AM
Phenanthrene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Anthracene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Carbazole	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Di-n-butyl phthalate	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Fluoranthene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Pyrene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Butyl benzyl phthalate	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/13/2007 11:30:00 AM
Benz(a)anthracene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Chrysene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Di-n-octyl phthalate	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Benzo(b)fluoranthene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Benzo(k)fluoranthene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Benzo(a)pyrene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	8/13/2007 11:30:00 AM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
Bromomethane	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
Vinyl chloride	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
Chloroethane	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Acetone	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Aug-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 35-081007
Work Order: 070810057 **Collection Date:** 8/10/2007 1:22:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 35 **Lab Sample ID:** 070810057-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Chloroform	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
2-Butanone	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Benzene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Bromoform	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
2-Hexanone	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Toluene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Styrene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Cyclohexane	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Aug-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 35-081007
Work Order: 070810057	Collection Date: 8/10/2007 1:22:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 35	Lab Sample ID: 070810057-001
PO#: 2006516	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	8/10/2007 3:52:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	8/10/2007 3:52:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	< 1.0	1.0		mg/L	1	8/13/2007
PH E150.1						Analyst: LS
pH	7.7	1.0		pH Units	1	8/10/2007 2:40:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	705	5		mg/L	1	8/10/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SNH
TSS (Residue, Non-Filterable)	3.5	1.0		mg/L	1	8/10/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	5.2	0.10		NTU	1	8/10/2007 4:15:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Aug-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Trip Blank Lot#153
Work Order: 070810057 **Collection Date:** 8/10/2007
Reference: Freeman's Bridge Road / Effluent Batch 35 **Lab Sample ID:** 070810057-002
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
Bromomethane	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
Vinyl chloride	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
Chloroethane	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Acetone	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Chloroform	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
2-Butanone	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Benzene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Bromoform	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
2-Hexanone	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Toluene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Styrene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 13-Aug-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank Lot#153

Work Order: 070810057

Collection Date: 8/10/2007

Reference: Freeman's Bridge Road / Effluent Batch 35

Lab Sample ID: 070810057-002

PO#: 2006516

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

VOLATILE ORGANICS SW8260B

Analyst: ML

1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Cyclohexane	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	8/10/2007 4:20:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	8/10/2007 4:20:00 PM

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- X - Value exceeds Maximum Contaminant Level

- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- T - Tentitively Identified Compound-Estimated Conc.
- E - Value above quantitation range






EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd								
Send Report to: K. Chadwick		Project Name (Location): FBR				Samplers Name: S. Bullock				
Client Phone #: 361-1247		Client PO #: 2006516				Samplers Signature: 				
Client Fax #: 377-4147										
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis	
			A=am	P=pm	Matrix	C	G			
001	Eff. Batch 35 081007	8/10/2007	1322	A	P	Water		X	8	Full Suite Water
002	Trip Blank Lot #153			A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
AES Work Order #: 070810057				Special Instructions/Remarks: 24 Hr. TAT						
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day				client						
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time		
Relinquished by: (Signature) 		Date	Time	Received for Laboratory by: 			Date	Time		
Sample Temperature Ambient <u>Chilled</u>		Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N					
Notes: <u>13</u>		Notes: _____			Notes: _____					




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution
314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

August 20, 2007

Keith Chadwick
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070817032
PO#: 2006516

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 36

Dear Keith Chadwick:

Adirondack Environmental Services, Inc received 2 samples on 8/17/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Keith Chadwick - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Aug-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 36 081707
Work Order: 070817032 **Collection Date:** 8/17/2007 10:20:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 36 **Lab Sample ID:** 070817032-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 8/17/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	8/17/2007 7:02:39 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	8/17/2007 7:02:39 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	8/17/2007 7:02:39 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	8/17/2007 7:02:39 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	8/17/2007 7:02:39 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	8/17/2007 7:02:39 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	8/17/2007 7:02:39 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 8/17/2007)						
Aluminum	0.039	0.100	J	mg/L	1	8/18/2007 1:46:00 PM
Antimony	0.009	0.060	J	mg/L	1	8/18/2007 1:46:00 PM
Arsenic	0.006	0.005		mg/L	1	8/18/2007 1:46:00 PM
Barium	0.068	0.010		mg/L	1	8/18/2007 1:46:00 PM
Beryllium	0	0.005	J	mg/L	1	8/18/2007 1:46:00 PM
Cadmium	0	0.005	J	mg/L	1	8/18/2007 1:46:00 PM
Calcium	149	0.050		mg/L	1	8/18/2007 1:46:00 PM
Chromium	< 0.005	0.005		mg/L	1	8/18/2007 1:46:00 PM
Cobalt	0	0.050	J	mg/L	1	8/18/2007 1:46:00 PM
Copper	0.002	0.005	J	mg/L	1	8/18/2007 1:46:00 PM
Iron	0.134	0.050		mg/L	1	8/18/2007 1:46:00 PM
Lead	< 0.005	0.005		mg/L	1	8/18/2007 1:46:00 PM
Magnesium	22.7	0.050		mg/L	1	8/18/2007 1:46:00 PM
Manganese	0.146	0.020		mg/L	1	8/18/2007 1:46:00 PM
Nickel	0	0.020	J	mg/L	1	8/18/2007 1:46:00 PM
Potassium	8.72	0.050		mg/L	1	8/18/2007 1:46:00 PM
Selenium	0.005	0.005		mg/L	1	8/18/2007 1:46:00 PM
Silver	< 0.010	0.010		mg/L	1	8/18/2007 1:46:00 PM
Sodium	44.0	0.050		mg/L	1	8/18/2007 1:46:00 PM
Thallium	0.014	0.010		mg/L	1	8/18/2007 1:46:00 PM
Vanadium	0	0.020	J	mg/L	1	8/18/2007 1:46:00 PM
Zinc	0.011	0.010		mg/L	1	8/18/2007 1:46:00 PM
MERCURY E245.1						Analyst: SM
(Prep: E245.1 - 8/17/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	8/17/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070817032
Reference: Freeman's Bridge Road / Effluent Batch 36
PO#: 2006516

Client Sample ID: EFF BATCH 36 081707
Collection Date: 8/17/2007 10:20:00 AM
Lab Sample ID: 070817032-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 8/20/2007)						
Phenol	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2-Chlorophenol	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2-Methylphenol	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
4-Methylphenol	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Hexachloroethane	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Nitrobenzene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Isophorone	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2-Nitrophenol	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Naphthalene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
4-Chloroaniline	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2-Nitroaniline	< 25	25		µg/L	1	8/20/2007 12:01:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Acenaphthylene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
3-Nitroaniline	< 25	25		µg/L	1	8/20/2007 12:01:00 PM
Acenaphthene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	8/20/2007 12:01:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/20/2007 12:01:00 PM
Dibenzofuran	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Diethyl phthalate	< 5	5		µg/L	1	8/20/2007 12:01:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070817032
Reference: Freeman's Bridge Road / Effluent Batch 36
PO#: 2006516

Client Sample ID: EFF BATCH 36 081707
Collection Date: 8/17/2007 10:20:00 AM
Lab Sample ID: 070817032-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 8/20/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Fluorene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
4-Nitroaniline	< 25	25		µg/L	1	8/20/2007 12:01:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	8/20/2007 12:01:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Pentachlorophenol	< 25	25		µg/L	1	8/20/2007 12:01:00 PM
Phenanthrene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Anthracene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Carbazole	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Fluoranthene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Pyrene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/20/2007 12:01:00 PM
Benzo(a)anthracene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Chrysene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Bis(2-ethylhexyl)phthalate	1	5	J	µg/L	1	8/20/2007 12:01:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	8/20/2007 12:01:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
Bromomethane	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
Vinyl chloride	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
Chloroethane	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Acetone	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Aug-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 36 081707
Work Order: 070817032 **Collection Date:** 8/17/2007 10:20:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 36 **Lab Sample ID:** 070817032-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Chloroform	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
2-Butanone	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Benzene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Bromoform	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
2-Hexanone	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Toluene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Styrene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Cyclohexane	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070817032
Reference: Freeman's Bridge Road / Effluent Batch 36
PO#: 2006516

Client Sample ID: EFF BATCH 36 081707
Collection Date: 8/17/2007 10:20:00 AM
Lab Sample ID: 070817032-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	8/17/2007 2:47:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	8/17/2007 2:47:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	< 1.0	1.0		mg/L	1	8/17/2007
PH E150.1						Analyst: PL
pH	7.6	1.0		pH Units	1	8/17/2007 12:45:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	800	5		mg/L	1	8/18/2007 8:30:00 AM
TOTAL SUSPENDED SOLIDS E160.2						Analyst: PL
TSS (Residue, Non-Filterable)	0.5	1.0	J	mg/L	1	8/17/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	0.35	0.10		NTU	1	8/17/2007 1:00:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Aug-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Trip Blank Lot#153
Work Order: 070817032 **Collection Date:** 8/17/2007
Reference: Freeman's Bridge Road / Effluent Batch 36 **Lab Sample ID:** 070817032-002
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
Bromomethane	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
Vinyl chloride	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
Chloroethane	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Acetone	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Chloroform	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
2-Butanone	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Benzene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Bromoform	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
2-Hexanone	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Toluene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Styrene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070817032
Reference: Freeman's Bridge Road / Effluent Batch 36
PO#: 2006516

Client Sample ID: Trip Blank Lot#153
Collection Date: 8/17/2007
Lab Sample ID: 070817032-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Cyclohexane	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	8/17/2007 3:15:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	8/17/2007 3:15:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd							
Send Report to: K. Chadwick		Project Name (Location): FBR				Samplers Name: S. Bullock			
Client Phone #: 361-1247		Client PO #: 2006516				Samples Signatures:			
Client Fax #: 377-4147									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff. Batch 36 081707 ^{8/17/07}	8/10/2007	1020	A	Water		X	9	Full Suite Water
	Eff. Batch 36 081707 MS ^{DA 8/12/07}	8/10/2007	1020	A	Water		X	9	Full Suite Water
	Eff. Batch 36 081707 MSD	8/10/2007	1020	A	Water		X	9	Full Suite Water
				A					
				P					
				A					
002	Trip Blank			A				3	
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
AES Work Order #: 070817032		Special Instructions/Remarks: 24 Hr. TAT * Sample date changed as per bottle labels & Steve Bullock - DMA 8/17/07 client							
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day									
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:			Date	Time	
Sample Temperature Ambient ~ <u>Chilled</u>		Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N			Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N				
Notes: <u>13</u>		Notes:			Notes:				




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

August 27, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070824044
PO#: 2006516

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 37

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 2 samples on 8/24/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Keith Chadwick - FAX
Steve Bullock - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070824044
Reference: Freeman's Bridge Road / Effluent Batch 37
PO#: 2006516

Client Sample ID: EFF BATCH 37 082407
Collection Date: 8/24/2007 2:10:00 PM
Lab Sample ID: 070824044-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 8/24/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	8/25/2007 9:24:22 AM
Aroclor 1221	< 0.065	0.065		µg/L	1	8/25/2007 9:24:22 AM
Aroclor 1232	< 0.065	0.065		µg/L	1	8/25/2007 9:24:22 AM
Aroclor 1242	< 0.065	0.065		µg/L	1	8/25/2007 9:24:22 AM
Aroclor 1248	< 0.065	0.065		µg/L	1	8/25/2007 9:24:22 AM
Aroclor 1254	0.04	0.065	J	µg/L	1	8/25/2007 9:24:22 AM
Aroclor 1260	< 0.065	0.065		µg/L	1	8/25/2007 9:24:22 AM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 8/27/2007)						
Aluminum	0	0.100	J	mg/L	1	8/27/2007 11:47:00 AM
Antimony	0.002	0.060	SJ	mg/L	1	8/27/2007 11:47:00 AM
Arsenic	0.007	0.005		mg/L	1	8/27/2007 11:47:00 AM
Barium	0.065	0.010		mg/L	1	8/27/2007 11:47:00 AM
Beryllium	< 0.005	0.005		mg/L	1	8/27/2007 11:47:00 AM
Cadmium	< 0.005	0.005		mg/L	1	8/27/2007 11:47:00 AM
Calcium	124	0.050		mg/L	1	8/27/2007 11:47:00 AM
Chromium	< 0.005	0.005		mg/L	1	8/27/2007 11:47:00 AM
Cobalt	0	0.050	J	mg/L	1	8/27/2007 11:47:00 AM
Copper	0.028	0.005		mg/L	1	8/27/2007 11:47:00 AM
Iron	0.069	0.050		mg/L	1	8/27/2007 11:47:00 AM
Lead	< 0.005	0.005		mg/L	1	8/27/2007 11:47:00 AM
Magnesium	19.8	0.050		mg/L	1	8/27/2007 11:47:00 AM
Manganese	0.248	0.020		mg/L	1	8/27/2007 11:47:00 AM
Nickel	0.001	0.020	J	mg/L	1	8/27/2007 11:47:00 AM
Potassium	7.26	0.050		mg/L	1	8/27/2007 11:47:00 AM
Selenium	< 0.005	0.005		mg/L	1	8/27/2007 11:47:00 AM
Silver	0	0.010	J	mg/L	1	8/27/2007 11:47:00 AM
Sodium	43.7	0.050		mg/L	1	8/27/2007 11:47:00 AM
Thallium	0.015	0.010		mg/L	1	8/27/2007 11:47:00 AM
Vanadium	0.003	0.020	SJ	mg/L	1	8/27/2007 11:47:00 AM
Zinc	0.036	0.010		mg/L	1	8/27/2007 11:47:00 AM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 8/27/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	8/27/2007

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Aug-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 37 082407
Work Order: 070824044 **Collection Date:** 8/24/2007 2:10:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 37 **Lab Sample ID:** 070824044-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 8/27/2007)						
Phenol	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2-Chlorophenol	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2-Methylphenol	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
4-Methylphenol	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Hexachloroethane	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Nitrobenzene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Isophorone	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2-Nitrophenol	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Naphthalene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
4-Chloroaniline	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2-Nitroaniline	< 25	25		µg/L	1	8/27/2007 12:09:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Acenaphthylene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
3-Nitroaniline	< 25	25		µg/L	1	8/27/2007 12:09:00 PM
Acenaphthene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	8/27/2007 12:09:00 PM
4-Nitrophenol	< 25	25		µg/L	1	8/27/2007 12:09:00 PM
Dibenzofuran	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Diethyl phthalate	< 5	5		µg/L	1	8/27/2007 12:09:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Aug-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 37 082407
Work Order: 070824044 **Collection Date:** 8/24/2007 2:10:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 37 **Lab Sample ID:** 070824044-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 8/27/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Fluorene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
4-Nitroaniline	< 25	25		µg/L	1	8/27/2007 12:09:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	8/27/2007 12:09:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Pentachlorophenol	< 25	25		µg/L	1	8/27/2007 12:09:00 PM
Phenanthrene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Anthracene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Carbazole	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Fluoranthene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Pyrene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	8/27/2007 12:09:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Chrysene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	8/27/2007 12:09:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Aug-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 37 082407
Work Order: 070824044 **Collection Date:** 8/24/2007 2:10:00 PM
Reference: Freeman's Bridge Road / Effluent Batch 37 **Lab Sample ID:** 070824044-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
2-Butanone	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
2-Hexanone	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
Acetone	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
Benzene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Bromoform	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Bromomethane	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Chloroethane	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
Chloroform	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Chloromethane	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Cyclohexane	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Styrene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Toluene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Aug-07

CLIENT: D.A.Collins Environment
Work Order: 070824044
Reference: Freeman's Bridge Road / Effluent Batch 37
PO#: 2006516

Client Sample ID: EFF BATCH 37 082407
Collection Date: 8/24/2007 2:10:00 PM
Lab Sample ID: 070824044-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	8/27/2007 10:07:00 AM
Vinyl chloride	< 10	10		µg/L	1	8/27/2007 10:07:00 AM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	0.5	1.0	J	mg/L	1	8/25/2007
PH E150.1						Analyst: SH
pH	7.6	1.0		pH Units	1	8/24/2007 4:40:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	770	5		mg/L	1	8/27/2007 6:40:00 AM
TOTAL SUSPENDED SOLIDS E160.2						Analyst: SH
TSS (Residue, Non-Filterable)	1.5	1.0		mg/L	1	8/24/2007
TURBIDITY E180.1						Analyst: SH
Turbidity	0.77	0.10		NTU	1	8/24/2007 4:35:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Aug-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank Lot#153

Work Order: 070824044

Collection Date: 8/24/2007

Reference: Freeman's Bridge Road / Effluent Batch 37

Lab Sample ID: 070824044-002

PO#: 2006516

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
Bromomethane	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
Vinyl chloride	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
Chloroethane	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Acetone	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Chloroform	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
2-Butanone	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Benzene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Bromoform	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
2-Hexanone	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Toluene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Ethylbenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Styrene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
m,p-Xylene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
o-Xylene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Aug-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank Lot#153

Work Order: 070824044

Collection Date: 8/24/2007

Reference: Freeman's Bridge Road / Effluent Batch 37

Lab Sample ID: 070824044-002

PO#: 2006516

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Cyclohexane	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	8/27/2007 10:35:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	8/27/2007 10:35:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd						
Send Report to: K. Chadwick		Project Name (Location): FBR			Samplers Name: S. Bullock			
Client Phone #: 361-1247		Client PO #: 2006516			Samplers Signature:			
Client Fax #: 377-4147								
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=am P=pm	Sample Type			Number of Cont's	Analysis
				Matrix	C	G		
001	Eff. Batch 37 082407	8/24/2007	1410	A	Water	X	9	Full Suite Water
	Eff. Batch 37 082407 MS	8/24/2007	1415	A	Water	X	9	Full Suite Water
	Eff. Batch 37 082407 MSD	8/24/2007	1425	A	Water	X	9	Full Suite Water
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
				A				
				P				
AES Work Order #: 070824044				Special Instructions/Remarks: 24 Hr. TAT				
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day								
Relinquished by: (Signature) 		Date 8/24/07	Time 2:02	Received by: (Signature)			Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: 			Date 8/24/07	Time 4:03
Sample Temperature Ambient ~ <u>Chilled</u>		Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N			
Notes: <u>23°C</u>		Notes:			Notes:			




Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

September 04, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070831025

TEL: (518) 664-9855

PO#: 2006516

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 38

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 2 samples on 8/31/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Keith Chadwick - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

T - Tentitively Identified Compound-Estimated Conc.

X - Value exceeds Maximum Contaminant Level

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 38 083107
Work Order: 070831025	Collection Date: 8/31/2007 7:45:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 38	Lab Sample ID: 070831025-001
PO#: 2006516	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 8/31/2007)

Aroclor 1016	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM

ICP METALS E200.7 Analyst: **SM**
 (Prep: SW3010A - 9/4/2007)

Aluminum	0.018	0.100	J	mg/L	1	9/4/2007 12:24:00 PM
Antimony	< 0.060	0.060		mg/L	1	9/4/2007 12:24:00 PM
Arsenic	< 0.005	0.005		mg/L	1	9/4/2007 12:24:00 PM
Barium	0.077	0.010		mg/L	1	9/4/2007 12:24:00 PM
Beryllium	0	0.005	J	mg/L	1	9/4/2007 12:24:00 PM
Cadmium	< 0.005	0.005		mg/L	1	9/4/2007 12:24:00 PM
Calcium	124	0.050		mg/L	1	9/4/2007 12:24:00 PM
Chromium	< 0.005	0.005		mg/L	1	9/4/2007 12:24:00 PM
Cobalt	< 0.050	0.050		mg/L	1	9/4/2007 12:24:00 PM
Copper	0.005	0.005	J	mg/L	1	9/4/2007 12:24:00 PM
Iron	0.055	0.050		mg/L	1	9/4/2007 12:24:00 PM
Lead	< 0.005	0.005		mg/L	1	9/4/2007 12:24:00 PM
Magnesium	24.0	0.050		mg/L	1	9/4/2007 12:24:00 PM
Manganese	0.159	0.020		mg/L	1	9/4/2007 12:24:00 PM
Nickel	0.001	0.020	J	mg/L	1	9/4/2007 12:24:00 PM
Potassium	5.93	0.050		mg/L	1	9/4/2007 12:24:00 PM
Selenium	0.005	0.005	J	mg/L	1	9/4/2007 12:24:00 PM
Silver	< 0.010	0.010		mg/L	1	9/4/2007 12:24:00 PM
Sodium	46.1	0.050		mg/L	1	9/4/2007 12:24:00 PM
Thallium	0.026	0.010		mg/L	1	9/4/2007 12:24:00 PM
Vanadium	0.020	0.020		mg/L	1	9/4/2007 12:24:00 PM
Zinc	0.007	0.010	J	mg/L	1	9/4/2007 12:24:00 PM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 9/4/2007)

Mercury	< 0.0002	0.0002		mg/L	1	9/4/2007
---------	----------	--------	--	------	---	----------

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 38 083107
Work Order: 070831025 **Collection Date:** 8/31/2007 7:45:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 38 **Lab Sample ID:** 070831025-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 9/4/2007)						
Phenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Chlorophenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Methylphenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
4-Methylphenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Hexachloroethane	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Nitrobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Isophorone	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Nitrophenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Naphthalene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
4-Chloroaniline	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Nitroaniline	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Acenaphthylene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
3-Nitroaniline	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
Acenaphthene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
4-Nitrophenol	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
Dibenzofuran	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Diethyl phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070831025
Reference: Freeman's Bridge Road / Effluent Batch 38
PO#: 2006516

Client Sample ID: EFF BATCH 38 083107
Collection Date: 8/31/2007 7:45:00 AM
Lab Sample ID: 070831025-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 9/4/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Fluorene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
4-Nitroaniline	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Pentachlorophenol	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
Phenanthrene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Anthracene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Carbazole	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Fluoranthene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Pyrene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	9/4/2007 12:38:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Chrysene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Bromomethane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Vinyl chloride	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Chloroethane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Acetone	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 38 083107
Work Order: 070831025 **Collection Date:** 8/31/2007 7:45:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 38 **Lab Sample ID:** 070831025-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Chloroform	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
2-Butanone	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Benzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Bromoform	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
2-Hexanone	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Toluene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Styrene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Cyclohexane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 38 083107
Work Order: 070831025	Collection Date: 8/31/2007 7:45:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 38	Lab Sample ID: 070831025-001
PO#: 2006516	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
OIL AND GREASE E1664						Analyst: CJ
Oil & Grease	0.1	1.0	SJ	mg/L	1	8/31/2007
PH E150.1						Analyst: LS
pH	7.6	1.0		pH Units	1	8/31/2007 2:30:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	790	5		mg/L	1	8/31/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: CJ
TSS (Residue, Non-Filterable)	2.5	1.0		mg/L	1	8/31/2007
TURBIDITY E180.1						Analyst: VZ
Turbidity	0.55	0.10		NTU	1	8/31/2007 2:45:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070831025
Reference: Freeman's Bridge Road / Effluent Batch 38
PO#: 2006516

Client Sample ID: EFF BATCH 38 083107
Collection Date: 8/31/2007 2:45:00 AM
Lab Sample ID: 070831025-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 8/31/2007)

Aroclor 1016	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1248	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	8/31/2007 6:03:11 PM

ICP METALS E200.7 Analyst: **SM**
 (Prep: SW3010A - 9/4/2007)

Aluminum	0.018	0.100	J	mg/L	1	9/4/2007 12:24:00 PM
Antimony	< 0.060	0.060		mg/L	1	9/4/2007 12:24:00 PM
Arsenic	< 0.005	0.005		mg/L	1	9/4/2007 12:24:00 PM
Barium	0.077	0.010		mg/L	1	9/4/2007 12:24:00 PM
Beryllium	0	0.005	J	mg/L	1	9/4/2007 12:24:00 PM
Cadmium	< 0.005	0.005		mg/L	1	9/4/2007 12:24:00 PM
Calcium	124	0.050		mg/L	1	9/4/2007 12:24:00 PM
Chromium	< 0.005	0.005		mg/L	1	9/4/2007 12:24:00 PM
Cobalt	< 0.050	0.050		mg/L	1	9/4/2007 12:24:00 PM
Copper	0.005	0.005	J	mg/L	1	9/4/2007 12:24:00 PM
Iron	0.055	0.050		mg/L	1	9/4/2007 12:24:00 PM
Lead	< 0.005	0.005		mg/L	1	9/4/2007 12:24:00 PM
Magnesium	24.0	0.050		mg/L	1	9/4/2007 12:24:00 PM
Manganese	0.159	0.020		mg/L	1	9/4/2007 12:24:00 PM
Nickel	0.001	0.020	J	mg/L	1	9/4/2007 12:24:00 PM
Potassium	5.93	0.050		mg/L	1	9/4/2007 12:24:00 PM
Selenium	0.005	0.005	J	mg/L	1	9/4/2007 12:24:00 PM
Silver	< 0.010	0.010		mg/L	1	9/4/2007 12:24:00 PM
Sodium	46.1	0.050		mg/L	1	9/4/2007 12:24:00 PM
Thallium	0.026	0.010		mg/L	1	9/4/2007 12:24:00 PM
Vanadium	0.020	0.020		mg/L	1	9/4/2007 12:24:00 PM
Zinc	0.007	0.010	J	mg/L	1	9/4/2007 12:24:00 PM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 9/4/2007)

Mercury	< 0.0002	0.0002		mg/L	1	9/4/2007
---------	----------	--------	--	------	---	----------

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070831025
Reference: Freeman's Bridge Road / Effluent Batch 38
PO#: 2006516

Client Sample ID: EFF BATCH 38 083107
Collection Date: 8/31/2007 2:45:00 AM
Lab Sample ID: 070831025-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 9/4/2007)						
Phenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Chlorophenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Methylphenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
4-Methylphenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Hexachloroethane	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Nitrobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Isophorone	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Nitrophenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Naphthalene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
4-Chloroaniline	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2-Nitroaniline	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Acenaphthylene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
3-Nitroaniline	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
Acenaphthene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
4-Nitrophenol	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
Dibenzofuran	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Diethyl phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070831025
Reference: Freeman's Bridge Road / Effluent Batch 38
PO#: 2006516

Client Sample ID: EFF BATCH 38 083107
Collection Date: 8/31/2007 2:45:00 AM
Lab Sample ID: 070831025-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

SEMI VOLATILE ORGANICS SW8270C Analyst: MT
 (Prep: SW3510/E625 - 9/4/2007)

4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Fluorene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
4-Nitroaniline	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Pentachlorophenol	< 25	25		µg/L	1	9/4/2007 12:38:00 PM
Phenanthrene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Anthracene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Carbazole	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Fluoranthene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Pyrene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	9/4/2007 12:38:00 PM
Benzo(a)anthracene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Chrysene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	9/4/2007 12:38:00 PM

VOLATILE ORGANICS SW8260B Analyst: ML

Chloromethane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Bromomethane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Vinyl chloride	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Chloroethane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Acetone	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070831025
Reference: Freeman's Bridge Road / Effluent Batch 38
PO#: 2006516

Client Sample ID: EFF BATCH 38 083107
Collection Date: 8/31/2007 2:45:00 AM
Lab Sample ID: 070831025-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Chloroform	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
2-Butanone	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Benzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Bromoform	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
2-Hexanone	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Toluene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Styrene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Cyclohexane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment	Client Sample ID: EFF BATCH 38 083107
Work Order: 070831025	Collection Date: 8/31/2007 2:45:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 38	Lab Sample ID: 070831025-001
PO#: 2006516	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	8/31/2007 6:03:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 6:03:00 PM
OIL AND GREASE E1664						Analyst: CJ
Oil & Grease	0.1	1.0	SJ	mg/L	1	8/31/2007
PH E150.1						Analyst: LS
pH	7.6	1.0		pH Units	1	8/31/2007 2:30:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	790	5		mg/L	1	8/31/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: CJ
TSS (Residue, Non-Filterable)	2.5	1.0		mg/L	1	8/31/2007
TURBIDITY E180.1						Analyst: VZ
Turbidity	0.55	0.10		NTU	1	8/31/2007 2:45:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Trip Blank Lot#155
Work Order: 070831025 **Collection Date:** 8/31/2007
Reference: Freeman's Bridge Road / Effluent Batch 38 **Lab Sample ID:** 070831025-002
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
Bromomethane	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
Vinyl chloride	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
Chloroethane	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Acetone	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Chloroform	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
2-Butanone	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Benzene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Bromoform	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
2-Hexanone	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Toluene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Styrene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Sep-07

CLIENT: D.A.Collins Environment

Client Sample ID: Trip Blank Lot#155

Work Order: 070831025

Collection Date: 8/31/2007

Reference: Freeman's Bridge Road / Effluent Batch 38

Lab Sample ID: 070831025-002

PO#: 2006516

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

VOLATILE ORGANICS SW8260B

Analyst: ML

1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Cyclohexane	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	8/31/2007 4:09:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	8/31/2007 4:09:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd	
Send Report to: K. Chadwick		Project Name (Location): FBR	Samplers Name: S. Bullock <i>rdad</i>
Client Phone #: 361-1247		Client PO #: 2006516	Samplers Signature: <i>[Signature]</i>
Client Fax #: 377-4147			

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff. Batch 38 083107	8/31/2007	745	A	Water	X	89	Full Suite Water	
	Eff. Batch 38 083107 MS	8/31/2007	750	A	Water	X	9	Full Suite Water	
	Eff. Batch 38 083107 MSD	8/31/2007	755	A	Water	X	9	Full Suite Water	
	<i>Trip Blank Lot# 155</i>			A			<i>2</i>		
				A					
				A					
				A					
				A					
				A					
				A					
				A					
				A					
				A					
	<i>Chilled To 20°C</i> <i>SBD</i>			A					
				A					
				A					
				A					

AES Work Order #: 070831025	Special Instructions/Remarks: 24 Hr. TAT
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day	

Relinquished by: (Signature) <i>[Signature]</i>	Date 8/31/07	Time 1300	Received by: (Signature) <i>[Signature]</i>	Date 8/31/07	Time 1300
Relinquished by: (Signature) <i>[Signature]</i>	Date 8/31/07	Time 1:40	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: <i>[Signature]</i>	Date 8/31/07	Time 1:59pm

Sample Temperature Ambient ~ Chilled	Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N	Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N
Notes: _____	Notes: _____	Notes: _____



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.

RECEIVED
09/11/07

CPM



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4548 ♦ Fax (518) 434-0891

September 11, 2007

Steve Bullock
D.A. Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070907071
PO#: 2006516

TEL: (518) 664-9855
FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 39

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 2 samples on 9/7/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Keith Chadwick - FAX
Steve Bullock - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070907071
Reference: Freeman's Bridge Road / Effluent Batch 39
PO#: 2006516

Client Sample ID: EFF BATCH 39 090707
Collection Date: 9/7/2007 2:30:00 PM
Lab Sample ID: 070907071-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 9/7/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	9/8/2007 12:05:59 AM
Aroclor 1221	< 0.065	0.065		µg/L	1	9/8/2007 12:05:59 AM
Aroclor 1232	< 0.065	0.065		µg/L	1	9/8/2007 12:05:59 AM
Aroclor 1242	< 0.065	0.065	S	µg/L	1	9/8/2007 12:05:59 AM
Aroclor 1248	< 0.065	0.065		µg/L	1	9/8/2007 12:05:59 AM
Aroclor 1254	< 0.065	0.065		µg/L	1	9/8/2007 12:05:59 AM
Aroclor 1260	< 0.065	0.065		µg/L	1	9/8/2007 12:05:59 AM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 9/10/2007)						
Aluminum	0.062	0.100	J	mg/L	1	9/10/2007 11:52:00 AM
Antimony	0	0.060	J	mg/L	1	9/10/2007 11:52:00 AM
Arsenic	0.007	0.005		mg/L	1	9/10/2007 11:52:00 AM
Barium	0.088	0.010		mg/L	1	9/10/2007 11:52:00 AM
Beryllium	< 0.005	0.005		mg/L	1	9/10/2007 11:52:00 AM
Cadmium	0	0.005	J	mg/L	1	9/10/2007 11:52:00 AM
Calcium	76.6	0.050		mg/L	1	9/10/2007 11:52:00 AM
Chromium	< 0.005	0.005		mg/L	1	9/10/2007 11:52:00 AM
Cobalt	0	0.050	J	mg/L	1	9/10/2007 11:52:00 AM
Copper	0.031	0.005		mg/L	1	9/10/2007 11:52:00 AM
Iron	0.295	0.050		mg/L	1	9/10/2007 11:52:00 AM
Lead	< 0.005	0.005		mg/L	1	9/10/2007 11:52:00 AM
Magnesium	20.1	0.050		mg/L	1	9/10/2007 11:52:00 AM
Manganese	0.072	0.020		mg/L	1	9/10/2007 11:52:00 AM
Nickel	0.004	0.020	J	mg/L	1	9/10/2007 11:52:00 AM
Potassium	8.44	0.050		mg/L	1	9/10/2007 11:52:00 AM
Selenium	0.003	0.005	J	mg/L	1	9/10/2007 11:52:00 AM
Silver	< 0.010	0.010		mg/L	1	9/10/2007 11:52:00 AM
Sodium	96.9	0.500		mg/L	10	9/10/2007 11:56:00 AM
Thallium	0.024	0.010		mg/L	1	9/10/2007 11:52:00 AM
Vanadium	0.002	0.020	J	mg/L	1	9/10/2007 11:52:00 AM
Zinc	0.029	0.010		mg/L	1	9/10/2007 11:52:00 AM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 9/10/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	9/10/2007

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Sep-07

CLIENT: D.A.Collins Environment
 Work Order: 070907071
 Reference: Freeman's Bridge Road / Effluent Batch 39
 PO#: 2006516

Client Sample ID: EFF BATCH 39 090707
 Collection Date: 9/7/2007 2:30:00 PM
 Lab Sample ID: 070907071-001
 Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 9/10/2007)						
Phenol	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2-Chlorophenol	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2-Methylphenol	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
4-Methylphenol	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Hexachloroethane	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Nitrobenzene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Isophorone	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2-Nitrophenol	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Naphthalene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
4-Chloroaniline	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2-Nitroaniline	< 25	25		µg/L	1	9/10/2007 12:56:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Acenaphthylene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
3-Nitroaniline	< 25	25		µg/L	1	9/10/2007 12:56:00 PM
Acenaphthene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	9/10/2007 12:56:00 PM
4-Nitrophenol	< 25	25		µg/L	1	9/10/2007 12:56:00 PM
Dibenzofuran	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Diethyl phthalate	< 5	5		µg/L	1	9/10/2007 12:56:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Sep-07

CLIENT: D.A.Collins Environment
 Work Order: 070907071
 Reference: Freeman's Bridge Road / Effluent Batch 39
 PO#: 2006516

Client Sample ID: EFF BATCH 39 090707
 Collection Date: 9/7/2007 2:30:00 PM
 Lab Sample ID: 070907071-001
 Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 9/10/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Fluorene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
4-Nitroaniline	< 25	25		µg/L	1	9/10/2007 12:56:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	9/10/2007 12:56:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Pentachlorophenol	< 25	25		µg/L	1	9/10/2007 12:56:00 PM
Phenanthrene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Anthracene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Carbazole	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Fluoranthene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Pyrene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	9/10/2007 12:56:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Chrysene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	9/10/2007 12:56:00 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
Bromomethane	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
Vinyl chloride	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
Chloroethane	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Acetone	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Sep-07

CLIENT: D.A. Collins Environment
 Work Order: 070907071
 Reference: Freeman's Bridge Road / Effluent Batch 39
 PO#: 2006516

Client Sample ID: EFF BATCH 39 090707
 Collection Date: 9/7/2007 2:30:00 PM
 Lab Sample ID: 070907071-001
 Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						
						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Chloroform	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
2-Butanone	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Benzene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Bromoform	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
2-Hexanone	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Toluene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Styrene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Cyclohexane	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070907071
Reference: Freeman's Bridge Road / Effluent Batch 39
PO#: 2006516

Client Sample ID: EFF BATCH 39 090707
Collection Date: 9/7/2007 2:30:00 PM
Lab Sample ID: 070907071-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	9/7/2007 4:44:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	9/7/2007 4:44:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	1.2	1.0		mg/L	1	9/7/2007
PH E150.1						Analyst: PL
pH	7.7	1.0		pH Units	1	9/7/2007 4:00:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: PL
TDS (Residue, Filterable)	640	5		mg/L	1	9/7/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: PL
TSS (Residue, Non-Filterable)	2.5	1.0		mg/L	1	9/7/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	3.7	0.10		NTU	1	9/7/2007 4:00:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070907071
Reference: Freeman's Bridge Road / Effluent Batch 39
PO#: 2006516

Client Sample ID: Trip Blank Lot#155
Collection Date: 9/7/2007
Lab Sample ID: 070907071-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
						Analyst: ML
VOLATILE ORGANICS SW8260B						
Chloromethane	< 10	10		µg/L	1	9/7/2007 5:13:00 PM
Bromomethane	< 10	10		µg/L	1	9/7/2007 5:13:00 PM
Vinyl chloride	< 10	10		µg/L	1	9/7/2007 5:13:00 PM
Chloroethane	< 10	10		µg/L	1	9/7/2007 5:13:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Acetone	15	10		µg/L	1	9/7/2007 5:13:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Chloroform	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
2-Butanone	< 10	10		µg/L	1	9/7/2007 5:13:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Benzene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Bromoform	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	9/7/2007 5:13:00 PM
2-Hexanone	< 10	10		µg/L	1	9/7/2007 5:13:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Toluene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Styrene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	9/7/2007 5:13:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 11-Sep-07

CLIENT: D.A. Collins Environment
 Work Order: 070907071
 Reference: Freeman's Bridge Road / Effluent Batch 39
 PO#: 2006516

Client Sample ID: Trip Blank Lot#155
 Collection Date: 9/7/2007
 Lab Sample ID: 070907071-002
 Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
						Analyst: ML
VOLATILE ORGANICS SW8260B						
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Cyclohexane	< 10	10		µg/L	1	9/7/2007 5:13:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	9/7/2007 5:13:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	9/7/2007 5:13:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Page 8 of 8



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd						
Send Report to: K. Chadwick		Project Name (Location): FBR			Samplers Name: S. Bullock			
Client Phone #: 361-1247		Client PO #: 2006516			Samplers Signature:			
Client Fax #: 377-4147								
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=am P=pm	Sample Type			Number of Cont's	Analysis
				Matrix	C	G		
001	Eff. Batch 39 090707	9/7/2007	1430	A	Water		X	89 Full Suite Water Jm 9/7/07
				P				
				P				
				P				
002	Trip Blank lot #155			A				
				P				
				P				
				P				
				P				
				P				
				P				
				P				
				P				
				P				
				P				
				P				
				P				
				P				
				P				
AES Work Order #: 070907071				Special Instructions/Remarks: 24 Hr. TAT				
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day								
Relinquished by: (Signature)	Date	Time	Received by: (Signature)			Date	Time	
	9/5/07	09:07/09				9-6-07	3:11	
Relinquished by: (Signature)	Date	Time	Received by: (Signature)			Date	Time	
Relinquished by: (Signature)	Date	Time	Received for Laboratory by:			Date	Time	
						9/7/07	3:42 PM	
Sample Temperature Ambient <input checked="" type="checkbox"/> Chilled			Properly Preserved <input checked="" type="checkbox"/> Y N			Received Within Holding Times <input checked="" type="checkbox"/> Y N		
Notes: 23			Notes:			Notes:		



314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

September 17, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070914034

TEL: (518) 664-9855

PO#: 2006516

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 40

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 2 samples on 9/14/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Keith Chadwick - FAX
Steve Bullock - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 17-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070914034
Reference: Freeman's Bridge Road / Effluent Batch 40
PO#: 2006516

Client Sample ID: EFF BATCH 40 091407
Collection Date: 9/14/2007 11:00:00 AM
Lab Sample ID: 070914034-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

POLYCHLORINATED BIPHENYLS SW8082 Analyst: **KF**
 (Prep: E608 - 9/14/2007)

Aroclor 1016	< 0.065	0.065		µg/L	1	9/14/2007 6:20:42 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	9/14/2007 6:20:42 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	9/14/2007 6:20:42 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	9/14/2007 6:20:42 PM
Aroclor 1248	0.076	0.065		µg/L	1	9/14/2007 6:20:42 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	9/14/2007 6:20:42 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	9/14/2007 6:20:42 PM

ICP METALS E200.7 Analyst: **SM**

Aluminum	0.081	0.100	J	mg/L	1	9/14/2007 3:25:00 PM
Antimony	0.011	0.060	J	mg/L	1	9/14/2007 3:25:00 PM
Arsenic	0.004	0.005	J	mg/L	1	9/14/2007 3:25:00 PM
Barium	0.071	0.010		mg/L	1	9/14/2007 3:25:00 PM
Beryllium	0	0.005	J	mg/L	1	9/14/2007 3:25:00 PM
Cadmium	0	0.005	J	mg/L	1	9/14/2007 3:25:00 PM
Calcium	113	0.050		mg/L	1	9/14/2007 3:25:00 PM
Chromium	< 0.005	0.005		mg/L	1	9/14/2007 3:25:00 PM
Cobalt	0	0.050	J	mg/L	1	9/14/2007 3:25:00 PM
Copper	0.019	0.005		mg/L	1	9/14/2007 3:25:00 PM
Iron	0.070	0.050		mg/L	1	9/14/2007 3:25:00 PM
Lead	< 0.005	0.005		mg/L	1	9/14/2007 3:25:00 PM
Magnesium	29.0	0.050		mg/L	1	9/14/2007 3:25:00 PM
Manganese	0.022	0.020		mg/L	1	9/14/2007 3:25:00 PM
Nickel	0.004	0.020	J	mg/L	1	9/14/2007 3:25:00 PM
Potassium	12.3	0.050		mg/L	1	9/14/2007 3:25:00 PM
Selenium	0.002	0.005	J	mg/L	1	9/14/2007 3:25:00 PM
Silver	0.002	0.010	J	mg/L	1	9/14/2007 3:25:00 PM
Sodium	41.9	0.050		mg/L	1	9/14/2007 3:25:00 PM
Thallium	< 0.010	0.010		mg/L	1	9/14/2007 3:25:00 PM
Vanadium	0.004	0.020	J	mg/L	1	9/14/2007 3:25:00 PM
Zinc	0.044	0.010		mg/L	1	9/14/2007 3:25:00 PM

MERCURY E245.1 Analyst: **KH**
 (Prep: E245.1 - 9/14/2007)

Mercury	< 0.0002	0.0002		mg/L	1	9/17/2007
---------	----------	--------	--	------	---	-----------

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 17-Sep-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 40 091407
Work Order: 070914034 **Collection Date:** 9/14/2007 11:00:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 40 **Lab Sample ID:** 070914034-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 9/17/2007)						
Phenol	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2-Chlorophenol	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2-Methylphenol	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
4-Methylphenol	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Hexachloroethane	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Nitrobenzene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Isophorone	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2-Nitrophenol	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Naphthalene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
4-Chloroaniline	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2-Nitroaniline	< 25	25		µg/L	1	9/17/2007 12:07:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Acenaphthylene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
3-Nitroaniline	< 25	25		µg/L	1	9/17/2007 12:07:00 PM
Acenaphthene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	9/17/2007 12:07:00 PM
4-Nitrophenol	< 25	25		µg/L	1	9/17/2007 12:07:00 PM
Dibenzofuran	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Diethyl phthalate	< 5	5		µg/L	1	9/17/2007 12:07:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 17-Sep-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 40 091407
Work Order: 070914034 **Collection Date:** 9/14/2007 11:00:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 40 **Lab Sample ID:** 070914034-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 9/17/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Fluorene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
4-Nitroaniline	< 25	25		µg/L	1	9/17/2007 12:07:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	9/17/2007 12:07:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Pentachlorophenol	< 25	25		µg/L	1	9/17/2007 12:07:00 PM
Phenanthrene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Anthracene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Carbazole	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Fluoranthene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Pyrene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	9/17/2007 12:07:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Chrysene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	9/17/2007 12:07:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
Bromomethane	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
Vinyl chloride	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
Chloroethane	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Acetone	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 17-Sep-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 40 091407
Work Order: 070914034 **Collection Date:** 9/14/2007 11:00:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 40 **Lab Sample ID:** 070914034-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Chloroform	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
2-Butanone	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Benzene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Bromoform	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
2-Hexanone	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Toluene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Styrene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Cyclohexane	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 17-Sep-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 40 091407
Work Order: 070914034 **Collection Date:** 9/14/2007 11:00:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 40 **Lab Sample ID:** 070914034-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	9/14/2007 8:18:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:18:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	0.3	1.0	J	mg/L	1	9/17/2007
PH E150.1						Analyst: LS
pH	7.7	1.0		pH Units	1	9/14/2007 2:15:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	815	5		mg/L	1	9/14/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: CJ
TSS (Residue, Non-Filterable)	0.5	1.0	J	mg/L	1	9/14/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	1.9	0.10		NTU	1	9/14/2007 1:45:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 17-Sep-07

CLIENT: D.A.Collins Environment **Client Sample ID:** Trip Blank Lot#157
Work Order: 070914034 **Collection Date:** 9/14/2007
Reference: Freeman's Bridge Road / Effluent Batch 40 **Lab Sample ID:** 070914034-002
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
Bromomethane	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
Vinyl chloride	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
Chloroethane	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Acetone	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Chloroform	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
2-Butanone	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Benzene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Bromoform	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
2-Hexanone	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Toluene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Styrene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 17-Sep-07

CLIENT: D.A.Collins Environment	Client Sample ID: Trip Blank Lot#157
Work Order: 070914034	Collection Date: 9/14/2007
Reference: Freeman's Bridge Road / Effluent Batch 40	Lab Sample ID: 070914034-002
PO#: 2006516	Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Cyclohexane	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	9/14/2007 8:47:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	9/14/2007 8:47:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd								
Send Report to: K. Chadwick		Project Name (Location): FBR			Samplers Name: K. Chadwick					
Client Phone #: 361-1247		Client PO #: 2006516			Samplers Signature:					
Client Fax #: 377-4147										
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis	
			A=am	P=pm	Matrix	C	G			
001	Eff. Batch 40 091407	9/14/2007	1100	A	P	Water		X	9	Full Suite Water
002	Trip Blank Lot # 157			A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
				A	P					
AES Work Order #: 070914034		Special Instructions/Remarks: 24 Hr. TAT								
Turnaround Time Requested: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day										
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time			
		9/14/07	1200			9/14/07	1200	PH		
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time			
Relinquished by: (Signature)		Date	Time	Received for Laboratory by:		Date	Time			
						9/14/07	1:10 PM			
Sample Temperature Ambient ~ <u>Chilled</u>		Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N					
Notes: <u>18</u>		Notes:			Notes:					



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

September 20, 2007

Steve Bullock
D.A.Collins Environment
101 Route 67
PO Box 191
Mechanicville, NY 12118-0191

Work Order No: 070919029

PO#: 2006516

TEL: (518) 664-9855

FAX: (518) 664-0925

RE: Freeman's Bridge Road
Effluent Batch 40

Dear Steve Bullock:

Adirondack Environmental Services, Inc received 2 samples on 9/19/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709

AIHA#: 100307

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Sep-07

CLIENT: D.A.Collins Environment **Client Sample ID:** EFF BATCH 41 091907
Work Order: 070919029 **Collection Date:** 9/19/2007 8:45:00 AM
Reference: Freeman's Bridge Road / Effluent Batch 40 **Lab Sample ID:** 070919029-001
PO#: 2006516 **Matrix:** WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: E608 - 9/19/2007)						
Aroclor 1016	< 0.065	0.065		µg/L	1	9/19/2007 7:03:47 PM
Aroclor 1221	< 0.065	0.065		µg/L	1	9/19/2007 7:03:47 PM
Aroclor 1232	< 0.065	0.065		µg/L	1	9/19/2007 7:03:47 PM
Aroclor 1242	< 0.065	0.065		µg/L	1	9/19/2007 7:03:47 PM
Aroclor 1248	0.06	0.065	J	µg/L	1	9/19/2007 7:03:47 PM
Aroclor 1254	< 0.065	0.065		µg/L	1	9/19/2007 7:03:47 PM
Aroclor 1260	< 0.065	0.065		µg/L	1	9/19/2007 7:03:47 PM
ICP METALS E200.7						Analyst: SM
(Prep: SW3010A - 9/19/2007)						
Aluminum	0.004	0.100	J	mg/L	1	9/19/2007 11:41:00 AM
Antimony	< 0.060	0.060		mg/L	1	9/19/2007 11:41:00 AM
Arsenic	0.003	0.005	J	mg/L	1	9/19/2007 11:41:00 AM
Barium	0.061	0.010		mg/L	1	9/19/2007 11:41:00 AM
Beryllium	< 0.005	0.005		mg/L	1	9/19/2007 11:41:00 AM
Cadmium	0	0.005	J	mg/L	1	9/19/2007 11:41:00 AM
Calcium	109	0.050		mg/L	1	9/19/2007 11:41:00 AM
Chromium	< 0.005	0.005		mg/L	1	9/19/2007 11:41:00 AM
Cobalt	0	0.050	J	mg/L	1	9/19/2007 11:41:00 AM
Copper	0.005	0.005		mg/L	1	9/19/2007 11:41:00 AM
Iron	0.365	0.050		mg/L	1	9/19/2007 11:41:00 AM
Lead	< 0.005	0.005		mg/L	1	9/19/2007 11:41:00 AM
Magnesium	7.77	0.050		mg/L	1	9/19/2007 11:41:00 AM
Manganese	0.017	0.020	J	mg/L	1	9/19/2007 11:41:00 AM
Nickel	0.004	0.020	J	mg/L	1	9/19/2007 11:41:00 AM
Potassium	40.1	0.050		mg/L	1	9/19/2007 11:41:00 AM
Selenium	0.003	0.005	J	mg/L	1	9/19/2007 11:41:00 AM
Silver	< 0.010	0.010		mg/L	1	9/19/2007 11:41:00 AM
Sodium	32.9	0.050		mg/L	1	9/19/2007 11:41:00 AM
Thallium	0.003	0.010	J	mg/L	1	9/19/2007 11:41:00 AM
Vanadium	0.004	0.020	J	mg/L	1	9/19/2007 11:41:00 AM
Zinc	0.018	0.010		mg/L	1	9/19/2007 11:41:00 AM
MERCURY E245.1						Analyst: KH
(Prep: E245.1 - 9/19/2007)						
Mercury	< 0.0002	0.0002		mg/L	1	9/19/2007

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070919029
Reference: Freeman's Bridge Road / Effluent Batch 40
PO#: 2006516

Client Sample ID: EFF BATCH 41 091907
Collection Date: 9/19/2007 8:45:00 AM
Lab Sample ID: 070919029-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 9/20/2007)						
Phenol	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2-Chlorophenol	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2-Methylphenol	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
4-Methylphenol	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Hexachloroethane	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Nitrobenzene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Isophorone	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2-Nitrophenol	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Naphthalene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
4-Chloroaniline	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2-Nitroaniline	< 25	25		µg/L	1	9/20/2007 12:20:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Acenaphthylene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
3-Nitroaniline	< 25	25		µg/L	1	9/20/2007 12:20:00 PM
Acenaphthene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	9/20/2007 12:20:00 PM
4-Nitrophenol	< 25	25		µg/L	1	9/20/2007 12:20:00 PM
Dibenzofuran	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Diethyl phthalate	< 5	5		µg/L	1	9/20/2007 12:20:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070919029
Reference: Freeman's Bridge Road / Effluent Batch 40
PO#: 2006516

Client Sample ID: EFF BATCH 41 091907
Collection Date: 9/19/2007 8:45:00 AM
Lab Sample ID: 070919029-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 9/20/2007)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Fluorene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
4-Nitroaniline	< 25	25		µg/L	1	9/20/2007 12:20:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	9/20/2007 12:20:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Pentachlorophenol	< 25	25		µg/L	1	9/20/2007 12:20:00 PM
Phenanthrene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Anthracene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Carbazole	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Fluoranthene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Pyrene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	9/20/2007 12:20:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Chrysene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	9/20/2007 12:20:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
Bromomethane	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
Vinyl chloride	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
Chloroethane	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Acetone	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070919029
Reference: Freeman's Bridge Road / Effluent Batch 40
PO#: 2006516

Client Sample ID: EFF BATCH 41 091907
Collection Date: 9/19/2007 8:45:00 AM
Lab Sample ID: 070919029-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Chloroform	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
2-Butanone	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Benzene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Bromoform	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
2-Hexanone	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Toluene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Styrene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Cyclohexane	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070919029
Reference: Freeman's Bridge Road / Effluent Batch 40
PO#: 2006516

Client Sample ID: EFF BATCH 41 091907
Collection Date: 9/19/2007 8:45:00 AM
Lab Sample ID: 070919029-001
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	9/19/2007 1:56:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	9/19/2007 1:56:00 PM
OIL AND GREASE E1664						Analyst: VZ
Oil & Grease	0.3	1.0	J	mg/L	1	9/19/2007
PH E150.1						Analyst: LS
pH	7.4	1.0		pH Units	1	9/19/2007 12:05:00 PM
TOTAL DISSOLVED SOLIDS E160.1						Analyst: LS
TDS (Residue, Filterable)	920	5		mg/L	1	9/19/2007
TOTAL SUSPENDED SOLIDS E160.2						Analyst: CJ
TSS (Residue, Non-Filterable)	4.5	1.0		mg/L	1	9/19/2007
TURBIDITY E180.1						Analyst: PL
Turbidity	3.4	0.10		NTU	1	9/19/2007 4:30:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070919029
Reference: Freeman's Bridge Road / Effluent Batch 40
PO#: 2006516

Client Sample ID: Trip Blank Lot#157
Collection Date: 9/19/2007
Lab Sample ID: 070919029-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
Bromomethane	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
Vinyl chloride	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
Chloroethane	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Acetone	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Chloroform	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
2-Butanone	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Benzene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Bromoform	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
2-Hexanone	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Toluene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Styrene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
Methyl Acetate	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Sep-07

CLIENT: D.A.Collins Environment
Work Order: 070919029
Reference: Freeman's Bridge Road / Effluent Batch 40
PO#: 2006516

Client Sample ID: Trip Blank Lot#157
Collection Date: 9/19/2007
Lab Sample ID: 070919029-002
Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Cyclohexane	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
Isopropylbenzene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	9/19/2007 2:24:00 PM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	9/19/2007 2:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range



EXPERIENCE IS THE SOLUTION

314 North Pearl Street ♦ Albany, New York 12207 ♦ (518) 434-4546 ♦ Fax: (518) 434-0891

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

Client Name: DA Collins		Address: 34 Freemans Bridge Rd	
Send Report to: K. Chadwick		Project Name (Location): FBR	Samplers Name: K. Chadwick
Client Phone #: 361-1247		Client PO #: 2006516	Samplers Signature:
Client Fax #: 377-4147			

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			Number of Cont's	Analysis
			A=am	P=pm	Matrix	C	G		
001	Eff. Batch 41 091907	9/19/2007	845	A	Water		X	9	Full Suite Water
002	Trip Blank 157			A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					
				A					
				P					

AES Work Order #: <u>070919029</u>	Special Instructions/Remarks: 24 Hr. TAT
------------------------------------	--

Turnaround Time Requested:
 1 Day 3 Day Normal
 2 Day 5 Day

Relinquished by: (Signature) <i>Krista Carter</i>	Date <u>9/19</u>	Time <u>1030</u>	Received by: (Signature) <i>[Signature]</i>	Date	Time
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: <i>J. Mehaler</i>	Date <u>9/19/07</u>	Time <u>11:28 AM</u>

Sample Temperature Ambient <input checked="" type="radio"/> Chilled Notes: <u>11</u>	Properly Preserved <input checked="" type="radio"/> Y <input type="radio"/> N Notes: _____	Received Within Holding Times <input checked="" type="radio"/> Y <input type="radio"/> N Notes: _____
---	---	--



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by credit card are subject to a 3% additional charge.