



Woman Owned Business

Aztech Environmental

TECHNOLOGIES

5 McCrea Hill Road • Ballston Spa, New York 12020

September 5, 2018

Ms. Samantha Salotto
New York State Department of Environmental Conservation
Route 86, PO Box 296
Ray Brook, NY 12977-0296

Re: Remedial Progress Report – First Half 2018
Former Philmar Electronics – Morrisonville, NY
NYSDEC Project #510008

Dear Ms. Salotto,

Aztech Environmental Technologies (Aztech) has prepared this letter to outline the remedial progress and provide a status update for groundwater analytical results at the former Philmar Electronics site, New York State Department of Environmental Conservation (NYSDEC) Project #510008 (**Figure 1**). The activities summarized in this correspondence were completed during the first and second quarters of 2018.

Remediation System

Site visits were conducted on February 26, 2018 and April 19, 2018 to confirm that the remediation system was operating. A June 2018 site visit was not performed because the system was inoperable (more discussion later). The water meter was cleaned on February 26, 2018. On that date the floats associated with the electric submersible pump were also tested and were determined to be functional.

On April 19, 2018, the remediation system was off on arrival to the site. The groundwater depression pump was tested and determined to be not operational. The pump was removed from the trench sump and dropped off at Rolfe Industries in Clifton Park, New York for evaluation. It was later determined that the pump had a broken seal and water had infiltrated the electrical motor and damaged the pump beyond repair. On May 16, 2018, the NYSDEC indicated to hold off on replacing the pump in lieu of preparations for upgrading the system to include treatment for per- and polyfluoroalkyl substances (PFAS). A June 2018 site visit was not conducted because the system was left off after removing the groundwater depression pump in April 2018 (and the pending system upgrade to include PFAS treatment).

A summary of the pumping rates, to date, are presented in **Table 1**. Approximately 33.1 million gallons of groundwater have been pumped through the remediation system between May 2004

and April 19, 2018. During the period between December 20, 2017 and April 19, 2018, approximately 309,545 gallons of water were pumped through the system.

Groundwater Gauging and Sampling

Aztech surveyed the top of selected groundwater monitoring well casing elevations on September 7, 2011. The top of casing elevations were surveyed relative to a site datum of 100.00 feet using a Sokkia C3₃₀ optical level. Longitude and latitude coordinates of selected monitoring wells and sample locations were collected on this date for spatial reference. The top of casing elevations are shown on **Table 2**.

During the April 19, 2018 groundwater gauging event, monitoring wells MW-6, MW-7, MW-9, DGC-6S, DGC-7S and DGC-8S were gauged for liquid levels. Aztech determined depth to groundwater using an electronic oil/water interface indicator probe graduated in 0.01 feet increments. The depth to groundwater measurements were collected from the highest point of the well casing or from a surveyed mark. Groundwater elevations collected from April 2008 through April 19, 2018 are shown on Table 2.

The groundwater elevations collected on April 19, 2018 were plotted on the site map to determine groundwater flow direction and hydraulic gradient (**Figure 2**). During this groundwater gauging event, the overall groundwater flow direction was southeasterly beneath the site at an average hydraulic gradient of approximately 0.04 ft/ft.

During the April 19, 2018 groundwater sampling events monitoring wells MW-6, MW-7, MW-9, DGC-6S, DGC-7S and DGC-8S, along with the Trench and Discharge were sampled. After gauging the monitoring wells, groundwater was purged from the monitoring wells using dedicated, disposable bailers. The samples were placed in laboratory supplied bottles, placed on ice and transported to Test America, Inc. located in Amherst, New York. The samples were analyzed within the applicable holding time for volatile organic compounds (VOCs) using EPA Method 624.

Groundwater Analytical Results

The tabulated VOC laboratory analytical results are included in **Table 3**. **Figure 3** shows the VOC distribution in groundwater on April 19, 2018. A copy of the laboratory analytical report is attached to this letter.

A summary of the April 19, 2018 VOC groundwater analytical results is as follows:

- J 1,2-dichloroethene (total) was detected above the NYSDEC groundwater standard of 5.0 micrograms per liter ($\mu\text{g/l}$) in DGC-8S at 13 $\mu\text{g/l}$. MW-9 reported an estimated concentration (J-Value) at 3.3 J $\mu\text{g/l}$. All other sampling locations reported non-detectable concentrations.
- J Trichloroethene (TCE) was detected in the Trench at 1.3J $\mu\text{g/l}$, Discharge at 3.7J $\mu\text{g/l}$, MW-7 at 0.83J $\mu\text{g/l}$, MW-9 at 1.9J $\mu\text{g/l}$ and DGC-8S at 4.3J $\mu\text{g/l}$. When detected, all of the concentrations were estimated and less than the applicable NYSDEC groundwater standard of 5.0 $\mu\text{g/l}$. All other sampling locations either reported non-detect TCE results or concentrations below the NYSDEC groundwater standard.

-) Vinyl chloride was detected in DGC-7S at 1.0J µg/l and DGC-8S at 1.7J µg/l. All other sampling locations either reported non-detect results or concentrations at or below the NYSDEC groundwater standard. It should be noted that the laboratory analytical results for DGC-7S and DGC-8S were flagged by the laboratory as estimated concentrations (J-values).
-) Chlorobenzene was detected in the Trench at 2.8J µg/l and DGC-7S at 1.4J µg/l. These values are estimated. All other analytical results were less than the laboratory detection limit of 5.0 µg/l.
-) The remaining VOCs were either not detected or were below the NYSDEC groundwater standards in the sampled monitoring wells on April 19, 2018.

Based on the April 19, 2018 groundwater analytical results, the highest concentrations of chlorinated VOCs appear to be located hydraulically downgradient of the groundwater recharge gallery (DGC-8S) and downgradient of the groundwater collection trench (MW-9).

Groundwater Field Measurements

Groundwater field measurements consisting of temperature; specific conductance; dissolved oxygen; pH; and, oxidation-reduction potential (ORP) were collected on April 19, 2018. These measurements are presented on **Table 4**. Based on the measurements collected on April 19, 2018, it appears the groundwater was generally aerobic; which is not favorable for chlorinated VOC reduction in the groundwater.

Summary and Recommendations

The April 19, 2018 semiannual groundwater sampling event included the collection of liquid levels from monitoring wells MW-6, MW-7, MW-9, DGC-6S, DGC-7S and DGC-8S. Groundwater samples for VOCs were collected from MW-6, MW-7, MW-9, DGC-6S, DGC-7S, DGC-8S, along with the Trench and Discharge on April 19, 2018. Monitoring wells MW-6 and DGC-6S reported non-detectable concentrations of VOCs on that date. Monitoring wells MW-8S and MW-9 reported the highest concentrations of VOCs on April 19, 2018. However, in general the VOC concentrations appear to be decreasing over time.


On April 19, 2018, the groundwater in the targeted monitoring wells appeared to be aerobic which is generally not favorable for reduction of chlorinated VOCs.

In a June 1, 2018 email correspondence, the NYSDEC indicated that upgrades to the current groundwater extraction system were approved. These upgrades include a new treatment system enclosure that will contain granular activated carbon (GACs) vessels to treat PFAS and VOCs in the groundwater. Aztech anticipates the remedial system upgrades will commence in fall 2018.

If you have any questions, please call Aztech Environmental Technologies at (518) 885-5383.

Sincerely,

Aztech Environmental Technologies



Aaron Yecies, PG - NY, CPG-11572
Qualified Environmental Professional


ATTACHMENTS

Figures


Tables

Laboratory Analytical Reports

CC: File




AREA OVERVIEW



Legend:

- Monitoring Well**
- Manhole Cover**
- Underground Piping**
- Bollards**



**NYSDEC Region 5
Philmar Electronics Site
Mason Street
Morrisonville, NY
Site ID: 510008**


Figure 1

DATE: 1/25/12

1" = 40'

SITE MAP

AREA OVERVIEW



Legend:

- Monitoring Well**
- Manhole Cover**
- Underground Piping**
- Bollards**
- Groundwater Flow Direction**



**NYSDEC Region 5
Philmar Electronics Site
Mason Street
Morrisonville, NY
Site ID: 510008**

Figure 2

DATE: 4/19/18



1" = 40'

Groundwater Contour Map
Contour Interval = 4.0 feet



Woman Owned Business
5 McCrea Hill Road, Ballston Spa, NY 12020
518.885-5383 | aztechenv.com

AREA OVERVIEW



- Legend:**
- Monitoring Well**
 - Manhole Cover**
 - Underground Piping**
 - Bollards**
- cis 1,2 DCE = cis 1,2-Dichloroethene
 TCE = Trichloroethene
 J = Approximated value
 NS = Not Sampled

**NYSDEC Region 5
 Philmar Electronics Site
 Mason Street
 Morrisonville, NY
 Site ID: 510008**

Figure 3

DATE: 4/19/18 1" = 40'

VOC DISTRIBUTION MAP
 Concentration listed in micrograms per liter (ug/L)

TABLE 1

GROUNDWATER PUMPING DATA

Former Philmar Electronic Site
 Mason Street
 Morrisonville, Clinton County, NY
 NYSDEC Site ID #510008

Date	Days Elapsed	Water Meter	Total Gallons Pumped	Gallons/Day	Gallons/Minute	Influent VOC/MtBE Concentration (ppb)
5/19/2004	0	176,368	----- GW Pumping Component Started -----			
5/21/2004	2	207,208	30,840	15,420	10.71	
6/10/2004	20	400,410	193,202	9,660	6.71	146
7/20/2004	40	560,722	160,312	4,008	2.78	106
9/15/2004	57	782,621	221,899	3,893	2.70	156
10/18/2004	33	924,393	141,772	4,296	2.98	77
11/24/2004	37	1,011,920	87,527	2,366	1.64	209
12/22/2004	28	1,101,953	90,033	3,215	2.23	124
1/17/2005	26	1,173,545	71,592	2,754	1.91	124
2/2/2005	16	1,173,595	50	3.1	0.00	124
8/8/2005	187	2,249,238	1,075,643	5,752	3.99	124
10/27/2005	80	2,595,730	346,492	4,331	3.01	76
4/3/2006	158	4,478,910	1,883,180	11,919	8.28	89
6/7/2006	65	5,230,130	751,220	11,557	8.03	89
6/15/2006	8	5,232,860	2,730	341	0.24	89
9/7/2006	84	6,015,918	783,058	9,322	6.47	89
10/12/2006	35	6,102,533	86,615	2,475	1.72	146
12/4/2006	53	6,574,610	472,077	8,907	6.19	146
2/27/2007	85	7,651,400	1,076,790	12,668	8.80	146
4/23/2007	55	8,559,690	908,290	16,514	11.47	38
6/14/2007	52	9,484,211	924,521	17,779	12.35	38
8/15/2007	62	9,987,570	503,359	8,119	5.64	38
10/4/2007	50	119,680	32,110	642	0.45	104
12/11/2007	68	740,750	621,070	9,133	6.34	104
2/8/2008	59	2,208,495	1,467,745	24,877	17.28	104
4/3/2008	55	3,490,979	1,282,484	23,318	16.19	28
6/25/2008	83	4,412,120	921,141	11,098	7.71	28
12/9/2008	167	4,448,290	36,170	217	0.15	28
2/5/2009	58	4,451,880	3,590	62	0.04	28
2/17/2009	12	4,507,850	55,970	4,664	3.24	28
4/29/2009	71	5,866,070	1,358,220	19,130	13.28	40
6/23/2009	55	6,820,354	954,284	17,351	12.05	40
8/26/2009	64	7,480,920	660,566	10,321	7.17	40
10/13/2009	48	7,488,925	8,005	167	0.12	52
12/16/2009	64	7,480,920	reading error			52
2/23/2010	69		water meter found to be broken			52
4/9/2010	45	12	water meter replaced			22
6/16/2010	68	90	78	1.147	0.0008	22
8/9/2010	54	187,992	187,902	3,480	2.42	22
10/14/2010	66	449,370	261,378	3,960	2.75	23
12/7/2010	54	988,850	539,480	9,990	6.94	23
2/9/2011	64	1,435,180	446,330	6,974	4.84	23
4/27/2011	77	2,152,907	717,727	9,321	6.47	22
6/14/2011	48	2,753,209	600,302	12,506	8.68	22
9/1/2011	85	2,964,373	211,164	2,484	1.73	22
10/26/2011	49	3,517,117	552,744	11,280	7.83	30
12/22/2011	57	3,949,651	432,534	7,588	5.27	30
2/21/2012	61	4,250,370	300,719	4,930	3.42	30
4/20/2012	59	4,614,060	363,690	6,164	4.28	18
6/12/2012	53	4,994,660	380,600	7,181	4.99	18
8/27/2012	76	5,179,430	184,770	2,431	1.69	18
10/26/2012	60	5,287,323	107,893	1,798	1.25	18
12/14/2012	49	5,487,668	200,345	4,089	2.84	18
2/16/2013	64	5,772,162	284,494	4,445	3.09	18
4/26/2013	69	6,295,497	523,335	7,585	5.27	13
6/5/2013	40	6,635,000	339,503	8,488	5.89	13
8/15/2013	71	7,600,613	965,613	13,600	9.44	13
10/8/2013	54	7,769,060	168,447	3,119	2.17	32
12/13/2013	66	7,995,622	226,562	3,433	2.38	32
2/13/2014	62	8,246,420	250,798	4,045	2.81	32
4/8/2014	54	8,476,860	230,440	4,267	2.96	4.8
6/8/2014	61	9,229,540	752,680	12,339	8.57	4.8
8/11/2014	64	9,638,688	409,148	6,393	4.44	4.8
8/21/2014			Removed Submersible Pump			
10/6/2014			Reinstalled Submersible Pump			

TABLE 1

GROUNDWATER PUMPING DATA

Former Philmar Electronic Site
 Mason Street
 Morrissonville, Clinton County, NY
 NYSDEC Site ID #510008

Date	Days Elapsed	Water Meter	Total Gallons Pumped	Gallons/Day	Gallons/Minute	Influent VOC/MtBE Concentration (ppb)
10/6/2014	56	9,639,564	876	16	0.01	2.6 J
12/24/2014	79	9,880,369	240,805	3,048	2.12	2.6 J
2/17/2015	55	10,137,534	257,165	4,676	3.25	2.6 J
4/30/2015	72	10,480,524	342,990	4,764	3.31	8.1 J
6/9/2015	40	10,689,638	209,114	5,228	3.63	8.1 J
8/18/2015	71	11,233,821	544,183	7,665	5.32	19
10/14/2015	58	11,375,905	142,084	2,450	1.70	19
12/4/2015	52	11,517,944	142,039	2,732	1.90	19
2/10/2016	68	11,824,821	306,877	4,513	3.13	8.7
3/28/2016	47	12,170,770	345,949	7,361	5.11	8.7
6/16/2016	80	12,812,578	641,808	8,023	5.57	8.7
8/17/2016	62	13,012,219	199,641	3,220	2.24	8.7
8/17/2016			Removed Submersible Pump			
10/20/2016			Installed New Submersible Pump			
10/20/2016	64	13,012,599	380	6	0.00	18 J
12/30/2016	71	13,360,200	347,601	4,896	3.40	18 J
2/14/2017	46	13,363,415	3,215	70	0.05	18 J
4/12/2017	57	13,776,568	413,153	7,248	5.03	1.7 J
6/22/2017	71	14,665,677	889,109	12,523	8.70	1.7 J
8/22/2017	61	15,170,400	504,723	8,274	5.75	1.7 J
10/3/2017	42	15,310,672	140,272	3,340	2.32	18.1 J
12/20/2017	78	15,573,628	262,956	3,371	2.34	18.1 J
2/26/2018	68	15,843,496	269,868	3,969	2.76	18.1 J
4/19/2018	52	15,883,173	39,677	763	0.53	4.9 J
4/19/2018			Removed Submersible Pump			
Cumulative	5,086		33,095,718			

TABLE 2

SUMMARY OF GROUNDWATER ELEVATIONS
 Former Philmar Electronics Site
 Mason Street, Morrisonville, Clinton County, New York
 NYSDEC Site ID #510008

MONITORING WELL DESIGNATION		MW-3	MW-6	MW-7	MW-9	MW-10	DGC-6S	DGC-7S	DGC-8S	DGC-11S	DGC-12	DGC-21
TOP OF CASING		NA	89.72	92.04	84.24	NA	83.97	100.00	87.78	NA	NA	NA
BOTTOM OF MONITORING WELL			70.27	73.64	69.24		61.62	79.53	66.58			
MEASUREMENT DATE	Gauging Data	GROUNDWATER ELEVATIONS										
4/3/2008	Elevation		85.75	88.43	NA		81.44	95.97	85.85			
	DTW		3.97	3.61	NA		2.53	4.03	1.93			
10/13/2008	Elevation		83.02	85.19	77.59		78.38	92.25	84.23			
	DTW		6.70	6.85	6.65		5.59	7.75	3.55			
4/29/2009	Elevation		84.28	88.31	79.60		79.27	95.19	85.50			
	DTW		5.44	3.73	4.64		4.70	4.81	2.28			
10/13/2009	Elevation		83.73	87.45	78.31		79.32	94.84	85.45			
	DTW		5.99	4.59	5.93		4.65	5.16	2.33			
4/9/2010	Elevation		85.97	88.59	81.10		80.71	96.05	85.92			
	DTW		3.75	3.45	3.14		3.26	3.95	1.86			
10/14/2010	Elevation		84.39	88.01	79.92		79.95	95.38	85.36			
	DTW		5.33	4.03	4.32		4.02	4.62	2.42			
4/27/2011	Elevation		86.17	89.53	82.19		81.83	97.09	86.17			
	DTW		3.55	2.51	2.05		2.14	2.91	1.61			
10/26/2011	Elevation		85.51	88.77	80.18		80.28	95.51	85.84			
	DTW		4.21	3.27	4.06		3.69	4.49	1.94			
4/20/2012	Elevation		83.20	87.50	78.87		77.63	94.41	84.90			
	DTW		6.52	4.54	5.37		6.34	5.59	2.88			
10/26/2012	Elevation		82.82	87.46	77.73		79.59	94.83	85.13			
	DTW		6.90	4.58	6.51		4.38	5.17	2.65			
4/26/2013	Elevation		85.28	88.71	79.79		79.82	95.02	85.54			
	DTW		4.44	3.33	4.45		4.15	4.98	2.24			
10/8/2013	Elevation		79.35	85.69	76.57		77.34	93.58	83.90			
	DTW		10.37	6.35	7.67		6.63	6.42	3.88			
4/8/2014	Elevation		86.52	89.17	NA		81.72	93.76	85.10			
	DTW		3.20	2.87	NG		2.25	6.24	2.68			
10/6/2014	Elevation		82.32	84.46	75.40		77.38	92.09	79.06			
	DTW		7.40	7.58	8.84		6.59	7.91	8.72			
4/30/2015	Elevation		85.16	88.52	79.73		79.92	94.71	85.69			
	DTW		4.56	3.52	4.51		4.05	5.29	2.09			
10/14/2015	Elevation		78.93	85.46	76.09		77.60	92.91	83.32			
	DTW		10.79	6.58	8.15		6.37	7.09	4.46			
4/13/2016	Elevation		85.82	89.05	80.87		80.58	95.49	85.91			
	DTW		3.90	2.99	3.37		3.39	4.51	1.87			
10/20/2016	Elevation		78.57	83.43	72.92		73.43	89.86	80.35			
	DTW		11.15	8.61	11.32		10.54	10.14	7.43			
4/12/2017	Elevation		86.03	89.32	81.65		81.36	95.87	85.98			
	DTW		3.69	2.72	2.59		2.61	4.13	1.80			
10/10/2017	Elevation	NA	80.61	86.60	76.33	NA	77.59	94.04	85.46	NA	NA	NA
	DTW	13.55	9.11	5.44	7.91	17.62	6.38	5.96	2.32	20.34	14.33	10.97
11/1/2017	Elevation	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	DTW	13.04	NG	NG	NG	17.35	NG	NG	NG	21.02	14.23	10.62
4/19/2018	Elevation	NA	86.04	88.21	80.99	NA	80.23	95.85	85.09	NA	NA	NA
	DTW	NG	3.68	3.83	3.25	NG	3.74	4.15	2.69	NG	NG	NG

Top of casing - elevations surveyed to arbitrary benchmark of 100 feet on September 7, 2011

Elevations are presented in feet based on arbitrary datum of 100.00 feet

DTW = Depth to Water in Feet

NA = Not Applicable

NG = Not Gauged

TABLE 4

SUMMARY OF GROUNDWATER FIELD MEASUREMENTS

Former Philmar Electronics Site
Mason Street, Morrisonville, Clinton County, New York
NYSDEC Site ID #510008

WELL ID/DATE	WATER QUALITY PARAMETER				
	Temp	S.C.	DO	PH	ORP
MW-6					
4/27/11	38.99	314	2.02	7.03	-211.00
10/26/11	54.45	684	0.43	7.03	-113.40
04/20/12	54.14	680	*	7.03	-110.2
10/26/12	54.50	1,523	3.72	6.92	31.3
04/26/13	42.50	423	1.47	7.69	-5.1
10/08/13	54.57	1,087	3.80	6.74	-122.8
04/08/14	NM	NM	NM	NM	NM
10/06/14	56.21	540	5.60	3.34	-201.8
04/30/15	38.64	722	1.47	7.01	44.7
10/14/15	55.23	1,135	1.08	6.92	-82.1
04/13/16	37.81	581	0.56	7.10	-28.2
04/12/17	38.08	606	3.49	7.89	72.1
10/10/17	55.96	1,174	1.91	8.25	-90.1
04/19/18	39.36	832	8.03	8.91	205.7
MW-7					
4/27/11	40.39	377	1.51	6.98	-8.3
10/26/11	54.48	752	3.47	7.05	-82.5
04/20/12	54.23	745	*	7.00	-82.1
10/26/12	52.86	843	0.93	6.56	-41.6
04/26/13	42.18	411	5.76	7.53	-35.4
10/08/13	55.67	739	1.58	6.97	-35.7
04/08/14	NM	NM	NM	NM	NM
10/06/14	53.65	430	4.87	3.47	-152.7
04/30/15	38.07	803	1.42	3.67	623.7
10/14/15	53.83	807	0.31	6.88	-61.5
04/13/16	39.74	657	2.92	7.26	2.9
04/12/17	40.10	861	2.81	7.85	30.4
10/10/17	54.39	826	0.60	7.86	-65.9
04/19/18	39.54	722	1.78	8.91	23.0
MW-9					
4/27/11	40.88	271	0.66	7.24	41.1
10/26/11	54.27	498	0.86	7.28	52.1
04/20/12	54.21	495	*	7.50	49.2
10/26/12	53.82	552	5.40	6.50	71.1
04/26/13	43.69	244	3.72	7.92	-20.3
10/08/13	57.13	535	4.60	7.02	55.3
04/08/14	NM	NM	NM	NM	NM
10/06/14	58.19	410	4.59	6.95	-273.2
04/30/15	42.01	470	2.46	2.31	668.4
10/14/15	56.68	693	2.05	7.16	-76.4
04/13/16	39.79	219	5.44	7.52	221.6
04/12/17	45.07	274	6.00	7.94	76.7
10/10/17	57.60	626	0.57	7.51	-48.2
04/19/18	39.16	450	3.90	9.12	196.8
DGC-6S					
4/27/11	39.92	415	0.70	7.32	58.3
10/26/11	52.99	627	7.72	7.60	50.9
04/20/12	53.01	625	*	7.40	48.1
10/26/12	53.24	769	1.58	6.95	5.8
04/26/13	41.60	471	1.22	7.89	-9.1
10/08/13	54.45	748	*	7.36	94.4
04/08/14	NM	NM	NM	NM	NM
10/06/14	55.83	360	7.07	5.58	-246.3
04/30/15	39.87	836	7.20	5.43	546.7

TABLE 4

SUMMARY OF GROUNDWATER FIELD MEASUREMENTS

Former Philmar Electronics Site
Mason Street, Morrisonville, Clinton County, New York
NYSDEC Site ID #510008

WELL ID/DATE	WATER QUALITY PARAMETER				
	Temp	S.C.	DO	PH	ORP
DGC-6S (Continued)					
10/14/15	54.28	726	0.98	7.29	38.7
04/13/16	37.47	830	1.16	7.36	237.9
04/12/17	41.79	989	4.04	8.01	82.9
10/10/17	53.80	857	7.97	7.28	22.8
04/19/18	37.24	680	1.19	8.87	9.6
DGC-7S					
4/27/11	NM	NM	NM	NM	NM
10/26/11	52.63	673	4.08	6.96	197.6
04/20/12	52.61	670	*	7.00	185.8
10/26/12	56.26	872	5.50	6.71	67.0
04/26/13	NM	NM	NM	NM	NM
10/08/13	NM	NM	NM	NM	NM
04/08/14	NM	NM	NM	NM	NM
10/06/14	55.53	380	7.63	7.89	-313.2
04/30/15	39.00	1,308	1.73	6.79	92.4
10/14/15	55.56	1,054	0.73	6.82	-1.2
04/13/16	36.55	1,206	0.75	6.84	242.3
04/12/17	35.02	1,307	5.11	7.98	185.8
10/10/17	55.87	1,047	4.22	6.65	69.4
04/19/18	35.65	940	0.78	8.67	104.6
DGC-8S					
4/27/11	40.01	506	1.01	7.15	-41.1
10/26/11	53.56	761	3.98	7.49	-21.9
04/20/12	52.79	755	*	7.31	-22.1
10/26/12	53.83	911	0.74	6.22	-24.5
04/26/13	42.28	539	2.67	7.83	-34.5
10/08/13	55.26	893	2.03	6.93	-1.6
04/08/14	NM	NM	NM	NM	NM
10/06/14	55.06	380	10.83	5.37	-252.7
04/30/15	39.96	917	1.60	7.00	41.5
10/14/15	54.10	869	0.62	8.69	-21.2
04/13/16	38.44	846	2.66	7.29	63.5
04/12/17	38.82	1,049	3.19	7.90	29.2
10/10/17	55.15	952	1.47	7.02	-24.1
04/19/18	40.35	932	1.70	8.77	28.3

Notes:

Measurements obtained with YSI Model 556 multiprobe system meter.

D.O. = Dissolved Oxygen in milligrams per Liter (mg/L or parts per million [ppm])

ORP = Oxygen-Reduction Potential in millivolts (mV)

S.C. = Specific Conductance in microseimens per centimeter (uS/cm)

Temp. = Groundwater Temperature in Degrees Fahrenheit

pH measured in standard units

NM = Not Measured

* probe sensor malfunctioned during use

TABLE 3

GROUNDWATER ANALYTICAL DATA - VOLATILE ORGANIC COMPOUNDS

Former Philmar Electronics Site
 Mason Street, Morrisonville, Clinton County, New York
 NYSDEC Site ID #510008

WELL ID/DATE	GROUNDWATER ANALYTICAL RESULTS							
	Vinyl Chloride	1,2-Dichloroethene*	Benzene	Trichloroethene	Chlorobenzene	MtBE	Total Metabolic Acid	TOC
Groundwater Standards	2	5	1	5	5	10		
TRENCH								
12/20/2001	75	310	4.0	1,100	20	10	not analyzed	not analyzed
5/20/2003	31	180	0.8	160	25	1.0	not analyzed	not analyzed
6/10/2004	19	62	<10	61	4.0	<10	not analyzed	not analyzed
7/24/2004	not analyzed	not analyzed	0.8	95	2.8	<1.0	not analyzed	not analyzed
9/15/2004	17	76	<5.0	63	<5.0	<10	not analyzed	14
10/18/2004	not analyzed	not analyzed	<1.0	70	2.4	<1.0	not analyzed	not analyzed
11/24/2004	24	103	<5.0	82	<5.0	<10	<10	not analyzed
12/22/2004	22	55	<5.0	47	<5.0	<10	not analyzed	not analyzed
1/17/2005				not sampled				
4/5/2005				not sampled				
10/27/2005	19	34	<5.0	23	<5.0	not analyzed	not analyzed	not analyzed
4/3/2006	14	42	<5.0	24	9.2	not analyzed	<10	not analyzed
10/12/2006	19	80	<5.0	47	<5.0	not analyzed	not analyzed	not analyzed
4/23/2007	<10	25	<5.0	13	<5.0	not analyzed	not analyzed	not analyzed
10/4/2007	31	43	<5.0	30	<5.0	not analyzed	not analyzed	not analyzed
4/3/2008	<10	19	<5.0	9.2	<5.0	not analyzed	not analyzed	not analyzed
10/10/2008				not sampled				
4/29/2009	<10	19	<5.0	16	5.1	not analyzed	not analyzed	not analyzed
10/13/2009	13	14	<5.0	14	11	not analyzed	not analyzed	not analyzed
4/9/2010	<10	16	<5.0	6.4	<5.0	not analyzed	not analyzed	not analyzed
10/14/2010	<10	5.7	<5.0	17	<5.0	not analyzed	not analyzed	not analyzed
4/27/2011	<10	5.2	<5.0	5.4	<5.0	not analyzed	not analyzed	not analyzed
10/26/2011	8.5	5.3	<3.0	6.4	3.2	not analyzed	not analyzed	not analyzed
4/20/2012	<5.0	3.6	<5.0	14	<5.0	not analyzed	not analyzed	not analyzed
10/26/2012				not sampled				
4/26/2013	<5.0	3.2 J	<5.0	10	<5.0	not analyzed	not analyzed	not analyzed
10/8/2013	<5.0	5.8 J	<5.0	26	<5.0	not analyzed	not analyzed	not analyzed
4/8/2014	<5.0	<10	<5.0	4.8 J	<5.0	not analyzed	not analyzed	not analyzed
10/6/2014	<5.0	<10	<5.0	2.6 J	<5.0	not analyzed	not analyzed	not analyzed
4/30/2015	<5.0	3.5 J	<5.0	4.6 J	<5.0	not analyzed	not analyzed	not analyzed
10/14/2015	<5.0	4.2 J	<5.0	15	<5.0	not analyzed	not analyzed	not analyzed
4/13/2016	1.0 J	3.2 J	<5.0	4.5 J	<5.0	not analyzed	not analyzed	not analyzed
10/20/2016	1.5 J	1.7 J	<5.0	6.8	7.5	not analyzed	not analyzed	not analyzed
4/12/2017	<5.0	<10	<5.0	1.7 J	<5.0	not analyzed	not analyzed	not analyzed
10/10/2017	<5.0	6.5 J	<5.0	11	0.58 J	not analyzed	not analyzed	not analyzed
4/19/2018	<5.0	<10	<5.0	1.3 J	2.8 J	not analyzed	not analyzed	not analyzed
DISCHARGE								
12/20/2001	71	300	4.0	900	21	10	not analyzed	not analyzed
5/20/2003				not sampled				
6/10/2004				not sampled				
7/24/2004				not sampled				
10/18/2004				not sampled				
11/24/2004				not sampled				
12/22/2004	6.8	41	<5.0	50	<5.0	<10	not analyzed	9.3
1/17/2005	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	<10	not analyzed
4/5/2005	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	<10	not analyzed
8/18/2005	not analyzed	not analyzed	<0.5	38	1.1	<2.0	not analyzed	not analyzed
10/27/2005				not sampled				
4/3/2006				not sampled				
10/12/2006	21	63	<5.0	33	<5.0	not analyzed	not analyzed	not analyzed
4/23/2007	<10	25	<5.0	13	<5.0	not analyzed	not analyzed	not analyzed
10/4/2007	22	36	<5.0	25	<5.0	not analyzed	not analyzed	not analyzed
4/3/2008	<10	20	<5.0	9.1	<5.0	not analyzed	not analyzed	not analyzed
10/10/2008				not sampled				
4/29/2009	<10	19	<5.0	16	<5.0	not analyzed	not analyzed	not analyzed
10/13/2009	<10	13	<5.0	18	8.7	not analyzed	not analyzed	not analyzed
4/9/2010	<10	16	<5.0	6.9	<5.0	not analyzed	not analyzed	not analyzed
10/14/2010	12	9.5	<5.0	12	<5.0	not analyzed	not analyzed	not analyzed
4/27/2011	<10	5.2	<5.0	5.6	<5.0	not analyzed	not analyzed	not analyzed
10/26/2011	8.2	5.3	<3.0	6.8	3.2	not analyzed	not analyzed	not analyzed
4/20/2012	2.5	6.4	<5.0	7.3	<5.0	not analyzed	not analyzed	not analyzed
10/26/2012				not sampled				
4/26/2013	2.8 J	5.1 J	<5.0	6.3	<5.0	not analyzed	not analyzed	not analyzed
10/8/2013	2.8 J	6.9 J	<5.0	12	<5.0	not analyzed	not analyzed	not analyzed

TABLE 3

GROUNDWATER ANALYTICAL DATA - VOLATILE ORGANIC COMPOUNDS

Former Philmar Electronics Site

Mason Street, Morrisonville, Clinton County, New York

NYSDEC Site ID #510008

WELL ID/DATE	GROUNDWATER ANALYTICAL RESULTS							
	Vinyl Chloride	1,2-Dichloroethene*	Benzene	Trichloroethene	Chlorobenzene	MtBE	Total Metabolic Acid	TOC
DISCHARGE (Continued)								
<u>4/8/2014</u>	1.3 J	3.7 J	<5.0	4.9 J	<5.0	not analyzed	not analyzed	not analyzed
<u>10/6/2014</u>	1.2 J	<5.0	<5.0	3.9 J	3.9 J	not analyzed	not analyzed	not analyzed
<u>4/30/2015</u>	0.8 J	3.2 J	< 5.0	5.6	<5.0	not analyzed	not analyzed	not analyzed
<u>10/14/2015</u>	1.4 J	4.9 J	<5.0	8.4	<5.0	not analyzed	not analyzed	not analyzed
<u>4/13/2016</u>	0.76 J	3.6 J	<5.0	4.1 J	<5.0	not analyzed	not analyzed	not analyzed
<u>10/20/2016</u>	<5.0	<10	<5.0	7.5	<5.0	not analyzed	not analyzed	not analyzed
<u>4/12/2017</u>	<5.0	<10	<5.0	3.3 J	<5.0	not analyzed	not analyzed	not analyzed
<u>10/10/2017</u>	samples broken on arrival at laboratory							
<u>4/19/2018</u>	<5.0	<10	<5.0	3.7 J	<5.0	not analyzed	not analyzed	not analyzed
MW-3								
10/10/2017	<5.0	<10	<5.0	1.9 J	<5.0	not analyzed	not analyzed	not analyzed
4/19/2018	not sampled							
MW-6								
12/20/2001	not sampled							
5/20/2003	not sampled							
6/10/2004	<10	<10	<10	<10	<10	<10	not analyzed	not analyzed
7/24/2004	not sampled							
9/15/2004	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	15
10/18/2004	not sampled							
11/24/2004	<5.0	26	<5.0	22	<5.0	<10	<10	not analyzed
12/22/2004	not sampled							
1/17/2005	not sampled							
4/5/2005	not sampled							
10/27/2005	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/3/2006	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/12/2006	<10	13	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/23/2007	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/4/2007	<10	12	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/3/2008	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/10/2008	<10	5.6	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/29/2009	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/13/2009	<10	5.3	<5.0	8.0	<5.0	not analyzed	not analyzed	not analyzed
4/9/2010	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/14/2010	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/27/2011	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/26/2011	<2.0	<3.0	<3.0	<3.0	<3.0	not analyzed	not analyzed	not analyzed
<u>4/20/2012</u>	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
<u>10/26/2012</u>	<5.0	<5.0	<5.0	2.0	<5.0	not analyzed	not analyzed	not analyzed
<u>4/26/2013</u>	<5.0	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
<u>10/8/2013</u>	<5.0	3.4 J	<5.0	1.5 J	<5.0	not analyzed	not analyzed	not analyzed
<u>4/8/2014</u>	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
<u>10/6/2014</u>	1.3 J	<10	<5.0	1.0 J	<5.0	not analyzed	not analyzed	not analyzed
<u>4/30/2015</u>	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
<u>10/14/2015</u>	<5.0	3.8 J	<5.0	1.5 J	<5.0	not analyzed	not analyzed	not analyzed
<u>4/13/2016</u>	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
<u>10/20/2016</u>	1.3 J	<10	<5.0	1.1 J	<5.0	not analyzed	not analyzed	not analyzed
<u>4/12/2017</u>	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
<u>10/10/2017</u>	<5.0	<10	<5.0	2.0 J	<5.0	not analyzed	not analyzed	not analyzed
<u>4/19/2018</u>	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
MW-7								
12/20/2001	not sampled							
5/20/2003	not sampled							
6/10/2004	5.0	15	<10	9.0	7.0	<10	not analyzed	not analyzed
7/24/2004	not sampled							
9/15/2004	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	14
10/18/2004	not sampled							
11/24/2004	6.7	48	<5.0	12	<5.0	<10	<10	not analyzed
12/22/2004	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	8.7
1/17/2005	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	<10	not analyzed
4/5/2005	not sampled							
10/27/2005	39	5.6	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/3/2006	<10	26	<5.0	15	<5.0	not analyzed	<10	not analyzed
10/12/2006	20	<5.0	<5.0	<5.0	9.4	not analyzed	not analyzed	not analyzed
4/23/2007	<10	6.3	<5.0	<5.0	6.4	not analyzed	not analyzed	not analyzed
10/4/2007	not sampled							

TABLE 3

GROUNDWATER ANALYTICAL DATA - VOLATILE ORGANIC COMPOUNDS

Former Philmar Electronics Site
 Mason Street, Morrisonville, Clinton County, New York
 NYSDEC Site ID #510008

WELL ID/DATE	GROUNDWATER ANALYTICAL RESULTS							
	Vinyl Chloride	1,2-Dichloroethene*	Benzene	Trichloroethene	Chlorobenzene	MtBE	Total Metabolic Acid	TOC
MW-7 (Continued)								
4/3/2008	<10	5.8	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/10/2008				not accessible				
4/29/2009	<10	7.4	<5.0	5.6	<5.0	not analyzed	not analyzed	not analyzed
10/13/2009	<10	5.0	<5.0	6.3	7.8	not analyzed	not analyzed	not analyzed
4/9/2010	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/14/2010	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/27/2011	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/26/2011	<2.0	2.6	<3.0	2.2	<3.0	not analyzed	not analyzed	not analyzed
4/20/2012	<5.0	0.8	<5.0	3.9	1.7	not analyzed	not analyzed	not analyzed
10/26/2012	5.3	<5.0	<5.0	0.9	3.3	not analyzed	not analyzed	not analyzed
4/26/2013	<5.0	<10	<5.0	3.1 J	<5.0	not analyzed	not analyzed	not analyzed
10/8/2013	4.6 J	<10	<5.0	<5.0	1.8 J	not analyzed	not analyzed	not analyzed
4/8/2014	1.8 J	<10	<5.0	1.2 J	<5.0	not analyzed	not analyzed	not analyzed
10/6/2014	5.0	<10	<5.0	<5.0	2.9 J	not analyzed	not analyzed	not analyzed
4/30/2015	<5.0	<1.0	<5.0	1.4 J	<5.0	not analyzed	not analyzed	not analyzed
10/14/2015	<5.0	0.50 J	<5.0	<5.0	3.3 J	not analyzed	not analyzed	not analyzed
4/13/2016	<5.0	<10	<5.0	1.3 J	<5.0	not analyzed	not analyzed	not analyzed
10/20/2016	1.9 J	4.4 J	<5.0	<5.0	0.8 J	not analyzed	not analyzed	not analyzed
4/12/2017	<5.0	<10	<5.0	1.6 J	<5.0	not analyzed	not analyzed	not analyzed
10/10/2017	1.3 J	<10	<5.0	0.88 J	<5.0	not analyzed	not analyzed	not analyzed
4/19/2018	<5.0	<10	<5.0	0.83 J	<5.0	not analyzed	not analyzed	not analyzed
MW-9								
12/20/2001				not sampled				
5/20/2003			1.0	5.0	1.0	1.0	not analyzed	not analyzed
6/10/2004	14	23	<10	2.0	<10	<10	not analyzed	not analyzed
7/24/2004				not sampled				
10/18/2004				not sampled				
11/24/2004				not sampled				
12/22/2004				not sampled				
1/17/2005				not sampled				
4/5/2005				not sampled				
10/27/2005	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/3/2006	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/12/2006	130	190	<5.0	23	<5.0	not analyzed	not analyzed	not analyzed
4/23/2007	<10	9.1	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/4/2007	110	150	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/3/2008				not accessible				
10/10/2008	23	63	<5.0	14	<5.0	not analyzed	not analyzed	not analyzed
4/29/2009	35	66	<5.0	7.5	<5.0	not analyzed	not analyzed	not analyzed
10/13/2009	51	100	<5.0	26	<5.0	not analyzed	not analyzed	not analyzed
4/9/2010	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/14/2010	26	28	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/27/2011	15	25	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/26/2011	<2.0	5.7	<3.0	2.3	<3.0	not analyzed	not analyzed	not analyzed
4/20/2012	1.7	5.7	<5.0	1.2	<5.0	not analyzed	not analyzed	not analyzed
10/26/2012	<5.0	3.5	<5.0	1.3	<5.0	not analyzed	not analyzed	not analyzed
4/26/2013	<5.0	5.6 J	<5.0	3.5 J	<5.0	not analyzed	not analyzed	not analyzed
10/8/2013	11	25	<5.0	6.8	<5.0	not analyzed	not analyzed	not analyzed
4/8/2014				Monitoring Well Not Accessible - Surrounded by Surface Water				
10/6/2014	38	62	0.65 J	15	1.1 J	not analyzed	not analyzed	not analyzed
4/30/2015	<5.0	3.6 J	<5.0	2.6 J	<5.0	not analyzed	not analyzed	not analyzed
10/14/2015	12	32	<5.0	12	<5.0	not analyzed	not analyzed	not analyzed
4/13/2016	<5.0	3.9 J	<5.0	3.2 J	<5.0	not analyzed	not analyzed	not analyzed
10/20/2016	2.2 J	18	<5.0	3.3 J	<5.0	not analyzed	not analyzed	not analyzed
4/12/2017	<5.0	<10	<5.0	2.0 J	<5.0	not analyzed	not analyzed	not analyzed
10/10/2017	3.0 J	21	<5.0	5.5	<5.0	not analyzed	not analyzed	not analyzed
4/19/2018	<5.0	3.3 J	<5.0	1.9 J	<5.0	not analyzed	not analyzed	not analyzed
MW-10								
12/20/2001				not sampled				
5/20/2003	1.0	1.0	1.0	0.5	1.0	1.0	not analyzed	not analyzed
6/10/2004	<10	<10	<10	<10	<10	<10	not analyzed	not analyzed
7/24/2004 - 4/12/2017				not sampled				
10/10/2017	<5.0	<10	<5.0	1.0 J	<5.0	not analyzed	not analyzed	not analyzed
4/19/2018				not sampled				

TABLE 3

GROUNDWATER ANALYTICAL DATA - VOLATILE ORGANIC COMPOUNDS

Former Philmar Electronics Site
 Mason Street, Morrisonville, Clinton County, New York
 NYSDEC Site ID #510008

WELL ID/DATE	GROUNDWATER ANALYTICAL RESULTS							
	Vinyl Chloride	1,2-Dichloroethene*	Benzene	Trichloroethene	Chlorobenzene	MtBE	Total Metabolic Acid	TOC
MW-11								
12/20/2001				not sampled				
5/20/2003				not sampled				
6/10/2004	<10	<10	<10	<10	<10	<10	not analyzed	not analyzed
7/24/2004 - 4/12/2017				not sampled				
10/10/2017	not sampled - monitoring well recorded as being dry							
DGC-6S								
12/20/2001				not sampled				
5/20/2003	30	8.0	1.0	1.0	1.0	1.0	not analyzed	not analyzed
6/10/2004				not sampled				
7/24/2004				not sampled				
10/18/2004				not sampled				
11/24/2004				not sampled				
12/22/2004				not sampled				
1/17/2005				not sampled				
4/5/2005				not sampled				
10/27/2005				not sampled				
4/3/2006	10	6.6	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/12/2006	14	7.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/23/2007	11	5.8	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/4/2007	13	7.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/3/2008	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/10/2008	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/29/2009	<10	6.7	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/13/2009	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/9/2010	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/14/2010	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/27/2011	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/26/2011	<2.0	<3.0	<3.0	<3.0	<3.0	not analyzed	not analyzed	not analyzed
4/20/2012	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/26/2012	3.3	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/26/2013	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/8/2013	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/8/2014	3.0 J	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/6/2014	2.5 J	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/30/2015	1.0 J	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/14/2015	1.3 J	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/13/2016	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/20/2016	1.1 J	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/12/2017	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/10/2017	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/19/2018	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
DGC-6I								
12/20/2001				not sampled				
5/20/2003	1.0	1.0	1.0	1.0	1.0	not analyzed	not analyzed	not analyzed
7/24/2004 - 4/19/2018				not sampled				
DGC-7S								
12/20/2001				not sampled				
5/20/2003	9.0	13	1.0	0.6	4.0	5.0	not analyzed	not analyzed
6/10/2004	6.0	6.0	<10	<10	4.0	2.0	not analyzed	not analyzed
7/24/2004				not sampled				
10/18/2004				not sampled				
11/24/2004				not sampled				
12/22/2004				not sampled				
1/17/2005				not sampled				
4/5/2005				not sampled				
10/27/2005	<10	8.2	<5.0	<5.0	5.8	not analyzed	not analyzed	not analyzed
4/3/2006	<10	6.5	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/12/2006	<10	21	<5.0	<5.0	8.8	not analyzed	not analyzed	not analyzed
4/23/2007	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/4/2007	<1.0	9.7	<5.0	<5.0	8.4	not analyzed	not analyzed	not analyzed
4/3/2008	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
10/10/2008	<10	<5.0	<5.0	<5.0	7.1	not analyzed	not analyzed	not analyzed
4/29/2009	<10	<5.0	<5.0	<5.0	7.0	not analyzed	not analyzed	not analyzed
10/13/2009	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed
4/9/2010	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed

TABLE 3

GROUNDWATER ANALYTICAL DATA - VOLATILE ORGANIC COMPOUNDS

Former Philmar Electronics Site
 Mason Street, Morrisonville, Clinton County, New York
 NYSDEC Site ID #510008

WELL ID/DATE	GROUNDWATER ANALYTICAL RESULTS								
	Vinyl Chloride	1,2-Dichloroethene*	Benzene	Trichloroethene	Chlorobenzene	MtBE	Total Metabolic Acid	TOC	
DGC-7S (Continued)									
10/14/2010	<10	<5.0	<5.0	<5.0	5.4	not analyzed	not analyzed	not analyzed	
4/27/2011	<10	<5.0	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed	
10/26/2011	<2.0	<3.0	<3.0	<3.0	<3.0	not analyzed	not analyzed	not analyzed	
<u>4/20/2012</u>	<5.0	<10	<5.0	<5.0	2.4	not analyzed	not analyzed	not analyzed	
<u>10/26/2012</u>	<5.0	<10	<5.0	<5.0	2.5	not analyzed	not analyzed	not analyzed	
<u>4/26/2013</u>	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed	
<u>10/8/2013</u>	<5.0	<10	<5.0	<5.0	3.0 J	not analyzed	not analyzed	not analyzed	
<u>4/8/2014</u>	0.95 J	<1.0	<5.0	<5.0	3.3 J	not analyzed	not analyzed	not analyzed	
<u>10/6/2014</u>	<5.0	<10	<5.0	<5.0	5.4	not analyzed	not analyzed	not analyzed	
<u>4/30/2015</u>	1.6 J	<10	<5.0	<5.0	2.0 J	not analyzed	not analyzed	not analyzed	
<u>10/14/2015</u>	2.7 J	<10	<5.0	<5.0	1.3 J	not analyzed	not analyzed	not analyzed	
<u>4/13/2016</u>	2.0 J	<10	<5.0	<5.0	1.0 J	not analyzed	not analyzed	not analyzed	
<u>10/20/2016</u>	9.4	<10	0.6 J	0.6 J	6.5	not analyzed	not analyzed	not analyzed	
<u>4/12/2017</u>	3.6 J	<10	<5.0	<5.0	1.9 J	not analyzed	not analyzed	not analyzed	
<u>10/10/2017</u>	0.97 J	<10	<5.0	<5.0	3.1 J	not analyzed	not analyzed	not analyzed	
<u>4/19/2018</u>	1.0 J	<10	<5.0	<5.0	1.4 J	not analyzed	not analyzed	not analyzed	
DGC-8S									
12/20/2001				not sampled					
5/20/2003	4.0	10	1.0	18	1.0	5.0	not analyzed	not analyzed	
6/10/2004	4.0	8.0	<10	18	<10	6.0	not analyzed	not analyzed	
7/24/2004				not sampled					
9/14/2004	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	not analyzed	5.2	
10/18/2004				not sampled					
11/24/2004	<5.0	<5.0	<5.0	22	<5.0	6.8	<10	not analyzed	
12/22/2004				not sampled					
1/17/2005				not sampled					
4/5/2005				not sampled					
10/27/2005	10	17	<5.0	27	<5.0	not analyzed	not analyzed	not analyzed	
4/3/2006	<10	10	<5.0	20	<5.0	not analyzed	not analyzed	not analyzed	
10/12/2006	<10	12	<5.0	38	<5.0	not analyzed	not analyzed	not analyzed	
4/23/2007	<10	10	<5.0	16	<5.0	not analyzed	not analyzed	not analyzed	
10/4/2007	<10	11	<5.0	11	<5.0	not analyzed	not analyzed	not analyzed	
4/3/2008	<10	8.0	<5.0	16	<5.0	not analyzed	not analyzed	not analyzed	
10/10/2008	<10	10	<5.0	20	<5.0	not analyzed	not analyzed	not analyzed	
4/29/2009	<10	22	<5.0	15	<5.0	not analyzed	not analyzed	not analyzed	
10/13/2009	<10	6.8	<5.0	20	<5.0	not analyzed	not analyzed	not analyzed	
4/9/2010	<10	11	<5.0	14	<5.0	not analyzed	not analyzed	not analyzed	
10/14/2010	10	19	<5.0	7.3	<5.0	not analyzed	not analyzed	not analyzed	
4/27/2011	<10	17	<5.0	6.8	<5.0	not analyzed	not analyzed	not analyzed	
10/26/2011	<2.0	4.5	<3.0	4.9	<3.0	not analyzed	not analyzed	not analyzed	
<u>4/20/2012</u>	1.4	9.8	<5.0	13	<5.0	not analyzed	not analyzed	not analyzed	
<u>10/26/2012</u>	5.5	12	<5.0	10	<5.0	not analyzed	not analyzed	not analyzed	
<u>4/26/2013</u>	2.8 J	11	<5.0	9.4	<5.0	not analyzed	not analyzed	not analyzed	
<u>10/8/2013</u>	4.3 J	17	<5.0	15	<5.0	not analyzed	not analyzed	not analyzed	
<u>4/8/2014</u>	1.9 J	13	<5.0	9.0	<5.0	not analyzed	not analyzed	not analyzed	
<u>10/6/2014</u>	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed	
<u>4/30/2015</u>	1.8 J	13	<5.0	8.0	<5.0	not analyzed	not analyzed	not analyzed	
<u>10/14/2015</u>	2.9 J	15	<5.0	6.3	<5.0	not analyzed	not analyzed	not analyzed	
<u>4/13/2016</u>	1.2 J	12	<5.0	7.8	<5.0	not analyzed	not analyzed	not analyzed	
<u>10/20/2016</u>	3.6 J	18	<5.0	not analyzed	3.2 J	not analyzed	not analyzed	not analyzed	
<u>4/12/2017</u>	1.9 J	14	<5.0	7.1	<5.0	not analyzed	not analyzed	not analyzed	
<u>10/10/2017</u>	2.0 J	18	<5.0	8.3	<5.0	not analyzed	not analyzed	not analyzed	
<u>4/19/2018</u>	1.7 J	13	<5.0	4.3 J	<5.0	not analyzed	not analyzed	not analyzed	
DGC-11S									
10/10/2017	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed	
4/19/2018				not sampled					
DGC-12									
10/10/2017	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed	
4/19/2018				not sampled					
DGC-21									
10/10/2017	<5.0	<10	<5.0	<5.0	<5.0	not analyzed	not analyzed	not analyzed	
4/19/2018				not sampled					

All values reported in parts per billion (ug/L) Volatile Organic Compounds analyzed by USEPA Method 624
 TOC = Total Organic Carbon TOC analyzed by EPA Method 415.1
 MtBE = Methyl Tertiary Butyl Ether Metabolic Acids include Acetic Acid, Butyric Acid, Lactic Acid, Propionic Acid and Pyruvic Acid
Bold values exceed NYSDEC groundwater standards Underlined = Cis-1,2-Dichloroethene result reflects "1,2-Dichloroethene, Total"
 J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximated value
 * = Refers to either Cis-1,2-Dichloroethene or 1,2-Dichloroethene, Total

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Tel: (716)691-2600

TestAmerica Job ID: 480-134762-1

Client Project/Site: Philmar Electronics #510008

For:

New York State D.E.C.

1115 Route 86

PO BOX 296

Ray Brook, New York 12977

Attn: Samantha Salotto



Authorized for release by:

4/30/2018 10:37:00 AM

Judy Stone, Senior Project Manager

(484)685-0868

judy.stone@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.



Judy Stone
Senior Project Manager
4/30/2018 10:37:00 AM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Lab Chronicle	14
Certification Summary	16
Method Summary	17
Sample Summary	18
Chain of Custody	19
Receipt Checklists	20

Definitions/Glossary

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Job ID: 480-134762-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-134762-1

Receipt

The samples were received on 4/25/2018 1:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.9° C.

GC/MS VOA

Method(s) 624: The preservative used in the sample containers provided is not compatible with the Method 624 analytes requested. The following samples were received preserved with hydrochloric acid: DGC7S (480-134762-1), MW7 (480-134762-2), MW6 (480-134762-3), DGC8S (480-134762-4), MW9 (480-134762-5), DGC6S (480-134762-6), TRENCH (480-134762-7) and DGSC8 (480-134762-8). The requested target analyte list contains 2-Chloroethyl vinyl ether and Acrolein, which are acid-labile compounds that degrade in an acidic medium.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



Client Sample Results

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Client Sample ID: DGC7S

Lab Sample ID: 480-134762-1

Date Collected: 04/19/18 11:00

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acrolein	ND		100	17	ug/L			04/25/18 22:04	1
Acrylonitrile	ND		50	1.9	ug/L			04/25/18 22:04	1
Benzene	ND		5.0	0.60	ug/L			04/25/18 22:04	1
Dichlorobromomethane	ND		5.0	0.54	ug/L			04/25/18 22:04	1
Bromoform	ND		5.0	0.47	ug/L			04/25/18 22:04	1
Bromomethane	ND		5.0	1.2	ug/L			04/25/18 22:04	1
Carbon tetrachloride	ND		5.0	0.51	ug/L			04/25/18 22:04	1
Chlorobenzene	1.4	J	5.0	0.48	ug/L			04/25/18 22:04	1
Chloroethane	ND		5.0	0.87	ug/L			04/25/18 22:04	1
2-Chloroethyl vinyl ether	ND		25	1.9	ug/L			04/25/18 22:04	1
Chloroform	ND		5.0	0.54	ug/L			04/25/18 22:04	1
Chloromethane	ND		5.0	0.64	ug/L			04/25/18 22:04	1
Chlorodibromomethane	ND		5.0	0.41	ug/L			04/25/18 22:04	1
1,1-Dichloroethane	ND		5.0	0.59	ug/L			04/25/18 22:04	1
1,2-Dichloroethane	ND		5.0	0.60	ug/L			04/25/18 22:04	1
1,1-Dichloroethene	ND		5.0	0.85	ug/L			04/25/18 22:04	1
trans-1,2-Dichloroethene	ND		5.0	0.59	ug/L			04/25/18 22:04	1
1,2-Dichloropropane	ND		5.0	0.61	ug/L			04/25/18 22:04	1
cis-1,3-Dichloropropene	ND		5.0	0.33	ug/L			04/25/18 22:04	1
trans-1,3-Dichloropropene	ND		5.0	0.44	ug/L			04/25/18 22:04	1
Ethylbenzene	ND		5.0	0.46	ug/L			04/25/18 22:04	1
Methylene Chloride	ND		5.0	0.81	ug/L			04/25/18 22:04	1
1,1,2,2-Tetrachloroethane	ND		5.0	0.26	ug/L			04/25/18 22:04	1
Tetrachloroethene	ND		5.0	0.34	ug/L			04/25/18 22:04	1
Toluene	ND		5.0	0.45	ug/L			04/25/18 22:04	1
1,1,1-Trichloroethane	ND		5.0	0.39	ug/L			04/25/18 22:04	1
1,1,2-Trichloroethane	ND		5.0	0.48	ug/L			04/25/18 22:04	1
Trichloroethene	ND		5.0	0.60	ug/L			04/25/18 22:04	1
Vinyl chloride	1.0	J	5.0	0.75	ug/L			04/25/18 22:04	1
1,2-Dichlorobenzene	ND		5.0	0.44	ug/L			04/25/18 22:04	1
1,2-Dichloroethene, Total	ND		10	3.2	ug/L			04/25/18 22:04	1
1,3-Dichlorobenzene	ND		5.0	0.54	ug/L			04/25/18 22:04	1
1,4-Dichlorobenzene	ND		5.0	0.51	ug/L			04/25/18 22:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		68 - 130		04/25/18 22:04	1
4-Bromofluorobenzene (Surr)	97		76 - 123		04/25/18 22:04	1
Toluene-d8 (Surr)	91		77 - 120		04/25/18 22:04	1

Client Sample ID: MW7

Lab Sample ID: 480-134762-2

Date Collected: 04/19/18 11:05

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acrolein	ND		100	17	ug/L			04/27/18 00:38	1
Acrylonitrile	ND		50	1.9	ug/L			04/27/18 00:38	1
Benzene	ND		5.0	0.60	ug/L			04/27/18 00:38	1
Dichlorobromomethane	ND		5.0	0.54	ug/L			04/27/18 00:38	1
Bromoform	ND		5.0	0.47	ug/L			04/27/18 00:38	1

TestAmerica Buffalo

Client Sample Results

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Client Sample ID: MW7

Lab Sample ID: 480-134762-2

Date Collected: 04/19/18 11:05

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromomethane	ND		5.0	1.2	ug/L			04/27/18 00:38	1
Carbon tetrachloride	ND		5.0	0.51	ug/L			04/27/18 00:38	1
Chlorobenzene	ND		5.0	0.48	ug/L			04/27/18 00:38	1
Chloroethane	ND		5.0	0.87	ug/L			04/27/18 00:38	1
2-Chloroethyl vinyl ether	ND		25	1.9	ug/L			04/27/18 00:38	1
Chloroform	ND		5.0	0.54	ug/L			04/27/18 00:38	1
Chloromethane	ND		5.0	0.64	ug/L			04/27/18 00:38	1
Chlorodibromomethane	ND		5.0	0.41	ug/L			04/27/18 00:38	1
1,1-Dichloroethane	ND		5.0	0.59	ug/L			04/27/18 00:38	1
1,2-Dichloroethane	ND		5.0	0.60	ug/L			04/27/18 00:38	1
1,1-Dichloroethene	ND		5.0	0.85	ug/L			04/27/18 00:38	1
trans-1,2-Dichloroethene	ND		5.0	0.59	ug/L			04/27/18 00:38	1
1,2-Dichloropropane	ND		5.0	0.61	ug/L			04/27/18 00:38	1
cis-1,3-Dichloropropene	ND		5.0	0.33	ug/L			04/27/18 00:38	1
trans-1,3-Dichloropropene	ND		5.0	0.44	ug/L			04/27/18 00:38	1
Ethylbenzene	ND		5.0	0.46	ug/L			04/27/18 00:38	1
Methylene Chloride	ND		5.0	0.81	ug/L			04/27/18 00:38	1
1,1,1,2-Tetrachloroethane	ND		5.0	0.26	ug/L			04/27/18 00:38	1
Tetrachloroethene	ND		5.0	0.34	ug/L			04/27/18 00:38	1
Toluene	ND		5.0	0.45	ug/L			04/27/18 00:38	1
1,1,1-Trichloroethane	ND		5.0	0.39	ug/L			04/27/18 00:38	1
1,1,2-Trichloroethane	ND		5.0	0.48	ug/L			04/27/18 00:38	1
Trichloroethene	0.83	J	5.0	0.60	ug/L			04/27/18 00:38	1
Vinyl chloride	ND		5.0	0.75	ug/L			04/27/18 00:38	1
1,2-Dichlorobenzene	ND		5.0	0.44	ug/L			04/27/18 00:38	1
1,2-Dichloroethene, Total	ND		10	3.2	ug/L			04/27/18 00:38	1
1,3-Dichlorobenzene	ND		5.0	0.54	ug/L			04/27/18 00:38	1
1,4-Dichlorobenzene	ND		5.0	0.51	ug/L			04/27/18 00:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		68 - 130					04/27/18 00:38	1
4-Bromofluorobenzene (Surr)	100		76 - 123					04/27/18 00:38	1
Toluene-d8 (Surr)	101		77 - 120					04/27/18 00:38	1

Client Sample ID: MW6

Lab Sample ID: 480-134762-3

Date Collected: 04/19/18 11:15

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acrolein	ND		100	17	ug/L			04/27/18 01:02	1
Acrylonitrile	ND		50	1.9	ug/L			04/27/18 01:02	1
Benzene	ND		5.0	0.60	ug/L			04/27/18 01:02	1
Dichlorobromomethane	ND		5.0	0.54	ug/L			04/27/18 01:02	1
Bromoform	ND		5.0	0.47	ug/L			04/27/18 01:02	1
Bromomethane	ND		5.0	1.2	ug/L			04/27/18 01:02	1
Carbon tetrachloride	ND		5.0	0.51	ug/L			04/27/18 01:02	1
Chlorobenzene	ND		5.0	0.48	ug/L			04/27/18 01:02	1
Chloroethane	ND		5.0	0.87	ug/L			04/27/18 01:02	1
2-Chloroethyl vinyl ether	ND		25	1.9	ug/L			04/27/18 01:02	1

TestAmerica Buffalo

Client Sample Results

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Client Sample ID: MW6

Lab Sample ID: 480-134762-3

Date Collected: 04/19/18 11:15

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	ND		5.0	0.54	ug/L			04/27/18 01:02	1
Chloromethane	ND		5.0	0.64	ug/L			04/27/18 01:02	1
Chlorodibromomethane	ND		5.0	0.41	ug/L			04/27/18 01:02	1
1,1-Dichloroethane	ND		5.0	0.59	ug/L			04/27/18 01:02	1
1,2-Dichloroethane	ND		5.0	0.60	ug/L			04/27/18 01:02	1
1,1-Dichloroethene	ND		5.0	0.85	ug/L			04/27/18 01:02	1
trans-1,2-Dichloroethene	ND		5.0	0.59	ug/L			04/27/18 01:02	1
1,2-Dichloropropane	ND		5.0	0.61	ug/L			04/27/18 01:02	1
cis-1,3-Dichloropropene	ND		5.0	0.33	ug/L			04/27/18 01:02	1
trans-1,3-Dichloropropene	ND		5.0	0.44	ug/L			04/27/18 01:02	1
Ethylbenzene	ND		5.0	0.46	ug/L			04/27/18 01:02	1
Methylene Chloride	ND		5.0	0.81	ug/L			04/27/18 01:02	1
1,1,2,2-Tetrachloroethane	ND		5.0	0.26	ug/L			04/27/18 01:02	1
Tetrachloroethene	ND		5.0	0.34	ug/L			04/27/18 01:02	1
Toluene	ND		5.0	0.45	ug/L			04/27/18 01:02	1
1,1,1-Trichloroethane	ND		5.0	0.39	ug/L			04/27/18 01:02	1
1,1,2-Trichloroethane	ND		5.0	0.48	ug/L			04/27/18 01:02	1
Trichloroethene	ND		5.0	0.60	ug/L			04/27/18 01:02	1
Vinyl chloride	ND		5.0	0.75	ug/L			04/27/18 01:02	1
1,2-Dichlorobenzene	ND		5.0	0.44	ug/L			04/27/18 01:02	1
1,2-Dichloroethene, Total	ND		10	3.2	ug/L			04/27/18 01:02	1
1,3-Dichlorobenzene	ND		5.0	0.54	ug/L			04/27/18 01:02	1
1,4-Dichlorobenzene	ND		5.0	0.51	ug/L			04/27/18 01:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		68 - 130		04/27/18 01:02	1
4-Bromofluorobenzene (Surr)	100		76 - 123		04/27/18 01:02	1
Toluene-d8 (Surr)	101		77 - 120		04/27/18 01:02	1

Client Sample ID: DGC8S

Lab Sample ID: 480-134762-4

Date Collected: 04/19/18 11:20

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acrolein	ND		100	17	ug/L			04/27/18 01:26	1
Acrylonitrile	ND		50	1.9	ug/L			04/27/18 01:26	1
Benzene	ND		5.0	0.60	ug/L			04/27/18 01:26	1
Dichlorobromomethane	ND		5.0	0.54	ug/L			04/27/18 01:26	1
Bromoform	ND		5.0	0.47	ug/L			04/27/18 01:26	1
Bromomethane	ND		5.0	1.2	ug/L			04/27/18 01:26	1
Carbon tetrachloride	ND		5.0	0.51	ug/L			04/27/18 01:26	1
Chlorobenzene	ND		5.0	0.48	ug/L			04/27/18 01:26	1
Chloroethane	ND		5.0	0.87	ug/L			04/27/18 01:26	1
2-Chloroethyl vinyl ether	ND		25	1.9	ug/L			04/27/18 01:26	1
Chloroform	ND		5.0	0.54	ug/L			04/27/18 01:26	1
Chloromethane	ND		5.0	0.64	ug/L			04/27/18 01:26	1
Chlorodibromomethane	ND		5.0	0.41	ug/L			04/27/18 01:26	1
1,1-Dichloroethane	ND		5.0	0.59	ug/L			04/27/18 01:26	1
1,2-Dichloroethane	ND		5.0	0.60	ug/L			04/27/18 01:26	1

TestAmerica Buffalo

Client Sample Results

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Client Sample ID: DGC8S

Lab Sample ID: 480-134762-4

Date Collected: 04/19/18 11:20

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		5.0	0.85	ug/L			04/27/18 01:26	1
trans-1,2-Dichloroethene	ND		5.0	0.59	ug/L			04/27/18 01:26	1
1,2-Dichloropropane	ND		5.0	0.61	ug/L			04/27/18 01:26	1
cis-1,3-Dichloropropene	ND		5.0	0.33	ug/L			04/27/18 01:26	1
trans-1,3-Dichloropropene	ND		5.0	0.44	ug/L			04/27/18 01:26	1
Ethylbenzene	ND		5.0	0.46	ug/L			04/27/18 01:26	1
Methylene Chloride	ND		5.0	0.81	ug/L			04/27/18 01:26	1
1,1,2,2-Tetrachloroethane	ND		5.0	0.26	ug/L			04/27/18 01:26	1
Tetrachloroethene	ND		5.0	0.34	ug/L			04/27/18 01:26	1
Toluene	ND		5.0	0.45	ug/L			04/27/18 01:26	1
1,1,1-Trichloroethane	ND		5.0	0.39	ug/L			04/27/18 01:26	1
1,1,2-Trichloroethane	ND		5.0	0.48	ug/L			04/27/18 01:26	1
Trichloroethene	4.3	J	5.0	0.60	ug/L			04/27/18 01:26	1
Vinyl chloride	1.7	J	5.0	0.75	ug/L			04/27/18 01:26	1
1,2-Dichlorobenzene	ND		5.0	0.44	ug/L			04/27/18 01:26	1
1,2-Dichloroethene, Total	13		10	3.2	ug/L			04/27/18 01:26	1
1,3-Dichlorobenzene	ND		5.0	0.54	ug/L			04/27/18 01:26	1
1,4-Dichlorobenzene	ND		5.0	0.51	ug/L			04/27/18 01:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		68 - 130		04/27/18 01:26	1
4-Bromofluorobenzene (Surr)	99		76 - 123		04/27/18 01:26	1
Toluene-d8 (Surr)	99		77 - 120		04/27/18 01:26	1

Client Sample ID: MW9

Lab Sample ID: 480-134762-5

Date Collected: 04/19/18 11:30

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acrolein	ND		100	17	ug/L			04/27/18 01:50	1
Acrylonitrile	ND		50	1.9	ug/L			04/27/18 01:50	1
Benzene	ND		5.0	0.60	ug/L			04/27/18 01:50	1
Dichlorobromomethane	ND		5.0	0.54	ug/L			04/27/18 01:50	1
Bromoform	ND		5.0	0.47	ug/L			04/27/18 01:50	1
Bromomethane	ND		5.0	1.2	ug/L			04/27/18 01:50	1
Carbon tetrachloride	ND		5.0	0.51	ug/L			04/27/18 01:50	1
Chlorobenzene	ND		5.0	0.48	ug/L			04/27/18 01:50	1
Chloroethane	ND		5.0	0.87	ug/L			04/27/18 01:50	1
2-Chloroethyl vinyl ether	ND		25	1.9	ug/L			04/27/18 01:50	1
Chloroform	ND		5.0	0.54	ug/L			04/27/18 01:50	1
Chloromethane	ND		5.0	0.64	ug/L			04/27/18 01:50	1
Chlorodibromomethane	ND		5.0	0.41	ug/L			04/27/18 01:50	1
1,1-Dichloroethane	ND		5.0	0.59	ug/L			04/27/18 01:50	1
1,2-Dichloroethane	ND		5.0	0.60	ug/L			04/27/18 01:50	1
1,1-Dichloroethene	ND		5.0	0.85	ug/L			04/27/18 01:50	1
trans-1,2-Dichloroethene	ND		5.0	0.59	ug/L			04/27/18 01:50	1
1,2-Dichloropropane	ND		5.0	0.61	ug/L			04/27/18 01:50	1
cis-1,3-Dichloropropene	ND		5.0	0.33	ug/L			04/27/18 01:50	1
trans-1,3-Dichloropropene	ND		5.0	0.44	ug/L			04/27/18 01:50	1

TestAmerica Buffalo

Client Sample Results

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Client Sample ID: MW9

Lab Sample ID: 480-134762-5

Date Collected: 04/19/18 11:30

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	ND		5.0	0.46	ug/L			04/27/18 01:50	1
Methylene Chloride	ND		5.0	0.81	ug/L			04/27/18 01:50	1
1,1,2,2-Tetrachloroethane	ND		5.0	0.26	ug/L			04/27/18 01:50	1
Tetrachloroethene	ND		5.0	0.34	ug/L			04/27/18 01:50	1
Toluene	ND		5.0	0.45	ug/L			04/27/18 01:50	1
1,1,1-Trichloroethane	ND		5.0	0.39	ug/L			04/27/18 01:50	1
1,1,2-Trichloroethane	ND		5.0	0.48	ug/L			04/27/18 01:50	1
Trichloroethene	1.9	J	5.0	0.60	ug/L			04/27/18 01:50	1
Vinyl chloride	ND		5.0	0.75	ug/L			04/27/18 01:50	1
1,2-Dichlorobenzene	ND		5.0	0.44	ug/L			04/27/18 01:50	1
1,2-Dichloroethene, Total	3.3	J	10	3.2	ug/L			04/27/18 01:50	1
1,3-Dichlorobenzene	ND		5.0	0.54	ug/L			04/27/18 01:50	1
1,4-Dichlorobenzene	ND		5.0	0.51	ug/L			04/27/18 01:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		68 - 130					04/27/18 01:50	1
4-Bromofluorobenzene (Surr)	99		76 - 123					04/27/18 01:50	1
Toluene-d8 (Surr)	99		77 - 120					04/27/18 01:50	1

Client Sample ID: DGC6S

Lab Sample ID: 480-134762-6

Date Collected: 04/19/18 11:35

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acrolein	ND		100	17	ug/L			04/27/18 02:14	1
Acrylonitrile	ND		50	1.9	ug/L			04/27/18 02:14	1
Benzene	ND		5.0	0.60	ug/L			04/27/18 02:14	1
Dichlorobromomethane	ND		5.0	0.54	ug/L			04/27/18 02:14	1
Bromoform	ND		5.0	0.47	ug/L			04/27/18 02:14	1
Bromomethane	ND		5.0	1.2	ug/L			04/27/18 02:14	1
Carbon tetrachloride	ND		5.0	0.51	ug/L			04/27/18 02:14	1
Chlorobenzene	ND		5.0	0.48	ug/L			04/27/18 02:14	1
Chloroethane	ND		5.0	0.87	ug/L			04/27/18 02:14	1
2-Chloroethyl vinyl ether	ND		25	1.9	ug/L			04/27/18 02:14	1
Chloroform	ND		5.0	0.54	ug/L			04/27/18 02:14	1
Chloromethane	ND		5.0	0.64	ug/L			04/27/18 02:14	1
Chlorodibromomethane	ND		5.0	0.41	ug/L			04/27/18 02:14	1
1,1-Dichloroethane	ND		5.0	0.59	ug/L			04/27/18 02:14	1
1,2-Dichloroethane	ND		5.0	0.60	ug/L			04/27/18 02:14	1
1,1-Dichloroethene	ND		5.0	0.85	ug/L			04/27/18 02:14	1
trans-1,2-Dichloroethene	ND		5.0	0.59	ug/L			04/27/18 02:14	1
1,2-Dichloropropane	ND		5.0	0.61	ug/L			04/27/18 02:14	1
cis-1,3-Dichloropropene	ND		5.0	0.33	ug/L			04/27/18 02:14	1
trans-1,3-Dichloropropene	ND		5.0	0.44	ug/L			04/27/18 02:14	1
Ethylbenzene	ND		5.0	0.46	ug/L			04/27/18 02:14	1
Methylene Chloride	ND		5.0	0.81	ug/L			04/27/18 02:14	1
1,1,2,2-Tetrachloroethane	ND		5.0	0.26	ug/L			04/27/18 02:14	1
Tetrachloroethene	ND		5.0	0.34	ug/L			04/27/18 02:14	1
Toluene	ND		5.0	0.45	ug/L			04/27/18 02:14	1

TestAmerica Buffalo

Client Sample Results

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Client Sample ID: DGC6S

Lab Sample ID: 480-134762-6

Date Collected: 04/19/18 11:35

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0	0.39	ug/L			04/27/18 02:14	1
1,1,2-Trichloroethane	ND		5.0	0.48	ug/L			04/27/18 02:14	1
Trichloroethene	ND		5.0	0.60	ug/L			04/27/18 02:14	1
Vinyl chloride	ND		5.0	0.75	ug/L			04/27/18 02:14	1
1,2-Dichlorobenzene	ND		5.0	0.44	ug/L			04/27/18 02:14	1
1,2-Dichloroethene, Total	ND		10	3.2	ug/L			04/27/18 02:14	1
1,3-Dichlorobenzene	ND		5.0	0.54	ug/L			04/27/18 02:14	1
1,4-Dichlorobenzene	ND		5.0	0.51	ug/L			04/27/18 02:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		68 - 130					04/27/18 02:14	1
4-Bromofluorobenzene (Surr)	99		76 - 123					04/27/18 02:14	1
Toluene-d8 (Surr)	98		77 - 120					04/27/18 02:14	1

Client Sample ID: TRENCH

Lab Sample ID: 480-134762-7

Date Collected: 04/19/18 11:45

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acrolein	ND		100	17	ug/L			04/27/18 02:38	1
Acrylonitrile	ND		50	1.9	ug/L			04/27/18 02:38	1
Benzene	ND		5.0	0.60	ug/L			04/27/18 02:38	1
Dichlorobromomethane	ND		5.0	0.54	ug/L			04/27/18 02:38	1
Bromoform	ND		5.0	0.47	ug/L			04/27/18 02:38	1
Bromomethane	ND		5.0	1.2	ug/L			04/27/18 02:38	1
Carbon tetrachloride	ND		5.0	0.51	ug/L			04/27/18 02:38	1
Chlorobenzene	2.8	J	5.0	0.48	ug/L			04/27/18 02:38	1
Chloroethane	ND		5.0	0.87	ug/L			04/27/18 02:38	1
2-Chloroethyl vinyl ether	ND		25	1.9	ug/L			04/27/18 02:38	1
Chloroform	ND		5.0	0.54	ug/L			04/27/18 02:38	1
Chloromethane	ND		5.0	0.64	ug/L			04/27/18 02:38	1
Chlorodibromomethane	ND		5.0	0.41	ug/L			04/27/18 02:38	1
1,1-Dichloroethane	ND		5.0	0.59	ug/L			04/27/18 02:38	1
1,2-Dichloroethane	ND		5.0	0.60	ug/L			04/27/18 02:38	1
1,1-Dichloroethene	ND		5.0	0.85	ug/L			04/27/18 02:38	1
trans-1,2-Dichloroethene	ND		5.0	0.59	ug/L			04/27/18 02:38	1
1,2-Dichloropropane	ND		5.0	0.61	ug/L			04/27/18 02:38	1
cis-1,3-Dichloropropene	ND		5.0	0.33	ug/L			04/27/18 02:38	1
trans-1,3-Dichloropropene	ND		5.0	0.44	ug/L			04/27/18 02:38	1
Ethylbenzene	ND		5.0	0.46	ug/L			04/27/18 02:38	1
Methylene Chloride	ND		5.0	0.81	ug/L			04/27/18 02:38	1
1,1,2,2-Tetrachloroethane	ND		5.0	0.26	ug/L			04/27/18 02:38	1
Tetrachloroethene	ND		5.0	0.34	ug/L			04/27/18 02:38	1
Toluene	ND		5.0	0.45	ug/L			04/27/18 02:38	1
1,1,1-Trichloroethane	ND		5.0	0.39	ug/L			04/27/18 02:38	1
1,1,2-Trichloroethane	ND		5.0	0.48	ug/L			04/27/18 02:38	1
Trichloroethene	1.3	J	5.0	0.60	ug/L			04/27/18 02:38	1
Vinyl chloride	ND		5.0	0.75	ug/L			04/27/18 02:38	1
1,2-Dichlorobenzene	ND		5.0	0.44	ug/L			04/27/18 02:38	1

TestAmerica Buffalo

Client Sample Results

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Client Sample ID: TRENCH

Lab Sample ID: 480-134762-7

Date Collected: 04/19/18 11:45

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethene, Total	ND		10	3.2	ug/L			04/27/18 02:38	1
1,3-Dichlorobenzene	ND		5.0	0.54	ug/L			04/27/18 02:38	1
1,4-Dichlorobenzene	0.80	J	5.0	0.51	ug/L			04/27/18 02:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		68 - 130					04/27/18 02:38	1
4-Bromofluorobenzene (Surr)	99		76 - 123					04/27/18 02:38	1
Toluene-d8 (Surr)	100		77 - 120					04/27/18 02:38	1

Client Sample ID: DGSCH

Lab Sample ID: 480-134762-8

Date Collected: 04/19/18 11:55

Matrix: Water

Date Received: 04/25/18 01:00

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acrolein	ND		100	17	ug/L			04/27/18 03:02	1
Acrylonitrile	ND		50	1.9	ug/L			04/27/18 03:02	1
Benzene	ND		5.0	0.60	ug/L			04/27/18 03:02	1
Dichlorobromomethane	ND		5.0	0.54	ug/L			04/27/18 03:02	1
Bromoform	ND		5.0	0.47	ug/L			04/27/18 03:02	1
Bromomethane	ND		5.0	1.2	ug/L			04/27/18 03:02	1
Carbon tetrachloride	ND		5.0	0.51	ug/L			04/27/18 03:02	1
Chlorobenzene	ND		5.0	0.48	ug/L			04/27/18 03:02	1
Chloroethane	ND		5.0	0.87	ug/L			04/27/18 03:02	1
2-Chloroethyl vinyl ether	ND		25	1.9	ug/L			04/27/18 03:02	1
Chloroform	ND		5.0	0.54	ug/L			04/27/18 03:02	1
Chloromethane	ND		5.0	0.64	ug/L			04/27/18 03:02	1
Chlorodibromomethane	ND		5.0	0.41	ug/L			04/27/18 03:02	1
1,1-Dichloroethane	ND		5.0	0.59	ug/L			04/27/18 03:02	1
1,2-Dichloroethane	ND		5.0	0.60	ug/L			04/27/18 03:02	1
1,1-Dichloroethene	ND		5.0	0.85	ug/L			04/27/18 03:02	1
trans-1,2-Dichloroethene	ND		5.0	0.59	ug/L			04/27/18 03:02	1
1,2-Dichloropropane	ND		5.0	0.61	ug/L			04/27/18 03:02	1
cis-1,3-Dichloropropene	ND		5.0	0.33	ug/L			04/27/18 03:02	1
trans-1,3-Dichloropropene	ND		5.0	0.44	ug/L			04/27/18 03:02	1
Ethylbenzene	ND		5.0	0.46	ug/L			04/27/18 03:02	1
Methylene Chloride	ND		5.0	0.81	ug/L			04/27/18 03:02	1
1,1,2,2-Tetrachloroethane	ND		5.0	0.26	ug/L			04/27/18 03:02	1
Tetrachloroethene	ND		5.0	0.34	ug/L			04/27/18 03:02	1
Toluene	ND		5.0	0.45	ug/L			04/27/18 03:02	1
1,1,1-Trichloroethane	ND		5.0	0.39	ug/L			04/27/18 03:02	1
1,1,2-Trichloroethane	ND		5.0	0.48	ug/L			04/27/18 03:02	1
Trichloroethene	3.7	J	5.0	0.60	ug/L			04/27/18 03:02	1
Vinyl chloride	ND		5.0	0.75	ug/L			04/27/18 03:02	1
1,2-Dichlorobenzene	ND		5.0	0.44	ug/L			04/27/18 03:02	1
1,2-Dichloroethene, Total	ND		10	3.2	ug/L			04/27/18 03:02	1
1,3-Dichlorobenzene	ND		5.0	0.54	ug/L			04/27/18 03:02	1
1,4-Dichlorobenzene	ND		5.0	0.51	ug/L			04/27/18 03:02	1

TestAmerica Buffalo

Client Sample Results

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Client Sample ID: DGSCH

Lab Sample ID: 480-134762-8

Date Collected: 04/19/18 11:55

Matrix: Water

Date Received: 04/25/18 01:00

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	94		68 - 130		04/27/18 03:02	1
4-Bromofluorobenzene (Surr)	99		76 - 123		04/27/18 03:02	1
Toluene-d8 (Surr)	99		77 - 120		04/27/18 03:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Lab Chronicle

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Client Sample ID: DGC7S

Date Collected: 04/19/18 11:00

Date Received: 04/25/18 01:00

Lab Sample ID: 480-134762-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	410871	04/25/18 22:04	RLB	TAL BUF

Client Sample ID: MW7

Date Collected: 04/19/18 11:05

Date Received: 04/25/18 01:00

Lab Sample ID: 480-134762-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	411154	04/27/18 00:38	RLB	TAL BUF

Client Sample ID: MW6

Date Collected: 04/19/18 11:15

Date Received: 04/25/18 01:00

Lab Sample ID: 480-134762-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	411154	04/27/18 01:02	RLB	TAL BUF

Client Sample ID: DGC8S

Date Collected: 04/19/18 11:20

Date Received: 04/25/18 01:00

Lab Sample ID: 480-134762-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	411154	04/27/18 01:26	RLB	TAL BUF

Client Sample ID: MW9

Date Collected: 04/19/18 11:30

Date Received: 04/25/18 01:00

Lab Sample ID: 480-134762-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	411154	04/27/18 01:50	RLB	TAL BUF

Client Sample ID: DGC6S

Date Collected: 04/19/18 11:35

Date Received: 04/25/18 01:00

Lab Sample ID: 480-134762-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	411154	04/27/18 02:14	RLB	TAL BUF

Lab Chronicle

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Client Sample ID: TRENCH

Date Collected: 04/19/18 11:45

Date Received: 04/25/18 01:00

Lab Sample ID: 480-134762-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	411154	04/27/18 02:38	RLB	TAL BUF

Client Sample ID: DGSCB

Date Collected: 04/19/18 11:55

Date Received: 04/25/18 01:00

Lab Sample ID: 480-134762-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	411154	04/27/18 03:02	RLB	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Accreditation/Certification Summary

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Laboratory: TestAmerica Buffalo

The accreditations/certifications listed below are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
New York	NELAP	2	10026	03-31-18 *

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Method	Method Description	Protocol	Laboratory
624	Volatile Organic Compounds (GC/MS)	40CFR136A	TAL BUF

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600



Sample Summary

Client: New York State D.E.C.
Project/Site: Philmar Electronics #510008

TestAmerica Job ID: 480-134762-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-134762-1	DGC7S	Water	04/19/18 11:00	04/25/18 01:00
480-134762-2	MW7	Water	04/19/18 11:05	04/25/18 01:00
480-134762-3	MW6	Water	04/19/18 11:15	04/25/18 01:00
480-134762-4	DGC8S	Water	04/19/18 11:20	04/25/18 01:00
480-134762-5	MW9	Water	04/19/18 11:30	04/25/18 01:00
480-134762-6	DGC6S	Water	04/19/18 11:35	04/25/18 01:00
480-134762-7	TRENCH	Water	04/19/18 11:45	04/25/18 01:00
480-134762-8	DGSCH	Water	04/19/18 11:55	04/25/18 01:00



Chain of Custody Record

TestAmerica Laboratories, Inc.



Project Manager: Samantha Salotto (Region 5) Tel/Fax: (518) 897-1241		Site Contact: Samantha Salotto Lab Contact: Judy Stone		COC No: 480-134762 COC	
Analysis Turnaround Time Calendar (C) or Work Days (W) _____ W _____ TAT if different from Below _____ 10 days _____ <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Date: _____		Carrier: _____	
Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Sample Specific Notes:
4/19/18	1100	Grab	GW	3	
	1105	G	GW	3	
	1115	G	GW	3	
	1120	G	GW	3	
	1130	G	GW	3	
	1135	G	GW	3	
	1145	G	GW	3	
	1155	G	GW	3	
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other _____ Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown					

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Relinquished by: _____	Company: A2 Tech	Date/Time: 4/24/18	Received by: Neal Jucker	Company: TA	Date/Time: 4-24-18 0700
Relinquished by: _____	Company: TA	Date/Time: 4-24-18 1500	Received by: _____	Company: TAD	Date/Time: 4-25-18 0100
Relinquished by: _____	Company: _____	Date/Time: _____	Received by: _____	Company: _____	Date/Time: _____

Login Sample Receipt Checklist

Client: New York State D.E.C.

Job Number: 480-134762-1

Login Number: 134762

List Source: TestAmerica Buffalo

List Number: 1

Creator: Williams, Christopher S

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	aztech
Samples received within 48 hours of sampling.	False	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	False	LAB TO CHECK RC