



*New York State Electric & Gas Corporation
Bridge Street Former Manufactured Gas Plant
Plattsburgh, New York*

2004 ANNUAL OPERATION, MAINTENANCE, AND MONITORING SUMMARY REPORT

JUNE 3, 2005



Prepared For:
New York State Electric & Gas Corporation
Kirkwood Industrial Park
Binghamton, New York



URS Corporation - New York
28 Corporate Drive, Suite 200
Clifton Park, New York 12065

TABLE OF CONTENTS

| | |
|---|----|
| 1.0 INTRODUCTION | 1 |
| 2.0 SCOPE OF WORK..... | 2 |
| 2.1 SOIL VAPOR SAMPLING..... | 2 |
| 2.2 ANNUAL WELL INSPECTION AND NAPL MONITORING..... | 2 |
| 2.3 ANNUAL GROUNDWATER MONITORING..... | 2 |
| 2.4 MONITORING WELL DECOMMISSIONING..... | 3 |
| 3.0 LABORATORY ANALYTICAL RESULTS | 5 |
| 3.1 SOIL VAPOR SAMPLES..... | 5 |
| 3.2 GROUNDWATER SAMPLES..... | 5 |
| 4.0 SUMMARY AND CONCLUSIONS | 8 |
| 5.0 RECOMMENDATIONS..... | 9 |
| 6.0 REFERENCES | 10 |

LIST OF TABLES

- Table 1 – Summary of Passive Soil Vapor Samples
- Table 2 – Summary of Water Levels, NAPL Checks, and Purging Data
- Table 3 – Summary of Passive Soil Vapor Samples Analytical Results
- Table 4 – Summary of Groundwater Samples Analytical Results

LIST OF FIGURES

- Figure 1 – Site Location Map
- Figure 2 – Passive Soil Vapor Sampling Location Map
- Figure 3 – Monitoring Well Location Map

LIST OF APPENDICES

- Appendix A – Passive Soil Vapor Sample Laboratory Analytical Report
- Appendix B – Groundwater Sample Field Data Sheets
- Appendix C – Groundwater Sample Laboratory Analytical Report
- Appendix D – Summary of Historic Bedrock Groundwater Analytical Results

1.0 INTRODUCTION

On behalf of NYSEG (New York State Electric and Gas Corporation), URS Corporation – New York (URS) has prepared this *2004 Annual Operation, Maintenance, and Monitoring Summary Report (2004 OM&M Report)* for NYSEG's former Manufactured Gas Plant (MGP) on Bridge Street in the City of Plattsburgh, Clinton County, New York (site ID #5-10-016). The site location is shown on Figure 1.

The New York State Department of Environmental Conservation (NYSDEC) and NYSEG entered into an Order on Consent (D0-0002-9309) on March 30, 1994 (the Order). Under this Order, NYSEG agreed to investigate and remediate 33 former MGP sites in New York State. The remedial investigation of the Plattsburgh-Bridge Street former MGP site has been completed under the Order. The *Remedial Investigation Report (RIR)*, dated January 15, 2004 presented the findings of the remedial investigation (RI). In 2001, during the RI, NYSEG conducted an interim remedial measure (IRM) to locate the former gas holder and remove it and impacted soil at and near the site. The NYSDEC approved the *RIR* on January 20, 2004 and prepared a *Proposed Remedial Action Plan (PRAP)* for public review and comment. Following the public comment period, the NYSDEC issued its *Record of Decision (ROD)* in March 2004 that outlined the remedial plan for the site. NYSEG prepared an *Operation, Maintenance, & Monitoring Plan (OM&M Plan)*, which the NYSDEC approved on August 17, 2004.

The activities summarized in this *2004 OM&M Report* were conducted in accordance with the approved *OM&M Plan*. Activities include passive soil vapor sample collection, well inspections, bedrock groundwater sampling, and decommissioning of three monitoring wells and one angled bedrock boring.

This *2004 OM&M Report* has six sections. The scope of field activities is summarized in Section 2.0. A summary of the laboratory analytical result is in Section 3.0. A summary of findings is in Section 4.0. Recommendations are in Section 5.0. Section 6.0 list the references used to prepare this report.

2.0 SCOPE OF WORK

This section describes the activities that were completed during the September 2004 annual site inspection and sampling event at the site in accordance with the requirement of the March 2004 *ROD* and the *OM&M Plan*. The four tasks completed in September 2004 include:

- Task 1 - Soil Vapor Sampling
- Task 2 - Annual Well Inspection and NAPL Monitoring
- Task 3 - Annual Groundwater Monitoring
- Task 4 - Monitoring Well Decommissioning

The following subsections describe each of these tasks.

2.1 SOIL VAPOR SAMPLING

On September 13, 2004 URS installed ten passive soil vapor survey modules at the locations shown on Figure 2. A pilot hole was advanced at each location by driving a one-inch diameter steel rod. The modules were then attached to a new nylon cord and installed just above the water table or top of bedrock, whichever was most shallow, using the stainless steel insertion rod. The sample modules were set at depths between 3.5 and 5.0 feet below the ground surface (bgs) as shown on Table 1. The cord was attached to a cork, which was tamped flush to the ground. The cork was covered with sod and marked with a wooden stake to assist with subsequent locating and retrieval of the modules.

On September 27, 2004, URS retrieved the sampling modules. The modules were placed in their respective designated shipping vials and shipped in coolers to the W.L. Gore analytical laboratory (Gore). The retrieval date and time were noted on the COC and are summarized on Table 1. The modules were analyzed for VOCs and SVOCs by Gore's expanded target compound list (A4) plus styrene, indane, and indene using modified EPA Methods 8260 and 8270.

2.2 ANNUAL WELL INSPECTION AND NAPL MONITORING

On September 14 and 15, 2004, URS measured water levels in each well using an electronic water level indicator and checked for the presence of NAPL. The observations are summarized on Table 2. The monitoring wells and general site conditions were inspected for damage. No physical damage was observed at any of the monitoring wells and site conditions were generally unchanged since URS' previous site visit on September 22, 2003.

2.3 ANNUAL GROUNDWATER MONITORING

On September 15 and 16, 2004 URS collected groundwater samples from nine bedrock groundwater monitoring wells (MW-1B, MW-2B, MW-3B, MW-6B, MW-7BS, MW-7BD, MW-9B, MW-10B, and MW-11B).

The monitoring wells were purged on September 15, 2004 using disposable bailers. Field parameters, including pH, specific conductivity, temperature, and turbidity, were monitored during purging. The field parameters were recorded on the groundwater purging and sampling

forms (Appendix A). The monitoring wells were purged until dry or the field parameters had stabilized to within ∇ 0.1 pH unit, ∇ 0.2 degree Celsius ($^{\circ}\text{C}$), and ∇ 10 percent on the remaining parameters over three consecutive readings. Monitoring well purge data are summarized on Table 2.

The samples were collected on September 16, 2004 within 24 hours of purging using disposable bailers. The samples were placed into laboratory provided sampling containers in the following order: benzene, toluene ethylbenzene, and xylenes (BTEX), polycyclic aromatic hydrocarbons (PAHs), total phenols, and total cyanide. The samples were placed in coolers with sufficient ice or icepacks to maintain a temperature of 4°C .

The nine groundwater samples, one field duplicate sample, and one trip blank were shipped by Federal Express to Analytical Services Center (ASC) in Lancaster, New York. The nine groundwater samples and one field duplicate were analyzed for BTEX by USEPA SW-846 Method 8021B, PAHs by USEPA SW-846 Method 8270C, total phenol by USEPA SW-846 Method 9065M, and total cyanide by USEPA SW-846 Method 335.3. The trip blank was analyzed for BTEX only. The contracted laboratory provided standard analytical summary deliverable package (Appendix C). The laboratory analytical results are discussed in Section 3.2.

2.4 MONITORING WELL DECOMMISSIONING

On September 13 and 14, 2004 URS decommissioned the angled boring and three bedrock monitoring wells (MW-7DD, MW-8B, and MW-8BD). The *ROD* required that the angled boring beneath the former gas holder and monitoring wells that are not part of the long-term monitoring program be decommissioned. Bedrock groundwater monitoring wells MW-7DD, MW-8B, and MW-8BD are not included in the long-term monitoring plan because they did not produce sufficient groundwater to provide representative samples.

Prior to decommissioning, the angled boring and the three bedrock monitoring wells were checked for the presence of accumulated NAPL. No indications of NAPL were observed in monitoring wells MW-7DD, MW-8B, and MW-8BD. When the 4-inch diameter by 48-inch long packer in the angled boring was removed, NAPL was observed on the top of and coating the sides of the packer. Photographs of the packer and PVC material are included in Appendix E. In addition, smears of NAPL were observed on the PVC piping that secured the packer in place. The NAPL on the PVC appeared to be from the PVC sliding against the wall of the boring as it was removed. No accumulated NAPL was observed in the angled boring below the packer. As discussed on a December 3, 2004 telephone conversation between the NYSDEC, NYSEG, and URS, the amount of NAPL observed on the packer did not represent a recoverable amount and that additional investigation is not warranted. The detection of NAPL in the angled boring above the packer is consistent with the findings summarized in the *RI Report*.

Water that had accumulated in the angled boring and monitoring wells was removed from each boring using a submersible pump that was placed at the bottom of the boring. Approximately 45 gallons of water was removed from the angled boring. A sheen and traces of NAPL were observed in the water removed from the angled boring.

The borings were then pressure grouted with a cement-bentonite grout mixture to two feet below the ground surface using a tremie pipe. The casings were cut off to a depth of approximately two-feet below the ground surface. Once the grout has cured for at least 24 hours, the remaining portion of the boring were filled with topsoil, graded, and seeded.

3.0 LABORATORY ANALYTICAL RESULTS

This section summarizes the laboratory analytical data for the ten passive soil vapor samples and the nine bedrock groundwater samples.

3.1 SOIL VAPOR SAMPLES

The analytical results for the passive soil gas samples are summarized on Table 3 and on Figure 2. The results of the analyses are reported in microgram per sorber (µg). The mass of compounds detected in the sample modules is not a concentration, but is indicative of the concentrations of the compounds in soil vapor.

Target compounds were detected in six out of the ten samples (PSV-04-02, PSV-04-03, PSV-04-04, PSV-04-08, PSV-04-09 and PSV-04-10). The following compounds were detected in one or more sample module.

Summary of Compounds Detected in Passive Soil Vapor Samples (September 2004)

| Compound | Number of Detects (out of 10) | Detection Limit (µg) | Maximum (µg) |
|-------------------|-------------------------------|----------------------|--------------------|
| Benzene | 5 | 0.03 | 0.08 at PSV-04-03 |
| Toluene* | 1 | 0.02 | 0.04 at PSV-04-04 |
| Xylene* | 1 | 0.02 | 0.02 at PSV-04-02 |
| Tetrachloroethene | 1 | 0.03 | 19.56 at PSV-04-09 |

*Compound was also detected in the trip blank

As shown, benzene was the most frequently detected compound. Detected concentrations of benzene ranged from 0.03 µg at PSV-04-10 to 0.08 µg at PSV-04-03. Benzene (0.05µg) was detected in one of four samples collected along the western side of the apartment complex (PSV-04-05).

Toluene (0.04 µg at PSV-04-04) and xylenes (0.02 µg at PSV-04-02) were each detected in one field sample. Both toluene (0.05 µg) and xylene (0.03 µg) were also detected in the trip blank. Since the reported values in the field samples are less than the reported value for the trip blank, the presence of toluene and xylene in soil vapor can not be confirmed based on the sample results.

Tetrachloroethene (PCE) was detected in one sample (19.56 µg at PSV-04-09). Sample location PSV-04-09 is west of the former firehouse and outside of the area excavated during the 2001 IRM. PCE was detected during the remedial investigation at trace concentrations in three surface and near surface soils. However, PCE is not considered to be related to MGP activities.

3.2 GROUNDWATER SAMPLES

The groundwater analytical results for the bedrock groundwater samples collected on September 2004 are summarized in Table 4. The well locations are shown on Figure 3.

Benzene, Toluene, Ethylbenzene, and Xylene

Concentrations of total BTEX ranged from 0.791 µg/L at MW-9B to 6,110 µg/L at MW-2B (duplicate sample). The following BTEX compounds were detected in one or more bedrock groundwater samples.

Summary of BTEX Compounds Detected in Bedrock Groundwater (September 2004)

| Compound | Number of Detects (out of 9) | NYSDEC GW Standard ^(a) (µg/L) | Number of Exceedences (out of 9) | Maximum Concentration (µg/L) |
|---------------|------------------------------|--|----------------------------------|------------------------------|
| Benzene | 9 | 1 | 7 | 917 at MW-2B* |
| Ethylbenzene | 7 | 5 | 3 | 1,520 at MW-2B (duplicate)* |
| Toluene | 9 | 5 | 4 | 1,790 at MW-2B (duplicate)* |
| Xylene, total | 5 | 5 | 4 | 2,800 at MW-2B (duplicate)* |

Notes:

(a) NYSDEC Ambient Water Quality Standard (TOGS 1.1.1, NYSDEC, 1998)

*- NAPL has been detected in the monitoring well. The concentration may not be representative of groundwater quality.

The maximum concentration of all BTEX compounds was detected at MW-2B. As shown in Appendix D, concentrations of BTEX compounds detected in September 2004 were generally less than concentrations detected in 2001 and 2002.

Polyaromatic Hydrocarbons

PAHs were found in seven of the nine bedrock groundwater samples. Where detected, concentrations of total SVOCs ranged from 1.58 µg/L at MW-10B to 8,377 µg/L at MW-2B. No PAHs were detected in the samples from MW-1B and MW-3B. The following compounds were detected in one or more bedrock groundwater sample.

Summary of PAHs Detected in Bedrock Groundwater (September 2004)

| Compound | Number of Detects (out of 9) | NYSDEC GW Standard ^(a) (µg/L) | Number of Exceedences (out of 9) | Maximum Concentration (µg/L) |
|------------------------|------------------------------|--|----------------------------------|------------------------------|
| 2-Methylnaphthalene | 4 | NS | 0 | 556 at MW-2B* |
| Acenaphthene | 3 | [20] | 3 | 94.2 at MW-2B* |
| Acenaphthylene | 6 | NS | 0 | 692 at MW-2B* |
| Anthracene | 3 | [50] | 1 | 190 at MW-2B* |
| Benzo(a)anthracene | 3 | [0.002] | 1 | 122** at MW-2B* |
| Benzo(a)pyrene | 3 | [0.002] | 1 | 128** at MW-2B* |
| Benzo(b)fluoranthene | 2 | [0.002] | 1 | 54.3** at MW-2B* |
| Benzo(k)fluoranthene | 2 | [0.002] | 1 | 79.9** at MW-2B* |
| Benzo(g,h,c)perylene | 2 | NS | 0 | 92.9 at MW-2B* |
| Chrysene | 3 | [0.002] | 1 | 117** at MW-2B* |
| Diben(a,h)anthracene | 2 | NS | 0 | 13.3 at MW-2B (duplicate)* |
| Fluoranthene | 3 | [50] | 1 | 348** at MW-2B* |
| Fluorene | 3 | [50] | 1 | 247 at MW-2B* |
| Indeno(1,2,3-cd)pyrene | 2 | [0.002] | 2 | 71.5 at MW-2B (duplicate)* |
| Naphthalene | 6 | [10] | 3 | 4,130 at MW-2B* |

| Compound | Number of Detects (out of 9) | NYSDEC GW Standard ^(a) (µg/L) | Number of Exceedences (out of 9) | Maximum Concentration (µg/L) |
|--------------|------------------------------|--|----------------------------------|------------------------------|
| Phenanthrene | 4 | [50] | 3 | 950** at MW-2B* |
| Pyrene | 3 | [50] | 2 | 520** at MW-2B* |

Notes:

(a) – NYSDEC Ambient Water Quality Standard (TOGS 1.1.1, NYSDEC, 1998)

NS – No standard

[] indicates guidance value

* - NAPL has been detected in the monitoring well. The concentration may not be representative of groundwater quality.

** - Maximum detected concentration is greater than reported solubility in water.

PAHs were detected at concentrations that exceed the NYSDEC’s groundwater standards at four locations (MW-2B, MW-6B, MW-7BS, and MW-7BD). Concentrations of some PAHs in monitoring wells MW-2B and MW-7BD, where NAPL was observed, exceed solubility limits in water. As shown in Appendix E, concentrations of PAHs detected in September 2004 were generally less than concentrations detected in 2001 and 2002.

Cyanide

Cyanide was not detected at concentrations that exceed the NYSDEC’s groundwater standard (200 µg/L) in any of the nine bedrock groundwater samples. Total cyanides were detected in two of the nine bedrock groundwater samples (MW-7BS [7.9 µg/L] and MW-11B [3.75 µg/L]). Cyanide was not detected in MW-1B, MW-2B, MW-6B, MW-7BD, MW-9B, MW-10B, and MW-11B. As shown in Appendix E, the concentrations of cyanide detected in samples collected in September 2004 are consistent with concentrations detected in 2001 and 2002.

Phenol

Phenols were detected in all of the nine groundwater samples. Concentrations of total phenol ranged from 3.72 µg/L at MW-9B to 167 µg/L at MW-7BS. The NYSDEC groundwater standard for phenols is 1 µg/L. As shown in Appendix E, the concentrations of phenols detected in samples collected in September 2004 are consistent with concentrations detected in 2001 and 2002.

4.0 SUMMARY AND CONCLUSIONS

General Site Conditions

- No physical damage was observed at any of the monitoring wells and site conditions were generally unchanged since URS' previous site visit on September 22, 2003.
- During the September 2004 site inspection, no indications of NAPL were observed in monitoring wells MW-1B, MW-3B, MW-6B, MW-7DD, MW-8B, MW-8BD, MW-9B, MW-10B, or MW-11B. A strong tar-like odor was detected in MW-7BS. Trace amounts of NAPL were observed in purge water from monitoring wells MW-2B and MW-7BD as well as on the packer in the angled boring. The NAPL in the angled boring was found on top of the packer and on the PVC piping attached to the packer. Recoverable amounts of NAPL were not found in any of the borings or monitoring wells. The locations and amounts of NAPL observed is consistent with previous observations.

Monitoring Well Decommissioning

- On September 13 and 14, 2004 URS decommissioned the angled boring and three bedrock monitoring wells (MW-7DD, MW-8B, and MW-8BD) in accordance with the *ROD*.

Passive Soil Vapor Samples

- Target compounds were detected in six out of the ten samples (PSV-04-02, PSV-04-03, PSV-04-04, PSV-04-08, PSV-04-09 and PSV-04-10). Benzene was the most frequently detected compound. Detected concentrations of benzene ranged from 0.03 µg at PSV-04-10 to 0.08 µg at PSV-04-03. Benzene (0.05µg) was detected in one of four samples collected along the western side of the apartment complex (PSV-04-05). The detection limit for benzene is 0.03 µg.
- Tetrachloroethene (PCE) was detected in one sample (19.56 µg at PSV-04-09). Sample location PSV-04-09 is west of the former firehouse and outside of the area excavated during the 2001 IRM. PCE was detected during the remedial investigation at trace concentrations in three surface and near surface soils. However, PCE is not considered to be related to MGP activities.

Bedrock Groundwater Samples

- Concentrations of BTEX compounds and PAHs detected in September 2004 were generally less than concentrations detected in 2001 and 2002.
- Concentrations of cyanide and phenols detected in samples collected in September 2004 are consistent with concentrations detected in 2001 and 2002.

5.0 RECOMMENDATIONS

Based on the results prescribed in this *2004 OM&M Report*, URS makes the following recommendations.

- Based on the results of the passive soil vapor samples, further soil vapor monitoring is warranted to confirm the results. NYSEG will prepare a plan to collect additional soil vapor sample data under a separate letter.
- NYSEG will continue to perform annual site inspection and collect groundwater samples in accordance with the ROD and the OM&M Plan. The next event will be in September 2005.

6.0 REFERENCES

New York State Department of Environmental Conservation, March 2004. *Record of Decision – NYSEG Bridge Street Former MGP Site, Plattsburgh, Clinton County, New York – Site Number 5-10-016.*

URS Corporation, 2004. *Operation, Maintenance, & Monitoring Plan.* August 17, 2004.

URS Corporation, 2004. *Remedial Investigation Report,* January 15, 2004.

USEPA, 1987. *A Compendium of Superfund Field Operations Methods,* EPA/540/P-87-001, (OSWER Directive 9355.0-14). December. Cincinnati, OH: USEPA.

USEPA SW-846. *Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods.*

TABLES

TABLE 1
SUMMARY OF PASSIVE SOIL VAPOR SAMPLES
NYSEG FORMER MGP SITE
BRIDGE STREET PLATTSBURGH, NEW YORK

| Sample Location | Sample Identification | Date/Time Installed | Date/Time Retrieved | Sample Depth (feet bgs) | Depth to Water Table* (feet bgs) |
|-----------------|-----------------------|---------------------|---------------------|-------------------------|----------------------------------|
| PSV-04-01 | 457897 | 9/13/04 1400 | 9/27/04 1200 | 3.5 | 4.0 |
| PSV-04-02 | 457899 | 9/13/04 1000 | 9/27/04 1208 | 4.5 | NE |
| PSV-04-03 | 457901 | 9/13/04 1250 | 9/27/04 1220 | 4.0 | 4.5 |
| PSV-04-04 | 457900 | 9/13/04 1030 | 9/27/04 1213 | 5.0 | 5.0 |
| PSV-04-05 | 457894 | 9/13/04 1220 | 9/27/04 1138 | 4.0 | 4.5 |
| PSV-04-06 | 457893 | 9/13/04 1150 | 9/27/04 1130 | 4.0 | 4.5 |
| PSV-04-07 | 457903 | 9/13/04 1130 | 9/27/04 1239 | 4.0 | 4.5 |
| PSV-04-08 | 457902 | 9/13/04 1050 | 9/27/04 1236 | 4.5 | 4.5 |
| PSV-04-09 | 457896 | 9/13/04 1430 | 9/27/04 1153 | 3.5 | 4.0 |
| PSV-04-10 | 457895 | 9/13/04 1315 | 9/27/04 1145 | 3.0 | 3.5 |
| Trip Blank | 457898 | - | - | - | - |

Notes:

* Depth at which water was encountered in boring.
 NE - Geoprobe refusal. Groundwater not encountered.

**TABLE 2
SUMMARY OF WATER LEVELS, NAPL CHECKS, AND PURGING DATA
SEPTEMBER 2004**

**NYSEG BRIDGE STREET
FORMER MGP SITE
PLATTSBURGH, NEW YORK**

| Well Number | Date | Depth to Water (ft bgs) | Water Elevation (ft msl) | Total Volume Purged (Liters) | NAPL Observations | Specific Conductivity (umhos/cm) | Temperature (°C) | pH | Turbidity | Notes |
|---------------|-----------|-------------------------|--------------------------|------------------------------|---------------------|----------------------------------|------------------|-------|-----------|--|
| Angled Boring | 9/15/2004 | - | - | - | trace upper portion | - | - | - | - | No sample collected - well abandoned |
| MW-1B | 9/15/2004 | 5.35 | 117.45 | 110 | ND | 1,162 | 11.09 | 11.29 | 160 | Purged dry |
| MW-2B | 9/15/2004 | 4.82 | 117.50 | 106 | odor, trace NAPL | - | - | - | - | No parameters collected due to NAPL in water |
| MW-3B | 9/15/2004 | 8.32 | 111.79 | 125 | ND | 1,460 | 12.6 | 7.25 | 76 | Purged dry |
| MW-6B | 9/15/2004 | 4.75 | 117.15 | 106 | ND | 4,409 | 13.01 | 12.46 | 95 | Purged dry |
| MW-7BD | 9/15/2004 | 6.25 | 114.81 | 98 | odor, trace NAPL | - | - | - | - | No parameters collected due to NAPL in water |
| MW-7BS | 9/15/2004 | 2.35 | 118.37 | 76 | odor | 1,035 | 13.87 | 11.78 | 74 | |
| MW-7DD | 9/15/2004 | - | - | - | ND | - | - | - | - | No sample collected - well abandoned |
| MW-8B | 9/15/2004 | - | - | - | ND | - | - | - | - | No sample collected - well abandoned |
| MW-8BD | 9/15/2004 | - | - | - | ND | - | - | - | - | No sample collected - well abandoned |
| MW-9B | 9/15/2004 | 14.12 | 106.94 | 49 | ND | 2,195 | 12.9 | 11.52 | 975 | Purged dry |
| MW-10B | 9/15/2004 | 6.79 | 115.36 | 36 | ND | 907 | 10.52 | 7.05 | 455 | Purged dry |
| MW-11B | 9/15/2004 | 2.39 | 117.42 | 97 | ND | 2,984 | 12.21 | 11.73 | >1,000 | Purged dry |

ND - No indications of NAPL detected.

TABLE 3

SOIL GAS RESULTS

 NYSEG FORMER MGP SITE
 BRIDGE STREET PLATTSBURGH, NEW YORK

| Sample Location Sample Date | PSV-04-01 9/30/04 | PSV-04-02 9/30/04 | PSV-04-03 9/30/04 | PSV-04-04 9/30/04 | PSV-04-05 9/30/04 | PSV-04-06 9/30/04 | PSV-04-07 9/30/04 | PSV-04-08 9/30/04 | PSV-04-09 9/30/04 | PSV-04-10 9/30/04 | Trip Blank 9/30/04 |
|--------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|--------------------------|
| Benzene | <0.03 | 0.06 | 0.08 | 0.07 | <0.03 | <0.03 | <0.03 | 0.05 | <0.03 | 0.03 | <0.03 |
| Toluene | <0.02 | <0.02 | <0.02 | 0.04 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | 0.05 |
| Ethylbenzene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| m&p-Xylene | <0.02 | 0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | 0.03 |
| o-Xylene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| C11 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| C13 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| C15 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| 1,2,4-Trimethylbenzene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| 1,3,5-Trimethylbenzene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| trans-1,2-Dichloroethene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| cis-1,2-Dichloroethene | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| Naphthalene | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| 2-Methylnaphthalene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| MTBE | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| 1,1-Dichloroethane | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| 1,1,1-Trichloroethane | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 |
| 1,2-Dichloroethane | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Trichloroethene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Octane | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Tetrachloroethene | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | 19.56 | <0.03 | <0.03 |
| 1,4-Dichlorobenzene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Acenaphthene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Acenaphthylene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Fluorene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Phenanthrene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Anthracene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Fluoranthene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Pyrene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Chloroform | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| Carbon Tetrachloride | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |

TABLE 3

SOIL GAS RESULTS

NYSEG FORMER MGP SITE
BRIDGE STREET PLATTSBURGH, NEW YORK

| Sample Location Sample Date | PSV-04-01 9/30/04 | PSV-04-02 9/30/04 | PSV-04-03 9/30/04 | PSV-04-04 9/30/04 | PSV-04-05 9/30/04 | PSV-04-06 9/30/04 | PSV-04-07 9/30/04 | PSV-04-08 9/30/04 | PSV-04-09 9/30/04 | PSV-04-10 9/30/04 | Trip Blank 9/30/04 |
|--------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|--------------------------|
| Chlorobenzene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Styrene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Indane | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Indene | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| <i>Total VOCs/SVOCs</i> | <i>ND</i> | <i>0.08</i> | <i>0.08</i> | <i>0.11</i> | <i>ND</i> | <i>ND</i> | <i>ND</i> | <i>0.05</i> | <i>19.56</i> | <i>0.03</i> | <i>0.08</i> |

Notes:

Analyses performed by W.L. Gore & Associates, Inc.

<: Indicates the parameter was not detected above the PQL shown.

Values are reported in micrograms per sorber (ug)

Bold indicates parameter was detected.

TABLE 4

BEDROCK GROUNDWATER ANALYTICAL RESULTS

 NYSEG FORMER MGP SITE
 BRIDGE STREET PLATTSBURGH, NEW YORK

| Sample Location Sample Date | NYSDEC GW Standard ^(a) | MW-1B 9/16/04 | MW-2B 9/16/04 | MW-2B (Duplicate) 9/16/04 | MW-3B 9/16/04 | MW-6B 9/16/04 | MW-7BD 9/16/04 | MW-7BS 9/16/04 | MW-9B 9/16/04 | MW-10B 9/16/04 | MW-11B 9/16/04 |
|--|--------------------------------------|------------------|------------------|---------------------------------|------------------|------------------|-------------------|-------------------|------------------|-------------------|-------------------|
| <i>Volatile Organic Compounds (ug/L)</i> | | | | | | | | | | | |
| Benzene | 1 | 0.643J | 917 | 910 | 6.59 | 1.58 | 464 | 29.1 | 0.434J | 1.68 | 2.82 |
| Ethylbenzene | 5 | <1 | 987 | 1,520 | 0.317J | 1.71 | 279 | 20.8 | <1 | 0.292J | 1.93 |
| Toluene | 5 | 0.382J | 1,470 | 1,790 | 0.768J | 1.61 | 581 | 6.1 | 0.357J | 0.475J | 5.32 |
| Xylene, total | 5 | <2 | 1,800 | 2,800 | <2 | 4.22 | 855 | 19.6 | <2 | <2 | 5.58 |
| Total BTEX | NS | 1.03 | 3,270 | 6,110 | 7.68 | 9.12 | 2,179 | 75.6 | 0.791 | 2.45 | 15.7 |
| <i>Semivolatile Organic Compounds (ug/L)</i> | | | | | | | | | | | |
| Acenaphthene | [20] | <9.43 | 94.2J | 67.4 | <9.52 | <9.8 | 39.4 | 66 | <9.62 | <9.8 | <9.71 |
| Acenaphthylene | NS | <9.43 | 692 | 497 | <9.52 | 4.89J | 230J | 21.8 | 1.87J | <9.8 | 1.17J |
| Anthracene | [50] | <9.43 | 190J | 115 | <9.52 | <9.8 | 26.6 | 8.3J | <9.62 | <9.8 | <9.71 |
| Benzo(a)anthracene | [0.002] | <9.43 | 122J | 70.2 | <9.52 | <9.8 | 11.9 | 1.29J | <9.62 | <9.8 | <9.71 |
| Benzo(a)pyrene | [0.002] | <9.43 | 128J | 69.9 | <9.52 | <9.8 | 10.6 | 0.982J | <9.62 | <9.8 | <9.71 |
| Benzo(b)fluoranthene | [0.002] | <9.43 | 54.3J | 31.6J | <9.52 | <9.8 | 4.94J | <9.52 | <9.62 | <9.8 | <9.71 |
| Benzo(g,h,i)perylene | NS | <9.43 | 92.9J | 94.2 | <9.52 | <9.8 | 8.08J | <9.52 | <9.62 | <9.8 | <9.71 |
| Benzo(k)fluoranthene | [0.002] | <9.43 | 79.9J | 37.4J | <9.52 | <9.8 | 5.8J | <9.52 | <9.62 | <9.8 | <9.71 |
| Chrysene | [0.002] | <9.43 | 117J | 67.7 | <9.52 | <9.8 | 11.2 | 1.2J | <9.62 | <9.8 | <9.71 |
| Dibenzo(a,h)anthracene | NS | <9.43 | <243 | 13.3J | <9.52 | <9.8 | 1.31J | <9.52 | <9.62 | <9.8 | <9.71 |
| Fluoranthene | [50] | <9.43 | 348 | 208 | <9.52 | <9.8 | 46.9 | 8.69J | <9.62 | <9.8 | <9.71 |
| Fluorene | [50] | <9.43 | 247 | 161 | <9.52 | <9.8 | 62.6 | 17.7 | <9.62 | <9.8 | <9.71 |
| Indeno(1,2,3-cd)pyrene | [0.002] | <9.43 | 55.5J | 71.5 | <9.52 | <9.8 | 12.4 | <9.52 | <9.62 | <9.8 | <9.71 |
| 2-Methylnaphthalene | NS | <9.43 | 556 | 457 | <9.52 | 5.51J | 222J | 13.1 | <9.62 | <9.8 | <9.71 |
| Naphthalene | [10] | <9.43 | 4,130 | 4,030 | <9.52 | 11.1 | 2,420 | 147 | <9.62 | 1.58J | 2.42J |
| Phenanthrene | [50] | <9.43 | 950 | 30J | <9.52 | 2.79J | 6.06J | 52.9 | <9.62 | <9.8 | <9.71 |
| Pyrene | [50] | <9.43 | 520 | 299 | <9.52 | <9.8 | 56 | 11 | <9.62 | <9.8 | <9.71 |
| Total PAHs | NS | ND | 8,377 | 6,320 | ND | 24.3 | 3,176 | 350 | 1.87 | 1.58 | 3.59 |
| <i>General Chemistry (ug/L)</i> | | | | | | | | | | | |
| Phenolics, total | 1 | 7.13 | 106 | 118 | 23.4 | 42.5 | 31.1 | 167 | 3.72J | 6.92 | 18.7 |
| Cyanide, total | 200 | <10 | <10 | <10 | <10 | <10 | <10 | 7.97J | <10 | <10 | 3.75J |

TABLE 4

BEDROCK GROUNDWATER ANALYTICAL RESULTS

**NYSEG FORMER MGP SITE
BRIDGE STREET PLATTSBURGH, NEW YORK**

Notes:

Analyses performed by Analytical Services Center.

<: Indicates the parameter was not detected above the PQL shown.

J: Indicates an estimated concentration between the MDL and PQL.

NS indicates no standard is available.



^(a) New York State Groundwater Quality Standard from Division of Water
Technical and Operational Guidance Series (NYSDEC, TOGS 1.1.1).

[]: Indicates a Guidance Value.

Bold indicates parameter was detected.

Shading indicates parameter exceeds standard.

FIGURES





| | | |
|-----------|--|------------------------------------|
| Title: | SITE LOCATION MAP | |
| Location: | BRIDGE STREET FORMER MGP SITE PLATTSBURGH, NEW YORK | |
| Client: |  | NEW YORK STATE ELECTRIC AND GAS |

SOURCE:
USGS 7 1/2 Minute Series Topographic Map
Plattsburgh, New York 1966



URS Corporation
28 Corporate Drive, Suite 200
Clifton Park, New York 12065

| | | | |
|-----------------|--------|----------|--------------|
| Drafter: | DAD | Date: | October 2004 |
| Drg. Size: | 8.5X11 | Job No.: | 38394199 |
| FIGURE 1 | | | |



LEGEND

- Passive Soil Vapor Sampling Location
- Overburden Monitoring Well
- Bedrock Monitoring Well
- Property Boundary (approx.)
- Former Gas Holder
- Former Structures (approx.)
- Buildings



Title: PASSIVE SOIL VAPOR SAMPLING LOCATIONS



Location: BRIDGE STREET FORMER MGP SITE PLATTSBURGH, NEW YORK

Client: NEW YORK STATE ELECTRIC AND GAS

| | |
|-----------------------------|------------------------------|
| Drafter: DAD | Date: October 2004 |
| Drg. Size: 8.5X11 | Job No.: 38394199 |

URS Corporation
28 Corporate Drive, Suite 200
Clifton Park, New York 12065


FIGURE 2



LEGEND

- Overburden Monitoring Well
- Bedrock Monitoring Well
- Property Boundary (approx.)
- Former Gas Holder
- Former Structures (approx.)
- Buildings

* - Well decommissioned



| | |
|--|------------------------------------|
| Title: MONITORING WELL LOCATION MAP | |
| Location: BRIDGE STREET FORMER MGP SITE PLATTSBURGH, NEW YORK | |
| Client: | NEW YORK STATE ELECTRIC AND GAS |
| Drafter: DAD | Date: October 2004 |
| Drg. Size: 8.5X11 | Job No.: 38394199 |
| FIGURE 3 | |

URS Corporation
28 Corporate Drive, Suite 200
Clifton Park, New York 12065

APPENDIX A
PASSIVE SOIL VAPOR SAMPLE ANALYTICAL REPORT



W. L. GORE & ASSOCIATES, INC.

100 CHESAPEAKE BLVD., P.O. BOX 10 • ELKTON, MARYLAND 21922-0010 • PHONE: 410/392-7600
FAX: 410/506-4780

GORE-SORBER® EXPLORATION SURVEY
GORE-SORBER® SCREENING SURVEY

GORE™ Survey for Site Assessment and Monitoring Final Report

NYSEG – Bridge Street Former MGP Site
Plattsburgh, NY

10/15/2004

Prepared For:
URS Corporation
28 Corporate Drive
Clifton Park, NY 12065

W.L. Gore & Associates, Inc.

Written/Submitted by:
Jay W. Hodny, Ph.D., Product Specialist

Reviewed/Approved by:
Jim E. Whetzel, Project Manager

Analytical Data Reviewed by:
Jim E. Whetzel, Chemist

S:\ENVIRONMENTAL\GORE SURVEYS\PROJECTS IN PROGRESS\11983218\041015R.DOC

This document shall not be reproduced, except in full, without written approval of W.L. Gore & Associates

**GORE™ Surveys for Site Assessment and Monitoring
Final Report**

REPORT DATE: 10/15/2004

AUTHOR: JWH

SITE INFORMATION

Site Reference: NYSEG-Bridge Street Former MGP Site, Plattsburgh NY

Customer Purchase Order Number: 38394199

Gore Production Order Number: 11983218

Gore Site Code: CUL

FIELD PROCEDURES

Modules shipped: 11

Installation Date(s): 9/13/2004

Field work performed by: URS Corporation

Modules Installed: 10

Retrieval date(s): 9/27/2004

Modules Retrieved: 10

Exposure Time: 14 [days]

Trip Blanks Returned: 1

Date/Time Received by Gore: 09/29/04 1:00:00 PM

Chain of Custody Form attached: Yes

Chain of Custody discrepancies: None

Comments:

Module #457898 was identified as a trip blank.

By: MM

**GORE™ Surveys for Site Assessment and Monitoring
Final Report**

ANALYTICAL PROCEDURES

W.L. Gore & Associates' Screening Module Laboratory operates under the guidelines of its Quality Assurance Manual, Operating Procedures and Methods. The quality assurance program is consistent with Good Laboratory Practices (GLP) and ISO Guide 25, "General Requirements for the Competence of Calibration and Testing Laboratories", third edition, 1990.

Instrumentation consists of state of the art gas chromatographs equipped with mass selective detectors, coupled with automated thermal desorption units. Sample preparation simply involves cutting the tip off the bottom of the sample module and transferring one or more exposed sorbent containers (sorbents, each containing 40mg of a suitable granular adsorbent) to a thermal desorption tube for analysis. Sorbents remain clean and protected from dirt, soil, and ground water by the insertion/retrieval cord, and require no further sample preparation.

Analytical Method Quality Assurance:

The analytical method employed is a modified EPA method 8260/8270. Before each run sequence, two instrument blanks, a sorber containing 5µg BFB (Bromofluorobenzene), and a method blank are analyzed. The BFB mass spectra must meet the criteria set forth in the method before samples can be analyzed. A method blank and a sorber containing BFB is also analyzed after every 30 samples and/or trip blanks. Standards containing the selected target compounds at three calibration levels of 5, 20, and 50µg are analyzed at the beginning of each run. The criterion for each target compound is less than 35% RSD (relative standard deviation). If this criterion is not met for any target compound, the analyst has the option of generating second- or third-order standard curves, as appropriate. A second-source reference standard, at a level of 10µg per target compound, is analyzed after every ten samples and/or trip blanks, and at the end of the run sequence. Positive identification of target compounds is determined by 1) the presence of the target ion and at least two secondary ions; 2) retention time versus reference standard; and, 3) the analyst's judgment.

NOTE: All data have been archived. Any replicate sorbents not used in the initial analysis will be discarded fifteen (15) days from the date of analysis.

Laboratory analysis: thermal desorption, gas chromatography, mass selective detection

Instrument ID: # 5 **Chemist:** CPJW

Compounds/mixtures requested: A4 plus TICs

Deviations from Standard Method: None

Comments: Soil vapor analytes and abbreviations are tabulated in the Data Table Key (page 6).

**GORE™ Surveys for Site Assessment and Monitoring
Final Report**

DATA TABULATION

CONTOUR MAPS ENCLOSED: No contour maps were requested.

NOTE: All data values presented in Appendix A represent masses of compound(s) desorbed from the GORE™ Modules received and analyzed by W.L. Gore & Associates, Inc., as identified in the Chain of Custody (Appendix A). The measurement traceability and instrument performance are reproducible and accurate for the measurement process documented. Semi-quantitation of the compound mass is based on either a single-level (QA Level 1) or three-level (QA Level 2) standard calibration.

General Comments:

- This survey reports soil gas mass levels present in the vapor phase. Vapors are subject to a variety of attenuation factors during migration away from the source concentration to the module. Thus, mass levels reported from the module will often be less than concentrations reported in soil and groundwater matrix data. In most instances, the soil gas masses reported on the modules compare favorably with concentrations reported in the soil or groundwater (e.g., where soil gas levels are reported at greater levels relative to other sampled locations on the site, matrix data should reveal the same pattern, and vice versa). However, due to a variety of factors, a perfect comparison between matrix data and soil gas levels can rarely be achieved.
- Soil gas signals reported by this method cannot be identified specifically to soil adsorbed, groundwater, and/or free-product contamination. The soil gas signal reported from each module can evolve from all of these sources. Differentiation between soil and groundwater contamination can only be achieved with prior knowledge of the site history (i.e., the site is known to have groundwater contamination only).
- QA/QC trip blank modules were provided to document potential exposures that were not part of the soil gas signal of interest (i.e., impact during module shipment, installation and retrieval, and storage). The trip blanks are identically manufactured and packaged soil gas modules to those modules placed in the subsurface. However, the trip blanks remain unopened during all phases of the soil gas survey. Levels reported on the trip blanks may indicate potential impact to modules other than the contaminant source of interest.

**GORE™ Surveys for Site Assessment and Monitoring
Final Report**

- Unresolved peak envelopes (UPEs) are represented as a series of compound peaks clustered together around a central gas chromatograph elution time in the total ion chromatogram. Typically, UPEs are indicative of complex fluid mixtures that are present in the subsurface. UPEs observed early in the chromatogram are considered to indicate the presence of more volatile fluids, while UPEs observed later in the chromatogram may indicate the presence of less volatile fluids. Multiple UPEs may indicate the presence of multiple complex fluids.
- Stacked total ion chromatograms (TICs) are included in Appendix A. The six-digit serial number of each module is incorporated into the TIC identification (e.g.: 123456S.D represents module #123456).

Project Specific Comments:

- Toluene and m,p-xylene were observed in the trip blank at levels exceeding the method detection limit. No other target compounds were detected on the trip blanks and/or the method blanks. Thus, target analyte levels reported for the field-installed modules that exceed trip and method blank levels, and the analyte method detection limit, are more likely to have originated from on-site sources.
- The soil gas mass levels were low in general. Benzene and PCE were the most prevalent compounds.

**GORE™ Surveys for Site Assessment and Monitoring
Final Report**

**KEY TO DATA TABLE
NYSEG-Bridge Street Former MGP Site, Plattsburgh, NY**

| | |
|-------------------|--|
| UNITS | |
| mg | micrograms (per sorber), reported for compounds |
| MDL | method detection limit |
| bdl | below detection limit |
| nd | non-detect |
| ANALYTES | |
| BTEX | combined masses of benzene, toluene, ethylbenzene and total xylenes (Gasoline Range Aromatics) |
| BENZ | benzene |
| TOL | toluene |
| EtBENZ | ethylbenzene |
| mpXYL | m-, p-xylene |
| oXYL | o-xylene |
| C11,C13&C15 | combined masses of undecane, tridecane, and pentadecane (C11+C13+C15) (Diesel Range Alkanes) |
| UNDEC | undecane |
| TRIDEC | tridecane |
| PENTADEC | pentadecane |
| TMBs | combined masses of 1,3,5-trimethylbenzene and 1,2,4-trimethylbenzene |
| 135TMB | 1,3,5-trimethylbenzene |
| 124TMB | 1,2,4-trimethylbenzene |
| c12DCE | cis- & trans-1,2-dichloroethene |
| t12DCE | trans-1,2-dichloroethene |
| c12DCE | cis-1,2-dichloroethene |
| NAPH&2-MN | combined masses of naphthalene and 2-methyl naphthalene |
| Combined PAHs | combined masses of naphthalene, 2-methyl naphthalene, acenaphthene, acenaphthylene, fluorene, phenanthrene, anthracene, fluoranthene, and pyrene. |
| NAPH | naphthalene |
| 2MeNAPH | 2-methyl naphthalene |
| MTBE | methyl t-butyl ether |
| PHEN | phenanthrene |
| 11DCA | 1,1-dichloroethane |
| CHCl ₃ | chloroform |
| 111TCA | 1,1,1-trichloroethane |
| 12DCA | 1,2-dichloroethane |
| CCl ₄ | carbon tetrachloride |
| TCE | trichloroethene |
| OCT | octane |
| PCE | tetrachloroethene |
| CIBENZ | chlorobenzene |
| 14DCB | 1,4-dichlorobenzene |
| BLANKS | |
| TBn | unexposed trip blanks, travels with the exposed modules |
| method blank | QA/QC module, documents analytical conditions during analysis |

APPENDIX A:

1. CHAIN OF CUSTODY
- 2 DATA TABLE
- 3 STACKED TOTAL ION CHROMATOGRAMS
- 4 COLOR CONTOUR MAPS

GORE-SORBER® Screening Survey Chain of Custody

For W.L. Gore & Associates use only
Production Order # 11983218



W. L. Gore & Associates, Inc., Survey Products Group

100 Chesapeake Boulevard • Elkton, Maryland 21921 • Tel: (410) 392-7600 • Fax (410) 506-4780

Instructions: Customer must complete ALL shaded cells

| | |
|---|---|
| Customer Name: <u>URS CORPORATION</u> | Site Name: <u>NYSEG PLATTSBURGH NY</u> |
| Address: <u>28 CORPORATION DRIVE</u> <u>CLIFTON PARK NY 12065</u> <u>U.S.A.</u> | Site Address: <u>Bridge Street</u> |
| Phone: <u>(518) 688-0015</u> | Project Manager: <u>SCOTT HULSEAPPLE</u> |
| FAX: <u>(518) 688-0022</u> | Customer Project No.: <u>12104252</u> |
| | Customer P.O. #: <u>38394199</u> Quote #: <u>219252</u> |

| Serial # of Modules Shipped | # of Modules for Installation | # of Trip Blanks |
|-----------------------------|--|------------------|
| # 457893 - # 457903 | <u>10</u> | <u>1</u> |
| # - # | Total Modules Shipped: <u>11</u> | Pieces |
| # - # | Total Modules Received: <u>11</u> | Pieces |
| # - # | Total Modules Installed: <u>10</u> | Pieces |
| # - # | Serial # of Trip Blanks (Client Decides) # | |
| # - # | # | # |
| # - # | # | # |
| # - # | # | # |
| # - # | # | # |
| # - # | # | # |
| # - # | # | # |
| # - # | # | # |
| # - # | # | # |

| | | | |
|---------------------------------------|---|---|---|
| Prepared By: <u>Marlene Gellonick</u> | # | # | # |
| Verified By: <u>Marek D. Kuchta</u> | # | # | # |

| | |
|---|---|
| Installation Performed By: | Installation Method(s) (circle those that apply): |
| Name (please print): <u>Eric Lovenduski</u> | <input checked="" type="checkbox"/> Slide Hammer <input type="checkbox"/> Hammer Drill <input type="checkbox"/> Auger |
| Company/Affiliation: <u>URS</u> | Other: |

Installation Start Date and Time: 9/13/04 10:00 AM PM

Installation Complete Date and Time: 9/23/04 (33) 12:39 1430 AM PM

| | | |
|---|---|--------|
| Retrieval Performed By: | Total Modules Retrieved: <u>10</u> | Pieces |
| Name (please print): <u>Eric Lovenduski</u> | Total Modules Lost in Field: <u>0</u> | Pieces |
| Company/Affiliation: <u>URS</u> | Total Unused Modules Returned: <u>0</u> | Pieces |

Retrieval Start Date and Time: 9/27/04 11:30 AM PM

Retrieval Complete Date and Time: 9/27/04 12:39 AM PM

| Relinquished By | Date | Time | Received By | Date | Time |
|--------------------------|--------------------|--------------------|------------------------|--------------------|--------------------|
| <u>Marlene Gellonick</u> | <u>9/1/04</u> | <u>8:28 AM</u> | <u>URS</u> | <u>9/10/04</u> | <u>15:00</u> |
| <u>URS</u> | <u>9/28/04</u> | <u>11:00</u> | <u>[Signature]</u> | <u>[Signature]</u> | <u>[Signature]</u> |
| <u>[Signature]</u> | <u>[Signature]</u> | <u>[Signature]</u> | <u>Marek D. Kuchta</u> | <u>9-27-04</u> | <u>13:00</u> |

**GORE-SORBER® Screening Survey
Installation and Retrieval Log**

SITE NAME & LOCATION

NYSEG - Bridge Street Former MGP site
Plattsburgh, NY

Page 1 of 1

| LINE # | MODULE # | INSTALLATION DATE/TIME | RETRIEVAL DATE/TIME | EVIDENCE OF LIQUID HYDROCARBONS (LPH) or HYDROCARBON ODOR (Check as appropriate) | | | MODULE IN WATER (check one) | | COMMENTS |
|--------|----------|------------------------|---------------------|--|------|------|-----------------------------|----|------------|
| | | | | LPH | ODOR | NONE | YES | NO | |
| 1. | 457893 | 7/13/04 1150 | 7/27/04 1130 | | | X | | X | PSV-04-06 |
| 2. | 457894 | 7/13/04 1220 | 7/27/04 1138 | | | X | | X | PSV-04-05 |
| 3. | 457895 | 7/13/04 1315 | 7/27/04 1145 | | | X | | X | PSV-04-10 |
| 4. | 457896 | 7/13/04 1430 | 7/27/04 1153 | | | X | | X | PSV-04-09 |
| 5. | 457897 | 7/13/04 1400 | 7/27/04 1200 | | | X | | X | PSV-04-01 |
| 6. | 457898 | TRIP BLANK | | | | | | | TRIP BLANK |
| 7. | 457899 | 7/13/04 1000 | 7/27/04 1208 | | | X | | X | PSV-04-02 |
| 8. | 457900 | 7/13/04 1030 | 7/27/04 1213 | | | X | X | | PSV-04-04 |
| 9. | 457901 | 7/13/04 1250 | 7/27/04 1220 | | | X | | X | PSV-04-03 |
| 10. | 457902 | 7/13/04 1050 | 7/27/04 1236 | | | X | | X | PSV-04-08 |
| 11. | 457903 | 7/13/04 1130 | 7/27/04 1239 | | | X | | X | PSV-04-07 |
| 12. | | | | | | | | | |
| 13. | | | | | | | | | |
| 14. | | | | | | | | | |
| 15. | | | | | | | | | |
| 16. | | | | | | | | | |
| 17. | | | | | | | | | |
| 18. | | | | | | | | | |
| 19. | | | | | | | | | |
| 20. | | | | | | | | | |
| 21. | | | | | | | | | |
| 22. | | | | | | | | | |
| 23. | | | | | | | | | |
| 24. | | | | | | | | | |
| 25. | | | | | | | | | |
| 26. | | | | | | | | | |
| 27. | | | | | | | | | |
| 28. | | | | | | | | | |
| 29. | | | | | | | | | |
| 30. | | | | | | | | | |
| 31. | | | | | | | | | |
| 32. | | | | | | | | | |
| 33. | | | | | | | | | |
| 34. | | | | | | | | | |
| 35. | | | | | | | | | |
| 36. | | | | | | | | | |
| 37. | | | | | | | | | |
| 38. | | | | | | | | | |
| 39. | | | | | | | | | |
| 40. | | | | | | | | | |
| 41. | | | | | | | | | |
| 42. | | | | | | | | | |

GORE(TM) SURVEYS FOR SITE ASSESSMENT AND MONITORING ANALYTICAL RESULTS
 URS CORPORATION, CLIFTON PARK, NY
 CUSTOM TARGET COMPOUNDS (A7)
 NYSEG - BRIDGE STREET FORMER MGP SITE, PLATTSBURGH, NY
 SITE CUL - PRODUCTION ORDER #11983218

| DATE ANALYZED | SAMPLE NAME | BTEX, ug | BENZ, ug | TOL, ug | EIBENZ, ug | mpXYL, ug | oXYL, ug | C11, C13, &C15, ug | UNDEC, ug | TRIDEC, ug |
|---------------|---------------|----------|----------|---------|------------|-----------|----------|--------------------|-----------|------------|
| | MDL= | | 0.03 | 0.02 | 0.02 | 0.02 | 0.02 | | 0.02 | 0.02 |
| 09/30/04 | 457893 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 09/30/04 | 457894 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 09/30/04 | 457895 | 0.03 | 0.03 | nd | nd | nd | nd | nd | nd | nd |
| 09/30/04 | 457896 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 09/30/04 | 457897 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 09/30/04 | 457899 | 0.08 | 0.06 | nd | bdl | 0.02 | nd | nd | nd | nd |
| 09/30/04 | 457900 | 0.11 | 0.07 | 0.04 | nd | bdl | nd | nd | nd | nd |
| 09/30/04 | 457901 | 0.08 | 0.08 | nd | bdl | nd | nd | nd | nd | nd |
| 09/30/04 | 457902 | 0.05 | 0.05 | nd | nd | nd | nd | nd | nd | nd |
| 09/30/04 | 457903 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 09/30/04 | 457898 | 0.07 | nd | 0.05 | nd | 0.03 | nd | nd | nd | nd |
| 09/30/04 | method blank | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| | Maximum | 0.11 | 0.08 | 0.04 | 0.01 | 0.02 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Standard Dev. | 0.04 | 0.03 | 0.01 | 0.00 | 0.01 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Mean | 0.04 | 0.03 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS FOR SITE ASSESSMENT AND MONITORING ANALYTICAL RESULTS
 URS CORPORATION, CLIFTON PARK, NY
 CUSTOM TARGET COMPOUNDS (A7)
 NYSEG - BRIDGE STREET FORMER MGP SITE, PLATTSBURGH, NY
 SITE CUL - PRODUCTION ORDER #11983218

| SAMPLE NAME | PENTADEC, ug | TMBs, ug | 124TMB, ug | 135TMB, ug | cl12DCE, ug | l12DCE, ug | c12DCE, ug | Combined PAHs, ug | NAPH&2-MN, ug |
|---------------|--------------|----------|------------|------------|-------------|------------|------------|-------------------|---------------|
| MDL= | 0.02 | | 0.02 | 0.02 | | 0.02 | 0.03 | | |
| 457893 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457894 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457895 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457896 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457897 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457899 | nd | 0.00 | bdl | nd | nd | nd | nd | nd | nd |
| 457900 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457901 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457902 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457903 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457898 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| method blank | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| Maximum | 0.00 | 0.00 | 0.01 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Standard Dev. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Mean | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS FOR SITE ASSESSMENT AND MONITORING ANALYTICAL RESULTS
 URS CORPORATION, CLIFTON PARK, NY
 CUSTOM TARGET COMPOUNDS (A7)
 NYSEG - BRIDGE STREET FORMER MGP SITE, PLATTSBURGH, NY
 SITE CUL - PRODUCTION ORDER #11983218

| SAMPLE NAME | NAPH, ug | 2MeNAPH, ug | MTBE, ug | 11DCA, ug | 111TCA, ug | 12DCA, ug | TCE, ug | OCT, ug | PCE, ug | 14DCB, ug |
|---------------|----------|-------------|----------|-----------|------------|-----------|---------|---------|---------|-----------|
| MDL= | 0.03 | 0.02 | 0.03 | 0.02 | 0.04 | 0.02 | 0.02 | 0.02 | 0.03 | 0.02 |
| 457893 | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457894 | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457895 | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457896 | nd | nd | nd | nd | nd | nd | nd | nd | 19.56 | nd |
| 457897 | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457899 | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457900 | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457901 | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457902 | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457903 | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457898 | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| method blank | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| Maximum | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.56 | 0.00 |
| Standard Dev. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 6.19 | 0.00 |
| Mean | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.96 | 0.00 |

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS FOR SITE ASSESSMENT AND MONITORING ANALYTICAL RESULTS
 URS CORPORATION, CLIFTON PARK, NY
 CUSTOM TARGET COMPOUNDS (A7)
 NYSEG - BRIDGE STREET FORMER MGP SITE, PLATTSBURGH, NY
 SITE CUL - PRODUCTION ORDER #11983218

| SAMPLE NAME | Acenaphthene, ug | Acenaphthylene, ug | Fluorene, ug | PHEN, ug | Anthracene, ug | Fluoranthene, ug | Pyrene, ug | CHCl3, ug | CCl4, ug |
|---------------|------------------|--------------------|--------------|----------|----------------|------------------|------------|-----------|----------|
| MDL= | 0.02 | 0.02 | 0.02 | 0.02 | 0.02 | 0.02 | 0.02 | 0.03 | 0.03 |
| 457893 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457894 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457895 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457896 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457897 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457899 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457900 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457901 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457902 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457903 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| 457898 | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| method blank | nd | nd | nd | nd | nd | nd | nd | nd | nd |
| Maximum | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Standard Dev. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Mean | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |






No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS FOR SITE ASSESSMENT AND MONITORING ANALYTICAL RESULTS
 URS CORPORATION, CLIFTON PARK, NY
 CUSTOM TARGET COMPOUNDS (A7)
 NYSEG - BRIDGE STREET FORMER MGP SITE, PLATTSBURGH, NY
 SITE CUL - PRODUCTION ORDER #11983218






| SAMPLE NAME | CIBENZ, ug | Styrene (TIC), ug | Indane (TIC), ug | Indene (TIC), ug |
|---------------|------------|-------------------|------------------|------------------|
| MDL= | 0.02 | 0.02 | 0.02 | 0.02 |
| 457893 | nd | nd | nd | nd |
| 457894 | nd | nd | nd | nd |
| 457895 | nd | nd | nd | nd |
| 457896 | nd | nd | nd | nd |
| 457897 | nd | nd | nd | nd |
| 457899 | nd | bdl | nd | nd |
| 457900 | nd | nd | nd | nd |
| 457901 | nd | nd | nd | nd |
| 457902 | nd | nd | nd | nd |
| 457903 | nd | nd | nd | nd |
| 457898 | nd | nd | nd | nd |
| method blank | nd | nd | nd | nd |
| Maximum | 0.00 | 0.00 | 0.00 | 0.00 |
| Standard Dev. | 0.00 | 0.00 | 0.00 | 0.00 |
| Mean | 0.00 | 0.00 | 0.00 | 0.00 |

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.


TIC - SITE CUL - PRODUCTION ORDER #11983218
In Numerical Order



TIC - SITE CUL - PRODUCTION ORDER #11983218
In Numerical Order



TIC - SITE CUL - PRODUCTION ORDER #11983218
In Numerical Order



APPENDIX B
GROUNDWATER SAMPLE FIELD DATA SHEETS

GROUNDWATER SAMPLING DATA SHEET

WELL NO: MV-1B

Field Personnel:

EL

Date:

9/15/04

Job No.:

Location:

Bridge Street

Total Well Depth (from top of casing):

40.25 feet

Depth to Water Surface Before Purging (from top of casing):

- 5.35 feet

Height of Water Column:

= 39.7 feet

Well Diameter (d): _____ inches

Gals per ft: $(d^2 \times 0.0408) =$

x 0.653

Volume of Water Column Before Purging:

= 22.8 gallons

Volume of Water Equal to three Well Volumes:
(Volume of Column by 3.0)

_____ gallons

Purging Method:

Bailer/Water Pump/Submersible Pump/Peristaltic Pump

| Time | Well Volumes (Gallons) | Specific Conduct. (mmhos/cm or μ mhos) | Temp. ($^{\circ}$ F or $^{\circ}$ C) | pH (SU) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Redox Potential (mV) |
|------|------------------------|--|---------------------------------------|---------|-----------------|-------------------------|----------------------|
| 1125 | 1.0 | 1026 | 11.65 | 11.32 | 565 | --- | --- |
| 1135 | 10.0 | 1054 | 11.22 | 11.16 | 235 | --- | --- |
| 1156 | 20.0 | 1162 | 11.09 | 11.29 | 160 | --- | --- |
| | -well dry @ 27.0 gal | | | | | --- | --- |
| | | | | | | --- | --- |
| 1 | | | | | | --- | --- |
| 2 | | | | | | --- | --- |

Total Volume of Water Purged:

_____ gallons

Sampling Data:

- Sampling Method: Bailer or Pump
- Depth of Pump intake or bait: 4.35 feet
- Sample Date/Time: 9/16/04 1100
- Color: cloudy brown
- Odor: ND
- Sheen/Appearance: ND/cloudy

Notes:

- 1 - Field parameters obtained before sampling
- 2 - Field parameters obtained after sampling

BTEX

PAH

Phenol

Cyanide

GROUNDWATER SAMPLING DATA SHEET

WELL NO: MW-2B

Field Personnel: EL

Date: 9/15/09
 Job No.: _____
 Location: Bridge St.

Total Well Depth (from top of casing): 36.75 feet

Depth to Water Surface Before Purging (from top of casing): - 4.82 feet

Height of Water Column: = 31.93 feet

Well Diameter (d): 4/6 inches Gals per ft: $(d^2 \times 0.0408) =$ x 0.653

Volume of Water Column Before Purging: = 21.0 gallons

Volume of Water Equal to three Well Volumes: _____ gallons
 (Volume of Column by 3.0)

Purging Method: Bailer Water Pump/Submersible Pump/Peristaltic Pump

| Time | Well Volumes (Gallons) | Specific Conduct. (mmhos/cm or μ mhos) | Temp. ($^{\circ}$ F or $^{\circ}$ C) | pH (SU) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Redox Potential (mV) |
|--------------------|------------------------|--|---------------------------------------|---------|-----------------|-------------------------|----------------------|
| 9/15/09 | NO | PARAMETERS | COLLECTED | B/C | NAPL | blebs in | purge line. |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 1 | | | | | | | |
| 2 | | | | | | | |

Total Volume of Water Purged: ~ 28 gallons

Sampling Data:

- Sampling Method: Bailer or Pump
- Depth of Pump intake or bailer: ~ 32 feet
- Sample Date/Time: 9/16/09 12:10
- Color: Slightly cloudy w/ NAPL blebs + sheen
- Odor: Strong MGP odor
- Sheen/Appearance: Y/ Cloudy w/ NAPL blebs

Notes:

- 1 - Field parameters obtained before sampling
- 2 - Field parameters obtained after sampling

- BTEX
- PAH
- Phenols
- Cyanide

- DUP HERE

GROUNDWATER SAMPLING DATA SHEET

WELL NO: MW-3B

Field Personnel: EL

Date: 9/15/04

Job No.: _____

Location: Bridge St.

Total Well Depth (from top of casing): 60.81 feet

Depth to Water Surface Before Purging (from top of casing): - 8.32 feet

Height of Water Column: = 52.49 feet

Well Diameter (d): 4 inches Gals per ft: $(d^2 \times 0.0408) =$ x.653

Volume of Water Column Before Purging: = 39.3 gallons

Volume of Water Equal to three Well Volumes:
(Volume of Column by 3.0) _____ gallons

Purging Method: Bailer Water Pump/Submersible Pump/Peristaltic Pump

| Time | Well Volumes (Gallons) | Specific Conduct. (mmhos/cm or μ mhos) | Temp. ($^{\circ}$ F or $^{\circ}$ C) | pH (SU) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Redox Potential (mV) |
|------|------------------------|--|---------------------------------------|---------|-----------------|-------------------------|----------------------|
| 0930 | 0.5 | 1525 | 10.8 | 8.25 | 125 | | |
| 0950 | 10.0 | 2138 | 11.8 | 8.11 | 110 | | |
| 1000 | 15.0 | 1931 | 12.2 | 7.95 | 105 | | |
| 1010 | 20.0 | 1409 | 12.7 | 7.63 | 96 | | |
| 1017 | 25.0 | 1510 | 12.9 | 7.55 | 85 | | |
| 1032 | 30.0 | 1460 | 12.6 | 7.25 | 76 | | |
| 1 | <u>DP7e 33 gal</u> | | | | | | |
| 2 | | | | | | | |

Total Volume of Water Purged: 33 gallons

Sampling Data: - Sampling Method: Bailer or Pump
 - Depth of Pump or Bailer: 55 feet
 - Sample Date/Time: 9/16/04
 - Color: 0940
 - Odor: ND - Sulfur
 - Sheen/Appearance: ND Clear

Notes:

- 1 - Field parameters obtained before sampling
- 2 - Field parameters obtained after sampling

Sampled for BTEX
PAH
Phenols
Gravel

GROUNDWATER SAMPLING DATA SHEET

WELL NO: Mw-6B

Field Personnel: EL

Date: 9/15/04
 Job No.: _____
 Location: Bridge St.

Total Well Depth (from top of casing): 39.0 feet

Depth to Water Surface Before Purging (from top of casing): -4.75 feet

Height of Water Column: = 34.25 feet

Well Diameter (d): 4/6 inches Gals per ft: ($d^2 \times 0.0408$) = x 0.653

Volume of Water Column Before Purging: = 22.37 gallons

Volume of Water Equal to three Well Volumes: _____ gallons
 (Volume of Column by 3.0)

Purging Method: Bailer Waterra Pump/Submersible Pump/Peristaltic Pump

| Time | Well Volumes (Gallons) | Specific Conduct. (mmhos/cm or μ mhos) | Temp. ($^{\circ}$ F or $^{\circ}$ C) | pH (SU) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Redox Potential (mV) |
|------|------------------------|--|---------------------------------------|---------|-----------------|-------------------------|----------------------|
| 1230 | 1.0 | 4316 | 12.64 | 12.19 | 175 | | |
| 1250 | 10.0 | 4398 | 12.68 | 12.53 | 128 | | |
| 1305 | 20.0 | 4409 | 13.01 | 12.46 | 95 | | |
| | <u>by @ ~28 gal</u> | | | | | | |
| 1 | | | | | | | |
| 2 | | | | | | | |

Total Volume of Water Purged: ~28 gallons

Sampling Data:

- Sampling Method: Bailer or Pump
- Depth of Pump intake of bailer: ~35 feet
- Sample Date/Time: 9/16/04 1140
- Color: sl. cloudy brown
- Odor: ND
- Sheen/Appearance: ND/sl. cloudy

Notes:

- 1 - Field parameters obtained before sampling
- 2 - Field parameters obtained after sampling

BTEX
PAH
PHENOLS
Cyanide

GROUNDWATER SAMPLING DATA SHEET

WELL NO: MW-7BD

Field Personnel:

EL

Date:

9/15/04

Job No.:

Location:

BRIDGE ST.

Total Well Depth (from top of casing):

49.24 feet

Depth to Water Surface Before Purging (from top of casing):

- 6.25 feet

Height of Water Column:

= 42.99 feet

Well Diameter (d): 4 inches

Gals per ft: $(d^2 \times 0.0408) =$

$\times \frac{0.653}{2.63}$

Volume of Water Column Before Purging:

= 28.0 gallons

Volume of Water Equal to three Well Volumes:
(Volume of Column by 3.0)

_____ gallons

Purging Method:

Bailer / Waterra Pump/Submersible Pump/Peristaltic Pump

| Time | Well Volumes (Gallons) | Specific Conduct. (mmhos/cm or μ mhos) | Temp. ($^{\circ}$ F or $^{\circ}$ C) | pH (SU) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Redox Potential (mV) |
|------|---|--|---------------------------------------|---------|-----------------|-------------------------|----------------------|
| | WELL PURGED w/ DISPOSABLE BAILER. NO PARAMETERS COLLECTED b/c of NAPL in purge water. Approx 26 gallons purged. | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 1 | | | | | | | |
| 2 | | | | | | | |

Total Volume of Water Purged:

_____ gallons

Sampling Data:

- Sampling Method: Bailer Pump
- Depth of Pump intake or bailer: 147 feet
- Sample Date/Time: 9/16/04 1250
- Color: Cloudy grey - trace NAPL
- Odor: Strong MGP
- Sheen/Appearance: 5/ Cloudy w/ NAPL blebs

Notes:

- 1 - Field parameters obtained before sampling
- 2 - Field parameters obtained after sampling

BTEX

PAH

Phenols

Cyanide

GROUNDWATER SAMPLING DATA SHEET

WELL NO: MW-7BS

Field Personnel:

EL

Date:

9/16/04

Job No.:

Location:

Bridge St.

Total Well Depth (from top of casing):

14.4 feet

Depth to Water Surface Before Purging (from top of casing):

2.35 feet

Height of Water Column:

= 12.05 feet

Well Diameter (d): 4/6 inches

Gals per ft: $(d^2 \times 0.0408) =$ x 0.653

Volume of Water Column Before Purging:

= 7.89 gallons

Volume of Water Equal to three Well Volumes:
(Volume of Column by 3.0)

_____ gallons

Purging Method:

Bailer Waterra Pump/Submersible Pump/Peristaltic Pump

| Time | Well Volumes (Gallons) | Specific Conduct. (mmhos/cm or μ mhos) | Temp. ($^{\circ}$ F or $^{\circ}$ C) | pH (SU) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Redox Potential (mV) |
|------|------------------------|--|---------------------------------------|---------|-----------------|-------------------------|----------------------|
| 1320 | 1.0 | 1015 | 13.76 | 11.82 | 157 | _____ | _____ |
| 1335 | 10.0 | 1010 | 13.83 | 11.70 | 96 | _____ | _____ |
| 1345 | 20.0 | 1035 | 13.87 | 11.78 | 74 | _____ | _____ |
| | | | | | | _____ | _____ |
| | | | | | | _____ | _____ |
| 1 | | | | | | _____ | _____ |
| 2 | | | | | | _____ | _____ |

Total Volume of Water Purged:

20 gallons

Sampling Data:

- Sampling Method: Bailer or Pump
- Depth of Pump intake or bailer 12 feet
- Sample Date/Time: 9/16/04 1350
- Color: sl. turbid
- Odor: sl. MGP
- Sheen/Appearance: ND/Cloudy

Notes:

- 1 - Field parameters obtained before sampling
- 2 - Field parameters obtained after sampling

BTEX

PAH

Phenol

Cyanid

GROUNDWATER SAMPLING DATA SHEET

WELL NO: MW-9B

Field Personnel:

EL

Date:

9/15/04

Job No.:

Location:

Bridge St.

Total Well Depth (from top of casing):

35.05 feet

Depth to Water Surface Before Purging (from top of casing):

14.12 feet

Height of Water Column:

20.93 feet

Well Diameter (d): 4 inches

Gals per ft: $(d^2 \times 0.0408) =$ x 0.653

Volume of Water Column Before Purging:

13.67 gallons

Volume of Water Equal to three Well Volumes:
(Volume of Column by 3.0)

_____ gallons

Purging Method:

Bailer / Waterra Pump / Submersible Pump / Peristaltic Pump

| Time | Well Volumes (Gallons) | Specific Conduct. (mmhos/cm or μ mhos) | Temp. ($^{\circ}$ F or $^{\circ}$ C) | pH (SU) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Redox Potential (mV) |
|--------|------------------------|--|---------------------------------------|---------|-----------------|-------------------------|----------------------|
| 0840 | 0.5 | 2135 | 12.59 | 11.25 | >1000 | _____ | _____ |
| 0900 | 7.0 | 2227 | 12.76 | 11.55 | 750 | _____ | _____ |
| 0915 | 12.0 | 2195 | 12.90 | 11.52 | 975 | _____ | _____ |
| - well | 0.7 @ 13.0 gal | | | | | _____ | _____ |
| | | | | | | _____ | _____ |
| 1 | | | | | | _____ | _____ |
| 2 | | | | | | _____ | _____ |

Total Volume of Water Purged:

_____ gallons

Sampling Data:

- Sampling Method: Bailer or Pump
- Depth of Pump intake or bailer: 33 feet
- Sample Date/Time: 9/16/04 0900
- Color: Cloudy grey
- Odor: ND
- Sheen/Appearance: ND/Cloudy

Notes:

- 1 - Field parameters obtained before sampling
- 2 - Field parameters obtained after sampling

- BTEX
- PAH
- Phenol
- Cyanide

GROUNDWATER SAMPLING DATA SHEET

WELL NO: MW-1013

Field Personnel: EL

Date: 7/15/04
 Job No.: Bridgeway St
 Location: Plattsburgh, NY

Total Well Depth (from top of casing): 61.60
679 feet

Depth to Water Surface Before Purging (from top of casing): 6.79 feet

Height of Water Column: 54.81 feet

Well Diameter (d): 4 inches Gals per ft: $(d^2 \times 0.0408) =$ x 0.653

Volume of Water Column Before Purging: 35.8 gallons

Volume of Water Equal to three Well Volumes:
 (Volume of Column by 3.0) _____ gallons

Purging Method: Bailer / Water Pump / Submersible Pump / Peristaltic Pump

| Time | Well Volumes (Gallons) | Specific Conduct. (mmhos/cm or μ mhos) | Temp. ($^{\circ}$ F or $^{\circ}$ C) | pH (SU) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Redox Potential (mV) |
|------|------------------------|--|---------------------------------------|---------|-----------------|-------------------------|----------------------|
| 1400 | 0 | 450 | 11.51 | 6.77 | 7100 | — | — |
| 1420 | 15 | 490 | 10.96 | 6.99 | 550 | — | — |
| 1440 | 32 | 407 | 10.52 | 7.05 | 455 | — | — |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Total Volume of Water Purged: 35 gallons

Sampling Data:
 - Sampling Method: Bailer or Pump
 - Depth of Pump intake or bailer: 256' feet
 - Sample Date/Time: 7/16/04 1055
 - Color: Cloudy Grey
 - Odor: SULFUR
 - Sheen/Appearance: NO/Cloudy

Notes:
 1 - Field parameters obtained before sampling
 2 - Field parameters obtained after sampling

BTEX
PAH
Phenol
Cyanide

GROUNDWATER SAMPLING DATA SHEET

WELL NO: MW-11R

Field Personnel:

EL

Date:

9/15/09

Job No.:

Location:

Bridges St

Total Well Depth (from top of casing):

39.10 feet

Depth to Water Surface Before Purging (from top of casing):

2.39 feet

Height of Water Column: open hole

35.71 feet

Well Diameter (d): 4/6 inches

Gals per ft: $(d^2 \times 0.0408) =$ x (.653) open hole

Volume of Water Column Before Purging:

23.3 gallons

Volume of Water Equal to three Well Volumes:
(Volume of Column by 3.0)

_____ gallons

Purging Method:

Bailer / Waterra Pump/Submersible Pump/Peristaltic Pump

| Time | Well Volumes (Gallons) | Specific Conduct. (mmhos/cm or μ hos) | Temp. ($^{\circ}$ F or $^{\circ}$ C) | pH (SU) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Redox Potential (mV) |
|-------------------------|------------------------|---|---------------------------------------|---------|-----------------|-------------------------|----------------------|
| 1044 | 1.0 | 4752 | 11.25 | 12.71 | 71000 | | |
| 1054 | 10.0 | 3259 | 12.14 | 12.05 | 795 | | |
| 1105 | 15.0 | 3176 | 12.19 | 11.95 | 650 | | |
| 1115 | 20.0 | 2984 | 12.21 | 11.73 | 71000 | | |
| <u>DRY @ 25 Gallons</u> | | | | | | | |
| 1 | | | | | | | |
| 2 | | | | | | | |

Total Volume of Water Purged:

25.5 gallons

Sampling Data:

- Sampling Method: Bailer or Pump
- Depth of Pump intake or bailer: ~36 feet
- Sample Date/Time: 9/16/09 1010
- Color: cloudy brown
- Odor: ND
- Sheen/Appearance: ND/cloudy

Notes:

- 1 - Field parameters obtained before sampling
- 2 - Field parameters obtained after sampling

BTEX

PAH

Phenols

Cyanide

APPENDIX C
GROUNDWATER SAMPLES LABORATORY ANALYTICAL REPORT



analytical services center

International Specialists in Environmental Analysis

4493 Walden Avenue, Lancaster, New York 14086

Tel: 716/685-8080, 800/327-6534 • Fax: 716/685-0852 • Email: asc@ene.com



October 04, 2004

Scott M. Hulseapple
URS Corporation
28 Corporate Drive
Suite 200
Clifton Park, NY 12065

RE: Energy East Plattsburgh
Work Order No.: **0409182**

Dear Scott M. Hulseapple,

Analytical Services Center received 11 samples on Friday, September 17, 2004 for the analyses presented in the following report.

The ASC certifies that the test results in this report meet all requirements of NELAC for which it holds certification except as noted in this narrative and/or as flagged in the report.

The ASC is accredited in the Fields of Testing Potable water (SDWA), Solid and Chemical Materials (Solid Hazardous Wastes, RCRA), Water (CWA and other non-potable water) and Air and Emissions. Its primary accrediting authorities are New York State Department of Health and Florida Department of Health. The particular analytes/methods certified may be ascertained by requesting the laboratory's current certificates from your laboratory Project Manager .

You will receive an invoice under separate cover.

E & E will retain the samples addressed in this report for 30 days, unless otherwise instructed by the client. If additional storage is requested, the storage fee is \$1.00 per sample container per month, to accrue until the client authorizes sample destruction.

This report is not to be reproduced, except in full, without the written approval of the laboratory.

Sincerely,

Jason R. Kacalski

Project Manager

CC:

Enclosures as noted

This report ends on page 23



Analytical Services Center
International Specialists in Environmental Analysis
Lancaster New York 14086
Phone: (716) 685-8080 Fax: (716) 685-0852

Laboratory Results

NYS ELAP ID#: 10486

Client: URS Corporation
Project: Energy East Plattsburgh
Work Order: 0409182

Method References

GC Volatiles

Volatile Organic Aromatics by GC Method 8021B

Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. 3rd ed. 1986. Volumes. 1A, 1B, 1C & Volume 2. (Includes all Updates). U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

GCMS Semivolatiles

PAHS by Method 8270C

Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. 3rd ed. 1986. Volumes. 1A, 1B, 1C & Volume 2. (Includes all Updates). U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

WetChemistry

Cyanide, Total by Method 335.3

Methods for Chemical Analysis of Water and Wastes. 1983. EPA-600/4-79-020. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory.

Phenols (Direct) in Water by Method 9065M (4AAP)

Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. 3rd ed. 1986. Volumes. 1A, 1B, 1C & Volume 2. (Includes all Updates). U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.



Analytical Services Center
International Specialists in Environmental Analysis
Lancaster, New York 14086
Phone: (716) 685-8080

Laboratory Results

NYS ELAP ID#: 10486

CLIENT: URS Corporation
Project: Energy East Plattsburgh
Lab Order: 0409182
Date Received: 9/17/2004

Work Order Sample Summary

| Lab Sample ID | Client Sample ID | Alt. Client Id | Collection Date |
|---------------|------------------|----------------|-----------------------|
| 0409182-01A | BSGDD0109 | | 9/16/2004 9:00:00 AM |
| 0409182-01B | BSGDD0109 | | 9/16/2004 9:00:00 AM |
| 0409182-01C | BSGDD0109 | | 9/16/2004 9:00:00 AM |
| 0409182-01D | BSGDD0109 | | 9/16/2004 9:00:00 AM |
| 0409182-02A | BSGDD0203 | | 9/16/2004 9:40:00 AM |
| 0409182-02B | BSGDD0203 | | 9/16/2004 9:40:00 AM |
| 0409182-02C | BSGDD0203 | | 9/16/2004 9:40:00 AM |
| 0409182-02D | BSGDD0203 | | 9/16/2004 9:40:00 AM |
| 0409182-03A | BSGDD0111 | | 9/16/2004 10:10:00 AM |
| 0409182-03B | BSGDD0111 | | 9/16/2004 10:10:00 AM |
| 0409182-03C | BSGDD0111 | | 9/16/2004 10:10:00 AM |
| 0409182-03D | BSGDD0111 | | 9/16/2004 10:10:00 AM |
| 0409182-04A | BSGDD0210 | | 9/16/2004 10:35:00 AM |
| 0409182-04B | BSGDD0210 | | 9/16/2004 10:35:00 AM |
| 0409182-04C | BSGDD0210 | | 9/16/2004 10:35:00 AM |
| 0409182-04D | BSGDD0210 | | 9/16/2004 10:35:00 AM |
| 0409182-05A | BSGUD0101 | | 9/16/2004 11:00:00 AM |
| 0409182-05B | BSGUD0101 | | 9/16/2004 11:00:00 AM |
| 0409182-05C | BSGUD0101 | | 9/16/2004 11:00:00 AM |
| 0409182-05D | BSGUD0101 | | 9/16/2004 11:00:00 AM |
| 0409182-06A | BSGDD0106 | | 9/16/2004 11:40:00 AM |
| 0409182-06B | BSGDD0106 | | 9/16/2004 11:40:00 AM |
| 0409182-06C | BSGDD0106 | | 9/16/2004 11:40:00 AM |
| 0409182-06D | BSGDD0106 | | 9/16/2004 11:40:00 AM |
| 0409182-07A | BSGDD0102 | | 9/16/2004 12:10:00 PM |
| 0409182-07B | BSGDD0102 | | 9/16/2004 12:10:00 PM |
| 0409182-07C | BSGDD0102 | | 9/16/2004 12:10:00 PM |
| 0409182-07D | BSGDD0102 | | 9/16/2004 12:10:00 PM |
| 0409182-08A | BSGDD0107 | | 9/16/2004 12:50:00 PM |
| 0409182-08B | BSGDD0107 | | 9/16/2004 12:50:00 PM |
| 0409182-08C | BSGDD0107 | | 9/16/2004 12:50:00 PM |
| 0409182-08D | BSGDD0107 | | 9/16/2004 12:50:00 PM |

CLIENT: URS Corporation
Project: Energy East Plattsburgh
Lab Order: 0409182
Date Received: 9/17/2004

Work Order Sample Summary

| Lab Sample ID | Client Sample ID | Alt. Client Id | Collection Date |
|---------------|------------------|----------------|----------------------|
| 0409182-09A | BSGDIM0107 | | 9/16/2004 1:50:00 PM |
| 0409182-09B | BSGDIM0107 | | 9/16/2004 1:50:00 PM |
| 0409182-09C | BSGDIM0107 | | 9/16/2004 1:50:00 PM |
| 0409182-09D | BSGDIM0107 | | 9/16/2004 1:50:00 PM |
| 0409182-10A | DUP09/16/04 | | 9/16/2004 7:00:00 AM |
| 0409182-10B | DUP09/16/04 | | 9/16/2004 7:00:00 AM |
| 0409182-10C | DUP09/16/04 | | 9/16/2004 7:00:00 AM |
| 0409182-10D | DUP09/16/04 | | 9/16/2004 7:00:00 AM |
| 0409182-11A | TRIP BLANK | | 9/16/2004 7:00:00 AM |



Analytical Services Center
International Specialists in Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

Client: URS-CLIFTON PARK
Project: Energy East Plattsburgh
Lab Order: 0409182

CASE NARRATIVE

SAMPLE MANAGEMENT

Three cooler were received in good condition at temperatures of 3.0, 5.5, 3.0°C.

GC VOLATILES

A DB 624(column 1) and a RTX-502.2 (column2) column and a trap packed with OV-1, Tenax, silica gel and activated charcoal was used for the volatile analysis.

Sample analysis

All samples were analyzed within hold time.

A secondary dilution was performed on samples BSGDD0102, BSGDD0107, and DUP09/16/04, based on the level of target compounds present in the native sample.

Calibration

All initial and continuing calibrations were acceptable.

Manual integrations were not required.

QC

All surrogate recoveries were within acceptable limits.

All blank analyses were acceptable.

All matrix spike/spike duplicate (MS/MSD) recoveries and RPD values were acceptable.

All laboratory control sample (LCS) recoveries were acceptable.

GCMS SEMIVOLATILES

A Zebtron ZB-5 column, which is 30-m long, 0.25-mm wide, and has a 0.5-micron film thickness, was used for the semivolatile analyses. The column contains 5% phenyl and 95% dimethylpolysiloxane.

Water Analysis

All samples were extracted and analyzed within hold times.

Sample BSGDD0102 was concentrated to a final volume of 5 mL instead of method required 1 mL due to matrix.

Samples BSGDD0102, BSGDD0107, BSGDIM107, and DUP09/16/04 exceeded the calibration range for several of the various PAHs. They were reanalyzed at appropriate dilutions and the merged results are reported.

Calibration and Tunes

All initial and continuing calibrations were acceptable.

QC

Client: URS-CLIFTON PARK
Project: Energy East Plattsburgh
Lab Order: 0409182

CASE NARRATIVE

All surrogate recoveries were within acceptable limits.

The water blank analysis was acceptable.

All laboratory control sample (LCS) recoveries and RPD values were acceptable.

All internal standard area responses were acceptable, except for sample BSGDD0107, which had a high response of perylene-d12. It was reanalyzed at a forty-fold dilution and all internal standard area responses were within acceptable limits.

Benzo(b)fluoranthene and benzo(k)fluoranthene were manually integrated in sample BSGDD0107 due to poor peak shape. Indeno(1,2,3-cd)pyrene and/or dibenz(a,h)anthracene were manually integrated in samples BSGDD0102, BSGDD0107, and DUP09/16/04 due to their low concentrations and matrix. No standards or quality control samples required manual integrations.

GENERAL ANALYTICAL CHEMISTRY

Sample Analysis

All samples were analyzed within hold time.

Calibrations

All initial and continuing calibration standards were acceptable.

QC

All calibration and method blank analyses were acceptable.

Matrix duplicates, matrix spikes, and matrix spike duplicates (MD, MS, MSD) were acceptable except the cyanide MS was slightly high at 111%. The acceptable range is 90-110%.

All laboratory control sample (LCS) recoveries were acceptable.

CHAIN OF CUSTODY RECORD



PROJECT NO. 39383871.00000 SITE NAME Nyseg Bridge Street

SAMPLERS (PRINT/SIGNATURE) Eric Lovenduski / [Signature]

DELIVERY SERVICE: FED EX AIRBILL NO.: 84709252788

LOCATION IDENTIFIER DATE TIME COMP/GRAB SAMPLE ID MATRIX

| TESTS | |
|-------------------------|---------------------|
| BTEX 8021 | PAH 892 8270C |
| Total phenol 9065/420.2 | Total cyanide 335.5 |

LAB ETC
COOLER 1, 2, 3 of 3
PAGE 1 of 1

| LOCATION IDENTIFIER | DATE | TIME | COMP/GRAB | SAMPLE ID | MATRIX | TOTAL NO. # OF CONTAINERS | REMARKS | BEGINNING DEPTH (IN FEET) | ENDING DEPTH (IN FEET) | FIELD LOT NO. # (ERPIMS) |
|---------------------|---------|------|-----------|------------|--------|---------------------------|--|---------------------------|------------------------|--------------------------|
| MW-9B | 9/16/04 | 0900 | GRAB | B5GDD0109 | WG | 6 | 3 40ml glass vial w/ HCl 1 liter amber glass; unpro 250ml glass amber; H ₂ SO ₄ 1 liter poly w/NaOH | | | |
| MW-3B | 9/16/04 | 0940 | GRAB | B5GDD0203 | WG | 7 | | | | |
| MW-11B | 9/16/04 | 1010 | GRAB | B5GDD0111 | WG | 7 | | | | |
| MW-10B | 9/16/04 | 1035 | GRAB | B5GDD0210 | WG | 7 | | | | |
| MW-01B | 9/16/04 | 1100 | GRAB | B5GDD0101 | WG | 6 | | | | |
| MW-06B | 9/16/04 | 1140 | GRAB | B5GDD0106 | WG | 7 | | | | |
| MW-02B | 9/16/04 | 1210 | GRAB | B5GDD0102 | WG | 7 | | | | |
| MW-7BD | 9/16/04 | 1250 | GRAB | B5GDD0107 | WG | 6 | | | | |
| MW-7BS | 9/16/04 | 1350 | GRAB | B5GDD0107 | WG | 7 | | | | |
| TRIP BLANK | 9/16/04 | --- | --- | TRIP BLANK | TR | 2 | | | | |

MATRIX CODES: AA. AMBIENT AIR, SE. SEDIMENT, SH. HAZARDOUS SOLID WASTE, SI. SLUDGE, WP. DRINKING WATER, WW. WASTE WATER, WG. GROUND WATER, SO. SOIL, DC. DRILL CUTTINGS, WL. LEACHATE, GS. SOIL GAS, WC. DRILLING WATER, WO. OCEAN WATER, WS. SURFACE WATER, WO. WATER FIELD OC, LH. HAZARDOUS LIQUID WASTE, LF. FLOATING/FREE PRODUCT ON GW TABLE

SAMPLE TYPE CODES: TB# . TRIP BLANK, SD# . MATRIX SPIKE DUPLICATE, RB# . RINSE BLANK, FR# . FIELD REPLICATE, MS# . MATRIX SPIKE, NF . NORMAL ENVIRONMENTAL SAMPLE, (# . SEQUENTIAL NUMBER (FROM 1 TO 8) TO ACCOMMODATE MULTIPLE SAMPLES IN A SINGLE DAY)

RELINQUISHED BY (SIGNATURE) [Signature] DATE 9/16/04 TIME 1500 RECEIVED BY (SIGNATURE) [Signature] DATE 9-17-04 TIME 0845

RELINQUISHED BY (SIGNATURE) [Signature] DATE 9/16/04 TIME --- RECEIVED FOR LAB BY (SIGNATURE) [Signature] DATE 9-17-04 TIME 0845

Distribution: Original accompanies shipment, copy to coordinator field files

SPECIAL INSTRUCTIONS
Send results to Scott M. Sepple
518-688-0015
685-0022 (fax)



Cooler Receipt Form

| | | | |
|----------------------|-------|-----------------------|---------|
| No. of Packages: | 3 | Date Received: | 9-17-04 |
| Package Receipt No.: | 14480 | Project or Site Name: | |
| Client: | URS | | |

A. Preliminary Examination and Receipt Phase

| | | Circle One | | |
|---|---|----------------------------------|----------------------------------|-----------------------|
| | | Yes | No | NA |
| 1. Did coolers come with airbill or packing slip? | | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Circle carrier here and print airbill number below: <u>Fed Ex</u> Airborne Client Other _____ | | | | |
| Shipped as high hazard or dangerous goods? | | Yes | <input checked="" type="radio"/> | NA |
| 2. Did cooler(s) have custody seals? | | Yes | <input checked="" type="radio"/> | NA |
| 3. Were custody seals unbroken and intact on receipt? | | Yes | <input checked="" type="radio"/> | NA |
| 4. Were custody seals dated and signed? | | Yes | <input checked="" type="radio"/> | NA |
| 5. How was package secured? | <input type="checkbox"/> Not secured <input checked="" type="checkbox"/> Fiberglass Tape <input type="checkbox"/> _____ | | | |

B. Unpacking Phase

| 6. Date cooler(s) opened: <u>9-17-04</u> | Cooler(s) opened by: <u>Scott Clev</u> <small>(Signature)</small> | | | | |
|---|---|--|----------|-------------|----------|
| 7. Was a temperature blank vial included inside cooler(s)? | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA | | | | |
| Please Record Temperature Vial or Cooler Temperature for Each Cooler, Range (2° - 6°C)* | | | | | |
| Airbill No. | Temp. °C | Airbill No. | Temp. °C | Airbill No. | Temp. °C |
| 8470 9929 5789 ① | 3.0 | | | | |
| | ② 5.5 | | | | |
| | ③ 3.0 | | | | |
| Thermometer No.: <u>230</u> | Correction Factor: <u>0.0</u> | *If temperature is outside of acceptable range, prepare a PM Notification form indicating affected containers. | | | |
| 8. Were the C-O-C forms received? | | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA | | | |
| C-O-C forms numbers if present: | | | | | |
| 9. Was enough packing material used in cooler(s)? | | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA | | | |
| Type of material: <input type="checkbox"/> Vermiculite <input checked="" type="checkbox"/> Bubble Wrap <input type="checkbox"/> Other _____ | | | | | |
| 10. If cooling was required, what was the means (type Ice) of cooling used: | <input checked="" type="checkbox"/> Wet <input type="checkbox"/> Dry <input type="checkbox"/> Blue <input type="checkbox"/> Other | | | | |
| 11. Were all containers sealed in separate plastic bags? | | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA | | | |
| 12. Did all containers arrive unbroken and in good condition? | | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA | | | |
| 13. Interim storage area if not logged: _____ | | | | | |
| In: Date _____ Time _____ Signature _____ | | | | | |
| Out: Date _____ Time _____ Signature _____ | | | | | |

C. Login Phase

| | |
|---|--|
| Samples Logged in By Signature: <u>[Signature]</u> | Date: <u>9/17/04</u> |
| 14. Were all container labels complete (e.g. date, time preserved)? | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA |
| 15. Were all C-O-C forms filled out properly in black ink and signed? | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA |
| 16. Did the C-O-C form agree with containers received? | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA |
| 17. Were the correct containers used for the tests requested? | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA |
| 18. Were the correct preservatives listed on the sample labels? | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA |
| 19. Was a sufficient sample volume sent for the tests requested? | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA |
| 20. Were all volatile samples received without headspace? | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA |

*Prepare a PM Notification form (F-051).



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

Lab Order: 0409182
 Client: URS Corporation
 Project: Energy East Plattsburgh

DATES SUMMARY REPORT

| (LAB) Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|--------------------------|--------|--|-----------------------|----------------------|----------------------------|------------------------------|-----------|------|-----------|------|
| 0409182-07A | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 12:10:00 PM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 12:10:00 PM | 9/21/2004 8:44:22 PM | 1028822 | SAMP | 50 | 4 |
| 0409182-07B | | BNA Liq/Liq Ext. of Waters by Method 3520C | | | 7:C 9/23/2004 12:10:00 PM | 9/22/2004 5:15:11 PM | 200403751 | NA | NA | NA |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/27/2004 5:40:00 PM | 1032023 | SAMP | 5 | 16 |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/28/2004 4:05:00 PM | 1033505 | SAMP | 20 | 1 |
| 0409182-07C | | Phenols Water Prep. (Direct) by Method 9065M | | | 28:C10/14/2004 12:10:00 PM | 10/2/2004 10:04:50 AM | 200403878 | NA | NA | NA |
| | | Phenols (Direct) in Water by Method 9065M (4AAP) | | | 28:C10/14/2004 12:10:00 PM | 10/4/2004 10:01:16 AM | 1035536 | SAMP | 1 | 1 |
| 0409182-07D | | Cyanide, Total by Method 335.3 | | | 14:C 9/30/2004 12:10:00 PM | 10/1/2004 5:06:21 PM | 1034826 | SAMP | 1 | 1 |
| | | Cyanide Prep. Amenable to Chlorination by M. 335.1 | | | 14:C 9/30/2004 12:10:00 PM | 9/27/2004 8:42:03 AM | 200403798 | NA | NA | NA |

| (LAB) Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|--------------------------|--------|--|-----------------------|----------------------|----------------------------|------------------------------|-----------|------|-----------|------|
| 0409182-06A | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 11:40:00 AM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 11:40:00 AM | 9/21/2004 4:44:08 PM | 1028820 | SAMP | 1 | 4 |
| 0409182-06B | | BNA Liq/Liq Ext. of Waters by Method 3520C | | | 7:C 9/23/2004 11:40:00 AM | 9/22/2004 5:15:11 PM | 200403751 | NA | NA | NA |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/27/2004 4:39:00 PM | 1032021 | SAMP | 1 | 17 |
| 0409182-06C | | Phenols Water Prep. (Direct) by Method 9065M | | | 28:C10/14/2004 11:40:00 AM | 10/2/2004 10:04:50 AM | 200403878 | NA | NA | NA |
| | | Phenols (Direct) in Water by Method 9065M (4AAP) | | | 28:C10/14/2004 11:40:00 AM | 10/4/2004 10:00:15 AM | 1035535 | SAMP | 1 | 1 |
| 0409182-06D | | Cyanide, Total by Method 335.3 | | | 14:C 9/30/2004 11:40:00 AM | 10/1/2004 5:03:27 PM | 1034825 | SAMP | 1 | 1 |
| | | Cyanide Prep. Amenable to Chlorination by M. 335.1 | | | 14:C 9/30/2004 11:40:00 AM | 9/27/2004 8:42:03 AM | 200403798 | NA | NA | NA |

| (LAB) Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|--------------------------|--------|--|-----------------------|----------------------|----------------------------|------------------------------|---------|------|-----------|------|
| 0409182-08A | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 12:50:00 PM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 12:50:00 PM | 9/21/2004 11:56:06 AM | 1028816 | SAMP | 20 | 4 |

HT From: C-Collection / R-Receipt(VTSR) / P-Prep / T-TCLP Prep

* "Analyzed" reflects the analysis date and time or injection time for analytical tests. For preparation tests "Analyzed" reflects the start of the preparation except when "AFCEE criteria used"; flag indicates date and time of completion of the preparation.
 For TCLP/SPLP Extractions and subsequent preparation tests, "Analyzed" reflects the date of TCLP/SPLP Extraction/preparation. For Re-extracted (RE) samples: Preparation tests completed dates reflects the extraction from the original sample leachate unless an "RE" Sample exists for the extraction (tumble) test.



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

Lab Order: 0409182
 Client: URS Corporation
 Project: Energy East Plattsburgh

DATES SUMMARY REPORT

| LAB Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|------------------------|--------|---|-----------------------|----------------------|-----------------------------|------------------------------|-----------|------|-----------|--------------------------|
| 409182-08B | Water | BNA Liq/Liq Ext of Waters by Method 3520C | 9/16/2004 12:50:00 PM | 9/17/2004 9:00:00 AM | 7:C 9/23/2004 12:50:00 PM | 9/22/2004 5:15:11 PM | 200403751 | NA | NA | <input type="checkbox"/> |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/28/2004 4:36:00 PM | 1033596 | SAMP | 40 | 3 |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/27/2004 6:40:00 PM | 1032026 | SAMP | 1 | 14 |
| 409182-08C | | Phenols Water Prep. (Direct) by Method 9065M | | | 28:C 10/14/2004 12:50:00 PM | 10/2/2004 10:04:50 AM | 200403878 | NA | NA | <input type="checkbox"/> |
| | | Phenols (Direct) in Water by Method 9065M (4AAP) | | | 28:C 10/14/2004 12:50:00 PM | 10/4/2004 10:02:16 AM | 1035537 | SAMP | 1 | 1 |
| 409182-08D | | Cyanide, Total by Method 335.3 | | | 14:C 9/30/2004 12:50:00 PM | 10/1/2004 5:07:19 PM | 1034827 | SAMP | 1 | 1 |
| | | Cyanide Prep. Amenable to Chlorination by M 335.1 | | | 14:C 9/30/2004 12:50:00 PM | 9/27/2004 8:42:03 AM | 200403798 | NA | NA | <input type="checkbox"/> |

| LAB Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|------------------------|--------|--|----------------------|----------------------|----------------------------|------------------------------|-----------|------|-----------|--------------------------|
| 409182-01A | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 9:00:00 AM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 9:00:00 AM | 9/21/2004 11:09:04 PM | 1028825 | SAMP | 1 | 4 |
| 409182-01B | | BNA Liq/Liq Ext of Waters by Method 3520C | | | 7:C 9/23/2004 9:00:00 AM | 9/22/2004 5:15:11 PM | 200403751 | NA | NA | <input type="checkbox"/> |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/25/2004 6:47:00 PM | 1031108 | SAMP | 1 | 17 |
| | | Phenols Water Prep. (Direct) by Method 9065M | | | 28:C 10/14/2004 9:00:00 AM | 10/2/2004 10:04:50 AM | 200403878 | NA | NA | <input type="checkbox"/> |
| 409182-01C | | Phenols (Direct) in Water by Method 9065M (4AAP) | | | 28:C 10/14/2004 9:00:00 AM | 10/4/2004 9:55:08 AM | 1035530 | SAMP | 1 | 1 |
| | | Cyanide, Total by Method 335.3 | | | 14:C 9/30/2004 9:00:00 AM | 10/1/2004 4:56:47 PM | 1034820 | SAMP | 1 | 1 |
| | | Cyanide Prep. Amenable to Chlorination by M 335.1 | | | 14:C 9/30/2004 9:00:00 AM | 9/27/2004 8:42:03 AM | 200403798 | NA | NA | <input type="checkbox"/> |

| LAB Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|------------------------|--------|--|-----------------------|----------------------|----------------------------|------------------------------|-----------|------|-----------|--------------------------|
| 409182-03A | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 10:10:00 AM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 10:10:00 AM | 9/21/2004 9:08:05 PM | 1028818 | SAMP | 1 | 4 |
| 409182-03B | | BNA Liq/Liq Ext of Waters by Method 3520C | | | 7:C 9/23/2004 10:10:00 AM | 9/22/2004 5:15:11 PM | 200403751 | NA | NA | <input type="checkbox"/> |

HT From: C-Collection / R-Receipt(VTSR) / P-Prep / T-TCLP Prep

* "Analyzed" reflects the analysis date and time or injection time for analytical tests. For preparation tests "Analyzed" reflects the start of the preparation except when "AFCEE criteria used"; flag indicates date and time of completion of the preparation.
 For TCLP/SP/PLP Extractions and subsequent preparation tests... "Analyzed" reflects the date of TCLP/SP/PLP Extraction/preparation. For Re-extracted (RE) samples: Preparation tests completed dates reflects the extraction from the original sample leachate unless an "RE" Sample exists for the extraction (tumble) test.



Analytical Services Center
 International Specialists In Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

Lab Order: 0409182
 Client: URS Corporation
 Project: Energy East Plattsburgh

DATES SUMMARY REPORT

| LAB) Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|-------------------------|--------|---|-----------------------|----------------------|-----------------------------|------------------------------|-----------|------|-----------|------|
| 0409182-03B | Water | Semivolatile Organics by Method 8270C | 9/16/2004 10:10:00 AM | 9/17/2004 9:00:00 AM | 40:P 11/1/2004 5:15:11 PM | 9/25/2004 7:47:00 PM | 1031110 | SAMP | 1 | 17 |
| 0409182-03C | | Phenols Water Prep. (Direct) by Method 9065M | | | 28:C 10/14/2004 10:10:00 AM | 10/2/2004 10:04:50 AM | 200403878 | NA | NA | NA |
| | | Phenols (Direct) In Water by Method 9065M (4AAP) | | | 28:C 10/14/2004 10:10:00 AM | 10/4/2004 9:57:11 AM | 1035532 | SAMP | 1 | 1 |
| 0409182-03D | | Cyanide, Total by Method 335.3 | | | 14:C 9/30/2004 10:10:00 AM | 10/1/2004 5:00:35 PM | 1034822 | SAMP | 1 | 1 |
| | | Cyanide Prep. Amenable to Chlorination by M 335.1 | | | 14:C 9/30/2004 10:10:00 AM | 9/27/2004 8:42:03 AM | 200403799 | NA | NA | NA |

| LAB) Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|-------------------------|--------|--|----------------------|----------------------|----------------------------|------------------------------|-----------|------|-----------|------|
| 0409182-02A | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 9:40:00 AM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 9:40:00 AM | 9/21/2004 5:32:08 PM | 1028821 | SAMP | 1 | 4 |
| 0409182-02B | | BNA Liq/Liq Ext. of Waters by M 3520C | | | 7:C 9/23/2004 9:40:00 AM | 9/22/2004 5:15:11 PM | 200403751 | NA | NA | NA |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/25/2004 7:17:00 PM | 1031109 | SAMP | 1 | 17 |
| 0409182-02C | | Phenols Water Prep. (Direct) by Method 9065M | | | 28:C 10/14/2004 9:40:00 AM | 10/2/2004 10:04:50 AM | 200403878 | NA | NA | NA |
| | | Phenols (Direct) In Water by Method 9065M (4AAP) | | | 28:C 10/14/2004 9:40:00 AM | 10/4/2004 9:56:10 AM | 1035531 | SAMP | 1 | 1 |
| 0409182-02D | | Cyanide Prep. Amenable to Chlorination by M 335.1 | | | 14:C 9/30/2004 9:40:00 AM | 10/1/2004 4:59:38 PM | 1034821 | SAMP | 1 | 1 |
| | | | | | 14:C 9/30/2004 9:40:00 AM | 9/27/2004 8:42:03 AM | 200403798 | NA | NA | NA |

| LAB) Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|-------------------------|--------|--|-----------------------|----------------------|-----------------------------|------------------------------|-----------|------|-----------|------|
| 0409182-04A | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 10:35:00 AM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 10:35:00 AM | 9/21/2004 1:32:04 PM | 1028817 | SAMP | 1 | 4 |
| 0409182-04B | | BNA Liq/Liq Ext. of Waters by M 3520C | | | 7:C 9/23/2004 10:35:00 AM | 9/22/2004 5:15:11 PM | 200403751 | NA | NA | NA |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/25/2004 8:17:00 PM | 1031111 | SAMP | 1 | 17 |
| 0409182-04C | | Phenols Water Prep. (Direct) by Method 9065M | | | 28:C 10/14/2004 10:35:00 AM | 10/2/2004 10:04:50 AM | 200403878 | NA | NA | NA |

HT From: C-Collection / R-Recelpt(VTSH) / P-Prep / T-TCLP Prep

* "Analyzed" reflects the analysis date and time or injection time for analytical tests. For preparation tests "Analyzed" reflects the start of the preparation except when "AFCEE criteria used"; flag indicates date and time of completion of the preparation.
 For TCLP/SPLP Extractions and subsequent preparation tests... "Analyzed" reflects the date of TCLP/SPLP Extraction/preparation. For Re-extracted (RE) samples: Preparation tests completed dates reflects the extraction from the original sample leachate unless an "RE" Sample exists for the extraction (tumble) test.



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

Lab Order: 0409182
 Client: URS Corporation
 Project: Energy East Plattsburgh

DATES SUMMARY REPORT

| LAB Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|------------------------|--------|--|-----------------------|----------------------|-----------------------------|------------------------------|-----------|------|-----------|-------------------------------------|
| 409182-04C | Water | Phenols (Direct) In Water by Method 9065M (4AAP) | 9/16/2004 10:35:00 AM | 9/17/2004 8:00:00 AM | 28:C 10/14/2004 10:35:00 AM | 10/4/2004 9:59:12 AM | 1035533 | SAMP | 1 | <input type="checkbox"/> |
| 409182-04D | | Cyanide, Total by Method 335.3 | | | 14:C 9/30/2004 10:35:00 AM | 10/1/2004 5:01:32 PM | 1034823 | SAMP | 1 | <input checked="" type="checkbox"/> |
| | | Cyanide Prep. Amenable to Chlorination by M 335.1 | | | 14:C 9/30/2004 10:35:00 AM | 9/27/2004 8:42:03 AM | 200403798 | NA | NA | <input type="checkbox"/> |
| LAB Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
| 409182-09A | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 1:50:00 PM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 1:50:00 PM | 9/21/2004 10:20:50 PM | 1028824 | SAMP | 1 | <input type="checkbox"/> |
| 409182-09B | | BNA Liq/Liq Ext. of Waters by M 3520C | | | 7:C 9/23/2004 1:50:00 PM | 9/22/2004 5:15:11 PM | 200403751 | NA | NA | <input type="checkbox"/> |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/27/2004 5:09:00 PM | 1032022 | SAMP | 1 | <input type="checkbox"/> |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/28/2004 5:36:00 PM | 1033499 | SAMP | 4 | <input type="checkbox"/> |
| 409182-09C | | Phenols Water Prep. (Direct) by Method 9065M | | | 28:C 10/14/2004 1:50:00 PM | 10/2/2004 10:04:50 AM | 200403878 | NA | NA | <input type="checkbox"/> |
| | | Phenols (Direct) In Water by Method 9065M (4AAP) | | | 28:C 10/14/2004 1:50:00 PM | 10/4/2004 10:03:17 AM | 1035538 | SAMP | 1 | <input type="checkbox"/> |
| 409182-09D | | Cyanide, Total by Method 335.3 | | | 14:C 9/30/2004 1:50:00 PM | 10/1/2004 5:08:18 PM | 1034828 | SAMP | 1 | <input checked="" type="checkbox"/> |
| | | Cyanide Prep. Amenable to Chlorination by M 335.1 | | | 14:C 9/30/2004 1:50:00 PM | 9/27/2004 8:42:03 AM | 200403798 | NA | NA | <input type="checkbox"/> |
| LAB Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
| 409182-05A | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 11:00:00 AM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 11:00:00 AM | 9/21/2004 3:56:06 PM | 1028819 | SAMP | 1 | <input type="checkbox"/> |
| 409182-05B | | BNA Liq/Liq Ext. of Waters by M 3520C | | | 7:C 9/23/2004 11:00:00 AM | 9/22/2004 5:15:11 PM | 200403751 | NA | NA | <input type="checkbox"/> |
| | | Semivolatile Organics by Method 8270C | | | 40:P 11/1/2004 5:15:11 PM | 9/27/2004 4:09:00 PM | 1032020 | SAMP | 1 | <input type="checkbox"/> |
| 409182-05C | | Phenols Water Prep. (Direct) by Method 9065M | | | 28:C 10/14/2004 11:00:00 AM | 10/2/2004 10:04:50 AM | 200403878 | NA | NA | <input type="checkbox"/> |
| | | Phenols (Direct) In Water by Method 9065M (4AAP) | | | 28:C 10/14/2004 11:00:00 AM | 10/4/2004 9:59:14 AM | 1035534 | SAMP | 1 | <input type="checkbox"/> |

IT From: C-Collection / R-Receipt(VTSR) / P-Prep / T-TCLP Prep

"Analyzed" reflects the analysis date and time or injection time for analytical tests. For preparation tests "Analyzed" reflects the start of the preparation except when "AFCEE criteria used"; flag indicates date and time of completion of the preparation.
 For TCLP/SPLP Extractions and subsequent preparation tests... "Analyzed" reflects the date of TCLP/SPLP Extraction/preparation. For Re-extracted (RE) samples: Preparation tests completed dates reflects the extraction from the original sample leachate unless an "RE" Sample exists for the extraction (tumble) test.



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

Lab Order: 0409182
 Client: URS Corporation
 Project: Energy East Plattsburgh

DATES SUMMARY REPORT

| LAB) Sample ID (CLIENT) | Matrix | Test Name | Collection Date | Received Date | HT (Days) / HT Expire | Analyzed* - Analysis/BatchID | Type | DF | #Analytes | Flag |
|-------------------------|--------|--|-----------------------|----------------------|----------------------------|------------------------------|------|-----|-----------|-------------------------------------|
| 0409182-05D | Water | Cyanide, Total by Method 335.3 Cyanide Prep. Amenable to Chlorination by M 335.1 | 9/16/2004 11:00:00 AM | 9/17/2004 8:00:00 AM | 14:C 9/30/2004 11:00:00 AM | 10/1/2004 5:02:29 PM | SAMP | 1 | 1 | <input checked="" type="checkbox"/> |
| 0409182-10B | Water | Volatile Organic Compound Analysis by Method 8021B BNA Lq/Lq Ext. of Waters by M 3520C Semivolatile Organics by Method 8270C Semivolatile Organics by Method 8270C Semivolatile Organics by Method 8270C | 9/16/2004 7:00:00 AM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 7:00:00 AM | 9/21/2004 9:32:35 PM | SAMP | 50 | 4 | <input type="checkbox"/> |
| 0409182-10C | Water | Phenols Water Prep. (Direct) by Method 9065M Phenols (Direct) in Water by Method 9065M (4AAP) | 9/16/2004 7:00:00 AM | 9/17/2004 9:00:00 AM | 7:C 9/23/2004 7:00:00 AM | 9/22/2004 5:15:11 PM | NA | NA | NA | <input type="checkbox"/> |
| 0409182-10D | Water | Cyanide, Total by Method 335.3 Cyanide Prep. Amenable to Chlorination by M 335.1 | 9/16/2004 7:00:00 AM | 9/17/2004 9:00:00 AM | 40:P 11/1/2004 5:15:11 PM | 9/27/2004 6:10:00 PM | SAMP | 5 | 14 | <input type="checkbox"/> |
| 0409182-10E | Water | Phenols Water Prep. (Direct) by Method 9065M Phenols (Direct) in Water by Method 9065M (4AAP) | 9/16/2004 7:00:00 AM | 9/17/2004 9:00:00 AM | 40:P 11/1/2004 5:15:11 PM | 9/29/2004 5:06:00 PM | SAMP | 40 | 2 | <input type="checkbox"/> |
| 0409182-10F | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 7:00:00 AM | 9/17/2004 9:00:00 AM | 40:P 11/1/2004 5:15:11 PM | 9/30/2004 12:03:00 PM | SAMP | 100 | 1 | <input type="checkbox"/> |
| 0409182-10G | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 7:00:00 AM | 9/17/2004 9:00:00 AM | 28:C 10/14/2004 7:00:00 AM | 10/2/2004 10:04:50 AM | NA | NA | NA | <input type="checkbox"/> |
| 0409182-10H | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 7:00:00 AM | 9/17/2004 9:00:00 AM | 28:C 10/14/2004 7:00:00 AM | 10/4/2004 10:04:17 AM | SAMP | 1 | 1 | <input type="checkbox"/> |
| 0409182-10I | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 7:00:00 AM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 7:00:00 AM | 10/1/2004 5:09:16 PM | SAMP | 1 | 1 | <input checked="" type="checkbox"/> |
| 0409182-10J | Water | Volatile Organic Compound Analysis by Method 8021B | 9/16/2004 7:00:00 AM | 9/17/2004 9:00:00 AM | 14:C 9/30/2004 7:00:00 AM | 9/27/2004 8:42:03 AM | NA | NA | NA | <input type="checkbox"/> |

FT From: C-Collection / R-Receipt(VTSS) / P-Prep / T-TCLP Prep

"Analyzed" reflects the analysis date and time or injection time for analytical tests. For preparation tests "Analyzed" reflects the start of the preparation except when "AFCEE criteria used"; flag indicates date and time of completion of the preparation.
 "or TCLP/SPLP Extractions and subsequent preparation tests..." "Analyzed" reflects the date of TCLP/SPLP Extractions/preparation. For Re-extracted (RE) samples; Preparation tests completed dates reflects the extraction from the original sample leachate unless an "RE" Sample exists for the extraction (lumbie) test.

GC VOLATILES



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0109

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 9:00:00 AM % Moist:

Lab ID: 0409182-01A

Sample Type: SAMP

Matrix: Water

Test Code: 1_8021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|-----------------------|------------------|---------|
| Benzene | 0.434 | J | 1.00 | µg/L | 1 | 9/21/2004 11:09:04 PM | HP68906A_040921A | KKU |
| Ethylbenzene | ND | | 1.00 | µg/L | 1 | | | |
| Toluene | 0.357 | J | 1.00 | µg/L | 1 | | | |
| Xylenes, Total | ND | | 2.00 | µg/L | 1 | | | |
| Surr:4-Bromochlorobenzene | 97 | | 59 - 147 | %REC | 1 | 9/21/2004 11:09:04 PM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits
 DF - Dilution Factor
 H - Value Exceeds Maximum Contaminant Level
 N - Single Column Analysis
 NP - Petroleum Pattern is not present

B - Analyte found in Method blank
 DNI - Did not Ignite
 J - Estimated value
 NC - Not Calculated
 P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds
 E - Result above quantitation limit (high standard or ICP linear range).
 M - Matrix Spike Recovery outside limits
 ND - Not Detected at the Reporting Limit
 R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0203

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 9:40:00 AM % Moist:

Lab ID: 0409182-02A

Sample Type: SAMP

Matrix: Water

Test Code: 1_8021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|----------------------|------------------|---------|
| Benzene | 6.59 | | 1.00 | µg/L | 1 | 9/21/2004 5:32:08 PM | HP68906A_040921A | KKU |
| Ethylbenzene | 0.317 | J | 1.00 | µg/L | 1 | | | |
| Toluene | 0.768 | J | 1.00 | µg/L | 1 | | | |
| Xylenes, Total | ND | | 2.00 | µg/L | 1 | | | |
| Surr:4-Bromochlorobenzene | 96 | | 59 - 147 | %REC | 1 | 9/21/2004 5:32:08 PM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits

B - Analyte found in Method blank

D - Diluted due to matrix or extended target compounds

DF - Dilution Factor

DNI - Did not Ignore

E - Result above quantitation limit (high standard or ICP linear range).

H - Value Exceeds Maximum Contaminant Level

J - Estimated value

M - Matrix Spike Recovery outside limits

N - Single Column Analysis

NC - Not Calculated

ND - Not Detected at the Reporting Limit

NP - Petroleum Pattern is not present

P - Post Spike Recovery outside limits

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0111

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 10:10:00 A % Moist:

Lab ID: 0409182-03A

Sample Type: SAMP Matrix: Water

Test Code: 1_8021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|----------------------|------------------|---------|
| Benzene | 2.82 | | 1.00 | µg/L | 1 | 9/21/2004 3:08:05 PM | HP68906A_040921A | KKU |
| Ethylbenzene | 1.93 | | 1.00 | µg/L | 1 | | | |
| Toluene | 5.32 | | 1.00 | µg/L | 1 | | | |
| Xylenes, Total | 5.58 | | 2.00 | µg/L | 1 | | | |
| Surr:4-Bromochlorobenzene | 91 | | 59 - 147 | %REC | 1 | 9/21/2004 3:08:05 PM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0210

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 10:35:00 A % Moist:

Lab ID: 0409182-04A

Sample Type: SAMP

Matrix: Water

Test Code: 1_8021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|----------------------|------------------|---------|
| Benzene | 1.68 | | 1.00 | µg/L | 1 | 9/21/2004 1:32:04 PM | HP68906A_040921A | KKU |
| Ethylbenzene | 0.292 | J | 1.00 | µg/L | 1 | | | |
| Toluene | 0.475 | J | 1.00 | µg/L | 1 | | | |
| Xylenes, Total | ND | | 2.00 | µg/L | 1 | | | |
| Surr:4-Bromochlorobenzene | 96 | | 59 - 147 | %REC | 1 | 9/21/2004 1:32:04 PM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGUD0101

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 11:00:00 A % Moist:

Lab ID: 0409182-05A

Sample Type: SAMP

Matrix: Water

Test Code: 1_8021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|----------------------|------------------|---------|
| Benzene | 0.643 | J | 1.00 | µg/L | 1 | 9/21/2004 3:56:06 PM | HP68906A_040921A | KKU |
| Ethylbenzene | ND | | 1.00 | µg/L | 1 | | | |
| Toluene | 0.382 | J | 1.00 | µg/L | 1 | | | |
| Xylenes, Total | ND | | 2.00 | µg/L | 1 | | | |
| Surr:4-Bromochlorobenzene | 94 | | 59 - 147 | %REC | 1 | 9/21/2004 3:56:06 PM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limits (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists In Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0106

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 11:40:00 A % Moist:

Lab ID: 0409182-06A

Sample Type: SAMP

Matrix: Water

Test Code: 1_8021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|----------------------|------------------|---------|
| Benzene | 1.58 | | 1.00 | µg/L | 1 | 9/21/2004 4:44:08 PM | HP68906A_040921A | KKU |
| Ethylbenzene | 1.71 | | 1.00 | µg/L | 1 | | | |
| Toluene | 1.61 | | 1.00 | µg/L | 1 | | | |
| Xylenes, Total | 4.22 | | 2.00 | µg/L | 1 | | | |
| Surr:4-Bromochlorobenzene | 94 | | 59 - 147 | %REC | 1 | 9/21/2004 4:44:08 PM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0102

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 12:10:00 P % Moist:

Lab ID: 0409182-07A

Sample Type: SAMP

Matrix: Water

Test Code: 1_8021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|----------------------|------------------|---------|
| Benzene | 917 | | 50.0 | µg/L | 50 | 9/21/2004 8:44:22 PM | HP68906A_040921A | KKU |
| Ethylbenzene | 987 | | 50.0 | µg/L | 50 | | | |
| Toluene | 1470 | | 50.0 | µg/L | 50 | | | |
| Xylenes, Total | 1800 | | 100 | µg/L | 50 | | | |
| Surr:4-Bromochlorobenzene | 92 | | 59 - 147 | %REC | 50 | 9/21/2004 8:44:22 PM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0107

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 12:50:00 P % Moist:

Lab ID: 0409182-08A

Sample Type: SAMP

Matrix: Water

Test Code: 1_8021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|-----------------------|------------------|---------|
| Benzene | 464 | | 20.0 | µg/L | 20 | 9/21/2004 11:56:06 AM | HP68906A_040921A | KKU |
| Ethylbenzene | 279 | | 20.0 | µg/L | 20 | | | |
| Toluene | 581 | | 20.0 | µg/L | 20 | | | |
| Xylenes, Total | 855 | | 40.0 | µg/L | 20 | | | |
| Surr:4-Bromochlorobenzene | 87 | | 59 - 147 | %REC | 20 | 9/21/2004 11:56:06 AM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists In Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDIM0107

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 1:50:00 PM % Moist:

Lab ID: 0409182-09A

Sample Type: SAMP - Matrix: Water

Test Code: 1_6021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|-----------------------|------------------|---------|
| Benzene | 29.1 | | 1.00 | µg/L | 1 | 9/21/2004 10:20:50 PM | HP68906A_040921A | KKU |
| Ethylbenzene | 20.8 | | 1.00 | µg/L | 1 | | | |
| Toluene | 6.10 | | 1.00 | µg/L | 1 | | | |
| Xylenes, Total | 19.6 | | 2.00 | µg/L | 1 | | | |
| Surr:4-Bromochlorobenzene | 106 | | 59 · 147 | %REC | 1 | 9/21/2004 10:20:50 PM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits
 DF - Dilution Factor
 II - Value Exceeds Maximum Contaminant Level
 N - Single Column Analysis
 NP - Petroleum Pattern is not present

B - Analyte found in Method blank
 DNI - Did not Ignite
 J - Estimated value
 NC - Not Calculated
 P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds
 E - Result above quantitation limit (high standard or ICP linear range).
 M - Matrix Spike Recovery outside limits
 ND - Not Detected at the Reporting Limit
 R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: DUP09/16/04

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 7:00:00 AM % Moist:

Lab ID: 0409182-10A

Sample Type: SAMP

Matrix: Water

Test Code: 1_8021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|----------------------|------------------|---------|
| Benzene | 910 | | 50.0 | µg/L | 50 | 9/21/2004 9:32:35 PM | HP68906A_040921A | KKU |
| Ethylbenzene | 1520 | | 50.0 | µg/L | 50 | | | |
| Toluene | 1790 | | 50.0 | µg/L | 50 | | | |
| Xylenes, Total | 2800 | | 100 | µg/L | 50 | | | |
| Surr:4-Bromochlorobenzene | 85 | | 59 - 147 | %REC | 50 | 9/21/2004 9:32:35 PM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits
 DF - Dilution Factor
 H - Value Exceeds Maximum Contaminant Level
 N - Single Column Analysis
 NP - Petroleum Pattern is not present

B - Analyte found in Method blank
 DNI - Did not Ignite
 J - Estimated value
 NC - Not Calculated
 P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds
 E - Result above quantitation limit (high standard or ICP linear range).
 M - Matrix Spike Recovery outside limits
 ND - Not Detected at the Reporting Limit
 R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: TRIP BLANK

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 7:00:00 AM % Moist:

Lab ID: 0409182-11A

Sample Type: SAMP

Matrix: Water

Test Code: 1_8021B_A_W

VOLATILE ORGANIC COMPOUND ANALYSIS BY METHOD 8021B

Method: SW8021B

Prep Method: SW5030B

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------------------------|--------|---|----------|-------|----|-----------------------|------------------|---------|
| Benzene | ND | | 1.00 | µg/L | 1 | 9/21/2004 11:57:19 PM | HP68906A_040921A | KKU |
| Ethylbenzene | ND | | 1.00 | µg/L | 1 | | | |
| Toluene | 0.625 | J | 1.00 | µg/L | 1 | | | |
| Xylenes, Total | ND | | 2.00 | µg/L | 1 | | | |
| Surr:4-Bromochlorobenzene | 100 | | 59 - 147 | %REC | 1 | 9/21/2004 11:57:19 PM | HP68906A_040921A | KKU |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results


NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh
Test Code: 1_8021b_a_w
Batch ID: HP68906A_040921A

QC SUMMARY REPORT SURROGATE RECOVERIES

Volatile Organic Compound Analysis by Method 8021B

| Sample ID | Type | BRCLBZ4 | | | | | | | |
|----------------|------|---------|--|--|--|--|--|--|--|
| 0409182-01A | SAMP | 97 | | | | | | | |
| 0409182-02A | SAMP | 96 | | | | | | | |
| 0409182-03A | SAMP | 91 | | | | | | | |
| 0409182-04A | SAMP | 96 | | | | | | | |
| 0409182-04AMS | MS | 95 | | | | | | | |
| 0409182-04AMSD | MSD | 104 | | | | | | | |
| 0409182-05A | SAMP | 94 | | | | | | | |
| 0409182-06A | SAMP | 94 | | | | | | | |
| 0409182-07A | SAMP | 92 | | | | | | | |
| 0409182-08A | SAMP | 87 | | | | | | | |
| 0409182-09A | SAMP | 106 | | | | | | | |
| 0409182-10A | SAMP | 85 | | | | | | | |
| 0409182-11A | SAMP | 100 | | | | | | | |
| LCS1789-29-1 | LCS | 95 | | | | | | | |
| MBLK1789-29-2 | MBLK | 97 | | | | | | | |



* Surrogate recovery outside acceptance limits

D - Diluted due to matrix or extended target compounds



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

QC SUMMARY REPORT
 Sample Matrix Spike

Volatile Organic Aromatics by GC Method 8021B

Sample ID: 0409182-04AMS Client Sample ID: BSGDD0210

Run Batch ID: HP68906A_040921A SeqNo: 1028828 Analysis Date: 9/21/2004 7:08:08 PM

Prep Batch ID: R58493

Test Code: 1_8021b_a_w

Analyte Type / Name

Result

MDL

RL

Spike Value

Orig Result

%REC

LowLimit

HighLimit

Units: µg/L

DF: 1 DL_No: 1

Prep Date:

RPD

RPD Limit

Qual

| | | | | | | | | | |
|------------------------|-------|--------|-------|-------|--------|----|----|-----|--|
| Benzene | 20.36 | 0.1760 | 1.000 | 20.00 | 1.678 | 93 | 85 | 115 | |
| Ethylbenzene | 18.51 | 0.1170 | 1.000 | 20.00 | 0.2921 | 91 | 85 | 115 | |
| Toluene | 18.76 | 0.1580 | 1.000 | 20.00 | 0.4751 | 91 | 85 | 115 | |
| Xylenes, Total | 55.15 | 1.600 | 2.000 | 60.00 | 0 | 92 | 85 | 115 | |
| S 4-Bromochlorobenzene | 19.09 | 0 | 0 | 20.00 | 0 | 95 | 59 | 147 | |

Qualifier Definitions:

* - Recovery outside QC limits
 DNI - Did not Ignite
 M - Matrix Spike Recovery outside limits
 NP - Petroleum Pattern is not present
 Footnotes: 1 - Represents RSD Limit for Quad Analysis RL - Reporting Limit
 B - Analyte found in Method blank
 E - Result above quantitation limit (high standard or ICP linear H - Value Exceeds Maximum Contaminant Level)
 N - Single Column Analysis
 P - Post Spike Recovery outside limits
 D - Diluted due to matrix or extended target compounds
 NC - Not Calculated
 R - RPD outside recovery limits
 Analyte Types: S - Surrogate I - Internal Standard
 DF - Dilution Factor
 J - Estimated value
 ND - Not Detected at the Reporting Limit

N



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

QC SUMMARY REPORT
 Sample Matrix Spike Duplicate

Volatile Organic Aromatics by GC Method 8021B

Sample ID: 0409182-04AMSD Client Sample ID: BSGDD0210
 Run Batch ID: HP68906A_040921A SeqNo: 1028827 Analysis Date: 9/21/2004 7:56:05 PM Prep Batch ID: R58493
 Analyte Type / Name

| Analyte Type / Name | Result | MDL | FL | Spike Value | Orig Result | %REC | LowLimit | HighLimit | Units: µg/L | |
|------------------------|--------|--------|-------|-------------|-------------|------|----------|-----------|-------------|-----------|
| | | | | | | | | | RPD | RPD Limit |
| Benzene | 21.18 | 0.1760 | 1.000 | 20.00 | 1.678 | 98 | 85 | 115 | 4.3 | 20 |
| Ethylbenzene | 19.64 | 0.1170 | 1.000 | 20.00 | 0.2921 | 97 | 85 | 115 | 6.0 | 20 |
| Toluene | 19.53 | 0.1580 | 1.000 | 20.00 | 0.4751 | 95 | 85 | 115 | 4.1 | 20 |
| Xylenes, Total | 57.92 | 1.600 | 2.000 | 60.00 | 0 | 97 | 85 | 115 | 4.9 | 20 |
| S 4-Bromochlorobenzene | 20.76 | 0 | 0 | 20.00 | 0 | 104 | 59 | 147 | 0.0 | 0 |

Qualifier Definitions:

- * - Recovery outside QC limits
- DNI - Did not Ignore
- M - Matrix Spike Recovery outside limits
- NP - Petroleum Pattern is not present
- Footnotes: 1 - Represents RSD Limit for Quad Analysis
- 2 - Recovery outside QC limits
- B - Analyte found in Method blank
- E - Result above quantitation limit (high standard or ICP linear H - Value Exceeds Maximum Contaminant Level
- N - Single Column Analysis
- P - Post Spike Recovery outside limits
- NC - Not Calculated
- R - RPD outside recovery limits
- ANalyte Types: S - Surrogate I - Internal Standard
- DF - Dilution Factor
- J - Estimated value
- ND - Not Detected at the Reporting Limit



Analytical Services Center
International Specialists in Environmental Analysis

4493 Walden Avenue
Lancaster, New York 14086

a division of
ecology and environment, inc.

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

CLIENT: URS Corporation

Work Order: 0409182

Project: Energy East Plattsburgh

QC SUMMARY REPORT

Laboratory Control Spike

Volatile Organic Aromatics by GC Method 8021B

Sample ID: LCS1789-29-1 Client Sample ID:

Run Batch ID: HP68906A_040921A SeqNo: 1028815

Analysis Date: 9/21/2004 10:20:14 AM Prep Batch ID: R58493

Analyte Type / Name

Test Code: 1_8021b_a_w

Units: µg/L

DF: 1 DL_No: 1

Prep Date:

| Analyte Type / Name | Result | MDL | RL | Spike Value | Orig Result | %REC | LowLimit | HighLimit | RPD | RPD Limit | Qual |
|------------------------|--------|--------|-------|-------------|-------------|------|----------|-----------|-----|-----------|------|
| Benzene | 18.36 | 0.1760 | 1.000 | 20.00 | 0 | 92 | 85 | 115 | | | |
| Ethylbenzene | 18.15 | 0.1170 | 1.000 | 20.00 | 0 | 91 | 85 | 115 | | | |
| Toluene | 18.37 | 0.1580 | 1.000 | 20.00 | 0 | 92 | 85 | 115 | | | |
| Xylenes, Total | 54.08 | 1.600 | 2.000 | 60.00 | 0 | 90 | 85 | 115 | | | |
| S 4-Bromochlorobenzene | 18.93 | 0 | 0 | 20.00 | 0 | 95 | 59 | 147 | | | |

Qualifier Definitions:

* - Recovery outside QC limits

DNI - Did not ignite

M - Matrix Spike Recovery outside limits

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

E - Result above quantitation limit (high standard or ICP linear H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

H - Value Exceeds Maximum Contaminant Level

NC - Not Calculated

R - RPD outside recovery limits

DF - Dilution Factor

J - Estimated value

ND - Not Detected at the Reporting Limit

Footnotes: 1 - Represents RSD Limit for Quad Analysis

RL - Reporting Limit

Analyte Types: S - Surrogate I - Internal Standard



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

QC SUMMARY REPORT
 Method Blank

Volatile Organic Aromatics by GC Method 8021B

Sample ID: **MBLK1789-29-2** Client Sample ID:
 Run Batch ID: **HP68906A_040921A** SeqNo: **1028826**

Analysis Date: **9/21/2004 9:32:04 AM** Prep Batch ID: **R58493**

Test Code: **1_6021b_a_w**

Units: **µg/L**
 DF: **1** DL_No: **1**
 Prep Date:

| Analyte Type / Name | Result | MDL | RL | Spike Value | Orig Result | %REC | LowLimit | HighLimit | RPD | RPD Limit | Qual |
|------------------------|--------|--------|-------|-------------|-------------|------|----------|-----------|-----|-----------|------|
| Benzene | ND | 0.1760 | 1.000 | | | | | | | | |
| Ethylbenzene | ND | 0.1170 | 1.000 | | | | | | | | |
| Toluene | ND | 0.1580 | 1.000 | | | | | | | | |
| Xylenes, Total | ND | 1.600 | 2.000 | | | | | | | | |
| S 4-Bromochlorobenzene | 19.39 | 0 | 0 | | | 97 | 59 | 147 | | | |

Qualifier Definitions:

* - Recovery outside QC limits
 DNI - Did not ignite
 M - Matrix Spike Recovery outside limits
 NP - Petroleum Pattern is not present
 B - Analyte found in Method blank
 E - Result above quantization limit (high standard or ICP linear)
 H - Value Exceeds Maximum Contaminant Level
 NC - Not Calculated
 R - RPD outside recovery limits
 D - Diluted due to matrix or extended target compounds
 J - Estimated value
 ND - Not Detected at the Reporting Limit
 Analyte Types: S - Surrogate I - Internal Standard

Footnotes: I - Represents RSD Limit for Quad Analysis RL - Reporting Limit

(3)

GCMS SEMIVOLATILES



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0109

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 9:00:00 AM % Moist:

Lab ID: 0409182-01B

Sample Type: SAMP

Matrix: Water

Test Code: C_8270C_3520C_W_001

SEMIVOLATILE ORGANICS BY METHOD 8270C

Method: SW8270C

Prep Method: SW3520C

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------------|--------|---|----------|-------|----|----------------------|--------------|---------|
| 2-Methylnaphthalene | ND | | 9.62 | µg/L | 1 | 9/25/2004 6:47:00 PM | SAM_040925A | MEI |
| Acenaphthene | ND | | 9.62 | µg/L | 1 | | | |
| Acenaphthylene | 1.87 | J | 9.62 | µg/L | 1 | | | |
| Anthracene | ND | | 9.62 | µg/L | 1 | | | |
| Benz(a)anthracene | ND | | 9.62 | µg/L | 1 | | | |
| Benzo(a)pyrene | ND | | 9.62 | µg/L | 1 | | | |
| Benzo(b)fluoranthene | ND | | 9.62 | µg/L | 1 | | | |
| Benzo(g,h,i)perylene | ND | | 9.62 | µg/L | 1 | | | |
| Benzo(k)fluoranthene | ND | | 9.62 | µg/L | 1 | | | |
| Chrysene | ND | | 9.62 | µg/L | 1 | | | |
| Dibenz(a,h)anthracene | ND | | 9.62 | µg/L | 1 | | | |
| Fluoranthene | ND | | 9.62 | µg/L | 1 | | | |
| Fluorene | ND | | 9.62 | µg/L | 1 | | | |
| Indeno(1,2,3-cd)pyrene | ND | | 9.62 | µg/L | 1 | | | |
| Naphthalene | ND | | 9.62 | µg/L | 1 | | | |
| Phenanthrene | ND | | 9.62 | µg/L | 1 | | | |
| Pyrene | ND | | 9.62 | µg/L | 1 | | | |
| Surr:2-Fluorobiphenyl | 84 | | 38 - 129 | %REC | 1 | 9/25/2004 6:47:00 PM | SAM_040925A | MEI |
| Surr:Nitrobenzene-d5 | 83 | | 45 - 118 | %REC | 1 | | | |
| Surr:Terphenyl-d14 | 77 | | 10 - 154 | %REC | 1 | | | |

Definitions:

* - Recovery outside QC limits
 DF - Dilution Factor
 H - Value Exceeds Maximum Contaminant Level
 N - Single Column Analysis
 NP - Petroleum Pattern is not present

B - Analyte found in Method blank
 DNI - Did not Ignite
 J - Estimated value
 NC - Not Calculated
 P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds
 E - Result above quantitation limit (high standard or ICP linear range).
 M - Matrix Spike Recovery outside limits
 ND - Not Detected at the Reporting Limit
 R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0203

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 9:40:00 AM % Moist:

Lab ID: 0409182-02B

Sample Type: SAMP

Matrix: Water

Test Code: C_8270C_3520C_W_001

SEMIVOLATILE ORGANICS BY METHOD 8270C

Method: SW8270C

Prep Method: SW3520C

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------------|--------|---|----------|-------|----|----------------------|--------------|---------|
| 2-Methylnaphthalene | ND | | 9.52 | µg/L | 1 | 9/25/2004 7:17:00 PM | SAM_040925A | MEI |
| Acenaphthene | ND | | 9.52 | µg/L | 1 | | | |
| Acenaphthylene | ND | | 9.52 | µg/L | 1 | | | |
| Anthracene | ND | | 9.52 | µg/L | 1 | | | |
| Benz(a)anthracene | ND | | 9.52 | µg/L | 1 | | | |
| Benzo(a)pyrene | ND | | 9.52 | µg/L | 1 | | | |
| Benzo(b)fluoranthene | ND | | 9.52 | µg/L | 1 | | | |
| Benzo(g,h,i)perylene | ND | | 9.52 | µg/L | 1 | | | |
| Benzo(k)fluoranthene | ND | | 9.52 | µg/L | 1 | | | |
| Chrysene | ND | | 9.52 | µg/L | 1 | | | |
| Dibenz(a,h)anthracene | ND | | 9.52 | µg/L | 1 | | | |
| Fluoranthene | ND | | 9.52 | µg/L | 1 | | | |
| Fluorene | ND | | 9.52 | µg/L | 1 | | | |
| Indeno(1,2,3-cd)pyrene | ND | | 9.52 | µg/L | 1 | | | |
| Naphthalene | ND | | 9.52 | µg/L | 1 | | | |
| Phenanthrene | ND | | 9.52 | µg/L | 1 | | | |
| Pyrene | ND | | 9.52 | µg/L | 1 | | | |
| Surr:2-Fluorobiphenyl | 83 | | 38 - 129 | %REC | 1 | 9/25/2004 7:17:00 PM | SAM_040925A | MEI |
| Surr:Nitrobenzene-d5 | 85 | | 45 - 118 | %REC | 1 | | | |
| Surr:Terphenyl-d14 | 64 | | 10 - 154 | %REC | 1 | | | |

Definitions:

* - Recovery outside QC limits

B - Analyte found in Method blank

D - Diluted due to matrix or extended target compounds

DF - Dilution Factor

DNI - Did not Ignite

E - Result above quantitation limit (high standard or ICP linear range).

H - Value Exceeds Maximum Contaminant Level

I - Estimated value

M - Matrix Spike Recovery outside limits

N - Single Column Analysis

NC - Not Calculated

ND - Not Detected at the Reporting Limit

NP - Petroleum Pattern is not present

P - Post Spike Recovery outside limits

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0111

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 10:10:00 A % Moist:

Lab ID: 0409182-03B

Sample Type: SAMP

Matrix: Water

Test Code: C_8270C_3520C_W_001

SEMIVOLATILE ORGANICS BY METHOD 8270C

Method: SW8270C

Prep Method: SW3520C

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------------|--------|---|----------|-------|----|----------------------|--------------|---------|
| 2-Methylnaphthalene | ND | | 9.71 | µg/L | 1 | 9/25/2004 7:47:00 PM | SAM_040925A | MEI |
| Acenaphthene | ND | | 9.71 | µg/L | 1 | | | |
| Acenaphthylene | 1.17 | J | 9.71 | µg/L | 1 | | | |
| Anthracene | ND | | 9.71 | µg/L | 1 | | | |
| Benz(a)anthracene | ND | | 9.71 | µg/L | 1 | | | |
| Benzo(a)pyrene | ND | | 9.71 | µg/L | 1 | | | |
| Benzo(b)fluoranthene | ND | | 9.71 | µg/L | 1 | | | |
| Benzo(g,h,i)perylene | ND | | 9.71 | µg/L | 1 | | | |
| Benzo(k)fluoranthene | ND | | 9.71 | µg/L | 1 | | | |
| Chrysene | ND | | 9.71 | µg/L | 1 | | | |
| Dibenz(a,h)anthracene | ND | | 9.71 | µg/L | 1 | | | |
| Fluoranthene | ND | | 9.71 | µg/L | 1 | | | |
| Fluorene | ND | | 9.71 | µg/L | 1 | | | |
| Indeno(1,2,3-cd)pyrene | ND | | 9.71 | µg/L | 1 | | | |
| Naphthalene | 2.42 | J | 9.71 | µg/L | 1 | | | |
| Phenanthrene | ND | | 9.71 | µg/L | 1 | | | |
| Pyrene | ND | | 9.71 | µg/L | 1 | | | |
| Surr:2-Fluorobiphenyl | 88 | | 38 - 129 | %REC | 1 | 9/25/2004 7:47:00 PM | SAM_040925A | MEI |
| Surr:Nitrobenzene-d5 | 80 | | 45 - 118 | %REC | 1 | | | |
| Surr:Terphenyl-d14 | 77 | | 10 - 154 | %REC | 1 | | | |

Definitions:

- * - Recovery outside QC limits
- DF - Dilution Factor
- H - Value Exceeds Maximum Contaminant Level
- N - Single Column Analysis
- NP - Petroleum Pattern is not present

- B - Analyte found in Method blank
- DNI - Did not Ignite
- J - Estimated value
- NC - Not Calculated
- P - Post Spike Recovery outside limits

- D - Diluted due to matrix or extended target compounds
- E - Result above quantitation limit (high standard or ICP linear range).
- M - Matrix Spike Recovery outside limits
- ND - Not Detected at the Reporting Limit
- R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0210

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 10:35:00 A % Moist:

Lab ID: 0409182-04B

Sample Type: SAMP

Matrix: Water

Test Code: C_8270C_3520C_W_001

SEMIVOLATILE ORGANICS BY METHOD 8270C

Method: SW8270C

Prep Method: SW3520C

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------------|--------|---|----------|-------|----|----------------------|--------------|---------|
| 2-Methylnaphthalene | ND | | 9.80 | µg/L | 1 | 9/25/2004 8:17:00 PM | SAM_040925A | MEI |
| Acenaphthene | ND | | 9.80 | µg/L | 1 | | | |
| Acenaphthylene | ND | | 9.80 | µg/L | 1 | | | |
| Anthracene | ND | | 9.80 | µg/L | 1 | | | |
| Benz(a)anthracene | ND | | 9.80 | µg/L | 1 | | | |
| Benzo(a)pyrene | ND | | 9.80 | µg/L | 1 | | | |
| Benzo(b)fluoranthene | ND | | 9.80 | µg/L | 1 | | | |
| Benzo(g,h,i)perylene | ND | | 9.80 | µg/L | 1 | | | |
| Benzo(k)fluoranthene | ND | | 9.80 | µg/L | 1 | | | |
| Chrysene | ND | | 9.80 | µg/L | 1 | | | |
| Dibenz(a,h)anthracene | ND | | 9.80 | µg/L | 1 | | | |
| Fluoranthene | ND | | 9.80 | µg/L | 1 | | | |
| Fluorene | ND | | 9.80 | µg/L | 1 | | | |
| Indeno(1,2,3-cd)pyrene | ND | | 9.80 | µg/L | 1 | | | |
| Naphthalene | 1.58 | J | 9.80 | µg/L | 1 | | | |
| Phenanthrene | ND | | 9.80 | µg/L | 1 | | | |
| Pyrene | ND | | 9.80 | µg/L | 1 | | | |
| Surr:2-Fluorobiphenyl | 82 | | 38 - 129 | %REC | 1 | 9/25/2004 8:17:00 PM | SAM_040925A | MEI |
| Surr:Nitrobenzene-d5 | 82 | | 45 - 118 | %REC | 1 | | | |
| Surr:Terphenyl-d14 | 76 | | 10 - 154 | %REC | 1 | | | |

Definitions:

* - Recovery outside QC limits
 DF - Dilution Factor
 H - Value Exceeds Maximum Contaminant Level
 N - Single Column Analysis
 NP - Petroleum Pattern is not present

B - Analyte found in Method blank
 DNI - Did not Ignite
 J - Estimated value
 NC - Not Calculated
 P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds
 E - Result above quantitation limit (high standard or ICP linear range).
 M - Matrix Spike Recovery outside limits
 ND - Not Detected at the Reporting Limit
 R - RPD outside recovery limits



Analytical Services Center

International Specialists In Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGUD0101

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 11:00:00 A % Moist:

Lab ID: 0409182-05B

Sample Type: SAMP

Matrix: Water

Test Code: C_8270C_3520C_W_001

SEMIVOLATILE ORGANICS BY METHOD 8270C

Method: SW8270C

Prep Method: SW3520C

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------------|--------|---|----------|-------|----|----------------------|--------------|---------|
| 2-Methylnaphthalene | ND | | 9.43 | µg/L | 1 | 9/27/2004 4:09:00 PM | SAM_040927A | MEI |
| Acenaphthene | ND | | 9.43 | µg/L | 1 | | | |
| Acenaphthylene | ND | | 9.43 | µg/L | 1 | | | |
| Anthracene | ND | | 9.43 | µg/L | 1 | | | |
| Benz(a)anthracene | ND | | 9.43 | µg/L | 1 | | | |
| Benzo(a)pyrene | ND | | 9.43 | µg/L | 1 | | | |
| Benzo(b)fluoranthene | ND | | 9.43 | µg/L | 1 | | | |
| Benzo(g,h,i)perylene | ND | | 9.43 | µg/L | 1 | | | |
| Benzo(k)fluoranthene | ND | | 9.43 | µg/L | 1 | | | |
| Chrysene | ND | | 9.43 | µg/L | 1 | | | |
| Dibenz(a,h)anthracene | ND | | 9.43 | µg/L | 1 | | | |
| Fluoranthene | ND | | 9.43 | µg/L | 1 | | | |
| Fluorene | ND | | 9.43 | µg/L | 1 | | | |
| Indeno(1,2,3-cd)pyrene | ND | | 9.43 | µg/L | 1 | | | |
| Naphthalene | ND | | 9.43 | µg/L | 1 | | | |
| Phenanthrene | ND | | 9.43 | µg/L | 1 | | | |
| Pyrene | ND | | 9.43 | µg/L | 1 | | | |
| Surr:2-Fluorobiphenyl | 97 | | 38 - 129 | %REC | 1 | 9/27/2004 4:09:00 PM | SAM_040927A | MEI |
| Surr:Nitrobenzene-d5 | 96 | | 45 - 118 | %REC | 1 | | | |
| Surr:Terphenyl-d14 | 79 | | 10 - 154 | %REC | 1 | | | |

Definitions:

* - Recovery outside QC limits

B - Analyte found in Method blank

D - Diluted due to matrix or extended target compounds

DF - Dilution Factor

DNI - Did not Ignite

E - Result above quantitation limit (high standard or ICP linear range)

H - Value Exceeds Maximum Contaminant Level

I - Estimated value

M - Matrix Spike Recovery outside limits

N - Single Column Analysis

NC - Not Calculated

ND - Not Detected at the Reporting Limit

NP - Petroleum Pattern is not present

P - Post Spike Recovery outside limits

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0106

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 11:40:00 A % Moist:

Lab ID: 0409182-06B

Sample Type: SAMP

Matrix: Water

Test Code: C_8270C_3520C_W_001

SEMIVOLATILE ORGANICS BY METHOD 8270C

Method: SW8270C

Prep Method: SW3520C

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------------|--------|---|----------|-------|----|----------------------|--------------|---------|
| 2-Methylnaphthalene | 5.51 | J | 9.80 | µg/L | 1 | 9/27/2004 4:39:00 PM | SAM_040927A | MEI |
| Acenaphthene | ND | | 9.80 | µg/L | 1 | | | |
| Acenaphthylene | 4.89 | J | 9.80 | µg/L | 1 | | | |
| Anthracene | ND | | 9.80 | µg/L | 1 | | | |
| Benz(a)anthracene | ND | | 9.80 | µg/L | 1 | | | |
| Benzo(a)pyrene | ND | | 9.80 | µg/L | 1 | | | |
| Benzo(b)fluoranthene | ND | | 9.80 | µg/L | 1 | | | |
| Benzo(g,h,i)perylene | ND | | 9.80 | µg/L | 1 | | | |
| Benzo(k)fluoranthene | ND | | 9.80 | µg/L | 1 | | | |
| Chrysene | ND | | 9.80 | µg/L | 1 | | | |
| Dibenz(a,h)anthracene | ND | | 9.80 | µg/L | 1 | | | |
| Fluoranthene | ND | | 9.80 | µg/L | 1 | | | |
| Fluorene | ND | | 9.80 | µg/L | 1 | | | |
| Indeno(1,2,3-cd)pyrene | ND | | 9.80 | µg/L | 1 | | | |
| Naphthalene | 11.1 | | 9.80 | µg/L | 1 | | | |
| Phenanthrene | 2.79 | J | 9.80 | µg/L | 1 | | | |
| Pyrene | ND | | 9.80 | µg/L | 1 | | | |
| Surr:2-Fluorobiphenyl | 82 | | 38 - 129 | %REC | 1 | 9/27/2004 4:39:00 PM | SAM_040927A | MEI |
| Surr:Nitrobenzene-d5 | 82 | | 45 - 118 | %REC | 1 | | | |
| Surr:Terphenyl-d14 | 72 | | 10 - 154 | %REC | 1 | | | |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0102

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 12:10:00 P % Moist:

Lab ID: 0409182-07B

Sample Type: SAMP

Matrix: Water

Test Code: C_8270C_3520C_W_001

SEMIVOLATILE ORGANICS BY METHOD 8270C

Method: SW8270C

Prep Method: SW3520C

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------------|--------|---|----------|-------|----|----------------------|--------------|---------|
| 2-Methylnaphthalene | 556 | | 243 | µg/L | 5 | 9/27/2004 5:40:00 PM | SAM_040927A | MEI |
| Acenaphthene | 94.2 | J | 243 | µg/L | 5 | | | |
| Acenaphthylene | 692 | | 243 | µg/L | 5 | | | |
| Anthracene | 190 | J | 243 | µg/L | 5 | | | |
| Benz(a)anthracene | 122 | J | 243 | µg/L | 5 | | | |
| Benzo(a)pyrene | 128 | J | 243 | µg/L | 5 | | | |
| Benzo(b)fluoranthene | 54.3 | J | 243 | µg/L | 5 | | | |
| Benzo(g,h,i)perylene | 92.9 | J | 243 | µg/L | 5 | | | |
| Benzo(k)fluoranthene | 79.9 | J | 243 | µg/L | 5 | | | |
| Chrysene | 117 | J | 243 | µg/L | 5 | | | |
| Dibenz(a,h)anthracene | ND | | 243 | µg/L | 5 | | | |
| Fluoranthene | 348 | | 243 | µg/L | 5 | | | |
| Fluorene | 247 | | 243 | µg/L | 5 | | | |
| Indeno(1,2,3-cd)pyrene | 55.5 | J | 243 | µg/L | 5 | | | |
| Naphthalene | 4130 | | 971 | µg/L | 20 | 9/28/2004 4:05:00 PM | SAM_040928A | |
| Phenanthrene | 950 | | 243 | µg/L | 5 | 9/27/2004 5:40:00 PM | SAM_040927A | |
| Pyrene | 520 | | 243 | µg/L | 5 | | | |
| Surr:2-Fluorobiphenyl | 89 | | 38 - 129 | %REC | 5 | 9/27/2004 5:40:00 PM | SAM_040927A | MEI |
| Surr:Nitrobenzene-d5 | 84 | | 45 - 118 | %REC | 5 | | | |
| Surr:Terphenyl-d14 | 91 | | 10 - 154 | %REC | 5 | | | |

Definitions:

* - Recovery outside QC limits

B - Analyte found in Method blank

D - Diluted due to matrix or extended target compounds

DF - Dilution Factor

DNI - Did not Ignite

E - Result above quantitation limit (high standard or ICP linear range).

H - Value Exceeds Maximum Contaminant Level

J - Estimated value

M - Matrix Spike Recovery outside limits

N - Single Column Analysis

NC - Not Calculated

ND - Not Detected at the Reporting Limit

NP - Petroleum Pattern is not present

P - Post Spike Recovery outside limits

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0107

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 12:50:00 P % Moist:

Lab ID: 0409182-08B

Sample Type: SAMP

Matrix: Water

Test Code: C_8270C_3520C_W_001

SEMIVOLATILE ORGANICS BY METHOD 8270C

Method: SW8270C

Prep Method: SW3520C

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------------|--------|---|----------|-------|----|----------------------|--------------|---------|
| 2-Methylnaphthalene | 222 | J | 392 | µg/L | 40 | 9/28/2004 4:36:00 PM | SAM_040928A | MEI |
| Acenaphthene | 39.4 | | 9.80 | µg/L | 1 | 9/27/2004 6:40:00 PM | SAM_040927A | |
| Acenaphthylene | 230 | J | 392 | µg/L | 40 | 9/28/2004 4:36:00 PM | SAM_040928A | |
| Anthracene | 26.6 | | 9.80 | µg/L | 1 | 9/27/2004 6:40:00 PM | SAM_040927A | |
| Benz(a)anthracene | 11.9 | | 9.80 | µg/L | 1 | | | |
| Benzo(a)pyrene | 10.6 | | 9.80 | µg/L | 1 | | | |
| Benzo(b)fluoranthene | 4.94 | J | 9.80 | µg/L | 1 | | | |
| Benzo(g,h,i)perylene | 8.08 | J | 9.80 | µg/L | 1 | | | |
| Benzo(k)fluoranthene | 5.80 | J | 9.80 | µg/L | 1 | | | |
| Chrysene | 11.2 | | 9.80 | µg/L | 1 | | | |
| Dibenz(a,h)anthracene | 1.31 | J | 9.80 | µg/L | 1 | | | |
| Fluoranthene | 46.9 | | 9.80 | µg/L | 1 | | | |
| Fluorene | 62.6 | | 9.80 | µg/L | 1 | | | |
| Indeno(1,2,3-cd)pyrene | 12.4 | | 9.80 | µg/L | 1 | | | |
| Naphthalene | 2420 | | 392 | µg/L | 40 | 9/28/2004 4:36:00 PM | SAM_040928A | |
| Phenanthrene | 6.06 | J | 9.80 | µg/L | 1 | 9/27/2004 6:40:00 PM | SAM_040927A | |
| Pyrene | 56.0 | | 9.80 | µg/L | 1 | | | |
| Surr:2-Fluorobiphenyl | 72 | | 38 - 129 | %REC | 1 | 9/27/2004 6:40:00 PM | SAM_040927A | MEI |
| Surr:Nitrobenzene-d5 | 63 | | 45 - 118 | %REC | 1 | | | |
| Surr:Terphenyl-d14 | 44 | | 10 - 154 | %REC | 1 | | | |

Definitions:

* - Recovery outside QC limits
 DF - Dilution Factor
 H - Value Exceeds Maximum Contaminant Level
 N - Single Column Analysis
 NP - Petroleum Pattern is not present

B - Analyte found in Method blank
 DNI - Did not Ignite
 J - Estimated value
 NC - Not Calculated
 P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds
 E - Result above quantitation limit (high standard or ICP linear range).
 M - Matrix Spike Recovery outside limits
 ND - Not Detected at the Reporting Limit
 R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDIM0107

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 1:50:00 PM % Moist:

Lab ID: 0409182-09B

Sample Type: SAMP

Matrix: Water

Test Code: C_8270C_3520C_W_001

SEMIVOLATILE ORGANICS BY METHOD 8270C

Method: SW8270C

Prep Method: SW3520C

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------------|--------|---|----------|-------|----|----------------------|--------------|---------|
| 2-Methylnaphthalene | 13.1 | | 9.52 | µg/L | 1 | 9/27/2004 5:09:00 PM | SAM_040927A | MEI |
| Acenaphthene | 66.0 | | 9.52 | µg/L | 1 | | | |
| Acenaphthylene | 21.8 | | 9.52 | µg/L | 1 | | | |
| Anthracene | 8.30 | J | 9.52 | µg/L | 1 | | | |
| Benzo(a)anthracene | 1.29 | J | 9.52 | µg/L | 1 | | | |
| Benzo(a)pyrene | 0.982 | J | 9.52 | µg/L | 1 | | | |
| Benzo(b)fluoranthene | ND | | 9.52 | µg/L | 1 | | | |
| Benzo(g,h,i)perylene | ND | | 9.52 | µg/L | 1 | | | |
| Benzo(k)fluoranthene | ND | | 9.52 | µg/L | 1 | | | |
| Chrysene | 1.20 | J | 9.52 | µg/L | 1 | | | |
| Dibenz(a,h)anthracene | ND | | 9.52 | µg/L | 1 | | | |
| Fluoranthene | 8.69 | J | 9.52 | µg/L | 1 | | | |
| Fluorene | 17.7 | | 9.52 | µg/L | 1 | | | |
| Indeno(1,2,3-cd)pyrene | ND | | 9.52 | µg/L | 1 | | | |
| Naphthalene | 147 | | 38.1 | µg/L | 4 | 9/28/2004 5:36:00 PM | SAM_040928A | |
| Phenanthrene | 52.9 | | 9.52 | µg/L | 1 | 9/27/2004 5:09:00 PM | SAM_040927A | |
| Pyrene | 11.0 | | 9.52 | µg/L | 1 | | | |
| Surr:2-Fluorobiphenyl | 78 | | 38 - 129 | %REC | 1 | 9/27/2004 5:09:00 PM | SAM_040927A | MEI |
| Surr:Nitrobenzene-d5 | 77 | | 45 - 118 | %REC | 1 | | | |
| Surr:Terphenyl-d14 | 72 | | 10 - 154 | %REC | 1 | | | |

Definitions:

* - Recovery outside QC limits

B - Analyte found in Method blank

D - Diluted due to matrix or extended target compounds

DF - Dilution Factor

DNI - Did not Ignite

E - Result above quantitation limit (high standard or ICP linear range)

H - Value Exceeds Maximum Contaminant Level

J - Estimated value

M - Matrix Spike Recovery outside limits

N - Single Column Analysis

NC - Not Calculated

ND - Not Detected at the Reporting Limit

NP - Petroleum Pattern is not present

P - Post Spike Recovery outside limits

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: DUP09/16/04

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 7:00:00 AM % Moist:

Lab ID: 0409182-10B

Sample Type: SAMP

Matrix: Water

Test Code: C_8270C_3520C_W_001

SEMIVOLATILE ORGANICS BY METHOD 8270C

Method: SW8270C

Prep Method: SW3520C

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------------|--------|---|----------|-------|-----|-----------------------|--------------|---------|
| 2-Methylnaphthalene | 457 | | 388 | µg/L | 40 | 9/28/2004 5:06:00 PM | SAM_040928A | MEI |
| Acenaphthene | 67.4 | | 48.5 | µg/L | 5 | 9/27/2004 6:10:00 PM | SAM_040927A | |
| Acenaphthylene | 497 | | 388 | µg/L | 40 | 9/28/2004 5:06:00 PM | SAM_040928A | |
| Anthracene | 115 | | 48.5 | µg/L | 5 | 9/27/2004 6:10:00 PM | SAM_040927A | |
| Benz(a)anthracene | 70.2 | | 48.5 | µg/L | 5 | | | |
| Benzo(a)pyrene | 69.9 | | 48.5 | µg/L | 5 | | | |
| Benzo(b)fluoranthene | 31.6 | J | 48.5 | µg/L | 5 | | | |
| Benzo(g,h,i)perylene | 94.2 | | 48.5 | µg/L | 5 | | | |
| Benzo(k)fluoranthene | 37.4 | J | 48.5 | µg/L | 5 | | | |
| Chrysene | 67.7 | | 48.5 | µg/L | 5 | | | |
| Dibenz(a,h)anthracene | 13.3 | J | 48.5 | µg/L | 5 | | | |
| Fluoranthene | 208 | | 48.5 | µg/L | 5 | | | |
| Fluorene | 161 | | 48.5 | µg/L | 5 | | | |
| Indeno(1,2,3-cd)pyrene | 71.5 | | 48.5 | µg/L | 5 | | | |
| Naphthalene | 4030 | | 971 | µg/L | 100 | 9/30/2004 12:03:00 PM | SAM_040930A | |
| Phenanthrene | 30.0 | J | 48.5 | µg/L | 5 | 9/27/2004 6:10:00 PM | SAM_040927A | |
| Pyrene | 299 | | 48.5 | µg/L | 5 | | | |
| Surr:2-Fluorobiphenyl | 82 | | 38 - 129 | %REC | 5 | 9/27/2004 6:10:00 PM | SAM_040927A | MEI |
| Surr:Nitrobenzene-d5 | 89 | | 45 - 118 | %REC | 5 | | | |
| Surr:Terphenyl-d14 | 60 | | 10 - 154 | %REC | 5 | | | |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

EF - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
 Work Order: 0409182
 Project: Energy East Plattsburgh
 Test Code: C_8270C_3520C_W_001
 Batch ID: SAM_040925A

QC SUMMARY REPORT SURROGATE RECOVERIES

Semivolatile Organics by Method 8270C

| Sample ID | Type | NO2BZD5 | PHEN2F | PHEND14 | | | | | |
|----------------|------|---------|--------|---------|--|--|--|--|--|
| 0409182-01B | SAMP | 83 | 84 | 77 | | | | | |
| 0409182-02B | SAMP | 85 | 83 | 64 | | | | | |
| 0409182-03B | SAMP | 80 | 88 | 77 | | | | | |
| 0409182-04B | SAMP | 82 | 82 | 76 | | | | | |
| LCS-200403751 | LCS | 92 | 93 | 95 | | | | | |
| LCSD-200403751 | LCSD | 87 | 89 | 90 | | | | | |
| MB-200403751 | MBLK | 81 | 80 | 83 | | | | | |

| Acronym | Surrogate | QC Limits |
|---------|--------------------|-----------|
| NO2BZD5 | = Nitrobenzene-d5 | 45-118 |
| PHEN2F | = 2-Fluorobiphenyl | 38-129 |
| PHEND14 | = Terphenyl-d14 | 10-154 |

* Surrogate recovery outside acceptance limits

D - Diluted due to matrix or extended target compounds



Analytical Services Center
International Specialists in Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh
Test Code: C_8270C_3520C_W_001
Batch ID: SAM_040927A

QC SUMMARY REPORT SURROGATE RECOVERIES

Semivolatile Organics by Method 8270C

| Sample ID | Type | NO2BZD5 | PHEN2F | PHEND14 | | | | | |
|-------------|------|---------|--------|---------|--|--|--|--|--|
| 0409182-05B | SAMP | 96 | 97 | 79 | | | | | |
| 0409182-06B | SAMP | 82 | 82 | 72 | | | | | |
| 0409182-07B | SAMP | 84 | 89 | 91 | | | | | |
| 0409182-08B | SAMP | 63 | 72 | 44 | | | | | |
| 0409182-09B | SAMP | 77 | 78 | 72 | | | | | |
| 0409182-10B | SAMP | 89 | 82 | 60 | | | | | |

| Acronym | Surrogate | QC Limits |
|---------|--------------------|-----------|
| NO2BZD5 | = Nitrobenzene-d5 | 45-118 |
| PHEN2F | = 2-Fluorobiphenyl | 38-129 |
| PHEND14 | = Terphenyl-d14 | 10-154 |

* Surrogate recovery outside acceptance limits

D - Diluted due to matrix or extended target compounds



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation

Work Order: 0409182

Project: Energy East Plattsburgh

QC SUMMARY REPORT
 Laboratory Control Spike

PAHS by Method 8270C

Sample ID: LCS-200403751

Run Batch ID: SAM_040925A

Analyte Type / Name

Client Sample ID:

SeqNo: 1031106

Result

Test Code: C_8270C_3520C_W_001

Prep Batch ID: 200403751

Analysis Date: 9/25/2004 5:47:00 PM

MDL

Units: µg/L

DF: 1

DL_No: 1

Prep Date: 9/22/2004

RPD

HighLimit

LowLimit

%REC

Orig Result

Spike Value

RL

Analysis Date: 9/25/2004 5:47:00 PM

MDL

Result

Client Sample ID:

SeqNo: 1031106

Result

MDL

Analysis Date: 9/25/2004 5:47:00 PM

MDL

Result

Client Sample ID:

SeqNo: 1031106

Result

MDL

Analysis Date: 9/25/2004 5:47:00 PM

MDL

Result

Client Sample ID:

SeqNo: 1031106

Result

MDL

Analysis Date: 9/25/2004 5:47:00 PM

MDL

Result

Client Sample ID:

SeqNo: 1031106

Result

Qualifier Definitions:

- * - Recovery outside QC limits
- DNI - Did not Ignite
- M - Matrix Spike Recovery outside limits
- NP - Petroleum Pattern is not present
- Footnotes: 1 - Represents RSD Limit for Quad Analysis
- RL - Reporting Limit
- B - Analyte found in Method blank
- E - Result above quantitation limit (high standard or ICP linear H - Value Exceeds Maximum Contaminant Level)
- N - Single Cohort Analysis
- P - Post Spike Recovery outside limits
- D - Diluted due to matrix or extended target compounds
- I - Value Exceeds Maximum Contaminant Level
- NC - Not Calculated
- R - RPD outside recovery limits
- Analyte Types: S - Surrogate I - Internal Standard
- DF - Dilution Factor
- J - Estimated value
- ND - Not Detected at the Reporting Limit



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

QC SUMMARY REPORT
 Laboratory Control Spike Duplicate

PAHS by Method 8270C

Sample ID: LCSD-200403751
 Run Batch ID: SAM_040925A
 Analyte Type / Name

Test Code: C_8270C_3520C_W_001

Client Sample ID: 1031107
 SeqNo: 1031107
 Analysis Date: 9/25/2004 6:17:00 PM
 Prep Batch ID: 200403751

Units: µg/L
 DF: 1 DL_No: 1
 Prep Date: 9/22/2004

| Analyte Type / Name | Result | MDL | RL | Spike Value | Orig Result | %REC | LowLimit | HighLimit | RPD | RPD Limit | Qual |
|------------------------|--------|--------|-------|-------------|-------------|------|----------|-----------|-----|-----------|------|
| Acenaphthene | 32.60 | 0.7050 | 10.00 | 40.00 | 0 | 82 | 34 | 110 | 0.9 | 20 | |
| Acenaphthylene | 32.13 | 0.6280 | 10.00 | 40.00 | 0 | 80 | 23 | 131 | 1.5 | 20 | |
| Anthracene | 30.46 | 0.7030 | 10.00 | 40.00 | 0 | 76 | 18 | 133 | 2.1 | 20 | |
| Benzo(a)anthracene | 32.49 | 0.8650 | 10.00 | 40.00 | 0 | 81 | 29 | 146 | 3.0 | 20 | |
| Benzo(a)pyrene | 31.48 | 0.7740 | 10.00 | 40.00 | 0 | 79 | 21 | 139 | 3.4 | 20 | |
| Benzo(b)fluoranthene | 32.30 | 0.8440 | 10.00 | 40.00 | 0 | 81 | 35 | 136 | 4.7 | 20 | |
| Benzo(g,h,i)perylene | 33.30 | 0.7110 | 10.00 | 40.00 | 0 | 83 | 55 | 113 | 3.8 | 20 | |
| Benzo(k)fluoranthene | 33.33 | 0.7430 | 10.00 | 40.00 | 0 | 83 | 37 | 138 | 0.5 | 20 | |
| Chrysene | 33.16 | 0.8570 | 10.00 | 40.00 | 0 | 83 | 31 | 144 | 3.9 | 20 | |
| Dibenz(a,h)anthracene | 33.06 | 0.7600 | 10.00 | 40.00 | 0 | 83 | 59 | 112 | 3.2 | 20 | |
| Fluoranthene | 31.62 | 0.8060 | 10.00 | 40.00 | 0 | 79 | 29 | 142 | 1.7 | 20 | |
| Fluorene | 32.75 | 0.7990 | 10.00 | 40.00 | 0 | 82 | 24 | 133 | 3.6 | 20 | |
| Indeno(1,2,3-cd)pyrene | 32.93 | 0.8000 | 10.00 | 40.00 | 0 | 82 | 56 | 114 | 3.4 | 20 | |
| Naphthalene | 32.30 | 0.5780 | 10.00 | 40.00 | 0 | 81 | 36 | 110 | 2.8 | 20 | |
| Phenanthrene | 31.19 | 0.7320 | 10.00 | 40.00 | 0 | 78 | 28 | 144 | 4.1 | 20 | |
| Pyrene | 34.51 | 0.7740 | 10.00 | 40.00 | 0 | 86 | 25 | 135 | 2.5 | 20 | |
| S 2-Fluorobiphenyl | 44.29 | 0 | 0 | 50.00 | 0 | 89 | 38 | 129 | 0.0 | 0 | |
| S Nitrobenzene-d5 | 43.37 | 0 | 0 | 50.00 | 0 | 87 | 45 | 118 | 0.0 | 0 | |
| S Terphenyl-d14 | 45.10 | 0 | 0 | 50.00 | 0 | 90 | 10 | 154 | 0.0 | 0 | |

Qualifier Definitions:

* - Recovery outside QC limits
 DNI - Did not Ignite
 M - Matrix Spike Recovery outside limits
 NP - Petroleum Pattern is not present
 Footnotes: ! - Represents RSD Limit for Quad Analysis
 RL - Reporting Limit
 B - Analyte found in Method blank
 E - Result above quantitation limit (high standard or ICP linear H - Value Exceeds Maximum Contaminant Level
 N - Single Column Analysis
 P - Post Spike Recovery outside limits
 RL - Reporting Limit
 D - Diluted due to matrix or extended target compounds
 J - Estimated value
 ND - Not Detected at the Reporting Limit
 DF - Dilution Factor
 Analyte Types: S - Surrogate I - Internal Standard
 R - RPD outside recovery limits
 NC - Not Calculated



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Waiden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

QC SUMMARY REPORT
 Method Blank

PAHS by Method 8270C

Sample ID: **MB-200403751**
 Run Batch ID: **SAM_040925A**
 Analyte Type / Name

Test Code: **C_8270C_3520C_W_001**

Units: **µg/L**
 DF: **1** DL_No: **1**
 Prep Date: **9/22/2004**
 Prep Batch ID: **200403751**

Client Sample ID:
 SeqNo: **1031105**
 Analysis Date: **9/25/2004 5:17:00 PM**
 Spike Value

| Analyte Type / Name | Result | MDL | RL | %REC | LowLimit | HighLimit | RPD | RPD Limit | Qual |
|------------------------|--------|--------|-------|------|----------|-----------|-----|-----------|------|
| 2-Methylnaphthalene | ND | 2.200 | 10.00 | | | | | | |
| Acenaphthene | ND | 0.7050 | 10.00 | | | | | | |
| Acenaphthylene | ND | 0.6280 | 10.00 | | | | | | |
| Anthracene | ND | 0.7030 | 10.00 | | | | | | |
| Benzo(a)anthracene | ND | 0.8650 | 10.00 | | | | | | |
| Benzo(a)pyrene | ND | 0.7740 | 10.00 | | | | | | |
| Benzo(b)fluoranthene | ND | 0.8440 | 10.00 | | | | | | |
| Benzo(g,h,i)perylene | ND | 0.7110 | 10.00 | | | | | | |
| Benzo(k)fluoranthene | ND | 0.7430 | 10.00 | | | | | | |
| Chrysene | ND | 0.8570 | 10.00 | | | | | | |
| Dibenz(a,h)anthracene | ND | 0.7600 | 10.00 | | | | | | |
| Fluoranthene | ND | 0.8060 | 10.00 | | | | | | |
| Fluorene | ND | 0.7990 | 10.00 | | | | | | |
| Indeno(1,2,3-cd)pyrene | ND | 0.8000 | 10.00 | | | | | | |
| Naphthalene | ND | 0.5780 | 10.00 | | | | | | |
| Phenanthrene | ND | 0.7320 | 10.00 | | | | | | |
| Pyrene | ND | 0.7740 | 10.00 | | | | | | |
| S 2-Fluorobiphenyl | 40.23 | 0 | 0 | 80 | 38 | 129 | | | |
| S Nitrobenzene-d5 | 40.51 | 0 | 0 | 81 | 45 | 118 | | | |
| S Terphenyl-d14 | 41.65 | 0 | 0 | 83 | 10 | 154 | | | |

Qualifier Definitions:

* - Recovery outside QC limits
 DNT - Did not Ignite
 M - Matrix Spike Recovery outside limits
 NP - Petroleum Pattern is not present
 B - Analyte found in Method blank
 E - Result above quantitation limit (high standard or ICP linear H - Value Exceeds Maximum Contaminant Level)
 N - Single Column Analysis
 P - Post Spike Recovery outside limits
 D - Diluted due to matrix or extended target compounds
 J - Estimated value
 ND - Not Detected at the Reporting Limit
 NC - Not Calculated
 R - RPD outside recovery limits
 Analyte Types: S - Surrogate I - Internal Standard

Footnotes: 1 - Represents RSD Limit for Quad Analysis RL - Reporting Limit

GENERAL ANALYTICAL CHEMISTRY



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0203

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 9:40:00 AM % Moist:

Lab ID 0409182-02D

Sample Type: SAMP

Matrix: Water

Test Code: 1_335.3_CN_W

CYANIDE, TOTAL BY METHOD 335.3

Method: EPA335.3

Prep Method: EPA335.3

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------|--------|---|-------|-------|----|----------------------|-------------------|---------|
| Cyanide | ND | | 0.01 | mg/L | 1 | 10/1/2004 4:59:38 PM | LACHAT_CN_041001A | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0111

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 10:10:00 A % Moist:

Lab ID 0409182-03D

Sample Type: SAMP

Matrix: Water

Test Code: 1_335.3_CN_W

CYANIDE, TOTAL BY METHOD 335.3

Method: EPA335.3

Prep Method: EPA335.3

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------|---------|---|-------|-------|----|----------------------|------------------|---------|
| Cyanide | 0.00375 | J | 0.01 | mg/L | 1 | 10/1/2004 5:00:35 PM | LCHAT_CN_041001A | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists In Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0210

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 10:35:00 A % Moist:

Lab ID 0409182-04D

Sample Type: SAMP

Matrix: Water

Test Code: 1_335.3_CN_W

CYANIDE, TOTAL BY METHOD 335.3

Method: EPA335.3

Prep Method: EPA335.3

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------|--------|---|-------|-------|----|----------------------|-------------------|---------|
| Cyanide | ND | | 0.01 | mg/L | 1 | 10/1/2004 5:01:32 PM | LACHAT_CN_041001A | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGUD0101

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 11:00:00 A % Moist:

Lab ID 0409182-05D

Sample Type: SAMP

Matrix: Water

Test Code: 1_335.3_CN_W

CYANIDE, TOTAL BY METHOD 335.3

Method: EPA335.3

Prep Method: EPA335.3

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------|--------|---|-------|-------|----|----------------------|-------------------|---------|
| Cyanide | ND | | 0.01 | mg/L | 1 | 10/1/2004 5:02:29 PM | LACHAT_CN_041001A | RLG |

Definitions:

- * - Recovery outside QC limits
- DF - Dilution Factor
- H - Value Exceeds Maximum Contaminant Level
- N - Single Column Analysis
- NP - Petroleum Pattern is not present
- B - Analyte found in Method blank
- DNI - Did not Ignite
- J - Estimated value
- NC - Not Calculated
- P - Post Spike Recovery outside limits
- D - Diluted due to matrix or extended target compounds
- E - Result above quantitation limit (high standard or ICP linear range).
- M - Matrix Spike Recovery outside limits
- ND - Not Detected at the Reporting Limit
- R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0106

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 11:40:00 A % Moist:

Lab ID 0409182-06D

Sample Type: SAMP

Matrix: Water

Test Code: 1_335.3_CN_W

CYANIDE, TOTAL BY METHOD 335.3

Method: EPA335.3

Prep Method: EPA335.3

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------|--------|---|-------|-------|----|----------------------|-------------------|---------|
| Cyanide | ND | | 0.01 | mg/L | 1 | 10/1/2004 5:03:27 PM | LACHAT_CN_041001A | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0102

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 12:10:00 P % Moist:

Lab ID 0409182-07D

Sample Type: SAMP

Matrix: Water

Test Code: 1_335.3_CN_W

CYANIDE, TOTAL BY METHOD 335.3

Method: EPA335.3

Prep Method: EPA335.3

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------|--------|---|-------|-------|----|----------------------|-------------------|---------|
| Cyanide | ND | | 0.01 | mg/L | 1 | 10/1/2004 5:06:21 PM | LACHAT_CN_041001A | RLG |

Definitions:

- * - Recovery outside QC limits
- DF - Dilution Factor
- H - Value Exceeds Maximum Contaminant Level
- N - Single Column Analysis
- NP - Petroleum Pattern is not present

- B - Analyte found in Method blank
- DNI - Did not Ignite
- J - Estimated value
- NC - Not Calculated
- P - Post Spike Recovery outside limits

- D - Diluted due to matrix or exceeded target compounds
- E - Result above quantitation limit (high standard or ICP linear range).
- M - Matrix Spike Recovery outside limits
- ND - Not Detected at the Reporting Limit
- R - RPD outside recovery limits



Analytical Services Center

International Specialists In Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0107

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 12:50:00 P % Moist:

Lab ID 0409182-08D

Sample Type: SAMP

Matrix: Water

Test Code: 1_335.3_CN_W

CYANIDE, TOTAL BY METHOD 335.3

Method: EPA335.3

Prep Method: EPA335.3

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------|--------|---|-------|-------|----|----------------------|-------------------|---------|
| Cyanide | ND | | 0.01 | mg/L | 1 | 10/1/2004 5:07:19 PM | LACHAT_CN_041001A | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDIM0107

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 1:50:00 PM % Moist:

Lab ID 0409182-09D

Sample Type: SAMP

Matrix: Water

Test Code: 1_335.3_CN_W

CYANIDE, TOTAL BY METHOD 335.3

Method: EPA335.3

Prep Method: EPA335.3

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------|---------|---|-------|-------|----|----------------------|------------------|---------|
| Cyanide | 0.00797 | J | 0.01 | mg/L | 1 | 10/1/2004 5:08:18 PM | LCHAT_CN_041001A | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: DUP09/16/04

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 7:00:00 AM % Moist:

Lab ID 0409182-10D

Sample Type: SAMP

Matrix: Water

Test Code: 1_335.3_CN_W

CYANIDE, TOTAL BY METHOD 335.3

Method: EPA335.3

Prep Method: EPA335.3

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------|--------|---|-------|-------|----|----------------------|------------------|---------|
| Cyanide | ND | | 0.01 | mg/L | 1 | 10/1/2004 5:09:16 PM | LCHAT_CN_041001A | RLG |

Definitions:

* - Recovery outside QC limits
 DF - Dilution Factor
 H - Value Exceeds Maximum Contaminant Level
 N - Single Column Analysis
 NP - Petroleum Pattern is not present

B - Analyte found in Method blank
 DNI - Did not Ignite
 J - Estimated value
 NC - Not Calculated
 P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds
 E - Result above quantization limit (high standard or ICP linear range)
 M - Matrix Spike Recovery outside limits
 ND - Not Detected at the Reporting Limit
 R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0109

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 9:00:00 AM % Moist:

Lab ID 0409182-01D

Sample Type: SAMP

Matrix: Water

Test Code: 1_335.3_CN_W

CYANIDE, TOTAL BY METHOD 335.3

Method: EPA335.3

Prep Method: EPA335.3

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|---------|--------|---|-------|-------|----|----------------------|------------------|---------|
| Cyanide | ND | | 0.01 | mg/L | 1 | 10/1/2004 4:56:47 PM | LCHAT_CN_041001A | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center
 International Specialists In Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

OC SUMMARY REPORT
 Sample Matrix Spike

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

Cyanide, Total by Method 335.3
Sample ID: 0409182-01DS
Client Sample ID: BSGDD0109
Run Batch ID: LACHAT_CN_041001A
SeqNo: 1034818
Analysis Date: 10/1/2004 4:57:44 PM
Prep Batch ID: 200403798
Analyte Type / Name: Cyanide
Result: 0.1109
MDL: 0.003130
RL: 0.01000
Spike Value: 0.1000
Orig Result: 0
%REC: 111
LowLimit: 90
HighLimit: 110
RPD: RPD Limit 1
Qual: M

Test Code: 1_335.3_CN_W
Units: mg/L
DF: 1
DL_No: 1
Prep Date: 9/27/2004

Qualifier Definitions:

- * - Recovery outside QC limits
- DNI - Did not Ignite
- M - Matrix Spike Recovery outside limits
- NP - Petroleum Pattern is not present
- Notes: 1 - Represents RSD Limit for Quad Analysis
- B - Analyte found in Method blank
- E - Result above quantitation limit (high standard or ICP line)
- N - Single Column Analysis
- P - Post Spike Recovery outside limits
- D - Diluted due to matrix or extended target compounds
- H - Value Exceeds Maximum Contaminant Level
- NC - Not Calculated
- R - RPD outside recovery limits
- DF - Dilution Factor
- J - Estimated value
- ND - Not Detected at the Reporting Limit
- RL - Reporting Limit
- S - Surrogate
- I - Internal Standard



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

QC SUMMARY REPORT
 Sample Matrix Spike Duplicate

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

Cyanide, Total by Method 335.3
 Test Code: 1_335.3_CN_W Units: mg/L
 Sample ID: 0409182-01DS1 Client Sample ID: BSGDD0109
 Run Batch ID: LACHAT_CN_041001A SeqNo: 1034819 Analysis Date 10/11/2004 4:58:41 PM Prep Batch ID: 200403798
 Analyte Type / Name Result MDL Spike Value Orig Result %REC LowLimit HighLimit RPD RPD Limit Qual
 Cyanide 0.09867 0.003130 0.01000 0 99 90 110 11.6 20

Qualifier Definitions:

* - Recovery outside QC limits
 DNI - Did not Ignite
 M - Matrix Spike Recovery outside limits
 NP - Petroleum Pattern is not present
 B - Analyte found in Method blank
 E - Result above quantitation limit (High standard or ICP lines)
 N - Single Column Analysis
 P - Post Spike Recovery outside limits
 RL - Reporting Limit
 D - Diluted due to matrix or extended target compounds
 H - Value Exceeds Maximum Contaminant Level
 NC - Not Calculated
 R - RPD outside recovery limits
 DF - Dilution Factor
 J - Estimated value
 ND - Not Detected at the Reporting Limit
 Analyte Types: S - Surrogate I - Internal Standard



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

QC SUMMARY REPORT
 Laboratory Control Spike

Cyanide, Total by Method 335.3

Sample ID: LCS-200403798

Client Sample ID:

Test Code: 1_335.3_CN_W

Units: mg/L

Run Batch ID: LACHAT_CN_041001A

SeqNo: 1034816

Prep Batch ID: 200403798

DF: 1 DL_No: 1

Analyte Type / Name

MDL

Analysis Date 10/1/2004 4:55:48 PM

Prep Date 9/27/2004

RPD RPD Limit 1 Qual

Cyanide

Result

0.09648

0.01000

0

96

HighLimit

90

110

Qualifier Definitions:

* - Recovery outside QC limits

DNI - Did not ignite

M - Matrix Spike Recovery outside limits

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

E - Result above quantitation limit (High standard or ICP lines)

N - Single Column Analysis

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

H - Value Exceeds Maximum Contaminant Level

NC - Not Calculated

R - RPD outside recovery limits

DF - Dilution Factor

J - Estimated value

ND - Not Detected at the Reporting Limit

Footnotes: 1 - Represents RSD Limit for Quad Analysis

RL - Reporting Limit

Analysis Types: S - Surrogate I - Internal Standard



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

QC SUMMARY REPORT
 Method Blank

Cyanide, Total by Method 335.3
 Sample ID **MB-200403798**
 Run Batch ID: **LACHAT_CN_041001A**
 Analyte Type / Name

Client Sample ID: **1034817**
 SeqNo: **1034817**
 Analysis Date: **10/1/2004 4:54:50 PM**
 Spike Value: **MDL**
 Result: **ND**
 MDL: **0.003130**
 RL: **0.01000**

Test Code: **1_335.3_CN_W**
 Units: **mg/L**
 DF: **1**
 DL_No: **1**
 Prep Date: **9/27/2004**
 Prep Batch ID: **200403798**
 %REC: **RPD**
 HighLimit: **RPD**
 LowLimit: **RPD**
 Orig Result: **RPD**
 Spike Value: **RPD**
 Result: **RPD**
 MDL: **RPD**
 RL: **RPD**
 Analyte Type / Name: **RPD**

Cyanide

Qualifier Definitions:

* - Recovery outside QC limits
 DNI - Did not ignite
 M - Matrix Spike Recovery outside limits
 NP - Petroleum Pattern is not present
 B - Analyte found in Method blank
 E - Result above quantitation limit (high standard or ICP limit)
 N - Single Column Analysis
 P - Post Spike Recovery outside limits
 D - Diluted due to matrix or extended target compounds
 H - Value Exceeds Maximum Contaminant Level
 NC - Not Calculated
 R - RPD outside recovery limits
 DF - Dilution Factor
 J - Estimated value
 ND - Not Detected at the Reporting Limit
 S - Surrogate
 I - Internal Standard
 RL - Reporting Limit



Analytical Services Center

International Specialists in Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0109

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 9:00:00 AM % Moist:

Lab ID 0409182-01C

Sample Type: SAMP

Matrix: Water

Test Code: 1_9065ME_W

PHENOLS (DIRECT) IN WATER BY METHOD 9065M (4AAP)

Method: SW9065ME

Prep Method: NA

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------|---------|---|-------|-------|----|----------------------|---------------------|---------|
| Phenolics, Total | 0.00372 | J | 0.005 | mg/L | 1 | 10/4/2004 9:55:08 AM | LCHAT_PHENOLS_04100 | RLG |

Definitions:

* - Recovery outside QC limits
 DF - Dilution Factor
 H - Value Exceeds Maximum Contaminant Level
 N - Single Column Analysis
 NP - Petroleum Pattern is not present

B - Analyte found in Method blank
 DNI - Did not Ignite
 J - Estimated value
 NC - Not Calculated
 P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds
 E - Result above quantitation limit (high standard or ICP linear range).
 M - Matrix Spike Recovery outside limits
 ND - Not Detected at the Reporting Limit
 R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0203

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 9:40:00 AM % Moist:

Lab ID 0409182-02C

Sample Type: SAMP

Matrix: Water

Test Code: 1_9065ME_W

PHENOLS (DIRECT) IN WATER BY METHOD 9065M (4AAP)

Method: SW9065ME

Prep Method: NA

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------|--------|---|-------|-------|----|----------------------|----------------------|---------|
| Phenolics, Total | 0.0234 | | 0.005 | mg/L | 1 | 10/4/2004 9:56:10 AM | LACHAT_PHENOLS_04100 | RLG |

Definitions:

- * - Recovery outside QC limits
- DF - Dilution Factor
- H - Value Exceeds Maximum Contaminant Level
- N - Single Column Analysis
- NP - Petroleum Pattern is not present
- B - Analyte found in Method blank
- DNI - Did not Ignite
- J - Estimated value
- NC - Not Calculated
- P - Post Spike Recovery outside limits
- D - Diluted due to matrix or extended target compounds
- E - Result above quantitation limit (high standard or ICP linear range).
- M - Matrix Spike Recovery outside limits
- ND - Not Detected at the Reporting Limit
- R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0111

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 10:10:00 A % Moist:

Lab ID 0409182-03C

Sample Type: SAMP

Matrix: Water

Test Code: 1_9065ME_W

PHENOLS (DIRECT) IN WATER BY METHOD 9065M (4AAP)

Method: SW9065ME

Prep Method: NA

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------|--------|---|-------|-------|----|----------------------|---------------------|---------|
| Phenolics, Total | 0.0187 | | 0.005 | mg/L | 1 | 10/4/2004 9:57:11 AM | LCHAT_PHENOLS_04100 | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists In Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0210

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 10:35:00 A % Moist:

Lab ID 0409182-04C

Sample Type: SAMP

Matrix: Water

Test Code: 1_9065ME_W

PHENOLS (DIRECT) IN WATER BY METHOD 9065M (4AAP)

Method: SW9065ME

Prep Method: NA

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------|---------|---|-------|-------|----|----------------------|---------------------|---------|
| Phenolics, Total | 0.00692 | | 0.005 | mg/L | 1 | 10/4/2004 9:58:12 AM | LCHAT_PHENOLS_04100 | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGUD0101

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 11:00:00 A % Moist:

Lab ID 0409182-05C

Sample Type: SAMP

Matrix: Water

Test Code: 1_9065ME_W

PHENOLS (DIRECT) IN WATER BY METHOD 9065M (4AAP)

Method: SW9065ME

Prep Method: NA

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------|---------|---|-------|-------|----|----------------------|----------------------|---------|
| Phenolics, Total | 0.00713 | | 0.005 | mg/L | 1 | 10/4/2004 9:59:14 AM | LACHAT_PHENOLS_04100 | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Contaminant Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not ignite

I - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantization limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0106

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 11:40:00 A % Moist:

Lab ID 0409182-06C

Sample Type: SAMP

Matrix: Water

Test Code: 1_9065ME_W

PHENOLS (DIRECT) IN WATER BY METHOD 9065M (4AAP)

Method: SW9065ME

Prep Method: NA

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------|--------|---|-------|-------|----|-----------------------|----------------------|---------|
| Phenolics, Total | 0.0425 | | 0.005 | mg/L | 1 | 10/4/2004 10:00:15 AM | LACHAT_PHENOLS_04100 | RLG |

Definitions:

* - Recovery outside QC limits

DF - Dilution Factor

H - Value Exceeds Maximum Containment Level

N - Single Column Analysis

NP - Petroleum Pattern is not present

B - Analyte found in Method blank

DNI - Did not Ignite

J - Estimated value

NC - Not Calculated

P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds

E - Result above quantitation limit (high standard or ICP linear range).

M - Matrix Spike Recovery outside limits

ND - Not Detected at the Reporting Limit

R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0102

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 12:10:00 P % Moist:

Lab ID 0409182-07C

Sample Type: SAMP

Matrix: Water

Test Code: 1_9065ME_W

PHENOLS (DIRECT) IN WATER BY METHOD 9065M (4AAP)

Method: SW9065ME

Prep Method: NA

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------|--------|---|-------|-------|----|-----------------------|----------------------|---------|
| Phenolics, Total | 0.106 | | 0.005 | mg/L | 1 | 10/4/2004 10:01:16 AM | LACHAT_PHENOLS_04100 | RLG |

Definitions:

* - Recovery outside QC limits
DF - Dilution Factor
H - Value Exceeds Maximum Contaminant Level
N - Single Column Analysis
NP - Petroleum Pattern is not present

B - Analyte found in Method blank
DNI - Did not Ignite
J - Estimated value
NC - Not Calculated
P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds
E - Result above quantization limit (high standard or ICP linear range).
M - Matrix Spike Recovery outside limits
ND - Not Detected at the Reporting Limit
R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDD0107

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 12:50:00 P % Moist:

Lab ID 0409182-08C

Sample Type: SAMP

Matrix: Water

Test Code: 1_9065ME_W

PHENOLS (DIRECT) IN WATER BY METHOD 9065M (4AAP)

Method: SW9065ME

Prep Method: NA

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------|--------|---|-------|-------|----|-----------------------|---------------------|---------|
| Phenolics, Total | 0.0311 | | 0.005 | mg/L | 1 | 10/4/2004 10:02:16 AM | LCHAT_PHENOLS_04100 | RLG |

Definitions:

- * - Recovery outside QC limits
- DF - Dilution Factor
- H - Value Exceeds Maximum Contaminant Level
- N - Single Column Analysis
- NP - Petroleum Pattern is not present
- B - Analyte found in Method blank
- DNI - Did not Ignite
- J - Estimated value
- NC - Not Calculated
- P - Post Spike Recovery outside limits
- D - Diluted due to matrix or extended target compounds
- E - Result above quantitation limit (high standard or ICP linear range).
- M - Matrix Spike Recovery outside limits
- ND - Not Detected at the Reporting Limit
- R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis
4493 Walden Avenue
Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486
Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: BSGDIM0107

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 1:50:00 PM % Moist:

Lab ID 0409182-09C

Sample Type: SAMP

Matrix: Water

Test Code: 1_9065ME_W

PHENOLS (DIRECT) IN WATER BY METHOD 9065M (4AAP)

Method: SW9065ME

Prep Method: NA

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------|--------|---|-------|-------|----|-----------------------|---------------------|---------|
| Phenolics, Total | 0.167 | | 0.005 | mg/L | 1 | 10/4/2004 10:03:17 AM | LCHAT_PHENOLS_04100 | RLG |

Definitions:

* - Recovery outside QC limits
 DF - Dilution Factor
 H - Value Exceeds Maximum Contaminant Level
 N - Single Column Analysis
 NP - Petroleum Pattern is not present

B - Analyte found in Method blank
 DNI - Did not Ignite
 J - Estimated value
 NC - Not Calculated
 P - Post Spike Recovery outside limits

D - Diluted due to matrix or extended target compounds
 E - Result above quantitation limit (high standard or ICP linear range)
 M - Matrix Spike Recovery outside limits
 ND - Not Detected at the Reporting Limit
 R - RPD outside recovery limits



Analytical Services Center

International Specialists in Environmental Analysis

4493 Walden Avenue

Lancaster, New York 14086

Laboratory Results

NYS ELAP ID#: 10486

Phone: (716) 685-8080

Client: URS Corporation

Client Sample ID: DUP09/16/04

Lab Order: 0409182

Alt. Client ID:

Project: Energy East Plattsburgh

Collection Date: 9/16/2004 7:00:00 AM % Moist:

Lab ID 0409182-10C

Sample Type: SAMP

Matrix: Water

Test Code: 1_9065ME_W

PHENOLS (DIRECT) IN WATER BY METHOD 9065M (4AAP)

Method: SW9065ME

Prep Method: NA

| Analyte | Result | Q | Limit | Units | DF | Date Analyzed | Run Batch ID | Analyst |
|------------------|--------|---|-------|-------|----|-----------------------|----------------------|---------|
| Phenolics, Total | 0.118 | | 0.005 | mg/L | 1 | 10/4/2004 10:04:17 AM | LACHAT_PHENOLS_04100 | RLG |

Definitions:

- * - Recovery outside QC limits
- DF - Dilution Factor
- H - Value Exceeds Maximum Contaminant Level
- N - Single Column Analysis
- NP - Petroleum Pattern is not present
- B - Analyte found in Method blank
- DNI - Did not Ignite
- J - Estimated value
- NC - Not Calculated
- P - Post Spike Recovery outside limits
- D - Diluted due to matrix or extended target compounds
- E - Result above quantization limit (high standard or ICP linear range).
- M - Matrix Spike Recovery outside limits
- ND - Not Detected at the Reporting Limit
- R - RPD outside recovery limits



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

QC SUMMARY REPORT
 Laboratory Control Spike

Phenols (Direct) in Water by Method 9065M (4AAP)

Sample ID: LCS-200403878 Client Sample ID:
 Run Batch ID: LACHAT_PHENOLS_041004A SeqNo: 1035521
 Analysis Date 10/4/2004 9:44:04 AM Prep Batch ID: 200403878

Test Code: 1_9065ME_W

Units: mg/L
 DF: 1 DL_No: 1
 Prep Date 10/2/2004

| Analyte Type / Name | Result | MDL | RL | Spike Value | Orig Result | %REC | LowLimit | HighLimit | RPD | RPD Limit | Qual |
|---------------------|--------|----------|----------|-------------|-------------|------|----------|-----------|-----|-----------|------|
| Phenolics, Total | 0.1083 | 0.002860 | 0.005000 | 0.1000 | 0 | 108 | 75 | 125 | | | |

Qualifier Definitions:

* - Recovery outside QC limits
 DNI - Did not ignite
 M - Matrix Spike Recovery outside limits
 NP - Petroleum Pattern is not present
 B - Analyte found in Method blank
 E - Result above quantitation limit (high standard or ICP lines)
 N - Single Column Analysis
 P - Post Spike Recovery outside limits
 RL - Reporting Limit
 D - Diluted due to matrix or extended target compounds
 H - Value Exceeds Maximum Contaminant Level
 NC - Not Calculated
 R - RPD outside recovery limits
 S - Surrogate
 I - Internal Standard
 DF - Dilution Factor
 J - Estimated value
 ND - Not Detected at the Reporting Limit
 Analyte Types: S - Surrogate I - Internal Standard



Analytical Services Center
 International Specialists in Environmental Analysis
 4493 Walden Avenue
 Lancaster, New York 14086

Laboratory Results
 NYS ELAP ID#: 10486
 Phone: (716) 685-8080

CLIENT: URS Corporation
Work Order: 0409182
Project: Energy East Plattsburgh

QC SUMMARY REPORT
 Method Blank

Phenols (Direct) in Water by Method 9065M (4AAP)

Sample ID **MB-200403878** Client Sample ID: **MB-200403878** Units: mg/L
 Run Batch ID: **LACHAT_PHENOLS_041004A** SeqNo: **1035522** Analysis Date: **10/4/2004 9:43:03 AM** Prep Batch ID: **200403878** DF: **1** DL_No: **1**
 Analyte Type / Name: **Phenolics, Total** Result: **ND** MDL: **0.002860** RL: **0.005000** Spike Value: **0.005000** %REC: **0.005000** HighLimit: **RPD** LowLimit: **RPD** RPD Limit 1: **Qual**

Qualifier Definitions:

• - Recovery outside QC limits
 DNI - Did not ignite
 M - Matrix Spike Recovery outside limits
 NP - Petroleum Pattern is not present
 B - Analyte found in Method blank
 E - Result above quantitation limit (high standard or ICP leuca H - Value Exceeds Maximum Contaminant Level)
 N - Single Column Analysis
 P - Post Spike Recovery outside limits
 D - Diluted due to matrix or extended target compounds
 NC - Not Calculated
 R - RPD outside recovery limits
 S - Surrogate
 I - Internal Standard
 DF - Dilution Factor
 J - Estimated value
 ND - Not Detected at the Reporting Limit

APPENDIX D
SUMMARY OF HISTORIC BEDROCK GROUNDWATER ANALYTICAL RESULTS

**APPENDIX D
HISTORIC BEDROCK GROUNDWATER ANALYTICAL RESULTS**

**NYSEG-BRIDGE STREET FORMER MGP SITE
PLATTSBURGH, NEW YORK**

| Parameter | MW-1B | | MW-2B | | MW-3B | | MW-6B | | MW-7BD | |
|---|-----------|-------------|--------------|--------------|-----------|-------------|-------------|-------------|---------------|--------------|
| | 1/28/2002 | 9/16/2004 | 1/30/2002 | 9/16/2004 | 10/4/2002 | 9/16/2004 | 1/28/2002 | 9/16/2004 | 1/30/2002 | 9/16/2004 |
| <i>Benzene, Toluene, Ethylbenzene, Xylenes (µg/L)</i> | | | | | | | | | | |
| Benzene | 4 | 0.643J | 1,300 | 910 | 64 | 6.59 | 1.00 | 1.58 | 1,300 | 464 |
| Ethylbenzene | <1 | <1 | 1,500 | 1,520 | <1 | 0.317J | <1 | 1.71 | 930 | 279 |
| Toluene | <1 | 0.382J | 2,600 | 1,790 | 4 | 0.768J | <1 | 1.61 | 1,900 | 581 |
| Xylene, total | <1 | <2 | 2,800 | 2,800 | <1 | <2 | <1 | 4.22 | 2,300 | 855 |
| <i>Total BTEX</i> | <i>4</i> | <i>1.03</i> | <i>8,200</i> | <i>7,020</i> | <i>68</i> | <i>7.68</i> | <i>1.00</i> | <i>9.12</i> | <i>6,430</i> | <i>2,179</i> |
| <i>Polyaromatic Hydrocarbons (µg/L)</i> | | | | | | | | | | |
| 2-Methylnaphthalene | <10 | <9.43 | 170J | 457 | <10 | <9.52 | <10 | 5.51J | 640 | 222J |
| Acenaphthene | <10 | <9.43 | 26J | 94.2J | <10 | <9.52 | <10 | <9.8 | 160J | 39.4 |
| Acenaphthylene | <10 | <9.43 | 280 | 497 | <10 | <9.52 | <10 | 4.89J | 920 | 230J |
| Anthracene | <10 | <9.43 | <200 | 190J | <10 | <9.52 | <10 | <9.8 | 240J | 26.6 |
| Benzo(a)anthracene | <10 | <9.43 | <200 | 122J | <10 | <9.52 | <10 | <9.8 | 100J | 11.9 |
| Benzo(a)pyrene | <10 | <9.43 | <200 | 128J | <10 | <9.52 | <10 | <9.8 | 40J | 10.6 |
| Benzo(b)fluoranthene | <10 | <9.43 | <200 | 31.6J | <10 | <9.52 | <10 | <9.8 | 44J | 4.94J |
| Benzo(g,h,i)perylene | <10 | <9.43 | <200 | 92.9J | <10 | <9.52 | <10 | <9.8 | <400 | 8.08J |
| Benzo(k)fluoranthene | <10 | <9.43 | <200 | 37.4J | <10 | <9.52 | <10 | <9.8 | 48J | 5.8J |
| Chrysene | <10 | <9.43 | <200 | 117J | <10 | <9.52 | <10 | <9.8 | 100J | 11.2 |
| Dibenz(a,h)anthracene | <10 | <9.43 | <200 | <243 | <10 | <9.52 | <10 | <9.8 | <400 | 1.31J |
| Fluoranthene | <10 | <9.43 | <200 | 208 | <10 | <9.52 | <10 | <9.8 | 300J | 46.9 |
| Fluorene | <10 | <9.43 | 34J | 161 | <10 | <9.52 | <10 | <9.8 | 300J | 62.6 |
| Indeno(1,2,3-cd)pyrene | <10 | <9.43 | <200 | 55.5J | <10 | <9.52 | <10 | <9.8 | <400 | 12.4 |
| Naphthalene | <10 | <9.43 | 3,000 | 4,030 | <10 | <9.52 | <10 | 11.1 | 6,400 | 2,420 |
| Phenanthrene | <10 | <9.43 | 68J | 30J | <10 | <9.52 | <10 | 2.79J | 1,000 | 6.06J |
| Pyrene | <10 | <9.43 | <200 | 299 | <10 | <9.52 | <10 | <9.8 | 560 | 56 |
| <i>Total PAHs</i> | <i>ND</i> | <i>ND</i> | <i>3,578</i> | <i>6,550</i> | <i>ND</i> | <i>ND</i> | <i>ND</i> | <i>24.3</i> | <i>10,852</i> | <i>3,176</i> |
| <i>General Chemistry (µg/L)</i> | | | | | | | | | | |
| Total Phenols | <2 | 7.13 | 36 | 118 | NA | 23.4 | 234 | 42.5 | 207 | 31.1 |
| Free Cyanide | <10 | NA | <10 | NA | NA | NA | <10 | NA | <10 | NA |
| Total Cyanide | <10 | <10 | <10 | <10 | 110 | <10 | <10 | <10 | <10 | <10 |

Notes:
 NA - Not Analyzed
 ND - Not Detected
 < - Indicates the parameter was not detected above the PQL shown
 J - Indicates an estimated concentration between the MDL and PQL

**APPENDIX D
HISTORIC BEDROCK GROUNDWATER ANALYTICAL RESULTS**

**NYSEG-BRIDGE STREET FORMER MGP SITE
PLATTSBURGH, NEW YORK**

| Parameter | MW-7BS | | MW-7DD | MW-8B | MW-8BD | MW-9B | | MW-10B | | MW-11B | |
|---|------------|-------------|------------|------------|-----------|-------------|--------------|-------------|-------------|-----------|-------------|
| | 1/29/2002 | 9/16/2004 | 10/16/2002 | 12/28/2001 | 2/27/2002 | 1/30/2002 | 9/16/2004 | 10/4/2002 | 9/16/2004 | 1/28/2002 | 9/16/2004 |
| <i>Benzene, Toluene, Ethylbenzene, Xylenes (µg/L)</i> | | | | | | | | | | | |
| Benzene | 86 | 29.1 | <0.5 | <0.5 | <0.5 | 3 | 0.434J | 6.00 | 1.68 | <0.5 | 2.82 |
| Ethylbenzene | 79 | 20.8 | <1 | <1 | <1 | <1 | <1 | <1 | 0.292J | <1 | 1.93 |
| Toluene | 45 | 6.1 | <1 | <1 | <1 | <1 | 0.357J | <1 | 0.475J | <1 | 5.32 |
| Xylene, total | 111 | 19.6 | <1 | <1 | <1 | 8 | <2 | <1 | <2 | <1 | 5.58 |
| <i>Total BTEX</i> | <i>321</i> | <i>75.6</i> | <i>ND</i> | <i>ND</i> | <i>ND</i> | <i>11</i> | <i>0.791</i> | <i>6.00</i> | <i>2.45</i> | <i>ND</i> | <i>15.7</i> |
| <i>Polyaromatic Hydrocarbons (µg/L)</i> | | | | | | | | | | | |
| 2-Methylnaphthalene | 69 | 13.1 | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Acenaphthene | 114 | 66 | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Acenaphthylene | 35 | 21.8 | <10 | <10 | <17 | <10 | 1.87J | <10 | <9.8 | <10 | 1.17J |
| Anthracene | 23 | 8.3J | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Benzo(a)anthracene | <10 | 1.29J | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Benzo(a)pyrene | <10 | 0.982J | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Benzo(b)fluoranthene | <10 | <9.52 | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Benzo(g,h,i)perylene | <10 | <9.52 | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Benzo(k)fluoranthene | <10 | <9.52 | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Chrysene | <10 | 1.2J | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Dibenz(a,h)anthracene | <10 | <9.52 | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Fluoranthene | 6J | 8.69J | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Fluorene | 33 | 17.7 | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Indeno(1,2,3-cd)pyrene | <10 | <9.52 | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Naphthalene | 380 | 147 | <10 | <10 | <17 | 4.5J | <9.62 | <10 | 1.58J | <10 | 2.42J |
| Phenanthrene | 61 | 52.9 | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| Pyrene | 6J | 11 | <10 | <10 | <17 | <10 | <9.62 | <10 | <9.8 | <10 | <9.71 |
| <i>Total PAHs</i> | <i>727</i> | <i>350</i> | <i>ND</i> | <i>ND</i> | <i>ND</i> | <i>4.50</i> | <i>1.87</i> | <i>ND</i> | <i>1.58</i> | <i>ND</i> | <i>3.59</i> |
| <i>General Chemistry (µg/L)</i> | | | | | | | | | | | |
| Total Phenols | 28 | 167 | NA | <2 | 7 | 123 | 3.72J | NA | 6.92 | 247 | 18.7 |
| Free Cyanide | <10 | NA | NA | <10 | NA | 130 | NA | NA | NA | <10 | NA |
| Total Cyanide | 40 | 7.97J | 20 | <10 | NA | 130 | <10 | <10 | <10 | <10 | 3.75J |

Notes:
 NA - Not Analyzed
 ND - Not Detected
 < - Indicates the parameter was not detected above the PQL shown
 J - Indicates an estimated concentration between the MDL and PQL