

National Grid

**Storm Sewer Interim Remedial
Measure Engineering Certification
Report**


Gloversville (Hill Street) Former Manufactured Gas
Plant Site

Site No. 5-18-021

July 2011

Certification Statement

I, Margaret A. Carrillo-Sheridan, P.E., certify that I am currently a NYS registered Professional Engineer, I had primary direct responsibility for the implementation of the subject construction program, and I certify that the *Storm Sewer Interim Remedial Measure Work Plan* (Storm Sewer IRM Work Plan) was implemented and that all construction activities were completed in substantial conformance with the DER-approved Storm Sewer IRM Work Plan.


Margaret A. Carrillo-Sheridan, P.E.
New York State P.E. No. 082251

7/26/2011
Date



**Storm Sewer Interim Remedial
Measure Engineering
Certification Report**

Gloversville (Hill Street) Former
Manufactured Gas Plant Site

Prepared for:
National Grid

Prepared by:
ARCADIS
6723 Towpath Road
P.O. Box 66
Syracuse
New York 13214-0066
Tel 315.446.9120
Fax 315.449.4111

Our Ref.:
0364.36652 #10

Date:
July 2011

1. Introduction	1
1.1 Site History and Setting	1
1.2 Basis of Design and Storm Sewer IRM Objectives	2
1.3 Storm Sewer IRM Overview	3
1.4 Project Design and Construction Organization	4
1.5 Report Organization	6
2. Modifications to Final Design	8
2.1 Design Modification Process	8
2.2 Stormwater Collection and Conveyance System Modifications	8
2.3 Groundwater Collection and Conveyance System Modifications	9
2.4 Groundwater Treatment System Modifications	10
2.5 General Site Modifications	12
3. Storm Sewer IRM Construction	14
3.1 Mobilization and Site Preparation	15
3.2 Stormwater Collection and Conveyance System Construction	15
3.2.1 Catch Basins and Conveyance Piping Installation	16
3.2.2 Stormwater Drainage Ditch Construction	18
3.2.3 Drainage Swale and Stormwater Detention Basin Improvements	18
3.3 Groundwater Collection and Conveyance System Construction	19
3.3.1 Collection Manholes and Conveyance Piping Installation	20
3.3.2 French Drain Installation	20
3.3.3 Pump Station Manholes and Influent Piping Installation	21
3.4 Groundwater Treatment System Construction	21
3.4.1 Groundwater Treatment System Building Foundation Construction	22
3.4.2 Pre-Engineered Metal Building Construction	23
3.4.3 Groundwater Treatment System Equipment Installation	23
3.4.3.1 Pump Station Manhole Pumps and Building Sump Pump	25

3.4.3.2	Influent Settling Tank	26
3.4.3.3	Oil/Water Separator	27
3.4.3.4	Oil/Water Separator Effluent Tank	27
3.4.3.5	Bag Filtration System	28
3.4.3.6	Organoclay Vessels	28
3.4.3.7	Granular Activated Carbon Vessels	28
3.4.3.8	Anion Resin Vessels	29
3.4.3.9	Backwash Water Storage Tank	29
3.4.3.10	Process and Effluent Piping	30
3.4.4	Instrumentation and Control	30
3.4.5	Utility Connections	31
3.4.5.1	Telephone Service	31
3.4.5.2	Electric Service	31
3.4.6	Heating and Ventilation	32
3.4.6.1	Heating	32
3.4.6.2	Ventilation	32
3.4.7	Component Testing	32
3.5	Air Monitoring	33
3.6	Site Restoration and Demobilization	34
3.6.1	Site Grading	34
3.6.2	Pavement Restoration	35
3.6.3	Re-vegetation	35
3.6.4	Demobilization	36
4.	Significant Observations during Storm Sewer IRM Construction	37
4.1	Locations of NAPL-Impacted Soil	37
4.2	Spill Reporting and Closure	38
4.3	Locations of Subsurface Debris and Foundations	38

5. Waste Handling, Treatment and Disposal	40
5.1 Excavated Soil	41
5.2 Sludge	41
5.3 Asphalt and Concrete (and Brick)	42
5.4 Railroad Ties	42
5.5 Spent Granular Activated Carbon and Ion Exchange Resin	42
5.6 Wastewater	43
5.7 Miscellaneous Material	43
6. Post-Construction Operation, Maintenance and Monitoring	45

Tables

Table 1	Construction Milestone Chronology
Table 2	Stormwater Collection and Conveyance Components
Table 3	Groundwater Collection and Conveyance Components

Figures

Figure 1	Site Location Map
----------	-------------------

Appendices

A	Final Survey
B	Record Drawings
C	Contractor Directives (included on CD)
D	Weekly Meeting Minutes (included on CD)
E	Project Photographs
F	Wastewater Discharge Permit and Initial Sampling Results (included on CD)
G	Summary of Imported Fill Materials (included on CD)

H	Building Permit (included on CD)
I	Concrete Testing Data (included on CD)
J	Component Testing Log Sheet (included on CD)
K	Air Monitoring Summary (included on CD)
L	Observations of NAPL-Impacted Soil and Former Building Foundations
M	NYSDEC Spill Reports (included on CD)
N	Material Disposal Documentation (included on CD)

1. Introduction

This *Storm Sewer Interim Remedial Measure (IRM) Engineering Certification Report* (Engineering Certification Report) documents construction of the storm sewer IRM at the National Grid Gloversville (Hill Street) Former Manufactured Gas Plant (MGP) site (the site) located in Gloversville, New York. This Engineering Certification Report has been prepared by ARCADIS on behalf of National Grid. The activities described herein were conducted in general conformance with the New York State Department of Environmental Conservation- (NYSDEC-) approved *Storm Sewer Interim Remedial Measure Work Plan* (Storm Sewer IRM Work Plan) (ARCADIS, May 2006) along with appropriate NYSDEC-approved design modifications.

This storm sewer IRM was constructed to address comments provided by the NYSDEC in a December 23, 2004 letter to National Grid. The NYSDEC requested that impacted groundwater no longer be discharged to a surface water impoundment, and instead, be incorporated into a water treatment remedial alternative. Investigation and remedial activities at the site are being conducted under a November 7, 2003 multi-site Order on Consent between National Grid and NYSDEC (Index No. A4-0473-0000).

1.1 Site History and Setting

The Gloversville (Hill Street) Former MGP site is situated on the south side of Hill Street in a mixed residential, commercial, and industrial area south of downtown Gloversville, New York. A site location map is included as Figure 1. The site encompasses an area of approximately eight acres and currently operates as a service center for National Grid. Site features include an office/garage building (the Service Center Building), storage buildings, a covered parking garage, and various storage areas for utility maintenance equipment (e.g., poles, transformers, cable, etc.).

Based on historical information related to site operations, manufactured gas was produced at the site from 1900 to the late 1950s. During the 1950s, select gas holders and other gas production equipment were removed from the site. Subsurface foundations associated with the former MGP structures remain at the site. The Service Center Building was constructed immediately north of a majority of the former MGP production equipment in two phases, the first in the late 1950s and the second in the late 1960s/early 1970s.

The natural site drainage is toward Cayadutta Creek, which generally flows from north to south and is located immediately west of the property. Under 6 NYCRR Part 701

Classifications – Surface Waters and Groundwaters, Cayadutta Creek is identified as a class “C” stream, which is defined as waters suitable for fishing, fish survival and propagation, and primary and secondary contact recreation.

Prior to construction of the storm sewer IRM, the storm sewer system collected a combination of stormwater runoff (via catch basins) and groundwater (via a series of underdrains located beneath and near the Service Center Building). The combined stormwater and groundwater was conveyed by underground piping to the southwest corner of the site where it discharged to a surface drainage ditch prior to entering a settling basin (constructed as part of a previous storm sewer IRM as discussed in the Storm Sewer IRM Work Plan). Coal tar and potentially non-aqueous phase liquid-(NAPL-) impacted sediments dropped out of suspension within the settling basin prior to the combined stormwater and groundwater discharging to Cayadutta Creek, through an 8-inch diameter pipe.

1.2 Basis of Design and Storm Sewer IRM Objectives

The storm sewer IRM was developed based on the results of a storm sewer investigation completed from August 2005 through April 2006. Storm sewer investigation activities included visual inspection of the previously existing combined storm sewer, stormwater and groundwater flow rate measurement, and collection and laboratory analysis of groundwater samples to determine groundwater treatment requirements.

Based on the results of these investigation activities (presented in Section 2 of the Storm Sewer IRM Work Plan), objectives of the storm sewer IRM were developed and included the following:

- Collect and convey stormwater and groundwater separately within the onsite sewer system.
- Manage and discharge stormwater collected by the modified sewer system in accordance with applicable rules and regulations.
- Treat and dispose groundwater collected by the modified sewer system in accordance with applicable rules and regulations.
- Modify the existing dense non-aqueous phase liquid (DNAPL) settling basin to serve as a stormwater detention pond.

During completion of the IRM construction, modifications to the design presented additional objectives. Specifically, a french drain was installed to facilitate collection and conveyance of groundwater to manhole NMH-6. The objectives of the IRM activities near manhole NMH-6 were to:

- Control the groundwater level in this area of the site to eliminate groundwater seeps to the ground surface and the stone-lined stormwater drainage ditch.
- Minimize the amount of suspended solids in groundwater that is conveyed to manhole NMH-6.

Based on the observed flows to the groundwater treatment system and the frequency of operation, maintenance, and monitoring (OM&M) activities required (i.e., bag filter change out and treatment media backflushing), modifications were made to the treatment system to meet the following treatment system performance goals:

- Operate the groundwater treatment system at an instantaneous flow rate of up to 75 gpm (50 gpm from manhole NMH-1 and 25 gpm from manhole NMH-6)
- Operate the groundwater treatment system unmanned for a period of at least seven days (under normal operating conditions)
- Reduce the frequency of oil/water separator cleaning and treatment media vessel back flushing events

Detailed descriptions of the system modifications completed in an attempt to meet these performance goals are presented in Section 2.3.

An overview of the storm sewer IRM is provided below.

1.3 Storm Sewer IRM Overview

The storm sewer IRM components, including conveyance piping, the stormwater drainage ditch, and groundwater treatment system were sized and designed based on results obtained from the storm sewer investigation activities and a stormwater runoff drainage analysis. A detailed discussion of the basis of design for the storm sewer IRM was presented in Section 3 of the Storm Sewer IRM Work Plan.

The storm sewer IRM consists of the following general components:

- Stormwater collection and conveyance system – collects surface water runoff in the immediate vicinity of the Service Center Building. Modifications to the existing storm sewer system (in relation to stormwater collection and conveyance) included installing new water-tight stormwater catch basins, installing new water-tight stormwater conveyance piping, constructing a stone-lined stormwater drainage ditch and altering the existing DNAPL settling basin to utilize the basin for stormwater detention. Stormwater is conveyed from the new water-tight catch basins to a lined drainage ditch (located on the western portion of the site). The stone-lined ditch conveys stormwater to a stormwater detention basin (located on the southwestern portion of the site), which in turn discharges water to Cayadutta Creek via the pre-existing outfall.
- Groundwater collection and conveyance system – conveys groundwater that is collected by the Service Center Building underdrains and the manhole NMH-6 french drain. Modifications to the existing storm sewer system (in relation to groundwater collection and conveyance) included installing new groundwater conveyance manholes and conveyance piping and installing two new pump station manholes. Groundwater collected by the underdrain system is pumped to the onsite groundwater treatment system for subsequent treatment.
- Groundwater treatment system – treats groundwater collected by the groundwater collection and conveyance system. Components of the groundwater treatment system are described in Section 3.4.3. In general, groundwater is collected and conveyed by building underdrains and the french drain to the two manhole pump stations (NMH-1 and NMH-6). Groundwater is then pumped to the cone-bottomed influent settling tank (T-300) where groundwater gravity-overflows to the oil/water separator (T-400) and the oil/water separator effluent tank (T-500). Transfer pumps (P-501 and P-502) then pump groundwater through the bag filters (BF-501 through BF-504), organoclay vessels (OC-601 and OC-602), granular activated carbon vessels (C-701 and C-702), and anion resin vessels (AR-801 and AR-802) to treat the groundwater. Effluent pumps (P-901 and P-902) then pump water to an onsite sanitary manhole where water is subsequently conveyed for further treatment at the Gloversville-Johnstown Joint Wastewater Treatment Facility (GJJWTF).

1.4 Project Design and Construction Organization

National Grid retained ARCADIS to design the storm sewer IRM to meet the objectives described in Section 1.2. As indicated previously, the storm sewer IRM design was

presented in the Storm Sewer ORM Work Plan. Additionally, National Grid retained ARCADIS to provide construction observation activities to verify that the storm sewer ORM was constructed in general conformance with the Storm Sewer ORM Work Plan. National Grid also retained Synapse Engineering, PLLC to provide owner's representation during storm sewer ORM construction activities.

National Grid retained Abscope Environmental, Inc. (Abscope) to serve as the general contractor (the Contractor) for the construction of the storm sewer ORM. The subcontractors retained by Abscope to complete construction of specific components of the storm sewer ORM are summarized in the table below.

Subcontractor	Area of Responsibility
Adirondack Environmental Services, Inc. (Adirondack)	Laboratory analysis of soil and groundwater samples
Aries Chemical, Inc. (Aries)	Construction of the groundwater treatment system
Brady Fence Company, Inc. (Brady)	Installation of new site fencing
Canastota Construction Inc. (CCI)	Installation of manholes, catch basins, and conveyance piping
CFR Paving, Inc. (CFR)	Installation of new asphalt surfaces
City of Albany (Albany Landfill)	Non-hazardous waste disposal facility
East Coast Liner Company	Installation of HDPE liner for material staging area and former NAPL settling basin changes
Groundwater & Environmental Services, Inc. (GES)	Installation of groundwater treatment system supporting components
GroutTech, Inc.	Jet grouting in the vicinity of select catch basins to prevent infiltration of groundwater.

Subcontractor	Area of Responsibility
HCI Technologies, LLC (HCI)	Installation of groundwater treatment system electrical components
HSE Consulting Services (HSE)	Health and safety and air monitoring
Jersen Construction (Jersen)	Groundwater treatment system building foundation construction and pre-engineered metal building erection
Modern Corporation (Model City Landfill)	Non-hazardous waste disposal facility
PIM Corporation	Installation of waterproof lining on catch basin interiors
Ron Allen Trucking, Inc. (Ron Allen)	Transportation of non-hazardous materials
Riccelli Enterprises, Inc. (Riccelli)	Transportation of non-hazardous materials
Seneca Meadows, Inc. (Seneca Meadows)	Non-hazardous waste disposal facility
Stantec	Site surveying
Turner Engineer, PC (Turner)	Groundwater treatment system programmable logic control

1.5 Report Organization

This Engineering Certification Report is organized as follows:

Section	Purpose
Section 1 – Introduction	Provides site history and setting, basis of design, storm sewer IRM objectives and overview, and project design and construction organization.
Section 2 – Modifications to Final Design	Presents modifications to the storm sewer IRM design that were implemented during construction.
Section 3 –Storm Sewer IRM Construction	Summarizes the activities associated with the construction, as well as the as-built condition of the storm sewer IRM.
Section 4 – Significant Observations During Storm Sewer IRM Construction	Describes the locations of NAPL-impacted soil, NYSDEC spill reporting, and locations of subsurface debris and foundations.
Section 5 - Waste Handling, Treatment and Disposal	Describes materials that were treated on site and transported for offsite disposal.
Section 6 – Post-Construction Operation, Maintenance and Monitoring	Describes the recommended post-construction operating, maintenance and monitoring activities to be implemented at the site.

2. Modifications to Final Design

This section presents modifications to the storm sewer IRM relative to the design that was presented in the Storm Sewer IRM Work Plan. Modifications to the storm sewer IRM were made based on site conditions encountered during storm sewer IRM construction.

2.1 Design Modification Process

In general, ARCADIS (and Abscope, as appropriate) discussed each of the proposed changes with National Grid (and NYSDEC, as appropriate), who reviewed and approved the design changes prior to construction. The Final Survey (included as Appendix A) and supporting Record Drawings (included as Appendix B) incorporate the modifications implemented during storm sewer IRM construction. Contractor Directives are included as Appendix C

The following subsections detail the modifications to each of the three main components of the storm sewer IRM, as well as to the general site.

2.2 Stormwater Collection and Conveyance System Modifications

Modifications to the stormwater collection and conveyance system include the following:

- Stormwater catch basin exteriors were not waterproofed per the Storm Sewer IRM Work Plan prior to installation. As a result, Abscope subcontracted with PIM Corporation to apply Raven® 405 waterproofing on the inside of stormwater catch basins following installation of the structures.
- Abscope subcontracted with GroutTech, Inc. to perform injection grouting using Avanti AV100 Grout outside the catch basins CB-2 and CB-7 to prevent infiltration of groundwater into the stormwater collection structures.
- Trench plugs were installed between catch basins CB-7 and CB-8 to limit potential migration of groundwater and NAPL within pipe bedding materials.
- Stormwater conveyance piping from catch basin CB-5 to catch basin CB-4 consists of the twin (two side by side) 8-inch diameter HDPE pipes. The Storm

Sewer IRM Work Plan indicated that the piping between these catch basins should consist of 18-inch diameter HDPE piping. The piping diameter was reduced due to the presence of existing potable water, electrical, natural gas and sanitary sewer lines that transect the trench excavation for the stormwater piping. The twin 8-inch pipes were installed to meet the design flow capacities of the system.

- Existing utilities that crossed the stormwater conveyance pipe trench (between catch basins CB-5 and CB-4) were protected via backfilling the pipe trench around the utilities with low-strength concrete (i.e., flowable fill).
- New catch basin CB-5 was installed approximately 10 feet south of the location indicated in the Storm Sewer IRM Work Plan. The new catch basin could not be installed at the same location of existing catch basin CB-5 due to the electrical utilities (associated with the site security fencing) that were installed through the existing catch basin. Existing catch basin CB-5 was filled with a flowable fill.
- Materials lining the stormwater drainage ditch were modified to prevent soil erosion, stone washout, and “floating” of the geosynthetic clay liner (GCL). Select portions of the ditch were constructed at a slope greater than the design slope (as indicated in the Storm Sewer IRM Work Plan) which resulted in increased flow velocities and therefore required additional erosion protection. Due to upward hydraulic forces from shallow groundwater in this area of the site, portions of the GCL were also “floating” following installation. Number 5 crushed stone was placed on top of the GCL for the upper 90 feet of the ditch to prevent GCL from floating. To prevent soil erosion, two gabion mattresses filled with small riprap were installed immediately downstream of the No. 5 crushed stone, one mattress within the ditch and one mattress on the slope between the paved parking area and ditch. Gabion mattresses (14), filled with small riprap, were installed on the lower 84 feet of the ditch to prevent stone washout as a result of constructing the ditch at a slope greater than designed.

2.3 Groundwater Collection and Conveyance System Modifications

Modifications to the groundwater collection and conveyance system consist of the following:

- Groundwater manhole exteriors were erroneously not coated with a waterproofing product prior to installation. Based on consultation with National Grid and

ARCADIS, Abscope was not required to add waterproofing after the structures were placed in the ground.

- Groundwater conveyance piping cleanouts consist of 4-inch diameter HDPE piping. The Storm Sewer IRM Work Plan indicated that cleanouts should be constructed of 8-inch diameter HDPE piping. Although constructed with smaller diameter piping, the cleanouts will still function as intended.
- Prior to storm sewer IRM construction, National Grid Service Center personnel connected a sump pump discharge line to the building drain (that discharges to new catch basin CB-4). Because the sump pump collects potentially impacted groundwater from beneath the Service Center Building, the discharge line was re-piped to discharge to new manhole NMH-2 for subsequent treatment by the storm sewer IRM groundwater treatment system.
- A french drain (connected to pump station manhole NMH-6) was installed to help control groundwater elevations in the southern portion of the site.
- Pole bollards were not installed in the vicinity of pump station manholes NMH-1 and NMH-6. Jersey barriers were installed to surround pump station manhole NMH-6.

2.4 Groundwater Treatment System Modifications

Modifications to the groundwater treatment system consist of the following:

- Manhole NMH-1 pumps (P-101 and P-102) were increased to 7.5-horsepower (hp) pumps to accommodate the greater flow into the manhole encountered following construction of the groundwater collection and conveyance system. Additionally, pump seal failure indicator lights were installed adjacent to local control panel (LC-1) to indicate exterior seal failure of the manhole NMH-1 pumps.
- The final location of the groundwater treatment system was moved approximately 10 feet east and south to allow easier vehicle access to the overhead door on the west side of the groundwater treatment system building.
- The groundwater treatment system building foundation subgrade consists of No. 2 crushed stone, No. 1 crushed stone, and run-of-crusher stone. The Storm Sewer IRM Work Plan indicates that the subgrade should consist of 6 inches of No. 2

crushed stone and 4½ feet of run-of-bank or run-of-crusher stone. The No. 2 crushed stone was used to stabilize the saturated soils encountered during foundation excavation activities.

- Groundwater treatment system building foundation forms experienced a partial deflection during curing. As a result, anchor bolts that had been cast into the foundation, were saw-cut and new anchor bolts were drilled and epoxyed at the proper locations.
- A sequestering agent and biocide were incorporated in the treatment process. The sequestering agent is administered to the conveyance piping within manhole NMH-6 to prevent iron precipitation through the treatment process. The biocide is administered after the flows from manholes NMH-1 and NMH-6 combine within the treatment system building (prior to the influent settling tank) to reduce biological growth throughout system.
- Process piping was increased to 3-inch diameter Schedule 80 PVC pipe at the following locations to decrease overall treatment system pressure losses.
 - Between the influent settling tank (T-300) and the oil/water separator (T-400)
 - Between the oil/water separator (T-400) and the oil/water separator effluent tank (T-500)
 - Between the oil/water separator effluent tank (T-500) and the P-500 transfer pumps
 - Between the BF-500 bag filters and the organoclay vessels (OC-601 and OC-602)
 - Between the organoclay vessels (OC-601 and OC-602) and granular activated carbon vessels (C-701 and C-702)
 - Between the backwash water storage tank (T-900) and the P-900 effluent pumps
- An additional dual bag filter unit (BF-503 and BF-504) and associated concrete pad was installed to supplement the original dual bag filter unit (BF-501 and BF-502).

- The P-500 pumps were increased to 5-hp pumps that are controlled by variable frequency drives (VFDs) to accommodate a greater flow. The VFDs are used operate the P-500 pumps at a constant flow rate under various system pressure losses caused by filter and media fouling (within limitations of the pumps).
- P-500 pump pad was erroneously rotated 90 degrees clockwise.
- Bag filter pump pad was erroneously rotated 180 degrees.
- The P-900 pumps were increased to 2-hp pumps to accommodate a greater flow.
- P-900 pump pad was erroneously rotated 90 degrees counter clockwise.
- In general, process and backwash piping was installed directly over storage tanks and media vessels, as opposed to around the building interior perimeter.
- DNAPL and LNAPL storage drums (T-310 and T-410, respectively) are positioned between the influent settling tank (T-300) and the oil/water separator (T-400).
- Media vessel (i.e., organoclay, carbon, and resin) effluent openings were re-tapped due to leaks observed during installation of the vessels.
- Mechanical flow meter (FM-920) was installed at the request of the GJJWTF for system monitoring and billing purposes.
- The groundwater treatment system discharge location was moved to a sanitary manhole on the sanitary sewer main line located west of the western fence line.

2.5 General Site Modifications

General site modifications include the following:

- The site security fencing layout in the southwest corner of the site was altered from the layout presented in the Storm Sewer IRM Work Plan based on a request by National Grid.

Existing site security fencing along the western portion of the site (from the groundwater treatment system building and south) was replaced.

- Pavement restoration activities were expanded to include the following additional locations:
 - In the vicinity of the gas regulator station
 - Driveway leading to the gas regulator station
 - All pavement located west of Service Center Building
 - North of the main site security gate
 - An area adjacent to the north side of the Service Center Building

3. Storm Sewer IRM Construction

This section presents a description of the storm sewer IRM construction activities. For the purpose of this document, the discussion of the storm sewer IRM activities has been organized into the following components:

- Mobilization and site preparation
- Stormwater collection and conveyance system construction
- Groundwater collection and conveyance system construction
- Groundwater treatment system construction
- Air monitoring
- Site restoration and demobilization

The primary storm sewer IRM construction activities were conducted from October 2006 through September 2007. Note that storm sewer IRM construction activities were suspended during April 2007 due to the presence of snow at the site. Storm sewer IRM construction activities (e.g., site paving and completion of the stormwater drainage ditch) resumed in May 2007 following snow melt. A milestone chronology indicating the completion date of significant milestones encountered during the storm sewer IRM construction is included as Table 1.

The groundwater treatment system underwent initial startup during February 2007. As indicated in Section 2, additional modifications to the storm sewer IRM, including the manhole NMH-6 french drain, stone-lined ditch modifications, and groundwater treatment system modifications were completed from August 2007 through April 2008.

Storm sewer IRM construction activities were observed by an onsite representative from ARCADIS. The Final Survey for storm sewer IRM is included as Appendix A and supplemental Record Drawings are included as Appendix B. Weekly meeting minutes and select project photographs are included as Appendices D and E, respectively. The major components of the storm sewer IRM construction are presented in the following subsections.

3.1 Mobilization and Site Preparation

Mobilization and site preparation included the following:

- Coordinating with the GJJWTF to obtain a wastewater discharge permit. Correspondence between ARCADIS and the GJJWTF are included in Appendix F. As discussed in Section 5.6, final approval to discharge was granted by the GJJWTF on November 2, 2006.
- Contacting Dig Safely New York and coordinating with National Grid to locate and mark-out aboveground and underground utilities in the storm sewer IRM construction area.
- Mobilizing manpower, equipment and materials to the site, as necessary, to implement storm sewer IRM construction.
- Constructing support areas including, but not limited to: a waste material staging area; onsite storage areas; and equipment, material, and personnel decontamination areas.
- Installing erosion control (i.e. silt fencing) along the western fence line.
- Installing a temporary water treatment system.

3.2 Stormwater Collection and Conveyance System Construction

The existing onsite storm sewer system was modified to collect and convey stormwater in a water-tight system (i.e., does not allow the infiltration of groundwater into the conveyance structures). The storm sewer system conveys stormwater to a stone-lined ditch underlain by a low-permeability geosynthetic clay liner (GCL) that conveys water to a detention basin and ultimately to Cayadutta Creek. The major components of the stormwater collection and conveyance system consist of the following:

- Catch basins and conveyance piping
- Stormwater drainage ditch
- Stormwater detention basin

These components are described in greater detail in the following subsections. A summary of the components of stormwater collection and conveyance system is presented in Table 2.

3.2.1 Catch Basins and Conveyance Piping Installation

Select previously existing storm sewer components were abandoned-in-place by filling the structures and piping with low-strength concrete/grout (a 150 pound-per-square-inch [PSI] mix provided by Clemente Latham Concrete). Abandoned structures and piping consist of the following:

- Former catch basins CB-5 and CB-6 located near the site security gate and along the western fence line, respectively.
- Former manholes MH-1 and MH-2 located south of the southwest corner of the Service Center Building.
- Piping from former catch basin CB-6 to former manhole MH-1 and from former manhole MH-1 to former manhole MH-2.
- Piping extending approximately 50 feet south from former manhole MH-2 (based on equipment limitations).
- The former corrugated metal pipe (CMP) cleanout located on the southern portion of the site.
- Piping extending approximately 25 feet north from the former CMP cleanout and south of the former CMP cleanout toward the former storm sewer outfall (based on equipment limitations).

New catch basins were installed to collect surface water runoff near the southeast, south, and west sides of the Service Center Building. Previously existing catch basins CB-2, CB-4, and CB-5 were replaced with new catch basins CB-2, CB-4 and CB-5 (note catch basin CB-3 had collapsed and was inoperable prior to the commencement of storm sewer IRM construction and was not replaced). Existing catch basin CB-1 (located near the southeast corner of the Service Center Building) was replaced with catch basins CB-7 and CB-8 (positioned north and south of former catch basin CB-1). The locations of the new catch basins are shown on the Final Survey and Record Drawing 2. Catch basins consist of 30-inch-square pre-cast structures manufactured

by Jefferson Concrete Corporation and heavy duty cast-iron square frame and grates manufactured by Syracuse Castings. As discussed in Section 2, catch basin exterior surfaces were erroneously not coated with a waterproofing material prior to installation. Therefore, the Raven® 405 waterproofing product was applied on the interior catch basin surfaces.

Storm sewer piping was installed to convey stormwater from the catch basins to the stone-lined ditch constructed along the western portion of the National Grid property (as described in Section 2.3.2). Stormwater conveyance piping consists of water-tight, high-density polyethylene (HDPE) dual wall pipe with a smooth interior and corrugated exterior, manufactured by Advanced Drainage Systems, Inc. (ADS). Pipe diameters for the new pipe runs are as follows:

- Twin 8-inch diameter pipes from catch basin CB-5 to catch basin CB-4.
- 15-inch diameter pipe from catch basin CB-8 to catch basin CB-7 and from catch basin CB-7 to catch basin CB-2.
- 18-inch diameter pipe from catch basin CB-4 to catch basin CB-2.
- 24-inch diameter pipe from catch basin CB-2 to the stormwater outfall.

The configuration of the stormwater piping is shown on the Final Survey and Record Drawing 2, along with pipe and catch basin invert elevations.

Cement-bentonite trench plugs were installed at select locations along the storm sewer piping to limit migration of groundwater through piping bedding materials. Trench plugs were created by excavating across the entire width and depth of the pipe trench such that the trench plugs were keyed into surrounding native material. The excavation was then backfilled with a cement-bentonite mixture to limit the migration of groundwater through pipe bedding materials. The cement-bentonite mixture consisted of Type I Portland cement, BENTOGROUT (manufactured by CETCO), and water. Trench plugs were installed immediately south of catch basin CB-8, midway between catch basin CB-7 and CB-8, immediately west of catch basin CB-7, east and north of catch basin CB-2, and upgradient of the stormwater conveyance piping outfall.

The headwall at the stormwater conveyance piping outfall consists of cast-in-place, 3,000-psi concrete provided by Clemente Latham Concrete and reinforcement matting consisting of #4 reinforcing bar (rebar).

3.2.2 Stormwater Drainage Ditch Construction

The stormwater drainage ditch was constructed west of the western fence line to convey stormwater to the new stormwater detention basin located in the southwest portion of the site (discussed in Section 2.3.3). As indicated on Record Drawing 3, the stormwater drainage ditch was constructed with a trapezoidal-shaped geometry with an approximately 5-foot wide base, 1-foot minimum side depths, and sides sloped at 3:1 (horizontal: vertical). Based on survey information, the longitudinal slope of the ditch ranges from 0.18% near the stormwater outfall to 4% near the transition from the stormwater drainage ditch to the stormwater detention basin.

The stormwater drainage ditch is lined with a Bentomat® ST GCL manufactured by CETCO. The GCL is overlain with a minimum of 12-inches of No. 5 crushed stone in the initial 90 feet of the stormwater drainage ditch, a minimum of 6-inches of No. 4 crushed stone for the middle portion of stormwater drainage ditch, and gabion mattresses (12 feet, by 6 feet, by 6 inches, manufactured by Terra Aqua) filled with small rip-rap for the lower 84 feet of the stormwater drainage ditch.

In conjunction with construction of the stormwater drainage ditch, a new SS40® chain link fence equipped with a top-rail, barbed wire and 20-foot double-swing access gate, manufactured by Allied Tube and Conduit, was installed surrounding the ditch and the stormwater detention basin. The location of the new chain link fence and access gate are shown on Record Drawings 3 and 4.

3.2.3 Drainage Swale and Stormwater Detention Basin Improvements

Storm sewer IRM construction activities included changes to the previously existing natural drainage swale and settling pond located in the southwest portion of the property. The former settling pond was maintained as part of the storm sewer IRM to serve as a new stormwater detention basin and to maintain the previously existing outfall to Cayadutta Creek. Improvements to the settling pond are shown on Record Drawing 5 and consisted of:

- Removing, containerizing and disposing water and sediment from the pond.
- Removing and disposing concrete pavers.
- Removing the existing geotextile fabric for disposal.

- Constructing an inlet structure to the stormwater detention pond at the termination of the stormwater drainage ditch. GCL overlain by rip rap was used to construct the inlet as shown on Record Drawing 5.
- Placing a new HDPE liner over the existing liner (which was maintained).
- Placing a new geotextile fabric layer over the HDPE liner.
- Placing new concrete pavers on top of the fabric.

The drainage swale that extended from the former storm sewer outfall to the former settling pond was backfilled and graded to promote stormwater runoff toward the stormwater drainage ditch, stormwater detention basin, and Cayadutta Creek. A summary of all imported fill materials, including source information, is presented in Appendix G. The final grade of the backfilled area is shown on Record Drawing 4 and a profile of the drainage swale cover material is shown on Record Drawing 5.

3.3 Groundwater Collection and Conveyance System Construction

Prior to constructing the storm sewer IRM, groundwater collected by the building underdrain system was conveyed to the existing storm sewer system and ultimately to Cayadutta Creek. The existing onsite storm sewer system was modified to collect and convey MGP-impacted groundwater from the underdrains and the french drain to the storm sewer IRM groundwater treatment system. The major components of the groundwater collection and conveyance system consist of the following:

- Collection manholes and conveyance piping
- French drain
- Pump station manholes and (groundwater treatment system) influent piping

These components are described in greater detail in the following subsections. A summary of the components of groundwater collection and conveyance system is presented in Table 3.

3.3.1 Collection Manholes and Conveyance Piping Installation

Manholes and groundwater conveyance piping were installed to convey groundwater collected by underdrains beneath and in the immediate vicinity of the Service Center Building to the groundwater treatment system. Building underdrains (not installed or replaced as part of the storm sewer IRM) consist of 4- to 8-inch diameter perforated cast-iron, clay tile, and polyvinyl chloride (PVC) piping. New manholes NMH-2, NMH-3 and NMH-5 were installed to convey groundwater collected by existing building underdrains at the locations shown on the Final Survey and Record Drawing 2. New manhole NMH-4 was installed to convey groundwater from an existing 8-inch diameter cast-iron pipe (from manhole NMH-5) to manhole NMH-1.

The manholes consist of 48-inch inside-diameter pre-cast concrete structures manufactured by Jefferson Concrete Corporation with heavy duty, straight sided cast-iron manhole frames and covers manufactured by Syracuse Castings. Following manhole installation, cast-in-place concrete benchwalls were formed within manholes NMH-2 through NMH-5 to limit sediment and NAPL accumulation within the manholes.

New groundwater conveyance piping between new manholes consists of 8-inch diameter water-tight, HDPE dual wall pipe with a smooth interior and corrugated exterior, manufactured by ADS (with the exception of a section of pre-existing 8-inch diameter cast-iron piping from manhole NMH-5 to manhole NMH-4).

3.3.2 French Drain Installation

As previously discussed, a french drain was installed in the southwestern portion of the site to help control the groundwater elevation in this area of the site. The french drain consists of a 4-inch diameter corrugated outside and smooth inside perforated HDPE pipe (ADS N-12 ST IB) with the exception of a 10-foot section of solid HDPE piping (ADS N-12 ST IB) that connects to manhole NMH-6. The perforated piping is bedded in a washed No. 2 stone and wrapped in a non-woven geotextile fabric (SKAPS GT-112). The solid piping is also bedded in the washed No. 2 stone, but is not wrapped in the geotextile fabric. The perforated and solid piping was installed at a constant invert elevation of 747.5 feet AMSL, which generally corresponds with the elevation of the stone-lined ditch near the southern end of the french drain. The surveyed location of the french drain is shown on the Final Survey.

3.3.3 Pump Station Manholes and Influent Piping Installation

Pump station manholes and groundwater treatment system influent piping was installed to convey groundwater collected by the new groundwater manholes to the groundwater treatment system. Pump station manhole locations are shown on the Final Survey. Pump station manholes NMH-1 and NMH-6 consist of 60-inch inside-diameter pre-cast concrete structures manufactured by Jefferson Concrete Corporation with DT-HD stainless steel hatch frames and covers manufactured by Syracuse Castings. Transfer pumps (described in Section 3.4.3.1) were installed within manholes NMH-1 and NMH-6 to convey groundwater to the onsite treatment system. Transfer pumps are controlled by four floats installed within the manholes. When the water level in the manhole reaches the bottom float, the transfer pumps are turned off. As the water level increases to the first and second float, the lead pump and then the lag pump (respectively) in the manhole are turned on. When the water level in reaches the fourth float, a high-level alarm is triggered.

Groundwater treatment system influent piping consists of double-containment pipe that conveys groundwater from the pump station manholes to the groundwater treatment system. The double-containment pipe includes a 1½-inch diameter standard dimensional ratio (SDR) 11 HDPE carrier pipe (manufactured by Charter Plastics) within a 4-inch diameter SDR 11 HDPE containment pipe (manufactured by CPChem Performance Pipe).

3.4 Groundwater Treatment System Construction

The groundwater treatment system was constructed to treat groundwater that was previously conveyed within the onsite storm sewer system. The major components of the groundwater treatment system consist of the following:

- Building foundation
- Pre-engineered metal building
- Groundwater treatment system equipment

These components are described in greater detail in the following subsections. A building permit obtained for the construction of the groundwater treatment system building is included as Appendix H.

3.4.1 Groundwater Treatment System Building Foundation Construction

The groundwater treatment system building foundation consists of a monolithic reinforced concrete slab and a building sump (poured separately). Due to the “turn-down” nature of the slab, the excavation around the perimeter of the slab extended approximately 6 feet below ground surface (bgs) and approximately 3.5 feet bgs under the interior portion of the slab (with the exception of the building sump). An approximately 18-foot diameter concrete and brick foundation, overlain by a circular steel cover, was encountered approximately 3.5 feet bgs and removed from the building foundation excavation. The following fill materials were then placed within the excavation:

- Approximately 18 inches of No. 2 crushed stone (with approximately 6 inches compacted into the existing subgrade materials to stabilize the excavation bottom).
- Approximately 14 inches of No. 1 crushed stone.
- Approximately 1.5 feet (below the foundation “turn-down”) to 4 feet (below the center portion of the slab) of run-of-crusher stone.

The building foundation consists of 4,000-psi concrete provided by Clemente Latham Concrete. The below-grade perimeter of the monolithic foundation consists of a 2-foot wide, 3½-foot deep, right-trapezoidal turn-down with reinforcement matting consisting of #4 rebar, eight inches on-center in all directions. The remainder of the foundation consists of a 12-inch thick floor slab and an 8-inch wide, 3½-inch high curb that serves as secondary containment for the groundwater treatment system. The building slab also includes two reinforcement mats consisting of #4 rebar 8 inches on-center each way.

A 3-foot square by 3-foot deep building floor sump was constructed in the center of the slab. The floor slopes toward the sump from all four sides. The building sump is reinforced with one #4 rebar mat (eight inches on-center each way) on the sump sides and two #4 rebar mats (eight inches on-center each way) in the sump floor.

Level concrete equipment pads extending approximately three inches above the finished floor were poured to support major groundwater treatment system components. Equipment pads are reinforced with one #4 rebar mat (eight inches on-center each way). The concrete pads are secured to the building floor via a concrete

bonding agent and embedded #4 hooked rebar (6 inches and secured with epoxy) around the perimeter of the pads at eight inches on-center.

Concrete samples were collected during the pouring of the monolithic building foundation. Compression testing results (7- and 28-day) are included as Appendix I.

3.4.2 Pre-Engineered Metal Building Construction

The groundwater treatment system is housed in a pre-engineered metal building (the building). The building, designed and manufactured by Butler Manufacturing Company, was assembled and erected by Jensen.

The building construction consists of a 40-foot by 50-foot double-sloped rigid frame with 12:1 (horizontal: vertical) roof slope and 18-foot minimum clear height. A 3-foot single man door and a 6-foot double man door are located on the north and south sides of the building (respectively) and 12-foot roll-up doors (manufactured by Overhead Doors) are located on the east and west sides of the building. The building is secured to the building foundation via ¾-inch diameter anchor bolts.

3.4.3 Groundwater Treatment System Equipment Installation

This subsection includes a summary of groundwater treatment system equipment and system components. Detailed descriptions of groundwater treatment system components, including equipment manufacturer's names, model numbers, design criteria, and operation, maintenance and monitoring (OM&M) requirements are presented in the draft May 2008 Storm Sewer Interim Remedial Measure Operation, Maintenance & Monitoring Manual (Storm Sewer IRM OM&M Manual) prepared by ARCADIS.

The groundwater treatment system consists of the following components:

- Two manhole pump stations
- Pumps and piping to convey groundwater to the treatment system
- Sequestering agent and metering pump
- Biocide and metering pump

- A 2,200-gallon conical-bottomed influent settling tank (T-300)
- A 470-gallon oil/water separator (T-400)
- An 1,850-gallon oil/water separator effluent tank (T-500)
- Two oil/water separator effluent tank (transfer) pumps (P-501 and P-502) and associated variable frequency drives (VFDs) to control the pumps.
- Two dual bag filter units (BF-501/502 and BF-503/504)
- Two 34-cubic-foot organoclay vessels (OC-601 and OC-602)
- Two 68-cubic-foot granular activated carbon (GAC) vessels (C-701 and C-702)
- Two 34-cubic-foot anion resin vessels (AR-801 and AR-802)
- An 1,850-gallon backwash water storage tank (T-900)
- Two backwash water storage tank effluent (effluent) pumps (P-901 and P-902)
- Programmable Logic Controller (PLC)

A piping and instrumentation diagram showing a schematic of the groundwater treatment process and equipment is included as Record Drawing 7 and the treatment system layout is shown on Record Drawing 8.

In the northern portion of the site, groundwater collected by the building underdrain system is conveyed via new manholes and piping to pumping station manhole NMH-1 (as described in Section 3.3.1). In the southern portion of the site, groundwater collected by the french drain system (described in Section 3.3.2) is conveyed to pumping station manhole NMH-6. Groundwater from NMH-1 and NMH-6 is pumped to influent settling tank (T-300). To minimize precipitation of iron through the treatment system, a sequestering agent is added to the influent line within manhole NMH-6 via a LMI Milton Roy metering pump (Model LMI AA 941) located in the treatment system building. The sequestering agent is stored in 55-gallon drums which are staged near the groundwater treatment system influent lines. Biocide is added to the combined influent flow (within the treatment system prior to the influent settling tank) to address bacteria in the groundwater that have caused nuisance issues associated with

biological growth in the system piping, tanks, and treatment media. The biocide is also administered using a LMI Milton Roy metering pump (Model LMI AA 941).

DNAPL and/or solids that accumulate in the bottom of tank T-300 are manually pumped from the bottom of the influent settling tank on an as needed basis to a 55-gallon drum (T-310). Decanted water from the influent settling tank (T-300) gravity overflows to the oil/water separator (T-400) for the removal of additional DNAPL and solids that do not settle within tank T-300 as well as light NAPL (LNAPL) and floating debris. Separated LNAPL is removed on an as-needed basis and directed to a 55-gallon drum (T-410) via a manually adjusted skimmer located within the oil/water separator.

Effluent from oil/water separator (T-400) gravity overflows to the oil/water separator effluent tank (T-500). Groundwater is then pumped using the transfer pumps (P-501 or P-502) through the following:

- Two dual bag filter units (BF-501/502 and BF-503/504) for the removal of suspended solids.
- Organoclay filtration vessel (OC-601 and OC-602) for the removal of residual and/or emulsified NAPL not removed by the oil/water separator (T-400).
- Two liquid-phase granular activated carbon (GAC) vessels (C-701 and C-702) for the removal of volatile organic compounds (VOCs).
- Two anion resin vessels (AR-801 and AR-802) piped in series for the removal of cyanide.

Effluent from the anion resin vessels (AR-801 and AR-802) is discharged to the backwash water storage tank (T-900). Treated groundwater is discharged to the GJJWTF via an onsite sanitary sewer manhole under Wastewater Discharge Permit No. 133 (effective September 2006) (included as Appendix F).

3.4.3.1 Pump Station Manhole Pumps and Building Sump Pump

Pump station manholes NMH-1 and NMH-6 (described in Section 3.3.3) are equipped with pumps to transfer groundwater to the treatment system. Pump station manhole NMH-1 pumps consist of two 7.5-hp, 208 volt (V), 3-phase (P), HPGHH 750 3/6-2 Hydromatic submersible sump pumps (P-101 and P-102). Pump station manhole

NMH-6 pumps consist of two 2-hp, 208 V, 3-P, SV-200 Stancor submersible sump pumps (P-201 and P-202). The pumps automatically operate based on SJE Signalmaster® control switches (level floats) that detect the water level in the manhole and the pumps will operate in a lead/lag configuration. If high water levels are detected in a manhole, the lag pump will turn on and the pumps will operate in parallel.

Flow rates from the manhole NMH-1 and NMH-6 transfer pumps are measured using magnetic Rosemount (Model 8711TSA015R1N0G1) flow transmitters (FT-100 and FT-200, respectively). Instantaneous flow at the flow meters is transmitted to the control system (discussed in detail in Section 3.4.4) where the flow is totalized and displayed on the treatment system personal computer.

The groundwater treatment system building includes a sump equipped with a 0.5-hp, OSP50 Hydromatic submersible sump pump (P-302). The sump pump is controlled by an automatic diaphragm switch. Water is transferred from the sump to the influent settling tank (T-300).

3.4.3.2 Influent Settling Tank

The treatment system building is equipped with a 2,200-gallon, cone-bottomed, dome-topped, cross-linked HDPE, ICB 2200 Assmann influent settling tank (T-300) to provide residence time for the settling of solids and DNAPL. The influent settling tank is positioned on a steel rack that is bolted to a concrete pad. The influent settling tank is equipped with a 4-inch stilling well, a sight tube located on the side of the tank, and ladder with platform spanning from the building floor to the 24-inch diameter man-way at the top of the tank. Gravity overflow from the influent settling tank (T-300) to the oil/water separator (T-400) is controlled using three 3-inch ball valves that are positioned vertically, one above the other, on the side of the influent settling tank (T-300) to allow for increased storage capacity.

The influent settling tank transfer pump (P-301) consists of a 1½-hp, 860/3/230/460 Monoflow pump (Model CE021MJ1E4/E) and is located under the oil/water separator (T-400). Transfer pump P-301 conveys material settled in the influent settling tank (T-300) to a 55-gallon DNAPL storage drum (T-310) and is piped with 2-inch diameter Schedule 40 carbon steel. DNAPL storage drum (T-310) is equipped with a high level switch and is vented to the treatment building to prevent over pressurization. The transfer pump (P-301) is equipped with a hand/off switch located at the control panel (CP-1) in the system control room. A local disconnect switch, located near the transfer

pump and equipped with lockout/tagout (LO/TO) capability, can also be used to turn the pump on and off.

The influent settling tank (T-300) and DNAPL storage drum (T-310) are equipped with K-Tek vibrating forks (Model RS85/A1/P7/S6/X/2/t/3³/₈"), high level switches (LSH-301 and LSH-310, respectively).

3.4.3.3 Oil/Water Separator

A 50 gpm HydroQuip Model AG-3SS oil/water separator (T-400) is mounted to a stainless- steel stand that is bolted to a concrete pad. The oil/water separator consists of coalescing filters and a manually-controlled PVC skimmer that collects and directs LNAPL to a separate chamber within the oil/water separator where it can be periodically gravity drained (via a normally-closed ball valve located on a 2-inch diameter, Schedule 40 carbon steel discharge line) to a 55-gallon LNAPL storage drum (T-410). A 2-inch diameter, Schedule 40 carbon steel pipe also connects transfer pump P-301 to a 55-gallon DNAPL storage drum (T-310) to remove DNAPL that accumulates in the oil/water separator.

The oil/water separator (T-400) and LNAPL storage drum (T-410) are equipped with K-Tek vibrating forks (Model RS85/A1/P7/S6/X/2/t/3³/₈") (LSH-400 and LSH-410, respectively).

3.4.3.4 Oil/Water Separator Effluent Tank

Groundwater from the oil/water separator (T-400) gravity overflows into an Assman 1,850-gallon, flat-bottomed, dome-topped, cross-linked HDPE, Model ICT 1850 oil/water separator effluent tank (T-500) via a 3-inch diameter Schedule 80 PVC influent pipe line. The tank is positioned on a concrete pad located in the southwest corner of the building. The oil/water separator effluent tank (T-500) is equipped with a K-Tek vibrating fork (Model RS85/A1/P7/S6/X/2/t/3³/₈"), high level switch (LSH-500) and a Pulsar Ultrasonic IMP-6 level transmitter (LT-500) to monitor the water level in the tank.

Groundwater is transferred from the oil/water separator effluent tank (T-500) by two 5-hp, 208 V, 3 P, Grundfos Model CR15-3 multi-stage centrifugal pumps (P-501 and P-502). The oil/water effluent tank pumps (P-501 and P-502) are equipped with hand/off/auto switches located at the main control panel (CP-1). Operation of the

pumps is controlled in auto mode by level transmitter (LT-500). The pumps can also be controlled via local on/off switches located next to the pumps.

3.4.3.5 Bag Filtration System

The bag filtration system includes two pairs of pre-piped, commonly manifolded, Filtration Systems Model NC223V carbon steel bag filter housings (BF-501/502 and BF-503/504). The units are capable of housing 32-inch bags. The bag filter housing units are bolted to the concrete floor pad.

Instrumentation located near the bag filtration system includes a magnetic Rosemount (Model 8711TSA015R1N0G1) flow transmitter (FT-500) and Noshok (Model 100-60-1-1-2-7) pressure switch (PSH-500) between the oil/water separator effluent tank and the bag filter units. The pressure switch (PSH-500) operates at a controlled set point and sends a signal back to the programmable logic control (PLC) if the pressure before the bag filters increases above the adjustable set-point. A Plast-O-Matic spring-type pressure relief valve (PRV-500) with 1-inch schedule 80 PVC piping directed back to the oil/water separator effluent tank (T-500) is also located before the bag filtration system. The set point for the pressure relief valve is set manually via a set screw on top of the relief valve.

3.4.3.6 Organoclay Vessels

The treatment system includes two USFilter Westates (Model PV-1000) epoxy-coated carbon steel organoclay vessels (OC-601 and OC-602) with a 34 cubic-foot media capacity. The organoclay vessels are piped to operate in parallel, series, or on and standby. The vessels currently operate in parallel. The vessels are set in steel racks that are mounted to a concrete pad located in the southeast corner of the treatment building.

3.4.3.7 Granular Activated Carbon Vessels

Following the organoclay, the treatment system includes two USFilter Westates (Model PV-2000) liquid-phase granular activated carbon (GAC) epoxy-coated carbon steel vessels (C-701 and C-702) with a 68 cubic-foot media capacity. The GAC vessels are piped to operate in parallel, series, or on and standby. The vessels currently operate in series and each vessel is capable of operating in either the lead or lag position. The vessels are set in steel racks that are mounted to a concrete pad located in the west side of the treatment building.

Following the GAC vessels (C-701 and C-702), groundwater passes through a Walchem (Model WDP301-42N) pH/temperature transmitter (AIT-700), which signals an alarm if the pH is not in the specified operation range.

3.4.3.8 Anion Resin Vessels

Following the GAC vessels, the treatment system includes two USFilter Westates (Model PV-1000) epoxy-coated carbon steel anion resin vessels (AR-801 and AR-802) with a 34 cubic-foot media capacity. The anion resin vessels (AR-801 and AR-802) are piped to operate in series. Each vessel is capable of operating in either the lead or lag position. The vessels are set in steel racks that are mounted to a concrete pad located in the west side of the treatment building.

3.4.3.9 Backwash Water Storage Tank

The backwash water storage tank (T-900) also serves as the treatment system effluent storage tank. The tank consists of an 1,850-gallon, flat-bottomed, dome-topped, cross-linked HDPE, Model ICT 1850 Assmann tank with a 2-inch diameter Schedule 80 PVC influent line located at the top of tank. The tank rests on a concrete pad located in the northeast corner of the building.

Instrumentation associated with the backwash water storage tank consists of a K-Tek vibrating fork (Model RS85/A1/P7/S6/X/2/t/3³/₈"), high level switch (LSH-900) located on the top of the tank and a Pulsar Ultrasonic IMP-6 level transmitter (LT-900) to monitor the water level in the tank.

Treated effluent is either pumped to an onsite sanitary manhole or back through the system to back flush the organoclay and GAC treatment media vessels using effluent pumps P-901 and P-902. These pumps consist of 2-hp, 208 V, 3 P, Goulds centrifugal pumps (Model 7SH4G52B0). The effluent pumps (P-901 and P-902) are equipped with hand/off/auto switches located at the main control panel (CP-1). Operation of the pumps is controlled in auto mode by level transmitter (LT-900). The pumps can also be controlled via local on/off switches located next to the pumps.

The treatment system is piped so that treatment water can either be discharged to the GJJWTF via an onsite sanitary manhole or routed back through the treatment system to back flush the GAC and organoclay treatment media vessels. The discharge and back flush flow rates are monitored using magnetic Rosemount (Model 8711TSA015R1N0G1) flow transmitters (FT-900 and FT-910, respectively). The

discharge flow volume is also monitored by a mechanical ISTECH Flow Measurement and Control (Model 1750) flow meter (FM-920) on the discharge line.

3.4.3.10 Process and Effluent Piping

A majority of the groundwater treatment system process piping consists of 2-inch and 3-inch diameter Schedule 80 PVC. Process piping is reduced to 1½-inch diameter Schedule 80 PVC pipe at flow meters FM-500 and FM-900. Discharge piping (from the influent settling tank and the oil/water separator) to the DNAPL and LNAPL storage drums (T-310 and T-410) consists of 2-inch diameter Schedule 40 carbon steel piping. In general, process piping is installed along supported struts above the treatment system components or along supports suspended from the ceiling of the treatment building.

Groundwater treatment system effluent piping consists of 2-inch diameter Schedule 80 PVC from the backwash water storage tank effluent pumps (P-901 and P-902) to the groundwater treatment system building foundation floor slab. The effluent piping transitions (at the floor slab) to 2-inch diameter SDR 11 HDPE piping (manufactured by Charter Plastics) and conveys treated groundwater to the onsite sanitary sewer manhole located west of the western fence line.

3.4.4 Instrumentation and Control

Treatment system controls provide continuous monitoring of operating parameters and equipment status, as well as control of the treatment system components (e.g., select pumps).

Major system controls are housed in a control room located in the northwest corner of the treatment system building. The instrumentation and process equipment is hardwired to an Allen Bradley Micrologix 1500 controller. The PLC monitors the various system parameters, directly controls equipment operations and initiates alarms and/or equipment shutdowns as appropriate. A desktop computer (control room computer) is interfaced with the PLC and graphically displays the status of the treatment system alarms (via the man-machine interface [MMI]). The computer is located on a desk adjacent to the PLC cabinet (Control Panel CP-1). From the computer, the operator is able to operate equipment (i.e., turn on/off pumps, etc.) and change control set points. The computer is equipped with remote monitoring software that allows authorized users to operate and monitor the groundwater treatment system via personal/laptop

computer. These authorized users can connect to the control room computer through a DSL connection.

The groundwater treatment system is equipped with various instrumentation (discussed in previous sections) that allows continuous monitoring of system operating parameters. Treatment system instrumentation consists of the following:

- Four level floats in each pump station manhole to control manhole pump operation and indicate high levels
- Six flow meters located in the treatment building for measuring flow rate and total flow through the system
- Seven vibrating-fork level switches in the treatment building to indicate that water levels have reached designated high levels
- Two ultrasonic level transmitters to measure water levels in process tanks
- A temperature and pH transmitter to indicate the temperature and pH of process water

3.4.5 Utility Connections

Groundwater treatment system utilities included telephone and electrical services.

3.4.5.1 Telephone Service

Telephone service was installed by Frontier Communications using a buried permanent run.

3.4.5.2 Electric Service

National Grid extended 120/208 Volt, 400 Amp, 3 Phase electrical service from a transformer located on the southwestern portion of the site to the main power panel located on the outside of the west wall of the process control room.

In the event of prolonged loss of electrical service, the groundwater treatment system is equipped with an external hookup and power transfer switch (located on west side of

the groundwater treatment system building) to power the groundwater treatment system via an alternate source (i.e., an appropriately sized generator).

3.4.6 Heating and Ventilation

Abscope's mechanical subcontractor, HCI, installed heating and ventilation equipment in the groundwater treatment system building to maintain the appropriate environment for the operation of the groundwater treatment system equipment and OM&M personnel.

3.4.6.1 Heating

The groundwater treatment system building is equipped with two Chromalox 10-kilowatt (kW), wall-mounted, horizontal and vertical discharge unit heaters. Each of the wall-mounted heaters is equipped with a Chromalox WR-80 wall-mounted room thermostat. Additionally, the process control room is equipped with a QMark 2 kW, fan-forced, wall heater with a built-in thermostat.

3.4.6.2 Ventilation

The groundwater treatment system building is ventilated via an Airmaster ½-HP, 24-inch diameter propeller exhaust fan equipped with a 30-inch-square wall collar (Model WS-24), shutter (Model WR24E), actuator (Model MK-4620), and motorized damper (Model MK-4620-K).

3.4.7 Component Testing

Following completion of the groundwater treatment system construction activities, Abscope's treatment system construction subcontractor, Aries, conducted component testing to demonstrate that the groundwater treatment system equipment was fully operational and ready for the initiation of start-up activities. Component testing consisted of a groundwater treatment system leak test and a groundwater treatment system performance test that included monitoring groundwater treatment system components under operating conditions (including recording pressures, flow rates, switch operation, valve operation, system lights, alarms, interlocks, etc.).

The groundwater treatment system performance test consisted of collecting a sample of treated groundwater from the backwash water storage tank for laboratory analysis for the constituents specified on the GJJWTF Wastewater Discharge Permit.

The groundwater treatment system leak test was conducted using potable water to identify potential leaks in the groundwater treatment system, as well as to verify that each groundwater treatment system interlock operates as intended. A Component Testing Log Sheet summarizing the groundwater treatment system leak test is included in Appendix J.

3.5 Air Monitoring

Abscope's health and safety and air monitoring subcontractor, HSE, conducted air monitoring throughout storm sewer IRM construction activities in accordance with the site-specific Health and Safety Plan (HASP) (Appendix D of the Storm Sewer IRM Work Plan) during storm sewer IRM construction activities. The air monitoring activities were performed to evaluate airborne constituent levels for the purpose of confirming that work procedures and personnel protective equipment (PPE) were adequate, and that work activities were not resulting in exceedances of the site perimeter action levels (established to protect downwind communities).

HSE conducted the air monitoring during subsurface activities (e.g., excavation for the groundwater treatment system building foundation, installation of stormwater and groundwater collection and conveyance systems, installation of the stormwater drainage ditch, modifications to the former drainage swale/DNAPL settling basin area) and during loading of materials for transportation for offsite disposal. The air monitoring activities consisted of the following:

- Monitoring for airborne particulates (i.e., dust) and organic vapor within active work areas to determine appropriate PPE requirements and/or appropriate control measures.
- Monitoring for airborne particulates (i.e., dust) and organic vapor at the site perimeter to determine appropriate corrective actions to reduce or abate the emissions, if action levels, as presented in the HASP were exceeded.

Based on the summary of the air monitoring activities provided by HSE, the following air monitoring exceedances occurred during construction of the storm sewer IRM:

- 13 (or 43% of all exceedances) dust exceedances attributed to vehicle traffic
- 6 (20%) dust exceedances attributed to backfilling excavations with clean fill

- 5 (17%) dust exceedances attributed to concrete work
- 2 (7%) dust exceedances attributed to air monitoring equipment malfunction due to high humidity
- 1 (3%) dust exceedances attributed to overspray from a power washer used during settling basin improvements
- 3 (10%) organic vapor exceedances attributed high humidity

According to air monitoring summary provided by HSE and as discussed during weekly site meetings, the contractor (Abscope) was notified of each exceedance. A summary of the air monitoring results are included in Appendix K.

3.6 Site Restoration and Demobilization

This subsection presents a summary of the site restoration and demobilization activities completed as part of the storm sewer IRM.

3.6.1 Site Grading

Pre-existing site grading was modified in three areas at the site:

- Near the southeast corner of the Service Center Building – The pre-existing grade in this area focused surface runoff to former catch basin CB-1 that was converted into manhole NMH-5 as part of the storm sewer IRM activities. As described above in Section 3.2.1, two new catch basins CB-7 and CB-8 were installed north and south of new manhole NMH-5 to collect stormwater in this area. The grade in the area was changed to promote surface runoff to catch basins CB-7 and CB-8.
- Near the groundwater treatment system building – In general, the pre-existing grade along the western portion of the site promoted surface runoff off site to the west. The treatment system building was constructed near the western fence line. The area surrounding the treatment building was regraded to promote surface runoff around the building and offsite to the west.
- In the southwest corner of the site – Prior to construction of the storm sewer IRM, the storm sewer discharged to a drainage swale that conveyed water to a settling pond prior to discharging to Cayadutta Creek. As described in Section 3.2.3, the

drainage swale was backfilled and graded to promote general surface runoff toward the creek.

Grades were primarily changed to promote surface runoff to catch basins or off site as described below. Final site grades are shown on the Final Survey.

3.6.2 Pavement Restoration

Pavement restoration activities were conducted to restore asphalt pavement that was disturbed as a result of storm sewer IRM construction activities. Pavement restoration areas, covering approximately 48,500 square-feet, generally consisted of the west, south, and southeast sides of the Service Center Building, as well as in the vicinity of gas regulator station east of the Service Center Building. Disturbed areas south and west of the Service Center Building were restored to match the surrounding grade, as well as to promote drainage to the new surface water catch basins (installed in approximately the same locations as the former catch basins) in these areas. The area near the southeast corner of the Service Center Building was paved following regrading near new catch basins CB-7 and CB-8. Pavement restoration activities completed by Abscope and their subcontractor, CFR, consisted of the following:

- Compacting run-of-bank subgrade to 95 percent compaction (Standard Proctor).
- Placing, grading and compacting a minimum of four inches (compacted depth) of New York State Department of Transportation (NYSDOT) Type 3 binder course.
- Placing, grading and compacting a minimum of 1½ inches (compacted depth) of NYSDOT Type 7F wear course.

Final site grading and elevations are shown on the Final Survey (Appendix A).

3.6.3 Re-vegetation

Site re-vegetation activities were conducted to re-establish a vegetative cover where existing vegetation was disturbed during storm sewer IRM construction activities. Re-vegetation activities were conducted in the vicinity of the stone-lined stormwater drainage ditch and stormwater detention basin. Re-vegetation consisted of placing up to 6 inches of topsoil and the following seed mixture (note that percentages are approximate):

- 35% (by weight) Creeping Red Fescue
- 35% Tall Fescue
- 20% Birdsfoot Trefoil
- 10% Perennial Rye

3.6.4 Demobilization

Demobilization activities were conducted concurrently with site restoration activities and consisted of the following:

- Cleaning/decontaminating equipment and construction-related materials prior to removal from the site.
- Removing materials, equipment, and support structures from the site.
- Conducting general site cleanup activities to remove all waste materials, debris, etc. generated during the storm sewer IRM construction activities.

4. Significant Observations during Storm Sewer IRM Construction

This section documents significant observations made by ARCADIS during construction of the storm sewer IRM. These observations included the following:

- Locations where NAPL-impacted soils were encountered
- Spill reporting and closure
- Significant debris and subsurface foundations

4.1 Locations of NAPL-Impacted Soil

Areas where NAPL and NAPL-impacted soil was encountered during construction of the storm sewer IRM are shown on the drawings included in Appendix L and are summarized below.

- *Area A* – Along the eastern side of the excavation for the groundwater treatment system building. Former foundations consisting of an 18-foot diameter concrete slab overlain by a steel cover and smaller rectangular concrete slab were encountered. In addition, several clay tile pipes were encountered and contained NAPL and visually-impacted water. Additionally, several abandoned gas lines were also encountered within the limits of the excavation. When encountered, gas piping was removed from within the limits of the excavation and remaining piping was sealed with expandable foam. National Grid's Gas Department coordinated the disposal of the removed gas piping.
- *Area B* – At a depth of approximately 5 feet bgs along a portion of the trench excavated for installation of the groundwater conveyance piping from manhole NMH-1 to the treatment system.
- *Area C* – In the trench completed south of the service center garage between catch basins CB-2 and CB-7. NAPL was typically encountered at depths ranging from approximately 5 feet bgs to the depth of the trench (approximately 7 to 10 feet bgs).
- *Area D* – In stone fill material immediately beneath the asphalt near the southeast corner of the service center garage (between catch basins CB-7 and CB-8 and

near manhole NMH-5). A brick foundation wall and concrete slab were encountered and visible NAPL seeps were observed.

- *Area E* – Approximately 3 feet bgs within the excavation for the head wall at the upstream end of the lined stormwater ditch.
- *Area F* – In shallow soil borings (up to 3 feet bgs) completed to facilitate the installation of fence posts along the western side of the lined stormwater drainage ditch.
- *Area G* – In shallow soil (i.e., immediately below vegetation) near the former storm sewer outfall and in shallow subsurface soil immediately downstream of the former outfall.
- *Area H* – Within the excavation completed to facilitate installation of manhole NMH-6.

4.2 Spill Reporting and Closure

During construction of the storm sewer IRM, two spill incidents were reported to the NYSDEC.

- November 27, 2006 – A former diesel or gasoline/petroleum underground storage tank (UST) was encountered during excavation activities along the west side of the Service Center Building. The former UST (and petroleum-impacted soil within the immediate vicinity of the UST) was removed and disposed by Abscope.
- July 13, 2007 – Oil-stained stone was observed within the stone-lined stormwater drainage ditch. The oil was likely leaked from a drill rig that was operating in the same general vicinity of the site. The oil-stained stone was removed from the ditch and disposed by Abscope.

Closed NYSDEC spill report forms for each of the spill incidents have been included as Appendix M.

4.3 Locations of Subsurface Debris and Foundations

Subsurface obstructions, consisting of former building foundations and debris, were encountered during the excavation activities associated with the storm sewer IRM.

Select photographs documenting site conditions are included in Appendix E and drawings illustrating locations of subsurface obstructions are provided in Appendix L. A summary of the subsurface obstructions is provided below.

- In the eastern portion of the groundwater treatment system building foundation excavation (brick and cobble former foundations).
- In the trench excavation for stormwater conveyance piping between catch basins CB-2 and CB-7 (former brick and concrete foundations).
- South of catch basin CB-2 (former brick foundation).
- In the general vicinity of catch basin CB-7 and manhole NMH-5 (former brick foundation).
- In the trench excavation for groundwater conveyance piping between manholes NMH-1 and NMH-2 (former UST, as discussed above).
- In the general vicinity of manhole NMH-1 (former concrete footer and timbers).
- In the trench excavation for groundwater conveyance piping between manhole NMH-1 and the groundwater treatment system building (former brick foundation).
- The length of the new stormwater drainage ditch (former railroad ties and rails).

5. Waste Handling, Treatment and Disposal

During construction of the storm sewer IRM, various waste streams were generated that required offsite disposal. A summary of the quantity of each waste stream is provided in the table below.

Waste Stream	Quantity	Disposal Facility
Soil	7,000 tons	Seneca Meadows and City of Albany Landfill
Asphalt	964 tons	City of Albany Landfill
Concrete (and Brick)	92 tons	City of Albany Landfill
Sludge	2,700 pounds and 4,294 gallons	Model City Landfill
Railroad Ties	14 tons	High Acres Landfill
Spent Granular Activated Carbon	275 pounds	Model City Landfill
Spent Ion Exchange Resin	275 pounds	Model City Landfill
Miscellaneous Materials ¹	---	Seneca Meadows and City of Albany Landfill, National Grid

Note:

1. Miscellaneous materials were incorporated into the soil waste stream or disposed by National Grid as appropriate. See Section 5.7.

Material disposal documentation for these waste streams is included as Appendix N. Additionally, wastewaters were generated during construction of the storm sewer IRM. Disposal activities for each of the waste streams are described below.

5.1 Excavated Soil

A total of 7,000 tons of soil was excavated as a result of storm sewer IRM construction activities. Excavated soil was temporarily stock-piled in the waste material staging area for dewatering, waste characterization sampling, and subsequent offsite transportation and disposal. Composite samples were submitted to Adirondack for waste characterization analysis to determine the Resource Conservation and Recovery (RCRA) hazardous waste characteristics and other disposal facility-required parameters. Analytical results for soil waste characterization analyses indicated soil did not exhibit the characteristics of a hazardous waste. The analytical results are included as part of the waste profiles provided in Appendix N.

Analytical results for the soil waste characterization analyses were submitted to Seneca Meadows and Albany Landfills for approval prior to transportation and offsite disposal. A copy of the approval letters from Seneca Meadows and City of Albany Landfills are included in Appendix N.

Following dewatering of soil stockpiled in the onsite waste material staging areas (via gravity dewatering), soil was transported for offsite disposal at Seneca Meadows and Albany Landfills. A non-hazardous waste manifest was prepared for each truck load, which was signed by the truck driver, as well as a National Grid-authorized agent, and each truck transported the soil to its respective landfill disposal facility. At the disposal facilities, each truck was weighed to determine the amount of soil carried by the vehicle. A copy of the non-hazardous waste manifests and the corresponding weigh ticket, as well as the National Grid Authorization to Sign Manifests, is included in Appendix N.

5.2 Sludge

A total of 2,700 pounds and 4,294 gallons of sludge were generated during storm sewer IRM construction activities. The sludge waste stream consisted of NAPL and NAPL-impacted soils and groundwater removed from the subsurface during excavation activities. The sludge was separately staged on site within the material staging area and within HDPE tanks to facilitate sampling and analysis in support of preparing a waste profile to dispose of the material at Model City. Analytical results for sludge waste characterization analyses indicated sludge did not exhibit the characteristics of a hazardous waste. The waste profile, analytical results, and a disposal approval letter from Model City is provided in Appendix N. Note that the HDPE tanks used to store the

sludge were cleaned, demolished, and incorporated into the excavated soil waste stream.

5.3 Asphalt and Concrete (and Brick)

A total of 964 tons of asphalt and 92 tons of concrete (and brick) were removed from the site during construction of the storm sewer IRM. The asphalt was generated as a result of replacing the pavement in the general vicinity of the Service Center Building. The concrete (and brick) was generated as a result of demolishing former building foundations encountered during excavation activities (to facilitate installation of the treatment system foundation and stormwater and groundwater conveyance piping).

Asphalt and concrete was transported for offsite disposal at the City of Albany Landfill, which did not require waste characterization analysis prior to (verbal) approval for disposal of the concrete and asphalt waste streams. Asphalt and concrete waste profiles, a copy of the non-hazardous waste manifests, and the corresponding weigh tickets are included in Appendix N.

5.4 Railroad Ties

A total of 14 tons of railroad ties were removed from the site during construction of the storm sewer IRM. The railroad ties were encountered during construction of the stormwater drainage ditch along the western portion of the site. The railroad ties were transported for offsite disposal at High Acres Landfill, which did not require waste characterization analysis prior to (verbal) approval for disposal of the railroad ties. The railroad tie waste profile, a copy of the non-hazardous waste manifests, and the corresponding weigh ticket are included in Appendix N.

5.5 Spent Granular Activated Carbon and Ion Exchange Resin

A total of 275 pounds (each) of spent granular activated carbon and ion exchange resin were generated and removed from the site during construction of the storm sewer IRM. The media was used in Abscope's temporary groundwater treatment utilized prior to and after construction of the storm sewer IRM groundwater treatment system. Analytical results for spent carbon and resin waste characterization analysis indicated the carbon and resin did not exhibit the characteristics of a hazardous waste. The spent media was transported to Model City for disposal. Carbon and resin waste profiles, a copy of the non-hazardous waste manifests, and the corresponding disposal tickets are included in Appendix N.

5.6 Wastewater

Wastewater disposed during construction of the storm sewer IRM was generated from the following sources:

- Groundwater collected by the building underdrains (a majority of the wastewater waste stream was comprised of this flow).
- Groundwater removed from excavation areas to facilitate installation of manholes, catch basins, piping, and associated backfill materials.
- Decant water removed from soil staging areas.

Wastewater was treated on site by Abscope's temporary water treatment system. The initial 40,000 gallons of wastewater was batch treated and stored on site in two 20,000-gallon frac tanks. Waters samples were collected from the frac tanks and submitted to Adirondack for laboratory analysis for the constituents presented in GJJWTF permit (included as Appendix F). Analytical results (also included in Appendix F) were provided to Mr. Joseph Cellary of the GJJWTF, who subsequently granted final approval (verbally on November 2, 2006 and via e-mail on November 3, 2006) for treated water discharge to the sanitary sewer located west of the National Grid western fence. Additionally, Mr. Cellary indicated that wastewater could be treated and disposed on continuous basis. Although the storm sewer IRM groundwater treatment system was online in February 2007, Abscope's temporary water treatment system continued to treat and discharge groundwater from manhole NMH-1 until September 7, 2007, when select storm sewer IRM groundwater treatment system upgrades were completed and the temporary system was demobilized from the site. Abscope's temporary groundwater treatment system processed a total of 7.7 million gallons during storm sewer IRM construction activities.

5.7 Miscellaneous Material

In addition to the waste streams identified above, the following miscellaneous materials were generated during construction of the storm sewer IRM.

- Brush – Brush and small diameter trees were processed through a wood chipper and disposed with excavated soils at Seneca Meadows and City of Albany Landfills.

- Used bag filters – Bag filters used in Abscope’s temporary groundwater treatment and the storm sewer IRM groundwater treatment system (prior to Abscope’s demobilization) were incorporated into and disposed with excavated soils at Seneca Meadows and City of Albany Landfills.
- Booms and absorbent pads – Booms and absorbent pads used to collect and contain groundwater during storm sewer IRM construction activities were incorporated into and disposed with excavated soils at Seneca Meadows and City of Albany Landfills.
- Former settling basin construction materials – Former settling basin construction materials (i.e., pavers and geotextile) were cleaned via a high-pressure washer and incorporated into and disposed with excavated soils at Seneca Meadows and City of Albany Landfills.
- Material staging area construction materials – Material staging area construction materials (i.e., stone fill, geotextile, and HDPE) were incorporated into and disposed with excavated soils at Seneca Meadows and City of Albany Landfills.
- Former steel piping – Steel piping, formerly natural gas distribution piping was removed from the subsurface during excavation for the groundwater treatment system building foundation and removal of asphalt and subgrade to facilitate installation of new asphalt at the site. The piping was staged on site on and covered with polyethylene sheeting. As indicated previously, National Grid’s Gas Department coordinated the disposal of the piping.
- PPE – Personnel protective equipment (i.e., plastic gloves and Tyveks) worn by Abscope and its subcontractors, ARCADIS, and other site visitors were disposed with the waste materials that were contacted with the PPE. PPE was incorporated into and disposed with excavated soils at Seneca Meadows and City of Albany Landfills.

6. Post-Construction Operation, Maintenance and Monitoring

Following construction of the storm sewer IRM, OM&M activities shall be conducted to verify that the storm sewer IRM is functioning as intended. In general, storm sewer IRM OM&M activities include the following:

- Weekly and monthly inspection of groundwater treatment system equipment.
- Monthly inspection of catch basins, manholes, the stormwater drainage ditch and stormwater detention basin.
- Changing of bag filters and backflushing of groundwater treatment system media vessels, as needed.
- Periodic sampling and analysis throughout the groundwater treatment system.
- Semi-annual sampling and analysis of groundwater treatment system effluent (as required by the wastewater discharge permit).
- Change out of filter media (as needed).
- Annual video inspection of stormwater and groundwater conveyance piping.
- Annual hydroflushing of stormwater and groundwater conveyance piping (if necessary based on the results of annual video inspection).

A detailed description of the OM&M activities to be conducted following construction of the storm sewer IRM are presented in the May 2008 draft Storm Sewer Interim Remedial Measure Operation, Maintenance and Monitoring Manual (Storm Sewer IRM OM&M Manual) prepared by ARCADIS.

Table 1
Construction Milestone Chronology

National Grid – Gloversville (Hill Street) Former Manufactured Gas Plant Site

Milestone	Date of Completion
Obtained waste water discharge permit from GJJWTF	09/28/2006
Site mobilization	10/02/2006
NYDEC received the final Site Management Plan, Citizen Air Monitoring Plan, and Sediment Monitoring Plan	10/11/2006
Temporary water treatment system brought online	10/19/2006
Sampling of (batch) treated water	10/27/2006
GJJWTF approval for batch discharge of treated water	11/02/2006
GJJWTF approval for continuous discharge of treated water	11/03/2006
Excavation for groundwater treatment system building foundation	11/03/2006
Perimeter fence installed by Brady Fence	11/08/2006
Treatment system building foundation	11/12/2006 – 11/17/2006
Treatment system building constructed	12/05/2006 – 01/23/2007
Storm water conveyance system constructed (catch basins, conveyance piping, storm water drainage ditch, storm water detention basin)	12/06/2006
Groundwater conveyance system constructed	12/13/2006
Treatment system concrete equipment pads poured	12/14/2006
Select former storm sewer system components abandoned in place with flowable fill	12/28/2006
Groundwater treatment system components installed	01/02/2007 – 02/21/2007
Stormwater collection and conveyance system construction finalized and operational	02/01/2007
Air testing of the piping systems completed and passed	02/08/2007
Permanent power installed (by National Grid)	02/08/2007
Manhole NMH-1 pumping to permanent treatment system	03/13/2007
Treatment system building inspection	03/21/2007
GroutTech applies Avanti grout to catch basins CB-2 and CB-7 exteriors	03/21/2007
P-502 pump replacement	04/12/2007
Manhole NMH-6 pumping to permanent treatment system	05/24/2007
Pavement completed	05/31/2007
Manhole NMH-1 pumps P-101 and P-102 replaced	07/12/2007
French drain installed	08/21/2007
Complete former settling basin changes and transition from stormwater drainage ditch to stormwater detention basin	08/31/2007
Abscope continues demobilization activities and loads out staged material	09/07/2007
Temporary treatment system demobilized	09/07/2007
Sequestering agent added	01/07/2008
New P-900 pumps installed	03/31/2008
New P-500 pumps and VFDs installed	04/02/2008
Biocide added	05/02/2008

Table 2
Stormwater Collection and Conveyance Components

National Grid - Gloversville (Hill Street) Former Manufactured Gas Plant Site

Component	Size	Depth	Input	Invert Elevation ⁴	Output	Invert Elevation ⁴	Note
Basin	50' X 25' Lined	varies	Ditch	745.36	12" X 20' CMP	744.74	Discharge to Cayadutta Creek
Ditch	5' wide X 380' Long	12"	24" Dia X 116' HDPE	751.88	Stormwater Detention Basin	745.36	
			Stormwater Runoff	NA			
CB-2	30" X 30" Concrete	78"	18" Dia X 112' HDPE	752.43	24" Dia X 116' HDPE	752.16	
			15" Dia X 177' HDPE	752.21			
			Stormwater Runoff	756.51			Surface Grate
CB-4	30" X 30" Concrete	72"	2 @ 8" X 65" HDPE	752.45/752.50	18" Dia X 112' HDPE	752.45	
			12" Dia PVC	752.90			Roof Drain
			Stormwater Runoff	756.10			Surface Grate
CB-5	30" X 30" Concrete	72"	Stormwater Runoff	756.68	2 @ 8" X 65' HDPE	753.13/753.18	Surface Grate
CB-7	30" X 30" Concrete	64"	15" Dia X 41' HDPE	752.90	15" Dia X 177' HDPE	752.85	
			Stormwater Runoff	756.60			Surface Grate
CB-8	30" X 30" Concrete	64"	Stormwater Runoff	756.46	15" Dia X 41' HDPE	753.36	Surface Grate

Notes:

1. CB = catch basin.
2. PVC = polyvinyl chloride
3. HDPE = high-density polyethylene
4. Elevations are provided as feet above mean sea level (AMSL) relative to the National Geodetic Vertical Datum of 1929 (NGVD 1929).
5. NA = not applicable

Table 3
Groundwater Collection and Conveyance Components


National Grid - Gloversville (Hill Street) Former Manufactured Gas Plant Site

Component	Size	Depth	Invert Elevation ⁵	Elev	Output	Invert Elevation ⁵	Note
GWTS	40' X 50'	NA	1.5" X 165' HDPE	NA	2" X 110' HDPE	NA	To Sanitary Sewer
			1.5" X 200' HDPE	NA			
NMH-1	60" Dia Concrete	132"	8" X 55' HDPE	749.54	1.5" X 165' HDPE	750.59	
			8" X 36' HDPE	749.39			
NMH-2	48" Dia Concrete	72"	8" X 86' HDPE	750.96	8" X 55' HDPE	750.71	
			2 @ 4" PVC	752.91/752.61			Building Underdrains
			1.5" PVC	753.86			Building Sump
NMH-3	48" Dia Concrete	68"	4" PVC	755.06	8" X 86' HDPE	751.21	See Note 7
NMH-4	48" Dia Concrete	88"	8" X 150' HDPE	752.58	8" X 36' HDPE	750.08	Building Underdrain
NMH-5	48" Dia Concrete	35"	2 @ 4" PVC	755.04/754.74	8" HDPE	754.64	Area Underdrains
NMH-6	60" Dia Concrete	132"	French Drain	747.5	1.5" X 200' HDPE	--	

Notes:

1. CB = catch basin.
2. PVC = polyvinyl chloride
3. HDPE = high-density polyethylene
4. GWTS = groundwater treatment system
5. Elevations are provided as feet above mean sea level (AMSL) relative to the National Geodetic Vertical Datum of 1929 (NGVD 1929).
6. NA = not applicable
7. Building underdrain and parking lot drain combine underground via HDPE T-section located north of manhole NMH-3.

Figures



REFERENCE: BASE MAP USGS QUAD., GLOVERSVILLE, NEW YORK, 1970.



NATIONAL GRID
GLOVERSVILLE (HILL STREET) FORMER MGP SITE
GLOVERSVILLE, NEW YORK
STORM SEWER IRM ENGINEERING CERTIFICATION REPORT



SITE LOCATION MAP



FIGURE
1

Appendix A

Final Survey



- NOTES:
1. UNDERGROUND UTILITIES SHOWN HEREON BASED ON UTILITY EVIDENCE VISIBLE AT GROUND SURFACE AND RECORD DRAWINGS AND ARE SUBJECT TO FIELD VERIFICATION BY EXCAVATION. UTILITIES SHOWN DO NOT PURPORT TO CONSTITUTE OR REPRESENT ALL UTILITIES LOCATED UPON OR ADJACENT TO THE SURVEYED PREMISES.
 2. THE OFFSETS OR DIMENSIONS SHOWN HEREON, FROM THE PROPERTY LINES TO THE STRUCTURES, ARE FOR A SPECIFIC PURPOSE AND USE. THEREFORE, THEY ARE NOT INTENDED TO MONUMENT THE PROPERTY LINES OR TO GUIDE THE ERECTION OF FENCES, ADDITIONAL STRUCTURES, OR ANY OTHER IMPROVEMENT.
 3. EASEMENTS AND/OR SUBSURFACE STRUCTURES RECORDED OR UNRECORDED ARE NOT GUARANTEED UNLESS PHYSICALLY EVIDENT ON THE PREMISES AT THE TIME OF THE SURVEY.
 4. SUBJECT TO ANY STATE OF FACTS AN UP-TO-DATE ABSTRACT OF TITLE WOULD DISCLOSE.
 5. SUBJECT TO ALL RIGHTS, EASEMENTS, COVENANTS AND RESTRICTIONS OF RECORD.
 6. REFERENCE DATUM AS PROVIDED BY BBL, ON PLANS ENTITLED " NATIONAL GRID GLOVERSVILLE , FORMER MGP SITE STORM SEWER IRM", AS PREPARED BASLAND , BOUCK & LEE, INC AND DATED MAY 2006.

7/18/08	UPDATE DATA PER COMMENTS	MRD
7/10/08	UPDATE DATA PER COMMENTS	MRD
8/23/07	ASBUILT DITCH AREA STA. 10+00 - 11+00 / LOCATE FRENCH DRAIN LOCATION	MRD
DATE	RECORD OF WORK	APPROVED
5/3/07	ADDITIONAL ASBUILT LOCATIONS AS PER REQUEST	MRD
5/17/07	ADDITIONAL ASBUILT LOCATIONS AS PER REQUEST	MRD
5/18/07	UPDATE INVERT 18" AS PER CLIENT AND ADDITIONAL LEVEL CHECKS	MRD
5/30/07	ASBUILT SPOT SHOTS AS PER REQUEST	MRD
6/12/07	FINAL ASBUILT SPOT SHOTS AS PER REQUEST	MRD
7/12/07	ASBUILT SPOT SHOTS (CHAINLINK FENCE) AS PER REQUEST	MRD
DRAWN BY:	FIELD SURVEY:	CHK BY: MARK R. DELOR



Stantec
3 Columbia Circle
Albany, NY
12203
Tel. 518.452.4358
Fax. 518.452.9234
www.stantec.com

Unauthorized alteration or addition to this map is a violation of section 72.09, sub-division 2 of the New York State Education Law.

Only copies from the original of this map bearing an original signature and the embossed seal of the preparer shall be considered to be true and valid copies.

N.Y.S. LIC. NO. 060478



MARK R. DELOR P.L.S.


ASBUILT SURVEY
SHOWING LANDS OF
NATIONAL GRID GLOVERSVILLE FORMER MGP SITE

TOWN OF GLOVERSVILLE * FULTON COUNTY * STATE OF NEW YORK
DATE: APRIL, 2007 SCALE: 1" = 30'

Sheet No.
1
1 OF 1
Cadd

Appendix B

Record Drawings



PROFILE SCALES

5' 0 5' 10'


1"=5'

50' 0 50' 100'


1"=50'

THIS BAR REPRESENTS ONE INCH ON THE ORIGINAL DRAWING:

USE TO VERIFY FIGURE REPRODUCTION SCALE



Professional Engineer's Name		
MARGARET A. CARRILLO-SHERIDAN		
Professional Engineer's No.		
082251		
State	Date Signed	Project Mgr.
NY		JDB
Designed by	Drawn by	Checked by
DEC	CHS	JBC



NATIONAL GRID GLOVERSVILLE FORMER MGP SITE • GLOVERSVILLE, NEW YORK
STORM SEWER IRM


**STORMWATER AND GROUNDWATER COLLECTION
AND CONVEYANCE SYSTEMS - PLAN AND PROFILES**




DATE 7/26/2011 BY Maqel A. Benito-Sun

ARCADIS Project No. B0036652.0000.00310
Date JUNE 2008
ARCADIS 6723 Towpath Road P.O. Box 66 Syracuse, NY 13214


CITY: SYR DIV/GRP: 14/ENV DB: GHS EGP LD: PIC: PM: TM: LYR: ON=OFF=REF
G:\ENVCAD\SYRACUSE\ACT18036652\0000000310\DWG\STORMSWR\RECORD\36652G09.DWG LAYOUT: 4
XREFS: 36652X01 36652X02 36652X00
PROJECTNAME: ACADVER: 18.0S (LMS TECH) PAGES: 4 PLOT: 7/25/2011 7:54 AM BY: GETTIS, BRIAN



DRAINAGE SWALE GRADING PLAN



DRAINAGE SWALE GRADING PROFILE



LEGEND

EXTENT OF 100-YEAR FLOOD PLAIN
TAKEN FROM FLOOD INSURANCE RATE
MAP, CITY OF GLOVERSVILLE, NEW
YORK, FULTON COUNTY (FEMA, 1983)

RECORD DRAWINGS

TO THE BEST OF OUR KNOWLEDGE,
INFORMATION AND BELIEF, THESE RECORD
DRAWINGS SUBSTANTIALLY REPRESENT THE
PROJECT AS CONSTRUCTED.

DATE 7/26/2011 BY [Signature]

(RECORD DRAWING: MADE FROM DRAWING NO. 10,
TRACER NO. 36652230\STMSWR\36652G09.DWG,
DATED MAY 2006)

SCALE AS NOTED


THIS BAR REPRESENTS ONE INCH ON THE ORIGINAL DRAWING.

USE TO VERIFY FIGURE REPRODUCTION SCALE

No.	Date	Revisions	By	Ckd

THIS DRAWING IS THE PROPERTY OF THE ARCADIS ENTITY IDENTIFIED IN THE TITLE BLOCK AND MAY NOT BE REPRODUCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN PERMISSION OF SAME.

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed
Project Mgr.
JDB
Designed by
THS
Drawn by
GHS
Checked by
JRG




NATIONAL GRID GLOVERSVILLE FORMER MGP SITE • GLOVERSVILLE, NEW YORK
STORM SEWER IRM

DRAINAGE SWALE MODIFICATIONS

ARCADIS Project No.
B0036652.0000.00310
Date
JUNE 2008
ARCADIS
6723 Towpath Road
P.O. Box 66
Syracuse, NY 13214
Tel. 315.446.9120


CITY: SYR DIV/GRP: 141/ENV DB: BGP PRO BGP LD: PIC: PM: LVRON="OFF"REF* G:\ENVCAD\SYRACUSE\ACT\B0036652\0000000310\DWG\STORMSWR\RECORD\36652G12.DWG LAYOUT: 5 ACADVER: 18.0S (LMS TECH) PAGES: 5 PLOTSTYLETABLE: PLTCONT.CTB PLOTTED: 7/25/2011 8:29 AM BY: GETTIS, BRIAN
XREFS: 36652X00
IMAGES: PROJECTNAME: ---



DRAINAGE SWALE SOIL COVER

NOT TO SCALE


1
4




DNAPL SETTLING BASIN MODIFICATIONS AND STORMWATER DRAINAGE DITCH TERMINATION

NOT TO SCALE

2
3



PLAN



PROFILE

STORM SEWER OUTFALL



NOT TO SCALE

3
3


RECORD DRAWINGS
TO THE BEST OF OUR KNOWLEDGE,
INFORMATION AND BELIEF, THESE RECORD
DRAWINGS SUBSTANTIALLY REPRESENT THE
PROJECT AS CONSTRUCTED.

DATE: 7/26/2011 BY: Margaret Carrillo

(RECORD DRAWING: MADE FROM DRAWING NO. 11,
TRACER NO. 36652230\STMSWR\36652G12.DWG,
DATED MAY 2006)

NOT TO SCALE						Professional Engineer's Name MARGARET A. CARRILLO-SHERIDAN				NATIONAL GRID GLOVERSVILLE FORMER MGP SITE • GLOVERSVILLE, NEW YORK STORM SEWER IRM		ARCADIS Project No. B0036652.0000.00310		5		
THIS BAR REPRESENTS ONE INCH ON THE ORIGINAL DRAWING.		USE TO VERIFY FIGURE REPRODUCTION SCALE				Professional Engineer's No. 082251				State NY		Date Signed JDB			Date JUNE 2008	
						Designed by THS				Drawn by BGP		Checked by JRG			ARCADIS 6723 Towpath Road P.O. Box 66 Syracuse, NY 13214 Tel. 315.446.9120	

CITY: SVR DIV:GROUP: 14/ENV DB: SDL GHS NES LD: PIC: PM:JB TM:JG LVR:ON=-OFF=REF*
G:\ENV\CAD\STACUSEACT\18036652\0000000310\DWG\STORMSWR\RECORD\36652M02.DWG LAYOUT: 8
XREFS: 36652X00
IMAGES: PROJECTNAME: ---
PLOT: 7/25/2011 7:55 AM ACADVER: 18.05 (LMS TECH) PAGES: 8 PLOT: 7/25/2011 8:30 AM BY: GETTS, BRIAN





NOTES:

1. MAJOR EQUIPMENT MECHANICAL AND INSTRUMENT SPECIFICATIONS ARE LOCATED ON RECORD DRAWING 6.
2. ABBREVIATIONS AND LEGEND LOCATED ON RECORD DRAWING 6.
3. EQUIPMENT AND PROCESS PIPING LOCATIONS ARE APPROXIMATE. EQUIPMENT LOCATIONS ARE RELATIVE TO ONE ANOTHER. BACKWASH LINES HAVE BEEN GENERALLY INSTALLED PARALLEL TO PROCESS LINES (SHOWN ON BUILDING INTERIOR PERIMETER FOR CLARITY).

RECORD DRAWINGS
TO THE BEST OF OUR KNOWLEDGE,
INFORMATION AND BELIEF, THESE RECORD
DRAWINGS SUBSTANTIALLY REPRESENT THE
PROJECT AS CONSTRUCTED.

DATE: 7/26/2011 BY: Margaret A. Carrillo-Sheridan

(RECORD DRAWING: MADE FROM DRAWING NO. 14,
TRACER NO. 36652230\STMSWR\36652M02.DWG,
DATED MAY 2006)

SCALE AS NOTED						Professional Engineer's Name MARGARET A. CARRILLO-SHERIDAN				 ARCADIS OF NEW YORK, INC.		NATIONAL GRID GLOVERSVILLE FORMER MGP SITE • GLOVERSVILLE, NEW YORK STORM SEWER IRM GROUNDWATER TREATMENT SYSTEM EQUIPMENT LAYOUT		ARCADIS Project No. B0036652.0000.00310		8						
THIS BAR REPRESENTS ONE INCH ON THE ORIGINAL DRAWING:		USE TO VERIFY FIGURE REPRODUCTION SCALE				Professional Engineer's No. 082251								Date JUNE 2008								
						State NY								Project Mgr. JDB			ARCADIS 6723 Towpath Road P.O. Box 66 Syracuse, NY 13214 Tel. 315.446.9120					
No.				Date		Revisions		By		Ckd												
THIS DRAWING IS THE PROPERTY OF THE ARCADIS ENTITY IDENTIFIED IN THE TITLE BLOCK AND MAY NOT BE REPRODUCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN PERMISSION OF SAME.																						
								Designed by TEM		Drawn by NES		Checked by JRG										

Appendix C (included on CD)

Contractor Directives



an ARCADIS company

CONTRACTOR DIRECTIVE


NATIONAL GRID

GLOVERSVILLE (HILL STREET) FORMER MGP SITE
GLOVERSVILLE, NEW YORK

Detailed Description of Directive:

Due to water table elevation and wet conditions at the site, the Contractor has been directed to backfill the excavation for the groundwater treatment system foundation as indicated in the field sketch below. No. 1 Crushed Stone will be placed to an elevation of 6-inches above the groundwater table. Run-of-crusher or run-of-bank material shall be placed above the No. 1 Crushed Stone to the building foundation, with the exception that the 6-inches beneath the building foundation shall be run-of-crusher material.

Field Sketch:



Cost Implications:

YES ☐ NO ☐
Lump Sum ☐ Unit Cost Rate ☐

Cost Implication Detail:

Signatures:

Owner:

Print Name

Sign Name

Date

NYSDEC:

Print Name

Sign Name

Date

Engineer:

Print Name

Sign Name

Date

Contractor:

Print Name

Sign Name

Date

Note: This directive does not replace a formal authorization for contract change (ACC) request, which must be signed by the Owner. The Contractor shall be required to submit a formal ACC request for review and approval prior to compensation for the field activities described above.



an ARCADIS company

CONTRACTOR DIRECTIVE/NOTIFICATION

NATIONAL GRID

GLOVERSVILLE (HILL STREET) FORMER MGP SITE GLOVERSVILLE, NEW YORK

Date: October 24, 2006


Time: 12:00 pm

Reason for Directive: Facilitate installation of the stormwater drainage along the western fence line of the site.

Detailed Description of Directive/Notification (including basis):

As necessary, based on the Engineer's discretion, the Contractor shall replace native saturated silty material along the bottom and the banks of the stormwater drainage ditch with Type E Screened Gravel. As shown on Contract Drawing No. 9, the geosynthetic clay liner (GCL) shall be placed along the bottom of the stormwater drainage ditch such that 18 inches of the GCL will be anchored by the overlaying materials (including 6 inches of topsoil to establish a minimum depth of 18 inches from the bottom of the drainage ditch to the top of the ditch bank). Imported topsoil shall be placed such that it matches the surrounding grade. The remainder of the stormwater drainage ditch shall be constructed as shown on Contract Drawing No. 9.

Field Sketch:



Cost/Time Implications:

YES ☐ NO ☐
Lump Sum ☐ Unit Cost Rate ☐

Cost/Time Implication Details:

Signatures:

Engineer: _____
Print Name

Sign Name

Date

Contractor: _____
Print Name

Sign Name

Date

Note: This directive does not replace a formal authorization for contract change (ACC) request, which must be signed by the Owner. The Contractor shall be required to submit a formal ACC request for review and approval prior to compensation for the field activities described above.



CONTRACTOR DIRECTIVE/NOTIFICATION

NATIONAL GRID

GLOVERSVILLE (HILL STREET) FORMER MGP SITE GLOVERSVILLE, NEW YORK

Date: December 4, 2006

Time: 10:00 am

Reason for Directive: Establishing a new chain link fence line in the southwest portion of the site at the request of National Grid.

Detailed Description of Directive/Notification (including basis):

In addition to the proposed chain link fence shown on Contract Drawing No. 9, the Contractor shall install and remove additional chain link fence in the southwest portion of the site, as shown on the attached drawing. The Contractor shall remove and reuse (if possible) chain link fence north and east of the stormwater detention basin. As indicated on the attached drawing, the Contractor shall relocate the chain link fence line on the east side of the stormwater detention basin and add a gate to this section of fencing. The Contractor shall also install additional chain link fence along the southern side of the site. Fencing installation and height shall be in accordance with the Gloversville Storm Sewer IRM Work Plan (BBL, July 2006).

Field Sketch:

See Attached

Cost/Time Implications:

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
Lump Sum	<input type="checkbox"/>	Unit Cost Rate	<input type="checkbox"/>


Cost/Time Implication Details:

Signatures:

Engineer:	_____	_____	_____
	Print Name	Sign Name	Date

Contractor:	_____	_____	_____
	Print Name	Sign Name	Date

Note: This directive does not replace a formal authorization for contract change (ACC) request, which must be signed by the Owner. The Contractor shall be required to submit a formal ACC request for review and approval prior to compensation for the field activities described above.



- EXISTING FENCE TO REMAIN
- EXISTING FENCE TO BE REMOVED AND REUSED (IF POSSIBLE)
- PROPOSED NEW FENCE

NMH-6

PARKING GARAGE

EQUIPMENT STORAGE

BBL®

an ARCADIS company


CONTRACTOR DIRECTIVE/NOTIFICATION**NATIONAL GRID****GLOVERSVILLE (HILL STREET) FORMER MGP SITE
GLOVERSVILLE, NEW YORK**Date: 12/14/06Time: 0730 AM

Reason for Directive: Change in stormwater pipe size and quantity as well as invert elevation drop between CB-5 and CB-4 due to crossing utility corridor to the service building

Detailed Description of Directive/Notification (including basis):

- Proposed 18" HDPE pipe between CB-4 and CB-5 will be replaced with 2 lengths of 8" HDPE pipe with a 0.2' elevation drop to make it under existing utilities. In addition flowable fill will be used to backfill around the existing utilities.

- Initial proposed 18" HDPE would interfere with utility crossing

Field Sketch:**Cost/Time Implications:**

YES ☒ NO ☐
 Lump Sum ☐ Unit Cost Rate ☐

Cost/Time Implication Details:

- Cost of pipe / replacement
- Cost for mortar penetrations instead of Rubber boot Connection
- Additional labor for trench dip
- Cost for new stormwater 18" ADS WT pipe and pickup fee

Signatures:

Engineer:

Todd P. Merrill
 Print Name

Todd P. Merrill
 Sign Name

12/14/06
 Date

Contractor:

Robert Gray
 Print Name

Robert Gray
 Sign Name

12/14/06
 Date

Note: This directive does not replace a formal authorization for contract change (ACC) request, which must be signed by the Owner. The Contractor shall be required to submit a formal ACC request for review and approval prior to compensation for the field activities described above.



CONTRACTOR DIRECTIVE/NOTIFICATION

NATIONAL GRID

GLOVERSVILLE (HILL STREET) FORMER MGP SITE
GLOVERSVILLE, NEW YORK

Date: 5/14/2007

Time: _____


Detailed Description of Directive (including basis):

Contractor shall remove, regrade and reinstall materials at the upstream end of the lined storm water drainage ditch. The materials associated with the ditch were installed at an elevation approximately 6-10 inches higher than the design specifications. The Contractor is requested to regrade the upper portion of the ditch so that:

- 1) The elevation of the stone at the pipe outfall is not higher than the invert elevation of the outfall pipe
- 2) The depth of the specified stone (No. 5 crushed stone) at the outfall is 12 inches for a minimum distance of 22 feet downstream from the outfall at which point the type of stone transitions (No. 4 crushed stone) and the depth of stone transitions (6 inches) as specified in the design.
- 3) At no point along the centerline of the ditch should the elevation of the top of the stone be higher than the invert of the pipe.
- 4) The entire length of the ditch must have at least 6-inches of stone on top of the GCL as shown on the Contract Drawings.

The Contractor is not required to regrade any further downstream than necessary to meet the above-stated performance requirements.

Field Sketch:



Cost/Time Implications:

YES ☒ NO ☐
Lump Sum ☐ Unit Cost Rate ☐

Cost/Time Implication Details:

The Contractor shall not be reimbursed for any labor or materials associated with remobilization, removal of the existing material, replacement of new liner material, replacement of removed or new stone.

Signatures:

Engineer: Margaret Carrillo-Sheridan
Print Name

Margaret Carrillo-Sheridan
Sign Name

5-14-2007
Date

Contractor: _____
Print Name

Sign Name

Date

Note: This directive does not replace a formal authorization for contract change (ACC) request, which must be signed by the Owner. The Contractor shall be required to submit a formal ACC request for review and approval prior to compensation for the field activities described above.



an ARCADIS company

CONTRACTOR DIRECTIVE/NOTIFICATION

NATIONAL GRID

GLOVERSVILLE (HILL STREET) FORMER MGP SITE
GLOVERSVILLE, NEW YORK

Date: 7/25/2007

Time: 1:00 pm

Reason for Directive: Installation of french drain in southwest portion of site.

Detailed Description of Directive/Notification (including basis):

Contractor shall install drain pipe as shown on the attached sketches. Contractor shall conduct excavation activities in accordance with Contract Documents. The Contractor shall install piping within a trench from existing manhole NMH-6 to the southwestern corner of the site near the detention basin as shown on attached Sketch 1. The initial 10 feet of piping that attaches to the manhole shall consist of a 4-inch diameter solid HDPE pipe (ADS N-12 Soil Tight Integrated Bell and Spigot [N-12 ST IB], or equivalent) set at an elevation of 747.50 feet AMSL. Pipe bedding materials and layout for solid HDPE piping are shown on attached detail (Sketch 2). The remainder of the pipe shall be 4-inch diameter perforated HDPE piping (ADS perforated N-12 ST IB, or equivalent) set at an elevation of 747.50 feet. Pipe transition from solid to perforated pipe is shown on Sketch 3. Note that all sides of the stone bedding surrounding the perforated pipe (including end sections) shall be covered with geotextile. Pipe bedding materials and layout for perforated HDPE piping are shown on attached detail (Sketch 4). The pipe connection to existing manhole NMH-6 shall be completed as shown on attached Sketch 5. A cleanout shall be installed immediately south of the 45 degree elbow as shown on attached Sketches 1 and 6. The existing penetration to manhole NMH-6 shall be plugged with watertight material. Pipe trench materials and pipe installation shall be consistent with Contract Documents. Trench fill materials shall be compacted in accordance with Contract Documents. Contractor shall follow all National Grid health and safety procedures during trench installation activities.

Field Sketch:

See Attached Sketches

Cost/Time Implications:

YES ☒ NO ☐
Lump Sum ☐ Unit Cost Rate ☒

Cost/Time Implication Details:

Signatures:

Engineer:

Margaret Carrillo-Sheridan
Print Name Sign Name

7-25-2007
Date


Contractor:


Print Name

Sign Name

Date

Note: This directive does not replace a formal authorization for contract change (ACC) request, which must be signed by the Owner. The Contractor shall be required to submit a formal ACC request for review and approval prior to compensation for the field activities described above.






(2)

SOLID PIPE TRENCH DETAIL


NOT TO SCALE




(3)

SOLID/PERFORATED TRANSITION


NOT TO SCALE



④ PERFORATED PIPE TRENCH DETAIL
NOT TO SCALE



TYPE 1: SOIL-TIGHT USING NON-SHRINK
GROUT AND CORRUGATED PIPE



⑥ CLEAN OUT DETAIL

NOT TO SCALE

← North



CONTRACTOR DIRECTIVE/NOTIFICATION

NATIONAL GRID

GLOVERSVILLE (HILL STREET) FORMER MGP SITE GLOVERSVILLE, NEW YORK

Date: 10/5/2007

Time: 3:00pm

Reason for Directive: A concentrated stormwater runoff flow has been observed south of the groundwater treatment system. This concentrated flow has caused erosion of material where the flow enters the stone-lined stormwater drainage ditch near the northern ditch access gate.

Detailed Description of Directive/Notification (including basis):

The Contractor shall complete the following:

- Place two gabions to where concentrated flow has eroded existing material (see Site Plan). Gabions shall be Reno Mattresses (as manufactured by Maccaferri or approved equivalent) measuring 12 feet in length, 6 feet in width, and 6 inches thick. One mattress shall be installed from the edge of pavement to the edge of the stone-lined ditch (12 foot dimension oriented perpendicular to the ditch). The center of the mattress shall correspond with the eroded area and the center of the mattress shall be 6 inches lower than the outside edges of the mattress (see sketch 1). The second mattress shall be placed within the stormwater drainage ditch (see Site Plan). The mattress shall be placed on top of 2 inches of the existing No. 4 stone such that the 12 foot length of the mattress is placed across the width of the stormwater drainage ditch. The top edge of the mattress within the ditch shall be flush with to the end of the mattress extending from the edge of the pavement (see sketch 1). Stone placed within the mattresses shall be a clean, crushed, hard, durable stone with the following gradation:

Sieve	% Passing
6"	100
3"	0 to 5

Contractor shall provide technical specifications on proposed mattress and the as-manufactured gradation of stone fill for review by the Engineer prior to delivery to the site. Mattresses shall be installed in accordance with manufacturer's installation guidelines and in accordance with Materials and Performance Specifications Section 02413 – Geosynthetic Clay Liner and Section 02220 – Earthwork.

- Place new geosynthetic clay liner (GCL) (equivalent to that already in place at the site) beneath the mattress extending from the edge of pavement and anchor top edge into existing site material as shown on the attached sketch. New GCL shall overlap existing GCL a minimum of 1 foot (see Sketch 2). Contractor shall provide specifications on proposed GCL prior to delivery to the site. GCL shall be placed in accordance with Material and Performance Specification Section 02413 – Geosynthetic Clay Liner.

Field Sketch:

Sketches (1 sheet – attached)

Plan view (1 sheet – attached)

Cost/Time Implications:

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
Lump Sum	<input type="checkbox"/>	Unit Cost Rate	<input type="checkbox"/>

Cost/Time Implication Details:

Signatures:

Engineer:

Margaret Carrillo-Sheidan [Signature]

Print Name

Sign Name

5-Oct-2007

Date

Contractor:

Print Name


Sign Name

Date

Note: This directive does not replace a formal authorization for contract change (ACC) request, which must be signed by the Owner. The Contractor shall be required to submit a formal ACC request for review and approval prior to compensation for the field activities described above.


SUBJECT: National Grid
Gloversville (Hill Street)
JOB NO: 36652.300



BY: JRG DATE: 10/5/07
CHKD: DATE:



NOTES

- ① CONTRACTOR SHALL COORDINATE WITH THE ENGINEER AT TIME OF CONSTRUCTION TO DETERMINE A SUITABLE MEANS FOR PROVIDING A SMOOTH FLUSH TRANSITION FROM EDGE OF PAVEMENT / GRAVEL TO EDGE OF GABION MATTRESS.







CONTRACTOR DIRECTIVE/NOTIFICATION

NATIONAL GRID
GLOVERSVILLE (HILL STREET) FORMER MGP SITE
GLOVERSVILLE, NEW YORK

Date: 10/8/2007

Time: _____

Reason for Directive: The stone lining of the stormwater drainage ditch has been washed out at both upper and lower portions of the ditch and the stone has been deposited into the stormwater detention basin. Based on a review of the as-built condition of the stormwater drainage ditch, the slope of the ditch ranges from 1.7% to 4%. The ditch and stone lining were designed for a slope of 1.7%. The as-constructed slopes of the ditch have resulted in flow velocities greater than anticipated/designed for; thereby requiring a larger diameter stone material to maintain the integrity of the stone lining.

Detailed Description of Directive/Notification (including basis):

The Contractor shall conduct the following activities:

- Remove the washed out stone from the stormwater detention basin.
- Remove approximately 4 inches of the existing No. 4 stone from the ditch base and side slopes of the ditch leaving approximately 2 inches of No. 4 stone covering the GCL at the following locations:
 - The area between the existing No. 5 stone and the location of the 2 gabion mattresses to be installed as part of the 10/5/2007 Contractor Directive.
 - The last 84 feet of the stormwater drainage ditch before the stormwater detention basin.

The Contractor shall coordinate with National Grid and the Engineer to determine the end use for the removed stone material.

- Replace removed stone with 6 inches of new (larger) stone from the existing No. 5 stone to the location of the two gabion mattresses, as shown on the attached plan. The new stone shall consist of washed, crushed, hard, durable stone with the following gradation:

<u>Sieve</u>	<u>% Passing</u>
6"	100
5" (D _{max})*	90 to 100
3.5" (D ₅₀)*	30 to 50
1.5" (D _{min})*	0 to 5

*As-manufactured gradation test results shall be provided in accordance with ASTM C136 for these sieve sizes, at a minimum

Contractor shall provide as-manufactured gradation test results of stone for review by the Engineer prior to delivery to the site. This stone has been sized based on a steepest as-constructed channel slope of 2.5%. Stone shall be placed in accordance with Materials and Performance Specifications Section 02413 – Geosynthetic Clay Liner and Section 02220 – Earthwork.

- Place gabions on top of the remaining 2 inches of No. 4 stone within the last 84 feet of the stormwater drainage ditch to the edge of the stormwater detention basin (14 gabion mattresses total). Gabions shall be Reno Mattresses (as manufactured by Maccaferri or approved equivalent) measuring 12 feet in length, 6 feet in width, and 6 inches thick. Mattresses shall be installed such that the 12 foot length of the mattress is placed across the width of the stormwater drainage ditch. Stone placed within the mattresses shall be a clean, crushed, hard, durable stone with the following gradation:

<u>Sieve</u>	<u>% Passing</u>
6"	100
3"	0 to 5

Contractor shall provide technical specifications on proposed gabion mattress and the as-manufactured gradation of stone fill for review by the Engineer prior to delivery to the site. Mattresses shall be installed in accordance with the manufacturer's installation guidelines and in accordance with Materials and Performance Specifications Section 02413 – Geosynthetic Clay Liner and Section 02220 – Earthwork.



 an ARCADIS company

CONTRACTOR DIRECTIVE/NOTIFICATION

NATIONAL GRID GLOVERSVILLE (HILL STREET) FORMER MGP SITE GLOVERSVILLE, NEW YORK

- Contractor shall take care to not puncture, rip, or otherwise damage existing GCL during placement of the new larger stone and gabion mattresses. If GCL is damaged, Contractor shall replace damaged GCL in accordance with the manufacturer's installation guidelines and Materials and Performance Specifications Section 02413 – Geosynthetic Clay Liner and Section 02220 – Earthwork.

Field Sketch:

Plan view (attached)

Cost/Time Implications:

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
Lump Sum	<input type="checkbox"/>	Unit Cost Rate	<input type="checkbox"/>



Cost/Time Implication Details:

Signatures:

Engineer: Margaret Carrillo Sheindan Margaret Carrillo Sheindan 10-8-2007
Print Name Sign Name Date

Contractor: _____
Print Name Sign Name Date

Note: This directive does not replace a formal authorization for contract change (ACC) request, which must be signed by the Owner. The Contractor shall be required to submit a formal ACC request for review and approval prior to compensation for the field activities described above.



Appendix D (included on CD)

Weekly Meeting Minutes

October 5, 2006 Weekly Meeting Minutes - No. 1 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly meeting No. 1 commenced at 11:00, and adjourned at 1:30. A new Weekly Meeting Agenda was handed out to all attendance and described as providing a project breakdown into primary categories, in an attempt to provide focus and insure all topics were covered in a logical order. Additionally, this form could be used for note taking, as well as, for preparation for next weeks meeting. Comments to this form were requested, as it can and will be adjusted to the project's requirements. Attendees included:

- Paul M. Fisher, SE
- Todd Merrell, BBL
- Brian Stearns, NGRID Syracuse
- Jason Brien, BBL
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- John James, NGRID Facility
- Karen Pacillo, NGRID Facility
- Scott Mills, NGRID Facility

Past Meeting Comments:

The September 14, 2006, Pre-construction Meeting Minutes were identified as being received and review by the attendance. It was noted that continuing items of interest and action items would be covered within the categories to follow; therefore, the Pre-construction Meeting Minutes were accepted.

HASP for Project:

- Location of certain equipment, such as fire extinguishers, first aid kits, respirators, etc. need to known by all and listed PPE is required while on site, to include safety vests.
- BBL retains a HASP on site and is signed, to include NGRID Field Representative, and HOZWOPER certificate are on file. Abscope has their own site specific HASP, which covers their subcontractors, and requires the same.
- Abscope shall retain a sign in/out sheet and provide an escort for all workers, visitors and delivery personnel.
- Daily safety meeting are to be conducted by Abscope; HASP forms are needed.
- Although a LPS Program is not required, NGRID will conduct a periodic inspection and review, to include near miss assessments.
- Todd will provide air monitoring in the work areas.

HASP for Facility:

- Clear demarcation of work zones must be maintained, with use of cones, flagging, signs, etc.
- Fact sheets have been delivered and posted to alert facility workers.

HASP for Public:

- Abscope will have a subcontractor provide air monitoring at the borders of the site; results of which must be timely filed on site for review.
- Facts sheets have been posted along the bike trail; an additional sheet will be posted at the bridge.

Administrative Comments:

- Next weekly meeting will be conducted on Wednesday, 10/11/06 (10:00), which is changed from the normal Thursday (10:00) schedule.
- Abscope provided a temporary power electrical diagram, substantially reducing the power requirement; diesel power will be use for storm water pumps. Facility noted a 150KVA

transformer was available and that they would make the final hook up. Abscope will check for inspection requirements and will provide a break down of loading requirements. Routing for the power, as well as phone service, is still in consideration.

- Permanent power is still under consideration by BBL.
- Select personnel should acquire security badges, scheduled next Monday.
- A Site Directive form was review and comments exchanged.

Facility Comments and Interactions:

- Karen will be the main facility contact; addition information regarding other facility supervisors is being collected for distribution, to include email addresses.
- Security is paramount; a key (3J1) was provided to Abscope, to access the rear of the site, with the responsibility to secure it at the end of the day.
- Abscope requested an additional opening in the fence along the west, for access to the ditch area. A location was identified at which a former gate had once been. It was agreed that the fencing in this area could be temporarily be used as a gate, but must be adequately secured when not in use. Additionally, this opening would be fitted with the specified permanent gate, in about two weeks; this moved the planned gate south approximately 25' from that noted on the contract drawings, which was also in agreement amongst all.
- John will assist in locations and marking out underground utilities within the facility compound.
- Abscope must install signs and make specific arrangement for incoming subcontractors and deliveries, as not to interrupt the facilities receiving personnel.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

General Scheduling Overview:

- Abscope indicated that they were adjusting the project schedule and would provide it at a later date.
- Abscope noted that work scheduled for the next week would include: continued mobilization; utility hook ups; continue and complete containment area; continue to receive materials and equipment; continue ditch construction, receive temporary water treatment system components as well as transmittal of submittals.

Temporary Treatment System:

- Abscope noted mobilization of skid mounted system and tanks can be scheduled at any time. Location along the west fence was selected for these components; Karen will have equipment move from this area.
- Permit with the local wastewater treatment facility has been received and will be distributed; this will be used for both the temporary and perment systems.

Groundwater Manhole sand Conveyance Systems:

- A different receiving sewer manhole was viewed, approximately 100' from the proposed building. This seemed to be a viable alternative. BBL will review and confirm its use.

Stormwater Catch Basins and Conveyance Systems:

- The proposed ditch area was currently being cleared of brush, to facilitate surveying and subsequent construction.

Building:

- The existing sheds had been moved and the area generally cleared to receive construction of the proposed building.
- A new by-pass plan has been submitted and is in review. The existing stormwater pipe, located below the planned building, requires further review to assess leaving/abandoning it in place.

Treatment System:

- Submittals are still being received and reviewed.

Waste Handling:

- The base and sides for the spoil containment area are complete. The fabric and liner is on site and is scheduled for installation next week.
- Excavated C&D material can be temporarily stage on plastic, for later offsite disposal. All other spoil is to be placed in the containment area, attempting to segregate designated impacted soil from non-impacted soil.

General Site and Other Components:

- Abscope plans to have temporary phone, and possibly power, hooked up within a week.
- Dig safe has been contacted, schedule not presently known.
- Surveyors will be onsite next week to locate necessary features.
- Abscope will attempt to schedule construction, as to restore paved area, yet this year.

NYSDEC and NYSDOH Comments:

- NYSDEC and NYSDOH did not attend this meeting, therefore, no comments.

Action Items:

- BBL is to provide design for alternative wastewater receiving manhole.
- Abscope will provide building permit documentation.
- Abscope will check on electrical inspection requirements for the temporary connection.

October 11, 2006 Weekly Meeting Minutes - No. 2 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly meeting No. 2 commenced at 11:00, and adjourned at 12:30. A newly updated Weekly Meeting Agenda was handed out to all attendance which adjusted and added to the primary categories. Comments to this form were requested, as to tailor it to the project's requirements. Attendees included:

- Paul M. Fisher, SE
- Todd Merrell, BBL
- Brian Stearns, NGRID Syracuse
- Jason Brien, BBL
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Brad Brown, NYSDEC

Past Meeting Comments:

The October 5, 2006, Weekly Meeting Minutes – No.1 was handed to the attendance. Comments and acceptance to these minutes will be covered in the next scheduled meeting. The intent is to deliver future minutes by midday of the following Monday. It was noted that continuing items of interest and action items would be covered within the categories to follow.

HASP for Project:

- As traffic at the facility is generally without pattern and includes trucks, vehicle operation was a point of discussion.
- PPE use on site was emphasized, noting that safety vests were in use. Additional hard hats and safety vests will be acquired by BBL and kept on site, available for visitors.
- Abscope is required to prepare, and retain on site, daily safety meeting reports; these forms are contained in their HASP.
- Abscope shall retain a sign in/out sheet and provide a badged escort for all workers, visitors and delivery personnel.
- NGRID reiterated that they will conduct a periodic health and safety inspection and review, to include near miss assessments.
- Todd is currently prepared to provide incidental air monitoring, as part of BBL HASP and for soil segregation.
- Abscope has designated Ken as their current safety officer; this will be taken over, in a couple of days, by HSE, their air monitoring subcontractor.

HASP for Facility:

- Demarcation of work zones, with use of cones and flagging has effectively controlled traffic.
- Facility superintendents will be provided general information as to the location and type of weekly activities. Continued conversations with Karen, facility direct contact, will provide current and detailed review of daily activities.

HASP for Public:

- Abscope will have HSE provide air monitoring at the borders of the site and will be on site today to survey locations. Results of the air monitoring must be timely filed on site for review, preferably for review during the scheduled weekly meetings.
- One of the facts sheets posted at the north end of the bike trail will be moved south, to the bridge.
- The temporary construction fence needs to be placed west of the activities along the ditch.

October 11, 2006 Weekly Meeting Minutes - No. 2 Former MGP Site Storm Sewer IRM, Gloversville, NY

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 10/19/06 (10:00).
- Abscope is currently working with facility for temporary power; this is scheduled to be activated by the end of the week. Routing for the power is still in consideration.
- Phone services, to include DSL, is installed, but requires rerouting of outside cable.
- New office trailer numbers are:
 - 518-725-8766, Todd
 - 518-725-8763, Fax
 - 518-725-8758, DSL
 - 518-725-8764, Ken
- Permanent power is still under consideration by BBL and NGRID.
- Select personnel acquired security badges on Monday.
- A Site Directive form was review and comments exchanged.

Facility Comments and Interactions:

- Karen will be the main facility contact; addition information regarding other facility supervisors is being collected for distribution.
- The facility key (3J1) provided to Abscope, to access the rear of the site, was returned. An Abscope lock was placed in series.
- Abscope and Todd will make arrangements with the facility security, for incoming subcontractors and deliveries, to open the main gate.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

General Scheduling Overview:

- Abscope reiterated this week's project schedule to include: continued mobilization; utility hook ups; continue and complete containment area; continue to receive materials and equipment; continue ditch construction; and receive temporary water treatment system components.
- Abscope noted that next weeks work would include: continue to receive materials and equipment; continue ditch construction; complete temporary water treatment system; and excavate and place fill for proposed building.
- Abscope's future weekly work schedules would be completed and provided to Paul on Fridays; this will be an attachment to the Weekly Meeting Minutes for dissemination.

Temporary Treatment System:

- Abscope noted mobilization of skid mounted system and tanks are scheduled for this week; one frac tank has arrived and set up.
- A permit with the local wastewater treatment facility has been received which will be used for both the temporary and permanent systems.

Groundwater Manhole sand Conveyance Systems:

- Connection of the permanent effluent pipe to a different receiving sewer manhole is still under review; BBL is to contact the treatment facility for conformation of the connection, as well as providing a sketch and directive.
- Rail road ties exist in the proposed ditch area, this requires immediate review. Rob will look into and provide waste handling requirements.

Stormwater Catch Basins and Conveyance Systems:

- The proposed ditch area was cleared of brush, and was surveyed and staked.

October 11, 2006 Weekly Meeting Minutes - No. 2 Former MGP Site Storm Sewer IRM, Gloversville, NY

Building:

- The proposed building location and orientation was reviewed, noting its close proximity to the existing western fence and underground electric service, elevated grading and use of the proposed roll up doors. Moving the proposed building 10' to the east was reviewed and will be considered by BBL.
- A new by-pass plan has been submitted to BBL and is in review.
- Abscope has just received the erection drawings for the building and is transmitting them to BBL for review. Building components are scheduled to be delivered mid November.
- Building first floor elevation, above existing topography was reviewed. The surveyors provided the existing ground elevation at the 4 corners of the proposed building. This averaged to be 754.77'; the planned first floor elevation is 756.25, an average difference of 1.48', noted for positive drainage around the building.

Treatment System:

- Final submittals are still being received and reviewed, approximately 95% complete.

Waste Handling:

- The fabric and liner is currently being installed; the sump and stone placement is schedule this week for subsequent use.
- Excavated C&D material, RR ties and tree stump/roots can be temporarily stage on plastic, for later offsite disposal. All other spoil is to be placed in the containment area, attempting to segregate designated impacted soil from non-impacted soil.
- Blank manifests were provided to Abscope by BBL to be filled out. A draft manifest is to be prepared by Abscope and submitted to BBL for review.

General Site and Other Components:

- Surveyors were onsite this week and staked and/or painted the locations of the major features. The surveyors noted that control along the east side of the site was 0.3' different to that along the west site; the west side control was used for staking. BBL will review this and clarify.

NYSDEC and NYSDOH Comments:

- Brad, NYSDEC indicated that he had received the final Site Management Plan, Citizen Air Monitoring Plan and Sediment Monitoring Plan. These will be reviewed and return early next week.
- Copies of the final documents will be sent to the local library for public review.

Action Items:

- BBL is to provide design for alternative wastewater receiving manhole.
- Abscope will provide building permit documentation.
- Abscope will check on waste handling requirements for the RR ties.
- BBL will determine if the building can and should be moved.
- BBL will confirm use of the western survey control.
- A draft waste manifests will be filled out by Abscope, with site specific information, then reviewed and accepted by NGRID and BBL

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Attachment: Weekly Schedule – 10/16-10/20/06, Abscope

Email: Bradley Brown, DEC; Sharon McLelland, DOH; Brian Stearns, NGRID; Jason Brien, BBL; Robert Gray, Abscope

October 19, 2006 Weekly Meeting Minutes - No. 3 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 3 commenced at 10:00, and adjourned at 12:00. Introductions were conducted amongst the Attendees, to include:

- Paul M. Fisher, SE
- Todd Merrell, BBL
- Karen Pacillo, NGRID Facility
- Jason Brien, BBL
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Brad Brown, NYSDEC
- Brian King, HSE

Past Meeting Comments:

The October 5, 2006, Weekly Meeting Minutes – No.1, October 11, 2006, Weekly Meeting Minutes – No. 2 and Weekly Meeting Agenda was email on October, 16, 2006, to recipients noted below. Comments to these documents were addressed and subsequently No. 1 and No. 2 were accepted. The intent is to deliver future minutes by midday of the following Monday. It was noted that continuing items of interest and action items would be covered within the categories to follow.

HASP for Project:

- The changing weather conditions, observed wet and cold, were a point of discussion, and included driving / travel issues.
- Abscope is conducting on site, daily safety meetings; these generally review of their HASP under the guidance of Brian King, CIH.
- Abscope is retaining a sign in/out sheet and providing an escort for all workers, visitors and delivery personnel.
- It was reiterated that NGRID will conduct a periodic health and safety inspection and review, to include near miss assessments.
- Brian King is currently providing incidental air monitoring for the active work areas.
- An upgrade to Level D+ was conducted during the heavy rain event.

HASP for Facility:

- Demarcation of work zones, with use of cones and flagging has effectively controlled traffic; it was suggested that this should be upgraded for open excavations by using barrel markers, ribbon and strategically placed equipment.
- It was agreed that select facility superintendents (as noted on the October 12, 2006, list prepared by BBL) will be provided a weekly email with information as to the location and type of weekly activities. For now, this will be in the form of a emailed paragraph, provided to the superintendents by BBL, prior to the facilities scheduled Tuesday meeting. Continued conversations with Karen, facility direct contact, will provide current and detailed review of daily activities. This will forgo providing copies of IRM minutes.
- The facility is in the process of installing additional yard lights, on existing poles along the west fence, for security and safety.

HASP for Public:

- Abscope's subcontractor, Brian King, HSE, is providing air monitoring at the borders of the site and will continue as long as impacted soils are exposed. Brian provided a general review of the placement, with regards to the wind direction, and monitoring requirements. He also provided draft table monitoring results, no concern were noted. Results of the air monitoring are planned for on site review, generally during the scheduled weekly meetings.
- One of the facts sheets posted at the north end of the bike trail was moved south, to the bridge.
- The temporary construction fence was placed west of the activities along the ditch.

October 19, 2006 Weekly Meeting Minutes - No. 3 Former MGP Site Storm Sewer IRM, Gloversville, NY

- Brad Brown (NYSDEC) commented that he had not received any concerns from the public.

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 10/26/06 (10:00).
- Weekly Meeting Minutes will continue to be emailed to those listed below; Brian King will provide a hard copy to Ken.
- Jason indicated that the CQAP should be reviewed and used as a guide / tool.
- Permanent power is still under consideration by BBL and NGRID.
- The web portal is continually being uploaded.
- First Abscope invoice; a draft invoice is to be provided to Paul and Todd for percent completion review; recipients of the completed invoice will be listed later.

Facility Comments and Interactions:

- Karen indicated that she has additional facility badges; these will be sign out by Abscope, when needed, most likely for their electrical and building subcontractors.
- The facility can provide Abscope with wood chips.
- Karen requested that an overland stormwater design be reviewed; the proposed building will be elevated and the upland water will drain either side into the proposed ditch.
- The staging area location, for the removed gas pipe and associated materials, is to be provided by John James of the facility.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

General Scheduling Overview:

- Abscope noted that next weeks work would include: continue ditch construction, weather permitting; continue to excavate and place fill for proposed building; and start groundwater piping.
- Abscope's future weekly work schedules would be completed and provided to Paul on Fridays; this will be an attachment to the Weekly Meeting Minutes for dissemination.

Temporary Water Treatment System:

- Abscope was currently making final connections and set up of the treatment system.
- One of the 2 on site 21,000 gallon tanks was receiving water being pumped from the proposed building excavation, using a 3", diesel powered, self-priming pump.
- Presently tank no. 2 will receive treated water; a sample of this and the pre-treated water will be collected and sent to a laboratory (5 day turn around), by BBL, for constituents listed in the permit with the local wastewater treatment facility.
- Additional testing of each batch will include pH (6 – 10).
- The treatment system requires a flow totalizer and sampling ports; the system is designed for 50 gpm.
- NYSDEC commented that oils and sediments could clog the treatment vessels early, based on what has been pumped into the frac tank.

Groundwater Manholes and Conveyance Systems:

- Connection of the permanent effluent pipe to a different receiving sewer manhole is still under review; BBL is to provide a sketch and directive.
- Manhole submittals have just been approved; currently ordering and will receive in 2 weeks.

Stormwater Catch Basins and Conveyance Systems:

- The proposed ditch area has been cleared of brush and roots with some rough grading; condition are to wet to final grade.
- Rail road ties (115) have been removed from the proposed ditch area, Rob is looking into waste handling requirements.

October 19, 2006 Weekly Meeting Minutes - No. 3 Former MGP Site Storm Sewer IRM, Gloversville, NY

- Catch basin submittals have just been approved; currently ordering and will receive in 2 weeks.

Building:

- The proposed building location was reviewed, subsequently approving the relocation of the building 10' to the east.
- Excavation for the proposed building foundation has commenced; the facility will cut the abandon gas lines, for removal.
- Slab penetrations were reviewed with respects to the electrical and plumbing.
- The on going building excavation had encounter soft and stained soils; environmental and structural issues were reviewed; BBL review use of different materials due to the wet conditions of the base soils.

Treatment System:

- Final submittals are still being received and reviewed, approximately 90% complete.

Waste Handling:

- The containment area is currently receiving waste.
- Excavated C&D material, RR ties and tree stump/roots are temporarily stage on plastic, for later offsite disposal.
- The containment area spoil has been segregate into designated impacted soil and non-impacted soil, which may be disposed differently.
- C&D waste is destined for Albany LF; RR ties to Highacres and roots / soils have just been sampled and submitted for lab analysis.

General Site and Other Components:

- Surveyors were onsite this week and staked and/or painted the locations of the major features. The surveyors noted that control along the east side of the site was 0.3' different to that along the west site; the west side control was used for staking. BBL will review this and clarify.
- A by-pass system has been constructed. The 6" diesel pump (1200 gpm) seem to have to much capacity; it was agree to attempt to use a 3" pump, with a 2" on standby that could be hooked in parallel.
- Notably, staging areas are limited.

NYSDEC and NYSDOH Comments:

- Brad indicated that the building excavation, along the north, has demonstrated MGP constituents and additional deeper excavation should be considered. Discussion and continued excavation is needed to further evaluate the environmental as well as structural requirements for this location.

Action Items:

- BBL is to provide design for alternative wastewater receiving manhole.
- Abscope will provide building permit documentation.
- Abscope will check on waste handling requirements for the assorted wastes.
- BBL will confirm use of the western survey control.
- A draft waste manifest will be filled out by Abscope, with site specific information, then reviewed and accepted by NGRID and BBL.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email: Bradley Brown, DEC; Sharon McLelland, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

October 26, 2006 Weekly Meeting Minutes - No. 4 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 4 commenced at 10:00, and adjourned at 11:50. Introductions were conducted amongst the Attendees, to include:

- Paul M. Fisher, SE
- Todd Merrell, BBL
- Brian Stearns, NGRID (by teleconference)
- Karen Pacillo, NGRID Facility
- Margaret Carrillo-Sheridan, BBL (by teleconference)
- Jason Brien, BBL (by teleconference)
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Brad Brown, NYSDEC
- Nathan Freeman, NYSDOH (first time in attendance)
- Brian King, HSE

Past Meeting Comments:

The October 19, 2006, Weekly Meeting Minutes – No. 3, was email on October 23, 2006, to recipients noted below. Comments to these documents were addressed and subsequently No. 3 was accepted. It was noted that continuing items of interest and action items would be covered within the categories to follow.

An unscheduled meeting was conducted on Monday morning, 10/23/06. Use of an alternate building fill material, to be placed first on the natural base, was reviewed. A directive was issued generally noting that #2 stone be placed to 18", then #1 stone placed to 6" above the water table. Additionally, the soft condition of the ditch and lack of depth along the mid west side was reviewed; subsequently, a directive was issued generally accepting additional select fill and geotextile fabric placement in necessary locations.

HASP for Project:

- Daylight is becoming less, was a point of discussion, and included driving / travel review.
- Brian King, CIH, continues to conduct contractor daily safety meetings.
- Brian King is currently providing incidental air monitoring for the active work areas; he concluded that over the past 10 days of monitoring, readings have not exceeded set action levels.
- Excavation safety is a current priority during the week's work, maintaining the excavation work area, to include elevated demarcation.

HASP for Facility:

- Demarcation of the work zones around the building excavation was upgraded to include barrel/candle stick markers with connecting ribbon to control foot traffic; this also included strategically placed equipment.
- Intense truck traffic, at certain times, was noted and subsequent cautions.
- The facility installed additional yard lights, on existing poles along the west fence, for security and safety.
- Karen noted that odors have been noticed but not concerning unless it gets drawn into the facility HVAC.

HASP for Public:

- Brian King, HSE, has provided air monitoring, at 3 locations, along the borders of the site. Results of the air monitoring were reviewed; noting that, over the 10 days monitoring period, no readings have been recorded at or above the set action levels.
- One of the facts sheets posted along the bike trail was torn down and will be replaced.
- It has been observed that occasionally bike path pedestrians have approached the western side of the site by way of the mowed path, this is being considered.

October 26, 2006 Weekly Meeting Minutes - No. 4 Former MGP Site Storm Sewer IRM, Gloversville, NY

- Brad Brown (NYSDEC) commented that he had not received any concerns from the public.

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 11/2/06 (10:00).
- Weekly Meeting Minutes will continue to be emailed to those listed below; Brian King will provide a hard copy to Ken.
- At this point 4 site directives have been issued, additional copies need dissemination.
- The excavation and backfill of the building foundation was a primary topic of discussion; NYSDEC, NGRID and BBL had been reviewing the discovery of NAPL in the excavation. Reported was the directive to remove the newly placed fill, in the area of the 17' tank foundation, removing the approximately 8" concrete slab, exposing the soil below, and review for NAPL. Once viewed and approved by NYSDEC, filling can resume. Additionally, 4 @4" wells are planned for gauging water and NAPL levels, 1 located at each corner, intersecting the #2 placed stone. Well installation design will be forwarded later.

Facility Comments and Interactions:

- Karen expressed the facilities thoughts in the health and safety comments noted above.
- The additional staging area, to locate a possible additional Frac tank, is a concern.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

General Scheduling Overview:

- Abscope noted that next weeks work would include: continue to finalize placement of fill for proposed building; install building subgrade utilities; excavate and set forms and rebar; and continue, midweek, stormwater ditch construction.
- Abscope's future weekly work schedules would be completed and provided to Paul on Fridays; this will be an attachment to the Weekly Meeting Minutes for dissemination.

Temporary Water Treatment System:

- Three @ 21,000 gallon tanks are presently on site; one receiving water being pumped from the proposed building excavation, using a 3", diesel powered, self-priming pump.
- Presently, 2 tanks have received treated water and are close to being full; a sample of this treated water has been collected and sent to a laboratory (5 day turn around), by BBL, for constituents listed in the permit with the local WWTP. Results are planned to be received early next week. BBL will contact the lab to check on a quicker turn around for results and the WWTP to receive the earliest confirmation to release the treated water.
- Additional testing of each batch, understood as approximately 21,000 gal, will require pH testing and results of 6 – 10 SU.
- Abscope is prepared to install a flow totalizer and sampling ports, in the treatment system.

Groundwater Manholes and Conveyance Systems:

- Connection of the permanent effluent pipe to an alternate receiving sewer manhole is still under review; BBL is to provide a sketch and directive.
- Manhole submittals have been approved and units have been ordered, to be received in less than 2 weeks.
- Conveyance piping is on site.

Stormwater Catch Basins and Conveyance Systems:

- The proposed ditch area is scheduled for final grading and construction of the planned section. A directive has been issued to assist with additional fill material to complete this task.
- Catch basin submittals have been approved and units have been ordered, to be received in less than 2 weeks.

October 26, 2006 Weekly Meeting Minutes - No. 4 Former MGP Site Storm Sewer IRM, Gloversville, NY

- Conveyance piping is readily available and can be delivered at any time.

Building:

- Building foundation formwork is being received.
- Excavation for the proposed building foundation is completed and alternative backfill placed, generally up to the water table.
- The building excavation had encounter soft/loose and stained soils; environmental and structural issues were considered; BBL reviewed use of different materials and a directive issued. Additional efforts have been requested, as defined above in the Administrative Comments.

Treatment System:

- Final submittals are still being received and reviewed, approximately 3 remaining.

Waste Handling:

- The containment area is currently receiving waste, although nearly full.
- Excavated C&D material, RR ties and tree stump/roots are temporarily stage on plastic, for later offsite disposal.
- Abscope has indicated that C&D waste is destined for Albany LF; RR ties to Highacres and root mass blend with soils with proposed disposal planned at Albany Landfill. The C&D material may be blended with the soil, as well.
- Abscope has collected and submitted representative soil samples and have rushed results for benzene. The results will direct waste acceptability of the proposed receiving landfills; load out is planned within 2 weeks.

General Site and Other Components:

- BBL noted the earlier reported survey control discrepancy, and to use of the western survey control points.
- The permanent western fence is schedule for construction in 3 weeks.

NYSDEC and NYSDOH Comments:

- Brad indicated that he had no additional comments.
- Nathan indicated importance of air monitoring and wind direction.

Action Items:

- BBL is to provide design for alternative wastewater receiving manhole.
- Abscope will provide building permit documentation, which requires NYSDEC written acceptance.
- Abscope will finalize waste handling requirements for the assorted wastes.
- Permanent power is still under consideration by BBL and NGRID.
- A draft waste manifest will be filled out by Abscope, with site specific information, then reviewed and accepted by NGRID and BBL.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Attachment: Weekly Schedule – 10/30-11/3/06, Abscope

Email: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

November 2, 2006 Weekly Meeting Minutes - No. 5 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 5 commenced at 10:00, and adjourned at 11:20; attendees included:

- Paul M. Fisher, SE
- Todd Merrell, BBL
- Brian Stearns, NGRID
- Jason Brien, BBL
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Brad Brown, NYSDEC
- Brian King, HSE
- Randy Bell, Jersen

Past Meeting Comments:

The October 26, 2006, Weekly Meeting Minutes – No. 4, was email on October 30 2006, to recipients noted below. Comments to these documents were addressed and subsequently No. 4 was accepted; noting that alternate ditch design should follow the directive (No. 4). It was noted that continuing items of interest and action items would be covered within the categories to follow.

HASP for Project:

- Near misses was the topic of discussion, and included a review of sharing these and subsequent benefits; near misses are to be documented (proposed forms are to be review and a selection made) and provided to Brian Stearns.
- Brian King, CIH, continues to conduct contractor daily safety meetings; he noted that his observations of the health and safety practices are commendable.
- Brian King is currently providing incidental air monitoring for the active work areas; he concluded that over the pass 3 weeks of monitoring, readings have not exceeded set action levels.
- Also noted was that PPE, to date, has been satisfactory.

HASP for Facility:

- Excavation safety was noted, in that cones/barrels should continue to be placed around the groundwater treatment building area, as an open excavation still exists.

HASP for Public:

- Brian King has provided air monitoring, at 3 locations, along the borders of the site; noting that, over the 15 day monitoring period, no readings have been recorded at or above the set action levels.
- One of the facts sheets posted along the bike trail had been torn down and was replaced.
- Brad Brown commented that he had not received any concerns from the public.

Administrative Comments:

- The next weekly meeting will be conducted on Wednesday, 11/8/06 (10:00 AM).
- Four site directives have been issued to date: #1 – RR ties; #2 – building move; #3 – building base material; #4 – ditch, copies are available.
- Permanent electrical power is being finalized, requiring application form to be filed.
- It was suggested that a markup of the as-built drawing, for the 4 proposed 4" wells to be constructed at the corners of the building, by presented towards the end of construction, for acceptance.
- Abscope's first invoice, for mobilization, is still being drafted.

Facility Comments and Interactions:

- Karen had stopped in earlier and noted that occasionally a mass facility exodus occurs and all contractor need to take caution for intense truck traffic.

November 2, 2006 Weekly Meeting Minutes - No. 5 Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

General Scheduling Overview:

- Abscope noted that next weeks work would include: continue to finalize placement of rebar for proposed building; install building subgrade utilities; finalize building formwork; finalize stormwater ditch construction and fence installation, additionally, MH and CB may be received as well as loading out of waste material. Building concrete floor pour is scheduled for Tuesday, 11/14/06.
- Abscope's future weekly work schedules will be an attachment to the Weekly Meeting Minutes for dissemination.

Temporary Water Treatment System:

- Three @ 21,000 gallon tanks are presently on site and are close to capacity.
- Presently, tank no. 1 has received treated water; a sample of this water has been collected and sent to a laboratory, by BBL, for constituents listed in the permit with the local WWTP. Results have been received, less 1 constitute. Joseph Cellary, GJJWTF, visited the site and received this data and will comment tomorrow. This will allow discharge of treated water early next week.
- Tank no. 2 content is untreated and tank no. 3 was receiving treated water, although a filter failure was noted, therefore additional sampling and review is being conducted.
- Aries connected a second filter, in series (50 then 25 microns), upgrading the treatment system; carbon usability is under review; this system has not operated this week.

Groundwater Manholes and Conveyance Systems:

- Connection of the permanent effluent pipe to an alternate receiving sewer manhole is in review at GJJWT.
- Manholes are scheduled to be received next week.
- Conveyance piping is on site.
- Pipe penetrations through the manholes were reviewed and require additional detail, particularly the termination of the 4" containment pipes.

Stormwater Catch Basins and Conveyance Systems:

- The proposed ditch area received final grading, to include additional fill as per directive #4. Bentomat and #4 stone placements have started.
- Due to the notable overland flow of stormwater, directed to the newly constructed ditch, a review of the erosion control design was requested of BBL. Suggested was the use of #4 drainage stone atop fabric, placed between the west fence and edge of new ditch, to preclude sediment transport into the newly constructed ditch. Later, BBL provided a sketch, suggesting a means to control the upland stormwater; this included drainage fabric place along the inside of the fence, topped with drainage stone.
- Catch basins are scheduled to be received next week.
- Conveyance piping is readily available and can be delivered at any time.

Building:

- Building foundation formwork is being erected.
- The center sump was form, rebar placed and concrete poured today.
- Proposed building floor penetrations alternate was offered by Abscope; this involved a cast-in-place sleeve instead of the grouted sleeve noted on Drawing 18. A submittal was drafted with specifications of the cast-in-place steel sleeve.
- The increase from 3" to 3.5" of the building internal curb was accepted.
- Electrical penetrations were discussed and most likely be through the walls.
- External concrete pad and bollards are not shown on the drawings or needed at the west roll-up door.

November 2, 2006 Weekly Meeting Minutes - No. 5 Former MGP Site Storm Sewer IRM, Gloversville, NY

- Location of the east roll-up door is to be as indicated on the accepted Butler Building submitted drawings.
- Abscope received and presented the building permit and subsequently displayed.

Treatment System:

- Final submittals are still being received and reviewed, primarily electrical and plumbing.

Waste Handling:

- The containment area is currently dormant, nearly full.
- Excavated C&D material, RR ties and tree stump/roots are currently stage on plastic.
- Abscope has indicated that C&D waste may need sizing and is destined for Albany LF; RR ties to Highacres and root mass blend with soils with proposed disposal planned at Albany Landfill.
- Abscope has collected and submitted representative soil samples the lab with results indicating non-hazardous material. Scheduled waste removal is believed to be in a week.
- Draft manifests, prepared by Abscope still need review.

General Site and Other Components:

- The permanent western fence is scheduled for construction in 1 week.

NYSDEC and NYSDOH Comments:

- Brad indicated that he had no additional comments.

Action Items:

- BBL is to provide design for alternative wastewater receiving manhole.
- Abscope will finalize waste handling requirements and associated manifests.
- Permanent power is being finalized by BBL and NGRID.
- Abscope will finalize review of the temporary Wastewater treatment system and restart.
- BBL is to provide erosion control considerations for the ditch area.
- Abscope to provide 1st invoice for site mobilization.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Attachment: Weekly Schedule – 11/06-11/10/06, Abscope

Email: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

November 8, 2006 Weekly Meeting Minutes - No. 6 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 6 commenced at 10:00, and adjourned at 10:45; attendees included:

- Paul M. Fisher, SE
- Todd Merrell, BBL
- Brian Stearns, NGRID
- Margaret Carrillo-Sheridan, BBL
- Karen Pacillo, NGRID Facility
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Brad Brown, NYSDEC
- Nathan Freeman, NYSDOH
- Brian King, HSE
- Randy Bell, Jersen
- Jim Carroll, HCI

Past Meeting Comments:

The November 2, 2006, Weekly Meeting Minutes – No. 5, was emailed on November 6 2006, to recipients noted below. Comments to this document were addressed and subsequently accepted.

HASP for Project:

- Thruway construction and driver reactions were the topic of discussion.
- Near misses (currently 2) are to be documented and will be provided to Brian Stearns.
- Brian King continues providing incidental air monitoring for the active work areas; he concluded that over the past 4 weeks of monitoring, readings have not exceeded set action levels.
- Additional subcontractors increase the overall work force and relative potential for accidents and injuries.

HASP for Facility:

- Excavation demarcation and barricades of construction activities were reviewed, reinforcing the issue of periodic heavy facility traffic.
- Karen (NGRID facility) would like Abscope to put additional safety cones around the stone pile.

HASP for Public:

- Brian King has provided air monitoring, at perimeter of the site; noting that, over the 4 weeks monitoring period, no readings have been recorded above background levels.
- The facts sheets posted along the bike trail are still in place.
- Brad Brown commented that he had not received any concerns from the public.

Administrative Comments:

- The next weekly meeting was rescheduled and will be conducted on Wednesday, 11/15/06 (10:00 AM). The meeting to follow is within Thanksgiving week, therefore the weekly meeting is currently scheduled for Wednesday, 11/22/06 (10:00 AM).
- A letter was provided to Brad, outlining a separate investigative workplan for the south portion of the site. This requires a quick turn-around as activities are scheduled for 11/20 – 22/06.
- Permanent electrical power design and application approval are being finalized.
- The permanent sewer connection was finalized and under construction.
- Abscope's first draft invoice, for mobilization, has been submitted.

November 8, 2006 Weekly Meeting Minutes - No. 6 Former MGP Site Storm Sewer IRM, Gloversville, NY

Facility Comments and Interactions:

- Karen reiterated the need to take caution of intense truck traffic, generally during early morning and later in the afternoon.
- Snow plowing was review, indicating that areas need to be freed up for piling of snow; this may require worker parking outside the gate. This brought up a review of lay down area requirement and use or removal of current materials and equipment.
- It was noted that the removed and staged gas pipe is now the facilities responsibility.
- Karen indicated that she had received and review the email sent to the facility heads, covering construction interactions, and noted acceptance.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

General Scheduling Overview:

- Abscope noted that work for the remainder of this week would include: continue placement of rebar for proposed building; install building subgrade utilities; finalize building formwork; installation of effluent pipe and start fence installation. Next week would include: building form, utilities and rebar placement, additionally, MH and CB may be received as well as loading out of waste material. Building concrete floor pour is scheduled for Friday, 11/17/06.
- Abscope's was asked to update the overall project schedule.

Temporary Water Treatment System:

- Three @ 21,000 gallon tanks are presently on site and the treatment system is currently operating (measure at 35 gpm).
- Presently, tank no. 1 is empty, treated water was discharged to the sewer.
- Tank no. 2 content is untreated and currently receiving containment and ditch water.
- Tank no. 3 had received questionable treated water, therefore is currently being treated and being directly discharged into the sewer.
- BBL has been in contact with GJJWTF for discharge updates for the temporary treatment system connection and discharge to the sanitary sewer.

Groundwater Manholes and Conveyance Systems:

- Connection of the permanent effluent pipe to an alternate receiving sewer manhole is currently being constructed.
- Manholes are scheduled to be received next week, resolving penetration issues.
- Conveyance piping is on site.
- Pipe penetrations through building foundation are currently being constructed.

Stormwater Catch Basins and Conveyance Systems:

- The proposed ditch area is near completion, with the exception of the ends.
- To control overland flow of stormwater, the use of #4 drainage stone atop fabric was placed inside the west fence, as suggested by BBL.
- Catch basins are scheduled to be received next week.
- Conveyance piping is readily available and can be delivered at any time.

Building:

- Building foundation formwork, utility penetration and rebar are presently being constructed.
- Electrical issues were tabled and discussed in specific later.
- Concrete floor finish was agreed to be no-slip, and be the buildup floor bond finish, as well.
- Butler Building submitted drawings are still being finalized.
- The building foundation is planned to be pour at the end of next week, requested is a location for concrete truck clean out. Additionally, a concrete pumping unit will be used; therefore, set up location is in consideration and will require moving of materials.

November 8, 2006 Weekly Meeting Minutes - No. 6 Former MGP Site Storm Sewer IRM, Gloversville, NY

Treatment System:

- Final submittals are still being received and reviewed, primarily electrical and plumbing.

Waste Handling:

- The containment area is currently receiving small amounts of excavated soil; note that it is nearly full.
- Excavated C&D material, RR ties and tree stump/roots, currently stage on plastic, have been profiled.
- Abscope has indicated that C&D waste may need sizing and is destined for Albany LF; RR ties to Highacres and root mass blend with soils with proposed disposal planned at Albany Landfill.
- Abscope indicated that scheduling waste removal is in the hands of the selected landfills.
- Manifests, prepared by Abscope, are being finalized through BBL.

General Site and Other Components:

- The posts for the permanent western fence are being installed today; fencing is scheduled for construction in 1 week. Final grading between the fence and ditch will be completed once the fence is completed.

NYSDEC and NYSDOH Comments:

- Brad indicated that the augured soils, from fence post construction, need to be observed for constituent impacts.
- Nathan noted that he had no additional comments.

Action Items:

- Abscope will finalize waste handling requirements and associated manifests.
- Permanent power is being finalized by BBL and NGRID.
- Abscope will provide an updated project schedule.
- NYSDEC to provide review of proposed southern exploration workplan.
- Abscope to provide additional information for their 1st invoice.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

November 15, 2006 Weekly Meeting Minutes - No. 7 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 7 commenced at 10:15, and adjourned at 10:50; attendees included:

- Paul M. Fisher, SE
- Todd Merrell, BBL
- Jason Brien, BBL
- Rob Gray, Abscope
- Brian Stearns, NGRID (by teleconference)
- John James, NGRID Facility
- Ken Kiehn, Abscope
- Randy Bell, Jersen

Past Meeting Comments:

The November 8, 2006, Weekly Meeting Minutes – No. 6, was emailed on November 13 2006, to recipients noted below. Comments to this document were addressed and subsequently accepted.

HASP for Project:

- Work continuing into the late afternoon, with darkness setting in, was the topic of discussion.
- Near misses (currently 5) are being documented and will be provided to Brian Stearns, ASAP. Abscope is using their own Near Miss form and will strive on a quick turn around.
- Brian King, not in attendance, continues providing incidental air monitoring for the active work areas; he had indicated yesterday that over the past 5 weeks of monitoring, readings have not exceeded set action levels.

HASP for Facility:

- Excavation demarcation and barricades of construction activities were effective controlling and redirecting facility traffic during work at NMH-1.

HASP for Public:

- Brian King has provided air monitoring, at perimeter of the site; noting yesterday that, over the 5 weeks monitoring period, no readings have been recorded above background levels.
- The facts sheets posted along the bike trail are still in place.

Administrative Comments:

- The next weekly meeting was rescheduled and will be conducted on Wednesday, 11/22/06 (10:00 AM). Note that this is Thanksgiving week, therefore a 3 day work week.
- A letter had been provided to Brad, outlining a separate investigative workplan for the south portion of the site. This was accepted and activities are scheduled for 11/20 – 11/22/06.
- Permanent electrical power design and application approval are being finalized.
- Abscope's first draft invoice has been reviewed, and is being finalized.

Facility Comments and Interactions:

- Snow plowing was reviewed again, indicating that areas need to be freed up for piling of snow; snow can be loaded out, but has a cost factor.
- It was noted that the removed and staged gas pipe may be relocated, by the facility, with final removal early December.
- BBL is currently in consideration of having the inter fencing, along the southwest, removed, thus affording additional area for working, lay down and snow.
- Conversations continue regarding relocating facility materials along the south fence, to accommodate the proposed exploration.
- Additional consolidation of Abscope equipment and materials, possibly including their tool storage building, was reviewed.

November 15, 2006 Weekly Meeting Minutes - No. 7 Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

General Scheduling Overview:

- Abscope noted that work for the remainder of this week would include: final placement of rebar for proposed building; install building subgrade utilities; finalize building formwork; pour foundation concrete on Friday; and possible fence completion and waste removal.
- Next weeks work would include: continued waste removal; mobilization of Abscope's trenching/piping crew to install MHs and CBs and adjoining conveyance pipe; form removal and building backfill.
- Abscope's was asked to update the overall project schedule.

Temporary Water Treatment System:

- Two @ 21,000 gallon tanks are presently on site and the treatment system is currently operational.
- Presently, tank no. 1 is connected in series with tank no. 2, the to the temporary treatment system.
- Effluent from the temporary treatment system is currently being directly discharged into the sewer.
- BBL has been in contact with GJJWTF with discharge updates for the temporary treatment system discharge to the sanitary sewer.

Groundwater Manholes and Conveyance Systems:

- Connection of the permanent effluent pipe from the receiving sewer manhole to the building is currently being constructed.
- Manholes were received this week, with the exception of NMH-6; NMH-6 requires field fitting and locating of a reported east/west drain pipe. An existing 18" CMP clean out was accessed and found to have a total depth of 8.7' from the surface. Use of a camera and/or test pit is under consideration.
- Conveyance pressure piping is on site, gravity piping will be delivered on Friday.

Stormwater Catch Basins and Conveyance Systems:

- The proposed ditch area is near completion, with the exception of the ends, and receiving overland flow of stormwater, from the east.
- Catch basins are scheduled to be received next week.
- Conveyance piping is scheduled for delivered on Friday.

Building:

- Building foundation formwork, utility penetration and rebar are presently being constructed.
- Electrical issues, cast in place conduits, were tabled and will be discussed in specific after the meeting..
- Butler Building submitted drawings are finalized, to include door adjustments.
- The building foundation is planned to be pour on Friday.

Treatment System:

- Submittals are near finalization, cast in place conduit locations are needed ASAP.

November 15, 2006 Weekly Meeting Minutes - No. 7 Former MGP Site Storm Sewer IRM, Gloversville, NY

Waste Handling:

- The containment area is currently receiving small amounts of excavated soil; note that it is nearly full, mixing and consolidation is occurring.
- Excavated C&D material, RR ties and the majority of the tree stump/roots have been removed from the site, with manifest being accumulated and summarized.
- Abscope indicated that scheduling waste removal is in the hands of the selected landfills and currently Albany County Landfill is not receiving waste, which may affect the scheduling.

General Site and Other Components:

- The permanent western fence is scheduled for finalization this week. Final grading between the fence and ditch will be completed once the fence is completed.

NYSDEC and NYSDOH Comments:

- No comments were received.

Action Items:

- Review and concurrence regarding the installation, or not, of NMH-6 and subsequent appurtenance.
- Permanent power is being finalized by BBL and NGRID.
- Abscope will provide an updated overall project schedule.
- Continued communication and set up for the proposed southern exploration.
- Abscope to provide adjustment and resubmit their 1st invoice.
- Cast in place conduit submittal, acceptance and installation need prior to Friday's concrete pour.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

November 22, 2006 Weekly Meeting Minutes - No. 8 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 8 commenced at 10:10, and adjourned at 11:00; attendees included:

- Paul M. Fisher, SE
- Todd Merrell, BBL
- Jason Brien, BBL (by teleconference)
- Rob Gray, Abscope (by teleconference)
- Brian Stearns, NGRID (by teleconference)
- Karen Pacillo, NGRID Facility
- Brad Brown, NYSDEC
- Ken Kiehn, Abscope
- Brian King, HCI

Past Meeting Comments:

The November 15, 2006, Weekly Meeting Minutes – No. 7, was e-mailed on November 17, 2006, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted. An informal site meeting was conducted yesterday, November 21, 2006, to include: Brian Stearns, Margaret Carrillo-Sheridan, Jason Brien, Rob Gray, Todd Merrell and Paul M. Fisher; this provided review of specific issues with regards to the building and on going drainage system installation. Additionally, several (7) personnel from the NYSDEC meet on site, generally to observe the on going southern exploration.

HASP for Project:

- Working with your hands and the use of gloves to protect from cuts and scrapes as well as insulated gloves for cold weather work, was the topic of discussion.
- Near misses (currently 5) have been documented and provided to Todd; these will be scanned and emailed to Brian Stearns, ASAP.
- Brian King continues providing incidental air monitoring for the active work areas; he indicated that over the past 6 weeks of monitoring, readings have not exceeded set action levels. An increase dust level was noted due to traffic and Abscope will mitigate this next week. VOCs were recorded at 3ppm during installation of NMH-4.

HASP for Facility:

- Excavation demarcation and barricades of construction activities continue in importance with work adjacent to the facility building.
- Odor were noted in the facility building, assumed by all to be the result of breaking into the abandon gas pipes; Brian King investigated the building interior and noted that his meters did not detect VOCs. Brian further instructed facility personnel to close the west door and open the east door. Additionally, Brian talked with NGRID H&S director regarding the perspective natural gas (methanol mercaptan) smell in the facility.

HASP for Public:

- Brian King has provided air monitoring, at perimeter of the site; noting that, over the 6 weeks monitoring period, no readings have been recorded above background levels.
- Nathan noted yesterday, that he had not received public comments, to date.

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 11/30/06 (10:00 AM).
- This is Thanksgiving week, therefore a 3 day work week.
- The southern site geoprobing, performed by others, was canceled due to equipment failure; this is rescheduled for 12/11/06.
- Permanent electrical power application have been submitted, this will take 4-6 weeks.
- Abscope's first draft invoice has been reviewed, and is being finalized for submittal.

November 22, 2006 Weekly Meeting Minutes - No. 8 Former MGP Site Storm Sewer IRM, Gloversville, NY

Facility Comments and Interactions:

- Conversations continue regarding methods of restricting lanes for traffic.
- Additional consolidation of Abscope equipment and materials, are still under review.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

General Scheduling Overview:

- Next weeks work would include: continued building backfill; continue excavation to install MHs and CBs and adjoining conveyance pipe; continue forming for building interior pads and schedule concrete pour; grade and seed ditch area.

Temporary Water Treatment System:

- Two @ 21,000 gallon tanks, connected in series, are presently on site and the treatment system is currently operational in an automatic mode.
- Notably, with increase influent, now being pump for NMH-1, filters require more frequent changing.
- Effluent from the temporary treatment system is currently being directly discharged into the sewer; with a total processed over 108,000 gal.
- Abscope reviewed schedule for removal of the portable tanks.

Groundwater Manholes and Conveyance Systems:

- All manholes and piping have been received on site; still need cover and frames.
- NMH-1, NMH-4 and NMH-5, with adjoining pipe have been installed. Currently, NMH-2 and the adjoining piping to NMH-1 are being installed.
- Due to the conditions of the trench excavation, #2 stone will be placed in the base of excavation to tie into saturated soils followed by fabric, as needed, and a crusher run backfill.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins and piping have been received on site; still need grates and frames.
- Conveyance piping is scheduled for delivered on Friday.

Building:

- Forming for the equipment pads continue, pour is planned for next week.
- Building foundation concrete formwork allowed displacement of certain embedded elements; corrections of these were reviewed to include anchor bolts and sill plates.
- The building structure is scheduled to be received on 12/5/06; it is predicted that the building will take 2 weeks to complete.

Treatment System:

- Submittals are finalized and components are on order.

Waste Handling:

- The containment area is currently receiving small amounts of excavated soil; note that approximately 1000 tons of material was removed and transported to an alternate landfill.
- Abscope indicated that scheduling waste removal to Albany County Landfill will be reinitiated; this will require a new sample and partial profile.

General Site and Other Components:

- Final grading between the new fence and ditch will be completed once the condition allow.

NYSDEC and NYSDOH Comments:

- Brad will contact NYSDOH regarding the odors in the facility building.

November 22, 2006 Weekly Meeting Minutes - No. 8 Former MGP Site Storm Sewer IRM, Gloversville, NY

Action Items:

- Permanent power is being finalized by BBL and NGRID.
- Abscope will provide an updated overall project schedule.
- Continued communication and set up for the next scheduled TarGOST southern exploration.
- Abscope to provide adjustment and resubmit their final 1st invoice.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

November 30, 2006 Weekly Meeting Minutes - No. 9 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 9 commenced at 10:00, and adjourned at 11:00; attendees included:

- Paul M. Fisher, SE
- Todd Merrell, BBL
- Jason Brien,
- Rob Gray, Abscope
- Brian Stearns, NGRID
- Karen Pacillo, NGRID Facility
- Brad Brown, NYSDEC
- Ken Kiehn, Abscope
- Brian King, HCI

Past Meeting Comments:

The November 22, 2006, Weekly Meeting Minutes – No. 8, was e-mailed on November 27, 2006, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted.

HASP for Project:

- Communication among all site personnel is key to any project from site observers through supervisors and operators. Working within and adjacent to trenches is the current top safety hazard at the site.
- Near misses (currently 5) have been documented and provided to Todd; these were reviewed and noted as needing dates; these will be faxed to Brian Stearns, ASAP.
- Brian King continues providing incidental air monitoring for the active work areas; he indicated that over the past 7 weeks of monitoring, readings have not exceeded set action levels. An increase in dust level was noted, due to dry weather and traffic, Abscope will mitigate by suppressive means.

HASP for Facility:

- Excavation demarcation and barricades, of construction activities, continue in importance with ongoing work adjacent to the facility building. The truck traffic and re-direction of traffic is an ongoing concern; Abscope / BBL are in frequent contact with National Grid.
- Last week's noted odors into the facility building, as the result of breaking into the abandoned pipes running adjacent to the service building, was revisited; Brian King investigated the building interior and noted that his meters did not detect VOCs. Brian further instructed facility personnel to close the west door and open the east door. Additionally, Brian talked with Don Leman, NGRID H&S director regarding the perspective natural gas (methanol mercaptan) smell in the facility.

HASP for Public:

- Brian King has provided air monitoring, at perimeter of the site; noting that, over the 7 weeks monitoring period, no readings have been recorded above background levels.
- Brad noted that he had not received any public comments, to date.
- BBL to check Community Awareness posted signs.

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 12/7/06 (10:00 AM).
- The southern site geoprobing is rescheduled for 12/11/06 and will take 2 days.
- Permanent electrical power application has been submitted, this will take 4-6 weeks.
- Abscope's indicated that they would provide an updated overall project schedule.

November 30, 2006 Weekly Meeting Minutes - No. 9 Former MGP Site Storm Sewer IRM, Gloversville, NY

Facility Comments and Interactions:

- Conversations continue regarding methods of rerouting traffic.
- Additional consolidation of Abscope equipment and materials, are scheduled.
- Snow removal continues to be a subject of discussion.
- John James, NGRID Facility, continues to handle the remove and staged gas pipe.
- The facility was asked to move equipment and materials from around proposed NMH-6.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

General Scheduling Overview:

- Next weeks work would include: continued building backfill; continue excavation to install CBs and adjoining conveyance pipe; continue forming for building interior pads and schedule concrete pour; form and pour concrete headwall; continue waste removal.
- Future schedule includes: delivery of building components on 12/5; commence building construction upon receipt and will take 2 – 3 weeks to construct; building electrical will start at build 80% completion.

Temporary Water Treatment System:

- Two @ 21,000 gallon tanks, connected in series, are presently on site and the treatment system is currently operating at 30 – 35 gpm. Aries has been on site to evaluate the system; carbon was changed out.
- With increase influent, now being pump from NMH-1, the treatment is not keeping up, therefore bypassing has been accepted, during non-construction pumping.
- Notably filters require more frequent changing during construction pumping.
- Effluent from the temporary treatment system is currently being directly discharged into the sewer; with a total processed over 230,000 gal.

Groundwater Manholes and Conveyance Systems:

- All manholes and piping have been received on site; still need cover and frames.
- All NMH, with adjoining pipe have been installed, with the exception of NMH-6.
- Total flow being received by NMH-1 is under review.
- Manhole covers to be delivered Monday, December 4th.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins and piping have been received on site; still need grates and frames.
- CBs and piping are currently being installed by CCI.

Building:

- Forming for the equipment pads continue, pour is planned for next week.
- Building foundation concrete formwork allowed displacement of 3 walls; these are being cut as to receive building sill plates.
- Building perimeter backfill continues.

Treatment System:

- Submittals are finalized and components are on order.
- Started receiving components, 6 canisters.

Waste Handling:

- The containment area is currently receiving excavated material from trench work.
- Note that approximately 2000 tons of soil material has been removed.
- Abscope indicated that scheduling waste removal to Albany County Landfill will be at 200 tons per day.

November 30, 2006 Weekly Meeting Minutes - No. 9 Former MGP Site Storm Sewer IRM, Gloversville, NY

General Site and Other Components:

- Final grading between the new fence and ditch will be completed once the condition allow, most likely with the scheduled pond upgrade.
- Alternate removal and adjustment of the existing fence is still under review.
- The excavated UST is staged and will require appropriate cleaning, along with other removed steel components. As this tank was given a spill number, it will require registration and decommissioning, as per NYSDEC.

NYSDEC and NYSDOH Comments:

- Brad has not received comments from the NYSDOH or the public.
- Noted that flow into NMH-1 had increased unexplainably, on Tuesday.
- NAPL containing water can not overflow the headwall excavation or allow to flow into the new stormwater system.
- The trench plug installed around the pipe from NMH-1 to the ditch needs to be replaced per the specs.

Action Items:

- Documentation for the tank decommissioning requires review and subsequent completion..
- Abscope will provide an updated overall project schedule.
- BBL is to review influent flow to NMH-1.
- BBL is reviewing design change to the pipe from CB 4 & 5, due the facility underground utilities.
- BBL is to provide Alternate fencing design.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

December 7, 2006 Weekly Meeting Minutes - No. 10 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 10 commenced at 10:00, and adjourned at 11:20; attendees included:

- Paul M. Fisher, SE
- Todd Merrell, BBL
- Jason Brien, BBL
- Dave Budosh, BBL
- Brian Stearns, NGRID
- Karen Pacillo, NGRID Facility
- Brad Brown, NYSDEC
- Rob Gray, Abscope
- Ken Kiehn, Abscope

Past Meeting Comments:

The November 30, 2006, Weekly Meeting Minutes – No. 9, was emailed on December 4, 2006, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted.

HASP for Project:

- 'Tis the season of increased flammables, such as papers and Christmas trees, and ignition sources, such as heaters and lighting, around our homes. Fire safety need to be consciously extend outside our workplace; maintenance of smoke detectors and fire extinguishers was reviewed.
- Five near misses have been documented and provided to NGRID; an additional near miss occurred, involving waste water splashing onto a worker where safety glasses protected his eyes. A near miss needs to be called in within 4-hours of its occurrence per Brian Stearns as a real time mechanism.
- Earlier Brian King provided review of air monitoring for the active work areas; he indicated that over the past 8 weeks of monitoring, readings have not exceeded set action levels. An increase of VOCs to 4-ppm was noted during the excavation for CB-7. Dust monitoring has indicated reduction, generally due to weather; Abscope will mitigate, by suppressive means, should dust level increase again. It was noted that the operator, moving waste in the containment area, is continually monitor for VOCs; no upgrade has been required.
- Trench safety and overall traffic continues to be topics of discussion.

HASP for Facility:

- Excavation demarcation and barricades, of construction activities, continue in importance with on going work adjacent to the facility building. The truck traffic and re-direction of traffic is an ongoing concern; Abscope / BBL are in frequent contact with National Grid.
- Odors into the facility building have not been reported over the last week; a concern regarding the facility roof air intakes was reviewed.

HASP for Public:

- Brian King indicated earlier that he had provided air monitoring, at perimeter of the site, and over the 8 weeks of monitoring, no readings have been recorded above background levels.
- BBL to check Community Awareness posted signs.

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 12/14/06 (10:00 AM).
- Abscope proposed that work may be halt for Christmas week, therefore no work from 12/23/06 to 1/1/07, yes 2007.
- The southern site geoprobing (TarGOST) is rescheduled to start on 12/11/06 and will take 2-3 days.

December 7, 2006 Weekly Meeting Minutes - No. 10

Former MGP Site Storm Sewer IRM, Gloversville, NY

- Permanent electrical power application have been submitted, Abscope awaits a call for scheduling.
- BBL indicated that Dave Budosh, who has been onsite all week, will replace Todd for a few weeks up to the Holidays, and then Matt Ryan will take over, specifically for the building completion and treatment component construction.
- Abscope is considering not working the week between Christmas and New Year.

Facility Comments and Interactions:

- Conversations continue regarding methods of rerouting traffic and demarcation.
- Additional consolidation of Abscope equipment and materials continue.
- Snow removal continues to be a subject of discussion.
- The facility has moved equipment and materials from around proposed NMH-6.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- Two @ 21,000 gallon tanks, connected in series, are presently on site and the treatment system is currently operating at 30 – 35 gpm. Aries has been on site to evaluate the system for increased production. A third 21,000-gal tank was mobilized to the site.
- With increase influent, now being pump from NMH-1 and CB-7 area sump, the treatment system is enable to keep up, therefore bypassing has been accepted, during non-construction pumping, but must be terminated within a week, as per NYSDEC.
- Notably filters require more frequent changing during construction pumping; additionally, freezing of components is becoming an issue, as well.
- Effluent from the temporary treatment system is currently being directly discharged into the sewer; with an approximate daily total processed of 31,000-gal. with approximately 350,000 gallons treated to date.
- As groundwater flow seems to fluctuate and increase, other contributions were reviewed.
- BBL has contacted GJJWTF with flow information, particularly if flow increases.

Groundwater Manholes and Conveyance Systems:

- All manholes require extensions, frames and covers; these are on order.
- All NMH, with adjoining pipe have been installed, with the exception of NMH-6.
- An internal and/or external coating of the NMHs is under review by BBL and National Grid.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins and piping have been installed; still need extensions, frames and grates.
- An internal and/or external coating of the CBs is under review by BBL.
- The intersection of the stormwater piping and the facility utilities was backfill with flowable fill.
- The concrete headwall was pour today; backfill will follow shortly, connecting the stormwater piping with the ditch.

Building:

- All but two concrete equipment pads have been poured; they are scheduled to be poured next week.
- Most building materials have been received on site.
- Building erection started this week and is schedule to be completed in 3-4 weeks.

Treatment System:

- Submittals are finalized and components are on order.
- BBL is reviewing influent flow requirements; this will require monitoring under final steady state conditions.

December 7, 2006 Weekly Meeting Minutes - No. 10 Former MGP Site Storm Sewer IRM, Gloversville, NY

Waste Handling:

- The containment area is currently receiving excavated material from trench work.
- Waste continues to be loaded out, destined for Albany County Landfill. Excavated concrete was broken up and included with the soil waste.
- Abscope indicated that scheduling waste disposal at Albany County Landfill was at 200 tons per day, but has been increased to 300 tons per day.

General Site and Other Components:

- A directive for the alternate removal and adjustment of the existing fence was provided by BBL.
- The excavated UST is staged and will require appropriate cleaning, along with other removed steel components. As this tank was given a spill number, it will require registration, decommissioning, and final disposition as per NYSDEC.
- Using cold patch and other means to seal the surface was reviewed, particularly around the southeast corner of the facility building.

General Scheduling Overview:

- Next weeks work would include: continued building backfill; continue excavation to install NMH-6; continue building interior pads; continue waste removal; continue building erection; upgrade temporary WWTP.
- Abscope provided an overall project schedule, which was reviewed, noting that the permanent WWTP to be operational by 2/15/07. Some corrections were suggested; Abscope will resubmit.

NYSDEC and NYSDOH Comments:

- Brad has not received comments from the public or recently from the NYSDOH.
- Construction of the stormwater system cannot allow NAPL containing water to enter this system.

Action Items:

- Documentation for the tank decommissioning requires review and subsequent completion.
- Abscope will provide a review and upgrade to the temporary WWTP.
- BBL is to review sealing of the NMHs and CBs, as well as controlling temporary surface cover to separate storm and groundwater.
- BBL is continuing to review influent flows.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

December 14, 2006 Weekly Meeting Minutes - No. 11 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 11 commenced at 10:15, and adjourned at 11:50; attendees included:

- Paul M. Fisher, SE
- Margaret Carrillo-Sheridan, BBL
- George Thomas, BBL
- Todd Merrell, BBL
- Jason Brien, BBL
- Dave Budosh, BBL
- Brad Brown, NYSDEC
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Randy Bell, Jersen

Past Meeting Comments:

The December 7, 2006, Weekly Meeting Minutes – No. 10, was emailed on December 11, 2006, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted.

HASP for Project:

- Extend ladder safety to home decorating of structures and Christmas trees, as well as the routing and use of electric features.
- Currently 6 near misses have been documented and provided to NGRID. A near miss needs to be called in within 4-hours of its occurrence.
- Earlier Brian King provided review of air monitoring for the active work areas; he indicated that over the past 9 weeks of monitoring, readings have not exceeded set action levels. An increase of VOCs to 4-ppm was noted last week at the edge of the excavation for CB-7. Dust monitoring has indicated acceptable levels.
- Trench safety and overall traffic continues to be topics of discussion.

HASP for Facility:

- Excavation demarcation and barricades blocking off and subsequently rerouting traffic has been successful during construction activities, this continues to be important and under review by Abscope, BBL and NGRID.

HASP for Public:

- Brian King indicated earlier that he had provided air monitoring, at perimeter of the site, and over the 9 weeks of monitoring, no readings have been recorded above background levels.
- BBL checked and reported that the Community Awareness posted signs are up.
- Brad noted that a man spoke to him along the adjacent trail; no comments of substance were received.

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 12/21/06 (10:00 AM).
- Abscope had proposed last week that work may be halted for Christmas week; reportedly, the building erection crew plan to work 4 days of this week. A final decision will be offered during the next meeting, to include a contingency plan for required operations.
- The southern site geoprobe (TarGOST) was conducted from 12/11/06 through 12/13/06.
- Sediment sampling, conducted by BBL, was conducted from 12/12/06 through 12/13/06.
- Permanent electrical power application have been submitted, we await a call for scheduling.
- BBL reiterated that Dave Budosh, who has been onsite for some time, will replace Todd for a few weeks, and then Matt Ryan will take over, specifically for the building completion and treatment component construction.
- Abscope's draft 2nd invoice is under review and finalization.

December 14, 2006 Weekly Meeting Minutes - No. 11 Former MGP Site Storm Sewer IRM, Gloversville, NY

Facility Comments and Interactions:

- Conversations continue regarding methods of rerouting traffic and demarcation.
- Additional consolidation of Abscope equipment and materials continue.
- Reportedly, the southwest gate lock was cut and facility copper taken.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- Three @ 21,000 gallon tanks are presently on site and the treatment system is currently operating at 30 – 35 gpm. A forth 21,000-gal tank was mobilized to the site.
- Pumping continues from NMH-1 and CB-7 area sump, the treatment system is able to keep up; bypassing has been accepted, during non-construction pumping, but must be terminated ASAP, as per NYSDEC. Absorbent boom will continue to be monitored and replaced, as needed, at the MHs and at the existing receiving pond area.
- Aries has evaluate the system for increased production; a process figure was offered and reviewed, design for 100-gpm. This is currently being constructed and scheduled to be delivered and running next Monday. BBL requested a formal submittal.
- The WWTP upgrade should allow the removal of several frac tanks; once operational, a sample must be collected by BBL and the results provided to GJJWTF.
- Filters require more frequent changing during construction pumping; additionally, freezing of components continues to be an issue, as well.
- Effluent from the temporary treatment system is currently being directly discharged into the sewer; with an approximate maximum daily total processed of 31,000-gal and approximately 400,000 gallons treated to date.
- BBL has contacted GJJWTF with flow information, as design flows will increase with the proposed upgrades to the WWTP.
- Abscope proposed to use a vac-truck to remove NAPL from the frac tanks for disposal; this should be separate phase liquid, with limited water.

Groundwater Manholes and Conveyance Systems:

- All manholes, except 2, require extensions, frames and covers; these can be brick, as noted on the drawings, or prefabricated.
- All NMH, with adjoining pipe have been installed.
- An internal and/or external coating of the NMHs is under final review by BBL and NGRID.
- The installation of NMH-6 was attempted on 12/12/06 but aborted due to unstable conditions. Additional equipment was mobilized on 12/13/06 and the MH installed. Due to the lack of a continuous existing influent pipe, no connection was made; this was the topic of lengthy discussion regarding the disposition of the ground water and the effect of eliminating pumping at NMH-6. A water table figure was presented for review. Concern was noted regarding change to the existing water table; this will be monitored once the existing pipe is sealed and steady state is acquired. BBL directed Abscope to connect the effluent pipe and the electrical conduit.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins and piping have been installed but still need extensions, frames and grates; these can be brick, as noted on the drawings, or prefabricated.
- An internal and/or external coating of the CBs is under final review by BBL; specification of an epoxy based sealer (Raven 405) was offered by Abscope and will require final review by BBL.
- The concrete headwall was backfill, connecting the stormwater piping with the ditch.
- Groundwater drawdown continues around the CBs until the sealing process is applied.

December 14, 2006 Weekly Meeting Minutes - No. 11 Former MGP Site Storm Sewer IRM, Gloversville, NY

Building:

- The two remaining concrete equipment pads have been poured.
- Most building materials have been received on site.
- Building erection continued this week, with columns, beams, girts and perlin generally in place.

Treatment System:

- Submittals are finalized and components are on order.
- BBL is reviewing influent flow requirements; this will require monitoring under final steady state conditions.

Waste Handling:

- The containment area has recently received wet material excavated from NMH-6.
- Abscope indicated that scheduling waste disposal to Albany County Landfill was stopped as to allow the remaining material to be mixed.

General Site and Other Components:

- A directive for the alternate removal and adjustment of the existing fence had been provided by BBL. This is under review as to adjust the alignment to stay out of a wooded area. Abscope is to provide an estimate for the proposed work.
- The staged UST is scheduled to be cleaned, along with other removed steel components. As this tank was given a spill number, it will require registration, decommissioning, and final disposition, as per NYSDEC.

General Scheduling Overview:

- Next weeks work would include: upgrading the temporary WWTP; continue waste removal; continue building erection; continue work on MHs and CBs.
- Abscope provided an updated overall project schedule, which was review, noting that the permanent WWTP to be operational by 3/1/07.

NYSDEC and NYSDOH Comments:

- Brad has not received notable comments from the public.
- Brad met on site with NYSDOH on 12/12/06, with no reportable comments.
- Brad indicated his interest in monitoring the water table and pumping flows.

Action Items:

- UST decommissioning requires finalization.
- Abscope will provide an upgrade to the temporary WWTP on Monday, as well as a submittal to BBL.
- BBL is to finalize their review for sealing of the NMHs and CBs.
- BBL is continuing to review influent flows.
- NGRID and /or BBL to follow up on permanent power.
- BBL is to provide a letter reviewing the NMH-6 installation and the subsequent contract connections.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

December 21, 2006 Weekly Meeting Minutes - No. 12 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 11 commenced at 10:25, and adjourned at 11:15; attendees included:

- Paul M. Fisher, SE
- Brian Stearns, NGRID (by teleconference)
- Jason Brien, BBL
- Dave Budosh, BBL
- Brad Brown, NYSDEC
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Randy Bell, Jersen

Past Meeting Comments:

The December 14, 2006, Weekly Meeting Minutes – No. 11, was emailed on December 18, 2006, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted.

HASP for Project:

- Slips, trips and falls were the topic of discussion; complements were extended to Abscope, and their subcontractors, for the recent pick up and clean up of the site of material and construction waste.
- Currently 6 near misses have been documented and provided to NGRID.
- Brian King provided review of air monitoring for the active work areas; he indicated that over the past 10 weeks of monitoring, readings have not exceeded set action levels.
- Air monitoring was only required for 2-days this week.
- Dust levels occasionally increase, Abscope has performed scraping and sweeping of some paving.

HASP for Facility:

- NMH and CB demarcation and barricades, blocking off and subsequently rerouting traffic, has been successful during construction activities.

HASP for Public:

- Brian King indicated that he had provided air monitoring, at perimeter of the site, and over the 10 weeks of monitoring, no readings have been recorded above background levels.
- Brad noted that no comments were recently received.

Administrative Comments:

- The next weekly meeting may be conducted on Thursday, 12/28/06 (10:00 AM), this will depend on Abscope's site activities.
- Abscope had proposed that work may be halted for Christmas week; notably, subcontractor scheduling may require use of the 4-days. A final decision will be offered later, to include a contingency plan for required operations.
- The southern site geoprobing, for comparison to the earlier TarGOST exploration, was conducted on 12/19/06.
- Permanent electrical power application has been submitted, we await a call for scheduling.
- BBL reiterated that Matt Ryan will take over, specifically for the building completion and treatment component construction.
- Abscope's draft 2nd invoice is under review and finalization.
- Abscope's is finalizing draft Change Order requests #2 and #3.
- BBL has finalized and emailed a formal letter regarding the disposition of NMH-6 and the proposed sealing of the CBs.
- The facility sump pump, currently connected to a roof leader, alternatives are under review by BBL.

December 21, 2006 Weekly Meeting Minutes - No. 12 Former MGP Site Storm Sewer IRM, Gloversville, NY

Facility Comments and Interactions:

- An earlier conversation with Karen confirmed the southwestern fence location change.
- Additional consolidation of Abscope equipment and materials continue, to assist with snow removal.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The original temporary WWTP was removed and a new 100-gpm, enclosed unit mobilized, hooked up and tested.
- Three @ 21,000 gallon tanks were clean and demobilized. The remaining 21,000-gal tank was staged at the south end of the site.
- Pumping continues from NMH-1 and CB-7 area sump; bypassing has been accepted, during non-construction pumping, but must be terminated once the new system is on line, as per NYSDEC. Absorbent boom will continue to be monitored and replaced, as needed, at the MHs and at the existing receiving pond area.
- The effluent from the new WWTP will require sampling by BBL, once operational, and the results provided to GJJWTF.
- Joseph Cellary, GJJWTF, inspected the new temporary WWTP on 12/20/06.
- BBL continues to contact GJJWTF with flow information.
- Abscope used a vac-truck to remove NAPL from the frac tanks and containerized, for disposal; the receiving facility may not require sampling.

Groundwater Manholes and Conveyance Systems:

- All NMH, with adjoining pipe have been installed.
- All manholes are currently receiving required extensions, frames and covers; this will be followed by backfill material, to grade.
- Pumps and controls are on order for pumping manholes.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins and piping have been installed and currently receiving extensions, frames and grates; this will be followed by backfill material.
- An internal and/or external coating of the CBs is under final review by BBL; specification of an epoxy based sealer (Raven 405) was offered by Abscope and will require final review by BBL and NYSDEC.
- Groundwater drawdown continues around the CBs, until the sealing process is applied.

Building:

- Building erection continued this week, with roofing, sides and some trim generally in place.
- Building completion is planned for Friday, to include trim and interior.
- Abscope will install the 2 rollup door separately.
- Jersen is scheduled to complete concrete ramps and bollards.

Treatment System:

- Submittals are finalized and components are being received.
- BBL is reviewing influent flow requirements; this will require monitoring under final steady state conditions.
- Abscope, Aeries and GES conducted a site meeting to review construction of the system.

Waste Handling:

- The containment area had recently received wet material excavated from NMH-6.
- Waste disposal continued this week to Albany County Landfill; very little waste material remains in the containment area.

December 21, 2006 Weekly Meeting Minutes - No. 12 Former MGP Site Storm Sewer IRM, Gloversville, NY

- Cleaning of the 21,000 gallon tanks created approximately 12@55-gal drums and 2@1200-gal poly tanks of sludge. This waste is planned to be transported to Model City Landfill.

General Site and Other Components:

- The directive for the alternate removal and adjustment of the existing fence had been provided by BBL. This was reviewed and adjusted so the alignment would be out of a wooded area. Abscope is to provide an estimate for the proposed work.
- The staged UST is scheduled to be cleaned, along with other removed steel components; Abscope is finalizing the cost. This tank was given a spill number, as per NYSDEC, and NGRID has taken care of the documentation.

General Scheduling Overview:

- Next weeks work, if on site, would include: running the temporary WWTP; continue building erection, as needed; continue work on MHs and CBs, to include sealing.

NYSDEC and NYSDOH Comments:

- Brad had not received any recent comments from NYSDOH.
- Brad indicated his interest in monitoring the water table and pumping flows; BBL has recently conducted, and will continue, water level monitoring.

Action Items:

- Abscope will provide fencing change and UST decommissioning cost for proposed Change Orders.
- BBL and NYSDEC is to finalize their review for sealing of the NMHs and CBs.
- NGRID to follow up on permanent power.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

December 28, 2006 Weekly Meeting Minutes - No. 13 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 13 commenced at 10:10, and adjourned at 10:30; attendees included:

- Paul M. Fisher, SE
- Brian Stearns, NGRID (by teleconference)
- Mike Flynn, BBL
- Brad Brown, NYSDEC
- Ken Kiehn, Abscope

Past Meeting Comments:

The December 21, 2006, Weekly Meeting Minutes – No. 12, was emailed on December 26, 2006, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted by the attendees.

HASP for Project:

- Topic of discussion involved the attention need to be given to the new subcontractors coming onto the site.
- Currently 6 near misses have been documented and provided to NGRID.
- Brian King was not required to provide monitoring this week as there were no exposed stained soils.

HASP for Facility:

- NMH and CB demarcation and barricades, continues to successfully reroute facility traffic.

HASP for Public:

- Brad noted that no comments were recently received.

Administrative Comments:

- The next weekly meeting may be conducted on Thursday, 1/4/06 (10:00 AM). Note that Monday is a holiday.
- Abscope's draft 2nd invoice is under review and finalization.
- Abscope's is finalizing draft Change Order requests #2 (fence) and #3 (UST).
- Permanent power is under consideration by the facility; this is tentatively scheduled for mid January; power will be out for a day, although temporary power was offered for the WWTP.
- Water levels in monitoring wells should be recorded, to assess the affect of the construction.

Facility Comments and Interactions:

- The facility sump pump, currently connected to a CB via a roof leader, alternatives are under review by BBL.
- Facility workers are currently cutting up the removed gas pipe and loading it on a roll-off. Facility was made aware that Abscope work will start in this area next week.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The new enclosed WWTP system continues operation, in an automatic mode.
- One remaining empty 21,000-gal tank is staged at the south end of the site.
- Pumping continues from NMH-1 and CB-7 area sump; bypassing has been accepted, during non-construction pumping for rain events.
- The effluent from the new WWTP will be sampled by BBL today, and the results provided to GJJWTF.
- Joseph Cellary, GJJWTF, inspected and accepted the new temporary WWTP, on 12/20/06.
- GJJWTF occasionally visits the site to read the WWTP flow meter.

December 28, 2006 Weekly Meeting Minutes - No. 13 Former MGP Site Storm Sewer IRM, Gloversville, NY

Groundwater Manholes and Conveyance Systems:

- All NMH have been completed and cleaned, with the exception of NMH-1 and 6, which require cleaning. NMH-6 needs conduit and final backfill.
- All existing manholes and piping scheduled for abandonment were grouted today.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins are receiving epoxy coating (Raven 405) this week, by a qualified subcontractor. This involved shutting off the facility sump pump and plugging incoming pipes to the CBs, as needed.
- Groundwater drawdown continues around the CBs, until the sealing process is applied.

Building:

- Building erection was not continued to this point of the week, interior panels remain.
- Abscope will install the 2 rollup door separately.
- Jersen is scheduled to complete concrete ramps and bollard on Friday.
- Backfill continued around the building, to the extent capable.

Treatment System:

- Mechanical components are being received.
- Aeries and GES plan to start construction of the system next Tuesday.

Waste Handling:

- Waste disposal will not occur this week; very little waste material remains in the containment area.
- Requested Abscope to consider disposing of 6 drums of soil cutting and 7 drums of pumping water, existing at the site.

General Site and Other Components:

- The directive for the alternate removal and adjustment of the existing fence had been provided by BBL. Abscope is to provide an estimate for the proposed work.
- The staged UST is scheduled to be cleaned, along with other removed steel components; Abscope is finalizing the cost.

General Scheduling Overview:

- Next weeks proposed work would include: running the temporary WWTP; continue building erection, as needed; final grading around building; fence removal and erection; schedule work at sediment pond area; start mechanical in building.

NYSDEC and NYSDOH Comments:

- Brad had not received any recent comments from NYSDOH.
- Brad indicated that he is preparing a response to BBL's letter regarding the disposition of NMH-6 and the proposed sealing of the CBs. The CB seal system was verbally accepted.

Action Items:

- Abscope will provide fencing change and UST decommissioning cost for proposed Change Orders, as well as Invoice #2.
- NGRID to continue follow up on permanent power.
- BBL is to finalize facility sump rerouting considerations.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Todd Merrell, BBL; Robert Gray, Abscope; Brian King, HSE.

January 3, 2006 Weekly Meeting Minutes - No. 14 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 14 commenced at 1:35, and adjourned at 2:20; attendees included:

- Paul M. Fisher, SE
- Brian Stearns, NGRID
- Jason Brien, BBL
- Jason Golubski, BBL
- Matt Ryan, BBL
- Brad Brown, NYSDEC
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Brian King, HSE
- Nichole Mondo, HSE

Past Meeting Comments:

The December 28 2006, Weekly Meeting Minutes – No. 13 was emailed on January 1, 2007, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted by the attendees.

HASP for Project:

- Topic of discussion involved the New Year attitude towards safety, realizing that, construction wise, we are in the home stretch of the project and attention to safety should not waver.
- Currently 6 near misses have been documented and provided to NGRID. It was noted that near misses must be called in ASAP.
- Brian King has currently provided periodic monitoring, during intrusive operations, and noted that, to date, VOCs have not exceeded the action levels.
- Dust is currently OK, monitoring continues.

HASP for Facility:

- NMH and CB have been backfilled and facility traffic has generally returned to normal.
- Brian King has contacted facility several times in regards to odors with no significant comments.

HASP for Public:

- Brad noted that no comments were recently received.

Administrative Comments:

- The next weekly meeting may be conducted on Thursday, 1/11/06 (10:00 AM).
- Abscope's draft 2nd invoice is under review and finalization.
- Abscope's is finalizing draft Change Order requests #2 (fence) and #3 (UST).
- Permanent power has been reviewed between Brian Stearns and Scott Mill, facility; this is tentatively scheduled for the third week of January; power will be out for a day, although temporary power was offered for the WWTP.
- Water levels in monitoring wells are being recorded, to assess the affect of the construction on the ground water, and will continue on a weekly basis.
- Matt Ryan will be BBL's project representative; this will require him to be authorized to sign manifests

Facility Comments and Interactions:

- The facility sump pump alternatives are under review by BBL and a memorandum is being prepared.
- Facility workers finished cutting up of gas pipe, loading it on a roll-off and removal from the site.
- Abscope continues to pick up the site, therefore providing more area for snow plowing.

January 3, 2006 Weekly Meeting Minutes - No. 14 Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The new enclosed WWTP system continues operation, in an automatic mode; influent pumping is approximately 40-gpm.
- One remaining 21,000-gal tank, staged at the south end of the site, is receiving water pumped from the sediment of the existing ditch excavation.
- Pumping was discontinued from NMH-1 and CB-7 area sump; bypassing was discontinued once the existing pipe was filled.
- The effluent from the new WWTP sampled by BBL, and the results will be provided to GJJWTF, upon receipt.
- Brian Stearns talked with Joseph Cellary, GJJWTF, and reported that Joe was satisfied with the new WWTP.
- GJJWTF occasionally visits the site to read the WWTP flow meter.

Groundwater Manholes and Conveyance Systems:

- All NMH have been completed and cleaned; NMH-6 needs conduit and final backfill.
- Certain manholes cover elevation is high, particularly NMH-5; these are under review by BBL.
- The 4-inch effluent containment pipe were tested and passed for NMH-1 and NMH-6.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins construction has been finalized and the system operational; testing of these systems is yet to be scheduled.
- Excavation of the sediments from the existing southern ditch is ongoing.

Building:

- Building major erection is reportedly complete; interior walls and rollup doors still remain.
- Jensen demobilized this week.
- Backfill continued around the building, near completion.

Treatment System:

- Mechanical components are being received and primary units set in place within the building.
- Aeries start construction of the system piping.

Waste Handling:

- Waste disposal will not occur this week; waste material from the sediment excavation is being placed in the containment area.
- Abscope indicated that approximately 3000-gal of NAPL containing sludge is contained in drums and 2 poly tanks at the site; Abscope has sampled this material for characterization.

General Site and Other Components:

- The directive for the alternate removal and adjustment of the existing fence had been provided and Abscope is providing an estimate for the proposed work.
- Requested Abscope to consider disposing of 6 drums of booms/soil cuttings and 7 drums of pumping water, existing at the site
- The staged UST is scheduled to be cleaned, along with other removed steel components; Abscope is finalizing the change order request.

General Scheduling Overview:

- Next weeks proposed work includes: running the temporary WWTP; continue building erection, as needed; fence removal and erection; continue mechanical in building and start electrical; load out waste.

January 3, 2006 Weekly Meeting Minutes - No. 14 Former MGP Site Storm Sewer IRM, Gloversville, NY

NYSDEC and NYSDOH Comments:

- Brad had not received any recent comments from NYSDOH.
- Brad is preparing a response to BBL's letter regarding the disposition of NMH-6 and the proposed sealing of the CBs. The CB seal system was earlier verbally accepted.

Action Items:

- Abscope will provide fencing change and UST decommissioning cost for proposed Change Orders, as well as final Invoice #2 and draft invoice #3.
- NGRID to continue follow up on permanent power.
- BBL is to finalize facility sump rerouting considerations.
- BBL is to review top of NMH and CB elevation.
- Matt Ryan is to acquire a facility badge and authorization to sign as agent.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Matt Ryan, BBL; Robert Gray, Abscope; Brian King, HSE.

January 11, 2007, Weekly Meeting Minutes - No. 15 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 15 commenced at 10:20, and adjourned at 11:20; attendees included:

- Paul M. Fisher, SE
- Jason Brien, BBL
- Margaret Carrillo-Sheridan, BBL
- Tom Steiner, BBL
- Matt Ryan, BBL
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Nichole Mondo, HSE

Past Meeting Comments:

The January 3 2007, Weekly Meeting Minutes – No. 14 was emailed on January 8, 2007, to recipients noted below. It was pointed out that these minutes indicated that Brad Brown was in attendance, in fact Matt Hubicki attended in his place. Comments to this document were addressed and subsequently these minutes were accepted by the attendees.

HASP for Project:

- Topic of discussion involved a health and safety poem offered and read by Nichole, with an unknown author.
- Currently 6 near misses have been documented and provided to NGRID.
- Nichole is currently provided periodic monitoring, during intrusive operations, and noted that, to date, VOCs have not exceeded the action levels.

HASP for Facility:

- Dust is currently OK, although notable during dry conditions.

HASP for Public:

- The project information signs, located along the trail adjacent to the site, were noted as being in place.

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 1/18/07 (10:00 AM).
- Abscope's 3rd invoice is being finalized.
- Abscope's is finalizing Change Order requests #2 (fence) and #3 (UST).
- Permanent power has been reviewed between Brian Stearns and Scott Mill, facility; this is tentatively scheduled for the third week of January; power will be out for a day, although temporary power was offered for the WWTP.
- Water levels in site monitoring wells are being measured and recorded on a weekly basis.

Facility Comments and Interactions:

- The facility sump pump alternatives are under review by BBL and a memorandum is being prepared.
- A message was left for Karen, as to any facility comments; no comments were received.
- Abscope continues to pick up the site, therefore providing more area for snow plowing.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The new enclosed WWTP system continues operation, in an automatic mode; influent was calculated to be 33-gpm, which is being pumped from NMH-1.
- One 21,000-gal tank, staged at the south end of the site, was emptied and cleaned for demobilization.

January 11, 2007, Weekly Meeting Minutes - No. 15 Former MGP Site Storm Sewer IRM, Gloversville, NY

- The effluent from the new WWTP was sampled by BBL, and the results will be provided to GJJWTF, upon receipt.
- GJJWTF occasionally visits the site to read the WWTP flow meter; they had not visited the site this week.
- It was noted that flow increases with precipitation and that filters require more frequent changes, at that time.
- Aries is currently changing out the carbon.

Groundwater Manholes and Conveyance Systems:

- BBL is considering installation of bollards around NMH-1.
- Certain manholes cover elevation are high, particularly NMH-5; these are under review by BBL.
- The 4-inch effluent containment pipe to NMH-1 received the 1-1/2" conveyance pipe.
- Abscope questioned the need to pressure test the groundwater drain pipes; this is under consideration by BBL.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins construction has been finalized and the system operational; testing of these systems is yet to be scheduled.
- Excavation of the sediments from the existing southern ditch is final and the new ditch, to the pond, is rough graded; completion is weather dependent, as is the pond rehabilitation.
- BBL requested that the ditch be surveyed; it was noted that the ditch is most likely high in elevation, as there was noted confusion with the interpretation of the drawings.

Building:

- Building major erection is complete; gutters and down spouts require installation.
- Work proceeds on the interior room walls.
- The submittal for the rollup doors are in review.
- Reviewed WWTP operational odors and subsequent placement of vents.

Treatment System:

- The primary units are set in place within the building and mechanical components are being received and connected.
- HCI is currently concentrating efforts on installing electrical components from the ceiling, such as lighting.
- Abscope noted that all sump pumps are on order.

Waste Handling:

- Waste disposal occurred throughout this week; waste material is limited so the containment area is being decommissioned and removed as waste, as well.
- The staged UST was cleaned, along with the 6 drums of booms/soil cuttings and 7 drums of pumping water, and disposed.
- Abscope indicated that approximately 3000-gal of NAPL sludge is contained in drums and 2 poly tanks at the site; Abscope has sampled this material for characterization and awaiting scheduling from Model City. Freezing conditions are a concern.

General Site and Other Components:

- The requested alternate removal and adjustment of the existing fence is ongoing.
- Abscope repaired the existing fence in 2 additional locations, occurring from other activities.

January 11, 2007, Weekly Meeting Minutes - No. 15 Former MGP Site Storm Sewer IRM, Gloversville, NY

General Scheduling Overview:

- Next weeks proposed work includes: running the temporary WWTP; continue building appurtenances; continue mechanical and electrical in building; Continue ditch and pond, weather permitting; remove NAPL sediment waste.

NYSDEC and NYSDOH Comments:

- Neither NYSDEC or NYSDOH representatives attended the meeting.

Action Items:

- Abscope will provide as final Invoice #3.
- Abscope will provide as final change order requests for the UST and fence work.
- NGRID to continue follow up on permanent power.
- BBL is to finalize facility sump rerouting considerations.
- BBL is to review top of NMH and CB elevation.
- BBL is considering the request to not pressure test the groundwater drainage pipe.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, DEC; Nathan Freeman, DOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Matt Ryan, BBL; Robert Gray, Abscope; Brian King, HSE.

January 18, 2007, Weekly Meeting Minutes - No. 16 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 16 commenced at 10:10, and adjourned at 11:20; attendees included:

- Paul M. Fisher, SE
- Jason Brien, BBL (by teleconference)
- Margaret Carrillo-Sheridan, BBL (by teleconference)
- Matt Ryan, BBL
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Mark Boorany, GES

Past Meeting Comments:

The January 11 2007, Weekly Meeting Minutes – No. 15 was emailed on January 15, 2007, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted by the attendees.

HASP for Project:

- Topic of discussion involved a quotation; “Your only as safe as the guy next to you” offered by Matt, with an unknown author.
- Currently 6 near misses have been documented and provided to NGRID.
- HSE was not required to be on site for air monitoring, as there were no intrusive operations.

HASP for Facility:

- Dust is currently OK, during frozen conditions.

HASP for Public:

- No comments have been recently received.

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 1/25/07 (10:00 AM).
- Abscope's 3rd invoice has been submitted to NGRID for review.
- Abscope's Change Order requests #2 (fence) and #3 (UST), have been received and a draft CO in review by NGRID.
- Permanent power has been in review between Brian Stearns and Scott Mill, facility; a preconstruction meeting needs to be scheduled to include all involved parties.
- Water levels of site monitoring wells are being measured and recorded on a weekly basis, generally Fridays.

Facility Comments and Interactions:

- The facility sump pump alternatives are under review by BBL and a memorandum is being prepared.
- A message was left for Karen, as to any facility comments; no comments were received.
- Abscope continues to pick up the site, therefore providing more area for snow plowing.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The new enclosed WWTP system continues operation, in an automatic mode; influent was calculated to be 33-gpm, which is being pumped just from NMH-1.
- The last 21,000-gal tank demobilized last Friday.
- The effluent from the new WWTP was sampled by BBL on 12/26/06, and the results were emailed to GJJWTF, on 1/15/07.
- GJJWTF occasionally visits the site to read the WWTP flow meter; they were not observed visiting the site this week.

January 18, 2007, Weekly Meeting Minutes - No. 16 Former MGP Site Storm Sewer IRM, Gloversville, NY

- It was noted that flow increases with rain and should decrease with freezing condition.

Groundwater Manholes and Conveyance Systems:

- BBL is considering installation of bollards around NMH-1.
- Certain manholes cover elevation are high, particularly NMH-3, 4 and 5; these are under review by BBL and a directive is being prepared for issuance.
- Abscope questioned the need to pressure test the groundwater drain pipes; this is under consideration by BBL; this will require acceptance of all entities.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins construction has been finalized and the system operational; testing of these systems is yet to be scheduled. The pipe testing can be conducted with air or water, in accordance with the relevant ASTM Specification. Manufactures testing procedures were reviewed, as well.
- The new ditch, to the pond, is rough graded; completion is weather dependent, as is the pond rehabilitation.
- Non pumping NMHs require bench walls, installation is flow dependent.

Building:

- Building major erection is complete; gutters and down spouts require installation.
- Work proceeds on the interior room walls.
- The submittal for the rollup doors are in review.
- Reviewed placement of building vents.
- HCI is currently finalizing efforts on installing electrical components from the ceiling; work continues with panel boxes and electrical run.

Treatment System:

- GES has connected the primary units with mechanical components and piping and will demobilize this week.
- GES will return to perform hydrostatic testing of the piping and components.
- HCI continues with panel boxes and electrical run for the mechanical components; completion is scheduled in 2 weeks.
- Abscope noted that all sump pumps are on order for the NMHs.

Waste Handling:

- Soil waste disposal did not occur this week. The containment area has been decommissioned and removed as waste.
- Abscope removed ~2700-gal of NAPL sludge collected in their vac-truck and ~1400 gal was removed from the 2 poly tanks at the site; this waste is directed to Model City. Due to freezing conditions, ~1000 gal remain in the poly tanks. Additionally, 14 drums of NAPL sludge are currently staged, and frozen, at the site.
- Waste steel components were removed from the site.

General Site and Other Components:

- The requested alternate removal and adjustment of the existing fence is complete.

General Scheduling Overview:

- Next weeks proposed work includes: running the temporary WWTP; continue building appurtenances; continue electrical in building; conduct pipe testing; remove NAPL sediment waste.

January 18, 2007, Weekly Meeting Minutes - No. 16 Former MGP Site Storm Sewer IRM, Gloversville, NY

NYSDEC and NYSDOH Comments:

- Nether NYSDEC or NYSDOH representatives attended the meeting.
- A call was placed to Brad, NYSDEC, before and after the meeting, to provide an update.

Action Items:

- NGRID to continue follow up on permanent power.
- BBL is to finalize facility sump rerouting considerations.
- BBL is to review top of NMH and CB elevation; a directive will be provided.
- BBL is considering the request to not pressure test the groundwater drainage pipe.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Matt Ryan, BBL; Robert Gray, Abscope; Brian King, HSE.

January 25, 2007, Weekly Meeting Minutes - No. 17 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 17 commenced at 10:00, and adjourned at 11:00; attendees included:

- Paul M. Fisher, SE
- Brian Stearns, NGRID
- Jason Brien, BBL (by teleconference)
- Matt Ryan, BBL
- Rob Gray, Abscope (by teleconference)
- Ken Kiehn, Abscope
- Karen Pacillo, Facility
- Andy Blaszkow, Facility
- Brad Brown, NYSDEC

Past Meeting Comments:

The January 18 2007, Weekly Meeting Minutes – No. 16 was emailed on January 22, 2007, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted by the attendees.

HASP for Project:

- Topic of discussion involved an observation of excessive ice covering the drive/parking areas at the site, and subsequent caution regarding footing and traffic.
- Currently, 6 near misses have been documented, with none reported recently. It was reiterated that these need to be reported to NGRID ASAP.
- HSE was not required to be on site for air monitoring, as there were no intrusive operations.

HASP for Facility:

- A conscience use and placement of traffic cones should be continued, particularly around manholes and catch basins.

HASP for Public:

- No comments have been recently received by Brad.
- Public traffic has diminished along the trail to the west of the site.

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 2/1/07 (10:00 AM).
- Abscope's 3rd invoice has been finalized and submitted for review.
- Abscope's Change Order requests #2 (fence), #3 (UST) and #4 (waste), have been finalized and received for review.
- Permanent power has been in review between Brian Stearns and Scott Mill, facility; a preconstruction meeting is scheduled for after the meeting.
- Water levels of site monitoring wells are being measured and recorded on a weekly basis, generally on Fridays.

Facility Comments and Interactions:

- The facility sump pump alternatives are under review by BBL and a memorandum is being prepared.
- Karen indicated that she was happy with the operations.
- Andy review routing of the power to the southern yard lights and the existing pump house. This requires changing during the connection for the permanent power; Abscope's involvement is unknown, at this time. Facility will continue their review.
- Abscope continues demobilization and organizing the site, therefore providing more area for snow plowing and facility storage. Note that the recent alteration in the southern fence afforded additional facility storage area.

January 25, 2007, Weekly Meeting Minutes - No. 17

Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The new enclosed WWTP system continues operation, in an automatic mode; influent was calculated to be 32-gpm, which is being pumped just from NMH-1.
- GJJWTF occasionally visits the site to read the WWTP flow meter; they were not observed visiting the site this week.
- Filters are changed daily and carbon will require changing soon.

Groundwater Manholes and Conveyance Systems:

- Abscope was requested to install 4 bollards around NMH-1 and place the control panel on the facility building west wall.
- Manhole covers were replaced and elevations lowered for NMH-2, 3, 4 and 5, as requested.
- All agreed not to require pressure testing of the groundwater drain pipes.
- Installation of bollards around NMH-6 was reviewed. It was noted that the existing CMP and 4 bollards were removed, in this area, and graded.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins construction has been finalized and the system operational; testing of these systems is yet to be scheduled. The selected pipe testing will be conducted with air, in accordance with the relevant ASTM Specification.
- The remaining ditch and pond rehabilitation will most likely be completed in the spring.
- Non pumping NMHs require bench walls; installation is flow dependent and will likely be completed in the spring.
- A damaged section of 24" pipe, just upstream of the headwall, was repaired.

Building:

- Building major erection is complete; gutters and down spouts installation has not been scheduled.
- Work is finalized on the interior room; a table for the PC is needed.
- The second submittal for the rollup doors is in review, the door representative will visit the site to assure fit.
- BBL reviewed placement of building vents and type of controls.
- HCI is continuing efforts on installing electrical components, panel boxes and electrical run, as well as appurtenance for receiving permanent power.

Treatment System:

- GES has finalized the connection of the primary units with piping and has demobilized. They will be scheduled to return to apply labels and perform testing.
- HCI continues with panel boxes and electrical run for the mechanical components; completion is scheduled in 2 weeks. Start up will require the permanent power.
- Abscope noted that all sump pumps have been received for the NMHs.
- The manuals for all components need to be submitted to BBL.

Waste Handling:

- Soil waste disposal did not occur this week and none is retained on site, as the containment area has been removed as waste. Noted, ~900-tons were removed in January.
- Abscope removed ~4000-gal of NAPL sludge from the site, with 5 drums returned. Removal of the remaining NAPL (~1000-gal), from the 2 poly tanks at the site, will most likely occurred in the spring, due to freezing conditions.
- Removal of 19-drums of NAPL occurred today.
- Several drums of spent filter and carbon require disposal, responsibility is being reviewed.

January 25, 2007, Weekly Meeting Minutes - No. 17 Former MGP Site Storm Sewer IRM, Gloversville, NY

General Site and Other Components:

- The requested alternate removal and adjustment of the existing fence is complete, although fill and final grading is required.

General Scheduling Overview:

- Next weeks proposed work includes: running the temporary WWTP; continue building appurtenances; continue electrical in building; conduct pipe testing.

NYSDEC and NYSDOH Comments:

- No one has received recent comments from NYSDOH.
- Brad indicated that he could follow up on the reported spill, to ensure that it was closed.
- Brad indicated that he would provide the NMH-6 response letter next week.

Action Items:

- NGRID to continue follow up on permanent power.
- BBL is to finalize facility sump rerouting considerations.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Matt Ryan, BBL; Robert Gray, Abscope; Brian King, HSE.

February 1, 2007, Weekly Meeting Minutes - No. 18 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 18 commenced at 10:00, and adjourned at 10:40; attendees included:

- Paul M. Fisher, SE
- Margaret Carrillo-Sheridan, BBL (by teleconference)
- Jason Brien, BBL (by teleconference)
- Matt Ryan, BBL
- Rob Gray, Abscope
- Jack Romagnoli, Abscope
- Ken Kiehn, Abscope
- Karen Pacillo, Facility

Past Meeting Comments:

The January 25 2007, Weekly Meeting Minutes – No. 17 was emailed on January 29, 2007, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted by the attendees.

HASP for Project:

- Topic of discussion involved a review of cold weather clothing (PPE) as sub-freezing conditions continue.
- Recently (1/31/07) 2 near misses were reported, adding to the 6 documented, to that point. This involved over inflation of a pipe plug due to a non-operating gage and accidentally discharging of a fire extinguisher.
- HSE was not required to be on site for air monitoring, as there were no intrusive operations.

HASP for Facility:

- A conscience use and placement of traffic cones, particularly around manholes and catch basins, have been effective in controlling traffic.
- The facility has arranged sanding of the access/parking areas, addressing the icy conditions.

HASP for Public:

- No public comments have been recently received.
- Public traffic has diminished along the trail, to the west of the site.

Administrative Comments:

- The next weekly meeting will be conducted on Thursday, 2/8/07 (10:00 AM).
- Abscope's Invoice #3 and Change Order #1 have been finalized and submitted to NGRID.
- Abscope's draft Invoice #4 has been received for review.
- Permanent power has been started; Scott Mill, facility, indicated that the building wire would be pulled this Friday and the transformer change out next Monday and power activated.
- Water levels, of site monitoring wells, are being measured and recorded by BBL, on a weekly basis.

Facility Comments and Interactions:

- The facility sump pump alternatives are under review by BBL and a memorandum is being prepared; this memo is scheduled to be submitted today or tomorrow.
- Karen indicated that she was working on repairing the fence, which was cut during a break in last week. Matt noted that he located a taken NGRID truck tailgate, outside the west fence.
- Facility is rerouting the power to the southern yard lights and the existing pump house. This requires changing, in conjunction with the connection for the permanent power
- Abscope continues demobilization and organizing the site, therefore providing more area for snow plowing and facility storage. Note that the recent alteration in the southern fence afforded additional facility storage area.

February 1, 2007, Weekly Meeting Minutes - No. 18 Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The new enclosed WWTP system continues operation, in an automatic mode; influent was calculated to be ~32-gpm this week, which is being pumped just from NMH-1. Approximately 1.7 million gallons have been process by this unit.
- GJJWTF occasionally visits the site to read the WWTP flow meter; they were not observed visiting the site this week.
- Filters are changed daily and carbon may require changing, dependent on the start up of the permanent WWTP.

Groundwater Manholes and Conveyance Systems:

- Abscope has graded around the NMHs adding fill around NMH-1.
- Non pumping NMHs (NMHs- 2, 3, 4 and 5) require bench walls; installation is flow dependent and will likely be completed in the spring.
- NMH-1 has been fitted with the pump slide rail system.

Stormwater Catch Basins and Conveyance Systems:

- All catch basins construction has been finalized and the system operational; testing of the piping systems was on going, using air testing, in accordance with the relevant ASTM specification.
- The remaining ditch and pond rehabilitation will most likely be completed in the spring. A HDPE liner seaming sketch needs to be submitted to BBL; this may require the seaming subcontractor to view the pond area.

Building:

- Gutters and down spouts require submittal, to include location of down spouts.
- The rollup doors are on order, to be delivered in 2-weeks.
- BBL is reviewing placement of building fan/vents and type of controls (timer instead of the scheduled thermostat) and will provide a directive.
- HCI is continuing efforts on installing electrical components, panel boxes and electrical run; they are scheduled to be finish mid next week, dependent on receiving permanent power.

Treatment System:

- GES are scheduled to return to apply labels and perform hydraulic testing, next week.
- HCI continues with panel boxes and electrical run for the mechanical components; start up is scheduled for next week and operational the following week. Aries will be on site next Thursday, 2/8/07, to setup the PLC. Start up will require the permanent power.
- The manuals for all components need to be submitted to BBL.

Waste Handling:

- Soil waste disposal is discontinued until excavation occurs in the spring.
- Abscope indicated that all soil waste manifests have been submitted to BBL; BBL will provide the final waste summary.
- Removal of the remaining NAPL (~1000-gal), from the 2 poly tanks at the site, will most likely occurred in the spring, due to freezing conditions.
- Several drums of spent filters and carbon require disposal, samples have been collected.

General Site and Other Components:

- The requested alternate removal and adjustment of the existing fence is complete, although fill and final grading is required in this area.

February 1, 2007, Weekly Meeting Minutes - No. 18 Former MGP Site Storm Sewer IRM, Gloversville, NY

General Scheduling Overview:

- Next weeks proposed work includes: running the temporary WWTP; continue building appurtenances; finalizing electrical in building; test electrical circuits; test WWTP piping; conduct CB testing.

NYSDEC and NYSDOH Comments:

- No recent comments have been received from NYSDEC or NYSDOH.

Action Items:

- Continue follow up on permanent power installation.
- BBL is to finalize facility sump rerouting considerations.
- Provide and approval of final submittals.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Matt Ryan, BBL; Robert Gray, Abscope; Brian King, HSE.

February 8, 2007, Weekly Meeting Minutes - No. 19 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 19 commenced at 10:00, and adjourned at 11:00; attendees included:

- Paul M. Fisher, SE
- Margaret Carrillo-Sheridan, BBL (by teleconference)
- Jason Brien, BBL (by teleconference)
- Matt Ryan, BBL
- Rob Gray, Abscope (by teleconference)
- Ken Kiehn, Abscope
- Karen Pacillo, Facility

Past Meeting Comments:

The February 1 2007, Weekly Meeting Minutes – No. 18 was emailed on February 5, 2007, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted by the attendees.

HASP for Project:

- Topic of discussion was a review of last week's near miss, involving discharge of a fire extinguisher and the subsequent observation of continued organization, providing a safer work environment.
- Currently 8 near misses have been reported, 2 were documented last week.
- HSE was not required to be on site for air monitoring, as there were no intrusive operations.

HASP for Facility:

- A conscience use and placement of traffic cones, particularly around manholes and catch basins, have been effective in controlling site traffic.

HASP for Public:

- No public comments have been recently received.
- Public traffic has diminished along the trail, to the west of the site.

Administrative Comments:

- The next weekly meeting (#20) will be conducted on Thursday, 2/15/07 (10:00 AM).
- It was suggested that the future meeting, No. 21, be postpone, until construction activities resume; this will be decided during Meeting No. 20.
- Soil waste manifests have been reviewed by BBL, SE and Abscope, totaling ~5000-tons, to date; this review will be incorporated in Invoice #4.
- Abscope's draft Invoice #4 has been received, review and returned for finalization.
- Water levels, of site monitoring wells, continue to be measured and recorded by BBL, on a weekly basis.

Facility Comments and Interactions:

- The facility sump pump alternatives have been review by BBL and a memorandum has been submitted to the Facility; Abscope's involvement is unknown, at this time.
- Karen indicated that the fence was patch in 2 places, which had been cut during a break in.
- Facility has completed rerouting the power to the southern yard lights and the existing pump house. This requires changing, in conjunction with the connection for the permanent power. The project temporary power will be connected to this service.
- Permanent power installation, by the Facility, has been started; the building wire was pulled last Friday and the transformer change is being conducted today.
- Abscope continues demobilization and organizing the site, therefore providing more area for snow plowing and facility storage.

February 8, 2007, Weekly Meeting Minutes - No. 19 Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The new enclosed WWTP system continues operation, in an automatic mode; influent was calculated to be ~29.5-gpm this week, which is being pumped just from NMH-1. The system is currently receiving water from CB-2.
- GJJWTF occasionally visits the site to read the WWTP flow meter; they were not observed visiting the site this week.
- Filters (2) are changed daily and carbon/resin may require changing, dependent on the start up of the permanent WWTP. This will require monitoring; Aries suggests sampling the effluent to assess the carbon and resin effectiveness.

Groundwater Manholes and Conveyance Systems:

- Non pumping NMHs (NMHs- 2, 3, 4 and 5) require bench walls; installation is flow dependent and will likely be completed in the spring.
- NMH-1 has been fitted with pumps, conduit and control panel (attached to the facility building west wall).
- The permanent effluent pipe was found frozen; this is currently being thawed out.

Stormwater Catch Basins and Conveyance Systems:

- Air testing of the piping systems has been completed and all passed; note that the 24" pipe was repaired. Catch basin testing is ongoing; CB-8 has passed and CB-4 & 5 are currently being tested.
- The remaining ditch and pond rehabilitation will most likely be completed in the spring. A HDPE liner seaming sketch needs to be submitted to BBL; this may require the seaming subcontractor to view the pond area.
- CB-2 & 7 have acquired leaks and Abscope has offered a subcontractor qualified to perform a corrective action. A submittal has been provided to BBL; BBL is currently reviewing the Avanti grout sealing system and its compatibility.

Building:

- Gutters and down spouts submittal are under review.
- The rollup doors are on order, to be delivered in 2-weeks. The openings will most likely be insulated, in the interim.
- Building fan/vents and controls (timer instead of the scheduled thermostat) are currently being installed.
- HCI is continuing efforts on connecting electrical components, panel boxes with electrical run; they are scheduled to be finished next Monday.

Treatment System:

- GES are scheduled to return to apply labels and perform hydraulic testing, next week.
- HCI continues with connecting panel boxes and electrical run to the mechanical components; start up is scheduled for next week. Aries will be on site 2/14/07, to setup the PLC.
- It was noted that the controls for NMH-1 pumps are set to shut off the lead pump when the lag is turn on; this and the high level alarm will require final operational review.
- It was noted that there is no vent currently for the 2@55-gal NAPL drum; GES will be contacted to address this.
- The manuals for all components need to be submitted to BBL.

Waste Handling:

- Soil waste disposal is discontinued until excavation occurs in the spring.
- Abscope is checking that all soil waste manifests have been submitted to BBL; BBL is summarizing the soil waste manifests.

February 8, 2007, Weekly Meeting Minutes - No. 19 Former MGP Site Storm Sewer IRM, Gloversville, NY

- Removal of the remaining NAPL (~1000-gal), from the 2 poly tanks at the site, will most likely occurred in the spring, due to freezing conditions.
- Several drums of spent filters, carbon and resin require disposal, samples have been collected and the results were reviewed; profiles are being prepared.

General Site and Other Components:

- Placement of bollards is still in review, there are some Facility concerns.

General Scheduling Overview:

- Next weeks proposed work includes: running the temporary WWTP; continue building appurtenances; finalizing electrical in building; test electrical circuits; test WWTP piping; repair and test the final 2 CBs; remove WWTP waste.

NYSDEC and NYSDOH Comments:

- No recent comments have been received from NYSDOH.
- Brad was contacted earlier and commented that NYSDEC continues the preparation of the NMH-1 response letter; the water level data from the monitoring wells, was requested. Brad indicated that he plans to attend next weeks meeting.

Action Items:

- Review and concurrence on the repair to CB-2 & 7.
- BBL continue working with the Facility regarding the sump rerouting considerations.
- Provide and approval of final submittals.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Matt Ryan, BBL; Robert Gray, Abscope; Brian King, HSE.

February 15, 2007, Weekly Meeting Minutes - No. 20 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 20 commenced at 2:40, and adjourned at 3:20; attendees included:

- Paul M. Fisher, SE
- Brian Stearns, NGRID (by teleconference)
- Jason Brien, BBL (by teleconference)
- Matt Ryan, BBL
- Rob Gray, Abscope
- Bradley Brown, NYSDEC

Past Meeting Comments:

The February 8 2007, Weekly Meeting Minutes – No. 19 was emailed on February 12, 2007, to recipients noted below. Comments to this document were addressed and subsequently these minutes were accepted by the attendees.

HASP for Project:

- Topic of discussion was a review of current storm conditions and driving, with regards to the subsequent high winds and drifting snow.
- Currently 8 near misses have been reported.
- HSE was not required to be on site for air monitoring, as there were no intrusive operations.

HASP for Facility:

- No recent comments have been received from the Facility.

HASP for Public:

- No NYSDOH or public comments have been recently received.

Administrative Comments:

- Construction efforts have diminished, therefore, weekly site meeting will be postponed until construction activities resume, in the spring; this was accepted by all.
- Abscope is current providing information and subsequent Change Order Requests; these will be incorporated in up coming Invoice #5.
- Abscope's Invoice #4 has been received by SE and transmitted to NGRID.
- Water levels, of site monitoring wells, continue to be measured and recorded by BBL, on a weekly basis. BBL mobilized a hydrogeologist to inspect the site monitoring wells and is preparing groundwater contour maps, for dissemination.

Facility Comments and Interactions:

- The facility sump pump alternatives have been review by BBL and a memorandum has been submitted and accepted by the Facility; a request to provide an estimate has been transmitted to Abscope, for subsequent construction.
- Additional security lights have been installed and cameras are proposed.
- Permanent power was installed, by the Facility, last week; the temporary power was rerouted to the Facility southern yard light service.
- Abscope continues to assist in snow removal.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The enclosed WWTP system continues operation, in an automatic mode; influent was calculated to be ~29-gpm this week, which is being pumped from NMH-1. The system is currently receiving water pumped from CB-2, as well.
- GJJWTF occasionally visits the site to read the WWTP flow meter; they were not observed visiting the site this week.

February 15, 2007, Weekly Meeting Minutes - No. 20

Former MGP Site Storm Sewer IRM, Gloversville, NY

- Filters (2) are changed daily and carbon/resin may require changing, dependent on the start up and acceptance of the permanent WWTP. Aries should be contacted, with regards to the pressure drop across the vessels, and assess the carbon and resin effectiveness.

Groundwater Manholes and Conveyance Systems:

- Non pumping NMHs (NMHs- 2, 3, 4 and 5) require bench walls; installation is flow dependent and scheduled to be completed in the spring.
- NMH-1 has been fitted with pumps, conduit and control panel (attached to the facility building west wall). Abscope was asked to look into security alternatives for the control panel.

Stormwater Catch Basins and Conveyance Systems:

- Air testing of the piping systems has been completed and all sections passed. Catch basin testing has passed CB-4, 5 & 8.
- The remaining ditch and pond rehabilitation will be completed in the spring.
- CB-2 & 7 have acquired leaks and Abscope has offered a subcontractor qualified to perform a grouting. An initial submittal has been provided to BBL; BBL has requested additional information to be submitted regarding the Avanti grout sealing system and its compatibility. BBL and SE has spoke with Grout Tech to assure acceptability; they are offering a 1 year warrantee.

Building:

- Gutters and down spouts submittal are under review.
- The rollup doors are on order, to be delivered next week; the motors will be delivered later and will require electrical hook up. The openings have been insulated, in the interim.
- Building fan/vents and controls have been installed.
- HCI has completed connecting the majority of the electrical components and panel boxes; they are scheduled to finish next week.

Treatment System:

- GES is onsite to apply labels and perform hydraulic testing. All leaks have been reportedly repaired, with the exception of the 3" plugs located at the bottom of the 6 vessels. This may require contacting US Filter, the fabricator.
- HCI has finalized connecting panel boxes and electrical run to the mechanical components; the majority of the components have been tested; start up is scheduled for next week.
- Aries and Turner will be onsite next week to setup the PLC and install the computer.
- GES installed vents in the 2@55-gal NAPL drum.
- The manuals for all components need to be submitted to BBL.

Waste Handling:

- Soil waste disposal is discontinued until excavation occurs in the spring.
- Abscope is checking that all soil waste manifests have been submitted to BBL; BBL is summarizing the soil waste manifests.
- Removal of the remaining NAPL (~1000-gal), from the 2 poly tanks at the site, will occur in the spring, due to freezing conditions. Abscope is supplying manifests for subsequent CO request.
- Several drums of spent filters, carbon and resin require disposal, samples have been collected and the results were reviewed; profiles are signed and awaiting scheduling form Model City, most likely mid next week.

General Site and Other Components:

- Placement of bollards is still in review, there are some Facility concerns.

February 15, 2007, Weekly Meeting Minutes - No. 20 Former MGP Site Storm Sewer IRM, Gloversville, NY

General Scheduling Overview:

- Next weeks proposed work includes: running the temporary WWTP; continue building appurtenances; finalizing electrical in building; test electrical circuits; test WWTP piping; repair and test the final 2 CBs; remove WWTP waste.

NYSDEC and NYSDOH Comments:

- No recent comments have been received from NYSDOH.
- Brad awaits the groundwater information, being provided by BBL, to finalize the preparation of the NMH-1 response letter. Brad indicated that he plans to visit the site next week, for start up.

Action Items:

- Review and concurrence on the repair to CB-2 & 7.
- BBL and Abscope continue working with the Facility regarding the sump rerouting considerations.
- Provide and approval of final submittals.
- Temporary WWTP monitoring and review with Aries regarding the carbon/resin.
- BBL is to contact GJJWTF, to up date them of the scheduled start up of the permanent WWTP.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Matt Ryan, BBL; Robert Gray, Abscope; Brian King, HSE.

May 18, 2007, Weekly Meeting Minutes - No. 21 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 21 commenced at 10:20, and adjourned at 12:10; attendees included:

- Paul M. Fisher, SE
- Brian Stearns, NGRID
- Margaret Carrillo-Sheridan, BBL
- Jason Brien, BBL
- Jason Golubski, BBL
- Rob Gray, Abscope
- Ken Kiehn, Abscope

Past Meeting Comments:

The February 15 2007, Weekly Meeting Minutes – No. 20 was emailed on February 19, 2007, to recipients noted below. There were no comments to this document and subsequently these minutes were accepted.

HASP for Project:

- Topic of discussion was the increased site activities.
- Currently approximately 8 near misses have been reported. Recently an electrical issue had occurred, believed to be a recordable near miss.
- HSE was not required to be on site for air monitoring, as there were no intrusive operations. HSE will be mobilized next week to monitor loading out of the paving preparation waste.

HASP for Facility:

- Placement of cones has been effective, as much of the Facility parking/access road are prepared for paving.
- Recently a gas line was damaged during Abscope's work for the Facility; this was addressed by Facility representatives.

HASP for Public:

- No NYSDOH or public comments have been recently received.
- Activity has increased along trail, to the west. Condition of signs is unknown.

Administrative Comments:

- Next weeks site meeting will be held on Thursday, 5/24/07, at 10:00 AM.
- Construction efforts have increase, therefore, weekly site meetings have been reinstituted, until construction activities have diminished.
- Abscope is current providing information and subsequent Change Order Requests; these will be incorporated in Invoice #7.
- BBL provided an updated Punch List; these were reviewed finding that most items where either complete or work in progress.

Facility Comments and Interactions:

- No recent comments have been received from the Facility; a message was left for Karen.
- Additional paving preparation, as part of a direct contract between the Facility and Abscope, nears completion, awaiting asphalt.

May 18, 2007, Weekly Meeting Minutes - No. 21 Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The enclosed WWTP system continues operation, in an automatic mode; influent is being pumped from NMH-1, as needed. This system is operating to augment the permanent system during startup adjustment and changes.
- GJJWTF occasionally visits the site to read the WWTP flow meter; they have not been observed visiting the site for several weeks.
- Filters (2) are changed daily. The carbon and resin was changed out by Aries, the week of April 16, 2007.
- The WWTP will be relocated, to accommodate the proposed paving.

Groundwater Manholes and Conveyance Systems:

- Non pumping NMHs (NMHs- 2, 3, 4 and 5) have had the bench walls installed.
- Abscope was directed to complete NMH-6 and install pumps, piping, wiring and the control panel.
- Abscope was asked to provide security cover for the both control panels.
- A couple of the manholes were reported as weeping; this is not considered an issue.
- Placement of bollards is still in review, there are some Facility concerns.

Stormwater Catch Basins and Conveyance Systems:

- As-built information for the Catch basins and piping were reviewed. The surveyors return to the site, and witness by all, to recheck CB-2 and CB-4; this was found to be acceptable.
- The as-built information for the ditch is under review by BBL, therefore finalization of the ditch and sediment basin is on hold until BBL provides a directive.

Building:

- Gutters and down spouts have been completed.
- The building is complete, with only a few minor items. The bollards were being painted today.
- The center sump grate does not fit correctly, but accepted.

Treatment System:

- Aries was onsite to change out all high level switches, due to inconsistencies.
- HCI has finalized the electrical; Abscope has been direct to have HCI install a temporary power transfer switch. This would be used to connect a portable generator, if required.
- Aries and Turner continue to review and adjust the WWTS. The flow meters have been calibrated.
- Possible bacteria growth is under review, as the oil/water separator and filters are being affected.
- The total flow treated by the temporary and permanent system has been estimated at 40 gpm.

Waste Handling:

- Soil waste disposal resumed today, this is broken up asphalt and base material removed for the proposed paving.
- Removal of the remaining NAPL (~1200-gal), from the 2 poly tanks at the site, is being scheduled by Abscope.

General Site and Other Components:

- Abscope proposed, and was accepted, the removal of the job trailer, to facilitate final grading. A temporary office will be setup in the new WWTS building.
- BBL has procured the installation of several site piezometers.

May 18, 2007, Weekly Meeting Minutes - No. 21 Former MGP Site Storm Sewer IRM, Gloversville, NY

General Scheduling Overview:

- Next weeks proposed work includes: move and restart the temporary WWTP; continue instillation of NMH-6 appurtenances; continue electrical directives; remove paving preparation waste; move site office into the WWTS building.

NYSDEC and NYSDOH Comments:

- No recent comments have been received from NYSDEC or NYSDOH.
- Brad did not attend this week but indicated that he plans to visit the site next week.

Action Items:

- BBL to finalize ditch consideration and provide Abscope with a directive.
- BBL is in review of the operation and efficiencies of the WWTS, which may result in a directive to Abscope.
- Provide and approval of final submittals.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Jason Golubski, BBL; Robert Gray, Abscope; Brian King, HSE.

May 24, 2007, Weekly Meeting Minutes - No. 22

Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 22 commenced at 10:00, and adjourned at 11:00; attendees included:

- Paul M. Fisher, SE
- Jason Brien, BBL
- Jason Golubski, BBL
- Rob Gray, Abscope, by telecommunication
- Ken Kiehn, Abscope
- Bradley Brown, NYSDEC

Past Meeting Comments:

The May 18 2007, Weekly Meeting Minutes – No. 21 was emailed on May 22, 2007, to recipients noted below. There were no comments to this document and subsequently these minutes were accepted.

HASP for Project:

- Topic of discussion was the increased in traffic with waste truck and on going drilling.
- Currently approximately 9 near misses have been reported.
- HSE was mobilized to monitor loading out of the paving preparation waste.

HASP for Facility:

- Placement of cones has been effective, as much of the Facility parking/access roads are prepared for paving.

HASP for Public:

- No NYSDOH or public comments have been recently received.
- Activity has increased along trail, to the west. The information signs are missing.

Administrative Comments:

- Next weeks site meeting will be held on Thursday, 5/31/07, at 10:00 AM.
- Construction efforts have increase, therefore, weekly site meetings have been reinstituted, until construction activities have diminished.
- Abscope is current providing information and subsequent Change Order Requests; these will be incorporated in Invoice #7.
- BBL provided an updated Punch List; these were reviewed finding that most items where either complete or work in progress.
- Abscope has initiated demobilization, therefore the meeting was held in the WWTS building.

Facility Comments and Interactions:

- Jason and Kenny recently talked with Karen; no relevant comments were received.
- Additional paving preparation, as part of a direct contract between the Facility and Abscope, nears completion, awaiting asphalt.

May 24, 2007, Weekly Meeting Minutes - No. 22

Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The enclosed WWTP system continues operation, in an automatic mode; influent is being pumped from NMH-1, as needed. This system is operating to augment the permanent system during startup adjustment and changes.
- GJJWTF occasionally visits the site to read the WWTP flow meter; they have not been observed visiting the site for several weeks.
- Filters (2) continue to be changed daily.
- The WWTP will be relocated to the other side of the fence on Friday, to accommodate the proposed paving.
- It was agreed that BBL would take over the operation of the WWTP on May 29, 2007, and continue the changing of filters. Abscope will perform all other maintenance.

Groundwater Manholes and Conveyance Systems:

- NMH-1 is pumping at approximately 40 gpm; floats were adjusted up, to decrease aeration.
- Abscope was directed to complete NMH-6, pumps were started this morning.
- BBL will set and operate NMH-6, to ascertain pumping affect to the groundwater.
- Abscope was asked to provide security cover for the both control panels.
- Placement of bollards around NMH-6 is scheduled.

Stormwater Catch Basins and Conveyance Systems:

- The catch basins and piping were reviewed and found to be acceptable.
- The as-built information for the ditch is under review by BBL, therefore finalization of the ditch and sediment basin is on hold until BBL provides a directive. Additional survey information was requested, to identify movement.

Building:

- The building is complete, and the site of the new field office.

Treatment System:

- The systems operation continues to be under operation and review by BBL.
- HCI has finalized the electrical; Abscope has been direct to have HCI install a temporary power transfer switch. This would be used to connect a portable generator, if required.
- Possible bacteria growth continues under review, as the oil/water separator and filters are being affected.
- The total flow treated by the temporary and permanent system has been estimated at 38 - 40 gpm.
- Effluent was sampled with a result of no detect of selected constituents.

Waste Handling:

- Soil waste disposal of the base material removed for the proposed paving continues.
- Removal of the remaining NAPL (~1200-gal), from the 2 poly tanks at the site, is scheduled for removal on Friday by Abscope.
- Waste created by the ongoing drilling activities, will be disposed by others.

General Site and Other Components:

- Abscope is prepared and has scheduled paving for next week.
- BBL is installing several site piezometers; these will be use to assess pumping at NMH-6 and the reaction along the ditch.
- Removal and an adjusted placement of the fence surrounding the pond is in review.

May 24, 2007, Weekly Meeting Minutes - No. 22

Former MGP Site Storm Sewer IRM, Gloversville, NY

General Scheduling Overview:

- Next weeks proposed work includes: continue adjustment of NMH-6; continue electrical directives; remove paving preparation waste; pave access/parking areas; finalize piezometer installation and run tests; continue demobilization.

NYSDEC and NYSDOH Comments:

- No recent comments have been received from NYSDOH.
- Brad commented on the 4 wells proposed around the WWTS building; this will part of the IRFS.

Action Items:

- BBL to finalize ditch consideration and provide Abscope with a directive.
- BBL is in review of the operation and efficiencies of the WWTS, which may result in a directive to Abscope.
- Provide and approval of final submittals, such as as-builts.
- Public fact sheet need replacement.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Jason Golubski, BBL; Robert Gray, Abscope; Brian King, HSE.

July 13, 2007, Weekly Meeting Minutes - No. 23

Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 23 commenced at 12:30, and adjourned at 2:30; attendees included:

- Paul M. Fisher, SE
- Brian Stearns, NGRID
- Jason Brien, BBL
- Jason Golubski, BBL
- Rob Gray, Abscope
- Bradley Brown, NYSDEC

Past Meeting Comments:

The May 24 2007, Weekly Meeting Minutes – No. 22 was emailed to recipients noted below. No comments were requested to this document, as it occurred over a month ago.

HASP for Project:

- Topic of discussion was excavations around utilities, particularly electrical.
- Currently approximately 10 near misses have been reported, the latest was cutting an underground wire.
- Noted was the earlier, 10:00 AM, NGRID onsite Safety Meeting, conducted by Brian, which review the latest near miss, as well as other safety issue. This included an educational open discussion of safety issue on other projects.

HASP for Facility:

- Placement of cones has been effective in direct the Facility traffic during the MH upgrades.

HASP for Public:

- No public comments have been recently received.
- Activity has increased along trail, to the west. The information signs were replaced.
- New updated signs and mailings are proposed.

Administrative Comments:

- Next site meeting was not proposed; all will be contacted of the date and time.
- Construction efforts have been limited; therefore, weekly site meetings will be reinstituted, when construction activities restart.
- Abscope is current providing information and subsequent Change Order Requests; these will be incorporated in upcoming invoices.
- BBL provided an updated Punch List; these will be reviewed when Abscope remobilizes to the site.

Facility Comments and Interactions:

- The steep sand and gravel bank, located east of the Facility building, was noted as having erosion issues. Sediment is heading to CB-7 and CB-8. Abscope is working directly with the Facility to correct this.
- BBL is going to communicate with Karen to provide the scheduled construction activities.

July 13, 2007, Weekly Meeting Minutes - No. 23 Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The enclosed WWTP system continues operation, in an automatic mode; influent is being pumped from NMH-1, as needed. This system is operating to augment the permanent system during startup adjustment and upgrade changes.
- Filters (2) continue to be changed twice a week.
- The WWTP was relocated earlier, to the other side of the fence, to accommodate the paving.
- BBL took over the operation of the WWTP on May 29, 2007, and continues the changing of filters. Abscope will perform all other maintenance.

Groundwater Manholes and Conveyance Systems:

- NMH-1 is pumping at approximately 28 gpm.
- Yesterday, NMH-1 pumps and appurtenance were upgraded; these pumps will be restarted on Monday, as a fitting needs replacing.
- Abscope complete NMH-6 and BBL set and is operating NMH-6.
- BBL installed monitoring wells and operated NMH-6 to ascertain the pumping affect to the groundwater.
- A proposed groundwater collection trench was presented by BBL and reviewed during the meeting, as well as at the connecting site, NMH-6. The field checks of the plan pose issues with the existing structure and underground wires. Waste handling, pumping, Facility interaction and safety were discussed. As this option is design to control groundwater at the new ditch, the forum offered comments and request BBL to consider them, as well as a second option, by-pass piping.

Stormwater Catch Basins and Conveyance Systems:

- The as-built information for the ditch was reviewed by BBL, therefore finalization of the ditch and sediment basin was on hold for acceptance of BBL directive. Additional survey information was shared, indicating an approximately 2" drop in the invert of the outfall pipe and an approximately 2" rise in a portion of the ditch. Abscope will be required to re-grade the north, approximately 100', of the ditch to accommodate flow.
- Due to the recognized instability of the ditch and influx of groundwater, a by-pass option was tabled for discussion, in lieu of the proposed trench. This had been reviewed by BBL earlier, noting the primary issue was the overland stormwater flow. The forum requested that this option be considered along with the trench option to assure the final goal of separating groundwater from stormwater would be achieved.

Building:

- The building is complete, and the site of the new field office.
- Installation of the proposed temporary power transfer switch was approved.

Treatment System:

- The systems operation continues to be performed by BBL.
- Possible bacteria growth continues under review, as the oil/water separator and filters are being affected.
- GJJWTF occasionally visits the site to read the WWTS flow meter; they recently were observed on site.
- Effluent was sampled with a result of no detect of selected constituents. GJJWTF questioned the detection limits.

Waste Handling:

- Approximately 25 @ 55 gal drums are staged at the south end of the site. This is generally drilling cuttings and will be handled by BBL and NGRID.

July 13, 2007, Weekly Meeting Minutes - No. 23

Former MGP Site Storm Sewer IRM, Gloversville, NY

General Site and Other Components:

- Abscope paving is acceptable and has been noted as to drain appropriately.
- Removal and an adjusted placement of the fence, surrounding the pond, is complete, to include the requested gate.
- The finalization of the spill closure will be checked by Brad and Brian.

General Scheduling Overview:

- Next weeks proposed work includes: finalize upgrades of NMH-1; continue adjustment and review of the operation of NMH-1 and NMH-6.

NYSDEC and NYSDOH Comments:

- Brad recently talk with NYSDOH; no comments.
- Both NYSDEC and NYSDOH are interested in the updating and distribution of the fact sheets.

Action Items:

- BBL to finalize trench and ditch consideration and receive acceptance from all interested parties.
- BBL is in review of the operation and efficiencies of the newly upgraded WWTS, which will result in a directive to Abscope to stop operations of the temporary WWTP.
- Provide and approval of final submittals, such as as-built information.
- Public fact sheet need updating and circulation.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Jason Golubski, BBL; Robert Gray, Abscope; Brian King, HSE.

August 16, 2007, Weekly Meeting Minutes - No. 24 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 24 commenced at 10:30, and adjourned at 11:30; attendees included:

- Paul M. Fisher, SE
- Brian Stearns, NGRID
- Terry Young, NGRID
- Karen Pacillo, NGRID Facility
- Matt Ryan, BBL
- Rob Gray, Abscope
- Ken Kiehn, Abscope

Past Meeting Comments:

The July 13 2007, Weekly Meeting Minutes – No. 23 was emailed to recipients noted below. No comments were requested to this document, as it occurred over a month ago.

HASP for Project:

- Topic of discussion was trench work safety.
- Currently approximately 10 near misses have been reported.
- HSE will continue air monitoring as per the CAMP.

HASP for Facility:

- Placement of cones will be used to direct the Facility traffic.
- Construction will occur in the vicinity of underground and overhead power lines.

HASP for Public:

- No public comments have been recently received.
- The trail information signs need to be checked.
- New updated signs and mailings are needed at the end of the project.

Administrative Comments:

- Next site meeting is proposed for 8/23/07 at 10:00 AM.
- The project punch list needs to be up dated.

Facility Comments and Interactions:

- The steep sand and gravel bank, located east of the Facility building, was noted as having erosion issues. Sediment is heading to CB-7 and CB-8. Facility is continuing maintenance.
- Reviewed construction activity interactions with Facility and required controls.
- Abscope will contact Facility to shut down power for construction.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The enclosed WWTP system continues operation, in an automatic mode; influent is being pumped from NMH-1, as needed. This system is operating to augment the permanent system during startup adjustment and upgrade changes.
- BBL took over the operation of the WWTP from May 29, 2007 to August 10, 2007. Abscope took over maintenance on 8/13/07 and unhooked it from NMH-1 today.
- Abscope added components (2 frac tanks, filters and pumps) in preparation for the requested collection trench.

Groundwater Manholes and Conveyance Systems:

- NMH-1 two pumps continue operation; logic was adjusted. Abscope is changing out the check valves.
- Operation of NMH-6 continues.

August 16, 2007, Weekly Meeting Minutes - No. 24 Former MGP Site Storm Sewer IRM, Gloversville, NY

- A proposed groundwater collection trench was presented by BBL and reviewed during the meeting, as well as at the connecting site, NMH-6. Review included a field check of the plan. Reuse of excavated soil will be determined by PID and visual. Compaction tests are not required. Trench box will be employed. Fabric fouling was reviewed.
- Placement of concrete barriers was proposed around NMH-6, in lieu of bollard, due to the numerous underground utilities.

Stormwater Catch Basins and Conveyance Systems:

- A directive was provided to Abscope, by BBL, requiring re-grading the north, approximately 100', of the ditch to accommodate flow. Reviewed leaving the north 22' of the ditch rip-rap, adjusting the grade south of that. This will involve removal of the stone and fabric, soil removal, placement of new Claymax and then stone.

Building:

- The building is complete, and the site of the new field office.
- Installation of the proposed temporary power transfer switch was ongoing.

Treatment System:

- The systems operation continues to be performed by BBL.
- Possible bacteria growth continues under review, as the oil/water separator and filters are being affected.
- GJJWTF occasionally visits the site to read the WWTS flow meter; they had not recently been observed on site.
- NMH-6 flow meter had foul out and under repair.

Waste Handling:

- Approximately 23 @ 55 gal drums are labeled and staged at the south end of the site. This is generally drilling cuttings and will be incorporated into the proposed construction soils, for off site disposal.
- The 1000 gal poly tank, from cleaning of the WWTS, needs sampling and disposal.
- Abscope created a staging area for the proposed construction soils.

General Site and Other Components:

- Abscope paving is acceptable and has been noted as to drain appropriately.
- Lighting, during power disconnection for construction, needs review.

General Scheduling Overview:

- Next weeks proposed work includes: finalize upgrades to the temporary WWTP; install collection trench to NMH-6; make adjustments to the ditch.

NYSDEC and NYSDOH Comments:

- No comments were received from NYSDEC or NYSDOH.

Action Items:

- Waste samples need collection.
- BBL is to provide a revised punch list.
- Public fact sheet need updating and circulation.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Jason Golubski, BBL; Robert Gray, Abscope; Brian King, HSE.

August 23, 2007, Weekly Meeting Minutes - No. 25 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 25 commenced at 10:00, and adjourned at 10:50; attendees included:

- Paul M. Fisher, SE
- Karen Pacillo, NGRID Facility
- Jason Brien, BBL
- Matt Ryan, BBL
- Ken Kiehn, Abscope
- Tim Korder, HSE
- Bradley Brown, NYSDEC

Past Meeting Comments:

The August 16, 2007, Weekly Meeting Minutes – No. 24 was briefly reviewed.

HASP for Project:

- Topic of discussion was general traffic speed, both slow and excess; also excavations and slips on slope, especially on HDPE.
- Currently approximately 10 near misses have been reported.
- HSE continues air monitoring as per the CAMP, no exceedances noted.

HASP for Facility:

- Placement of cones will be used to direct the Facility traffic.
- Reviewed underground and overhead power lines.

HASP for Public:

- No public comments have been recently received.
- The trail information signs need to be checked.
- New updated signs and mailings are to be drafted by BBL and submitted for reviewed.

Administrative Comments:

- Next site meeting is scheduled for 8/30/07 at 10:00 AM.
- The project punch list needs to be up dated and distributed.
- An O&M meeting is proposed for 9/6/07

Facility Comments and Interactions:

- Reviewed construction activity interactions with Facility and required controls.
- Abscope has contacted Facility to shut down power for construction.
- A naming of a Facility contact, for O&M purposes, was suggested; this would help for issue as scheduled power interruptions.

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The enclosed WWTP system continues operation for the collection trench construction.
- Abscope added 2 frac tanks, filters and pumps for the collection trench construction.

Groundwater Manholes and Conveyance Systems:

- NMH-1 two pumps continue operation; need float adjustment by BBL.
- Operation of NMH-6 continues; need float adjustment by BBL.
- A proposed groundwater collection trench and connection to NMH-6 was near completion. Much of the excavated soil was reused, as determined by PID and visual. Compaction tests were not performed and a trench box was employed. Fabric fouling did not seem to be an issue; therefore the entire length received fabric.

August 23, 2007, Weekly Meeting Minutes - No. 25 Former MGP Site Storm Sewer IRM, Gloversville, NY

- Placement of 4 concrete barriers around NMH-6 was accepted, in lieu of bollard, due to the numerous underground utilities.

Stormwater Catch Basins and Conveyance Systems:

- Abscope has nearly completed work on the directive, provided by BBL, requiring re-grading the north, approximately 100', of the ditch to accommodate flow. The north 22' of the ditch rip-rap was left, adjusting the grade south of that. This involved removal of the stone and fabric, soil removal, placement of new Claymax and then stone.
- Work has started on the completion of the southern end of the ditch.
- Water in and around the pond shall be treated and sediment placed in the waste stream.
- The outlet penetration will be constructed as it is currently.

Building:

- The building is complete, and the site of the new field office and meeting location.
- Adjustment of the east rollup door was ongoing.
- Screens for the vents was proposed, the contract needs to be reviewed.

Treatment System:

- The systems operation continues to be performed by BBL.
- Possible bacteria growth continues under review, as the oil/water separator and filters are being affected.
- GJJWTF occasionally visits the site to read the WWTS flow meter; BBL contacted them, the only comment is the need for the 6-month analytical.
- The filters need labeling.
- The repaired NMH-6 flow meter was being installed.
- BBL needs all the component information for the O&M Manual; BBL will provide a list.

Waste Handling:

- Approximately 23 @ 55 gal drums are to be incorporated into the proposed construction soils, for off site disposal. Albany LF is limited so must consider Seneca Meadows.
- The 1000 gal poly tank, from cleaning of the WWTS, needs sampling and disposal.
- The staged ditch stone was viewed as clean and will be reused on site.

General Site and Other Components:

- A dozer will be mobilized to grade the south end of the site.

General Scheduling Overview:

- Next weeks proposed work includes: finalize the ditch; finalize the pond.
- Demobilization is scheduled for the following week.

NYSDEC and NYSDOH Comments:

- No comments were received from NYSDOH.
- Brad noted that the trench went well and that all pond water should be processed

Action Items:

- Waste samples need collection and analytical results distributed.
- BBL is to provide a revised punch list.
- Public fact sheet need updating and circulated.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Jason Golubski, BBL; Robert Gray, Abscope; Brian King, HSE.

August 30, 2007, Weekly Meeting Minutes - No. 26 Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Weekly Meeting No. 26 commenced at 10:35, and adjourned at 11:25; attendees included:

- Paul M. Fisher, SE
- Brian Stearns, NGRID
- Karen Pacillo, NGRID Facility
- Jason Brien, BBL
- Matt Ryan, BBL
- Rob Gray, Abscope
- Ken Kiehn, Abscope
- Tim Korder, HSE
- Bradley Brown, NYSDEC

Past Meeting Comments:

The August 16 and 23, 2007, Weekly Meeting Minutes – No. 24 and 25, respectively, were email to recipients noted below. There were no comments to these documents and subsequently were accepted.

HASP for Project:

- Topic of discussion was storms and subsequent lighting strikes; caution around equipment and other metal structures.
- As work on the pond is on going, caution of handling the concrete pavers was discussed.
- A near miss was reported involving ground hornets in the work area. Currently, approximately 11 near misses have been reported.
- HSE continues air monitoring as per the CAMP, no exceedances noted. During dust monitoring, an exceedance was indicated, but was deduced to be the ongoing adjacent power washing.

HASP for Facility:

- Placement of cones was used to direct the Facility traffic.

HASP for Public:

- No public comments have been recently received.
- The trail information sign, at the north end, was still in tacked.
- New updated signs and mailings are to be drafted by BBL and submitted for reviewed.

Administrative Comments:

- This was considered to be the last formal site meeting; a final walk through meeting will be scheduled in a few weeks. All will be notified.
- The project punch list needs to be up dated and distributed; noted was filter labels and vent screen.
- An O&M meeting is proposed for 9/6/07.
- Partial as-builds were submitted, identifying ditch and trench information.

Facility Comments and Interactions:

- Facility will review barrier placement for NMH-6.
- The Facility looking to Abscope to clean up from construction and will supply comments.
- A naming of a Facility contact(s), for O&M purposes, was reviewed; this would help addressing issue as scheduled power interruptions.

August 30, 2007, Weekly Meeting Minutes - No. 26 Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- The enclosed WWTP system continues intermittent operation for the remaining construction.
- It was noted that the sand filters worked well.
- Abscope scheduled to clean and demobilize the temporary WWTP, 2 frac tanks, filters and pumps next week.

Groundwater Manholes and Conveyance Systems:

- NMH-1 two pumps continue operation; floats have been adjusted by BBL. Flow is about 35 gpm.
- Operation of NMH-6 continues; floats have been adjusted by BBL and noted to be cycling.
- A proposed groundwater collection trench, and connection to NMH-6, is complete.
- The flow meter for NMH-6 has again been removed, for servicing; therefore the flow was estimated at 5 to 10 gpm.
- Placement of 3 @ 10' concrete barriers around NMH-6 was marked out and accepted, in lieu of bollard, due to the numerous underground utilities.

Stormwater Catch Basins and Conveyance Systems:

- Abscope has completed work on the directive, provided by BBL, requiring re-grading the north, approximately 100', of the ditch to accommodate flow. The new Claymax and stone was observed as floating; the floating has decreased from 75% to 30%.
- The southern end of the ditch is complete to the pond.
- BBL reviewed that which would be necessary to add 3" of #3 stone along select areas of the ditch. Generally, the equipment needed has been demobilized, and that remaining may cause damages.
- The pond water and sediment were placed in the waste stream and the basin liner pressure washed; therefore additionally collected water in the pond can be pumped onto the ground.

Building:

- The building is complete, and the site of the new field office and meeting location.
- Adjustment of the east rollup door has occurred.
- A screen for the vent was proposed, Abscope will install.

Treatment System:

- The systems operation continues to be performed by BBL.
- Possible bacteria growth continues under review; the oil/water separator was just cleaned again and the filters are changed several times a week.
- GJJWTF occasionally visits the site to read the WWTS flow meter; BBL recently contacted them, the only comment is the need for the 6-month analytical.
- BBL needs all the component information for the O&M Manual; BBL will provide a list.
- A high level switch requires changing out, as well as the flow meter, noted above.

Waste Handling:

- Abscope processed 11 of the 23 @ 55 gal drums, which were incorporated into the construction soils, for off site disposal. This waste was sent to Seneca Meadows.
- The 1000 gal poly tank, from cleaning of the WWTS, needs analytical results and disposal. The tank will then be disposed of with the soil.
- The staged ditch stone was viewed as clean and was being reused on site for erosion control.
- There is estimated that 10 drums of carbon and 5 drums of resin will require disposal.

August 30, 2007, Weekly Meeting Minutes - No. 26 Former MGP Site Storm Sewer IRM, Gloversville, NY

General Site and Other Components:

- A dozer will be mobilized to grade the south end of the site.
- The removed fencing needs replacing.

General Scheduling Overview:

- The remainder of this week will include work on the ditch and pond.
- Next weeks proposed work includes: finalize the ditch; finalize the pond; restoration; waste removal; clean and demobilization of equipment and materials.

NYSDEC and NYSDOH Comments:

- No comments were received from NYSDOH.
- Brad noted that the 2 spills are recorded as closed; ditch is still flowing from a questionable source; requested that monitoring wells be measured.

Action Items:

- Waste analytical results are needed.
- BBL is to provide a revised punch list.
- Public fact sheet need updating and circulation.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Jason Golubski, BBL; Matt Ryan, BBL; Robert Gray, Abscope; Brian King, HSE.

September 20, 2007, Weekly Meeting Minutes - No. 27 - Final Former MGP Site Storm Sewer IRM, Gloversville, NY

Introduction and Attendance:

Appropriate introductions were made and Weekly Meeting No. 27 commenced at 10:00, and adjourned at 11:30. As this was the final walk through meeting, the weekly meeting agenda, handed out earlier, was generally followed in an attempt to cover all aspects. Attendees included:

- Paul M. Fisher, SE
- Terry Young, NGRID
- Brian Stearns, NGRID
- Margaret Carrillo-Sheridan, BBL
- Jason Brien, BBL
- Rob Gray, Abscope
- Bob Schick, NYSDEC
- Bradley Brown, NYSDEC

Past Meeting Comments:

The August 30, 2007, Weekly Meeting Minutes – No. 26 was email to recipients noted below. There were no comments to this document and subsequently was accepted.

HASP for Project:

- Topic of general discussion was the overall safety program during the project execution and what was observed and subsequently learned.
- Near misses totaled 11; the most memorable was excavating a power line on a Friday afternoon.
- Air monitoring, conducted by HSE, a dedicated subcontractor, was commendable; all entities were comfortable with this approach.
- HSE is producing a report, summarizing the monitoring data for the project and will be submitted to BBL.

HASP for Facility:

- As this project was conducted within an active Facility, excavation barricades and traffic control was a primary focus. There were no notable issues.

HASP for Public:

- No notable public comments or issues were received.
- The trail information signs/fact sheets were effectively used during the project construction.
- New updated signs and mailings are being drafted by BBL and will be submitted for reviewed.

Administrative Comments:

- This was considered to be the formal final walk through site meeting.
- The project punch list nears completion.
- An O&M meeting is conducted on 9/6/07.
- Keys to the gates and building were reviewed; BBL will address this security item and coordinate with the Facility.
- Change orders and invoicing is current; Invoice #12, for September, will be considered final.
- Abscope, and there subcontractor have demobilized from the site.

Facility Comments and Interactions:

- Karen Pacillo, with Facility, generally joined us for the weekly meeting, providing comments on behalf of the Facility.
- Karen was contacted later for final comments: requested that the marking of the barriers, around NMH-6, be upgraded; requested a contact list and an exchange of gate keys.
- A naming of a Facility contact(s), for O&M purposes, needs review; this would help addressing issue as scheduled power interruptions and emergency situations.

September 20, 2007, Weekly Meeting Minutes - No. 27 - Final Former MGP Site Storm Sewer IRM, Gloversville, NY

Construction Components (Submittals, Scheduling, Progress, Issues and Resolutions):

Temporary Water Treatment System:

- Two temporary WWTP systems were used during construction; the first was found to be inadequate and replaced. Notably, handling water was a significant portion of this project.
- It was noted that the later use of the sand filters worked well.

Groundwater Manholes and Conveyance Systems:

- The groundwater collection, piping and manholes were viewed, deemed complete and acceptable by the forum.
- NMH-1 two pumps continue operation; floats have been adjusted by BBL. Flow is about 30 gpm.
- Operation of NMH-6 continues; floats have been adjusted by BBL and noted to be cycling. Flow is about 7 gpm. Iron precipitate is notable, from this manhole.
- The flow meters are being serviced; therefore the flow may be estimated.
- Placement of 3 @ 10' concrete barriers, around NMH-6, was reviewed and accepted, in lieu of bollard, due to the numerous underground utilities. Additional barriers and marking were considered.

Stormwater Catch Basins and Conveyance Systems:

- The stormwater collection, piping and catch basins were viewed, deemed complete and acceptable by the forum.
- Abscope had recently completed work on the ditch and receiving pond. The new Claymax and stone was observed as floating in two isolated areas. Apparently an earlier heavy storm transported some of the #3 stone, somewhat exposing the Claymax. Additionally, a wash out was noted along the mid point of the ditch.
- BBL will review that necessary to repair/upgrade select areas of the ditch. A directive to Abscope is planned, to perform that which is necessary.

Building:

- The building was viewed, deemed complete and acceptable by the forum.
- A screen for the vent was proposed, Abscope will install.

Treatment System:

- The systems operation continues to be performed by BBL.
- Possible bacteria growth continues under review; the oil/water separator and filters are requiring more maintenance than planned.
- GJJWTF occasionally visits the site to read the WWTS flow meter; BBL had not recently received any comment.
- BBL needs all the component information for the O&M Manual; BBL will provide a list.

Waste Handling:

- Abscope has disposed of all waste; remaining manifests need to be submitted to BBL.

General Site and Other Components:

- The removed fencing was replaced with new materials.
- The overall site was viewed, deemed complete and acceptable by the forum.

General Scheduling Overview:

- The remainder of the punch list items are planned to be completed by the end of the month.
- BBL will provide a directive and Abscope repair the ditch ASAP.

September 20, 2007, Weekly Meeting Minutes - No. 27 - Final Former MGP Site Storm Sewer IRM, Gloversville, NY

NYSDEC and NYSDOH Comments:

- No comments were received from NYSDOH.
- Brad inquired about creek sampling schedule.
- It was discussed that the Final Report will address only the construction of the IRM; investigation information and summary of observations would be provided separately in a Remedial Investigation Report.
- NYSDEC will review the fact sheet and subsequently provide it to the NYSDOH.
- Noted the mounding of groundwater under the ditch liner and the need to address it.
- Reviewed the proposed 4 building corner wells in lieu of the 4" perimeter drain; this will be handled later by BBL.

Action Items:



- Abscope needs to submit the remaining manifests, equipment manuals and as-built.
- BBL is to provide an acceptance to punch list item completion.
- BBL is to provide a directive to Abscope for the repair of the ditch.
- Public fact sheet need updating and circulation.

Note: Recipients of these meeting minutes are requested to contact Paul M. Fisher with comments in regards to the content and accuracy of this document. Acceptance to these minutes will be sought at the beginning of the next meeting.

Email recipients: Bradley Brown, NYSDEC; Nathan Freeman, NYSDOH; Brian Stearns, NGRID; Margaret Carrillo-Sheridan, BBL; Jason Brien, BBL; Jason Golubski, BBL; Matt Ryan, BBL; Robert Gray, Abscope; Brian King, HSE.


Appendix E

Project Photographs



NATIONAL GRID
GLOVERSVILLE FORMER MGP SITE
GLOVERSVILLE, NEW YORK
STORM SEWER IRM

**PROJECT PHOTOGRAPHS -
STORMWATER AND GROUNDWATER
COLLECTION AND CONVEYANCE
SYSTEMS**




FIGURE

1



FIGURE 2

CITY: SYR DIV/GROUP: 141/ENV DB: SDL/GHS NES LD: PIC: PM/JB TM/JG LYRON+*OFF=REF*
G:\CAD\ACTB\0036652\00000310\DWG\PHOTO\36652R14.DWG LAYOUT: 3 SAVED: 8/21/2008 8:59 AM ACADVER: 17.0S (LWS TECH) PAGESETUP: ---- PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 8/21/2008 9:15 AM BY: SMITHGALL, NANCY
XREFS: IMAGES: PROJECTNAME: ---- 36652X00



LEGEND:
PHOTOGRAPH DIRECTION
PHOTOGRAPH NUMBER

NOTES:
1. EQUIPMENT AND PROCESS PIPING LOCATIONS ARE APPROXIMATE. EQUIPMENT LOCATIONS ARE RELATIVE TO ONE ANOTHER. BACKWASH LINES HAVE BEEN GENERALLY INSTALLED PARALLEL TO PROCESS LINES (SHOWN ON BUILDING INTERIOR PERIMETER FOR CLARITY).

Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 1

DATE: 11/20/2006

DIRECTION FACING: East

DESCRIPTION: Groundwater
manhole installation.
Manhole NMH-1 installation.



PROJECT #: B0036652

PHOTOGRAPH #: 2

DATE: 11/22/2006

DIRECTION FACING: North

DESCRIPTION: Groundwater conveyance
piping installation. Trench box to install
northern influent piping to manhole NMH-1.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 3

DATE: 11/27/2006

DIRECTION FACING: East

DESCRIPTION: Groundwater conveyance piping installation. West side of Service Center Building. Underground storage tank encountered and removed. NYSDEC Spill #0651628.




PROJECT #: B0036652

PHOTOGRAPH #: 4

DATE: 11/27/2006

DIRECTION FACING: North

DESCRIPTION: Stormwater conveyance piping installation. Existing underground water, sanitary, and gas utilities. Trench backfill compaction and testing.



Project Photographs

Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 5

DATE: 11/27/2006

DIRECTION FACING: North

DESCRIPTION: Groundwater conveyance piping installation. Service Center Building underdrains (and cleanouts) to manhole NMH-2 (not shown).



PROJECT #: B0036652

PHOTOGRAPH #: 6

DATE: 11/27/2006

DIRECTION FACING: North

DESCRIPTION: Groundwater conveyance piping installation. Manhole NMH-3, northern building and parking lot underdrain.



Project Photographs

Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 7

DATE: 12/06/2006

DIRECTION FACING: South

DESCRIPTION: Stormwater conveyance pipe installation. Dual 8" piping from catch basin CB-5 to catch basin CB-4. Existing underground utilities. Flowable fill placed around existing utilities in this portion of the trench.



PROJECT #: B0036652

PHOTOGRAPH #: 8

DATE: 11/29/2006

DIRECTION FACING: North

DESCRIPTION: Stormwater catch basin installation. Catch basin CB-2 placement, and backfill compactor.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 9

DATE: 11/30/2006

DIRECTION FACING: East

DESCRIPTION: Stormwater conveyance piping installation. Pipe trench from catch basin CB-2 to catch basin CB-7. Brick foundation encountered.



PROJECT #: B0036652

PHOTOGRAPH #: 10

DATE: 11/30/2006

DIRECTION FACING: East

DESCRIPTION: Stormwater conveyance piping installation. Pipe trench from catch basin CB-2 to catch basin CB-7. Concrete and brick foundation encountered and trenched through to facilitate installation of piping.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 11

DATE: 11/30/2006

DIRECTION FACING: East

DESCRIPTION: Stormwater conveyance piping installation. Pipe trench excavation near catch basin CB-7.



PROJECT #: B0036652

PHOTOGRAPH #: 12

DATE: 11/30/2006

DIRECTION FACING: East

DESCRIPTION: Stormwater catch basin installation. Catch basin CB-7 excavation.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 13

DATE: 12/04/2006

DIRECTION FACING: East

DESCRIPTION: Stormwater catch basin installation. Catch basin CB-7 excavation. Former brick foundation.



PROJECT #: B0036652

PHOTOGRAPH #: 14

DATE: 12/04/2006

DIRECTION FACING: North

DESCRIPTION: Stormwater conveyance pipe installation. Pipe trench from catch basin CB-7 to catch basin CB-8. Manhole NMH-5 influent piping/drains.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 15

DATE: 12/04/2006

DIRECTION FACING: North

DESCRIPTION: Stormwater catch basin installation. Catch basin CB-8. Existing gravel fill and former brick foundation.



PROJECT #: B0036652

PHOTOGRAPH #: 16

DATE: 10/04/2006

DIRECTION FACING: North

DESCRIPTION: Approximate location of stormwater drainage ditch, preconstruction.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 17

DATE: 10/13/2006

DIRECTION FACING: North

DESCRIPTION: Stormwater drainage ditch construction, railroad tie removal.



PROJECT #: B0036652

PHOTOGRAPH #: 18

DATE: 10/16/2006

DIRECTION FACING: South

DESCRIPTION: Stormwater drainage ditch construction. Vegetation cleared.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 19

DATE: 11/02/2006

DIRECTION FACING: North

DESCRIPTION: Stormwater drainage ditch construction. Placement of geosynthetic clay liner.



PROJECT #: B0036652

PHOTOGRAPH #: 20

DATE: 11/02/2006

DIRECTION FACING: South

DESCRIPTION: Stormwater drainage ditch construction. Stone placement.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 21

DATE: 11/08/2006

DIRECTION FACING:

Northwest

DESCRIPTION: Stormwater
drainage ditch construction.
Fence post hole drilling.



PROJECT #: B0036652

PHOTOGRAPH #: 22

DATE: 11/17/2006

DIRECTION FACING: South

DESCRIPTION: Stormwater
drainage ditch construction.
Fence installation.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 23

DATE: 10/04/2006

DIRECTION FACING:

Southwest

DESCRIPTION: Former DNAPL settling basin. Influent at left side of photograph.



PROJECT #: B0036652

PHOTOGRAPH #: 24

DATE: 10/04/2006

DIRECTION FACING: North

DESCRIPTION: Former DNAPL settling basin. Influent at the right side of the photograph.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 25

DATE: 01/04/2007

DIRECTION FACING: North

DESCRIPTION: Former drainage swale from former storm sewer outfall to DNAPL settling basin.



PROJECT #: B0036652

PHOTOGRAPH #: 26

DATE: 01/04/2007

DIRECTION FACING: South

DESCRIPTION: Former drainage swale between former storm sewer outfall and DNAPL settling basin.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 27

DATE: 01/04/2007

DIRECTION FACING:

Northeast

DESCRIPTION: Former drainage swale between former storm sewer outfall and DNAPL settling basin. Backfilling and geotextile demarcation layer.



PROJECT #: B0036652

PHOTOGRAPH #: 28

DATE: 01/05/2007

DIRECTION FACING:

Northeast

DESCRIPTION: Former drainage swale area between former storm sewer outfall and DNAPL settling basin. Brush cleared.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 29

DATE: 01/05/2007

DIRECTION FACING: East

DESCRIPTION: Former drainage swale area between former storm sewer outfall and DNAPL settling basin. Area backfilled and graded.



PROJECT #: B0036652

PHOTOGRAPH #: 30

DATE: 08/28/2007

DIRECTION FACING: South

DESCRIPTION: Former DNAPL settling basin/stormwater detention basin. Existing HDPE liner power washing.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 31

DATE: 08/31/2007

DIRECTION FACING: Southwest

DESCRIPTION: Former DNAPL settling basin/stormwater detention basin. New HDPE liner installation.



PROJECT #: B0036652

PHOTOGRAPH #: 32

DATE: 08/31/2007

DIRECTION FACING:
Southeast

DESCRIPTION: Stormwater drainage ditch/stormwater detention basin transition.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 33

DATE: 11/09/2007

DIRECTION FACING: North

DESCRIPTION: Stormwater piping outfall and concrete headwall.



PROJECT #: B0036652

PHOTOGRAPH #: 34

DATE: 11/09/2007

DIRECTION FACING:
Southwest

DESCRIPTION: Stormwater drainage ditch. Gabion mattress installation.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 35

DATE: 10/04/2006

DIRECTION FACING:
Southeast

DESCRIPTION: Material
staging area construction, base
layer.



PROJECT #: B0036652

PHOTOGRAPH #: 36

DATE: 10/11/2006

DIRECTION FACING: East

DESCRIPTION: Material
staging area construction,
geotextile placement.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652
PHOTOGRAPH #: 37
DATE: 10/11/2006
DIRECTION FACING: South
DESCRIPTION: Material staging area construction, geotextile seaming.



PROJECT #: B0036652
PHOTOGRAPH #: 38
DATE: 10/12/2006
DIRECTION FACING: South
DESCRIPTION: Material staging area collection sump. Southeast corner of staging area.



Project Photographs

Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 39

DATE: 10/17/2006

DIRECTION FACING: North

DESCRIPTION: Groundwater treatment system building foundation excavation. Abandoned 6" to 12" gas utility lines encountered on north side of excavation.



PROJECT #: B0036652

PHOTOGRAPH #: 40

DATE: 10/23/2006

DIRECTION FACING: South

DESCRIPTION: Groundwater treatment system building foundation excavation.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 41

DATE: 10/24/2006

DIRECTION FACING: East

DESCRIPTION: Groundwater treatment system building foundation excavation. Northeast corner of building foundation excavation.



PROJECT #: B0036652

PHOTOGRAPH #: 42

DATE: 10/23/2006

DIRECTION FACING: Northeast

DESCRIPTION: Groundwater treatment system building foundation excavation. Sump for groundwater collection.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 43

DATE: 10/25/2006

DIRECTION FACING: North

DESCRIPTION: Groundwater treatment system building foundation excavation. Circular brick foundation encountered.



PROJECT #: B0036652

PHOTOGRAPH #: 44

DATE: 10/25/2006

DIRECTION FACING: South

DESCRIPTION: Groundwater treatment system building foundation excavation. Removal of brick foundation.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 45

DATE: 10/25/2006

DIRECTION FACING:

Northeast

DESCRIPTION: Groundwater treatment system building foundation excavation near excavation for building sump.



PROJECT #: B0036652

PHOTOGRAPH #: 46

DATE: 10/31/2006

DIRECTION FACING:

Southeast

DESCRIPTION: Groundwater treatment system building foundation subgrade preparation. Placement of building foundation subgrade.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 47

DATE: 10/31/2006

DIRECTION FACING: West

DESCRIPTION: Groundwater treatment system building foundation subgrade preparation. Subgrade compaction and compaction testing.



PROJECT #: B0036652

PHOTOGRAPH #: 48

DATE: 11/02/2006

DIRECTION FACING: South

DESCRIPTION: Groundwater treatment system building foundation preparation. Building sump rebar.



Project Photographs

Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 49

DATE: 11/17/2006

DIRECTION FACING: North

DESCRIPTION: Groundwater treatment system building foundation construction. Rebar and in-slab utility conduit placement.



PROJECT #: B0036652

PHOTOGRAPH #: 50

DATE: 11/20/2006

DIRECTION FACING: North

DESCRIPTION: Groundwater treatment system building foundation. Influent and effluent pipe penetrations in building foundation.



Project Photographs

Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 51

DATE: 11/28/2006

DIRECTION FACING: South

DESCRIPTION: Groundwater conveyance piping installation. Electrical conduit, tracing wire, and warning tape installed from groundwater treatment system building (top of photo) to manhole NMH-1 (bottom of photo).



PROJECT #: B0036652

PHOTOGRAPH #: 52

DATE: 12/07/2006

DIRECTION FACING:
Southwest

DESCRIPTION: Groundwater treatment system building construction.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 53

DATE: 12/08/2006

DIRECTION FACING: North

DESCRIPTION: Groundwater treatment system building construction. Electrical conduit, tracer wire, and warning tape installed from manhole NMH-6 (not shown).



PROJECT #: B0036652

PHOTOGRAPH #: 54

DATE: 01/04/2007

DIRECTION FACING: West

DESCRIPTION: Groundwater treatment system building.



Project Photographs

Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 55

DATE: 11/20/2006

DIRECTION FACING: East

DESCRIPTION: Stormwater conveyance piping installation. Saw-cutting asphalt pavement.



PROJECT #: B0036652

PHOTOGRAPH #: 56

DATE: 11/29/2006

DIRECTION FACING: South

DESCRIPTION: Stormwater conveyance pipe installation. 24" HDPE piping from catch basin CB-2 (not shown) to stormwater drainage ditch.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 57

DATE: 12/01/2006

DIRECTION FACING:

Northeast

DESCRIPTION: Stormwater conveyance pipe installation. Trench plug north of outfall to lined stormwater drainage ditch.



PROJECT #: B0036652

PHOTOGRAPH #: 58

DATE: 12/06/2006

DIRECTION FACING: East

DESCRIPTION: Stormwater conveyance piping installation. Stormwater conveyance pipe outfall headwall.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 59

DATE: 12/15/2006

DIRECTION FACING:

Southeast

DESCRIPTION: Stormwater catch basin installation. Catch basin CB-2, grouted piping.



PROJECT #: B0036652

PHOTOGRAPH #: 60

DATE: 12/15/2006

DIRECTION FACING: North

DESCRIPTION: Stormwater catch basin installation. Catch basin CB-4, dual 8" HDPE piping from CB-5 and 12" PVC roof drain, grouted piping.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 61

DATE: 12/12/2006

DIRECTION FACING: West

DESCRIPTION: Manhole NMH-6 installation. Former corrugated metal pipe cleanout (top of photo).



PROJECT #: B0036652

PHOTOGRAPH #: 62

DATE: 12/13/2006

DIRECTION FACING: West

DESCRIPTION: Manhole NMH-6 installation.
Excavation area being drained.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 63

DATE: 08/20/2007

DIRECTION FACING: South

DESCRIPTION: French drain installation. Geotextile wrap and backfill.



PROJECT #: B0036652

PHOTOGRAPH #: 64

DATE: 08/20/2007

DIRECTION FACING: North

DESCRIPTION: French drain installation. Gravel backfill and geotextile wrap.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 65

DATE: 05/08/2007

DIRECTION FACING:

Northwest

DESCRIPTION: Service Center
asphalt removal.



PROJECT #: B0036652

PHOTOGRAPH #: 66

DATE: 05/10/2007

DIRECTION FACING: South

DESCRIPTION: Asphalt
subgrade placement, grading,
and compaction.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652
PHOTOGRAPH #: 67
DATE: 05/10/2007
DIRECTION FACING: East
DESCRIPTION: Asphalt subgrade preparation.



PROJECT #: B0036652
PHOTOGRAPH #: 68
DATE: 05/30/2007
DIRECTION FACING:
Northwest
DESCRIPTION: Service Center paving. Asphalt base course at southeast corner of Service Center building.



Project Photographs

Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 69

DATE: 05/30/2007

DIRECTION FACING: West

DESCRIPTION: Service Center paving. Asphalt base course. Catch basin CB-7, manhole NMH-5.



PROJECT #: B0036652

PHOTOGRAPH #: 70

DATE: 06/06/2008

DESCRIPTION: Groundwater treatment system. Influent settling tank (T-300).



Project Photographs

Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 71

DATE: 06/06/2008

DESCRIPTION: Groundwater treatment system. Oil-water separator (T-400) and oil-water separator effluent tank (T-500).



PROJECT #: B0036652

PHOTOGRAPH #: 72

DATE: 06/06/2008

DESCRIPTION: Groundwater treatment system. Bag filter housing BF-501, -502, -503, and -504. New P-500 pumps and old P-500 pumps on right side of photograph.



Project Photographs

Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 73

DATE: 07/13/2007

DESCRIPTION: Groundwater treatment system. Bag filter housing BF-501, -502, -503, and -504.



PROJECT #: B0036652

PHOTOGRAPH #: 74

DATE: 06/06/2008

DESCRIPTION: Groundwater treatment system. Organoclay vessels (OC-601 and OC-602).



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 75

DATE: 06/06/2008

DESCRIPTION: Groundwater treatment system. Granular activated carbon vessels (C-701 and C-702).



PROJECT #: B0036652

PHOTOGRAPH #: 76

DATE: 06/06/2008

DESCRIPTION: Groundwater treatment system. Anion resin vessels (AR-801 and AR-802).



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 77

DATE: 06/06/2008

DESCRIPTION: Groundwater treatment system. Backwash water storage tank (T-900).



PROJECT #: B0036652

PHOTOGRAPH #: 78

DATE: 06/06/2008

DESCRIPTION: Groundwater treatment system. Sequestering agent storage drum and metering pump.



Project Photographs
Storm Sewer IRM Engineering Certification Report

National Grid – Gloversville (Hill Street) Former MGP Site

PROJECT #: B0036652

PHOTOGRAPH #: 79

DATE: 06/06/2008

DESCRIPTION: Groundwater treatment system. Biocide storage drum and metering pump.



PROJECT #: B0036652

PHOTOGRAPH #: 80

DATE: 06/06/2008

DESCRIPTION: Groundwater treatment system. Process control room. Main control panel (CP-1) (left) and Variable Frequency Drive control panel (right).



Appendix F (included on CD)

Wastewater Discharge Permit and
Initial Sampling Results

ARCADIS

**Correspondence between
ARCADIS and the GJJWTF**

Transmitted Via U.S. Mail

March 16, 2006

Mr. George E. Bevington
Gloversville-Johnstown Joint Sewer Board
191 Union Avenue Extension
Johnstown, New York 12095-3399

Re: Request for Approval to Discharge
Gloversville (Hill Street) Former Manufactured Gas Plant Site

Dear Mr. Bevington:

Pursuant to a recent telephone conversation with Mr. Joseph Cellary of the Gloversville-Johnstown Joint Wastewater Treatment Facility (GJJWWTF), this letter presents requested information to establish maximum discharge limits for treated groundwater to be discharged from a proposed groundwater treatment system at the National Grid Gloversville (Hill Street) Former Manufactured Gas Plant (MGP) site. The site is located at 20 Hill Street, Gloversville, New York.

As part of a storm sewer interim remedial measure (IRM), National Grid is planning to construct an onsite groundwater treatment system to treat impacted groundwater collected by the onsite storm sewer system. Until alternative options are available, Blasland, Bouck & Lee, Inc. (BBL), on behalf of National Grid, is requesting to discharge treated groundwater to the GJJWWTF via an onsite sanitary manhole. In anticipation of these activities, BBL obtained a preliminary listing of maximum discharge limits from the GJJWWTF via a September 13, 2005 facsimile, as presented in Table 1.

This letter includes the following information:

- Relevant background information;
- A summary of storm sewer investigation activities and results;
- A summary of the storm sewer IRM objectives and a brief description of the proposed groundwater treatment system; and
- The anticipated discharge conditions to the GJJWWTF.

Relevant background information is present below followed by a summary of the storm sewer investigation activities, and investigation results.

Relevant Background Information

Based on historical information related to site operations, manufactured gas was produced at the site from 1900 to the late 1950s. During the 1950s, select gas holders and other gas production equipment were removed from the site. The service center building (which is the predominant structure at the site) was constructed immediately north of a majority of the former MGP production equipment in two phases; the first in the late 1950s and the second in the late 1960s/early 1970s.

The site currently operates as an active National Grid service center. The existing storm sewer system collects a combination of stormwater runoff (via onsite catch basins) and groundwater (via a series of underdrains located beneath and near the service center building). The combined stormwater and groundwater is conveyed via underground piping to the southwest corner of the site where it is discharged to the Cayadutta Creek.

Based on both historical and recent storm sewer investigations, groundwater collected by onsite underdrains appears to have been impacted by historical site operations. A summary of the storm sewer investigation activities and results is presented below.

Storm Sewer Investigation Activities and Results

In order to formulate a basis of design for the onsite groundwater treatment system, BBL (on behalf of National Grid) conducted a storm sewer investigation from August through November 2005. Storm sewer samples were collected during dry weather conditions so that storm sewer flows were representative of groundwater collected by onsite building underdrains. Groundwater samples were collected from onsite storm sewer catch basins CB-1, CB-2, CB-4, CB-5, and CB-6 during multiple sampling events. Each of the groundwater samples were submitted for laboratory analysis for benzene, toluene, ethylbenzene, and xylene (BTEX); polynuclear aromatic hydrocarbons (PAHs); and total cyanide. The objective of these sampling efforts was to identify the potential locations where impacted groundwater may be entering the storm sewer system.

BBL is currently conducting monthly sampling (February, March, and April of 2006) at manhole MH-2. The groundwater samples collected during these sampling events are being submitted for laboratory analysis for each of the constituents on the GJJWWTF discharge limit table (Table 1). The objective of these sampling efforts is to confirm the anticipated influent groundwater quality to the proposed groundwater treatment system and worst-case (i.e., untreated) groundwater quality that could potentially be discharged to the onsite publicly-owned treatment works (POTW) sanitary manhole.

Primary concerns associated with the groundwater collected and conveyed by the onsite storm sewer system include the presence of coal tar dense non-aqueous phase liquid (DNAPL), BTEX, and total cyanide. Results of the storm sewer investigations include the following:

- Coal tar DNAPL was observed in onsite catch basin CB-1 located near the southeast corner of the service center building.
- BTEX was detected in 6 of the 13 samples collected during the 2005 storm sewer investigation at concentrations up to 1,140 micrograms per liter (ug/L) in a sample collected from catch basin CB-1. Benzene was detected at a concentration of 6.7 ug/L in the groundwater sample collected from

manhole MH-2 (which represents a composite sample of the groundwater collected by the underdrains in the vicinity of the service center building) during the February 2006 sampling event.

- Total cyanide was detected in 6 of the 13 samples collected during the 2005 storm sewer investigation at concentrations up to 309 ug/L in a sample collected from catch basin CB-1. Total cyanide was detected at a concentration of 52.4 ug/L in the groundwater sample collected from manhole MH-2 during the February 2006 sampling event.

Additional groundwater samples will be collected from manhole MH-2 during March and April 2006 to further characterize the anticipated influent groundwater quality to the proposed groundwater treatment system.

Storm Sewer IRM

Based on the results of the storm sewer investigation activities, National Grid is planning to implement a storm sewer IRM at the site. The objectives of the storm sewer IRM are as follows:

- Collect and convey stormwater and groundwater separately within the onsite sewer system;
- Manage and discharge stormwater collected by the modified sewer system in accordance with applicable rules and regulations; and
- Treat and dispose groundwater collected by the modified sewer system in accordance with applicable rules and regulations.

As part of the storm sewer IRM, National Grid is planning to construct a groundwater treatment system to treat impacted groundwater prior to discharge to the GJJWWTF. At a minimum, the groundwater treatment system will consist of an oil/water separator to remove coal tar NAPL collected and conveyed through the existing storm sewer piping. Additional treatment system components may include:

- bag filters for the removal of suspended solids;
- organoclay filtration vessels for the removal of emulsified oils;
- granular activated carbon (GAC) vessels for the removal of organics; and
- cation resin vessels for the removal of cyanide.

National Grid is continuing to evaluate the necessity of these components based on groundwater quality and the maximum discharge limits to the GJJWWTF POTW.

The onsite groundwater treatment system has been designed to operate at a maximum flow rate of 50 gallons per minute (gpm). National Grid anticipates that the discharge would continue for several years. Alternative discharge options (other than discharge to the GJJWWTF) potentially may be incorporated into site-wide remedial options (anticipated to be developed over the next several years), thereby reducing or potentially eliminating the need for discharging treated groundwater to the GJJWWTF.

National Grid is requesting approval to discharge treated groundwater at a maximum flow rate of 50 gpm to the onsite sanitary manhole within the National Grid fence line. The sanitary manhole is located approximately 50 feet south of the northwest corner of the fence line (believed to be numbered 51B as


indicated on a manhole location map provided to BBL by the GJJWWTF in a December 19, 2005 facsimile).

As indicated in Table 1, the current cyanide maximum discharge limit is 40 ug/L. National Grid is still in the process of evaluating the need for the addition/removal of groundwater treatment system components. Based on the information provide in this letter, National Grid is requesting that the Gloversville-Johnstown Joint Sewer Board provide a revised maximum discharge limit list to include discharge of total cyanide at a concentration up to 100 ug/L.

Please contact me at (315) 671-9114 if you have any questions or comments regarding the information presented in this letter.

Sincerely,

BLASLAND, BOUCK & LEE, INC.



Jason D. Brien
Project Manager

JRG/jlc
Attachments

cc: Mr. Joseph Cellary, Gloversville-Johnstown Joint Wastewater Treatment Facility
Mr. Terry W. Young, P.E., National Grid
Mr. Brian M. Stearns, P.E., National Grid
Mr. Margaret A. Carrillo-Sheridan, P.E., Blasland, Bouck & Lee, Inc.
Mr. James M. Nuss, P.E., Blasland, Bouck & Lee, Inc.

TABLE 1

NATIONAL GRID
GLOVERSVILLE (HILL STREET) FORMER MGP SITE
GLOVERSVILLE, NEW YORK

PRELIMINARY TREATMENT SYSTEM
DISCHARGE LIMITS

Constituent	Preliminary Maximum Discharge Limit ¹ (ug/L)
Benzene	14
Chloroform	410
Ethylbenzene	800
1,1,2,2-Tetrachloroethane	40
Tetrachloroethene	10
Toluene	1,380
Pentachlorophenol	10
Total chlorinated phenolics	10
Total phenolics (4AAP)	1,370
Naphthalene	250
Aldrin	0.05
BHC (sum)	0.2
Oil and Grease	150,000
Antimony	1,500
Arsenic	100
Cadmium	30
Chromium	10,000
Hexavalent Chromium	150
Copper	200
Lead	120
Mercury	30
Nickel	400
Selenium	30
Silver	30
Thallium	60
Zinc	650
Cyanide	40
pH (standard units)	6-10 range
Temperature (Degrees F)	150

Note:

1. Preliminary maximum discharge limit provided by the Gloversville-Johnstown Joint Wastewater Treatment Facility (GJJWWTF) in an September 13, 2005 facsimile to BBL.



GLOVERSVILLE - JOHNSTOWN JOINT WASTEWATER TREATMENT FACILITY

LEE A. MITCHELL
CHAIRMAN
DAVID THUM
VICE CHAIRMAN
JOHN BLACKMON
SECRETARY
RICHARD HANDY
FRANK MALAGISI
ROBERT NOWICKI

191 UNION AVENUE
JOHNSTOWN, NEW YORK 12095-3399
NYS PDES #0026042
TELEPHONE: 518-762-3101
FACSIMILE: 518-762-3921
E-MAIL: [gjwtf@frontiernet.net](mailto:gjjwtf@frontiernet.net)
WEBSITE: g-jwastewater.com

GEORGE BEVINGTON
MANAGER-WASTEWATER PROGRAMS

MICHAEL ALBANESE
JOINT SEWER BOARD ATTORNEY
35 SOUTH MAIN STREET
GLOVERSVILLE, NEW YORK 12078
518-773-4566

March 24, 2006

Jason Brien
Project Manager
Blasland, Bouck & Lee, Inc.
6723 Towpath road
P.O. Box 66
Syracuse, NY 13214-0066

Dear Mr. Brien:

I am in receipt of your March 16, 2006 letter requesting approval to discharge treated groundwater from the National Grid Service Center at 20 Hill Street in Gloversville, to the Gloversville-Johnstown Joint Wastewater Treatment Facility (GJJWTF) via a sanitary sewer manhole.

The letter contains a lot of information on the project, however there are a few questions that need to be addressed.

1. You indicated a maximum flow from your treatment system at 50 gpm. Would this system operate at 50 gpm for 24-hours over a 7-day or 30-day period or just for a period of a few hours each day? An estimate of the expected monthly discharge quantity over the length of the project is needed.
2. Since the system is treating groundwater, do you expect seasonal flows, higher flows during spring months?
3. Your letter did not indicate a start-up date for the treatment system. When do you anticipate putting the system online?
4. Regarding the request by National Grid to revise the maximum discharge limit for total cyanide from 40 ug/l to 100 ug/l, I believe the Gloversville-Johnstown Joint Sewer Board (GJJSB) would approve this request. However, prior to any discharge, a sample of the treated groundwater will need to be analyzed for all of the constituents listed in Table I (assuming the total cyanide level is increased to 100 ug/l). These limits must be achieved for any wastewater entering the sewer system serviced by the GJJWTF. Periodic self-monitoring to insure that the discharge is below permit levels will also be required.

Mr. Brien
Project Manager
Blasland, Bouck & Lee, Inc.
March 24, 2006
Page Two

Concerning the discharge of treated groundwater into the sanitary sewer manhole, please be advised that per the Gloversville Sewer Use Law, the City Engineer must approve all connections to the city sewer system. The GJJSB can approve to accept the discharge, but the City Engineer must approve the connection. A copy of your letter will be forwarded to Gloversville City Engineer Lee Mitchell, at 3 Frontage Road, Gloversville, NY 12078 for his consideration.

Upon receipt of this additional information, your request for disposal will be presented to the GJJSB.

If you have any questions, please feel free to contact me, or Laboratory Director Joseph Cellary at (518) 762-3101.

Yours truly,

GLOVERSVILLE-JOHNSTOWN
JOINT SEWER BOARD



George Bevington
Manager-Wastewater Programs

GB/st

cc: Joseph Cellary, Laboratory Director, GJJWTF
Lee A. Mitchell, Gloversville City Engineer

JDB



 an ARCADIS company

Transmitted Via U.S. Mail

June 5, 2006

Mr. George E. Bevington
Gloversville-Johnstown Joint Sewer Board
191 Union Avenue Extension
Johnstown, New York 12095-3399

Re: Request for Approval to Discharge
Gloversville (Hill Street) Former Manufactured Gas Plant Site
Gloversville, New York
BBL Project #: 0364.36652 #5

Dear Mr. Bevington:

This letter responds to the Gloversville-Johnstown Joint Sewer Board's (GJJSB's) comments on a March 16, 2006 letter prepared by Blasland, Bouck & Lee, Inc. (BBL) for the National Grid, Gloversville (Hill Street) former Manufactured Gas Plant (MGP) site (the site) located at 20 Hill Street in Gloversville, New York. The GJJSB's comments were presented in a March 24, 2006 letter to the undersigned. The purpose of the initial correspondence to the GJJSB was to establish maximum discharge limits for treated groundwater to be discharged to the Gloversville-Johnstown Joint Wastewater Treatment Facility (GJJWTF) from a proposed groundwater treatment system to be constructed at the site.

For clarity and ease of presentation, each of the GJJSB's comments/questions is presented below followed by BBL's response.

Comment 1: *You indicated a maximum flow from your treatment system at 50 [gallons per minute] gpm. Would this system operate at 50 gpm for 24-hours over a 7-day or 30-day period or just for a few hours each day? An estimate of the expected monthly discharge quantity over the length of the project is needed.*

Response 1: The groundwater treatment system has been designed to operate at 50 gpm. However, the anticipated groundwater treatment system influent base flow (based on flow rates measured during storm sewer investigation activities) is approximately 23 gpm (15 and 8 gpm from onsite manhole pump stations 1 and 2, respectively). Transfer pumps, to be located in two manhole pump stations, will cycle on and off (via high and low level switches located in the manhole pump stations) to convey groundwater to the treatment system at flow rates of 30 and 20 gpm for manhole pumps stations 1 and 2, respectively.

Manhole pump station transfer pump cycle times have been approximated based on the manhole pump station influent flow rates, capacity, and effluent flow rates. Groundwater treatment system effluent pump cycle times have been approximated based on manhole pump station effluent flow rates,

groundwater treatment system capacity and effluent flow rate. A general summary of the anticipated treatment system operation is presented in the following table.

Manhole Pump Stations and Effluent Pump Cycles

	Influent Flow Rate (gpm)	Effluent Flow Rate (gpm)	Time On (minutes)	Time Off (minutes)
Manhole Pump Station 1	15	30	10	10
Manhole Pump Station 2	8	20	13	18
Effluent Pump (to sanitary manhole)	---	50	55	65

As indicated in the table above, the groundwater treatment system effluent pump will have an approximate cycle of 55 minutes on and 65 minutes off. Based on these cycle times, the groundwater treatment system effluent pump is anticipated to operate (at 50 gpm) approximately 46% of the time (a discharge volume of approximately one million gallons per month). These cycle times are approximations based on assumed high and low level switch set points in manhole pump stations and groundwater treatment system equipment/holding tanks. Cycle times may be adjusted by altering high and low level switch set points. Additionally, treatment system volumes may vary seasonally based on groundwater flow conveyed by the underdrain system.

Comment 2: Since the system is treating groundwater, do you expect seasonal flows, higher flows during the spring months?

Response 2: The groundwater treatment system influent base flow rate of 23 gpm was measured during two monitoring events conducted during August and September 2005. The first monitoring event was conducted following three days of dry weather and the second monitoring event was conducted following a precipitation event when the area received more than 2 inches of rainfall over a three-day period. Based on field measurements, there was no appreciable increase in the flow rate observed following the precipitation event. No additional flow rate measurements were taken during the monthly monitoring conducted during February, March, and April 2006; however, appreciable increases in flow rates were not visually observed by field personnel. As indicated above, some seasonal fluctuation in flow rate is possible but based on visual assessment; a large fluctuation is not anticipated.

Comment 3: Your letter did not indicate a start-up date for the treatment system. When do you anticipate putting the system on-line?

Response 3: National Grid anticipates groundwater treatment system construction to begin during July 2006 and discharge to the GJJWTF to begin in September or October 2006. BBL will notify the GJJSB once a construction schedule and initial discharge date are proposed.

Comment 4: ... (P)rior to any discharge, a sample of the treated groundwater will need to be analyzed for all of the constituents listed in Table 1 (assuming the total cyanide level is increased to 100 µg/L). These limits must be achieved for any wastewater entering the sewer system serviced by the GJJWTF. Periodic self-monitoring to insure that the discharge is below permit levels will also be required.

Response 4: Noted. National Grid's Contractor will containerize and sample groundwater treated by the groundwater treatment system prior to discharging the treated water to the sanitary sewer to document that GJJWTF discharge limits are being met by the groundwater treatment system. Additionally, groundwater treatment system operation and maintenance will include periodic effluent sampling as required by the GJJSB.

As indicated by the GJJSB in the March 24, 2006 comment letter, the GJJSB is responsible for providing approval for discharge to the sanitary sewer and the City Engineer is responsible for providing approval for connecting to the sanitary sewer.

Please call me at (315) 671-9114 if you have any questions regarding the information presented in this letter.

Sincerely,

BLASLAND, BOUCK & LEE, INC.



Jason D. Brien
Project Manager

JRG/ams

cc: Mr. Joseph Cellary, Laboratory Director, GJJWTF
Mr. Lee Mitchell, City Engineer
Mr. Terry W. Young, P.E., National Grid
Mr. Brian M. Stearns, P.E., National Grid
Ms. Margaret A. Carrillo-Sheridan, P.E., Blasland, Bouck & Lee, Inc.
Mr. James M. Nuss, P.E., Blasland, Bouck & Lee, Inc.



Copy JDB

GLOVERSVILLE - JOHNSTOWN JOINT WASTEWATER TREATMENT FACILITY

LEE A. MITCHELL
CHAIRMAN
DAVID THUM
VICE CHAIRMAN
JOHN BLACKMON
SECRETARY
RICHARD HANDY
FRANK MALAGISI
ROBERT NOWICKI

191 UNION AVENUE
JOHNSTOWN, NEW YORK 12095-3399
NYS PDES #0026042
TELEPHONE: 518-762-3101
FACSIMILE: 518-762-3921
E-MAIL: gjwwtf@frontiernet.net
WEBSITE: g-jwastewater.com

GEORGE BEVINGTON
MANAGER-WASTEWATER PROGRAMS

MICHAEL ALBANESE
JOINT SEWER BOARD ATTORNEY
35 SOUTH MAIN STREET
GLOVERSVILLE, NEW YORK 12078
518-773-4566

June 12, 2006

Mr. Jason D. Brien
Project Manager
BBL Engineers
6723 Towpath Road
P.O. Box 66
Syracuse, NY 13214-0066

Re: Request for Approval to Discharge
Groversville (Hill Street) Former Manufactured Gas Plant Site
Groversville, New York
BBL Project #: 0364.36652 #5

Dear Mr. Brien:

Thank you for your letter dated June 5, 2006 responding to comments/questions raised by the Groversville-Johnstown Joint Sewer Board regarding the discharge of treated wastewater from the above referenced site into the city sewer system. Your responses were reviewed by the Industrial Compliance Committee on June 8, 2006.

After reviewing the responses to the Board's questions, the Board may be willing to issue a wastewater discharge permit for the disposal of this treated wastewater. Based upon the volume of wastewater to be discharged, the Industrial Compliance Committee is proposing the following cost schedule:

\$ 0.04 per gallon for the first 500,000 gallons
0.01 per gallon for the remainder of the calendar year

The discharge would have to be metered to allow for an accurate measurement of the volume discharged. Wastewater discharge permits are issued on an annual basis, and the above charges would be accessed on an annual basis.

Please call me at 518-762-3101 if you have any questions or concerns. If desired, the entire Board will review your request at the above terms at their next meeting.

Sincerely,

George Bevington
Manager-Wastewater Programs

CC: Joseph Cellary, Laboratory Director GJJWTF
Joint Sewer Board Members

GB/hr



 an ARCADIS company

Transmitted Via U.S. Mail

August 21, 2006

Mr. George E. Bevington
Gloversville-Johnstown Joint Sewer Board
191 Union Avenue Extension
Johnstown, New York 12095-3399

Re: Request for Approval to Discharge
Gloversville (Hill Street) Former Manufactured Gas Plant Site

Dear Mr. Bevington:

This letter responds to a June 12, 2006 letter from the Gloversville-Johnstown Joint Sewer Board (GJJSB) to regarding a request for approval to discharge treated groundwater to the Gloversville-Johnstown Joint Wastewater Treatment Facility (GJJWTF). The groundwater will be treated as part of a storm sewer interim remedial measure (IRM) to be constructed at the National Grid Gloversville (Hill Street) Former Manufactured Gas Plant (MGP) site located at 20 Hill Street, Gloversville, New York.

On behalf of National Grid, Blasland, Bouck & Lee, Inc, an ARCADIS Company (BBL) submitted a March 16, 2006 letter to the GJJSB requesting approval to discharge treated groundwater to an onsite sanitary sewer manhole located on National Grid's property. The sanitary manhole is located approximately 50 feet south of the northwest corner of the fenceline. The proposed discharge sanitary manhole is shown as number 51B on the manhole location map provided by the GGJWTF in a December 19, 2005 facsimile to BBL.

As presented in a June 5, 2006 comment response letter from BBL to the GJJSB, the groundwater treatment system has been designed to operate at 50 gallons per minute (gpm). However, based on the groundwater flow rate conveyed through onsite piping, National Grid anticipates that following construction of the IRM, treated water will be discharged to the sanitary sewer at an approximate rate of one million gallons per month.

Construction of the storm sewer IRM is anticipated to begin during September 2006 and take the remainder of 2006 to complete. During this period, treatment and discharge of groundwater will be dependant on the methods utilized by the Contractor to manage groundwater collected and conveyed by onsite underdrain piping. National Grid anticipates that at least a portion of this time, groundwater will be treated either through a temporary or permanent treatment system. Prior to the startup of the permanent groundwater treatment system, treated water will be stored in 21,000 gallon fractuation tanks (frac tanks) to facilitate sampling and analysis (as required) prior to batch disposal to the GJJWTF.

Assuming that the GJJSB issues a wastewater discharge permit for the disposal of treated groundwater, the following rate schedule proposed by the Industrial Compliance Committee, as presented in the June 12, 2006 letter from the GJJSB, is acceptable to National Grid:

- \$0.04 per gallon for the first 500,000 gallons; and
- \$0.01 per gallon for the remainder to the calendar year.


National Grid understands that wastewater discharge permits are issued on an annual basis and that the above disposal rates would be reassessed and subject to change on an annual basis. National Grid also understands that all discharges to the GJJWTF would be metered to allow for an accurate measurement of the volume discharged.

GJJWTF provided BBL with a preliminary listing of maximum discharge limits via a September 13, 2005 facsimile, which included the current cyanide maximum discharge limit of 40 micrograms per liter ($\mu\text{g/L}$). As indicated in the March 16, 2006 request letter from BBL to the GJJSB, on behalf of National Grid, BBL is requesting that as part of the approval to discharge, the GJJSB approve an increase of the maximum discharge limit for cyanide from 40 $\mu\text{g/L}$ to 100 $\mu\text{g/L}$. The proposed maximum discharge limits are included in Table 1 and consist of those provided by the GJJWTF with the requested increased cyanide discharge limit. BBL is requesting that the Industrial Compliance Committee assess and provide treated water sampling frequencies and analytical requirements for discharge to the GJJWTF. BBL will coordinate with the City of Gloversville Engineer (Mr. Lee Mitchell) regarding the potential connection to the onsite sanitary sewer manhole to be completed as part of the storm sewer IRM.

Please contact the undersigned, at (315) 671-9114 if you have any questions regarding the design and operation of the proposed onsite groundwater treatment system.

Sincerely,

BLASLAND, BOUCK & LEE, INC.



Jason D. Brien, P.E.
Senior Project Engineer II

JRG/jlc
Enclosure

cc: Mr. Joseph Cellary, Laboratory Director, GJJWTF
Mr. Lee A. Mitchell, City Engineer
Mr. Terry Young, P.E., National Grid
Mr. Brian M. Stearns, P.E., National Grid
Mr. James M. Nuss, P.E., BBL, an ARCADIS company
Ms. Margaret A. Carrillo-Sheridan, P.E., BBL, an ARCADIS company

TABLE 1

NATIONAL GRID
GLOVERSVILLE (HILL STREET) FORMER MGP SITE
GLOVERSVILLE, NEW YORK

GROUNDWATER TREATMENT SYSTEM
MAXIMUM DISCHARGE LIMITS

Constituent	Maximum Discharge Limit ¹ (ug/L)
Benzene	14
Chloroform	410
Ethylbenzene	800
1,1,2,2-Tetrachloroethane	40
Tetrachloroethene	10
Toluene	1,380
Pentachlorophenol	10
Total chlorinated phenolics	10
Total phenolics (4AAP)	1,370
Naphthalene	250
Aldrin	0.05
BHC (sum)	0.2
Oil and Grease	150,000
Antimony	1,500
Arsenic	100
Cadmium	30
Chromium	10,000
Hexavalent Chromium	150
Copper	200
Lead	120
Mercury	30
Nickel	400
Selenium	30
Silver	30
Thallium	60
Zinc	650
Cyanide	100
pH (standard units)	6-10 range
Temperature (Degrees F)	150

420.1

Note:

- Maximum discharge limits provided by the Gloversville-Johnstown Joint Wastewater Treatment Facility (GJJWTF) in an September 13, 2005 facsimile to BBL (with the exception of the proposed cyanide limit, indicated in bold font).

ARCADIS

**2006 Wastewater Discharge
Permit**



GLOVERSVILLE - JOHNSTOWN JOINT WASTEWATER TREATMENT FACILITY

LEE A. MITCHELL
CHAIRMAN
DAVID THUM
VICE CHAIRMAN
JOHN BLACKMON
SECRETARY
RICHARD HANDY
FRANK MALAGISI
ROBERT NOWICKI

191 UNION AVENUE
JOHNSTOWN, NEW YORK 12095-3399
NYS PDES #0026042
TELEPHONE: 518-762-3101
FACSIMILE: 518-762-3921
E-MAIL: gjwwtf@frontiernet.net
WEBSITE: g-jwastewater.com

GEORGE BEVINGTON
MANAGER-WASTEWATER PROGRAMS

MICHAEL ALBANESE
JOINT SEWER BOARD ATTORNEY
35 SOUTH MAIN STREET
GLOVERSVILLE, NEW YORK 12078
518-773-4566

September 28, 2006

Jason Brien, P.E.
Senior Project Engineer II
BBL, Inc.
6723 Towpath Road
P.O. Box 66
Syracuse, NY 13214-0066

Dear Mr. Brien:

At their meeting on Thursday, September 14, 2006, the Gloversville-Johnstown Joint Sewer Board granted an Industrial Wastewater Discharge Permit to National Grid for the disposal of treated groundwater at the former Manufactured Gas Plant located at 20 Hill Street in Gloversville. Please find enclosed a copy of the signed permit for National Grid effective September 15, 2006 through December 31, 2006.

Industrial Wastewater Discharge Permits are issued annually covering the period January through December. Please note that National Grid's current permit expires on December 31, 2006. The Gloversville-Johnstown Joint Sewer Board Rules and Regulations requires permittees to file for permit renewal at least thirty (30) days prior to expiration of the permit. Please find enclosed an application for renewal form that must be completed by National Grid and returned to this office by **November 3, 2006**.

If you have any questions regarding the permit or permit renewal form, please feel free to contact George Bevington or me at (518) 762-3101.

Yours truly,

GLOVERSVILLE-JOHNSTOWN
JOINT SEWER BOARD

Joseph Cellary
Laboratory Director

JC/st
Enclosure

cc: George Bevington, Manager-Wastewater Programs w/o encl.
Lee Mitchell, City Engineer, City of Gloversville w/o encl.



WASTEWATER DISCHARGE PERMIT

MAJOR CONTRIBUTING INDUSTRY

Permit No.: 133

Effective Date: September 15, 2006

Expiration Date: December 31, 2006

Firm Name: National Grid
Address: 20 Hill Street
Gloversville, NY 12078

Type of Business or Service: Utility Company

1. The above named applicant is permitted to discharge wastewater into the City of Gloversville/Johnstown Sewer System or tributary thereto. The applicant's wastewater discharge shall be in accordance with the attached Terms and Conditions.
2. **PERMIT NOT TRANSFERABLE:**
Industrial wastewater discharge permits are issued to a specific user for a specific operation at a specific location and are transferable only upon approval of the Gloversville-Johnstown Joint Sewer Board. A user must notify any prospective buyer and the Gloversville-Johnstown Joint Sewer Board in writing forty-five (45) days prior to any proposed conveyance of the users industrial facility. The prospective owner must make an application to the Gloversville-Johnstown Joint Sewer Board for transfer of the permit thirty (30) days prior to conveyance. Failure to comply with the foregoing notification procedure shall result in the automatic expiration of the facilities discharge permit on the date of conveyance. The facility may not be used until the new owner has obtained a permit for same. The Gloversville-Johnstown Joint Sewer Board may reinstate said discharge permit for good cause shown.
3. In consideration of the granting of this Permit, the applicant agrees to discharge wastewater only in accordance with the terms and conditions of the Permit. The applicant further agrees to:
 - (a) Abide by and conform to the Rules and Regulations of the Gloversville-Johnstown Joint Sewer Board, the Gloversville/Johnstown Sewer Use Law, Federal Pretreatment Regulations and other applicable provisions of federal and state law, rule and regulation including any such law, rule and regulation that may become effective during the term of this permit. All rules, regulations and laws herein referred to, are hereby constituted as part of this permit, the same as if fully set out herein.
 - (b) Furnish the Gloversville-Johnstown Joint Sewer Board upon request any additional information relating to the installation or use of sewer or drain for which this permit is sought.
 - (c) Operate all pretreatment facilities required by federal, state or local regulations, or required as a condition of the acceptance into the public sewer of the industrial wastewater involved, in an efficient manner at all times, and at no expense to the City.
 - (d) Cooperate with the Gloversville-Johnstown Joint Sewer Board and its representatives in their inspecting, sampling, measuring and study of wastewater, or the facilities provided for pretreatment, and provide the necessary access to property for the performance of these activities.
 - (e) Provide any self-monitoring results when completed by the facility or required by the Gloversville-Johnstown Joint Sewer Board to the Gloversville-Johnstown Joint Sewer Board in accordance with prescribed pretreatment regulations.

4.

- (a) The initial fracturation (frac) tank to be discharged shall be sampled and analyzed for all pollutants listed in Section 2 of the Terms and Conditions of this permit. Analytical data must be submitted and approved by the Gloversville-Johnstown Joint Sewer Board prior to discharge.
- (b) Each individual frac tank shall be sampled for pH by collecting a grab sample from each tank prior to discharge. pH must be between 6-10 SU.
- (c) Once the permanent treatment system is fully operational, the permittee shall perform semi-annual sampling as stated in Section 2 of the Terms and Conditions of this permit from a point after all treatment is completed but prior to discharge into the sewer system. The specific sampling point will be determined upon completion of the permanent system.

5. An application to renew this permit must be filed within thirty (30) days after notification by the Gloversville-Johnstown Joint Sewer Board.

6.

The permittee may petition to appeal the terms of this permit within thirty (30) days of the receipt of this permit. This petition must be in writing; failure to submit a petition for review shall be deemed to be a waiver of the appeal. In its petition, the permittee must indicate the permit provisions objected to, the reasons for this objection, and the alternative condition, if any, it seeks to be placed in the permit. The effectiveness of this permit shall not be stayed pending reconsideration by the Gloversville-Johnstown Joint Sewer Board. If, after considering the petition and any arguments put forth by the Manager-Wastewater Program, the Gloversville-Johnstown Joint Sewer Board determines that reconsideration is proper, it shall remand the permit back to the Manager-Wastewater Programs for reissuance. Those permit provisions being reconsidered by the Manager -Wastewater Programs shall be stayed pending reissuance.

7.

The permittee shall install and maintain a water meter on the discharge side of the treatment system capable of measuring the amount of wastewater discharged. The permittee shall allow representatives of the Gloversville-Johnstown Joint Sewer Board to read this meter on a monthly basis for the purpose of generating a bill.

8.

The permittee will be billed based upon the following rates:

- \$0.04 per gallon for the first 500,000 gallons per calendar year
- \$0.01 per gallon for the remainder of the calendar year
- Permittee shall be charged the City of Gloversville Sewer Maintenance fee
- Payment must be received within thirty (30) days of invoice date. Failure to pay promptly may be subject to late charges and/or revocation of permit.

Permit approved by the Gloversville-Johnstown Joint Sewer Board


(Manager-Wastewater Programs)

9/28/06
(Date)

Attachments to this permit:

- Terms and Conditions**
- Original application with exhibits**

TERMS AND CONDITIONS

Permit No.: 133

Effective Date: September 15, 2006

Expiration Date: December 31, 2006

Firm Name: National Grid

Address: 20 Hill Street
Gloversville, NY 12078

1. GENERAL PROHIBITIVE STANDARDS

The permittee shall comply with all the general prohibitive discharge standards contained in Article VI of the Gloversville/Johnstown Sewer Use Law. In addition, Section 403.5 of the National Pretreatment Standards provides that the following pollutants shall not be introduced into the Gloversville-Johnstown Joint Wastewater Treatment Facilities:

- (a) Pollutants which create a fire or explosion hazard in the Publicly Owned Treatment Works (POTW), including, but not limited to, waste streams with a closed cup flashpoint of less than 140 degrees Fahrenheit or 60 degrees Centigrade using the test methods specified in 40 CFR 261.21;
- (b) Pollutants that will cause corrosive structural damage to the POTW, but in no case discharges with pH lower than 5.0, unless the works is specifically designed to accommodate such Discharges;
- (c) Solid or viscous pollutants in amounts which will cause obstruction to the flow in the POTW resulting in Interference;
- (d) Any pollutant, including oxygen demanding pollutants (BOD, etc.) released in a Discharge at a flow rate and/or pollutant concentration, which will cause Interference with the POTW;
- (e) Heat in amounts which will inhibit biological activity in the POTW resulting in Interference, but in no case heat in such quantities that the temperature at the POTW Treatment Plant exceeds 104°F (40°C) unless the Approval Authority, upon request of the POTW, approves alternate temperature limits;
- (f) Petroleum oil, nonbiodegradable cutting oil, or products of mineral oil origin in amounts that will cause interference or pass through;
- (g) Pollutants which result in the presence of toxic gases, vapors, or fumes within the POTW in a quantity that may cause acute worker health and safety problems;
- (h) Any trucked or hauled pollutants, except at discharge points designated by the POTW; and
- (i) Foam or other substance in amounts which interfere with the accuracy or proper functioning of flow measurement or proper functioning of flow measuring or sampling equipment employed by the City, Gloversville-Johnstown Joint Sewer Board, NYSDEC, or USEPA.

2. WASTEWATER DISCHARGE LIMITATIONS

Parameters	Maximum 24-Hour Pollutant Concentrations (mg/l)	Sample Type	Self Monitoring Requirements
Antimony	1.50	24 Hr. comp.	Semi-annual
Arsenic	0.10	24 Hr. comp.	Semi-annual
Cadmium	0.03	24 Hr. comp.	Semi-annual
Chromium, Total	10.00	24 Hr. comp.	Semi-annual
Chromium, Hexavalent	0.15	24 Hr. comp.	Semi-annual
Copper	0.20	24 Hr. comp.	Semi-annual
Lead	0.12	24 Hr. comp.	Semi-annual
Mercury	0.03	24 Hr. comp.	Semi-annual
Nickel	0.40	24 Hr. comp.	Semi-annual
Selenium	0.03	24 Hr. comp.	Semi-annual
Silver	0.03	24 Hr. comp.	Semi-annual
Thallium	0.06	24 Hr. comp.	Semi-annual
Zinc	0.65	24 Hr. comp.	Semi-annual
Naphthalene	0.25	24 Hr. comp.	Semi-annual
Aldrin	0.00005	24 Hr. comp.	Semi-annual
BHC (all isomers)	0.0002	24 Hr. comp.	Semi-annual
Total Chlorinated Phenols	0.01	24 Hr. comp.	Semi-annual

Parameters	Peak Instantaneous Concentrations (mg/l)	Sample Type	Self Monitoring Requirements
Benzene	0.014	Grab	Semi-annual
Chloroform	0.41	Grab	Semi-annual
Cyanide, Total	0.10	Grab	Semi-annual
Ethylbenzene	0.80	Grab	Semi-annual
1,1,2,2-Tetrachloroethane	0.04	Grab	Semi-annual
Tetrachloroethylene	0.01	Grab	Semi-annual
Toluene	1.38	Grab	Semi-annual
Total Phenols	1.37	Grab	Semi-annual
Oil & Grease	150	Grab	Semi-annual
Pentachlorophenol	0.01	Grab	Semi-annual
Temperature, Deg Fahrenheit	150 Deg F	Grab	Semi-annual
pH SU (standard units)	6-10 SU range	Grab	Semi-annual

Note: All analyses shall be performed in accordance with Part 136 of Title 40, Code of Federal Regulations.

3. PRETREATMENT REQUIRED:

Compliance with the Gloversville/Johnstown Sewer Use Law Article VI.

4. FEDERAL CATEGORICAL REQUIREMENTS:

40 CFR Part 403 - General Pretreatment Regulations.

5. CHANGE IN WASTEWATER DISCHARGE:

All discharges authorized herein shall comply with the terms and conditions of this permit. The discharges of any pollutant more frequently than or at a level in excess of that specified and authorized by this permit shall constitute a violation of the terms and conditions of this permit. No permittee shall expand facilities, increase production or modify processes so as to cause new, different or increased discharges of pollutants without applying for and receiving a modified wastewater discharge permit.

6. **RIGHT OF ENTRY:**

The permittee shall allow duly authorized employees or representatives of the Gloversville-Johnstown Joint Sewer Board or City to enter the permittee's premises for the purpose of inspection, observation, measurement, sampling, and testing in accordance with Article VIII of the Gloversville/Johnstown Sewer Use Law.

7. **DILUTION OF DISCHARGE PROHIBITED:**

No discharger into the city sewer system shall augment the use of process water or otherwise intentionally dilute the discharge as a partial or complete substitute for adequate treatment to achieve compliance with the Gloversville/Johnstown Sewer Use Law, this permit or the Rules and Regulations of the Gloversville-Johnstown Joint Sewer Board.

8. **PERMIT MODIFICATIONS:**

This permit may be modified, suspended, or revoked in whole or in part during its term for cause including, but not limited to, the following:

- (a) Violation of any terms or conditions of this permit;
- (b) A change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge;
- (c) If an effluent standard is established under any state or federal law for a pollutant which is present in the discharge and such standard or prohibition is more stringent than any limitation for such pollutant in this permit; and
- (d) Interference with the exclusive use of monitoring equipment and facilities employed by the Gloversville-Johnstown Joint Sewer Board.

9. **NOTICE OF NON-COMPLIANCE:**

In the event the permittee does not comply with or will be unable to comply with any limitation specified in this permit due to:

- (a) Breakdown of industrial wastewater pretreatment equipment;
- (b) Accidents caused by human error or negligence; or
- (c) Other causes, such as acts of nature.

The permittee shall notify the Laboratory Director of the Gloversville-Johnstown Joint Wastewater Treatment Facilities IMMEDIATELY by telephone so that the Laboratory Director can take the necessary steps to prevent damage to the wastewater treatment process and equipment. The Manager-Wastewater Programs shall be notified in writing within five (5) days and the written statement shall include the following pertinent information:

- (a) Cause of non-compliance;
- (b) A description of the non-complying discharge;
- (c) Anticipated time the condition of non-compliance is expected to continue, or if such condition has been corrected, the duration of the period of non-compliance;
- (d) Steps taken by the permittee to reduce and eliminate the non-complying discharge; and
- (e) Steps to be taken by the permittee to prevent recurrence of the condition of non-compliance.

Nothing in this permit shall be construed to relieve the permittee from the penalties for non-compliance of this permit for any reason subject to Article X of the Gloversville/Johnstown Sewer Use Law.

10. BYPASS OF TREATMENT FACILITIES:

- (a) Bypass is prohibited unless it is unavoidable to prevent loss of life, personal injury, or severe property damage or no feasible alternatives exist.
- (b) The permittee may allow bypass to occur which does not cause effluent limitations to be exceeded, but only if it is also for essential maintenance to assure efficient operation.
- (c) Notification of bypass:
 - (1) Anticipated bypass. If the permittee knows in advance of the need for a bypass, it shall submit prior written notice, at least ten (10) days before the date of the bypass, to the Manager-Wastewater Programs and City Engineer.
 - (2) Unanticipated bypass. The permittee shall immediately notify the Laboratory Director of Gloversville-Johnstown Joint Wastewater Treatment Facilities and the City Engineer and submit a written statement to the POTW, Manager-Wastewater Programs within five (5) days. This report shall specify:
 - (i) A description of the bypass, and its cause, including its duration;
 - (ii) Whether the bypass has been corrected; and
 - (iii) The steps being taken or to be taken to reduce, eliminate and prevent a reoccurrence of the bypass.

11. SLUG DISCHARGE AND CONTROL PLAN:

When required, any permittee shall submit a Slug Discharge and Control Plan and comply with its contents.

12. NOTIFICATION OF POTENTIAL PROBLEMS INCLUDING SLUG LOADING:

- (a) The permittee shall notify the Laboratory Director of Gloversville-Johnstown Joint Wastewater Treatment Facilities and the City Engineer immediately of all discharges that could cause problems to the POTW, including slug loadings.
- (b) A written statement should be submitted to the POTW, Manager-Wastewater Programs within five (5) days. This report should specify:
 - (1) A description of the problem, and its cause, including duration;
 - (2) Whether the problem has been corrected; and
 - (3) The steps being taken or to be taken to reduce, eliminate and prevent a reoccurrence of the problem.

13. PENALTIES FOR VIOLATIONS OF PERMIT CONDITIONS:

The Gloversville/Johnstown Sewer Use Law provides that any user who violates a permit condition is subject to a civil penalty of not less than \$300 per day nor more than \$2,500 per day of such violation. Any user who introduces into the POTW any pollutant(s) which cause Interference or Pass Through is subject to a civil penalty of not less than \$1,000 per day nor more than \$10,000 per day of such violation. The permittee may also be subject to sanctions under State and/or Federal Law.

14. RECOVERY OF COSTS INCURRED:

In addition to civil and criminal liability, any permittee violating any of the provisions of this permit or the Gloversville/Johnstown Sewer Use Law or causing damage to or otherwise inhibiting the Gloversville-Johnstown Joint Wastewater Treatment Facilities shall be liable to the Gloversville-Johnstown Joint Sewer Board for any expense, loss, or damage caused by such violation or discharge, and any expense incurred in correcting the violation.

15. REPORTING REQUIREMENTS FOR VOLUNTARY SAMPLING:

- (a) Any permittee performing voluntary sampling shall submit to the Manager-Wastewater Programs all reports indicating the nature and concentration of pollutants in the effluent, which are covered by the Categorical Pretreatment Standards and the Gloversville-Johnstown Sewer Use Law. These reports shall be submitted as soon as they are available.
- (b) All analyses shall be performed in accordance with 40 Code of Federal Regulation Part 136 and amendments or with any other test procedures approved by the Administrator or suggested by the Manager-Wastewater Programs.
- (c) If sampling performed by permittee indicates a violation, the permittee must notify the Laboratory Director of the Gloversville-Johnstown Joint Wastewater Treatment Facilities within twenty-four (24) hours of being aware of the violation. The permittee will also repeat the sampling and analysis and submit the results of the repeat analysis to the Manager-Wastewater Programs within thirty (30) days after becoming aware of the violation.

16. RECORD-KEEPING REQUIREMENTS:

- (a) Permittee shall maintain records of all voluntary monitoring activities. Such records shall include:
 - (1) The date, exact place, method, and time of sampling and the names of person or persons taking the samples;
 - (2) The dates analyses were performed;
 - (3) The name of company and person performing analyses;
 - (4) The analytical techniques/method used;
 - (5) The results of such analyses;
 - (6) Records should be retained a minimum of three (3) years and such records should be made available for inspection and copying; also
 - (7) This period of retention may be extended during the course of unresolved litigation regarding the permittee.

17. SEVERABILITY:

The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

18. APPROVAL OF DISCHARGE POINT

The City of Gloversville Engineer must approve the location of the discharge point into the City sewer system prior to any discharge.

**Initial Discharge Approval and
Sampling Results**

Golubski, Jason

From: Brien, Jason
Sent: Thursday, June 12, 2008 1:45 PM
To: Golubski, Jason
Subject: FW: Gloversville - Treated effluent cyanide and pH results

From: Joe Cellary [mailto:joec1@frontiernet.net]
Sent: Friday, November 03, 2006 8:31 AM
To: Brien, Jason
Cc: Merrell, Todd; George Bevington
Subject: Re: Gloversville - Treated effluent cyanide and pH results

Jason,

I reviewed all of the analytical results and the results all fall within acceptable discharge limits. I did notice that one test was missing. This would be for phenolics, total recoverable by 4-AAP (amino antipyrine). This analyte is tested using method EPA 420.1 or EPA 420.2. Your lab data did include analysis for a number of phenolic compounds, including phenol. However we will need to have total phenolics tested by the 4-AAP method as this is the method stated in our Sewer Use Law and SPDES Permit.

At this time, I am giving approval for the discharge of the treated water in the frac tanks based upon the current analytical data. However I will need to see the analytical results for total phenolics analyzed using 4-AAP before any additional discharges occur.

I will be out of the office this morning doing some inspections locally. Todd can call and leave a message when the discharge begins and I'll get there as soon as I can. I may also stop in between inspections to see how things are going and answer any questions you may have.

I won't be going out until @ 8:00 AM so if you have any questions early, call me before then.

Thanks for your cooperation.

Joseph Cellary
Lab Director
GJJWTF

----- Original Message -----

From: [Brien, Jason](#)
To: joec1@frontiernet.net
Cc: [Merrell, Todd](#)
Sent: Thursday, November 02, 2006 3:48 PM
Subject: Gloversville - Treated effluent cyanide and pH results

Joe,

Please find the attached analytical results for the treated effluent at Gloversville. If the water is acceptable for discharge please provide written authorization to discharge (via email is fine) and Todd Merrell will give you a call to notify you when the discharge will take place. Thanks Joe.

Sincerely,

Jason D. Brien, P.E.
Senior Project Engineer II

(315) 671-9114 (direct)

The information contained in this email message is intended for the personal and confidential use of the recipients named above. This message may be attorney-client communication, and as such, is privileged and confidential. If the reader of this message is not the intended recipient, you are hereby notified that you have received this message in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this message in error, please notify the sender immediately by email, and delete the original message.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

November 01, 2006

Robert Gray
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 061027049

TEL: (315) 697-8437

FAX: (315) 697-9391

RE: National Grid
Gloversville


Dear Robert Gray:

Adirondack Environmental Services, Inc received 2 samples on 10/27/2006 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

R. Drabot 518-725-8763 - FAX

Robert Gray - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061027049
Project: National Grid
PO#:

Client Sample ID: Effluent
Collection Date: 10/27/2006
Lab Sample ID: 061027049-001
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 11/1/2006)						
Phenol	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2-Chlorophenol	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2-Methylphenol	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
4-Methylphenol	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Hexachloroethane	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Nitrobenzene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Isophorone	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2-Nitrophenol	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Naphthalene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
4-Chloroaniline	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2-Nitroaniline	< 24	24		µg/L	1	11/1/2006 4:16:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Acenaphthylene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
3-Nitroaniline	< 24	24		µg/L	1	11/1/2006 4:16:00 PM
Acenaphthene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2,4-Dinitrophenol	< 24	24		µg/L	1	11/1/2006 4:16:00 PM
4-Nitrophenol	< 24	24		µg/L	1	11/1/2006 4:16:00 PM
Dibenzofuran	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Diethyl phthalate	< 5	5		µg/L	1	11/1/2006 4:16:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061027049
Project: National Grid
PO#:

Client Sample ID: Effluent
Collection Date: 10/27/2006
Lab Sample ID: 061027049-001
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 11/1/2006)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Fluorene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
4-Nitroaniline	< 24	24		µg/L	1	11/1/2006 4:16:00 PM
4,6-Dinitro-2-methylphenol	< 24	24		µg/L	1	11/1/2006 4:16:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Pentachlorophenol	< 24	24		µg/L	1	11/1/2006 4:16:00 PM
Phenanthrene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Anthracene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Carbazole	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Fluoranthene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Pyrene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	11/1/2006 4:16:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Chrysene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	11/1/2006 4:16:00 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

Chloromethane	< 10	10		µg/L	1	10/30/2006 10:26:00 AM
Bromomethane	< 10	10		µg/L	1	10/30/2006 10:26:00 AM
Vinyl chloride	< 10	10		µg/L	1	10/30/2006 10:26:00 AM
Chloroethane	< 10	10		µg/L	1	10/30/2006 10:26:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Acetone	13	10		µg/L	1	10/30/2006 10:26:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061027049
Project: National Grid
PO#:

Client Sample ID: Effluent
Collection Date: 10/27/2006
Lab Sample ID: 061027049-001
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Chloroform	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
2-Butanone	< 10	10		µg/L	1	10/30/2006 10:26:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Benzene	14	5.0		µg/L	1	10/30/2006 10:26:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Bromoform	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	10/30/2006 10:26:00 AM
2-Hexanone	< 10	10		µg/L	1	10/30/2006 10:26:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Toluene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Ethylbenzene	17	5.0		µg/L	1	10/30/2006 10:26:00 AM
Styrene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
m,p-Xylene	10	5.0		µg/L	1	10/30/2006 10:26:00 AM
o-Xylene	10	5.0		µg/L	1	10/30/2006 10:26:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	10/30/2006 10:26:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Cyclohexane	< 10	10		µg/L	1	10/30/2006 10:26:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061027049
Project: National Grid
PO#:

Client Sample ID: Effluent
Collection Date: 10/27/2006
Lab Sample ID: 061027049-001
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	10/30/2006 10:26:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:26:00 AM
CYANIDE, TOTAL E335.3						Analyst: RC
(Prep: E335.3 - 10/27/2006)						
Cyanide	< 0.01	0.01		mg/L	1	10/27/2006
OIL AND GREASE E1664						Analyst: MR
Oil & Grease	1.7	1.0		mg/L	1	11/1/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061027049
Project: National Grid
PO#:

Client Sample ID: Between Carbon/Resin
Collection Date: 10/27/2006
Lab Sample ID: 061027049-002
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 11/1/2006)						
Phenol	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Bis(2-chloroethyl)ether	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2-Chlorophenol	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
1,3-Dichlorobenzene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
1,4-Dichlorobenzene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
1,2-Dichlorobenzene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2-Methylphenol	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Bis(2-chloroisopropyl)ether	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
4-Methylphenol	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
N-Nitrosodi-n-propylamine	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Hexachloroethane	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Nitrobenzene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Isophorone	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2-Nitrophenol	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2,4-Dimethylphenol	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Bis(2-chloroethoxy)methane	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2,4-Dichlorophenol	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Naphthalene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
4-Chloroaniline	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Hexachlorobutadiene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
4-Chloro-3-methylphenol	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2-Methylnaphthalene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Hexachlorocyclopentadiene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2,4,6-Trichlorophenol	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2,4,5-Trichlorophenol	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2-Chloronaphthalene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2-Nitroaniline	< 25	25		µg/L	1	11/1/2006 4:45:00 PM
Dimethyl phthalate	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Acenaphthylene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2,6-Dinitrotoluene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
3-Nitroaniline	< 25	25		µg/L	1	11/1/2006 4:45:00 PM
Acenaphthene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2,4-Dinitrophenol	< 25	25		µg/L	1	11/1/2006 4:45:00 PM
4-Nitrophenol	< 25	25		µg/L	1	11/1/2006 4:45:00 PM
Dibenzofuran	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
2,4-Dinitrotoluene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Diethyl phthalate	< 5	5		µg/L	1	11/1/2006 4:45:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061027049
Project: National Grid
PO#:

Client Sample ID: Between Carbon/Resin
Collection Date: 10/27/2006
Lab Sample ID: 061027049-002
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3510/E625 - 11/1/2006)						
4-Chlorophenyl phenyl ether	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Fluorene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
4-Nitroaniline	< 25	25		µg/L	1	11/1/2006 4:45:00 PM
4,6-Dinitro-2-methylphenol	< 25	25		µg/L	1	11/1/2006 4:45:00 PM
N-Nitrosodiphenylamine	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
4-Bromophenyl phenyl ether	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Hexachlorobenzene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Pentachlorophenol	< 25	25		µg/L	1	11/1/2006 4:45:00 PM
Phenanthrene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Anthracene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Carbazole	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Di-n-butyl phthalate	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Fluoranthene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Pyrene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Butyl benzyl phthalate	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
3,3'-Dichlorobenzidine	< 10	10		µg/L	1	11/1/2006 4:45:00 PM
Benz(a)anthracene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Chrysene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Bis(2-ethylhexyl)phthalate	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Di-n-octyl phthalate	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Benzo(b)fluoranthene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Benzo(k)fluoranthene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Benzo(a)pyrene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Indeno(1,2,3-cd)pyrene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Dibenz(a,h)anthracene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM
Benzo(g,h,i)perylene	< 5	5		µg/L	1	11/1/2006 4:45:00 PM

Analyst: ML

VOLATILE ORGANICS SW8260B

Chloromethane	< 10	10		µg/L	1	10/30/2006 10:49:00 AM
Bromomethane	< 10	10		µg/L	1	10/30/2006 10:49:00 AM
Vinyl chloride	< 10	10		µg/L	1	10/30/2006 10:49:00 AM
Chloroethane	< 10	10		µg/L	1	10/30/2006 10:49:00 AM
Methylene chloride	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Acetone	14	10		µg/L	1	10/30/2006 10:49:00 AM
Carbon disulfide	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061027049
Project: National Grid
PO#:

Client Sample ID: Between Carbon/Resin
Collection Date: 10/27/2006
Lab Sample ID: 061027049-002
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Chloroform	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
2-Butanone	< 10	10		µg/L	1	10/30/2006 10:49:00 AM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Bromodichloromethane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Trichloroethene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Dibromochloromethane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Benzene	10	5.0		µg/L	1	10/30/2006 10:49:00 AM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Bromoform	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
4-Methyl-2-pentanone	< 10	10		µg/L	1	10/30/2006 10:49:00 AM
2-Hexanone	< 10	10		µg/L	1	10/30/2006 10:49:00 AM
Tetrachloroethene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Toluene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Chlorobenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Ethylbenzene	20	5.0		µg/L	1	10/30/2006 10:49:00 AM
Styrene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
m,p-Xylene	12	5.0		µg/L	1	10/30/2006 10:49:00 AM
o-Xylene	11	5.0		µg/L	1	10/30/2006 10:49:00 AM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Dichlorodifluoromethane	< 10	10		µg/L	1	10/30/2006 10:49:00 AM
Methyl Acetate	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Cyclohexane	< 10	10		µg/L	1	10/30/2006 10:49:00 AM
Trichlorofluoromethane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Methyl Cyclohexane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,2-Dibromoethane	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,3-Dichlorobenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
Isopropylbenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,2-Dichlorobenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
1,4-Dichlorobenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061027049
Project: National Grid
PO#:

Client Sample ID: Between Carbon/Resin
Collection Date: 10/27/2006
Lab Sample ID: 061027049-002
Matrix: WASTEWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2-Dibromo-3-chloropropane	< 10	10		µg/L	1	10/30/2006 10:49:00 AM
1,2,4-Trichlorobenzene	< 5.0	5.0		µg/L	1	10/30/2006 10:49:00 AM
CYANIDE, TOTAL E335.3						Analyst: RC
(Prep: E335.3 - 10/27/2006)						
Cyanide	0.02	0.01		mg/L	1	10/27/2006
OIL AND GREASE E1664						Analyst: MR
Oil & Grease	2.1	1.0		mg/L	1	11/1/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>Abscopia Environmental</i>		Address: <i>1 Commercial Drive Canastota NY</i>				
Send Report To: <i>Rob Gray</i>		Project Name (Location): <i>National Grid Glensville</i>				
Client Phone No: <i>(315) 697-8437</i>		Client Fax No: <i>(315) 697-9396</i>				
PO Number: <i>26</i>		Samplers: (Names) <i>Rob Drabot</i>				
Samplers: (Signature) <i>[Signature]</i>						
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix Comp Grab	Number of Cont's	Analysis Required
001	<i>Effluent</i>	<i>10/27/06</i>	<i>7:45</i>	A <i>Water</i> P <i>Soil</i>	<i>5</i>	<i>EPA 8270</i> <i>EPA 8260</i>
002	<i>Between Carbon / Rasier</i>	<i>10/27/06</i>	<i>7:50</i>	A <i>Water</i> P <i>Soil</i>	<i>5</i>	<i>Oil & Grease</i> <i>CN</i> <i>pesticides</i> <i>metals</i> <i>ammonia</i>
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		


AES Work Order #: <i>061027049</i>		CC Report To / Special Instructions/Remarks: <i>72 hr TAT</i>	
Turnaround Time Request: <input type="checkbox"/> 1 Day <input checked="" type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day			
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received for Laboratory by: <i>J. Ay</i>	Date/Time <i>10/27/06 12:19</i>	
TEMPERATURE Ambient or Chilled <i>11°C</i>	PROPERLY PRESERVED <i>(Y)</i> <i>N</i>	RECEIVED WITHIN HOLDING TIMES <i>(Y)</i> <i>N</i>	
Notes:	Notes:	Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.

ARCADIS

**2007 Wastewater Discharge
Permit**



GLOVERSVILLE - JOHNSTOWN JOINT WASTEWATER TREATMENT FACILITY

LEE A. MITCHELL
CHAIRMAN
DAVID THUM
VICE CHAIRMAN
JOHN BLACKMON
SECRETARY
RICHARD HANDY
FRANK MALAGISI
ROBERT NOWICKI

191 UNION AVENUE
JOHNSTOWN, NEW YORK 12095-3399
NYS PDES #0026042
TELEPHONE: 518-762-3101
FACSIMILE: 518-762-3921
E-MAIL: gjwvtf@frontiernet.net
WEBSITE: g-jwastewater.com

GEORGE BEVINGTON
MANAGER-WASTEWATER PROGRAMS

MICHAEL ALBANESE
JOINT SEWER BOARD ATTORNEY
35 SOUTH MAIN STREET
GLOVERSVILLE, NEW YORK 12078
518-773-4566

December 26, 2006

National Grid
20 Hill Street
Gloversville, NY 12078

Re: 2007 INDUSTRIAL WASTEWATER DISCHARGE PERMIT
Certified Mail/Return Receipt 7005 1160 0003 2723 9574

Dear Mr. Nowicki:

Enclosed is your Industrial Wastewater Discharge Permit for 2007.

If you have any questions, feel free to contact me at (518) 762-3101.

Yours truly,

GLOVERSVILLE-JOHNSTOWN
JOINT SEWER BOARD

Joseph Cellary
Laboratory Director

JC/st
Enclosure



WASTEWATER DISCHARGE PERMIT

MAJOR CONTRIBUTING INDUSTRY

Permit No.: 133

Effective Date: January 1, 2007

Expiration Date: December 31, 2007

Firm Name: National Grid
Address: 20 Hill Street
Gloversville, NY 12078

Type of Business or Service: Utility Company

1. The above named applicant is permitted to discharge wastewater into the City of Gloversville/Johnstown Sewer System or tributary thereto. The applicant's wastewater discharge shall be in accordance with the attached Terms and Conditions.
2. **PERMIT NOT TRANSFERABLE:**
Industrial wastewater discharge permits are issued to a specific user for a specific operation at a specific location and are transferable only upon approval of the Gloversville-Johnstown Joint Sewer Board. A user must notify any prospective buyer and the Gloversville-Johnstown Joint Sewer Board in writing forty-five (45) days prior to any proposed conveyance of the users industrial facility. The prospective owner must make an application to the Gloversville-Johnstown Joint Sewer Board for transfer of the permit thirty (30) days prior to conveyance. Failure to comply with the foregoing notification procedure shall result in the automatic expiration of the facilities discharge permit on the date of conveyance. The facility may not be used until the new owner has obtained a permit for same. The Gloversville-Johnstown Joint Sewer Board may reinstate said discharge permit for good cause shown.
3. In consideration of the granting of this Permit, the applicant agrees to discharge wastewater only in accordance with the terms and conditions of the Permit. The applicant further agrees to:
 - (a) Abide by and conform to the Rules and Regulations of the Gloversville-Johnstown Joint Sewer Board, the Gloversville/Johnstown Sewer Use Law, Federal Pretreatment Regulations and other applicable provisions of federal and state law, rule and regulation including any such law, rule and regulation that may become effective during the term of this permit. All rules, regulations and laws herein referred to, are hereby constituted as part of this permit, the same as if fully set out herein.
 - (b) Furnish the Gloversville-Johnstown Joint Sewer Board upon request any additional information relating to the installation or use of sewer or drain for which this permit is sought.
 - (c) Operate all pretreatment facilities required by federal, state or local regulations, or required as a condition of the acceptance into the public sewer of the industrial wastewater involved, in an efficient manner at all times, and at no expense to the City.
 - (d) Cooperate with the Gloversville-Johnstown Joint Sewer Board and its representatives in their inspecting, sampling, measuring and study of wastewater, or the facilities provided for pretreatment, and provide the necessary access to property for the performance of these activities.
 - (e) Provide any self-monitoring results when completed by the facility or required by the Gloversville-Johnstown Joint Sewer Board to the Gloversville-Johnstown Joint Sewer Board in accordance with prescribed pretreatment regulations.

Attachments to this permit:

- Terms and Conditions
- Original application with exhibits

TERMS AND CONDITIONS

Permit No.: 133

Effective Date: January 1, 2007

Expiration Date: December 31, 2007

Firm Name: National Grid
Address: 20 Hill Street
Gloversville, NY 12078

1. GENERAL PROHIBITIVE STANDARDS

The permittee shall comply with all the general prohibitive discharge standards contained in Article VI of the Gloversville/Johnstown Sewer Use Law. In addition, Section 403.5 of the National Pretreatment Standards provides that the following pollutants shall not be introduced into the Gloversville-Johnstown Joint Wastewater Treatment Facilities:

- (a) Pollutants which create a fire or explosion hazard in the Publicly Owned Treatment Works (POTW), including, but not limited to, waste streams with a closed cup flashpoint of less than 140 degrees Fahrenheit or 60 degrees Centigrade using the test methods specified in 40 CFR 261.21;
- (b) Pollutants that will cause corrosive structural damage to the POTW, but in no case discharges with pH lower than 5.0, unless the works is specifically designed to accommodate such Discharges;
- (c) Solid or viscous pollutants in amounts which will cause obstruction to the flow in the POTW resulting in Interference;
- (d) Any pollutant, including oxygen demanding pollutants (BOD, etc.) released in a Discharge at a flow rate and/or pollutant concentration, which will cause Interference with the POTW;
- (e) Heat in amounts which will inhibit biological activity in the POTW resulting in Interference, but in no case heat in such quantities that the temperature at the POTW Treatment Plant exceeds 104°F (40°C) unless the Approval Authority, upon request of the POTW, approves alternate temperature limits;
- (f) Petroleum oil, nonbiodegradable cutting oil, or products of mineral oil origin in amounts that will cause interference or pass through;
- (g) Pollutants which result in the presence of toxic gases, vapors, or fumes within the POTW in a quantity that may cause acute worker health and safety problems;
- (h) Any trucked or hauled pollutants, except at discharge points designated by the POTW; and
- (i) Foam or other substance in amounts which interfere with the accuracy or proper functioning of flow measuring or sampling equipment employed by the City, Gloversville-Johnstown Joint Sewer Board, NYSDEC, or USEPA.

2. WASTEWATER DISCHARGE LIMITATIONS

Parameters	Maximum 24-Hour Pollutant Concentrations (mg/l)	Sample Type	Self Monitoring Requirements
Antimony	1.50	24 Hr. comp.	Semi-annual
Arsenic	0.10	24 Hr. comp.	Semi-annual
Cadmium	0.03	24 Hr. comp.	Semi-annual
Chromium, Total	10.00	24 Hr. comp.	Semi-annual
Chromium, Hexavalent	0.15	24 Hr. comp.	Semi-annual
Copper	0.20	24 Hr. comp.	Semi-annual
Lead	0.12	24 Hr. comp.	Semi-annual
Mercury	0.03	24 Hr. comp.	Semi-annual
Nickel	0.40	24 Hr. comp.	Semi-annual
Selenium	0.03	24 Hr. comp.	Semi-annual
Silver	0.03	24 Hr. comp.	Semi-annual
Thallium	0.06	24 Hr. comp.	Semi-annual
Zinc	0.65	24 Hr. comp.	Semi-annual
Naphthalene	0.25	24 Hr. comp.	Semi-annual
Aldrin	0.00005	24 Hr. comp.	Semi-annual
BHC (all isomers)	0.0002	24 Hr. comp.	Semi-annual
Total Chlorinated Phenols	0.01	24 Hr. comp.	Semi-annual

Parameters	Peak Instantaneous Concentrations (mg/l)	Sample Type	Self Monitoring Requirements
Benzene	0.014	Grab	Semi-annual
Chloroform	0.41	Grab	Semi-annual
Cyanide, Total	0.10	Grab	Semi-annual
Ethylbenzene	0.80	Grab	Semi-annual
1,1,2,2-Tetrachloroethane	0.04	Grab	Semi-annual
Tetrachloroethylene	0.01	Grab	Semi-annual
Toluene	1.38	Grab	Semi-annual
Total Phenols	1.37	Grab	Semi-annual
Oil & Grease	150	Grab	Semi-annual
Pentachlorophenol	0.01	Grab	Semi-annual
Temperature, Deg Fahrenheit	150 Deg F	Grab	Semi-annual
pH SU (standard units)	6-10 SU range	Grab	Semi-annual

Note: All analyses shall be performed in accordance with Part 136 of Title 40, Code of Federal Regulations.

3. PRETREATMENT REQUIRED:

Compliance with the Gloversville/Johnstown Sewer Use Law Article VI.

4. FEDERAL CATEGORICAL REQUIREMENTS:

40 CFR Part 403 - General Pretreatment Regulations.

5. CHANGE IN WASTEWATER DISCHARGE:

All discharges authorized herein shall comply with the terms and conditions of this permit. The discharges of any pollutant more frequently than or at a level in excess of that specified and authorized by this permit shall constitute a violation of the terms and conditions of this permit. No permittee shall expand facilities, increase production or modify processes so as to cause new, different or increased discharges of pollutants without applying for and receiving a modified wastewater discharge permit.

6. RIGHT OF ENTRY:

The permittee shall allow duly authorized employees or representatives of the Gloversville-Johnstown Joint Sewer Board or City to enter the permittee's premises for the purpose of inspection, observation, measurement, sampling, and testing in accordance with Article VIII of the Gloversville/Johnstown Sewer Use Law.

7. DILUTION OF DISCHARGE PROHIBITED:

No discharger into the city sewer system shall augment the use of process water or otherwise intentionally dilute the discharge as a partial or complete substitute for adequate treatment to achieve compliance with the Gloversville/Johnstown Sewer Use Law, this permit or the Rules and Regulations of the Gloversville-Johnstown Joint Sewer Board.

8. PERMIT MODIFICATIONS:

This permit may be modified, suspended, or revoked in whole or in part during its term for cause including, but not limited to, the following:

- (a) Violation of any terms or conditions of this permit;
- (b) A change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge;
- (c) If an effluent standard is established under any state or federal law for a pollutant which is present in the discharge and such standard or prohibition is more stringent than any limitation for such pollutant in this permit; and
- (d) Interference with the exclusive use of monitoring equipment and facilities employed by the Gloversville-Johnstown Joint Sewer Board.

9. NOTICE OF NON-COMPLIANCE:

In the event the permittee does not comply with or will be unable to comply with any limitation specified in this permit due to:

- (a) Breakdown of industrial wastewater pretreatment equipment;
- (b) Accidents caused by human error or negligence; or
- (c) Other causes, such as acts of nature.

The permittee shall notify the Laboratory Director of the Gloversville-Johnstown Joint Wastewater Treatment Facilities IMMEDIATELY by telephone so that the Laboratory Director can take the necessary steps to prevent damage to the wastewater treatment process and equipment. The Manager-Wastewater Programs shall be notified in writing within five (5) days and the written statement shall include the following pertinent information:

- (a) Cause of non-compliance;
- (b) A description of the non-complying discharge;
- (c) Anticipated time the condition of non-compliance is expected to continue, or if such condition has been corrected, the duration of the period of non-compliance;
- (d) Steps taken by the permittee to reduce and eliminate the non-complying discharge; and
- (e) Steps to be taken by the permittee to prevent recurrence of the condition of non-compliance.

Nothing in this permit shall be construed to relieve the permittee from the penalties for non-compliance of this permit for any reason subject to Article X of the Gloversville/Johnstown Sewer Use Law.

10. BYPASS OF TREATMENT FACILITIES:

- (a) Bypass is prohibited unless it is unavoidable to prevent loss of life, personal injury, or severe property damage or no feasible alternatives exist.
- (b) The permittee may allow bypass to occur which does not cause effluent limitations to be exceeded, but only if it is also for essential maintenance to assure efficient operation.
- (c) Notification of bypass:
 - (1) Anticipated bypass. If the permittee knows in advance of the need for a bypass, it shall submit prior written notice, at least ten (10) days before the date of the bypass, to the Manager-Wastewater Programs and City Engineer.
 - (2) Unanticipated bypass. The permittee shall immediately notify the Laboratory Director of Gloversville-Johnstown Joint Wastewater Treatment Facilities and the City Engineer and submit a written statement to the POTW, Manager-Wastewater Programs within five (5) days. This report shall specify:
 - (i) A description of the bypass, and its cause, including its duration;
 - (ii) Whether the bypass has been corrected; and
 - (iii) The steps being taken or to be taken to reduce, eliminate and prevent a reoccurrence of the bypass.

11. SLUG DISCHARGE AND CONTROL PLAN:

When required, any permittee shall submit a Slug Discharge and Control Plan and comply with its contents.

12. NOTIFICATION OF POTENTIAL PROBLEMS INCLUDING SLUG LOADING:

- (a) The permittee shall notify the Laboratory Director of Gloversville-Johnstown Joint Wastewater Treatment Facilities and the City Engineer immediately of all discharges that could cause problems to the POTW, including slug loadings.
- (b) A written statement should be submitted to the POTW, Manager-Wastewater Programs within five (5) days. This report should specify:
 - (1) A description of the problem, and its cause, including duration;
 - (2) Whether the problem has been corrected; and
 - (3) The steps being taken or to be taken to reduce, eliminate and prevent a reoccurrence of the problem.

13. PENALTIES FOR VIOLATIONS OF PERMIT CONDITIONS:

The Gloversville/Johnstown Sewer Use Law provides that any user who violates a permit condition is subject to a civil penalty of not less than \$300 per day nor more than \$2,500 per day of such violation. Any user who introduces into the POTW any pollutant(s) which cause Interference or Pass Through is subject to a civil penalty of not less than \$1,000 per day nor more than \$10,000 per day of such violation. The permittee may also be subject to sanctions under State and/or Federal Law.

14. RECOVERY OF COSTS INCURRED:

In addition to civil and criminal liability, any permittee violating any of the provisions of this permit or the Gloversville/Johnstown Sewer Use Law or causing damage to or otherwise inhibiting the Gloversville-Johnstown Joint Wastewater Treatment Facilities shall be liable to the Gloversville-Johnstown Joint Sewer Board for any expense, loss, or damage caused by such violation or discharge, and any expense incurred in correcting the violation.

15. REPORTING REQUIREMENTS FOR VOLUNTARY SAMPLING:

- (a) Any permittee performing voluntary sampling shall submit to the Manager-Wastewater Programs all reports indicating the nature and concentration of pollutants in the effluent, which are covered by the Categorical Pretreatment Standards and the Gloversville-Johnstown Sewer Use Law. These reports shall be submitted as soon as they are available.
- (b) All analyses shall be performed in accordance with 40 Code of Federal Regulation Part 136 and amendments or with any other test procedures approved by the Administrator or suggested by the Manager-Wastewater Programs.
- (c) If sampling performed by permittee indicates a violation, the permittee must notify the Laboratory Director of the Gloversville-Johnstown Joint Wastewater Treatment Facilities within twenty-four (24) hours of being aware of the violation. The permittee will also repeat the sampling and analysis and submit the results of the repeat analysis to the Manager-Wastewater Programs within thirty (30) days after becoming aware of the violation.

16. RECORD-KEEPING REQUIREMENTS:

- (a) Permittee shall maintain records of all voluntary monitoring activities. Such records shall include:
 - (1) The date, exact place, method, and time of sampling and the names of person or persons taking the samples;
 - (2) The dates analyses were performed;
 - (3) The name of company and person performing analyses;
 - (4) The analytical techniques/method used;
 - (5) The results of such analyses;
 - (6) Records should be retained a minimum of three (3) years and such records should be made available for inspection and copying; also
 - (7) This period of retention may be extended during the course of unresolved litigation regarding the permittee.

17. SEVERABILITY:

The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

18. APPROVAL OF DISCHARGE POINT

The City of Gloversville Engineer must approve the location of the discharge point into the City sewer system prior to any discharge.



GLOVERSVILLE-JOHNSTOWN JOINT SEWER BOARD

191 Union Avenue
Johnstown, New York 12095
Telephone: (518) 762-3101
Facsimile: (518) 762-3921

WASTEWATER DISCHARGE PERMIT RENEWAL APPLICATION

GENERAL INFORMATION

Company Name: National Grid
Mailing Address: 300 Erie Boulevard West, Syracuse NY 13202
Address of Premises: 20 Hill Street, Gloversville, NY 12078

Parent Company (if applicable): _____
Address: _____

INSTRUCTIONS

- Item A2: A listing of Standard Industrial Classification (SIC) Codes is included on the back of this application. For each product or service, indicate approximate production expected for the coming year if appropriate.
- Item C: National Pretreatment Standards are contained in Federal Regulations 40 CFR Parts 405-471. Local Pretreatment Standards are contained in Article VI of the Sewer Use Law of Gloversville and Johnstown. Please contact the Gloversville-Johnstown Joint Wastewater Treatment Facility for specific information.
- Item D: Identify the amount of wastewater flow and loadings to be produced by your facility for the coming year.
- Item E1: Please indicate the name of the person who may be contacted regarding operations and discharges occurring at the premises for which this permit will be issued. This person does not necessarily have to be the same person as the person signing the application.
- Item E2: The application must be signed by:
- If the applicant is a corporation, a Principal Executive Officer of at least the level of Vice-President
 - If the applicant is a partnership or proprietorship, a general partner or proprietor

A. SERVICES/ PRODUCT INFORMATION

1. List the principal products or services, SIC Codes, and approximate production where applicable.

<u>PRODUCT OR SERVICES</u>	<u>SIC CODE</u>	<u>APPROXIMATE ANNUAL</u>	<u>PRODUCTION</u>
a. <u>Treated Groundwater</u>	<u>NA</u>	<u>18,396,000</u>	<u>NA</u>
b. _____	_____	_____	_____
c. _____	_____	_____	_____
d. _____	_____	_____	_____

2. In the past year have you made any significant changes in the type of manufacturing performed on the premises? Yes _____ No x NA _____

3. In the coming year, will you be making any significant change in the type of manufacturing performed on the premises? Yes _____ No x NA _____

4. If your answer to number 2 or number 3 is yes, please describe the changes: _____

B. SEWER INFORMATION

1. In the past year, have you made any significant change to the exterior building drains and sewers located on your property? Yes x No _____
2. In the coming year, will you be making any significant changes to the exterior building drains and sewers located on your property? Yes _____ No x
3. If your answer to number 1 or number 2 is yes, on page 3 of this application draw a legible sketch of your plant showing the location of all buildings, all exterior building drains and sewers including any manholes, cleanouts or monitoring stations on these sewers, and streets/roadway adjacent to your plant site.
4. If your answer to number 1 or number 2 is no, skip to page 4 of this application.

SKETCH OF ANY SIGNIFICANT CHANGES

Stormwater and groundwater was previously collected and conveyed by the on-site sewer system at the Gloversville Service Center. National Grid has completed construction of a storm sewer interim remedial measure (IRM) at the site. The objectives of the storm sewer IRM consisted of the following:

- Collect and convey stormwater and groundwater separately within the on-site sewer system;
- Manage and discharge stormwater collected by the modified sewer system in accordance with applicable rules and regulations; and
- Treat and dispose groundwater collected by the modified sewer system in accordance with applicable rules and regulations.

The two attached design drawings show the previously existing and current sewer layout at the site. Modifications to the on-site sewer system were completed summer 2007.

C. PRETREATMENT INFORMATION

1. **Renewal Application:**
Have you made any modifications or additions to your pretreatment system during the past year?
Yes x No _____ NA_____
2. If the answer to number 1 is yes, please identify process involved (ex. pH adjustment, equalization, settling, etc.) and nature of modification: _____
Additional bag filters have been added to the treatment process.

D. REQUEST FOR CAPACITY

We wish to receive allocations of the following parameters for the discharge to the Gloversville-Johnstown Joint Wastewater Treatment Facility:

<u>Parameter</u>	<u>Annual Average Workday Loading</u>	<u>Annual Number of Workdays</u>	<u>Annual Allocation</u>
Flow (gallons)	<u>50,400</u>	<u>365</u>	<u>18,396,000</u>
Total Suspended Solids (pounds)	<u></u>	<u></u>	<u></u>
BOD (5-day) (pounds)	<u></u>	<u></u>	<u></u>
Total Kjeldahl Nitrogen (pounds)	<u></u>	<u></u>	<u></u>

NOTE: THE ANNUAL AVERAGE WORKDAY LOADING MULTIPLIED BY THE ANNUAL NUMBER OF WORKDAYS MUST EQUAL THE ANNUAL ALLOCATION.

E. OTHER

- Contact Official


NAME: Brian M. Stearns

TITLE: Senior Environmental Manager

ADDRESS: 300 Erie Boulevard West, Syracuse, NY 13202

TELEPHONE: 315.428.5731
- I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who managed the system, or those directly responsible for the gathering of information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

11/7/07
Date


Signature
Vice President - Safety

**2008 Wastewater Discharge
Permit Renewal**



GLOVERSVILLE-JOHNSTOWN JOINT SEWER BOARD

191 Union Avenue
Johnstown, New York 12095
Telephone: (518) 762-3101
Facsimile: (518) 762-3921

WASTEWATER DISCHARGE PERMIT RENEWAL APPLICATION

GENERAL INFORMATION

Company Name: National Grid
Mailing Address: 300 Erie Boulevard West, Syracuse NY 13202
Address of Premises: 20 Hill Street, Gloversville, NY 12078

Parent Company (if applicable): _____
Address: _____

INSTRUCTIONS

- Item A2: A listing of Standard Industrial Classification (SIC) Codes is included on the back of this application. For each product or service, indicate approximate production expected for the coming year if appropriate.
- Item C: National Pretreatment Standards are contained in Federal Regulations 40 CFR Parts 405-471. Local Pretreatment Standards are contained in Article VI of the Sewer Use Law of Gloversville and Johnstown. Please contact the Gloversville-Johnstown Joint Wastewater Treatment Facility for specific information.
- Item D: Identify the amount of wastewater flow and loadings to be produced by your facility for the coming year.
- Item E1: Please indicate the name of the person who may be contacted regarding operations and discharges occurring at the premises for which this permit will be issued. This person does not necessarily have to be the same person as the person signing the application.
- Item E2: The application must be signed by:
- If the applicant is a corporation, a Principal Executive Officer of at least the level of Vice-President
 - If the applicant is a partnership or proprietorship, a general partner or proprietor

A. SERVICES/ PRODUCT INFORMATION

1. List the principal products or services, SIC Codes, and approximate production where applicable.

<u>PRODUCT OR SERVICES</u>	<u>SIC CODE</u>	<u>APPROXIMATE ANNUAL</u>	<u>PRODUCTION</u>
a. <u>Treated Groundwater</u>	<u>NA</u>	<u>18,396,000</u>	<u>NA</u>
b. _____	_____	_____	_____
c. _____	_____	_____	_____
d. _____	_____	_____	_____

2. In the past year have you made any significant changes in the type of manufacturing performed on the premises? Yes _____ No x NA _____

3. In the coming year, will you be making any significant change in the type of manufacturing performed on the premises? Yes _____ No x NA _____

4. If your answer to number 2 or number 3 is yes, please describe the changes: _____

B. SEWER INFORMATION


1. In the past year, have you made any significant change to the exterior building drains and sewers located on your property? Yes x No _____
2. In the coming year, will you be making any significant changes to the exterior building drains and sewers located on your property? Yes _____ No x
3. If your answer to number 1 or number 2 is yes, on page 3 of this application draw a legible sketch of your plant showing the location of all buildings, all exterior building drains and sewers including any manholes, cleanouts or monitoring stations on these sewers, and streets/roadway adjacent to your plant site.
4. If your answer to number 1 or number 2 is no, skip to page 4 of this application.

SKETCH OF ANY SIGNIFICANT CHANGES

Stormwater and groundwater was previously collected and conveyed by the on-site sewer system at the Gloversville Service Center. National Grid has completed construction of a storm sewer interim remedial measure (IRM) at the site. The objectives of the storm sewer IRM consisted of the following:

- Collect and convey stormwater and groundwater separately within the on-site sewer system;
- Manage and discharge stormwater collected by the modified sewer system in accordance with applicable rules and regulations; and
- Treat and dispose groundwater collected by the modified sewer system in accordance with applicable rules and regulations.

The two attached design drawings show the previously existing and current sewer layout at the site. Modifications to the on-site sewer system were completed summer 2007.



NOTE:

1. APPROXIMATE LOCATION OF SANITARY SEWER MANHOLE BASED ON SURVEYED LOCATION OF SANITARY SEWER MANHOLE AND PREVIOUS SITE FIGURES.
2. APPROXIMATE LOCATION OF PARKING GARAGE DRAIN LINE BASED ON LOCATION OF "CLEAN" PERSONNEL.
3. REFER TO CONTRACT DRAWING NO. 1 FOR LEGEND AND ABBREVIATIONS.
4. CONTRACTOR SHALL VERIFY LOCATION OF ALL UTILITIES.

N. 36432500, 100, 202206
P. 100, 202206
P. 100, 202206
P. 100, 202206

THIS DRAWING WAS PREPARED AT THE SCALES INDICATED.
PROPORTIONS OF THE DRAWING ARE APPROXIMATE.
USE THE SCALE BAR TO DETERMINE THE ACTUAL SCALES OF THIS DRAWING.

ORIGINAL SCALE APPLIES TO 27.3x11" DRAWING
1" = 50'

NO.	DATE	REVISIONS	BY	CHK	APP'D	DESCRIPTION
1	10/22/01		JLB			EXISTING SITE SURVEY



BBL
BROADBENT & BROS. LLC
ARCHITECTS, ENGINEERS, PLANNERS

previously
EXISTING SITE SURVEY
STORM SEWER IRM
NATIONAL GRID GLOVERVILLE FORDS AND SITE - GLOVERVILLE, NEW YORK

Job Number No.
102251
Date
MAY 2006
Blasdel, Brock & Lee, Inc.
6723 Empire Road
Gloversville, NY 12114
315-446-9170

C. PRETREATMENT INFORMATION

1. **Renewal Application:**
Have you made any modifications or additions to your pretreatment system during the past year?
Yes x No _____ NA_____
2. If the answer to number 1 is yes, please identify process involved (ex. pH adjustment, equalization, settling, etc.) and nature of modification: _____
Additional bag filters have been added to the treatment process.

D. REQUEST FOR CAPACITY

We wish to receive allocations of the following parameters for the discharge to the Gloversville-Johnstown Joint Wastewater Treatment Facility:


<u>Parameter</u>	<u>Annual Average Workday Loading</u>	<u>Annual Number of Workdays</u>	<u>Annual Allocation</u>
Flow (gallons)	<u>50,400</u>	<u>365</u>	<u>18,396,000</u>
Total Suspended Solids (pounds)	<u></u>	<u></u>	<u></u>
BOD (5-day) (pounds)	<u></u>	<u></u>	<u></u>
Total Kjeldahl Nitrogen (pounds)	<u></u>	<u></u>	<u></u>

NOTE: THE ANNUAL AVERAGE WORKDAY LOADING MULTIPLIED BY THE ANNUAL NUMBER OF WORKDAYS MUST EQUAL THE ANNUAL ALLOCATION.

E. OTHER

- Contact Official
NAME: Brian M. Stearns
TITLE: Senior Environmental Manager
ADDRESS: 300 Erie Boulevard West, Syracuse, NY 13202
TELEPHONE: 315.428.5731
- I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who managed the system, or those directly responsible for the gathering of information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

11/7/07
Date


Signature
Vice President - Safety

Appendix G (included on CD)

Summary of Imported Fill Materials



Gravel and Bank Material
Analytical Results



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4648 ♦ Fax (518) 434-8891

September 21, 2006

Rob Drabot
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 060907004

TEL: (315) 697-8437

FAX: (315) 697-9391

RE: National Grid Gloversville
Soil Analysis

Dear Rob Drabot:

Adirondack Environmental Services, Inc received 2 samples on 9/7/2006 for the analyses presented in the following report.

These samples were received outside the acceptable temperature range of 2-6 °C

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Rob Drabot - FAX

CC:

Robert Gray - rgray@abscope.com

Qualifiers:

ND - Not Detected at the Reporting Limit
L - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
F - Tentatively Identified Compound-Estimated Conc
E - Value above quantitation range

Adirondack Environmental Services, Inc

CASE NARRATIVE

CLIENT: Abscope Environmental, Inc
Project: National Grid Gloversville
Lab Order: 060907004

Date: 21-Sep-06

This is an updated report.

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

Y - Tentatively Identified Compound-Estimated Conc

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscope Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Callanan Pattersonville Quarry ()
Collection Date: 9/5/2006
Lab Sample ID: 060907004-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
ORGANOCHLORINE PESTICIDES SW8081A						Analyst: KF
(Prep: SW3545 - 9/11/2006)						
4,4'-DDD	< 3.4	3.4		µg/Kg-dry	1	9/11/2006 6:38:09 PM
4,4'-DDE	< 3.4	3.4		µg/Kg-dry	1	9/11/2006 6:38:09 PM
4,4'-DDT	< 3.4	3.4		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Aldrin	< 1.7	1.7		µg/Kg-dry	1	9/11/2006 6:38:09 PM
alpha-BHC	< 1.7	1.7		µg/Kg-dry	1	9/11/2006 6:38:09 PM
alpha-Chlordane	< 1.7	1.7		µg/Kg-dry	1	9/11/2006 6:38:09 PM
beta-BHC	< 1.7	1.7		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Chlordane	< 170	170		µg/Kg-dry	1	9/11/2006 6:38:09 PM
delta-BHC	< 1.7	1.7		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Dieldrin	< 3.4	3.4		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Endosulfan I	< 1.7	1.7		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Endosulfan II	< 3.4	3.4		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Endosulfan sulfate	< 3.4	3.4		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Endrin	< 3.4	3.4		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Endrin aldehyde	< 3.4	3.4		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Endrin ketone	< 3.4	3.4		µg/Kg-dry	1	9/11/2006 6:38:09 PM
gamma-BHC	< 1.7	1.7		µg/Kg-dry	1	9/11/2006 6:38:09 PM
gamma-Chlordane	< 1.7	1.7		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Heptachlor	< 1.7	1.7		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Heptachlor epoxide	< 1.7	1.7		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Methoxychlor	< 17	17		µg/Kg-dry	1	9/11/2006 6:38:09 PM
Toxaphene	< 170	170		µg/Kg-dry	1	9/11/2006 6:38:09 PM
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 9/11/2006)						
Aroclor 1016	< 34	34		µg/Kg-dry	1	9/11/2006 8:47:31 PM
Aroclor 1221	< 34	34		µg/Kg-dry	1	9/11/2006 8:47:31 PM
Aroclor 1232	< 34	34		µg/Kg-dry	1	9/11/2006 8:47:31 PM
Aroclor 1242	< 34	34		µg/Kg-dry	1	9/11/2006 8:47:31 PM
Aroclor 1248	< 34	34		µg/Kg-dry	1	9/11/2006 8:47:31 PM
Aroclor 1254	< 34	34		µg/Kg-dry	1	9/11/2006 8:47:31 PM
Aroclor 1260	< 34	34		µg/Kg-dry	1	9/11/2006 8:47:31 PM
CHLORINATED HERBICIDES SW8151A						Analyst: MG
(Prep: SW8151 - 9/13/2006)						
2,4-D	< 204	204		µg/Kg-dry	1	9/14/2006 5:23:54 AM
2,4,6-T	< 204	204		µg/Kg-dry	1	9/14/2006 5:23:54 AM

Qualifier: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscope Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Callanan Pattersonville Quarry ()
Collection Date: 9/5/2006
Lab Sample ID: 060907004-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
CHLORINATED HERBICIDES SW8151A						Analyst: MG
(Prep: SW8151 - 9/13/2006)						
2,4,5-TP (Silvex)	< 204	204		µg/Kg-dry	1	9/14/2006 5:23:54 AM
ORGANO-PHOSPHORUS PESTICIDES SW8141A						Analyst: TN
Parathion	< 510	510		µg/Kg-dry	1	9/13/2006
ICP METALS SW6010B						Analyst: SM
(Prep: SW3050A - 9/11/2006)						
Aluminum	293	5.10		µg/g-dry	1	9/11/2006 11:00:00 AM
Antimony	< 3.06	3.06		µg/g-dry	1	9/11/2006 11:00:00 AM
Arsenic	2.02	0.28	S	µg/g-dry	1	9/11/2006 11:00:00 AM
Barium	26.1	0.51		µg/g-dry	1	9/11/2006 11:00:00 AM
Beryllium	< 0.26	0.26		µg/g-dry	1	9/11/2006 11:00:00 AM
Cadmium	< 0.26	0.26		µg/g-dry	1	9/11/2006 11:00:00 AM
Calcium	97900	265		µg/g-dry	10	9/11/2006 11:17:00 AM
Chromium	3.27	0.23		µg/g-dry	1	9/11/2006 11:00:00 AM
Cobalt	3.78	2.55	S	µg/g-dry	1	9/11/2006 11:00:00 AM
Copper	0.98	0.26		µg/g-dry	1	9/11/2006 11:00:00 AM
Iron	3580	2.55		µg/g-dry	1	9/11/2006 11:00:00 AM
Lead	< 0.26	0.26		µg/g-dry	1	9/11/2006 11:00:00 AM
Magnesium	52400	265		µg/g-dry	10	9/11/2006 11:17:00 AM
Manganese	111	0.51		µg/g-dry	1	9/11/2006 11:00:00 AM
Nickel	< 2.55	2.55		µg/g-dry	1	9/11/2006 11:00:00 AM
Potassium	293	25.6		µg/g-dry	1	9/11/2006 11:00:00 AM
Selenium	< 0.26	0.26		µg/g-dry	1	9/11/2006 11:00:00 AM
Silver	< 1.02	1.02	S	µg/g-dry	1	9/11/2006 11:00:00 AM
Sodium	291	25.9		µg/g-dry	1	9/11/2006 11:00:00 AM
Thallium	< 0.51	0.51	S	µg/g-dry	1	9/11/2006 11:00:00 AM
Vanadium	4.20	2.55		µg/g-dry	1	9/11/2006 11:00:00 AM
Zinc	5.01	0.51		µg/g-dry	1	9/11/2006 11:00:00 AM
MERCURY SW7471A						Analyst: KH
(Prep: SW7471A - 9/11/2006)						
Mercury	< 0.020	0.020		µg/g-dry	1	9/11/2006
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3545 - 9/11/2006)						

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscope Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Calliana Pattersonville Quarry ()
Collection Date: 9/5/2006
Lab Sample ID: 060907004-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C (Prep: SW3545 - 9/11/2006)						Analyst: MT
Aniline	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Benzoic acid	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Phenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Bis(2-chloroethyl)ether	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2-Chlorophenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
1,3-Dichlorobenzene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
1,4-Dichlorobenzene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
1,2-Dichlorobenzene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2-Methylphenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Bis(2-chloroisopropyl)ether	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
4-Methylphenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
N-Nitrosodi-n-propylamine	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Hexachloroethane	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Nitrobenzene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Isophorone	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2-Nitrophenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2,4-Dimethylphenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Bis(2-chloroethoxy)methane	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2,4-Dichlorophenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
1,2,4-Trichlorobenzene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Naphthalene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
4-Chloroaniline	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Hexachlorobutadiene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
4-Chloro-3-methylphenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2-Methylnaphthalene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Hexachlorocyclopentadiene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2,4,6-Trichlorophenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2,4,5-Trichlorophenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2-Chloronaphthalene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2-Nitroaniline	< 1700	1700		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Dimethyl phthalate	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Acenaphthylene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2,6-Dinitrotoluene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
3-Nitroaniline	< 1700	1700		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Acenaphthene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2,4-Dinitrophenol	< 1700	1700		µg/Kg-dry	1	9/13/2006 1:30:00 PM
4-Nitrophenol	< 1700	1700		µg/Kg-dry	1	9/13/2006 1:30:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
L - Analyte detected below quantitation limits
R - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
I - Tentatively Identified Compound-estimated Conc
L - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscope Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Cailanan Pattersonville Quarry ()
Collection Date: 9/5/2006
Lab Sample ID: 060907004-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3545 - 9/11/2006)						
Dibenzofuran	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
2,4-Dinitrotoluene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Diethyl phthalate	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
4-Chlorophenyl phenyl ether	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Fluorene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
4-Nitroaniline	< 1700	1700		µg/Kg-dry	1	9/13/2006 1:30:00 PM
4,6-Dinitro-2-methylphenol	< 1700	1700		µg/Kg-dry	1	9/13/2006 1:30:00 PM
N-Nitrosodiphenylamine	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
4-Bromophenyl phenyl ether	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Hexachlorobenzene	< 1700	1700		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Pentachlorophenol	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Phenanthrene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Anthracene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Carbazole	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Di-n-butyl phthalate	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Fluoranthene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Pyrene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Butyl benzy phthalate	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
3,3'-Dichlorobenzidine	< 670	670		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Benzo(a)anthracene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Chrysene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Bis(2-ethylhexyl)phthalate	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Di-n-octyl phthalate	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Benzo(b)fluoranthene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Benzo(k)fluoranthene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Benzo(a)pyrene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Indeno(1,2,3-cd)pyrene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Dibenz(a,h)anthracene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM
Benzo(g,h,i)perylene	< 340	340		µg/Kg-dry	1	9/13/2006 1:30:00 PM

VOLATILE ORGANICS SW8260B

Analyst: ML

1,2,3-Trichloropropane	ND	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Chloromethane	< 10	10		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Bromomethane	< 10	10		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Vinyl chloride	< 10	10		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Chloroethane	< 10	10		µg/Kg-dry	1	9/11/2006 12:49:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
I - Tentatively Identified Compound-Estimated Conc
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscope Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Callanan Pattersonville Quarry ()
Collection Date: 9/5/2006
Lab Sample ID: 060907004-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methylene chloride	7	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Acetone	< 10	10		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Carbon disulfide	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,1-Dichloroethene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,1-Dichloroethane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
trans-1,2-Dichloroethene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
cis-1,2-Dichloroethene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Chloroform	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,2-Dichloroethane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
2-Butanone	< 10	10		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,1,1-Trichloroethane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Carbon tetrachloride	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Bromodichloromethane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,2-Dichloropropane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
cis-1,3-Dichloropropane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Trichloroethene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Dibromochloromethane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,1,2-Trichloroethane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Benzene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
trans-1,3-Dichloropropane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Bromoform	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
4-Methyl-2-pentanone	< 10	10		µg/Kg-dry	1	9/11/2006 12:49:00 PM
2-Hexanone	< 10	10		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Tetrachloroethene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,1,2,2-Tetrachloroethane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Toluene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Chlorobenzene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Ethylbenzene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Styrene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
m,p-Xylene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
o-Xylene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Methyl tert-butyl ether	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Dichlorodifluoromethane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Methyl Acetate	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Trichlorofluoromethane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
Cyclohexane	< 10	10		µg/Kg-dry	1	9/11/2006 12:49:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
R - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
I - Tentatively Identified Compound-Estimated Conc.
L - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscope Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Callanan Pattersonville Quarry ()
Collection Date: 9/5/2006
Lab Sample ID: 060907004-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Methyl Cyclohexane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,2-Dibromoethene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,3-Dichlorobenzene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
isopropylbenzene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,4-Dichlorobenzene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,2-Dichlorobenzene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,2-Dibromo-3-chloropropane	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/Kg-dry	1	9/11/2006 12:49:00 PM
MOISURE CONTENT D2216						Analyst: KF
Percent Moisture	2.0	1.0		wt%	1	9/11/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

L - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscope Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Delaney Construction (Bank Run)
Collection Date: 9/5/2006
Lab Sample ID: 060907004-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082 (Prep: SW3545 - 9/11/2006)						Analyst: KF
Aroclor 1016	< 35	35		µg/Kg-dry	1	9/11/2006 9:10:31 PM
Aroclor 1221	< 35	35		µg/Kg-dry	1	9/11/2006 9:10:31 PM
Aroclor 1232	< 35	35		µg/Kg-dry	1	9/11/2006 9:10:31 PM
Aroclor 1242	< 35	35		µg/Kg-dry	1	9/11/2006 9:10:31 PM
Aroclor 1248	< 35	35		µg/Kg-dry	1	9/11/2006 9:10:31 PM
Aroclor 1254	< 35	35		µg/Kg-dry	1	9/11/2006 9:10:31 PM
Aroclor 1260	< 35	35		µg/Kg-dry	1	9/11/2006 9:10:31 PM
CHLORINATED HERBICIDES SW8151A (Prep: SW8151 - 9/13/2006)						Analyst: MG
2,4-D	< 213	213		µg/Kg-dry	1	9/14/2006 8:03:13 AM
2,4,5-T	< 213	213		µg/Kg-dry	1	9/14/2006 8:03:13 AM
2,4,5-TP (Silvex)	< 213	213		µg/Kg-dry	1	9/14/2006 8:03:13 AM
ORGANO-PHOSPHORUS PESTICIDES SW8141A						Analyst: TN
Azinphosmethyl	< 532	532		µg/Kg-dry	1	9/13/2006
Diazinon	< 532	532		µg/Kg-dry	1	9/13/2006
Dimethoate	< 532	532		µg/Kg-dry	1	9/13/2006
Disulfoton	< 532	532		µg/Kg-dry	1	9/13/2006
Malathion	< 532	532		µg/Kg-dry	1	9/13/2006
Methyl parathion	< 532	532		µg/Kg-dry	1	9/13/2006
Parathion	< 532	532		µg/Kg-dry	1	9/13/2006
Phorate	< 532	532		µg/Kg-dry	1	9/13/2006
Sulfotep	< 532	532		µg/Kg-dry	1	9/13/2006
TEPP	< 532	532		µg/Kg-dry	1	9/13/2006
ICP METALS SW6010B (Prep: SW3050A - 9/11/2006)						Analyst: SM
Aluminum	2380	532		µg/g-dry	1	9/11/2006 11:04:00 AM
Antimony	< 3.19	3.19		µg/g-dry	1	9/11/2006 11:04:00 AM
Arsenic	< 0.27	0.27	S	µg/g-dry	1	9/11/2006 11:04:00 AM
Barium	8.83	0.53		µg/g-dry	1	9/11/2006 11:04:00 AM
Beryllium	< 0.27	0.27		µg/g-dry	1	9/11/2006 11:04:00 AM
Cadmium	< 0.27	0.27		µg/g-dry	1	9/11/2006 11:04:00 AM
Calcium	1750	20.0		µg/g-dry	1	9/11/2006 11:04:00 AM
Chromium	2.84	0.27		µg/g-dry	1	9/11/2006 11:04:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
L - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound- Estimated Conc
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscope Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Delaney Construction (Bank Run)
Collection Date: 9/5/2006
Lab Sample ID: 060907004-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DP	Date Analyzed
ICP METALS SW6010B						Analyst: SM
(Prep: SW3050A - 9/11/2006)						
Cobalt	< 2.66	2.66	S	µg/g-dry	1	9/11/2006 11:04:00 AM
Copper	2.57	0.27		µg/g-dry	1	9/11/2006 11:04:00 AM
Iron	3650	2.66		µg/g-dry	1	9/11/2006 11:04:00 AM
Lead	< 0.27	0.27		µg/g-dry	1	9/11/2006 11:04:00 AM
Magnesium	1160	26.6		µg/g-dry	1	9/11/2006 11:04:00 AM
Manganese	37.2	0.53		µg/g-dry	1	9/11/2006 11:04:00 AM
Nickel	< 2.66	2.66		µg/g-dry	1	9/11/2006 11:04:00 AM
Potassium	212	26.6		µg/g-dry	1	9/11/2006 11:04:00 AM
Selenium	< 0.27	0.27		µg/g-dry	1	9/11/2006 11:04:00 AM
Silver	< 1.06	1.06	S	µg/g-dry	1	9/11/2006 11:04:00 AM
Sodium	152	26.6		µg/g-dry	1	9/11/2006 11:04:00 AM
Thallium	< 0.53	0.53	S	µg/g-dry	1	9/11/2006 11:04:00 AM
Vanadium	3.49	2.66		µg/g-dry	1	9/11/2006 11:04:00 AM
Zinc	12.6	0.53		µg/g-dry	1	9/11/2006 11:04:00 AM
MERCURY SW7471A						Analyst: KH
(Prep: SW7471A - 9/11/2006)						
Mercury	< 0.021	0.021		µg/g-dry	1	9/11/2006
SEMI VOLATILE ORGANICS SW8270C						Analyst: MT
(Prep: SW3545 - 9/11/2006)						
Aniline	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Benzoic acid	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Phenol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Bis(2-chloroethyl)ether	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2-Chlorophenol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
1,3-Dichlorobenzene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
1,4-Dichlorobenzene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
1,2-Dichlorobenzene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2-Methylethanol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Bis(2-chloroisopropyl)ether	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
4-Methylphenol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
N-Nitrosodi-n-propylamine	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Hexachlorocyclohexane	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Nitrobenzene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Isophorone	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2-Nitrophenol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
I - Tentatively Identified Compound-estimated Conc
B - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscopia Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Delaney Construction (Bank Run)
Collection Date: 9/5/2006
Lab Sample ID: 060907004-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270C (Prep: SW3545 - 9/11/2006)						Analyst: MT
2,4-Dimethylphenol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Bis(2-chloroethoxy)methane	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2,4-Dichlorophenol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
1,2,4-Trichlorobenzene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Naphthalene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
4-Chloroaniline	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Hexachlorobutadiene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
4-Chloro-3-methylphenol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2-Methylnaphthalene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Hexachlorocyclopentadiene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2,4,6-Trichlorophenol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2,4,6-Trichlorophenol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2-Chloronaphthalene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2-Nitroaniline	< 1800	1800		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Dimethyl phthalate	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Acenaphthylene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2,6-Dinitrotoluene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
3-Nitroaniline	< 1800	1800		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Acenaphthene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2,4-Dinitrophenol	< 1800	1800		µg/Kg-dry	1	9/13/2006 2:01:00 PM
4-Nitrophenol	< 1800	1800		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Dibenzofuran	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
2,4-Dinitrotoluene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Diethyl phthalate	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
4-Chlorophenyl phenyl ether	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Fluorene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
4-Nitroaniline	< 1800	1800		µg/Kg-dry	1	9/13/2006 2:01:00 PM
4,6-Dinitro-2-methylphenol	< 1800	1800		µg/Kg-dry	1	9/13/2006 2:01:00 PM
N-Nitrosodiphenylamine	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
4-Bromophenyl phenyl ether	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Hexachlorobenzene	< 1800	1800		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Pentachlorophenol	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Phenanthrene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Anthracene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Carbazole	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Di-n-butyl phthalate	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Fluoranthene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
F - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
I - Tentatively Identified Compound-Indicated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscope Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Delaney Construction (Bank Run)
Collection Date: 9/5/2006
Lab Sample ID: 060907004-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
SEMI VOLATILE ORGANICS SW8270G						Analyst: MT
(Prep: SW3545 - 9/11/2006)						
Pyrene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Butyl benzyl phthalate	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
3,3'-Dichlorobenzidine	< 700	700		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Benzo(s)anthracene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Chrysene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Bis(2-ethylhexyl)phthalate	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Octa-octyl phthalate	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Benzo(b)fluoranthene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Benzo(k)fluoranthene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Benzo(a)pyrene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Indeno(1,2,3-cd)pyrene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Dibenz(a,h)anthracene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
Benzo(g,h)perylene	< 350	350		µg/Kg-dry	1	9/13/2006 2:01:00 PM
VOLATILE ORGANICS SW8260B						Analyst: ML
1,2,3-Trichloropropane	ND	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Chloromethane	< 11	11		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Bromomethane	< 11	11		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Vinyl chloride	< 11	11		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Chloroethane	< 11	11		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Methylene chloride	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Acetone	< 11	11		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Carbon disulfide	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,1-Dichloroethene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,1-Dichloroethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
trans-1,2-Dichloroethene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
cis-1,2-Dichloroethene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Chloroform	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,2-Dichloroethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
2-Butanone	< 11	11		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,1,1-Trichloroethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Carbon tetrachloride	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Bromodichloromethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,2-Dichloropropane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
cis-1,3-Dichloropropene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Trichloroethene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RLD outside accepted recovery limits
E - Tentatively Identified Compound-Estimated Conc
F - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-Sep-06

CLIENT: Abscope Environmental, Inc
Work Order: 060907004
Project: National Grid Gloversville
PO#:

Client Sample ID: Delaney Construction (Bank Run)
Collection Date: 9/5/2006
Lab Sample ID: 060907004-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Dibromochloromethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,1,2-Trichloroethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Benzene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
trans-1,3-Dichloropropene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Bromoform	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
4-Methyl-2-pentanone	< 11	11		µg/Kg-dry	1	9/11/2006 1:20:00 PM
2-Hexanone	< 11	11		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Tetrachloroethene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,1,2,2-Tetrachloroethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Toluene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Chlorobenzene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Ethylbenzene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Styrene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
m,p-Xylene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
o-Xylene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Methyl tert-butyl ether	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Dichlorodifluoromethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Methyl Acetate	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Trichlorofluoromethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Cyclohexane	< 11	11		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Methyl Cyclohexane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,2-Dibromoethane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,3-Dichlorobenzene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
Isopropylbenzene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,4-Dichlorobenzene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,2-Dichlorobenzene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,2-Dibromo-3-chloropropane	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM
1,2,4-Trichlorobenzene	< 5	5		µg/Kg-dry	1	9/11/2006 1:20:00 PM


MOISTURE CONTENT D2216

Analyst: KF

Percent Moisture	6.0	1.0	wt%	1	9/11/2006
------------------	-----	-----	-----	---	-----------

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
I - Tentatively Identified Compound-Estimated Conc
E - Value above quantitation range



CHAIN OF CUSTODY RECORD

A full service analytical research laboratory offering solutions to environmental concerns

[illegible]

AES Work Order #: 060907004		CC Report To / Special Instructions/Remarks:	
Turnaround Time Request: <input type="checkbox"/> 1 Day <input checked="" type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input checked="" type="checkbox"/> 5 Day		Fed Ex	
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	
Relinquished by: (Signature)		Received by: (Signature)	
Relinquished by: (Signature)		Received for Laboratory by: <i>[Signature]</i>	
Date/Time		Date/Time 9/7/06 8:46	
TEMPERATURE Ambient <i>8</i> or Chilled		PROPERLY PRESERVED <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Notes:		Notes:	
RECEIVED WITHIN HOLDING TIMES <input checked="" type="checkbox"/> Y <input type="checkbox"/> N		Notes:	

PINK - Generator Copy

Adirondack Environmental Services, Inc.

3200



Fill Material Source
Information

D-0223-001-A

OGE

*"BUILDING NEW YORK'S INFRASTRUCTURE SINCE 1883"*

August 25, 2006

Mr. Rob Gray
Abscope Environmental, Inc.
PO Box 487, 1 Commercial Drive
Canastota, NY 13032

Re: NIMO – Hill Street, Gloversville, NY

Gentleman:

As they are supplied by our facility in Pattersonville, NY; #1, #2, #3A, #3, #4 Crushed Stone & Clean Screenings are manufactured to meet all applicable New York State Department of Transportation Standard Specifications. Attached for your information please find a typical gradations these products.


As it is supplied by our facility in Pattersonville, NY; Crusher Run is manufactured to meet all applicable New York State Department of Transportation Standard Specifications. Attached for your information, please find a typical gradation for Crusher Run.

As it is supplied by our facility in Pattersonville, NY; Light Stone Fill is manufactured to meet all applicable New York State Department of Transportation Standard Specifications. As per section 620-2.02, acceptance of this Item is based on visual examination and we would request you contact Mr. Richard Douglas at the Pattersonville site (518-887-2821) to arrange for this examination prior to the Item being stockpiled.

Our Pattersonville Source (2-5R) was approved by the N.Y.S.D.O.T. under Test No. 05AR 71, and the letter to this effect is attached.

Should you have any questions or require additional information, please contact me at (518) 374-2222.

Very truly yours,
CALLANAN INDUSTRIES, INC.


Bernadetta M. Montgomery
Quality Control Department

MATERIALS • CONSTRUCTION

Post Office Box 15097 • Albany, New York 12212-5097 • (518) 374-2222 • Fax (518) 374-1721



ALL SAND AND STONE PRODUCTS ARE D.O.T. APPROVED

Fax

To: Abscope – Rob D.	From: Stephanie Bugaj
Fax: 315-697-9391	Pages: 2 including cover
Phone:	Date: 4/3/07
Re: Top Soil	CC:

Here is the letter you requested pertaining to our top soil. If you have any questions please do not hesitate to contact me.

Regards,
DELANEY CRUSHED STONE PRODUCTS, INC.


STEPHANIE BUGAJ
OFFICE MANAGER

Physical Address:
410 State Highway 30
Northville, NY 12134

Mailing Address:
Post Office Box 1289
Northville, NY 12134

Main Office:
Post Office Box C
Mayfield, NY 12117

Quarry Office: Phone (518) 863-4345 Fax (518) 863-6898
Main Office: Phone (518) 661-5304 Fax (518) 661-7619



April 3, 2007

Abscope Environmental
1 Commercial Drive
Canastota, NY 13032

To whom it may concern:

This letter is in regards to our topsoil. Our topsoil is considered commercial grade the material is screened to two inches. The ph value last time it was tested was 6.0 and organic material was 4.5. The last time the material was tested by New York State was in September of 2005. At that time it was approved to use on a state job.

I am not sure what other information you are looking for therefore if you have any questions please do not hesitate to contact my office.

Regards,


Stephanie Bugaj

Physical Address:
410 State Highway 30
Northville, NY 12134

Mailing Address:
Post Office Box 1289
Northville, NY 12134

Main Office:
Post Office Box C
Mayfield, NY 12117

Quarry Office: Phone (518) 863-4345 Fax (518) 863-6898
Main Office: Phone (518) 661-5304 Fax (518) 661-7619



D-02223-004-A

ALL SAND AND STONE PRODUCTS ARE D.O.T. APPROVED

Fax

To: Rob- Abscope	From: Stephanie Bugaj
Fax: 1-315-697-9391	Pages: 3 including cover
Phone: 1-315-697-6898	Date: 8/23/06
Re: Nimo	CC:

These are the DOT approvals for all sand and stone material in our quarry.

Regards,
DELANEY CRUSHED STONE PRODUCTS, INC.

STEPHANIE BUGAJ
OFFICE MANAGER

TYPE-R

TYPE - E

Physical Address:
410 State Highway 30
Northville, NY 12134

Mailing Address:
Post Office Box 1289
Northville, NY 12134

Main Office:
Post Office Box C
Mayfield, NY 12117

Quarry Office: Phone (518) 863-4345 Fax (518) 863-6898
Main Office: Phone (518) 661-5304 Fax (518) 661-7619



State of New York
Department of Transportation
Albany, N.Y. 12232
<http://www.dot.state.ny.us>

Joseph H. Boardman
Commissioner

George E. Pataki
Governor

January 1, 2005

Mr. Timothy Delaney
Delaney Crushed Stone Products, Inc.
P.O. Box J
28 North School St
Mayfield, NY 12117

Aggregate Source Status

Name: **Delaney Crushed Stone Products, Inc.**

Source No. **2- 9F,G1**

Location: **Northville, NY**

Coarse Aggregate Approved for Item 703-02

Fine Aggregate Approved for Item 703-01

Dear Mr. Timothy Delaney:

Aggregate from the operating location noted above is approved for Items 703-01 and 703-02, Fine and Coarse Aggregate. The requirements of Materials Method 29, Aggregate Acceptance Procedures, have been met.

Aggregate sources which satisfy all applicable requirements of Materials Method 29, issued October 2000, appear on the Approved List of Sources of Fine and Coarse Aggregates. The Approved List is available on the Internet @

www.dot.state.ny.us and clicking on Publications.

Approval status is reaffirmed by testing every 2 years. However, approval status may be modified if it is determined that conditions have changed. The Regional Materials Engineer may be consulted for current data concerning this or any source.

Any questions regarding these matters, may be directed to Mr. William Skerritt or members of his staff in the Materials Bureau, Engineering Geology Section at (518) 457-1038.

Very truly yours,

William Skerritt
Engineering Geology

WHS/MJB
File: 2- 9F,G1
cc: Tim Roemer, Region 2 Materials Engineer



State of New York
Department of Transportation
Albany, N.Y. 12232
<http://www.dot.state.ny.us>

Joseph H. Boardman
Commissioner

George E. Pataki
Governor

January 1, 2005

Mr. Timothy Delaney
Delaney Crushed Stone Products, Inc.
P.O. Box J
28 North School St
Mayfield, NY 12117

Dear Mr. Timothy Delaney:

Aggregate Source Status
Name: **Delaney Crushed Stone**
Products, Inc.
Source No. **2- 17R**
Location: **Northville, NY**
Coarse Aggregate Approved for Item 703-02

Aggregate from the operating location noted above is approved for Item 703-02, Coarse Aggregate. The requirements of Materials Method 29, Aggregate Acceptance Procedures, have been met.

Aggregate sources which satisfy all applicable requirements of Materials Method 29, issued October 2000, appear on the Approved List of Sources of Fine and Coarse Aggregates. The Approved List is available on the Internet @

www.dot.state.ny.us and clicking on Publications.

Approval status is reaffirmed by testing every 2 years. However, approval status may be modified if it is determined that conditions have changed. The Regional Materials Engineer may be consulted for current data concerning this or any source.

Any questions regarding these matters, may be directed to Mr. William Skeritt or members of his staff in the Materials Bureau, Engineering Geology Section at (518) 457-1038.

Very truly yours,

William Skeritt
Engineering Geology

WHS/MJB
File: 2- 17R
cc: Tim Roemer, Region 2 Materials Engineer

Appendix H (included on CD)

Building Permit

PERMIT

Gloversville, N.Y.

Check type of permit being issued (Check only one)

(✓) BUILDING PERMIT () DEMOLITION PERMIT () EQUIPMENT PERMIT () ZONING PERMIT

Address of the property for which permit is being issued: 20 Hill StProperty owner National Grid Address 300 Erie Blvd. W. Syracuse
N.Y.ALL WORK PERFORMED UNDER THIS PERMIT SHALL CONFORM TO THE BUILDING CONSTRUCTION CODE AND THE ZONING ORDINANCE OF THE CITY OF GLOVERSVILLE AND THE INFORMATION CONTAINED ON PERMIT APPLICATION NO. 6108 WHICH WAS APPROVED BY THE CODE ENFORCEMENT OFFICIAL.Estimated cost 40,000Permit FEE: 340.00 (NOTE: ALL PERMIT RENEWALS ARE \$10.00)

Permits EXPIRE one (1) year from the date of issuance, EXCEPT all DEMOLITION PERMITS expire 30 days from date of issuance.

ISSUED Brenda Pedraza
City Clerk-Dep. City Clerk10/31/06
Date of Issuance

NOTICE: No person, firm, or corporation shall use any building, structure, alteration, or equipment for which this permit has been issued for more than THIRTY (30) days after the completion of the work unless a CERTIFICATE OF COMPLIANCE or TEMPORARY CERTIFICATE OF COMPLIANCE has been applied for and obtained from the Code Enforcement Official.

Applications for Certificates of Compliance are to be made on forms provided by the Code Enforcement Official. An INSPECTION by the Code Enforcement Official is required before the Certificates can be issued.

NOTICE: Any deviation from the approved plans must be authorized by the approval of revised plans subject to the same procedure established for the examination of the original plans.

IT IS THE PROPERTY OWNER'S RESPONSIBILITY TO FILE THE APPLICATION FOR CERTIFICATES OF COMPLIANCE WITH THE CODE ENFORCEMENT OFFICIAL.

ENTER BELOW THE PROPERTY OWNERSHIP MAP NUMBER:

- | | |
|--------------|---------------------------|
| 1. White | Code Enforcement Official |
| 2. Canary | Assessor |
| 3. Pink | City Clerk |
| 4. Goldenrod | Applicant |

149.14	7	1
SECTION	BLOCK	LOT

BUILDING PERMIT APPLICATION
GLOVERSVILLE, N.Y.

6103

1. Application must be completed in ink.
2. Address of property for which permit is being requested 20 Hill Street
3. Property owner National Grid Address 300 Erie Blvd West Syracuse NY
Note: If the property owner is a corporation you must attach a list of names and addresses of their responsible officer(s).
4. Name and Telephone number of person to contact in regard to Application during normal business hours:
(Mon. - Fri. 8 A.M. - 5 P.M.) Robert Drabet (315) 697-0437
5. Occupancy classification as defined by Building Construction Code (mixed occupancies must be fully described) U
6. This application shall be accompanied by plans and specifications, including a plot plan, drawn to scale, showing the location and size of all existing structures on the site, the nature and character of work to be performed and the materials to be incorporated and all other information necessary to determine compliance with the Building Construction Code. If this information is not provided the application may be disapproved. Provide a very brief description of the proposed work:
Installation of Pre-engineered steel building
7. The construction includes (check the appropriate items): () demolition, (☒) plumbing, (☒) electrical,
() ventilating or air conditioning, () heating, or () fire alarm equipment.

THE OWNER IS HEREBY ADVISED THAT SEPARATE PERMITS MAY BE REQUIRED FOR THE ITEMS NOTED ABOVE.

8. Estimated Cost (include both labor and materials) \$40,000 \$340⁰⁰
9. AFFIDAVIT: (read before signing Application)
I hereby certify that all information contained on this application is true and that all work performed, for which this permit is requested, shall comply with the Building Construction Code of the City of Gloversville and any other laws, codes, ordinances, rules and regulations regulating the work which may be applicable; the owner and applicant consents to permit any Code Enforcement Official right of entry as prescribed in the Building Construction Code; and if this application is made by other than the owner that the owner has authorized this application to be submitted.

I HAVE READ THE FOREGOING AND UNDERSTAND THAT FALSE STATEMENTS MADE HEREIN ARE PUNISHABLE AS A CLASS A MISDEMEANOR PURSUANT TO SECTION 210.25 OF THE PENAL LAW.

10/27/06
Date

[Signature]
Signature of Applicant

For Building Inspector's Use:	
APPLICATION (<input checked="" type="checkbox"/>) Approved () Disapproved	Date Application Received <u>10/27/06</u> <u>[Signature]</u> Building Inspector
Date <u>10/30/06</u>	
COMMENTS:	
Flood Zone () Yes, (<input checked="" type="checkbox"/>) No // Historic Zone () Yes, (<input checked="" type="checkbox"/>) No // EDZ () Yes, (<input checked="" type="checkbox"/>) No	

- | | |
|--------------|--------------------|
| 1. White | Building Inspector |
| 2. Canary | Assessor |
| 3. Pink | City Clerk |
| 4. Goldenrod | Applicant |

ENTER BELOW THE PROPERTY OWNERSHIP MAP NUMBER:

<u>147.14</u>	<u>7</u>	<u>1</u>
SECTION	BLOCK	LOT

Appendix I (included on CD)

Concrete Testing Data

Jersen Construction Group

6 Industry Drive

Waterford, NY 12188

Phone: 518-233-0600

Fax: 518-233-1215

TRANSMITTAL

No. 00024

PROJECT: National Grid Gloversville

DATE: 12/15/2006

TO: Abscope Environmental, Inc.
1 Commercial Drive
PO Box 487
Canastota, NY 13032

REF: Test Reports

ATTN: Robert G. Gray

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
<input type="checkbox"/> Shop Drawings	<input type="checkbox"/> Approval	<input type="checkbox"/> Approved as Submitted
<input type="checkbox"/> Letter	<input checked="" type="checkbox"/> Your Use	<input type="checkbox"/> Approved as Noted
<input type="checkbox"/> Prints	<input type="checkbox"/> As Requested	<input type="checkbox"/> Returned After Loan
<input type="checkbox"/> Change Order	<input type="checkbox"/> Review and Comment	<input type="checkbox"/> Resubmit
<input type="checkbox"/> Plans		<input type="checkbox"/> Submit
<input type="checkbox"/> Samples	SENT VIA:	<input type="checkbox"/> Returned
<input type="checkbox"/> Specifications	<input checked="" type="checkbox"/> Attached	<input type="checkbox"/> Returned for Corrections
<input checked="" type="checkbox"/> Other: Test Reports	<input type="checkbox"/> Separate Cover Via:	<input type="checkbox"/> Due Date:

ITEM	PACKAGE	SUBMITTAL	DRAWING	REV.	ITEM NO.	COPIES	DATE	DESCRIPTION	STATUS
					1	2	12/15/2006	Concrete Test Results	NEW

CC: File

Signed: _____
Michael Reader

Jersen Construction Group

6 Industry Drive

Waterford, NY 12188

Phone: 518-233-0600

Fax: 518-233-1215

TRANSMITTAL

No. 00022

PROJECT: National Grid Gloversville

DATE: 12/13/2006

TO: Abscope Environmental, Inc.
1 Commercial Drive
PO Box 487
Canastota, NY 13032

REF: Test Results

ATTN: Robert G. Gray

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
<input type="checkbox"/> Shop Drawings	<input type="checkbox"/> Approval	<input type="checkbox"/> Approved as Submitted
<input type="checkbox"/> Letter	<input checked="" type="checkbox"/> Your Use	<input type="checkbox"/> Approved as Noted
<input type="checkbox"/> Prints	<input type="checkbox"/> As Requested	<input type="checkbox"/> Returned After Loan
<input type="checkbox"/> Change Order	<input type="checkbox"/> Review and Comment	<input type="checkbox"/> Resubmit
<input type="checkbox"/> Plans		<input type="checkbox"/> Submit
<input type="checkbox"/> Samples	SENT VIA:	<input type="checkbox"/> Returned
<input type="checkbox"/> Specifications	<input checked="" type="checkbox"/> Attached	<input type="checkbox"/> Returned for Corrections
<input checked="" type="checkbox"/> Other: Test Results	<input type="checkbox"/> Separate Cover Via:	<input type="checkbox"/> Due Date:

ITEM	PACKAGE	SUBMITTAL	DRAWING	REV.	ITEM NO.	COPIES	DATE	DESCRIPTION	STATUS
					1	2	12/13/2006	Concrete Test Results	NEW

CC:

Signed: _____
Michael Reader

Jersen Construction Group

6 Industry Drive

Waterford, NY 12188

Phone: 518-233-0600

Fax: 518-233-1215

TRANSMITTAL

No. 00020

PROJECT: National Grid Gloversville

DATE: 12/1/2006

TO: Abscope Environmental, Inc.
1 Commercial Drive
PO Box 487
Canastota, NY 13032

REF: Test Results

ATTN: Robert G. Gray

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
<input type="checkbox"/> Shop Drawings	<input type="checkbox"/> Approval	<input type="checkbox"/> Approved as Submitted
<input type="checkbox"/> Letter	<input checked="" type="checkbox"/> Your Use	<input type="checkbox"/> Approved as Noted
<input type="checkbox"/> Prints	<input type="checkbox"/> As Requested	<input type="checkbox"/> Returned After Loan
<input type="checkbox"/> Change Order	<input type="checkbox"/> Review and Comment	<input type="checkbox"/> Resubmit
<input type="checkbox"/> Plans		<input type="checkbox"/> Submit
<input type="checkbox"/> Samples	SENT VIA:	<input type="checkbox"/> Returned
<input type="checkbox"/> Specifications	<input checked="" type="checkbox"/> Attached	<input type="checkbox"/> Returned for Corrections
<input checked="" type="checkbox"/> Other: Test Results	<input type="checkbox"/> Separate Cover Via:	<input type="checkbox"/> Due Date:

ITEM	PACKAGE	SUBMITTAL	DRAWING	REV.	ITEM NO.	COPIES	DATE	DESCRIPTION	STATUS
					1	2	12/1/2006	Concrete Break Results	NEW

CC: File

Signed: _____
Michael Reader

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D.& T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**
6 INDUSTRY DRIVE
WATERFORD, NEW YORK 12188

ATTN: MR. MICHAEL READER
PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

REPORT NUMBER: 1 : PAGE #: 1
INSPECTION DATE: 11/02/06
OUR FILE NUMBER: 434.014
INSPECTOR & TEST SET: BOB BEHAN #6
AMBIENT WEATHER: 40's: PT. CLOUDY
OUR FILE LOCATION: 72839

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 1: SUMP PIT FOOTING

DELIVERED LOAD NUMBER: 1
TRUCK NUMBER / TICKET NUMBER: 123 / 9594
YARDAGE DELIVERED / SUBTOTAL: 2.50 / 2.50
TIME CONC. BATCHED / ARRIVED: NA / 12.45
TIME PLACEMENT BEGAN / ENDED: 12.51 / 1.12
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50) NA
SLUMP ON ARRIVAL (INCHES): 1.25
WATER ADDED ONSITE (GALLONS):
WATER ADDED AT DISCRETION OF:
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:
PLACEMENT SLUMP (INCH) (SPEC: - 5.00) 1.25
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00) 5.20
UNIT WEIGHT (PCF) (SPEC: -) 151.23
CONCRETE TEMP. (F) (SPEC: 45 - 85) 63
NUMBER OF TEST SPECIMEN CAST: 6
LAB CYLINDER CONTROL NUMBERS 72839 - 72844
REMARKS: 1: BATCH TIME NOT PROVIDED.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.

CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/03/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
72839	11/09/06	7	120,900 C	4280
72840	11/09/06	7	118,500 C	4190
72841	11/30/06	28	142,050 C	5020
72842	11/30/06	28	144,700 C	5120
72843	11/30/06	28	143,500 C	5080
72844		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY

TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D. & T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

11-01-06 11:27 AM

CLIENT: JERSEN INDUSTRIES

6 INDUSTRY DRIVE

WATERFORD, NEW YORK 12188

REPORT NUMBER: 1 : PAGE #: 1

INSPECTION DATE: 11/02/06

OUR FILE NUMBER: 434.014

INSPECTOR & TEST SET: BOB BEHAN #6

AMBIENT WEATHER: 40's: PT. CLOUDY

OUR FILE LOCATION: 72839

ATTN: MR. MICHAEL READER

PROJEC NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 1: SUMP PIT FOOTING

DELIVERED LOAD NUMBER: 1
TRUCK NUMBER / TICKET NUMBER: 123 / 9594
YARDAGE DELIVERED / SUBTOTAL: 2.50 / 2.50
TIME CONC. BATCHED / ARRIVED: NA / 12.45
TIME PLACEMENT BEGAN / ENDED: 12.51 / 1.12
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50) NA
SLUMP ON ARRIVAL (INCHES): 1.25
WATER ADDED ONSITE (GALLONS):
WATER ADDED AT DISCRETION OF:
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:
PLACEMENT SLUMP (INCH) (SPEC: - 5.00) 1.25
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00) 5.20
UNIT WEIGHT (PCF) (SPEC: -) 151.23
CONCRETE TEMP. (F) (SPEC: 45 - 85) 63
NUMBER OF TEST SPECIMEN CAST: 6
LAB CYLINDER CONTROL NUMBERS 72839 - 72844
REMARKS: 1: BATCH TIME NOT PROVIDED.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.

CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/03/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
72839	11/09/06	7	120,900 C	4280
72840	11/09/06	7	118,500 C	4190
72841	11/30/06	28	142,050 C	5020
72842	11/30/06	28	144,700 C	5120
72843	11/30/06	28	143,500 C	5080
72844		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY

TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

Jersen Construction Group

6 Industry Drive

Waterford, NY 12188

Phone: 518-233-0600

Fax: 518-233-1215

TRANSMITTAL

No. 00017

PROJECT: National Grid Gloversville

DATE: 11/28/2006

TO: Abscope Environmental, Inc.
1 Commercial Drive
PO Box 487
Canastota, NY 13032

REF: Test Results

ATTN: Robert G. Gray

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
<input type="checkbox"/> Shop Drawings	<input type="checkbox"/> Approval	<input type="checkbox"/> Approved as Submitted
<input type="checkbox"/> Letter	<input checked="" type="checkbox"/> Your Use	<input type="checkbox"/> Approved as Noted
<input type="checkbox"/> Prints	<input type="checkbox"/> As Requested	<input type="checkbox"/> Returned After Loan
<input type="checkbox"/> Change Order	<input checked="" type="checkbox"/> Review and Comment	<input type="checkbox"/> Resubmit
<input type="checkbox"/> Plans		<input type="checkbox"/> Submit
<input type="checkbox"/> Samples	SENT VIA:	<input type="checkbox"/> Returned
<input type="checkbox"/> Specifications	<input checked="" type="checkbox"/> Attached	<input type="checkbox"/> Returned for Corrections
<input checked="" type="checkbox"/> Other: Test Results	<input type="checkbox"/> Separate Cover Via:	<input type="checkbox"/> Due Date:

ITEM	PACKAGE	SUBMITTAL	DRAWING	REV.	ITEM NO.	COPIES	DATE	DESCRIPTION	STATUS
					1	3	11/28/2006	7 Day Concrete Breaks	NEW

CC:File

Signed: _____
Michael Reader

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D.& T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: JERSEN INDUSTRIES

6 INDUSTRY DRIVE

WATERFORD, NEW YORK 12188

REPORT NUMBER: 2 : PAGE #: 1

INSPECTION DATE: 11/17/06

OUR FILE NUMBER: 434.014

INSPECTOR & TEST SET: DAVE CASAW #5

AMBIENT WEATHER: 50's: OVERCAST

OUR FILE LOCATION: 73382

ATTN: MR. MICHAEL READER

PROJEC NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 1: SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 2: SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 3: SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	1	2	3
TRUCK NUMBER / TICKET NUMBER:	125 / 9710	127 / 9711	209 / 9712
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 10.00	10.00 / 20.00	10.00 / 30.00
TIME CONC. BATCHED / ARRIVED:	6.05 / 6.25	6.25 / 6.30	6.39 / 6.46
TIME PLACEMENT BEGAN / ENDED:	6.32 / 6.40	6.41 / 6.50	6.50 / 7.00
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.58	0.42	0.35
SLUMP ON ARRIVAL (INCHES):	6.00	6.25	6.50
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	6.25 1	6.50 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)			4.50
UNIT WEIGHT (PCF) (SPEC: -)			147.16
CONCRETE TEMP. (F) (SPEC: 45 - 85)	72	71	72
NUMBER OF TEST SPECIMEN CAST:			6
LAB CYLINDER CONTROL NUMBERS			73382 - 73387

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.


CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
73382	11/24/06	7	90,950 C	3220
73383	11/24/06	7	94,250 C	3330
73384	12/15/06	28		
73385	12/15/06	28		
73386	12/15/06	28		
73387		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D. & T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**
6 INDUSTRY DRIVE
WATERFORD, NEW YORK 12188

ATTN: MR. MICHAEL READER
PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

REPORT NUMBER: 2 : PAGE #: 2
INSPECTION DATE: 11/17/06
OUR FILE NUMBER: 434.014
INSPECTOR & TEST SET: DAVE CASAW #5
AMBIENT WEATHER: 50's: OVERCAST
OUR FILE LOCATION:

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 4 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 5 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 6 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	4	5	6
TRUCK NUMBER / TICKET NUMBER:	123 / 9713	61 / 9714	125 / 9715
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 40.00	10.00 / 50.00	10.00 / 60.00
TIME CONC. BATCHED / ARRIVED:	6.53 / 6.58	7.00 / 7.05	7.10 / 7.19
TIME PLACEMENT BEGAN / ENDED:	7.00 / 7.08	7.11 / 7.20	7.23 / 7.29
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.25	0.33	0.32
SLUMP ON ARRIVAL (INCHES):	6.00	6.25	6.00
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	6.25 1	6.00 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)			
UNIT WEIGHT (PCF) (SPEC: -)			
CONCRETE TEMP. (F) (SPEC: 45 - 85)	74	72	72
NUMBER OF TEST SPECIMEN CAST:			
LAB CYLINDER CONTROL NUMBERS			

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.


CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
--------------------	--------------	------------------	-------------------------------	----------------

REPORT DISTRIBUTION:

1: FILE	5:
2: SUPPLIER	6:
3:	7:
4:	8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D. & T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**
6 INDUSTRY DRIVE
WATERFORD, NEW YORK 12188

ATTN: MR. MICHAEL READER
PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

REPORT NUMBER: 2 : PAGE #: 3
INSPECTION DATE: 11/17/06
OUR FILE NUMBER: 434.014
INSPECTOR & TEST SET: DAVE CASAW #5
AMBIENT WEATHER: 50's: OVERCAST
OUR FILE LOCATION: 73388

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 7 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 8 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 9 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	7	8	9
TRUCK NUMBER / TICKET NUMBER:	127 / 9716	209 / 9717	123 / 9718
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 70.00	10.00 / 80.00	10.00 / 90.00
TIME CONC. BATCHED / ARRIVED:	7.20 / 7.23	7.27 / 7.36	7.36 / 7.45
TIME PLACEMENT BEGAN / ENDED:	7.30 / 7.38	7.39 / 7.48	7.49 / 8.13
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.30	0.35	0.62
SLUMP ON ARRIVAL (INCHES):	6.25	4.00	4.75
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.25 1	4.00	4.75
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)		5.00	
UNIT WEIGHT (PCF) (SPEC: -)		148.69	
CONCRETE TEMP. (F) (SPEC: 45 - 85)	72	72	72
NUMBER OF TEST SPECIMEN CAST:		6	
LAB CYLINDER CONTROL NUMBERS		73388 - 73393	

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.

CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
73388	11/24/06	7	106,950 C	3780
73389	11/24/06	7	103,000 C	3640
73390	12/15/06	28		
73391	12/15/06	28		
73392	12/15/06	28		
73393		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY

TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D.& T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: JERSEN INDUSTRIES

6 INDUSTRY DRIVE

WATERFORD, NEW YORK 12188

ATTN: MR. MICHAEL READER

PROJEC NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK

REPORT NUMBER: 2 : PAGE #: 4

INSPECTION DATE: 11/17/06

OUR FILE NUMBER: 434.014

INSPECTOR & TEST SET: DAVE CASAW #5

AMBIENT WEATHER: 50's: OVERCAST

OUR FILE LOCATION:

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 10 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 11 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 12 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	10	11	12
TRUCK NUMBER / TICKET NUMBER:	61 / 9719	125 / 9720	127 / 9721
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 100.00	10.00 / 110.00	10.00 / 120.00
TIME CONC. BATCHED / ARRIVED:	7.50 / 7.55	8.00 / 8.06	8.10 / 8.13
TIME PLACEMENT BEGAN / ENDED:	8.14 / 8.21	8.22 / 8.31	8.32 / 8.40
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.52	0.52	0.50
SLUMP ON ARRIVAL (INCHES):	6.00	6.00	5.75
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	6.00 1	5.75 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)		4.80	
UNIT WEIGHT (PCF) (SPEC: -)			
CONCRETE TEMP. (F) (SPEC: 45 - 85)	70	70	71
NUMBER OF TEST SPECIMEN CAST:			
LAB CYLINDER CONTROL NUMBERS			

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.


CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
--------------------	--------------	------------------	-------------------------------	----------------

REPORT DISTRIBUTION:

1: FILE	5:
2: SUPPLIER	6:
3:	7:
4:	8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D.& T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: JERSEN INDUSTRIES

6 INDUSTRY DRIVE

WATERFORD, NEW YORK 12188

REPORT NUMBER: 2 : PAGE #: 5

INSPECTION DATE: 11/17/06

OUR FILE NUMBER: 434.014

INSPECTOR & TEST SET: DAVE CASAW #5

AMBIENT WEATHER: 50's: OVERCAST

OUR FILE LOCATION: 73394

ATTN: MR. MICHAEL READER

PROJEC NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 13 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 14 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 15 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	13	14	15
TRUCK NUMBER / TICKET NUMBER:	209 / 9722	61 / 9723	123 / 9724
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 130.00	10.00 / 140.00	10.00 / 150.00
TIME CONC. BATCHED / ARRIVED:	8.14 / 8.38	8.26 / 8.57	9.01 / 9.06
TIME PLACEMENT BEGAN / ENDED:	8.40 / 8.55	9.01 / 9.11	9.11 / 9.26
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.68	0.75	0.42
SLUMP ON ARRIVAL (INCHES):	6.00	5.75	5.50
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	5.75 1	5.50 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)	5.20		
UNIT WEIGHT (PCF) (SPEC: -)	146.65		
CONCRETE TEMP. (F) (SPEC: 45 - 85)	72	71	72
NUMBER OF TEST SPECIMEN CAST:	6		
LAB CYLINDER CONTROL NUMBERS	73394 - 73399		

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.


CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
73394	11/24/06	7	101,550 C	3590
73395	11/24/06	7	103,250 C	3650
73396	12/15/06	28		
73397	12/15/06	28		
73398	12/15/06	28		
73399		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D. & T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: JERSEN INDUSTRIES

6 INDUSTRY DRIVE

WATERFORD, NEW YORK 12188

REPORT NUMBER: 2 : PAGE #: 1

INSPECTION DATE: 11/17/06

OUR FILE NUMBER: 434.014

INSPECTOR & TEST SET: DAVE CASAW #5

AMBIENT WEATHER: 50's: OVERCAST

ATTN: MR. MICHAEL READER

PROJEC NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK

OUR FILE LOCATION: 73382

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 1: SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 2: SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 3: SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	1	2	3
TRUCK NUMBER / TICKET NUMBER:	125 / 9710	127 / 9711	209 / 9712
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 10.00	10.00 / 20.00	10.00 / 30.00
TIME CONC. BATCHED / ARRIVED:	6.05 / 6.25	6.25 / 6.30	6.39 / 6.46
TIME PLACEMENT BEGAN / ENDED:	6.32 / 6.40	6.41 / 6.50	6.50 / 7.00
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.58	0.42	0.35
SLUMP ON ARRIVAL (INCHES):	6.00	6.25	6.50
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	6.25 1	6.50 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)			4.50
UNIT WEIGHT (PCF) (SPEC: -)			147.16
CONCRETE TEMP. (F) (SPEC: 45 - 85)	72	71	72
NUMBER OF TEST SPECIMEN CAST:			6
LAB CYLINDER CONTROL NUMBERS			73382 - 73387

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.


CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
73382	11/24/06	7	90,950 C	3220
73383	11/24/06	7	94,250 C	3330
73384	12/15/06	28		
73385	12/15/06	28		
73386	12/15/06	28		
73387		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D. & T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**
6 INDUSTRY DRIVE
WATERFORD, NEW YORK 12188

ATT'N: MR. MICHAEL READER
PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

REPORT NUMBER: 2 : PAGE #: 2
INSPECTION DATE: 11/17/06
OUR FILE NUMBER: 434.014
INSPECTOR & TEST SET: DAVE CASAW #5
AMBIENT WEATHER: 50's: OVERCAST
OUR FILE LOCATION:

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 4 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 5 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 6 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	4	5	6
TRUCK NUMBER / TICKET NUMBER:	123 / 9713	61 / 9714	125 / 9715
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 40.00	10.00 / 50.00	10.00 / 60.00
TIME CONC. BATCHED / ARRIVED:	6.53 / 6.58	7.00 / 7.05	7.10 / 7.19
TIME PLACEMENT BEGAN / ENDED:	7.00 / 7.08	7.11 / 7.20	7.23 / 7.29
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.25	0.33	0.32
SLUMP ON ARRIVAL (INCHES):	6.00	6.25	6.00
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	6.25 1	6.00 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)			
UNIT WEIGHT (PCF) (SPEC: -)			
CONCRETE TEMP. (F) (SPEC: 45 - 85)	74	72	72
NUMBER OF TEST SPECIMEN CAST:			
LAB CYLINDER CONTROL NUMBERS			

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.


CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
--------------------	--------------	------------------	-------------------------------	----------------

REPORT DISTRIBUTION:

1: FILE	5:
2: SUPPLIER	6:
3:	7:
4:	8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D.& T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**
6 INDUSTRY DRIVE
WATERFORD, NEW YORK 12188

ATT'N: MR. MICHAEL READER
PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

REPORT NUMBER: 2 : PAGE #: 3
INSPECTION DATE: 11/17/06
OUR FILE NUMBER: 434.014
INSPECTOR & TEST SET: DAVE CASAW #5
AMBIENT WEATHER: 50's: OVERCAST
OUR FILE LOCATION: 73388

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 7 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 8 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 9 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	7	8	9
TRUCK NUMBER / TICKET NUMBER:	127 / 9716	209 / 9717	123 / 9718
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 70.00	10.00 / 80.00	10.00 / 90.00
TIME CONC. BATCHED / ARRIVED:	7.20 / 7.23	7.27 / 7.36	7.36 / 7.45
TIME PLACEMENT BEGAN / ENDED:	7.30 / 7.38	7.39 / 7.48	7.49 / 8.13
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.30	0.35	0.62
SLUMP ON ARRIVAL (INCHES):	6.25	4.00	4.75
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.25 1	4.00	4.75
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)		5.00	
UNIT WEIGHT (PCF) (SPEC: -)		148.69	
CONCRETE TEMP. (F) (SPEC: 45 - 85)	72	72	72
NUMBER OF TEST SPECIMEN CAST:		6	
LAB CYLINDER CONTROL NUMBERS		73388 - 73393	

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.


CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
73388	11/24/06	7	106,950 C	3780
73389	11/24/06	7	103,000 C	3640
73390	12/15/06	28		
73391	12/15/06	28		
73392	12/15/06	28		
73393		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D.& T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**

6 INDUSTRY DRIVE

WATERFORD, NEW YORK 12188

ATTN: MR. MICHAEL READER

PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

REPORT NUMBER: 2 : PAGE #: 4

INSPECTION DATE: 11/17/06

OUR FILE NUMBER: 434.014

INSPECTOR & TEST SET: DAVE CASAW #5

AMBIENT WEATHER: 50's: OVERCAST

OUR FILE LOCATION:

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 10 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 11 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 12 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	10	11	12
TRUCK NUMBER / TICKET NUMBER:	61 / 9719	125 / 9720	127 / 9721
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 100.00	10.00 / 110.00	10.00 / 120.00
TIME CONC. BATCHED / ARRIVED:	7.50 / 7.55	8.00 / 8.06	8.10 / 8.13
TIME PLACEMENT BEGAN / ENDED:	8.14 / 8.21	8.22 / 8.31	8.32 / 8.40
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.52	0.52	0.50
SLUMP ON ARRIVAL (INCHES):	6.00	6.00	5.75
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	6.00 1	5.75 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)		4.80	
UNIT WEIGHT (PCF) (SPEC: -)			
CONCRETE TEMP. (F) (SPEC: 45 - 85)	70	70	71
NUMBER OF TEST SPECIMEN CAST:			
LAB CYLINDER CONTROL NUMBERS			

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.


UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
--------------------	--------------	------------------	-------------------------------	----------------

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D.& T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**

6 INDUSTRY DRIVE

WATERFORD, NEW YORK 12188

REPORT NUMBER: 2 : PAGE #: 5

INSPECTION DATE: 11/17/06

OUR FILE NUMBER: 434.014

INSPECTOR & TEST SET: DAVE CASAW #5

AMBIENT WEATHER: 50's: OVERCAST

ATT'N: MR. MICHAEL READER

PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

OUR FILE LOCATION: 73394

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 13 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 14 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 15 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	13	14	15
TRUCK NUMBER / TICKET NUMBER:	209 / 9722	61 / 9723	123 / 9724
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 130.00	10.00 / 140.00	10.00 / 150.00
TIME CONC. BATCHED / ARRIVED:	8.14 / 8.38	8.26 / 8.57	9.01 / 9.06
TIME PLACEMENT BEGAN / ENDED:	8.40 / 8.55	9.01 / 9.11	9.11 / 9.26
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.68	0.75	0.42
SLUMP ON ARRIVAL (INCHES):	6.00	5.75	5.50
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	5.75 1	5.50 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)	5.20		
UNIT WEIGHT (PCF) (SPEC: -)	146.65		
CONCRETE TEMP. (F) (SPEC: 45 - 85)	72	71	72
NUMBER OF TEST SPECIMEN CAST:	6		
LAB CYLINDER CONTROL NUMBERS	73394 - 73399		

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.


CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
73394	11/24/06	7	101,550 C	3590
73395	11/24/06	7	103,250 C	3650
73396	12/15/06	28		
73397	12/15/06	28		
73398	12/15/06	28		
73399		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D.& T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

11-27-10

CLIENT: JERSEN INDUSTRIES

6 INDUSTRY DRIVE

WATERFORD, NEW YORK 12188

REPORT NUMBER: 2 : PAGE #: 1

INSPECTION DATE: 11/17/06

OUR FILE NUMBER: 434.014

INSPECTOR & TEST SET: DAVE CASAW #5

AMBIENT WEATHER: 50's: OVERCAST

OUR FILE LOCATION: 73382

ATTN: MR. MICHAEL READER

PROJEC NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 1: SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 2: SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 3: SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	1	2	3
TRUCK NUMBER / TICKET NUMBER:	125 / 9710	127 / 9711	209 / 9712
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 10.00	10.00 / 20.00	10.00 / 30.00
TIME CONC. BATCHED / ARRIVED:	6.05 / 6.25	6.25 / 6.30	6.39 / 6.46
TIME PLACEMENT BEGAN / ENDED:	6.32 / 6.40	6.41 / 6.50	6.50 / 7.00
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.58	0.42	0.35
SLUMP ON ARRIVAL (INCHES):	6.00	6.25	6.50
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	6.25 1	6.50 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)			4.50
UNIT WEIGHT (PCF) (SPEC: -)			147.16
CONCRETE TEMP. (F) (SPEC: 45 - 85)	72	71	72
NUMBER OF TEST SPECIMEN CAST:			6
LAB CYLINDER CONTROL NUMBERS			73382 - 73387

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.

CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS

SUPPLIERS MIX FORMULA: PER SUBMITTAL:

CEMENT: LBS.

CEMENT: LBS.

WATER: GAL.

COARSE AGGREGATE #1: LBS.

COARSE AGGREGATE #2: LBS.

COARSE AGGREGATE #3: LBS.

FINE AGGREGATE: LBS.

ADMIXTURE #1: OZS.

ADMIXTURE #2: OZS.

ADMIXTURE #3: OZS.

AIR ENTRAINING AGENT: OZS.

CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39


UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
73382	11/24/06	7	90,950 C	3220
73383	11/24/06	7	94,250 C	3330
73384	12/15/06	28		
73385	12/15/06	28		
73386	12/15/06	28		
73387		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED;
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D.& T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**
6 INDUSTRY DRIVE
WATERFORD, NEW YORK 12188

ATTN: MR. MICHAEL READER
PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

REPORT NUMBER: 2 : PAGE #: 2
INSPECTION DATE: 11/17/06
OUR FILE NUMBER: 434.014
INSPECTOR & TEST SET: DAVE CASAW #5
AMBIENT WEATHER: 50's: OVERCAST
OUR FILE LOCATION:

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 4 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 5 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 6 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	4	5	6
TRUCK NUMBER / TICKET NUMBER:	123 / 9713	61 / 9714	125 / 9715
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 40.00	10.00 / 50.00	10.00 / 60.00
TIME CONC. BATCHED / ARRIVED:	6.53 / 6.58	7.00 / 7.05	7.10 / 7.19
TIME PLACEMENT BEGAN / ENDED:	7.00 / 7.08	7.11 / 7.20	7.23 / 7.29
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.25	0.33	0.32
SLUMP ON ARRIVAL (INCHES):	6.00	6.25	6.00
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	6.25 1	6.00 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)			
UNIT WEIGHT (PCF) (SPEC: -)			
CONCRETE TEMP. (F) (SPEC: 45 - 85)	74	72	72
NUMBER OF TEST SPECIMEN CAST:			
LAB CYLINDER CONTROL NUMBERS			

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.


CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
--------------------	--------------	------------------	-------------------------------	----------------

REPORT DISTRIBUTION:

1: FILE	5:
2: SUPPLIER	6:
3:	7:
4:	8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D. & T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**
6 INDUSTRY DRIVE
WATERFORD, NEW YORK 12188

ATT'N: MR. MICHAEL READER
PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

REPORT NUMBER: 2 : PAGE #: 3
INSPECTION DATE: 11/17/06
OUR FILE NUMBER: 434.014
INSPECTOR & TEST SET: DAVE CASAW #5
AMBIENT WEATHER: 50's: OVERCAST
OUR FILE LOCATION: 73388

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 7 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 8 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)
PLACEMENT LOCATION OF LOAD # 9 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	7	8	9
TRUCK NUMBER / TICKET NUMBER:	127 / 9716	209 / 9717	123 / 9718
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 70.00	10.00 / 80.00	10.00 / 90.00
TIME CONC. BATCHED / ARRIVED:	7.20 / 7.23	7.27 / 7.36	7.36 / 7.45
TIME PLACEMENT BEGAN / ENDED:	7.30 / 7.38	7.39 / 7.48	7.49 / 8.13
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.30	0.35	0.62
SLUMP ON ARRIVAL (INCHES):	6.25	4.00	4.75
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.25 1	4.00	4.75
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)		5.00	
UNIT WEIGHT (PCF) (SPEC: -)		148.69	
CONCRETE TEMP. (F) (SPEC: 45 - 85)	72	72	72
NUMBER OF TEST SPECIMEN CAST:		6	
LAB CYLINDER CONTROL NUMBERS		73388 - 73393	

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.

CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
73388	11/24/06	7	106,950 C	3780
73389	11/24/06	7	103,000 C	3640
73390	12/15/06	28		
73391	12/15/06	28		
73392	12/15/06	28		
73393		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY

TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D. & T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**
6 INDUSTRY DRIVE
WATERFORD, NEW YORK 12188

ATTN: MR. MICHAEL READER
PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

REPORT NUMBER: 2 : PAGE #: 4
INSPECTION DATE: 11/17/06
OUR FILE NUMBER: 434.014
INSPECTOR & TEST SET: DAVE CASAW #5
AMBIENT WEATHER: 50's: OVERCAST
OUR FILE LOCATION:

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 10 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 11 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 12 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	10	11	12
TRUCK NUMBER / TICKET NUMBER:	61 / 9719	125 / 9720	127 / 9721
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 100.00	10.00 / 110.00	10.00 / 120.00
TIME CONC. BATCHED / ARRIVED:	7.50 / 7.55	8.00 / 8.06	8.10 / 8.13
TIME PLACEMENT BEGAN / ENDED:	8.14 / 8.21	8.22 / 8.31	8.32 / 8.40
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.52	0.52	0.50
SLUMP ON ARRIVAL (INCHES):	6.00	6.00	5.75
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	6.00 1	5.75 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)		4.80	
UNIT WEIGHT (PCF) (SPEC: -)			
CONCRETE TEMP. (F) (SPEC: 45 - 85)	70	70	71
NUMBER OF TEST SPECIMEN CAST:			
LAB CYLINDER CONTROL NUMBERS			

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.


UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY


TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
--------------------	--------------	------------------	-------------------------------	----------------

CONSTRUCTION TECHNOLOGY

INSPECTION & TESTING DIVISION, P.D. & T.S., INC.

4 William Street, Ballston Lake, New York 12019

Phone: (518) 399-1848 Fax: (518) 399-1913

CLIENT: **JERSEN INDUSTRIES**

6 INDUSTRY DRIVE

WATERFORD, NEW YORK 12188

REPORT NUMBER: 2 : PAGE #: 5

INSPECTION DATE: 11/17/06

OUR FILE NUMBER: 434.014

INSPECTOR & TEST SET: DAVE CASAW #5

AMBIENT WEATHER: 50's: OVERCAST

OUR FILE LOCATION: 73394

ATTN: MR. MICHAEL READER

PROJEC **NATIONAL GRID: HILL STREET, GLOVERSVILLE, NEW YORK**

CONCRETE FIELD INSPECTION & COMPRESSION TEST RESULTS

PLACEMENT LOCATION OF LOAD # 13 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 14 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

PLACEMENT LOCATION OF LOAD # 15 : SLAB ON GRADE: WATER TREATMENT BUILDING (SITE SPECIFIC LOCATION MAP ON FILE)

DELIVERED LOAD NUMBER:	13	14	15
TRUCK NUMBER / TICKET NUMBER:	209 / 9722	61 / 9723	123 / 9724
YARDAGE DELIVERED / SUBTOTAL:	10.00 / 130.00	10.00 / 140.00	10.00 / 150.00
TIME CONC. BATCHED / ARRIVED:	8.14 / 8.38	8.26 / 8.57	9.01 / 9.06
TIME PLACEMENT BEGAN / ENDED:	8.40 / 8.55	9.01 / 9.11	9.11 / 9.26
CONCRETE AGE (HOURS) (SPEC: MAX: 1.50)	0.68	0.75	0.42
SLUMP ON ARRIVAL (INCHES):	6.00	5.75	5.50
WATER ADDED ONSITE (GALLONS):			
WATER ADDED AT DISCRETION OF:			
SLUMP OF CONCRETE INTO PUMP: IF APPLICABLE:			
PLACEMENT SLUMP (INCH) (SPEC: - 5.00)	6.00 1	5.75 1	5.50 1
ENTRAINED AIR (% VOL) (SPEC: 4.00 - 7.00)	5.20		
UNIT WEIGHT (PCF) (SPEC: -)	146.65		
CONCRETE TEMP. (F) (SPEC: 45 - 85)	72	71	72
NUMBER OF TEST SPECIMEN CAST:	6		
LAB CYLINDER CONTROL NUMBERS	73394 - 73399		

REMARKS: 1: PLACEMENT SLUMP IS AFTER PLASTICIZER ADDITION.

UNLESS NOTED ALL TESTING IAW: ASTM: C31, C138, C143, C172, C173, C231, C470, C567, C617, C1064

CONCRETE SUPPLIER: CLEMENTE LATHAM CONCRETE, INC.
CONCRETE DESIGN STRENGTH: 4000 P.S.I. @ 28 DAYS
SUPPLIERS MIX FORMULA: PER SUBMITTAL:
CEMENT: LBS.
CEMENT: LBS.
WATER: GAL.
COARSE AGGREGATE #1: LBS.
COARSE AGGREGATE #2: LBS.
COARSE AGGREGATE #3: LBS.
FINE AGGREGATE: LBS.
ADMIXTURE #1: OZS.
ADMIXTURE #2: OZS.
ADMIXTURE #3: OZS.
AIR ENTRAINING AGENT: OZS.


CONCRETE TEST CYLINDER COMPRESSIVE RESULTS PER: ASTM: C39
UNLESS OTHERWISE NOTED ALL CYLINDERS RECEIVED: 11/20/06

CYLINDER NUMBER	TEST DATE	TEST AGE DAYS	ULTIMATE LOAD & BREAK TYPE	UNIT P.S.I.
73394	11/24/06	7	101,550 C	3590
73395	11/24/06	7	103,250 C	3650
73396	12/15/06	28		
73397	12/15/06	28		
73398	12/15/06	28		
73399		SPARE		

REPORT DISTRIBUTION:

1: FILE 5:
2: SUPPLIER 6:
3: 7:
4: 8:

RESPECTFULLY SUBMITTED,
CONSTRUCTION TECHNOLOGY



TOM JOSLIN, S.E.T. (NICET)
MANAGER TECHNICAL SVCS.

Appendix J (included on CD)

Component Testing Log Sheet

National Grid Water Treatment Facility

Abscope start up data sheet

2/14/07

2/20/07 - All tuning forks set at H & L OK* re-test -- John V to confirm Done 2/20/07

FIT 100	functional	0-30 fps	0-165 gpm
FIT 200	"	4-20 ma	1.5" PVC
	PSI GPM		
P.101			
P102			
T-300			
LSH 301	* functional		
T-400			
LSH 401	* functional		
P-301	PSI	piped backwards - manual # pump	
2/20/07 -	○ P31 operates	do not show correct in/out	
LSH 310	Tested w/ water cup	w/ clean H ₂ O OK	
LSH 410	" " "	<u>OK</u>	
T-500			
LT-500	functional & calibrated		
LSH 500	* functional		
P-501	A 24 PSI 46 GPM	B 35-36 psi = 41.7 gpm	
P-502		drawn down of	T-500 for cal. OK
FIT 500	functional	same set up	as FIT 100

P.302

LSH 302

functional

not installed

2/15/07

A = 46 gpm
100% man values

B = 41.7 gpm w/ valve throttling flow

we recommend $24+20 \text{ psi } \Delta = 44 \text{ psi}$ setting

PSH-500 PRV-500	not wired - 100 psi spring	max of 30 psi OR in until filters are press tested	- PLC @ 30 psi alarm
BF-501	A17 PSI IN 16 PSI OUT	14 B 13	
BF-502	A18 PSI IN 16 PSI OUT	14 B 13	
OC 601	A13 PSI IN 15 OUT	11 B 13	
OC 602	A14 IN 16 OUT	12 B 14	
C 701	PSI IN OUT	leaker - not in service during test	
C 702	A11 IN 11 OUT	10 B 10	
AIT 700	✓ pH ✓ temp.	calibrated 2 points 2/20/07 4-20 = 0 to 150F pH 0-14 = 4 to 20 ma	

AR 801			
AR 802			
LT 900	functional & calibrated		
* T 900 LSH 900	* tested OK (tank filled 2/20/07)		
P 901	10 psi 50 gpm	only one of these will run at a time per PLC	
P 902	13 48 2/20/07 - 15 & 35 gpm w/ 2 AC filters backflushing		
with AC 901	only = 15 psi & 33 gpm - few AC solids washed out so throttle to 25 gpm		
FIT 900	48 w/ 902	totalizer & ck out OK	T-900 draw down
FIT 910	37 gpm! (measured T-900 level change)	both same set up	as FIT-100

Appendix K (included on CD)

Air Monitoring Summary

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL *	Time	Comments
10/13/06	Drainage Ditch	Upwind - North end of drainage ditch /512998	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - South end of pond /513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - East Side of pond /517035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - North end of drainage ditch /00138	Dust (mcg/m3)	10	10	N/A	N/A	
		Downwind - South End of pond / 00131	Dust (mcg/m3)	10	8	N/A	N/A	
		Downwind - East Side of pond/ 00052	Dust (mcg/m3)	10	10	N/A	N/A	
10/16/06	Drainage Ditch	Upwind - North end of drainage ditch /512998	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - South end of pond /513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - East Side of pond /517035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - North end of drainage ditch /00052	Dust (mcg/m3)	17	17	N/A	N/A	
		Downwind - South End of pond / 00131	Dust (mcg/m3)	17	17	N/A	N/A	
		Downwind - East Side of pond/ 00138	Dust (mcg/m3)	17	15	N/A	N/A	
10/17/06	Drainage Ditch and GWTS Bldg. Foundation Excavation	Upwind - North end of drainage ditch /517035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - South end of pond /512998	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - East Side of pond /513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - North end of drainage ditch /00052	Dust (mcg/m3)	42	42	N/A	N/A	
		Downwind - South End of pond / 00131	Dust (mcg/m3)	42	42	N/A	N/A	
		Downwind - East Side of pond/ 00138	Dust (mcg/m3)	42	42	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL *	Time	Comments
10/18/06	Drainage Ditch and GWTS Bldg. Foundation Excavation - Dewatering	Upwind - West side of EZ /512998	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - N end of parking garage / 513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - East Side Soil Staging Area / 517035	VOC (ppm)	0.0	0.2	N/A	N/A	
		Upwind - West side of EZ /00138	Dust (mcg/m3)	15	15	N/A	N/A	
		Downwind - N end of parking garage / 00052	Dust (mcg/m3)	15	14	N/A	N/A	
		Downwind - East Side Soil Staging Area /00131	Dust (mcg/m3)	15	12	N/A	N/A	
		Upwind -South end of EZ /512998	VOC (ppm)	0.0	0.0	N/A	N/A	
10/19/06	Drainage Ditch and GWTS Bldg. Foundation Excavation - Dewatering	Downwind - West side of EZ/513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - East side of EZ /517035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind -South end of EZ /00138	Dust (mcg/m3)	31	31	N/A	N/A	
		Downwind - West side of EZ/00052	Dust (mcg/m3)	31	34	N/A	N/A	
		Downwind - East side of EZ /00131	Dust (mcg/m3)	31	32	N/A	N/A	
		Upwind - West side of EZ /512988	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW corner of Soil Staging Area /513071	VOC (ppm)	0.0	0.0	N/A	N/A	
10/23/06	Drainage Ditch and GWTS Bldg. Foundation Excavation - Dewatering	Downwind - NW corner of garage/517035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - West side of EZ /00138	Dust (mcg/m3)	7	7	N/A	N/A	
		Downwind - SW corner of Soil Staging Area /00131	Dust (mcg/m3)	7	8	N/A	N/A	
		Downwind - NW corner of garage/00052	Dust (mcg/m3)	7	2	N/A	N/A	
		Upwind - West side of EZ /512988	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW corner of Soil Staging Area /513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW corner of garage/517035	VOC (ppm)	0.0	0.0	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
10/24/06	GWTS Building Excavation	Upwind - West side of EZ /512988	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW corner of Soil Staging Area /517035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW corner of garage/513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - West side of EZ /00052	Dust (mcg/m3)	6	6	N/A	N/A	
		Downwind - SW corner of Soil Staging Area /00131	Dust (mcg/m3)	6	17	N/A	N/A	
		Downwind - NW corner of garage/00138	Dust (mcg/m3)	6	21	N/A	N/A	
10/25/06	GWTS Building Pad Demo and Sump and Haunch Excavation	Upwind - NE of drainage ditch /513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW of EZ /512998	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE of EZ /517035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - NE of drainage ditch /00131	Dust (mcg/m3)	2	2	N/A	N/A	
		Downwind - SW of EZ /00052	Dust (mcg/m3)	2	2	N/A	N/A	
						176	11:45	NMPC Truck Traffic. Contractor notified.
10/27/06	GWTS Building - Minor Excavation and backfilling	Downwind - SE of EZ /00138	Dust (mcg/m3)	2	45	299	16:27	
		Upwind - North of EZ /512998	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW of EZ /517035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE of EZ /513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - North of EZ /00052	Dust (mcg/m3)	2	18	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level.

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL *	Time	Comments
10/27/06	GWTS Building - Minor Excavation and backfilling	Downwind - SW of EZ /00138	Dust (mcg/m3)	2	35	108	8:55	Heavy Equipment Operation. Contractor notified.
		Downwind - SE of EZ /00131	Dust (mcg/m3)	2	14	N/A	9:10	"
10/30/06	GWTS Building - Crusher Run Placement	Upwind - Drainage ditch W of EZ /517035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW corner of Staging Area /512998	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW corner of parking garage /513035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - Drainage ditch W of EZ /00052	Dust (mcg/m3)	7	7	N/A	N/A	
		Downwind - SW corner of Staging Area /00138	Dust (mcg/m3)	7	121	145	10:08	Related to Handling and use of Crusher Run. Contractor notified.
						252	10:23	
						161	10:53	
						215	11:23	
						132	11:38	
						131	11:53	
						165	12:53	
						111	13:23	
						161	14:23	
						131	14:38	
						110	15:08	
						174	15:23	
						293	15:53	
						136	16:08	
						124	16:23	
						174	16:53	
						143	17:08	
						133	17:23	
		Downwind - NW corner of parking garage /00131	Dust (mcg/m3)	7	31	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
10/31/06	GWTS Building - Grading Crusher Run in Building Excavation	Downwind - North of EZ /512998	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - S. Side of EZ/517035	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NE of EZ/513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - North of EZ / 00138	Dust (mcg/m3)	20	56	148	11:34	Equipment Traffic. Contractor notified.
		Upwind S. Side of EZ / 00131	Dust (mcg/m3)	20	17	N/A	N/A	
11/1/06		Downwind - NE of EZ / 00052	Dust (mcg/m3)	20	51	146	14:36	Equipment and Truck Traffic. Contractor notified.
						159	15:36	
						157	15:51	
		Upwind - North Side of EZ /512998	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW of EZ /517035	VOC (ppm)	0.0	0.0	N/A	N/A	
11/2/06	Drainage Ditch - Excavation and Grading	Downwind - SE of EZ /513071	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - North Side of EZ / 00131	Dust (mcg/m3)	25	19	N/A	N/A	
		Downwind -SW of EZ/ 00052	Dust (mcg/m3)	25	14	N/A	N/A	
		Downwind - SE of EZ / 00138	Dust (mcg/m3)	25	62	N/A	N/A	
		Upwind - SE end of EZ /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
11/2/06		Downwind - NW end of EZ /506782	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NE end of EZ /509666	VOC (ppm)	0.0	0.0	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL *	Time	Comments
11/2/06	Drainage Ditch - Excavation and Grading	Upwind - SE end of EZ /00138	Dust (mcg/m3)	72	N/A	N/A	N/A	Equipment error -data files could not be retrieved. All work area measurements were below background
		Downwind - NW end of EZ /00052	Dust (mcg/m3)	72	N/A	N/A	N/A	"
		Downwind - NE end of EZ /00131	Dust (mcg/m3)	72	N/A	N/A	N/A	"
11/3/06	Drainage Ditch - Excavation and Grading. Install Claymax liner.	Upwind - West end of EZ /509666	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE end of EZ /506782	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW corner of parking garage /506779	VOC (ppm)	0.0	N/A	N/A	N/A	Malfunction
		Upwind - West end of EZ /00052	Dust (mcg/m3)	16	10	N/A	N/A	
		Downwind - SE end of EZ /00131	Dust (mcg/m3)	16	14	N/A	N/A	
		Downwind - NW corner of parking garage /00138	Dust (mcg/m3)	16	58	N/A	N/A	
11/7/06	Drainage Ditch & GWTS Building - Effluent Pipe Excavation and Concrete work	Upwind - SE end of EZ /506782	VOC (ppm)	0.0	N/A	N/A	N/A	Malfunction
		Downwind - NW end of EZ /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NE end of EZ /509666	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - SE end of EZ /00131	Dust (mcg/m3)	41	47	N/A	N/A	
		Downwind - NW end of EZ /00052	Dust (mcg/m3)	41	33	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

AL - Action Level
N/A - Not Applicable

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
11/7/06	Drainage Ditch & GWTS Building - Effluent Pipe Excavation and Concrete work	Downwind - NE end of EZ /00138	Dust (mcg/m3)	41	138	154	10:25	Exceedances probably related to concrete work at GWTS Bldg. Contractor notified.
						154	10:40	
						161	12:10	
						186	13:40	
						144	14:25	
						148	14:55	
						144	15:25	
11/8/06	GWTS Building & Drainage Ditch - Effluent Pipe Excavation	Upwind - NE end of EZ /509666	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - West side of EZ /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - South end of EZ /506782	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - NE end of EZ /00052	Dust (mcg/m3)	24	16	N/A	N/A	
		Downwind - West side of EZ /00138	Dust (mcg/m3)	24	75	N/A	N/A	
		Downwind - South end of EZ /00131	Dust (mcg/m3)	24	24	N/A	N/A	
11/9/06	GWTS Building & Drainage Ditch - Effluent Pipe Excavation	Upwind - NW end of EZ /509666	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW side of EZ /509622	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE end of EZ /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - NW end of EZ /00052	Dust (mcg/m3)	1	48	N/A	N/A	
		Downwind - SW side of EZ /00131	Dust (mcg/m3)	1	29	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
11/9/06	GWTS Building & Drainage Ditch - Effluent Pipe Excavation	Downwind - SE end of EZ / 00138	Dust (mcg/m3)	1	93	132	12:24	Exceedances probably related to concrete work at GWTS Bldg. and vehicle traffic. Contractor notified.
						144	12:39	
						119	12:54	
						117	13:09	
						131	13:24	
						123	13:39	
						118	13:54	
						118	14:09	
						127	14:24	
						116	14:39	
						115	14:54	
						118	15:09	
						123	15:24	
						121	15:39	
						126	15:54	
						127	16:09	
						141	16:24	
						162	16:39	
						179.0	16:54	
11/10/06	Removal of staged Non Haz. Impacted soil & concrete from clearing and grubbing in Drainage Ditch.	Upwind - N Side of GWTS bld. /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - W Side of parking garage /506782	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW end of EZ /509622	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - N Side of GWTS bld. /00052	Dust (mcg/m3)	24	24	N/A	N/A	
		Downwind - W Side of parking garage /00138	Dust (mcg/m3)	24	33	N/A	N/A	
		Downwind - SW end of EZ /00131	Dust (mcg/m3)	24	6	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
11/13/06	Removal of staged Non Haz. Impacted soil & concrete from clearing and grubbing in Drainage Ditch.	Upwind - E edge of drainage ditch /509622	VOC (ppm)	1.4	N/A	N/A	N/A	Field Error - no perimeter data recorded. Work area dust levels ranged from 5 to 50 mcg/m3. Work area VOC levels were 0.0
		Downwind - SE corner of Soil Staging Area/ 04593	VOC (ppm)	1.4	N/A	N/A	N/A	"
		Downwind - E side of Soil Staging Area /506779	VOC (ppm)	1.4	N/A	N/A	N/A	"
		Upwind - E edge of drainage ditch /00138	Dust (mcg/m3)	99	N/A	N/A	N/A	"
		Downwind - SE corner of Soil Staging Area/00131	Dust (mcg/m3)	99	N/A	N/A	N/A	"
		Downwind - E side of Soil Staging Area /00052	Dust (mcg/m3)	99	N/A	N/A	N/A	"
11/14/06	Load out RR Ties from Ditch Clearing and Grubbing Pile, Excavation at Manhole #1, and Soil Staging Area	Upwind - North of Manhole #1 / 506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW of EZ / 506782	VOC (ppm)	0.0	N/A	N/A	N/A	Malfunction - Work Area VOC levels were 0.0
		Downwind - SE of EZ / 509622	VOC (ppm)	0.0	N/A	N/A	N/A	"
		Upwind - North of Manhole #1 / 00131	Dust (mcg/m3)	4	38	126	12:19	Vehicle Traffic
						111	12:34	
						188	13:19	
		Downwind - SW of EZ / 0052	Dust (mcg/m3)	4	6	N/A	N/A	
		Downwind - SE of EZ / 00138	Dust (mcg/m3)	4	N/A	N/A	N/A	Malfunction

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
11/20/06	Excavation Manhole #1 to Manhole #4 and Soil Staging Area	Upwind - North Side Manhole #1 / 506782	VOC (ppm)	0.0	0.4	N/A	N/A	Malfunction
		Downwind - SW Side of EZ / 509622	VOC (ppm)	0.0		N/A	N/A	Malfunction
		Downwind - SE Side of EZ / 506779	VOC (ppm)	0.0		N/A	N/A	
		Upwind - North Side Manhole #1 / 00131	Dust (mcg/m3)	17	6	N/A	N/A	
		Downwind - SW Side of EZ / 00052	Dust (mcg/m3)	17	37	N/A	N/A	
		Downwind - SE Side of EZ / 00138	Dust (mcg/m3)	17	194	190	8:31	Dust levels probably related to concrete activities. Contractor notified.
						178	8:46	
						214	9:01	
						181	9:16	
						188	9:31	
						187	9:46	
						217	10:01	
						172	10:16	
						189	10:31	
						189	10:46	
						180	11:01	
						183	11:16	
						151	11:31	
						169	11:46	
						188	12:01	
						185	12:16	
						200	12:31	
						157	12:46	
						169	13:01	
						149	13:16	
						177	13:31	
						194	13:46	
						181	14:01	
						160	14:16	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL *	Time	Comments
11/20/06	Excavation Manhole #1 to Manhole #4 and Soil Staging Area	Downwind - SE Side of EZ / 00138	Dust (mcg/m3)	17	194	170	14:31	Dust levels probably related to concrete activities. Contractor notified.
						173	14:46	
						162	15:01	
						169	15:16	
						164	15:31	
						230	15:46	
						178	16:01	
						164	16:16	
						170	16:31	
						165	16:46	
						143	17:01	
						148	17:16	
						919	17:31	
11/21/06	Excavation at Manhole #s 1, 4 and 5. Soil Staging Area	Upwind - N side of water treatment /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - E side of Soil Staging Area / 506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NE corner of EZ /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - N side of water treatment /00052	Dust (mcg/m3)	22	27	N/A	N/A	
		Downwind - E side of Soil Staging Area /00131	Dust (mcg/m3)	22	19	N/A	N/A	
		Downwind - NE corner of EZ /00138	Dust (mcg/m3)	22	65	135	11:47	Crusher Run being dumped
						132	12:02	
						130	14:02	
11/22/06	Soil Staging Area and Excavations at Manholes #1, 2, 3, 4, and 5	Upwind - NE end of EZ /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind -N side of water treatment/506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW end of EZ/508703	VOC (ppm)	0.0	0.0	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
11/22/06	Soil Staging Area and Excavations at Manholes #1, 2, 3, 4, and 5	Upwind - NE end of EZ /00138	Dust (mcg/m3)	198	160	300	10:48	Truck Traffic
		Downwind -N side of water treatment/00052	Dust (mcg/m3)	198	44	N/A	15:03	Truck Traffic
		Downwind - NW end of EZ/00131	Dust (mcg/m3)	198	44	N/A	N/A	
		Upwind - SW Manhole #1 / 50678	VOC (ppm)	0.0	0.0	N/A	N/A	
11/27/06	Soil Staging Area and Excavations at Manholes # 2 & 3	Downwind - N of Staging Area / 506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - N of Manhole #3 / 508703	VOC (ppm)	0.0	0.1	N/A	N/A	
		Upwind - SW Manhole #1 / 00131	Dust (mcg/m3)	99	83	236	10:23	Probably related to concrete work
		Downwind - N of Staging Area / 00138	Dust (mcg/m3)	99	409	201	8:21	Probably related to truck traffic.
						209	8:36	Contractor notified.
						296	8:51	
						278	9:06	
						268	9:21	
						323	9:36	
						653	9:51	
						247	10:06	
						556	10:21	
						228	10:36	
						692	10:51	
						231	11:21	
						386	11:36	
						217	11:51	
						221	12:06	
						240	12:21	
						240	12:36	
						305	12:51	
						243	13:06	
						327	13:21	
						422	13:36	

* DEC Action Level for VOC is 5 ppm above background Level

AL - Action Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
11/27/06	Soil Staging Area and Excavations at Manholes # 2 & 3	Downwind - N of Staging Area / 00138	Dust (mcg/m3)	99	409	259	13:51	
						257	14:21	
						427	14:36	
						477	14:51	
						856	15:06	
						540	15:21	
						436	15:36	
						648	15:51	
						2241	16:06	
						376	16:21	
11/28/06	Soil Staging Area and Ditch from Manhole #1 to GWTS Building - Excavation, Installing Pipe and handling crusher run.	Downwind - N of Manhole #3 / 0052	Dust (mcg/m3)	99	74	N/A	N/A	
		Upwind - NE corner of Soil Staging Area /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW edge of EZ/506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW edge of EZ /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - NE corner of Soil Staging Area /00138	Dust (mcg/m3)	241	208	N/A	N/A	
		Downwind - SW edge of EZ /00131	Dust (mcg/m3)	241	153	1467	10:42	Crusher Run being dumped and tamped. Vehicle Traffic.
						1125	10:57	
		Downwind - NW edge of EZ /00052	Dust (mcg/m3)	241	120	369.0	11:07	
						704.0	11:22	
		Upwind - NE corner of Soil Staging Area /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
11/29/06	Excavation at Head Wall and Stormwater Ditch, Install drain pipe, Soil Staging Area	Downwind - SW edge of EZ/506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW edge of EZ /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - NE corner of Soil Staging Area /00052	Dust (mcg/m3)	78	38	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
11/29/06	Excavation at Head Wall and Stormwater Ditch, Install drain pipe, Soil Staging Area	Downwind - SW edge of EZ /00138	Dust (mcg/m3)	78	376	229	9:10	Exceedances may be false positives due to high humidity. Contractor notified.
						400	9:25	
						239	9:40	
						219	9:55	
						222	10:10	
						200	10:25	
						873	11:10	
						265	11:25	
						282	11:40	
						206	11:55	
						240	12:10	
						290	12:25	
						256	12:40	
						300	12:55	
						1246	13:10	
						805	13:25	
						1250	13:40	
						678	13:55	
						248	14:10	
						216	14:25	
						290	14:40	
						306	14:55	
						316	15:10	
						417	15:25	
						243	15:40	
						229	15:55	
						244	16:10	
						234	16:25	
		Downwind - NW edge of EZ /00131	Dust (mcg/m3)	78	79	224	13:16	"
11/30/06	Soil Staging Area and Ditch for SW CB2 to CB7	Upwind - SW corner of Soil Staging Area/506779	VOC (ppm)	0.0	0.0	N/A	N/A	malfunction
		Downwind - NW end of EZ /508703	VOC (ppm)	0.0	0.0	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
11/30/06	Soil Staging Area and Ditch for SW CB2 to CB7	Downwind - NE end of EZ /506768	VOC (ppm)	0.0	0.0	N/A	N/A	malfunction
		Upwind - SW corner of Soil Staging Area/00131	Dust (mcg/m3)	102	98	N/A	N/A	
		Downwind - NW end of EZ /00138	Dust (mcg/m3)	102	355	442	8:23	Exceedances may be false positives due to high humidity, application of crusher run, location of sampler and/or high vehicle traffic. Contractor notified.
						469	8:38	
						408	8:53	
						348	9:08	
						380	9:23	
						391	9:38	
						389	9:53	
						401	10:08	
						369	10:23	
						397	10:38	
						613	10:53	
						529	11:08	
						352	11:23	
						336	11:38	
						330	11:53	
						354	12:08	
						303	12:23	
						329	12:38	
						357	12:53	
						362	13:08	
						401	13:23	
						317	13:38	
						306	13:53	
						287	14:08	
						297	14:23	
						254	14:38	
						291	14:53	
						291	15:08	
						305	15:23	
						289	15:38	
						292	15:53	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
11/30/06	Soil Staging Area and Ditch for SW CB2 to CB7	Downwind - NW end of EZ /00138	Dust (mcg/m3)	102	355	320	16:08	
						298	16:23	
						292	16:38	
12/1/06	Install Drainage Pipe Ditch for SW CB2 to CB7&8	Downwind - NE end of EZ /00052	Dust (mcg/m3)	102	64	N/A	N/A	
		Upwind - NE end of EZ /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW end of EZ /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW corner of Soil Staging Area /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - NE end of EZ /00131	Dust (mcg/m3)	22	6	N/A	N/A	
		Downwind - SW end of EZ /00138	Dust (mcg/m3)	22	81	169	11:25	No sustained visible dust. Exceedance likely due to truck
		Downwind - SW corner of Soil Staging Area /00052	Dust (mcg/m3)	22	7	N/A	11:40	
12/4/06	Excavation at CB-7 and CB-8, Soil Staging Area	Upwind - West Side Soil Staging Area /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - East side of Soil Staging Area /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NE end of EZ /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - West Side Soil Staging Area /00138	Dust (mcg/m3)	162	44	N/A	N/A	
		Downwind - East side of Soil Staging Area /00131	Dust (mcg/m3)	162	25	N/A	N/A	
		Downwind - NE end of EZ /00052	Dust (mcg/m3)	162	72	N/A	N/A	
12/5/06	Excavation from CB-4 to CB-5, Soil Staging Area	Upwind - West side of EZ /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE end of EZ /506779	VOC (ppm)	0.0	0.0	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
12/5/06	Excavation from CB-4 to CB-5, Soil Staging Area	Downwind - NE end of EZ /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - West side of EZ /00138	Dust (mcg/m3)	143	141	674	8:54	Truck Traffic
						413	9:24	
						248	9:39	
		Downwind - SE end of EZ /00131	Dust (mcg/m3)	143	26	N/A	N/A	
12/6/06	Excavation from CB-4 to CB-5, Soil Staging Area	Downwind - NE end of EZ /00052	Dust (mcg/m3)	143	54	N/A	N/A	
		Upwind - West side of EZ /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW corner of service center/SE corner of Soil Staging Area /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - East side of EZ /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - West side of EZ /00138	Dust (mcg/m3)	204	201	N/A	N/A	
						413	12:04	
						350	15:06	
		Downwind - NW corner of service center/SE corner of Soil Staging Area /00131	Dust (mcg/m3)	204	63	N/A	N/A	
		Downwind - East side of EZ /00052	Dust (mcg/m3)	204	26	N/A	N/A	
		Upwind - SW corner of Soil Staging Area /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
12/7/06	Soil Staging Area	Downwind - SE corner of Soil Staging Area/508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NE corner of parking area /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - SW corner of Soil Staging Area /00131	Dust (mcg/m3)	51	31	N/A	N/A	
		Downwind - SE corner of Soil Staging Area/00052	Dust (mcg/m3)	51	21	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
12/7/06	Soil Staging Area	Downwind - NE corner of parking area /00138	Dust (mcg/m3)	51	111	153.0	8:43	Dust related to vehicle traffic. Contractor notified.
						158.0	8:58	
						182.0	9:13	
						212.0	9:28	
						168.0	9:43	
						207.0	10:58	
12/8/06	Soil Staging Area and Ditch form GWTS Building to MH #6	Upwind - Middle of drainage ditch /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - Btw. Drainage ditch & parking garage /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - East side of Soil Staging Area /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - Middle of drainage ditch /00131	Dust (mcg/m3)	7	9	N/A	N/A	
		Downwind - Btw Drainage ditch & parking garage /00138	Dust (mcg/m3)	7	76	238	8:52	
						149	9:07	Exceedances due to Truck Traffic and application of Crusher Run. Contractor informed of need to implement dust control measures per
						160	9:52	
						160	10:52	
						110	12:07	
						128	13:22	
						110	14:07	
						117	14:22	
		Downwind - East side of Soil Staging Area /00051	Dust (mcg/m3)	7	40	151.0	9:30	"
12/11/06	Soil Staging Area	Upwind - West side of Soil Staging Area /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE corner of Soil Staging Area /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NE corner of Soil Staging Area /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - West side of Soil Staging Area /00138	Dust (mcg/m3)	150	167	914	12:29	Truck Traffic
						252	14:29	Truck Traffic

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
12/11/06	Soil Staging Area	Downwind - SE corner of Soil Staging Area /00051	Dust (mcg/m3)	150	45	N/A	N/A	
		Downwind - NE corner of Soil Staging Area /00131	Dust (mcg/m3)	150	45	N/A	N/A	
12/12/06	Manhole #6 and Soil Staging Area	Upwind - West side of parking garage /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW Corner of Manhole #6 Excavation /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW corner of Soil Staging Area /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - West side of parking garage /00131	Dust (mcg/m3)	52	37	N/A	N/A	
		Downwind - NW Corner of Manhole #6 Excavation /00051	Dust (mcg/m3)	52	47	188	8:15	Exceedances due to Truck Traffic.
		Downwind - NW corner of Soil Staging Area /00138	Dust (mcg/m3)	52	143	158.0	8:28	Contractor notified.
						218	8:43	Exceedances due to Truck Traffic.
						157	8:58	Contractor notified.
						223	10:13	
						177	10:28	
						213	13:58	
						177	14:58	
						219	15:13	
						197	15:28	
						173	15:43	
12/13/06	Manhole #6 and Soil Staging Area	Upwind - West side of parking garage /508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - Middle of drainage ditch /506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NW corner of Soil Staging Area /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - West side of parking garage /00131	Dust (mcg/m3)	29	60	N/A	N/A	
		Downwind - Middle of drainage ditch /00138	Dust (mcg/m3)	29	172	142	8:54	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level
N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL *	Time	Comments
12/13/06	Manhole #6 and Soil Staging Area	Downwind - Middle of drainage ditch / 00138	Dust (mcg/m3)	29	172	154	9:09	Exceedances due to Truck Traffic and application of Crusher Run. Contractor notified
						225	9:24	
						171	9:39	
						158	9:54	
						172	10:09	
						183	10:24	
						196	10:39	
						186	10:54	
						184	11:09	
						192	11:24	
						192	11:39	
						232	11:54	
						249	12:09	
						221	12:24	
						200	12:39	
						209	12:54	
						197	13:09	
						194	13:24	
						160	13:39	
						148	13:54	
						151	14:09	
						151	14:24	
						160	14:39	
						159	14:54	
						153	15:09	
						162	15:24	
						164	15:39	
						142	15:54	
						138	16:09	
						163	16:24	
						164	16:39	
						175	16:54	
						N/A	N/A	
12/18/06	Soil Staging Area	Downwind - NW corner of Soil Staging Area / 00051	Dust (mcg/m3)	29	50			
		Upwind - West of Soil Staging Area / 508703	VOC (ppm)	0.0	0.0	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
12/18/06	Soil Staging Area	Downwind - NE Side Soil Staging Area / 506768	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE corner of Soil Staging area/ 506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - West of Soil Staging Area / 0654	Dust (mcg/m3)	19	33	N/A	N/A	
		Downwind - NE Side Soil Staging Area / 0051	Dust (mcg/m3)	19	32	N/A	N/A	
		Downwind - SE corner of Soil Staging area / 23678	Dust (mcg/m3)	19	30	N/A	N/A	
		Upwind - West of Soil Staging Area / 508768	VOC (ppm)	0.0	0.0	N/A	N/A	
12/19/06	Soil Staging Area	Downwind - NE Side Soil Staging Area / 506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE corner of Soil Staging area/ 508703	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - West of Soil Staging Area / 00051	Dust (mcg/m3)	75	36	N/A	N/A	
		Downwind - NE Side Soil Staging Area / 0564	Dust (mcg/m3)	75	17	N/A	N/A	
		Downwind - SE corner of Soil Staging area / 23678	Dust (mcg/m3)	75	17	N/A	N/A	
		Upwind - NW of water treatment bldg /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
1/3/07	Soil Staging Area and Settling Basin	Downwind - Drainage Ditch /508697	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - East of staging area/508704	VOC (ppm)	0.0	N/A	N/A	N/A	malfunction
		Upwind - NW of water treatment bldg /00654	Dust (mcg/m3)	10	15	N/A	N/A	
		Downwind - Drainage Ditch /00052	Dust (mcg/m3)	10	-35	N/A	N/A	malfunction
		Downwind - East of staging area /23678	Dust (mcg/m3)	10	20	N/A	N/A	
		Upwind -NW of water treatment bldg /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
1/4/07	Soil Staging Area and Settling Basin							

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
1/4/07	Soil Staging Area and Settling Basin	Downwind - NEC of Settling Basin /508704	VOC (ppm)	0.0	N/A	N/A	N/A	malfunction
		Downwind - East of staging area /508697	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - NW of GWTS Bldg. / 00654	Dust (mcg/m3)	27	39	N/A	N/A	
		Downwind - NEC of Settling Basin / 00052	Dust (mcg/m3)	27	0	N/A	N/A	
		Downwind - East of staging area /23678	Dust (mcg/m3)	27	38	N/A	N/A	
1/5/07	Settling Basin and Soil Staging Area	Upwind -NW of water treatment bldg /508704	VOC (ppm)	0.0	N/A	N/A	N/A	malfunction
		Downwind - SEC of Settling Basin /508697	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE of staging area /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind -NW of water treatment bldg /23678	Dust (mcg/m3)	47	62	N/A	N/A	
		Downwind - SEC of Settling Basin / 00654	Dust (mcg/m3)	47	61	N/A	N/A	
1/9/07	Soil Staging Area - Loading out soil	Downwind - SE of staging area /00052	Dust (mcg/m3)	47	1	N/A	N/A	
		Upwind -SW of water treatment bldg /508697	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE corner of staging area /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NE corner of staging area /508704	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - SW of water treatment bldg /00654	Dust (mcg/m3)	65	20	N/A	N/A	
1/10/07	Soil Staging Area - Loading out soil	Downwind - SE corner of staging area /23678	Dust (mcg/m3)	65	16	N/A	N/A	
		Downwind - NE corner of staging area /40624	Dust (mcg/m3)	65	18	N/A	N/A	
		Upwind -NW corner of water treatment bldg /506779	VOC (ppm)	0.0	0.0	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL *	Time	Comments
1/10/07	Soil Staging Area - Loading out soil	Downwind - SE corner of staging area /508697	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NE corner of staging area /508704	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind -NW corner of water treatment bldg /23678	Dust (mcg/m3)	56	3	N/A	N/A	
		Downwind - SE corner of staging area /00654	Dust (mcg/m3)	56	7	N/A	N/A	
		Downwind - NE corner of staging area /40624	Dust (mcg/m3)	56	11	N/A	N/A	
		Upwind -NW corner of water treatment bldg /508697	VOC (ppm)	0.0	0.0	N/A	N/A	
1/11/07	Soil Staging Area - Loading out soil	Downwind - NE corner of staging area /508704	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SE corner of staging area /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind -NW corner of water treatment bldg /23678	Dust (mcg/m3)	12	15	N/A	N/A	
		Downwind - NE corner of staging area /40624	Dust (mcg/m3)	12	14	N/A	N/A	
		Downwind - SE corner of staging area /00654	Dust (mcg/m3)	12	13	N/A	N/A	
		Upwind -N corner of water treatment bldg /506779	VOC (ppm)	0.0	0.0	N/A	N/A	
1/12/07	Soil Staging Area - Loading out soil	Downwind - SE corner of staging area /508697	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - NE corner of staging area /508704	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind -N corner of water treatment bldg /00654	Dust (mcg/m3)	33	39	N/A	N/A	
		Downwind - SE corner of staging area /23678	Dust (mcg/m3)	33	42	N/A	N/A	
		Downwind - NE corner of staging area /40624	Dust (mcg/m3)	33	46	N/A	N/A	
		Upwind -W of water treatment bldg /508697	VOC (ppm)	0.0	0.0	N/A	N/A	
5/21/07	Soil Staging Area - Loading out Blacktop and Soil							

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
5/21/07	Soil Staging Area - Loading out Blacktop and Soil	Downwind - E of Soil Staging Area /509682	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW corner of Soil Staging Area /507756	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind -W of water treatment bldg /00052	Dust (mcg/m3)	20	10	N/A	N/A	
		Downwind - E of Soil Staging Area /01507	Dust (mcg/m3)	20	10	N/A	N/A	
		Downwind - SW corner of Soil Staging Area /00134	Dust (mcg/m3)	20	12	N/A	N/A	
		Upwind -E of Soil Staging Area /509682	VOC (ppm)	0.0	0.0	N/A	N/A	
5/22/07	Soil Staging Area - Loading out soil / Blacktop, grading crusher run	Downwind - SW corner of Soil Staging Area /507756	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - Near bay door of service bldg. /508697	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind -E of Soil Staging Area /01507	Dust (mcg/m3)	20	14	N/A	N/A	
		Downwind - SW corner of Soil Staging Area /00134	Dust (mcg/m3)	20	26	N/A	N/A	
		Downwind - Near bay door of service bldg. /00052	Dust (mcg/m3)	20	26	N/A	N/A	
		Upwind -N of water treatment bldg / SW corner of parking garage -509682	VOC (ppm)	0.0	0.0	N/A	N/A	
5/23/07	Removal of staged soil South of GWTS building.	Downwind - SW corner of parking garage / SW corner of water treatment bldg - 507756	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - SW corner of yard at fence line /508697	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - N of water treatment bldg / SW corner of parking garage - 01507	Dust (mcg/m3)	20	50	141	9:31	Truck Traffic. Informed Contractor.
						255	13:46	
						130	14:01	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL *	Time	Comments
5/23/07	Removal of staged soil South of GWTS building.	Downwind - SW corner of parking garage / SW corner of water treatment bldg - 00134	Dust (mcg/m3)	20	40	181	8:25	"
						130	11:40	
		Downwind - SW corner of yard at fence line / 00052	Dust (mcg/m3)	20	24	N/A	N/A	
8/20/07	Excavating soil in south of GWTS Bldg.	Upwind - Across from water treatment bldg / 502097	VOC (ppm)	0.0	0.1	N/A	N/A	
		Downwind - South end of work area / 509720	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - West of work area / 502095	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - Across from water treatment bldg / 01217	Dust (mcg/m3)	10.0	6.5	N/A	N/A	
		Downwind - South end of work area / 00654	Dust (mcg/m3)	10.0	7.0	N/A	N/A	
		Downwind - West of work area / 23678	Dust (mcg/m3)	10.0	10.0	N/A	N/A	malfunction
8/21/07	Installing drain pipe into manhole south of GWTS Bldg.	Upwind - Across from water treatment bldg / 502095	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - South of work area / 509720	VOC (ppm)	0.0	0.2	N/A	N/A	
		Downwind - West of work area / 502097	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - Across from water treatment bldg / 23678	Dust (mcg/m3)	10.0	12.0	N/A	N/A	
		Downwind - South end of work area / 00654	Dust (mcg/m3)	10.0	15.0	N/A	N/A	
		Downwind - West of work area / 01217	Dust (mcg/m3)	10.0	12.0	N/A	N/A	
8/22/07	Excavating drainage ditch.	Upwind - North end of work area / 502097	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - Next to frac tank / 509720	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - South end of work area / 502095	VOC (ppm)	0.0	0.0	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL *	Time	Comments
8/22/07	Excavating drainage ditch.	Upwind - North end of work area / 00654	Dust (mcg/m3)	22.0	10.0	N/A	N/A	
		Downwind - Next to frac tank / 23678	Dust (mcg/m3)	22.0	11.0	N/A	N/A	
		Downwind - South end of work area / 01217	Dust (mcg/m3)	22.0	11.0	N/A	N/A	
8/23/07	Excavating south end of drainage ditch.	Upwind - Across from water treatment bldg / 509720	VOC (ppm)	0.0	0.1	N/A	N/A	
		Downwind - Southeast of work area / 502097	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - Southwest of work area / 502095	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - Across from water treatment bldg / 01217	Dust (mcg/m3)	32.0	15.0	N/A	N/A	
		Downwind - Southeast of work area / 00654	Dust (mcg/m3)	32.0	17.0	N/A	N/A	
		Downwind - Southwest of work area / 23678	Dust (mcg/m3)	32.0	16.0	N/A	N/A	
8/24/07	Excavating front of Settling pond.	Upwind - North end of work area / 502095	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - Next to frac tank / 509720	VOC (ppm)	0.0	0.1	N/A	N/A	
		Downwind - South end of work area / 502097	VOC (ppm)	0.0	0.9	6.7	8:19	Exceedance - probably due to heat and humidity in environmental enclosure - levels returned to 0.0 after removal from enclosure. Contractor notified.
						7.2	8:34	
		Upwind - North end of work area / 23678	Dust (mcg/m3)	100.0	61.0	N/A	N/A	
		Downwind - Next to frac tank / 00654	Dust (mcg/m3)	100.0	49.0	N/A	N/A	
		Downwind - South end of work area / 01217	Dust (mcg/m3)	100.0	N/A	N/A	N/A	Malfunction

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
8/27/07	Removing pavers from pond in preparation for new liner; removed old fabric.	Upwind - South end of pond / 509720	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - West side of drainage ditch / 502095	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - North end of pond / 502097	VOC (ppm)	0.0	0.3	N/A	N/A	
		Upwind - South end of pond / 00654	Dust (mcg/m3)	28.0	13.0	N/A	N/A	
		Downwind - West side of drainage ditch / 01217	Dust (mcg/m3)	28.0	-13.0	N/A	N/A	Malfunction
		Downwind - North end of pond / 23678	Dust (mcg/m3)	28.0	13.0	N/A	N/A	
8/28/07	Powerwashing old pond liner to prepare for installation of new fabric and liner; keying back edges around pond for new liner.	Upwind - Drainage ditch near frac tank / 509720	VOC (ppm)	0.0	0.1	N/A	N/A	
		Downwind - East side of pond / 502097	VOC (ppm)	0.0	0.2	N/A	N/A	
		Downwind - West side of pond / 502095	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - Drainage ditch near frac tank / 01217	Dust (mcg/m3)	18.0	15.0	N/A	N/A	
		Downwind - East side of pond / 00654	Dust (mcg/m3)	18.0	13.0	N/A	N/A	
		Downwind - West side of pond / 23678	Dust (mcg/m3)	18.0	28.0	206.0	7:07	Exceedence due to power washer overspray
8/29/07	Loading out soil.	Upwind - South end of pond / 502097	VOC (ppm)	0.0	3.1	12.6	9:41	Exceedance - probably due to heat and humidity in environmental enclosure - levels returned to 0.0 after removal from enclosure. Contractor notified.
						27.8	9:56	
						15.9	10:11	
						10.8	10:26	
						15.6	10:41	
						6.1	10:56	
		Downwind - Middle of drainage ditch / 502095	VOC (ppm)	0.0	0.0	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level

AL - Action Level

N/A - Not Applicable

Date	Work Area Description	Air Monitoring Location / ID	Parameter	Background Level	Daily Average	15 Min Ave. Above AL*	Time	Comments
8/29/07	Loading out soil.	Downwind - East of GWTS Bldg. / 509720	VOC (ppm)	0.0	0.3	N/A	N/A	
		Upwind - South end of pond / 01217	Dust (mcg/m3)	31.0	70.0	N/A	N/A	
		Downwind - Middle of drainage ditch / 00654	Dust (mcg/m3)	31.0	48.0	N/A	N/A	
		Downwind - East of GWTS Bldg. / 23678	Dust (mcg/m3)	31.0	60.0	N/A	N/A	
		Upwind - Next to frac tank / 502097	VOC (ppm)	0.0	4.5	12.7	7:38	Exceedance - probably due to heat and humidity in environmental enclosure - levels returned to 0.0 after removal from enclosure. Contractor notified.
8/30/07	Loading out soil.	Downwind - Southeast of work area / 509720	VOC (ppm)	0.0	0.0	N/A	N/A	
		Downwind - South end of work area / 502095	VOC (ppm)	0.0	0.0	N/A	N/A	
		Upwind - Next to frac tank / 01217	Dust (mcg/m3)	250.0	117.0	N/A	N/A	
		Downwind - Southeast of work area / 00654	Dust (mcg/m3)	250.0	121.0	N/A	N/A	
		Downwind - South end of work area / 23678	Dust (mcg/m3)	250.0	116.0	N/A	N/A	

* DEC Action Level for VOC is 5 ppm above background Level

* DEC Action Level for Particulates is 100 mcg/m3 above background Level



AL - Action Level

N/A - Not Applicable




Appendix L

Observations of NAPL-Impacted Soil
and Former Building Foundations


CITY: SYR DIV/GRP: 14/ENV DB: GHS KLS NES LD: PIC: PM: TM: LYRON=OFF=REF* ACADVER: 17.0S (LMS TECH) PAGES: 17.0S (LMS TECH) PLOTTED: 8/21/2008 9:12 AM BY: SMITHGALL, NANCY
G:\CAD\AC\10036652\000003\DWG\IMPACTED.DWG LAYOUT: 1 SAVED: 8/21/2008 8:55 AM
XREFS: 38652X01 38652X02 38652X00



- LEGEND:**
- VISIBLY IMPACTED SOIL (I.E., NAPL, SHEEN, ODOR) OBSERVED DURING STORM SEWER IRM CONSTRUCTION
 - FORMER BUILDING FOUNDATION ENCOUNTERED DURING IRM CONSTRUCTION
 - A** AREA OF IMPACTED SOIL



PROFILE "B"



PROFILE "A"

NATIONAL GRID
GLOVERSVILLE FORMER MGP SITE
GLOVERSVILLE, NEW YORK
STORM SEWER IRM




**NAPL AND FOUNDATION OBSERVATIONS
- STORMWATER AND GROUNDWATER
COLLECTION AND CONVEYANCE
SYSTEMS**



CITY: SYR DIV/GROUP: 14/ENV DB: GHS KLS NES LD: PIC: PM: TM: LYR: ON="OFF=REF" G:\CAD\ACTB\0036652\00000310\DWG\IMPACTED\36652R10.DWG ACADVER: 17.05 (LMS TECH) PAGES: 2 LAYOUT: 2 SAVER: 8/21/2008 8:56 AM BY: SMITHGALL, NANCY

PROJECTNAME: ---

36652X01
36652X02
36652X00



NATIONAL GRID
GLOVERSVILLE FORMER MGP SITE
GLOVERSVILLE, NEW YORK
STORM SEWER IRM

NAPL AND FOUNDATION OBSERVATIONS
- STORMWATER DRAINAGE DITCH

ARCADIS

FIGURE
2

Appendix M (included on CD)

NYSDEC Spill Reports



NYSDEC SPILL REPORT FORM



DEC REGION: 5 SPILL NUMBER: 0651628
SPILL NAME: GLOVERSVILLE SERVICE CENTER DEC LEAD: MJDIPIET

CALLER NAME: BOB CAZZOLLI NOTIFIER'S NAME: BOB CAZZOLLI
CLR'S AGENCY: NATIONAL GRID NOTIFIER'S AGENCY: NATIONAL GRID
CALLER'S PHONE: (315) 428-3490 NOTIFIER'S PHONE: (315) 428-3490

SPILL DATE: 11/27/2006 SPILL TIME: 12:00 pm
CALL RECEIVED DATE: 11/27/2006 RECEIVED TIME: 1:10 pm

SPILL LOCATION

PLACE: GLOVERSVILLE SERVICE CENTER COUNTY: Fulton
STREET: HILL STREET TOWN/CITY: Gloversville (c)
COMMUNITY: GLOVERSVILLE
CONTACT: BARBARA SCHEURER CONTACT PHONE: (518) 433-3696

SPILL CAUSE: Tank Failure SPILL REPORTED BY: Responsible Party
SPILL SOURCE: Commercial/Industrial WATERBODY:

CALLER REMARKS:

Tank uncovered during IRM activities. 5'x12' Tank. Petroleum odors were noted when tank was uncovered. Pinhole found in end of tank with 5-10 gallons of water removed from tank. Soil excavated and no further odor noted.

Brad Brown is DEC contact for the MGP project. c-518-357-2145.

MATERIAL	CLASS	SPILLED	RECOVERED	RESOURCES AFFECTED
Diesel	Petroleum		0.00 G	Soil,

POTENTIAL SPILLERS

COMPANY	ADDRESS	CONTACT
---------	---------	---------

Tank Number	Tank Size	Test Method	Leak Rate	Gross Failure
-------------	-----------	-------------	-----------	---------------

DEC REMARKS:

08/29/07: Tank was removed and cleaned during storm sewer installation. Petroleum impacted soils were removed to the extent practicable.

RFC: Spill addressed; tank removed.

PIN

T & A

COST CENTER

CLASS: B3 CLOSE DATE: 08/29/2007 MEETS STANDARDS: False



NYSDEC SPILL REPORT FORM



DEC REGION: 5 SPILL NUMBER: 0704194
SPILL NAME: NATIONAL GRID SERVICE CEN DEC LEAD: gjhandly

CALLER NAME: CHRIS READ NOTIFIER'S NAME: CHRIS READ
CLR'S AGENCY: NATIONAL GRID NOTIFIER'S AGENCY: NATIONAL GRID
CALLER'S PHONE: (315) 428-3631 NOTIFIER'S PHONE: (315) 428-3631

SPILL DATE: 07/13/2007 SPILL TIME: 3:00 pm
CALL RECEIVED DATE: 07/13/2007 RECEIVED TIME: 4:30 pm

SPILL LOCATION

PLACE: NATIONAL GRID SERVICE CEN COUNTY: Fulton
STREET: 20 HILL STREET TOWN/CITY: Gloversville (c)
COMMUNITY: GLOVERSVILLE
CONTACT: CHRIS READ CONTACT PHONE: (315) 428-3631

SPILL CAUSE: Unknown SPILL REPORTED BY: Local Agency
SPILL SOURCE: Unknown WATERBODY:

CALLER REMARKS:

FOUND A STAINED AREA 1 FOOT DIAMETER ASSUMED A LEAK FROM TRUCK CLEAN UP IS BEING ONE DONE BY NATIONAL GRID

MATERIAL	CLASS	SPILLED	RECOVERED	RESOURCES AFFECTED
Diesel	Petroleum	1.00 G	1.00 G	Soil,

POTENTIAL SPILLERS

COMPANY	ADDRESS	CONTACT
NATIONAL GRID SERVICE CEN	20 HILL STREET GLOVERSVILLE NY 12078	CHRIS READ (315) 428-3631

Tank Number	Tank Size	Test Method	Leak Rate	Gross Failure
-------------	-----------	-------------	-----------	---------------

DEC REMARKS:

National Grid reports all cleaned up.

No further action required.

PIN

T & A

COST CENTER

CLASS: C3 CLOSE DATE: 07/16/2007 MEETS STANDARDS: True

Appendix N (included on CD)

Material Disposal Documentation

ARCADIS

**Approvals, Profiles, and
Analytical**

**Approvals, Profiles, and
Analytical**

Albany Landfill - Asphalt

ALBANY SOLID WASTE MANAGEMENT FACILITY
WASTE PROFILE SHEET

DATE: 12/16/07

LOT NUMBER: (ASSIGNED BY CITY) _____

A. WASTE GENERATOR INFORMATION

1. GENERATOR NAME: NIAGARA MOHAWK POWER CORP.
2. PHONE: 315-428-5731
3. FACILITY STREET ADDRESS: 20 HILL STREET
4. FACILITY CITY: GLOVERSVILLE
5. FACILITY COUNTY: FULTON
6. STATE: NEW YORK
7. ZIP/POSTAL CODE: 12078
8. GENERATOR USEPA/FEDERAL ID #: NYD980777478

B. CUSTOMER INFORMATION

1. CUSTOMER NAME: ABSCOPE ENVIRONMENTAL, INC.
2. CUSTOMER CONTACT: ROB GRAY
3. CUSTOMER PHONE: 315-697-8437
4. CUSTOMER FAX: 315-697-9391
5. BILLING ADDRESS: P.O. BOX 487
CANASTOTA, NY 13032
6. BILL TO #: ABSCOPE ENVIRONMENTAL, INC.

C. WASTE STREAM INFORMATION

1. DESCRIPTION
A. NAME OF WASTE: ASPHALT
B. PROCESS GENERATING WASTE (ATTACH PROCESS DESCRIPTION):
REPAVING PARKING LOT
C. COLOR: GRAY
D. STRONG ODOR (DESCRIBE): NONE
E. PHYSICAL STATE @ 70 DEGREES FAHRENHEIT: ☒ SOLID ☐ LIQUID ☐ GAS
☐ SLUDGE ☐ OTHER
F. PERCENT (%) SOLIDS: 100
G. DENSITY: 155/CUBIC YD.
H. LIQUID FLASH POINT: <73°F 73-99°F 100-139°F 140-199°F 200°F N/A
2. QUANTITY OF WASTE
ESTIMATED VOLUME: 400 TONS YARDS/DRUMS/OTHER (SPECIFY)
3. SHIPPING FREQUENCY: _____ PER _____ MONTH _____ QUARTER _____ YEAR ☒ 1 TIME
4. PACKAGING:
BULK SOLID: TYPE/SIZE _____ (AGGREGATE/BAGS/BOXES/BALED)
☒ OTHER: DUMP TRUCK
5. ☐ TCLF PROVIDED
6. ☐ MSDS PROVIDED

(NOTE: WASTE PROFILE SUBMITTALS MUST CONTAIN EITHER A TCLF OR MSDS TO BE CONSIDERED!)

7. DOES THE WASTE REPRESENTED BY THIS PROFILE CONTAIN ANY OF THE CARCINOGENS WHICH REQUIRE OSHA NOTIFICATION? ☐ YES ☒ NO
8. DOES THE WASTE REPRESENTED BY THIS PROFILE CONTAIN ANY DIOXINS? ☐ YES ☒ NO
9. DOES THE WASTE REPRESENTED BY THIS PROFILE CONTAIN ASBESTOS? ☐ YES ☒ NO
10. DOES THE WASTE REPRESENTED BY THIS PROFILE CONTAIN BENZENE? ☐ YES ☒ NO

10/31/2006 14:17

5186595925

ALBANY LANDFILL

PAGE 03/03

- IF YES, CONCENTRATION _____ PPM
11. DOES THE WASTE CONTAIN DEBRIS? (DESCRIBE) _____ ☐ YES ☒ NO
12. WILL DISPOSAL OF THE WASTE REPRESENTED BY THIS PROFILE REQUIRE THE USE OF PERSONAL PROTECTIVE EQUIPMENT? ☐ YES ☒ NO
13. DOES THE WASTE REPRESENTED BY THIS PROFILE EASILY DISPERSE IN HIGH WINDS? ☐ YES ☒ NO
IF YES, CAN WATER BE ADDED BY GENERATOR? ☐ YES ☒ NO
14. PLEASE BE ADVISED THAT IN ACCORDANCE WITH 40 CFR SECTION 258.28, LIQUIDS CONTAINING FREE MOISTURE ARE BANNED FROM DISPOSAL IN LANDFILLS. FOR THIS REASON, THE CITY REQUIRES THAT A FAINT FILTER TEST BE PERFORMED. A 100-ML SAMPLE OF WASTE SHOULD BE PLACED IN A 400-MICRON, CONICAL FAINT FILTER. SHOULD THE WASTE YIELD ANY LIQUID THROUGH THE FILTER IN A 5-MINUTE PERIOD, THE WASTE IS DEEMED TO CONTAIN FREE MOISTURE AND THEREFORE FAILS THE ACCEPTANCE TEST. WASTES ARE SUBJECT TO RANDOM SPOT-CHECKS AT THE LANDFILL HAS THE WASTE REPRESENTED BY THIS PROFILE PASSED THE FAINT FILTER TEST AS DESCRIBED ABOVE? ☐ YES ☒ NO

I AUTHORIZE THE CITY OF ALBANY TO OBTAIN A SAMPLE FROM ANY WASTE SHIPMENT FOR PURPOSES OF RECERTIFICATION. IF THIS CERTIFICATION IS MADE BY A BROKER, THE UNDERSIGNED SIGNS AS AUTHORIZED AGENT OF THE GENERATOR AND, IF APPROVED, WILL PROVIDE TO THE CITY WITH ALL NECESSARY PERMITS AND LICENSES FOR THE WASTE THAT HAS BEEN CHARACTERIZED AND IDENTIFIED BY THIS APPROVED PROFILE.

I CERTIFY THAT THE WASTE REPRESENTED BY THIS PROFILE IS NON-HAZARDOUS AND CONTAINS NO RADIOACTIVE MATERIAL OR POLYCHLORINATED BIPHENYLS (PCBs). IN ADDITION, I CERTIFY THAT THE WASTE REPRESENTED BY THIS PROFILE DOES NOT CONTAIN RECYCLABLE MATERIAL OR MATERIAL DEFINED AS UNACCEPTABLE BY THE CITY OF ALBANY'S LANDFILL PERMIT. I CERTIFY THAT I HAVE REVIEWED THE CITY OF ALBANY'S LANDFILL PERMIT AND WILL ABIDE BY ITS POLICIES. I CERTIFY THAT THIS WASTE PROFILE SHEET AND ALL ATTACHMENTS CONTAIN TRUE AND ACCURATE DESCRIPTIONS OF THE WASTE MATERIAL.

CERTIFICATION SIGNATURE: _____

TITLE: _____

NAME: _____

COMPANY NAME: _____

DATE: _____

CHECK IF ADDITIONAL INFORMATION IS ATTACHED. INDICATE THE NUMBER OF ATTACHED PAGES _____

FOR CITY OF ALBANY USE ONLY:

☐ APPROVED☐ DISAPPROVED

COMMENTS: _____

WASTE MATERIAL CODE: _____

BILL TO #: _____

TIP FEE QUOTE: _____

May 17, 2007

City of Albany Landfill
525 Rapp Road
Albany, NY 12205

Attn: Kelly Dwyer

Dear Ms. Dwyer:

The attached original laboratory test report provides results for the analysis of representative samples taken by Adirondack Environmental Services, Inc. and Atlantic Testing Laboratories, Inc.


The waste soil/asphalt was generated during excavation activities at the Gloversville Service Center located at 20 Hill Street in Gloversville, New York. The waste may contain residual materials (including volatile and semi-volatile organic compounds) associated with manufactured gas plant (MGP) operations formerly conducted at the site.

I have personal knowledge on the above facts and hereby affirm these statements to be true to the best of my knowledge.

Date

5/17/07

Signed



Title

Sr. Environmental Engineer

Notes

1. Analytical testing not required by disposal facility for this waste stream.
2. Approval for disposal given verbally by facility, Lot #2746.

**Approvals, Profiles, and
Analytical**

Albany Landfill - Concrete

**ALBANY SOLID WASTE MANAGEMENT FACILITY
WASTE PROFILE SHEET**DATE: 10/31/06

LOT NUMBER: (ASSIGNED BY CITY) _____

A. WASTE GENERATOR INFORMATION

1. GENERATOR NAME: NIAGARA MOHAWK POWER CORP.
2. PHONE: _____
3. FACILITY STREET ADDRESS: 20 HILL STREET
4. FACILITY CITY: GLOVERSVILLE
5. FACILITY COUNTY: FULTON
6. STATE: NEW YORK
7. ZIP/POSTAL CODE: _____
8. GENERATOR USEPA/FEDERAL ID #: NYD980777478

B. CUSTOMER INFORMATION

1. CUSTOMER NAME: ABSCOPE ENVIRONMENTAL, INC.
2. CUSTOMER CONTACT: ROB GRAY
3. CUSTOMER PHONE: 315-697-8437
4. CUSTOMER FAX: 315-697-9391
5. BILLING ADDRESS: P.O. BOX 487
CANASTOTA, NY 13032
6. BILL TO #: ABSCOPE ENVIRONMENTAL, INC.

C. WASTE STREAM INFORMATION

1. DESCRIPTION
- A. NAME OF WASTE: CONCRETE
- B. PROCESS GENERATING WASTE (ATTACH PROCESS DESCRIPTION):
DEMOLITION OF BUILDING FOUNDATION
- C. COLOR: GRAY
- D. STRONG ODOR (DESCRIBE): NONE
- E. PHYSICAL STATE @70 DEGREES FAHRENHEIT: ☒ SOLID ☐ LIQUID ☐ GAS
☐ SLUDGE ☐ OTHER
- F. PERCENT (%) SOLIDS: 100
- G. DENSITY: _____ LBS/CUBIC YD.
- H. LIQUID FLASH POINT: _____ <73°F _____ 73-99°F _____ 100-139°F _____ 140-199°F _____ 200°F _____ N/A
2. QUANTITY OF WASTE
ESTIMATED VOLUME: 100 (TONS) YARDS/DRUMS/OTHER (SPECIFY)
3. SHIPPING FREQUENCY: _____ PER _____ MONTH _____ QUARTER _____ YEAR ☒ 1 TIME
4. PACKAGING:
_____ BULK SOLID: TYPE/SIZE _____ (AGGREGATE/BAGS/BOXES/BALED)
☒ OTHER: DUMP TRUCK
5. _____ TCLP PROVIDED
6. _____ MSDS PROVIDED

(NOTE: WASTE PROFILE SUBMITTALS MUST CONTAIN EITHER A TCLP OR MSDS TO BE CONSIDERED!)

7. DOES THE WASTE REPRESENTED BY THIS PROFILE CONTAIN ANY OF THE CARCINOGENS WHICH REQUIRE OSHA NOTIFICATION? _____ YES ☒ NO
8. DOES THE WASTE REPRESENTED BY THIS PROFILE CONTAIN ANY DIOXINS? _____ YES ☒ NO
9. DOES THE WASTE REPRESENTED BY THIS PROFILE CONTAIN ASBESTOS?
IF YES _____ FRIABLE _____ NON-FRIABLE _____ YES ☒ NO
10. DOES THE WASTE REPRESENTED BY THIS PROFILE CONTAIN BENZENE? _____ YES ☒ NO

- IF YES, CONCENTRATION _____ PPM
11. DOES THE WASTE CONTAIN DEBRIS? (DESCRIBE) _____ ☐ YES ☒ NO
12. WILL DISPOSAL OF THE WASTE REPRESENTED BY THIS PROFILE REQUIRE THE USE OF PERSONAL PROTECTIVE EQUIPMENT? ☐ YES ☒ NO
13. DOES THE WASTE REPRESENTED BY THIS PROFILE EASILY DISPERSE IN HIGH WINDS? ☐ YES ☒ NO
IF YES, CAN WATER BE ADDED BY GENERATOR? ☐ YES ☐ NO
14. PLEASE BE ADVISED THAT IN ACCORDANCE WITH 40 CFR SECTION 238.28, LIQUIDS CONTAINING FREE MOISTURE ARE BANNED FROM DISPOSAL IN LANDFILLS. FOR THIS REASON, THE CITY REQUIRES THAT A PAINT FILTER TEST BE PERFORMED. A 100-ML SAMPLE OF WASTE SHOULD BE PLACED IN A 400-MICRON, CONICAL PAINT FILTER. SHOULD THE WASTE YIELD ANY LIQUID THROUGH THE FILTER IN A 5-MINUTE PERIOD, THE WASTE IS DEEMED TO CONTAIN FREE MOISTURE AND THEREFORE FAILS THE ACCEPTANCE TEST. WASTES ARE SUBJECT TO RANDOM SPOT-CHECKS AT THE LANDFILL. HAS THE WASTE REPRESENTED BY THIS PROFILE PASSED THE PAINT FILTER TEST AS DESCRIBED ABOVE? ☐ YES ☒ NO

I AUTHORIZE THE CITY OF ALBANY TO OBTAIN A SAMPLE FROM ANY WASTE SHIPMENT FOR PURPOSES OF RECERTIFICATION. IF THIS CERTIFICATION IS MADE BY A BROKER, THE UNDERSIGNED SIGNS AS AUTHORIZED AGENT OF THE GENERATOR AND, IF APPROVED, WILL PROVIDE TO THE CITY WITH ALL NECESSARY PERMITS AND LICENSES FOR THE WASTE THAT HAS BEEN CHARACTERIZED AND IDENTIFIED BY THIS APPROVED PROFILE.

I CERTIFY THAT THE WASTE REPRESENTED BY THIS PROFILE IS NON-HAZARDOUS AND CONTAINS NO RADIOACTIVE MATERIAL OR POLYCHLORINATED BIPHENYLS (PCBs). IN ADDITION, I CERTIFY THAT THE WASTE REPRESENTED BY THIS PROFILE DOES NOT CONTAIN RECYCLABLE MATERIAL OR MATERIAL DEFINED AS UNACCEPTABLE BY THE CITY OF ALBANY'S LANDFILL PERMIT. I CERTIFY THAT I HAVE REVIEWED THE CITY OF ALBANY'S LANDFILL PERMIT AND WILL ABIDE BY ITS POLICIES. I CERTIFY THAT THIS WASTE PROFILE SHEET AND ALL ATTACHMENTS CONTAIN TRUE AND ACCURATE DESCRIPTIONS OF THE WASTE MATERIAL.

CERTIFICATION SIGNATURE: _____

TITLE: _____

NAME: Brian SteinerCOMPANY NAME: Waste National GridDATE: 11/7/06

CHECK IF ADDITIONAL INFORMATION IS ATTACHED. INDICATE THE NUMBER OF ATTACHED PAGES _____

FOR CITY OF ALBANY USE ONLY:

☐ APPROVED ☐ DISAPPROVEDCOMMENTS: _____

WASTE MATERIAL CODE: _____

BILL TO #: _____

TIP FEE QUOTE: _____

November 7, 2006

City of Albany Landfill
525 Rapp Road
Albany, NY 12205

Attn: Kelly Dwyer

Dear Ms. Dwyer:

The attached original laboratory test report provides results for the analysis of representative samples taken by Mr. Robert Drabot of Abscope Environmental, Inc. on October 20, 2006.


The waste soil was generated during excavation activities at the Gloversville Service Center located at 20 Hill Street in Gloversville, New York. The waste soil may contain residual materials (including volatile and semi-volatile organic compounds) associated with manufactured gas plant (MGP) operations formerly conducted at the site.

I have personal knowledge on the above facts and hereby affirm these statements to be true to the best of my knowledge.

Date

11/7/06

Signed



Title

Sr. Environmental Engineer

Notes

1. Analytical testing not required by disposal facility for this waste stream.
2. Approval for disposal given verbally by facility, Lot #2666.

**Approvals, Profiles, and
Analytical**

Albany Landfill - Soil

November 7, 2006

City of Albany Landfill
525 Rapp Road
Albany, NY 12205

Attn: Kelly Dwyer

Dear Ms. Dwyer:

The attached original laboratory test report provides results for the analysis of representative samples taken by Mr. Robert Drabot of Abscope Environmental, Inc. on October 20, 2006.


The waste soil was generated during excavation activities at the Gloversville Service Center located at 20 Hill Street in Gloversville, New York. The waste soil may contain residual materials (including volatile and semi-volatile organic compounds) associated with manufactured gas plant (MGP) operations formerly conducted at the site.

I have personal knowledge on the above facts and hereby affirm these statements to be true to the best of my knowledge.

Date

11/7/06

Signed



Title

Sen. Environmental Engineer

City of Albany
Solid Waste Management Facility
525 Rapp Road
Albany, NY 12205
Petroleum Contaminated Soil Data Sheet

Name of Generator:	NIAGARA MOHAWK POWER CORP.
Address:	300 ERIE BLVD. WEST
	SYRACUSE, NY 13202
Name of Transporter:	MANGIARDI BROTHERS
Address:	P.O. BOX 466
	E. SCHODACK, NY 12063
Name of Broker:	ABSCOPE ENVIRONMENTAL, INC.
Address:	1 COMMERCIAL DRIVE
	CANASTOTA, NY 13032
Soil Location:	GLOVERSVILLE SERVICE CENTER
Site Address:	20 HILL STREET
	GLOVERSVILLE, NY
DEC Spill #:	A4-0473-0000
Contaminant Type:	PETROLEUM CONTAMINATED SOIL
Approximate Volume:	1,000 TONS
Shipping Dates:	11/6-11/11
Contact Person:	ROB GRAY
Telephone Number:	315-697-8437
FAX Number:	315-697-9391
Lot # (Assigned by City):	

City of Albany - Solid Waste Management Facility			
Solid Waste Analytical Summary			
Constituent	Testing Methodology	Lab Level	Reg. Level
Metals			(mg/L)
1. Arsenic	TCLP EPA Method 6010	<0.05	5.00
2. Barium	TCLP EPA Method 6010	0.10	100.00
3. Cadmium	TCLP EPA Method 6010	<0.05	1.00
4. Chromium	TCLP EPA Method 6010	<0.05	5.00
5. Lead	TCLP EPA Method 6010	<0.05	5.00
6. Mercury	TCLP EPA Method 7470	<0.02	0.20
7. Selenium	TCLP EPA Method 6010	<0.05	1.00
8. Silver	TCLP EPA Method 6010	<0.10	5.00
Volatiles			(mg/L)
1. Benzene	TCLP EPA Method 8260	<0.085	0.50
2. Carbon Tetrachloride	TCLP EPA Method 8260	<0.085	0.50
3. Chlorobenzene	TCLP EPA Method 8260	<0.085	100.00
4. Chloroform	TCLP EPA Method 8260	<0.05	6.00
5. 1,2 Dichloroethane	TCLP EPA Method 8260	<0.05	0.50
6. 1,1 Dichloroethene	TCLP EPA Method 8260	<0.05	0.70
7. Methyl Ethyl Ketone	TCLP EPA Method 8260	<0.170	200.00
8. Tetrachloroethene	TCLP EPA Method 8260	<0.05	0.70
9. Trichloroethene	TCLP EPA Method 8260	<0.05	0.50
10. Vinyl Chloride	TCLP EPA Method 8260	<0.170	0.20
Semi Volatiles			(mg/L)
1. o-Cresol	TCLP EPA Method 8270	<0.05	200.00
2. m-Cresol	TCLP EPA Method 8270	<0.05	200.00
3. Cresol (Total)	TCLP EPA Method 8270	<0.05	200.00
4. 1,4-Dichlorobenzene	TCLP EPA Method 8270	<0.05	7.50
5. 2,4-Dinitrotolunene	TCLP EPA Method 8270	<0.05	0.13
6. Hexachlorobenzene	TCLP EPA Method 8270	<0.05	0.13
7. Hexachloro-1,3 butadiene	TCLP EPA Method 8270	<0.05	0.50
8. Hexachloroethane	TCLP EPA Method 8270	<0.05	3.00
9. Nitrobenzene	TCLP EPA Method 8270	<0.05	2.00
10. Pentachlorophenol	TCLP EPA Method 8270	<0.250	100.00
11. Pyridine	TCLP EPA Method 8270	<0.05	5.00
12. 2,4,5-Trichlorophenol	TCLP EPA Method 8270	<0.05	400.00
13. 2,4,6-Trichlorophenol	TCLP EPA Method 8270	<0.05	2.00
Pesticides & Herbicides			(mg/L)
1. Chlordane	TCLP EPA Method 8081	<0.25	0.03
2. Endrin	TCLP EPA Method 8081	<0.25	0.02
3. Heptachlor	TCLP EPA Method 8081	<0.25	0.008
4. Heptachlor Epoxide	TCLP EPA Method 8081	<0.25	0.008
5. Lindane (Gamma-BHC)	TCLP EPA Method 8081	<0.25	0.40
6. Methoxychlor	TCLP EPA Method 8081	<2.5	10.00
7. Toxaphene (Chlorocamphene)	TCLP EPA Method 8081	<2.5	0.50
8. 2,4 - D	TCLP EPA Method 8151	<0.05	10.00
9. 2,4,5 - TP (Silvex)	TCLP EPA Method 8151	<0.05	1.0
Polychlorinated Biphenyls			COA Limit (µg/Kg)
1. PCB 1016	EPA Method 8082	<66	Non-Detect (ND)
2. PCB 1221	EPA Method 8082	<66	ND
3. PCB 1232	EPA Method 8082	<66	ND
4. PCB 1242	EPA Method 8082	<66	ND
5. PCB 1248	EPA Method 8082	<66	ND
6. PCB 1254	EPA Method 8082	<66	ND
7. PCB 1260	EPA Method 8082	<66	ND

Notes

1. Approval for disposal given verbally by facility, Lot #2667 and #2747.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

November 20, 2006

Robert Gray
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 061024002
PO#: 26866

TEL: (315) 697-8437
FAX: (315) 697-9391

RE: National Grid Gloversville
Soil Analysis

Dear Robert Gray:

Adirondack Environmental Services, Inc received 1 sample on 10/24/2006 for the analyses presented in the following report.

These samples were received outside the acceptable temperature range of 2-6 °C

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Robert Gray - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024002
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Excavated Soil
Collection Date: 10/20/2006
Lab Sample ID: 061024002-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 10/24/2006)						
Aroclor 1016	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1221	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1232	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1242	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1248	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1254	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1260	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
TCLP HERBICIDES SW1311/8151						Analyst: MG
(Prep: SW8150B - 11/1/2006)						
2,4,5-TP (Silvex)-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 11:51:30 PM
2,4-D-TCLP	< 0.50	0.50		mg/L	1	11/1/2006 11:51:30 PM
PESTICIDES, TCLP LEACHED SW1311/8081A						Analyst: KF
(Prep: E608 - 10/30/2006)						
Chlordane-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 11:29:37 AM
Endrin-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 11:29:37 AM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 11:29:37 AM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 11:29:37 AM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 11:29:37 AM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	10/31/2006 11:29:37 AM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	10/31/2006 11:29:37 AM
TCLP MERCURY SW1311/7470A						Analyst: KH
(Prep: SW7470A - 10/30/2006)						
Mercury-TCLP	< 0.020	0.020		mg/L	1	10/30/2006
TCLP METALS - ICP SW1311/6010A						Analyst: SM
(Prep: SW1311 - 10/27/2006)						
Arsenic-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:18:00 PM
Barium-TCLP	0.10	0.10		mg/L	1	11/1/2006 4:18:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:18:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:18:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:18:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:18:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	11/1/2006 4:18:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024002
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Excavated Soil
Collection Date: 10/20/2006
Lab Sample ID: 061024002-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3510/E625 - 10/30/2006)						
1,4-Dichlorobenzene -TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
2,4,5-Trichlorophenol-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
2,4,6-Trichlorophenol-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
2,4-Dinitrotoluene-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Cresols, Total-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Hexachlorobenzene-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Hexachlorobutadiene-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Hexachloroethane-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Nitrobenzene-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Pentachlorophenol-TCLP	< 250	250		µg/L	1	10/30/2006 7:10:00 PM
Pyridine-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 10/24/2006)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	10/25/2006 8:10:00 PM
Benzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	10/25/2006 8:10:00 PM
PAINT FILTER SW9095						Analyst: PL
Free Liquid	Negative	0			1	11/2/2006
CYANIDE, REACTIVE SW7.3.3.2						Analyst: RC
(Prep: E335.3 - 11/2/2006)						
Reactive Cyanide	< 1.0	1.0		µg/g	1	11/2/2006
REACTIVE SULFIDE SW7.3.4.2						Analyst: RC
Reactive Sulfide	< 10	10	H	µg/g	1	11/2/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024002
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Excavated Soil
Collection Date: 10/20/2006
Lab Sample ID: 061024002-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
REACTIVITY SW846 7.3.3						Analyst: RC
Reactivity	Non Reactive	0			1	11/2/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

November 20, 2006

Robert Gray
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 061024003

PO#: 26866

TEL: (315) 697-8437

FAX: (315) 697-9391

RE: National Grid Gloversville
Soil Analysis

Dear Robert Gray:

Adirondack Environmental Services, Inc received 1 sample on 10/24/2006 for the analyses presented in the following report.

These samples were received outside the acceptable temperature range of 2-6 °C

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709

AIHA#: 100307

Robert Gray - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024003
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Top Soil/Building Excavated Soi
Collection Date: 10/20/2006
Lab Sample ID: 061024003-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 10/26/2006)						
Aroclor 1016	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1221	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1232	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1242	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1248	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1254	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1260	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
TCLP HERBICIDES SW1311/8151						Analyst: MG
(Prep: SW8150B - 11/1/2006)						
2,4,5-TP (Silvex)-TCLP	< 0.05	0.05		mg/L	1	11/2/2006 12:30:43 AM
2,4-D-TCLP	< 0.50	0.50		mg/L	1	11/2/2006 12:30:43 AM
PESTICIDES, TCLP LEACHED SW1311/8081A						Analyst: KF
(Prep: E608 - 10/30/2006)						
Chlordane-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 12:06:44 PM
Endrin-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 12:06:44 PM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 12:06:44 PM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 12:06:44 PM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 12:06:44 PM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	10/31/2006 12:06:44 PM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	10/31/2006 12:06:44 PM
TCLP MERCURY SW1311/7470A						Analyst: KH
(Prep: SW7470A - 10/30/2006)						
Mercury-TCLP	< 0.020	0.020		mg/L	1	10/30/2006
TCLP METALS - ICP SW1311/6010A						Analyst: SM
(Prep: SW1311 - 10/27/2006)						
Arsenic-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:23:00 PM
Barium-TCLP	< 0.10	0.10		mg/L	1	11/1/2006 4:23:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:23:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:23:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:23:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:23:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	11/1/2006 4:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024003
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Top Soil/Building Excavated Soi
Collection Date: 10/20/2006
Lab Sample ID: 061024003-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3510/E625 - 10/30/2006)						
1,4-Dichlorobenzene -TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
2,4,5-Trichlorophenol-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
2,4,6-Trichlorophenol-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
2,4-Dinitrotoluene-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Cresols, Total-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Hexachlorobenzene-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Hexachlorobutadiene-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Hexachloroethane-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Nitrobenzene-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Pentachlorophenol-TCLP	< 500	500		µg/L	1	10/30/2006 7:40:00 PM
Pyridine-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 10/24/2006)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	10/25/2006 8:40:00 PM
Benzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	10/25/2006 8:40:00 PM
PAINT FILTER SW9095						Analyst: PL
Free Liquid	Negative	0			1	11/2/2006
CYANIDE, REACTIVE SW7.3.3.2						Analyst: RC
(Prep: E335.3 - 11/2/2006)						
Reactive Cyanide	< 1.0	1.0		µg/g	1	11/2/2006
REACTIVE SULFIDE SW7.3.4.2						Analyst: RC
Reactive Sulfide	80	10	H	µg/g	1	11/2/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06


CLIENT: Abscope Environmental, Inc
Work Order: 061024003
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Top Soil/Building Excavated Soi
Collection Date: 10/20/2006
Lab Sample ID: 061024003-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
REACTIVITY SW846 7.3.3						Analyst: RC
Reactivity	Non Reactive	0			1	11/2/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level



S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



CHAIN OF CUSTODY RECORD

A full service analytical research laboratory offering solutions to environmental concerns

[illegible]

AES Work Order #: <div style="font-size: 2em; margin-left: 50px;">061024003</div>		CC Report To / Special Instructions/Remarks: <div style="text-align: center; margin-top: 10px;">See attached LIST.</div> <div style="margin-top: 10px;">Rush Benzene Analysis & fax Results YS in Hold all other analysis</div>	
Turnaround Time Request: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input checked="" type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day <i>TCLO Benzene</i>			
Relinquished by: (Signature) 		Received by: (Signature) <div style="text-align: right;">Date/Time</div>	
Relinquished by: (Signature)		Received by: (Signature) <div style="text-align: right;">Date/Time</div>	
Relinquished by: (Signature)		Received for Laboratory by:  <div style="text-align: right;">Date/Time 10/24/06 9:11</div>	
TEMPERATURE Ambient or Chilled <div style="margin-top: 10px;">Notes: 7°</div>		PROPERLY PRESERVED <div style="text-align: center; margin-top: 10px;"> Y N </div> <div style="margin-top: 10px;">Notes: _____</div>	
		RECEIVED WITHIN HOLDING TIMES <div style="text-align: center; margin-top: 10px;"> Y N </div> <div style="margin-top: 10px;">Notes: _____</div>	

PINK - Generator Copy

Adirondack Environmental Services, Inc.

35492



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

November 30, 2006

Robert Gray
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 061122001

TEL: (315) 697-8437
FAX: (315) 697-9391

RE: National Grid
Gloversville

Dear Robert Gray:

Adirondack Environmental Services, Inc received 2 samples on 11/21/2006 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709
AIHA#: 100307

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 1
Collection Date: 11/21/2006
Lab Sample ID: 061122001-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 11/22/2006)						
Aroclor 1016	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1221	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1232	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1242	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1248	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1254	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1260	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
TCLP HERBICIDES SW1311/8151						Analyst: MG
(Prep: SW8150B - 11/27/2006)						
2,4,5-TP (Silvex)-TCLP	< 0.02	0.02		mg/L	1	11/27/2006 8:43:59 PM
2,4-D-TCLP	< 0.25	0.25		mg/L	1	11/27/2006 8:43:59 PM
PESTICIDES, TCLP LEACHED SW1311/8081A						Analyst: KF
(Prep: E608 - 11/22/2006)						
Chlordane-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:24:42 PM
Endrin-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:24:42 PM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:24:42 PM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:24:42 PM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:24:42 PM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	11/22/2006 12:24:42 PM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	11/22/2006 12:24:42 PM
TCLP MERCURY SW1311/7470A						Analyst: KH
(Prep: SW7470A - 11/28/2006)						
Mercury-TCLP	< 0.020	0.020		mg/L	1	11/28/2006
TCLP METALS - ICP SW1311/6010A						Analyst: KH
(Prep: SW1311 - 11/27/2006)						
Arsenic-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:08:00 PM
Barium-TCLP	0.28	0.10		mg/L	1	11/28/2006 3:08:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:08:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:08:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:08:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:08:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	11/28/2006 3:08:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 1
Collection Date: 11/21/2006
Lab Sample ID: 061122001-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3545 - 11/27/2006)						
1,4-Dichlorobenzene -TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
2,4,5-Trichlorophenol-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
2,4,6-Trichlorophenol-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
2,4-Dinitrotoluene-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Cresols, Total-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Hexachlorobenzene-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Hexachlorobutadiene-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Hexachloroethane-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Nitrobenzene-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Pentachlorophenol-TCLP	< 500	500		µg/L	1	11/28/2006 10:36:00 PM
Pyridine-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 11/27/2006)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	11/28/2006 1:19:00 PM
Benzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	11/28/2006 1:19:00 PM
CORROSIVITY SW9040B						Analyst: LS
Corrosivity	Non Corrosive	0			1	11/29/2006
IGNITABILITY SW1030						Analyst: PL
Ignitability	Not Ignitable	0			1	11/29/2006
CYANIDE, REACTIVE SW7.3.3.2						Analyst: RC
(Prep: E335.3 - 11/30/2006)						
Reactive Cyanide	< 1.0	1.0		µg/g	1	11/30/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 1
Collection Date: 11/21/2006
Lab Sample ID: 061122001-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
REACTIVE SULFIDE SW7.3.4.2						Analyst: RC
Reactive Sulfide	< 10	10		µg/g	1	11/30/2006
REACTIVITY SW846 7.3.3						Analyst: RC
Reactivity	Non Reactive	0			1	11/30/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 2
Collection Date: 11/21/2006
Lab Sample ID: 061122001-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 11/22/2006)						
Aroclor 1016	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1221	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1232	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1242	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1248	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1254	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1260	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
TCLP HERBICIDES SW1311/8151						Analyst: MG
(Prep: SW8150B - 11/27/2006)						
2,4,5-TP (Silvex)-TCLP	< 0.02	0.02		mg/L	1	11/27/2006 9:23:08 PM
2,4-D-TCLP	< 0.25	0.25		mg/L	1	11/27/2006 9:23:08 PM
PESTICIDES, TCLP LEACHED SW1311/8081A						Analyst: KF
(Prep: E608 - 11/22/2006)						
Chlordane-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:53:48 PM
Endrin-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:53:48 PM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:53:48 PM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:53:48 PM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:53:48 PM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	11/22/2006 12:53:48 PM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	11/22/2006 12:53:48 PM
TCLP MERCURY SW1311/7470A						Analyst: KH
(Prep: SW7470A - 11/28/2006)						
Mercury-TCLP	< 0.020	0.020		mg/L	1	11/28/2006
TCLP METALS - ICP SW1311/6010A						Analyst: KH
(Prep: SW1311 - 11/27/2006)						
Arsenic-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:13:00 PM
Barium-TCLP	0.27	0.10		mg/L	1	11/28/2006 3:13:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:13:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:13:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:13:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:13:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	11/28/2006 3:13:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 2
Collection Date: 11/21/2006
Lab Sample ID: 061122001-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3545 - 11/27/2006)						
1,4-Dichlorobenzene -TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
2,4,5-Trichlorophenol-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
2,4,6-Trichlorophenol-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
2,4-Dinitrotoluene-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Cresols, Total-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Hexachlorobenzene-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Hexachlorobutadiene-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Hexachloroethane-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Nitrobenzene-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Pentachlorophenol-TCLP	< 500	500		µg/L	1	11/28/2006 11:03:00 PM
Pyridine-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 11/27/2006)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	11/28/2006 1:55:00 PM
Benzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	11/28/2006 1:55:00 PM
CORROSIVITY SW9040B						Analyst: LS
Corrosivity	Non Corrosive	0			1	11/29/2006
IGNITABILITY SW1030						Analyst: PL
Ignitability	Not Ignitable	0			1	11/29/2006
CYANIDE, REACTIVE SW7.3.3.2						Analyst: RC
(Prep: E335.3 - 11/30/2006)						
Reactive Cyanide	< 1.0	1.0		µg/g	1	11/30/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 2
Collection Date: 11/21/2006
Lab Sample ID: 061122001-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
REACTIVE SULFIDE SW7.3.4.2						Analyst: RC
Reactive Sulfide	< 10	10		µg/g	1	11/30/2006
REACTIVITY SW846 7.3.3						Analyst: RC
Reactivity	Non Reactive	0			1	11/30/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

May 21, 2007

Rob Drabot
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 070510042

TEL: (315) 697-8437

FAX: (315) 697-9391

RE: Gloversville Soil

Dear Rob Drabot:

Adirondack Environmental Services, Inc received 2 samples on 5/10/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Rob Drabot - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: Abscope Environmental, Inc
Project: Gloversville Soil
Lab Order: 070510042

CASE NARRATIVE

Prep Comments for 608 PREP, Sample 070510042-001A: tclp as total Analytical Comments for METHOD tclp-herb, SAMPLE 070510042-002a: as totals Analytical Comments for METHOD tclp-herb, SAMPLE 070510042-001a: as totals Analytical Comments for METHOD tclp-herb, SAMPLE 070510042-002a: as totals x 10 Analytical Comments for METHOD tclp-herb, SAMPLE 070510042-001a: as totals x10

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: Abscope Environmental, Inc
Work Order: 070510042
Reference: Gloversville Soil /
PO#:

Client Sample ID: South Pile
Collection Date: 5/10/2007
Lab Sample ID: 070510042-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082 (Prep: SW3545 - 5/10/2007)						Analyst: KF
Aroclor 1016	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1221	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1232	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1242	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1248	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1254	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1260	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
TCLP HERBICIDES SW1311/8151						Analyst: MG
2,4,5-TP (Silvex)-TCLP	< 0.05	0.05		mg/L	1	5/11/2007 8:48:51 PM
2,4-D-TCLP	< 0.50	0.50		mg/L	1	5/11/2007 8:48:51 PM
PESTICIDES, TCLP LEACHED SW1311/8081A (Prep: E608 - 5/10/2007)						Analyst: KF
Chlordane-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:20:40 AM
Endrin-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:20:40 AM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:20:40 AM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:20:40 AM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:20:40 AM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	5/11/2007 12:20:40 AM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	5/11/2007 12:20:40 AM
TCLP MERCURY SW1311/7470A (Prep: SW7470A - 5/16/2007)						Analyst: KH
Mercury-TCLP	< 0.020	0.020		mg/L	1	5/17/2007
TCLP METALS - ICP SW1311/6010A (Prep: SW1311 - 5/16/2007)						Analyst: SM
Arsenic-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:55:00 PM
Barium-TCLP	0.45	0.10		mg/L	1	5/17/2007 12:55:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:55:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:55:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:55:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:55:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	5/17/2007 12:55:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: Abscope Environmental, Inc
Work Order: 070510042
Reference: Gloversville Soil /
PO#:

Client Sample ID: South Pile
Collection Date: 5/10/2007
Lab Sample ID: 070510042-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3545 - 5/14/2007)						
1,4-Dichlorobenzene -TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
2,4,5-Trichlorophenol-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
2,4,6-Trichlorophenol-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
2,4-Dinitrotoluene-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Cresols, Total-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Hexachlorobenzene-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Hexachlorobutadiene-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Hexachloroethane-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Nitrobenzene-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Pentachlorophenol-TCLP	< 500	500		µg/L	1	5/17/2007 3:04:00 PM
Pyridine-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 5/15/2007)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	5/16/2007 7:07:00 PM
Benzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	5/16/2007 7:07:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: Abscope Environmental, Inc
Work Order: 070510042
Reference: Gloversville Soil /
PO#:

Client Sample ID: Staging Pile
Collection Date: 5/10/2007
Lab Sample ID: 070510042-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082 (Prep: SW3545 - 5/10/2007)						Analyst: KF
Aroclor 1016	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1221	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1232	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1242	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1248	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1254	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1260	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
TCLP HERBICIDES SW1311/8151						Analyst: MG
2,4,5-TP (Silvex)-TCLP	< 0.05	0.05		mg/L	1	5/11/2007 8:08:36 PM
2,4-D-TCLP	< 0.50	0.50		mg/L	1	5/11/2007 8:08:36 PM
PESTICIDES, TCLP LEACHED SW1311/8081A (Prep: E608 - 5/10/2007)						Analyst: KF
Chlordane-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:49:49 AM
Endrin-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:49:49 AM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:49:49 AM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:49:49 AM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:49:49 AM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	5/11/2007 12:49:49 AM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	5/11/2007 12:49:49 AM
TCLP MERCURY SW1311/7470A (Prep: SW7470A - 5/16/2007)						Analyst: KH
Mercury-TCLP	< 0.020	0.020		mg/L	1	5/17/2007
TCLP METALS - ICP SW1311/6010A (Prep: SW1311 - 5/16/2007)						Analyst: SM
Arsenic-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:59:00 PM
Barium-TCLP	0.35	0.10		mg/L	1	5/17/2007 12:59:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:59:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:59:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:59:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:59:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	5/17/2007 12:59:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
B - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: Abscope Environmental, Inc
Work Order: 070510042
Reference: Gloversville Soil /
PO#:

Client Sample ID: Staging Pile
Collection Date: 5/10/2007
Lab Sample ID: 070510042-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3545 - 5/14/2007)						
1,4-Dichlorobenzene -TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
2,4,5-Trichlorophenol-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
2,4,6-Trichlorophenol-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
2,4-Dinitrotoluene-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Cresols, Total-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Hexachlorobenzene-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Hexachlorobutadiene-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Hexachloroethane-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Nitrobenzene-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Pentachlorophenol-TCLP	< 500	500		µg/L	1	5/17/2007 2:32:00 PM
Pyridine-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 5/15/2007)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	5/16/2007 7:35:00 PM
Benzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	5/16/2007 7:35:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>Abscope Environmental</i>		Address: <i>1 Commercial Drive Box 487, Connecticut, NY, 13032</i>	
Send Report To: <i>Robert Drabot</i>		Project Name (Location): <i>Glensville Soil</i>	Samplers: (Names) <i>Paul Jackson</i>
Client Phone No: <i>(315) 697-8437</i>	Client Fax No: <i>(315) 697-9391</i>	PO Number:	Samplers: (Signature) <i>[Signature]</i>

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
<i>001</i>	<i>South Pile</i>	<i>5/10/07</i>	<i>1150</i>	<i>(A)</i> <i>P</i>	<i>Soil</i>	<i>X</i>	<i>3</i>	<i>Full TCLP, PCBs</i>
<i>002</i>	<i>Staging Pile</i>	<i>5/10/07</i>	<i>1205</i>	<i>(A)</i> <i>(P)</i>	<i>Soil</i>	<i>X</i>	<i>3</i>	<i>↓</i>
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				

AES Work Order #: <i>070510042</i>		CC Report To / Special Instructions/Remarks:	
Turnaround Time Request: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day <i>1 wk TAT</i>			
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received for Laboratory by: <i>J. Mehar</i>	Date/Time <i>5/10/07 1:51P</i>	
TEMPERATURE Ambient or Chilled Notes: <i>26</i>	PROPERLY PRESERVED <i>(Y)</i> N Notes:	RECEIVED WITHIN HOLDING TIMES <i>(Y)</i> N Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.

**Approvals, Profiles, and
Analytical**

High Acres – Railroad Ties



Generator's Non-Hazardous Waste Profile Sheet

Requested Disposal Facility High Acres Landfill Profile Number TB488083
☐ Renewal for Profile Number _____ Waste Approval Expiration Date _____

A. Waste Generator Facility Information (must reflect location of waste generation/origin)

1. Generator Name: Niagara Mohawk Power Corporation 7. Email Address: brian.stearns@us.ngrid.com
2. Site Address: 20 Hill Street 8. Phone: (315) 428-5731
3. City/ZIP: Gloversville 9. FAX: () _____
4. State: New York 10. NAICS Code: _____
5. County: Fulton 11. Generator USEPA ID #: NYD980777478
6. Contact Name/Title: Brian M. Stearns 12. State ID# (if applicable): _____

B. Customer Information ☐ same as above

P.O. Number: _____

1. Customer Name: Abscope Environmental 6. Phone: (315) 697-8437 FAX: (315) 697-9391
2. Billing Address: PO Box 487 7. Transporter Name: _____
3. City, State and ZIP: Canastota, NY 13032 8. Transporter ID # (if appl.): _____
4. Contact Name: Rob Drabot 9. Transporter Address: _____
5. Contact Email: rdrabot@abscope.com 10. City, State and ZIP: _____

C. Waste Stream Information

1. DESCRIPTION
a. Common Waste Name: Non Hazardous Railroad Ties State Waste Code(s): _____
b. Describe Process Generating Waste or Source of Contamination:
Excavation
c. Typical Color(s): Brown
d. Strong Odor? ☐ Yes ☒ No Describe: _____
e. Physical State at 70°F: ☒ Solid ☐ Liquid ☐ Powder ☐ Semi-Solid or Sludge ☐ Other: _____
f. Layers? ☒ Single layer ☐ Multi-layer ☐ NA
g. Water Reactive? ☐ Yes ☒ No If Yes, Describe: _____
h. Free Liquid Range (%): _____ to _____ ☒ NA(solid)
i. pH Range: ☐ ≤2 ☐ 2.1-12.4 ☐ ≥12.5 ☒ NA(solid) ☐ Actual: _____
j. Liquid Flash Point: ☐ < 140°F ☐ ≥ 140°F ☒ NA(solid) ☐ Actual: _____
k. Flammable Solid: ☐ Yes ☒ No
l. Physical Constituents: List all constituents of waste stream - (e.g. Soil 0-80%, Wood 0-20%): ☐ (See Attached)

Constituents (Total Composition Must be ≥ 100%)	Concentration %	Constituents (Total Composition Must be ≥ 100%)	Concentration %
1. <u>wooden railroad ties</u>	<u>100</u>	4. _____	_____
2. _____	_____	5. _____	_____
3. _____	_____	6. _____	_____

2. ESTIMATED QUANTITY OF WASTE AND SHIPPING INFORMATION

a. ☒ Event ☐ Base/Ongoing (Check One)
b. Estimated Annual Quantity: 300 ☒ Tons ☐ Cubic Yards ☐ Drums ☐ Gallons ☐ Other (specify): _____
c. Shipping Frequency: _____ Units per ☐ Month ☐ Quarter ☐ Year ☒ One Time ☐ Other
d. Is this a U.S. Department of Transportation (USDOT) Hazardous Material? (If yes, answer e.) ☐ Yes ☒ No
e. USDOT Shipping Description (if applicable): _____

3. SAFETY REQUIREMENTS (Handling, PPE, etc.): _____



Generator's Non-Hazardous Waste Profile Sheet

D. Regulatory Status (Please check appropriate responses)

1. Is this a USEPA (40 CFR Part 261)/State hazardous waste? If yes, contact your sales representative. ☐ Yes ☒ No
2. Is this waste included in one or more of categories below (Check all that apply)? If yes, attach supporting documentation. ☐ Yes ☒ No
 - ☐ Delisted Hazardous Waste
 - ☐ Excluded Wastes Under 40 CFR 261.4
 - ☐ Treated Hazardous Waste Debris
 - ☐ Treated Characteristic Hazardous Waste
3. Is the waste from a Federal (40 CFR 300, Appendix B) or state mandated clean-up? If yes, see instructions. ☐ Yes ☒ No
4. Does the waste represented by this waste profile sheet contain radioactive material? ☐ Yes ☒ No
 - a. If yes, is disposal regulated by the Nuclear Regulatory Commission? ☐ Yes ☐ No
 - b. If yes, is disposal regulated by a State Agency for radioactive waste/NORM? ☐ Yes ☐ No
5. Does the waste represented by this waste profile sheet contain concentrations of regulated Polychlorinated Biphenyls (PCBs)? ☐ Yes ☒ No
 - a. If yes, is disposal regulated under TSCA? ☐ Yes ☐ No
6. Does the waste contain untreated, regulated, medical or infectious waste? ☐ Yes ☒ No
7. Does the waste contain asbestos? ☐ Yes ☒ No
If Yes, ☐ Friable ☐ Non Friable
8. Is this profile for remediation waste from a facility that is a major source of Hazardous Air Pollutants (Site Remediation NESHAP, 40 CFR 63 subpart GGGGG)? ☐ Yes ☒ No
If yes, does the waste contain <500 ppmw VOHAPs at the point of determination? ☐ Yes ☐ No

E. Generator Certification (Please read and certify by signature below)

By signing this Generator's Waste Profile Sheet, I hereby certify that all:

1. Information submitted in this profile and all attached documents contain true and accurate descriptions of the waste material;
2. Relevant information within the possession of the Generator regarding known or suspected hazards pertaining to this waste has been disclosed to WM/the Contractor;
3. Analytical data attached pertaining to the profiled waste was derived from testing a representative sample in accordance with 40 CFR 261.20(c) or equivalent rules; and
4. Changes that occur in the character of the waste (i.e. changes in the process or new analytical) will be identified by the Generator and disclosed to WM (and the Contractor if applicable) prior to providing the waste to WM (and the Contractor if applicable).
5. Check all that apply:
 - ☐ Attached analytical pertains to the waste. Identify laboratory & sample ID #'s and parameters tested: _____

Pages: _____

- ☐ Only the analyses identified on the attachment pertain to the waste (identify by laboratory & sample ID #'s and parameters tested). Attachment #: _____
- ☐ Additional information necessary to characterize the profiled waste has been attached (other than analytical). Indicate the number of attached pages: _____
- ☐ I am an agent signing on behalf of the Generator, and the delegation of authority to me from the Generator for this signature is available upon request.
- ☒ By Generator process knowledge, the following waste is not a listed waste and is below all TCLP regulatory limits.

Certification Signature: _____

Title: SR Environmental Engineer

Company Name: National Grid

Name (Print): Brian Stinson

Date: 11/7/06

FOR WM USE ONLY

Management Method: ☐ Landfill ☐ Bioremediation

Approval Decision: ☐ Approved ☐ Not Approved

☐ Non-hazardous solidification ☐ Other: _____

Waste Approval Expiration Date: _____

Management Facility Precautions, Special Handling Procedures or Limitation on approval: _____

☐ Shall not contain free liquid

☐ Shipment must be scheduled into disposal facility

☐ Approval Number must accompany each shipment

☐ Waste Manifest must accompany load

WM Authorization Name / Title: _____

Date: _____

State Authorization (if Required): _____

Date: _____

Notes

1. Analytical testing not required by disposal facility for this waste stream.
2. Approval for disposal given verbally by facility, Lot #VG4041.

**Approvals, Profiles, and
Analytical**

Model City – Carbon and Resin



Generator's Nonhazardous Waste Profile Sheet

Profile Number 100866NY

Requested Disposal Facility _____

Waste Approval Expiration Date _____

☐ Renewal for Profile Number _____

A. Waste Generator Facility Information (must reflect location of waste generation/origin)

1. Generator Name: Niagara Mohawk 7. Email Address: brian.stearns@us.ngrid.com
2. Site Address: 20 Hill Street 8. Phone: (315) 428-5731 9. FAX: _____
3. City/ZIP: Gloversville, 12078 10. NAICS Code: _____
4. State: NY 11. Generator USEPA ID #: NYD980777478
5. County: Fulton 12. State ID# (if applicable): _____
6. Contact Name/Title: Brian Stearns P. O. Number: 26866

B. Customer Information ☐ same as above

1. Customer Name: Abscope Environmental 6. Phone: (315) 697-8437 FAX: (315) 697-9391
2. Billing Address: PO Box 487 7. Transporter Name: Abscope Environmental
3. City, State and ZIP: Canastota, NY, 13032 8. Transporter ID # (if appl.): 7A-369
4. Contact Name: Rob Drabot 9. Transporter Address: Box 487
5. Contact Email: rdrabot@abscope.com 10. City, State and ZIP: Canastota, NY, 13032

C. Waste Stream Information

1. DESCRIPTION State Waste Code(s): N832
a. Common Waste Name: Ion Exchange Resin
b. Describe Process Generating Waste or Source of Contamination:
Spent ion exchange resin used for CN removal in groundwater treatment system
c. Typical Color(s): Brown
d. Strong Odor? ☐ Yes ☒ No Describe: _____
e. Physical State at 70°F: ☒ Solid ☐ Liquid ☐ Powder ☐ Semi-Solid or Sludge ☐ Other: _____
f. Layers? ☒ Single layer ☐ Multi-layer ☐ NA
g. Water Reactive? ☐ Yes ☒ No If Yes, Describe: _____
h. Free Liquid Range (%): _____ to _____ ☒ NA(solid)
i. pH Range: ☐ ≤2 ☐ 2.1-12.4 ☐ ≥12.5 ☒ NA(solid) ☐ Actual: _____
j. Liquid Flash Point: ☐ < 140°F ☐ ≥ 140°F ☒ NA(solid) ☐ Actual: _____
k. Flammable Solid: ☐ Yes ☒ No
l. Physical Constituents: List all constituents of waste stream - (e.g. Soil 0-80%, Wood 0-20%): ☒ (See Attached)

Constituents (Total Composition Must be ≥ 100%)	Concentration %	Constituents (Total Composition Must be ≥ 100%)	Concentration %
1. <u>Spent resin</u>	<u>100</u>	4. _____	_____
2. _____	_____	5. _____	_____
3. _____	_____	6. _____	_____

2. ESTIMATED QUANTITY OF WASTE AND SHIPPING INFORMATION

- a. ☒ Event ☐ Base/Ongoing (Check One)
b. Estimated Annual Quantity: 3 ☐ Tons ☐ Cubic Yards ☒ Drums ☐ Gallons ☐ Other (specify): _____
c. Shipping Frequency: _____ Units per ☐ Month ☐ Quarter ☐ Year ☒ One Time ☐ Other
d. Is this a U.S. Department of Transportation (USDOT) Hazardous Material? (If yes, answer e.) ☐ Yes ☒ No
e. USDOT Shipping Description (if applicable): _____

3. SAFETY REQUIREMENTS (Handling, PPE, etc.):



Generator's Nonhazardous Waste Profile Sheet

100666NY

D. Regulatory Status (Please check appropriate responses)

1. Is this a USEPA (40 CFR Part 261)/State hazardous waste? If yes, contact your sales representative.
☐ Yes ☒ No
2. Is this waste included in one or more of categories below (Check all that apply)? If yes, attach supporting documentation.
☐ Excluded Wastes Under 40 CFR 261.4
☐ Treated Characteristic Hazardous Waste
☐ Yes ☒ No
☐ Delisted Hazardous Waste
☐ Treated Hazardous Waste Debris
☐ Yes ☒ No
3. Is the waste from a Federal (40 CFR 300, Appendix B) or state mandated clean-up? If yes, see instructions.
☐ Yes ☒ No
4. Does the waste represented by this waste profile sheet contain radioactive material?
☐ Yes ☒ No
a. If yes, is disposal regulated by the Nuclear Regulatory Commission?
☐ Yes ☒ No
b. If yes, is disposal regulated by a State Agency for radioactive waste/NORM?
☐ Yes ☒ No
5. Does the waste represented by this waste profile sheet contain concentrations of regulated Polychlorinated Biphenyls (PCBs)?
☐ Yes ☒ No
a. If yes, is disposal regulated under TSCA?
☐ Yes ☒ No
6. Does the waste contain untreated, regulated, medical or infectious waste?
☐ Yes ☒ No
If Yes, ☐ Friable ☒ Non Friable
7. Does the waste contain asbestos?
☐ Yes ☒ No
If Yes, ☐ Friable ☒ Non Friable
8. Is this profile for remediation waste from a facility that is a major source of Hazardous Air Pollutants (Site Remediation NESHAP, 40 CFR 63 subpart GGGGG)?
☐ Yes ☒ No
If yes, does the waste contain <500 ppmw VOHAPs at the point of determination?
☐ Yes ☒ No

E. Generator Certification (Please read and certify by signature below)

By signing this Generator's Waste Profile Sheet, I hereby certify that all:

1. Information submitted in this profile and all attached documents contain true and accurate descriptions of the waste material;
2. Relevant information within the possession of the Generator regarding known or suspected hazards pertaining to this waste has been disclosed to WM/the Contractor;
3. Analytical data attached pertaining to the profiled waste was derived from testing a representative sample in accordance with 40 CFR 261.20(c) or equivalent rules; and
4. Changes that occur in the character of the waste (i.e. changes in the process or new analytical) will be identified by the Generator and disclosed to WM (and the Contractor if applicable) prior to providing the waste to WM (and the Contractor if applicable).
5. Check all that apply:
☒ Attached analytical pertains to the waste. Identify laboratory & sample ID #'s and parameters tested: LSL Project #0701452-002 # Pages: 6
☐ Only the analyses identified on the attachment pertain to the waste (identify by laboratory & sample ID #'s and parameters tested). Attachment #: _____
☒ Additional information necessary to characterize the profiled waste has been attached (other than analytical).
Indicate the number of attached pages: 3
☐ I am an agent signing on behalf of the Generator, and the delegation of authority to me from the Generator for this signature is available upon request.
☐ By Generator process knowledge, the following waste is not a listed waste and is below all TCLP regulatory limits.

Certification Signature: [Signature]

Title: Sr. Env. Engineer

Company Name: National Guard

Name (Print): Blair J. [Signature]

Date: 2/15/07

FOR WM USE ONLY

Management Method: ☐ Landfill ☐ Bioremediation

Approval Decision: ☐ Approved ☐ Not Approved

☐ Non-hazardous solidification ☐ Other: _____

Waste Approval Expiration Date: _____

Management Facility Precautions, Special Handling Procedures or Limitation on approval: _____

☐ Shall not contain free liquid

☐ Shipment must be scheduled into disposal facility

☐ Approval Number must accompany each shipment

☐ Waste Manifest must accompany load

WM Authorization Name / Title: _____

Date: _____

State Authorization (If Required): _____

Date: _____

CONFIRMATION LETTER

February 20, 2007

ROB DRABOT
ABSCOPE ENVIRONMENTAL INC
1 COMMERCIAL DR
PO BOX 487
CANASTOTA, NY 13032-0487

Re: Confirmation Number 5615580

Attention: ROB DRABOT

We are pleased to confirm CWM's approval of your waste material as described below. The attached profile for the waste materials was prepared by CWM based upon information provided by you. It is important that no changes be made to the profile without CWM's consent. If the profile meets with your approval, please call 1-716-754-8231 to schedule shipment of your waste materials.

<u>CWM Profile Number:</u>	NY100411	MDC
<u>Approved Mgmt. Facility:</u>	CWM MODEL CITY FACILITY or another CWM or CWM approved facility	
<u>Waste Name:</u>	ION EXCHANGE RESIN	
<u>Disposal Method:</u>	Landfill.	
<u>Disposal Price:</u>	-	4
<u>Taxes:</u>	- 3.34% DISPOSAL FUEL SURCHARGE	
<u>Transportation Price:</u>	- N/A	
<u>Demurrage:</u>	- N/A	
<u>Pricing Conditions:</u>	- Miscellaneous Charges -Pallets= 4 x the drum price -Containers > 55 gallons= 1.5 x the drum price -Assumes a minimum bulk density of one ton per cubic yard -Incidental Liquid in Bulk Solid Loads= \$800.00 per load -Leaking Bulk Loads/Drums= \$200.00 per load or drum - Surcharge for drums without profile marked on	

February 20, 2007

Re: Confirmation Number 5615580, CWMI Profile Number NY100411 MDC

the drum \$20/each.

- Discrepant drum charge \$3/drum per day after 14 days from notification.
- Drum resample fee - \$25/drum.

Profile Expiration Date: 2/16/08

Special Conditions:


- Waste profile sheet numbers must appear on manifests/shipping papers and drums.
- No demurrage will be paid by CWM Chem. Services Inc. for delays at Model City for on-site acceptance procedures when generator/customer arranges their own transportation.
- Drummed waste must be properly marked with the profile number and bear only the appropriate labeling under RCRA and/or DOT provisions.
- SLF restrictions require all drummed solids for landfill to be full and have no void space. Price and disposal is contingent upon the generator's waste being contained in open top drums.
- Any sorbents used to absorb free liquids or eliminate void space in drums must be non-biodegradable.
- If material is shipped as non-hazardous, appropriate non-hazardous labels must be on drums, per Model City permit requirements.
- CWM Chemical Services, L.L.C. (CWM) has all the necessary permits and licenses and is authorized for the management of the waste that has been characterized and identified by this profile.

Applicable state and local taxes are not included in these disposal prices. All wastes are priced as profiled, invoiced as actually received. Invoices shall be paid no later than thirty (30) days from the date of receipt. All terms are governed by the Agreement previously executed between our companies. The prices quoted above are subject to change by CWM upon thirty (30) days' prior written notice to you unless otherwise specifically provided or per the terms of our Agreement. If we have not previously concluded a Service Agreement with your company, one is enclosed for your convenience. Please sign and return it to us as soon as possible. Also, if 'Signature on File' does not appear on the signature line of the Waste Profile Sheet, please sign and return it before scheduling your material.

February 20, 2007

Re: Confirmation Number 5615580, CWMI Profile Number NY100411 MDC

If you have any questions or would like to make changes to the profile, please contact your representative. Thank you for this opportunity to be of service.



RICH LEATHERS
Chemical Waste Management, Inc

Chemical Waste Management, Inc.

Date Printed 02/20/07

GENERATOR'S WASTE PROFILE SHEET

Profile #
MDC NY100411

() Check here if this is a Recertification LOCATION OF ORIGINAL CWM MODEL CITY FACILITY

GENERAL INFORMATION

1. Generator Name: NIAGARA MOHAWK POWER CORP Generator USEPA ID: NYD980777478

2. Generator Address: HILL ST Billing Address: ABSCOPE ENVIRONMENTAL INC
() Same 1 COMMERCIAL DR
GLOVERSVILLE NY 12078 PO BOX 487

3. Technical Contact/Phone: CANASTOTA NY 13022-0487

4. Alternate Billing Contact/Phone: _____

PROPERTIES AND COMPOSITION

5. Process Generating Waste: CN REMOVAL IN GROUNDWATER TREATMENT

6. Waste Name: ION EXCHANGE RESIN

7A. Is this a USEPA hazardous waste (40 CFR Part 261)? Yes () No (X)

B. Identify ALL USEPA listed and characteristic waste code numbers (D,F,K,P,U): _____

State Waste Codes: _____

8. Physical State @ 70F: A. Solid(X) Liquid() Both() Gas() B. Single Layer (X) Multilayer () C. Free liq. range 0 to 0%

9A. pH: Range 0.0 or Not applicable (X) B. Strong Odor (); describe _____

10. Liquid Flash Point: < 73F () 73-99F () 100-139F () 140-199F () >= 200F () N.A. (X) Closed Cup (X) Open Cup ()

11. CHEMICAL COMPOSITION: List ALL constituents (incl. halogenated organics) present in any concentration and forward analysis
Range Unit Description

Constituents	Range	Unit Description
ION EXCHANGE RESIN	100 to 100 %	
NAPHTHALENE	2.0 to 2.0 MG/KG	
BIS(2-ETHYLHEXYL) PHTHALATE	2.3 to 2.3 MG/KG	
CYANIDE	730 to 730 MG/KG	
	to	
	to	
TOTAL COMPOSITION (MUST EQUAL OR EXCEED 100%):	100.000000	

12. OTHER: PCBs if yes, concentration _____ ppm, PCBs regulated by 40 CFR 761 () Pyrophoric () Explosive ()
Radioactive () Benzene if yes, concentration _____ ppm. NESHAP () Shock Sensitive () Oxidizer ()
Carcinogen () Infectious () Other _____

13. If waste subject to the land ban & meets treatment standards, check here: _____ & supply analytical results where applicable.

SHIPPING INFORMATION

14. PACKAGING: Bulk Solid () Bulk Liquid () Drum (X) Type/Size: 55 GALLON DRUM Other _____

15. ANTICIPATED ANNUAL VOLUME: _____ 3 Units: 55 GALLON DRUM Shipping Frequency: ONE TIME

SAMPLING INFORMATION

16a. Sample source (drum, lagoon, pond, tank, vat, etc.): _____

Date Sampled: _____ Sampler's Name/Company: _____

16b. Generator's Agent Supervising Sampling: _____ 17. () No sample required (See instructions.)

GENERATOR'S CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize CWM to obtain a sample from any waste shipment for purposes of recertification.

Signature on original profile NY100411
Signature

BRIAN S
Name and Title

2/15/07
Date

Profile #
MDC NY100411

19. If this waste is subject to any California list restrictions enter the letter from below (either A or B.1) next to each restriction that is applicable:

[illegible]

A. RESTRICTED WASTE REQUIRES TREATMENT

X. NOT CURRENTLY SUBJECT TO LAND DISPOSAL RESTRICTIONS

24. Identify the waste color BROWN , DOT physical state Solid

2.

and physical appearance RESIN

25. COMPLETE ONLY FOR WASTES INTENDED FOR FUELS OR INCINERATION		26. RECLAMATION, FUELS OR INCINERATION PARAMETERS (Provide if information is available)	
TOTAL		RANGE	
Beryllium as Be	_____ ppm	A. Heat Value (Btu/lb):	_____ - _____
Potassium as K	_____ ppm	B. Water:	_____
Sodium as Na	_____ ppm	C. Viscosity (cps):	_____ @ _____ F _ 100 F _ 150 F
Bromine as Br	_____ %	D. Ash:	_____ %
Chlorine as Cl	_____ %	E. Settleable solids:	_____ %
Fluorine as F	_____ %	F. Vapor Pressure @ STP (mm/Hg):	_____
Sulfur as S	_____ %	G. Is this waste a pumpable liquid? Yes _ No _	
		H. Can this waste be heated to improve flow? Yes _ No _	
		I. Is this waste soluble in water? Yes _ No _	
		J. Particle size: Will the solid portion of this waste pass through a 1/8 inch screen? Yes _ No _	

27. TRANSPORTATION INFORMATION

- A. Is this a DOT Hazardous Material? Yes ☐ No ☒
- B. Proper Shipping Name. : NON-REGULATED MATERIAL
- _____
- _____
- and Additional Description if required: _____
- _____
- C. DOT Regulations: _____ Hazard Class: _____ I.D. _____ Packing Group: _____
- D. CERCLA Reportable Quantity (RQ) and units (Lb, Kg): _____
- E. Non-Bulk code _____ Bulk code _____
- F. Special Provisions _____
- G. Labels Required _____

28. SPECIAL HANDLING INFORMATION

Material Safety Data Sheets Attached

29. OTHER INFORMATION

30. CHEMICAL WASTE MANAGEMENT CERTIFICATION

Chemical Waste Management, Inc. has all the necessary permits and licenses for the waste that has been characterized and identified by this approved profile.

Date Printed 02/20/87

Profile #
MDC NY100411

31. OTHER HAZARDOUS CONSTITUENTS Indicate if the waste contains any of the following.

METALS	TCLP Information: Check only ONE for each constituent Use units: ppm, mg/l				TCLP Data TCLP Actual	TCA or TOTAL Use units: ppm, mg/l, mg/kg or percent			
	Less Than	TC Regulated Level	Equal or More	Waste No.		California List			Actual
						Less Than	Regulated Level	Equal or More	
Arsenic as As	X	5.0 mg/l		D004			500 mg/l		
Barium as Ba	X	100.0 mg/l		D005					
Cadmium as Cd	X	1.0 mg/l		D006			100 mg/l		
Chromium tot Cr	X	5.0 mg/l		D007					
Lead as Pb	X	5.0 mg/l		D008			500 mg/l		
Mercury as Hg	X	.2 mg/l		D009			20 mg/l		
Selenium as Se	X	1.0 mg/l		D010			100 mg/l		
Silver as Ag	X	5.0 mg/l		D011					
Nickel as Ni							134 mg/l		
Thallium as Tl							130 mg/l		
Chromium Hex							500 mg/l		
Antimony									
Beryllium									
Copper									
Vanadium									
Zinc									

Date Printed 02/20/07

Profile #
NDC NY100411

32. OTHER HAZARDOUS CONSTITUENTS Indicate if the waste contains any of the following.

ORGANICS	TCLP Information: Check only ONE for each constituent				TCLP Data	TCA or TOTAL Use units: ppm, mg/l or %
	Less Than	Regulated Level	Equal or More	Waste No.	TCLP Analytical Test Results Use units: ppm or mg/l	
Benzene	X	0.5 mg/l		D018		
Carbon Tetrachloride	X	0.5 mg/l		D019		
Chlordane	X	0.03 mg/l		D020		
Chlorobenzene	X	100.0 mg/l		D021		
Chloroform	X	6.0 mg/l		D022		
m-Cresol	X	200 mg/l		D024		
o-Cresol	X	200.0 mg/l		D023		
p-Cresol	X	200.0 mg/l		D025		
Cresol	X	200.0 mg/l		D026		
2,4-D	X	10.0 mg/l		D016		
1,4 Dichlorobenzene	X	7.5 mg/l		D027		
1,2-Dichloroethane	X	0.5 mg/l		D028		
1,1-Dichloroethylene	X	0.7 mg/l		D029		
2,4-Dinitrotoluene	X	0.13 mg/l		D030		
Endrin	X	.02 mg/l		D012		
Heptachlor, & Hydroxide	X	0.008 mg/l		D031		
Hexachloro-1,3 Butadiene	X	0.5 mg/l		D033		
Hexachlorobenzene	X	0.13 mg/l		D032		
Hexachloroethane	X	3.0 mg/l		D034		
Lindane	X	0.4 mg/l		D013		
Methoxychlor	X	10.0 mg/l		D014		
Methyl Ethyl Ketone	X	200.0 mg/l		D035		
Nitrobenzene	X	2.0 mg/l		D036		
Pentachlorophenol	X	100.0 mg/l		D037		
Pyridine	X	5.0 mg/l		D038		
Tetrachloroethylene	X	0.7 mg/l		D039		
Toxaphene	X	0.5 mg/l		D015		
2,4,5-TP Silvex	X	1.0 mg/l		D017		
Trichloroethylene	X	0.5 mg/l		D040		
2,4,5-Trichlorophenol	X	400.0 mg/l		D041		
2,4,6-Trichlorophenol	X	2.0 mg/l		D042		
Vinyl Chloride	X	0.2 mg/l		D043		



Generator's Nonhazardous Waste Profile Sheet

Requested Disposal Facility _____ Profile Number 100665NY
☐ Renewal for Profile Number _____ Waste Approval Expiration Date _____

A. Waste Generator Facility Information (must reflect location of waste generation/origin)

1. Generator Name: Niagara Mohawk 7. Email Address: brian.stearns@us.ngrid.com
2. Site Address: 20 Hill Street 8. Phone: (315) 428-5731 9. FAX: _____
3. City/ZIP: Gloversville, 12078 10. NAICS Code: _____
4. State: NY 11. Generator USEPA ID #: NYD980777478
5. County: Fulton 12. State ID# (if applicable): _____
6. Contact Name/Title: Brian Stearns P. O. Number: 26866

B. Customer Information ☐ same as above

1. Customer Name: Abscope Environmental 6. Phone: (315) 697-8437 FAX: (315) 697-9391
2. Billing Address: PO Box 487 7. Transporter Name: Abscope Environmental
3. City, State and ZIP: Canastota, NY, 13032 8. Transporter ID # (if appl.): 7A-369
4. Contact Name: Rob Drabot 9. Transporter Address: PO Box 487
5. Contact Email: rdrabot@abscope.com 10. City, State and ZIP: Canastota, NY, 13032

C. Waste Stream Information

1. DESCRIPTION
a. Common Waste Name: Spent Activated carbon State Waste Code(s): N864
b. Describe Process Generating Waste or Source of Contamination:
Spent carbon from groundwater treatment facility
c. Typical Color(s): Black
d. Strong Odor? ☐ Yes ☒ No Describe: _____
e. Physical State at 70°F: ☒ Solid ☐ Liquid ☐ Powder ☐ Semi-Solid or Sludge ☐ Other: _____
f. Layers? ☒ Single layer ☐ Multi-layer ☐ NA
g. Water Reactive? ☐ Yes ☒ No If Yes, Describe: _____
h. Free Liquid Range (%): _____ to _____ ☒ NA(solid)
i. pH Range: ☐ ≤2 ☐ 2.1-12.4 ☐ ≥12.5 ☒ NA(solid) Actual: _____
j. Liquid Flash Point: ☐ < 140°F ☐ ≥ 140°F ☒ NA(solid) Actual: _____
k. Flammable Solid: ☐ Yes ☒ No
l. Physical Constituents: List all constituents of waste stream - (e.g. Soil 0-80%, Wood 0-20%): ☐ (See Attached)

Constituents (Total Composition Must be ≥ 100%)	Concentration %	Constituents (Total Composition Must be ≥ 100%)	Concentration %
1. <u>Granular Carbon</u>	<u>100</u>	4. _____	_____
2. _____	_____	5. _____	_____
3. _____	_____	6. _____	_____

2. ESTIMATED QUANTITY OF WASTE AND SHIPPING INFORMATION

- a. ☒ Event ☐ Base/Ongoing (Check One)
b. Estimated Annual Quantity: 6 ☐ Tons ☐ Cubic Yards ☒ Drums ☐ Gallons ☐ Other (specify): _____
c. Shipping Frequency: _____ Units per ☐ Month ☐ Quarter ☐ Year ☒ One Time ☐ Other
d. Is this a U.S. Department of Transportation (USDOT) Hazardous Material? (If yes, answer e.) ☐ Yes ☒ No
e. USDOT Shipping Description (if applicable): _____

3. SAFETY REQUIREMENTS (Handling, PPE, etc.):



Generator's Nonhazardous Waste Profile Sheet

100665NY

D. Regulatory Status (Please check appropriate responses)

1. Is this a USEPA (40 CFR Part 261)/State hazardous waste? If yes, contact your sales representative.
☐ Yes ☒ No
2. Is this waste included in one or more of categories below (Check all that apply)? If yes, attach supporting documentation.
☐ Delisted Hazardous Waste ☐ Excluded Wastes Under 40 CFR 261.4
☐ Treated Hazardous Waste Debris ☐ Treated Characteristic Hazardous Waste
☐ Yes ☒ No
☐ Yes ☒ No
3. Is the waste from a Federal (40 CFR 300, Appendix B) or state mandated clean-up? If yes, see instructions.
☐ Yes ☐ No
4. Does the waste represented by this waste profile sheet contain radioactive material?
☐ Yes ☐ No
5. Does the waste represented by this waste profile sheet contain concentrations of regulated Polychlorinated Biphenyls (PCBs)?
☐ Yes ☒ No
6. Does the waste contain untreated, regulated, medical or infectious waste?
☐ Yes ☒ No
7. Does the waste contain asbestos?
☐ Yes ☒ No
8. Is this profile for remediation waste from a facility that is a major source of Hazardous Air Pollutants (Site Remediation NESHAP, 40 CFR 63 subpart GGGGG)?
☐ Yes ☒ No

If yes, does the waste contain <500 ppmw VOHAPs at the point of determination?

E. Generator Certification (Please read and certify by signature below)

By signing this Generator's Waste Profile Sheet, I hereby certify that all:

1. Information submitted in this profile and all attached documents contain true and accurate descriptions of the waste material;
2. Relevant information within the possession of the Generator regarding known or suspected hazards pertaining to this waste has been disclosed to WM/the Contractor;
3. Analytical data attached pertaining to the profiled waste was derived from testing a representative sample in accordance with 40 CFR 261.20(c) or equivalent rules; and
4. Changes that occur in the character of the waste (i.e. changes in the process or new analytical) will be identified by the Generator and disclosed to WM (and the Contractor if applicable) prior to providing the waste to WM (and the Contractor if applicable).

5. Check all that apply:

- ☒ Attached analytical pertains to the waste. Identify laboratory & sample ID #'s and parameters tested: _____ # Pages: 6
LSL Project #0701452-001
- ☐ Only the analyses identified on the attachment pertain to the waste (identify by laboratory & sample ID #'s and parameters tested).
Attachment #: _____
- ☐ Additional information necessary to characterize the profiled waste has been attached (other than analytical).
Indicate the number of attached pages: _____
- ☐ I am an agent signing on behalf of the Generator, and the delegation of authority to me from the Generator for this signature is available upon request.
- ☐ By Generator process knowledge, the following waste is not a listed waste and is below all TCLP regulatory limits.

Certification Signature: _____

Title: _____

Company Name: National Grid

Name (Print): _____

Date: _____

FOR WM USE ONLY

Management Method: ☐ Landfill ☐ Bioremediation

Approval Decision: ☐ Approved ☐ Not Approved

☐ Non-hazardous solidification ☐ Other: _____

Waste Approval Expiration Date: _____

Management Facility Precautions, Special Handling Procedures or Limitation on approval: _____

- ☐ Shall not contain free liquid
☐ Shipment must be scheduled into disposal facility
☐ Approval Number must accompany each shipment
☐ Waste Manifest must accompany load

WM Authorization Name / Title: _____

Date: _____

State Authorization (if Required): _____

Date: _____

CONFIRMATION LETTER

February 20, 2007

ROB DRABOT
ABSCOPE ENVIRONMENTAL INC
1 COMMERCIAL DR
PO BOX 487
CANASTOTA, NY 13032-0487

Re: Confirmation Number 5615579

Attention: ROB DRABOT

We are pleased to confirm CWM's approval of your waste material as described below. The attached profile for the waste materials was prepared by CWM based upon information provided by you. It is important that no changes be made to the profile without CWM's consent. If the profile meets with your approval, please call 1-716-754-8231 to schedule shipment of your waste materials.

CWM Profile Number: NY100412 MDC

Approved Mgmt. Facility: CWM MODEL CITY FACILITY
or another CWM or CWM approved facility

Waste Name: SPENT ACTIVATED CARBON

Disposal Method: Landfill.

Disposal Price: -

Taxes: - 3.34% DISPOSAL FUEL SURCHARGE

Transportation Price: - N/A

Demurrage: - N/A

Pricing Conditions:

- Miscellaneous Charges
- Pallets= 4 x the drum price
- Containers > 55 gallons= 1.5 x the drum price
- Assumes a minimum bulk density of one ton per cubic yard
- Incidental Liquid in Bulk Solid Loads= \$800.00 per load
- Leaking Bulk Loads/Drums= \$200.00 per load or drum
- Surcharge for drums without profile marked on

February 20, 2007

Re: Confirmation Number 5615579, CWMI Profile Number NY100412 MDC

- the drum \$20/each.
- Discrepant drum charge \$3/drum per day after 14 days from notification.
- Drum resample fee - \$25/drum.

Profile Expiration Date: 2/16/08

Special Conditions:


- Waste profile sheet numbers must appear on manifests/shipping papers and drums.
- No demurrage will be paid by CWM Chem. Services Inc. for delays at Model City for on-site acceptance procedures when generator/customer arranges their own transportation.
- Drummed waste must be properly marked with the profile number and bear only the appropriate labeling under RCRA and/or DOT provisions.
- SLF restrictions require all drummed solids for landfill to be full and have no void space. Price and disposal is contingent upon the generator's waste being contained in open top drums.
- Any sorbents used to absorb free liquids or eliminate void space in drums must be non-biodegradable.
- If material is shipped as non-hazardous, appropriate non-hazardous labels must be on drums, per Model City permit requirements.
- CWM Chemical Services, L.L.C. (CWM) has all the necessary permits and licenses and is authorized for the management of the waste that has been characterized and identified by this profile.

Applicable state and local taxes are not included in these disposal prices. All wastes are priced as profiled, invoiced as actually received. Invoices shall be paid no later than thirty (30) days from the date of receipt. All terms are governed by the Agreement previously executed between our companies. The prices quoted above are subject to change by CWM upon thirty (30) days' prior written notice to you unless otherwise specifically provided or per the terms of our Agreement. If we have not previously concluded a Service Agreement with your company, one is enclosed for your convenience. Please sign and return it to us as soon as possible. Also, if 'Signature on File' does not appear on the signature line of the Waste Profile Sheet, please sign and return it before scheduling your material.

February 20, 2007

Re: Confirmation Number 5615579, CWMI Profile Number NY100412 MDC

If you have any questions or would like to make changes to the profile, please contact your representative. Thank you for this opportunity to be of service.



RICH LEATHERS
Chemical Waste Management, Inc

Date Printed 02/20/07

Chemical Waste Management, Inc.
GENERATOR'S WASTE PROFILE SHEETProfile #
MDC NY100412

() Check here if this is a Recertification LOCATION OF ORIGINAL CWM MODEL CITY FACILITY

GENERAL INFORMATION

1. Generator Name: NIAGARA MOHAWK POWER CORP Generator USEPA ID: NYD980777478

2. Generator Address: HILL ST Billing Address: ABSCOPE ENVIRONMENTAL INC
() Same
1 COMMERCIAL DR
GLOVERSVILLE NY 12078 PO BOX 487

3. Technical Contact/Phone: CANASTOTA NY 13032-0487

4. Alternate Billing Contact/Phone: _____

PROPERTIES AND COMPOSITION

5. Process Generating Waste: GROUNDWATER TREATMENT

6. Waste Name: SPENT ACTIVATED CARBON

7a. Is this a USEPA hazardous waste (40 CFR Part 261)? Yes () No (X)

8. Identify ALL USEPA listed and characteristic waste code numbers (D,F,X,P,U): _____ State Waste Codes: _____

9. Physical State @ 70°F: A. Solid (X) Liquid () Both () Gas () B. Single Layer (X) Multilayer () C. Free liq. range 0 to 0°

9a. pH: Range 0.0 or Not applicable (X) B. Strong Odor () describe _____

10. Liquid Flash Point: < 73°F () 73-99°F () 100-139°F () 140-199°F () ≥ 200°F () N.A. (X) Closed Cup (X) Open Cup ()

11. CHEMICAL COMPOSITION: List ALL constituents (incl. halogenated organics) present in any concentration and forward analysis

Constituents	Range	Unit Description
<u>CARBON</u>	<u>100 to 100</u>	<u>%</u>
<u>ACENAPHTHENE</u>	<u>5.0 to 5.0</u>	<u>MG/KG</u>
<u>DI-N-BUTYL PHTHALATE</u>	<u>5.5 to 5.5</u>	<u>MG/KG</u>
<u>2-METHYLNAPHTHALENE</u>	<u>8.6 to 8.6</u>	<u>MG/KG</u>
<u>NAPHTHALENE</u>	<u>15 to 15</u>	<u>MG/KG</u>
	<u>to</u>	<u>100.000000</u>

TOTAL COMPOSITION (MUST EQUAL OR EXCEED 100%):

12. OTHER: PCBs if yes, concentration _____ ppm, PCBs regulated by 40 CFR 761 () Pyrophoric () Explosive ()
Radioactive () Benzene if yes, concentration _____ ppm. NESHAP () Shock Sensitive () Oxidizer ()
Carcinogen () Infectious () Other _____

13. If waste subject to the land ban & meets treatment standards, check here: _____ & supply analytical results where applicable.

SHIPPING INFORMATION

14. PACKAGING: Bulk Solid () Bulk Liquid () Drum (X) Type/Size: 55 GALLON DRUM Other _____

15. ANTICIPATED ANNUAL VOLUME: 6 Units: 55 GALLON DRUM Shipping Frequency: ONE TIME

SAMPLING INFORMATION

Sample Tracking Number: 5615579

16a. Sample source (drum, lagoon, pond, tank, vat, etc.): _____

Date Sampled: _____ Sampler's Name/Company: _____

16b. Generator's Agent Supervising Sampling: _____ 17. () No sample required (See instructions.)

GENERATOR'S CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize CWM to obtain a sample from any waste shipment for purposes of recertification.

Signature on original profile NY100412
Signature

BRIAN S
Name and Title

2/15/07
Date

Profile #
MDC NY100412

19. If this waste is subject to any California list restrictions enter the letter from below (either A or B.1) next to each restriction that is applicable:

HOCs, PCBs, Acid, Metals, Cyanides

20. Identify ALL Characteristic and Listed USEPA hazardous waste numbers that apply (as defined by 40 CFR 261). For each waste number, identify the subcategory (as applicable, check none, or write in the description from 40 CFR 268.41, 268.42, and 268.43).

[illegible]

A. RESTRICTED WASTE REQUIRES TREATMENT

8.1 RESTRICTED WASTE TREATED TO 268.40 STANDARDS

B.3 GOOD FAITH ANALYTICAL CERTIFICATION FOR INCINERATED ORGANICS

B.4 DECHARACTERIZED WASTE REQUIRES TREATMENT FOR UNCS

B.5 RESTRICTED WASTES TREATED TO ALTERNATE SOIL STANDARD

B.6 RESTRICTED WASTES TREATED TO ALTERNATE DEBRIS STANDARD

C. RESTRICTED WASTE SUBJECT TO A VARIANCE

D. RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT

E. NOT CURRENTLY SUBJECT TO LAND DISPOSAL RESTRICTIONS

21. Is this waste a soil or debris? No: ☒ Yes, Soil: ☐ Yes, Debris: ☐

22. Specific Gravity Range: _____ to _____

23. Indicate the range of each: Units

Cyanides: None to _____ Type (free, total, amenable, etc.) _____

Cyanides: None to Type (free, total, amenable, etc.)

Sulfides: None to Type

Optional
Phenolics: None to

24. Identify the waste color BLACKS , DOT physical state Solid

and physical appearance GRIT

25. COMPLETE ONLY FOR WASTES INTENDED FOR FUELS OR INCINERATION		26. RECLAMATION, FUELS or INCINERATION PARAMETERS (Provide if information is available)	
TOTAL		RANGE	
Beryllium as Be	_____ ppm	A. Heat Value (Btu/lb):	_____ - _____
Potassium as K	_____ ppm	B. Water:	_____
Sodium as Na	_____ ppm	C. Viscosity (cps):	_____ @ _____ °F _ 100 °F _ 150 °F
Bromine as Br	_____ %	D. Ash:	_____ %
Chlorine as Cl	_____ %	E. Settleable solids:	_____ %
Fluorine as F	_____ %	F. Vapor Pressure @ STP (mm/Hg):	_____
Sulfur as S	_____ %	G. Is this waste a pumpable liquid? Yes _ No _	
		H. Can this waste be heated to improve flow? Yes _ No _	
		I. Is this waste soluble in water? Yes _ No _	
		J. Particle size: Will the solid portion of this waste pass through a 1/8 inch screen? Yes _ No _	

27. TRANSPORTATION INFORMATION

A. Is this a DOT Hazardous Material? Yes _ No XB. Proper Shipping Name. : NON-REGULATED MATERIAL

and Additional Description if required: _____

C. DOT Regulations: _____ Hazard Class: _____ I.D. _____ Packing Group: _____

D. CERCLA Reportable Quantity (RQ) and units (Lb, Kg): _____

E. Non-Bulk code _____ Bulk code _____

F. Special Provisions _____

G. Labels Required _____

28. SPECIAL HANDLING INFORMATION

_____ Material Safety Data Sheets Attached

29. OTHER INFORMATION

30. CHEMICAL WASTE MANAGEMENT CERTIFICATION

Chemical Waste Management, Inc. has all the necessary permits and licenses for the waste that has been characterized and identified by this approved profile.

Profile #
NDC NY100412

NDC NY100412

[illegible]

Date Printed 02/20/07

Profile #
MDC NY100412

32. OTHER HAZARDOUS CONSTITUENTS Indicate if the waste contains any of the following.

ORGANICS	TCLP Information: Check only ONE for each constituent				TCLP Data	TCA or TOTAL Use units: ppm, mg/l or %
	Less Than	Regulated Level	Equal or More	Waste No.	TCLP Analytical Test Results Use units: ppm or mg/l	
Benzene	X	0.5 mg/l		D018		
Carbon Tetrachloride	X	0.5 mg/l		D019		
Chlordane	X	0.03 mg/l		D020		
Chlorobenzene	X	100.0 mg/l		D021		
Chloroform	X	6.0 mg/l		D022		
m-Cresol	X	200 mg/l		D024		
o-Cresol	X	200.0 mg/l		D023		
p-Cresol	X	200.0 mg/l		D025		
Cresol	X	200.0 mg/l		D026		
2,4-D	X	10.0 mg/l		D016		
1,4 Dichlorobenzene	X	7.5 mg/l		D027		
1,2-Dichloroethane	X	0.5 mg/l		D028		
1,1-Dichloroethylene	X	0.7 mg/l		D029		
2,4-Dinitrotoluene	X	0.13 mg/l		D030		
Endrin	X	.02 mg/l		D012		
Heptachlor, & Hydroxide	X	0.008 mg/l		D031		
Hexachloro-1,3 Butadiene	X	0.5 mg/l		D033		
Hexachlorobenzene	X	0.13 mg/l		D032		
Hexachloroethane	X	3.0 mg/l		D034		
Lindane	X	0.4 mg/l		D013		
Methoxychlor	X	10.0 mg/l		D014		
Methyl Methyl Ketone	X	200.0 mg/l		D035		
Nitrobenzene	X	2.0 mg/l		D036		
Pentachlorophenol	X	100.0 mg/l		D037		
Pyridine	X	5.0 mg/l		D038		
Tetrachloroethylene	X	0.7 mg/l		D039		
Toxaphene	X	0.5 mg/l		D015		
2,4,5-TF Silvex	X	1.0 mg/l		D017		
Trichloroethylene	X	0.5 mg/l		D040		
2,4,5-Trichlorophenol	X	400.0 mg/l		D041		
2,4,6-Trichlorophenol	X	2.0 mg/l		D042		
Vinyl Chloride	X	0.2 mg/l		D043		



Rob Drabot
Abscope Environmental Inc.
P.O. Box 487
Canastota, NY 13032

Phone: (315) 697-8437
FAX: (315) 697-9391

Laboratory Analysis Report For Abscope Environmental Inc.

Client Project ID:

Niagara Mohawk Gloversville

LSL Project ID: 0701452

Receive Date/Time: 01/26/07 15:22

Project Received by: GS

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

- (1) LSL Central Lab, East Syracuse, NY
- (2) LSL North Lab, Waddington, NY
- (3) LSL Finger Lakes Lab, Wayland, NY
- (4) LSL Southern Tier Lab, Cuba, NY
- (5) LSL MidLakes Lab, Canandaigua, NY
- (6) LSL Brittonfield Lab, East Syracuse, NY

(315) 445-1105
(315) 388-4476
(585) 728-3320
(585) 968-2640
(585) 396-0270
(315) 437-0200

NYS DOH ELAP #10248 PA DEP #68-2556
NYS DOH ELAP #10900
NYS DOH ELAP #11667
NYS DOH ELAP #10760
NYS DOH ELAP #11369
NYS DOH ELAP #10155

This report was reviewed by:

Patricia M. Muccia, QA
Life Science Laboratories, Inc.

Date:

2/5/07

A copy of this report was sent to:

Page 1 of 5
Date Printed: 2/2/07

-- LABORATORY ANALYSIS REPORT --

Abscope Environmental Inc. Canastota, NY

Sample ID: Carbon - Composite LSL Sample ID: 0701452-001
 Location: Niagara Mohawk Gloversville
 Sampled: 01/22/07 0:00 Sampled By: RD
 Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCL Semi-Volatiles					
Acenaphthene	5.0	mg/kg	1/30/07	2/2/07	CRT
Acenaphthylene	<2	mg/kg	1/30/07	2/2/07	CRT
Anthracene	<2	mg/kg	1/30/07	2/2/07	CRT
Benzo(a)anthracene	<2	mg/kg	1/30/07	2/2/07	CRT
Benzo(b)fluoranthene	<2	mg/kg	1/30/07	2/2/07	CRT
Benzo(k)fluoranthene	<2	mg/kg	1/30/07	2/2/07	CRT
Benzo(ghi)perylene	<2	mg/kg	1/30/07	2/2/07	CRT
Benzo(s)pyrene	<2	mg/kg	1/30/07	2/2/07	CRT
4-Bromophenyl-phenylether	<2	mg/kg	1/30/07	2/2/07	CRT
Butylbenzylphthalate	<2	mg/kg	1/30/07	2/2/07	CRT
Carbazole	<2	mg/kg	1/30/07	2/2/07	CRT
4-Chloroaniline	<2	mg/kg	1/30/07	2/2/07	CRT
bis(2-Chloroethoxy)methane	<2	mg/kg	1/30/07	2/2/07	CRT
bis(2-Chloroethyl)ether	<2	mg/kg	1/30/07	2/2/07	CRT
bis(2-Chloroisopropyl)ether	<2	mg/kg	1/30/07	2/2/07	CRT
4-Chloro-3-methylphenol	<2	mg/kg	1/30/07	2/2/07	CRT
2-Chloronaphthalene	<2	mg/kg	1/30/07	2/2/07	CRT
2-Chlorophenol	<2	mg/kg	1/30/07	2/2/07	CRT
4-Chlorophenyl-phenylether	<2	mg/kg	1/30/07	2/2/07	CRT
Chrysene	<2	mg/kg	1/30/07	2/2/07	CRT
Dibenz(a,h)anthracene	<2	mg/kg	1/30/07	2/2/07	CRT
Dibenzofuran	5.5	mg/kg	1/30/07	2/2/07	CRT
Di-n-butylphthalate	<2	mg/kg	1/30/07	2/2/07	CRT
1,2-Dichlorobenzene	<2	mg/kg	1/30/07	2/2/07	CRT
1,3-Dichlorobenzene	<2	mg/kg	1/30/07	2/2/07	CRT
1,4-Dichlorobenzene	<2	mg/kg	1/30/07	2/2/07	CRT
3,3'-Dichlorobenzidine	<4	mg/kg	1/30/07	2/2/07	CRT
2,4-Dichlorophenol	<2	mg/kg	1/30/07	2/2/07	CRT
Diethylphthalate	<2	mg/kg	1/30/07	2/2/07	CRT
2,4-Dimethylphenol	<2	mg/kg	1/30/07	2/2/07	CRT
Dimethylphthalate	<4	mg/kg	1/30/07	2/2/07	CRT
2,4-Dinitrophenol	<2	mg/kg	1/30/07	2/2/07	CRT
2,4-Dinitrotoluene	<2	mg/kg	1/30/07	2/2/07	CRT
2,6-Dinitrotoluene	<2	mg/kg	1/30/07	2/2/07	CRT
Di-n-octylphthalate	<2	mg/kg	1/30/07	2/2/07	CRT
bis(2-Ethylhexyl)phthalate	<2	mg/kg	1/30/07	2/2/07	CRT
Fluoranthene	<2	mg/kg	1/30/07	2/2/07	CRT
Fluorene	<2	mg/kg	1/30/07	2/2/07	CRT
Hexachlorobenzene	<2	mg/kg	1/30/07	2/2/07	CRT
Hexachlorobutadiene	<4	mg/kg	1/30/07	2/2/07	CRT
Hexachlorocyclopentadiene	<2	mg/kg	1/30/07	2/2/07	CRT
Hexachloroethane	<2	mg/kg	1/30/07	2/2/07	CRT
Indeno(1,2,3-c,d)pyrene	<2	mg/kg	1/30/07	2/2/07	CRT
Isophorone	<4	mg/kg	1/30/07	2/2/07	CRT
2-Methyl-4,6-dinitrophenol	8.6	mg/kg	1/30/07	2/2/07	CRT
2-Methylnaphthalene	<2	mg/kg	1/30/07	2/2/07	CRT
2-Methylphenol (o-Cresol)					

Page 2 of 5

Life Science Laboratories, Inc.

Date Printed: 2/2/07

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Abscope Environmental Inc. Canastota, NY

Sample ID: Carbon - Composite
 Location: Niagara Mohawk Gloversville
 Sampled: 01/22/07 0:00 Sampled By: RD
 Sample Matrix: SHW as Recd

LSL Sample ID: 0701452-001

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCL Semi-Volatiles	<2	mg/kg	1/30/07	2/2/07	CRT
4-Methylphenol (p-Cresol)	15	mg/kg	1/30/07	2/2/07	CRT
Naphthalene	<4	mg/kg	1/30/07	2/2/07	CRT
2-Nitroaniline	<4	mg/kg	1/30/07	2/2/07	CRT
3-Nitroaniline	<4	mg/kg	1/30/07	2/2/07	CRT
4-Nitroaniline	<2	mg/kg	1/30/07	2/2/07	CRT
Nitrobenzene	<2	mg/kg	1/30/07	2/2/07	CRT
2-Nitrophenol (o-Nitrophenol)	<2	mg/kg	1/30/07	2/2/07	CRT
4-Nitrophenol	<2	mg/kg	1/30/07	2/2/07	CRT
N-Nitrosodiphenylamine	<2	mg/kg	1/30/07	2/2/07	CRT
N-Nitroso-di-n-propylamine	<4	mg/kg	1/30/07	2/2/07	CRT
Pentachlorophenol	<2	mg/kg	1/30/07	2/2/07	CRT
Phenanthrene	<2	mg/kg	1/30/07	2/2/07	CRT
Phenol	<2	mg/kg	1/30/07	2/2/07	CRT
Pyrene	<2	mg/kg	1/30/07	2/2/07	CRT
1,2,4-Trichlorobenzene	<2	mg/kg	1/30/07	2/2/07	CRT
2,4,5-Trichlorophenol	<2	mg/kg	1/30/07	2/2/07	CRT
2,4,6-Trichlorophenol	35	%R	1/30/07	2/2/07	CRT
Surrogate (2-Fluorophenol)	44	%R	1/30/07	2/2/07	CRT
Surrogate (Phenol-d5)	29	%R	1/30/07	2/2/07	CRT
Surrogate (2,4,6-Tribromophenol)	42	%R	1/30/07	2/2/07	CRT
Surrogate (Nitrobenzene-d5)	39	%R	1/30/07	2/2/07	CRT
Surrogate (2-Fluorobiphenyl)	23	%R	1/30/07	2/2/07	CRT
Surrogate (Terphenyl-d14)					

Surrogate recoveries for this analysis were below established control limits. Sample results may be biased low.

(1) EPA 9012A Total Cyanide
 Cyanide, Total 18 mg/kg 1/31/07 2/2/07 DRB

Life Science Laboratories, Inc.

Page 3 of 5
 Date Printed: 2/2/07

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Abscope Environmental Inc. Canastota, NY

Sample ID:	Resin - Composite	LSL Sample ID:	0701452-002
Location:	Niagara Mohawk Gloversville		
Sampled:	01/22/07 0:00	Sampled By:	RD
Sample Matrix:	SHW as Recd		

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCL Semi-Volatiles					
Acenaphthene	<1	mg/kg	1/30/07	2/1/07	CRT
Acenaphthylene	<1	mg/kg	1/30/07	2/1/07	CRT
Anthracene	<1	mg/kg	1/30/07	2/1/07	CRT
Benzo(a)anthracene	<1	mg/kg	1/30/07	2/1/07	CRT
Benzo(b)fluoranthene	<1	mg/kg	1/30/07	2/1/07	CRT
Benzo(k)fluoranthene	<1	mg/kg	1/30/07	2/1/07	CRT
Benzo(ghi)perylene	<1	mg/kg	1/30/07	2/1/07	CRT
Benzo(a)pyrene	<1	mg/kg	1/30/07	2/1/07	CRT
4-Bromophenyl-phenylether	<1	mg/kg	1/30/07	2/1/07	CRT
Butylbenzylphthalate	<1	mg/kg	1/30/07	2/1/07	CRT
Carbazole	<1	mg/kg	1/30/07	2/1/07	CRT
4-Chloroaniline	<1	mg/kg	1/30/07	2/1/07	CRT
bis(2-Chloroethoxy)methane	<1	mg/kg	1/30/07	2/1/07	CRT
bis(2-Chloroethyl)ether	<1	mg/kg	1/30/07	2/1/07	CRT
bis(2-Chloroisopropyl)ether	<1	mg/kg	1/30/07	2/1/07	CRT
4-Chloro-3-methylphenol	<1	mg/kg	1/30/07	2/1/07	CRT
2-Chloronaphthalene	<1	mg/kg	1/30/07	2/1/07	CRT
2-Chlorophenol	<1	mg/kg	1/30/07	2/1/07	CRT
4-Chlorophenyl-phenylether	<1	mg/kg	1/30/07	2/1/07	CRT
Chrysene	<1	mg/kg	1/30/07	2/1/07	CRT
Dibenz(a,h)anthracene	<1	mg/kg	1/30/07	2/1/07	CRT
Dibenzofuran	<1	mg/kg	1/30/07	2/1/07	CRT
Di-n-butylphthalate	<1	mg/kg	1/30/07	2/1/07	CRT
1,2-Dichlorobenzene	<1	mg/kg	1/30/07	2/1/07	CRT
1,3-Dichlorobenzene	<1	mg/kg	1/30/07	2/1/07	CRT
1,4-Dichlorobenzene	<1	mg/kg	1/30/07	2/1/07	CRT
3,3'-Dichlorobenzidine	<2	mg/kg	1/30/07	2/1/07	CRT
2,4-Dichlorophenol	<1	mg/kg	1/30/07	2/1/07	CRT
Diethylphthalate	<1	mg/kg	1/30/07	2/1/07	CRT
2,4-Dimethylphenol	<1	mg/kg	1/30/07	2/1/07	CRT
Dimethylphthalate	<1	mg/kg	1/30/07	2/1/07	CRT
2,4-Dinitrophenol	<2	mg/kg	1/30/07	2/1/07	CRT
2,4-Dinitrotoluene	<1	mg/kg	1/30/07	2/1/07	CRT
2,6-Dinitrotoluene	<1	mg/kg	1/30/07	2/1/07	CRT
Di-n-octylphthalate	<1	mg/kg	1/30/07	2/1/07	CRT
bis(2-Ethylhexyl)phthalate	2.3	mg/kg	1/30/07	2/1/07	CRT
Fluoranthene	<1	mg/kg	1/30/07	2/1/07	CRT
Fluorene	<1	mg/kg	1/30/07	2/1/07	CRT
Hexachlorobenzene	<1	mg/kg	1/30/07	2/1/07	CRT
Hexachlorobutadiene	<1	mg/kg	1/30/07	2/1/07	CRT
Hexachlorocyclopentadiene	<2	mg/kg	1/30/07	2/1/07	CRT
Hexachloroethane	<1	mg/kg	1/30/07	2/1/07	CRT
Indeno(1,2,3-c,d)pyrene	<1	mg/kg	1/30/07	2/1/07	CRT
Isophorone	<1	mg/kg	1/30/07	2/1/07	CRT
2-Methyl-4,6-dinitrophenol	<2	mg/kg	1/30/07	2/1/07	CRT
2-Methylnaphthalene	<1	mg/kg	1/30/07	2/1/07	CRT
2-Methylphenol (o-Cresol)	<1	mg/kg	1/30/07	2/1/07	CRT

Life Science Laboratories, Inc.

Page 4 of 5

Date Printed: 2/2/07

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Abscope Environmental Inc. Canastota, NY

Sample ID: Resin - Composite LSL Sample ID: 0701452-002
 Location: Niagara Mohawk Gloversville
 Sampled: 01/22/07 0:00 Sampled By: RD
 Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCL Semi-Volatiles					
4-Methylphenol (p-Cresol)	<1	mg/kg	1/30/07	2/1/07	CRT
Naphthalene	2.0	mg/kg	1/30/07	2/1/07	CRT
2-Nitroaniline	<2	mg/kg	1/30/07	2/1/07	CRT
3-Nitroaniline	<2	mg/kg	1/30/07	2/1/07	CRT
4-Nitroaniline	<1	mg/kg	1/30/07	2/1/07	CRT
Nitrobenzene	<1	mg/kg	1/30/07	2/1/07	CRT
2-Nitrophenol (o-Nitrophenol)	<1	mg/kg	1/30/07	2/1/07	CRT
4-Nitrophenol	<1	mg/kg	1/30/07	2/1/07	CRT
N-Nitrosodiphenylamine	<1	mg/kg	1/30/07	2/1/07	CRT
N-Nitroso-di-n-propylamine	<2	mg/kg	1/30/07	2/1/07	CRT
Pentachlorophenol	<1	mg/kg	1/30/07	2/1/07	CRT
Phenanthrene	<1	mg/kg	1/30/07	2/1/07	CRT
Phenol	<1	mg/kg	1/30/07	2/1/07	CRT
Pyrene	<1	mg/kg	1/30/07	2/1/07	CRT
1,2,4-Trichlorobenzene	<1	mg/kg	1/30/07	2/1/07	CRT
2,4,5-Trichlorophenol	<1	mg/kg	1/30/07	2/1/07	CRT
2,4,6-Trichlorophenol	61	%R	1/30/07	2/1/07	CRT
Surrogate (2-Fluorophenol)	75	%R	1/30/07	2/1/07	CRT
Surrogate (Phenol-d5)	36	%R	1/30/07	2/1/07	CRT
Surrogate (2,4,6-Tribromophenol)	57	%R	1/30/07	2/1/07	CRT
Surrogate (Nitrobenzene-d5)	59	%R	1/30/07	2/1/07	CRT
Surrogate (2-Fluorobiphenyl)	59	%R	1/30/07	2/1/07	CRT
Surrogate (Terphenyl-d14)					

Elevated detection limits due to the presence of a petroleum hydrocarbon pattern in the sample.

(1) EPA 9012A Total Cyanide	730	mg/kg	1/31/07	2/2/07	DRB
Cyanide, Total					

Life Science Laboratories, Inc.

Page 5 of 5
Date Printed: 2/2/07

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 624.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 625.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 626	1,3-DM-2-NB, TPP	70-130	NA
EPA 628	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-116
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:
 ug/l = microgram per liter
 ug/kg = microgram per kilogram
 mg/l = milligram per liter
 mg/kg = milligram per kilogram
 %R = Percent Recovery

**Approvals, Profiles, and
Analytical**

Model City – Sludge



Generator's Nonhazardous Waste Profile Sheet

Requested Disposal Facility Model City Profile Number UZ572989

☐ Renewal for Profile Number _____ Waste Approval Expiration Date _____

A. Waste Generator Facility Information (must reflect location of waste generation/origin)

- | | |
|--|---|
| 1. Generator Name: <u>Niagara Mohawk</u> | 7. Email Address: <u>brian.stearns@us.ngrld.com</u> |
| 2. Site Address: <u>20 Hill Street</u> | 8. Phone: <u>(315) 428-5731</u> |
| 3. City/ZIP: <u>Gloversville, 12078</u> | 9. FAX: _____ |
| 4. State: <u>NY</u> | 10. NAICS Code: _____ |
| 5. County: <u>Fulton</u> | 11. Generator USEPA ID #: <u>NYD980777478</u> |
| 6. Contact Name/Title: <u>Brian M. Stearns</u> | 12. State ID# (if applicable): _____ |

B. Customer Information ☐ same as above

P. O. Number: 26866

- | | | |
|---|---|----------------------------|
| 1. Customer Name: <u>Abscope Environmental, Inc</u> | 6. Phone: <u>(315) 697-8437</u> | FAX: <u>(315) 697-9391</u> |
| 2. Billing Address: <u>PO Box 487</u> | 7. Transporter Name: <u>Abscope Environmental, Inc.</u> | |
| 3. City, State and ZIP: <u>Canastota, NY, 13032</u> | 8. Transporter ID # (if appl.): <u>7A-369</u> | |
| 4. Contact Name: <u>Rob Drabot</u> | 9. Transporter Address: <u>1 Commercial Drive</u> | |
| 5. Contact Email: <u>rdrabot@abscope.com</u> | 10. City, State and ZIP: <u>Canastota, NY, 13032</u> | |

C. Waste Stream Information

1. DESCRIPTION

a. Common Waste Name: Non RCRA Non DOT Waste (Oily water and sludge) State Waste Code(s): _____

b. Describe Process Generating Waste or Source of Contamination:

Cleaning Frac tanks holding groundwater pumped from manufactured gas plant

c. Typical Color(s): gray

d. Strong Odor? ☒ Yes ☐ No Describe: petroleum

e. Physical State at 70°F: ☐ Solid ☐ Liquid ☐ Powder ☒ Semi-Solid or Sludge ☐ Other: _____

f. Layers? ☒ Single layer ☐ Multi-layer ☐ NA

g. Water Reactive? ☐ Yes ☒ No If Yes, Describe: _____

h. Free Liquid Range (%): 80 to 100 ☐ NA(solid)

i. pH Range: ☐ ≤2 ☒ 2.1-12.4 ☐ ≥12.5 ☐ NA(solid) ☐ Actual: _____

j. Liquid Flash Point: ☐ < 140°F ☒ ≥ 140°F ☐ NA(solid) ☐ Actual: _____

k. Flammable Solid: ☐ Yes ☒ No

l. Physical Constituents: List all constituents of waste stream - (e.g. Soil 0-80%, Wood 0-20%): ☒ (See Attached)

Constituents (Total Composition Must be ≥ 100%)	Concentration %	Constituents (Total Composition Must be ≥ 100%)	Concentration %
1. <u>water</u>	<u>80-100</u>	4. _____	_____
2. <u>sediment</u>	<u>0-20</u>	5. _____	_____
3. _____	_____	6. _____	_____

2. ESTIMATED QUANTITY OF WASTE AND SHIPPING INFORMATION

a. ☒ Event ☐ Base/Ongoing (Check One)

b. Estimated Annual Quantity: 3000 ☐ Tons ☐ Cubic Yards ☐ Drums ☒ Gallons ☐ Other (specify): _____

c. Shipping Frequency: 1 time Units per ☐ Month ☐ Quarter ☐ Year ☒ One Time ☐ Other

d. Is this a U.S. Department of Transportation (USDOT) Hazardous Material? (If yes, answer e.) ☐ Yes ☒ No

e. USDOT Shipping Description (if applicable): _____

3. SAFETY REQUIREMENTS (Handling, PPE, etc.): _____



Generator's Nonhazardous Waste Profile Sheet

UZ572989

D. Regulatory Status (Please check appropriate responses)

1. Is this a USEPA (40 CFR Part 261)/State hazardous waste? If yes, contact your sales representative. ☐ Yes ☒ No
2. Is this waste included in one or more of categories below (Check all that apply)? If yes, attach supporting documentation. ☐ Yes ☒ No
 - ☐ Delisted Hazardous Waste ☐ Excluded Wastes Under 40 CFR 261.4
 - ☐ Treated Hazardous Waste Debris ☐ Treated Characteristic Hazardous Waste
3. Is the waste from a Federal (40 CFR 300, Appendix B) or state mandated clean-up? If yes, see instructions. ☐ Yes ☒ No
4. Does the waste represented by this waste profile sheet contain radioactive material? ☐ Yes ☒ No
 - a. If yes, is disposal regulated by the Nuclear Regulatory Commission? ☐ Yes ☐ No
 - b. If yes, is disposal regulated by a State Agency for radioactive waste/NORM? ☐ Yes ☐ No
5. Does the waste represented by this waste profile sheet contain concentrations of regulated Polychlorinated Biphenyls (PCBs)? ☐ Yes ☒ No
 - a. If yes, is disposal regulated under TSCA? ☐ Yes ☐ No
6. Does the waste contain untreated, regulated, medical or infectious waste? ☐ Yes ☒ No
7. Does the waste contain asbestos? ☐ Yes ☒ No If Yes, ☐ Friable ☐ Non Friable
8. Is this profile for remediation waste from a facility that is a major source of Hazardous Air Pollutants (Site Remediation NESHAP, 40 CFR 63 subpart GGGGG)? ☐ Yes ☒ No

If yes, does the waste contain <500 ppmw VOHAPs at the point of determination? ☐ Yes ☐ No

E. Generator Certification (Please read and certify by signature below)

By signing this Generator's Waste Profile Sheet, I hereby certify that all:

1. Information submitted in this profile and all attached documents contain true and accurate descriptions of the waste material;
2. Relevant information within the possession of the Generator regarding known or suspected hazards pertaining to this waste has been disclosed to WM/the Contractor;
3. Analytical data attached pertaining to the profiled waste was derived from testing a representative sample in accordance with 40 CFR 261.20(c) or equivalent rules; and
4. Changes that occur in the character of the waste (i.e. changes in the process or new analytical) will be identified by the Generator and disclosed to WM (and the Contractor if applicable) prior to providing the waste to WM (and the Contractor if applicable).
5. Check all that apply:
 - ☒ Attached analytical pertains to the waste. Identify laboratory & sample ID #'s and parameters tested:
Adirondack Environmental Services WO#070103032 # Pages: 3
 - ☐ Only the analyses identified on the attachment pertain to the waste (identify by laboratory & sample ID #'s and parameters tested).
Attachment #: _____
 - ☐ Additional information necessary to characterize the profiled waste has been attached (other than analytical).
Indicate the number of attached pages: _____
 - ☐ I am an agent signing on behalf of the Generator, and the delegation of authority to me from the Generator for this signature is available upon request.
 - ☐ By Generator process knowledge, the following waste is not a listed waste and is below all TCLP regulatory limits.

Certification Signature: _____

Title: _____

Company Name: _____

Name (Print): _____

Date: _____

FOR WM USE ONLY

Management Method: ☐ Landfill ☐ Bioremediation

Approval Decision:

☐ Approved☐ Not Approved☐ Non-hazardous solidification ☐ Other: _____

Waste Approval Expiration Date: _____

Management Facility Precautions, Special Handling Procedures or Limitation on approval:

☐ Shall not contain free liquid☐ Shipment must be scheduled into disposal facility☐ Approval Number must accompany each shipment☐ Waste Manifest must accompany load

WM Authorization Name / Title: _____

Date: _____

State Authorization (if Required): _____

Date: _____



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

January 04, 2007

Rob Drabot
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 070103032

TEL: (315) 697-8437

FAX: (315) 697-9391

RE: National Grid
Gloversville

Dear Rob Drabot:

Adirondack Environmental Services, Inc received 1 sample on 1/3/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Rob Drabot - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Jan-07

CLIENT: Abscope Environmental, Inc
Work Order: 070103032
Reference: National Grid / Gloversville
PO#:

Client Sample ID: Sludge
Collection Date: 1/3/2007
Lab Sample ID: 070103032-001
Matrix: SLUDGE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
Chloromethane	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Bromomethane	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Vinyl chloride	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Chloroethane	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Methylene chloride	7700	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Acetone	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Carbon disulfide	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,1-Dichloroethene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,1-Dichloroethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
trans-1,2-Dichloroethene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
cis-1,2-Dichloroethene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Chloroform	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2-Dichloroethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
2-Butanone	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,1,1-Trichloroethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Carbon tetrachloride	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Bromodichloromethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2-Dichloropropane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
cis-1,3-Dichloropropene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Trichloroethene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Dibromochloromethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,1,2-Trichloroethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Benzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
trans-1,3-Dichloropropene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Bromoform	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
4-Methyl-2-pentanone	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
2-Hexanone	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Tetrachloroethene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,1,2,2-Tetrachloroethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Toluene	43000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Chlorobenzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Ethylbenzene	140000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Styrene	7900	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
m,p-Xylene	130000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
o-Xylene	67000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Methyl tert-butyl ether	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Dichlorodifluoromethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Methyl Acetate	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 04-Jan-07


CLIENT: Abscope Environmental, Inc
Work Order: 070103032
Reference: National Grid / Gloversville
PO#:

Client Sample ID: Sludge
Collection Date: 1/3/2007
Lab Sample ID: 070103032-001
Matrix: SLUDGE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						Analyst: ML
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Trichlorofluoromethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Cyclohexane	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Methyl Cyclohexane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2-Dibromoethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,3-Dichlorobenzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Isopropylbenzene	26000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,4-Dichlorobenzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2-Dichlorobenzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2-Dibromo-3-chloropropane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2,4-Trichlorobenzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM



Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range



A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Abscop Environmental						Address: Box 487 Canandaigua NY									
Send Report To: Rob Drabek						Project Name (Location): Nino's Glenville						Samplers: (Names) Rob Drabek			
Client Phone No: 315 697-0437				Client Fax No: 315 697 9391				PO Number: 26862				Samplers: (Signature)			
AES Sample Number	Client Sample Identification & Location						Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required		
								Matrix	Comp	Gra					
001	Sludge						1/3/07	11:30 A	Soil	✓		4	VOC's by GC/MS		
								P							
								A							
								P							
								A							
								P							
								A							
								P							
								A							
								P							
								A							
								P							
								A							
								P							
								A							
								P							
								A							
								P							
								A							
								P							
								A							
								P							
								A							
								P							

AES Work Order #: 070103032		CC Report To / Special Instructions/Remarks: 	
Turnaround Time Request: <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day		client	
Relinquished by: (Signature) 		Received by: (Signature) 	
Relinquished by: (Signature) 		Received by: (Signature) 	
Relinquished by: (Signature) 		Received for Laboratory by: 	
TEMPERATURE Ambient or Chilled Notes: 7		PROPERLY PRESERVED <input checked="" type="radio"/> Y <input type="radio"/> N Notes:	
		RECEIVED WITHIN HOLDING TIMES <input checked="" type="radio"/> Y <input type="radio"/> N Notes: 11/3/07 1:34p	

PINK - Generator Copy



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution
314 North Pearl Street • Albany, New York 12207
(800) 848-4983 • (518) 434-4546 • Fax (518) 434-0891

January 08, 2007

Rob Drabot
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 070103032
PO#: 26862

TBL: (315) 697-8437
FAX: (315) 697-9391

RE: National Grid
Gloversville


Dear Rob Drabot:

Adirondack Environmental Services, Inc received 1 sample on 1/3/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,


Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Rob Drabot - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 08-Jan-07

CLIENT: Abscope Environmental, Inc
Work Order: 070103032
Reference: National Grid / Gloversville
PO#: 26862

Client Sample ID: Sludge
Collection Date: 1/3/2007
Lab Sample ID: 070103032-001
Matrix: SLUDGE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS SW8260B						
						Analyst: ML
Chloromethane	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Bromomethane	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Vinyl chloride	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Chloroethane	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Methylene chloride	7700	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Acetone	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Carbon disulfide	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,1-Dichloroethene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,1-Dichloroethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
trans-1,2-Dichloroethene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
cis-1,2-Dichloroethene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Chloroform	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2-Dichloroethane	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
2-Butanone	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,1,1-Trichloroethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Carbon tetrachloride	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Bromodichloromethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2-Dichloropropane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
cis-1,3-Dichloropropene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Trichloroethene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Dibromochloromethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,1,2-Trichloroethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Benzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
trans-1,3-Dichloropropene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Bromoform	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
4-Methyl-2-pentanone	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
2-Hexanone	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Tetrachloroethene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,1,2,2-Tetrachloroethane	43000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Toluene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Chlorobenzene	140000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Ethylbenzene	7900	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Styrene	130000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
m,p-Xylene	67000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
o-Xylene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Methyl tert-butyl ether	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Dichlorodifluoromethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Methyl Acetate	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 B - Value above quantitation range

JAN. 8. 2007 2:49PM

454

NO. 9935 P. 3/3

Adirondack Environmental Services, Inc

Date: 08-Jan-07

CLIENT: Abscope Environmental, Inc
Work Order: 070103032
Reference: National Grid / Gloversville
PO#: 26862

Client Sample ID: Sludge
Collection Date: 1/3/2007
Lab Sample ID: 070103032-001
Matrix: SLUDGE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
Analyst: ML						
VOLATILE ORGANICS SW8260B						
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Trichlorofluoromethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Cyclohexane	< 10000	10000		µg/Kg	1000	1/4/2007 1:52:00 PM
Methyl Cyclohexane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2-Dibromoethane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,3-Dichlorobenzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Isopropylbenzene	28000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,4-Dichlorobenzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2-Dichlorobenzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2-Dibromo-3-chloropropane	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
1,2,4-Trichlorobenzene	< 5000	5000		µg/Kg	1000	1/4/2007 1:52:00 PM
Analyst: PL						

FLASH POINT ASTM D93-02A

Flash Point	> 200	60	°F	1	1/8/2007
-------------	-------	----	----	---	----------

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

CONFIRMATION LETTER

January 17, 2007

ROB GRAY
ABSCOPE ENVIRONMENTAL INC
1 COMMERCIAL DR
PO BOX 487
CANASTOTA, NY 13032-0487

Re: Confirmation Number 5614991

Attention: ROB GRAY

We are pleased to confirm CWM's approval of your waste material as described below. The attached profile for the waste materials was prepared by CWM based upon information provided by you. It is important that no changes be made to the profile without CWM's consent. If the profile meets with your approval, please call 1-716-754-8231 to schedule shipment of your waste materials.

<u>CWM Profile Number:</u>	VG4073	MDC
<u>Approved Mgmt. Facility:</u>	CWM MODEL CITY FACILITY or another CWM or CWM approved facility	
<u>Waste Name:</u>	OILY WATER AND SLUDGE	
<u>Disposal Method:</u>	Wastewater Treatment at Model City. Non Hazardous stabilization & Subtitle C Landfill	
<u>Disposal Price:</u>	- \$2.00 PER GALLON ON THE SLUDGE - \$2.00 PER GALLON ON THE LIQUID	
<u>Taxes:</u>	- 3.32% DISPOSAL FUEL SURCHARGE - 6% TOWN TAX ON DISPOSAL - 8% NYS SALES TAX ON DISPOSAL	
<u>Transportation Price:</u>	- N/A	
<u>Demurrage:</u>	- N/A	
<u>Pricing Conditions:</u>	- Miscellaneous Charges: - Pallets= 4 x the drum price - Containers > 55 gallons= \$1.5 x the drum price - Minimum bulk load= \$1000.00 per load - Leaking Bulk Loads/Drums= \$200.00 per load or drum	

January 17, 2007

Re: Confirmation Number 5614991, CWMI Profile Number VG4073 MDC

Profile Expiration Date: 1/15/08

Special Conditions:

- Waste profile sheet numbers must appear on manifest
- No demurrage will be paid by CWM Chemical Services, Inc. for delays at Model City for on-site acceptance procedures when generator/customer arranges their own transportation.
- CWM Chemical Services, L.L.C. (CWM) has all the necessary permits and licenses and is authorized for the management of the waste that has been characterized and identified by this profile.

Applicable state and local taxes are not included in these disposal prices. All wastes are priced as profiled, invoiced as actually received. Invoices shall be paid no later than thirty (30) days from the date of receipt. All terms are governed by the Agreement previously executed between our companies. The prices quoted above are subject to change by CWM upon thirty (30) days' prior written notice to you unless otherwise specifically provided or per the terms of our Agreement. If we have not previously concluded a Service Agreement with your company, one is enclosed for your convenience. Please sign and return it to us as soon as possible. Also, if 'Signature on File' does not appear on the signature line of the Waste Profile Sheet, please sign and return it before scheduling your material.

If you have any questions or would like to make changes to the profile, please contact your representative. Thank you for this opportunity to be of service.



RICH LEATHERS
Chemical Waste Management, Inc

Chemical Waste Management, Inc.

Date Printed 01/17/07

GENERATOR'S WASTE PROFILE SHEET

Profile #
MDC VG4073☐ Check here if this is a Recertification LOCATION OF ORIGINAL CWM MODEL CITY FACILITY _____

GENERAL INFORMATION

1. Generator Name: NIAGARA MOHAWK POWER CORP Generator USEPA ID: NYD980777478

2. Generator Address: HILL ST Billing Address: ABSCOPE ENVIRONMENTAL INC
☐ Same 1 COMMERCIAL DR
GLOVERSVILLE NY 12078 PO BOX 487

3. Technical Contact/Phone: _____ Billing CANASTOTA NY 13032-0487

4. Alternate Contact/Phone: _____ Contact/Phone: _____

PROPERTIES AND COMPOSITION

5. Process Generating Waste: CLEANING FRAC TANKS HOLDING GROUND WATER PUMPED FROM MGP

6. Waste Name: OILY WATER AND SLUDGE

7A. Is this a USEPA hazardous waste (40 CFR Part 261)? Yes ☐ No ☒

B. Identify ALL USEPA listed and characteristic waste code numbers (D,F,K,P,U): _____
State Waste Codes: _____

8. Physical State @ 70F: A. Solid ☐ Liquid ☒ Both ☐ Gas ☐ B. Single Layer ☐ Multilayer ☒ C. Free liq. range 80 to 100°

9A. pH: Range 2.1 to 12.4 or Not applicable ☐ B. Strong Odor ☐; describe _____

10. Liquid Flash Point: < 73F ☐ 73-99F ☐ 100-139F ☐ 140-199F ☐ >= 200F ☐ N.A. ☐ Closed Cup ☒ Open Cup ☐
None ☒ (X)

11. CHEMICAL COMPOSITION: List ALL constituents (incl. halogenated organics) present in any concentration and forward analysis
Constituents Range Unit Description

<u>OIL</u>	<u>1 to</u>	<u>5 %</u>
<u>WATER</u>	<u>80 to</u>	<u>100 %</u>
<u>INERTS</u>	<u>0 to</u>	<u>20 %</u>
<u>SLUDGE</u>	<u>to</u>	<u></u>
<u>METHYLENE CHLORIDE</u>	<u>7.7 to</u>	<u>7.7 MG/KG</u>
<u>TOLUENE</u>	<u>43 to</u>	<u>43 MG/KG</u>
TOTAL COMPOSITION (MUST EQUAL OR EXCEED 100%):		<u>125.000000</u>

See attach2

12. OTHER: PCBs if yes, concentration _____ ppm, PCBs regulated by 40 CFR 761 ☐ Pyrophoric ☐ Explosive ☐
Radioactive ☐ Benzene if yes, concentration _____ ppm. NESHAP ☐ Shock Sensitive ☐ Oxidizer ☐
Carcinogen ☐ Infectious ☐ Other _____

13. If waste subject to the land ban & meets treatment standards, check here: _____ & supply analytical results where applicable.

SHIPPING INFORMATION

14. PACKAGING: Bulk Solid ☐ Bulk Liquid ☒ Drum ☐ Type/Size: TANK Other _____

15. ANTICIPATED ANNUAL VOLUME: 3000 Units: GALLONS Shipping Frequency: ONE TIME

SAMPLING INFORMATION

16a. Sample source (drum, lagoon, pond, tank, vat, etc.): _____ Sample Tracking Number: 5614991

Date Sampled: _____ Sampler's Name/Company: _____

16b. Generator's Agent Supervising Sampling: _____ 17. ☐ No sample required (See instructions.)

GENERATOR'S CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize CWM to obtain a sample from any waste shipment for purposes of recertification.

Signature on original profile VG4073

Signature

BRIAN S

Name and Title

1/14/07

Date

19. If this waste is subject to any California list restrictions enter the letter from below (either A or B.1) next to each restriction that is applicable:

HOCs, _____ PCBs, _____ Acid, _____ Metals, _____ Cyanides

A. US EPA HAZARDOUS WASTE CODE(S)		B. SUBCATEGORY Enter the subcategory description. If not applicable, simply check none		C. APPLICABLE TREATMENT STANDARDS			D. HOW MUST THE WASTE BE MANAGED?
REF	#	DESCRIPTION	NONE	PERFORMANCE- BASED: Check as applicable	SPECIFIED TECHNOLOGY: If applicable enter the 40 CFR 268.42 table 1 treatment code(s)	268.42	Enter letter from below
	1						
	2						
	3						
	4						
	5						
	6						
	7						
	8						
	9						
	10						

A. RESTRICTED WASTE REQUIRES TREATMENT

B.1 RESTRICTED WASTE TREATED TO 268.40 STANDARDS

B.3 GOOD FAITH ANALYTICAL CERTIFICATION FOR INCINERATED ORGANICS

B.4 DECHARACTERIZED WASTE REQUIRES TREATMENT FOR UHCS

B.5 RESTRICTED WASTES TREATED TO ALTERNATE SOIL STANDARD

B.6 RESTRICTED WASTES TREATED TO ALTERNATE DEBRIS STANDARD

C. RESTRICTED WASTE SUBJECT TO A VARIANCE

D. RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT

E. NOT CURRENTLY SUBJECT TO LAND DISPOSAL RESTRICTIONS

21. Is this waste a soil or debris? No: X Yes, Soil: Yes, Debris:

22. Specific Gravity Range: _____ to _____

23. Indicate the range of each: Units

Cyanides: None to Type (free, total, amenable, etc.)

Cyanides: None to Type (free, total, amenable, etc.)

Sulfides: None to _____ Type _____

Optional
Phenolics: None to _____

24. Identify the waste color VARIES , DOT physical state Liquid

and physical appearance WATER AND SLUDGE

25. COMPLETE ONLY FOR WASTES INTENDED FOR FUELS OR INCINERATION	26. RECLAMATION, FUELS or INCINERATION PARAMETERS (Provide if information is available)
TOTAL	RANGE
Beryllium as Be _____ ppm	A. Heat Value (Btu/lb): _____
Potassium as K _____ ppm	B. Water: _____
Sodium as Na _____ ppm	C. Viscosity (cps): _____ @ _____ F _ 100 F _ 150 F
Bromine as Br _____ %	D. Ash: _____ %
Chlorine as Cl _____ %	E. Settleable solids: _____ %
Fluorine as F _____ %	F. Vapor Pressure @ STP (mm/Hg): _____
Sulfur as S _____ %	G. Is this waste a pumpable liquid? Yes _ No _
	H. Can this waste be heated to improve flow? Yes _ No _
	I. Is this waste soluble in water? Yes _ No _
	J. Particle size: Will the solid portion of this waste pass through a 1/8 inch screen? Yes _ No _

27. TRANSPORTATION INFORMATION

A. Is this a DOT Hazardous Material? Yes _ No XB. Proper Shipping Name. : NON-REGULATED MATERIAL

and Additional Description if required: _____

C. DOT Regulations: _____ Hazard Class: _____ I.D. _____ Packing Group: _____

D. CERCLA Reportable Quantity (RQ) and units (Lb, Kg): _____

E. Non-Bulk code _____ Bulk code _____

F. Special Provisions _____

G. Labels Required _____

28. SPECIAL HANDLING INFORMATION

_ Material Safety Data Sheets Attached

29. OTHER INFORMATION

30. CHEMICAL WASTE MANAGEMENT CERTIFICATION

Chemical Waste Management, Inc. has all the necessary permits and licenses for the waste that has been characterized and identified by this approved profile.

MDC VG4073

METALS	TCLP Information:				TCLP Data	TCA or TOTAL		
	Check only ONE for each constituent					Use units: ppm, mg/l, mg/kg or percent		
	Less Than	TC Regulated Level	Equal or More	Waste No.		California List		Actual
Less Than					Regulated Level	Equal or More		
Arsenic as As	X	5.0 mg/l		D004		500	mg/l	
Barium as Ba	X	100.0 mg/l		D005				
Cadmium as Cd	X	1.0 mg/l		D006		100	mg/l	
Chromium tot Cr	X	5.0 mg/l		D007				
Lead as Pb	X	5.0 mg/l		D008		500	mg/l	
Mercury as Hg	X	.2 mg/l		D009		20	mg/l	
Selenium as Se	X	1.0 mg/l		D010		100	mg/l	
Silver as Ag	X	5.0 mg/l		D011				
Nickel as Ni						134	mg/l	
Thallium as Tl						130	mg/l	
Chromium Hex						500	mg/l	
Antimony								
Beryllium								
Copper								
Vanadium								
Zinc								

32. OTHER HAZARDOUS CONSTITUENTS Indicate if the waste contains any of the following.

ORGANICS	TCLP Information:				TCLP Data	TCA or TOTAL
	Check only ONE for each constituent				TCLP Analytical Test Results Use units: ppm or mg/l	Use units: ppm, mg/l or %
	Less Than	Regulated Level	Equal or More	Waste No.		
Benzene	X	0.5 mg/l		D018		
Carbon Tetrachloride	X	0.5 mg/l		D019		
Chlordane	X	0.03 mg/l		D020		
Chlorobenzene	X	100.0 mg/l		D021		
Chloroform	X	6.0 mg/l		D022		
m-Cresol	X	200 mg/l		D024		
o-Cresol	X	200.0 mg/l		D023		
p-Cresol	X	200.0 mg/l		D025		
Cresol	X	200.0 mg/l		D026		
2,4-D	X	10.0 mg/l		D016		
1,4 Dichlorobenzene	X	7.5 mg/l		D027		
1,2-Dichloroethane	X	0.5 mg/l		D028		
1,1-Dichloroethylene	X	0.7 mg/l		D029		
2,4-Dinitrotoluene	X	0.13 mg/l		D030		
Endrin	X	.02 mg/l		D012		
Heptachlor, & Hydroxide	X	0.008 mg/l		D031		
Hexachloro-1,3 Butadiene	X	0.5 mg/l		D033		
Hexachlorobenzene	X	0.13 mg/l		D032		
Hexachloroethane	X	3.0 mg/l		D034		
Lindane	X	0.4 mg/l		D013		
Methoxychlor	X	10.0 mg/l		D014		
Methyl Ethyl Ketone	X	200.0 mg/l		D035		
Nitrobenzene	X	2.0 mg/l		D036		
Pentachlorophenol	X	100.0 mg/l		D037		
Pyridine	X	5.0 mg/l		D038		
Tetrachloroethylene	X	0.7 mg/l		D039		
Toxaphene	X	0.5 mg/l		D015		
2,4,5-TP Silvex	X	1.0 mg/l		D017		
Trichloroethylene	X	0.5 mg/l		D040		
2,4,5-Trichlorophenol	X	400.0 mg/l		D041		
2,4,6-Trichlorophenol	X	2.0 mg/l		D042		
Vinyl Chloride	X	0.2 mg/l		D043		

Date Printed 01/17/07

Profile #
MDC VG4073

ATTACHMENT 2

CHEMICAL COMPOSITION: Additional constituents NOT included on page 1 of the Waste Profile

Constituents	Range	Unit Description
STYRENE	8 to 8	MG/KG
XYLENE	197 to 197	MG/KG
ISOPROPYLBENZENE	26 to 26	MG/KG

**Approvals, Profiles, and
Analytical**

Seneca Meadows Landfill - Soil

THIS FORM IS FOR DISPOSAL OF NON HAZARDOUS WASTE AT SENECA MEADOWS LANDFILL ONLY

SENECA MEADOWS LANDFILL
1786 SALCMAN ROAD
WATERLOO, NEW YORK 13165
NYS DEC FACILITY # 50S08
(315) 539-5624
(315) 539-3097 (FAX)



GENERATORS
INDUSTRIAL WASTE PROFILE
--NON HAZARDOUS WASTE ONLY--

FILE NUMBER _____

THIS FORM MUST BE COMPLETED BY THE GENERATOR ONLY

GENERATORS NAME: NIAGARA MOHAWK POWER CORPORATION			
MAILING ADDRESS 300 ERIE BLVD. WEST		CITY SYRACUSE	STATE NY
		ZIP 13202	
CONTACT PERSON BRIAN STEARNS		TITLE	
PHONE 315-428-5731		FAX	
EPA ID # NYD980777478		STATE ID #	

FACILITY GENERATING WASTE

ADDRESS: 20 HILL STREET		CITY GLOVERSVILLE	STATE NY
		ZIP	
CONTACT PERSON BRIAN STEARNS		TITLE	
PHONE 315-428-5731		FAX	

AUTHORIZED HAULER/PRIMARY

NAME MANGIARDI BROTHERS TRUCKING		NYS PERMIT # 4A-209	
ADDRESS P.O. BOX 466		CITY E. SCHODACK	STATE NY
		ZIP 12063	
CONTACT PERSON		TITLE	
PHONE 518-477-6590		FAX 518-477-6590	

AUTHORIZED HAULER/SECONDARY

NAME RICCELLI TRUCKING		NYS PERMIT # 7A-402	
ADDRESS P.O. BOX 6401		CITY SYRACUSE	STATE NY
		ZIP 13217	
CONTACT PERSON MIKE RELF		TITLE	
PHONE 315-433-5115		FAX	

WASTE CHARACTERIZATION

NAME OF WASTE PETROLEUM IMPACTED SOIL	TYPE OF WASTE CONTAMINATED SOIL
PROCESS THAT GENERATED WASTE EXCAVATION FOR PIPING & BUILDING FOUNDATION AT FORMER MGP SITE	

DOES THIS FACILITY GENERATE ANY HAZARDOUS WASTE? ☐ YES ☒ NO
IF HAZARDOUS WASTES ARE GENERATED, DOES MANAGEMENT FEEL THAT ADEQUATE CONTROLS ARE IN PLACE TO CONTROL/SEPARATE WASTE STREAMS? ☐ YES ☒ NO
IF ANSWER IS NO, A DETAILED EXPLANATION MUST BE ATTACHED

WHITE — Seneca Meadows

YELLOW — Laboratory

PINK — Generator

INDUSTRIAL WASTE CHARACTERIZATION INFORMATION

Section One - General Project Information (please complete in full where applicable)
If not applicable to your circumstances, denote with "NA"

Site/Project Engineering Company : BLASLAND, BOUCK & LEE
Contact Person : _____
Company Name : BLASLAND, BOUCK & LEE
Address : 4723 TOWPATH ROAD, EAST SYRACUSE, NY 13057
Phone Number : 315-446-9120

General Contractor : ABSCOPE ENVIRONMENTAL, INC.
Contact Person : ROB GRAY
Company Name : ABSCOPE ENVIRONMENTAL, INC.
Address : 1 COMMERCIAL DRIVE, CANASTOTA, NY 13032
Phone Number : 315-697-8437

SMI Customer to be Billed Data : ABSCOPE ENVIRONMENTAL, INC.
Contact Person : ROB GRAY
Company Name : ABSCOPE ENVIRONMENTAL, INC.
Address : 1 COMMERCIAL DRIVE, CANASTOTA, NY 13032
Phone Number : 315-697-8437

Site Owner : NIAGARA MOHAWK POWER CORP A NATIONAL GRID COMPANY
Contact Person : BRIAN STEARNS
Company Name : NIAGARA MOHAWK POWER CORP A NATIONAL GRID COMPANY
Address : 300 ERIE BLVD. WEST, SYRACUSE, NY 13202
Phone Number : 315-428-5731

Is the material a listed hazardous waste? ☐ YES ☒ NO

Description and type of waste: CONTAMINATED DIRT, SOIL OR SAND

NYSDEC Waste Type Code : N816 Comments : (FORMER MGP SITE)

Section Two - Site Information (please complete in full where applicable)

If not applicable to your circumstances, denote with "NA"

Was the site ever suspected of having hazardous materials? ☒ YES ☐ NO

What was the source of the potential hazardous materials? THIS SITE IS AN ACTIVE
ELECTRICAL SERVICE CENTER AND AS SUCH USES AND GENERATES HAZARDOUS MATERIALS/WASTES. THE SAMPLE
Which hazardous compounds were suspected? _____ DATA FOR
THIS WASTE

Has testing been performed to quantify these compounds? ☒ YES ☐ NO
INDICATES
THAT THIS MATERIAL IS A NON-HAZARDOUS WASTE.

SEE ATTACHED ANALYTICAL REPORTS.

**SENECA MEADOWS LANDFILL
INDUSTRIAL WASTE APPROVAL**

GENERATOR'S NAME: NIMO	
ADDRESS: 300 ERIE BLVD. WEST CITY: SYRACUSE ST: NY ZIP: 13202	
CONTACT: BRIAN STEARNS	TITLE: SR. EE
PHONE: 315-428-5731	FAX:
EPA ID #: NYD 980777478	STATE ID #:

FACILITY GENERATING WASTE

ADDRESS: 20 HILL STREET CITY: GLOVERSVILLE ST: NY ZIP: 12078	
CONTACT: SAME	TITLE:
PHONE:	FAX:

AUTHORIZED HAULER

NAME: MANGIARDI BROS.	NYS DEC PERMIT #: 4A-209
NAME: RICCELLI TRUCKING	NYS DEC PERMIT #: 7A-402

CONDITIONS

HOURS OF ACCEPTANCE: 7 AM- 3 PM	FILE #: 3073
APPROVAL EXPIRES:	01/31/07
DESCRIPTION OF WASTE: CONT. SOIL (>20% SOLIDS - NO FREE LIQUIDS)	

ACCEPTED-GENERATOR

NAME: <i>Brian Stearns</i>	SIGNATURE: <i>[Signature]</i>
TITLE: <i>Sr. Env. Engineer</i>	DATE: <i>11/18/06</i>

FOR OFFICE/SCALE HOUSE USE ONLY

APPROVAL NUMBER: <i>06095B</i>	FILE NO. 3073
NAME: ANN SPRAGUE	DATE: November 17, 2006
TITLE: SPECIAL WASTE COORDINATOR	SIGNATURE: <i>A. SPRAGUE</i>
CUST: 15 A B S HAULER: 9999 DEC WASTE CODE: N-816 SMI CMDTY: BC801	

**SENECA MEADOWS LANDFILL
INDUSTRIAL WASTE APPROVAL**

GENERATOR'S NAME: NIMO	
ADDRESS: 300 ERIE BLVD. WEST CITY: SYRACUSE ST: NY ZIP: 13202	
CONTACT: BRIAN STEARNS	TITLE: SR. EE
PHONE: 315-428-5731	FAX:
EPA ID #: NYD 980777478	STATE ID #:

FACILITY GENERATING WASTE

ADDRESS: 20 HILL STREET CITY: GLOVERSVILLE ST: NY ZIP: 12078	
CONTACT: SAME	TITLE:
PHONE:	FAX:


AUTHORIZED HAULER

NAME: MANGIARDI BROS.	NYS DEC PERMIT #: 4A-209
NAME: RICCELLI TRUCKING	NYS DEC PERMIT #: 7A-402

CONDITIONS

HOURS OF ACCEPTANCE: 7 AM- 3 PM	FILE #: 3073
APPROVAL EXPIRES: 01/31/07	
DESCRIPTION OF WASTE: CONT. SOIL (>20% SOLIDS - NO FREE LIQUIDS)	

ACCEPTED-GENERATOR

NAME: Brian Stearns	SIGNATURE: 
TITLE: Sr. Env. Engineer	DATE: 11/18/06

FOR OFFICE/SCALE HOUSE USE ONLY

APPROVAL NUMBER:	FILE NO. 3073
NAME: ANN SPRAGUE	DATE: November 17, 2006
TITLE: SPECIAL WASTE COORDINATOR	SIGNATURE:
CUST: 15 A B S HAULER: 9999 DEC WASTE CODE: N-816 SMI CMDTY: ICS01	

CERTIFICATION OF REPRESENTATIVE SAMPLE
SENECA MEADOWS FILE NUMBER _____

GENERATORS NAME NIAGARA MOHAWKWASTE NAME NON-HAZARDOUS CONTAMINATED DIRT, SOIL OR SANDSAMPLERS NAME ROB DRABOTSAMPLE DATE 10/20/06 TIME OF DAY _____**** THIS SAMPLE MUST BE RECEIVED BY LAB WITHIN 24 HOURS ****

IT IS CRITICAL THAT THE TESTING LABORATORY RECEIVE A REPRESENTATIVE SAMPLE OF THE WASTE STREAM THAT YOU INTEND TO DISPOSE OF AT SENECA MEADOWS LANDFILL. PLEASE FOLLOW THE INSTRUCTIONS VERY CAREFULLY.

SAMPLE COLLECTION MUST BE DONE BY YOUR SELECTED LABORATORY REPRESENTATIVE

SAMPLE: MUST BE KEPT COLD (PACKED IN ICE).

SAMPLES REQUIRED - ON-GOING WASTE STREAM: ONE (1) CONTAINER**
HOWEVER, WE MAY REQUIRE A SEMI-ANNUAL TESTING OF THE WASTE STREAM SAMPLE IF QUANTITY EXCEEDS 5,000 TON PER YEAR.

SAMPLES REQUIRED - ONE TIME ONLY APPROVALS:

1 - 200 TONS	ONE (1) SAMPLE REQUIRED
200 - 500 TONS	TWO (2) SAMPLES REQUIRED
500 - 1,000 TONS	THREE (3) SAMPLES REQUIRED
1,000 - 2,000 TONS	FOUR (4) SAMPLES REQUIRED
OVER 2,000 TONS	DETERMINED BY SENECA MEADOWS


LAB SELECTION:

WE WILL HAVE OUR WASTE STREAM ANALYSIS COMPLETED BY:

NAME: ADIRONDACK ENVIRONMENTALADDRESS: 314 NORTH PEARL STREET, ALBANY, NY 12207CITY: ALBANY STATE: NY ZIP: 12207

SAMPLERS CERTIFICATION

I HEREBY CERTIFY THAT I PERSONALLY COLLECTED A REPRESENTATIVE SAMPLE OF THE WASTE STREAM AT THE LOCATION, TIME & DATE AS LISTED ABOVE.

SIGNATURE:  DATE: 10/20/06LABORATORY: Absecon Environmental

GENERATOR WITNESS: _____

GENERAL INFORMATION

Seneca Meadows File Number _____

PHYSICAL CHARACTERISTIC: <input checked="" type="checkbox"/> SOLID <input type="checkbox"/> SLUDGE		**MINIMUM % OF SOLIDS <u>95</u> ** FOR WASTE STREAM	
ACCEPTABLE LEVEL OF SOLIDS MUST EXCEED 20% TO BE LANDFILLED			
ODOR: <input type="checkbox"/> None <input checked="" type="checkbox"/> Mild <input type="checkbox"/> Strong		TRANSPORTATION: <input type="checkbox"/> Pallet <input type="checkbox"/> Trailer <input type="checkbox"/> Packer <input type="checkbox"/> Other	
NO DRUMS ARE ACCEPTABLE			
IS REQUEST: <input checked="" type="checkbox"/> ONE TIME ONLY Appx. Amount <u>2,000</u> Tons		<input type="checkbox"/> ON GOING Amount Monthly _____ Tons	
IS THE WASTE STREAM: <input checked="" type="checkbox"/> Stockpiled <input type="checkbox"/> To Be Excavated <input type="checkbox"/> To Be Generated			
WHAT IS MAXIMUM TONNAGE FOR ANY GIVEN DAY: <u>750</u> Tons			
BRIEFLY DESCRIBE ANY SPECIAL HANDLING THAT COULD BE REQUIRED FOR THIS WASTE STREAM: (eg) dust, protected covering, etc.			

GENERATORS CERTIFICATION TO SENECA MEADOWS LANDFILL

(PLEASE INITIAL AFTER EACH ITEM)

I/We hereby certify that all of the information that we have presented to SENECA MEADOWS LANDFILL on this form or any attachments is an accurate representation of our waste stream.

BMS

I/We hereby certify that the laboratory can contact SENECA MEADOWS LANDFILL directly to discuss our attached waste stream.

BMS

I/We hereby certify that the waste stream that we are applying for disposal at SENECA MEADOWS LANDFILL is not a listed known hazardous waste. In addition, none of the components of the process, or any residue generated are known hazardous wastes.

BMS

I/We hereby agree that any changes in this waste stream, either in the process method or changes of any of the components, that we will notify SENECA MEADOWS in writing within 24 hours of our findings. (FAX IS PREFERENTIAL METHOD).

BMS

NAME

Brian Starnes

SIGNATURE



TITLE

Sr. Environmental Engineer

DATE

11/17/2006



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

November 20, 2006

Robert Gray
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 061024003

PO#: 26866

TEL: (315) 697-8437

FAX: (315) 697-9391

RE: National Grid Gloversville
Soil Analysis

Dear Robert Gray:

Adirondack Environmental Services, Inc received 1 sample on 10/24/2006 for the analyses presented in the following report.

These samples were received outside the acceptable temperature range of 2-6 °C

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709

AIHA#: 100307

Robert Gray - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024003
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Top Soil/Building Excavated Soi
Collection Date: 10/20/2006
Lab Sample ID: 061024003-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 10/26/2006)						
Aroclor 1016	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1221	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1232	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1242	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1248	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1254	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
Aroclor 1260	< 33	33		µg/Kg	1	10/27/2006 9:40:18 AM
TCLP HERBICIDES SW1311/8151						Analyst: MG
(Prep: SW8150B - 11/1/2006)						
2,4,5-TP (Silvex)-TCLP	< 0.05	0.05		mg/L	1	11/2/2006 12:30:43 AM
2,4-D-TCLP	< 0.50	0.50		mg/L	1	11/2/2006 12:30:43 AM
PESTICIDES, TCLP LEACHED SW1311/8081A						Analyst: KF
(Prep: E608 - 10/30/2006)						
Chlordane-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 12:06:44 PM
Endrin-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 12:06:44 PM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 12:06:44 PM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 12:06:44 PM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 12:06:44 PM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	10/31/2006 12:06:44 PM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	10/31/2006 12:06:44 PM
TCLP MERCURY SW1311/7470A						Analyst: KH
(Prep: SW7470A - 10/30/2006)						
Mercury-TCLP	< 0.020	0.020		mg/L	1	10/30/2006
TCLP METALS - ICP SW1311/6010A						Analyst: SM
(Prep: SW1311 - 10/27/2006)						
Arsenic-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:23:00 PM
Barium-TCLP	< 0.10	0.10		mg/L	1	11/1/2006 4:23:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:23:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:23:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:23:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:23:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	11/1/2006 4:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024003
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Top Soil/Building Excavated Soil
Collection Date: 10/20/2006
Lab Sample ID: 061024003-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3510/E625 - 10/30/2006)						
1,4-Dichlorobenzene -TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
2,4,5-Trichlorophenol-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
2,4,6-Trichlorophenol-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
2,4-Dinitrotoluene-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Cresols, Total-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Hexachlorobenzene-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Hexachlorobutadiene-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Hexachloroethane-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Nitrobenzene-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
Pentachlorophenol-TCLP	< 500	500		µg/L	1	10/30/2006 7:40:00 PM
Pyridine-TCLP	< 100	100		µg/L	1	10/30/2006 7:40:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 10/24/2006)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	10/25/2006 8:40:00 PM
Benzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:40:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	10/25/2006 8:40:00 PM
PAINT FILTER SW9095						Analyst: PL
Free Liquid	Negative	0			1	11/2/2006
CYANIDE, REACTIVE SW7.3.3.2						Analyst: RC
(Prep: E335.3 - 11/2/2006)						
Reactive Cyanide	< 1.0	1.0		µg/g	1	11/2/2006
REACTIVE SULFIDE SW7.3.4.2						Analyst: RC
Reactive Sulfide	80	10	H	µg/g	1	11/2/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024003
Project: National Grid Gloversville
PO#: 26866


Client Sample ID: Top Soil/Building Excavated Soi
Collection Date: 10/20/2006
Lab Sample ID: 061024003-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
REACTIVITY SW846 7.3.3						Analyst: RC
Reactivity	Non Reactive	0			1	11/2/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>Aboscope Environmental</i>		Address: <i>1 Sat. Commercial Drive Canastota NY</i>					
Send Report To: <i>Rob Gray</i>		Project Name (Location): <i>National Grid Gibberville</i>			Samplers: (Names)		
Client Phone No: <i>315 697 8437</i>		Client Fax No: <i>315 697-9391</i>		PO Number: <i>26866</i>		Samplers: (Signature)	

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
001	Top Soil/Building exterior soil	10/24/06	A	soil	V		1	PCB's
			P					TCLP Metals & Asst.
			A					TCLP metals
			P					TCLP B260
			A					TCLP B270
			P					
			A					
			P					
			A					
			P					
			A					
			P					
			A					
			P					
			A					
			P					
			A					
			P					
			A					
			P					

AES Work Order #: <i>061024003</i>		CC Report To / Special Instructions/Remarks: <i>See attached LIST.</i> <i>Rush Benzene Analysis & Fax Results 48 hr</i> <i>Hold all other analysis</i>	
Turnaround Time Request: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input checked="" type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day <i>TCLP Benzene</i>			
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	
Relinquished by: (Signature)		Received by: (Signature)	
Relinquished by: (Signature)		Received for Laboratory by: <i>[Signature]</i>	
		Date/Time <i>10/24/06 911</i>	
TEMPERATURE Ambient or Chilled <i>7.0</i>	PROPERLY PRESERVED <i>(Y)</i> N	RECEIVED WITHIN HOLDING TIMES <i>(Y)</i> N	
Notes:	Notes:	Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

35492



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

November 20, 2006

Robert Gray
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 061024002

PO#: 26866

TEL: (315) 697-8437

FAX: (315) 697-9391

RE: National Grid Gloversville
Soil Analysis

Dear Robert Gray:

Adirondack Environmental Services, Inc received 1 sample on 10/24/2006 for the analyses presented in the following report.

These samples were received outside the acceptable temperature range of 2-6 °C

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Robert Gray - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024002
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Excavated Soil
Collection Date: 10/20/2006
Lab Sample ID: 061024002-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 10/24/2006)						
Aroclor 1016	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1221	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1232	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1242	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1248	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1254	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
Aroclor 1260	< 66	66		µg/Kg	1	10/27/2006 9:05:51 AM
TCLP HERBICIDES SW1311/8151						Analyst: MG
(Prep: SW8150B - 11/1/2006)						
2,4,5-TP (Silvex)-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 11:51:30 PM
2,4-D-TCLP	< 0.50	0.50		mg/L	1	11/1/2006 11:51:30 PM
PESTICIDES, TCLP LEACHED SW1311/8081A						Analyst: KF
(Prep: E608 - 10/30/2006)						
Chlordane-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 11:29:37 AM
Endrin-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 11:29:37 AM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 11:29:37 AM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 11:29:37 AM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	10/31/2006 11:29:37 AM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	10/31/2006 11:29:37 AM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	10/31/2006 11:29:37 AM
TCLP MERCURY SW1311/7470A						Analyst: KH
(Prep: SW7470A - 10/30/2006)						
Mercury-TCLP	< 0.020	0.020		mg/L	1	10/30/2006
TCLP METALS - ICP SW1311/6010A						Analyst: SM
(Prep: SW1311 - 10/27/2006)						
Arsenic-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:18:00 PM
Barium-TCLP	0.10	0.10		mg/L	1	11/1/2006 4:18:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:18:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:18:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:18:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	11/1/2006 4:18:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	11/1/2006 4:18:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024002
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Excavated Soil
Collection Date: 10/20/2006
Lab Sample ID: 061024002-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3510/E625 - 10/30/2006)						
1,4-Dichlorobenzene -TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
2,4,5-Trichlorophenol-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
2,4,6-Trichlorophenol-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
2,4-Dinitrotoluene-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Cresols, Total-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Hexachlorobenzene-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Hexachlorobutadiene-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Hexachloroethane-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Nitrobenzene-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
Pentachlorophenol-TCLP	< 250	250		µg/L	1	10/30/2006 7:10:00 PM
Pyridine-TCLP	< 50	50		µg/L	1	10/30/2006 7:10:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 10/24/2006)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	10/25/2006 8:10:00 PM
Benzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	10/25/2006 8:10:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	10/25/2006 8:10:00 PM
PAINT FILTER SW9095						Analyst: PL
Free Liquid	Negative	0			1	11/2/2006
CYANIDE, REACTIVE SW7.3.3.2						Analyst: RC
(Prep: E335.3 - 11/2/2006)						
Reactive Cyanide	< 1.0	1.0		µg/g	1	11/2/2006
REACTIVE SULFIDE SW7.3.4.2						Analyst: RC
Reactive Sulfide	< 10	10	H	µg/g	1	11/2/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 20-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061024002
Project: National Grid Gloversville
PO#: 26866

Client Sample ID: Excavated Soil
Collection Date: 10/20/2006
Lab Sample ID: 061024002-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
REACTIVITY SW846 7.3.3						Analyst: RC
Reactivity	Non Reactive	0			1	11/2/2006

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

November 30, 2006

Robert Gray
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 061122001

TEL: (315) 697-8437

FAX: (315) 697-9391

RE: National Grid
Gloversville

Dear Robert Gray:

Adirondack Environmental Services, Inc received 2 samples on 11/21/2006 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709
AIHA#: 100307

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 1
Collection Date: 11/21/2006
Lab Sample ID: 061122001-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 11/22/2006)						
Aroclor 1016	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1221	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1232	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1242	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1248	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1254	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
Aroclor 1260	< 40	40		µg/Kg-dry	1	11/22/2006 11:55:28 PM
TCLP HERBICIDES SW1311/8151						Analyst: MG
(Prep: SW8150B - 11/27/2006)						
2,4,5-TP (Silvex)-TCLP	< 0.02	0.02		mg/L	1	11/27/2006 8:43:59 PM
2,4-D-TCLP	< 0.25	0.25		mg/L	1	11/27/2006 8:43:59 PM
PESTICIDES, TCLP LEACHED SW1311/8081A						Analyst: KF
(Prep: E608 - 11/22/2006)						
Chlordane-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:24:42 PM
Endrin-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:24:42 PM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:24:42 PM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:24:42 PM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:24:42 PM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	11/22/2006 12:24:42 PM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	11/22/2006 12:24:42 PM
TCLP MERCURY SW1311/7470A						Analyst: KH
(Prep: SW7470A - 11/28/2006)						
Mercury-TCLP	< 0.020	0.020		mg/L	1	11/28/2006
TCLP METALS - ICP SW1311/6010A						Analyst: KH
(Prep: SW1311 - 11/27/2006)						
Arsenic-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:08:00 PM
Barium-TCLP	0.28	0.10		mg/L	1	11/28/2006 3:08:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:08:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:08:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:08:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:08:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	11/28/2006 3:08:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentatively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 1
Collection Date: 11/21/2006
Lab Sample ID: 061122001-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						
(Prep: SW3545 - 11/27/2006)						Analyst: MT
1,4-Dichlorobenzene -TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
2,4,5-Trichlorophenol-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
2,4,6-Trichlorophenol-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
2,4-Dinitrotoluene-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Cresols, Total-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Hexachlorobenzene-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Hexachlorobutadiene-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Hexachloroethane-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Nitrobenzene-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
Pentachlorophenol-TCLP	< 500	500		µg/L	1	11/28/2006 10:36:00 PM
Pyridine-TCLP	< 100	100		µg/L	1	11/28/2006 10:36:00 PM
TCLP VOLATILES SW1311/8260						
(Prep: SW1311 - 11/27/2006)						Analyst: ML
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	11/28/2006 1:19:00 PM
Benzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:19:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	11/28/2006 1:19:00 PM
CORROSIVITY SW9040B						
						Analyst: LS
Corrosivity	Non Corrosive	0			1	11/29/2006
IGNITABILITY SW1030						
						Analyst: PL
Ignitability	Not Ignitable	0			1	11/29/2006
CYANIDE, REACTIVE SW7.3.3.2						
(Prep: E335.3 - 11/30/2006)						Analyst: RC
Reactive Cyanide	< 1.0	1.0		µg/g	1	11/30/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 1
Collection Date: 11/21/2006
Lab Sample ID: 061122001-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
REACTIVE SULFIDE SW7.3.4.2						Analyst: RC
Reactive Sulfide	< 10	10		µg/g	1	11/30/2006
REACTIVITY SW846 7.3.3						Analyst: RC
Reactivity	Non Reactive	0			1	11/30/2006

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 2
Collection Date: 11/21/2006
Lab Sample ID: 061122001-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 11/22/2006)						
Aroclor 1016	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1221	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1232	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1242	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1248	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1254	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
Aroclor 1260	< 38	38		µg/Kg-dry	1	11/23/2006 12:25:24 AM
TCLP HERBICIDES SW1311/8151						Analyst: MG
(Prep: SW8150B - 11/27/2006)						
2,4,5-TP (Silvex)-TCLP	< 0.02	0.02		mg/L	1	11/27/2006 9:23:08 PM
2,4-D-TCLP	< 0.25	0.25		mg/L	1	11/27/2006 9:23:08 PM
PESTICIDES, TCLP LEACHED SW1311/8081A						Analyst: KF
(Prep: E608 - 11/22/2006)						
Chlordane-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:53:48 PM
Endrin-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:53:48 PM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:53:48 PM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:53:48 PM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	11/22/2006 12:53:48 PM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	11/22/2006 12:53:48 PM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	11/22/2006 12:53:48 PM
TCLP MERCURY SW1311/7470A						Analyst: KH
(Prep: SW7470A - 11/28/2006)						
Mercury-TCLP	< 0.020	0.020		mg/L	1	11/28/2006
TCLP METALS - ICP SW1311/6010A						Analyst: KH
(Prep: SW1311 - 11/27/2006)						
Arsenic-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:13:00 PM
Barium-TCLP	0.27	0.10		mg/L	1	11/28/2006 3:13:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:13:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:13:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:13:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	11/28/2006 3:13:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	11/28/2006 3:13:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 2
Collection Date: 11/21/2006
Lab Sample ID: 061122001-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3545 - 11/27/2006)						
1,4-Dichlorobenzene -TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
2,4,5-Trichlorophenol-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
2,4,6-Trichlorophenol-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
2,4-Dinitrotoluene-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Cresols, Total-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Hexachlorobenzene-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Hexachlorobutadiene-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Hexachloroethane-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Nitrobenzene-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
Pentachlorophenol-TCLP	< 500	500		µg/L	1	11/28/2006 11:03:00 PM
Pyridine-TCLP	< 100	100		µg/L	1	11/28/2006 11:03:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 11/27/2006)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	11/28/2006 1:55:00 PM
Benzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	11/28/2006 1:55:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	11/28/2006 1:55:00 PM
CORROSIVITY SW9040B						Analyst: LS
Corrosivity	Non Corrosive	0			1	11/29/2006
IGNITABILITY SW1030						Analyst: PL
Ignitability	Not Ignitable	0			1	11/29/2006
CYANIDE, REACTIVE SW7.3.3.2						Analyst: RC
(Prep: E335.3 - 11/30/2006)						
Reactive Cyanide	< 1.0	1.0		µg/g	1	11/30/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 30-Nov-06

CLIENT: Abscope Environmental, Inc
Work Order: 061122001
Project: National Grid
PO#:

Client Sample ID: Gloversville, Nat Grid 2
Collection Date: 11/21/2006
Lab Sample ID: 061122001-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
REACTIVE SULFIDE SW7.3.4.2						Analyst: RC
Reactive Sulfide	< 10	10		µg/g	1	11/30/2006
REACTIVITY SW846 7.3.3						Analyst: RC
Reactivity	Non Reactive	0			1	11/30/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentitively Identified Compound-Estimated Conc.

E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: ARSCOPE		Address:				
Send Report To: Col. Gray (via email)		Project Name (Location): DAVID'S GRID, CO. 150115	Samplers: (Names): Michael Wilson			
Client Phone No:		PO Number:	Samplers: (Signature): 			
Client Fax No:						
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type Matrix Comp Grab	Number of Cont's	Analysis Required
001	Essexville, Net-Grid 1	11/21/06	1830	A P A P A P A P A P A P A P A P A P A P	3	For test / PCB Reactivity, Corrosion Ignitability
002	Gloversville, Net-Grid 2	11/21/06	1340	A P A P A P A P A P A P A P A P A P A P	3	
2 11/22/06 061128001						

Turnaround Time Request: <input type="checkbox"/> 1 Day <input checked="" type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input checked="" type="checkbox"/> 5 Day		Special Instructions/Remarks	
CC Report To:			
Relinquished by: (Signature) 		Received by: (Signature) 	Date/Time
Relinquished by: (Signature) 		Received for Laboratory by: 	Date/Time 11/22/06 8:00 AM
TEMPERATURE Ambient or Chilled Notes: 7.2°C	PROPERLY PRESERVED Y N Notes:	RECEIVED WITHIN HOLDING TIMES Y N Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

May 21, 2007

Rob Drabot
Abscope Environmental, Inc
PO Box 487
1 Commercial Drive
Canastota, NY 13032

Work Order No: 070510042

TEL: (315) 697-8437
FAX: (315) 697-9391

RE: Gloversville Soil

Dear Rob Drabot:

Adirondack Environmental Services, Inc received 2 samples on 5/10/2007 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Tara Daniels
Laboratory Manager

ELAP#: 10709
AIHA#: 100307

Rob Drabot - FAX

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Page 1 of 5

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: Abscope Environmental, Inc
Project: Gloversville Soil
Lab Order: 070510042

CASE NARRATIVE

Prep Comments for 608_PREP, Sample 070510042-001A: tclp as total Analytical Comments for METHOD tclp-herb, SAMPLE 070510042-002a: as totals Analytical Comments for METHOD tclp-herb, SAMPLE 070510042-001a: as totals Analytical Comments for METHOD tclp-herb, SAMPLE 070510042-002a: as totals x 10 Analytical Comments for METHOD tclp-herb, SAMPLE 070510042-001a: as totals x10

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: Abscope Environmental, Inc
Work Order: 070510042
Reference: Gloversville Soil /
PO#:

Client Sample ID: South Pile
Collection Date: 5/10/2007
Lab Sample ID: 070510042-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 5/10/2007)						
Aroclor 1016	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1221	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1232	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1242	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1248	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1254	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
Aroclor 1260	< 35	35		µg/Kg-dry	1	5/10/2007 10:47:09 PM
TCLP HERBICIDES SW1311/8151						Analyst: MG
2,4,5-TP (Silvex)-TCLP	< 0.05	0.05		mg/L	1	5/11/2007 8:48:51 PM
2,4-D-TCLP	< 0.50	0.50		mg/L	1	5/11/2007 8:48:51 PM
PESTICIDES, TCLP LEACHED SW1311/8081A						Analyst: KF
(Prep: E608 - 5/10/2007)						
Chlordane-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:20:40 AM
Endrin-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:20:40 AM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:20:40 AM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:20:40 AM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:20:40 AM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	5/11/2007 12:20:40 AM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	5/11/2007 12:20:40 AM
TCLP MERCURY SW1311/7470A						Analyst: KH
(Prep: SW7470A - 5/16/2007)						
Mercury-TCLP	< 0.020	0.020		mg/L	1	5/17/2007
TCLP METALS - ICP SW1311/6010A						Analyst: SM
(Prep: SW1311 - 5/16/2007)						
Arsenic-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:55:00 PM
Barium-TCLP	0.45	0.10		mg/L	1	5/17/2007 12:55:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:55:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:55:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:55:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:55:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	5/17/2007 12:55:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: Abscope Environmental, Inc
Work Order: 070510042
Reference: Gloversville Soil /
PO#:

Client Sample ID: South Pile
Collection Date: 5/10/2007
Lab Sample ID: 070510042-001
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3545 - 5/14/2007)						
1,4-Dichlorobenzene -TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
2,4,5-Trichlorophenol-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
2,4,6-Trichlorophenol-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
2,4-Dinitrotoluene-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Cresols, Total-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Hexachlorobenzene-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Hexachlorobutadiene-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Hexachloroethane-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Nitrobenzene-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
Pentachlorophenol-TCLP	< 500	500		µg/L	1	5/17/2007 3:04:00 PM
Pyridine-TCLP	< 100	100		µg/L	1	5/17/2007 3:04:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 5/15/2007)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	5/16/2007 7:07:00 PM
Benzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:07:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	5/16/2007 7:07:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: Abscope Environmental, Inc
Work Order: 070510042
Reference: Gloversville Soil /
PO#:

Client Sample ID: Staging Pile
Collection Date: 5/10/2007
Lab Sample ID: 070510042-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW3545 - 5/10/2007)						
Aroclor 1016	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1221	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1232	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1242	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1248	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1254	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
Aroclor 1260	< 34	34		µg/Kg-dry	1	5/10/2007 11:22:14 PM
TCLP HERBICIDES SW1311/8151						Analyst: MG
2,4,5-TP (Silvex)-TCLP	< 0.05	0.05		mg/L	1	5/11/2007 8:08:36 PM
2,4-D-TCLP	< 0.50	0.50		mg/L	1	5/11/2007 8:08:36 PM
PESTICIDES, TCLP LEACHED SW1311/8081A						Analyst: KF
(Prep: E608 - 5/10/2007)						
Chlordane-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:49:49 AM
Endrin-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:49:49 AM
gamma-BHC(Lindane)-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:49:49 AM
Heptachlor epoxide-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:49:49 AM
Heptachlor-TCLP	< 0.005	0.005		mg/L	1	5/11/2007 12:49:49 AM
Methoxychlor-TCLP	< 0.050	0.050		mg/L	1	5/11/2007 12:49:49 AM
Toxaphene-TCLP	< 0.050	0.050		mg/L	1	5/11/2007 12:49:49 AM
TCLP MERCURY SW1311/7470A						Analyst: KH
(Prep: SW7470A - 5/16/2007)						
Mercury-TCLP	< 0.020	0.020		mg/L	1	5/17/2007
TCLP METALS - ICP SW1311/6010A						Analyst: SM
(Prep: SW1311 - 5/16/2007)						
Arsenic-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:59:00 PM
Barium-TCLP	0.35	0.10		mg/L	1	5/17/2007 12:59:00 PM
Cadmium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:59:00 PM
Chromium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:59:00 PM
Lead-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:59:00 PM
Selenium-TCLP	< 0.05	0.05		mg/L	1	5/17/2007 12:59:00 PM
Silver-TCLP	< 0.10	0.10		mg/L	1	5/17/2007 12:59:00 PM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 21-May-07

CLIENT: Abscope Environmental, Inc
Work Order: 070510042
Reference: Gloversville Soil /
PO#:

Client Sample ID: Staging Pile
Collection Date: 5/10/2007
Lab Sample ID: 070510042-002
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
TCLP-SEMIVOLATILES SW1311/8270C						Analyst: MT
(Prep: SW3545 - 5/14/2007)						
1,4-Dichlorobenzene -TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
2,4,5-Trichlorophenol-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
2,4,6-Trichlorophenol-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
2,4-Dinitrotoluene-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Cresols, Total-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Hexachlorobenzene-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Hexachlorobutadiene-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Hexachloroethane-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Nitrobenzene-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
Pentachlorophenol-TCLP	< 500	500		µg/L	1	5/17/2007 2:32:00 PM
Pyridine-TCLP	< 100	100		µg/L	1	5/17/2007 2:32:00 PM
TCLP VOLATILES SW1311/8260						Analyst: ML
(Prep: SW1311 - 5/15/2007)						
1,1-Dichloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
1,2-Dichloroethane-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
1,4-Dichlorobenzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
2-Butanone-TCLP	< 170	170		µg/L	17	5/16/2007 7:35:00 PM
Benzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Carbon tetrachloride-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Chlorobenzene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Chloroform-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Tetrachloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Trichloroethene-TCLP	< 85	85		µg/L	17	5/16/2007 7:35:00 PM
Vinyl chloride-TCLP	< 170	170		µg/L	17	5/16/2007 7:35:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentitively Identified Compound-Estimated Conc.
E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns


Client Name: <i>AbSCOPE Environmental</i>		Address: <i>1 Commercial Drive Box 487, Canastota, NY 13032</i>						
Send Report To: <i>Robert Drabot</i>		Project Name (Location): <i>Glensville Soil</i>		Samplers: (Names) <i>Paul Jackson</i>				
Client Phone No: <i>(315) 697-8437</i>		Client Fax No: <i>(315) 697-9391</i>		PO Number:		Samplers: (Signature) <i>[Signature]</i>		
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=a.m. P=p.m.	Sample Type			Number of Cont's	Analysis Required
				Matrix	Comp	Grab		
<i>001</i>	<i>South Pile</i>	<i>5/10/07</i>	<i>1150</i>	<i>(A)</i> <i>P</i>	<i>Soil</i>	<i>X</i>	<i>3</i>	<i>Full TCLP, PCBs</i>
<i>002</i>	<i>Staging Pile</i>	<i>5/10/07</i>	<i>1205</i>	<i>(A)</i> <i>(P)</i>	<i>Soil</i>	<i>X</i>	<i>3</i>	<i>↓</i>
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				
				<i>A</i>				
				<i>P</i>				

AES Work Order #: <i>070510042</i>		CC Report To / Special Instructions/Remarks:	
Turnaround Time Request: <input type="checkbox"/> 1 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Normal <input type="checkbox"/> 2 Day <input type="checkbox"/> 5 Day <i>1 week TAT</i>			
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date/Time
Relinquished by: (Signature)		Received by: (Signature)	Date/Time
Relinquished by: (Signature)		Received for Laboratory by: <i>J. Meherler</i>	Date/Time <i>5/10/07 1:51P</i>
TEMPERATURE Ambient or Chilled Notes: <i>26</i>	PROPERLY PRESERVED <i>(Y)</i> <i>N</i> Notes:	RECEIVED WITHIN HOLDING TIMES <i>(Y)</i> <i>N</i> Notes:	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy



314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.

ARCADIS

Manifest Authorizations

nationalgrid

Date: December 6, 2006

SUBJECT: Authorization to Sign Manifests

Site Name/Spill Vendor Gloversville (Hill St) MCP

Address: 20 Hill Street

Gloversville, NY

EPA #: NYD 98077478

National Grid hereby authorizes Dave Budosh of
Blasland, Bouck & Lee, an Award Co. (personnel)
(firm name)

(the "Authorized Individual") to sign manifests on National Grid's behalf for any hazardous or non-hazardous wastes generated at the above-referenced site. This authorization is provided due to the fact that Dave Budosh
(personnel)

has "first-hand knowledge" of the hazardous and non-hazardous wastes generated at the Gloversville (Hill St) MCP site. This authorization is limited to hazardous and non-hazardous wastes generated from the remedial action activities being conducted at this site.

By signing below, the person receiving this authorization is acknowledging his/her responsibility and accepts full and complete responsibility for ensuring that the manifest documents are accurate and complete prior to execution. To the extent any problems are identified, the Authorized Individual shall be responsible for filing any necessary discrepancy reports.

CONCURRENCE:

[Signature]
National Grid Project Attorney

[Signature]
National Grid Project Manager

ACCEPTED AND AGREED TO:

Name: [Signature]

Firm Name: RBL

Date: 12.06.06

pc: Joan L. Warner
Ref: EG-111

nationalgrid

Date: 5/16/2007

SUBJECT: Authorization to Sign ManifestsSite Name/Spill Vendor Gloversville (Hill St) Former MGPAddress: 20 Hill Street Gloversville, NYEPA #: NYD980777478National Grid hereby authorizes Jason Golubski of
(personnel)ARCADIS BBL

(firm name)

(the "Authorized Individual") to sign manifests on National Grid's behalf for any hazardous or non-hazardous wastes generated at the above-referenced site. This authorization is provided due to the fact that Jason Golubski

(personnel)

has "first-hand knowledge" of the hazardous and non-hazardous wastes generated at the Gloversville (Hill Street) Site site. This authorization is limited to hazardous and non-hazardous wastes generated from the remedial action activities being conducted at this site.

By signing below, the person receiving this authorization is acknowledging his/her responsibility and accepts full and complete responsibility for ensuring that the manifest documents are accurate and complete prior to execution. To the extent any problems are identified, the Authorized Individual shall be responsible for filing any necessary discrepancy reports.

CONCURRENCE:
National Grid Project Attorney
National Grid Project Manager**ACCEPTED AND AGREED TO:**Name: Jason R. GolubskiFirm Name: ARCADIS BBLDate: May 16, 2007pc: Joan L. Warner
Ref: EG-111

nationalgrid

Date: January 4, 2007

SUBJECT: Authorization to Sign Manifests

Site Name/Spill Vendor Gloversville (Hill St.) MGP

Address: 20 Hill Street

Gloversville, New York

EPA #: NYD 980777478

National Grid hereby authorizes Matthew Ryan of
(personnel)

Arcadis BBL

(firm name)

(the "Authorized Individual") to sign manifests on National Grid's behalf for any hazardous or non-hazardous wastes generated at the above-referenced site. This authorization is provided due to the fact that Matthew Ryan
(personnel)

has "first-hand knowledge" of the hazardous and non-hazardous wastes generated at the Gloversville (Hill Street) site. This authorization is limited to hazardous and non-hazardous wastes generated from the remedial action activities being conducted at this site.

By signing below, the person receiving this authorization is acknowledging his/her responsibility and accepts full and complete responsibility for ensuring that the manifest documents are accurate and complete prior to execution. To the extent any problems are identified, the Authorized Individual shall be responsible for filing any necessary discrepancy reports.

CONCURRENCE:

[Signature]
National Grid Project Attorney

[Signature]
National Grid Project Manager

ACCEPTED AND AGREED TO:

Name: [Signature]

Firm Name: Arcadis BBL

Date: 1/4/07

pc: Joan L. Warner
Ref: EG-111

nationalgrid

Date: October 9, 2006

SUBJECT: Authorization to Sign Manifests

Site Name/Spill Vendor Gloversville (Hill St) MCP

Address: 20 Hill Street
Gloversville, NY

EPA #: NYD 98077478

National Grid hereby authorizes Todd Merrill of
Blastland, Bouch & Lee, an Arcadis Co.
(personnel)
(firm name)

(the "Authorized Individual") to sign manifests on National Grid's behalf for any hazardous or non-hazardous wastes generated at the above-referenced site. This authorization is provided due to the fact that Todd Merrill
(personnel)

has "first-hand knowledge" of the hazardous and non-hazardous wastes generated at the Gloversville (Hill St) MCP site. This authorization is limited to hazardous and non-hazardous wastes generated from the remedial action activities being conducted at this site.

By signing below, the person receiving this authorization is acknowledging his/her responsibility and accepts full and complete responsibility for ensuring that the manifest documents are accurate and complete prior to execution. To the extent any problems are identified, the Authorized Individual shall be responsible for filing any necessary discrepancy reports.

CONCURRENCE:

[Signature]
National Grid Project Attorney

[Signature]
National Grid Project Manager

ACCEPTED AND AGREED TO:

Name: Todd P. Merrill

Firm Name: Blastland, Bouch & Lee Inc.

Date: 10/9/06

pc: Joan L. Warner
Ref: EG-111

ARCADIS

Disposal Documentation

Material Disposal Summary

National Grid - Gloversville (Hill Street) Former Manufactured Gas Plant Site

Date	Bill of Lading	Ticket #	Facility	Description	Profile#/ Lot#	Weight (tons)	Volume (gallons)	Drums
11/10/2006	GV-001	285497	Albany Landfill	Concrete	2666	15.18	--	--
11/10/2006	GV-002	285559	Albany Landfill	Petroleum Impacted Soils	2667	32.41	--	--
11/10/2006	GV-003	285558	Albany Landfill	Petroleum Impacted Soils	2667	33.87	--	--
11/10/2006	GV-004	285560	Albany Landfill	Petroleum Impacted Soils	2667	29.68	--	--
11/10/2006	GV-005	285563	Albany Landfill	Concrete	2666	21.19	--	--
11/13/2006	GV-006	285636	Albany Landfill	Concrete	2666	18.33	--	--
11/13/2006	GV-007	285710	Albany Landfill	Concrete	2666	12.73	--	--
11/13/2006	GV-008	285763	Albany Landfill	Petroleum Impacted Soils	2667	35.67	--	--
11/13/2006	GV-009	285764	Albany Landfill	Petroleum Impacted Soils	2667	33.43	--	--
11/13/2006	GV-010	285770	Albany Landfill	Petroleum Impacted Soils	2667	24.14	--	--
11/14/2006	GV-011	285803	Albany Landfill	Petroleum Impacted Soils	2667	37.15	--	--
11/14/2006	GV-012	285792	Albany Landfill	Petroleum Impacted Soils	2667	37.70	--	--
11/14/2006	GV-013	45	High Acres	Rail road ties	VG4041	13.81	--	--
11/20/2006	GV-014	1464363	Seneca Meadows	Petroleum Impacted Soils	06-095	33.51	--	--
11/20/2006	GV-015	1464366	Seneca Meadows	Petroleum Impacted Soils	06-095	36.18	--	--
11/20/2006	GV-016	1464377	Seneca Meadows	Petroleum Impacted Soils	06-095	41.27	--	--
11/20/2006	GV-017	1464393	Seneca Meadows	Petroleum Impacted Soils	06-095	37.16	--	--
11/20/2006	GV-018	1464384	Seneca Meadows	Petroleum Impacted Soils	06-095	28.72	--	--
11/20/2006	GV-019	1464394	Seneca Meadows	Petroleum Impacted Soils	06-095	26.05	--	--
11/20/2006	GV-020	1464428	Seneca Meadows	Petroleum Impacted Soils	06-095	35.00	--	--
11/20/2006	GV-021	1464429	Seneca Meadows	Petroleum Impacted Soils	06-095	39.96	--	--
11/20/2006	GV-022	1464452	Seneca Meadows	Petroleum Impacted Soils	06-095	41.87	--	--
11/20/2006	GV-023	1464548	Seneca Meadows	Petroleum Impacted Soils	06-095	37.39	--	--
11/20/2006	GV-024	1464546	Seneca Meadows	Petroleum Impacted Soils	06-095	48.59	--	--
11/20/2006	GV-025	1464573	Seneca Meadows	Petroleum Impacted Soils	06-095	59.08	--	--
11/20/2006	GV-026	1464609	Seneca Meadows	Petroleum Impacted Soils	06-095	36.53	--	--
11/21/2006	GV-027	1464957	Seneca Meadows	Petroleum Impacted Soils	06-095	39.08	--	--
11/21/2006	GV-028	1464621	Seneca Meadows	Petroleum Impacted Soils	06-095	37.37	--	--
11/21/2006	GV-029	1464960	Seneca Meadows	Petroleum Impacted Soils	06-095	33.02	--	--
11/21/2006	GV-030	1464639	Seneca Meadows	Petroleum Impacted Soils	06-095	42.94	--	--
11/21/2006	GV-031	1464672	Seneca Meadows	Petroleum Impacted Soils	06-095	41.44	--	--
11/21/2006	GV-032	1464668	Seneca Meadows	Petroleum Impacted Soils	06-095	39.33	--	--
11/21/2006	GV-033	1464776	Seneca Meadows	Petroleum Impacted Soils	06-095	39.55	--	--

Material Disposal Summary

National Grid - Gloversville (Hill Street) Former Manufactured Gas Plant Site

Date	Bill of Lading	Ticket #	Facility	Description	Profile#/ Lot#	Weight (tons)	Volume (gallons)	Drums
11/21/2006	GV-034	1464833	Seneca Meadows	Petroleum Impacted Soils	06-095	41.00	--	--
11/21/2006	GV-035	1464803	Seneca Meadows	Petroleum Impacted Soils	06-095	42.74	--	--
11/21/2006	GV-036	1464838	Seneca Meadows	Petroleum Impacted Soils	06-095	44.42	--	--
11/21/2006	GV-037	1464857	Seneca Meadows	Petroleum Impacted Soils	06-095	31.99	--	--
11/21/2006	GV-038	1464917	Seneca Meadows	Petroleum Impacted Soils	06-095	29.31	--	--
11/21/2006	GV-039	1464920	Seneca Meadows	Petroleum Impacted Soils	06-095	33.08	--	--
11/21/2006	GV-040	1464630	Seneca Meadows	Petroleum Impacted Soils	06-095	48.48	--	--
11/21/2006	GV-041	1464648	Seneca Meadows	Petroleum Impacted Soils	06-095	32.75	--	--
11/21/2006	GV-042	1464972	Seneca Meadows	Petroleum Impacted Soils	06-095	39.36	--	--
11/21/2006	GV-043	1464973	Seneca Meadows	Petroleum Impacted Soils	06-095	41.37	--	--
11/21/2006	GV-044	1464990	Seneca Meadows	Petroleum Impacted Soils	06-095	39.80	--	--
11/30/2006	GV-045	287531	Albany Landfill	Petroleum Impacted Soils	2667	35.22	--	--
11/30/2006	GV-046	287530	Albany Landfill	Petroleum Impacted Soils	2667	37.85	--	--
11/30/2006	GV-047	287613	Albany Landfill	Petroleum Impacted Soils	2667	41.24	--	--
11/30/2006	GV-048	287615	Albany Landfill	Petroleum Impacted Soils	2667	40.45	--	--
12/1/2006	GV-049	287648	Albany Landfill	Petroleum Impacted Soils	2667	38.88	--	--
11/30/2006	GV-050	287647	Albany Landfill	Petroleum Impacted Soils	2667	43.37	--	--
12/1/2006	GV-051	287682	Albany Landfill	Petroleum Impacted Soils	2667	47.92	--	--
12/1/2006	GV-052	287711	Albany Landfill	Petroleum Impacted Soils	2667	42.78	--	--
12/1/2006	GV-053	287710	Albany Landfill	Petroleum Impacted Soils	2667	38.00	--	--
12/1/2006	GV-054	287733	Albany Landfill	Petroleum Impacted Soils	2667	53.36	--	--
12/4/2006	GV-055	287788	Albany Landfill	Petroleum Impacted Soils	2667	41.58	--	--
12/4/2006	GV-056	287787	Albany Landfill	Petroleum Impacted Soils	2667	41.63	--	--
12/4/2006	GV-057	287789	Albany Landfill	Petroleum Impacted Soils	2667	40.20	--	--
12/4/2006	GV-058	287843	Albany Landfill	Petroleum Impacted Soils	2667	37.09	--	--
12/4/2006	GV-059	287844	Albany Landfill	Petroleum Impacted Soils	2667	39.02	--	--
12/4/2006	GV-060	287851	Albany Landfill	Petroleum Impacted Soils	2667	47.86	--	--
12/5/2006	GV-061	287940	Albany Landfill	Petroleum Impacted Soils	2667	39.18	--	--
12/5/2006	GV-062	288044	Albany Landfill	Petroleum Impacted Soils	2667	39.05	--	--
12/5/2006	GV-063	287997	Albany Landfill	Petroleum Impacted Soils	2667	40.66	--	--
12/6/2006	GV-064	288053	Albany Landfill	Petroleum Impacted Soils	2667	40.25	--	--
12/6/2006	GV-065	288063	Albany Landfill	Petroleum Impacted Soils	2667	38.39	--	--
12/6/2006	GV-066	288107	Albany Landfill	Petroleum Impacted Soils	2667	39.15	--	--

Material Disposal Summary

National Grid - Gloversville (Hill Street) Former Manufactured Gas Plant Site

Date	Bill of Lading	Ticket #	Facility	Description	Profile#/ Lot#	Weight (tons)	Volume (gallons)	Drums
12/6/2006	GV-067	288054	Albany Landfill	Petroleum Impacted Soils	2667	39.41	--	--
12/6/2006	GV-068	288108	Albany Landfill	Petroleum Impacted Soils	2667	37.19	--	--
12/6/2006	GV-069	288121	Albany Landfill	Petroleum Impacted Soils	2667	46.71	--	--
12/6/2006	GV-070	288169	Albany Landfill	Petroleum Impacted Soils	2667	37.94	--	--
12/6/2006	GV-071	288170	Albany Landfill	Petroleum Impacted Soils	2667	37.70	--	--
12/7/2006	GV-072	288204	Albany Landfill	Petroleum Impacted Soils	2667	41.45	--	--
12/7/2006	GV-073	288212	Albany Landfill	Petroleum Impacted Soils	2667	39.22	--	--
12/7/2006	GV-074	288207	Albany Landfill	Petroleum Impacted Soils	2667	39.64	--	--
12/7/2006	GV-075	288240	Albany Landfill	Petroleum Impacted Soils	2667	38.22	--	--
12/7/2006	GV-076	288249	Albany Landfill	Petroleum Impacted Soils	2667	38.69	--	--
12/7/2006	GV-077	288267	Albany Landfill	Petroleum Impacted Soils	2667	38.85	--	--
12/7/2006	GV-078	288301	Albany Landfill	Petroleum Impacted Soils	2667	38.65	--	--
12/7/2006	GV-079	288311	Albany Landfill	Petroleum Impacted Soils	2667	38.71	--	--
12/8/2006	GV-080	288358	Albany Landfill	Petroleum Impacted Soils	2667	37.23	--	--
12/8/2006	GV-081	288410	Albany Landfill	Petroleum Impacted Soils	2667	38.44	--	--
12/8/2006	GV-082	288359	Albany Landfill	Petroleum Impacted Soils	2667	41.08	--	--
12/8/2006	GV-083	288397	Albany Landfill	Petroleum Impacted Soils	2667	32.89	--	--
12/8/2006	GV-084	288403	Albany Landfill	Petroleum Impacted Soils	2667	36.41	--	--
12/8/2006	GV-085	288360	Albany Landfill	Petroleum Impacted Soils	2667	39.00	--	--
12/11/2006	GV-086	288475	Albany Landfill	Petroleum Impacted Soils	2667	35.21	--	--
12/11/2006	GV-087	288477	Albany Landfill	Petroleum Impacted Soils	2667	38.70	--	--
12/11/2006	GV-088	288476	Albany Landfill	Petroleum Impacted Soils	2667	38.40	--	--
12/11/2006	GV-089	288517	Albany Landfill	Petroleum Impacted Soils	2667	42.88	--	--
12/11/2006	GV-090	288519	Albany Landfill	Petroleum Impacted Soils	2667	39.63	--	--
12/11/2006	GV-091	288529	Albany Landfill	Petroleum Impacted Soils	2667	39.35	--	--
12/11/2006	GV-092	288571	Albany Landfill	Petroleum Impacted Soils	2667	40.16	--	--
12/11/2006	GV-093	288577	Albany Landfill	Petroleum Impacted Soils	2667	39.79	--	--
12/12/2006	GV-094	288657	Albany Landfill	Petroleum Impacted Soils	2667	42.65	--	--
12/12/2006	GV-095	288614	Albany Landfill	Petroleum Impacted Soils	2667	39.74	--	--
12/12/2006	GV-096	288635	Albany Landfill	Petroleum Impacted Soils	2667	41.84	--	--
12/12/2006	GV-097	288613	Albany Landfill	Petroleum Impacted Soils	2667	40.90	--	--
12/12/2006	GV-098	288659	Albany Landfill	Petroleum Impacted Soils	2667	37.38	--	--
12/12/2006	GV-099	288700	Albany Landfill	Petroleum Impacted Soils	2667	36.37	--	--

Material Disposal Summary

National Grid - Gloversville (Hill Street) Former Manufactured Gas Plant Site

Date	Bill of Lading	Ticket #	Facility	Description	Profile#/ Lot#	Weight (tons)	Volume (gallons)	Drums
12/18/2006	GV-100	289187	Albany Landfill	Petroleum Impacted Soils	2667	40.02	--	--
12/18/2006	GV-101	289191	Albany Landfill	Petroleum Impacted Soils	2667	40.67	--	--
12/18/2006	GV-102	289250	Albany Landfill	Petroleum Impacted Soils	2667	40.09	--	--
12/18/2006	GV-103	289253	Albany Landfill	Petroleum Impacted Soils	2667	41.24	--	--
12/18/2006	GV-104	289300	Albany Landfill	Petroleum Impacted Soils	2667	40.34	--	--
12/18/2006	GV-105	289306	Albany Landfill	Petroleum Impacted Soils	2667	38.21	--	--
12/19/2006	GV-106	289317	Albany Landfill	Petroleum Impacted Soils	2667	40.80	--	--
12/19/2006	GV-107	289430	Albany Landfill	Petroleum Impacted Soils	2667	43.30	--	--
12/19/2006	GV-108	289370	Albany Landfill	Petroleum Impacted Soils	2667	41.18	--	--
12/19/2006	GV-109	289357	Albany Landfill	Petroleum Impacted Soils	2667	42.70	--	--
12/19/2006	GV-110	289437	Albany Landfill	Petroleum Impacted Soils	2667	42.61	--	--
1/9/2007	GV-111	291296	Albany Landfill	Petroleum Impacted Soils	2667	36.94	--	--
1/9/2007	GV-112	291301	Albany Landfill	Petroleum Impacted Soils	2667	21.56	--	--
1/9/2007	GV-113	291360	Albany Landfill	Petroleum Impacted Soils	2667	45.68	--	--
1/9/2007	GV-114	291363	Albany Landfill	Petroleum Impacted Soils	2667	31.31	--	--
1/10/2007	GV-115	291415	Albany Landfill	Petroleum Impacted Soils	2667	35.41	--	--
1/10/2007	GV-116	291463	Albany Landfill	Petroleum Impacted Soils	2667	37.53	--	--
1/10/2007	GV-117	291455	Albany Landfill	Petroleum Impacted Soils	2667	31.77	--	--
1/10/2007	GV-118	291459	Albany Landfill	Petroleum Impacted Soils	2667	22.37	--	--
1/10/2007	GV-119	291508	Albany Landfill	Petroleum Impacted Soils	2667	41.01	--	--
1/10/2007	GV-120	291417	Albany Landfill	Petroleum Impacted Soils	2667	32.07	--	--
1/10/2007	GV-121	291505	Albany Landfill	Petroleum Impacted Soils	2667	34.04	--	--
1/11/2007	5100	291560	Albany Landfill	Petroleum Impacted Soils	2667	22.75	--	--
1/11/2007	GV-122	291527	Albany Landfill	Petroleum Impacted Soils	2667	35.67	--	--
1/11/2007	GV-123	291525	Albany Landfill	Petroleum Impacted Soils	2667	33.01	--	--
1/11/2007	GV-124	291587	Albany Landfill	Petroleum Impacted Soils	2667	35.64	--	--
1/11/2007	GV-125	291573	Albany Landfill	Petroleum Impacted Soils	2667	35.70	--	--
1/11/2007	GV-126	291622	Albany Landfill	Petroleum Impacted Soils	2667	10.60	--	--
1/11/2007	GV-127	291625	Albany Landfill	Petroleum Impacted Soils	2667	39.57	--	--
1/11/2007	GV-128	291633	Albany Landfill	Petroleum Impacted Soils	2667	38.65	--	--
1/12/2007	GV-129	291662	Albany Landfill	Petroleum Impacted Soils	2667	42.14	--	--
1/12/2007	GV-130	291664	Albany Landfill	Petroleum Impacted Soils	2667	41.17	--	--
1/12/2007	GV-131	291715	Albany Landfill	Petroleum Impacted Soils	2667	38.41	--	--

Material Disposal Summary

National Grid - Gloversville (Hill Street) Former Manufactured Gas Plant Site

Date	Bill of Lading	Ticket #	Facility	Description	Profile#/ Lot#	Weight (tons)	Volume (gallons)	Drums
1/12/2007	GV-132	291724	Albany Landfill	Petroleum Impacted Soils	2667	37.52	--	--
1/12/2007	GV-133	291764	Albany Landfill	Petroleum Impacted Soils	2667	41.40	--	--
1/12/2007	GV-134	291770	Albany Landfill	Petroleum Impacted Soils	2667	41.65	--	--
1/15/2007	GV-135	291787	Albany Landfill	Petroleum Impacted Soils	2667	41.57	--	--
1/17/2007	GV-136	149494	Model City	Sludge	VG4073	--	2815	--
1/17/2007	GV-137	149433	Model City	Sludge	VG4073	--	1424	--
1/25/2007	GV-138	149557	Model City	Sludge	VG4073	--	55	--
2/21/2007	GV-139	150096	Model City	Spent Activated Carbon	NY100412	--	--	9
2/21/2007	GV-140	150096	Model City	Ion Exchange Resin	NY100411	--	--	3
5/18/2007	GV-141	302544	Albany Landfill	Asphalt	2746	36.45	--	--
5/18/2007	GV-142	302551	Albany Landfill	Asphalt	2746	39.12	--	--
5/18/2007	GV-143	302549	Albany Landfill	Asphalt	2746	36.86	--	--
5/18/2007	GV-144	302610	Albany Landfill	Asphalt	2746	38.38	--	--
5/18/2007	GV-145	302602	Albany Landfill	Asphalt	2746	39.29	--	--
5/18/2007	GV-146	302609	Albany Landfill	Asphalt	2746	43.35	--	--
5/18/2007	GV-147	302622	Albany Landfill	Asphalt	2746	35.25	--	--
5/21/2007	GV-148	302697	Albany Landfill	Asphalt	2746	47.14	--	--
5/21/2007	GV-149	302652	Albany Landfill	Asphalt	2746	41.33	--	--
5/21/2007	GV-150	302649	Albany Landfill	Asphalt	2746	38.89	--	--
5/21/2007	GV-151	302646	Albany Landfill	Asphalt	2746	43.08	--	--
5/21/2007	GV-152	302700	Albany Landfill	Asphalt	2746	43.35	--	--
5/21/2007	GV-153	302709	Albany Landfill	Asphalt	2746	51.87	--	--
5/21/2007	GV-154	302734	Albany Landfill	Asphalt	2746	39.35	--	--
5/21/2007	GV-155	302744	Albany Landfill	Asphalt	2746	37.34	--	--
5/21/2007	GV-156	302751	Albany Landfill	Asphalt	2746	35.9	--	--
5/21/2007	GV-157	302755	Albany Landfill	Asphalt	2746	42.38	--	--
5/21/2007	GV-158	302767	Albany Landfill	Asphalt	2746	41.06	--	--
5/21/2007	GV-159	302803	Albany Landfill	Asphalt	2746	38.97	--	--
5/21/2007	GV-160	302779	Albany Landfill	Asphalt	2746	43.2	--	--
5/22/2007	GV-161	302785	Albany Landfill	Asphalt	2746	38.11	--	--
5/22/2007	GV-162	302804	Albany Landfill	Asphalt	2746	34.35	--	--
5/22/2007	GV-163	302838	Albany Landfill	Asphalt	2746	43.59	--	--
5/22/2007	GV-164	302851	Albany Landfill	Petroleum Impacted Soils	2747	51.95	--	--

Material Disposal Summary

National Grid - Gloversville (Hill Street) Former Manufactured Gas Plant Site

Date	Bill of Lading	Ticket #	Facility	Description	Profile#/ Lot#	Weight (tons)	Volume (gallons)	Drums
5/23/2007	GV-165	302901	Albany Landfill	Asphalt	2746	35.16	--	--
5/22/2007	GV-166	302883	Albany Landfill	Petroleum Impacted Soils	2747	21.19	--	--
5/23/2007	GV-167	302906	Albany Landfill	Petroleum Impacted Soils	2747	37.13	--	--
5/22/2007	GV-168	302856	Albany Landfill	Petroleum Impacted Soils	2747	42.48	--	--
5/23/2007	GV-169	302914	Albany Landfill	Petroleum Impacted Soils	2747	26.89	--	--
5/23/2007	GV-170	302919	Albany Landfill	Concrete	2746	11.98	--	--
5/23/2007	GV-171	302923	Albany Landfill	Petroleum Impacted Soils	2747	35.58	--	--
5/23/2007	GV-172	302953	Albany Landfill	Petroleum Impacted Soils	2747	48.88	--	--
5/23/2007	GV-173	302955	Albany Landfill	Petroleum Impacted Soils	2747	20.55	--	--
5/23/2007	GV-174	302962	Albany Landfill	Concrete	2746	12.86	--	--
5/23/2007	GV-175	302980	Albany Landfill	Petroleum Impacted Soils	2747	49.54	--	--
5/23/2007	GV-176	302983	Albany Landfill	Petroleum Impacted Soils	2747	44.01	--	--
5/23/2007	GV-177	303004	Albany Landfill	Petroleum Impacted Soils	2747	22.69	--	--
5/23/2007	GV-178	303006	Albany Landfill	Petroleum Impacted Soils	2747	48.9	--	--
5/23/2007	GV-179	303023	Albany Landfill	Petroleum Impacted Soils	2747	47.66	--	--
5/23/2007	GV-180	303024	Albany Landfill	Petroleum Impacted Soils	2747	39.77	--	--
5/24/2007	GV-181	303039	Albany Landfill	Petroleum Impacted Soils	2747	42.44	--	--
5/24/2007	GV-182	303093	Albany Landfill	Petroleum Impacted Soils	2747	20.41	--	--
5/24/2007	GV-183	303048	Albany Landfill	Petroleum Impacted Soils	2747	42.85	--	--
5/24/2007	GV-184	303109	Albany Landfill	Petroleum Impacted Soils	2747	41.4	--	--
5/24/2007	GV-185	303051	Albany Landfill	Petroleum Impacted Soils	2747	38.95	--	--
5/24/2007	GV-186	303079	Albany Landfill	Petroleum Impacted Soils	2747	38.04	--	--
5/24/2007	GV-187	303046	Albany Landfill	Petroleum Impacted Soils	2747	23.32	--	--
5/24/2007	GV-188	303104	Albany Landfill	Petroleum Impacted Soils	2747	41.04	--	--
5/24/2007	GV-189	303049	Albany Landfill	Petroleum Impacted Soils	2747	38.98	--	--
5/24/2007	GV-190	303107	Albany Landfill	Petroleum Impacted Soils	2747	40.62	--	--
5/25/2007	GV-191	303167	Albany Landfill	Petroleum Impacted Soils	2747	36.67	--	--
5/25/2007	GV-192	303183	Albany Landfill	Petroleum Impacted Soils	2747	44.15	--	--
5/25/2007	GV-193	303235	Albany Landfill	Petroleum Impacted Soils	2747	43.92	--	--
5/25/2007	GV-194	303186	Albany Landfill	Petroleum Impacted Soils	2747	41	--	--
5/25/2007	GV-195	303261	Albany Landfill	Petroleum Impacted Soils	2747	37.79	--	--
5/25/2007	GV-196	303236	Albany Landfill	Petroleum Impacted Soils	2747	41.68	--	--
5/25/2007	GV-197	303258	Albany Landfill	Petroleum Impacted Soils	2747	40.99	--	--

Material Disposal Summary

National Grid - Gloversville (Hill Street) Former Manufactured Gas Plant Site

Date	Bill of Lading	Ticket #	Facility	Description	Profile#/ Lot#	Weight (tons)	Volume (gallons)	Drums
5/25/2007	GV-198	303214	Albany Landfill	Petroleum Impacted Soils	2747	41.23	--	--
5/25/2007	81614284-01	151834	Model City	Ion Exchange Resin	NY100411	0.14	--	--
5/25/2007	81614284-02	151834	Model City	Spent Activated Carbon	NY100412	0.14	--	--
5/29/2007	GV-198	303373	Albany Landfill	Petroleum Impacted Soils	2747	42.65	--	--
5/29/2007	GV-199	303372	Albany Landfill	Petroleum Impacted Soils	2747	40.49	--	--
5/29/2007	GV-200	303409	Albany Landfill	Petroleum Impacted Soils	2747	39.8	--	--
5/29/2007	GV-201	303418	Albany Landfill	Petroleum Impacted Soils	2747	21.59	--	--
5/29/2007	GV-202	303422	Albany Landfill	Petroleum Impacted Soils	2747	42.47	--	--
5/30/2007	GV-203	303426	Albany Landfill	Petroleum Impacted Soils	2747	39.22	--	--
5/29/2007	GV-204	303430	Albany Landfill	Petroleum Impacted Soils	2747	39.7	--	--
5/29/2007	GV-205	303460	Albany Landfill	Petroleum Impacted Soils	2747	39.49	--	--
5/29/2007	GV-206	303478	Albany Landfill	Petroleum Impacted Soils	2747	37.84	--	--
5/29/2007	GV-207	303549	Albany Landfill	Petroleum Impacted Soils	2747	44.65	--	--
5/30/2007	GV-208	303556	Albany Landfill	Petroleum Impacted Soils	2747	28.09	--	--
5/30/2007	GV-209	303504	Albany Landfill	Petroleum Impacted Soils	2747	41.89	--	--
5/30/2007	GV-210	303502	Albany Landfill	Petroleum Impacted Soils	2747	39.07	--	--
8/29/2007	GV-211	1563637	Seneca Meadows	Petroleum Impacted Soils	06-095B	30.96	--	--
8/29/2007	GV-212	1563634	Seneca Meadows	Petroleum Impacted Soils	06-095B	36.86	--	--
8/29/2007	GV-213	1563661	Seneca Meadows	Petroleum Impacted Soils	06-095B	40.11	--	--
8/29/2007	GV-214	1563659	Seneca Meadows	Petroleum Impacted Soils	06-095B	28.84	--	--
8/30/2007	GV-215	1564103	Seneca Meadows	Petroleum Impacted Soils	06-095B	37.65	--	--
8/30/2007	GV-216	1564097	Seneca Meadows	Petroleum Impacted Soils	06-095B	31.27	--	--
9/6/2007	GV-217	1566010	Seneca Meadows	Petroleum Impacted Soils	06-095B	53.1	--	--
9/7/2007	GV-218	155584	Model City	Ion Exchange Resin	NY100411	0.90	--	--
9/7/2007	GV-219	155584	Model City	Sludge	VG4073	1.35	--	--
9/7/2007	GV-220	155584	Model City	Spent Activated Carbon	NY100412	1.80	--	--
Total						8075	4294	12

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV 001		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET			
				GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 315-697-8437			
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.				6. US EPA ID Number NY0000097444			
7. Transporter 2 Company Name				8. US EPA ID Number			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit WL/Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS				1		DT Est. 22 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above CONCRETE (C&D)				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC NY 36222 AF LOT # 2666 LOAD # 001 Abscope Truck # 23							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrill <i>As an agent for Niagara Mohawk</i>				Signature <i>Todd P. Merrill</i>		Date Month 11 Day 10 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Randy Forcione</i>		Date Month 11 Day 10 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				Signature <i>[Signature]</i>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

CITY OF ALBANY
 DEPARTMENT OF GENERAL SERVICES
 100 State Street, Albany, NY 12242
 (518) 869-6651

SITE: 02
 REPORT: 285497
 DATE: 11/10/06
 TIME: 09:38
 OPERATOR: P4 PHZ II
 WEIGHMASTER: BRENDIA
 7002

006033 Abscöpe Environmental, Inc.
 P.O. Box 487
 Canastota NY 13032

2666

Scale 1 Gross Wt. 56480 LB
 Scale 2 Tare Wt. 26120 LB
 Net Weight 30360 LB
 TONS Ditchings, Cover 15.18

Inbound - Charge ticket

0.00 0.00 0.00

Operating hours: 7 am to 3 pm, Monday - Friday
 THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 AGREEMENT

LOT # 2666

NOT RECORDED

0.00

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-002		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone: 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972		A. Transporter 1 Phone 518-477-8940			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-209			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est. 32 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 (TRM) LOAD # GV-002 AC 96834 Truck # 1-48261-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell As an agent for Niagara Mohawk				Signature <i>Todd P. Merrell</i>		Date 11/10/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Joe Mangiardi</i>		Date 11/10/06	
Printed/Typed Name X Joe Mangiardi							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
518-869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02	285559	P4 I	BRENDA
11/10/06	11/10/06	12:24	12:47
7006			
REFERENCE		ORIGIN	

2667-40

Scale 1 Gross Wt.	101320	LB
Scale 2 Tare Wt.	36500	LB
Net Weight	64820	LB

Inbound - Charge ticket

32.41

TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

4

NON-HAZARDOUS WASTE BILL OF LADING

M-38

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-003		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone: 315 428-5731		6. US EPA ID Number NYR000097972		A. Transporter 1 Phone 518-477-8940			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		8. US EPA ID Number		B. State Transporter's ID 4A-209			
7. Transporter 2 Company Name		10. US EPA ID Number N/A		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers	13. Total Quantity	14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				No. 1	Type DT	Est. 32	TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 003 AC 96930 NY Truck # 48270-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date 11/10/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 11/10/06	
Printed/Typed Name XIMANY				Signature <i>[Signature]</i>		Date 11/10/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 11/10/06	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature		Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
518-869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 285558 P41 BREND

11/10/06 11/10/06 12:22 12:42 7005

2667-38

Scale 1 Gross Wt. 105940 LB
Scale 2 Tare Wt. 38200 LB
Net Weight 67740 LB

Inbound - Charge ticket

33.87 TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-004		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS				A. Transporter 1 Phone 518-477-8840			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972		B. State Transporter's ID 4A-209		C. Transporter 2 Phone	
7. Transporter 2 Company Name		8. US EPA ID Number		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A					
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.		Type	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT	
b.						Est. 32 TONS	
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 004 AC 96829 Truck # 80261-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell As an agent for Niagara Mohawk				Signature <i>Todd P. Merrell</i>		Date Month 11 Day 10 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>DAVID PYKO</i>		Date Month 11 Day 10 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month 11 Day 10 Year 06	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month 11 Day 10 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
BUREAU OF WASTE MANAGEMENT
110 FULTON STREET, 12TH FLOOR
ALBANY, NY 12242
518/869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02	285560	P41	BRENDA	
11/10/06	11/10/06	12:25	13:08	7007
REFERENCE		ORIGIN		

2667-50

Scale 1 Gross Wt.	97800	LB
Scale 2 Tare Wt.	38440	LB
Net Weight	59360	LB

Inbound - Charge ticket

29.68

TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET WEIGHT

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-005		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone: 315 428-5731							
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		6. US EPA ID Number NY0000097444		A. Transporter 1 Phone 315-697-8437			
7. Transporter 2 Company Name:		8. US EPA ID Number		B. State Transporter's ID 7A-369			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS				1 DT		Est. 16 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above CONCRETE (C&D)				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2666 LOAD # 005 NY 3622 AF Abscope Truck # 23							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell <i>As an agent for Niagara Mohawk</i>				Signature <i>Todd P. Merrell</i>		Date 11/10/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Randy Forcione</i>		Date 11/10/06	
Printed/Typed Name Randy Forcione				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



518.869.3651

006033 Abscope Environmental, Inc.

PO Box 487

Canastota NY 13032

02

285563

P4 PHZ II

BRENDA

11/10/06

11/10/06

12:33

12:52

7009

2666

Scale 1 Gross Wt.

68320

LB

Scale 2 Tare Wt.

25940

LB

Net Weight

42380

LB

21.19

TONS Ditchings, Cover

0.00

0.00

0.00

0.00

Inbound - Charge ticket

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY

UNACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT

AGREEMENT

NET AMOUNT

0.00

LOT #

2666

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-006	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS 4. Generator's Phone: 315-428-5731			SITE ADDRESS: 20 HILL STREET GLUVERSVILLE, NY 12078	
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		6. US EPA ID Number NY0000097444	A. Transporter 1 Phone 315-637-8437	
7. Transporter 2 Company Name		8. US EPA ID Number	B. State Transporter's ID 7A-369	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A	D. State Facility's ID 4-01010017100011 E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION		12. Containers No. Type	13. Total Quantity	14. Unit Wt./Vol.
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS		1 DT	Est. 16	TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above CONCRETE (C&D)		G. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2666 LOAD # 006 NY 3622 AF Abscope Truck # 23				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name Todd P. Merrill		Signature Todd P. Merrill	Date 11/13/06	
17. Transporter 1 Acknowledgement of Receipt of Materials		Date		
Printed/Typed Name Kathy Forcione		Signature Kathy Forcione	Date 11/13/06	
18. Transporter 2 Acknowledgement of Receipt of Materials		Date		
Printed/Typed Name		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				
Printed/Typed Name		Signature LD	Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
 Rapp Road Waste Management Facility
 525 Rapp Rd • Albany, N.Y. 12205
 (518) 869-3651

06033 Abscope Environmental, Inc.
 PO Box 487
 Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	285636	P4 PHZ II		JG 010214	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
11/13/06	11/13/06	08:51	09:07	7001	
REFERENCE			ORIGIN		

Scale 1 Gross Wt. 62220 LB
 Scale 2 Tare Wt. 25560 LB
 Net Weight 36660 LB

Outbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
18.33	TONS	Construction & Demo			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 AGREEMENT

NET AMOUNT

1466.40

TENDERED

CHANGE

CHECK NO.

LOT # 2666

SIGNATURE _____



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
 Rapp Road Waste Management Facility
 525 Rapp Rd • Albany, N.Y. 12205
 (518) 869-3651

06033 Abscope Environmental, Inc.
 PO Box 487
 Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	285636	P4 PHZ II		JG 010214	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
11/13/06	11/13/06	08:51	09:07	7001	
REFERENCE			ORIGIN		

Scale 1 Gross Wt. 62220 LB
 Scale 2 Tare Wt. 25560 LB
 Net Weight 36660 LB

Outbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
18.33	TONS	Construction & Demo			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 AGREEMENT

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

LOT # 2666

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-007		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone 315-428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.				US EPA ID Number NY0000097444		A. Transporter 1 Phone 315-697-8437	
7. Transporter 2 Company Name				8. US EPA ID Number		B. State Transporter's ID 7A-365	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
						E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS				1		DT	
b.						Est. 12 TONS	
c.							
d.							
F. Additional Descriptions for Materials Listed Above CONCRETE (C&D)				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2666 LOAD # 007 NY3622 AF Abscope Truck # 23							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd Merrell</i>		Date Month Day Year 11/13/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Rafael Forcione</i>		Date Month Day Year 11/13/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space LO							
Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.						Date Month Day Year	
Signature						Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
1581 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 285710 P4 PHZ II Kelly Dwyer
11/13/06 11/13/06 11:49 12:02 7001

REFERENCE

2666-23

Inbound - Charge ticket

Scale 1 Gross Wt. 51380 LB
Scale 2 Tare Wt. 25920 LB
Net Weight 25460 LB

12.73

TONS Construction & Demo

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2666

45

Please print or type (Form designed for use on electronic (12 pin) typewriter)		2. Page 1 of 1		
NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202		SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078		
4. Generator's Phone: 315 428-5731 ATTN: BRIAN STEARNS		A. Transporter 1 Phone 518-477-8940		
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		B. State Transporter's ID 4A-209		
6. US EPA ID Number NYR000097972		C. Transporter 2 Phone		
7. Transporter 2 Company Name		D. State Facility's ID 4-01010017100011		
8. US EPA ID Number		E. Facility's Phone (518) 869-3651		
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		
11. WASTE DESCRIPTION		12. Containers	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		No. 1	Type DT	Est. 32 TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS 10+ # 2667		G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 008 T-2 Truck # 48257-PA 48261-PA AH 57661				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name Todd Merrell As an agent for Niagara Mohawk		Signature Todd P. Merrell		Date 11/13/06
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature [Signature]		Date 11/13/06
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				
Printed/Typed Name		Signature		Date



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 285763 P41 Kelly Dwyer

11/13/06 11/13/06 14:12 14:46 7002

2667-45

Scale 1 Gross Wt. 107100 LB
Scale 2 Tare Wt. 35760 LB
Net Weight 71340 LB

Inbound - Charge ticket

35.67 TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET WEIGHT
GROSS WEIGHT
TARE WEIGHT
NET WEIGHT

NON-HAZARDOUS WASTE BILL OF LADING

36

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-009		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 518-477-8940			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.				6. US EPA ID Number NYR000097972			
7. Transporter 2 Company Name				8. US EPA ID Number			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 009 AC 96590 T-23 Truck # 48265-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd Merrell				Signature <i>Todd Merrell</i>		Date Month 11 Day 13 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Wayne Dauray</i>		Date Month 11 Day 13 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space AD							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
5 EN. Sec. 100.1

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 285764 P4 I Kelly Dwyer

11/13/06 11/13/06 14:13 14:51 7003

REFERENCE	ORIGIN
2667-36	

Scale 1 Gross Wt.	104800	LB
Scale 2 Tare Wt.	37940	LB
Net Weight	66860	LB

Inbound - Charge ticket

33.43 TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

NON-HAZARDOUS WASTE BILL OF LADING

701-10

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. CV-010

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental
Syracuse, NY 13202
ATTN: BRIAN STEARNS

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

4. Generator's Phone

315 428-5731

6. US EPA ID Number

NY0000097444

A. Transporter 1 Phone

315-697-8437

5. Transporter 1 Company Name

ABSCOPE ENVIRONMENTAL, INC.

8.

US EPA ID Number

B. State Transporter's ID

7A-369

7. Transporter 2 Company Name

C. Transporter 2 Phone

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10.

US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

12. Containers
No. Type

1 1

DT

Est. 20

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 010

NY 36222 AF

AbSCOPE Truck # 23

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

Todd P. Merrell

As an agent for
Niagara Mohawk

Signature

Todd P. Merrell

Date

Month Day Year
11 13 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Randy Forcison

Signature

Randy Forcison

Month Day Year
11 13 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

HP

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Date

Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
 Rapp Road Waste Management Facility
 525 Rapp Rd • Albany, N.Y. 12205
 (518) 869-3651

06033 Abscope Environmental, Inc.
 PO Box 487
 Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	285770	P4 I		Kelly Dwyer	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
11/13/06	11/13/06	14:29	14:49	7001	
REFERENCE				ORIGIN	
2667-23					

Scale 1 Gross Wt. 74040 LB
 Scale 2 Tare Wt. 25760 LB
 Net Weight 48280 LB

Outbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
24.14	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
 THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 AGREEMENT

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

LOT # 2667

SIGNATURE _____



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
 Rapp Road Waste Management Facility
 525 Rapp Rd • Albany, N.Y. 12205
 (518) 869-3651

06033 Abscope Environmental, Inc.
 PO Box 487
 Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	285770	P4 I		Kelly Dwyer	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
11/13/06	11/13/06	14:29	14:49	7001	
REFERENCE				ORIGIN	
2667-23					

Scale 1 Gross Wt. 74040 LB
 Scale 2 Tare Wt. 25760 LB
 Net Weight 48280 LB

Outbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
24.14	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
 THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 AGREEMENT

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-011		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972		A. Transporter 1 Phone 518-477-8540			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-205			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est. 32 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 011 NY AC 97050 Truck # 48273-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month 11 Day 13 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Keith Palmer</i>		Date Month 11 Day 13 Year 06	
Printed/Typed Name Keith Palmer				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

Scale 1 Gross Wt.	113060	LB
Scale 2 Tare Wt.	38760	LB
Net Weight	74300	LB

37.15 TON CONTAMINATED SOIL

02 285803 P4 I BREND A

11/14/06 11/14/06 07:46 08:29 7003

2667-47

Inbound - Charge ticket

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

RECEIVED
11/14/06
11:14 AM
BREND A

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-012		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone: 315 428-5731 ATTN: BRIAN STEARNS				A. Transporter 1 Phone: 518 477 8540			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.				6. US EPA ID Number NYR000097972			
7. Transporter 2 Company Name				8. US EPA ID Number			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				No. 1 Type DT		Est. 32 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 012 NY AR 27257 Truck # 48264 PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
17. Transporter 1 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name Todd P. Merrill As an agent for Niagara Mohawk				Signature <i>Todd P. Merrill</i>		Month 11 Day 13 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name Chris Hale				Signature <i>Chris Hale</i>		Month 11 Day 13 Year 06	
19. Discrepancy Indication Space				Date			
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				Date			
Printed/Typed Name				Signature		Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
ALBANY, NY 12242-1001

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 285792 P41 BRENDIA

11/14/06 11/14/06 07:15 08:04 7008

2667-42

Scale 1 Gross Wt.	112920	LB
Scale 2 Tare Wt.	37520	LB
Net Weight	75400	LB

Inbound - Charge ticket

37.70 TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Page 4226

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-013		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name PAGE E T C, INC.		6. US EPA ID Number NYD986969947		A. Transporter 1 Phone 800-233-2126			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-296			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address WASTE MANAGEMENT OF NEW YORK - HIGH ACRES 425 PERINTON PARKWAY FAIRPORT, NY 14450		10. US EPA ID Number N/A		D. State Facility's ID 8-2644-00048/00032			
				E. Facility's Phone (585) 223-6132			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. NON-REGULATED MATERIAL				1 ROLL OFF		Est. 16 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above RAIL ROAD TIES				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC APPROVAL # VG4041 - NON-HAZARDOUS RAIL ROAD TIES Load # 013							
27331-PA Truck # 4226							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date 11/14/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>John Schieble</i>		Date 11/14/06	
Printed/Typed Name John Schieble				Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name P. Anna Conzel				Signature <i>P. Anna Conzel</i>		Date 11/14/06	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



High Acres LF
425 Perinton Pkwy
Fairport, NY, 14450
Ph: (585) 223-6132

Customer Name ABSCOPE-VG4041 ABSCOPE ENV-RE Carrier PAG PAG
Ticket Date 11/14/2006 Vehicle# 4226
Payment Type Credit Account Container
Manual Ticket# Driver
Hauling Ticket# Check#
Route Billing # 00045
State Waste Code Gen EPA ID
Manifest GV-013 Grid CELL 8V
Destination
PO
Profile VG4041 (NI-MO RR TIES (L))
Generator 190-NIAGARAFRONT HAWK NIAGARA MOHAWK

	Time	Scale	Operator	
In	11/14/2006 12:40:29	A_Scale_1	pschweiz	
Out	11/14/2006 13:31:27	B_Scale_2	pschweiz	

Comments

Product	LD%	Dty	UDM	Rate
1 Special Misc-Tons- 100		13.51	Tons	

Driver's Signature

Total T

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-014		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # 06-095 - App. # LOAD # 014 NY 34535 JT							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 20 06	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Jim Smith				Signature <i>Jim Smith</i>		Date Month Day Year 11 20 06	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11 20 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

SSW40A
Soil
Cover

Seneca Meadows, Inc.
1706 Salaman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-2097

Ticket: 1464363
Date: 11/20/2006
Time: 10:32:40 - 10:54:41

Customer: 15ABS / ABSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095E-15ABS / 15ABS-2006095

Gross: 106020LBS
Taxes: 39000LBS
Net: 67020LBS

Origin: 40 / FULTON
Truck: RIC10
Comments:

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

33.5100 Tons

Weighmaster: CARRIE 450047

Driver:

Ar Smith 1109

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-015		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1785 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID B-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 TON		Est. 34	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # <i>Approv. # 06-095</i> LOAD # <i>015</i> NY 12750 JV T-63							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>Todd P. Merrell</i>				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 20 06	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name <i>Robert Durney</i>				Signature <i>Robert Durney</i>		Date Month Day Year 11 20 06	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11 20 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Saleman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3897

Ticket: 1464366
Date: 11/20/2006
Time: 10:33:54 - 11:00:28

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Gross: 115640LBS
Tare: 43200LBS
Net: 72360LBS

Origin: 40 / FULTON
Truck: RIG63
Comments:

Waste & Services

Quantity

BCS01 / BZR-CONTAM SOIL

36.1800 Tons

Weighmaster: CARRIE 450047

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-016		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN:				SITE ADDRESS:			
				20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type	Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1	DT	Est. 34	TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App. # 06-095 LOAD # 016 <div style="text-align: right;">NY 25105-JU AR 40449</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
17. Transporter 1 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name Todd P. Merrell		Signature <i>Todd P. Merrell</i>		Month 11		Day 20	
				Year 06			
18. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name James Musacchio		Signature <i>James Musacchio</i>		Month 11		Day 20	
				Year 06			
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date 11/20/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464377
Date: 11/20/2006
Time: 10:53:01 - 11:20:02

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Gross: 125180 LBS
Tare: 42640 LBS
Net: 82540 LBS

Origin: 40 / FULTON
Truck: R1048
Comments:

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

41.2700 Tons

Weighmaster: CARRIE 450047

Driver: *gm 138*

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-017		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 315-433-5115			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		B. State Transporter's ID 7A-402		C. Transporter 2 Phone	
7. Transporter 2 Company Name		8. US EPA ID Number		D. State Facility's ID 8-45320002300001		E. Facility's Phone (315) 539-5624	
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.		Type	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est. 34	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App. # 06-095 LOAD # 017 <div style="text-align: right;">NY 34542 JT AM 303 59</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
17. Transporter 1 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name <i>As an Agent for</i> Todd P. Merrell Niagara Mohawk				Signature <i>Todd P. Merrell</i>		Month Day Year 11 20 06	
17. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name Matt Tornatore 125				Signature <i>Matt Tornatore</i>		Month Day Year 11 20 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date 11/20/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464393
Date: 11/20/2006
Time: 11:25:14 - 11:43:47

Customer: 15ABS / AKSCOPE INC

Carrier: 9979 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Gross: 113280 LBS
Tare: 30960 LBS
Net: 74320 LBS

Origin: 40 / FULTON
Truck: RID11
Comment:

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

37.1600 Tons

Weighmaster: CARRIE 450047

Driver: *MTD 125*

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-018		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone # 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit WL/Vol.	
				a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1 DT Est. 34 TONS	
				b.			
				c.			
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App # 06-095 LOAD # 018 <div style="text-align: right;">NY 34572-JT AL-52081</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell As an agent for Niagara Mohawk				Signature <i>Todd P. Merrell</i>		Date 11/20/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Donald R. Wohl</i>		Date 11/20/06	
Printed/Typed Name Donald R. Wohl				Signature		Date 11/20/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date 11/20/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.

1786 Salzman Rd.

Watertown, NY 13165

Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464384

Date: 11/20/2006

Time: 11:13:43 - 11:32:42

Customer: 15ABS / ABSOPE INC

Carrier: 9999 / VARIOUS HAULERS

Profile: 2006095B-15ABS / 15ABS-2006095

Gross: 96960LBS

Tare: 33520LBS

Net: 57440LBS

Origin: 40 / FULTON

Truck: R1C13

Comment:

Wastes & Services

Quantity

PCS01 / B/R-CONTAM SOIL

28.7200 Tons

Weighmaster: CARRIE 450047

Driver:

Handwritten signature: J. Walsh 11/20/06

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

254

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-019		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: 4. Generator's Phone 315 428-5731 BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001		E. Facility's Phone (315) 539-5624	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 TONS		Est. 34	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App # 06-095 LOAD # 019				NY 32241-PA			
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 20 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>L. Kimball</i>		Date Month Day Year 11 20 06	
Printed/Typed Name L. Kimball				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11 20 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

#254

Seneca Meadows, Inc.
1780 Salaman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Customer: 15ABS / ABScope INC

Origin: 40 / FULTON
Truck: RIC254
Comment:

Wastes & Services

BCSD1 / B/R-CONTAM SOIL

Quantity

26.8500 Tons

Weighmaster: CARRIE 450047

Driver:

Amos

Ticket: 1484394
Date: 11/20/2006
Time: 11:21:30 - 11:45:42

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095R-15ABS / 15ABS-2006095

Gross: 61880LBS
Tare: 29780LBS
Net: 52100LBS

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

16

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-020		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315-428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers No. Type		13. Total Quantity	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1. DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC AM 4/090 PROFILE # App. # 06-095 LOAD # 020 NY 35060-JJ							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd B. Merrell As an agent for Niagara Mohawk				Signature <i>Todd B. Merrell</i>		Date Month 11 Day 20 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Dave Montessor</i>		Date Month 11 Day 20 Year 06	
Printed/Typed Name Dave Montessor				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month 11 Day 20 Year 04	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

16

Seneca Meadows, Inc.
1786 Salomon Rd.
Watertown, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464428
Date: 11/20/2006
Time: 12:19:12 -- 12:37:04

Customer: 15ANS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ANS-2006095

Gross: 110000LBS Manual
Tare: 40000LBS
Net: 70000LBS

Origin: 40 / FULTON
Truck: RIC16
Comment:

Wastes & Services	Quantity
BC501 / B/R-CONTAIN SOIL	35.0000 Tons

Paul 10/17

Weighmaster: ANN 450072

Driver: _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-021		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS 4. Generator's Phone 315 428-5731				SITE ADDRESS: 20 HILL STREET			
				GLOVERSVILLE, NY 12078			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est 34	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App-# 06-095 LOAD # 021 <div style="text-align: right;">NP 35019 - JT AM 41088</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd R. Merrell <i>As an agent for Niagara Mohawk</i>				Signature <i>Todd R. Merrell</i>		Date Month 11 Day 20 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Conny Keach</i>		Date Month 11 Day 20 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month 11 Day 20 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1706 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464429
Date: 11/20/2006
Time: 12:19:30 - 12:40:58

Customer: LEARS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095R-15AB5 / 15AB5-2006095

Origin: 40 / FULTON
Truck: RTC18
Comment:

Gross: 119300LBS
Tare: 39380LBS
Net: 79920LBS

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

39.9600 Tons

Weightmaster: ANN 450072

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-022		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN:				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 TON		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above <div style="text-align: center;">L</div>			
15. Special Handling Instructions and Additional Information <div style="text-align: right;">NY 44815-JD</div> EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC AH 67406 PROFILE # App # 06-095 LOAD # 022							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>As an agent for</i> Todd P. Merrell Niagara Mohawk						Date Month Day Year 11/20/06	
Signature <i>Todd P. Merrell</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name Frank Notaro						Month Day Year 11/20/06	
Signature <i>Frank Notaro</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name						Month Day Year	
Signature							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name						Date Month Day Year 11/20/06	
Signature <i>[Signature]</i>							

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1700 Saloman Rd.
Watertown, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 146445E
Date: 11/20/2006
Time: 12:46:42 - 13:14:59

Customer: 15ARS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ARS / 15ARS-2006095

Gross: 122000LBS
Tare: 39120LBS
Net: 83740LBS

Origin: 40 / FULTON
Truck: RTCB1
Comments:

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

41.8700 Tons

Weighmaster: AHN 450072

Driver: *Jack [Signature]*

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-023		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone: 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RICELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App. # 06-095 LOAD # 023 NY 448 Z1 JD AH 67409							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 20 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Tom Roemer</i>		Date Month Day Year 11 20 06	
Printed/Typed Name Tom Roemer				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11 20 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Sallman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464548
Date: 11/20/2006
Time: 14:41:44 - 16:04:26

Customer: 15ABS / ABSOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Origin: 40 / FULTON
Truck: RLC30
Comments:

Gross: 114600LBS
Taxes: 39900LBS
Net: 74700LBS

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

37.3900 Tons

Weighmaster: LYDIA 450104

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on ellipse (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-024		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 315-433-5115			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		B. State Transporter's ID 7A-402		C. Transporter 2 Phone	
7. Transporter 2 Company Name		8. US EPA ID Number		D. State Facility's ID 8-45320002300001		E. Facility's Phone (315) 539-5624	
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC AM 41060 PROFILE # App. # 06-095 LOAD # 024 NY 35052 JT							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month 11 Day 20 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Pete Klingender</i>		Date Month 11 Day 20 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>Carroll</i>		Date Month 11 Day 20 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salaman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464546
Date: 11/20/2006
Time: 13:19:40 - 15:57:29

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Gross: 136500LBS
Tare: 39400LBS
Net: 97100LBS


Origin: 40 / FULTON
Truck: RIC15
Comments:

Wastes & Services

Quantity

BCS01 / R/R-CONTAM SOIL

42.5900 Tons



Weighmaster: LYDIA 450104

Drivers

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on ellipse (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-025		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone: 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		Est 34. TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App # 06-095 LOAD # 025 NY 21283 PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>As an agent for</i> Todd Merrell Niagara Mohawk				Signature <i>Todd C. Merrell</i>		Date 11/20/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Don Weaver</i>		Date 11/20/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date 11/20/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

780392

Seneca Meadows, Inc.
1786 Salmon Rd.
Watkins, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464573
Date: 11/20/2006
Time: 13:59:10 - 17:05:49

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Gross: 153960LBS
Tare: 35800LBS
Net: 118160LBS

Origin: 40 / FULTON
Trailer: RIC265
Comments:

Wastes & Services

Quantity

BC501 / R/R-CONTAM SOIL

59.0800 Tons

Weighmaster: LYDIA 450104

Driver: 

734

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-026		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App. # 06-095 LOAD # 026 NY 34535-JT AM-30361							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 20 06	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name Jim Smith				Signature <i>Jim Smith</i>		Date Month Day Year 11 20 06	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11/20/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Watertown, NY 13143
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464609
Date: 11/21/2006
Time: 06:50:54 - 07:11:32

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095R-15ABS / 15ABS-2006095

Gross wt: 112200LBS
Tare: 39220LBS
Net: 73060LBS

Origin: 40 / FULTON
Truck: RUC10
Comment:

Wastes & Services

Quantity

HCS01 / B/R-CONTAM SOIL

36.5300 Tons

Weighmaster: CARRIE 450047

Driver: *Jim Smith* 1108

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-027		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 315-433-5115			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		B. State Transporter's ID 7A-402		C. Transporter 2 Phone	
7. Transporter 2 Company Name		8. US EPA ID Number		D. State Facility's ID 8-45320002300001		E. Facility's Phone (315) 539-5624	
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A					
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App. # 06-095 LOAD # 027 NY 25105-JU AR 40449							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11/20/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>James Musacchio</i>		Date Month Day Year 11/20/06	
Printed/Typed Name JAMES MUSACCHIO				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11/20/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3057

Ticket: 1464957
Date: 11/21/2006
Time: 13:38:45 - 14:40:16

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006-095-15ABS / 15ABS-2006-09

Gross: 121000LBS
Tare: 42920LBS
Net: 78180LBS

Origin: 40 / FULTON
Truck: RIC48
Comment:

Wastes & Services

Quantity

IC601 / CONTAMINAT SOIL

39.0800 Tons

Weightmaster: CORRE 450047

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-028		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit WL/Vol.	
				a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1 DT Est. 34 TONS	
				b.			
				c.			
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above <div style="text-align: center;">L</div>			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App. # 06-095 LOAD # 028 <div style="text-align: right;">NY 345 72-5T AL-52081</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Menell <i>As an agent for Niagara Mohawk</i>				Signature <i>Todd P. Menell</i>		Date 11/20/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Gerard Webb</i>		Date 11/20/06	
Printed/Typed Name Gerard Webb							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date 11/27/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Watertown, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464621
Date: 11/21/2006
Time: 07:02:51 - 07:25:07

Customer: 15ABS / ABSORBE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Gross: 114620LBS
Tare: 39080LBS
Net: 74740LBS

Origin: 40 / FULTON
Truck: RIC13
Comments:

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

37.3700 Tons

M. Welch

Weightmaster: GARRIE 450047

Driver:

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-029		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		8. US EPA ID Number		B. State Transporter's ID 7A-402			
7. Transporter 2 Company Name				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 TON		EST 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # APP # 00-095 LOAD # 029 NY 322 41 P19 AK 35399							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 20 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name L. KIMBARK				Signature <i>L. Kimbark</i>		Month Day Year 11 20 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11 21 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Watertown, NY 13165
Ph: (315) 539-5624 Fax: (315) 529-3097

Ticket: 1464960
Date: 11/21/2006
Time: 13:44:59 - 14:43:04

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006-095-15ABS / 15ABS-2006-09

Gross: 95580 LBS
Tare: 29540 LBS
Net: 66040 LBS

Origin: 40 / FULTON
Truck: RIC254
Comment:

Wastes & Services

Quantity

ICS01 / CONTAMINAT SD11

33.0200 Tons

Weighmaster: CARRIE 450047

Driver: *Snokey*

591
120

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-030		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN:				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-40E			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit WL/Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App. # 06-095 LOAD # 030 NY 34542-JT AM -30359							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Menell				Signature <i>Todd P. Menell</i>		Date 11/20/06	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name Matt Tornatore				Signature <i>Matt Tornatore</i>		Date 11/20/06	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name <i>bray</i>				Signature <i>[Signature]</i>		Date 11/21/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Saltman Rd.
Watertown, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1484539
Date: 11/21/2006
Time: 07:10:35 - 07:41:55

Customer: 15ABS / ABSOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095R-15ABS / 15ABS-2006095

Gross: 125200LBS
Tare: 39320LBS
Net: 85880LBS

Origin: 40 / FULTON
Truck: R1041
Comments:

Wastes & Services

Quantity

BC501 / D/R-CONTAM SOIL

42.9400 Tons

Weighmaster: CARRIE 450047

Driver: *MJD* 125

NON-HAZARDOUS WASTE BILL OF LADING

NON COVER

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-031		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		Est 34 TONS	
b.							
c.							
d.							
14. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				15. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # 06-095 LOAD # 031 NY 35060-J AM - 41090 TPM 11/20/06							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date 11/20/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Dale Montessor</i>		Date 11/20/06	
Printed/Typed Name Dale Montessor				Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name Gray				Signature <i>Gray</i>		Date 11/21/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464672
Date: 11/21/2006
Time: 07:36:18 - 08:13:34

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HALLERS
Profile: 20060950-15ABS / 15ABS-2006095

Gross: 123340LBS
Tare: 40460LBS
Net: 82880LBS

Origin: 40 / FULTON
Truck: R1016
Comment:

Wastes & Services:

Quantity

HCS01 / R/R-CONTAM SOIL

41.4400 Tons

Rate 1614

57A

Weighmaster: CARRIE 430047

Driver:

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-032		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		Est 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App # 06-095 LOAD # 032 NY 35019 JT AW 4/088							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 20 06	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name Lonny Keach				Signature <i>Lonny Keach</i>		Date Month Day Year 11 20 06	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11 20 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3027

Ticket: 1464668
Date: 11/21/2006
Time: 07:35:00 - 08:03:40

Customer: 15ABS / ABSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Origin: 40 / FULTON
Truck: RIC18
Comment:

Gross: 118440 LBS
Tare: 39780 LBS
Net: 78660 LBS

Wastes & Services

Quantity

BCSD1 / B/R-CONTAM SOIL

39,3300 Tons

Weighmaster: CARITE 450047

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on allie (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-033	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS					
5. Transporter 1 Company Name RICELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402	
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 8-45320002300001	
				E. Facility's Phone (315) 539-5624	
11. WASTE DESCRIPTION			12. Containers No. Type	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816			1 DT	Est. 34	TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS			G. Handling Codes for Wastes Listed Above <div style="text-align: center;">L</div>		
15. Special Handling Instructions and Additional Information <div style="display: flex; justify-content: space-between;"> <div> EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # Approv. # 06-095 LOAD # 033 </div> <div style="text-align: right;"> Truck NY 11139-TR Trailer 161187 </div> </div>					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name Todd P. Merrell		Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 21 06	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>Adam Thel</i>		Date Month Day Year 11 21 06	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.					
Printed/Typed Name		Signature <i>[Signature]</i>		Date Month Day Year 11 21 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

780392

Seneca Meadows, Inc.
1786 Salmon Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464776
Date: 11/21/2006
Time: 10:33:19 - 10:33:23

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006-095-15ABS / 15ABS-2006-09

Gross: 115240 LBS
Tare: 36140 LBS
Net: 79100 LBS

Origin: 40 / FULTON
Truck: RDC268
Comments:

Wastes & Services:

Quantity

ICSC1 / CONTAMINAT SOIL

39.5500 Tons

Weighmaster: LYDIA 450104

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-034		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN:				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 TON		Est 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # <i>Approv. # 06-095</i> LOAD # <i>034</i> Trailer NY 1010 B7 Truck NY 58414-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell <i>As an agent for Niagara Mohawk</i>				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 21 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Michael C...</i>		Date Month Day Year	
Printed/Typed Name Mike C...				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11 21 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Watertown, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464833
Date: 11/21/2006
Time: 10:31:59 - 11:37:24

Customer: 15ARB / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006-095-15ARB / 15ARB-2006-09

Gross: 118460LBS
Tare: 36460LBS
Net: 82000LBS

Origin: 40 / FULTON
Truck: RICE59
Comments:

Wastes & Services

Quantity

ICSD1 / CONTAMINAT SOIL

41.0000 Tons

Weighmaster: CARRIE 450047

Driver:

NON-HAZARDOUS WASTE BILL OF LADING

131

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-035		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
						Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est-34	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above <div style="text-align: center;">L</div>			
15. Special Handling Instructions and Additional Information <div style="text-align: right;"><i>Trailer # NY 1894 B7</i></div> EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # <i>Approv. # 06-095</i> LOAD # <i>035</i> <div style="text-align: right;"><i>Truck # NY 32278-PA</i></div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month 11 Day 21 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Glen Sauerhagen</i>		Date	
Printed/Typed Name Glen Sauerhagen				Signature <i>Glen Sauerhagen</i>		Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name <i>[Signature]</i>				Signature <i>[Signature]</i>		Date Month 11 Day 21 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

131

Seneca Meadows, Inc.
1786 Salomon Rd.
Waterloo, NY 13165
Ph: (315) 539-5684 Fax: (315) 539-3097

Customer: 15ABS / ABSCOPE INC

Origin: 40 / FULTON
Truck: RIC131
Comment:

Ticket: 1464803
Date: 11/21/2006
Time: 10:34:12 - 11:03:05

Canceled: 9999 / VARIOUS HAULERS
Profile: 2006-095-15ABS / 15ABS-2006-09
Gross: 122380LBS
Tare: 36900LBS
Net: 85480LBS

Wastes & Services

Quantity

42.7400 Tons

IC901 / CONTAMINAT SOIL

Weighmaster: GARRIE 450047

Driver: *John Sauerhager*

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-036		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET			
				GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		8. US EPA ID Number		B. State Transporter's ID 7A-402			
7. Transporter 2 Company Name				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above: PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above: <div style="text-align: center;">L</div>			
15. Special Handling Instructions and Additional Information <div style="text-align: right;">NY 1539 B1</div> EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # APPROV. 06-095 LOAD # 036 <div style="text-align: right;">Truck 64340-PA</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month 11 Day 21 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Jim R. S.P.</i>		Date Month 11 Day 21 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name Bray				Signature <i>Bray</i>		Date Month 11 Day 21 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Watertown, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464830
Date: 11/21/2006
Time: 10:54:13 - 11:42:10

Customer: 15ABS / ABSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006-095-15ABS / 15ABS-2006-09

Origin: 40-7 FULTON
Truck: R11156
Comments:

Gross: 122100 LBS
Tare: 37260 LBS
Net: 88840 LBS

Wastes & Services

Quantity

ICSO1 / CONTAMINAT SOIL

44.4200 Tons

Weighmaster: CARRIE 450047

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-037		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above <div style="text-align: center;">L</div>			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # <i>Approv. # 06-095</i> LOAD # <i>037</i> <div style="text-align: right;">NY 12750 JV AR 40867</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell <i>As an agent for Niagara Mohawk</i>				Signature <i>Todd P. Merrell</i>		Date Month 11 Day 21 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Radney G. Sney</i>		Date Month 11 Day 21 Year 06	
Printed/Typed Name				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>Sanctus</i>		Date Month 11 Day 21 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER
FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.

Waterloo, NY 13165

Ph: (315) 539-5624 Fax: (315) 539-3097

Customer: 15ABS / ARSCOPE INC

Origin: 40 / FULTON

Truck: RIC63

Comment:

Wastes & Services

IC801 / CONTAMINAT SOIL

Ticket: 1464857

Date: 11/21/2006

Time: 12:00:25 - 12:18:52

Carrier: 9999 / VARIOUS HAULERS

Profiler: 2006-095-15ABS / 15ABS-2006-09

Gross: 106960LBS

Tare: 42980LBS

Net: 63980LBS

Quantity

31.9900 Tons

Driver:

Weighmaster: ANN 450072

RDmy 1521

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-038		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone: 315 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001		E. Facility's Phone (315) 539-5624	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 TON		TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App. # 06-095 LOAD # 038 NY 34535-JT AM-30361							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 21 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Jim Smith</i>		Date Month Day Year 11 21 06	
Printed/Typed Name Jim Smith				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11 21 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 12165
Ph: (315) 539-5624 Fax: (315) 539-3097

Customer: 15ABS / ABSORE INC

Origin: 40 / FULTON
Trucks: RIC10
Comment:

Waste & Services

ICS01 / CONTAMINAT SOIL

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006-095-15ABS / 15ABS-2006-09

Ticket: 1464917
Date: 11/21/2006
Time: 13:16:43 - 13:

Gross: 97260LBS
Tare: 30640LBS
Net: 50620LBS

Quantity
P9.3100 Tons

Weighmaster: ANH 450072

Driver: *J. Smith* 1129

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-039		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		8. US EPA ID Number		B. State Transporter's ID 7A-402			
7. Transporter 2 Company Name				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App # 06-095 LOAD # 039 NY 34572-JT Trailer # AL-52 081							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell Signature Todd P. Merrell Date 11/21/06						As an agent for NIAGARA MOHAWK	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name Conrad Welsh Signature Conrad Welsh Date 11/21/06							
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name Signature Date							
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name Signature						Date 11/21/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Satchman Rd.
Waterloo, NY 13163
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464920
Date: 11/21/2006
Time: 13:17:31 - 13:50:14

Customer: 15AB8 / ABSORPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 8006-095-15AB8 / 15AB8-2006-09

Gross: 105320LBS
Tare: 39160LBS
Net: 66160LBS

Origin: 40 / FULTON
Truck: RIC13
Comment:

Wastes & Services

Quantity

ICS01 / CONTAMINAT SOIL

33.0000 Tons

Weighmaster: ANH 450072

Driver: *M. Wan* 185

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-040	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone 315 428-5731		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115	
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		8. US EPA ID Number		B. State Transporter's ID 7A-402	
7. Transporter 2 Company Name				C. Transporter 2 Phone	
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 8-45320002300001	
				E. Facility's Phone (315) 539-5624	
11. WASTE DESCRIPTION			12. Containers	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816			No. 1	Type DT	Est 34 TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS			G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # 040 LOAD # 040 <div style="text-align: right;">NY 25105 - JU AR 40449</div>					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name Todd P. Merrell		Signature <i>Todd P. Merrell</i>		Date Month 11 Day 21 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name JAMES MUSTACCHIO		Signature <i>James Mustacchio</i>		Date Month 11 Day 21 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.					
Printed/Typed Name		Signature <i>[Signature]</i>		Date Month 11 Day 21 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 339-5624 Fax: (315) 339-3097

Tickets: 1464630
Date: 11/21/2006
Time: 07:09:47 - 07:33:22

Customer: 15ABS / ABSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095H-15ABS / 15ABS-2006095

Gross: 140160LBS
Tare: 43200LBS
Net: 96960LBS

Origin: 40 / FULTON
Truck: RIC48
Comment:

Wastes & Services

BCS01 / B/R-CONTAM SOIL

Quantity
48.4800 Tons

Weighmaster: CARRIE 450047

Driver:

138

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on olive (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV041		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS:			
				20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 BRIAN STEARNS ATTN:							
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total	
				No. Type		Quantity	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above <div style="text-align: center;">L</div>			
15. Special Handling Instructions and Additional Information <div style="display: flex; justify-content: space-between;"> EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC NY AK 35391 </div> <div style="display: flex; justify-content: space-between;"> PROFILE # App. # 06-095 Truck # 32291 PA </div> <div style="display: flex; justify-content: space-between;"> LOAD # 041 </div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd L. Merrell Niagara Mohawk				Signature <i>Todd L. Merrell</i>		Date Month Day Year 11 21 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature L. Kimball		Date Month Day Year 11 21 06	
Printed/Typed Name L. Kimball				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year 11 21 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTEER FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464648
Date: 11/21/2006
Time: 07:27:28 - 07:50:50

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 20060950-15ABS / 15ABS-2006095

Gross: 95000LBS
Tare: 30380LBS
Net: 65500LBS

Origin: 40 / FULTON
Truck: RIC254
Comment:

Wastes & Services

Quantity

PCS01 / B/R-CONTAM SOIL

32.7500 Tons

Weighmaster: CARRIE 450047

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-042		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731		5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165				10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001	
E. Facility's Phone (315) 539-5624							
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App # 06-095 LOAD # 642 NY 34542 JT AM-30359							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd R. Merrill <i>As an agent for Niagara Mohawk</i>				Signature <i>Todd R. Merrill</i>		Date Month 11 Day 21 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Matt Tornatore</i>		Date Month 11 Day 21 Year 06	
Printed/Typed Name 18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month 11 Day 21 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464972
Date: 11/21/2008
Time: 14:00:51 - 15:02:15

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006-095-15ABS / 15ABS-2006-09

Gross: 117420 LBS
Tare: 38700 LBS
Net: 78720 LBS

Origin: 40 / FULTON
Truck: R1C11
Comment:

Wastes & Services

Quantity

ICSO1 / CONTAMINAT SOIL

39.3600 Tons

Weighmaster: GARRIE 450047

Driver: *M. T. 125*

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-043	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone: 315 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402	
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number <div style="text-align: center;">N/A</div>		C. Transporter 2 Phone	
				D. State Facility's ID 8-45320002300001	
				E. Facility's Phone (315) 539-5624	
11. WASTE DESCRIPTION				12. Containers	13. Total Quantity
				No.	14. Unit WL/Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1	DT Est 34 TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above <div style="text-align: center;">L</div>	
15. Special Handling Instructions and Additional Information <div style="text-align: right;">NY 35019-JT</div> EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App. # 06-095 LOAD # 043 Trailer # AM 41088					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name As an agent for Todd P. Merrell Niagara Mohawk				Signature Todd P. Merrell	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name Conny Keach				Signature Conny Keach	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Signature	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.					
Printed/Typed Name By				Signature [Signature]	
				Date 11/21/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5604 Fax: (315) 539-3097

Ticket: 1464973
Date: 11/21/2006
Time: 14:05:40 - 15:03:43

Customer: 15ABS / ABSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006-095-15ABS / 15ABS-2006-09

Gross: 121940 LB
Tare: 39200 LB
Net: 82740 LB

Origin: 40 / FULTON
Truck: RIC18
Comments:

Wastes & Services

Quantity

1C901 / CONTAMINAT SOIL

41.3700 Tons

Weighmaster: CARRIE 450047

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-044		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				6. US EPA ID Number NYR000059246			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.				A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name				B. State Transporter's ID 7A-402			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165				10. US EPA ID Number <div style="text-align: center;">N/A</div>			
				D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION			12. Containers		13. Total Quantity		14. Unit
			No.	Type			Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816			1	DT	Est 34		TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above <div style="text-align: center;">L</div>			
15. Special Handling Instructions and Additional Information <div style="text-align: right;">NY 35060 JT</div> EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # App. # 06-095 LOAD # 044 <div style="text-align: right;">AM-41090</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell <i>As an agent for Niagara Mohawk</i>				Signature <i>Todd P. Merrell</i>		Date Month 11 Day 21 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Dale Montessoro</i>		Date Month 11 Day 21 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name						Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 18.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month 11 Day 21 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salaman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1464990
Date: 11/21/2006
Time: 14:16:50 - 15:40:31

Customer: 15ABS / ABSOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006-095-15ABS / 15ABS-2006-09

Gross: 119200LB
Taxes: 39600LB
Net: 79600LB


Origin: 40 / FULTON
Truck: RIC16
Comment:

Wastes & Services

Quantity

ICS01 / CONTAMINAT SOIL

39.8000 Tons



Weighmaster: CARRIE 450047

Driver:

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-045	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202			SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS			A. Transporter 1 Phone 315 697-0437	
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.			B. State Transporter's ID 7A-369 7A-370	
6. Transporter 2 Company Name Ron Allen Trucking			C. Transporter 2 Phone 1-800-941-7452	
7. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205			D. State Facility's ID 4-01010017100011	
8. US EPA ID Number NA			E. Facility's Phone (518) 869-3651	
9. US EPA ID Number N/A				
11. WASTE DESCRIPTION		12. Containers	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		No. 1 Type DT	Est 34	TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS.		G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 045 NY AM 74416 (TRM) NY AM 74415 71928-PA Truck 13270 TR (TRM)				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name Todd P. Merrell		Signature Todd P. Merrell	Date 11/30/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name Gerald D Eckert		Signature Gerald D Eckert	Date 11/30/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				
Printed/Typed Name		Signature	Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER		
02	287531	P41	BRENDA \$10.509 + 59.13		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
11/30/06	11/30/06	09:56	10:19	7002	
REFERENCE			ORIGIN		
2667-74					

Scale 1 Gross Wt.	110020	LB
Scale 2 Tare Wt.	39580	LB
Net Weight	70440	LB

Inbound - Charge ticket

QTY.	Net Weight UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
35.22	TON	CONTAMINATED SOIL			0.00	

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **GV-046**

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY
300 Erie Blvd. West Environmental
Syracuse, NY 13202

SITE ADDRESS:

20 HILL STREET

GLUVERSVILLE, NY

12078

4. Generator's Phone

315 428-5731 ATTN: BRIAN STEARNS

US EPA ID Number

~~NY0000057444~~

A. Transporter 1 Phone

~~315 637-8437~~

5. Transporter 1 Company Name

~~ABSOCPE ENVIRONMENTAL, INC.~~

B. State Transporter's ID

~~7A-369~~ 4A-370

7. Transporter 2 Company Name

Ron Allen Trucking

8.

US EPA ID Number

NA

C. Transporter 2 Phone

1-800-941-7452

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10.

US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

12. Containers
No. Type

13. Total
Quantity

14. Unit
Wt./Vol.

a. CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

1

DT

Est 34

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above.

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC NY AM 744/6
LOT # 2667
LOAD # 046

NY AM 744/6 (TPM)
13270 TR
71928-PA (TPM)

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Date

Month Day Year
11 30 06

Printed/Typed Name As an agent for
Todd P. Marvell Niagara Mohawk

Signature

Todd P. Marvell

17. Transporter 1 Acknowledgement of Receipt of Materials

Date

Month Day Year
11 30 06

Printed/Typed Name
Stephen Bailey

Signature

Stephen Bailey

18. Transporter 2 Acknowledgement of Receipt of Materials

Date

Month Day Year

Printed/Typed Name

Signature

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Date

Month Day Year

Printed/Typed Name


Signature

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER		
02	287530	P41	BRENDA #10.505-586.		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	POLL OFF
11/30/06	11/30/06	09:54	10:16	7001	
REFERENCE		ORIGIN			
2667-91					

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
0
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-047		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erle Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS TPM				A. Transporter 1 Phone 315 637-8137 TPM			
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.				US EPA ID Number NY0000097444			
7. Transporter 2 Company Name Ron Allen Trucking Inc				B. State Transporter's ID 7A-389 4A-370			
8. US EPA ID Number NA				C. Transporter 2 Phone 1-800-941-7452			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				D. State Facility's ID 4-01010017100011			
10. US EPA ID Number N/A				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION		12. Containers		13. Total Quantity		14. Unit	
		No. Type				Unit Wt/Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1 DT		Est 34		TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 047 <div style="text-align: right;">NY AM 74416 13 270 TR</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell As an agent for Niagara Mohawk				Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 30 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Stephen Bailey</i>		Date Month Day Year 11 30 06	
Printed/Typed Name Stephen Bailey				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	287613	P41	teia Smith #10.502+581		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
11/30/06	11/30/06	13:42	14:04	7001	
REFERENCE		ORIGIN			
2667-91					

Scale 1 Gross Wt. 121760 LB
Scale 2 Tare Wt. 39280 LB
Net Weight 82480 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.24	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

GENERAL
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-048	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202			SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS			A. Transporter 1 Phone 315 697-8437	
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.			B. State Transporter's ID 7A 365 4A-370	
6. Transporter 2 Company Name Ron Allen Trucking Inc.			C. Transporter 2 Phone 1-800-941-7452	
7. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205			D. State Facility's ID 4-01010017100011	
8. US EPA ID Number N/A			E. Facility's Phone (518) 869-3651	
9. WASTE DESCRIPTION		12. Containers No.	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1	DT	Est 34 TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS		G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 048 NY AM 74415 71928-PA				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name Todd P. Merrell		Signature <i>Todd P. Merrell</i>		Date Month Day Year 11 30 06
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>Gerald D Eckert</i>		Date Month Day Year 11 30 06
Printed/Typed Name Gerald D Eckert		Signature		Date Month Day Year
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year
Printed/Typed Name		Signature		Date Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				
Printed/Typed Name		Signature <i>[Signature]</i>		Date Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER			
02	287615	P41	teia Smith #10.505 + 56 LIS			
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF	
11/30/06	11/30/06	13:46	14:08	7002		
REFERENCE				ORIGIN		
2867-74						

Inbound - Charge ticket

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

11-NDT-MED

CHANGE

CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

703
2667-74

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading
Document No.

GV-049

2. Page 1
of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental
Syracuse, NY 13202 ATTN: COMPANY

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

4. Generator's Phone 315 428-5731 BRIAN STEARNS

5. Transporter 1 Company Name

~~ADSCOPE ENVIRONMENTAL, INC.~~

6.

US EPA ID Number

~~NY 280005744~~

A. Transporter 1 Phone

315-697-84370

7. Transporter 2 Company Name

Ron Allen Trucking Inc.

8.

US EPA ID Number

NA

B. State Transporter's

4A-370

C. Transporter 2 Phone

1-800-941-7452

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10.

US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

12. Containers

No.

Type

13.
Total
Quantity

14.
Unit
WT./Vol.

1

DT

Est 34

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 049

NY AM 74415

71928-PA

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

Todd P. Merrell

As an agent for
Niagara Mohawk

Signature

Todd P. Merrell

Date

Month Day Year

11 30 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Gerald D Eckert

Signature

Gerald D Eckert

Date

Month Day Year

11 30 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Date


Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	287648	P41	JG 010214	#10.503	50 +1
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/01/06	12/01/06	07:31	07:49	7003	
REFERENCE		ORIGIN			
2667-74					

Scale 1 Gross Wt.	116800	LB
Scale 2 Tare Wt.	39040	LB
Net Weight	77760	LB

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.88	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

OT # 2667

NET AMOUNT

TENDERED

CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

7001
2657-91

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **GV-050**

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY
300 Erie Blvd. West Environmental
Syracuse, NY 13202

ATTN:

BRIAN STEARNS

4. Generator's Phone **315 428-5731**

BRIAN STEARNS

5. Transporter 1 Company Name

TPM 11/30/06

6.

US EPA ID Number

TPM

ABSCOPE ENVIRONMENTAL INC.

NY0000057444

A. Transporter 1 Phone

315-697-8487

B. State Transporter's ID

3A-369-4A-370

C. Transporter 2 Phone

1-800-941-7452

7. Transporter 2 Company Name

Ron Allen Trucking Inc.

8.

US EPA ID Number

NA

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10.

US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. **CONTAMINATED DIRT, SOIL OR SAND**
NON-HAZARDOUS N816

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

1

DT

Est 34

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 050

NY AM 74416

13270 TR

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

Todd P. Merrell

Signature

Todd P. Merrell

Date

Month Day Year
11 30 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Stephen Bailey

Signature

Stephen Bailey

Date

Month Day Year
11 30 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.

Printed/Typed Name

Signature

Date


Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER			
02	287647	P41	JG 010214	#10.505 + 50%		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF	
12/01/06	12/01/06	07:30	07:48	7001		
REFERENCE			ORIGIN			
2667-91						

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

7001-123

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. GV-051

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental COMPANY
Syracuse, NY 13202

4. Generator's Phone

ATTN: BRIAN STEARNS
315 428-5731

SITE ADDRESS:

20 HILL STREET

GLOVERSVILLE, NY

12078

5. Transporter 1 Company Name

~~ABSCOPE ENVIRONMENTAL, INC.~~

6.

US EPA ID Number

~~NY0000097444~~

A. Transporter 1 Phone

315-647-8437

7. Transporter 2 Company Name

Ron Allen Trucking Inc.

8.

US EPA ID Number

NA

B. State Transporter's ID

7A-365

C. Transporter 2 Phone

1-800-941-7452

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10.

US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

1

DT

Est 34

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 051

NY AA-59472

15212-TR

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

As an agent for
Niagara Mohawk

Signature

Todd P. Merrill

Date

Month Day Year
12 1 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

James R. Murphy

Signature

James R. Murphy

Date

Month Day Year
12 1 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Kelly Dwyer

Date

Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER
02	287682	P41	Kelly Dwyer
DATE IN	DATE OUT	TIME IN	TIME OUT
12/01/06	12/01/06	09:13	09:31
VEHICLE	ROLL OFF	7001	
REFERENCE	ORIGIN	2667-123	

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
47.92	TON	CONTAMINATED SOIL			0.00	

Scale 1 Gross Wt.	134060	LB
Scale 2 Tare Wt.	38220	LB
Net Weight	95840	LB

Inbound - Charge ticket

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
REEMENT

2667

NET AMOUNT

NON-HAZARDOUS WASTE BILL OF LADING

7002-744

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-052		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 315 697-8437			
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.				B. State Transporter's ID 4A-370			
6. Transporter 1 US EPA ID Number NY0000097444				C. Transporter 2 Phone 1-800-941-7452			
7. Transporter 2 Company Name Ron Allen Trucking Inc.				D. State Facility's ID 4-01010017100011			
8. Transporter 2 US EPA ID Number NA				E. Facility's Phone (518) 869-3651			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type	Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 052 <div style="text-align: right;">N.Y. AM 74415 71928-PA</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month 12 Day 1 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Gerald D. Folger</i>		Date Month 12 Day 1 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space NO							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date	
						Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	287711	P4 I	Kelly Dwyer #10.50 + 5.00 2.50		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/01/06	12/01/06	10:44	11:04	7002	
REFERENCE		ORIGIN			
2667-74					

Scale 1 Gross Wt.	124420	LB
Scale 2 Tare Wt.	38860	LB
Net Weight	85560	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
42.78	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-053		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 315 697-8437			
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.				6. US EPA ID Number NY0000097444			
7. Transporter 2 Company Name Ron Allen Trucking Inc				8. US EPA ID Number NA			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total	
				No.	Type	Quantity	Unit
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1	DT	Est 34	TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 053 NY AM 74416 13270 TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature Todd P. Merrell		Date 12/1/06	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name Stephen Barley				Signature Stephen Barley		Date 12/1/06	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature Jeffrey Dwyer		Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12204
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER
02	287710	P41	Kelly Dwyer
DATE IN	DATE OUT	TIME IN	TIME OUT
12/01/06	12/01/06	10:43	11:02
REFERENCE		ORIGIN	
2667-91			

Scale 1 Gross Wt. 115300 LB
Scale 2 Tare Wt. 39300 LB
Net Weight 76000 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.00	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

7001 - (123)

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-054		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		US EPA ID Number NY0000097444		A. Transporter 1 Phone 315-697-8487			
7. Transporter 2 Company Name Ron Allen Trucking Inc.		US EPA ID Number NA		B. State Transporter's ID 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone 1-800-941-7452			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type		
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est. 34	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 054 NY AA 59472 15212 TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name John P. Merrell				Signature <i>[Signature]</i>		Date 12 / 1 / 00	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 12 / 1 / 00	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 12 / 1 / 00	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name [Blank]				Signature <i>[Signature]</i>		Date [Blank]	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487 ;
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER
02	287733	P41	Kelly Dwyer #10.509+ 0508
DATE IN	DATE OUT	TIME IN	TIME OUT
12/01/06	12/01/06	12:11	12:30
VEHICLE	ROLL OFF	7001	
REFERENCE	ORIGIN		

Scale 1 Gross Wt.	144620	LB
Scale 2 Tare Wt.	37900	LB
Net Weight	106720	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
53.36	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

.OT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **GV-055** 2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY
300 Erie Blvd. West Environmental
Syracuse, NY 13202

SITE ADDRESS:

**20 HILL STREET
GLOVERSVILLE, NY
12078**

4. Generator's Phone **315 428-5731** ATTN: **BRIAN STEARNS**

5. Transporter 1 Company Name

ABSCOPE ENVIRONMENTAL, INC.

US EPA ID Number

NY0000097444

A. Transporter 1 Phone **315 657-8437**

B. State Transporter's ID **14-363-44-370**

C. Transporter 2 Phone **1-800-941-7452**

7. Transporter 2 Company Name

Ron Allen Trucking Inc.

US EPA ID Number

NA

D. State Facility's ID
4-01010017100011

9. Designated Facility Name and Site Address

**CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205**

10. US EPA ID Number

N/A

E. Facility's Phone
(518) 869-3651

11. WASTE DESCRIPTION

a. **CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816**

12. Containers
No. Type

1

DT

Est. 34

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

**EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 055**

NY AM 74415

71928-PA

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name **Todd P. Merrell** As an agent for **Niagara Mohawk** Signature **Todd P. Merrell** Date **12/1/06**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name **Gerald D Eckert** Signature **Gerald D Eckert** Date **12/1/06**

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name _____ Signature _____ Date _____

19. Discrepancy Indication Space


20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.
Printed/Typed Name _____ Signature _____ Date _____

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER			
02	287788	P41	BRENDA #10.502+584			
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF	
12/04/06	12/04/06	07:36	07:52	7002		
REFERENCE				ORIGIN		
2667-74						

Scale 1 Gross Wt.	122660	LB	Inbound - Charge ticket			
Scale 2 Tare Wt.	39500	LB				
Net Weight	83160	LB				
QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.58	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

DOT # 2667

NET AMOUNT
TENDERED
CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

Bill of Lading Document No. **GV-056** 2. Page 1 of 1

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No. **N/A**

SITE ADDRESS:
20 HILL STREET
GLOVERSVILLE, NY
12078

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY
300 Erie Blvd. West Environmental
Syracuse, NY 13202

4. Generator's Phone **315 428-5731**

ATTN: **BRIAN STEARNS**

US EPA ID Number **NY0000037444**

5. Transporter 1 Company Name

ABSCOPE ENVIRONMENTAL INC

6.

US EPA ID Number

7. Transporter 2 Company Name

Ron Allen Trucking

8.

US EPA ID Number

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10.

US EPA ID Number

N/A

A. Transporter 1 Phone

B. State Transporter No

C. Transporter 2 Phone

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

12. Containers
No. Type

13. Total Quantity

14. Unit Wt./Vol.

a. **CONTAMINATED DIRT, SOIL OR SAND**
NON-HAZARDOUS N816

1

DT

Est 34

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above:

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above:

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 056

NY AM 74416
13270 TP

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name **Todd P. Merrell** As an agent for **Niagara Mohawk**

Signature

Todd P. Merrell

Date
Month Day Year
12/1/06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Stephen Bailey

Signature

Stephen Bailey

Date
Month Day Year
12/1/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature


Date
Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER			
02	287787	P41	BRENDA #10.50 J + 5.5			
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF	
12/04/06	12/04/06	07:35	07:51	7001		
REFERENCE			ORIGIN			
2667-91						

Inbound - Charge ticket

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-057 of 1		
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS			SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078		
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		US EPA ID Number NY000005744	A. Transporter 1 Phone 315-697-8437		
7. Transporter 2 Company Name Ron Allen Trucking Inc.		US EPA ID Number NA	B. State Transporter's ID 1A-364		
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A	C. Transporter 2 Phone 1-800-941-7452		
			D. State Facility's ID 4-01010017100011		
			E. Facility's Phone (518) 869-3651		
11. WASTE DESCRIPTION		12. Containers No.	Type	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1	DT	ES 34	TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS		G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 057 NY AA 59472 15212 TR					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name Todd P. Merrell		Signature <i>Todd P. Merrell</i>		Date Month Day Year 12 1 06	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name JAMES P. MURPHY		Signature <i>James P. Murphy</i>		Date Month Day Year 12 1 06	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.					
Printed/Typed Name		Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
235 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER
02	287789	P41	BRENDA
DATE IN	DATE OUT	TIME IN	TIME OUT
12/04/06	12/04/06	07:37	07:54

#10.505 + 58
F

REFERENCE	ORIGIN
2667-123	

Scale 1 Gross Wt.	118860	LB
Scale 2 Tare Wt.	38460	LB
Net Weight	80400	LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
40.20	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

LOT # 2667

CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading
Document No. **GV-058**

2. Page 1
of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental COMPANY
Syracuse, NY 13202

ATTN:

4. Generator's Phone **315 428-5731** **BRIAN STEARNS**

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

5. Transporter 1 Company Name

TPM 12/4/06

6. US EPA ID Number

NY00000097444

A. Transporter 1 Phone **315-697-8437**

B. State Transporter ID **7A-369-4A-370**

C. Transporter 2 Phone **1-800-941-7452**

7. Transporter 2 Company Name

Ron Allen Trucking Inc.

8. US EPA ID Number

NA

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10. US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. **CONTAMINATED DIRT, SOIL OR SAND**
NON-HAZARDOUS N816

12. Containers

No.

Type

13.
Total
Quantity

14.
Unit
Wt./Vol.

1

DT

Est. 34

TONS

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 058

NY AM 74415

71928-PA

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport.
The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

Todd P. Merrill

*As an agent for
Niagara Mohawk*

Signature

Todd Merrill

Date

Month Day Year
12 4 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

X Gerald D Eckert

Signature

Gerald Eckert

Date

Month Day Year
12 4 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Date

Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12208
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	287843	P41	BRENDA #10.502+59 P.S.		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/04/06	12/04/06	10:40	10:56	7001	
REFERENCE		ORIGIN			
2667-74					

Scale 1 Gross Wt. 113300 LB
Scale 2 Tare Wt. 39120 LB
Net Weight 74180 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.09	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
GREEMENT

DT # 2667

NET AMOUNT
TENDERED
CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-059		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name TPM 12/4/06 ABSCOPE ENVIRONMENTAL, INC.		6. US EPA ID Number NY0000097444		A. Transporter 1 Phone 315-697-8437			
7. Transporter 2 Company Name Ron Allen Trucking Inc		8. US EPA ID Number NA		B. State Transporter's ID 4A-369 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone 1-800-941-7452			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 059 NY AM 74416 13270 TP							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell As an agent for Niagara Mohawk				Signature <i>Todd P. Merrell</i>		Date Month Day Year 12 4 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Stephen Bailey</i>		Date Month Day Year 12 4 06	
Printed/Typed Name Stephen Bailey				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER		
02	287844	P41	BRENDA	#10.50g + 53	f.i.
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/04/06	12/04/06	10:41	10:57	7002	
REFERENCE				ORIGIN	
2667-91					

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type

(Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No.

GV060

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental COMPANY
Syracuse, NY 13202

4. Generator's Phone

ATTN:

BRIAN STEARNS

5. Transporter 1 Company Name

ABSCOPE ENVIRONMENTAL, INC.

6. US EPA ID Number

NY00000097444

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10. US EPA ID Number

N/A

SITE ADDRESS:

20 HILL STREET

GLOVERSVILLE, NY

12078

A. Transporter 1 Phone

315-697-8437

B. State Transporter's ID

4A-369 4A-370

C. Transporter 2 Phone

1-800-941-7452

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a.

CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N016

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

1

DT

Est. 34

TONS

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 060

NY AA 59472

15212-TR

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

Todd R. Merrill

As an agent for Niagara Mohawk

Signature

Todd R. Merrill

Date

Month Day Year
12 09 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

JANE P. MORPHY

Signature

Jane P. Morphy

Date

Month Day Year
12 9 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Date


Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHTMASTER		
02	287851	P41	BRENDA #10.50g + 58		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/04/06	12/04/06	10:52	11:08	7003	
REFERENCE		ORIGIN			
2667-122					

Scale 1 Gross Wt.	133720	LB
Scale 2 Tare Wt.	38000	LB
Net Weight	95720	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
47.86	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS

operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
GREEMENT

T # 2667

NET AMOUNT
TENDERED
CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **GV-061**

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental
Syracuse, NY 13202

4. Generator's Phone **315 428-5731** ATTN: **BRIAN STEARNS**

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

5. Transporter 1 Company Name

~~ABSCOPE ENVIRONMENTAL, INC.~~

6. US EPA ID Number

~~NY0000097444~~

A. Transporter 1 Phone

~~315-697-8437~~

7. Transporter 2 Company Name

Ron Allen Trucking Inc

8. US EPA ID Number

NA

B. State Transporter's ID

~~7A-369-4A-376~~

C. Transporter 2 Phone

1-800-941-7452

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10. US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a.

CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

1

DT

Est. 34

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 061

NYAM 74415

71928-PA

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

Todd P. Merrell As an agent for **Niagara Mohawk**

Signature

Todd P. Merrell

Date

Month Day Year

12/5/06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Gerald D Folio

Signature

Gerald D Folio

Month Day Year

12/5/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature


Date

Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	287940	P41	BRENDA #10.50g + 50g		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/05/06	12/05/06	08:59	09:20	7001	
REFERENCE		ORIGIN			
2667-74					

Scale 1 Gross Wt.	117920	LB
Scale 2 Tare Wt.	39560	LB
Net Weight	78360	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.18	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm Monday - Friday

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-062	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS			SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone (315) 428-5731		5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.	6. US EPA ID Number NY0000097444	A. Transporter 1 Phone (315) 697-8437
7. Transporter 2 Company Name Ron Allen Trucking Inc.		8. US EPA ID Number N/A	B. State Transporter's ID 7A-369 4A-370	C. Transporter 2 Phone 1-800-941-7452
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A	D. State Facility's ID 4-01010017100011 E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION		12. Containers No. Type	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1 DT	Est. 34	TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS		G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 062 NYAM 74415 71928-PA				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name Todd P. Merrell		Signature Todd P. Merrell	Date 12/5/06	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature Gerald D Eckert	Date 12/5/06	
Printed/Typed Name Gerald D Eckert		Signature	Date	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature	Date	
Printed/Typed Name		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				
Printed/Typed Name		Signature	Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER			
02	288044	P4 I	BRENDA #10.50 <i>158</i> F.S			
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF	
12/05/06	12/05/06	14:35	14:55	7001		
REFERENCE				ORIGIN		
2667-74						

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **GV-063** 2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY
300 Erie Blvd. West Environmental
Syracuse, NY 13202

4. Generator's Phone **315 428-5731** ATTN: **BRIAN STEARNS**

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

5. Transporter 1 Company Name

~~MANIARDI BROTHERS TRUCKING, INC.~~

6. US EPA ID Number
~~NYR000097972~~

A. Transporter 1 Phone

~~518-477-8540~~
~~4A-205~~

7. Transporter 2 Company Name

Ron Allen Trucking Inc

8. US EPA ID Number
NA

B. State Transporter's ID

C. Transporter 2 Phone *1-800-941-7452*

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10. US EPA ID Number
N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. **CONTAMINATED DIRT, SOIL OR SAND**
NON-HAZARDOUS N816

12. Containers

No. Type

13. Total Quantity

14. Unit Wt./Vol.

1

DT

Est. 34

TONS

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 063

NYAM 74415

71928-PA

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

Todd P. Merrell As an agent for *Niagara Mohawk*

Signature

Todd P. Merrell

Date

Month Day Year
12 5 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Gerald D Eckerl

Signature

Gerald D Eckerl

Month Day Year
12 5 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item-19.

Printed/Typed Name

Signature

Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	287997	P41	BRENDA #10.505 + 584		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/05/06	12/05/06	11:48	12:09	7002	
REFERENCE		ORIGIN			
2667-74					

Scale 1 Gross Wt. 120900 LB
Scale 2 Tare Wt. 39580 LB
Net Weight 81320 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
40.66	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
TENDERED
CHANGE

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading
Document No. **GV-064**

2. Page 1
of 1

3. Generator's Name and Mailing Address

**NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental
Syracuse, NY 13202**

ATTN:

COMPANY

4. Generator's Phone **315 428-5731** **BRIAN STEARNS**

5. Transporter 1 Company Name

MANGIARDI BROTHERS TRUCKING, INC.

US EPA ID Number

NYR000097972

7. Transporter 2 Company Name

Ron Allen Trucking Inc.

US EPA ID Number

NA

9. Designated Facility Name and Site Address

**CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205**

10.

US EPA ID Number

N/A

SITE ADDRESS:

20 HILL STREET

GLOVERSVILLE, NY

12078

A. Transporter 1 Phone

518-477-8940

B. State Transporter ID

4A-205 4A-370

C. Transporter 2 Phone

1-800-941-7452

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

12. Containers

No.

Type

13.
Total
Quantity

14.
Unit
Wt./Vol.

a.

**CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816**

1

DT

Est. 34

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

**EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 064**

NY AM 74416

13270 TP

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Date

Printed/Typed Name

Todd P. Merrell

**AS an agent for
Niagara Mohawk**

Signature

Todd P. Merrell

Month Day Year
12 5 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Stephen Bailey

Signature

Stephen Bailey

Month Day Year
12 5 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19:

Date

Printed/Typed Name

Signature


Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER
02	288053	P4 I	BRENDA #10.50 / +58
DATE IN	DATE OUT	TIME IN	TIME OUT
12/06/06	12/06/06	07:01	07:21
VEHICLE	ROLL OFF		
7001			
REFERENCE		ORIGIN	
2667-91			

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
LOANED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-065	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202			SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS			A. Transporter 1 Phone 518-177-8940	
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.			B. State Transporter's ID 2054370	
6. Transporter 1 US EPA ID Number NYR000007372			C. Transporter 2 Phone 1-800-941-7452	
7. Transporter 2 Company Name Ron Allen Trucking Inc			D. State Facility's ID 4-01010017100011	
8. Transporter 2 US EPA ID Number NA			E. Facility's Phone (518) 869-3651	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205			10. US EPA ID Number N/A	
11. WASTE DESCRIPTION		12. Containers No. Type	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1 DT	Est. 34	TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS		G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 065 NY AA 59472 15212-TR				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name Todd P. Merrell		Signature <i>Todd P. Merrell</i>	Date 12/5/06	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>James P. Murphy</i>	Date 12/5/06	
Printed/Typed Name James P. Murphy		Signature <i>James P. Murphy</i>	Date 12/5/06	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature	Date	
Printed/Typed Name		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				
Printed/Typed Name		Signature <i>[Signature]</i>	Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12203
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288063	P41	BRENDA	#10.505 + 500	P.S.
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/06/06	12/06/06	07:33	07:51	7001	

REFERENCE	ORIGIN
-----------	--------

2667-123

Scale 1 Gross Wt. 114680 LB
Scale 2 Tare Wt. 37900 LB
Net Weight 76780 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.39	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. G.V-066		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Company Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS				A. Transporter 1 Phone 515 477-8540			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.				B. State Transporter's ID 4A 376			
6. US EPA ID Number NYR000097992				C. Transporter 2 Phone 1-800-991-7452			
7. Transporter 2 Company Name Ron Allen Trucking Inc.				D. State Facility's ID 4-01010017100011			
8. US EPA ID Number NA				E. Facility's Phone (518) 869-3651			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.		Type	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC. LOT # 2667 LOAD # 066 NY Am 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
17. Transporter 1 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name Todd P. Merrell As an agent for Niagara Mohawk				Signature Todd P. Merrell			
				Month 12 Day 5 Year 06			
18. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name Gerald D Eckert				Signature Gerald D Eckert			
				Month 12 Day 5 Year 06			
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature			
				Date			
				Month Day Year			

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288107	P41	BRENDA <i>#10.50g + 58g</i>		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/06/06	12/06/06	09:56	10:15	7001	
REFERENCE		ORIGIN			
2867-74					

Scale 1 Gross Wt.	117420	LB
Scale 2 Tare Wt.	39120	LB
Net Weight	78300	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.15	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

TENDERED

CHANGE.

CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-067		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd, West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name MANIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972		A. Transporter 1 Phone 518 477-8540		(TPM)	
7. Transporter 2 Company Name Ron Allen Trucking Inc.		8. US EPA ID Number NA		B. State Transporter's ID 4A-205 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone 1-800-941-7452		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 067 NYAM 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell AS an agent for Niagara Mohawk				Signature <i>Todd P. Merrell</i>		Date Month Day Year 12 6 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Geald D Eckert</i>		Date Month Day Year 12 6 06	
Printed/Typed Name Geald D Eckert				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12207
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER
02	288054	P41	BRENDA #10.50 + 58 + 1.3
DATE IN	DATE OUT	TIME IN	TIME OUT
12/06/06	12/06/06	07:02	07:22
REFERENCE		VEHICLE	ROLL OFF
2667-74		7002	
ORIGIN			

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.41	TON	CONTAMINATED SOIL			0.00	
Operating hours: 7 am to 3 pm, Monday - Friday						
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY						
UNACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT						
REEMENT						
NET AMOUNT						
TENDERED						

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-068	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202			SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS				
5. Transporter 1 Company Name MANIARDI BROTHERS TRUCKING, INC.		US EPA ID Number NYR000097572	A. Transporter 1 Phone 518-477-8842	
7. Transporter 2 Company Name Kon Allen Trucking Inc.		8. US EPA ID Number NA	B. State Transporter's ID 44-205 44-570	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A	C. Transporter 2 Phone 1-800-941-7452	
			D. State Facility's ID 4-01010017100011	
			E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION		12. Containers No. Type	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1 DT	Est. 34	TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS		G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 068 NYAM 74416 13270 TP				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name Todd P. Merrell		Signature <i>Todd P. Merrell</i>	Date 12/6/06	
17. Transporter 1 Acknowledgement of Receipt of Materials		Date		
Printed/Typed Name Stephen Bailey		Signature <i>Stephen Bailey</i>	Date 12/6/06	
18. Transporter 2 Acknowledgement of Receipt of Materials		Date		
Printed/Typed Name		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				
Printed/Typed Name		Signature	Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288108	P41	BRENDA #10.59 + 59.1		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/06/06	12/06/06	09:58	10:16	7002	
REFERENCE			ORIGIN		
2667-91					

Scale 1 Gross Wt.	113640	LB
Scale 2 Tare Wt.	39260	LB
Net Weight	74380	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.19	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

TENDERED

CHANGE

CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **GV-069**

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental COMPANY
Syracuse, NY 13202

4. Generator's Phone **315 428-5731** ATTN: **BRIAN STEARNS**

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

5. Transporter 1 Company Name

~~MANIARDI BROTHERS TRUCKING, INC.~~

US EPA ID Number

NYR000097972

A. Transporter 1 Phone

518-477-8940

7. Transporter 2 Company Name

Ron Allen Trucking Inc

8.

US EPA ID Number

NA

B. State Transporter's ID

1A-209-74-310

C. Transporter 2 Phone

1-800-941-7452

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10.

US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

1

DT

Est. 34

TONS

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 069

NY AA59472

15212-TR

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

Todd P. Merrell As an agent for Niagara Mohawk

Signature

Todd P. Merrell

Date

Month Day Year
12 6 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

James P. Murphy

Signature

James P. Murphy

Month Day Year
12 6 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature


Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288121	P41	BRENDA #10.50S + 59.5		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/06/06	12/06/06	10:22	10:48	7001	

REFERENCE	ORIGIN
2667-123	

Scale 1 Gross Wt.	131260	LB
Scale 2 Tare Wt.	37840	LB
Net Weight	93420	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	PEE	TOTAL
46.71	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

CHECK NO

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-070		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000087972		A. Transporter 1 Phone 516 457 8340			
7. Transporter 2 Company Name Ron Allen Trucking Inc.		8. US EPA ID Number NA		B. State Transporter's ID 4A 285		44-570	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone 1-800-941-7452			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT	
						Est. 34	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 070 NY AM 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell						Date 12/6/06	
Signature <i>Todd P. Merrell</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name GERALD D Eckert						Date 12/6/06	
Signature <i>Gerald D Eckert</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name GERALD D Eckert						Date	
Signature							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name						Date	
Signature <i>[Signature]</i>							

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Ramp Road Waste Management Facility
225 Rapp Rd Albany, NY 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER
02	288169	P41	teia Smith
DATE IN	DATE OUT	TIME IN	TIME OUT
12/06/06	12/06/06	13:01	13:16
VEHICLE	ROLL OFF	REFERENCE	ORIGIN
7001		2667-74	

Scale 1 Gross Wt.	114960	LB
Scale 2 Tare Wt.	39080	LB
Net Weight	75880	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.94	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ION ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
GREEMENT

DT # 2667

NET AMOUNT
TENDERED
CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-071		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: COMPANY				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 BRIAN STEARNS				A. Transporter 1 Phone 518 477-8940			
5. Transporter 1 Company Name MANIARDI BROTHERS TRUCKING, INC. NYR000097972				B. State Transporter's ID 4A-209-4A-370			
7. Transporter 2 Company Name Ron Allen Trucking Inc.				C. Transporter 2 Phone 1-800-941-7952			
8. US EPA ID Number NA				D. State Facility's ID 4-01010017100011			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				E. Facility's Phone (518) 869-3651			
10. US EPA ID Number N/A							
11. WASTE DESCRIPTION		12. Containers		13. Total Quantity		14. Unit Wt./Vol.	
		No. Type					
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1 DT		Est. 34		TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 071 NY AM 744/6 13270 TP							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell <i>As an agent for Niagara Mohawk</i>				Signature Todd P. Merrell		Date 12/6/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature Stephen Bailey		Date 12/6/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature [Signature]		Date	
						Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288170	P41	teia Smith	#10.501 + 58.5 4.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/06/06	12/06/06	13:02	13:20	7002	

REFERENCE	ORIGIN
2667-91	

Scale 1 Gross Wt. 114340 LB
Scale 2 Tare Wt. 38940 LB
Net Weight 75400 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.70	TON	CONTAMINATED SOIL			0.00	

NET AMOUNT
0.00
TENDERS

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No: **GV-072**

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental
Syracuse, NY 13202
ATTN: **BRIAN STEARNS**

4. Generator's Phone **315 428-5731**

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

5. Transporter 1 Company Name

MANGIARDI BROTHERS TRUCKING, INC.

US EPA ID Number

NYR000035572

A. Transporter 1 Phone

518-477-8340

7. Transporter 2 Company Name

Ran Allen Trucking Inc.

8.

US EPA ID Number

NA

B. State Transporter's ID

2A-205-4A-370

C. Transporter 2 Phone

1-800-941-7452

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10.

US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. **CONTAMINATED DIRT, SOIL OR SAND**
NON-HAZARDOUS N816

12. Containers
No.

Type

13. Total
Quantity

14. Unit
Wt./Vol.

1

DT

Est. 34

TONS

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 072

NY Am 74415

71928-PA

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

Todd P. Merrell As an agent for **Niagara Mohawk**

Signature

Todd P. Merrell

Date

Month Day Year
12 6 08

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Gerald D. Eckert

Signature

Gerald D. Eckert

Date

Month Day Year
12 6 08

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Date


Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

Scale 1 Gross Wt.	122140	LB
Scale 2 Tare Wt.	39240	LB
Net Weight	82900	LB

Inbound - Charge ticket

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

TENDERED

CHANGE

CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING


Please print or type (Form designed for use on elite (12 pitch) typewriter)

RCRA NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-073		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972		A. Transporter 1 Phone 518-477-5240			
7. Transporter 2 Company Name Ron Allen Trucking Inc		8. US EPA ID Number NA		B. State Transporter's ID 4A-203 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone 1-800-941-7452			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT EST. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 073 NYAM 74416 13270 - TP							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell As an agent for Niagara Mohawk				Signature Todd P. Merrell		Date Month Day Year 12 6 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature Stephen Bailey		Date Month Day Year 12 6 06	
Printed/Typed Name Stephen Bailey				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288212	P41	BRENDA	#10.50	+58.5
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/07/06	12/07/06	07:53	08:17	7001	
REFERENCE		ORIGIN			
2667-91					

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

TENDERED

CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-074 2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 518 477-8940	
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.				B. State Transporter's ID 4A-205-94-370	
6. Transporter 1 US EPA ID Number NYR000097972				C. Transporter 2 Phone 1-800-991-7152	
7. Transporter 2 Company Name Ron Allen Trucking Inc				D. State Facility's ID 4-01010017100011	
8. Transporter 2 US EPA ID Number NA				E. Facility's Phone (518) 869-3651	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A	
11. WASTE DESCRIPTION				12. Containers	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				No. 1 Type DT	
b.				13. Total Quantity Est. 34	
c.				14. Unit Wt./Vol. TONS	
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L	
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 074 NY AA 59472 15212-TR					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name Todd P. Merrill As an agent for Niagara Mohawk				Signature Todd P. Merrill Date 12/6/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name JAMES P. Murphy				Signature James P. Murphy Date 12/6/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Signature Date	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.					
Printed/Typed Name				Signature Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET #	GRID	WEIGHMASTER		
02	288207	P41	BRENDA	\$10.50 + 58	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/07/06	12/07/06	07:10	07:26	7003	
REFERENCE		ORIGIN			
2667-123					

Scale 1 Gross Wt.	117440	LB
Scale 2 Tare Wt.	38160	LB
Net Weight	79280	LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.64	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please Print or Type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-075		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 518 472-8940			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.				B. State Transporter's ID 4A-209-9A-310			
6. Transporter 1 US EPA ID Number NYR0000097972				C. Transporter 2 Phone 1-800-991-7952			
7. Transporter 2 Company Name Ron Allen Trucking Inc				D. State Facility's ID 4-01010017100011			
8. Transporter 2 US EPA ID Number NA				E. Facility's Phone (518) 869-3651			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION		12. Containers		13. Total Quantity		14. Unit	
a.		No.		Type		Unit	
CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1		DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2657 LOAD # 075 NYAM 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
17. Transporter 1 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Month Day Year 12 7 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name X. Gerald Deekhoat				Signature <i>Gerald Deekhoat</i>		Month Day Year 12 7 06	
19. Discrepancy Indication Space				Date			
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Date			
Printed/Typed Name				Signature		Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SIT#	TICKET	GRID	WEIGHMASTER			
02	288240	P41	BRENDA		\$10.50 + 50¢	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF	
12/07/06	12/07/06	09:45	10:10	7001		
REFERENCE				ORIGIN		
2667-74						

Scale 1 Gross Wt.	115560	LB	Inbound - Charge ticket			
Scale 2 Tare Wt.	39120	LB				
Net Weight	76440	LB				
QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.22	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

TENDERED

CHANGE

CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No.

GV-076

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental COMPANY
Syracuse, NY 13202

4. Generator's Phone

315 428-5731 ATTN: BRIAN STEARNS

5. Transporter 1 Company Name

MANGIARDI BROTHERS TRUCKING, INC.

US EPA ID Number

NYR000097972

7. Transporter 2 Company Name

Ron Allen Trucking Inc

8.

US EPA ID Number

N/A

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10.

US EPA ID Number

N/A

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

A. Transporter 1 Phone

518-477-8940

B. State Transporter's ID

4A-370

C. Transporter 2 Phone

1-800-941-7752

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

1

DT

Est. 34

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 076

NY AA59472

15212-TR

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

Todd P. Marrell As an agent for Niagara Mohawk

Signature

Todd P. Marrell

Date

Month Day Year
12 7 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

James P. Murphy

Signature

James P. Murphy

Date

Month Day Year
12 7 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Date


Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

2667-123

Scale 1 Gross Wt.	115520	LB
Scale 2 Tare Wt.	38140	LB
Net Weight	77380	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.69	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-077		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972		A. Transporter 1 Phone 518-477-8940		(TP)	
7. Transporter 2 Company Name Ron Allen Trucking Inc.		8. US EPA ID Number NA		B. State Transporter's ID IDA-205 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		C. Transporter 2 Phone 1-800-941-7452	
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 077 NY AM 74416 13270-TP							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrill AS an agent for Niagara Mohawk				Signature <i>Todd P. Merrill</i>		Date Month Day Year 12 7 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Stephen Bailey</i>		Date Month Day Year 12 7 06	
Printed/Typed Name Stephen Bailey				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288267	P41	BRENDA #10.50 + 5.3 f.4		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/07/06	12/07/06	10:38	10:55	7001	
REFERENCE		ORIGIN			
2667-91					

Scale 1 Gross Wt.	117280	LB
Scale 2 Tare Wt.	39580	LB
Net Weight	77700	LB

Inbound - Charge ticket

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-078		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.			
6. US EPA ID Number NYR0000097972				A. Transporter 1 Phone 518-477-8940			
7. Transporter 2 Company Name Ron Allen Trucking Inc				B. State Transporter's ID 4A-205			
8. US EPA ID Number NA				C. Transporter 2 Phone 1-800-941-7452			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				D. State Facility's ID 4-01010017100011			
10. US EPA ID Number N/A				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 078 NY AM 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrill				Signature Todd P. Merrill		Date 12/7/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature Gerald D Eckert		Date 12/7/06	
Printed/Typed Name Gerald D Eckert				Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288301	P41	tela Smith	#10.50 + 59 f.s	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/07/06	12/07/06	12:29	12:47	7001	
REFERENCE		ORIGIN			
2667-74					

Scale 1 Gross Wt.	116320	LB
Scale 2 Tare Wt.	39020	LB
Net Weight	77300	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.65	TON	CONTAMINATED SOIL			0.00	----

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-079		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name MANIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972		A. Transporter 1 Phone 518-477-8540			
7. Transporter 2 Company Name Ron Allen Trucking Inc		8. US EPA ID Number NA		B. State Transporter's ID 4A-203-4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 079 NY AA 59472 15212-TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date 12/7/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>James P. Murphy</i>		Date 12/7/06	
Printed/Typed Name James P. Murphy				Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

2667-123

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-080		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name MANIARDI BROTHERS TRUCKING, INC.		US EPA ID Number NYR000097572		A. Transporter 1 Phone 518-477-8940			
7. Transporter 2 Company Name Ron Allen Trucking Inc.		8. US EPA ID Number NA		B. State Transporter's ID 4A-203 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone 1-800-941-7452			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT #. 2667 LOAD # 080 NY AM 74416 13270 - TP							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell As an agent for Niagara Mohawk						Date Month Day Year 12 7 06	
Signature <i>Todd P. Merrell</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name Stephen Bailey						Month Day Year 12 7 06	
Signature <i>Stephen Bailey</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name						Month Day Year	
Signature							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name						Date Month Day Year	
Signature							

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
505 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288358	P41	BRENDA #10.50 + 50¢		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/08/06	12/08/06	07:26	07:42	7001	
REFERENCE		ORIGIN			
2667-91					

Scale 1 Gross Wt.	112980	LB
Scale 2 Tare Wt.	38520	LB
Net Weight	74460	LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.23	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

OT # 2667

NET AMOUNT
TENDERED
CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-081		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.				A. Transporter 1 Phone 518 477-8640			
6. Transporter 1 US EPA ID Number NYR000097972				B. State Transporter's ID 4A 205			
7. Transporter 2 Company Name Ron Allen Trucking Inc				C. Transporter 2 Phone 1-800-941-7452			
8. Transporter 2 US EPA ID Number NA				D. State Facility's ID 4-01010017100011			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		Est 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 081 NY							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd R. Merrell						Date Month Day Year 12 7 06	
Signature <i>Todd R. Merrell</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name Gerald D Eckert						Date Month Day Year 12 7 06	
Signature <i>Gerald D Eckert</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name						Date Month Day Year	
Signature							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name						Date Month Day Year	
Signature <i>[Signature]</i>							

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER		
02	288410	P41	BRENDA <i>110-507-553</i>		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/08/06	12/08/06	10:37	13:22	7003	
REFERENCE	ORIGIN				
2667-74					

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-082		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS				A. Transporter 1 Phone 518 477-8940			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972		B. State Transporter's ID 4A-205		C. Transporter 2 Phone 1-800-997-7452	
7. Transporter 2 Company Name Ron Allen Trucking Inc		8. US EPA ID Number NA		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				No. 1 Type DT		Est 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 082 NY AA 59 472 15212 - TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd R. Merrell				Signature <i>Todd R. Merrell</i>		Date 12 7 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>James P. Murphy</i>		Date 12 7 06	
Printed/Typed Name James P. Murphy				Signature		Date 12 7 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date 12 7 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER			
02	288359	P41	BRENDA #10.50 / +5% 13			
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF	
12/08/06	12/08/06	07:27	07:43	7002		
REFERENCE				ORIGIN		
2667-123						

Scale 1 Gross Wt.	120400	LB
Scale 2 Tare Wt.	38240	LB
Net Weight	82160	LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.08	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **GV-083**

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY
300 Erie Blvd. West Environmental
Syracuse, NY 13202

4. Generator's Phone **315 428-5731** ATTN: **BRIAN STEARNS**

SITE ADDRESS:
20 HILL STREET

GLOVERSVILLE, NY:
12078

5. Transporter 1 Company Name

MANGIARDI BROTHERS TRUCKING, INC.

6. US EPA ID Number

NYR000097972

A. Transporter 1 Phone

518-477-8940

7. Transporter 2 Company Name

Ron Allen Trucking Inc

8. US EPA ID Number

NA

B. State Transporter's ID

74A-209-4A-370

C. Transporter 2 Phone

1-800-941-7452

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10. US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. **CONTAMINATED DIRT, SOIL OR SAND**
NON-HAZARDOUS N816

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

1

DT

Est. 34

TONS

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 083

NY AM 74416

13270-TR

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name

AS AN AGENT FOR NIAGARA MOHAWK

Signature

Date

Month Day Year
12 08 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Stephen Bailey

Signature

Stephen A Bailey

Date

Month Day Year
12 08 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19:

Printed/Typed Name

Signature

Date


Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288397	P41	BRENDA #10.50 + 58 lbs		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/08/06	12/08/06	10:07	13:25	7001	
REFERENCE			ORIGIN		
2667-91					

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
32.89	TON	CONTAMINATED SOIL			0.00	
1.00	unit	FROZEN LOAD			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

TENDERED

CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. EV-084		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number DMB		A. Transporter 1 Phone 315 477-8940			
7. Transporter 2 Company Name ROD ALLEN TRUCKING INC.		8. US EPA ID Number NA		B. State Transporter's ID 4A-205 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone 1.800.941.7452		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		EST. 3.4 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 084 NYAA59472 15212-TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name DAVID M. BUDOSH				Signature <i>[Signature]</i>		Date Month Day Year 12 08 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year 12 08 06	
Printed/Typed Name James P. Murphy				Signature <i>[Signature]</i>		Date Month Day Year 12 08 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space <i>[Signature]</i>							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
25 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER
02	288403	P41	BRENDA #10.50 + 5.00
DATE IN	DATE OUT	TIME IN	TIME OUT
12/08/06	12/08/06	10:24	13:27
REFERENCE		ORIGIN	
2667-123			

Scale 1 Gross Wt. 113480 LB
Scale 2 Tare Wt. 40660 LB
Net Weight 72820 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
36.41	TON	CONTAMINATED SOIL			0.00	
1.00	unit	FROZEN LOAD			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
TENDERED
CHANGE

OT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-085		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 518-477-8940			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number DMB NYR000097972		B. State Transporter's ID 4A-2034A-370		C. Transporter 2 Phone 1-800-941-7452	
7. Transporter 2 Company Name RAW DUFF TRUCKING INC.		8. US EPA ID Number NA		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				No. 1 Type DT		EST. 34	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 085 NY AM 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name DAVID M. BUDOSH				Signature <i>[Signature]</i>		Date Month 12 Day 08 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name Gerald Eckert				Signature <i>[Signature]</i>		Month 12 Day 8 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER
02	288360	P41	BRENDA
DATE IN	DATE OUT	TIME IN	TIME OUT
12/08/06	12/08/06	07:28	07:46
VEHICLE			ROLL OFF
7003			
REFERENCE		ORIGIN	
2667-74			

Scale 1 Gross Wt. 117280 LB
Scale 2 Tare Wt. 39280 LB
Net Weight 78000 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.00	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>61-086</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone <u>315 428-5731</u> ATTN: <u>BRIAN STEARNS</u>							
5. Transporter 1 Company Name <u>MANGIARDI BROTHERS TRUCKING, INC.</u>				US EPA ID Number <u>NYR000097972</u>		A. Transporter 1 Phone <u>518-477-8940</u>	
7. Transporter 2 Company Name <u>RONALD STECKING INC.</u>				8. US EPA ID Number <u>VA</u>		B. State Transporter's ID <u>4A-209-4A, 370</u>	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		C. Transporter 2 Phone <u>800.941.7452</u>	
				D. State Facility's ID 4-0101001710001.1		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT EST. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # <u>086</u> NY AM 744 15 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>Todd P. Merrell</u> As an agent for <u>Niagara Mohawk</u>						Date Month <u>12</u> Day <u>8</u> Year <u>06</u>	
Signature <u>Todd P. Merrell</u>							
17. Transporter 1 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name <u>Gerald D Eckert</u>						Month <u>12</u> Day <u>8</u> Year <u>06</u>	
Signature <u>Gerald D Eckert</u>							
18. Transporter 2 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name						Month Day Year	
Signature							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name						Date	
Signature						Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER			
02	288475	P41	BRENDA #10.50 + 5.98 F.5			
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF	
12/11/06	12/11/06	07:11	07:30	7001		
REFERENCE				ORIGIN		

Scale 1 Gross Wt.	109840	LB
Scale 2 Tare Wt.	39420	LB
Net Weight	70420	LB

Inbound - Charge ticket

QTY.	Net Weight UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
35.21	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

TENDERED

CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-087	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202			SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS				
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972	A. Transporter 1 Phone 518-477-8940	
7. Transporter 2 Company Name ROW ALLEN TRUCKING INC.		8. US EPA ID Number N/A	B. State Transporter's ID 4A-2094A-370	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A	C. Transporter 2 Phone 800.941.7452	
			D. State Facility's ID 4-01010017100011	
			E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION		12. Containers No. Type	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1 DT	EST. 34	TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS		G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 087 NYAA59472 15212-TR				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name Todd P. Merrell		Signature Todd P. Merrell	Date Month Day Year 12 9 06	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature James P. Murphy	Date Month Day Year 12 8 06	
Printed/Typed Name James P. Murphy		Signature	Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature	Date Month Day Year	
Printed/Typed Name		Signature	Date Month Day Year	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				
Printed/Typed Name		Signature	Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER		
02	288477	P41	BRENDA	#10.50	+53.1.5
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/11/06	12/11/06	07:15	07:33	7003	
REFERENCE			ORIGIN		
2667-123					

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
 500.00
 100.00
 CHANGE
 CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-088		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET			
				GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				6. US EPA ID Number NYR000097972			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.				A. Transporter 1 Phone 518-477-8940			
7. Transporter 2 Company Name ROULETTE TRUCKING INC.				B. State Transporter's ID 4A-2052-4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				C. Transporter 2 Phone 800.941.7452			
10. US EPA ID Number N/A				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total	
				No.	Type	Quantity	14. Unit
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1	DT	EST. 34	TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 088 <div style="text-align: right;">NY AM 74416 13270-TR</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd P. Merrell				Signature <i>Todd P. Merrell</i>		Date Month 12 Day 8 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Stephen Bailey</i>		Date Month 12 Day 8 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month 12 Day 8 Year 06	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month 12 Day 8 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER		
02	288476	P41	BRENDA #10.50 + 587.5		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLLOFF
12/11/06	12/11/06	07:13	07:32	7002	
REFERENCE		ORIGIN			
2667-91					

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-089		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 518-477-8940			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC. US EPA ID Number NYR000097972				B. State Transporter's ID 4A-209-44-370			
7. Transporter 2 Company Name Ron Allen Trucking US EPA ID Number NA				C. Transporter 2 Phone 1-800-941-7452			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				D. State Facility's ID 4-01010017100011			
10. US EPA ID Number N/A				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit WL/Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 089 NY AM 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd R. Merrill				Signature <i>Todd R. Merrill</i>		Date Month Day Year 12/11/06	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name Gerald D Eckert				Signature <i>Gerald D Eckert</i>		Date Month Day Year 12/11/06	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288517	P41	Heather Principio		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/11/06	12/11/06	09:57	10:17	7001	

#10.50 / 5%

REFERENCE	ORIGIN
2667=74	

Scale 1 Gross Wt.	124920	LB
Scale 2 Tare Wt.	39160	LB
Net Weight	85760	LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
42.88	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-090		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS				6. US EPA ID Number NYR000097972		A. Transporter 1 Phone 518-477-8540	
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.				8. US EPA ID Number NA		B. State Transporter's ID 4A-203-4A-370	
7. Transporter 2 Company Name Ron Allen Trucking Inc.				10. US EPA ID Number N/A		C. Transporter 2 Phone 1-800-941-2452	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 090 <div style="text-align: right;">NY AM 74416 13270-TR</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd R. Merrell As an agent for NIAGARA MOHAWK				Signature Todd R. Merrell		Date 12/11/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature Stephen Bailey		Date 12/11/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature		Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER	
02	288519	P4 I	Heather Principio #10.50	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE
12/11/06	12/11/06	10:01	10:18	7002
REFERENCE		ORIGIN		
2667-91				

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.63		TON CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday
 IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 IN ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 REEMENT

2667

NET AMOUNT
 TENDERED

Operating hours: 7 am to 3 pm, Monday - Friday
 'IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 'N ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 REEMENT

2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-091		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET			
				GLOVERSVILLE, NY 12078			
4. Generator's Phone: 315 428-5731				A. Transporter 1 Phone: 518 477-8940			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		US EPA ID Number NYR000097972		B. State Transporter's ID 4A-209-4A-370		C. Transporter 2 Phone 1-800-941-7452	
7. Transporter 2 Company Name Ron Allen Trucking Inc		8. US EPA ID Number NA		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT Est. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 091 <div style="text-align: right;">NYAA 59472 15212-TR</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Todd L. Merrell				Signature <i>Todd L. Merrell</i>		Date 12/11/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>James P. Murphy</i>		Date 12/11/06	
Printed/Typed Name JAMES P. MURPHY				Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
675 Rapp Rd • Albany, NY 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	288529	P41	Heather Principio #10.50/45		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
12/11/06	12/11/06	10:23	10:49	7001	

REFERENCE	ORIGIN
2667-123	

Scale 1 Gross Wt. 116620 LB
Scale 2 Tare Wt. 37920 LB
Net Weight 78700 LB
Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.35	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT
TENDERED
CHANGE
CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>GV-092</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone <u>315 428-5731</u> ATTN: <u>BRIAN STEARNS</u>							
5. Transporter 1 Company Name <u>MANGIARDI BROTHERS TRUCKING, INC.</u>		6. US EPA ID Number <u>NYR000097972</u>		A. Transporter 1 Phone <u>315-477-6940</u>			
7. Transporter 2 Company Name <u>POWERS TRUCKING INC.</u>		8. US EPA ID Number <u>N/A</u>		B. State Transporter's ID <u>4A-203-4A-370</u>			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone <u>800.941.7452</u>			
				D. State Facility's ID <u>4-01010017100011</u>			
				E. Facility's Phone <u>(518) 869-3651</u>			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		EST 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 092 NYA 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>DAVID M. BUDOSK</u>				Signature <u>[Signature]</u>		Date Month Day Year <u>12 11 06</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <u>Gerald D Eckert</u>		Date Month Day Year <u>12 11 06</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				Signature <u>[Signature]</u>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

006033 Abscope Environmental, Inc.
 PO Box 487
 Canastota NY 13032

#10,502 x 58
 7.5

teia Smith

P41

288571

02

7001

12:54

12:36

12/11/06

12/11/06

2667-74

Inbound - Charge ticket

119320 LB

39000 LB

80320 LB

Net Weight

0.00

TON CONTAMINATED SOIL

40.16

NET WEIGHT

Operating hours: 7 am to 3 pm, Monday - Friday
 THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 AGREEMENT

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>GV-093</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone <u>315 428-5731</u> ATTN: <u>BRIAN STEARNS</u>							
5. Transporter 1 Company Name <u>MANGIARDI BROTHERS TRUCKING, INC.</u>		6. US EPA ID Number <u>NYR000097972</u>		A. Transporter 1 Phone <u>518 477-8940</u>			
7. Transporter 2 Company Name <u>Don Auer Trucking Inc.</u>		8. US EPA ID Number <u>N/A</u>		B. State Transporter's ID <u>4A-209 4A-370</u>			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number <u>N/A</u>		D. State Facility's ID <u>4-01010017100011</u>		E. Facility's Phone <u>(518) 869-3651</u>	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		EST 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 093 NY AR 74416 13270-TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>DAVID M. BUDASH</u>				Signature <u>[Signature]</u>		Date Month Day Year <u>12 11 06</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <u>[Signature]</u>		Date Month Day Year <u>12 11 06</u>	
Printed/Typed Name <u>Stephen Bailey</u>				Signature <u>[Signature]</u>		Date Month Day Year <u>12 11 06</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <u>[Signature]</u>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 288577 P4 I teia Smith
#10,507 + 15.

12/11/06 12/11/06 12:51 13:08 7002

2667-91

Scale 1 Gross Wt. 118580 LB
Scale 2 Tare Wt. 39000 LB
Net Weight 79580 LB

Inbound - Charge ticket

TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

-21\

NET WEIGHT
GROSS WEIGHT
TARE WEIGHT
NET WEIGHT

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-094	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202			SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS				
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972	A. Transporter 1 Phone 518 477 8940	
7. Transporter 2 Company Name ROCKAWAY TRUCKING, INC.		8. US EPA ID Number N/A	B. State Transporter's ID 4A-205-4A-370	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A	C. Transporter 2 Phone 800.941.7452	
			D. State Facility's ID 4-01010017100011	
			E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION		12. Containers No. Type	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1 DT	EST. 34	TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS		G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 094 NY AM 74415 X AAX 75417 71928-PA X HALL FTR				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name DAVID M. BUDOSKI		Signature <i>[Signature]</i>	Date Month Day Year 12 11 06	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>[Signature]</i>	Date Month Day Year 12 11 06	
Printed/Typed Name Gerald D Eckert		Signature <i>[Signature]</i>	Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature <i>[Signature]</i>	Date Month Day Year	
Printed/Typed Name		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				
Printed/Typed Name		Signature	Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

CITY OF ALBANY
 DEPARTMENT OF GENERAL SERVICES
 518-869-3651

006033 Abscope Environmental, Inc.
 PO Box 487
 Canastota NY 13032

02 288657 P41

BRENDA #10.505 + 584

12/12/06 12/12/06 10:12 10:30 7001

2667-74
 INBOUND CHARGE TICKET

Scale 1 Gross Wt.	124580	LB
Scale 2 Tare Wt.	39280	LB
Net Weight	85300	LB

Inbound - Charge ticket

42.65

TON CONTAMINATED SOIL

30 0.00

Operating hours: 7 am to 3 pm, Monday - Friday
 THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 AGREEMENT

NET AMOUNT

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **6V-095**

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental COMPANY
Syracuse, NY 13202

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

4. Generator's Phone: 315 428-5731

ATTN: BRIAN STEARNS

5. Transporter 1 Company Name

MANGIARDI BROTHERS TRUCKING, INC.

6. US EPA ID Number **NYR000097972**

A. Transporter 1 Phone

518-477-8940

7. Transporter 2 Company Name

ROSALENE TRUCKING, INC.

8. US EPA ID Number

N/A

B. State Transporter's ID

4A-209 4A-370

C. Transporter 2 Phone

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10. US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. **CONTAMINATED DIRT, SOIL OR SAND**
NON-HAZARDOUS N816

12. Containers
No. Type

1

DT

13. Total
Quantity

ERT. 34

14. Unit
Wt./Vol.

TONS

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 095

NY AM 74416

13270-TR

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Date

Printed/Typed Name

DAVID M. BUDOSH

Signature

[Signature]

Month Day Year
12 11 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Stephen Bailey

Signature

[Signature]

Date
Month Day Year
12 11 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Date
Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES

518-486-3653

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 288614 P41

BRENDAN *#10.50 + 58*
L.S.

12/12/06 12/12/06 07:08 07:23 7005

2667-91

Scale 1 Gross Wt.	118780	LB
Scale 2 Tare Wt.	39300	LB
Net Weight	79480	LB

Inbound - Charge ticket

39.74

TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

OT # 2667

NET AMOUNT

CHARGE

CHARGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **GV-096**

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental
Syracuse, NY 13202
ATTN: **COMPANY**

SITE ADDRESS:
20 HILL STREET
GLOVERSVILLE, NY
12078

4. Generator's Phone **15 428-5731** **BRIAN STEARNS**

5. Transporter 1 Company Name **DNB** 6. US EPA ID Number **DNB**
MANGIARDI BROTHERS TRUCKING, INC. **NYR000097972**

A. Transporter 1 Phone **518-477-8540**

7. Transporter 2 Company Name **RON ALLEN TRUCKING, INC.** 8. US EPA ID Number **N/A**

B. State Transporter's ID **4A-205-4A-370**

C. Transporter 2 Phone **800.941.7452**

9. Designated Facility Name and Site Address 10. US EPA ID Number

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

N/A

D. State Facility's ID
4-01010017100011

E. Facility's Phone
(518) 869-3651

11. WASTE DESCRIPTION

a. **CONTAMINATED DIRT, SOIL OR SAND**
NON-HAZARDOUS N816

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

1

DT

Est. 34

TONS

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 096

NYAA 59472

15212-TR

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name **AS A. K. T. FOR**
DAVID M. BUDDSH

Signature

Date

Month Day Year
12/12/06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name **JAMES P. MURPHY**

Signature

Month Day Year
12/12/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19:

Printed/Typed Name

Signature

Date

Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 288635 P41 BREANDA #10.50 + 59.15

12/12/06 12/12/06 08:38 08:54 7001

2667-123

Scale 1 Gross Wt. 121800 LB
Scale 2 Tare Wt. 38120 LB
Net Weight 83680 LB

Inbound - Charge ticket

41.84

TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 64-097		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				5. Transporter 1 Company Name DME			
6. US EPA ID Number DME				A. Transporter 1 Phone 518-477-8940			
7. Transporter 2 Company Name MANIARDI BROTHERS TRUCKING, INC.				B. State Transporter's ID 4A-205 4A-370			
8. US EPA ID Number N/A				C. Transporter 2 Phone 800 991 7452			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				D. State Facility's ID 4-01010017100011			
10. US EPA ID Number N/A				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		EST. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 097 NY AM 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name AS A LAGET FOR DAVID M. BUDOSH				Signature [Signature]		Date Month Day Year 12 12 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature [Signature]		Date Month Day Year 12 12 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature [Signature]		Date Month Day Year 12 12 06	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

NY STATE DEPARTMENT OF GENERAL SERVICES
118-669-651

02 288613 P41 BRENDAL
12/12/06 12/12/06 07:07 07:24 7004
2667-74

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

Scale 1 Gross Wt. 121240 LB
Scale 2 Tare Wt. 39440 LB
Net Weight 81800 LB

Inbound - Charge ticket

40.90

TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
TOTAL
TOTAL

OT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-098		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name DMB		6. US EPA ID Number DMB		A. Transporter 1 Phone 518-477-8940			
MANGIARDI BROTHERS TRUCKING, INC.		NYR000099972		B. State Transporter's ID 4A-209 4A-370			
7. Transporter 2 Company Name Roadway Trucking Inc.		8. US EPA ID Number N/A		C. Transporter 2 Phone 800 941 7452			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		EST 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 098							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name AS MANAGER FOR				Signature [Signature]		Date Month 12 Day 12 Year 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature [Signature]		Date Month 12 Day 12 Year 06	
Printed/Typed Name Stephen Bailey				Signature [Signature]		Date Month 12 Day 12 Year 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature [Signature]		Date Month 12 Day 12 Year 06	
Printed/Typed Name [Signature]				Signature [Signature]		Date Month 12 Day 12 Year 06	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month 12 Day 12 Year 06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



02 288659 P41 BRENDAN *#10.50 + 1.50* 58
12/12/06 12/12/06 10:13 10:29 7002

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

REFERENCE				ORIGIN
2667				

Scale 1 Gross Wt. 113980 LB
Scale 2 Tare Wt. 39220 LB
Net Weight 74760 LB

Inbound - Charge ticket

37.38 TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

LOT # 2667

CA

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-099		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS				5. Transporter 1 Company Name DMB			
6. US EPA ID Number NYR000097972				A. Transporter 1 Phone 414-209-4430			
7. Transporter 2 Company Name Rowland Trucking Inc.				B. State Transporter's ID			
8. US EPA ID Number N/A				C. Transporter 2 Phone 800941 7452			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				No. 1 Type DT		Unit EST 34 Wt./Vol. TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 099 NYAA 59472 15212-TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name DAVID M. BUDOSH				Signature <i>[Signature]</i>		Date 12/12/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 12/12/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature <i>[Signature]</i>		Date 12/12/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

STATE OF NEW YORK
 DEPARTMENT OF ENVIRONMENTAL CONSERVATION
 DIVISION OF LAND USE AND CONSERVATION
 615.849.0651

006033 Abscope Environmental, Inc.
 PO Box 487
 Canastota NY 13032

Scale 1 Gross Wt.	110720	LB
Scale 2 Tare Wt.	37980	LB
Net Weight	72740	LB

36.37

TON CONTAMINATED SOIL

02	288700	P41			
12/12/06	12/12/06	12:04	12:25	7001	
2667-123					

BRENDA #10.50/15

Inbound - Charge ticket

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
 THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 UNACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 REQUIREMENT

RECEIVED

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>GV-100</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone: 315 428-5731		6. US EPA ID Number <u>DMS</u> MANGIARDI BROTHERS TRUCKING, INC. NYR000097972		A. Transporter 1 Phone <u>518-477-8740</u>			
7. Transporter 2 Company Name Rowley Trucking Inc.		8. US EPA ID Number <u>N/A</u>		B. State Transporter's ID <u>4A-2094A370</u>			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone <u>800 941 7452</u>			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT NET 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 100 NY AM 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name DAVID M. BUOSH				Signature <i>[Signature]</i>		Date Month <u>12</u> Day <u>18</u> Year <u>06</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month <u>12</u> Day <u>18</u> Year <u>06</u>	
Printed/Typed Name Harold D Eckert				Signature <i>[Signature]</i>		Date Month <u>12</u> Day <u>18</u> Year <u>06</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month <u> </u> Day <u> </u> Year <u> </u>	
Printed/Typed Name				Signature		Date Month <u> </u> Day <u> </u> Year <u> </u>	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month <u> </u> Day <u> </u> Year <u> </u>	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

Scale 1 Gross Wt.	119220	LB
Scale 2 Tare Wt.	39180	LB
Net Weight	80040	LB

40.02

TON CONTAMINATED SOIL

02	289187	P41	BRENDA	#10.50 + 50
12/18/06	12/18/06	09:01	09:20	7001
REFERENCE				ORIGIN
2667-74				

Inbound - Charge ticket

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

OT # 2667

NET AMOUNT
INBOUND
CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 67-101		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental COMPANY Syracuse, NY 13202 4. Generator's Phone 315 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972		A. Transporter 1 Phone 518-477-8940			
7. Transporter 2 Company Name ROMA TRUCKING INC.		8. US EPA ID Number N/A		B. State Transporter's ID 4A-245 4A-370		C. Transporter 2 Phone 800 941 7452	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 101 NY AA 59472 15212 TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport.							
Printed/Typed Name NICHOLAS MOHAWK DAVID L. BUDOSH				Signature [Signature]		Date 12/18/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature Garth M. Logan		Date 12/18/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature [Signature]		Date [Blank]	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
518-869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 289191 P41 BREDA #10.50 + 58 4.5

12/18/06 12/18/06 09:16 09:31 7002

REFERENCE	ORIGIN
-----------	--------

2667-123

Scale 1 Gross Wt.	119480	LB
Scale 2 Tare Wt.	38140	LB
Net Weight	81340	LB

Inbound - Charge ticket

40.67

TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
SD
CHANGE
CHECKED

LOT # 2667

Handwritten signature

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-102		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 518-477-8940			
5. Transporter 1 Company Name MANGIARDI BROTHERS TRUCKING, INC.		6. US EPA ID Number NYR000097972		B. State Transporter's ID 4A-2054A-370		C. Transporter 2 Phone 800.941.7452	
7. Transporter 2 Company Name RON AUE TRUCKING INC.		8. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		EST. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 102 NY MM 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
AS AN AGENT FOR Printed/Typed Name NIAGARA MOHAWK DAVID M. BUDOSH				Signature <i>[Signature]</i>		Date Month Day Year 12 18 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year 12 18 06	
Printed/Typed Name GERALD D ECKERT				Signature <i>[Signature]</i>		Date Month Day Year 12 18 06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year 12 18 06	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 289250 P41 BRENDAN #10.5g + 5g 7.5
12/18/06 12/18/06 11:48 12:09 7002
2667-74

Scale 1 Gross Wt. 119300 LB
Scale 2 Tare Wt. 39120 LB
Net Weight 80180 LB

Inbound - Charge ticket

40.09

TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

CHANGE

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>6V-103</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731		5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		EST. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 103 NY AA 59472 15212 TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>AS AN AGENT FOR</u> <u>DAVID M. BUDOSH</u>				Signature <u>[Signature]</u>		Date Month <u>12</u> Day <u>18</u> Year <u>06</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name <u>Garth - Logan</u>				Signature <u>[Signature]</u>		Date Month <u>12</u> Day <u>18</u> Year <u>06</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <u>[Signature]</u>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
110 N. ALBANY ST.
ALBANY, NY 12242-1100
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 289253 P41 BREDA *#10.50 + 58*
12/18/06 12/18/06 11:59 12:16 7004

REFERENCE	ORIGIN
2667-123	

Scale 1 Gross Wt.	120720	LB	Inbound - Charge ticket
Scale 2 Tare Wt.	38240	LB	
Net Weight	82480	LB	

QTY	UNIT	DESCRIPTION	DATE	EXTENSION	TOTAL
41.24	TON	CONTAMINATED SOIL			0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

18

NET AMOUNT
0.00
0.00
0.00
0.00

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on 8 1/2 inch (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **6V-104**

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental
Syracuse, NY 13202
ATTN: **BRIAN STEARNS**

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

4. Generator's Phone (315) 428-5731

5. Transporter 1 Company Name

RON ALLEN TRUCKING

6. US EPA ID Number

N/A

A. Transporter 1 Phone **800-941-7452**

7. Transporter 2 Company Name

8. US EPA ID Number

B. State Transporter's ID **4A-370**

C. Transporter 2 Phone

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10. US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a.

CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

12. Containers
No. Type

1

DT

EST. 34

13. Total Quantity

14. Unit Wt./Vol.

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 104

NY AM 74415

71928-PA

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

AS AN AGENT FOR

Printed/Typed Name

NIAGARA MOHAWK

Signature

[Signature]

Date

Month Day Year
12/18/06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Gerald D Eckert

Signature

[Signature]

Month Day Year
12/18/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

GENERAL SERVICE

518-869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 289300 P41 BREDA #10.50 J+5B
+1.5

12/18/06 12/18/06 14:31 14:51 7001

2667-74

Scale 1 Gross Wt. 119520 LB
Scale 2 Tare Wt. 38840 LB
Net Weight 80680 LB

Inbound - Charge ticket

40.34

TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT

CHARGE

CHARGE

CHARGE

NON-HAZARDOUS WASTE BILL OF LADING


Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-105		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND, NON-HAZARDOUS N816				1		DT EST. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 105 NY AA 59472 15212 TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name DAVID M. BUDOSH				Signature <i>[Signature]</i>		Date 12/18/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 12/18/06	
Printed/Typed Name Garth Logan				Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER
FACILITY


 CITY OF ALBANY
 DEPARTMENT OF GENERAL SERVICES
 518-869-3651

02 289306 P4 I BREND A
 12/18/06 12/18/06 14:43 14:56 7001

#10.50 + 50¢

006033 Abscope Environmental, Inc.
 PO Box 487
 Canastota NY 13032

REFERENCE
 2667-123

Scale 1 Gross Wt. 114320 LB
 Scale 2 Tare Wt. 37900 LB
 Net Weight 76420 LB

Inbound - Charge ticket

38.21 TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
 THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 AGREEMENT

NET AMOUNT
 CHARGE

LOT # 2667

[Handwritten signature]

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. SV-100	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone	
				D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers	13. Total Quantity
				No.	Type
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1	DT EST. 34
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L	
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 106 NY AM 74415 71928-PA					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name NIAGARA MOHAWK DAVID M. BUDOSH				Signature <i>[Signature]</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name Gerald D Eckert				Signature <i>[Signature]</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Signature	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.					
Printed/Typed Name				Signature <i>[Signature]</i>	
				Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

CITY OF ALBANY
 DEPARTMENT OF GENERAL SERVICES
 518-869-3651

02 289317 P41 BRENDAN *#10.50 + 50 f.s.*
 12/19/06 12/19/06 07:05 07:26 7002

006033 Abscope Environmental, Inc.
 PO Box 487
 Canastota NY 13032

2667-74
 Inbound - Charge ticket

Scale 1 Gross Wt. 120900 LB
 Scale 2 Tare Wt. 39300 LB
 Net Weight 81600 LB

40.80 TON CONTAMINATED SOIL 0.00

Operating hours: 7 am to 3 pm, Monday - Friday
 THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
 NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
 AGREEMENT

NET AMOUNT
 UNDETERMINED
 CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading
Document No. **GV-107**

2. Page 1
of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental COMPANY
Syracuse, NY 13202 ATTN:

4. Generator's Phone (315) 428-5731 BRIAN STEARNS

SITE ADDRESS:
20 HILL STREET
GLOVERSVILLE, NY
12078

5. Transporter 1 Company Name

RON ALLEN TRUCKING

6. US EPA ID Number

N/A

A. Transporter 1 Phone 800-941-7452

7. Transporter 2 Company Name

8. US EPA ID Number

B. State Transporter's ID 4A-370

C. Transporter 2 Phone

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10. US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. CONTAMINATED DIRT, SOIL, OR SAND
NON-HAZARDOUS N816

12. Containers No. Type

1

DT

13. Total Quantity

EST. 34

14. Unit Wt./Vol.

TONS

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD # 107

NYAA 59472
15212 TR

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport.
The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name **DR. ADAM T. BOZ**
DAVID M. BUDOSH

Signature

Date

Month Day Year
12 18 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name **Garth Logan**

Signature

Date

Month Day Year
12 18 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Date


Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 289430 P4 I teia Smith

#10.5g + 5g
1.5

12/19/06 12/19/06 12:15 12:40 7002

REFERENCE

ORIGIN

2667-123

Scale 1 Gross Wt. 124400 LB
Scale 2 Tare Wt. 37800 LB
Net Weight 86600 LB

Inbound - Charge ticket

43.30

TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

CHANGE

CHECK ON

LOT # 2667

1.2 1 - 2

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type

(Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No.		Bill of Lading Document No. EV-108		2. Page 1 of	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				N/A A NATIONAL GRID COMPANY			
4. Generator's Phone () 315-428-5731				ATTN: BRIAN STEARNS			
5. Transporter 1 Company Name RON ALLEN TRUCKING				US EPA ID Number N/A			
7. Transporter 2 Company Name				8. US EPA ID Number			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.		Type	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 108 NYAK 74415 71928-PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name DAVID M. BUDOSH				Signature [Signature]		Date 12/19/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature [Signature]		Date 12/19/06	
Printed/Typed Name Gerald D. Eckert				Signature [Signature]		Date 12/19/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature [Signature]		Date 12/19/06	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature [Signature]		Date 12/19/06	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



STATE OF NEW YORK
DEPARTMENT OF GENERAL SERVICES
DIVISION OF PURCHASING
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 289370 P41 BREND

#10.50 + 5%
f.s.

12/19/06 12/19/06 09:54 10:13 7001

2667-74

Scale 1 Gross Wt. 121540 LB
Scale 2 Tare Wt. 39180 LB
Net Weight 82360 LB

Inbound - Charge ticket

41.18 TON CONTAMINATED SOIL

0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

NET AMOUNT
CHARGE
TOTAL

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading Document No. **62-109**

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental COMPANY
Syracuse, NY 13202

4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

5. Transporter 1 Company Name
RON ALLEN TRUCKING

6. US EPA ID Number
N/A

A. Transporter 1 Phone 800-941-7452

7. Transporter 2 Company Name

8. US EPA ID Number

B. State Transporter's ID: 4A-370

C. Transporter 2 Phone

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10. US EPA ID Number

N/A

D. State Facility's ID
4-01010017100011

E. Facility's Phone
(518) 869-3651

11. WASTE DESCRIPTION

12. Containers
No. Type

13. Total
Quantity

Unit
Wt./Vol.

a. CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

1

DT

EST. 34

TONS

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD #

NY AA 59472

15212 TR

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

AS AGENT FOR
Printed/Typed Name **NIAGARA MOHAWK**
DAVID M. BUDOSH

Signature

Date

Month Day Year
12 19 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name
Garth Logan

Signature

Date

Month Day Year
12 19 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.

Printed/Typed Name

Signature

Date


Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



02 289357 P41 BRENDA #10.50 + 53 + 1.5
12/19/06 12/19/06 09:27 09:42 7001
REFERENCE ORIGIN

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

Scale 1 Gross Wt.	123580	LB	Inbound - Charge ticket
Scale 2 Tare Wt.	38180	LB	
Net Weight	85400	LB	
42.70	TON	CONTAMINATED SOIL	0.00

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 0067

NEW AMOUNT
TENDERED
CHANGE
CHECKED

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-110		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		EST. 34 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above NY AM 74415 L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 110 71928 PA NY AM 74415							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>AS ANDREW FOR</i> DAVID M. BUDOSH				Signature <i>[Signature]</i>		Date Month Day Year 12 19 06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year 12 19 06	
Printed/Typed Name Gerald D Eckert				Signature <i>[Signature]</i>		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
SEN-509.3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02 289437 P4 I teia Smith #10.507 + 596 1.5
12/19/06 12/19/06 12:44 13:07 7002
INBOUND

2667-74

Scale 1 Gross Wt. 124280 LB
Scale 2 Tare Wt. 39060 LB
Net Weight 85220 LB

Inbound - Charge ticket

42.61

TON CONTAMINATED SOIL

0.00





Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET WEIGHT
CHARGE

OT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. G1111		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT EST 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 111							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name BOLES Matthew Boles				Signature 		Date Month 1 Day 9 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month 1 Day 4 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature 		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature 		Date	
Printed/Typed Name				Signature		Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	291296	P41	BRENDA		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/09/07	01/09/07	08:45	09:12	7001	
REFERENCE			ORIGIN		
2667-123					

Scale 1 Gross Wt. 112360 LB
Scale 2 Tare Wt. 38480 LB
Net Weight 73880 LB

Inbound - Charge ticket


QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
36.94	TON	CONTAMINATED SOIL				

operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

DT # 2667






SIGNATURE

 123

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. CU-112		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLUVERSVILLE, NY 12078			
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est 39 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 112 05400 PA NY/AF 20598							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name BOLES Matthew Ryan				Signature 		Date Month Day Year 1 19 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month Day Year 1 19 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature 		Date Month Day Year 1 19 07	
19. Discrepancy Indication Space 							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature 		Date Month Day Year 1 19 07	
Printed/Typed Name				Signature		Date Month Day Year 1 19 07	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291301	P41		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/09/07	01/09/07	08:55	09:28	7002	
REFERENCE			ORIGIN		
2667-95					

Scale 1 Gross Wt. 82640 LB
Scale 2 Tare Wt. 39520 LB
Net Weight 43120 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
21.56	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667




SIGNATURE

95

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-113		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number <div style="text-align: center;">N/A</div>		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter-2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type	Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1	DT	Est 40	TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above <div style="text-align: center;">L</div>			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 113							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Matthew Ryan				Signature 		Date Month 11 Day 9 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month 11 Day 9 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature 		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature		Date	
Printed/Typed Name						Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291360	P41		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/09/07	01/09/07	11:53	12:11	7001	
REFERENCE			ORIGIN		
2667-123					

Scale 1 Gross Wt. 130040 LB
Scale 2 Tare Wt. 38680 LB
Net Weight 91360 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
45.68	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667



SIGNATURE

Albert M. Ham 23

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GU-114		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-541-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 TON		DT Est. 39 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS.				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 14 25400 PA NY/AF 20598							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Matthew Ryan				Signature 		Date Month Day Year 1 9 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month Day Year 1 9 07	
Printed/Typed Name JAMES P. Murphy				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291363	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/09/07	01/09/07	12:03	12:21	7002	
REFERENCE			ORIGIN		
2667-95					

Scale 1 Gross Wt. 102140 LB
Scale 2 Tare Wt. 39520 LB
Net Weight 62620 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
31.31	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT:# 2667




SIGNATURE

95

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-115	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone	
				D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers	13. Total Quantity
				No.	Type
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1	DT Est 40 TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L	
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 115 <div style="text-align: right;">15212 TR NY AA 59472</div>					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name Matthew M. Rana				Signature 	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date Month Day Year 1 1 07	
Printed/Typed Name Garth Logan				Signature 	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date Month Day Year 1 9 07	
Printed/Typed Name				Signature 	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.					
Printed/Typed Name				Signature	
				Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291415	P41		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/10/07	01/10/07	07:12	07:35	7001	
REFERENCE			ORIGIN		
2667-123					

Scale 1 Gross Wt. 109280 LB
Scale 2 Tare Wt. 38460 LB
Net Weight 70820 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
35.41	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

LOT # 2667

SIGNATURE

123
Albert M. Hoffman

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type

(Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-116	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental COMPANY Syracuse, NY 13202 4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS			SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A	A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number	B. State Transporter's ID 4A-370	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A	D. State Facility's ID 4-01010017100011	
			E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION		12. Containers	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		No. 1 Type DT	Est 35	TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above. PETROLEUM IMPACTED SOILS		G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 116 25400PA NYAF 20598				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name BLES Matthew M. Ryan		Signature	Date Month 1 Day 9 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature	Date Month 1 Day 9 Year 07	
Printed/Typed Name James P. Murphy		Signature	Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature	Date Month Day Year	
Printed/Typed Name		Signature	Date Month Day Year	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				
Printed/Typed Name		Signature	Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
535 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291463	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/10/07	01/10/07	10:29	10:46	7003	
REFERENCE			ORIGIN		
2667-95					

Scale 1 Gross Wt. 114780 LB
Scale 2 Tare Wt. 39720 LB
Net Weight 75060 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.53	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

SIGNATURE _____




NET AMOUNT
TENDERED
CHANGE
CHECK NO.

95

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type

(Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GU-117		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
5. Transporter 1 Company Name RON ALLEN TRUCKING		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name		10. US EPA ID Number N/A		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 117 15212TRNY AA 59472							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name: DOLES, an Arcadis Company Matthew M. Ryan				Signature: 		Date: 11/10/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name						Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name: Albert Moxham				Signature: 		Month Day Year: 11/10/07	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature: 		Date	
						Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291455	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/10/07	01/10/07	10:14	10:35	7001	
REFERENCE			ORIGIN		
2667-123					

Scale 1 Gross Wt. 102180 LB
Scale 2 Tare Wt. 38640 LB
Net Weight 63540 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
31.77	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667




SIGNATURE

123
Albert Morfom

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 60-118	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone (315) 428-5731				A. Transporter 1 Phone 800-941-7452	
5. Transporter 1 Company Name RON ALLEN TRUCKING INC. Abscope Environmental		US EPA ID Number N/A		B. State Transporter's ID 4A-370	
7. Transporter 2 Company Name		8. US EPA ID Number		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION			12. Containers No. Type	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816			1 DT	Est 22	TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS			G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 118 Truck # 24 47908JS					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name BILES, an Arcadis Company Matthew Roan				Signature  Date 11/10/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name Donny Murray		Signature 		Month Day Year 11/10/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.					
Printed/Typed Name				Signature  Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Ralph B. White, Mayor
100 West Broadway, Albany, NY 12242
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

Scale 1 Gross Wt. 71080 LB
Scale 2 Tare Wt. 26340 LB
Net Weight 44740 LB
UNIT TON
DESCRIPTION CONTAMINATED SOIL

22.37

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

TICKET 291459 P41 BRENDIA
01/10/07 01/10/07 10:22 10:37 7002

REFERENCE ORIGIN

2667




Inbound - Charge ticket

RATE	EXTENSION	FEE	TOTAL
24.00	536.88	0.00	536.88

NET AMOUNT
536.88
TENDERED
CHANGE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-119		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number <div style="text-align: center;">N/A</div>		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above <div style="text-align: center;">L</div>			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 119 <div style="float: right; text-align: right;">25400 PA NYAF 20598</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name BOLES, Ann Arcadia's Company Matthew M. Ryan				Signature 		Date Month 1 Day 10 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month 1 Day 10 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name							
19. Discrepancy Indication Space <div style="text-align: center; font-size: 2em;">8</div>							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature 		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE		TICKET		GRID		WEIGHMASTER					
02		291508		P4 I		BRENDA					
DATE IN		DATE OUT		TIME IN		TIME OUT		VEHICLE		ROLL OFF	
01/10/07		01/10/07		13:27		13:42		7003			
REFERENCE						ORIGIN					
2667-95											

Scale 1 Gross Wt. 121700 LB
Scale 2 Tare Wt. 39680 LB
Net Weight 82020 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.01	TON	CONTAMINATED SOIL				

operating hours: 7 am to 3 pm, Monday - Friday

HIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
GREEMENT

DT # 2667

SIGNATURE _____

95

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-120		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
5. Transporter 1 Company Name RON ALLEN TRUCKING		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name		10. US EPA ID Number N/A		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT	
b.						Est. 40 TONS	
c.							
d.							
E. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 120 25400 PA NYAF 20598							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name DOES an Arcadis Company				Signature <i>[Signature]</i>		Date Month Day Year 1 10 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year 1 10 07	
Printed/Typed Name JAMES P. MURPHY				Signature <i>[Signature]</i>		Date Month Day Year 1 10 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year 1 10 07	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291417	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/10/07	01/10/07	07:21	07:45	7003	
REFERENCE			ORIGIN		
2667-95					

Scale 1 Gross Wt. 103800 LB
Scale 2 Tare Wt. 39660 LB
Net Weight 64140 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
32.07	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

SIGNATURE _____

95

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GU-121	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone	
				D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION			12. Containers	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816			No. 1	Type DT	Est. 40 TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS			G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 121 5212 TR NY AA 59472					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name BOLES, an Arcadis Company Matthew M. Ragan				Signature <i>[Signature]</i> Date 11/10/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Signature	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name ALBERT MOXHAM				Signature <i>[Signature]</i> Date 11/10/07	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.					
Printed/Typed Name				Signature	
				Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291505	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/10/07	01/10/07	13:16	13:36	7002	
REFERENCE			ORIGIN		
2667-123					

Scale 1 Gross Wt. 106460 LB
Scale 2 Tare Wt. 38380 LB
Net Weight 68080 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
34.04	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ION ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

OT # 2667

SIGNATURE

123
Albert M. [Signature]

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

ABSCOPE ENVIRONMENTAL, INC.

1 Commercial Dr.
PO Box 487
Canastota, NY 13032
(315) 697-8437
FAX (315) 697-9391

DOCUMENT 5100

AEI JOB NO. N/A

STRAIGHT BILL OF LADING

NYSDEC 364 Permit No. N/A

TRANSPORTER 1 AbSCOPE Environmental, Inc
EPA ID # N/A

VEHICLE ID # 24 4790835
TRANS. 1 PHONE (315) 697-8437

TRANSPORTER 2 _____
EPA ID # _____


VEHICLE ID # _____
TRANS. 2 PHONE _____

DESIGNATED FACILITY <u>City of Albany Landfill</u>			SHIPPER <u>Niagara Mohawk Power Corp National Grid Corp.</u>		
FACILITY EPA ID # <u>N/A</u>			SHIPPER EPA ID # <u>N/A</u>		
ADDRESS <u>525 Rapp Road</u>			ADDRESS <u>300 Erie Blvd. West Environmental</u>		
CITY <u>Albany</u>		STATE <u>NY</u>	ZIP <u>12205</u>	CITY <u>Syracuse</u>	
STATE <u>NY</u>		ZIP <u>13202</u>			
CONTAINERS NO. & SIZE	TYPE	HM	DESCRIPTION OF MATERIALS	TOTAL QUANTITY	UNIT WT/VOL
1	DT		A. Contaminated dirt, Soil or Sand Non Hazardous N816	22	Estimated Tons
			B.		
			C.		
			D.		
			E.		
			F.		
SPECIAL HANDLING INSTRUCTIONS <u>Petroleum Impacted Soils</u> <u>Emergency Contact Number 1800-424-9300 Chemtrec</u> <u>Lot # 2667 Load # 5100</u> Handling Code: <u>L</u>					
TIME DEPARTED SHOP _____ TIME ON SITE _____ TIME LEFT SITE _____ TIME RETURN TO SHOP _____					
CUSTOMER SIGNATURE <u>Same as shipper</u>					

SHIPPERS CERTIFICATION: This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

SHIPPER	PRINT <u>Matthew Ryan</u>	SIGN <u>[Signature]</u>	DATE <u>11/11/07</u>
TRANSPORTER 1	PRINT <u>Danny Murray</u>	SIGN <u>[Signature]</u>	DATE <u>1-11-07</u>
TRANSPORTER 2	PRINT _____	SIGN _____	DATE _____
RECEIVED BY	PRINT _____	SIGN _____	DATE _____

WHITE - OFFICE YELLOW - SHIPPER PINK - TSDF GOLD - OFFICE



QTY	UNIT	DESCRIPTION	LB
22.75		TON CONTAMINATED SOIL	
		Scale 1 Gross Wt.	73680
		Scale 2 Tare Wt.	28180
		Net Weight	45500

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

DATE	TIME	REF	BY	TO	FROM	REMARKS
02	291560	P41				BRENDA
01/11/07	01/11/07	09:30	09:47	7002		
REFERENCE						2667-24

Inbound - Charge ticket

DATE	EXTENSION	FEE	TOTAL
24.00	546.00	0.00	546.00

NEAPOINT

546.00





2000

Solution

ON XINHU

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-122		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 TON		EST: 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 122							
25460 PA NYAF 20598							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name BOLES, an Arcadis Company				Signature 		Date Month Day Year 1 10 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month Day Year 1 10 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature 		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature		Date Month Day Year	
Printed/Typed Name							

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12203
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291527	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/11/07	01/11/07	07:08	07:33	7004	
REFERENCE			ORIGIN		
2667-95					

Scale 1 Gross Wt. 110980 LB
Scale 2 Tare Wt. 39640 LB
Net Weight 71340 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
35.67	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

AS

LOT # 2667

SIGNATURE _____

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading
Document No. GU-123

2. Page 1
of 1

3. Generator's Name and Mailing Address:

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental COMPANY
Syracuse, NY 13202

4. Generator's Phone (315) 428-5731

ATTN: BRIAN STEARNS

SITE ADDRESS:

20 HILL STREET

GLOVERSVILLE, NY
12078

5. Transporter 1 Company Name

RON ALLEN TRUCKING

6. US EPA ID Number

N/A

A. Transporter 1 Phone 800-941-7452

7. Transporter 2 Company Name

8. US EPA ID Number

B. State Transporter's ID 4A-370

C. Transporter 2 Phone

9. Designated Facility Name and Site Address

CITY OF ALBANY LANDFILL
525 RAPP ROAD
ALBANY, NY 12205

10. US EPA ID Number

N/A

D. State Facility's ID

4-01010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

12. Containers

No.

Type

13.
Total
Quantity

14.
Unit
Wt./Vol.

a. CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

1

DT

EA 40

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
LOT # 2667
LOAD: # 123

15212 TRNY
AA 59472

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport.
The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Date

Printed/Typed Name BOLES an Arcadis Company
Matthew M. Ryan

Signature

Month Day Year
1 10 07

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year
11 10 07

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

Date
Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291525	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/11/07	01/11/07	07:06	07:31	7003	
REFERENCE			ORIGIN		
2667-123					

Scale 1 Gross Wt. 104160 LB
Scale 2 Tare Wt. 38140 LB
Net Weight 66020 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
33.01	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667




SIGNATURE

123
Albert Maham

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-124	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS					
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION			12. Containers	13. Total Quantity	14. Unit Wt./Vol.
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816			No. 1	Type DT	Est. 40 TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS			G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 124					
25400 PA NYAF 20598					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name BALES, Anarcadis Company Matthew M. Ryan			Signature 		Date Month 11 Day 11 Year 07
17. Transporter 1 Acknowledgement of Receipt of Materials			Signature 		Date Month 11 Day 11 Year 07
18. Transporter 2 Acknowledgement of Receipt of Materials			Signature		Date
Printed/Typed Name			Month Day Year		
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.					
Printed/Typed Name			Signature 		Date Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291587	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/11/07	01/11/07	10:45	11:00	7001	
REFERENCE			ORIGIN		
2667-95					

Scale 1 Gross Wt. 110560 LB Inbound - Charge ticket
Scale 2 Tare Wt. 39280 LB
Net Weight 71280 LB

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
35.64	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

95

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

LOT # 2667

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-125		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731		5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-Q1010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 125							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name: BOLLES, an Arcadis Company Matthew M. Ryan				Signature: <i>[Signature]</i>		Date: Month Day Year 11 11 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature: <i>[Signature]</i>		Date: Month Day Year 11 11 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature: Albert Moxham		Date: Month Day Year 11 11 07	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature: <i>[Signature]</i>		Date: Month Day Year 11 11 07	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

02		291573		P4 I		BRENDIA					
DATE IN		DATE OUT		TIME IN		TIME OUT		VEHICLE		ROLL OFF	
01/11/07		01/11/07		10:09		10:26		7001			
REFERENCE						ORIGIN					
2667-123											

Scale 1 Gross Wt. 109600 LB
Scale 2 Tare Wt. 38200 LB
Net Weight 71400 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
35.70	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

SIGNATURE

123
albert morham

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 5B-126		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: Brian Stearns				Site Address: 20 Hill Street Gloversville NY 12078			
4. Generator's Phone (315) 428-5731				A. Transporter 1 Phone (315) 697-9391			
5. Transporter 1 Company Name Abscope Environmental, Inc.				6. US EPA ID Number N/A			
7. Transporter 2 Company Name				8. US EPA ID Number			
9. Designated Facility Name and Site Address City of Albany Landfill 525 Rupp Road Albany, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. Contaminated Dirt, Soil on sand Non-Hazardous NR16				1		DT Tons	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above Petroleum Impacted Soils				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information Emergency Contact Number 1-800-424-9360 Chemtec Lot # 2667 Load # 126							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name BOLES an analysis Comp. Matthew M. Ryan				Signature [Signature]		Date Month 1 Day 11 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Printed/Typed Name Denny Murray		Signature [Signature]	
18. Transporter 2 Acknowledgement of Receipt of Materials				Printed/Typed Name		Signature [Signature]	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature [Signature]		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Ralph R. Ables, Manager
100 State Street, Albany, NY 12242
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

Scale 1 Gross Wt. 47640 LB
Scale 2 Tare Wt. 26440 LB
Net Weight 21200 LB
UNIT TON
DESCRIPTION CONTAMINATED SOIL

10.60 24.00 254.40 0.00 254.40

Inbound - Charge ticket

02 291622 P4 I BRENDA

01/11/07 01/11/07 12:57 13:24 7004

REFERENCE ORIGIN

2667-24

Operating hours: 7 am to 3 pm, Monday - Friday
THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON-ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
254.40
TENDERED
CHANGE

LOT # 2667

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.

N/A

Bill of Lading Document No.

GU-127

2. Page 1

of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION
300 Erie Blvd. West Environmental
Syracuse, NY 13202

A National Grid Company

ATTN:

Brian Stearns

Site Address:

20 Hill Street

Gloversville, NY

12078

4. Generator's Phone (315) 428-5731

5. Transporter 1 Company Name

Ron Allen Trucking

6.

US EPA ID Number

N/A

A. Transporter 1 Phone

800-941-7452

7. Transporter 2 Company Name

8.

US EPA ID Number

B. State Transporter's ID

4A-370

C. Transporter 2 Phone

9. Designated Facility Name and Site Address

City of Albany Landfill

525 Rupp Road

Albany NY 12205

10.

US EPA ID Number

N/A

D. State Facility's ID

4-61010017160011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

a. Contaminated Dirt, Soil or Sand
Non Hazardous N.E.C.

1

OT

Est. 40

Tons

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

Petroleum Impacted Soils

G. Handling Codes for Wastes Listed Above

4

15. Special Handling Instructions and Additional Information

Emergency Contact Number 1800 424 9300 Chemtrac
Lot # 2667
Load # 127

15212TRNY
AA59472

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Date

Month Day Year
1 11 07

Printed/Typed Name BOLES An Arcadis Comp.

Matthew M. Ryan

Signature

[Signature]

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Albert Maxham

Signature

Albert Maxham

Date

Month Day Year
1 11 07

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.

Printed/Typed Name

Signature

Date

Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291625	P4 I		Kelly Dwyer	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/11/07	01/11/07	13:07	13:28	7005	
REFERENCE			ORIGIN		
2667-123					

Scale 1 Gross Wt. 117220 LB
Scale 2 Tare Wt. 38080 LB
Net Weight 79140 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.57	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

SIGNATURE

123
Albert Mordam

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE-BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GU-128		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				A National Grid Company ATTN: Brian Stearns			
4. Generator's Phone (315) 428-5731				Site Address: 20 Hill Street Gloversville, NY 12078			
5. Transporter 1 Company Name Ron Allen Trucking		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7152			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
9. Designated Facility Name and Site Address City of Albany Landfill 525 Bapp		10. US EPA ID Number N/A		C. Transporter 2 Phone			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. Contaminated Dirt, Soil or Sand Non-Hazardous N816				1 L DT		Est. 40 Tons	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above Petroleum Impacted Soils				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information Emergency Contact Number 1800 424-9300 Chemtrec 25400 PA Lot# 2667 NYAF 20598 Load# 128							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name BOLES an Arcadis Company Matthew M. Ryan				Signature		Date Month Day Year 1 11 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year 1 11 07	
Printed/Typed Name James P. Murphy				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291633	P4 I		Kelly Dwyer	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/11/07	01/11/07	13:32	13:47	7002	
REFERENCE			ORIGIN		
2667-95					

Scale 1 Gross Wt. 116680 LB
Scale 2 Tare Wt. 39380 LB
Net Weight 77300 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.65	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
GREEMENT

95

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

OT # 2667

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-12a		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 124 15212 TRNY AA 59472							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this bill of lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name: BOLES An Arcades Company				Signature: <i>[Signature]</i>		Date: 11/11/07	
17. Transporter 1 Acknowledgement of Receipt for Materials				Signature: <i>[Signature]</i>		Date: 11/11/07	
Printed/Typed Name: Albert Moxham				Signature: <i>[Signature]</i>		Date: 11/11/07	
18. Transporter 2 Acknowledgement of Receipt for Materials				Signature: <i>[Signature]</i>		Date: 11/11/07	
Printed/Typed Name: Albert Moxham				Signature: <i>[Signature]</i>		Date: 11/11/07	
19. Discrepancy Indication Space							
20. Facility Owner or Operator Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name: Albert Moxham				Signature: <i>[Signature]</i>		Date: 11/11/07	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291662	P41		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/12/07	01/12/07	07:10	07:36	7006	
REFERENCE			ORIGIN		
2667-123					

Scale 1 Gross Wt. 122780 LB
Scale 2 Tare Wt. 38500 LB
Net Weight 84280 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
42.14	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

SIGNATURE

123
Albert M. Moham

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. CU-130	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
5. Transporter 1 Company Name RON ALLEN TRUCKING		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers	13. Total Quantity
				No.	Type
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1	DT
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L	
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2667 LOAD # 130 25400 PA NYAF20598					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name BOLES An Anacardis Company				Date	
Signature <i>[Signature]</i>				Month Day Year 11 11 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name James P. Murphy				Month Day Year 1 11 07	
Signature <i>[Signature]</i>					
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Month Day Year	
Signature					
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.					
Printed/Typed Name				Date	
Signature <i>[Signature]</i>				Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291664	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/12/07	01/12/07	07:13	07:37	7007	
REFERENCE			ORIGIN		
2667-95					

Scale 1 Gross Wt. 121820 LB
Scale 2 Tare Wt. 39480 LB
Net Weight 82340 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.17	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

DT # 2667

SIGNATURE _____

95

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <u>N/A</u>		Bill of Lading Document No. <u>GU-131</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: <u>Brian Stearns</u>				Site Address <u>20 Hill Street</u> <u>Glensville NY 12078</u>			
4. Generator's Phone (315) <u>428-5731</u>							
5. Transporter 1 Company Name <u>Rob Allen Trucking</u>		6. US EPA ID Number <u>N/A</u>		A. Transporter 1 Phone <u>800 941 7452</u>			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID <u>4A-370</u>			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address <u>City of Albany Landfill</u> <u>525 Reed Road</u> <u>Albany NY 12205</u>		10. US EPA ID Number <u>N/A</u>		D. State Facility's ID <u>4-01010617100011</u>			
				E. Facility's Phone <u>(518) 869-3651</u>			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. <u>Contaminated Dink, Soil on sand</u> <u>Non Hazardous</u> <u>N 816</u>				1		<u>OT Est 40 Tons</u>	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above <u>Petroleum Impacted Soils</u>				G. Handling Codes for Wastes Listed Above <u>L</u>			
15. Special Handling Instructions and Additional Information <u>Emergency Contact Number 1800-44-4300 (Centrec 1521 NY)</u> <u>Lot # 2007</u> <u>Load # 13</u> <u>AA 59172</u>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>Rob Allen Trucking</u>				Signature <u>[Signature]</u>		Date <u>1/12/07</u>	
17. Transporter 1 Acknowledgment of Receipt of Materials				Signature <u>Albert Moxham</u>		Date <u>1/12/07</u>	
Printed/Typed Name <u>Albert Moxham</u>				Signature		Date	
18. Transporter 2 Acknowledgment of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indicated Space							
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <u>[Signature]</u>		Date	
				Month Day Year			

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291715	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/12/07	01/12/07	10:15	10:32	7001	
REFERENCE			ORIGIN		
2667-123					

Scale 1 Gross Wt. 115060 LB
Scale 2 Tare Wt. 38240 LB
Net Weight 76820 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.41	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ION ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

OT # 2667

SIGNATURE

123
Albert Morham

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print. (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.

N/A

Bill of Lading Document No.

GV-132

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION
300 Erie Blvd. West Environmental
Syracuse, NY 13202

A National Grid Company

ATTN:

4. Generator's Phone (315) 428-5731

Brian Starnes

Site Address:

20411 Street
Gloucesterville, NY
12078

5. Transporter 1 Company Name

Ron Allen Trucking

6. US EPA ID Number

N/A

7. Transporter 2 Company Name

8. US EPA ID Number

N/A

9. Designated Facility Name and Site Address

City of Albany Landfill
525 Rapp Road
Albany, NY 12265

10. US EPA ID Number

A. Transporter 1 Phone 800-441-7452

B. State Transporter's ID 4A-370

C. Transporter 2 Phone

D. State Facility's ID

4501010017100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

a. Contaminated Dirt, Soil or sand
Non-Hazardous SOIL

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

1

OT

Est 40

Tons

F. Additional Descriptions for Materials Listed Above

Petroleum Impacted Soils

G. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

Emergency Contact Number 1800-424-9300 25400 PA
Lot # 2667
Load # 132
Chemtrac NYAF20598

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Printed/Typed Name BLES, an arcadis Comp.
Matthew M. Ryan

Signature

Date

Month Day Year
11 12 07

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

James P. Murphy

Signature

Month Day Year
1 16 07

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.

Printed/Typed Name

Signature

Date

Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291724	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/12/07	01/12/07	10:23	10:40	7002	
REFERENCE			ORIGIN		
2667-95					

Scale 1 Gross Wt. 114420 LB
Scale 2 Tare Wt. 39380 LB
Net Weight 75040 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.52	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

95

NET AMOUNT

TENDERED

CHANGE




CHECK NO.

LOT # 2667

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-133		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: Brian Stearns				Site Address: 20 Hill Street Glensville NY 12078			
4. Generator's Phone (215) 428-5731		6. US EPA ID Number N/A		A. Transporter 1 Phone 800 941 7452			
5. Transporter 1 Company Name Union Allen Trucking		8. US EPA ID Number		B. State Transporter's ID PA-PLU 855-941-7452			
7. Transporter 2 Company Name		10. US EPA ID Number N/A		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address City of Albany Landfill 525 Rapp Road				D. State Facility's ID 401010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. Contaminated Dirt, Soil on Sand Non-Hazardous NSIC				1 OT		Est 40 Tons	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above Petroleum Impacted Soils				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information Emergency Contact Number 1-800-421-9300 Centrec 25400 PA Lot # 2667 Load 4 NYAF 20598							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name BOLES an Arcadis Comp. Matthew Ryan				Signature 		Date Month 1 Day 12 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month 1 Day 12 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature 		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscove Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291764	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/12/07	01/12/07	13:15	14:08	7001	
REFERENCE			ORIGIN		
2667-95					

Scale 1 Gross Wt. 121940 LB
Scale 2 Tare Wt. 39140 LB
Net Weight 82800 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.40	TON	CONTAMINATED SOIL				

operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

95

DT # 2667

SIGNATURE _____

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.

Bill of Lading Document No.

BU-134

2. Page 1 of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION
300 Erie Blvd. West Environmental
Syracuse, NY 13202

A National Grid Company

ATTN:

Brian Starnes

Site Address:

20 Hill Street

Gloversville NY

12078

4. Generator's Phone (315) 428-5731

5. Transporter 1 Company Name

Bon Allen Trucking

6. US EPA ID Number

N/A

A. Transporter 1 Phone

800-991-7452

7. Transporter 2 Company Name

8. US EPA ID Number

B. State Transporter's ID

4A-37D

C. Transporter 2 Phone

9. Designated Facility Name and Site Address

City of Albany Landfill

525 Rapp Road

Albany, NY 12205

10. US EPA ID Number

N/A

D. State Facility's ID

4-06016017-100011

E. Facility's Phone

(518) 869-3651

11. WASTE DESCRIPTION

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

a. Contaminated Dirt, Soil or Sand
Non-Hazardous N816

1

DT

5540

Tons

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

Petroleum Impacted Soils

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

Emergency Contact

Number 1800-424-9300

Chemtrac

15212TRNY

Ext H 2667

AA59472

Load # 134

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Date

Printed/Typed Name

BLES An Acadis Comp

Signature

[Signature]

Month Day Year

11/12/07

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Albert Moxham

Signature

Albert Moxham

Month Day Year

11/12/07

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Date

Printed/Typed Name

Signature

Month Day Year

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	291770	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
01/12/07	01/12/07	13:37	13:57	7002	
REFERENCE			ORIGIN		
2667-123					

Scale 1 Gross Wt. 121340 LB
Scale 2 Tare Wt. 38040 LB
Net Weight 83300 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.65	TON	CONTAMINATED SOIL				

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2667

SIGNATURE

123
Albert Mosham

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <u>N/A</u>		Bill of Lading Document No. <u>GU-135</u>		2. Page 1 of	
3. Generator's Name and Mailing Address: NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: <u>Brian Stearns</u>				Site Address: <u>20 Hill Street</u> <u>Gloversville NY</u> <u>12078</u>			
4. Generator's Phone <u>(215) 428-5731</u>		6. US EPA ID Number <u>N/A</u>		A. Transporter 1 Phone <u>800-941-7452</u>			
5. Transporter 1 Company Name <u>Don Allen Trucking</u>		8. US EPA ID Number		B. State Transporter's ID <u>4A-370</u>			
7. Transporter 2 Company Name		10. US EPA ID Number <u>N/A</u>		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address: <u>City of Albany Landfill</u> <u>525 Rapp Road</u> <u>Albany NY 12205</u>		13. Total Quantity		D. State Facility's ID <u>4-01010017100011</u>			
11. WASTE DESCRIPTION		12. Containers		E. Facility's Phone <u>(518) 869-3651</u>			
		No. Type				14. Unit Wt./Vol.	
a. <u>Contaminated Dirt, Soil or Sand</u> <u>Non Hazardous N 816</u>		1 <u>04</u>		<u>EST 46</u>		<u>Tons</u>	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above <u>Petroleum Impacted Soil</u>				G. Handling Codes for Wastes Listed Above <u>L</u>			
15. Special Handling Instructions and Additional Information <u>Emergency Contact Number 1800-424-9300 Chemtrec</u> <u>Lot # 2667</u> <u>Load # 135</u> <u>15212 TONNY</u> <u>AA 54172</u>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>BLES an arcadis Corp</u> <u>Matthew M. Ryan</u>				Signature <u>[Signature]</u>		Date Month <u>1</u> Day <u>12</u> Year <u>07</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <u>Albert Moxham</u>		Date Month <u>1</u> Day <u>12</u> Year <u>07</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

6033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER			
02	291787	P41	BRENDA <i>2/1/07</i>			
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF	
01/15/07	01/15/07	07:14	08:27	7003		
REFERENCE			ORIGIN			
2667-123						

Scale 1 Gross Wt. 122480 LB
Scale 2 Tare Wt. 39340 LB
Net Weight 83140 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.57	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

DT # 2667




SIGNATURE

Albert Moscham 23

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GU-136		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 315-428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone		5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		6. US EPA ID Number NY0000097444		A. Transporter 1 Phone 315-697-8437	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-369		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CWM CHEMICAL SERVICES, LLC 1550 BALMER ROAD MODEL CITY, NY 14107				10. US EPA ID Number N/A		D. State Facility's ID 9-2934-00022/00097	
				E. Facility's Phone (716) 754-0365			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. NON-RCRA, NON-DOT WASTE (OILY WATER/SLUDGE) NON-HAZARDOUS				1 TT		2700 G	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
81611862							
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # VG4073 SR #822300 GU-136 56143 JH NY							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Arcadis BSC Matthew M. Ryan				Signature 		Date Month Day Year 1 17 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month Day Year 1 17 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space actual Beed 2815 G 2441 G-A/T - 74 G-Stan							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature 		Date Month Day Year 1 23 07	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



Transporter Log
CWM Chemical Services, Inc.
Model City, NY

149494

Cubic Yards

81641862

Receipt #

Trailer License Plate # and State

Service Req. #

Profile #

Permit #

Transporter Name

Tractor/Trailer/Roll-off #

Driver's Name

Generator

Scheduled Arrival:

Date

Time

Actual Arrival:

Date

Time In

Time Out

Arrived during Blackout? Y / N

Notified DEC? Y / N

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify _____)

☐ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization ☐ Drums ☒ Tanker ☐ Transformers

Laboratory

Time In

Time Out

Initials

Comments

Stabilization

Time In

Time Out

Initials

Gross Wt.

Comments

Landfill

Time In

Time Out

Initials

Comments

Other

Time In

Time Out

Initials

Comments

Aqueous Treatment

Time In

Time Out

Signature (NO Initials)

Comments

Facility Personnel (please initial)

Smoking or eating in prohibited areas

Leaving truck unattended

Failure to obey instructions of facility personnel

Failure to display overweight flag

Failure to wear appropriate PPE

Improper tarping or detarpin

Unsafe driving practices

Overweight upon arrival

Other (specify _____)

Security Guard Initials: _____

(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

White: Records

Green & Canary: Accts Rec.

Pink: Environmental

Goldenrod: Driver

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

N/A

Manifest Document No.

GL137

2. Page 1

of 1

3. Generator's Name and Mailing Address

Niagra Mohawk Power Corp. A Natl. Grid Co.
300 Erie Blvd. West Environmental
Syracuse NY 13202

4. Generator's Phone (315) 428-5731

5. Transporter 1 Company Name

Environmental Prod & Svcs of VT, Inc. VT R 0 0 0 5 0 0 0 9 0

7. Transporter 2 Company Name

6. US EPA ID Number

8. US EPA ID Number

9. Designated Facility Name and Site Address

CWM Chemical Services, LLC
1550 BALMER RD.
MODEL CITY NY 14107

10. US EPA ID Number

NY D 0 4 9 8 3 6 6 7 9

20 Hill Street
Gloversville NY 12078

A. State Transporter's ID

B. Transporter 1 Phone (802) 862-1212

C. State Transporter's ID

D. Transporter 2 Phone

E. State Facility's ID

9-2934-00022/00097

F. Facility's Phone

(716) 754-8231

11. WASTE DESCRIPTION

a. NON-RCRA, NON-DOT WASTE(OILY
WATER/SLUDGE) NON-HAZARDOUS

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt./Vol.

1

TT

1000

G

G. Additional Descriptions for Materials Listed Above

a.

c.

b.

d.

81611801

H. Handling Codes for Wastes Listed Above

a. 302

c.

b.

d.

15. Special Handling Instructions and Additional Information

GL137

Rec'd. 1424 G 11/16/07

Emerg. Phone #
(802) 862-1212

a. PROFILE# VG4073 SR # 822300

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name

Matthew Ryan

Signature

[Signature]

Date

Month Day Year
11/17/07

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

[Signature]

Signature

[Signature]

Date

Month Day Year
11/17/07

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

[Signature]

Signature

[Signature]

Date

Month Day Year
11/17/07

19. Discrepancy Indication Space

12/20/07 Rejecting approx. 240 est. gal. back to generator. Eileen Carter 1/18/07

20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.

Printed/Typed Name

Signature

[Signature]

Date

Month Day Year
11/17/07

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



Transporter Log
CWM Chemical Services, Inc.
 Model City, NY

149433

Cubic Yards

81611801

Receipt #

62C19

Trailer License Plate # and State

Service Req. #

EPS & VT

VG4073

Profile #

Permit #

725

Transporter Name

Marc C Gillis

Driver's Name

Tractor/Trailer/Roll-off #

National Grid

Generator

Scheduled Arrival:

Actual Arrival:

Date

Time

Date

Time In

Time Out

Arrived during Blackout? Y / N

Notified DEC? Y / N

☐

Leaker

☐

Permit Violation

☐

Placarding/Veh. I.D. Violation

☐

Other (specify)

☐

Bulk to Landfill

☐

No wet line

☐

Flatbed

☐

Stabilization

☐

Drums

☒

Tanker

☐

Transformers

Laboratory

Time In

Time Out

Initials

Comments

Stabilization

Time In

Time Out

Initials

Gross Wt.

Comments

Landfill

Time In

Time Out

Initials

Comments

Other

Time In

Time Out

Initials

Comments

Aqueous Treatment

Time In

Time Out

Signature (NO Initials)

Comments

Facility Personnel (please initial)

Smoking or eating in prohibited areas

Failure to obey instructions of facility personnel

Failure to wear appropriate PPE

Unsafe driving practices

Other (specify)

Leaving truck unattended

Failure to display overweight flag

Improper tarping or dewatering

Overweight upon arrival

Driver's Comments

Security Guard Initials:

(Indicating receipt of Wash Bay pass, if necessary)

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>GO-138</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731				5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.			
6. US EPA ID Number NY0000097444				A. Transporter 1 Phone 315-697-8437			
7. Transporter 2 Company Name				B. State Transporter's ID 7A-369			
8. US EPA ID Number				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CWM CHEMICAL SERVICES, LLC 1550 BALMER ROAD MODEL CITY, NY 14107				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers No. Type		13. Total Quantity	
a. NON-RCRA, NON-DOT WASTE (OILY WATER/SLUDGE) NON-HAZARDOUS				19 DM		5591 P	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # VG4073 SR #823014 <u>GO-138</u> <u>14439-JF</u>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>Arcadis OSL</u> <u>Matthew Ryan</u>				Signature <u>[Signature]</u>		Date Month Day Year <u>11</u> <u>25</u> <u>07</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <u>[Signature]</u>		Date Month Day Year <u>11</u> <u>29</u> <u>07</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name <u>Michelle Fleck</u>				Signature <u>[Signature]</u>		Date Month Day Year <u>01</u> <u>26</u> <u>07</u>	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



Transporter Log
CWM Chemical Services, Inc.
Model City, NY

149557

Cubic Yards

81611909

Receipt # _____ Trailer License Plate # and State _____

Service Req. # _____ Profile # _____ Permit # _____

Transporter Name _____ Tractor/Trailer/Roll-off # _____

Driver's Name _____ Generator _____

Scheduled Arrival:

Actual Arrival: Date _____ Time _____ 8:15
Date _____ Time In _____ Time Out _____

Arrived during Blackout? Y / N _____ Notified DEC? Y / N _____

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify _____)

☐ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization ☒ Drums ☐ Tanker ☐ Transformers

Receiving: ME
Initials _____ Comments _____

Laboratory

Time In _____ Time Out _____ Initials _____ Comments _____

Stabilization

Time In _____ Time Out _____ Initials _____ Gross Wt. _____ Comments _____

Landfill

Time In _____ Time Out _____ Initials _____ Comments _____

Other

Time In _____ Time Out _____ Initials _____ Comments _____

Aqueous Treatment

Time In _____ Time Out _____ Signature (NO Initials) _____ Comments _____

Facility Personnel (please initial)

_____ Smoking or eating in prohibited areas

_____ Leaving truck unattended

_____ Failure to obey instructions of facility personnel

_____ Failure to display overweight flag

_____ Failure to wear appropriate PPE

_____ Improper tarping or detarplin

_____ Unsafe driving practices

_____ Overweight upon arrival

_____ Other (specify _____)

Security Guard Initials: _____
(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. NYD98077748		Bill of Lading Document No. GV-139		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731		5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		6. US EPA ID Number NY0000097444		A. Transporter 1 Phone 315-697-8437	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-369		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CWM CHEMICAL SERVICES, LLC 1550 BALMER ROAD MODEL CITY, NY 14107		10. US EPA ID Number NYD049836679		D. State Facility's ID 9-2934-00022/00097		E. Facility's Phone (716) 754-8231	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
a. NON-RCRA, NON-DOT REGULATED MATERIAL (SPENT ACTIVATED CARBON N864)				No. 9 Type DM		14. Unit Wt./Vol. P	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # NY100412 SR #825245 GV-140 7A-369 45649-JO NY							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name ARCADIS BOLES for Nat. Grid				Signature <i>[Signature]</i>		Date 2/21/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 2/21/07	
Printed/Typed Name Erick Trease				Signature <i>[Signature]</i>		Date 2/21/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name Richard L. BENO				Signature <i>[Signature]</i>		Date 02/22/07	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FA

LITY



Transporter Log
CWM Chemical Services, Inc.
Model City, NY

150096

Cubic Yards

81612489

Receipt #

4347537 NY

Trailer License Plate # and State

523243

Service Req. #

Profile #

Permit #

1628

Transporter Name

Tractor/Trailer/Roll-off #

Driver's Name

Generator

Scheduled Arrival:

2/22/11

130

Actual Arrival:

2/22/11

912

1015

Date

Time In

Time Out

Arrived during Blackout? Y / N

Notified DEC? Y / N

Receiving: MF

Initials

Comments

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify)

☐ Bulk to Landfill

☐ No wet line

☐ Flatbed

☐ Stabilization

☐ Drums

☐ Tanker

☐ Transformers

Laboratory

Time In

Time Out

Initials

Comments

Stabilization

Time In

Time Out

Initials

Gross Wt.

Comments

Landfill

Time In

Time Out

Initials

Comments

Other

Time In

Time Out

Initials

Comments

Aqueous Treatment

Time In

Time Out

Signature (NO Initials)

Comments

Facility Personnel (please initial)

Smoking or eating in prohibited areas

Leaving truck unattended

Failure to obey instructions of facility personnel

Failure to display overweight flag

Failure to wear appropriate PPE

Improper tarping or detarpin

Unsafe driving practices

Overweight upon arrival

Other (specify)

Security Guard Initials:

(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.

NYD9807774B

Bill of Lading
Document No.

GV-140

2. Page 1
of 1

3. Generator's Name and Mailing Address ..

NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID
300 Erie Blvd. West Environmental
Syracuse, NY 13202 ATTN: COMPANY

4. Generator's Phone 315 428-5731

ATTN: BRIAN STEARNS

SITE ADDRESS:

20 HILL STREET
GLOVERSVILLE, NY
12078

5. Transporter 1 Company Name

ABSCOPE ENVIRONMENTAL, INC.

6. US EPA ID Number

NY0000097444

A. Transporter 1 Phone 315-697-8437

7. Transporter 2 Company Name

8. US EPA ID Number

B. State Transporter's ID 7A-369

C. Transporter 2 Phone

9. Designated Facility Name and Site Address

CWM CHEMICAL SERVICES, LLC
1550 BALMER ROAD
MODEL CITY, NY 14107

10. US EPA ID Number

NYD049836679

D. State Facility's ID

9-2934-00022/00097

E. Facility's Phone

(716) 754-8231

11. WASTE DESCRIPTION

a. NON-RCRA, NON-DOT REGULATED MATERIAL
(ION EXCHANGE RESIN N832)

12. Containers

No.

Type

13.
Total
Quantity

14.
Unit
Wt./Vol.

3

DM

P

F. Additional Descriptions for Materials Listed Above

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

g) 2 Dms + 1 DF actual 81612489
EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
PROFILE # NY100411 GV-140
SR #825245

7A-369

45649-50 NY

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport.
The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Date

Month Day Year
2 21 07

Printed/Typed Name Arcadis Bales for Nat Grid

Signature

Matthew M. Ryan

Date

Month Day Year
2 21 07

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Erick Trease

Signature

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Date

Month Day Year
02 22 07

Printed/Typed Name

Richard LA BENO

Signature

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



Transporter Log
CWM Chemical Services, Inc.
Model City, NY

150096

Cubic Yards

81612489

Receipt #

4319533 NY
Trailer License Plate # and State

Service Req. #

Profile #

Permit #

Transporter Name

Tractor/Trailer/Roll-off #

Driver's Name

Generator

Scheduled Arrival:

Actual Arrival:

Date

Time In

Time Out

Arrived during Blackout? Y / N

Notified DEC? Y / N

Receiving: MF

Initials

Comments

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify

☐ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization ☐ Drums ☐ Tanker ☐ Transformers

Laboratory

Time In

Time Out

Initials

Comments

Stabilization

Time In

Time Out

Initials

Gross Wt.

Comments

Landfill

Time In

Time Out

Initials

Comments

Other

Time In

Time Out

Initials

Comments

Aqueous
Treatment

Time In

Time Out

Signature (NO Initials)

Comments

Facility Personnel (please initial)

Smoking or eating in prohibited areas

Leaving truck unattended

Failure to obey instructions of facility personnel

Failure to display overweight flag

Failure to wear appropriate PPE

Improper tarping or detarpin

Unsafe driving practices

Overweight upon arrival

Other (specify)




Security Guard Initials:

(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. <div style="text-align: center;">GV-141</div>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: Brian Stearns				Site Address: 20 Hill St. Glensville NY 12078			
4. Generator's Phone (315) 488-5731		6. US EPA ID Number <div style="text-align: center;">N/A</div>		A. Transporter 1 Phone 800-941-7452			
5. Transporter 1 Company Name Ron Allen Trucking		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address City of Albany Landfill 625 Rapp Road Albany, NY 12205		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone 518-869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C+D) N999				1		DT 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1202-424-9300 CHEMTREC NY 25400 PA LOT # 2746 USDOT 705908 LOAD # GV-141							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason R Golubski As agent of National Grid				Signature 		Date Month Day Year 5 18 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month Day Year 5 18 07	
Printed/Typed Name James P Murphy							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature 		Date Month Day Year	
Printed/Typed Name							
19. Discrepancy Indication Space <div style="text-align: right;">(95)</div>							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3631

006033 'Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302544	P4 PHZ II		BRENDA #10.507 + 58	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	TOLL OFF
05/18/07	05/18/07	09:25	09:58	7001	5.8
REFERENCE			ORIGIN		
2746					

Scale 1 Gross Wt. 111380 LB
Scale 2 Tare Wt. 38480 LB
Net Weight 72900 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
36.45	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

95

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO

_LOT # 2746

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-148		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: A NATIONAL GRID COMPANY				Site Address: 20 Hill St Glenville NY 12078			
4. Generator's Phone (315) 428-5731 Brian Stearns							
5. Transporter 1 Company Name Ron Allen Trucking		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7152			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address City of Albany Landfill 525 Rapp Rd ALBANY NY 12205				10. US EPA ID Number N/A		D. State Facility's ID 41-01010017100011	
						E. Facility's Phone 518 869 3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. NON-PCRA, NON DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C+D) N999				1 1T		57.40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1800-424-9300 CHEATREC NY 15212 TR LOT # 2746 LOAD # GV-148 USDOT 705903 NY							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason R Golubski As Agent of National Grid						Date Month Day Year 5/18/07	
Signature <i>Jason R Golubski</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name						Date Month Day Year	
Signature							
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name LYNN BACKUS						Date Month Day Year 5/18/07	
Signature <i>Lynn Backus</i>							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name						Date Month Day Year	
Signature							

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rupp Road Waste Management Facility
525 Rupp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302551	P4 PHZ II		BRENDA	#10.509 x 53
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/18/07	05/18/07	09:50	10:16	7003	
REFERENCE			ORIGIN		
2746-123					

Scale 1 Gross Wt. 116360 LB
Scale 2 Tare Wt. 38120 LB
Net Weight 78240 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.12	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

123

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

OT # 2746

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING


Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-143	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: A NATIONAL GRID COMPANY			4. Address: 20 HILL ST. Gloversville NY 12078.	
4. Generator's Phone (315) 428-5731 BRIAN STEARNS				
5. Transporter 1 Company Name RON AILEN TRUCKING		6. US EPA ID Number N/A	A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number	B. State Transporter's ID 4A-370	
			C. Transporter 2 Phone	
9. Designated Facility Name and Site Address City of Albany Landfill 525 RAPP Rd ALBANY NY 12205		10. US EPA ID Number N/A	D. State Facility's ID 4-01010017100011	
			E. Facility's Phone 518-869-3651	
11. WASTE DESCRIPTION		12. Containers No. Type	13. Total Quantity	14. Unit Wt./Vol.
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT CHD) N999		1 DT	EST. 40	TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above		G. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC NY 13270 TR LOT # 2746 LOAD # GV-143 USDOT 705908 NY				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name JASON R GOLUBSKI As Agent of National Grid		Signature [Signature]	Date Month 5 Day 18 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials		Date		
Printed/Typed Name x [Signature] Log		Signature x [Signature]	Month 5 Day 18 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials		Date		
Printed/Typed Name		Signature	Month Day Year	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				
Printed/Typed Name		Signature	Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



SITE		TICKET		GRID		WEIGHMASTER	
02		302549		P4 PHZ II		BRENDA #10.50 +5	
DATE IN		DATE OUT		TIME IN		TIME OUT	
05/18/07		05/18/07		09:45		10:08	
VEHICLE				ROLL OFF			
7002							
REFERENCE				ORIGIN			
2746-91							

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
36.86	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

SIGNATURE

NON-HAZARDOUS WASTE BILL OF LADING


Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <i>N/A</i>	Bill of Lading Document No. <i>GV-144</i>	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: <i>BRIAN STEARNS</i>			Site Address: <i>20 Hill St</i> <i>Gloversville NY 12078</i>	
4. Generator's Phone <i>(315) 428-5431</i>	6. US EPA ID Number <i>N/A</i>	A. Transporter 1 Phone <i>800-941-2457</i>		
5. Transporter 1 Company Name <i>Ron Allen Trucking</i>	8. US EPA ID Number	B. State Transporter's ID <i>4A-370</i>		
7. Transporter 2 Company Name	10. US EPA ID Number <i>N/A</i>	C. Transporter 2 Phone		
9. Designated Facility Name and Site Address <i>Cit. of Albany Cardillo</i> <i>525 Rapp Rd</i> <i>Albany NY 12205</i>	12. Containers No. Type <i>1 DT</i>	13. Total Quantity <i>Est. 410</i>	D. State Facility's ID <i>4-01010017100011</i>	
11. WASTE DESCRIPTION <i>NON-PCRA, NON-DOT REGULATED SOLIDS</i> <i>NON-HAZARDOUS (ASPHALT (+D)) N999</i>	14. Unit Wt./Vol. <i>TONS</i>		E. Facility's Phone <i>518-869-3651</i>	
F. Additional Descriptions for Materials Listed Above		G. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information <i>EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC</i> <i>LOT # 2746</i> <i>LOAD # GV-144</i> <i>#95</i> <i>NY 25100-PA</i> <i>US DOT 705908</i>				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name <i>Jason D. Golubski</i>		Signature <i>Jason D. Golubski</i>	Date Month <i>5</i> Day <i>19</i> Year <i>07</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>James P. Murphy</i>	Date Month <i>5</i> Day <i>18</i> Year <i>07</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature	Date	
19. Discrepancy Indication Space <i>(95)</i>				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.		Date		
Printed/Typed Name		Signature	Month Day Year	

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID	WEIGHMASTER		
02	302610	P4 PHZ II	BRENDA #10.50 <i>150</i>		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/18/07	05/18/07	12:54	12:59	7001	
REFERENCE			ORIGIN		
2746-95					

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.38	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

95

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-145		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731)							
5. Transporter 1 Company Name ALLEN TRUCKING		6. US EPA ID Number RD NY00000097444		A. Transporter 1 Phone 800 941-7452 315 845-6777			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 6A-3384A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1 TONS		DT Est 40	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 LOAD # GV 145 #91 NY 13270 TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason R Golubski Agent of National Grid				Signature Jason R Golubski		Date 5/18/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature X		Date	
Printed/Typed Name X							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature X		Date	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature (Signature)		Date 9/1	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302602	P4 PHZ II		BRENDA <i>#10.505 + 58</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/18/07	05/18/07	12:28	12:53	7002	
REFERENCE			ORIGIN		
2746-91					

Scale 1 Gross Wt. 117500 LB
Scale 2 Tare Wt. 38920 LB
Net Weight 78580 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.29	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2746

SIGNATURE

[Signature] (91)

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <i>GV-146</i>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (<i>315</i>) 428-5731				5. Transporter 1 Company Name <i>Allen</i> ALLEN TRUCKING			
				6. US EPA ID Number <i>GV</i> NY0000097444			
7. Transporter 2 Company Name				A. Transporter 1 Phone <i>800 941 7452</i> 315 845 8777			
				B. State Transporter's ID 6A-338 <i>4A-370</i>			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1		DT EST. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # <i>2716</i> <i>GV-146</i> <i>NY 15019 TR</i> <i>#123</i> <i>USDOT 705908 NY</i>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>Jason R. Golubski</i> <i>Agent of National Grid</i>				Signature <i>Jason R. Golubski</i>		Date Month <i>5</i> Day <i>18</i> Year <i>07</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Kevin Bricker</i>		Date Month <i>5</i> Day <i>18</i> Year <i>07</i>	
Printed/Typed Name <i>Kevin Bricker</i>				Signature <i>(Signature)</i>		Date Month <i>5</i> Day <i>18</i> Year <i>07</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>(Signature)</i>		Date Month <i>5</i> Day <i>18</i> Year <i>07</i>	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>(Signature)</i>		Date Month <i>5</i> Day <i>18</i> Year <i>07</i>	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID	WEIGHMASTER		
02	302609	P4 PHZ II	BRENDA #10.50g + 58		
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/18/07	05/18/07	12:52	13:13	7003	
REFERENCE			ORIGIN		
2746-123					

Scale 1 Gross Wt. 124660 LB
Scale 2 Tare Wt. 37960 LB
Net Weight 86700 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
43.35	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

(123)

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

LOT # 2746

SIGNATURE

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-147		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731				A. Transporter 1 Phone 800 941 7452			
5. Transporter 1 Company Name ALLEN TRUCKING				B. State Transporter's ID 6A-338 4A-370			
7. Transporter 2 Company Name				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				D. State Facility's ID 4-01010017100011			
10. US EPA ID Number N/A				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1 DT		EST. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 GV-147				NY 13268 TR #92 USDOT 705908			
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason R Golubski Agent of National Grid				Signature <i>[Signature]</i>		Date Month 5 Day 18 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year	
Printed/Typed Name Henry C. Pitzer				Signature <i>[Signature]</i>		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature <i>[Signature]</i>		Date Month Day Year	
Printed/Typed Name				Signature		Date	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302622	P4 PHZ II		HC 010215	#10.50g +5
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/18/07	05/18/07	13:31	14:02	7001	f
REFERENCE			ORIGIN		
2746-92					

Scale 1 Gross Wt. 109100 LB
Scale 2 Tare Wt. 38600 LB
Net Weight 70500 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
35.25	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2746

SIGNATURE _____

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING


Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <i>GV-148</i>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (<i>315</i>) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name T J ALLEN TRUCKING		6. US EPA ID Number NY0000097444		A. Transporter 1 Phone <i>RD 800 941 7452</i> 315-845-6777			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID GA-388 YA 370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type		
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1	DT	<i>EST 1/6</i> TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2796 <i>GV-148</i>				<i>NY 15310 TR</i> <i>#123</i> <i>US DOT 705908 NY</i>			
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>Jason R Golubski</i>				Signature <i>Jason R Golubski</i>		Date Month Day Year <i>5 14 07</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Wynn Backus</i>		Date Month Day Year <i>5 18 07</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space				<i>(123)</i> <i>(123)</i>			
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				Signature <i>(Signature)</i>		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	

GENERATOR

TRANSPORTER

FACILITY



106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302652	P4 PHZ II		BRENDA <i>#10.50 + 5 f.</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	07:11	07:35	7003	
REFERENCE			ORIGIN		
2746-123					

Scale 1 Gross Wt.	121060	LB
Scale 2 Tare Wt.	38400	LB
Net Weight	82660	LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.33	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

.OT # 2746

SIGNATURE

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>LV-149</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (<u>315</u>) <u>428-5731</u> ATTN: <u>BRIAN STEARNS</u>							
5. Transporter 1 Company Name <u>ALLEN TRUCKING</u>		6. US EPA ID Number <u>RD</u> <u>NY000009744</u>		A. Transporter 1 Phone <u>800 741 7432</u> <u>315-845-6777</u>			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID <u>6A-338 4A 370</u>			
9. Designated Facility Name and Site Address <u>CITY OF ALBANY LANDFILL</u> <u>525 RAPP ROAD</u> <u>ALBANY, NY 12205</u>		10. US EPA ID Number N/A		D. State Facility's ID <u>4-01010017100011</u>			
				E. Facility's Phone <u>(518) 869-3651</u>			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. <u>NON-RCRA, NON-DOT REGULATED SOLIDS</u> <u>NON-HAZARDOUS (ASPHALT C&D) N999</u>				1 TON		EST. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information <u>EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC</u> <u>LOT # 27410</u> <u>6V-149</u> <u>#95</u> <u>USDOT 705908</u> <u>NY 25400 PA</u>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>Jason R Golubski</u>				Signature <u>James R. Golubski</u>		Date <u>5/18/07</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <u>James R. Golubski</u>		Date <u>5/18/07</u>	
Printed/Typed Name <u>JAMES R. GOLUBSKI</u>				Signature <u>James R. Golubski</u>		Date <u>5/18/07</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space				(95)			
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				Signature		Date	
Printed/Typed Name				Signature		Date	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302649	P4 PHZ II		BRENDA #10.50 + 50 \$	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	07:07	07:26	7002	
REFERENCE			ORIGIN		
2746-95					

Scale 1 Gross Wt. 116380 LB
Scale 2 Tare Wt. 38600 LB
Net Weight 77780 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.89	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

65

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

_OT # 2746

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-150		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name T J ALLEN TRUCKING		6. US EPA ID Number NY0000057444		A. Transporter 1 Phone 315-843-8777			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 6A-338-4A-37C			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type	Unit	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1	DT	EST. 40	TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 GV-150				USDOT 905908 # 90 NY 13268-TR			
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason R. Golubski				Signature <i>[Signature]</i>		Date 5/18/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Printed/Typed Name X Henry C. Pitzer		Signature <i>[Signature]</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Printed/Typed Name (48)		Signature <i>[Signature]</i>	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302646	P4 PHZ II		BRENDA \$10.52 + 53.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	07:04	11:06	7001	
REL. NO.		ORIGIN			
2746-92					

Scale 1 Gross Wt. 124760 LB
Manual Tare Wt. 38600 LB
Net Weight 86160 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
43.08	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2746

(92)

SIGNATURE _____

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. GV-151	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLYNNESVILLE, NY 12078	
4. Generator's Phone (315 428-5731) ATTN: BRIAN STEARNS					
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number <div style="text-align: center;">N/A</div>		A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370	
				C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION			12. Containers		13. Total Quantity
			No.	Type	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999			1	DT	Est. 40 TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above			G. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information					
EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 GV-151 <div style="float: right; text-align: right;"> NY-13270-12 USDOT 7059081 # 91 </div>					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name Jason Golubski <i>Agent of National Grid</i>				Signature <i>[Signature]</i>	
				Date 5/21/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name X James Brimmer				Signature <i>[Signature]</i>	
				Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Signature	
				Date	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19					
Printed/Typed Name				Signature <i>[Signature]</i>	
				Date	
				Month Day Year	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID		WEIGHMASTER	
02	302697	P4 PHZ II		BRENDA #10.50 + 50.00	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	09:48	10:10	7001	
REFERENCE			ORIGIN		
2746-91					

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
47.14	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
ION ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
GREEMENT

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

SIGNATURE

148

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <i>6V-152</i>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: COMPANY				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone: (315) 428-5731 BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC # 95 LOT # 2746 <i>6V-152</i> NY-25406-PA USDOT 705908							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>As Agent of</i> Jason Golubski <i>National Grid</i>				Signature <i>[Signature]</i>		Date Month 5 Day 21 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month 5 Day 21 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302700	P4 PHZ II		BRENDA #10.50 + 58 + 1.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	10:03	10:17	7002	
REFERENCE			ORIGIN		
2746-95					

Scale 1 Gross Wt. 125140 LB
Scale 2 Tare Wt. 38440 LB
Net Weight 86700 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
43.35	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

95

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

LOT # 2746

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <i>GV-153</i>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731)		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 0946 GV-153 NY 15212-TR #123 USDOT 205908NY							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>As Agent of National Grid</i> Jason Colubski				Signature <i>[Signature]</i>		Date Month 5 Day 21 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month 5 Day 21 Year 07	
Printed/Typed Name LYNN BACKUS				Signature <i>[Signature]</i>		Date Month 5 Day 21 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space <i>[Circular Stamp]</i> (123)							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY

CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302709	P4 PHZ II		BRENDA #10.507 + 58 FS	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	10:30	10:52	7001	
REFERENCE		ORIGIN			
2746-123					

Scale 1 Gross Wt.	141540	LB
Scale 2 Tare Wt.	37800	LB
Net Weight	103740	LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
51.87	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

_OT # 2746

SIGNATURE

NET AMOUNT	0.00
TENDERED	
CHANGE	
CHECK NO.	

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-154		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 GV-154 #83 USDOT 705908 NY NY 10892-TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski <i>As Agent for National Grid</i>				Signature <i>Jason Golubski</i>		Date 5/21/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Charlie Krause</i>		Date 5/21/07	
Printed/Typed Name X Charlie Krause (83)							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 5/21/07	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date 5/21/07	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302734	P4 PHZ II		BRENDA <i>#10.50 + 50</i> <i>1.5</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	11:52	12:13	7001	
REFERENCE			ORIGIN		
2746-83					

Scale 1 Gross Wt. 114900 LB
Scale 2 Tare Wt. 36200 LB
Net Weight 78700 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.35	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

83

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

LOT # 2746

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. <i>GV-155</i>	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone (315 428-5731)		6. US EPA ID Number <div style="text-align: center;">N/A</div>		A. Transporter 1 Phone 800-941-7452	
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		8. US EPA ID Number		B. State Transporter's ID 4A-370	
7. Transporter 2 Company Name		10. US EPA ID Number <div style="text-align: center;">N/A</div>		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION		12. Containers		13. Total Quantity	14. Unit Wt./Vol.
		No.	Type		
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999		1	DT	Est. 40	TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information <div style="display: flex; justify-content: space-between;"> <div> EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 </div> <div> #91 NY 13270-TR <i>GV-155</i> </div> </div>					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name		Signature		Date	
<i>Jason Golubki</i>		<i>Jason Golubki</i>		Month 5 Day 21 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date	
<i>Jim Brimmer</i>		<i>James Brimmer</i>		Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date	
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.					
Printed/Typed Name		Signature		Date	
		<i>[Signature]</i>		Month Day Year	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302744	P4 PHZ II		teia Smith <i>#10.59 + 50</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	12:44	13:05	7001	
REFERENCE			ORIGIN		
2746-91					

Scale 1 Gross Wt. 113260 LB
Scale 2 Tare Wt. 38580 LB
Net Weight 74680 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.34	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2746

SIGNATURE *91*

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-156	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS					
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370	
				C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION			12. Containers	13. Total Quantity	14. Unit Wt./Vol.
			No.	Type	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999			1	DT	Est. 40 TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above			G. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT #2746 GV-156 #95 NY 25400-PA USDOT 705908 NY					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name Jason Golubski			Signature <i>[Signature]</i>		Date Month 5 Day 21 Year 07
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name P. MURPHY			Signature <i>[Signature]</i>		Date Month 5 Day 21 Year 07
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name			Signature		Date Month Day Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.					
Printed/Typed Name			Signature <i>[Signature]</i>		Date Month Day Year

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302751	P4 PHZ II		BRENDA #10.50/25	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	13:15	13:31	7001	
REFERENCE			ORIGIN		
2746-95					

Scale 1 Gross Wt. 110100 LB
Scale 2 Tare Wt. 38300 LB
Net Weight 71800 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
35.90	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

65

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

LOT # 2746

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. 6V-157		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731) BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number <div style="text-align: center;">N/A</div>		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type		
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1		DT	
						51.40	
						TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information.							
EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 6V-157 # 123 NY 15212 TR USDOT 705908 NY							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name: Jason Golubski <i>As Agent for National Grid</i>						Date: 5/21/07	
Signature: <i>[Signature]</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name: LYNN BACKUS						Date: 5/21/07	
Signature: <i>[Signature]</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name:						Date:	
Signature:							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name:						Date:	
Signature: <i>[Signature]</i> (123)							

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302755	P4 PHZ II		BRENDA <i>#10.50g + 5g</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	13:35	14:00	7001	
REFERENCE			ORIGIN		
2746-123					

Scale 1 Gross Wt. 122420 LB
Scale 2 Tare Wt. 37660 LB
Net Weight 84760 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
42.38	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

LOT # 2746

SIGNATURE

123
[Signature]

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A	Bill of Lading Document No. GV-158	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS			SITE ADDRESS: 20 HILL STREET GLYNNESVILLE, NY 12078	
4. Generator's Phone (315) 428-5731			A. Transporter 1 Phone 800-341-7452 4A-370	
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.			6. US EPA ID Number N/A	
7. Transporter 2 Company Name			8. US EPA ID Number	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205			10. US EPA ID Number N/A	
			D. State Facility's ID 4-01010017100011	
			E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION		12. Containers	13. Total Quantity	14. Unit
		No.	Type	Wt./Vol.
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT, C&D) N999		1	DT	Est. 40 TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above		G. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 GV-158 #83				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name Jason Golubski		Signature <i>[Signature]</i>	Date Month 5 Day 21 Year 04	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>[Signature]</i>	Date Month 5 Day 21 Year 04	
Printed/Typed Name Chris Housh		Signature <i>[Signature]</i>	Date Month 5 Day 21 Year 04	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature <i>[Signature]</i>	Date Month 5 Day 21 Year 04	
Printed/Typed Name		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				
Printed/Typed Name		Signature <i>[Signature]</i>	Date Month 5 Day 21 Year 04	

NON-HAZARDOUS WASTE GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302767	P4 PHZ II		BRENDA #10.50/15	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/21/07	05/21/07	14:41	14:57	7001	
REFERENCE			ORIGIN		
2746-83					

Scale 1 Gross Wt. 117960 LB
Scale 2 Tare Wt. 35840 LB
Net Weight 82120 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.06	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

83

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

LOT # 2746

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-159		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLYNNESVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1 1T		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 GV-159 NY 25400 PA # 95 USDOT 705908 NY							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski <i>As Agent of National Grid</i>				Signature <i>[Signature]</i>		Date 5/1/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 5/1/07	
Printed/Typed Name JAMES P. MURPHY				Signature <i>[Signature]</i>		Date 5/1/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302785	P4 PHZ II		BRENDA #10.59+58	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/22/07	05/22/07	07:24	07:52	7003	F.S.
REFERENCE			ORIGIN		
2746-95					

Scale 1 Gross Wt. 114820 LB
Scale 2 Tare Wt. 38600 LB
Net Weight 76220 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.11	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2746

SIGNATURE

95

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-160		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLYNSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1		DT	
						Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC NY 10892 TR LOT # 2746 GV-160 VSDOT 705908 # 83							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski				Signature <i>Jason R. Golubski</i>		Date Month Day Year 5 21 87	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Charlie Kavan</i>		Date Month Day Year 5 21 87	
Printed/Typed Name Charlie Kavan				Signature <i>[Signature]</i>		Date Month Day Year 5 21 87	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year 5 21 87	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space (83)							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302779	P4 PHZ II		BRENDA #10.507+584	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/22/07	05/22/07	07:11	07:28	7001	
REFERENCE			ORIGIN		
2746-83					

Scale 1 Gross Wt. 122600 LB
Scale 2 Tare Wt. 36200 LB
Net Weight 86400 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
43.20	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

(83)

LOT # 2746

SIGNATURE _____

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-161		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731)							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 GV-161 #123							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Dan R Golubski						Date Month 5 Day 22 Year 07	
Signature <i>[Signature]</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name X LYNN BACKUS						Date Month 5 Day 22 Year 07	
Signature <i>[Signature]</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name						Date Month Day Year	
Signature							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name						Date Month Day Year	
Signature							

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302803	P4 PHZ II		BRENDA #10.50 + 500 1.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/22/07	05/22/07	08:49	09:12	7001	
REFERENCE			ORIGIN		
2746-123					

Scale 1 Gross Wt. 116220 LB
Scale 2 Tare Wt. 38280 LB
Net Weight 77940 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.97	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2746

SIGNATURE

[Signature]

123

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)


NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>GV-162</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (<u>315</u>) <u>428-5731</u>							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone <u>800-941-7452</u>			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID <u>4A-370</u>			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		D. State Facility's ID <u>4-01010017100011</u>	
						E. Facility's Phone <u>(518) 869-3651</u>	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1 1T		Est 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 #659							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>Jason Golubski</u> As Agent of <u>National Grid</u>						Date Month <u>5</u> Day <u>22</u> Year <u>07</u>	
Signature <u>[Signature]</u>							
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name <u>X STEVE YOUNG</u>						Date Month <u>5</u> Day <u>22</u> Year <u>07</u>	
Signature <u>X [Signature]</u>							
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name						Date Month Day Year	
Signature							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name						Date Month Day Year	
Signature <u>[Signature]</u> (659)							

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



SITE	TICKET	GRID		WEIGHMASTER	
02	302804	P4 PHZ II		BRENDA	\$10.50 + 5.00 f.s.
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/22/07	05/22/07	08:50	09:14	7002	
REFERENCE			ORIGIN		
2746-659					

Inbound - Charge ticket

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-163		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1		DT Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 GV-163 # 626 NY 152113-TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Dan Galobski <i>As Agent of National Grid</i>				Signature <i>[Signature]</i>		Date Month 5 Day 22 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month 5 Day 22 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space				626			
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302838	P4 PHZ II		BRENDA #10.507 + 59 f.s	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/22/07	05/22/07	11:02	11:20	7001	
REFERENCE			ORIGIN		
2746-626					

Scale 1 Gross Wt. 123340 LB
Scale 2 Tare Wt. 36160 LB
Net Weight 87180 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
43.59	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2746

SIGNATURE _____

626

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-164		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 BRIAN STEARNS ATTN:							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-164 <div style="text-align: right;">#123 NY 15210-TR USDOT 705908NY</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason R Golubski <i>As Agent of National Grid</i>						Date 5 10 07	
Signature <i>Jason R Golubski</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name X LYNN BACKUS						Date 5 10 07	
Signature <i>Lynn Backus</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name						Date	
Signature							
19. Discrepancy Indication Space <div style="text-align: right;">(123)</div>							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name						Date	
Signature <i>[Signature]</i>							

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302851	P4 I		teia Smith #10.50 + 5.00	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/22/07	05/22/07	12:06	12:47	7001	
REFERENCE			ORIGIN		
2747-123					

Scale 1 Gross Wt. 141720 LB
Scale 2 Tare Wt. 37820 LB
Net Weight 103900 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
51.95	TON	CONTAMINATED SOIL	24.00	1246.80	0.00	1246.80

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

1246.80

TENDERED

CHANGE

CHECK NO.

LOT # 2747

SIGNATURE

[Signature]

123

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-165		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 GV-165 #83 NY 1082-TR USDOT 705908							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski <i>As Agent of National Grid</i>				Signature <i>[Signature]</i>		Date 5/20/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 5/20/07	
Printed/Typed Name X Christopher [unclear]							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name							
19. Discrepancy Indication Space (83)							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302856	P4 PHZ II		teia Smith #10.50 + 53 f.s.	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/22/07	05/22/07	12:17	12:37	7002	
REFERENCE		ORIGIN			
2746-83					

Scale 1 Gross Wt. 120960 LB
Scale 2 Tare Wt. 36000 LB
Net Weight 84960 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
42.48	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2746

SIGNATURE _____

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>GV-166</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLYNSVILLE, NY 12078			
4. Generator's Phone (<u>315 428-5731</u>)							
5. Transporter 1 Company Name <u>ABSOLUTE ENVIRONMENTAL</u>		US EPA ID Number N/A		A. Transporter 1 Phone <u>315-697-8137</u> 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID <u>4A-370-7A-369</u>			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone D. State Facility's ID <u>4-01010017100011</u> E. Facility's Phone <u>(518) 869-3651</u>			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type	14. Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1	DT	Est. 24 TONS	
b. <u>Non-Haz Solid</u>							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information <div style="display: flex; justify-content: space-between;"> <div> <u>EMERGENCY CONTACT</u> NUMBER 1-800-424-9300 CHEMTREC LOT # <u>0747</u> <u>GV-166</u> </div> <div> <u>USDOT 00550868</u> <u>H 24</u> <u>NY 47908-35</u> </div> </div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>Jason Golubski</u> <i>As Agent for National Grid</i>				Signature <u>[Signature]</u>		Date Month <u>5</u> Day <u>22</u> Year <u>07</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <u>[Signature]</u>		Date Month <u>5</u> Day <u>22</u> Year <u>07</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <u>[Signature]</u>		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302883	P41		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/22/07	05/22/07	14:00	14:16	7001	
REFERENCE			ORIGIN		
2474					

Scale 1 Gross Wt. 67560 LB
Scale 2 Tare Wt. 25180 LB
Net Weight 42380 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
21.19	TON	CONTAMINATED SOIL	24.00	508.56	0.00	508.56

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2474

SIGNATURE _____

NET AMOUNT
508.56
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-167		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731) ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type		
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1	DT	Est. 40	TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information							
EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2746 GV-167 # 659 NY 15246-7R US DOT 705908NY							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski AS Agent for National GRID						Date Month 5 Day 02 Year 07	
Signature <i>[Signature]</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name X STEVE YOUNG						Date Month 5 Day 02 Year 07	
Signature <i>[Signature]</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name						Date Month Day Year	
Signature							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name						Date Month Day Year	
Signature <i>[Signature]</i>							

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302901	P4 PHZ II		BRENDA #10.50 + 5.8 f.s.	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	07:03	07:33	7001	
REFERENCE			ORIGIN		
2746-659					

Scale 1 Gross Wt. 107400 LB Inbound - Charge ticket
Scale 2 Tare Wt. 37080 LB
Net Weight 70320 LB

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
35.16	TONS	Ditchings, Cover	0.00	0.00	0.00	0.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
0.00
TENDERED
CHANGE
CHECK NO.

LOT # 2746

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>GV-168</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (<u>315 428-5731</u>)							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 Tons		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC #123 LOT # 2742 GV-168 NY 15212-TR LOAD #							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason R. Grubbski				Signature <i>Jason R. Grubbski</i>		Date Month <u>5</u> Day <u>22</u> Year <u>07</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>James Backus</i>		Date Month <u>5</u> Day <u>22</u> Year <u>07</u>	
Printed/Typed Name James Backus				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302906	P41		BRENDA <i>#10.50 / + 58 f.s.</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	07:09	07:34	7002	
REFERENCE			ORIGIN		
2747-123					

Scale 1 Gross Wt. 112580 LB
Scale 2 Tare Wt. 38320 LB
Net Weight 74260 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.13	TON	CONTAMINATED SOIL	24.00	891.12	0.00	891.12

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE

[Signature]

(123)

NET AMOUNT
891.12
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>6V-169</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (<u>315</u>) <u>428-5731</u>				A. Transporter 1 Phone <u>315-697-8437</u>			
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		US EPA ID Number N/A		B. State Transporter's ID <u>4A-3707A-369</u>		C. Transporter 2 Phone	
7. Transporter 2 Company Name		8. US EPA ID Number		D. State Facility's ID <u>4-01010017100011</u>		E. Facility's Phone <u>(518) 869-3651</u>	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers No. Type		13. Total Quantity	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 DT		EST. 26 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # 6V-169 #24 USDOT 00550868 NY 147908-JS							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>As Agent for National Grid</i> <i>Jason R. Ables</i>				Signature <i>Jason R. Ables</i>		Date <i>5/23/07</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Danny Murray</i>		Date <i>5/23/07</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature <i>[Signature]</i>		Date	
Printed/Typed Name							

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302914	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	07:43	07:58	7001	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 79260 LB
Scale 2 Tare Wt. 25480 LB
Net Weight 53780 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
26.89	TON	CONTAMINATED SOIL	24.00	645.36	0.00	645.36

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE _____

NET AMOUNT
645.36
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-170		2. Page 1 of 1			
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078					
4. Generator's Phone (315) 428-5731				5. Transporter 1 Company Name Ron Allen Trucking Inc.		A. Transporter 1 Phone 518-846-2620 800-941-7452			
				6. US EPA ID Number N/A		B. State Transporter's ID 4A-370 N/A			
7. Transporter 2 Company Name				8. US EPA ID Number		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
						E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers No. Type		13. Total Quantity		14. Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999				1		DT		Est. 40 TONS	
b. CONCRETE C+D									
c.									
d.									
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above					
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 0746 6V-170				NY 70173-W NY DOT 1201770 RD-00					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.									
Printed/Typed Name Chris Blythe				Signature Chris Blythe		Date 5/23/07			
17. Transporter 1 Acknowledgement of Receipt of Materials									
Printed/Typed Name Chris Blythe				Signature Chris Blythe		Date 5/23/07			
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed/Typed Name				Signature		Date			
19. Discrepancy Indication Space									
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.									
Printed/Typed Name				Signature		Date			

GENERATOR
TRANSPORTER
FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Kipp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302962	P4 PHZ II		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	10:36	10:52	7001	
REFERENCE		ORIGIN			
2746					

Scale 1 Gross Wt. 52760 LB
Scale 2 Tare Wt. 28800 LB
Net Weight 23960 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
11.98	TONS	Construction & Demo			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2746

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-171		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLYNNESVILLE, NY 12078			
4. Generator's Phone ()				5. Transporter 1 Company Name RON ALLEN TRUCKING INC.			
				6. US EPA ID Number N/A		A. Transporter 1 Phone 800 941 7452 4A 370	
7. Transporter 2 Company Name				8. US EPA ID Number		B. State Transporter's ID	
						C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
						E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type	Unit	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS NB16				1	DT	Est. 40	TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # 6V-171 #83 7:07 NY 10890-TR US DOT 705908							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature [Signature]		Date Month 5 Day 23 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature X [Signature]		Date Month 5 Day 23 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature [Signature]		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				Signature [Signature]		Date Month Day Year	

NON-HAZARDOUS WASTE GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302923	P4 I		BRENDA <i>#10.59 + 5.93</i> <i>T.S.</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	08:19	08:39	7001	
REFERENCE			ORIGIN		
2747-83					

Scale 1 Gross Wt. 107620 LB
Scale 2 Tare Wt. 36460 LB
Net Weight 71160 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
35.58	TON	CONTAMINATED SOIL	24.00	853.92	0.00	853.92

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE _____

NET AMOUNT
853.92
TENDERED
CHANGE
CHECK NO.

(83)

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-172		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 TONS		Est. 40	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC #123 8:50 LOT # 2747 LOAD # GV-172 NY 15812-TR USDOT 705908 NY							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Saxon Galubski				Signature <i>[Signature]</i>		Date Month Day Year 5 03 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year 5 03 07	
Printed/Typed Name RYAN BACKUS							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302953	P4 I		BRENDA #10.50/58 4.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	10:08	10:32	7001	
REFERENCE			ORIGIN		
2747-123					

Scale 1 Gross Wt. 135600 LB
Scale 2 Tare Wt. 37840 LB
Net Weight 97760 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
48.88	TON	CONTAMINATED SOIL	24.00	1173.12	0.00	1173.12

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
1173.12
TENDERED
CHANGE
CHECK NO.

_LOT # 2747

SIGNATURE

[Signature]

123

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-173		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731				US EPA ID Number N/A			
5. Transporter 1 Company Name ABSOLUTE ENVIRONMENTAL RON ALLEN TRUCKING INC.				A. Transporter 1 Phone 315-684-8437 800-941-7452			
7. Transporter 2 Company Name				B. State Transporter's ID 4A-370-7A-369			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				D. State Facility's ID 4-01010017100011 E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 DT		Est. 24 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # 6V-173 #24 9:10 USDOT 00550868 NY 47908 JS							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski AS Agent for National Grid				Signature Jason R Golubski		Date 5/23/97	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name Danny Munoz				Signature		Date 6/23/97	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302955	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	10:11	10:27	7002	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 66600 LB
Scale 2 Tare Wt. 25500 LB
Net Weight 41100 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
20.55	TON	CONTAMINATED SOIL	24.00	493.20	0.00	493.20

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE _____

NET AMOUNT
493.20
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-174		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731				5. Transporter 1 Company Name RON ALLEN TRUCKING INC.			
				6. Transporter 1 US EPA ID Number N/A			
7. Transporter 2 Company Name				8. Transporter 2 US EPA ID Number			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A			
				A. Transporter 1 Phone 800-941-7452			
				B. State Transporter's ID 4A-370 N/A			
				C. Transporter 2 Phone			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION		12. Containers		13. Total Quantity		14. Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED SOLIDS NON-HAZARDOUS (ASPHALT C&D) N999		No. 1 Type DT		Est 25		TONS	
b. Concrete C+D							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2741 GV-174		HRD-02 9:30 NY 70173-JW NYDOT 1201770					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Thomas Czulski		Signature [Signature]		Date 5/23/07			
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature [Signature]		Date 5/23/07			
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature [Signature]		Date 5/23/07			
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.		Signature [Signature]		Date 5/23/07			

GENERATOR

TRANSPORTER

FACILITY

CT-10-2007 03:44P FROM:RON ALLEN TRUCKING
 CITY OF ALBANY
 DEPARTMENT OF GENERAL SERVICES
 Rapp Road Waste Management Facility
 525 Rapp Rd • Albany, N.Y. 12205
 (518) 869-3651

518-673-3619

TO:13156979391

P.1

SITE	TICKET	GRID	WEIGHMASTER	
02	302919	P4 PHZ II	BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE
05/23/07	05/23/07	08:02	08:17	7001
REFERENCE		ORIGIN		
2746				

06033 Abscope Environmental, Inc.
 PO Box 487
 Canastota NY 13032

Scale 1 Gross Wt. 55140 LB
 Scale 2 Tare Wt. 29420 LB
 Net Weight 25720 LB
 Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
12.86	TONS	Construction & Demo			0.00	

To: Abscope

May 23rd

GV-170

GV-174

Fax 315-697-9391

Rob Drabot

Attention ↑

RD

Operating hours: 7 am to 3 pm, Monday
 THIS IS TO CERTIFY THAT THIS LOAD
 CONTAINS ACCEPTABLE MATERIALS AS PER
 AGREEMENT

LOT # 2746

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

[Signature]

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-175		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: COMPANY GLOVERSVILLE, NY 12078				SITE ADDRESS: 20 HILL STREET			
4. Generator's Phone (315 428-5731 BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 TONS		Est. 40	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # 6V-175 # 83 10:13 USDOT 705908 NY 10892-TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature [Signature]		Date Month Day Year 6 23 02	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature [Signature]		Date Month Day Year 6 23 02	
Printed/Typed Name [Signature]				Signature [Signature]		Date Month Day Year 6 23 02	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature [Signature]		Date Month Day Year 6 23 02	
Printed/Typed Name				Signature [Signature]		Date Month Day Year 6 23 02	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature [Signature]		Date Month Day Year 6 23 02	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302980	P4 I		BRENDA #10.59 + 58.7.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	11:22	11:41	7001	
REFERENCE			ORIGIN		
2747-83					

Scale 1 Gross Wt. 135380 LB
Scale 2 Tare Wt. 36300 LB
Net Weight 99080 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
49.54	TON	CONTAMINATED SOIL	24.00	1188.96	0.00	1188.96

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE _____

(83)

NET AMOUNT
1188.96
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-176		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731)							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-176 NY 13268-TR USDOT 705908 # 92 10:20							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski <i>As Agent for National Grid</i>				Signature <i>[Signature]</i>		Date 5/23/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 5/03/07	
Printed/Typed Name X Henry C. P. [unclear]				Signature <i>[Signature]</i>		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space (92)							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	302983	P41		BRENDA #10.50 + 5.00 f.s.	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	11:31	11:57	7002	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 126880 LB
Scale 2 Tare Wt. 38860 LB
Net Weight 88020 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
44.01	TON	CONTAMINATED SOIL	24.00	1056.24	0.00	1056.24

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

(92)

NET AMOUNT
1056.24
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-177		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731		5. Transporter 1 Company Name RON ALLEN TRUCKING INC. ABSORPE ENVIRONMENTAL		US EPA ID Number N/A		A. Transporter 1 Phone 215-697-9424	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 44-370 7A-369		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 DT		Est. 26 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 0747 LOAD # 6V-177 #24 LS DOT 00550868 NY 47908 JS							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski 45 Agent of National Grid				Signature Jason R. Golubski		Date Month 5 Day 23 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature X Gary Murray		Date Month 5 Day 23 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature J. J. J.		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303004	P4 I		teia Smith	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ALL OFF
05/23/07	05/23/07	12:59	13:15	7001	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 70580 LB
Scale 2 Tare Wt. 25200 LB
Net Weight 45380 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
22.69	TON	CONTAMINATED SOIL	24.00	544.56	0.00	544.56

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE _____

NET AMOUNT
544.56
TENDERED
CHANGE
CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on letter (2 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		Generator's US EPA ID No. N/A	Bill of Lading Document No. 6V-178	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 800 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS			SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone (315) 428-5731		6. US EPA ID Number N/A	A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number	B. State Transporter's ID	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A	C. Transporter 2 Phone	
			D. State Facility's ID 4-01-000-00011	
			E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION		12. Containers No. Type	13. Total Quantity	14. Unit
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816		1 DT	Est 40	TONS
b.				
c.				
d.				
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS		G. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC NY 15250 TR LOT # 0747 LOAD # 6V-178 #123 11:50 USDOT 785908				
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.				
Printed/Typed Name Jason C. [Signature]		Signature [Signature]	Date Month 5 Day 23 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials		Date		
Printed/Typed Name X LYNN BACKUS		Signature X Lynn Backus	Month 5 Day 23 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials		Date		
Printed/Typed Name		Signature	Month Day Year	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				
Printed/Typed Name		Signature [Signature]	Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303006	P41		BRENDA #10.50 +58 f.s.	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	13:03	13:26	7002	
REFERENCE			ORIGIN		
2747-123					

Scale 1 Gross Wt. 135860 LB
Scale 2 Tare Wt. 38060 LB
Net Weight 97800 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
48.90	TON	CONTAMINATED SOIL	24.00	1173.60	0.00	1173.60

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE

[Signature]

123

NET AMOUNT
1173.60
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-179		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers No. Type		13. Total Quantity	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 10		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # 6V-179 US DOT 705908 # 83 12:50 NY 10892 TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent of National Grid				Signature Jason R. Golubski		Date Month 5 Day 23 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature X Charlie Kraw		Date Month 5 Day 23 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature (Signature)		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303023	P4 I		BRENDA <i>\$10.50 + 50 f.s.</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	14:09	14:28	7001	
REFERENCE			ORIGIN		
2747-83					

Scale 1 Gross Wt. 131220 LB Inbound - Charge ticket
Scale 2 Tare Wt. 35900 LB
Net Weight 95320 LB

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
47.66	TON	CONTAMINATED SOIL	24.00	1143.84	0.00	1143.84

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

(83)

LOT # 2747

SIGNATURE _____

NET AMOUNT
1143.84
TENDERED
CHANGE
CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-180		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC # 92 13:10 LOT # 2747 LOAD # 6V-180 NY 13268-TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent of National Grid				Signature [Signature]		Date 5/23/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature [Signature]		Date 5/23/07	
Printed/Typed Name Henry C. [Signature]				Signature [Signature]		Date 5/23/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature [Signature]		Date [Blank]	
Printed/Typed Name				Signature		Date [Blank]	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature [Signature]		Date [Blank]	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303024	P41		BRENDA #10.902 + 57.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/23/07	05/23/07	14:10	14:41	7002	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 118200 LB
Scale 2 Tare Wt. 38660 LB
Net Weight 79540 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.77	TON	CONTAMINATED SOIL	24.00	954.48	0.00	954.48

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

(98)

LOT # 2747

SIGNATURE _____

NET AMOUNT
954.48
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

1003

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-181		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
						E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 0747 LOAD # GV-181 <div style="text-align: right;">USDOT 705908 NY # 123 14:45 NY 15212 TR</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason R Colubek <i>As Agent for National Grid</i>				Signature <i>Jason R Colubek</i>		Date 5/23/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Lynn Backus</i>		Date 5/23/07	
Printed/Typed Name LYNN BACKUS							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303039	P4 I		HC 010215 <i>#10.50+58</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/24/07	05/24/07	07:10	07:34	7003	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 122860 LB
Scale 2 Tare Wt. 37980 LB
Net Weight 84880 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
42.44	TON	CONTAMINATED SOIL	24.00	1018.56	0.00	1018.56

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

_OT # 2747

SIGNATURE

hymn

NET AMOUNT
1018.56
TENDERED
CHANGE
CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-182		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		US EPA ID Number N/A		A. Transporter 1 Phone 315-441-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370 7A-369		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 1 DT		Est. 81 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2247 LOAD # GV-182							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature <i>Jason Golubski</i>		Date Month 5 Day 23 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Danny Murray</i>		Date Month 5 Day 23 Year 07	
Printed/Typed Name X Danny Murray				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>J. Cottle</i>		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

6033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303093	P4 I		HC 010215	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/24/07	05/24/07	10:27	10:42	7001	
REFERENCE			ORIGIN		
2747-24					

Scale 1 Gross Wt. 66100 LB
Scale 2 Tare Wt. 25280 LB
Net Weight 40820 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
0.41	TON	CONTAMINATED SOIL	24.00	489.84	0.00	489.84

Operating hours: 7 am to 3 pm, Monday - Friday

WEIGHMASTER IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
UNACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
REQUIREMENT

T # 2747

SIGNATURE _____

NET AMOUNT
489.84
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

7004 074

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-183		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731)							
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-183 US DOT 705908 NY NY 71928-PA #74							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason R Golubski				Signature <i>As Agent for National Grid</i>		Date Month 5 Day 24 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name X				Signature <i>XJO Echub</i>		Month 5 Day 24 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>J Coelle</i>		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303048	P41		HC 010215 #10.59 + 5.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/24/07	05/24/07	08:17	08:40	7004	
REFERENCE			ORIGIN		
074					

Scale 1 Gross Wt. 124140 LB
Scale 2 Tare Wt. 38440 LB
Net Weight 85700 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
42.85	TON	CONTAMINATED SOIL	24.00	1028.40	0.00	1028.40

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

74

LOT # 2747

SIGNATURE _____

NET AMOUNT
1028.40
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

7005 92

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-184		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731)		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name		10. US EPA ID Number		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-184 USDOT 705908 NY 13268 TR #92							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski				Signature <i>[Signature]</i>		Date Month 5 Day 24 Year 08	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month 5 Day 24 Year 08	
Printed/Typed Name X Jerry C. Pitzer				Signature <i>[Signature]</i>		Date Month 5 Day 24 Year 08	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month 5 Day 24 Year 08	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303109	P4 I		HC 010215 #10.50 + 50 f.s	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/24/07	05/24/07	11:19	11:41	7003	
REFERENCE			ORIGIN		
2747-92					

Scale 1 Gross Wt. 121540 LB
Scale 2 Tare Wt. 38740 LB
Net Weight 82800 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.40	TON	CONTAMINATED SOIL	24.00	993.60	0.00	993.60

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

98

NET AMOUNT
993.60
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

7606 85

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. <div style="text-align: center;">GV-185</div>	2. Page 1 of 1
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: COMPANY				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078	
4. Generator's Phone (315 428-5731 BRIAN STEARNS					
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		6. US EPA ID Number <div style="text-align: center;">N/A</div>		A. Transporter 1 Phone 800-941-7452	
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370	
				C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number <div style="text-align: center;">N/A</div>		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION			12. Containers	13. Total Quantity	14. Unit Wt./Vol.
			No.	Type	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816			1	DT	Est. 40 TONS
b.					
c.					
d.					
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS			G. Handling Codes for Wastes Listed Above L		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-185					
#85 USDOT 705908 NY 10885-TR					
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.					
Printed/Typed Name Jason Goluski AS Agent for United Field				Date Month Day Year 5/24/07	
Signature <i>[Signature]</i>					
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name Charlie Kraus-		Signature <i>[Signature]</i>		Month Day Year 5/24/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.					
Printed/Typed Name				Date Month Day Year	
Signature <i>[Signature]</i>					

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303051	P4 I		HC 010215 #10.50 + 5% 1.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/24/07	05/24/07	08:25	08:46	7006	
REFERENCE			ORIGIN		
2747 85					

Scale 1 Gross Wt. 114560 LB
Scale 2 Tare Wt. 36660 LB
Net Weight 77900 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.95	TON	CONTAMINATED SOIL	24.00	934.80	0.00	934.80

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
934.80
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

2747-
123

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-186		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078 ✓			
4. Generator's Phone (315) 428-5731		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name		10. US EPA ID Number N/A		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 DT		Est. 1/0 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-186 NY-15212-TR USDOT 705908 #123							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature Jason R. Golubski		Date Month 5 Day 24 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature X Lynn Backus		Date Month 5 Day 24 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature X Dwyer		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303079	P4 I		HC 010215 <i>#10.507 + 5</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/24/07	05/24/07	10:07	10:48	7001	<i>F</i>
REFERENCE			ORIGIN		
2747-123					

Scale 1 Gross Wt. 113900 LB
Scale 2 Tare Wt. 37820 LB
Net Weight 76080 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.04	TON	CONTAMINATED SOIL	24.00	912.96	0.00	912.96

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE

[Signature]

123

NET AMOUNT
912.96
TENDERED
CHANGE
CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

700 (24)

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-187		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731				5. Transporter 1 Company Name RON ALLEN TRUCKING INC. Abscope Environmental		US EPA ID Number N/A	
7. Transporter 2 Company Name				8. US EPA ID Number		A. Transporter 1 Phone 315-697-8437	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		B. State Transporter's ID 4A-370 7A-389	
						C. Transporter 2 Phone	
						D. State Facility's ID 4-01010017100011	
						E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1		DT	
b.						Est. 24 TONS	
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # 6V-187 #24 USDOT 00550868 NY 47908 JS							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski 4th Agent for National Grid				Signature Jason R. Golubski			
17. Transporter 1 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name X Denny Murray				Signature X Denny Murray			
18. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name				Signature			
19. Discrepancy Indication Space FD							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature			
				Date			

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303046	P4 I		HC 010215	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/24/07	05/24/07	08:01	08:16	7002	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 72100 LB
Scale 2 Tare Wt. 25460 LB
Net Weight 46640 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
23.32	TON	CONTAMINATED SOIL	24.00	559.68	0.00	559.68

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE _____

NET AMOUNT
559.68
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-188		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731)		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
5. Transporter 1 Company Name RON ALLEN TRUCKING INC.		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL, OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # 6V-188 <div style="text-align: right;">NY 71928-PA USDOT 705908 H074</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name As Agent for National Grid Jason Golubski				Signature Jason Golubski		Date Month 5 Day 24 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature XSO ECHS		Date Month 5 Day 24 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature [Signature]		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303107	P4 I		HC 010215 <i>10.50 + 5.8</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/24/07	05/24/07	11:18	11:18	7001	
REFERENCE			ORIGIN		
2747-74					

Manual Gross Wt. 119560 LB
Manual Tare Wt. 38320 LB
Net Weight 81240 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
40.62	TON	CONTAMINATED SOIL	24.00	974.88	0.00	974.88

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

(74)

LOT # 2747

SIGNATURE _____

NET AMOUNT
974.88
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <div style="text-align: center;">N/A</div>		Bill of Lading Document No. <div style="text-align: center;">GV-189</div>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: Brian Stearns				Site Address 20 Hill St. Gloversville NY 12078			
4. Generator's Phone (315) 428-5731				6. US EPA ID Number <div style="text-align: center;">N/A</div>			
5. Transporter 1 Company Name Ron Allen Trucking Inc				A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name				B. State Transporter's ID 4A-320			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address City of Albany Landfill 525 Rapp Rd Albany NY 12205				10. US EPA ID Number <div style="text-align: center;">N/A</div>			
				D. State Facility's ID 4-0101001700011			
				E. Facility's Phone 518-869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type		
a. Contaminated Dirt, Soil, or sand. Non-hazardous N816				1	AT	Est 40	TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above Petroleum Impacted Soils				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information Emergency Contact Number 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-189 USDOT 705908 NY 10885-TR # 85							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason R Colubski AS Agent for National Grid				Signature Jason R Colubski		Date 5/24/07	
17. Transporter 1 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name X Charlie Krause				Signature X [Signature]		Month Day Year 5/24/07	
18. Transporter 2 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date	
						Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303104	P4 I		HC 010215 #10.59 + 508 4.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/24/07	05/24/07	11:08	11:27	7001	
REFERENCE			ORIGIN		
2747-85					

Scale 1 Gross Wt. 118360 LB
Scale 2 Tare Wt. 36280 LB
Net Weight 82080 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.04	TON	CONTAMINATED SOIL	24.00	984.96	0.00	984.96

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE _____

NET AMOUNT
984.96
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

(92)

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-190		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: Brian Stearns				Site Address: 20 Hill St. Gloversville NY 12078			
4. Generator's Phone (315) 428-5731		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
5. Transporter 1 Company Name Ron Allen Trucking Inc		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name		10. US EPA ID Number N/A		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address City of Albany Landfill 525 Rapp Rd Albany NY 12205				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone 518.869.3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. contaminated Dirt, Soil, Sand Non-Hazardous NB16				1		AT Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above Petroleum Impacted Soils				G. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information Emergency Contact Number 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # 6V-190 USDOT 705908 NY 13208 TR #92							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature [Signature]		Date Month 5 Day 24 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature [Signature]		Date Month 5 Day 24 Year 07	
Printed/Typed Name X [Signature]				Signature X [Signature]		Date Month 5 Day 24 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature [Signature]		Date Month Day Year	

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303049	P4 I		HC 010215 #10.50 + 5.00	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/24/07	05/24/07	08:20	08:45	7005	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 116820 LB
Scale 2 Tare Wt. 38860 LB
Net Weight 77960 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
38.98	TON	CONTAMINATED SOIL	24.00	935.52	0.00	935.52

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT

935.52

TENDERED

CHANGE

CHECK NO.

LOT # 2747 92

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-191		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: Brian Stearns				Site Address: 20 Hill St. Gloversville NY 12078			
4. Generator's Phone (315) 428-5731		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7450			
5. Transporter 1 Company Name Ron Allen Trucking, Inc		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address City of Albany Landfill 525 Rapp Rd Albany NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-0101001760011			
				E. Facility's Phone 518.869.3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. Contaminated Dirt, Soil, or Sand Non-Hazardous N816				1		AT Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above Petroleum Impacted Soil				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information Emergency Contact Number 1-800-424-9306 CHEMTREC LOT # 2747 LOAD # 6V-191 USDOT 705908 # 123 NY 15212 TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature [Signature]		Date 5/24/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature [Signature]		Date 5/24/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature [Signature]		Date	
Printed/Typed Name				Signature		Date	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303167	P4 I		BRENDA #10.50 + 58 J.S.	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/25/07	05/25/07	07:11	07:33	7001	
REFERENCE			ORIGIN		
2747-123					

Scale 1 Gross Wt. 111380 LB
Scale 2 Tare Wt. 38040 LB
Net Weight 73340 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
36.67	TON	CONTAMINATED SOIL	24.00	880.08	0.00	880.08

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE

hym

NET AMOUNT

880.08

TENDERED

CHANGE

CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <i>GV-172</i>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731)							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT <i>Est. 40</i> TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-172 <i>US DOT 705908</i> <i>#92</i> <i>NM 13268 TR</i>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>Jason Golinski As Agent for National Grid</i>				Signature <i>[Signature]</i>		Date Month Day Year <i>5/25/07</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year <i>5/25/07</i>	
Printed/Typed Name <i>Henry C. [illegible]</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

GENERATOR

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303186	P41		BRENDA #10.59 + 58 f.s.	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/25/07	05/25/07	08:23	08:44	7002	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 120860 LB
Scale 2 Tare Wt. 38860 LB
Net Weight 82000 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.00	TON	CONTAMINATED SOIL	24.00	984.00	0.00	984.00

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
984.00
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE

92

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. <u>GV-193</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (<u>315</u>) <u>428-5731</u>							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone <u>800-941-7452</u>			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID <u>4A-370</u>			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID <u>4-01010017100011</u>			
				E. Facility's Phone (<u>518</u>) <u>869-3651</u>			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit WL/Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # <u>2747</u> LOAD # <u>GV-193</u> USDOT <u>705908</u> # <u>85</u> NY <u>10885-TR</u>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>Jacek Golubski</u> As Agent for National Grid				Signature <u>[Signature]</u>		Date Month <u>5</u> Day <u>25</u> Year <u>07</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <u>[Signature]</u>		Date Month <u>5</u> Day <u>25</u> Year <u>07</u>	
Printed/Typed Name <u>Charles Kross</u>							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <u>[Signature]</u>		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303235	P4 I		BRENDA <i>#10.50 + 5.00</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/25/07	05/25/07	11:00	11:19	7001	
REFERENCE			ORIGIN		
2747-85					

Scale 1 Gross Wt. 124080 LB
Scale 2 Tare Wt. 36240 LB
Net Weight 87840 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
43.92	TON	CONTAMINATED SOIL	24.00	1054.08	0.00	1054.08

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

(85)

NET AMOUNT
1054.08
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-194		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone: 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-194 GV-194 US DOT 705908 NY 15012 TR # 123							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubsk				Signature <i>[Signature]</i>		Date Month 5 Day 25 Year 08	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month 5 Day 25 Year 09	
Printed/Typed Name X MHA Bouchon							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name						Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303214	P41		BRENDA <i>B10.50+53</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/25/07	05/25/07	09:59	10:27	7001	
REFERENCE			ORIGIN		
2747-123					

Scale 1 Gross Wt. 120400 LB
Scale 2 Tare Wt. 37940 LB
Net Weight 82460 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.23	TON	CONTAMINATED SOIL	24.00	989.52	0.00	989.52

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE

123
[Signature]

NET AMOUNT

989.52

TENDERED

CHANGE

CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-195		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-195 US DOT 705908 #85 NY10885-TR							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jesse R Golubski As Agent for National Grid						Date Month 5 Day 25 Year 07	
Signature <i>Jesse R Golubski</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name Charlie Krause						Month 5 Day 25 Year 07	
Signature <i>Charlie Krause</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name						Month Day Year	
Signature							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name						Date Month Day Year	
Signature							

NON-HAZARDOUS WASTE

TRANSPORTER FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303183	P4 I		BRENDA #10.59 + 5.00	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/25/07	05/25/07	08:13	08:34	7001	
REFERENCE			ORIGIN		
2747-85					

Scale 1 Gross Wt. 124700 LB
Scale 2 Tare Wt. 36400 LB
Net Weight 88300 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
44.15	TON	CONTAMINATED SOIL	24.00	1059.60	0.00	1059.60

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

85

NET AMOUNT
1059.60
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-196		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731)		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name		10. US EPA ID Number N/A		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 T DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC NY 13268 TR LOT # 2747 LOAD # GV-196 USDOT 705908 #92							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for Niagara Grid				Signature <i>[Signature]</i>		Date Month 5 Day 25 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month 5 Day 25 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

HHA NON-HAZARDOUS WASTE

TRANSPORTER FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303236	P41		BRENDA <i>#10.50 + 54</i> <i>f.s.</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/25/07	05/25/07	11:06	11:25	7002	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 122080 LB
Scale 2 Tare Wt. 38720 LB
Net Weight 83360 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.68	TON	CONTAMINATED SOIL	24.00	1000.32	0.00	1000.32

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
1000.32
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE 92

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-197		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLYNNESVILLE, NY 12078			
4. Generator's Phone (315 428-5731)							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 Tons		TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-197 <div style="text-align: right;">USDOT 705908 NY 15012 TR # 123</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski <i>As Agent for National Grid</i>				Signature <i>Jason N. Golubski</i>		Date Month 5 Day 25 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Hyun Backus</i>		Date Month 5 Day 25 Year 07	
Printed/Typed Name HYUN BACKUS							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature <i>[Signature]</i>		Date	
Printed/Typed Name							

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

106033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303258	P4 I		BRENDA #10.50 + 52.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/25/07	05/25/07	13:07	13:30	7001	
REFERENCE			ORIGIN		
2747-123					

Scale 1 Gross Wt. 119740 LB
Scale 2 Tare Wt. 37760 LB
Net Weight 81980 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
40.99	TON	CONTAMINATED SOIL	24.00	983.76	0.00	983.76

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

123

LOT # 2747

SIGNATURE

hym

NET AMOUNT
983.76
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-198		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731) BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No.	Type	Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1	DT	Est. 40	TONS
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-198 <div style="float: right; text-align: right;">US DOT 705908 NY 25400PA # 95</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski AS Agent for National Grid				Signature <i>[Signature]</i>		Date 5/25/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 5/25/07	
Printed/Typed Name JAMES P. Murphy				Signature <i>[Signature]</i>		Date 5/25/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date	
						Date	

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303261	P41		BRENDA <i>\$10.50 + 58+</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/25/07	05/25/07	13:10	13:39	7002	
REFERENCE			ORIGIN		
2747-95					

Scale 1 Gross Wt. 113960 LB
Scale 2 Tare Wt. 38380 LB
Net Weight 75580 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.79	TON	CONTAMINATED SOIL	24.00	906.96	0.00	906.96

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE *as*

NET AMOUNT
906.96
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type. (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. NYD98077748		Bill of Lading Document No. 861421101		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731) ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		6. US EPA ID Number NY0000097444		A. Transporter 1 Phone 315-697-8437			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-369			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CWM CHEMICAL SERVICES 1550 BALMER ROAD MODEL CITY, NY 14107		10. US EPA ID Number NYD049836679		D. State Facility's ID 9-2934-00022/00097			
				E. Facility's Phone (716) 754-8231			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. NON-RCRA, NON-DOT REGULATED MATERIAL (SPENT ACTIVATED CARBON) N864				5 Poly DYE		275	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # NY100412 SR # 025215 833047							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski, As Agent for National Grid				Signature <i>Jason Golubski</i>		Date 5/25/07	
17. Transporter 1 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name				Signature		Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name Richard LaDeno				Signature <i>[Signature]</i>		Date 05/29/07	

HCHRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



Transporter Log
CWM Chemical Services, Inc.
Model City, NY

151834

Cubic Yards

81614284
Receipt #
833000

45647-ED
Trailer License Plate # and State

Service Req. #

Profile #

Permit #
X 3

Transporter Name

Tractor/Trailer/Roll-off #

Driver's Name

Generator

Scheduled Arrival:

5/20/01

11:00

Actual Arrival:

5/20/01

11:42

Date

Time In

Time Out

Arrived during Blackout? Y / N

Notified DEC? Y / N

Receiving: h

Initials

Comments

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify)

☐ Bulk to Landfill

☐ No wet line

☐ Flatbed

☐ Stabilization

☐ Drums

☐ Tanker

☐ Transformers

Laboratory

11:07

11:12

Time In

Time Out

Initials

Comments

Stabilization

Time In

Time Out

Initials

Gross Wt.

Comments

Landfill

Time In

Time Out

Initials

Comments

Other

Time In

Time Out

Initials

Comments

Aqueous
Treatment

Time In

Time Out

Signature (NO Initials)

Comments

Facility Personnel (please initial)

Smoking or eating in prohibited areas

Leaving truck unattended

Failure to obey instructions of facility personnel

Failure to display overweight flag

Failure to wear appropriate PPE

Improper tarping or detarplin

Unsafe driving practices

Overweight upon arrival

Other (specify)

Security Guard Initials:

(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. NYD98077748		Bill of Lading Document No. 816172840		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-3101) BRIAN STEARNS ATTN:							
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		6. US EPA ID Number NY0000097444		A. Transporter 1 Phone 315-697-8437			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-369			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CWM CHEMICAL SERVICES 1550 BALMER ROAD MODEL CITY, NY 14107		10. US EPA ID Number NYD049836679		D. State Facility's ID 9-2934-00022/00097			
				E. Facility's Phone (716) 754-8231			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. NON-RCRA, NON-DOT REGULATED MATERIAL (ION EXCHANGE RESIN) N832				5 Poly DWF		275	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above			
				L			
15. Special Handling Instructions and Additional Information							
EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # NY100411 SR #025215 833047							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski				Signature <i>[Signature]</i>		Date 5/25/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name Recharn LA DENO				Signature <i>[Signature]</i>		Date 05/29/07	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



Transporter Log
CWM Chemical Services, Inc.
Model City, NY

151834

Cubic Yards

81614284
Receipt #

45447-3D
Trailer License Plate # and State

Service Req. #

Profile #

Permit #

Transporter Name

Tractor/Trailer/Roll-off #

Driver's Name

Generator

Scheduled Arrival:

5/29/01

11:00

Actual Arrival:

5/29/01

Time

11:42

Date

Time In

Time Out

Arrived during Blackout? Y / N

Notified DEC? Y / N

Receiving:

Initials

Comments

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify)

☐ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization ☐ Drums ☐ Tanker ☐ Transformers

Laboratory

Time In

Time Out

Initials

Comments

Stabilization

Time In

Time Out

Initials

Gross Wt.

Comments

Landfill

Time In

Time Out

Initials

Comments

Other

Time In

Time Out

Initials

Comments

Aqueous Treatment

Time In

Time Out

Signature (NO Initials)

Comments

Facility Personnel (please initial)

Smoking or eating in prohibited areas

Leaving truck unattended

Failure to obey instructions of facility personnel

Failure to display overweight flag

Failure to wear appropriate PPE

Improper tarping or dewatering

Unsafe driving practices

Overweight upon arrival

Other (specify)

Security Guard Initials:

(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

NON-HAZARDOUS WASTE BILL OF LADING


Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-198		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 BRIAN STEARNS ATTN: COMPANY							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC # 123 LOT # 2747 LOAD # 6V-198 <div style="text-align: right;">US DOT 705708 NY 15212-TR</div>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski <i>As Agent for National Grid</i>				Signature <i>Jason R. Golubski</i>		Date Month 5 Day 29 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name X LYNN BARBUS				Signature X <i>Lynn Barbus</i>		Month 5 Day 29 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date			
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



SITE	TICKET	GRID		WEIGHMASTER	
02	303373	P41		BRENDA	445 55
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	BOLL OFF
05/29/07	05/29/07	08:29	08:56	7002	
REFERENCE			ORIGIN		
2747-123					

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
42.65	TON	CONTAMINATED SOIL	0.00	0.00	0.00	0.00

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

SIGNATURE

NET AMOUNT
1022.60
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-199		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731)							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 TONS		Est 40	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2717 LOAD # GV-199 LSDOT 705508 NY 71928PA #74							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature <i>[Signature]</i>		Date Month Day Year 5 12 97	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year 5 29 97	
Printed/Typed Name X 90 EckerT							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date Month Day Year	
Printed/Typed Name (94)							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303372	P4 I		BRENDA #10.50 + 50	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/29/07	05/29/07	08:29	08:46	7001	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 121160 LB
Scale 1 Tare Wt. 39280 LB
Net Weight 81880 LB

Inbound - Charge ticket

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
40.94	TON	CONTAMINATED SOIL	24.00	982.56	0.00	982.56

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
982.56
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-200		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731 ATTN: BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 T DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS.				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC #92 LOT # 2747 LOAD # 6V-200 usdot 905908 NY NY-13268							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski				Signature <i>[Signature]</i>		Date Month 5 Day 29 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name X / [Signature]				Signature <i>[Signature]</i>		Date Month 5 Day 29 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space 92							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303409	P41		BRENDA <i>#10.59 + 5.50</i>	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/29/07	05/29/07	10:22	10:44	7001	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 118500 LB
Scale 2 Tare Wt. 38900 LB
Net Weight 79600 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.80	TON	CONTAMINATED SOIL	24.00	955.20	0.00	955.20

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

NET AMOUNT
955.20
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6V-201		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: COMPANY 4. Generator's Phone (315 428-5731 BRIAN STEARNS				SITE ADDRESS 20 HILL STREET GLOVERSVILLE, NY 12078			
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC. <i>As scope Environmental</i>		US EPA ID Number N/A <i>N 000007744</i>		A. Transporter 1 Phone 800-244-7452 <i>315-688-8457</i>			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-37074369		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205				10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011	
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1 DT		24 (20) TONS	
b.							
c.							
d.							
E. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # 6V-201 #24 USDOT 0050868 NY 47908 JS							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski <i>As Agent to National Grid</i>				Signature <i>Jason R. Golubski</i>		Date Month 5 Day 29 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Danny Murray</i>		Date Month 5 Day 29 Year 07	
Printed/Typed Name <i>Danny Murray</i>				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303418	P4 I		BRENDA	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/29/07	05/29/07	10:45	11:03	7001	
REFERENCE			ORIGIN		
2747					

Scale 1 Gross Wt. 68460 LB
Scale 2 Tare Wt. 25280 LB
Net Weight 43180 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
21.59	TON	CONTAMINATED SOIL			0.00	

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE _____

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-202		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315 428-5731) BRIAN STEARNS							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-202 USDOT 705908 NY 242 25400 PA # 95							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski				Signature <i>Jason R. Golubski</i>		Date Month 5 Day 29 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>James R. Murphy</i>		Date Month 5 Day 29 Year 07	
Printed/Typed Name James R. Murphy				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space (95)							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303422	P4 I		BRENDA #10.509 + 55	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/29/07	05/29/07	10:55	11:14	7003	
REFERENCE			ORIGIN		
2747-95					

Scale 1 Gross Wt. 123640 LB
Scale 2 Tare Wt. 38700 LB
Net Weight 84940 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
42.47	TON	CONTAMINATED SOIL	24.00	1019.28	0.00	1019.28

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

95

NET AMOUNT
1019.28
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-203		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: COMPANY 4. Generator's Phone (315 428-5731 BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLYNSVILLE, NY 12078			
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011		E. Facility's Phone (518) 869-3651	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
				a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816		1 1 DT EST. 40 TONS	
				b.			
				c.			
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC NY 71928 PA LOT # 2747 LOAD # GV-203 # 074							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature Jason R. Golubski		Date Month 5 Day 29 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature X JO Eckert		Date Month 5 Day 29 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature (74)		Date Month 5 Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

HUGA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303426	P41		BRENDA \$10.50 + 50¢	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/29/07	05/29/07	11:08	11:27	7004	
REFERENCE			ORIGIN		
2747-74					

Scale 1 Gross Wt. 117140 LB
Scale 2 Tare Wt. 38700 LB
Net Weight 78440 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.22	TON	CONTAMINATED SOIL	24.00	941.28	0.00	941.28

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE _____

74

NET AMOUNT
941.28
TENDERED
CHANGE
CHECK NO

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-204		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 1T		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-204 NY 15212 TR USDOT 705908 # 123							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature Jason R. Golubski		Date Month 5 Day 29 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature Lynn Backus		Date Month 5 Day 29 Year 07	
Printed/Typed Name X LYNN BACKUS							
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name (123)							
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES -
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303430	P4 I		BRENDA #10.505 + 58 f.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/29/07	05/29/07	11:16	11:42	7005	
REFERENCE			ORIGIN		
2747-123					

Scale 1 Gross Wt. 117200 LB
Scale 2 Tare Wt. 37800 LB
Net Weight 79400 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.70	TON	CONTAMINATED SOIL	24.00	952.80	0.00	952.80

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE

123

hyman

NET AMOUNT
952.80
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 6U-205		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: COMPANY 4. Generator's Phone (315 428-5731 BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
5. Transporter 1 Company Name RON ALLEN TRUCKING, INC.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
9. Designated Facility Name and Site Address CITY OF ALBANY LANDFILL 525 RAPP ROAD ALBANY, NY 12205		10. US EPA ID Number N/A		C. Transporter 2 Phone			
				D. State Facility's ID 4-01010017100011			
				E. Facility's Phone (518) 869-3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		Est. 410 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # 6U-205 US DOT 705908 NY 13268 TR # 92							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Colubski As Agent for National Grid				Signature [Signature]		Date Month 5 Day 29 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature [Signature]		Date Month 5 Day 29 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature [Signature]		Date Month Day Year	
19. Discrepancy Indication Space [Initials]							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.				Signature [Signature]		Date Month Day Year	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303460	P4 I		BRENDA #10.50 + 58.5	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/29/07	05/29/07	13:11	13:31	7001	
REFERENCE			ORIGIN		
2747-92					

Scale 1 Gross Wt. 117660 LB
Scale 2 Tare Wt. 38680 LB
Net Weight 78980 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.49	TON	CONTAMINATED SOIL	24.00	947.76	0.00	947.76

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

98

NET AMOUNT
947.76
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <u>N/A</u>		Bill of Lading Document No. <u>GV-206</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: <u>BRIAN STEADUS</u>				Site Address: <u>20 Hill St.</u> <u>Glensville NY 12078</u>			
4. Generator's Phone (315) <u>428-5731</u>		6. US EPA ID Number <u>N/A</u>		A. Transporter 1 Phone <u>800-941-7450</u>			
5. Transporter 1 Company Name <u>Ron Allen Trucking, Inc.</u>		7. Transporter 2 Company Name		B. State Transporter's ID <u>4A-370</u>			
9. Designated Facility Name and Site Address <u>City of Albany Landfill</u> <u>525 Rupp Rd</u> <u>Albany, NY 12205</u>		10. US EPA ID Number <u>N/A</u>		D. State Facility's ID <u>4-01010017100011</u>		E. Facility's Phone <u>518.869.3651</u>	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. <u>Contaminated Dirt, Soil, or Sand</u> <u>Non-Hazardous N816</u>				1 <u>DT</u>		<u>Est. 40 TONS</u>	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above <u>Petroleum Impacted Soils</u>				G. Handling Codes for Wastes Listed Above <u>L</u>			
15. Special Handling Instructions and Additional Information <u>Emergency Contact Number. 1-800-424-9300 CHEMTREC</u> <u>LOT # 2747</u> <u>LOAD # GV-206</u> <u>NY 25480 PA</u> <u>USDOT 705906</u> <u># 95</u>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>Jason Golubski</u> As Agent for National Grid				Signature <u>Jason R. Molubski</u>		Date Month <u>5</u> Day <u>29</u> Year <u>07</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <u>[Signature]</u>		Date Month <u>5</u> Day <u>29</u> Year <u>07</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space <u>(a5)</u>							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <u>[Signature]</u>		Date Month Day Year	

HUKA NON-HAZARDOUS WASTE GENERATOR

TRANSPORTER FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

06033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303478	P41		BRENDA #10.50/258	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/29/07	05/29/07	13:58	14:16	7002	
REFERENCE			ORIGIN		
2747-95					

Scale 1 Gross Wt. 114020 LB Inbound - Charge ticket
Scale 2 Tare Wt. 38340 LB
Net Weight 75680 LB

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
37.84	TON	CONTAMINATED SOIL	24.00	908.16	0.00	908.16

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

95

LOT # 2747

SIGNATURE _____

NET AMOUNT
908.16
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <u>N/A</u>		Bill of Lading Document No. <u>GV-207</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN:				Site Address: <u>20 Hill St.</u> <u>Gloversville NY 12079</u>			
4. Generator's Phone (<u>315</u>) <u>428.5731</u> <u>Brian Stearns</u>							
5. Transporter 1 Company Name <u>Ron Allen Trucking, Inc.</u>		6. US EPA ID Number <u>N/A</u>		A. Transporter 1 Phone <u>800.941.7452</u>			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID <u>4A-370</u>			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address <u>City of Albany Landfill</u> <u>524 Rapp Rd</u> <u>Albany NY 12205</u>		10. US EPA ID Number <u>N/A</u>		D. State Facility's ID <u>4-01010017100011</u>			
				E. Facility's Phone <u>518.869.3651</u>			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
a. <u>Contaminated Dirt, Soil, or Sand</u> <u>Non-Hazardous N816</u>				<u>1</u> <u>DT</u>		<u>Est. 40</u> <u>TONS</u>	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above <u>Petroleum Impacted Soils</u>				G. Handling Codes for Wastes Listed Above <u>L</u>			
15. Special Handling Instructions and Additional Information <u>Emergency Contact Number 1-800-424-9300 CHEMTREC</u> <u>Lot # 2747</u> <u>Load # GV-207</u> <u>USDOT 705908</u> <u>NY 15212TR</u> <u>#123</u>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>Jason Colubski</u> <u>As Agent for</u> <u>National Grid</u>				Signature <u>Jason R Colubski</u>		Date <u>5/29/07</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <u>Myrna Backus</u>		Date <u>5/29/07</u>	
Printed/Typed Name <u>MYRNA BACKUS</u>				Signature <u>(123)</u>		Date <u>5/29/07</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <u>(Signature)</u>		Date <u>5/29/07</u>	

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303549	P41		BRENDA #10.50 + 50	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/30/07	05/30/07	10:06	10:36	7001	
REFERENCE			ORIGIN		
2747-123					

Scale 1 Gross Wt. 127360 LB
Scale 2 Tare Wt. 38060 LB
Net Weight 89300 LB

Inbound - Charge ticket

CITY	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
4465	TON	CONTAMINATED SOIL	24.00	1071.60	0.00	1071.60

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE

hym

123

NET AMOUNT
1071.60
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-208		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 4 NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202				Site Address: 20 Hill St Gloversville NY 12078			
4. Generator's Phone (315) 428.5231 ATTN: Brian Stearns							
5. Transporter 1 Company Name Ron Allen Trucking, Inc.		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 4A-370			
9. Designated Facility Name and Site Address City of Albany Landfill 525 Rupp Rd Albany NY 12205		10. US EPA ID Number N/A		D. State Facility's ID 4-01010017100011			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. Contaminated Soil, Dirt, or Sand Non-Hazardous 12816				1 0T		Est. 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above Petroleum Impacted Soils				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information Emergency contact Number 1-800-424-9300 CHEMTREC LOT # 2747 LOAD # GV-208 USDOT 705908 NY 13268TX # 92							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature Jason R. Golubski		Date 5/29/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature [Signature]		Date 5/29/07	
Printed/Typed Name Denise C. [Signature]				Signature [Signature]		Date 5/29/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature [Signature]		Date [Blank]	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space 92							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303556	P4 I		BRENDA #10.50 + 58 f.s	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/30/07	05/30/07	10:32	10:52	7003	
REFERENCE			ORIGIN		
2747-92					

Scale 1 Gross Wt. 94920 LB
Scale 2 Tare Wt. 38740 LB
Net Weight 56180 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
28.09	TON	CONTAMINATED SOIL	24.00	674.16	0.00	674.16

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

92

LOT # 2747

SIGNATURE _____

NET AMOUNT
674.16
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-209		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: Brian Stearns				Site Address: 70 Hill St Gleavesville NY 12048			
4. Generator's Phone (315) 428-5731		6. US EPA ID Number N/A		A. Transporter 1 Phone 800-941-7452			
5. Transporter 1 Company Name Ron Allen Trucking, Inc.		8. US EPA ID Number		B. State Transporter's ID 4A-370			
7. Transporter 2 Company Name		10. US EPA ID Number N/A		C. Transporter 2 Phone			
9. Designated Facility Name and Site Address City of Albany Landfill 525 Rapp Rd Albany, NY 12205		D. State Facility's ID 4-01010017100011		E. Facility's Phone 518.869.3651			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. Contaminated Dirt, Soil, or Sand Non-Hazardous 11816				1 10T		Est 40 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above Petroleum Impacted Soils				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information Emergency Contact Number 1-800-424-9300 CHEMTREC NY 25400PA LOT # 2747 US DOT 705108 LOAD # GV-209 #95							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jason Golubski As Agent for National Grid				Signature [Signature]		Date 5/28/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature [Signature]		Date 5/28/07	
Printed/Typed Name James P. Murphy				Signature [Signature]		Date 5/28/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature [Signature]		Date 5/28/07	
Printed/Typed Name 95				Signature [Signature]		Date 5/28/07	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19							
Printed/Typed Name				Signature [Signature]		Date 5/28/07	

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303504	P41		BRENDA #10.59252	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/30/07	05/30/07	07:10	07:36	7002	
REFERENCE			ORIGIN		
2747-95					

Scale 1 Gross Wt. 122340 LB
Scale 2 Tare Wt. 38560 LB
Net Weight 83780 LB

Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
41.89	TON	CONTAMINATED SOIL	24.00	1005.36	0.00	1005.36

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

LOT # 2747

SIGNATURE _____

NET AMOUNT
1005.36
TENDERED
CHANGE
CHECK NO.

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. <u>N/A</u>		Bill of Lading Document No. <u>6V-210</u>		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: <u>Brian Stearns</u>				4. Generator's Phone (<u>315</u>) <u>478.5731</u>			
5. Transporter 1 Company Name <u>RCA Allen Trucking, Inc.</u>				6. US EPA ID Number <u>N/A</u>			
7. Transporter 2 Company Name				8. US EPA ID Number			
9. Designated Facility Name and Site Address <u>City of Albany Landfill</u> <u>325 Rupp Rd</u> <u>Albany NY 12205</u>				10. US EPA ID Number <u>N/A</u>			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
a. <u>Contaminated Dirt, Soil, or Sand</u> <u>non-Hazardous N816</u>				No. <u>1</u> Type <u>DT</u>		Est. <u>40</u> TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above <u>Petroleum Impacted Soils</u>				G. Handling Codes for Wastes Listed Above <u>L</u>			
15. Special Handling Instructions and Additional Information <u>Emergency Contact Number 1-800-424-9300 CHEM TREC</u> <u>LOT # 2747</u> <u>LOAD # 6V-210</u> <u>USDOT 70580</u> <u>#92</u> <u>NY 13268TR</u>							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name <u>Jason Golubski</u>				Signature <u>Jason R. Golubski</u>		Date Month <u>5</u> Day <u>30</u> Year <u>07</u>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <u>[Signature]</u>		Date Month <u>5</u> Day <u>30</u> Year <u>07</u>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space <u>(92)</u>							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature		Date	

KCHA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



CITY OF ALBANY
DEPARTMENT OF GENERAL SERVICES
Rapp Road Waste Management Facility
525 Rapp Rd • Albany, N.Y. 12205
(518) 869-3651

006033 Abscope Environmental, Inc.
PO Box 487
Canastota NY 13032

SITE	TICKET	GRID		WEIGHMASTER	
02	303502	P4 I		BRENDA #10.50 + 58	
DATE IN	DATE OUT	TIME IN	TIME OUT	VEHICLE	ROLL OFF
05/30/07	05/30/07	07:08	07:31	7001	
REFERENCE			ORIGIN		
2747-92					

Scale 1 Gross Wt. 116960 LB
Scale 2 Tare Wt. 38820 LB
Net Weight 78140 LB
Inbound - Charge ticket

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEE	TOTAL
39.07	TON	CONTAMINATED SOIL	24.00	937.68	0.00	937.68

Operating hours: 7 am to 3 pm, Monday - Friday

THIS IS TO CERTIFY THAT THIS LOAD DOES NOT CONTAIN ANY
NON ACCEPTABLE MATERIALS AS DEFINED BY LANDFILL PERMIT
AGREEMENT

92

NET AMOUNT
937.68
TENDERED
CHANGE
CHECK NO.

LOT # 2747

SIGNATURE _____

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GU-211		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				4. Generator's Phone 315 428-5731			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.				6. US EPA ID Number NYR000059246			
7. Transporter 2 Company Name				8. US EPA ID Number			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165				10. US EPA ID Number N/A			
				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
				A. Transporter 1 Phone 315-433-5115			
				B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
				D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				30 DT		TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # 060453 LOAD # GU-211 #116 T-16A 322830PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Matthew Ryan AS Agent +0 National Grid				Signature <i>[Signature]</i>		Date 8/29/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Printed/Typed Name William R. Vincent		Signature <i>[Signature]</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Printed/Typed Name		Signature	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature <i>[Signature]</i>		Date 8/29/07	

HCHA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1706 Salzman Rd.
Watertown, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1563637
Date: 08/29/2007
Time: 11:18:26 - 11:40:02

Customer: 15ABS / ABSOPE INC


Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Gross: 105380LBS
Tare: 43460LBS
Net: 61920LBS

Origin: 40 / EULTON
Truck: RIC116
Comments:




Wastes & Services	Quantity
BC501 / E/R-CONTAM SOIL	30.9600 Tons

Weighmaster: RUSS 450014

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GV-212		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 4. Generator's Phone: (315) 428-5731 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-402			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165		10. US EPA ID Number N/A		D. State Facility's ID 8-45320002300001		E. Facility's Phone (315) 539-5624	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit	
						Wt./Vol.	
				a.			
				b.			
CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1		DT 30 TONS	
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC T-160 PROFILE # 06095B LOAD # GV-212 #259 38414 PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Matthew Bryan As Agent to National Grid				Signature 		Date Month 8 Day 29 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month 8 Day 29 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature 		Date Month 8 Day 29 Year 07	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

780392

Seneca Meadows, Inc.
1786 Salaman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1563634
Date: 08/29/2007
Time: 11:19:31 - 11:35:06

Customer: 15ABS / ABSOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Origin: 40 / FULTON

Truck: RIC259

Gross: 109340LBS

Tare: 35620LBS

Net: 73720LBS

Comments

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

36.8600 Tons

Weighmaster: RUSS 450014

Driver:

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GW-213		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.			
6. US EPA ID Number NYR000059246				A. Transporter 1 Phone 315-433-5115			
7. Transporter 2 Company Name				B. State Transporter's ID 7A-402			
8. US EPA ID Number				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				No. 1 Type DT		24 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # 06045B LOAD # GW-213 T-212 21284 PA #134 W500T 918319							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Matthew Ryan AS Agent to National Grid				Signature 		Date Month 8 Day 29 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month 8 Day 29 Year 07	
Printed/Typed Name Bruce Scott				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name				Signature 		Date Month 8 Day 29 Year 07	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1706 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1563661
Date: 08/29/2007
Time: 11:37:47 - 12:05:37

Customer: 15ABS / ABSOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095

Origin: 40 / FULTON

Truck: RIC134

Gross: 123140LBS

Tare: 42920LBS

Net: 80220LBS

Comments:

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

40.1100 Tons

Weighmaster: ANN 450072

Driver:

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING

1. Generator's US EPA ID No.
N/A

Bill of Lading
Document No.

CU-214

2. Page 1
of 1

3. Generator's Name and Mailing Address

NIAGARA MOHAWK POWER CORPORATION
300 Erie Blvd. West Environmental
Syracuse, NY 13202

ATTN:

4. Generator's Phone: 315 428-5731 BRIAN STEARNS

*A National
Grid Company*

SITE ADDRESS:

20 HILL STREET

GLOVERSVILLE, NY

12078

5. Transporter 1 Company Name

RICCELLI ENTERPRISES, INC.

6. US EPA ID Number

NYR000059246

7. Transporter 2 Company Name

8. US EPA ID Number

A. Transporter 1 Phone 315-433-5115

B. State Transporter's ID 7A-402

C. Transporter 2 Phone

9. Designated Facility Name and Site Address

SENECA MEADOWS LANDFILL
1786 SALCMAN ROAD
WATERLOO, NY 13165

10. US EPA ID Number

N/A

D. State Facility's ID

8-45320002300001

E. Facility's Phone

(315) 539-5624

11. WASTE DESCRIPTION

12. Containers

No.

Type

13.
Total
Quantity

14.
Unit
Wt./Vol.

a. CONTAMINATED DIRT, SOIL OR SAND
NON-HAZARDOUS N816

1

DT

34

TONS

b.

c.

d.

F. Additional Descriptions for Materials Listed Above

PETROLEUM IMPACTED SOILS

G. Handling Codes for Wastes Listed Above

L

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC
PROFILE # 060450
LOAD # CU-214

T-130 322930A
#252
USDOT 918319

16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport.
The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.

Date

Printed/Typed Name

Matthew Ryan As agent to National Grid

Signature

[Signature]

Month Day Year

8/24/07

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Glen Sauerhager

Signature

[Signature]

Month Day Year

8/29/07

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.

Printed/Typed Name

Signature

[Signature]

Date

Month Day Year

8/29/07

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Watertown, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

170312
Ticket: 1563659
Date: 08/29/2007
Time: 11:40:37 - 12:03:42

Customer: 15ABS / ARSCOPE INC

Carrier: 9999 / VARIOUS HAULERS

Profile: 2006095B-15ABS / 15ABS-2006095

Origin: 40 / FULTON

Truck: RTC252

Comments:

Gross: 92500LBS

Tare: 34900LBS

Net: 57600LBS

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

28.8400 Tons





Glen Sanchez

Weighmaster: ANN 450072

Driver:

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. CU-215		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202				ATTN: BRIAN STEARNS			
4. Generator's Phone 315-428-5731				5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.			
				6. US EPA ID Number NYR000059246			
7. Transporter 2 Company Name				8. US EPA ID Number			
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165				10. US EPA ID Number N/A			
				A. Transporter 1 Phone 315-433-5115			
				B. State Transporter's ID 7A-402			
				C. Transporter 2 Phone			
				D. State Facility's ID 8-45320002300001			
				E. Facility's Phone (315) 539-5624			
11. WASTE DESCRIPTION a. CONTAMINATED DIRT SOIL OR SAND NON-HAZARDOUS N816				12. Containers		13. Total Quantity	
				No.	Type		
b. NON-HAZARDOUS				116		35 TONS	
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # 060950 LOAD # CU-215							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Matthew Ryan As agent to National Grid				Signature 		Date 8/30/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date 8/30/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space RES IF							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name 				Signature 		Date 8/30/07	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salaman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1564103
Date: 08/30/2007
Time: 12:13:33 - 12:30:41

Customer: 15ABS / ABSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095B-15ABS / 15ABS-2006095
Cust Ref: GU-215

Gross: 118700LBS
Tare: 43400LBS
Net: 75300LBS

Origin: 40 / FULTON
Truck: RIC116
Comments:


Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL




37.6500 Tons

Weighmaster: RUSS 450014

Driver: 

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. GU-216		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone 315 428-5731				A. Transporter 1 Phone 315-433-5115			
5. Transporter 1 Company Name RICCELLI ENTERPRISES, INC.		6. US EPA ID Number NYR000059246		B. State Transporter's ID 7A-402		C. Transporter 2 Phone	
7. Transporter 2 Company Name		8. US EPA ID Number		D. State Facility's ID 8-45320002300001		E. Facility's Phone (315) 539-5624	
9. Designated Facility Name and Site Address SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165				10. US EPA ID Number N/A			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				No. 1 Type DT		30 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # 06045B LOAD # GU-216 #25Q T-160 584/40A							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Matthew Ryan As agent to National Grid				Signature 		Date Month 8 Day 30 Year 07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date Month 8 Day 30 Year 07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name Ray				Signature 		Date Month 8 Day 30 Year 07	

RCRA NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

780392

Seneca Meadows, Inc.
1706 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1564097
Date: 02/30/2007
Time: 11:57:32 - 12:19:21

Customer: 15ABS / ABSCOPE INC

Carrier: 9999 / VARIOUS HAULERS

Profile: 2006095B-15ABS / 15ABS-2006095

Cust Ref: GU-215

Gross: 98140LBS

Tare: 35600LBS

Net: 62540LBS

Origin: 40 / FULTON

Truck: RIC259

Comments:

Wastes & Services

Quantity *OK*

BCS01 / B/R-CONTAM SOIL

31.2700 Tons

Weighmaster: RUSS 450014

Driver:

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. N/A		Bill of Lading Document No. 150-217		2. Page 1 of 1	
3. Generator's Name and Mailing Address: NIAGARA MOHAWK POWER CORPORATION 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRIAN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone: 315 428-5731				A. Transporter 1 Phone: 315-433-5115			
5. Transporter 1 Company Name: RICCELLI ENTERPRISES, INC.				B. State Transporter's ID: 7A-402			
6. US EPA ID Number: NYR000059246				C. Transporter 2 Phone:			
7. Transporter 2 Company Name:				D. State Facility's ID: 8-45320002300001			
8. Designated Facility Name and Site Address: SENECA MEADOWS LANDFILL 1786 SALCMAN ROAD WATERLOO, NY 13165				E. Facility's Phone: (315) 539-5624			
10. US EPA ID Number: N/A							
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. CONTAMINATED DIRT, SOIL OR SAND NON-HAZARDOUS N816				1 DT		35 TONS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above: PETROLEUM IMPACTED SOILS				G. Handling Codes for Wastes Listed Above: L			
15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # 060950 LOAD # 150-217 T-166 #131 322.78 PA							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name: Matthew Ryan				Signature: [Signature]		Date: 09/06/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature: [Signature]		Date: 08/06/07	
Printed/Typed Name: [Name]				Signature: [Signature]		Date: [Date]	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature: [Signature]		Date: [Date]	
Printed/Typed Name: [Name]				Signature: [Signature]		Date: [Date]	
19. Discrepancy Indication Space:							
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.							
Printed/Typed Name: [Name]				Signature: [Signature]		Date: 09/05/07	

GENERATOR

TRANSPORTER

FACILITY

Seneca Meadows, Inc.
1786 Salzman Rd.
Waterloo, NY 13165
Ph: (315) 539-5624 Fax: (315) 539-3097

Ticket: 1566010
Date: 09/06/2007
Time: 13:01:40 - 13:20:51

Customer: 15ABS / ABSCOPE INC

Carrier: 9999 / VARIOUS HAULERS
Profile: 2006095N-15ABS / 15ABS-2006095
Cust Ref: 60-217

Origin: 40 / FULTON
Truck: RIC131
Comment:


Gross: 142820LBS
Tare: 36620LBS
Net: 106200LBS

Wastes & Services

Quantity

BCS01 / B/R-CONTAM SOIL

53.1000 Tons





Weighmaster: LYDIA 450104

Driver:

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. NYD980777478		Bill of Lading Document No. GV-218		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID COMPANY 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRAIN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		6. US EPA ID Number NYR0000097444		A. Transporter 1 Phone 315-697-8437			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-369		C. Transporter 2 Phone	
9. Designated Facility Name and Site Address CWM CHEMICAL SERVICES, LLC 1550 BALMER ROAD MODEL CITY, NY 14107				10. US EPA ID Number NYD049836679		D. State Facility's ID 9-2934-00022/00097	
				E. Facility's Phone (716) 754-8231			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. NON RCRA, NON-DOT REGULATED MATERIAL (ION EXCHANGE RESIN N832)				6 DM		1800 LBS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # NY100411 SR # 942965 GV-218 7A-369 36423-AT							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Matthew Ryan AS Agent to National Grid				Signature 		Date 9/7/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date 9/7/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name						Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in item 19.				Signature Michelle Fleck		Date 09/07/07	
Printed/Typed Name Michelle Fleck						Month Day Year	

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



Transporter Log
CWM Chemical Services, Inc.
Model City, NY

155584

Cubic Yards

8161513
Receipt #

Trailer License Plate # and State

Service Req. #

Profile #

Permit #

Transporter Name

Tractor/Trailer/Roll-off #

Driver's Name

Generator

Scheduled Arrival:

Date

Time

Actual Arrival:

Date

Time In

Time Out

Arrived during Blackout? Y / N

Notified DEC? Y / N

Receiving: MF

Initials

Comments

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify)

☐ Bulk to Landfill

☐ No wet line

☐ Flatbed

☐ Stabilization

☒ Drums

☐ Tanker

☐ Transformers

Laboratory

Time In

Time Out

Initials

Comments

Stabilization

Time In

Time Out

Initials

Gross Wt.

Comments

Landfill

Time In

Time Out

Initials

Comments

Other

Time In

Time Out

Initials

Comments

Aqueous
Treatment

Time In

Time Out

Signature (NO Initials)

Comments

Facility Personnel (please initial)

Smoking or eating in prohibited areas

Leaving truck unattended

Failure to obey instructions of facility personnel

Failure to display overweight flag

Failure to wear appropriate PPE

Improper tarping or detarpin

Unsafe driving practices

Overweight upon arrival

Other (specify)

Security Guard Initials:

(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. NYD980777478		Bill of Lading Document No. GW-21A		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRAIN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		6. US EPA ID Number NYR0000097444		A. Transporter 1 Phone 315-697-8437			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-369			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CWM CHEMICAL SERVICES, LLC 1550 BALMER ROAD MODEL CITY, NY 14107		10. US EPA ID Number NYD049836679		D. State Facility's ID 9-2934-00022/00097			
				E. Facility's Phone (716) 754-0365			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. NON RCRA, NON-DOT WASTE (OILY WATER/SLUDGE) NON-HAZARDOUS				9 DM		2700 LBS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # VG4073 SR # 842965 GW-21A 7A-36a 36423-AF							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Matthew Ryan As agent for National Grid				Signature <i>[Signature]</i>		Date 9/7/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 9/7/07	
Printed/Typed Name Robert C. Busch				Signature <i>[Signature]</i>		Date 9/7/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name Michelle Fleck				Signature <i>[Signature]</i>		Date 09/07/07	

RCRA NON-HAZARDOUS WASTE

TRANSPORTER FACILITY



Transporter Log
CWM Chemical Services, Inc.
Model City, NY

155584

Cubic Yards

81618113
Receipt #

Trailer License Plate # and State

Service Req. #

Profile #

Permit #

Transporter Name

Tractor/Trailer/Roll-off #

Driver's Name

Generator

Scheduled Arrival:

Actual Arrival:

Date

Time

Date

Time In

Time Out

Arrived during Blackout? Y / N

Notified DEC? Y / N

Receiving: MF

Initials

Comments

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify)

☐ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization

☒

Drums

☐ Tanker

☐ Transformers

Laboratory

Time In

Time Out

Initials

Comments

Stabilization

Time In

Time Out

Initials

Gross Wt.

Comments

Landfill

Time In

Time Out

Initials

Comments

Other

Time In

Time Out

Initials

Comments

Aqueous
Treatment

Time In

Time Out

Signature (NO Initials)

Comments

Facility Personnel (please initial)

Smoking or eating in prohibited areas

Leaving truck unattended

Failure to obey instructions of facility personnel

Failure to display overweight flag

Failure to wear appropriate PPE

Improper tarping or detarpin

Unsafe driving practices

Overweight upon arrival

Other (specify)

Security Guard Initials:

(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

NON-HAZARDOUS WASTE BILL OF LADING

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE BILL OF LADING		1. Generator's US EPA ID No. NYD980777478		Bill of Lading Document No. GV-220		2. Page 1 of 1	
3. Generator's Name and Mailing Address NIAGARA MOHAWK POWER CORPORATION A NATIONAL GRID 300 Erie Blvd. West Environmental Syracuse, NY 13202 ATTN: BRAIN STEARNS				SITE ADDRESS: 20 HILL STREET GLOVERSVILLE, NY 12078			
4. Generator's Phone (315) 428-5731							
5. Transporter 1 Company Name ABSCOPE ENVIRONMENTAL, INC.		6. US EPA ID Number NYR0000097444		A. Transporter 1 Phone 315-697-8437			
7. Transporter 2 Company Name		8. US EPA ID Number		B. State Transporter's ID 7A-369			
				C. Transporter 2 Phone			
9. Designated Facility Name and Site Address CWM CHEMICAL SERVICES, LLC 1550 BALMER ROAD MODEL CITY, NY 14107		10. US EPA ID Number NYD049836679		D. State Facility's ID 9-2934-00022/00097			
				E. Facility's Phone (716) 754-8231			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. NON RCRA, NON-DOT REGULATED MATERIAL (SPENT ACTIVATED CARBON N864)				12 DM		3600 LBS	
b.							
c.							
d.							
F. Additional Descriptions for Materials Listed Above				G. Handling Codes for Wastes Listed Above L			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT NUMBER 1-800-424-9300 CHEMTREC PROFILE # NY100412 SR # 842965 GV-220 7A-369 36423-AF							
16. Generator's Certification: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this Bill of Lading are not subject to federal hazardous waste regulations.							
Printed/Typed Name Matthew Ryan National Grid				Signature <i>[Signature]</i>		Date 9/7/07	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 9/7/07	
Printed/Typed Name ABC Rock				Signature <i>[Signature]</i>		Date 9/7/07	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this Bill of Lading, except as noted in Item 19.							
Printed/Typed Name Michelle Fleck				Signature <i>[Signature]</i>		Date 09/07/07	

RCRA NON-HAZARDOUS WASTE

TRANSPORTER FACILITY



Transporter Log
CWM Chemical Services, Inc.
Model City, NY

155584

Cubic Yards

81615113
Receipt #

Trailer License Plate # and State

Service Req. #

Profile #

Permit #

Transporter Name

Tractor/Trailer/Roll-off #

Driver's Name

Generator

Scheduled Arrival:

Date

Time

Actual Arrival:

Date

Time In

Time Out

Arrived during Blackout? Y / N

Notified DEC? Y / N

☐ Leaker

☐ Permit Violation

☐ Placarding/Veh. I.D. Violation

☐ Other (specify)

☐ Bulk to Landfill

☐ No wet line

☐ Flatbed

☐ Stabilization

☒ Drums

☐ Tanker

☐ Transformers

Receiving: MF

Initials

Comments

Laboratory

Time In

Time Out

Initials

Comments

Stabilization

Time In

Time Out

Initials

Gross Wt.

Comments

Landfill

Time In

Time Out

Initials

Comments

Other

Time In

Time Out

Initials

Comments

Aqueous
Treatment

Time In

Time Out

Signature (NO Initials)

Comments

Facility Personnel (please initial)

Smoking or eating in prohibited areas

Leaving truck unattended

Failure to obey instructions of facility personnel

Failure to display overweight flag

Failure to wear appropriate PPE

Improper tarping or detarpin

Unsafe driving practices

Overweight upon arrival

Other (specify)

Security Guard Initials:

(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments