

April 13, 2026

Mr. Daniel Wiener
U.S. Environmental Protection Agency – Region 2
Hudson River Field Office
187 Wolf Road, Suite 303
Albany, NY 12205

Re: National Grid Excelsior Avenue Site, Saratoga Springs, NY
2026 1st Quarter Data Submittal

Dear Mr. Wiener:

Pursuant to the recently approved Site Management Plan, attached for your information is the 2026 1st Quarter Data Submittal for the National Grid Excelsior Avenue Site, Saratoga Springs, New York. This submittal includes the following information:

- Site inspections for January, February, and March 2026 (**Appendix A**).
- Monthly water level gauging data for January, February, and March 2026 (**Table 1** and **Table 2**).
- January 2026 quarterly groundwater sampling event results for the Former MGP Site, Former Spa Steel Site (**Table 3**).

As per the approved Site Management Plan, an annual report will be submitted to the EPA by March 31, 2027, that summarizes all OM&M activities conducted at the site in 2026.

If you have any questions regarding OM&M issues, then please feel free to contact me at 315.540.0829.

Very truly yours,



for NAS

Nicholas A. Smith, P.G.
Senior Program Manager - National Grid

Cc: G. Pratt – NYSDEC
D. Tucholski – NYSDOH
A. Wadden - HDR
G. Klawinski - EPA
G. Cummins - National Grid
J. Brussel - Arcadis
D. Shay – Groundwater and Environmental Services, Inc.

Tables

Hydraulic Control Trending

[illegible]



Table 1
Hydraulic Control Trending

Date	Inlet Pwr 44				Date	Inlet Pwr 45			
	LTWP-04		LTWP-04			LTWP-05		LTWP-05	
	TOC = 265.73	Water SL	TOC = 265.93	Water SL		TOC = 262.33	Water SL	TOC = 262.57	Water SL
03/04/26	5.72	260.01	5.11	260.82	3.81	3.78	258.95	5.87	258.99
03/05/26	5.81	259.92	5.77	259.18	3.24	2.80	259.51	5.89	259.58
01/08/26	5.53	260.26	2.49	260.00	4.30	3.59	258.74	5.88	258.88
12/03/25	5.64	260.09	2.84	260.99	3.60	3.62	258.71	5.93	258.88
11/05/25	5.31	260.42	2.33	260.40	4.18	3.74	258.88	5.88	258.99
10/01/25	5.47	260.28	3.02	260.91	3.85	3.89	258.53	5.93	259.04
08/05/25	5.88	260.17	2.49	260.44	2.97	3.35	258.94	5.84	259.23
08/05/25	5.59	260.14	3.80	260.13	2.99	3.32	259.01	5.82	259.75
07/02/25	5.59	260.14	3.36	260.57	3.43	3.18	259.15	5.40	259.17
06/05/25	5.69	260.14	3.54	260.39	3.25	3.49	259.35	5.84	260.03
04/05/25	5.14	260.69	0.91	260.02	5.43	3.54	258.69	0.96	260.51
03/05/25	5.26	260.41	2.51	260.62	4.19	3.63	259.15	5.96	259.83
02/05/25	5.97	260.78	4.30	260.54	2.78	3.87	258.46	4.38	258.18
01/08/25	5.48	260.25	2.87	264.26	3.86	3.54	259.75	3.70	259.34
11/08/24	5.62	260.11	4.81	262.42	2.31	3.92	258.41	4.92	258.25
10/03/24	5.70	260.05	3.89	260.08	3.05	3.93	258.49	4.03	258.84
09/03/24	5.99	260.14	3.54	260.39	3.25	3.49	259.35	4.03	259.84
08/07/24	5.65	260.08	2.14	264.79	4.71	3.78	258.95	5.01	259.58
07/11/24	5.73	260.06	3.08	260.89	3.88	3.61	258.71	5.45	259.15
06/05/24	5.78	260.86	3.82	260.31	3.39	3.49	258.67	4.85	259.02
05/01/24	5.38	260.38	1.89	260.24	4.86	3.84	259.38	4.61	260.28
04/04/24	4.87	260.28	1.76	264.71	4.81	3.84	259.38	4.61	260.86
03/06/24	5.58	260.17	1.84	260.08	4.82	3.73	259.21	0.93	260.04
02/07/24	5.45	260.28	2.49	264.44	4.16	2.88	259.95	0.88	260.71
01/04/24	5.61	260.17	2.62	264.31	4.19	3.47	258.64	5.09	258.48
10/08/24	5.92	260.17	2.08	264.86	4.34	3.60	258.67	2.67	260.86
11/01/23	5.79	260.04	2.50	264.43	4.49	3.88	258.47	5.12	258.45
10/03/23	5.80	260.93	3.86	260.27	3.94	4.00	258.24	4.00	258.47
09/07/23	5.67	260.06	0.27	260.86	3.60	3.97	258.38	0.99	259.88
08/15/23	5.63	260.19	3.24	260.89	3.59	3.89	258.94	5.48	259.09
07/08/23	5.39	260.41	2.16	264.77	4.38	3.38	259.74	0.84	260.91
06/01/23	4.80	260.33	3.79	260.14	2.21	3.69	258.73	0.85	258.72
05/01/23	5.39	260.03	1.36	260.91	3.74	3.61	259.05	0.99	260.14
04/04/23	4.71	261.00	0.87	260.86	3.85	2.89	259.91	0.87	259.09
03/01/23	6.00	260.13	2.41	264.32	4.19	3.48	258.85	0.21	259.38
02/03/23	5.49	260.39	3.91	260.44	4.73	3.09	259.25	5.96	258.71
01/05/23	5.21	260.92	1.46	260.47	4.89	3.09	259.24	0.88	258.91
12/08/22	4.89	260.84	1.49	260.44	4.60	3.35	259.98	2.33	260.24
11/09/22	5.43	260.39	2.91	260.44	3.14	3.89	258.51	3.89	259.22
10/09/22	5.57	260.18	2.84	260.91	3.35	3.89	258.43	0.83	258.84
09/07/22	5.38	260.36	2.11	264.24	3.69	3.32	259.91	5.28	258.31
08/05/22	5.84	260.09	4.10	260.25	2.19	3.91	259.99	4.34	258.23
07/07/22	5.62	260.11	4.26	260.15	2.64	3.47	258.88	2.22	260.33
06/05/22	5.69	260.04	3.80	260.05	2.61	3.91	259.05	5.81	258.86
05/19/22	5.46	260.12	3.37	260.84	2.77	3.91	259.01	5.81	259.92
04/09/22	5.24	260.49	2.33	264.02	3.53	3.60	259.93	0.86	259.71
03/03/22	5.44	260.28	0.91	260.54	2.28	2.89	259.64	0.14	258.83
02/02/22	6.18	260.86	4.28	260.08	4.31	4.31	259.91	5.38	259.18
01/09/22	5.74	260.99	2.80	260.73	3.78	3.69	258.68	0.17	259.49
12/01/21	5.87	260.89	3.12	260.23	3.37	3.89	258.73	0.91	259.84
11/04/21	5.43	260.39	2.30	264.05	3.79	3.69	258.83	0.79	259.78
10/01/21	5.12	260.61	1.84	264.51	3.60	3.61	258.72	2.47	260.10
09/01/21	5.97	260.18	3.87	260.38	3.12	3.73	258.88	4.42	259.15
08/04/21	5.59	260.21	2.28	264.10	3.89	3.94	258.81	0.88	258.88
07/01/21	5.08	260.86	1.36	260.99	4.34	3.47	258.86	2.22	260.33
06/01/21	5.86	259.88	3.87	260.78	2.90	3.89	258.94	0.71	259.86
05/01/21	3.68	260.27	0.80	260.94	3.87	2.88	259.87	0.87	259.80
04/01/21	5.81	260.24	0.80	264.34	5.12	3.61	258.86	0.86	258.87
03/01/21	5.81	260.24	0.80	264.34	5.12	3.61	258.86	0.86	258.87
02/01/21	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina
01/01/21	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina
12/01/20	4.89	260.84	1.43	260.31	4.47	3.71	258.83	0.43	260.14
11/04/20	5.78	259.87	2.43	264.31	4.34	4.08	258.47	0.44	259.13
10/09/20	5.81	260.93	3.80	260.93	3.91	4.47	258.11	0.88	258.51
09/02/20	5.28	260.47	2.47	264.27	3.89	4.43	258.93	0.10	258.47
08/05/20	5.15	260.38	1.72	260.02	4.44	3.88	259.95	2.00	260.87
07/04/20	5.83	259.89	3.86	260.89	3.99	3.99	259.74	1.75	259.42
06/04/20	5.85	259.88	0.98	260.18	3.98	3.81	258.88	4.18	259.39
05/12/20	5.71	260.02	0.80	261.72	1.70	3.46	259.07	0.88	259.31
04/04/20	4.93	260.86	1.70	260.84	4.24	3.13	258.94	0.87	260.26
03/04/20	3.90	261.83	1.10	260.64	3.81	3.60	259.93	0.85	260.02
02/05/20	4.86	260.13	0.90	260.24	3.11	3.85	258.86	0.46	260.17
01/07/20	4.49	260.14	1.88	260.46	4.62	3.69	258.81	0.99	259.77
12/12/19	4.82	260.51	1.38	260.38	4.45	3.84	258.69	0.21	260.38
11/08/19	5.46	260.25	2.12	264.45	4.17	4.44	258.67	0.86	259.73
10/03/19	6.29	260.83	4.30	260.44	2.91	3.05	261.48	4.78	261.79
09/11/19	5.96	260.78	3.50	260.24	3.46	4.80	260.73	0.00	258.52
08/07/19	6.00	260.73	3.50	260.24	3.61	3.89	258.83	1.40	259.17
07/01/19	5.91	260.69	0.46	260.30	3.48	3.68	258.66	0.84	264.74
06/05/19	5.80	260.95	2.80	264.14	4.51	3.70	258.83	5.30	258.27
05/01/19	5.44	260.89	2.28	264.89	4.80	3.49	258.99	0.80	259.87
04/09/19	5.13	260.58	2.08	264.86	4.08	3.43	259.98	0.30	259.27
03/01/19	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina
02/01/19	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina
01/09/19	6.80	260.83	1.61	260.73	5.80	3.69	258.83	0.85	258.82
12/04/18	4.93	260.86	1.60	260.14	4.34	3.92	259.21	1.46	260.09
11/07/18	4.95	260.78	1.40	260.34	4.66	4.00	258.93	0.31	260.28
10/04/18	5.35	260.28	1.93	260.19	4.81	4.10	258.43	0.85	260.82
09/08/18	5.90	260.91	3.40	260.29	3.46	4.43	258.95	0.88	259.95
08/08/18	5.40	260.33	2.40	264.34	4.91	4.00	258.93	0.70	259.87
07/12/18	5.98	260.75	3.72	260.02	3.27	4.33	258.91	4.08	258.49
06/06/18	5.96	260.78	3.86	260.08	3.20	3.88	258.99	0.80	258.87
05/01/18	5.11	260.82	1.45	260.29	4.87	3.45	258.88	0.30	260.27
04/05/18	5.85	260.08	1.70	260.04	4.86	3.85	259.05	5.81	259.16
03/05/18	4.90	260.91	3.10	260.84	5.21	3.53	258.91	0.80	259.82
02/09/18	5.00	260.63	2.80	260.84	4.21	4.55	257.98	0.70	258.87
01/11/18	5.88	260.84	2.80	264.54	4.38	4.44	258.94	0.14	258.40
12/16/17	6.45	260.86	2.80	264.14	4.88	4.88	257.99	0.40	259.27
11/17/17	6.25	259.48	2.84	260.80	4.42	4.53	258.89	0.70	258.87
10/28/17	6.10	259.64	4.46	260.89	2.28	4.00	261.20	1.15	258.42
09/18/17	6.07	259.88	4.05	260.89	3.83	4.41	258.10	4.88	261.88
08/10/17	5.92	260.81	3.98	260.18	3.17	4.23	258.90	0.80	258.77
07/10/17	5.80	260.93	1.88	260.40	4.12	3.89	258.81	1.46	259.11
06/14/17	5.64	260.89	2.98	264.18	4.69	3.63	258.88	0.89	260.84
05/01/17	5.74	260.99	2.73	264.01	4.00	3.54	258.99	5.12	259.46
04/07/17	5.84	260.19	2.40	264.34	3.19	3.91	259.03	0.91	259.34
03/17/17	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina	Under Ina
02/17/17	5.24	260.51	1.75	260.86	4.48	3.28	259.24	0.87	260.36
01/11/17	5.21	260.525</							

Table 1
Hydraulic Control Trending

		Inlet Pwr #12				Inlet Pwr #13				
		LTWP-12		Delta		LTWP-13		Delta		
		TOC = 267.41		TOC = 268.10		TOC = 268.33		TOC = 268.44		
Date	DTW	Water SL	DTW	Water SL	DTW	Water SL	DTW	Water SL		
03/04/26	5.02	262.29	5.03	262.07	0.08	6.11	262.12	5.93	263.51	1.39
03/05/26	5.04	262.37	5.01	262.09	-0.72	6.16	262.07	5.80	263.54	1.47
01/08/26	4.87	262.48	4.87	263.13	0.69	5.28	262.87	5.23	263.21	0.24
12/03/25	5.00	262.41	4.96	263.14	0.73	5.84	262.29	6.71	262.73	0.44
11/05/25	4.75	262.68	4.86	263.21	0.05	5.69	261.93	4.83	263.41	0.08
10/01/25	4.72	262.69	5.03	263.07	0.38	6.03	262.60	5.41	263.03	0.43
09/01/25	4.62	262.79	5.12	262.89	0.19	5.95	262.67	5.24	263.20	0.33
08/09/25	4.64	262.71	5.36	262.71	-0.06	5.67	262.66	5.14	262.70	0.14
07/02/25	4.58	262.83	5.05	263.05	0.22	5.45	262.78	5.00	263.44	0.69
03/05/25	5.00	262.41	4.79	263.26	0.84	6.06	262.11	4.70	263.66	1.48
02/05/25	5.09	262.35	5.05	263.01	0.66	6.18	262.03	6.68	262.76	0.71
01/08/25	4.98	262.45	4.89	263.21	0.78	5.80	262.27	5.91	263.53	1.26
11/03/24	Under Cur		Under Cur			Under Cur		Under Cur		
11/08/24	5.48	261.88	Under Dumping			5.48	262.77	6.89	262.55	-0.22
10/03/24	4.90	262.81	5.12	262.89	0.07	5.61	262.62	5.18	263.26	0.68
09/03/24	4.70	262.71	5.81	262.99	-0.12	5.70	262.33	5.89	263.45	0.92
08/07/24	4.68	262.75	5.00	263.10	0.35	5.63	262.61	5.61	263.83	0.22
07/11/24	4.58	262.89	5.05	263.05	0.22	5.65	262.61	5.88	263.35	0.74
06/05/24	4.60	262.81	5.06	263.04	0.23	5.57	262.61	5.97	263.07	0.08
05/01/24	4.60	262.81	4.48	263.61	0.80	5.75	262.48	6.73	263.71	1.23
04/04/24	4.73	262.68	4.76	263.26	0.67	5.86	262.43	5.76	263.66	1.29
03/06/24	4.79	262.69	4.26	263.81	1.19	5.79	262.44	6.37	263.07	0.63
02/07/24	4.63	262.48	4.83	263.27	0.79	6.03	262.20	6.15	263.29	1.09
01/04/24	4.64	262.67	5.06	263.10	0.43	5.69	262.25	5.36	263.68	0.93
10/08/24	4.81	262.69	4.86	263.26	0.66	5.69	262.30	6.46	263.04	0.49
11/01/23	4.86	262.65	4.99	263.11	0.66	5.79	262.46	6.00	263.35	0.61
10/03/23	4.78	262.63	5.16	263.00	0.37	5.70	262.48	6.30	263.12	0.64
09/07/23	4.69	262.72	5.04	263.06	0.34	5.63	262.60	6.49	263.65	0.35
08/01/23	4.68	262.73	5.07	263.03	0.30	5.65	262.67	6.38	262.88	0.31
07/06/23	4.61	262.86	4.86	263.14	0.28	5.69	262.61	6.14	263.30	0.67
06/01/23	4.59	262.80	5.11	262.89	0.17	5.61	262.40	6.03	263.41	0.69
05/03/23	4.61	262.88	5.06	263.04	0.14	5.56	262.61	6.26	263.62	0.81
04/04/23	4.70	262.71	4.86	263.36	0.69	5.60	262.69	4.88	263.06	0.38
03/01/23	4.62	262.49	5.04	263.06	0.57	5.69	262.34	6.45	262.89	0.65
02/03/23	5.00	262.45	5.00	263.09	0.68	5.92	262.21	6.90	263.84	0.93
01/05/23	5.05	262.38	5.05	263.05	0.69	6.00	262.18	6.03	263.41	1.23
12/02/22	5.00	261.81	5.89	262.21	0.70	4.90	261.30	6.20	263.05	1.72
11/01/22	Under Cur		Under Cur			Under Cur		Under Cur		
10/02/22	4.75	262.68	5.06	263.04	0.38	5.63	262.60	5.96	262.88	0.28
09/07/22	4.67	262.74	4.62	263.18	0.44	5.56	262.67	6.24	263.10	0.43
08/03/22	4.70	262.71	5.10	263.00	0.29	5.10	262.10	6.22	263.22	0.12
07/07/22	4.65	262.70	5.06	263.02	0.36	5.45	262.78	6.20	263.24	0.46
06/02/22	4.54	262.67	5.06	263.04	0.17	5.47	262.65	6.04	263.46	0.58
05/19/22	4.56	262.67	5.01	263.00	0.24	5.35	262.65	6.00	263.05	0.07
04/09/22	4.72	262.69	4.82	263.28	0.59	5.62	262.61	5.78	263.66	1.05
03/03/22	4.83	262.49	4.86	263.15	0.67	5.74	262.50	6.00	263.37	0.80
02/02/22	4.64	262.69	5.10	263.00	0.33	5.60	262.29	6.24	263.20	0.61
01/09/22	4.62	262.49	4.89	263.11	0.62	5.79	262.49	6.56	262.88	0.44
12/01/21	4.62	262.45	5.09	263.07	0.68	5.80	262.45	6.71	262.77	0.29
11/04/21	4.84	262.57	4.87	263.23	0.66	5.53	262.70	6.11	263.33	0.63
10/07/21	4.69	262.72	4.82	263.18	0.46	5.58	262.67	6.38	263.06	0.39
07/01/21	4.68	262.73	4.89	263.01	0.18	5.50	262.73	6.15	263.29	0.56
06/03/21	4.67	262.74	4.79	263.31	0.57	5.79	262.61	6.06	263.36	0.67
05/01/21	4.69	262.72	4.44	263.09	0.37	5.52	262.71	5.89	263.55	0.84
04/01/21	4.77	262.68	4.75	263.80	1.16	5.68	262.66	5.81	263.53	1.06
03/01/21	4.62	262.66	4.89	263.46	0.80	5.50	262.66	6.00	263.35	0.60
02/01/21	4.61	262.60	4.87	262.86	0.66	5.61	262.60	6.16	263.28	0.68
01/01/21	4.64	262.61	4.86	263.08	0.41	5.66	262.61	6.00	263.34	0.60
12/02/20	4.68	262.63	4.45	263.08	0.43	5.75	262.49	6.10	263.34	0.68
11/04/20	4.69	262.62	4.84	262.89	0.17	5.69	262.58	6.14	263.10	0.52
10/05/20	4.69	262.73	4.87	263.06	-0.17	5.69	262.58	6.14	263.10	0.52
09/02/20	4.71	263.10	4.95	262.98	-0.12	6.03	261.37	6.39	263.05	1.68
08/01/20	4.78	262.65	4.62	262.81	0.28	5.78	262.45	6.18	263.28	0.83
07/06/20	4.63	262.78	4.91	262.62	-0.18	5.39	262.68	6.38	263.06	0.18
06/04/20	4.64	262.77	4.88	262.65	-0.12	5.38	262.67	6.07	263.37	0.60
05/11/20	4.78	262.66	4.81	262.70	0.05	5.75	262.65	5.88	263.66	1.03
04/04/20	4.68	262.71	4.46	263.13	0.40	5.60	262.72	6.27	263.27	0.59
03/04/20	Undercurable		Undercurable			Undercurable		Undercurable		
02/02/20	4.86	262.46	4.86	262.67	0.21	5.60	262.63	6.16	263.34	0.71
01/07/20	4.68	262.61	4.84	262.89	0.28	5.60	262.61	6.40	263.04	0.40
12/12/19	4.67	262.44	4.36	263.17	0.73	5.89	262.29	6.97	263.47	1.13
11/08/19	4.63	262.66	4.75	262.78	0.20	5.60	262.63	5.88	263.66	1.23
10/03/19	4.65	262.69	5.10	262.43	-0.13	5.50	262.73	6.00	262.94	0.21
09/17/19	4.70	262.71	5.00	262.53	-0.18	Under Cur	6.50	262.94		
08/07/19	4.64	262.77	4.98	262.85	0.18	5.50	262.71	6.18	263.28	0.55
07/01/19	5.46	262.41	5.06	262.62	0.62	5.50	262.73	6.46	263.04	0.31
06/05/19	3.70	263.71	4.70	262.83	-0.88	Under Cur	5.45	263.99		
05/01/19	4.45	262.86	4.26	262.98	-0.20	5.75	262.80	6.40	263.82	0.94
04/09/19	4.60	262.61	4.75	262.78	0.07	Under Cur	5.80	263.54		
03/05/19	5.16	262.26	Under Dump			5.60	262.45	6.36	263.14	0.81
02/01/19	5.15	262.68	Under Dump			5.61	262.45	6.30	263.14	0.72
01/09/19	5.05	262.38	4.85	262.48	0.22	5.60	263.23	6.05	263.39	0.16
12/04/18	5.41	262.30	4.58	262.04	0.24	5.92	262.21	5.93	263.41	1.10
11/07/18	Under Cur		Under Cur			5.79	262.69	6.18	263.34	0.49
10/04/18	5.15	262.28	4.83	262.80	0.64	5.60	262.33	6.20	263.24	0.61
09/08/18	5.10	262.31	5.10	262.43	0.12	5.80	262.43	6.13	263.31	0.88
08/08/18	6.40	261.61	4.80	262.68	1.67	5.93	262.33	5.97	264.37	2.04
07/12/18	5.35	262.06	5.13	262.49	0.34	5.90	262.33	6.31	263.83	0.80
06/06/18	5.36	262.09	5.10	262.43	0.37	5.89	262.30	6.45	263.99	0.71
05/01/18	5.09	262.32	4.62	262.81	0.59	5.90	262.33	6.15	263.29	0.66
04/05/18	5.00	262.41	4.80	262.83	0.62	5.90	262.25	6.10	263.34	1.01
03/01/18	5.02	262.35	4.80	263.03	0.64	5.90	262.68	6.00	263.08	1.16
02/08/18	5.15	262.29	5.10	262.43	0.17	Under Cur	6.42	263.02		
01/11/18	5.13	262.31	4.80	262.43	0.38	5.50	262.68	6.40	263.10	0.26
12/16/17	5.10	262.31	4.86	262.13	-0.18	5.90	262.29	6.70	263.74	0.48
11/01/17	5.01	262.38	5.10	262.43	0.07	5.18	262.45	6.48	263.18	0.57
10/17/17	5.00	262.38	5.47	262.06	-0.30	6.12	262.11	6.61	262.93	0.82
09/03/17	5.11	262.30	4.90	262.28	-0.20	5.90	262.24	5.98	263.46	1.29
07/12/17	5.12	262.29	5.02	262.51	0.22	5.85	262.38	6.09	263.39	0.61
06/14/17	5.12	262.24	5.01	262.72	0.28	5.84	262.49	5.91	263.33	1.24
05/01/17	5.11	262.30	4.90	262.49	0.19	5.80	262.33	6.00	263.46	

Table 1
Hydraulic Control Trending

Date	Inlet For R14				Inlet For R15					
	LTWP-15		LTWP-15		LTWP-15		LTWP-15			
	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL		
03/04/20	5.70	281.05	0.36	287.12	5.17	3.78	283.64	4.70	283.02	0.08
03/05/20	5.00	282.05	0.36	287.12	5.07	3.89	283.61	4.71	283.01	-0.42
01/08/20	5.23	282.49	0.33	286.79	4.81	3.28	283.08	4.07	283.08	-0.41
12/01/20	4.38	283.20	1.73	286.30	3.08	3.38	283.06	3.38	283.38	0.40
11/05/20	5.18	282.47	1.83	286.25	3.78	3.44	283.08	4.41	283.11	-0.77
10/01/20	5.49	282.18	1.84	286.24	4.08	3.71	283.03	4.21	283.51	-0.08
08/01/20	5.69	282.03	1.84	286.04	4.51	3.05	283.04	4.38	283.37	0.03
08/05/20	5.27	282.08	0.94	287.14	4.78	3.80	283.72	4.48	283.24	-1.48
07/02/20	5.13	282.50	0.37	287.71	5.19	3.20	280.12	4.80	280.72	-0.40
06/01/20	5.08	282.07	1.41	286.87	4.90	3.80	283.61	4.34	283.38	-0.04
02/05/20	5.01	283.74	1.05	286.43	2.89	3.72	283.03	4.14	283.08	-0.02
01/08/20	5.10	282.05	1.05	286.43	3.88	3.11	280.27	4.01	280.71	-0.80
11/03/24	5.41	282.29	2.07	286.01	3.77	3.41	283.01	3.88	283.74	-0.17
11/08/24	6.18	281.47	2.00	286.08	4.81	4.19	283.13	4.27	283.45	0.32
10/01/24	5.77	281.88	1.03	286.49	4.67	4.05	282.87	4.30	283.42	0.16
08/01/24	5.98	282.07	1.41	286.87	4.90	3.80	283.61	4.34	283.38	-0.04
08/07/24	5.37	282.28	1.38	286.80	4.52	3.53	283.78	4.20	283.52	-0.27
07/11/24	5.38	282.27	0.80	287.26	4.68	4.05	283.72	4.08	283.64	3.89
06/01/24	5.28	282.37	0.40	287.43	5.20	3.42	283.09	4.08	283.07	-0.23
06/01/24	4.68	282.09	0.28	287.83	4.84	2.44	280.88	3.85	283.87	-1.01
04/04/24	4.89	282.41	0.47	286.81	4.18	2.40	280.88	3.81	284.81	-0.88
03/06/24	4.68	282.07	0.80	287.26	4.61	2.33	280.09	5.11	284.81	-2.88
02/07/24	4.69	282.08	1.00	287.08	4.42	3.03	280.20	4.74	280.58	-0.11
01/04/24	5.21	282.64	1.78	286.30	3.28	3.70	280.11	4.00	280.43	-0.20
10/08/24	5.13	282.62	2.20	286.88	3.96	3.70	283.80	4.86	284.77	0.21
11/01/20	5.73	281.60	2.21	286.87	3.85	3.62	280.50	4.44	280.28	-0.22
10/03/20	5.89	281.76	2.20	286.83	4.07	4.08	280.25	4.21	280.41	0.18
09/07/20	5.68	281.89	0.02	286.06	4.07	4.04	283.28	4.20	283.52	0.24
08/01/20	5.35	282.36	1.84	286.54	4.54	3.81	280.51	4.11	280.81	0.10
07/06/20	5.20	282.43	1.15	286.82	4.50	3.43	283.03	4.10	283.02	-0.27
06/01/20	5.08	282.48	1.00	287.03	3.28	3.80	283.09	4.08	283.68	-0.14
04/04/20	0.77	286.88	4.08	284.08	2.89	3.60	287.07	3.08	283.77	2.65
03/01/20	6.09	282.08	1.28	286.82	4.28	2.87	280.47	4.02	280.70	-0.71
02/03/20	4.78	282.46	1.28	286.73	3.84	2.83	280.45	4.13	284.98	-1.38
01/05/20	4.64	283.01	1.74	286.34	3.33	2.29	281.03	4.08	283.87	-1.38
12/01/22	4.80	283.18	2.19	285.93	2.78	3.49	283.81	4.12	280.00	-0.23
11/01/22	5.09	283.58	2.19	285.99	3.13	3.57	283.75	4.38	283.38	-0.30
10/09/22	5.10	283.58	2.27	285.81	3.28	3.58	283.70	4.30	283.42	-0.34
09/07/22	4.86	282.79	2.02	286.08	3.27	3.05	280.27	4.28	280.44	-0.63
08/03/22	5.10	282.50	1.20	286.88	4.21	3.18	280.10	4.30	283.42	-0.14
07/07/22	5.09	282.50	1.10	286.88	4.42	3.54	283.88	4.17	283.55	-0.43
06/01/22	5.07	282.58	1.00	287.49	4.61	2.85	280.25	4.08	280.68	-0.68
05/10/22	4.15	282.44	0.44	287.44	4.14	2.83	280.25	4.08	280.71	-0.67
04/09/22	4.58	283.07	0.84	287.44	4.37	2.54	280.78	4.48	283.24	-1.04
03/01/22	4.86	283.08	1.10	286.88	4.28	2.84	280.28	4.48	283.24	-0.24
02/02/22	0.50	281.16	1.28	286.83	4.48	2.47	280.10	4.47	283.11	0.18
01/09/22	5.33	282.32	1.03	287.05	4.73	3.67	283.78	4.04	280.88	-0.07
12/01/21	5.07	281.66	1.24	286.84	5.16	4.88	284.45	3.88	283.84	-1.38
11/04/21	5.04	282.61	0.27	286.81	4.20	3.47	283.03	4.08	283.72	-0.13
10/01/21	4.84	282.71	1.37	286.71	4.00	3.48	283.84	3.88	283.78	-0.08
09/01/21	5.07	281.88	1.38	286.72	4.74	2.87	280.45	4.17	283.05	-0.90
08/04/21	4.98	282.67	1.42	286.68	3.99	3.53	283.78	4.08	283.88	-0.37
07/01/21	5.15	282.86	1.42	286.68	4.18	3.24	280.09	4.18	283.84	-0.84
06/03/21	5.17	282.48	1.12	286.86	4.28	3.88	283.71	4.21	283.81	-0.11
05/01/21	4.82	283.13	0.89	287.28	4.15	1.72	281.80	4.12	280.80	-2.00
04/01/21	5.21	282.04	1.14	287.06	4.61	3.08	280.24	4.08	280.54	-0.71
03/01/21	2.41	282.04	1.32	286.85	4.17	2.72	280.10	4.08	280.01	-1.22
02/01/21	5.67	281.88	1.38	286.78	4.80	3.84	283.88	4.26	280.47	0.09
01/04/21	4.86	282.03	0.13	286.80	3.13	2.46	280.81	4.08	280.48	-0.60
12/02/20	5.09	282.09	1.05	286.22	3.83	3.07	280.25	4.28	280.48	-0.79
11/04/20	5.20	282.45	2.28	286.81	3.46	3.63	280.89	4.42	280.30	-0.39
10/09/20	5.28	282.30	2.23	286.84	3.44	4.03	280.38	4.48	283.38	-0.20
09/02/20	5.18	283.38	1.89	286.22	3.72	3.87	283.43	4.38	283.34	-0.11
08/01/20	4.88	282.77	1.51	286.68	3.69	3.54	283.78	4.18	283.84	-0.24
07/06/20	5.30	282.33	1.28	286.88	4.19	3.84	283.78	4.25	283.47	0.09
06/04/20	5.45	282.20	0.89	287.27	5.07	3.45	283.87	4.18	283.54	-0.33
05/12/20	7.08	280.57	0.73	287.44	8.87	3.01	280.21	4.14	283.88	-0.13
04/04/20	4.47	283.13	0.73	287.44	4.08	2.80	280.25	4.08	283.72	-0.10
03/04/20	4.70	282.85	0.86	287.27	4.52	2.20	281.12	4.80	283.12	-3.00
02/01/20	8.26	282.26	1.00	287.10	4.87	3.08	283.84	4.28	283.52	-0.30
01/07/20	5.00	280.61	0.88	287.17	4.10	3.00	287.07	4.08	283.02	3.38
12/12/19	4.68	282.29	1.24	286.83	4.14	2.89	280.47	4.70	280.62	-0.85
11/08/19	5.10	282.66	1.78	286.45	3.88	3.87	283.83	4.66	283.16	-0.20
10/03/19	6.19	281.89	2.10	286.07	4.52	4.85	284.47	4.70	280.02	0.65
09/01/19	5.00	280.66	1.80	286.37	3.72	4.60	280.20	4.00	280.22	0.60
08/07/19	5.58	282.07	1.50	286.87	4.00	4.10	280.22	4.28	283.37	0.18
07/01/19	5.86	282.24	1.00	287.17	5.62	3.80	284.44	4.26	280.47	0.66
06/01/19	5.30	282.36	0.80	287.57	3.52	5.80	283.72	4.20	280.52	1.80
05/01/19	4.80	282.88	0.40	287.77	4.50	2.80	280.25	4.08	283.72	-0.10
04/09/19	4.75	282.80	0.80	287.57	4.67	2.73	280.57	4.20	280.52	-1.05
03/01/19	3.88	283.81	1.30	287.81	3.88	3.88	283.72	4.16	283.87	-0.16
02/01/19	4.00	283.81	1.30	287.87	3.42	3.88	283.72	4.48	283.32	-0.80
01/09/19	6.00	282.08	1.80	287.17	4.52	3.08	280.27	4.30	283.42	-0.85
12/04/19	5.18	282.47	1.27	286.89	4.33	3.13	280.27	4.14	283.84	-0.33
11/07/19	5.64	282.01	1.70	286.47	4.48	3.88	283.38	4.11	283.81	0.25
10/04/19	5.65	282.09	1.85	286.22	4.22	4.10	283.27	4.25	283.47	0.25
09/01/19	5.90	281.75	1.80	286.37	4.02	4.50	283.81	4.00	283.22	0.40
08/08/19	5.80	282.08	1.70	286.47	4.42	4.10	283.27	4.30	283.42	0.20
07/12/19	5.86	281.80	1.80	286.57	4.77	4.25	280.27	4.40	283.32	0.25
06/08/19	5.48	282.19	1.88	287.21	5.12	3.72	280.38	4.40	283.32	0.25
05/01/19	5.05	282.80	0.78	287.47	4.87	3.00	280.50	4.10	280.62	-0.70
04/01/19	5.18	282.58	0.80	287.32	4.82	2.80	280.25	4.30	280.52	-1.00
03/01/19	3.80	283.12	1.12	287.45	3.32	2.40	280.25	4.08	283.07	-1.05
02/08/19	5.84	281.31	1.88	286.19	4.88	4.44	288.88	4.80	283.22	0.34
01/11/19	6.26	281.06	1.80	286.88	4.87	4.44	288.88	4.80	283.22	0.34
12/01/17	6.05	281.06	1.80	286.88	4.87	4.44	288.88	4.80	283.22	0.34
11/07/17	6.25	281.40	2.35	286.82	4.42	4.50	288.82	4.51	283.21	0.39
10/20/17	6.21	281.24	2.27	286.88	4.46	4.40	288.72	4.61	283.09	0.27
09/18/17	5.09	281.88	0.91	286.26	4.80	4.49	288.83	4.42	283.30	0.47
08/10/17	5.45	282.20	1							



Table 2
Groundwater Elevation Data

	LTMP-01		LTMP-02		LTMP-06		LTMP-11		LTMP-6A		LTMP-14A		LTMP-15A	
	TOC = 271.75		TOC = 272.19		TOC = 265.09		TOC = 265.54		TOC = 264.54		TOC = 267.86		TOC = 263.57	
Date	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL
03/04/26	9.09	262.66	10.12	262.07	4.32	260.77	3.13	262.41	6.35	258.19	3.30	264.56	5.49	258.08
02/04/26	8.83	262.92	9.50	262.69	4.18	260.91	3.14	262.40	6.37	258.17	3.26	264.60	5.50	258.07
01/07/26	9.09	262.66	9.66	262.53	3.75	261.34	3.14	262.40	6.39	258.15	3.43	264.43	5.51	258.06
12/03/25	8.81	262.94	9.73	262.46	3.90	261.19	3.11	262.43	6.38	258.16	3.65	264.21	5.54	258.03
11/05/25	8.79	262.96	9.70	262.49	3.66	261.43	3.12	262.42	6.42	258.12	3.65	264.21	5.54	258.03
10/01/25	8.87	262.88	9.87	262.32	4.10	260.99	2.88	262.66	6.45	258.09	3.65	264.21	5.54	258.03
09/03/25	8.82	262.93	9.84	262.35	4.40	260.69	2.76	262.78	6.48	258.06	3.41	264.45	5.53	258.04
08/09/25	8.64	263.11	9.56	262.63	3.90	261.19	2.79	262.75	6.47	258.07	3.13	264.73	5.49	258.08
07/02/25	8.33	263.42	9.36	262.83	3.45	261.64	2.71	262.83	6.29	258.25	2.76	265.10	5.46	258.11
06/11/25	8.00	263.75	9.42	262.77	2.30	262.79	2.71	262.83	6.31	258.23	2.69	265.17	5.48	258.09
05/07/25	7.96	263.79	8.96	263.23	0.87	264.22	2.25	263.29	6.24	258.30	2.73	265.13	5.49	258.08
04/03/25	9.32	262.43	9.69	262.50	2.42	262.67	2.98	262.56	6.26	258.28	3.08	264.78	5.54	258.03
03/05/25	9.04	262.71	9.93	262.26	3.04	262.05	2.39	263.15	6.26	258.28	3.47	264.39	5.55	258.02
02/05/25	9.13	262.62	10.17	262.02	4.45	260.64	3.16	262.38	6.23	258.31	3.67	264.19	5.57	258.00
01/08/25	8.65	263.10	9.40	262.79	3.13	261.96	3.06	262.48	6.25	258.29	3.76	264.10	5.58	257.99



Table 2

Groundwater Elevation Data

	LTMW-01		LTMW-6A		MW-EPA-01R		MW-EPA-03R		DW-1		DW-2		DW-3	
	TOC = 273.44		TOC = 265.41		TOC = NSD		TOC = NSD		TOC = 266.78		TOC = 266.39		TOC = 266.60	
Date	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL
03/04/26	5.62	267.82	5.58	259.83	4.30	-	4.22	-	5.42	261.36	3.34	263.05	5.19	261.41
02/04/26	5.60	267.84	5.60	259.81	4.52	-	4.15	-	5.21	261.57	4.49	261.90	4.98	261.62
01/07/26	5.63	267.81	5.55	259.86	4.15	-	4.50	-	4.98	261.80	3.97	262.42	4.79	261.81
12/03/25	5.73	267.71	6.38	259.03	4.20	-	4.19	-	5.07	261.71	2.64	263.75	4.83	261.77
11/05/25	5.93	267.51	5.36	260.05	3.85	-	4.29	-	4.94	261.84	3.11	263.28	4.72	261.88
10/01/25	5.99	267.45	5.59	259.82	4.09	-	4.32	-	5.15	261.63	3.63	262.76	4.89	261.71
09/03/25	6.00	267.44	5.49	259.92	4.54	-	4.47	-	5.16	261.62	4.16	262.23	4.93	261.67
08/09/25	5.93	267.51	5.58	259.83	4.39	-	4.31	-	4.94	261.84	3.73	262.66	4.70	261.90
07/02/25	5.62	267.82	6.29	259.12	4.19	-	4.31	-	4.74	262.04	3.45	262.94	4.53	262.07
06/11/25	5.37	268.07	5.55	259.86	3.36	-	4.05	-	4.42	262.36	1.20	265.19	4.24	262.36
05/07/25	5.39	268.05	5.51	259.90	1.04	-	3.96	-	4.19	262.59	0.77	265.62	4.02	262.58
04/03/25	5.55	267.89	5.31	260.10	3.46	-	4.16	-	4.92	261.86	1.88	264.51	4.65	261.95
03/05/25	5.83	267.61	5.60	259.81	4.27	-	4.42	-	5.31	261.47	1.20	265.19	5.34	261.26
02/05/25	5.02	268.42	5.70	259.71	4.54	-	4.33	-	5.11	261.67	4.29	262.10	5.38	261.22
01/08/25	5.59	267.85	5.64	259.77	4.01	-	4.20	-	4.99	261.79	3.51	262.88	5.01	261.59



Table 2

Groundwater Elevation Data

	DW-4		DW-5		DW-6		DW-7		LTMW-06		LTMW-07		LTMW-08	
	TOC = 263.92		TOC = 263.09		TOC = 263.29		TOC = 264.97		TOC = 262.75		TOC = 263.12		TOC = 262.79	
Date	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL	DTW	Water EL
03/04/26	4.64	259.28	4.26	258.83	4.38	258.91	4.83	260.14	-	-	-	-	-	-
02/04/26	4.68	259.24	4.36	258.73	4.41	258.88	4.37	260.60	-	-	-	-	-	-
01/07/26	4.36	259.56	4.04	259.05	4.04	259.25	4.50	260.47	-	-	-	-	-	-
12/03/25	4.51	259.41	4.27	258.82	4.21	259.08	4.35	260.62	-	-	-	-	-	-
11/05/25	4.17	259.75	3.98	259.11	3.91	259.38	4.28	260.69	-	-	-	-	-	-
10/01/25	4.40	259.52	4.04	259.05	4.02	259.27	4.47	260.50	6.35	256.40	9.09	254.03	10.01	252.78
09/03/25	4.54	259.38	4.32	258.77	4.21	259.08	4.48	260.49	-	-	-	-	-	-
08/09/25	4.25	259.67	3.85	259.24	3.89	259.40	4.08	260.89	-	-	-	-	-	-
07/02/25	3.72	260.20	3.18	259.91	3.57	259.72	3.43	261.54	-	-	-	-	-	-
06/11/25	3.27	260.65	2.88	260.21	2.90	260.39	2.86	262.11	-	-	-	-	-	-
05/07/25	2.19	261.73	1.59	261.50	2.08	261.21	2.29	262.68	-	-	-	-	-	-
04/03/25	3.53	260.39	2.82	260.27	3.42	259.87	3.12	261.85	5.57	257.18	5.58	257.54	9.37	253.42
03/05/25	3.97	259.95	3.23	259.86	3.82	259.47	4.41	260.56	-	-	-	-	-	-
02/05/25	4.72	259.20	4.29	258.80	4.40	258.89	4.69	260.28	-	-	-	-	-	-
01/08/25	3.80	260.12	3.33	259.76	3.32	259.97	3.52	261.45	-	-	-	-	-	-

Notes:

- LTMP = Inside Wells
- LTMW = Outside Wells
- TOC = Top of Casing Elevation
- EL = Elevation
- DTW = Depth to Water
- NSD = No Survey Data
- = Data Not Available

2026 1st Quarter OM&M Report
National Grid Saratoga Excelsior Former MGP Site
43 Excelsior Avenue, Saratoga Springs, New York 12866



Table 3
Analytical Data Summary
LTMW-01

[illegible]

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 ND (<#) = Not Detected (# is laboratory reporting limit)
 µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
 NA = Not Analyzed For.
 J = Estimated Value.



Table 3

Analytical Data Summary
LTMW-02

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2019	January 2020	June 2020	July 2020	October 2020	All Sampling Quarters in 2021	All Sampling Quarters in 2022	All Sampling Quarters in 2023	All Sampling Quarters in 2024	January 2025	April 2025	July 2025	October 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.024 J	ND (<0.050)	ND (<0.050)	ND (<0.050)
Acenaphthylene	NA	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.024 J	ND (<0.050)	ND (<0.050)	ND (<0.050)
Anthracene	NA	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.043 J	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.074	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.065	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<4.9)	ND (<0.099)	0.12	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.060	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Chrysene	0.002	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.080	ND (<0.050)	ND (<0.050)	ND (<0.050)
Dibenzo(a,h)anthracene	NA	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluoranthene	50	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.14	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluorene	50	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.021 J	ND (<0.050)	ND (<0.050)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.037 J	ND (<0.050)	ND (<0.050)	ND (<0.050)
2-Methylnaphthalene	50	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	NA	NA	NA	NA	NA	NA
Naphthalene	10	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.20	ND (<0.050)	ND (<0.050)	ND (<0.20)
Phenanthrene	50	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	0.18	ND (<0.050)	ND (<0.050)	ND (<0.050)
Pyrene	50	ND (<4.9)	ND (<0.099)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value.



Table 3

Analytical Data Summary
LTMW-03

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010 2018	January 2019	April 2019	July 2019	October 2019	All Sampling Quarters in 2020	January 2021	April 2021	July 2021	October 2021	January 2022	April 2022	July 2022	October 2022	All Sampling Quarters in 2023	January 2024	April 2024	July 2024	October 2024	January 2025	April 2025	July 2025	October 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	0.11	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	1.7 J	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Acenaphthylene	NA	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Anthracene	NA	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	0.11	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	0.18	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	0.18	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Chrysene	0.002	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	0.099	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluoranthene	50	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	0.15	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	0.19	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluorene	50	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	0.20	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	0.012 J	ND (<0.050)	ND (<0.050)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
2-Methylnaphthalene	50	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	10	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	0.12	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	0.054	ND (<0.050)	ND (<0.050)	ND (<0.20)
Phenanthrene	50	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	0.90	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Pyrene	50	ND (<4.8)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.096)	0.14	ND (<0.10)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value.



Table 3
Analytical Data Summary
LTMW-04

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010 2017	January 2018	April 2018	July 2018	October 2018	All Sampling Quarters in 2019	All Sampling Quarters in 2020	All Sampling Quarters in 2021	January 2022	April 2022	July 2022	October 2022	January 2023	April 2023	July 2023	October 2023	All Sampling Quarters in 2024	All Sampling Quarters in 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<5.2)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.27)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Acenaphthylene	NA	ND (<5.2)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.18)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Anthracene	NA	ND (<5.2)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.18)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<5.2)	ND (<0.10)	0.21	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.045)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<5.2)	ND (<0.10)	0.25	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.089)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<5.2)	ND (<0.10)	0.40	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	0.13	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.045)	0.15	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<5.2)	ND (<0.10)	0.18	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.45)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<5.2)	ND (<0.10)	0.16	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	0.12	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.18)	0.13	ND (<5.0)	ND (<5.0)	ND (<0.050)
Chrysene	0.002	ND (<5.2)	ND (<0.10)	0.27	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.18)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<5.2)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.089)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Fluoranthene	50	ND (<5.2)	ND (<0.10)	0.52	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	0.13	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.45)	0.11	ND (<5.0)	ND (<5.0)	ND (<0.050)
Fluorene	50	ND (<5.2)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.89)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<5.2)	ND (<0.10)	0.15	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.089)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
2-Methylnaphthalene	50	ND (<5.2)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.89)	ND (<0.10)	NA	NA	NA
Naphthalene	10	ND (<5.2)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.89)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.20)
Phenanthrene	50	ND (<5.2)	ND (<0.10)	0.21	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.045)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Pyrene	50	ND (<5.2)	ND (<0.10)	0.50	ND (<0.10)	ND (<0.10)	ND (<0.12)	ND (<0.11)	ND (<0.11)	ND (<0.10)	0.11	ND (<0.11)	ND (<0.10)	ND (<0.078)	ND (<0.099)	ND(<0.89)	0.10	ND (<5.0)	ND (<5.0)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value.



Table 3

Analytical Data Summary
LTMW-05

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010 2016	January 2017	April 2017	July 2017	October 2017	January 2018	April 2018	July 2018	October 2018	All Sampling Quarters in 2019	All Sampling Quarters in 2020	All Sampling Quarters in 2021	January 2022	April 2022	July 2022	October 2022	January 2023	April 2023	July 2023	October 2023	All Sampling Quarters in 2024	January 2025	April 2025	July 2025	October 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.080)	ND (<0.11)	ND (<0.29)	ND (<0.095)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Acenaphthylene	NA	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	ND (<0.11)	ND (<0.11)	ND (<0.19)	ND (<0.095)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Anthracene	NA	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	ND (<0.11)	ND (<0.19)	ND (<0.095)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<5.0)	0.10	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	0.23	0.053	ND (<0.095)	ND (<5.0)	ND (<5.0)	0.019 J	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<5.0)	0.13	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	0.35	ND (<0.095)	ND (<0.095)	ND (<5.0)	ND (<5.0)	0.029 J	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<5.0)	0.26	ND (<0.10)	ND (<0.10)	ND (<0.10)	0.13	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	0.88	0.14	0.12	ND (<5.0)	ND (<5.0)	0.053	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<5.0)	0.14	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	0.36	ND (<0.48)	ND (<0.095)	ND (<5.0)	ND (<5.0)	0.037 J	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<5.0)	0.23	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	0.77	ND (<0.19)	0.10	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Chrysene	0.002	ND (<5.0)	0.13	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	0.43	ND (<0.19)	ND (<0.095)	ND (<5.0)	ND (<5.0)	0.034 J	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	ND (<0.11)	ND (<0.095)	ND (<0.095)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluoranthene	50	ND (<5.0)	0.18	ND (<0.10)	ND (<0.10)	ND (<0.10)	0.13	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	0.12	ND (<0.10)	ND (<0.11)	ND (<0.080)	0.61	ND (<0.48)	0.15	ND (<5.0)	ND (<5.0)	0.043 J	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluorene	50	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	ND (<0.11)	ND (<0.95)	ND (<0.095)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	0.33	0.13	ND (<0.095)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
2-Methylnaphthalene	50	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	ND (<0.11)	ND (<0.95)	ND (<0.095)	NA	NA	NA	NA	NA	NA	NA
Naphthalene	10	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	ND (<0.11)	ND (<0.95)	ND (<0.095)	ND (<5.0)	ND (<5.0)	ND (<0.20)	ND (<0.20)	ND (<0.20)	ND (<0.20)	ND (<0.20)
Phenanthrene	50	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	0.14	0.049	ND (<0.095)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Pyrene	50	ND (<5.0)	0.21	ND (<0.10)	ND (<0.10)	ND (<0.10)	0.11	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.11)	ND (<0.080)	0.55	ND (<0.95)	0.12	ND (<5.0)	ND (<5.0)	0.038 J	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value.



Table 3
Analytical Data Summary
LTMW-6A

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010- 2016	January 2017	April 2017	July 2017	October 2017	All Sampling Quarters in 2018	All Sampling Quarters in 2019	All Sampling Quarters in 2020	All Sampling Quarters in 2021	January 2022	April 2022	July 2022	October 2022	January 2023	April 2023	July 2023	October 2023	All Sampling Quarters in 2024	All Sampling Quarters in 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.28)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Acenaphthylene	NA	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.19)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Anthracene	NA	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.19)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.047)	0.118	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.094)	0.103	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	0.16	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.047)	0.150	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.47)	0.0747	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	0.15	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.19)	ND (<0.278)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Chrysene	0.002	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	0.12	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.19)	0.118	ND (<5.0)	ND (<5.0)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.094)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Fluoranthene	50	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	0.28	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.47)	0.414	ND (<5.0)	ND (<5.0)	ND (<0.050)
Fluorene	50	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.94)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.094)	0.0905	ND (<5.0)	NA	NA
2-Methylnaphthalene	50	ND (<5.0)	ND (<0.10)	ND (<0.10)	0.17	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.94)	ND (<0.555)	NA	NA	NA
Naphthalene	10	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.94)	ND (<0.555)	ND (<5.0)	ND (<5.0)	ND (<0.20)
Phenanthrene	50	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	0.11	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.047)	0.196	ND (<5.0)	ND (<5.0)	ND (<0.050)
Pyrene	50	ND (<5.0)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.11)	ND (<0.099)	0.22	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.10)	ND (<0.94)	0.296	ND (<5.0)	ND (<5.0)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value



Table 3

Analytical Data Summary
LTMW-06 Skating Rink Well

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010	April 2016	October 2016	April 2017	October 2017	April 2018	October 2018	April 2019	October 2019	June 2020	October 2020	April 2021	October 2021	October 2021*	April 2022	October 2022	April 2023	October 2023	April 2024	October 2024	April 2025	October 2025
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	0.018 J	ND (<0.050)	ND (<0.050)
Acenaphthylene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Anthracene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Chrysene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Fluoranthene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Fluorene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)
2-Methylnaphthalene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	0.13	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	NA	NA	NA	NA
Naphthalene	10	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	0.32	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.20)	ND (<0.20)
Phenanthrene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	0.035 J	ND (<0.050)	ND (<0.050)
Pyrene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.0555)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value
* = Results from resampling event, due to initial sampling results being inconsistent with historic results.



Table 3

Analytical Data Summary
LTMW-07 Skating Rink Well

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010, 2015	April 2016	October 2016	April 2017	October 2017	April 2018	October 2018	April 2019	October 2019	June 2020	October 2020	April 2021	May 2021	October 2021	October 2021*	April 2022	October 2022	April 2023	October 2023	April 2024	October 2024	April 2025	October 2025	October 2025*	November 2025*
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.37	0.017 J	ND (<0.050)
Acenaphthylene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.38	ND (<0.050)	ND (<0.050)
Anthracene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.46	ND (<0.050)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.42	0.016 J	ND (<0.050)
Benzo(a)pyrene	ND	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.34	ND (<0.050)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.027 J	0.33	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.25	ND (<0.050)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.41	ND (<0.050)	ND (<0.050)
Chrysene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.42	ND (<0.050)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.16	ND (<0.050)	ND (<0.050)
Fluoranthene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.49	ND (<0.050)	ND (<0.050)
Fluorene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.41	0.017 J	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.20	ND (<0.050)	ND (<0.050)
2-Methylnaphthalene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	0.11	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	NA	NA	NA	NA	NA	NA
Naphthalene	10	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	0.14	ND (<0.099)	0.59	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.20)	0.33	ND (<0.20)	ND (<0.20)
Phenanthrene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.42	ND (<0.050)	ND (<0.050)
Pyrene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.099)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.050)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.52	ND (<0.050)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value
* = Results from resampling event, due to initial sampling results being inconsistent with historic results.



Table 3

Analytical Data Summary
LTMW-08 Skating Rink Well

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010- 2015	April 2016	October 2016	April 2017	October 2017	April 2018	October 2018	April 2019	October 2019	June 2020	October 2020	April 2021	October 2021	October 2021*	April 2022	October 2022	April 2023	October 2023	April 2024	October 2024	October 2025
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Acenaphthylene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Anthracene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Benzo(a)anthracene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Benzo(a)pyrene	ND	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Benzo(b)fluoranthene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Benzo(g,h,i)perylene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Benzo(k)fluoranthene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Chrysene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Dibenz(a,h)anthracene	NA	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Fluoranthene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Fluorene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
2-Methylnaphthalene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	NA	NA
Naphthalene	10	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	0.13	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<2.0)	ND (<2.0)
Phenanthrene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)
Pyrene	50	ND (<4.7)	ND (<4.7)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.098)	ND (<0.11)	ND (<0.098)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.0500)	ND (<5.0)	ND (<5.0)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value
* = Results from resampling event, due to initial sampling results being inconsistent with historic results.



Table 3

Analytical Data Summary
LTMW-12 Former Spa Steel

Parameter	NYSDEC AWQS (µg/L)	October 2015	All Sampling Quarters in 2016 2019	January 2020	June 2020	July 2020	October 2020	January 2021	April 2021	July 2021	October 2021	January 2022	April 2022	July 2022	October 2022	January 2023	April 2023	July 2023	October 2023	All Sampling Quarters in 2024	January 2025	April 2025	July 2025	October 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.8)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<1.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<4.8)	ND (<5.0)	ND (<0.099)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.27)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.018 J	ND (<0.050)	ND (<0.050)
Acenaphthylene	NA	ND (<4.8)	ND (<5.0)	ND (<0.099)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.18)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Anthracene	NA	ND (<4.8)	ND (<5.0)	ND (<0.099)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.18)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<4.8)	ND (<5.0)	ND (<0.099)	0.20	0.26	ND (<0.10)	ND (<0.099)	ND (<0.10)	0.13	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.045)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<4.8)	ND (<5.0)	ND (<0.099)	0.30	0.40	ND (<0.10)	ND (<0.099)	ND (<0.10)	0.19	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.096)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<4.8)	ND (<5.0)	ND (<0.099)	0.52	0.63	ND (<0.10)	ND (<0.099)	ND (<0.10)	0.3	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	0.16	ND (<0.079)	ND (<0.097)	ND (<0.045)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<4.8)	ND (<5.0)	ND (<0.099)	0.37	0.37	ND (<0.10)	ND (<0.099)	ND (<0.10)	0.17	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.45)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<4.8)	ND (<5.0)	ND (<0.099)	0.18	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	0.29	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	0.14	ND (<0.079)	ND (<0.097)	ND (<0.18)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Chrysene	0.002	ND (<4.7)	ND (<5.0)	ND (<0.099)	0.42	0.47	ND (<0.10)	ND (<0.099)	ND (<0.10)	0.19	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.18)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<4.8)	ND (<5.0)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.089)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluoranthene	50	ND (<4.8)	ND (<5.0)	ND (<0.099)	0.65	0.78	ND (<0.10)	0.12	ND (<0.10)	0.35	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	0.19	ND (<0.079)	ND (<0.097)	ND (<0.45)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.044 J	ND (<0.050)	ND (<0.050)
Fluorene	50	ND (<4.8)	ND (<5.0)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.89)	ND (<0.096)	ND (<5.0)	ND (<5.0)	0.013 J	ND (<0.050)	ND (<0.050)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.8)	ND (<5.0)	ND (<0.099)	0.22	0.23	ND (<0.10)	ND (<0.099)	ND (<0.10)	0.11	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.089)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
2-Methylnaphthalene	50	ND (<4.8)	ND (<5.0)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.89)	ND (<0.096)	NA	NA	NA	NA	NA	NA
Naphthalene	10	ND (<4.8)	ND (<5.0)	ND (<0.099)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	0.22	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.89)	0.12	ND (<5.0)	ND (<5.0)	ND (<0.20)	ND (<0.20)	ND (<0.20)	ND (<0.20)
Phenanthrene	50	ND (<4.8)	ND (<5.0)	ND (<0.099)	0.75	0.61	ND (<0.10)	ND (<0.099)	ND (<0.10)	0.22	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	ND (<0.11)	ND (<0.079)	ND (<0.097)	ND (<0.045)	ND (<0.096)	ND (<5.0)	ND (<5.0)	0.025 J	ND (<0.050)	ND (<0.050)	ND (<0.050)
Pyrene	50	ND (<4.8)	ND (<5.0)	ND (<0.099)	0.83	0.83	ND (<0.10)	0.12	ND (<0.10)	0.37	ND (<0.099)	ND (<0.11)	ND (<0.096)	ND (<0.10)	0.20	ND (<0.079)	ND (<0.097)	ND (<0.89)	ND (<0.096)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value.



Table 3

Analytical Data Summary
LTMW-13 Former Spa Steel

Parameter	NYSDEC AWQS (µg/L)	October 2015	All Sampling Quarters in 2016- 2019			January 2020	June 2020	July 2020	October 2020	January 2021	April 2021	July 2021	October 2021	January 2022	April 2022	July 2022	October 2022	January 2023	April 2023	July 2023	October 2023	All Sampling Quarters in 2024	All Sampling Quarters in 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	
Ethylbenzene	5	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	
Xylene (total)	5	ND (<4.6)	ND (<5.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	
Acenaphthene	20	ND (<4.6)	ND (<5.0)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.27)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	
Acenaphthylene	NA	ND (<4.6)	ND (<5.0)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.18)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	
Anthracene	NA	ND (<4.6)	ND (<5.0)	ND (<0.11)	0.11	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.18)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	
Benzo(a)anthracene	0.002	ND (<4.6)	ND (<5.0)	ND (<0.11)	0.50	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	0.11	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.044)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	
Benzo(a)pyrene	ND	ND (<4.6)	ND (<5.0)	ND (<0.11)	0.99	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.088)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	
Benzo(b)fluoranthene	0.002	ND (<4.6)	ND (<5.0)	ND (<0.11)	0.77	ND (<0.099)	ND (<0.098)	ND (<0.10)	0.16	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	0.16	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.044)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	
Benzo(g,h,i)perylene	NA	ND (<4.6)	ND (<5.0)	ND (<0.11)	0.6	ND (<0.099)	ND (<0.098)	ND (<0.10)	0.11	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.44)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	
Benzo(k)fluoranthene	0.002	ND (<4.6)	ND (<5.0)	ND (<0.11)	0.28	ND (<0.099)	ND (<0.098)	ND (<0.10)	0.16	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	0.14	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.18)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	
Chrysene	0.002	ND (<4.7)	ND (<5.0)	ND (<0.11)	0.64	ND (<0.099)	ND (<0.098)	ND (<0.10)	0.11	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	0.11	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.18)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	
Dibenz(a,h)anthracene	NA	ND (<4.6)	ND (<5.0)	ND (<0.11)	0.1	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.088)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	
Fluoranthene	50	ND (<4.6)	ND (<5.0)	ND (<0.11)	1.3	ND (<0.099)	ND (<0.098)	ND (<0.10)	0.18	ND (<0.10)	ND (<0.10)	ND (<0.099)	0.14	0.21	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.44)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	
Fluorene	50	ND (<4.6)	ND (<5.0)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.88)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.6)	ND (<5.0)	ND (<0.11)	0.34	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.088)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	
2-Methylnaphthalene	50	ND (<4.6)	ND (<5.0)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.88)	ND (<0.10)	NA	NA	NA	NA	
Naphthalene	10	ND (<4.6)	ND (<5.0)	ND (<0.11)	ND (<0.099)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	ND (<0.10)	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.88)	0.14	ND (<5.0)	ND (<0.20)	ND (<0.20)	ND (<0.20)	
Phenanthrene	50	ND (<4.6)	ND (<5.0)	ND (<0.11)	1.1	ND (<0.099)	ND (<0.098)	ND (<0.10)	0.16	ND (<0.10)	ND (<0.10)	ND (<0.099)	ND (<0.094)	0.20	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.044)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	
Pyrene	50	ND (<4.6)	ND (<5.0)	ND (<0.11)	1.4	ND (<0.099)	ND (<0.098)	ND (<0.10)	0.18	ND (<0.10)	ND (<0.10)	ND (<0.099)	0.15	0.22	ND (<0.10)	ND (<0.079)	ND (<0.098)	ND (<0.88)	ND (<0.10)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value



Table 3
Analytical Data Summary
LTMW-14

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010-2022	January 2023	April 2023	July 2023	October 2023	All Sampling Quarters in 2024	All Sampling Quarters in 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<1.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.27)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Acenaphthylene	NA	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.18)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Anthracene	NA	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.18)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.044)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.088)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.044)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.44)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.18)	ND (<0.250)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Chrysene	0.002	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.18)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.088)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Fluoranthene	50	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.44)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Fluorene	50	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.88)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.088)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
2-Methylnaphthalene	50	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.88)	ND (<0.500)	NA	NA	NA
Naphthalene	10	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.88)	ND (<0.500)	ND (<5.0)	ND (<5.0)	ND (<0.20)
Phenanthrene	50	ND (<4.9)	ND (<0.081)	ND (<0.098)	0.056	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Pyrene	50	ND (<4.9)	ND (<0.081)	ND (<0.098)	ND (<0.88)	ND (<0.0500)	ND (<5.0)	ND (<5.0)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value



Table 3

Analytical Data Summary
LTMW-15

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010-2021	January 2022	April 2022	July 2022	October 2022	All Sampling Quarters in 2023	January 2024	April 2024	July 2024	October 2024	January 2025	April 2025	July 2025	October 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	4.1	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Acenaphthylene	NA	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Anthracene	NA	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	0.14	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	0.13	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Chrysene	0.002	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluoranthene	50	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	0.16	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluorene	50	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	0.014 J	ND (<0.050)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
2-Methylnaphthalene	50	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	10	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.20)	ND (<0.20)	ND (<0.20)	ND (<0.20)
Phenanthrene	50	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Pyrene	50	ND (<5.1)	ND (<0.098)	ND (<0.098)	ND (<0.099)	0.13	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value



Table 3
Analytical Data Summary
MW-EPA-01R

Parameter	NYSDEC AWQS (µg/L)	July 2020	August 2020	October 2020	June 2021	October 2022	October 2024	January 2025	April 2025	July 2025	October 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<0.50)	ND (<0.50)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND	ND	ND	ND (<1.0)	ND (<1.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<0.22)	0.36	0.092 J	0.092 J	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	0.032 J	0.032 J
Acenaphthylene	NA	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Anthracene	NA	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.037)	ND (<0.049)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.037)	ND (<0.049)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.037)	ND (<0.049)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Chrysene	0.002	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluoranthene	50	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluorene	50	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
2-Methylnaphthalene	50	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	NA	NA	NA	NA	NA	NA
Naphthalene	10	ND (<0.22)	ND (<0.19)	0.082 J	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.20)	ND (<0.20)	ND (<0.050)	ND (<0.20)
Phenanthrene	50	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.074)	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Pyrene	50	ND (<0.22)	ND (<0.19)	ND (<0.22)	0.0546 J	ND (<0.097)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	0.072	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For.
J = Estimated Value.



Table 3
Analytical Data Summary
MW-EPA-03R

Parameter	NYSDEC AWQS (µg/L)	July 2020	August 2020	October 2020	June 2021	October 2022	October 2024	January 2025	April 2025	July 2025	October 2025	January 2026
Benzene	1	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<0.50)	ND (<0.50)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND	ND	ND	ND (<1.0)	ND (<1.0)	ND (<2.0)	0.81 J	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	0.089 J	0.16 J	0.075 J	0.812	0.94	ND (<5.0)	3.5 J	2.8	3.2	2.1	2.9
Acenaphthylene	NA	ND (<0.22)	0.064 J	ND (<0.22)	0.898	1.25	ND (<5.0)	4.4 J	3.6	4.0	2.5	3.9
Anthracene	NA	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.073)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.036)	ND (<0.049)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.036)	ND (<0.049)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.036)	ND (<0.049)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.073)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.073)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Chrysene	0.002	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.073)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Dibenz(a,h)anthracene	NA	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.073)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluoranthene	50	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.073)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluorene	50	ND (<0.22)	ND (<0.19)	ND (<0.22)	0.0547 J	0.0778 J	ND (<5.0)	0.44 J	0.23	0.18	0.16	0.3
Indeno(1,2,3-cd)pyrene	0.002	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.073)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
2-Methylnaphthalene	50	0.065 J	0.073 J	ND (<0.22)	ND (<0.073)	ND (<0.098)	NA	NA	NA	NA	NA	NA
Naphthalene	10	ND (<0.22)	ND (<0.19)	0.46	0.118	0.146	ND (<5.0)	ND (<5.0)	0.60	0.50	0.37	0.47
Phenanthrene	50	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.073)	ND (<0.049)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Pyrene	50	ND (<0.22)	ND (<0.19)	ND (<0.22)	ND (<0.073)	ND (<0.098)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For.
J = Estimated Value.



Table 3
Analytical Data Summary
Old Red Spring Sampling Location

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010-2018	October 2019	All Sampling Quarters in 2020	All Sampling Quarters in 2021	All Sampling Quarters in 2022	All Sampling Quarters in 2023	All Sampling Quarters in 2024	All Sampling Quarters in 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (total)	5	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Acenaphthene	20	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Acenaphthylene	NA	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Anthracene	NA	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(a)anthracene	0.002	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(g,h,i)perylene	NA	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Chrysene	0.002	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Dibenzo(a,h)anthracene	NA	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Fluoranthene	50	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Fluorene	50	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
2-Methylnaphthalene	50	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	NA	NA	NA
Naphthalene	10	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.20)
Phenanthrene	50	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)
Pyrene	50	ND (<4.7)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.11)	ND (<0.10)	ND (<5.0)	ND (<5.0)	ND (<0.050)

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
ND (<#) = Not Detected (# is laboratory reporting limit)
µg/L = Micrograms per Liter
Bolded = values indicate exceedance of the NYSDEC AWQS
NA = Not Analyzed For
J = Estimated Value.



Table 3

Analytical Data Summary
Manhole-1

Parameter	NYSDEC AWQS (µg/L)	All Sampling Quarters in 2010 2019	January 2020	June 2020	July 2020	October 2020	January 2021	April 2021	July 2021	October 2021	January 2022	April 2022	July 2022	October 2022	January 2023	April 2023	July 2023	October 2023	January 2024	April 2024	July 2024	October 2024	January 2025	April 2025	July 2025	October 2025	January 2026
Benzene	1	ND (<1.0)	ND (<1.0)	3.5	1.4	ND (<1.0)	12.3	16.7	2.2	ND (<1.0)	2.1	1.7	7.3	4.7	4.9	18.7	5.4	ND (<1.0)	6.1	9.4	3.5	ND (<1.0)	9.9	3.2	10	6.3	3.3
Toluene	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<2.0)	ND (<1.0)	1.5	ND (<1.0)	ND (<1.0)	3.9	6.3	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	3.1	1.5	2.5	5.6	2.4	ND (<1.0)	3.3	3.8	2.1	ND (<1.0)	3.7	1.1	5.1	0.94 J	3.2
Xylene (total)	5	ND (<4.7)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<1.0)	ND (<1.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	0.76 J	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Aconaphthene	20	ND (<4.8)	ND (<0.098)	ND (<0.11)	0.14	1.9	11.8	11.6	11.8	8.1	8.1	1.1	1.1	11.3	ND (<0.083)	7.7	6.3	ND (<0.0525)	18	7.7	15	9.2	18	1.4	ND (<0.050)	0.45	11
Aconaphthylene	NA	ND (<4.8)	ND (<0.098)	ND (<0.11)	0.11	0.23	1.1	1.1	1.3	0.72	0.47	ND (<0.096)	0.13	1.2	ND (<0.083)	0.71	0.52	ND (<0.0525)	1.7 J	0.69 J	1.4 J	0.73 J	1.4 J	0.11	0.944 J	0.065	0.89
Anthracene	NA	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.095)	ND (<0.097)	0.36	0.34	0.45	0.12	ND (<0.099)	ND (<0.096)	ND (<0.098)	0.31	ND (<0.083)	0.23	ND (<0.18)	ND (<0.0525)	0.31 J	0.31 J	0.32 J	ND (<5.0)	0.55 J	0.027 J	0.060	0.050	0.21
Benzo(a)anthracene	0.002	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.095)	ND (<0.097)	0.17	ND (<0.11)	ND (<0.099)	ND (<0.098)	0.13	ND (<0.096)	0.12	ND (<0.11)	ND (<0.083)	ND (<0.10)	ND (<0.045)	ND (<0.0525)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	0.028 J	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(a)pyrene	ND	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.095)	ND (<0.097)	0.15	ND (<0.11)	ND (<0.099)	ND (<0.098)	0.16	ND (<0.096)	ND (<0.098)	ND (<0.11)	ND (<0.083)	ND (<0.10)	ND (<0.090)	ND (<0.0525)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	0.027 J	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(b)fluoranthene	0.002	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.095)	ND (<0.097)	0.22	ND (<0.11)	ND (<0.099)	ND (<0.098)	0.38	0.12	0.18	ND (<0.11)	ND (<0.083)	0.12	ND (<0.045)	ND (<0.0525)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	0.051	ND (<0.050)	ND (<0.050)	0.14
Benzo(g,h,i)perylene	NA	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.095)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)	0.15	ND (<0.096)	ND (<0.098)	ND (<0.11)	ND (<0.083)	ND (<0.10)	ND (<0.45)	ND (<0.0525)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Benzo(k)fluoranthene	0.002	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.095)	ND (<0.097)	0.19	ND (<0.11)	ND (<0.099)	ND (<0.098)	0.39	0.11	0.16	ND (<0.11)	ND (<0.083)	0.11	ND (<0.18)	ND (<0.263)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Chrysene	0.002	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.095)	ND (<0.097)	0.15	ND (<0.11)	ND (<0.099)	ND (<0.098)	0.26	0.10	0.13	ND (<0.11)	ND (<0.083)	ND (<0.10)	ND (<0.18)	ND (<0.0525)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	0.054	ND (<0.050)	ND (<0.050)	0.14
Dibenzo(a,h)anthracene	NA	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.095)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.096)	ND (<0.098)	ND (<0.11)	ND (<0.083)	ND (<0.10)	ND (<0.090)	ND (<0.0525)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)
Fluoranthene	50	ND (<4.8)	ND (<0.098)	0.17	0.35	0.38	1.2	0.72	1.4	0.91	1.4	0.45	1.1	1.2	ND (<0.083)	0.95	0.92	0.0535	1.1 J	0.62 J	1.7 J	1.4 J	1.3 J	0.27	0.19	0.49	0.99
Fluorene	50	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.095)	0.16	2.5	2.3	2.7	0.84	0.18	ND (<0.096)	0.11	1.6	ND (<0.083)	1.3	ND (<0.90)	ND (<0.0525)	3.8 J	1.7 J	3.0 J	0.66 J	3.6 J	0.049 J	ND (<0.050)	ND (<0.050)	1.7
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)	0.14	ND (<0.096)	ND (<0.098)	ND (<0.11)	ND (<0.083)	ND (<0.10)	ND (<0.090)	ND (<0.0525)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<5.0)	ND (<0.050)	ND (<0.050)	ND (<0.050)
2-Methylnaphthalene	50	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.097)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)	ND (<0.099)	ND (<0.096)	ND (<0.098)	ND (<0.11)	ND (<0.083)	ND (<0.10)	ND (<0.90)	ND (<0.525)	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	10	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.097)	3.4	5.8	0.94	ND (<0.098)	ND (<0.099)	ND (<0.096)	ND (<0.098)	0.31	ND (<0.083)	0.40	ND (<0.90)	ND (<0.525)	16	6.4	2.1 J	ND (<5.0)	16	ND (<0.20)	ND (<0.20)	ND (<0.20)	0.31
Phenanthrene	50	ND (<4.8)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.097)	1.0	1.4	1.6	ND (<0.098)	0.26	0.13	ND (<0.098)	0.52	ND (<0.083)	0.16	0.33	ND (<0.0525)	2.4 J	1.1 J	1.9 J	ND (<5.0)	2.5 J	0.071	0.022 J	ND (<0.050)	0.23
Pyrene	50	ND (<4.8)	ND (<0.098)	0.25	0.49	0.4	1.4	0.97	1.7	1.1	1.4	0.44	1.1	1.7	ND (<0.083)	1.1	ND (<0.90)	ND (<0.0525)	1.5 J	0.87 J	2.0 J	1.9 J	1.6 J	0.27	0.54	0.74	1.2

NYSDEC
AWQS
ND (<#)
µg/L
Bolded
NA

= New York State Department of Environmental Conservation
= Ambient Water Quality Standards
= Not Detected (# is laboratory reporting limit)
= Micrograms per Liter
= values indicate exceedance of the NYSDEC AWQS
= Not Analyzed For.



Appendix A – Monthly Water Treatment System and Site Inspection Forms

Monthly System Operation Record

Excelsior Avenue, Former MGP Site

Saratoga Springs, New York

Date: 3/4/2026
 Technician: KL

Time: 1130
 Weather: Cloudy 38

<u>Building Security</u>					
Main Gate Secure		Side Gate Secure		Building Secure	
YES	NO	YES	NO	YES	NO

<u>System Operating</u>		
Continuous Mode		Hours Per Day
YES	NO	4

<u>System Discharge Meter</u>		<u>Saratoga Springs Meter</u>	
Totalizer-Month	Gallons per minute	Cubic Feet	Gallons
4411.20	16.90	537042.78	4,017,080

<u>Pumps</u>														
WELL ID.	DTW	DTP	DTB	Flow Rate	Vault Locked		Check Piping for Leaks		Check Control Panel		Pump Pulled and Cleaned		Due	Comments
PW-1	N/A	N/A	19.80	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO	Annual-June	
PW-2	N/A	N/A	19.00	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		
PW-3	N/A	N/A	18.00	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		
PW-4	N/A	N/A	15.70	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		
PW-5	N/A	N/A	21.50	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		

Pumps are removed from well, visual inspection and cleaned annually.

<u>O/W Separator (OWS-100)</u>											
Visual Check for Leaks		Inspect and Clean Probes		Probes Work Correctly		Adjust Collection Weir		Change Top Sorbant Pad		Drain and Clean	
YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO

As Needed. As Needed. Annual-June

<u>Holding Tank (HT-200)</u>					
Visual Check for Leaks		Inspect and Clean Probes		Probes Work Correctly	
YES	NO	YES	NO	YES	NO

Tank capacity is 380 gallons.

<u>Transfer Pump TP-200</u>				<u>Bag Filters</u>													
Check for Leaks		Check Motor		Bag Filter	Pressure (psi)		Check Filter		Change Filter		Add Sorbant Pads to Filter		Any DNAPL in the Bottom of the Filter		Check Pressure Switch		Spare Bag Filters
YES	NO	YES	NO		In	Out											
Annual-December				BF-300	34.0	33.5	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	22
				BF-301	n/a	n/a	YES	NO	YES	NO	YES	NO	YES	NO			

<u>Metering Pumps</u>							
Metering Pumps	Speed	Stroke	Check Tubing		Clean Pump Head Assy.		Clean Check Valve
MP-600	25	40	YES	NO	YES	NO	YES
MP-601	25	40	YES	NO	YES	NO	YES

Every 6 months June & December

<u>Sequestering/Biocide Drums</u>				
Check for Leaks		Level In drum	Spare Drums on Site	
YES	NO	23.9 inches	Redux 340	1
YES	NO	25.8 inches	Redux 620	1

<u>Carbon Vessels</u>							<u>Blower B-500</u>						<u>Odor Control Drum</u>				
Carbon Vessels		Pressure (psi)		Check Vessel for Leaks		Check Hoses for Leaks		Operating Odor Control		Check for Leaks		Check Motor		Check for Leaks		Influent	Effluent
LGAC-300	PG-300	27.7	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	N/A ppm	N/A ppm	
LGAC-301	PG-301	21.5	YES	NO	YES	NO	Annual-December										
LGAC-302	PG-302	19.6	YES	NO	YES	NO											

Annual-December

**Monthly System Operation Record
Excelsior Avenue, Former MGP Site
Saratoga Springs, New York**

Date: 3/4/2026

Technician: KL

<u>DNAPL Recovery and Storage Tank (HT-500)-Not Used</u>				
Visual Check for leaks	Inspect and Clean Probes	Probes Work Correctly	Total Product in Tank	Cumulative Total
YES NO	N/A	N/A	0 inches	0 gallons

<u>Heaters and Air Ventilation</u>				
Heat On	Heat Set At	Power Vent Roof Exhaust	Auto Set At?	
YES NO	65	YES NO	80 °F	

<u>OWS DNAPL Recovery</u>		
Amount of DNAPL drained from OWS placed in a 55 gallon drum	Cumulative Total for 2026	Cumulative Total
0.25 Gallons	0.75 Gallons	291.50 Gallons

<u>Floor Sump</u>			
Inspect and Clean Probe	Probe Works Correctly	Does Sump Need Cleaning	
YES NO	YES NO	YES	NO

<u>Health and Safety</u>					
HASP Onsite	First Aid kit Onsite	Eye Wash Working	Onsite Fire Extinguishers	Emergency Lighting Ok	
YES NO	YES NO	YES NO	YES NO	YES	NO

<u>Drums Stored Inside the Building</u>		
Drum Identification	Drum Contents	Accumulation Start Date
Drum #45	DNAPL	1/7/2026
Drum #46	PPE/Pads/Booms	1/7/2026

Comments:

System is running for 4 hours per day.

Pumped 1 gallons from PW-5

**Monthly System Operation Record
Excelsior Avenue, Former MGP Site
Saratoga Springs, New York**

Date: 3/4/2026

Technician: KL

<u>Storm Sewer System</u>			
Item	Checked		Comments
Manhole - 1	YES	NO	
Catch Basin - 2	YES	NO	
Catch Basin - 3	YES	NO	
Catch Basin - 4	YES	NO	
Catch Basin - 5	YES	NO	
Catch Basin - 5A	YES	NO	
Catch Basin - 6	YES	NO	
Catch Basin - 7	YES	NO	
Catch Basin - 8	YES	NO	
Catch Basin - 9	YES	NO	
Catch Basin - 11	YES	NO	
Catch Basin - 12	YES	NO	
Catch Basin - 13	YES	NO	
Catch Basin - 13A	YES	NO	
Catch Basin - 14	YES	NO	
Catch Basin - 15	YES	NO	

<u>Asphalt Cap</u>			
Item	Checked		Comments
Former MGP Site	YES	NO	
Former Spa Steel Site	YES	NO	

<u>Old Red Spring</u>			
Item	Checked		Comments
Fountain	YES	NO	

<u>Security Fence</u>			
Item	Checked		Comments
Former MGP Site	YES	NO	

<u>Vegetation</u>			
Item	Checked		Comments
Former MGP Site	YES	NO	
Former Skating Rink	YES	NO	

NG Gas Operations has an on-site office trailer.

NG Warehousing stores transformers on-site in a fenced in area.

Monthly System Operation Record

Excelsior Avenue, Former MGP Site

Saratoga Springs, New York

Date: 2/4/2026
 Technician: KL

Time: 930
 Weather: sunny 20

<u>Building Security</u>					
Main Gate Secure		Side Gate Secure		Building Secure	
YES	NO	YES	NO	YES	NO

<u>System Operating</u>		
Continuous Mode		Hours Per Day
YES	NO	4

<u>System Discharge Meter</u>		<u>Saratoga Springs Meter</u>	
Totalizer-Month	Gallons per minute	Cubic Feet	Gallons
4016.00	16.50	535117.31	4,002,677

<u>Pumps</u>														
WELL ID.	DTW	DTP	DTB	Flow Rate	Vault Locked		Check Piping for Leaks		Check Control Panel		Pump Pulled and Cleaned		Due	Comments
PW-1	N/A	N/A	19.80	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO	Annual-June	
PW-2	N/A	N/A	19.00	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		
PW-3	N/A	N/A	18.00	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		
PW-4	N/A	N/A	15.70	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		
PW-5	N/A	N/A	21.50	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		

Pumps are removed from well, visual inspection and cleaned annually.

<u>O/W Separator (OWS-100)</u>											
Visual Check for Leaks		Inspect and Clean Probes		Probes Work Correctly		Adjust Collection Weir		Change Top Sorbant Pad		Drain and Clean	
YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO

As Needed. As Needed. Annual-June

<u>Holding Tank (HT-200)</u>					
Visual Check for Leaks		Inspect and Clean Probes		Probes Work Correctly	
YES	NO	YES	NO	YES	NO

Tank capacity is 380 gallons.

<u>Transfer Pump TP-200</u>				<u>Bag Filters</u>													
Check for Leaks		Check Motor		Bag Filter	Pressure (psi)		Check Filter		Change Filter		Add Sorbant Pads to Filter		Any DNAPL in the Bottom of the Filter		Check Pressure Switch		Spare Bag Filters
YES	NO	YES	NO		In	Out											
Annual-December				BF-300	33.6	32.9	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	24
				BF-301	n/a	n/a	YES	NO	YES	NO	YES	NO	YES	NO			

<u>Metering Pumps</u>								
Metering Pumps	Speed	Stroke	Check Tubing		Clean Pump Head Assy.		Clean Check Valve	
MP-600	25	40	YES	NO	YES	NO	YES	NO
MP-601	25	40	YES	NO	YES	NO	YES	NO

Every 6 months June & December

<u>Sequestering/Biocide Drums</u>				
Check for Leaks		Level In drum		Spare Drums on Site
YES	NO	25.5	inches	Redux 340 1
YES	NO	27.5	inches	Redux 620 1

<u>Carbon Vessels</u>							<u>Blower B-500</u>						<u>Odor Control Drum</u>				
Carbon Vessels		Pressure (psi)		Check Vessel for Leaks		Check Hoses for Leaks	Operating Odor Control		Check for Leaks		Check Motor		Check for Leaks		Influent	Effluent	
LGAC-300	PG-300	26.6	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	N/A ppm	N/A ppm	
LGAC-301	PG-301	21.5	YES	NO	YES	NO	Annual-December										
LGAC-302	PG-302	18.8	YES	NO	YES	NO											

Annual-December

**Monthly System Operation Record
Excelsior Avenue, Former MGP Site
Saratoga Springs, New York**

Date: 2/4/2026

Technician: KL

<u>DNAPL Recovery and Storage Tank (HT-500)-Not Used</u>				
Visual Check for leaks	Inspect and Clean Probes	Probes Work Correctly	Total Product in Tank	Cumulative Total
YES NO	N/A	N/A	0 inches	0 gallons

<u>Heaters and Air Ventilation</u>				
Heat On	Heat Set At	Power Vent Roof Exhaust	Auto Set At?	
YES NO	65	YES NO	80 °F	

<u>OWS DNAPL Recovery</u>		
Amount of DNAPL drained from OWS placed in a 55 gallon drum	Cumulative Total for 2026	Cumulative Total
0.25 Gallons	0.5 Gallons	291.25 Gallons

<u>Floor Sump</u>			
Inspect and Clean Probe	Probe Works Correctly	Does Sump Need Cleaning	
YES NO	YES NO	YES	NO

<u>Health and Safety</u>					
HASP Onsite	First Aid kit Onsite	Eye Wash Working	Onsite Fire Extinguishers	Emergency Lighting Ok	
YES NO	YES NO	YES NO	YES NO	YES	NO

<u>Drums Stored Inside the Building</u>		
Drum Identification	Drum Contents	Accumulation Start Date
Drum #45	DNAPL	1/7/2026
Drum #46	PPE/Pads/Booms	1/7/2026

Comments:

System is running for 4 hours per day.

Pumped 1 gallons from PW-5

**Monthly System Operation Record
Excelsior Avenue, Former MGP Site
Saratoga Springs, New York**

Date: 2/4/2026

Technician: KL

<u>Storm Sewer System</u>			
Item	Checked		Comments
Manhole - 1	YES	NO	
Catch Basin - 2	YES	NO	
Catch Basin - 3	YES	NO	
Catch Basin - 4	YES	NO	
Catch Basin - 5	YES	NO	
Catch Basin - 5A	YES	NO	
Catch Basin - 6	YES	NO	
Catch Basin - 7	YES	NO	
Catch Basin - 8	YES	NO	
Catch Basin - 9	YES	NO	
Catch Basin - 11	YES	NO	
Catch Basin - 12	YES	NO	
Catch Basin - 13	YES	NO	
Catch Basin - 13A	YES	NO	
Catch Basin - 14	YES	NO	
Catch Basin - 15	YES	NO	

<u>Asphalt Cap</u>			
Item	Checked		Comments
Former MGP Site	YES	NO	
Former Spa Steel Site	YES	NO	

<u>Old Red Spring</u>			
Item	Checked		Comments
Fountain	YES	NO	

<u>Security Fence</u>			
Item	Checked		Comments
Former MGP Site	YES	NO	

<u>Vegetation</u>			
Item	Checked		Comments
Former MGP Site	YES	NO	
Former Skating Rink	YES	NO	

NG Gas Operations has an on-site office trailer.

NG Warehousing stores transformers on-site in a fenced in area.

Monthly System Operation Record

Excelsior Avenue, Former MGP Site

Saratoga Springs, New York

Date: 1/7/2026
 Technician: KL

Time: 1100
 Weather: snow 22

Building Security					
Main Gate Secure		Side Gate Secure		Building Secure	
YES	NO	YES	NO	YES	NO

System Operating		
Continuous Mode		Hours Per Day
YES	NO	4

System Discharge Meter		Saratoga Springs Meter	
Totalizer-Month	Gallons per minute	Cubic Feet	Gallons
4289.00	16.60	532846.12	3,985,689

<u>Pumps</u>														
WELL ID.	DTW	DTP	DTB	Flow Rate	Vault Locked		Check Piping for Leaks		Check Control Panel		Pump Pulled and Cleaned		Due	Comments
PW-1	N/A	N/A	19.80	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO	Annual-June	
PW-2	N/A	N/A	19.00	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		
PW-3	N/A	N/A	18.00	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		
PW-4	N/A	N/A	15.70	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		
PW-5	N/A	N/A	21.50	N/A gpm	YES	NO	YES	NO	YES	NO	YES	NO		

Pumps are removed from well, visual inspection and cleaned annually.

<u>O/W Separator (OWS-100)</u>											
Visual Check for Leaks		Inspect and Clean Probes		Probes Work Correctly		Adjust Collection Weir		Change Top Sorbant Pad		Drain and Clean	
YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO

As Needed. As Needed. Annual-June

Holding Tank (HT-200)					
Visual Check for Leaks		Inspect and Clean Probes		Probes Work Correctly	
YES	NO	YES	NO	YES	NO

Tank capacity is 380 gallons.

<u>Transfer Pump TP-200</u>				<u>Bag Filters</u>													
Check for Leaks		Check Motor		Bag Filter	Pressure (psi)		Check Filter		Change Filter		Add Sorbant Pads to Filter		Any DNAPL in the Bottom of the Filter		Check Pressure Switch		Spare Bag Filters
YES	NO	YES	NO		In	Out											
Annual-December				BF-300	34.4	32.1	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	26
				BF-301	n/a	n/a	YES	NO	YES	NO	YES	NO	YES	NO			

Metering Pumps								
Metering Pumps	Speed	Stroke	Check Tubing		Clean Pump Head Assy.		Clean Check Valve	
MP-600	25	40	YES	NO	YES	NO	YES	NO
MP-601	25	40	YES	NO	YES	NO	YES	NO

Every 6 months June & December

Sequestering/Biocide Drums				
Check for Leaks		Level In drum	Spare Drums on Site	
YES	NO	27.5 inches	Redux 340	1
YES	NO	27.9 inches	Redux 620	1

Carbon Vessels						Blower B-500				Odor Control Drum			
Carbon Vessels		Pressure (psi)		Check Vessel for Leaks		Check Hoses for Leaks		Operating Odor Control		Check for Leaks		Check Motor	
LGAC-300	PG-300	26.1	YES	NO	YES	NO	YES		NO	YES	NO	YES	NO
LGAC-301	PG-301	21.5	YES	NO	YES	NO				YES	NO	N/A ppm	N/A ppm
LGAC-302	PG-302	18.5	YES	NO	YES	NO				Annual-December			

**Monthly System Operation Record
Excelsior Avenue, Former MGP Site
Saratoga Springs, New York**

Date: 1/7/2026

Technician: KL

<u>DNAPL Recovery and Storage Tank (HT-500)-Not Used</u>				
Visual Check for leaks	Inspect and Clean Probes	Probes Work Correctly	Total Product in Tank	Cumulative Total
YES NO	N/A	N/A	0 inches	0 gallons

<u>Heaters and Air Ventilation</u>				
Heat On	Heat Set At	Power Vent Roof Exhaust	Auto Set At?	
YES NO	65	YES NO	80 °F	

<u>OWS DNAPL Recovery</u>		
Amount of DNAPL drained from OWS placed in a 55 gallon drum	Cumulative Total for 2026	Cumulative Total
0.25 Gallons	0.25 Gallons	291.00 Gallons

<u>Floor Sump</u>					
Inspect and Clean Probe	Probe Works Correctly	Does Sump Need Cleaning			
YES NO	YES NO	YES	NO		

<u>Health and Safety</u>									
HASP Onsite	First Aid kit Onsite	Eye Wash Working	Onsite Fire Extinguishers	Emergency Lighting Ok					
YES NO	YES NO	YES NO	YES NO	YES	NO				

<u>Drums Stored Inside the Building</u>		
Drum Identification	Drum Contents	Accumulation Start Date
Drum #45	DNAPL	1/7/2026
Drum #46	PPE/Pads/Booms	1/7/2026

Comments:

System is running for 4 hours per day.

Pumped 1.5 gallons from PW-5

**Monthly System Operation Record
Excelsior Avenue, Former MGP Site
Saratoga Springs, New York**

Date: 1/7/2026

Technician: KL

<u>Storm Sewer System</u>			
Item	Checked		Comments
Manhole - 1	YES	NO	
Catch Basin - 2	YES	NO	
Catch Basin - 3	YES	NO	
Catch Basin - 4	YES	NO	
Catch Basin - 5	YES	NO	
Catch Basin - 5A	YES	NO	
Catch Basin - 6	YES	NO	
Catch Basin - 7	YES	NO	
Catch Basin - 8	YES	NO	
Catch Basin - 9	YES	NO	
Catch Basin - 11	YES	NO	
Catch Basin - 12	YES	NO	
Catch Basin - 13	YES	NO	
Catch Basin - 13A	YES	NO	
Catch Basin - 14	YES	NO	
Catch Basin - 15	YES	NO	

<u>Asphalt Cap</u>			
Item	Checked		Comments
Former MGP Site	YES	NO	
Former Spa Steel Site	YES	NO	

<u>Old Red Spring</u>			
Item	Checked		Comments
Fountain	YES	NO	

<u>Security Fence</u>			
Item	Checked		Comments
Former MGP Site	YES	NO	

<u>Vegetation</u>			
Item	Checked		Comments
Former MGP Site	YES	NO	
Former Skating Rink	YES	NO	

NG Gas Operations has an on-site office trailer.

NG Warehousing stores transformers on-site in a fenced in area.