



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-1**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 4 ft	Length: 10 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/4/16	Date Completed: 1/4/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 2' (SP) Dark brown medium sand with metal scraps and debris (fill), dry.	
	KTZ-TP-1-1.5	Hand			
2					
				2'- 4' (SP) Light brown fine sand, groundwater flowing in from the sidewall at 2 ft bgs.	
3					
4	KTZ-TP-1-4	Hand			
				Bottom of borehole at 4.0 feet.	
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-2**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 3 ft	Length: 9 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/4/16	Date Completed: 1/4/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
			20 40 60 80
1		0'- 0.5' (OL) Dark brown organic material, dry.	
		0.5'- 3' (SW) Light brown medium sand transitioning to dark brown fine silty sand with depth, dry.	
2			
3			
		Bottom of borehole at 3.0 feet.	
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-3**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name:	Katzman Recycling	Depth: 2 ft	Length: 12 ft Width: 2 ft
Project Location:	Granville, NY	Date Started: 1/4/16	Date Completed: 1/4/16
Project Number:	240658.0000.0000	Coordinate System:	N/A
Client:	NYSDEC	North:	Not Surveyed East: Not Surveyed
TRC Eng./Geol:	Nathaniel Peterson	Vertical Datum:	Ground Surface Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor:	Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s):	W. Nielson		
Equipment/Model:	Track-Mounted Excavator	Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
1				0'- 0.17' (OL) Dark brown medium sand with organics, dry. 0.17'- 0.67' (SP) Brown medium sand with fine sub-rounded gravel, dry. 0.67'- 2' (SP-SM) Light brown fine sand with silt, dry.	20 40 60 80
2	KTZ-TP-3-2			Bottom of borehole at 2.0 feet.	
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-4**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 2.5 ft	Length: 11 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/4/16	Date Completed: 1/4/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
			20 40 60 80
1		0'- 2.5' (SW) Light brown fine sand transitioning to gray fine sand with depth, dry.	
2			
3			
4	Bottom of borehole at 2.5 feet.		
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PIT\KATZMAN TEST PIT.S.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-5**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 2 ft	Length: 10 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/4/16	Date Completed: 1/4/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface






DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 1' (SP-SM) Gray silt with medium sand, dry.	◆
2	KTZ-TP-5-2	Hand		1'- 2' (SP) Light brown fine sand, dry.	◆
				Bottom of borehole at 2.0 feet.	
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-6**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 3 ft	Length: 12 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/4/16	Date Completed: 1/4/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1	KTZ-TP-6-1			0'- 1' (SP) Blue-gray fine to coarse sand and ash (fill), dry.	◆
2				1'- 1.9' (SP) Dark brown medium sand, dry.	◆
3	KTZ-TP-6-3			1.9'- 3' (SP) Light brown fine to medium sand, dry.	◆
				Bottom of borehole at 3.0 feet.	
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-7**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 4 ft	Length: 10 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/4/16	Date Completed: 1/4/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 0.25' (ML) Red silt, dry.	
				0.25'- 3' (SP) Black coarse sand with metal and plastic debris (fill), dry.	
2	KTZ-TP-7-2	Hand			
3					
4	KTZ-TP-7-4	Hand		3'- 4' (SP-SM) Gray fine sand and silt, dry.	
				Bottom of borehole at 4.0 feet.	
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-8**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 3 ft	Length: 10 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/4/16	Date Completed: 1/4/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
			20 40 60 80
1		0'- 1' (SP) Orange-brown coarse sand with cinders, dry.	◆
2		1'- 2.05' (SP) Black coarse sand with mixed metal and plastic debris (fill), dry.	◆
3		2.05'- 3' (SP) Light brown medium sand, dry.	◆
4		Bottom of borehole at 3.0 feet.	
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PIT\KATZMAN TEST PIT.S.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-9**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 4.5 ft	Length: 12 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/5/16	Date Completed: 1/5/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.)
Operator(s): W. Nielson			REFERENCE
Equipment/Model: Track-Mounted Excavator			STABILIZATION

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 0.5' (GP) Gray coarse gravel, sub-angular, dry.	
				0.5'- 1' (SP) Dark red-brown medium sand, dry, industrial odor.	
2	KTZ-TP-9-2			1'- 4' (SP) Black medium to coarse sand, dry, industrial odor.	
3					
4					
	KTZ-TP-9-4.5			4'- 4.5' (SW) Gray medium sand, dry (native).	
5				Bottom of borehole at 4.5 feet.	
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-10**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 4 ft	Length: 12 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/5/16	Date Completed: 1/5/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
			20 40 60 80
1		0'- 0.5' (OL) Dark brown coarse sand with organics, dry.	◆
		0.5'- 2.5' (SP) Dark gray/black coarse sand with coarse gravel, dry, industrial odor.	
2			
3		2.5'- 4' (SP) Gray medium sand, dry (native).	◆
4			
		Bottom of borehole at 4.0 feet.	
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-11**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 3 ft	Length: 10 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/5/16	Date Completed: 1/5/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 0.5' (OL) Dark brown medium sand with organics, dry.	◆
				0.5'- 2' (SP) Dark brown medium to coarse sand and gravel with metal debris (fill), dry. Spotty oxidation.	◆
2					
3	KTZ-TP-11-2.5			2'- 3' (SP) Light gray fine sand, dry (native).	◆
				Bottom of borehole at 3.0 feet.	
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PIT\KATZMAN TEST PIT.S.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-12**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name:	Katzman Recycling	Depth:	4.5 ft
Project Location:	Granville, NY	Length:	10 ft
Project Number:	240658.0000.0000	Width:	2 ft
Client:	NYSDEC	Date Started:	1/5/16
TRC Eng./Geol:	Nathaniel Peterson	Date Completed:	1/5/16
		Coordinate System:	N/A
		North:	Not Surveyed
		East:	Not Surveyed
		Vertical Datum:	Ground Surface
		Ground Elevation:	Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor:	Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)
Operator(s):	W. Nielson	REFERENCE	STABILIZATION
Equipment/Model:	Track-Mounted Excavator		
		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 0.25' (OL) brown fine sand with some metal debris (fill) and organics. 0.25'- 1' (SP-SM) Brown medium sand with white-blue silt (gel-like), dry.	◆
2				1'- 2.5' (SP) Dark brown medium to coarse sand with sub-angular gravel, dry.	◆
3	KTZ-TP-12-3			2.5'- 3.5' (ML) White and brown silt (gel-like), oxidization present, dry.	◆
4	KTZ-TP-12-4			3.5'- 4.5' (SP) Gray fine sand, dry (native).	◆
5				Bottom of borehole at 4.5 feet.	
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-13**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name:	Katzman Recycling	Depth:	4.5 ft
Project Location:	Granville, NY	Length:	12 ft
Project Number:	240658.0000.0000	Width:	2 ft
Client:	NYSDEC	Date Started:	1/5/16
TRC Eng./Geol:	Nathaniel Peterson	Date Completed:	1/5/16
		Coordinate System:	N/A
		North:	Not Surveyed
		East:	Not Surveyed
		Vertical Datum:	Ground Surface
		Ground Elevation:	Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor:	Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)
Operator(s):	W. Nielson	REFERENCE	STABILIZATION
Equipment/Model:	Track-Mounted Excavator		
			Not Observed
			Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 0.25' (OL) Dark brown fine to medium sand with organics, dry.	
2	KTZ-TP-13-2	Hand		0.25'- 3.5' (SP-SM) Dark brown medium sand with white/gray inclusions of silt (gel-like), dry.	
3					
4	KTZ-TP-13-4	Hand		3.5'- 4.5' (ML) Brown silt, dry (native).	
5				Bottom of borehole at 4.5 feet.	
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-14**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 5.5 ft	Length: 12 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/5/16	Date Completed: 1/5/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.)
Operator(s): W. Nielson			REFERENCE
Equipment/Model: Track-Mounted Excavator			STABILIZATION

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 0.5' (OL) Dark brown medium sand with organics, little gravel, dry.	
2				0.5'- 4' (GP) Dark gray/black coarse sand and gravel with metal debris (fill), slight odor.	
3	KTZ-TP-14-3	Hand			
4					
5				4'- 5.5' (SW) Gray/light brown fine sand (native), dry.	
6				Bottom of borehole at 5.5 feet.	
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-15**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 2.5 ft	Length: 8 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/6/16	Date Completed: 1/6/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 1' (SP) Brown coarse sand with plastic and metal debris (fill), dry.	◆
				1'- 1.5' (SP) Dark brown medium sand with coarse gravel and metal debris (fill), dry.	◆
2				1.5'- 2.5' (SW) Light brown medium sand transition to gray medium sand with depth, dry.	◆
	KTZ-TP-15-2.5			Bottom of borehole at 2.5 feet.	
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-16**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 2.5 ft	Length: 12 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/6/16	Date Completed: 1/6/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
1				0'- 1' (SP) Dark brown medium sand with coarse gray sub-angular gravel and metal debris (fill), spotty oxidation, dry.	
2				1'- 2.5' (SP) Light brown fine sand (native), dry.	
3	KTZ-TP-16-2.5			Bottom of borehole at 2.5 feet.	
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-17**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 3 ft	Length: 10 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/6/16	Date Completed: 1/6/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1	KTZ-TP-17-1	Hand		0'- 0.5' (SP) Light brown coarse sand and fine sub-angular gravel, dry.	◆
				0.5'- 1' (SP) Black and red-brown oxidized ash and coarse sand, dry.	◆
2	KTZ-TP-17-2	Hand		1'- 3' (SP) Gray fine sand (native), dry. Slight odor.	◆
3					
				Bottom of borehole at 3.0 feet.	
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-18**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 7 ft	Length: 39 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/6/16	Date Completed: 1/6/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 1' (GP) Gray coarse sub-angular gravel, dry.	◆
				1'- 1.45' (SP) Red-brown coarse sand, oxidized, dry.	
2				1.45'- 3' (SP) Blue-gray medium to coarse sand, incinerator waste (fill), dry.	◆
3	KTZ-TP-18-3	Hand			
				3'- 3.15' (SP) Red-brown coarse sand, oxidized, dry.	
4				3.15'- 7' (SP) Blue-gray medium to coarse sand, incinerator waste (fill), dry. Base of fill could not be found along southwestern extent of the test pit. Native soil was found beneath fill material at approximately 4 ft bgs along northeastern extent of test pit.	◆
5	KTZ-TP-18-5	Hand			
6					◆
7	KTZ-TP-18-7	Hand			
				Bottom of borehole at 7.0 feet.	
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PIT\KATZMAN TEST PIT\G.PJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-19**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 2.5 ft	Length: 10 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/6/16	Date Completed: 1/6/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 0.5' (OL) Organic layer, some metal debris, dry.	
				0.5'- 2.5' (SW) Light brown fine sand transition to gray fine sand with depth, dry.	
2	KTZ-TP-19-2				
3				Bottom of borehole at 2.5 feet.	
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-20**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 2 ft	Length: 8 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/7/16	Date Completed: 1/7/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
			20 40 60 80
1		0'- 0.5' (OL) Organic layer (peat), dry.	◆
		0.5'- 2' (SP) Light brown fine sand (native), dry.	
2			◆
		Bottom of borehole at 2.0 feet.	
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PIT\KATZMAN TEST PIT.S.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-21**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 4 ft	Length: 10 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/7/16	Date Completed: 1/7/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 4' (SP-SM) Light brown fine sand, little silt, trace sub-rounded fine gravel, dry, native.	
2	KTZ-TP-21-2	Hand			◆
3					
4	KTZ-TP-21-4	Hand			
				Bottom of borehole at 4.0 feet.	
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-22**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 3 ft	Length: 6 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/7/16	Date Completed: 1/7/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
1	KTZ-TP-22-1			0'- 2' Black ash and scrap metal (fill), dry.	
2					
3				2'- 3' (SP) Light brown fine sand, little silt (native), dry.	
				Bottom of borehole at 3.0 feet.	
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
P:\ECR\PROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-23**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 8 ft	Length: 39 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/7/16	Date Completed: 1/7/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1				0'- 0.5' (SP) Dark brown medium sand with plastic and metal debris (fill), dry.	
2				0.5'- 8' (SP) Blue-gray medium to coarse sand, incinerator waste (fill). Base of fill could not be found along southwestern extent of the test pit. Native soil was found beneath fill material at approximately 3 ft bgs along northeastern extent of test pit.	
3					
4	KTZ-TP-23-4	Hand			
5					
6					
7					
8	KTZ-TP-23-8	Hand			
				Bottom of borehole at 8.0 feet.	
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PITS\KATZMAN TEST PITS.GPJ



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-24**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 1.5 ft	Length: 6 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/7/16	Date Completed: 1/7/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface




DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1	KTZ-TP-24-1			0'- 0.25' (OL) Organics (peat), dry. 0.25'- 1.5' (SP) Light brown fine sand, dry.	◆
2				Bottom of borehole at 1.5 feet.	
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-25**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 2 ft	Length: 8 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/8/16	Date Completed: 1/8/16	
Project Number: 240658.0000.0000	Coordinate System: N/A	North: Not Surveyed East: Not Surveyed	
Client: NYSDEC	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson			
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1	KTZ-TP-25-1			0'- 1' (SW) brown fine sand, some organics (native), dry.	◆
2				1'- 2' (ML) Light brown silt (native), dry.	◆
				Bottom of borehole at 2.0 feet.	
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-26**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 1.5 ft	Length: 6 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/8/16	Date Completed: 1/8/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
				0'- 0.5' (OL) Dark brown organic layer, dry.	
1	KTZ-TP-26-1			0.5'- 1.5' (CL) Light brown silty clay, dry.	
				Bottom of borehole at 1.5 feet.	
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-27**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling		Depth: 1.5 ft	Length: 7 ft Width: 2 ft
Project Location: Granville, NY		Date Started: 1/8/16	Date Completed: 1/8/16
Project Number: 240658.0000.0000		Coordinate System: N/A	
Client: NYSDEC		North: Not Surveyed	East: Not Surveyed
TRC Eng./Geol: Nathaniel Peterson		Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.		DATE	DEPTH (ft.bgs.) REFERENCE STABILIZATION
Operator(s): W. Nielson			
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
				0'- 0.5' (OL) Dark brown organic layer, dry.	
1	KTZ-TP-27-1	Hand icon	Hatched box	0.5'- 1.5' (CL) Light brown silty clay (native), dry.	◆
				Bottom of borehole at 1.5 feet.	
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					



10 Maxwell Drive
Clifton Park, NY 12065
Telephone: (518) 688-3102
Fax: (518) 348-1194

TEST PIT NUMBER: **KTZ-TP-28**
Page 1 of 1

PROJECT INFORMATION		TEST PIT INFORMATION	
Project Name: Katzman Recycling	Depth: 2.5 ft	Length: 5 ft	Width: 2 ft
Project Location: Granville, NY	Date Started: 1/8/16	Date Completed: 1/8/16	
Project Number: 240658.0000.0000	Coordinate System: N/A		
Client: NYSDEC	North: Not Surveyed	East: Not Surveyed	
TRC Eng./Geol: Nathaniel Peterson	Vertical Datum: Ground Surface	Ground Elevation: Not Surveyed	
CONTRACTOR INFORMATION		GROUND WATER OBSERVATIONS	
Excavation Contractor: Parratt-Wolff, Inc.	DATE	DEPTH (ft.bgs.)	REFERENCE
Operator(s): W. Nielson			STABILIZATION
Equipment/Model: Track-Mounted Excavator		Not Observed	Ground Surface

DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	LITHOLOGY	MATERIAL DESCRIPTION	◆ VOC SCREENING RESULTS (ppm)
					20 40 60 80
1	KTZ-TP-28-1	Hand		0'- 0.5' (OL) Dark brown organic layer, some glass fragments.	
				0.5'- 1.5' (SP) Light brown fine sand (native), dry.	
2				1.5'- 2.5' (CL) Light brown silty clay (native), dry.	
3				Bottom of borehole at 2.5 feet.	
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

TEST PIT - TRC-STD US.GDT - 2/15/18
PAECRPROJECTS\NYSDEC\WA #24 - KATZMAN\RFSTEST PIT\KATZMAN TEST PIT.S.GPJ